

DEPARTMENT OF THE ARMY TECHNICAL MANUAL
DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
CONTROLS, RADAR SET C-654/APR-9B (FSN 5895-897-8193)
AND C-654A(APR-9B (FSN 5895-897-8192)

Headquarters, Department of the Army, Washington, D.C.
19 April 1974

Current as October 1973

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope.....	1-1	2
	General.....	1-2	2
	Explanation of columns.....	1-3	2
	Special information.....	1-4	4
	Location of repair parts	1-5	4
	Abbreviations (Not applicable).....	1-6	4
	Reporting of equipment publication improvements.....	1-7	4
II.	REPAIR PARTS LIST		6
III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV.	INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER.....		12

This publication is a courtesy quick copy
from the UNITED STATES ARMY ADJUTANT
GENERAL PUBLICATIONS CENTER, ST. LOUIS,
MISSOURI, to meet your needs while we are
replenishing our regular stock.

*This manual supersedes TM 11-5895-231-35P, 7 February 1964.

**SECTION I
INTRODUCTION**

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the C654/APR-9B and C654A/APR-9B. The PCCN for the equipment is GEWAAY for all models

1-2. General

This repair parts and special tools list is divided into the following sections:

- a. *Repair Parts List -Section III.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level This repair parts list is arranged in alphabetical order.
- b. *Special Tools, Test and Support Equipment - Section III.* Not applicable.
- c. *Index -Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

- a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end item & Source codes are –

<i>Code</i>	<i>Explanation</i>
PA -	Item procured and stocked for anticipated or known usage.
PB -	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC -	Item procured and stocked and which otherwise would be coded PA except that it is support deteriorative in nature.
PD -	Support item, excluding equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE -	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF -	Support equipment which will not be stocked but which will be centrally procured on demand.
PG -	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF -	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot over-haul/repair kit and a maintenance kit.
MO-	Item to be manufactured or fabricated at organizational level
MF-	Item to be manufactured or fabricated at direct support maintenance level
MH-	Item to be manufactured or fabricated at general support maintenance level.
MD-	Item to be manufactured or fabricated at depot maintenance level
AO -	Item to be assembled at organizational level.
AF -	Item to be assembled at direct support maintenance level
AH	Item to be assembled at general support maintenance level.
AD -	Item to be assembled at depot maintenance level

- | <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| XA - | Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly. |
| XB - | Item is not procured or stocked. If not available through salvage, requisition. justification. |
| XC - | Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number. |
| XD - | Support items can be requisitioned with |

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows -

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
-------------	--------------------------------

O -	Support item is removed, replaced, used at the organizational level of maintenance. A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.
-----	---

F -	Support item is removed, replaced, used at the direct support maintenance level H - Support item is removed, replaced, used at the general support maintenance. D - Support items that are removed, replaced, used at depot only.
-----	---

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (ie., all authorized maintenance functions) When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code

<i>Code</i>	<i>Application/Explanation</i>
-------------	--------------------------------

O -	The lowest maintenance level capable of complete repair of the support item is the organizational level.
-----	--

F -	The lowest maintenance level capable of complete repair of the support item is direct support
-----	---

H -	The lowest maintenance level capable of complete repair of the support item is general support.
-----	---

D -	The lowest maintenance level capable of complete repair of the support item is the depot level.
-----	---

L -	Repair restricted to designated Specialized Repair Activity.
-----	--

Z -	Non-repairable. No repair is authorized.
-----	--

B -	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level No parts or special tools are procured for the maintenance of this item.
-----	--

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in-the fifth position of the uniform SMR Code Format as follows --

<i>Code</i>	<i>Explanation</i>
-------------	--------------------

Z -	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code O- Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
-----	--

F -	Repairable item. When uneconomically re-pairable, condemn and dispose at the direct support level H— Repairable item. When uneconomically re-pairable, condemn and dispose at the general support level.
-----	--

D -	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level
-----	---

L -	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
-----	---

A -	Item requires special handling or condemnation procedures because of specific reasons (ie., precious metal content, high dollar value, critical material or hazardous material).
-----	--

- b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.
- c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.
- d. *Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.
- e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".
- f. *30-Day DS/GS Maintenance Allowances.*

NOTE

Allowances in GS column are for GS maintenance only.

- (1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-.
- (2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment
- g. *1-Year Allowances Per 100 Equip-mnts/Contingency Planning Purposes.* Column intentionally left blank.
- h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.
- i. *Illustration.* Not applicable.

1-4. Special Information

- a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

<i>Code</i>	<i>Used on</i>
AZS	C-654/APR-9B
AZS	C-654A/APR-9B

- b. The following publication pertains to the equipment and its components:

TM 11-5895231-20P Organizational Maintenance
 Repair Parts and Special
 Tools Lists: Controls,
 Radar Set C654/APR-9B
 and C-654A/APR-9B.

1-5. Location of Repair Parts

- a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.
- b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.
 - (1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.
 - (2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index
- c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.
- d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSELMA-SMV, Fort Monmouth, NJ., 07703.

(Next printed page is 6)

SECTION II

TM 11-5895-231-34P

(1) SMR CODE	(2) FEDERAL STOCK CODE (C)	(3) DESCRIPTION	(4) UNIT OF MEA EQUIP	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100	(9) DEPOT MAINT ALW	(10) ILLUSTRATION	
					(A) PER 100 1-20	(B) 21-50	(C) 51-100	(A) NO. 1-20	(B) 21-50	(C) 51-			(a) FIGURE	(b) ITEM
					REFERENCE NUMBER & MFR CODE		USED ON CODE	EQUIP		EQUIP			EQUIP	
'AOZZ	6625-510-1796	AMMETER M1301 16425 L00781 AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	6625-68J-9721	AMMETER 1N301..... HS100A (33005) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5910-160-4919	BRACKET, CAP H1305 CP0.6SA2 (81349) AZR	EA	1	*	*	*	*	*	*		2		
'AOZZ	5910-112-8267	CAPACITOR, FIXED, CERAMIC DIELECTRIC C1357 100 UUF, PORM10PCT 500V DC SMB91277-3 (80063) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	5910-112-8261	CAPACITOR, FIXED, CERAMIC DIELECTRIC C1358 100 UUF, PORM10PCT 500V DC SMB91277-3 Z(80063) ALS	EA	REF	*	*	*	*	*	*				
'AOZZ	591-840-6612	CAPACITOR, FIXED, PAPER DIELECTRIC C1355..... CP09A1EF103K1 (81349) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	5910-840-6672	CAPACITOR, FIXED, PAPER DIELECTRIC C1356..... CP09ALEF103KI (81349) ALS	EA	REF	*	*	*	*	*	*				
'ADZZ	5910-815-6881	CAPACITOR, FIXED, PAPER DIELECTRIC C1353..... CP09A1KC223K3 (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5g910-15-5120	CAPACITOR, FIXED, PAPER DIELECTRIC C1354..... CP09A1EFF233K (81349) ALS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5910-543-9197	CAPACITOR, FIXED, PAPER DIELECTRIC C1352..... CP09GA1RC104RC (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5910-53-77L14	CAPACITOR, FIXED, PAPER DIELECTRIC C1301..... CP6181EE254K (81349) ALR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5950-387-0470	COIL, RADIO FREQUENCY L1301..... 5546 (007811) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-295-e553	CONNECTOR, PLUG, ELECTRICAL P13058 .. SM11-20S (95238) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-665-4609	CONNECTOR, PLUG, ELECTRICAL P1305A .. SM11-205 (95238) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-236-8268	CONNECTOR, RECEPTACLE, ELECTRICAL J1302. AN3102A22-12P (81349)	EA	1	*	**	*	*	*	*		3		
'AOZZ	5935-236-3102	CONNECTOR, RECEPTACLE, ELECTRICAL J1301. AN3102A32-15 (81349)	EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-189-29o2	CONNECTOR, RECEPTACLE, ELECTRICAL J1304 AN3102A10SL3P (81349) ALS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-201-3511	CONNECTOR, RECEPTACLE, ELECTRICAL J1303. MS35174 (81349) ALS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-616-97193	DIAL, CONTROL A1308..... 16490 (00781) ALZ	EA	1	*	*	*	*	*	*		2		
'AOZZ	5355-656-0943	DIAL, SCALE NO-REF-DESIG..... 85-6473 (07843) ALS	EA	1	*	*	*	*	*	*		2		
'AOZZ	5355-656-0937	DIAL, SCALE NO-REF-DESIG..... 85-6654 (07843) AZS	EA	1	*	*	*	*	*	*		2		
'AOZZ	5355-656-0936	DIAL, SCALE NO-REF-DESIG..... 85-6660 (078430) AZS	EA	1	*	*	*	*	*	*		2		
'AOZZ	5960-262-1357	ELECTRON TUBE V1351 5654-6AK5W (81349) AZS	EA	1	*	*	*	*	*	*		100		
'AOZZ	5960-188-b654	ELECTRON TUBE v1352..... 5670 (81349) AZS	EA	3	*	*	*	*	*	*		100		
'AOZZ	5960-118-6584	ELECTRON TUBE V1353 5670 (81349) AZS	EA	REF	*	*	*	*	*	*				

SECTION II

TM 11-5895-231-34P

(1) SMR CODE	(2) FEDERAL STOCK CODE	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USED ON CODE	(4) UNIT OF MEA	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100 EQUIP CNTGC	(9) DEPOT MAINT PER 100 EQUIP	(10) ILLUSTRATION	
					(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100			(a) FIGURE NO.	(b) ITEM NO.
					'AOZZ	5960-188-6584	ELECTRON TUBE V1354 5670 (81349) AZS	EA	REF	*			*	*
'AOZZ	5915-681-9439	FILTER, RADIO INTERFERENCE F6301 AF103J (98569) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	3020-910-5846	GEAR, SPUR NO-REF-DESIG 20 TEETH 85-6716 (078433) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	3020-910-5841	GEAR, SPUR NO-REF-DESIG 34 TEETH 85-6496 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	3020-726-2339	GEAR SPUR 01309 37 TEETH 5-6495 (07843) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	3020-528-1226	GEAR, SPUR L01309 48,TEETH 5038157002 (13499) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	5365-200-6107	GEAR, SPUR NO-REF-DESIG 48 TEETH. 37 .. TEETH 85-6533 (01843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5325-286-6041	GROMMET W-REF-DESIG 54G (70485) AZLS	EA	4	*	*	*	*	*	*		3		
'AOZZ	5970-356-0568	INSULATOR STANDOFF NO-REF-DESIG 12923 (00181) AZS	EA	4	*	*	*	*	*	*		3		
'AOZZ	5355-680-8510	KNOW NO-REF-DESIG SETSCREW T TYPE 85-6668 (078431) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-504-9338	KNOB NO-REF- DESIG G SETSCREW TYPE 85-6661 (07843) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	5355-680-8529	KNOB NO-REF-DESIG SETSCREW TYPE 15-6837 (07843) AZS	EA	2	*	*	*	*	*	*		3		
'AOZZ	5355-680-8522	KNOB NO-RED-DESIG ROUND 85-653 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-680-8523	KNOB NO-REF-DESIG PUSH-ON TYPE 85-6661 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-656-1621	KNOB NC-REF-DESIG SETSCREW TYPE 85-6658 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-537-3667	KNOB E1305 BAR TYPE 16488 (00781) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5355-284-5128	KNOB E1301 ROUND 674810 (00781) AZR	EA	3	*	*	*	*	*	*		3		
'AOZZ	5355-284-5128	KNOB E1302 ROUND 6748-1D (00781) AZR	EA	REF	*	*	*	*	*	*				
'AOZZ	5355-284-5128	KNOB E1303 ROUND 6748-10 (00781) AZR	EA	REF	*	*	*	*	*	*				
'AOZZ	5355-685-6445	KNOB E1304 ROUND 11714 (00781) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	6240-155-7836	LAMP, INCANDESCENT 11301 A580-10190 (13182)	EA	5	*	*	*	*	*	*		50		
'AOZZ	6240-155-7836	LAMP, INCANDESCENT 11302 A580-10190 (13182)	EA	REF	*	*	*	*	*	*				
'AOZZ	6240-155-7836	LAMP, INCANDESCENT 11303 A580-10190 (13182)	EA	REF	*	*	*	*	*	*				
'AOZZ	6240-155-7836	LAMP, INCANDESCENT 11304 A580-10190 (13182)	EA	REF	*	*	*	*	*	*				
'AOZZ	6240-155-7836	LAMP, INCANDESCENT 11305 A580-10190 (13182)	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	LIGHT, PANEL X111301 WIRED FILTER AND CONTINUED	EA	5	*	*	*	*	*	*		3		

SECTION II

TM 11-5895-231-34P

(1) SMR CODE	(2) FEDERAL STOCK CODE (C)	(3) DESCRIPTION	(4) UNIT OF MEA EQUIP	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100	(9) DEPOT MAINT ALW	(10) ILLUSTRATION	
					(A) PER 100 1-20	(B) 21-50	(C) 51-100	(A) NO. 1-20	(B) 21-50				(a) FIGURE	(b) ITEM
					REFERENCE NUMBER & MFR CODE		USED ON CODE							
00	CNTGC	EQUIP												
		CONTINUED												
'AOZZ	6210-299-6656	CAP TT61A (72619) AZR LIGHT, PANEL X11302 W/RED FILTER AND.	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	CAP TT61A (72619) AZR LIGHT, PANEL X11303 WIRED FILTER AND.	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	CAP TT61A (72619) AZR LIGHT, PANEL X11304 W/RED FILTER AND.	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	CAP TT61A (72619) AZR LIGHT, PANEL XI1305 W/RED FILTER AND..	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-727-1628	LAP TT61A (72619) AZR LIGHT INDICATOR DS1306 W/LENS.....	EA	1	*	*	*	*	*	*		5		
'AOZZ	6210-299-6656	TAGI-1369 (03797) AZS LIGHT, PANEL DS1301.....	EA	5	*	*	*	*	*	*		3		
'AOZZ	6210-299-6656	TT61A (72619) AZS LIGHT, PANEL DS1302.....	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	TT61A (72619) AZS LIGHT, PANEL DS1303.....	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	TT61A (72619) AZS LIGHT, PANEL DS1304.....	EA	REF	*	*	*	*	*	*				
'AOZZ	6210-299-6656	TT61A (72619) AZS LIGHT, PANEL DS1305.....	EA	REF	*	*	*	*	*	*				
'AOZZ	5340-514-1327	TT61A (72619) AZS MOUNT, RESILIENT NO-REF-DESIG.....	EA	4	*	*	*	*	*	*		3		
'AOZZ	5330-530-2008	7110-10 (81860) PACKING PREFORMED NO-REF-DESIG	EA	1	*	*	*	*	*	*		2		
'AOZZ	9905-561-2519	AN6227-5-5 1813491 AZS PLATE, DESIGNATION MS1301 FRONT PANEL.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	5930-677-0495	10445 (00711) AZR PUSHBUTTON NO-REF-DESIG PLUNGER CAP.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	6130-230-7096	STYLE 4R (81997) AZS RECTIFIER, METALLIC CR1301.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	6130-682-9893	089367 (65092) AZR RECTIFIER, METALLIC CR1301.....	EA		*	*	*	*	*	*		3		
'AOZZ	5945-502-2411	LB516-81 (36004) AZS RELAY, ARMATURE K1301.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-264-8849	85-677118 (07843) AZS RESISTOR, FIXED, WIRE WOUND R11321.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-219-3523	R4386R2J (81349) AZS RESISTOR, FIXED, COMPOSITION R1307.....	EA	1	3	*	*	*	*	*				
'AOZZ	5905-279-3521	RC0GF130J (81349) AZR RESISTOR, FIXED, COMPOSITION R1308	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1753	RC20GF150J (81349) AZS RESISTOR, FIXED, COMPOSITION RL1309.....	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-3520	RC20GF1800J (81349) AZR RESISTOR, FIXED, COMPOSITION R1310.....	EA	1	*	*	*	*	*	*		3		
		RC20GF200J (81349) AZR												

SECTION II

TM 11-5895-231-34P

(1) SMR CODE	(2) FEDERAL STOCK CODE (C)	(3) DESCRIPTION	(4) UNIT OF MEA EQUIP	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100	(9) DEPOT MAINT ALW	(10) ILLUSTRATION	
					(A) PER 100 1-20	(B) 21-50	(C) 51-100	(A) NO. 1-20	(B) 21-50	(C) 51-			(a) FIGURE	(b) ITEM
					REFERENCE NUMBER & MFR CODE EQUIP	USED ON CODE								
'AOZZ	5905-279-3519	RESISTOR, FIXED, COMPOSITION R1311 RC20GF200J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1750	RESISTOR, FIXED, COMPOSITION R1312 RC20GF240J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1879	RESISTOR, FIXED, COMPOSITION R1313 RC20GF270J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-3518	RESISTOR, FIXED, COMPOSITION R1314 RC20GF300J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1885	RESISTOR, FIXED, COMPOSITION R1315 RC20GF360J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1894	RESISTOR, FIXED, COMPOSITION R1319 RC20GF830J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R1351 RC20GF101J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-256-0415	RESISTOR, FIXED, COMPOSITION R1316 RC20GF161J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-2674	RESISTOR, FIXED, COMPOSITION R1318 RC20GF201J (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R1323 RC20GF241J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-2019	RESISTOR, FIXED, COMPOSITION R1365 RC20GF512J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1718	RESISTOR, FIXED, COMPOSITION R1364 RC20GF822J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-185-8510	RESISTOR, FIXED, COMPOSITION R1352 RC20GF103J (11349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-1719	RESISTOR, FIXED, COMPOSITION R1355 RC20GF103J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-3499	RESISTOR, FIXED, COMPOSITION R1353 RC20GF213J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-102-2740	RESISTOR, FIXED, COMPOSITION R1357 RC20GF333J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-295-3665	RESISTOR, FIXED, WIRE WOUND R1317 OHM PORM1PCT TOLERANCE, 1 WATT 503869-9002 (81349) AZR	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R1326 RC20GF104J (81349) AZS	EA	3	*	*	*	*	*	*		3		
'AOZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R1368 RC20GF104J (81349) AZS	EA	REF	*	*	*	*	*	*		3		
'AOZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R1369 RC20GF104J (81349) AZS	EA	REF	*	*	*	*	*	*		3		
'AOZZ	5905-279-2522	RESISTOR, FIXED, COMPOSITION R1322 RC20GF154J (81349) AZS	EA	3	*	*	*	*	*	*		3		
'AOZZ	5905-279-2522	RESISTOR, FIXED, COMPOSITION R1354 RC20GF154J (81349) AZS	EA	REF	*	*	*	*	*	*		3		
'AOZZ	5905-279-2522	RESISTOR, FIXED, COMPOSITION R1359 RC29GF154J (81349) AZS	EA	REF	*	*	*	*	*	*		3		
'AOZZ	5905-556-3458	RESISTOR, FIXED, COMPOSITION R1317 RN6084703F (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-279-2519	RESISTOR, FIXED, COMPOSITION R1360 RC20GF334J (81349) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-620-9372	RESISTOR, FIXED, COMPOSITION R1363 RN6084703F (81349) AZS	EA AZS	2	*	*	*	*	*	*		3		

SECTION II

(1) SMR CODE	(2) FEDERAL STOCK CODE (C)	(3) DESCRIPTION	(4) UNIT OF MEAS EQUIP	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100	(9) DEPOT MAINT ALW	(10) ILLUSTRATION	
					(A) PER 100 1-20	(B) 21-50	(C) 51-100	(A) NO. 1-20	(B) 21-50	(C) 51-			(a) FIGURE	(b) ITEM
					REFERENCE NUMBER & MFR CODE EQUIP	USED ON CODE								
'AOZZ	5905-620-9312	RESISTOR, FIXED, COMPOSITION R1367..... RN6084703F (81349)	EA	REF	*	*	*	*	*	*				
'AOZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION R1358 RC20GF10SJ (81349)	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-646-5678	RESISTOR, FIXED, FILM R1362 RN6061004F (81349)	EA	2	*	*	*	*	*	*		3		
'AOZZ	5905-279-2665	RESISTOR, FIXED, COMPOSITION R1361 RC20GF206J (81349)	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-583-8648	RESISTOR, VARIABLE, LINEAR PRECISION R1320	EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-683-6652	15AW0-555 OHMS (08815) RESISTOR, VARIABLE R1303 10,000 OHMS PORM10PCT	AZS EA	2	*	*	*	*	*	*		3		
'AOZZ	5905-683-6652	HT252 (80089) RESISTOR, VARIABLE R1304 10,000 OHMS PORM10PCT	AZS EA	REF	*	*	*	*	*	*				
'AOZZ	5905-683-6655	HT252 (80089) RESISTOR, VARIABLE R1324 100 OHMS PORM20PCT	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-542-7873	JW1KPORM20PCT (01121) RESISTOR, VARIABLE R11325	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5905-537-7264	G2KPORM20PCT (01121) RESISTOR VARIABLE R1306	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5340-205-6552	JW10KPORM20PCT (01121)I RING, RETAINING NO-REF-DESIG	AZS EA	3	*	*	*	*	*	*		2		
'AOZZ	5340-282-0819	MS51633-4025 (81349) RING, RETAINING NO-REF-DESIG	AZS EA	1	*	*	*	*	*	*		2		
'AOZZ	5930-432-2309	5133-18SMF (79136) ROTOR, SWITCH S1302A	AZS EA	1	*	*	*	*	*	*		5		
'AOZZ	5935-615-7428	504-1281-001 (81349) SOCKET, ELECTRON TUBE XV1351	AZR EA	1	*	*	*	*	*	*		3		
'AOZZ	5935-577-8851	9137-85 (72825) SOCKET, ELECTRON TUBE XV1352	EA	3	*	*	*	*	*	*		3		
'AOZZ	5935-577-8851	L8516-5155 (36004) SOCKET, ELECTRON TUBE XV1353	AZS EA	REF	*	*	*	*	*	*				
'AOZZ	5935-577-8851	L8516-5155 (36004) SOCKET, ELECTRON TUBE XV1354	ATS EA	REF	*	*	*	*	*	*				
'AOZZ	5840-910-8798	L8516-5155 (36004) SPRING, HELICAL, COMPRESSION BAND SWITCH)	AZS (P/O. EA	4	*	*	*	*	*	*		3		
'AOZZ	5340-543-3809	85-6504 (07843) SPRING, HELICAL, COMPRESSION NO-REF-DOESIG.....	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5360-633-0464	85-6565 (07843) SPRING, HELICAL, COMPRESSION NO-REF-DESIG.....	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5340-633-0467	85-6556 (07843) SPRING, HELICAL, COMPRESSION NO-REF-DESIG	AZS EA	2	*	*	*	*	*	*		3		
'AOZZ	5930-523-1937	85-6490 (07843) SWITCH SECTION, ROTARY S1302	AZS EA	1	*	*	*	*	*	*		3		
'AOZZ	5930-577-8839	5038769002 (13499) SWITCH* PUSH S1311	AZR EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-321-7792	LA516-216 (36004) SWITCH, ROTARY S1307	AZS EA	1	*	*	*	*	*	*		5		
		56776DH1C (00781)	AZR											

SECTION II

TM 11-5895-231-34P

(1) SMR CODE	(2) FEDERAL STOCK CODE (C)	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USED ON CODE EQUIP	(4) UNIT OF MEA EQUIP	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOW			(7) 30-DAY DS MAINT ALLOW			(8) 1-YR ALW PER 100	(9) DEPOT MAINT ALW	(10) ILLUSTRATION	
					(A)	(B)	(C)	(A)	(B)				(a)	(b)
					PER 100 1-20	21-50	51-100	NO. 1-20	21-50	51-			FIGURE	ITEM
'AOZZ	5930-503-1292	SWITCH SECTION. ROTARY NO-REF-DESIG 85-6507 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5930-504-9182	SWITCH SECTION, ROTARY NO-REF-DESIG 85-6507 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5930-503-1320	SWITCH SECTION. ROTARY NO-REF-DESIG 85-6507 (07843) AZS	EA	1	*	*	*	*	*	*		3		
'AOZZ	5930-646-4619	SWITCH SENSITIVE NO-REF-DESIG 25085-1 (81349) AZS	EA	2	*	*	*	*	*	*		5		
'AOZZ	5930-655-1508	SWITCH, TOGGLE S1303 MS25100-23 (81349) AZR	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-615-7880	SWITCH TOGGLE S1308 MS35059-26 (81349) AZR	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-376-9955	SWITCH, TOGGLE S1304 8908K142 (27193) AZR	EA	4	*	*	*	*	*	*		5		
'AOZZ	5930-376-9955	SWITCH TOGGLE S1305 8908K142 (27193) AZR	EA	REF	*	*	*	*	*	*				
'AOZZ	5930-376-9955	SWITCH, TOGGLE S1306 8908K142 (27193) AZR	EA	REF	*	*	*	*	*	*				
'AOZZ	5930-376-9955	SWITCH, TOGGLE S1310 8908K142 (27193) AZR	EA	REF	*	*	*	*	*	*				
'AOZZ	5930-249-0728	SWITCH, TOGGLE S1301 SPOT 50S8783003 (13499) AZR	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-655-1576	SWITCH TOGGLE S1309 MS25105-3 (81349) AZS	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-823-2041	SWITCH, TOGGLE S1306 MODIFIED FOR REQUIREMENT 10 MS35058-21 (81349) AZS	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-655-1514	SWITCH, TOGGLE S1305 MS35058-22AN3321* AZS TIP (96906)	EA	2	*	*	*	*	*	*		5		
'AOZZ	5930-655-1514	SWITCH TOGGLE S1310 MS35058-9 (81349) AZS	EA	REF	*	*	*	*	*	*		*		
'AOZZ	5930-752-2672	SWITCH, TOGGLE S1303 MS35059-15 (81349) AZS	EA	1	*	*	*	*	*	*		5		
'AOZZ	5930-615-9376	SWITCH, TOGGLE S1304 MS35059-21 (81349) AZS	EA	1	*	*	*	*	*	*		5		
'AOZZ	5950-681-0354	TRANSFORMER, POSER. STEP-DOWN T1301 85-6439 (36004) AZS	EA	1	*	*	*	*	*	*		3		

**CROSS- REFERENCE-INDEXES
NATIONAL STOCK NUMBER INDEX**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
3020-528-1226			5905-542-7873		
3020-726-2339			5905-556-3458		
3020-910-5846			5905-583-8648		
3020-910-5847			5905-620-9372		
5325-286-6047			5905-646-5678		
5330-530-2388			5905-683-6652		
5340-205-6552			5905-683-6655		
5340-282-0819			5910-112-8267		
5340-514-1327			5910-160-4919		
5340-543-3809			5910-538-7714		
5340-633-0467			5910-543-9197		
5355-284-5128			5910-615-5120		
5355-504-9338			5910-815-6881		
5355-537-3667			5910-840-6672		
5355-616-9793			5915-681-9439		
5355-656-0936			5930-249-0728		
5355-656-0937			5930-32T-7792		
5355-656-0943			5930-376-9955		
5355-656-1621			5930-432-2309		
5355-680-8510			5930-503-1292		
5355-680-8522			5930-503-1320		
53b5-680-8523			5930-504-9182		
5355-680-8529			5930-523-1937		
5355-685-6445			5930-577-8839		
5365-633-0464			5930-615-7880		
5365-200-6707			5930-615-9376		
5850-910-8798			5930-646-4619		
5905-102-2740			5930-655-1508		
5905-185-8510			5930-655-1514		
5905-190-8889			5930-655-1576		
5905-192-0390			5930-677-0495		
5905-195-8761			5930-752-2672		
5905-256-0415			5930-823-2041		
5905-164-8849			5935-189-2962		
5905-279-1718			5935-201-3511		
5905-279-1719			5935-236-3102		
5905-279-1750			5935-236-8268		
5905-279-1753			5935-295-6553		
5905-279-1879			5935-577-8851		
5905-279-1885			5935-615-7428		
5905-279-1894			5935-665-4609		
5905-279-2019			5945-502-2471		
5905-279-2519			5950-387-0470		
5905-279-2522			5950-681-0354		
5905-279-2593			5960-188-6584		
5905-279-2665			5960-262-1357		
5905-279-2674			5970-356-0568		
5905-279-3499			6130-230-7096		
5905-279-3518			6130-682-9893		
5905-279-3519			6210-299-6656		
5905-279-3520			6210-727-1628		
5905-279-3521			6240-155-7836		
5905-279-3523			6625-510-1796		
5905-295-3665			6625-683-9721		
5905-537-7264			9905-567-2519		

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO. OR REF. DESIGNATION	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO. OR REF. DESIGNATION
AF103J	98569			JW1KP0RM20PCT			01121
AN3102A10SL3P	81349			JW10KPORM20PCT			01121
AN3102A10SL3P	81349			LA516-216			36004
AN3102A22-75	81349			L8516-281			36004
AN6227-5	81349			L8516-5155			36004
A580-10190	13182			MS16633-40215			81349
CP06SA2	81349			MS25100-23			81349
CP09A1EF103K1	81349			MS25105-3			81349
CP09 A1EF223K	81349			MS35058-21			81349
CP09A1KC223K3	81349			MS35058-22AN3321T1P			96906
CP09A1RC104R3	81349			MS35058-9			81349
CP6181EE254K	81349			MS35059-15			81349
089367	65092			MS35059-21			81349
G2KPORM20PCT	01121			MS35059-26			81349
HS100A	33005			MS35174			81349
HT252	80089			RCOGF130J			81349

CROSS- REFERENCE-INDEXES
NATIONAL STOCK NUMBER INDEX

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
RC20GF101J	81349		25085-1	81349	
RC20GF103J	81349		4R	81997	
RC20GF104J	81349		50S8783003	13499	
RC20GF105J	81349		503869-9002	13499	
RC20CF150J	81349		5038757002	13499	
RC20GF154J	81349		5038769002	13499	
RC20GF161J	81349		504-1281-00	13499	
RC20GF180J	81349		5133-185SMF	79136	
RC20GF200J	81349		54G	70485	
RC20GF201J	81349		5546	00781	
RC20GF206J	81349		5654-6AK5W	81349	
RC20GF220J	81349		5670	81349	
RC20GF240J	81349		56776DH1C	00781	
RC20GF241J	81349		6748-1D	00781	
RC20GF270J	81349		7110-10	81860	
RC20GF273J	81349		85-6439	36004	
RC20GF300J	81349		85-6473	07843	
RC20GF333J	81349		85-6490	07843	
RC20GF334J	81349		85-6495	07843	
RC20GF360J	81349		85-6496	07843	
RC20GF512J	81349		85-6504	07843	
RC20GF822J	81349		85-6507	07843	
RCZ0GF830J	81349		85-6508	07843	
RN6081004F	81349		85-6509	07843	
RN6084703F	81349		85-6533	07843	
RN6082203F	81349		85-6556	07843	
R4386R2J	81349		85-6565	07843	
SM891277-3	80063		85-6653	07843	
SM11-20P	95238		85-6654	07843	
SM11-20S	95238		85-6658	07843	
TT61A	72619		85-6660	07843	
1AG1-1369	03797		85-6661	07843	
11714	00781		85-6667	07843	
12923	00781		85-6668	07843	
115AW0-5550HMS	08815		85-6716	07843	
16425	00781		85-6778	07843	
16445	00781		85-6837	07843	
16448	00781		8908K142	27193	
16490	00781		9737-85	72825	

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 126, Direct/General Support requirements for avionics literature, AN/ALR- and AN/ALR-9.

U.S. GOVERNMENT PRINTING OFFICE: 1974-768117/1487

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TM 11-5825-270-10

PUBLICATION DATE

23 Jul 81

PUBLICATION TITLE

Radio Frequency R-2176/FRN

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

