

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DS, GS, AND DEPOT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOL LISTS

TRANSPORTABLE COMMUNICATIONS
SYSTEM AN/TSC-38A



HEADQUARTERS, DEPARTMENT OF THE ARMY
JUNE 1967

TECHNICAL MANUAL) HEADQUARTERS,
) DEPARTMENT OF THE ARMY
 TM 11-5895-356-25P) WASHINGTON, D. C., 2 June 1967

TRANSPORTABLE COMMUNICATIONS SYSTEM AN/TSC-38A

	Paragraph	Page
SECTION I. INTRODUCTION		
Scope	1	3
Explanation of Columns	2	3
Parts for Maintenance	3	6
Special Information	4	6
Requisitioning Information (general support)	5	7
Federal Supply Code	6	7
Reporting of Equipment Manual Improvements	7	18.3
II. REPAIR PARTS, DS, GS, AND DEPOT MAINTENANCE		19

TABLE OF CONTENTS

	Page No.		Page No.
AN/TSC-38/A Transportable Communications System ..	19	DC Control Panel	313
Auxiliary Trailer	19	Coaxial Patch Panel.....	315
Bandpass Filter 635V-1	23	Power Supply 426U-2.....	317
Power Inverter PP2352/UR	51	RF Amplifier 548L-4	332
Frequency Converter PS-62-66A	62	IF Translator 789T-1	419
Auxiliary Trailer	80	IF Translator 618Z-4	493
Whip Antenna	81	2 Channel VFTG	759
A14 Console	83	4 Channel VFTG	779
No. 1 Card Cage	83	8 Channel VFTG	783
Transmitter Subassembly.....	92	Network Transmitter.....	802
Receiver FSK.....	101	Power Supply.....	808
Ring Detector Module.....	107	130 VAC DC Fuse Panel.....	809
Ring Detector	115	Power Panel.....	813
Card Cage No. 2	119	Cryptographic Panel.....	814
Card Cage No. 5	132	Power Supply.....	818
Drawer Assembly	143	Amplifier, Power.....	825
Duct Lighting Assembly.....	143	RF Amplifier 208U-10	825
Jackfield Audio.....	146	Circuit Breaker Panel	903
Panel Line Intercept	152	Power Inverter 488A-1	906
Sec Operator.....	157	Circuit Breaker Panel, 3	913
Panel Line Terminal	161	Control Panel Battery	916
Frequency Control 714Y-2	168	AC Meter Panel.....	925
Frequency Display	169	Resistor Assembly Charger	928
Mode Control	178	Signal Analyzer DT603.....	929
Mode Status Module	183	Rack Assembly, Equip	943
Switch Assembly	184	Electronic Counter 5532A.....	945
Panel Radio Intercept.....	189	Test Message Generator 7412	985
Panel TTY Intercept	201	Oscilloscope 321	1007
Transition A/C	207	Voice Test Signal Generator 411085-172.....	1039
Communication Control 313K-2	208	Signal Generator 1001A.....	1046
Antenna Coupler 180R-6.....	241	Voltmeter 410C	1064
Antenna Coupler Control 309A-2E	250	Rack Assembly Equipment.....	1077
Control Assembly Coil.....	275	Cable Assembly 515-3572-001/081	1088
Chassis Assembly	278	Cable Assembly 515-3572-082/181	1102
Frequency Control 313L-1	278	Cable Assembly 515-3572-182/229	1125
Converter-Oscillator CV-786	284		

SECTION I
INTRODUCTION

1. Scope

This manual contains a list of repair parts, Section II, required for the performance of maintenance at general support and depot maintenance for Transportable Communications System AN/TSC-38A.

2. Explanation of Columns

An explanation of the columns in section II are given below.

a. Sequence Number. This column is for sequential line item control, commencing with the first line item on the first page of the list, and continuing numerically to the last item on the page of the list.

b. For Authorized Allowance, See Sequence Number. This column lists the numerical sequence number for items that have more than one occurrence throughout the list and refers to the first occurrence for authorized allowances.

c. Source, Maintenance, and Recoverability Code. Source, maintenance, and recoverability codes indicate the commodity command responsible for supply, the maintenance category at which an item is stocked, categories at which an item is installed or repaired, and whether an item is repairable or salvageable. the source code column is divided into four parts.

- (1) Column A. This column indicates the materiel code and designates the area of responsibility for supply. AR 310-1 defines the basic numbers used to identify the materiel code. If the parts is electronic materiel responsibility, the column is left blank.

- (2) Column B. This column indicates the point within the maintenance system where the part is available. "P" applies to repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
- (3) Column C. This column indicates the lowest maintenance category authorized to install the part.
"H" - General Support Maintenance.
- (4) Column D. Not used.

d. Federal Stock Number. This column lists the 11-digit Federal stock number.

e. Designation by Model. Not used.

f. Description. Federal item name, a five-digit manufacturer's code, a part number, and in some instances identifying data are included in this column.

g. Unit of Issue. The unit of issue is each unless otherwise indicated and is the supply term by which the individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

h. Expendability. All piece parts are expendable items.

i. Quantity in Use. This column lists the quantity of each part found in a given assembly or component. Explanation for "AR", see paragraph 4c.

j. Quantity Per Equipment. This column lists the total quantity of each part, assembly, or component required for use in the overall equipment. Explanation for "REF", see paragraph 4b. Explanation for "AR", see paragraph 4c.

k. Field 15 Day Maintenance Allowance Per 100 Equipment.

(1) Direct Support (DS). See paragraph 4d.

(2) General Support (GS). This column indicates quantities of repair parts authorized for initial stockage for use in general support maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period. Explanation for "REF", see paragraph 4b. Explanation for "AR", see paragraph 4c.

l. Depot Quantity Required for Rebuild 100 Equipments (DM). The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower categories. The entries are based on the quantity required for rebuild of 100 equipments.

m. Illustrations.

(1) Figure number. The number of the illustration in which the item is shown, and the unit instruction number of the technical manual in which the illustration will appear is indicated in this column. For example, if the illustration in which the item is shown is figure 6, 4-5 or B-1, of unit instruction 80, 77, 53, etc, the number 80, 77, 63 etc, appears on the first line, and the number 6, 4-5, or B-1, etc appears on the second and additional lines.

(2) Item number. Not used.

(3) Reference symbol. This column lists the reference symbols used for the identification of the items in the illustration or text which will appear in the applicable Technical Manual covering this equipment.

3. Parts For Maintenance

When this equipment is used by electronic service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including general support are authorized for stockage by the organization operating this equipment.

4. Special Information

a. This list is arranged in alphabetical order within major units of equipment or within major subassemblies.

b. If a maintenance item, assembly, or component is listed more than once, the total allowance factors and authorized quantities will be shown where it first appears. Subsequent appearances of the same item, assembly, or component is listed "REF" will be used to indicate that the allowance factor and quantity, based on the total quantity of the equipment has been shown previously in the list.

c. "AR" indicates that the item may be requisitioned "as required", however estimated minimum quantities may be stocked to cover immediate needs.

d. No parts authorized at organizational or direct support categories.

e. The consumption rates given for electron tubes are conservative theoretical estimates and are provided for use only when more complete information, such as data based on operating experience, is not available. These figures are based on levels and requirements for equipment actually in use, not on authorizations or equipment stored in depots.

5. Requisitioning Information (general support)

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

$$\text{Specific number of equipments supported} \times \frac{\text{allowance factor}}{100} =$$

Number of parts authorized for initial stockage.

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

- (1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.
- (2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.
- (3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

6. Federal Supply Code

The code number and associated manufacturer's name appear in this paragraph.

FEDERAL MANUFACTURER'S CODES

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
00213	Sage Electronics Corp. P.O. Box 3926 Rochester, New York	01295	Texas Instruments Inc. Semiconductor-Components Division 13500 N. Central Expressway Dallas, Texas
00327	Welwyn International Inc. Cleveland, Ohio	01526	General Electric Co. Specialty Control Department Waynesboro, Virginia
00348	Microtran Co. Inc. 145 E. Mineola Avenue Valley Stream, New York Zip Code 11582	01626	Mohawk Electronics Corp. 944 Halsy Brooklyn, New York
00426	Multi-Amp Electronic Corp. 61 Myrtle Street Cranford, New Jersey	01939	Sprague Electric Co. of Wisconsin Grafton, Wisconsin
00656	Aerovox Corp. New Bedford, Massachusetts	02005	Haydon Switch and Instrument Inc. Waterbury, Connecticut
00736	Air-Maze Division of Rockwell Standard Corp. Cleveland, Ohio	02111	Spectrol Electronics Corp. 1704 S. Del Mar Avenue San Gabriel, California Zip Code 91778
00779	AMP Inc. P.O. Box 3608 Harrisburg, Pennsylvania	02114	Ferroxcube Corp. of America Mt. Marion Road Saugerties, New York
00853	Sangamo Electric Co. Pickens Division Pickens, South Carolina	02289	HI-G Inc. Bradley Field Windsor Locks, Connecticut
01002	General Electric Co. Capacitor Department Hudson Falls, New York	02606	Fenwal Laboratories Inc. Morton Grove, Illinois
01009	Alden Products Co. 119 N. Main Street Brocton, Massachusetts	02660	Amphenol-Borg Electronics Corp. 25th and Cermak Road Maywood, Illinois
01121	Allen-Bradley Co. 1201 South 2nd Street Milwaukee, Wisconsin	02735	Radio Corp of America Commercial Receiving Tube and Semiconductor Division Somerville, New Jersey
01281	TRW Semiconductors Inc. 14520 Aviation Blvd. Lawndale, California	02799	Arco Capacitors Inc. 1548 S. Robertson Los Angeles, California 90035

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
02860	American Seating Co. Grand Rapids, Michigan	04221	Telex-Aemco Mankato, Minnesota
03003	Fairchild Camera and Instrument Corp. Industrial Products Division P.O. Box 6158 New Orleans, Louisiana Zip Code 70114	04222	HI-Q Division of Aerovox Corp. Air Base Myrtle Beach, South Carolina
03296	Nylon Molding Corp. 40 Brown Street Springfield, New Jersey Zip Code 07081	04426	Licon Switch and Control Division of Illinois Tool Works 6615 W. Irving Park Road Chicago, Illinois
03508	General Electric Co. Semiconductor Products Department Syracuse, New York	04713	Motorola Inc. Semiconductor Products Division 5005 E. McDowell Road Phoenix, Arizona
03615	Ohmite Mfg. Co. Los Angeles, California	04773	Automatic Electric Co. Northlake, Illinois
03797	Eldema Corp. 18435 Susanna Road Compton, California	05216	Phoenix Transformer Co. 1818 E. Madison Phoenix, Arizona
03877	Transitron Electronics Corp. 168-186 Albion Street Wakefield, Massachusetts	05277	Westinghouse Electric Corp. Semiconductor Department Youngwood, Pennsylvania
03888	Pyrofilm Resistor Co. Inc. 3 Saddle Road Cedar Knolls, New Jersey 07927	05397	Union Carbide Corp. Linde Division Kemet Department Cleveland, Ohio
03984	General Electric Co. Semi-Conductor Products Department Clyde, New York	05571	Sprague Electric Co. Pacific Division 12870 Panama Los Angeles, California Zip Code 90066
04009	Arrow-Hart and Hegeman Electric Co. Hartford, Connecticut	05574	Viking Industries Inc. 21343 Roscoe Blvd. Canoga Park, California
04062	Elmenco Products Co. New York, New York	06001	General Electric Co. Capacitor Department Irmo, South Carolina
04072	A D C Electronics Inc. 18590 West 169th Gardena, California Zip Code 90247		

CODE NAME AND ADDRESS

06117 Voltron Products Inc.
1020 S. Arroya Parkway
Pasadena, California 53140

06124 Mallory P. R. and Co. Inc.
West Coast Laboratories
Lakewood, California

06151 Dialtron Corp.
Brooklyn, New York

06228 Texas Instruments Inc.
Dallas, Texas

06229 Electrovert Inc.
New York, New York

06423 Delta F. Inc.
Geneva, Illinois

06751 Nuclear Corp of America Inc.
U. S. Semcor Division
Phoenix, Arizona

06978 Aladdin Electronics Division of
Aladdin Industries Inc.
705 Murfreesboro Road
Nashville, Tennessee

06980 Eitel-McCulough Inc.
301 Industrial Way
San Carlos, California
Zip Code 94070

07047 Ross Milton Co., The
511 Second Street Pike
Southampton, Pennsylvania
Zip Code 18966

07126 Digitran Co.
Pasadena, California

07137 Transistor Electronics Corp.
Hwy 169 - Co. Rd. 18
Minneapolis, Minnesota 55424

CODE NAME AND ADDRESS

07183 Decco Inc.
2025 Farrington
Dallas, Texas

07263 Fairchild Camera and Instrument Corp.
Semiconductor Division
313 Bayshore Frontage Road
Mountain View, California

07338 Wilkstrom F. G. and Sons Inc.
30 Main
Brooklyn, New York 11201

07387 Birtcher Corp. The
745 Monterey Pass Road
Monterey Park, California
Zip Code 91755

07388 Torotel Inc.
5512 East 110 Street
Kansas City, Missouri

07688 Joint Electron Device
Engineering Council
Washington, D.C.

07910 Continental Device Corp.
12515 Chardon
Hawthorne, California
Zip Code 90205

07966 Shockley Semiconductor Laboratories
Palo Alto, California

08035 General Electric Co.
Communication Products Department of
Industrial Electronics Division of
Electronic Atomic and Defense Systems
Group
Schenectady, New York

08072 Magnetic Systems Inc.
Monrovia, California

08664 Bristol Co., The
Bristol Plts MIs
Waterbury, Connecticut 06720

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
08806	General Electric Co. Miniature Lamp Department Cleveland, Ohio	11502	International Resistance Co. Greenway Road Boone, North Carolina 28607
09023	Cornell-Dubilier Electric Corp. Electrolytics and Paper Tubular Division 2562 Dalrymple Sanford, North Carolina	11636	King Electronics Inc. South Pasadena, California
09026	Babcock Electronics Corp. Relays Division 3501 Harbor Blvd. P.O. Box 1499 Costa Mesa, California Zip Code 92626	12034	Syracuse Electronics Corp. Syracuse, New York
09052	Gulton Industries Inc. Alkaline Battery Division 212 Durham Avenue Metuchen, New Jersey	12122	Astro Dynamics Inc. Burlington, Massachusetts
09134	Texas Capacitor Co. 4310 Langley Road Houston, Texas	12175	Unitron Inc. Garland, Texas
09250	Electro Assemblies Inc. 4444 North Kedzie Avenue Chicago, Illinois Zip Code 60625	12615	U.S. Terminals Inc. 7504 Camrigo Cincinnati, Ohio Zip Code 45243
09922	Burndy Corp. Norwalk, Connecticut	12672	Radio Corp. of America Commercial Receiving Tube and Semiconductor Division Woodbridge, New Jersey
10003	Grant Pulley and Hardware Co. 944 Long Beach Avenue Los Angeles, California	12697	Clarostat Mfg. Co. Inc. Lower Washington Street Dover, New Hampshire
10646	Carborundum Co. Buffalo Avenue Niagara Falls, New York Zip Code 14302	12954	Dickson Electronics Corp. 302 S. Wells Fargo Avenue Scottsdale, Arizona
11139	Deutsch Company Electronic Components Division Banning, California	13209	Bendix Semiconductor Division of Bendix Corp. Holmdel, New Jersey
		13327	Solitron Devices, Inc. 256 Oak Tree Road Tappan, New York 10983
		14031	Digittech Inc. 281 Connecticut South Norwalk, Connecticut 06854

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
14100	Stromberg-Carlson A Division of General Dynamics Corp. 100 Carlson Rochester, New York 14603	16551	Frigikar Corp. 10858 Harry Hines Blvd. Dallas, Texas
14310	Ault Inc. 3501 48th Avenue North Minneapolis, Minnesota Zip Code 55429	17227	Raytheon Semiconductor Division Mountain View, California
14419	Bay Roy Electronics Inc. 16608 Madison Cleveland, Ohio Zip Code 44107	17419	Deutsch Co., The 7001 West Imperial Highway Los Angeles, California Zip Code 90009
14493	Hewlett-Packard Co. Loveland, Colorado 80537	19557	Edwards Co., Inc. Post Hill Road Norwalk, Connecticut
14655	Cornell-Dubilier Electric Corp. 50 Paris Street Newark, New Jersey	21441	SR Engineering 123 W. 155th Street Gardena, California 90247
14674	Corning Glass Works Houghton Park Corning, New York Zip Code 16701	21585	Farr Co. 2301 E. Rosecrans El Segundo, California
15199	Admiral Plastics Corp. 3462 San Fernando Road Los Angeles, California 90065	24446	General Electric Co. Schenectady, New York
15235	Crouse-Hinds Co. Wolf and 7th N. Street Syracuse, New York	24455	General Electric Co. Lamp Division of Consumer Products Group Nela Park Cleveland, Ohio
15605	Cutler-Hammer Inc. Milwaukee, Wisconsin	24655	General Radio Co. 22 Baker Avenue West Concord, Massachusetts
15909	Daven Division Thomas A. Edison Industries McGraw Edison Co. 530 W. Mount Pleasant Avenue Livingston, New Jersey	24817	Gibson Electric Co. Pittsburgh, Pennsylvania
16506	Maxoil Manufacturing Co. 302 Arthur Amarillo, Texas	25140	Globe Industries Inc. Dayton, Ohio
		28480	Hewlett-Packard Co. Palo Alto, California

CODE NAME AND ADDRESS

CODE NAME AND ADDRESS

35344 Leach Corp.
Leach Relay Co. Division
Los Angeles, California

37163 Lufkin Rule Co.
1732 Hess Avenue
Saginaw, Michigan

38315 Honeywell Inc.
Precision Meter Division
Manchester, New Hampshire

42190 Muter Co.
Chicago, Illinois

44038 North Electric Co.
570 South Market Street
Galion, Ohio

44655 Ohmite Mfg. Co.
3601 Howard Street
Skokie, Illinois

44769 Oliver Machinery Co.
445 6th Northwest
Grand Rapids, Michigan
Zip Code 49502

49671 Radio Corp. of America
New York, New York

49956 Raytheon Company
Microwave and Power Tube Division
Administration Building
Waltham, Massachusetts
Zip Code 02154

52090 Rowan Controler Co.
P.O. Box 306
Westminster, Maryland

53021 Sangamo Electric Co.
1301 N. Ilth
Springfield, Illinois

55026 Simpson Electric Co.
5200 W. Kinzie
Chicago, Illinois

56289 Sprague Electric Co.
North Adams, Massachusetts

57771 Edwin B. Stimpson Co. Inc.
70 Franklin Avenue
Brooklyn, New York

58189 General Dynamics-Electronics
Dynamic Division
Rochester, New York

58474 Superior Electric Co.
383 Middle Street
Bristol, Connecticut

59730 Thomas and Betts Co.
Butler Street
Elizabeth, New Jersey

60427 Tower Mfg. Corp.
1001 W. 2nd
Madison, Indiana

63743 Ward Leonard Electric Co.
Mount Vernon, New York

70309 Allied Control Co. Inc.
2 East End Avenue
New York, New York

70674 ADC Products Inc.
6325 Cambridge Street
Minneapolis, Minnesota

70903 Belden Mfg. Co.
415 South Kilpatrick
Chicago, Illinois

71279 Cambridge Thermionic Corp.
430 Concord Avenue
Cambridge, Massachusetts

CODE NAME AND ADDRESS

71286 Camloc Fastener Corp.
22 Spring Valley Road
Paramus, New Jersey

71400 Bussmann Mfg Division of
McGraw Edison Co.
2538 W. University Street
St. Louis, Missouri

71450 CTS Corp.
1142 W. Beardsley Avenue
Elkhard, Indiana

71468 ITT Cannon Electric Inc.
Los Angeles, California

71482 Clare C P and Co.
3101 W. Pratt
Chicago, Illinois

71590 Centralab Division of
Globe-Union Inc.
932 E. Keefe Avenue
Milwaukee, Wisconsin

71724 Crane Packing Co.
Morton Grove, Illinois

71744 Chicago Miniature Lamp Works
4433 Ravenswood Avenue
Chicago, Illinois

71785 Cinch Mfg Co. and Howard B
Jones Division
1026 S. Homan Avenue
Chicago, Illinois

72136 Electro Motive Mfg. Co. Inc.
South Park and John Streets
Willimantic, Connecticut

72259 Nytronics Inc.
550 Springfield Avenue
Berkley Heights, New Jersey

CODE NAME AND ADDRESS

72568 G. M. Laboratories Inc.
Chicago, Illinois

72619 Dialight Corp.
Brooklyn, New York

72653 GC Electronics Mfg. Co.
Rockford, Illinois

72699 General Instrument Corp.
Newark, New Jersey

72765 Drake Mfg. Co.
4626 N. Olcott Avenue
Chicago, Illinois

72794 Dzus Fastener Co. Inc.
125 Union Street
West Islip, New York

72982 Erie Technological Products Inc.
644 W. 12th Street
Erie, Pennsylvania

72983 Essex Wire Corp.
Fort Wayne, Indiana

73138 Helipot Division of
Beckman Instruments Inc.
2500 Harbor Blvd.
Fullerton, California

73168 Fenwal Inc.
400 Main Street
Ashland, Massachusetts

73293 Hughes Aircraft Co.
Hughes Components
Newport Beach, California

73445 Amperex Electronic Co. Division of
North American Philips Co. Inc.
Hicksville, New York

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
73653	Diamond Mfg. Co. 245 W. 8th Street Wyoming, Pennsylvania	75915	Littlefuse Inc. 800 E. Northwest Hwy. Des Plaines, Illinois
73899	J F D Electronics Corp. 15th at 62nd Street Brooklyn, New York	76487	Millen James Mfg. Co. Inc. 150 Exchange Street Malden, Massachusetts
73905	Jennings Radio Mfg. Corp. 970 McLaughlin Avenue San Jose, California	76786	North and Judd Mfg. Co. 500 E. Main New Britain, Connecticut
73978	Hardwick Hindle Memcor Components Division P.O. Box 890 Huntington, Indiana	76854	Oak Mfg. Co. S. Main Crystal Lake, Illinois
74063	Hartman Electrical Mfg. Co. P.O. Box 8 Mansfield, Ohio	77342	American Machine and Foundry Co. Potter and Brumfield Division Road 64 E. Princeton, Indiana
74183	Premax Products Division of Chisholm Ryder Co. Inc. College and Highland Aves Niagara Falls, New York	77523	R BM Mfg. Co. Fort Wayne, Indiana
74193	Heinemann Electric Co. 2612 Brunswick Pike Trenton, New Jersey	77554	Reliable Electric Co. Chicago, Illinois
74217	Radio Switch Corp. Marlboro, New Jersey	77820	Bendix Corp., The Scintilla Division Sidney, New York
74861	Industrial Condenser Corp. 3243-65 No. California Avenue Chicago, Illinois	78189	Shakeproof Division of Illinois Tool Works Elgin, Illinois
74868	FXR Division of Amphenol-Borg Electronics Corp. Danbury, Connecticut	78277	Sigma Instruments Inc. 170 Pearl Street South Braintree, Massachusetts
75042	International Resistance Co. 401 North Broad Philadelphia, Pennsylvania	78488	Stackpole Carbon Co. St. Marys, Pennsylvania
		78525	Stanley Tools Division of Stanley Works 111 Elm New Britain, Connecticut

CODE	NAME AND ADDRESS	CODE	NAME AND ADDRESS
78947	Ucinite Co., The Division of United-Carr Inc. 459 Watertown Street Newtonville, Massachusetts	80223	United Transformer Co. 150 Varick Street New York, New York
79221	Watlow Electric Mfg. Co. St. Louis, Missouri.	80294	Bourns Inc. 6135 Magnolia Avenue Riverside, California
79515	Wheaton Brass Works Springfield Road Union, New Jersey	80368	Sylvania Electric Products Inc. New York, New York
79725	Wiremold Co., The Wiremold Place Hartford, Connecticut	80411	Acro Division of Robertshaw Controls Co. 2040 E. Main Street Columbus, Ohio
79727	Continental-Wirt Electronics Corp. Philadelphia, Pennsylvania	80483	Aladdin Industries Inc. 705 Murfreesboro Road Nashville, Tennessee
80008	Electro Engineering Works 401 Preda Street San Leandro, California	80795	International Telephone and Telegraph Corp. New York, New York
80009	Teltronix Inc. Beaverton, Oregon	81030	International Instruments Inc. 88 Marsh Hill Road Orange, Connecticut
80058	Joint Electronic Type Designation System	81073	Grayhill Inc. 531 Hillgrove La Grange, Illinois
80131	Electronic Industries Association Washington, D.C.	81095	Triad Transformer Corp. 4055 Redwood Avenue Venice, California
80135	Borg-Warner Controls Division of Borg-Warner Corp. 3300 Newport Santa Ana, California	81134	Electro Voice Inc. Cecil-Carrol Streets Buchanan, Michigan
80145	Assembly Products Inc. 7100 Wilson Mills Road Chesterland, Ohio	81312	Winchester Electronics Division Litton Industries, Inc. Main Street and Hillside Avenue Oakville, Connecticut
80183	Sprague Products Co. N. Adams, Massachusetts		

<u>CODE</u>	<u>NAME AND ADDRESS</u>	<u>CODE</u>	<u>NAME AND ADDRESS</u>
81349	Military Standards Promulgated By Standardization Division Directorate of Logistic Services DSA	82389	Switchcraft Inc. 5527 N. Elston Avenue Chicago, Illinois
81350	Joint Army-Navy Specifications Promulgated By Standardization Division Directorate of Logistic Services DSA	82415	Price Electric Corp. Frederick, Maryland
81483	International Rectifier Corp. 1523 East Grand Avenue El Segundo, California	82577	Hughes Aircraft Co. Culver City, California
81541	Airpax Electronics Inc. Cambridge, Maryland	82647	Metals and Controls Inc. Spencer Products Attleboro, Massachusetts
81640	Control Switch Division Controls Co. of American Folcroft, Pennsylvania	82690	Trylon Radio Laboratories Philadelphia, Pennsylvania
81815	Communications Coil Co. 2832 North Narragansett Chicago, Illinois	82839	Pittsburgh Brush Co. Pittsburgh, Pennsylvania
82050	Babcock Electronics Corp. Aerospace Division 1640 Monrovia Avenue P.O. Box 1499 Costa Mesa, California	82872	Roanwell Corp. 180 Varick Street New York, New York
82142	Jeffers Electronics Division of Speer Carbon Co. Du Bois, Pennsylvania	82877	Rotron Mfg. Co. Inc. 7-9 Hasbrouck Lane Woodstock, New York
82219	Sylvania Electric Products Inc. Electronic Tube Division Receiving Tube Operations Emporium, Pennsylvania	83014	Hartwell Corp. 9035 Venice Blvd. Los Angeles, California
82379	John I. Paulding Inc. New Bedford, Massachusetts	83125	General Instrument Corp. Capacitor Division Orange Street Darlington, South Carolina
82386	Sun Electric Corp. 6321 Avondale Avenue Chicago, Illinois	83186	Victory Engineering Corp. 128 Springfield Avenue Springfield, New Jersey
		83330	Herman H. Smith Inc. 2334 Nostrand Avenue Brooklyn, New York

<u>CODE</u>	<u>NAME AND ADDRESS</u>	<u>CODE</u>	<u>NAME AND ADDRESS</u>
83594	Burroughs Corp. Electronic Components Division P.O. Box 1226 Plainfield, New Jersey	89185	Aeronautical Radio Inc. 1700 K N.W. Washington, D.C.
83827	Resistors Inc. 5228 W4. 26th Street Chicago, Illinois	89424	Frigidaire Sales Corp. Dayton, Ohio
84147	Andrew Corp. Box 807 Chicago, Illinois	89665	United Transformer Co. Chicago, Illinois
84970	Sarkes Tarzian Inc. E. Hillside Dr. Bloomington, Indiana	90201	Mallory P R and Co. Inc. Detroit, Michigan
86684	Radio Corp. of America Electronic Components and Devices Harrison, New Jersey	90526	Clippard Instrument Laboratory Inc. 7382 Colerain Road Cincinnati, Ohio
87034	Marco Industries Co. 207 S. Helena Anaheim, California	90634	Gulton Industries Inc. Metuchen, New Jersey
°7216	Philco Corp. Lansdale Division Lansdale, Pennsylvania	90797	Magnetics Inc. Butler, Pennsylvania
57249	Sittler Corp. Chicago, Illinois	91146	ITT Cannon Electric Inc. Salem Division Salem, Massachusetts
87686	Victory Engineering Co. Los Angeles, California	91417	Radiation Inc. Melbourne, Florida
35063	Communication Accessories Co. Lees Summit, Missouri	91418	Radio Materials Co. 4242 W Bryn Mawr Chicago, Illinois
t814n	Cutler-Hammer Inc. RFD 2 Lincoln, Illinois	91637	Dale Electronics Inc. Columbus, Nebraska
88557	Central Lab Mfg. Co. Brooklyn, New York	91662	Elco Corp. Willow Grove, Pennsylvania
		91663	Armel Electronics Inc. 1601 75th Street North Bergen, New Jersey

<u>CODE</u>	<u>NAME AND ADDRESS</u>	<u>CODE</u>	<u>NAME AND ADDRESS</u>
91737	Gremar Mfg. Co. Inc. 7 North Avenue Wakefield, Massachusetts	94148	Scientific Electronic Products Inc. 2303 West 8th Street Loveland, Colorado
91802	Industrial Devices Inc. Edgewater, New Jersey	94154	Tung-Sol Electric Inc. Newark, New Jersey
91836	King Electronics Co. Inc. Tuckahoe, New York	94222	South Chester Corp. Chester, Pennsylvania
91886	Malco Mfg. Co. Inc. 4025 W. Lake Chicago, Illinois	94375	Automatic Metal Products Co. 315 Berry Brooklyn, New York
91927	Micro Metal Products Inc. 1859 Blake Los Angeles, California	94991	Sylvania Electric Products Inc. Wire Metal and Plastics Parts Division Warren, Pennsylvania
91929	Honeywell Inc. Micro Switch Division Freeport, Illinois	95088	Transonic Inc. Bakersfield, California
92702	IMC Magnetics Corp. Eastern Division 570 Main Street Westbury Long Island, New York	95104	Collins Radio Co. 1200 North Alma Road Dallas, Texas
93332	Sylvania Electric Products Inc. Semiconductor Products Division 100 Sylvan Road Woburn, Massachusetts	95105	Collins Radio Co. Information Science Center 19700 San Joaquin Road P.O. Box C Newport Beach, California
93410	Stevens Mfg. Co. Inc. P.O. Box 1007 Mansfield, Ohio	95109	Hedeman Products Inc. 117 Cutter Mill Road Great Neck, New York
93929	G-V Controls Inc. 81 Okner Parkway Livingston, New Jersey	95238	Continental Connector Corp. Woodside, New York
93958	Republic Electronics Corp. 176 E. 7th Street Paterson, New Jersey	95263	Leecraft Mfg. Co. Inc. 21-16 44th Road Long Island City, New York

<u>CODE</u>	<u>NAME AND ADDRESS</u>	<u>CODE</u>	<u>NAME AND ADDRESS</u>
95265	National Coil Co. P.O. Box 1347 Sheridan, Wyoming	96905	L and W Mfg. Corp. Indianapolis, Indiana
95275	Vitramon Inc. Box 544 Bridgeport, Connecticut	96906	Military Standard Promulgated By Standardization Division Directorate of Logistic Services DSA
95277	Sylvania Electric Products Inc. Lighting Products Division 1 48th Wheeling, West Virginia	97137	TRW Electronic Components Division Chicago, Illinois
95354	Methode Manufacturing Co. 1700 So Hicks Chicago, Illinois	97564	Pendar Inc. 509 Sherman Avenue Coeur D Alene, Idaho
95712	Dage Electric Co. Inc. Hurricane Road Franklin, Indiana	97965	Stancor Electronics Inc. Chicago, Illinois
96095	HI-Q Division of Aerovox Corp. Seneca Street Olean, New York	98278	Microdot Inc. South Pasadena, California
96175	Dresser Electronics H S T Division of Dresser Industries Inc. 555 N. 5th Street Garland, Texas	98291	Seaelectro Corp. 225 Hoyt Miamaroneck, New York
96184	Molded Products Division of Admiral Corp. Chicago, Illinois	98427	Jaco Products Co. 2150 St. Clair Avenue Cleveland, Ohio
96214	Texas Instruments Inc. Apparatus Division Dallas, Texas	98925	Semiconductor Division of Clevite Corp. Waltham, Massachusetts
96502	Dietz Henry G Co. Inc. 14-26 Astoria Blvd. Long Island City, New York	99180	Transitron Electronic Corp. 407 Main Melrose, Massachusetts
		99699	Filtors Inc. Division of The Deutsch Co. Electronics Components Division 65 Daly Road East Northport, New York

CODE	NAME AND ADDRESS
99800	Delevan Electronics Corp. 270 Quaker Road East Aurora, New York
99942	Hoffman Electronics Corp. Semiconductor Division El Monte, California

7. Reporting of Equipment Manual Improvements

Report of errors, omissions, and recommendations for improving this manual by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-MR-NMP-AD, Fort Monmouth, New Jersey 07703.

(Next page is 19)

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM						
		R E C O V E R A B I L I T Y C O D E				D E S I G N A T I O N M O D E L							D E S C R I P T I O N								
1			P	H	5895-909-8082																
2			P	H	5935-581-4628						1	1		1		3				P1	
3			P	H	5120-251-4489						1	1		1		1					
4			P	H	5340-921-0596						34	68		4		68					
5			P	H	5210-926-1772						100	100		1		100					
6			P	H	5975-921-3644						8	24		2		24					
7	6		P	H	5975-921-3644						8	REF		REF							
8			P	H	5935-283-7134						1	3		1							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
8A		P	H	5985-937-9524						1	3		1		9					16.5	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS					
9		P	H		5905-953-9429				357-9141-000 BOX. STOWAGE, 1 758-2966-002 RESISTOR. DISSIPATION 82690 PART NO. TDR300U5K BOX STOWAGE. 2 758-2966-003			2	2		1		6				
10		P	H		4010-921-3690				WIRE: ROPE ASSY, SINGLE LEG 82690 PART NO. C-1050-8-7			1	3		1		3				
11		P	H		5970-995-9289				INSULATOR SPREADER 82690 PART NO. 13-16DIAX6INL/USED WITH ANTENNA KIT SVA7-5-10KW/			5	5		1						
12		P	H		5970-914-7382				INSULATOR. TRANSISTOR 82690 PART NO. 8957-34 /USED WITH ANTENNA KIT SVA7-5-10KW/			4	18		1		54				
13		P	H		5975-921-3644				BOX. STOWAGE. 3 758-2966-004 ROD. GROUND 10145; part no. 9216 /USED WITH ANTENNA KI T RG213U, 95104 PART NO- 425-0952-000 SVA7-5-10KW/ BOX. STOWAGE, 5 758-2965-003			8	32		1		32				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
14	10	P	H		4010-921-3690				WIPE ROPE ASSY, SINGLE LEG C- 1050--8--7 /USED ON ANTENNA KIT SVA7-5-1KW/			1	REF		REF								
15	12	P	H		5970-914-7382				INSULATOR TRANSISTOR 82690 PART NO. B95-34 USED WITH ANTENNA KIT SVA7-5- 1KW/ BOX. STOWAGE, 6 758-2965-004			4	REF		REF								
16	13	P	H		5975-921-3644				WIRE ROPE GROUND 82101690 PART NO.9216 1-2DX6FTL/USED WITH ANTENNA KIT SVA7-5-1KW/ BOX . STOWAGE, 8 758-2998-003			8	REF		REF								
17	10	P	H		4010-921-3690				WIRE ROPE ASSY, SINGLE LEG 82690 PART NO. C-1050-8-7 /USED WITH ANTENNA KIT SVA7-5-1KW			1	REF		REF								
18	12	P	H		5970-914--7382				INSULATOR. TRANSISTOR 82690 PART NO. 6957-34 /USED WITH ANTENNA KIT SVA7-5-1KW/ BOX. STOWAGE 9 758-2998-004			4	REF		REF								
19	13	P	H		5975-921-3644				ROD. GROUND 10145 PART NO. 9216 /USED WITH ANTENNA KIT			8	REF		REF								

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
20			P	H	5935-920-5318							1	1		1		3			P1	
21			P	H	5935-914-8858							1	1		1		3			P2	
22			P	H	5935-919-9978							1	1		1		3			P2	
23			P	H	5935-920-7409							1	1		1		3			P1	
24			P	H	6145-914-9512				FT		200	800			200		4000				
25			P	H	5935-916-0371							2	8		1						
26			P	H	5935-921-5635							2	8		1		24			P1, P2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
27			P	H	6145-660-8711				FT		200	200				400		2000				
28			P	H	5935-284-3965							2	4					1	12			
29			P	H	5935-201-7906							2	20					1	60		P 1	
30			P	H	5910-826-4471							4	5			2		15	65 6-5, 6		C3-6	
31			P	H	6105-849-5458							4	10			5		20	65 6-5, 6		B1-4	
32			P	H	5340-902-5098							3	3			1		3	65 6-5, 6			
33	P			H	1270-609-8499							2	28			3		28	65 6-5, 6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
34		P	H		5310-754-3076						2	2			1	2	65 6-5.6				
35		P	H		5821-785-6851						4	4			1	4	65 6-5.6				
36		P	H		5945-902-8503						5	6			1	18	65 6-5.6		K1-5		
37		P	H		5945-869-5925						2	4			2		65 6-6		K6. K7		
38		P	H		5960-617-8804						30	233			13	700	65 6-5.6		CRI-30		
39		P	H		5930-908-0254						1	1			1		5 65 6-6		SID 6-6		
40		P	H		5930-908-1991						1	1			1		5 65 6-6		SIF		
41		P	H		5930-908-1992						1	1			1		5 65 6-6		SIE		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		
42		P	H		5930-908-0245						1	1		1	5	65 6-6		S1B				
43		P	H		5930-908-4722						1	1		1	5	65 6-6		S1C				
44		P	H		5930-908-0242						1	1		1	5	65 6-6		S2D				
45		P	H		5930-908-0238						1	1		1	5	65 6-6		S2C				
46		P	H		5930-908-0239						2	2		1	5	65 6-5		53D, S4D				
47		P	H		5930-908-0243						2	2		1	5	65 6-5		S3C, S4C				
48		P	H		5930-908-0244						1	1		1	5	65 6-6		S1G				
49		P	H		5930-908-4726						1	1		1	5	65 6-6		S1K				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
50		P	H		5930-908-0255						1	1				5	65 6-6		S10		
51		P	H		5930-908-2002						3	3			1	5	65 6-5		S3A-B, S4		
52		P	H		5930-919-7051						1	1			1	5	65 6-6		S2A, B		
53		P	H		5930-908-1988						1	1			1	5	65		S1A		
54		P	H		5930-908-8995						1	1			1	5	65 6-6		S1H		
55		P	H		5895-902-8995						1	1			1	3	65				
56		P	H		5910-805-3621						2	5			3	15	65 6-6		C1, C2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E P E R D A Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
57		P	H		5910-811-2808						1	2			1	6	65 6-6		C7		
58		P	H		5905-078-8367						1	1			1	3	65 6-6		R61		
59		P	H		5905-721-0089						1	1			1	3	65 6-6		R62		
60		P	H		5960-088-9347						1	2			1	6	65 6-6		CR31		
61		P	H		5905-903-6842						10	10			1	30	65 6-5		R47-56		
62		P	H		5905-903-5171						18	18			1	55	65 6-5		R29-46		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
63			P	H	5905-904-7813						18	18			1		55	65 6-6		R11-28	
64			P	H	5905-903-5173						2	2			1		6	65 6-6		R1, 4	
65			P	H	5905-903-5168						2	2			1		6	65 6-6		R2, R3	
66			P	H	5905-903-5169						2	2			1		6	65 6-6		R6, R7	
67			P	H	5905-903-5170						2	2			1		6	65 6-6		R5, R8	
68			P	H	5935-716-6585						1	2			2		6	65 6-5		P1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
69			P	H	5340-909-1312							1	1		1		2	65 6-3			
70			P	H	5910-666-8058							2	3		1		9	65 6-9	C31, 33		
71			P	H	5910-844-4842							1	1		1		3	65 6-9	C35		
72	128		P	H	5910-660-7430							2	90		8		270	65 6-11	C49, 78		
73			P	H	5910-804-8597							1	1		1		3	65 6-5	C55		
74			P	H	5910-902-8507							2	2		1		6	65 6-6	C5, 6		
75			P	H	5910-902-8497							1	1		1		3	65 6-6	C7		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
76		P	H		5910-902-9011						1	1		1		3	65 6-6		C4		
77		P	H		5910-782-7354						1	1		1		3	65 6-3		C3		
78		P	H		5910-082-5042						2	2		1		6	65 6-11		C84, 85		
79		P	H		5910-902-7557						4	4		1		12	65 6-2		C66-69		
80		P	H		5910-902-8508						1	1		1		3	65 6-9		C34		
81		P	H		5910-811-3477						1	1		1		3	65 6-9		C32		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM						
		DESCRIPTION																			
82		P	H	5910-852-9692						1	18		4	55	65 6-15		C50				
83		P	H	5910-810-9844						1	1		1	3	65 6-1		C59				
84		P	H	5910-901-9272						1	8		2	25	65 6-9						
85		P	H	5910-845-4514						4	12		1	25	65 6-9		C9, 13, 17 21				
86	84	P	H	5910-901-9272						1	REF		REF	65 6-9							
87		P	H	5910-903-1952						4	4		1	8	65 6-2		C8, 12, 16 20				
88		P	H	5945-201-4332						1	1		1	3	65 6-1		G1				
89		P	H	5950-906-8555						1	1		1	3	65 6-1		L5				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
														FIGURE NUMBER	REFERENCE SYMBOL						
90		P	H		5950-906-8559						1	1		1		3	65 6-1		L14		
91		P	H		5950-906-8557						1	1		1		3	65 6-1		L10		
92		P	H		5950-902-8496						1	1		1		3	65 6-1		L6		
93		P	H		5950-902-7125						1	1		1		3	65 6-1		L2		
94		P	H		5950-519-7941						1	1		1		3	65 6-1				
95		P	H		5950-902-0963						1	1		1		3	65 6-2		L25		
96		P	H		5950-901-7743						1	1		1		3	65 6-2		L26		
97		P	H		5950-907-5110						1	1		1		3	65 6-1		L9		
98		P	H		5950-902-7134						1	1		1		3	65 6-1		L13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y E			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
99			P	H	5935-990-3806						1	2			2	6	65 6-2		J2		
100			P	H	5935-850-5652						1	1			1	3	65 6-2		J3		
101			P	H	5950-907-4862						1	1			1	3	65 6-2		L28		
102			P	H	5960-577-3078						2	2			1	200	65 6-1		V1, 2		
103			P	H	4130-903-5448						1	1			1	3	65 6-12				
104			P	H	5945-907-4861						1	1			1	3	65 6-1		K1		
105			P	H	5905-687-0000						1	91			9	275	65 6-5		R31		
106			P	H	5905-752-3156						1	69			7	210	65 6-5		R30		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
107			P	H	5905-686-3129						1	100		17		300	65 6-6		R23		
108			P	H	5905-843-5197						1	1		1		3	65 6-6		R22		
109			P	H	5905-844-0818						1	1		1		3	65 6-6		R18		
110			P	H	5905-882-6367						1	1		1		3	65 6-6		R12		
111			P	H	5905-088-0635						1	1		1		3	65 6-6		R17		
112			P	H	5960-842-3525						4	24		3		72	65 6-4, 5,6		CR1, 7, 8, 16		
113			P	H	5960-577-6084						1	451		21		1355	65 6-6		CR3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E F O R D A Y	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
114		P	H		5960-857-9849						1	1		1		3	65 6-4		CR9		
115		P	H		5935-912-5682						1	1		1		3	65 6-2				
116		P	H		5935-902-5105						1	1		1		3	65 6-2				
117		P	H		5960-272-9094						1	1		1		10	65 6-1				
118		P	H		5935-232-3758						1	1		1		3	65 6-12		J1		
119		P	H		5935-076-2156						1	1		1		3	65 6-1		J4		
120		P	H		5930-907-7005						1	1		1		5	65 6-6		S10		
121		P	H		5930-907-6995						1	1		1		5	65 6-6		S1E		
122		P	H		5930-907-7012						1	1		1		5	65 6-6		S1H		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
123			P	H	5930-907-7004						1	1				1		5	65 6-6		S1G	
124			P	H	5930-90719-700						1	1				1		5	65 6-6		S1K	
125			P	H	5930-907-6997						1	1				1		5	65 6-6		S1F	
126			P	H	5910-983-9280						1	25				5		75	65 6-8		C24	
127			P	H	5910-950-1142						3	4				2		12	65 6-2.8		C25, 26, 74	
128	72		P	H	5910-660-7430						4	REF			REF			65 6-2,8			C52, 53, 75 76	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
129		P	H		5910-902-8512					1	1		1		3	65 6-8		C30				
130		P	H		5950-710-0151					2	3		1		9	65 6-2		L34, 35				
131		P	H		5950-833-6039					1	1		1		3	65 6-8		L20				
132		P	H		5950-842-2247					1	10		3		30	65 6-2		L33				
133		P	H		5950-902-7080					1	1		1		3	65 6-8		L19				
134		P	H		5950-086-8829					1	2		1		6	65 6-2						
135		P	H		5905-755-8389					1	10		2		30	65 6-6		R5				
136		P	H		5905-683-7721					2	103		10		310	65 6-6		R1, 3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
137			P	H	5905-686-9996						1	183		11		550	65 6-6		R2		
138			P	H	5905-688-4447						1	137		9		412	65 6-6		R4		
139			P	H	5905-682-1101						1	4		3		12	65 6-6		R6		
140			P	H	5935-703-2009						1	8		2		24	65 6-8		XV1		
141			P	H	5950-907-6964						1	2		1		6	65 6-8		L17		
142			P	H	5820-902-3445						1	1		1		3	65 6-11				
143			P	H	5910-726-2448						1	1		1		3	65 6-6		C2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	ITEM NUMBER						
144	126	P	H		5910-983-9280						1	REF		REF			65 6-11		C28		
145		P	H		5910-950-1142						3	3		1	9		65 6-11		C27, 29, 80		
146	72	P	H		5910-660-7430						6	REF		REF			65 6-11		C46, 47, 51		
147		P	H		5910-846-5671						1	3		2	9		65 6-11		C48		
148		P	H		5910-984-8619						1	22		4	66		65 6-11		C38		
149		P	H		5910-824-8035						1	9		4	27		65 6-11		C36		
150		P	H		5950-818-9088						1	1		1	3		65 6-11		L23		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
151	130	P	H		5950-084-4748:							1	REF						65 6-11		L36	
152		P	H		5950-686-6425							2	7		3	21			65 6-11		L21, 24	
153	132	P	H		5950-842-2247							1	REF						65 6-11		L37	
154	134	P	H		5950-086-8829							1	REF						65 6-11			
155		P	H		5995-902-9016							1	1		1	3			65 6-5		K4	
156		P	H		5905-810-5641							2	3		2	9			65 6-5		R32 33	
157		P	H		5905-190-8889							1	16		8	48			65 6-11		R10	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
158			P	H	5905-982-5503						1	9		4		27	65 6-6		R7			
159			P	H	5905-682-4107						1	62		6		186	65 6-6		R8			
160			P	H	5905-279-3514						1	7		5		21	65 6-6		R21			
161			P	H	5905-683-2242						1	20		6		60	65 6-6		R24			
162			P	H	5905-681-6462						1	194		14		582	65 6-6		R26			
163	138		P	H	5905-688-4447						1	REF		REF			65 6-11		R9			
164	139		P	H	5905-682-1101						1	REF		REF			65 6-6		R11			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
165	112	P	H		5960-842-3525						2	REF		REF			65 6-6		CR2, 12	
166	140	P	H		5935-703-2009						1	REF		REF			65 6-11		XV2	
167	141	P	H		5950-907-6964						1	REF		REF			65 6-11		L18	
168		P	H		5950-906-8546						1	1		1	3		65 6-3		T1	
169		P	H		5950-906-8552						1	1		1	5		65 6-1		L1	
170		P	H		5950-903-1359						1	1		1	3					
171		P	H		5910-660-7430						3	REF		REF			65 6-15		C60, 62, 65	
172	57	P	H		5910-811-2808						1	REF		REF			65		C64	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
173			P	H	5945-965-8786							1	1		1	3	65 6-15		K2		
174			P	H	5905-577-0935							1	659		31	980	65 6-16		R20		
175	106		P	H	5905-752-3156							1	REF		REF		65 6-16		R25		
176			P	H	5905-615-1617							1	3		2	9	65 6-15		RT1		
177			P	H	5905-226-7051							2	2		1	6	65 6-6		R15, 16		
178	60		P	H	5960-088-9347							1	REF		REF		65 6-5		CR15		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
179	381	P	H		5960-617-8804						3	REF		REF			65 6-4.6		CR10, 11, 14		
180		P	H		5960-892-0874						1	1		1	3		65 6-15		CR13		
181	72	P	H		5910-660-7430						1	REF		REF			65 6-13		C54		
182		P	H		5910-903-1948						1	1		1	2		65 6-2		C1C, D, E, F, G		
183		P	H		5950-906-8551						1	1		1	3		65 6-13		K5		
184	31	P	H		6105-849-5458						1	REF		REF							
185	36	P	H		5945-902-8503						1	REF		REF			65 6-5		K3		
186		P	H		5905-910-5716						1	1		1	3		65 6-6		R19		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
187	113	P	H		5960-577-6084						1	REF		REF			65 6-4		CR4		
188		P	H		5930-907-6999						1	1		1		5	65 6-6		S1D		
189		P	H		5910-902-7551						2	2		1		6	65 6-14		C57, 58		
190		P	H		5905-256-0409						2	30		5		90	65 6-14		R13, 14		
191		P	H		5960-879-2474						2	2		1		6	65 6-16		CR5, 6		
192		P	H		5910-890-8913						4	4		1		12	65 6-11		C72, 73, 81		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
193			P	H	5910-061-7043						2	2		1		6	65 6-2		C39, 41	
194	70		P	H	5910-666-8058						1	REF		REF			65 6-2		C43	
195			P	H	5910-722-5858						1	16		3		48	65 6-11		C83	
196			P	H	5910-811-4966						1	4		2		12	65 6-2		C45	
197			P	H	5910-552-9883						1	6		4		18	65 6-2		C42	
198			P	H	5910-781-6497						1	8		4		24	65 6-2		C44	
199			P	H	5910-577-1194						1	5		4		15	65 6-2		C40	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I N T E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		ITEM N U M B E R	REFERENCE S Y M B O L
200	85	P	H	5910-845-4514				CAPACITOR. VARIABLE. GLASS, 0.8-18 UUF. 1000 VDCW. 73899 PART NO. VC23G. 95104 PART NO. 922-0437-000			7	REF	REF				65 6-10		C10, 11, 14 15, 19, 22, 23				
201		P	H	5950-902-7135				COIL. RF 1.89-2.10 UH INDUCTANCE RANGE, 95104 PART NO. 278-0837-000			2	2	1	6	65 6-10				L11, 12				
202		P	H	5950-906-8556				COIL. RF 7.89-8.10 UH INDUCTANCE RANGE. 95104 PART NO. 278-0836-000			2	2	1	6	65 6-10				L7, 8				
203		P	H	5950-906-8554				COIL. RF 31.5-35 UH INDUCTANCE RANGE. 95104 PART NO. 278-0835-000			2	2	1	6	65 6-10				L3, 4				
204		P	H	5950-906-8558				COIL. RF 46-51 UH INDUCTANCE RANGE. 95104 PART NO. 278-0838-000			2	2	1	6	65 6-10				L15, 16				
205		P	H	5950-901-7744				COIL. RF 95104 PART NO. 554-9395-002			1	1	1	3	65 6-2				L29				
206		P	H	5950-901-7745				COIL. RF 95104 PART NO. 554-9396-002			1	1	1	3	65 6-2				L30				
207		P	H	5950-901-7746				COIL. RF 95104 PART NO. 554-9397-002			1	1	1	3	65 6-2				L31				
208	174	P	H	5905-577-0935				RESISTOR. FIXED. COMPOSITION. 10.000 OHMS. 10 % TOL. 1/4 WATT. 81349 PART NO. RC09GF103J, 95104			2	REF	REF		65 6-5				R29, 35				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
209	138	P	H		905-688-4447						1	REF		REF			65 6-6		R28		
210		P	H		5905-752-3158						1	39		5	57		65 6-6		R27		
211		P	H		5950-903-1936						1	1		1	2		65 6-13				
212		P	H		5930-908-4712						1	1		1	5		65 6-6		S1A		
213		P	H		5930-908-4714						1	1		1	5		65 6-6		S1B		
214		P	H		5930-907-8346						1	1		1	5		65 6-6		S1C		
215		P	H		5960-564-4775 5960-649-8665						1	4		2	12		65 6-8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE		ITEM
216			P	H	5960-519-6952				SHIELD. ELECTRON TUBE 91662 PART NO. 191-0P1001 95104 PART NO. 141-0398-000			1	4		2	40	65 6-8						
217			P	H	5960-865-4500				SHIELD. ELECTRON TUBE 95104 PART NO. 541-8161-002			1	1		1	10	65 6-8						
218			P	H	5960-552-0236				SHIELD. ELECTRON TUBE 95104 PART NO. 541-8166-002			1	4		2	40	65 6-8						
219	P			H	6145-812-5034				WIRING HARNESS 554-9343-000 CABLE. RF 80058 PART NO. RG-1788/U, 95104 PART NO. 425-1545-000	FT		4	7		4	70	65 6-5						
220			P	H	5935-902-8529				CONNECTOR. RECEPTACLE, ELECTRICAL, 40 PINS. 71468 PART NO. DPX2EC1P401P34B-0201 95104 PART NO. 370-5263-000			1	1		1	3	65 6-5		P1				
221			P	H	5935-908-4721				INSERT, ELECTRICAL CONNECTOR, 91146 PART NO. 249-1330-000. 95104 PART NO. 370-2207-000			1	7		3	7	65 6-5						
222			P	H	6130-770-9542 5910-837-7057				POWER SUPPLY PP-2352/UR 522-2013-001 CAPACITOR. FIXED, ELECTROLYTIC. 1000 UUF. PLUS 15 % MINUS 75 %, 35 VDCW. 24446 PART NO. 29F3072G4. 95104 PART NO. 184-7541-000			1	1		1	3	66 6-1		C8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
223		P	H		5910-812-5725						1	2			2		6	66 6-1		C7			
224		P	H		5910-812-9135						1	1			1		3	66 6-1		C4A, C4B			
225		P	H		5910-729-2290						1	1			1		3	66 6-1		C5			
226		P	H		5910-752-4374						1	3			1		9	66 6-1		C3			
227		P	H		4140-061-4131						1	1			1		1	66 6-1		B1			
228		P	H		5920-752-7732						1	1			1		50	66 6-1		F1			
229		P	H		5920-285-0755						1	5			2		15	66 6-1		XF1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
230		P	H			6130-773-3130						1	1			1	66 6-1						
231		P	H			5310-855-1896						6	6			1	66 6-1						
232		P	H			5310-688-1754						4	4			1	66 6-1						
233		P	H			5950-729-2236						1	1			1	66 6-1		L1				
234		P	H			5950-754-6902						3	3			1	66 6-1		T1-3				
235		P	H			5950-754-6901						6	6			1	66 6-1		T7-12				
236		P	H			5945-983-9145						1	5			3	66 6-1		K1				
237		P	H			5945-502-9643						1	1			1	66 6-1		K2				
238		P	H			5905-549-8688						1	1			1	66 6-1		R81				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
239		P	H		5905-838-1639						38	38			2	115	66 6-1		R29-66		
240		P	H		5905-549-2288						1	1			1	3	66 6-1		R3		
241		P	H		5905-080-5016						1	1			1	3	66 6-1		R24		
242		P	H		5905-810-0650						1	1			1	3	66 6-1		R18		
243		P	H		5905-755-2572						8	11			1	33	66 6-1		R4, 7, 11, 75, 77-80		
244		P	H		5960-879-9604						6	6			1	18	66 6-1		CR42-47		
245		P	H		5960-754-5696						38	38			2	142	66 6-1		Q11-48		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
246		P	H		5930-755-3197						1	2			2		10	66 6-1		TS1		
247		P	H		5950-754-9734						3	3			1		9	66 6-1		T16-18		
248		P	H		5950-729-2289						1	1			1		3	66 6-1		T19		
249		P	H		5950-773-3135						1	1			1		3	66 6-1		T4-6		
250		P	H		5950-087-9213						3	3			1		9	66 6-1		T13-15		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
251		P	H		5935-237-0424						1	1		1		3	66 6-1		P1		
252		P	H		5935-795-1218						1	1		1		3	66 6-1		P2		
					6130-773-3125																
253		P	H		5910-649-4254						1	4		2		12	66 6-1		C6		
254		P	H		5910-615-5517						2	6		4		18	66 6-1		C1, 19		
255		P	H		5910-755-9350						1	4		2		12	66 6-1		C2		
256		P	H		5920-755-2599						38	38		2		1900	66 6-1		F11-48		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE		ITEM
257		P	H		5905-252-1953				RESISTOR, FIXED, COMPOSITION. 10 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF100J 95104 PART NO. 745-5568-000			6	8		2	24	66 6-1		R2, 6, 9, 10, 13, 14				
258		P	H		5905-279-1897				RESISTOR, FIXED, COMPOSITION, 56 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF560K 95104 PART NO. 745-1300-000			1	18		5	55	66 6-1		R96				
259		P	H		5905-279-1922				RESISTOR, FIXED, COMPOSITION, 270 OHMS, 5% TOL 2 WATTS, 81349 PART NO. RC42GF271J. 95104 PART NO. 745-5627-000			2	2		1	6	66 6-1		R70, 71				
260		P	H		5905-253-1229				RESISTOR, FIXED COMPOSITION, 330 OHMS, 5% TOL, 2 WATTS, 81349 PART NO. RC42GF331J, 95104 PART NO. 745-5630-000			1	1		1	3	66 6-1		R69				
261		P	H		5905-171-1997				RESISTOR FIXED, COMPOSITION, 330 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF331K, 95104 PART NO. 745-1331-000			1	1		1	3	66 6-1		R76				
262		P	H		5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/2 WATTS 81349 PART NO. RC20GF391K, 95104 PART NO. 745-1335-000			1	52		8	156	66 6-1		R82				
263		P	H		5905-195-5107				RESISTOR, FIXED, COMPOSITION, 1200 OHMS, 10% TOL, 2			1	2		2	6	66 6-1		R74				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
264			P	H	5905-556-4154						1	1				3	66 6-1		R16		
265			P	H	5905-080-5899						1	917		4	2751	66 6-1			R17		
266			P	H	5905-081-3014						1	2		2	6	66 6-1			R68		
267			P	H	5905-518-9357						1	1		1	3	66 6-1			R5		
268			P	H	5905-087-5661						1	1		1	3	66 6-1			R88		
269			P	H	5905-504-4892						2	2		1	6	66			R23, 73		
270			P	H	5905-538-5800						3	3		1	9	66			R1, 8, 12		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE NUMBER	
271		P	H		5905-755-2571						2	959		2	2877	66 6-1			RT1,2		
272		P	H		5905-752-3261						1	15		2	45	66 6-1			RT3		
273		P	H		5905-827-0723						1	1		1	3	66 6-1			RT5		
274		P	H		5960-978-7660						1	7		3	21	66 6-1			CR31		
275		P	H		5960-754-5694						26	945		6	2835	66 6-1			CR1-6, 9 12-30		
276		P	H		5960-817-9356						1	1		1	3	66 6-1			CR39		
					6130-773-3129																
277		P	H		5910-842-9380						6	6		1	18	66 6-1			C9-14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
278			P	H	5905-252-1953						6	6		1		18	66 6-1		R19, 22, 25-28		
279	255		P	H	5910-755-9350						2	REF		REF		66		C15, 18			
280	226		P	H	5910-752-4374						2	REF		REF		66 6-1		C16, 17			
281			P	H	5310-684-9760						2	16		2		16	66				
282			P	H	5945-615-1477						1	3		2		9 6-1		K3			
283			P	H	5905-299-1541						1	81		6		245 6-1		R91			

1 S E Q U E N C E N U M B E R	1 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	2 M A I N T E N A N C E & S O U R C E				3 F E D E R A L S T O C K N U M B E R	4 D E S I G N A T I O N			5 D E S C R I P T I O N	6 U N I T O F I S S U E	7 E X P E N D I B I L I T Y	8 Q U A N T I T Y I N U S E	9 E Q U I P M E N T P E R	10 F I E L D D A Y		11 A L L O W A N C E P E R	12 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	13 F I G U R E N U M B E R	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM			
284	190	P	H		5905-256-0409				PART NO. 745-1317-000 RESISTOR, FIXED, COMPOSITION, 220 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF221K, 95104			1	REF		REF			66 6-1		R95			
285		P	H		5905-192-3973				PART NO. 745-1324-000 RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF471K, 95104			1	72		8	216		66 6-1		R94			
286		P	H		5905-195-6806				PART NO. 745-1338-000 RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104			1	153		15	459		66 6-1		R90			
287		P	H		5905-279-1876				PART NO. 745-1352-000 RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF222J, 95104			2	58		17	174		66 6-1		R67, 93			
288	265	P	H		5905-080-5899				PART NO. 745-1366-000 RESISTOR, FIXED, WIRE WOUND, 100 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V101, 95104 PART NO. 747-5340-000			1	REF		REF			66 6-1		R97			
289		P	H		5905-993-9865				RESISTOR, FIXED, WIRE WOUND. 500 OHMS, 5% TOL, 3 WATTS, 91637 PART NO. HS2C500R0H, 95104 PART NO 747-5354-000			1	2		2	6		66 6-1		R89			
290	271	P	H		5905-755-2571				RESISTOR, THERMAL 100 OHMS, 10% TOL,			1	REF		REF			66 6-1		RT4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER		NUMBER		
291	243	P	H		5905-755-2572						2	REF			REF			66 6-1			R83, 92		
292		P	H		5960-556-9314						3	3			1		9	66 6-1			CR34-36		
293	275	P	H		5960-754-5694						4	REF			REF			66 6-1			CR32, 33, 37, 50		
294		P	H		5960-081-3782						1	2			2		6	66 6-1			CR1		
295		P	H		5960-809-9511						1	3			1		12	66 6-1			Q50		
296	287	P	H		5905-279-1876						1	REF			REF			66 6-1			R15		
297		P	H		5905-755-2863						2	3			2		9	66 6-1			R20, 21		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
298		P	H	5960-815-8453				747-5118-000 SEMICONDUCTOR DEVICE DIODE, 07688 PART NO. 1N1355A, 95104 PART NO. 353-2633-000			3	3		1	9	66 6-1			CR7, 10, 11			
299	275	P	H	5960-754-5694				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N1487, 95104 PART NO. 353-1662-000			2	REF		REF		66 6-1			CR38, 49			
300		P	H	5960-625-3506				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N375, 95104 PART NO. 352-0065-000			7	7		1	28	66 6-1			Q1-7			
301	295	P	H	5960-809-9511				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N699. 95104 PART NO. 352-0293-000			2	REF		REF		66 6-1						
302		P	H	5960-841-3250				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1556, 95104 PA RT NO. 352-0290-000 POWER SUPPLY 547-3826-002			2	2		1	8	66 6-1			Q8, 9			
303		P	H	5905-842-1892				RESISTOR, FIXED, WIRE WOUND, 0.05 OHM, 3% TOL., 3 WATTS, 91637 PART NO. RLS2R0500G, 95104 PART NO. 746-9560-000			1	1		1	3	66 6-1			R87			
304	265	P	H	5905-080-5899				RESISTOR, FIXED, WIRE WOUND 100 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V 101, 95104 PART NO. 747-5340-000			1	REF		REF		66 6-1			R72			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B		1	2	3						DS	GS				DM	FIGURE		ITEM
305	286	P	H	5905-755-62572				RESISTOR, VARIABLED COMPOSITION, 250 OHMS, 10% TOL, 12.5 WATTS, 44655 PART NO. 44968-250, 95104 PART NO. 749-4500-000			1	REF		REF		66 6-1		R67			
306		P	H	5960-849-6870				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2834B POWER SUPPLY 547-3824--002			1	1		1	3	66 6-1		CR41			
307	286	P	H	5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000			1	REF		REF	3	66 6-1		R84			
308		P	H	5905-838-1640				RESISTOR, FIXED, WIRE WOUND, 400 OHMS, 5% TOL. 3 WATTS, 91637 PART NO. HS2C400R0H, 95104 PART NO. 747-5352-000			2	3		2	9	66 6-1		R85, 98			
309		P	H	5960-833-9002				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N297071 95104 PART NO. 353-1945-000			1	1		1	3	66 6-1		CR40			
310		P	H	5960-837-7065				SEMICONDUCTOR DEVICE, DIODE 81349 PART NO. 1N30178, 95104 PART NO. 353-3047-000			1	1		1	3	66 6-1		CR48			
311		P	H	5960-081-3781				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 2N1771A 95104 PART NO. 353-1989-000 <u>CONVERTER. FREQUENCY</u>			1	1		1	3	66 6-1		CR2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
312		P	H			4140-930-0668						1	1		1	5	67		B101				
313		P	H			5910-921-5598						2	2		1	6	67		C106, 107				
314		P	H			5950-907-6812						1	1		1	3	67		L106				
315		P	H			5950-907-7309						1	1		1	3	67		L105				
316		P	H			5950-907-6815						1	1		1	3	67						
317		P	H			5935-852-9611						1	1		1	3	67		J101				
318		P	H			5935-878-8534						1	1		1	3	67		J102				
319		P	H			5935-778-3834						2	2		1	6	67		J112, 113				
320		P	H			5935-919-9940						3	3		1	9	67		J107, 110 111				
321		P	H			5999-992-1294						2	2		1	6	67		J108, 109				
322		P	H			5935-913-2851						1	1		1	3	67		J114				
323		P	H			5915-883-9363						5	5		1	15	67		FL101-105				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
324		P	H		5945-809-6497						1	5		2	25	5-4 67 5-4		K101			
325		P	H		5905-279-1757						1	5		1	15	67 5-4		R610			
326		P	H		5905-052-6638						4	4		1	12	67 5-4		R198, 199, 201, 202			
327		P	H		5905-852-4056						2	2		1	6	67 5-4		R189, 190			
328		P	H		5905-066-7150						2	2		1	6	67 5-4		R101, 102			
329		P	H		5961-914-6727						7	16		1	48	67 5-4		CR117-122 135			
330		P	H		5961-914-6726						7	7		1	21	67 5-4		CR123-127, 140, 171			
331		P	H		5950-907-6813						1	1		1	3	67 5-4		T104			
332		P	H		5950-920-7134						1	1		1	3	67 5-4					
333		P	H		5950-907-7307						1	1		1	3	67 5-4		T305			
334		P	H		5950-907-6814						1	1		1	3	67 5-4		T101			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I A L N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
335			P	H	5910-918-9259				26-11070-1 MODULE REGULATOR 22-10823-1 CAPACITOR 8 UF, 12175 PART NO. 13-10514-1			1	3		1		9	67 5-7		A108C303		
336			P	H	5950-907-6820				CHOKE 12175 PART NO. 22-10797-1			1	1		1		3	67		A108L401		
337			P	H	5935-999-4374				PLUG 95238 PART NO. 25020-16PSKGD			1	1		1		3	67 5-7		A108P114		
338			P	H	5905-190-8883				RESISTOR, FIXED, COMPOSITION, 10 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF100J			1	15		2		45	67 5-7		A108R463		
339			P	H	5905-299-1541				RESISTOR, FIXED, COMPOSITION, 150 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF151J			2	6		1		18	67 5-7		A108A151 R338, 339		
340			P	H	5905-299-2003				RESISTOR, FIXED, COMPOSITION, 100,000 OHMS, 5% TOL, 1 WATT, 81349 PART NO.			1	1		1		3	67 5-7		A108R501		
341			P	H	5905-846-9676				RESISTOR, FIXED, WIRE WOUND, 91637 PART NO. RE70GR499			1	3		1		9	67 5-7		A108R337		
342			P	H	5961-914-6727				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N1197A			4	REF		REF			67 5-7		A108CR324,		
343			P	H	5960-880-2938				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO.			2	81		5		245	67 5-7		A108A151 CR347, 424		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		
344		P	H		5961-921-3291						4	4			1	12	67 5-7		A108CR351 421, 422, 453			
345		P	H		5950-907-7313						1	3			1	9	67 5-7		A108T401			
346		P	H		5910-082-5127						1	2			1	6	67 5-6		A101C302			
347		P	H		5910-807-2907						1	2			1	6	67 5-6		A101C114			
348	335	P	H		5910-918-9259						1	REF		REF		67 5-6			A101C113			
349		P	H		5910-291-9768						1	2			1	6	67 5-6		A101C128			
350		P	H		5950-907-6819						1	2			1	67 5-6			A101L101			
351		P	H		5950-907-7311						1	2			1	67 5-6			A101L407			
352		P	H		5950-907-7312						1	2			1	67 5-6			A101L103			
353		P	H		5935-819-0991						1	2			1	67 5-6			A101P112			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
		DESCRIPTION												FIGURE NUMBER	REFERENCE SYMBOL						
354		P	H		5905-101-7907						1	2		1	6	67 5-6	A101R388				
355	338	P	H		5905-190-8883						1	REF		REF		67 5-6	A101R203				
356		P	H		5905-279-1736						1	2		1	6	67 5-6	A101R452				
357		P	H		5905-279-1724						1	2		1	6	67 5-6	A101R124				
358		P	H		5905-08-96324						1	2		1	6	67 5-6	A101R134				
359		P	H		5905-956-3240						1	2		1	6	67 5-6	A101R125				
360	341	P	H		5905-846-9676						1	REF		REF		67 5-6	A101R140				
361	329	P	H		5961-914-6727						2	REF		REF		67 5-6	A101CR136, 154				
362		P	H		5961-068-8231						2	4		1	12	67 5-6	A101CR147, 174				
363		P	H		5961-999-4155						1	2		1	6	67 5-6	A101CR156				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y D E C A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
364		P	H		5961-939-7465						1	2		1	6	67 5-6		A101CR170			
365		P	H		5930-926-0583						1	2		1	10	67 5-6		A101S101			
366	345	P	H		5950-907-7313						1	REF		REF		67 5-6		A101T102			
367	346	P	H		5910-082-5127						1	REF		REF		67 5-5		A102C301			
368	347	P	H		5910-807-2907						1	REF		REF		67 5-5		A102C116			
369	335	P	H		5910-918-9259						1	REF		REF		67 5-5		A102C117			
370	349	P	H		5910-291-9768						1	REF		REF		67 5-5		A102C129			
371	350	P	H		5950-907-6819						1	REF		REF		67 5-5		A102L102			
372	351	P	H		5950-907-7311						1	REF		REF		67 5-5		A102L405			
373	352	P	H		5950-907-7312						1	REF		REF		67 5-5		A102L104			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A C Y		12 A L L O W E Q U I P M E N T P E R E N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS	GS	DM	FIGURE	ITEM				
374	353	P	H	5935-819-0911					1	REF		REF					67		A102P113		
375	354	P	H	5905-101-7907					1	REF		REF					67		A102R389		
376	354	P	H	5905-190-8883					1	REF		REF					67		A102R204		
377	356	P	H	5905-279-1736					1	REF		REF					67		A102R445		
378	357	P	H	5905-279-1724					1	REF		REF					67		A102R137		
379	358	P	H	5905-081-0324					1	REF		REF					67		A102R132		
380	359	P	H	5905-956-3240					1	REF		REF					67		A102R136		
381	341	P	H	5905-846-9676					1	REF		REF					67		A102R145		
382	329	P	H	5961-914-6727					2	REF		REF					67		A102CR152,		
383	362	P	H	5961-068-8231					2	REF		REF					67		A102CR139, 150		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
384	363	P	H		5961-999-4155						1	REF		REF				67		A102CR157		
385	364	P	H		5961-939-7465						1	REF		REF				67		A102CR149		
386	365	P	H		5930-926-0583						1	REF		REF				67		A102S102		
387	345	P	H		5950-907-7313						1	REF		REF				67		A102T103		
388		P	H		5910-725-1029						1	3		1	9			67		A105C331		
389		P	H		5910-889-4462						1	9		1	27			67		A105C322		
390		P	H		5910-914-8937						1	2		1	6			67		A105C324		
391		P	H		5905-252-4018						1	2		1	6			67		A105R406		
392		P	H		5905-190-8889						2	9		2	27			67		A105R325, 459		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
393	339	P	H		5905-299-1541				RESISTOR, FIXED, COMPOSITION. 150 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF151J			2	REF		REF			67 5-9		A105R402, 462			
394		P	H		5905-171-2006				RESISTOR, FIXED, COMPOSITION. 270 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF271J			1	5		1	15	67 5-9			A105R403			
395		P	H		5905-192-3973				RESISTOR, FIXED, COMPOSITION. 470 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF471J			5	14		1	45	67 5-9			A105R381, 404, 409, 410, 466			
396		P	H		5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF102J			5	56		3	170	67 5-9			A05R382-385, 408			
397		P	H		5905-279-3504				RESISTOR FIXED, COMPOSITION. 4700 OHMS, 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF472J			1	55		4	165	67 5-9			A105R405			
398		P	H		5905-185-8510				RESISTOR, FIXED, COMPOSITION. 10.000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF103J			2	81		4	243	67 5-9			A105R387, 426			
399		P	H		5905-819-0000				RESISTOR, FIXED, WIRE WOUND. 91637 PART NO. RS1A101			1	2		1	6	67 5-9			A105R407			
400	343	P	H		5960-880-2938				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N4003			12	REF		REF		67 5-9			A105CR315, 316, 366-369, 371, 378, 380, 398, 402, 403			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R					
401		P	H		5960-843-4128						1	4		1	12	67 5-9		A105C370				
402		P	H		5961-946-1945						1	7		1	21	67 5-9		A105CR336				
403		P	H		5950-905-6812						1	2		1	6	67 5-9		A105T306				
404		P	H		5960-065-5375						1	3		1	12	67 5-9		A1051334				
405		P	H		5960-840-3561						1	16		1	65	67 5-9		A1051325				
406		P	H		5960-837-7262						1	3		1	12	67 5-9		A105Q324				
407																						
408		P	H		5910-913-4473						4	8		1	24	67 5-1 1		A103C101, 102,105				
409		P	H		5910-913-7470						2	2		1	6	67 5-11		A103C104, 109				
410		P	H		5910-739-7804						1	1		1	3	67		A103C108				
411	392	P	H		5905-190-8889						1	REF		REF		67 5-11		A103R195				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS				DM	I T E M N U M B E R	
		C	D																	
412		P	H	5905-686-3369						1	7		1	21	67 5-1		A103R108			
413	396	P	H	5905-195-6806						1	REF		REF		67 5-11		A103R109			
414		P	H	5905-683-5586						1	1		1	3	67 5-11		A1034188			
415		P	H	5960-826-9048						1	1		1	3	67 5-11		A103CR130			
416		P	H	5960-847-5508						1	1		1	3	67 5-11		A103CR133			
417	343	P	H	5960-880-2938						1	REF		REF		67 5-11		A103CR101			
418		P	H	5960-958-4876						23	REF		REF		67 5-11		A103Q101 114, 177-182			
419	405	P	H	5960-840-3561						1	REF		REF		67 5-11		A103Q102			
420	389	P	H	5910-889-4462						6	REF		REF		67 5-8		A104C103, 115, 333,. 110, 112			
421	408	P	H	5910-913-4473						2	REF		REF		67		A104C314, 341			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
422			P	H	5910-805-3621							1	1		1		3	5-8 67		A104C118	
423	338		P	H	5905-190-8883							4	REF		REF			5-8 67		A104R103, 104, 457, 464	
424	391		P	H	5905-252-4018							6	REF		REF			5-8 67		A104R105, 110, 182, 437, 447, 449	
425			P	H	5905-195-5571							2	8		7		24	5-8 67		A104R105, 130	
426	394		P	H	5905-171-2006							1	REF		REF			5-8 67		A104R107	
427	412		P	H	5905-686-3369							3	REF		REF			5-8 67		A104R138,	
428	395		P	H	5905-192-3973							2	REF		REF			5-8 67		A104R185, 422	
429			P	H	5905-171-1999							1	8		2		24	5-8 67		A104R142	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y 1 0 0	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
430	396	P	H		5905-195-6806						5	REF		REF			67 5-8		A104R113, 116, 148, 421, 423	
431	325	P	H		5905-279-1757						3	REF		REF			67 5-8		A104R146, 149, 433	
432		P	H		5905-279-1876						3	4		1	12		67 5-8		A104R111, 450, 451,	
433		P	H		5905-279-1880						5	7		1	21		67 5-8		A104R147, 150, 151, 442, 465	
434		P	H		5905-279-3505						2	2		1	6		67 5-8		A104R141, 143	
435	397	P	H		5905-279-3504						4	REF		REF			67 5-8		A104R115, 181, 439, 440	
436		P	H		5905-279-3503						2			6	18		67 5-8		A104R438, 441	
437	398	P	H		5905-185-8510						1	REF		REF			67		A104R191	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
438			P	H	5905-171-2004						1	2		2		6	67 5-8		A104R144		
439			P	H	5905-299-2011						4	4		1		12	67 5-8		A104R443-446		
440			P	H	5905-880-0931						1	6		1		18	67 5-8		A104R106		
441			P	H	5961-904-7701						3	3		1		9	67 5-8		A104CR129, 386, 389		
442	343		P	H	5960-880-2938						12	REF		REF		67 5-8			A104CR115, 116, 141, 172, 183 184, 388, 390, 391, 400, 401, 406		
443			P	H	5960-752-5351						1	1		1		3	67 5-8		A104CR381		
444			P	H	5960-824-9948						2	4		1		12	67 5-8		A104CR128, 185		
445	401		P	H	5960-843-4128						1	REF		REF		67 5-8			A104CR153		
446	402		P	H	5961-946-1945						2	REF		REF		67 5-8			A104CR382, 428		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
447		P	H		5960-088-9347						1	2			1	5	67		A104CR387		
448		P	H		5950-907-6825						1	1			1	3	67		A104T105		
449		P	H		5960-081-8365						2	3			1	12	67		A104Q116, 118		
450	405	P	H		5960-840-3561						10	REF		REF			67		A1041103-107, 112-115, 117		
451	388	P	H		5910-725-1029						1	REF		REF			67		A107C312		
452	389	P	H		5910-889-4462						1	REF		REF			67		A107C307		
453		P	H		5910-921-0619						2	2		1	6	67			A107C317, 319		
454		P	H		5910-755-9291						1	1		1	3	67			A107C313		
455		P	H		5910-913-4473						2	REF		REF			67		A107C136, 304		
456		P	H		5910-801-9721						1	1		1	3	67			A107C321		
457	338	P	H		5905-190-8883						2	REF		REF			67		A107R315, 328		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
458	391	P	H		5905-252-4018				5% TOL, 1/2 WATT, 81349 PART NO. RC20GF100J RESISTOR, FIXED, COMPOSITION, 47 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF470J			2	REF			REF			67 5-10		A107R363, 454		
459		P	H		5905-279-2643				RESISTOR, FIXED, COMPOSITION. 100 OHMS, 5% TOL, 1 WATT, 81349 PART NO. RC32GF101J			1	1			1		3	67 5-10		A107R362		
460	394	P	H		5905-171-2006				RESISTOR, FIXED, COMPOSITION, 270 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF271J			2	REF			REF			67 5-10		A107R331, 348		
461	412	P	H		5905-686-3369				RESISTOR, FIXED, COMPOSITION, 310 OHMS, 5% TOL 1/2 WATT, 81349 PART NO. RC20GF331J			3	REF			REF			67 5-10		A107R118,		
462	395	P	H		5905-192-3973				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF471J			2	REF			REF			67 5-10		A107R320, 364		
463	429	P	H		5905-171-1999				RESISTOR, FIXED, COMPOSITION, 820 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF821J			1	REF			REF			67 5-10		A107R345		
464	396	P	H		5905-195-6806				RESISTOR, FIXED COMPOSITION, 1000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF102J			8	REF			REF			67 5-10		A107R336 343, 347, 349, 353, 355, 360, 427		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
		A	B	C	D		1	2	3											
465	325	P	H		5905-279-1757						1	REF		REF			67 5-10		A107R342	
466	432	P	H		5905-279-1876						1	REF		REF			67 5-10		A107R117	
467	433	P	H		5905-279-1880						2	REF		REF			67 5-10		A107R351, 377	
468	397	P	H		5905-279-3504						4	REF		REF			67 5-10		A107R318, 329, 335 361	
469	436	P	H		5905-279-3503						4	REF		REF			67 5-10		A107R350, 352 354, 378	
470	398	P	H		5905-185-8510						1	REF		REF			67 5-10		A107R310	
471	440	P	H		5905-880-0931						5	REF		REF			67 5-103		A107R306, 36, 344 375, 376	
472		P	H		5905-964-6491						1	1		1	3		67 5-10		A107R374	
473	343	P	H		5960-880-2938						19	REF		REF			67 5-10		A107CR134, 176, 309-314.	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
474	444	P	H		5960-824-9948						2	REF		REF				67 5-10		319, 320, 322, 348, 352, 360-363, 372, 373 A107CR318, 359	
475	401	P	H		5960-843-4128						1	REF		REF				67 5-10		A107CR326	
476	402	P	H		5961-946-1945						3	REF		REF				67 5-10		A107CR175, 349, 350	
477	447	P	H		5960-088-9347						1	REF		REF				67 5-10		A107CR321	
478		P	H		5950-907-6811						1	1		1			3	67 5-10			
479	449	P	H		5960-081-8365						1	REF		REF				67 5-10		A107Q310	
480		P	H		5960-078-7430						2	2		1			8	67 5-10		A107Q322, 323	
481	404	P	H		5960-065-5375						1	REF		REF				67 5-10		A107Q314	
482	405	P	H		5960-840-3561						3	REF		REF				67 5-10		A107Q309, 312, 313	
483	406	P	H		5960-837-7262						1	REF		REF				67 5-10		A107Q311	
484	4	P	H		5340-921-0596						18	REF		REF							

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS					
485			P	H	5910-914-8922				TRANSFORMER, RF 522-5398-005 CAPACITOR, FIXED, FILM 1000 UUF, 10% TOL, 4000 VDCW, 72928 PART NO. GCT757-018K, 95104 PART NO. 933-0055-000 COIL ASSEMBLY 516-4828-001			3	3		1	9			C1-3		
486			P	H	5950-937-3029				COIL, ELECTRICAL 95104 PART NO. 556-4508-001			2	2		1	6					
487			P	H	5935-666-1558				CONNECTOR, ELECTRICAL 80058 PART NO. UG352BU, 95104 PART NO. 357-9385-000 COMMUNICATIONS CENTRAL 522-5306-000 WHIP ANTENNA INSTALLATION 516-8455-001			1	1		1	3			J1		
488			P	H	5910-020-2517				CAPACITOR, FIXED CERAMIC, 1000 UUF, 20% TOL, 500 VDCW, 72982 PART NO. 327-029X5T0102M, 95104 PART NO. 913-1294-000			3	163		7	489			C1-3		
489			P	H	5950-594-1217				COIL, RF 1 UH INDUCTANCE, 10% TOL, 99800 PART NO. 18-124, 95104 PART NO. 240-0313-000			3	331		13	995			L1-3		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15	16	17	18		19	20	21					22	23	24	25					
		1	2	3	4		5	6	7					8	9	10	11	12	13			
490	8	P	H		5935-283-7134						1	REF		REF							J2	
491		P	H		5935-648-2157						1	4		2		8					J1	
492		P	H		5940-812-1316						3	3		1		9						
493		P	H		5310-059-6949						4	4		1		4						
494		P	H		5945-920-1446						2	2		1		6					K1, 2	
495		P	H		5340-883-7578						3	3		1		9						
496		P	H		5950-852-9575						1	1		1		3					L11	
497		P	H		5950-919-7753						1	1		1		3						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
498			P	H	5935-923-9797				PLATE ASSEMBLY, CONNECTOR 515-6908-001			1	1			1		3			J1		
499			P	H	5940-920-7302				CONNECTOR, RECEPTACLE ELECTRICAL, 95104 PART NO. 545-8994-002			1	1			1		2					
500			P	H	5325-291-9366				MOUNT, CONNECTOR 95104 PART NO. 515-6909-001 CLOCK-BO SWITCH 758-0057-001			1	4			1		16					
501									GROMMET, RUBBER 70485 PART NO. 97 95104 PART NO. 201-0002-000			1	1			1		1				A28	
502			P	H	5325-282-8132				AIR CONDITIONER 16551 PART NO. D30120, 95104 PART NO. 126-0069-000 CONSOLE INSTALLATION 515-6824-001 BLOCK ASSEMBLY, PROTECTIVE 516-8448-001			8	16			1		36					
									STUD, TURNLOCK 72794 PART NO. AJ3-35, 95104 PART NO. 012-1004-000 NO. 1 CARD CAGE 758-2912-006														

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
503			P	H	5915-914-8968						1	7		1	21	18 3			A13 A10		
504			P	H	5915-919-8676						1	7		1	21	18 3			A12		
505																			A9		
506			P	H	5910-823-1657						3	16		2	48	18 3			C2-4		
507			P	H	5910-899-4392						1	5		1	15	18 3			C1		
508			P	H	5910-543-9578						1	6		2	18	18 3			C5		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE		ITEM
257		P	H		5905-252-1953				RESISTOR, FIXED, COMPOSITION. 10 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF100J 95104 PART NO. 745-5568-000			6	8		2	24	66 6-1		R2, 6, 9, 10, 13, 14				
258		P	H		5905-279-1897				RESISTOR, FIXED, COMPOSITION, 56 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF560K 95104 PART NO. 745-1300-000			1	18		5	55	66 6-1		R96				
259		P	H		5905-279-1922				RESISTOR, FIXED, COMPOSITION, 270 OHMS, 5% TOL 2 WATTS, 81349 PART NO. RC42GF271J. 95104 PART NO. 745-5627-000			2	2		1	6	66 6-1		R70, 71				
260		P	H		5905-253-1229				RESISTOR, FIXED COMPOSITION, 330 OHMS, 5% TOL, 2 WATTS, 81349 PART NO. RC42GF331J, 95104 PART NO. 745-5630-000			1	1		1	3	66 6-1		R69				
261		P	H		5905-171-1997				RESISTOR FIXED, COMPOSITION, 330 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF331K, 95104 PART NO. 745-1331-000			1	1		1	3	66 6-1		R76				
262		P	H		5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/2 WATTS 81349 PART NO. RC20GF391K, 95104 PART NO. 745-1335-000			1	52		8	156	66 6-1		R82				
263		P	H		5905-195-5107				RESISTOR, FIXED, COMPOSITION, 1200 OHMS, 10% TOL, 2			1	2		2	6	66 6-1		R74				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
264			P	H	5905-556-4154						1	1				3	66 6-1		R16		
265			P	H	5905-080-5899						1	917		4	2751	66 6-1		R17			
266			P	H	5905-081-3014						1	2		2	6	66 6-1		R68			
267			P	H	5905-518-9357						1	1		1	3	66 6-1		R5			
268			P	H	5905-087-5661						1	1		1	3	66 6-1		R88			
269			P	H	5905-504-4892						2	2		1	6	66		R23, 73			
270			P	H	5905-538-5800						3	3		1	9	66		R1, 8, 12			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
271		P	H		5905-755-2571						2	959		2	2877	66 6-1			RT1,2		
272		P	H		5905-752-3261						1	15		2	45	66 6-1			RT3		
273		P	H		5905-827-0723						1	1		1	3	66 6-1			RT5		
274		P	H		5960-978-7660						1	7		3	21	66 6-1			CR31		
275		P	H		5960-754-5694						26	945		6	2835	66 6-1			CR1-6, 9 12-30		
276		P	H		5960-817-9356						1	1		1	3	66 6-1			CR39		
					6130-773-3129																
277		P	H		5910-842-9380						6	6		1	18	66 6-1			C9-14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
278			P	H	5905-252-1953						6	6		1		18	66 6-1		R19, 22, 25-28			
279	255		P	H	5910-755-9350						2	REF		REF		66			C15, 18			
280	226		P	H	5910-752-4374						2	REF		REF		66 6-1			C16, 17			
281			P	H	5310-684-9760						2	16		2		66						
282			P	H	5945-615-1477						1	3		2		66 6-1			K3			
283			P	H	5905-299-1541						1	81		6		66 6-1			R91			

1 S E Q U E N C E N U M B E R	1 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	2 M A I N T E N A N C E & S O U R C E				3 F E D E R A L S T O C K N U M B E R	4 D E S I G N A T I O N			5 D E S C R I P T I O N	6 U N I T O F I S S U E	7 E X P E N D I B I L I T Y	8 Q U A N T I T Y I N U S E	9 E Q U I P M E N T P E R	10 F I E L D D A Y		11 A L L O W A N C E P E R	12 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	13 F I G U R E N U M B E R	14 I L L U S T R A T I O N S		15 R E F E R E N C E S Y M B O L	16
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE		
284	190	P	H		5905-256-0409				PART NO. 745-1317-000 RESISTOR, FIXED, COMPOSITION, 220 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF221K, 95104			1	REF		REF			66 6-1		R95			
285		P	H		5905-192-3973				PART NO. 745-1324-000 RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF471K, 95104			1	72		8	216		66 6-1		R94			
286		P	H		5905-195-6806				PART NO. 745-1338-000 RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104			1	153		15	459		66 6-1		R90			
287		P	H		5905-279-1876				PART NO. 745-1352-000 RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF222J, 95104			2	58		17	174		66 6-1		R67, 93			
288	265	P	H		5905-080-5899				PART NO. 745-1366-000 RESISTOR, FIXED, WIRE WOUND, 100 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V101, 95104 PART NO. 747-5340-000			1	REF		REF			66 6-1		R97			
289		P	H		5905-993-9865				RESISTOR, FIXED, WIRE WOUND. 500 OHMS, 5% TOL, 3 WATTS, 91637 PART NO. HS2C500R0H, 95104 PART NO 747-5354-000			1	2		2	6		66 6-1		R89			
290	271	P	H		5905-755-2571				RESISTOR, THERMAL 100 OHMS, 10% TOL,			1	REF		REF			66 6-1		RT4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
291	243	P	H		5905-755-2572						2	REF		REF			66 6-1		R83, 92		
292		P	H		5960-556-9314						3	3		1	9	66 6-1		CR34-36			
293	275	P	H		5960-754-5694						4	REF		REF		66 6-1		CR32, 33, 37, 50			
294		P	H		5960-081-3782						1	2		2	6	66 6-1		CR1			
295		P	H		5960-809-9511						1	3		1	12	66 6-1		Q50			
296	287	P	H		5905-279-1876						1	REF		REF		66 6-1		R15			
297		P	H		5905-755-2863						2	3		2	9	66 6-1		R20, 21			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
298		P	H	5960-815-8453				747-5118-000 SEMICONDUCTOR DEVICE DIODE, 07688 PART NO. 1N1355A, 95104 PART NO. 353-2633-000			3	3		1	9	66 6-1		CR7, 10, 11				
299	275	P	H	5960-754-5694				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N1487, 95104 PART NO. 353-1662-000			2	REF		REF		66 6-1		CR38, 49				
300		P	H	5960-625-3506				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N375, 95104 PART NO. 352-0065-000			7	7		1	28	66 6-1		Q1-7				
301	295	P	H	5960-809-9511				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N699. 95104 PART NO. 352-0293-000			2	REF		REF		66 6-1						
302		P	H	5960-841-3250				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1556, 95104 PA RT NO. 352-0290-000 POWER SUPPLY 547-3826-002			2	2		1	8	66 6-1		Q8, 9				
303		P	H	5905-842-1892				RESISTOR, FIXED, WIRE WOUND, 0.05 OHM, 3% TOL., 3 WATTS, 91637 PART NO. RLS2R0500G, 95104 PART NO. 746-9560-000			1	1		1	3	66 6-1		R87				
304	265	P	H	5905-080-5899				RESISTOR, FIXED, WIRE WOUND 100 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V 101, 95104 PART NO. 747-5340-000			1	REF		REF		66 6-1		R72				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM					
		ILLUSTRATIONS																			
305	286	P	H	5905-755-62572						1	REF		REF					66 6-1		R67	
306		P	H	5960-849-6870						1	1		1					66 6-1		CR41	
307	286	P	H	5905-195-6806						1	REF		REF					66 6-1		R84	
308		P	H	5905-838-1640						2	3		2					66 6-1		R85, 98	
309		P	H	5960-833-9002						1	1		1					66 6-1		CR40	
310		P	H	5960-837-7065						1	1		1					66 6-1		CR48	
311		P	H	5960-081-3781						1	1		1					66 6-1		CR2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
		6 D E S C R I P T I O N																					
312		P	H		4140-930-0668						1	1			1		5	67		B101			
313		P	H		5910-921-5598						2	2			1		6	67		C106, 107			
314		P	H		5950-907-6812						1	1			1		3	67		L106			
315		P	H		5950-907-7309						1	1			1		3	67		L105			
316		P	H		5950-907-6815						1	1			1		3	67					
317		P	H		5935-852-9611						1	1			1		3	67		J101			
318		P	H		5935-878-8534						1	1			1		3	67		J102			
319		P	H		5935-778-3834						2	2			1		6	67		J112, 113			
320		P	H		5935-919-9940						3	3			1		9	67		J107, 110 111			
321		P	H		5999-992-1294						2	2			1		6	67		J108, 109			
322		P	H		5935-913-2851						1	1			1		3	67		J114			
323		P	H		5915-883-9363						5	5			1		15	67		FL101-105			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
324		P	H		5945-809-6497						1	5		2	25	5-4 67 5-4		K101			
325		P	H		5905-279-1757						1	5		1	15	67 5-4		R610			
326		P	H		5905-052-6638						4	4		1	12	67 5-4		R198, 199, 201, 202			
327		P	H		5905-852-4056						2	2		1	6	67 5-4		R189, 190			
328		P	H		5905-066-7150						2	2		1	6	67 5-4		R101, 102			
329		P	H		5961-914-6727						7	16		1	48	67 5-4		CR117-122 135			
330		P	H		5961-914-6726						7	7		1	21	67 5-4		CR123-127, 140, 171			
331		P	H		5950-907-6813						1	1		1	3	67 5-4		T104			
332		P	H		5950-920-7134						1	1		1	3	67 5-4					
333		P	H		5950-907-7307						1	1		1	3	67 5-4		T305			
334		P	H		5950-907-6814						1	1		1	3	67 5-4		T101			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
									26-11070-1													
335			P	H	5910-918-9259				MODULE REGULATOR 22-10823-1 CAPACITOR 8 UF, 12175 PART NO. 13-10514-1			1	3		1	9	67 5-7			A108C303		
336			P	H	5950-907-6820				CHOKE 12175 PART NO. 22-10797-1			1	1		1	3	67			A108L401		
337			P	H	5935-999-4374				PLUG 95238 PART NO. 25020-16PSKGD			1	1		1	3	67 5-7			A108P114		
338			P	H	5905-190-8883				RESISTOR, FIXED, COMPOSITION, 10 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF100J			1	15		2	45	67 5-7			A108R463		
339			P	H	5905-299-1541				RESISTOR, FIXED, COMPOSITION, 150 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF151J			2	6		1	18	67 5-7			A108A151 R338, 339		
340			P	H	5905-299-2003				RESISTOR, FIXED, COMPOSITION, 100,000 OHMS, 5% TOL, 1 WATT, 81349 PART NO.			1	1		1	3	67 5-7			A108R501		
341			P	H	5905-846-9676				RESISTOR, FIXED, WIRE WOUND, 91637 PART NO. RE70GR499			1	3		1	9	67 5-7			A108R337		
342			P	H	5961-914-6727				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N1197A			4	REF		REF		67 5-7			A108CR324,		
343			P	H	5960-880-2938				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO.			2	81		5	245	67 5-7			A108A151 CR347, 424		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A C Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	I T E M N U M B E R																
		A	B	C				D													
344		P	H		5961-921-3291						4	4			1	12	67 5-7		A108CR351 421, 422, 453		
345		P	H		5950-907-7313						1	3			1	9	67 5-7		A108T401		
346		P	H		5910-082-5127						1	2			1	6	67 5-6		A101C302		
347		P	H		5910-807-2907						1	2			1	6	67 5-6		A101C114		
348	335	P	H		5910-918-9259						1	REF		REF		67 5-6			A101C113		
349		P	H		5910-291-9768						1	2			1	6	67 5-6		A101C128		
350		P	H		5950-907-6819						1	2			1	67 5-6			A101L101		
351		P	H		5950-907-7311						1	2			1	67 5-6			A101L407		
352		P	H		5950-907-7312						1	2			1	67 5-6			A101L103		
353		P	H		5935-819-0991						1	2			1	67 5-6			A101P112		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE	ITEM	NUMBER		NUMBER
354			P	H	5905-101-7907				RESISTOR, FIXED, COMPOSITION, 6.8 OHMS, 5% TOL, 1 WATT, 81349 PART NO. RC32GF6R8J			1	2		1	6	67 5-6		A101R388					
355	338		P	H	5905-190-8883				RESISTOR, FIXED COMPOSITION, 10 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF100J			1	REF		REF		67 5-6		A101R203					
356			P	H	5905-279-1736				RESISTOR, FIXED, COMPOSITIN 27 OHMS, 5% TOL, 1 WATT, 81349 PART NO. RC32GF270J			1	2		1	6	67 5-6		A101R452					
357			P	H	5905-279-1724				RESISTOR, FIXED, WIRE COMPOSITION, 150 OHMS, 5% TOL, 1 WATT, 816379 PART NO. RC32GF151J			1	2		1	6	67 5-6		A101R124					
358			P	H	5905-08-96324				RESISTOR, FIXED, WIRE WOUND. 91637 PART NO. RH10-203			1	2		1	6	67 5-6		A101R134					
359			P	H	5905-956-3240				RESISTOR, FIXED, WIRE WOUND, 91637 PART NO. RH10-700			1	2		1	6	67 5-6		A101R125					
360	341		P	H	5905-846-9676				RESISTOR, FIXED, WIRE WOUND, 91637 PART NO. RE70GR499			1	REF		REF		67 5-6		A101R140					
361	329		P	H	5961-914-6727				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N1197A			2	REF		REF		67 5-6		A101CR136, 154					
362			P	H	5961-068-8231				SILICON CONTROL RECTIFIER, 81349 PART NO. 2N688A			2	4		1	12	67 5-6		A101CR147, 174					
363			P	H	5961-999-4155				SILICON CONTROL RECTIFIER, 05277 PART			1	2		1	6	67 5-6		A101CR156					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y D E C A Y		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
364		P	H		5961-939-7465						1	2		1	6	67 5-6		A101CR170			
365		P	H		5930-926-0583						1	2		1	10	67 5-6		A101S101			
366	345	P	H		5950-907-7313						1	REF		REF		67 5-6		A101T102			
367	346	P	H		5910-082-5127						1	REF		REF		67 5-5		A102C301			
368	347	P	H		5910-807-2907						1	REF		REF		67 5-5		A102C116			
369	335	P	H		5910-918-9259						1	REF		REF		67 5-5		A102C117			
370	349	P	H		5910-291-9768						1	REF		REF		67 5-5		A102C129			
371	350	P	H		5950-907-6819						1	REF		REF		67 5-5		A102L102			
372	351	P	H		5950-907-7311						1	REF		REF		67 5-5		A102L405			
373	352	P	H		5950-907-7312						1	REF		REF		67 5-5		A102L104			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A C Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
374	353	P	H	5935-819-0911						1	REF		REF		67 5-5			A102P113	
375	354	P	H	5905-101-7907						1	REF		REF		67 5-5			A102R389	
376	354	P	H	5905-190-8883						1	REF		REF		67 5-5			A102R204	
377	356	P	H	5905-279-1736						1	REF		REF		67 5-5			A102R445	
378	357	P	H	5905-279-1724						1	REF		REF		67 5-5			A102R137	
379	358	P	H	5905-081-0324						1	REF		REF		67 5-5			A102R132	
380	359	P	H	5905-956-3240						1	REF		REF		67 5-5			A102R136	
381	341	P	H	5905-846-9676						1	REF		REF		67 5-5			A102R145	
382	329	P	H	5961-914-6727						2	REF		REF		67 5-5			A102CR152,	
383	362	P	H	5961-068-8231						2	REF		REF		67 5-5			A102CR139, 150	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
384	363	P	H		5961-999-4155						1	REF		REF					67 5-5		A102CR157	
385	364	P	H		5961-939-7465						1	REF		REF					67		A102CR149	
386	365	P	H		5930-926-0583						1	REF		REF					67 5-5		A102S102	
387	345	P	H		5950-907-7313						1	REF		REF					67 5-5		A102T103	
388		P	H		5910-725-1029						1	3		1		9			67 5-9		A105C331	
389		P	H		5910-889-4462						1	9		1		27			67 5-9		A105C322	
390		P	H		5910-914-8937						1	2		1		6			67 5-9		A105C324	
391		P	H		5905-252-4018						1	2		1		6			67 5-9		A105R406	
392		P	H		5905-190-8889						2	9		2		27			67 5-9		A105R325, 459	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
393	339	P	H		5905-299-1541				RESISTOR, FIXED, COMPOSITION. 150 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF151J			2	REF		REF			67 5-9		A105R402, 462			
394		P	H		5905-171-2006				RESISTOR, FIXED, COMPOSITION. 270 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF271J			1	5		1	15	67 5-9			A105R403			
395		P	H		5905-192-3973				RESISTOR, FIXED, COMPOSITION. 470 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF471J			5	14		1	45	67 5-9			A105R381, 404, 409, 410, 466			
396		P	H		5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF102J			5	56		3	170	67 5-9			A05R382-385, 408			
397		P	H		5905-279-3504				RESISTOR, FIXED, COMPOSITION. 4700 OHMS, 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF472J			1	55		4	165	67 5-9			A105R405			
398		P	H		5905-185-8510				RESISTOR, FIXED, COMPOSITION. 10.000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF103J			2	81		4	243	67 5-9			A105R387, 426			
399		P	H		5905-819-0000				RESISTOR, FIXED, WIRE WOUND. 91637 PART NO. RS1A101			1	2		1	6	67 5-9			A105R407			
400	343	P	H		5960-880-2938				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N4003			12	REF		REF		67 5-9			A105CR315, 316, 366-369, 371, 378, 380, 398, 402, 403			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
401			P	H	5960-843-4128						1	4			1	12	67 5-9		A105C370			
402			P	H	5961-946-1945						1	7			1	21	67 5-9		A105CR336			
403			P	H	5950-905-6812						1	2			1	6	67 5-9		A105T306			
404			P	H	5960-065-5375						1	3			1	12	67 5-9		A1051334			
405			P	H	5960-840-3561						1	16			1	65	67 5-9		A1051325			
406			P	H	5960-837-7262						1	3			1	12	67 5-9		A105Q324			
407																						
408			P	H	5910-913-4473						4	8			1	24	67 5-1 1		A103C101, 102,105			
409			P	H	5910-913-7470						2	2			1	6	67 5-11		A103C104, 109			
410			P	H	5910-739-7804						1	1			1	3	67		A103C108			
411	392		P	H	5905-190-8889						1	REF		REF		67 5-11			A103R195			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
412		P	H	5905-686-3369					1	7			1	21	67 5-1		A103R108	
413	396	P	H	5905-195-6806					1	REF			REF		67 5-11		A103R109	
414		P	H	5905-683-5586					1	1			1	3	67 5-11		A1034188	
415		P	H	5960-826-9048					1	1			1	3	67 5-11		A103CR130	
416		P	H	5960-847-5508					1	1			1	3	67 5-11		A103CR133	
417	343	P	H	5960-880-2938					1	REF			REF		67 5-11		A103CR101	
418		P	H	5960-958-4876					23	REF			REF		67 5-11		A103Q101 114, 177-182	
419	405	P	H	5960-840-3561					1	REF			REF		67 5-11		A103Q102	
420	389	P	H	5910-889-4462					6	REF			REF		67 5-8		A104C103, 115, 333,. 110, 112	
421	408	P	H	5910-913-4473					2	REF			REF		67		A104C314, 341	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM				
422			P	H	5910-805-3621							1	1		1		3	67		A104C118		
423	338		P	H	5905-190-8883							4	REF		REF			67		A104R103, 104, 457, 464		
424	391		P	H	5905-252-4018							6	REF		REF			67		A104R105, 110, 182, 437, 447, 449		
425			P	H	5905-195-5571							2	8		7	24		67		A104R105, 130		
426	394		P	H	5905-171-2006							1	REF		REF			67		A104R107		
427	412		P	H	5905-686-3369							3	REF		REF			67		A104R138,		
428	395		P	H	5905-192-3973							2	REF		REF			67		A104R185, 422		
429			P	H	5905-171-1999							1	8		2	24		67		A104R142		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
430	396	P	H		5905-195-6806						5	REF		REF			67 5-8		A104R113, 116, 148, 421, 423		
431	325	P	H		5905-279-1757						3	REF		REF			67 5-8		A104R146, 149, 433		
432		P	H		5905-279-1876						3	4		1	12	67 5-8			A104R111, 450, 451,		
433		P	H		5905-279-1880						5	7		1	21	67 5-8			A104R147, 150, 151, 442, 465		
434		P	H		5905-279-3505						2	2		1	6	67 5-8			A104R141, 143		
435	397	P	H		5905-279-3504						4	REF		REF		67 5-8			A104R115, 181, 439, 440		
436		P	H		5905-279-3503						2			6	18	67 5-8			A104R438, 441		
437	398	P	H		5905-185-8510						1	REF		REF		67			A104R191		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
438			P	H	5905-171-2004				COMPOSITION, 10,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF103J			1	2		2		6	67		A104R144			
439			P	H	5905-299-2011				RESISTOR FIXED, COMPOSITION, 22,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF223J			4	4		1	12	67	5-8		A104R443-446			
440			P	H	5905-880-0931				RESISTOR, FIXED, WIRE WOUND, 96214 PART NO. CD12PR3160F			1	6		1	18	67	5-8		A104R106			
441			P	H	5961-904-7701				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N2929A			3	3		1	9	67	5-8		A104CR129, 386, 389			
442	343		P	H	5960-880-2938				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N4003			12	REF		REF		67	5-8		A104CR115, 116, 141, 172, 183, 184, 388, 390, 391, 400, 401, 406			
443			P	H	5960-752-5351				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N626			1	1		1	3	67	5-8		A104CR381			
444			P	H	5960-824-9948				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. 1N752A			2	4		1	12	67	5-8		A104CR128, 185			
445	401		P	H	5960-843-4128				SILICON CONTROL RECTIFIER, 81349 PART NO. 2N1595			1	REF		REF		67	5-8		A104CR153			
446	402		P	H	5961-946-1945				SILICON CONTROL RECTIFIER, 81349 PART			2	REF		REF		67	5-8		A104CR382, 428			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
447		P	H		5960-088-9347				NO. 2N2344 SILICON CONTROL SWITCH 81349 PART NO. 3N58			1	2		1	5	67		A104CR387			
448		P	H		5950-907-6825				TRANSFORMER 12175 PART NO. 26-11065-1			1	1		1	3	67		A104T105			
449		P	H		5960-081-8365				TRANSISTOR 81349 PART NO. 2N1131			2	3		1	12	67		A104Q116, 118			
450	405	P	H		5960-840-3561				TRANSISTOR 81349 PART NO. 2N696 BOARD ASSEMBLY, REGULATOR 22-10831-1			10	REF		REF		67		A1041103-107, 112-115, 117			
451	388	P	H		5910-725-1029				CAPACITOR 0.002 UF, 04062 PART NO. DM19-202J			1	REF		REF		67		A107C312			
452	389	P	H		5910-889-4462				CAPACITOR 0.02 UF, 05571 PART NO. TYPE192P			1	REF		REF		67		A107C307			
453		P	H		5910-921-0619				CAPACITOR 0.1 UF, 09134 PART NO. TYPE31			2	2		1	6	67		A107C317, 319			
454		P	H		5910-755-9291				CAPACITOR 1 UF, 05571 PART NO. 150D105XOO35A2			1	1		1	3	67		A107C313			
455		P	H		5910-913-4473				CAPACITOR 25 UF, 01002 PART NO 62F305G2			2	REF		REF		67		A107C136, 304			
456		P	H		5910-801-9721				CAPACITOR 47 UF, 05571 PART NO. 150D476X0035S2			1	1		1	3	67		A107C321			
457	338	P	H		5905-190-8883				RESISTOR, FIXED, COMPOSITION, 10 OHMS,			2	REF		REF		67		A107R315, 328			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
458	391	P	H		5905-252-4018						2	REF						67 5-10		A107R363, 454		
459		P	H		5905-279-2643						1	1		1		3		67 5-10		A107R362		
460	394	P	H		5905-171-2006						2	REF						67 5-10		A107R331, 348		
461	412	P	H		5905-686-3369						3	REF						67 5-10		A107R118,		
462	395	P	H		5905-192-3973						2	REF						67 5-10		A107R320, 364		
463	429	P	H		5905-171-1999						1	REF						67 5-10		A107R345		
464	396	P	H		5905-195-6806						8	REF						67 5-10		A107R336 343, 347, 349, 353, 355, 360, 427		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
465	325	P	H	5905-279-1757					1	REF		REF			67 5-10		A107R342	
466	432	P	H	5905-279-1876					1	REF		REF			67 5-10		A107R117	
467	433	P	H	5905-279-1880					2	REF		REF			67 5-10		A107R351, 377	
468	397	P	H	5905-279-3504					4	REF		REF			67 5-10		A107R318, 329, 335 361	
469	436	P	H	5905-279-3503					4	REF		REF			67 5-10		A107R350, 352 354, 378	
470	398	P	H	5905-185-8510					1	REF		REF			67 5-10		A107R310	
471	440	P	H	5905-880-0931					5	REF		REF			67 5-103		A107R306, 36, 344 375, 376	
472		P	H	5905-964-6491					1	1		1	3		67 5-10		A107R374	
473	343	P	H	5960-880-2938					19	REF		REF			67 5-10		A107CR134, 176, 309-314.	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
474	444	P	H		5960-824-9948						2	REF		REF				67 5-10		319, 320, 322, 348, 352, 360-363, 372, 373 A107CR318, 359	
475	401	P	H		5960-843-4128						1	REF		REF				67 5-10		A107CR326	
476	402	P	H		5961-946-1945						3	REF		REF				67 5-10		A107CR175, 349, 350	
477	447	P	H		5960-088-9347						1	REF		REF				67 5-10		A107CR321	
478		P	H		5950-907-6811						1	1		1			3	67 5-10			
479	449	P	H		5960-081-8365						1	REF		REF				67 5-10		A107Q310	
480		P	H		5960-078-7430						2	2		1			8	67 5-10		A107Q322, 323	
481	404	P	H		5960-065-5375						1	REF		REF				67 5-10		A107Q314	
482	405	P	H		5960-840-3561						3	REF		REF				67 5-10		A107Q309, 312, 313	
483	406	P	H		5960-837-7262						1	REF		REF				67 5-10		A107Q311	
484	4	P	H		5340-921-0596						18	REF		REF							

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS					
485			P	H	5910-914-8922				TRANSFORMER, RF 522-5398-005 CAPACITOR, FIXED, FILM 1000 UUF, 10% TOL, 4000 VDCW, 72928 PART NO. GCT757-018K, 95104 PART NO. 933-0055-000 COIL ASSEMBLY 516-4828-001			3	3		1	9			C1-3		
486			P	H	5950-937-3029				COIL, ELECTRICAL 95104 PART NO. 556-4508-001			2	2		1	6					
487			P	H	5935-666-1558				CONNECTOR, ELECTRICAL 80058 PART NO. UG352BU, 95104 PART NO. 357-9385-000 COMMUNICATIONS CENTRAL 522-5306-000 WHIP ANTENNA INSTALLATION 516-8455-001			1	1		1	3			J1		
488			P	H	5910-020-2517				CAPACITOR, FIXED CERAMIC, 1000 UUF, 20% TOL, 500 VDCW, 72982 PART NO. 327-029X5T0102M, 95104 PART NO. 913-1294-000			3	163		7	489			C1-3		
489			P	H	5950-594-1217				COIL, RF 1 UH INDUCTANCE, 10% TOL, 99800 PART NO. 18-124, 95104 PART NO. 240-0313-000			3	331		13	995			L1-3		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM				
		ILLUSTRATIONS																			
490	8	P	H	5935-283-7134				CONNECTOR, ELECTRICAL 80058 PART NO. UG568U, 95104 PART NO. 357-9141-000			1	REF		REF						J2	
491		P	H	5935-648-2157				CONNECTOR, ELECTRICAL 10 PINS, 77820 PART NO. PT02A12-10P, 95104 PART NO. 371-2055-000			1	4		2						J1	
492		P	H	5940-812-1316				INSULATOR, STANDOFF 91663 PART NO. RTMT12-6M, 95104 PART NO. 306-0978-000			3	3		1							
493		P	H	5310-059-6949				POST, ELECTRICAL 95104 PART NO. 540-9787-003			4	4		1							
494		P	H	5945-920-1446				RELAY, ARMATURE 73905 PART NO. RB1D26N300 ANTENNA CONNECTOR 515-7765-001			2	2		1						K1, 2	
495		P	H	5340-883-7578				SPRING, HELICAL 95104 PART NO. 547-0913-002 LOAD COIL ASSEMBLY 758-2956-001			3	3		1							
496		P	H	5950-852-9575				COIL, RF 95104 PART NO. 547-1016-003			1	1		1						L11	
497		P	H	5950-919-7753				COIL, RF 95104 PART NO. 758-2956-004			1	1		1							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
498			P	H	5935-923-9797				PLATE ASSEMBLY, CONNECTOR 515-6908-001			1	1				1	3			J1		
499			P	H	5940-920-7302				CONNECTOR, RECEPTACLE ELECTRICAL, 95104 PART NO. 545-8994-002			1	1				1	2					
500			P	H	5325-291-9366				MOUNT, CONNECTOR 95104 PART NO. 515-6909-001 CLOCK-BO SWITCH 758-0057-001			1	4				1	16					
501									GROMMET, RUBBER 70485 PART NO. 97 95104 PART NO. 201-0002-000			1	1				1	1				A28	
502			P	H	5325-282-8132				AIR CONDITIONER 16551 PART NO. D30120, 95104 PART NO. 126-0069-000 CONSOLE INSTALLATION 515-6824-001 BLOCK ASSEMBLY, PROTECTIVE 516-8448-001			8	16				1	36					
									STUD, TURNLOCK 72794 PART NO. AJ3-35, 95104 PART NO. 012-1004-000 NO. 1 CARD CAGE 758-2912-006														

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE NUMBER	
503			P	H	5915-914-8968						1	7		1	21	18 3			A13 A10		
504			P	H	5915-919-8676						1	7		1	21	18 3			A12		
505																			A9		
506			P	H	5910-823-1657						3	16		2	48	18 3			C2-4		
507			P	H	5910-899-4392						1	5		1	15	18 3			C1		
508			P	H	5910-543-9578						1	6		2	18	18 3			C5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
714			P	H	5905-577-7504				RESISTOR, FIXED, FILM 1210 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D1211F, 951041 PART NO. 705-7100-000			2	16		2	48	25 3		R11, 13				
715			P	H	5905-542-7670				RESISTOR, FIXED, FILM 7500 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN6SD7501F. 95104 PART NO. 705-7138-000			1	12		2	36	25 3		R8				
716			P	H	5905-577-7488				RESISTOR, FIXED, FILM 14,700 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D1472F, 95104 PART NO. 705-7152-0001			2	19		2	57	25 3		R10, 12				
717	617		P	H	5905-840-2505				RESISTOR, VARIABLE. WIRE WOUND. 10,000 OHMS, 5% TOL 1/2 WATT 80294 PART NO. 224P1-103, 95104 PART NO. 381-1268-000			1	REF		REF		25 3		R2				
718	654		P	H	5960-556-2091				SEMICONDUCTOR DEVICE, DIODE, 03877 PART NO. T12G, 95104 PART NO. 353-0166-000			2	REF		REF		25		CR1, 2R O				
719	585		P	H	5960-691-3608				SEMICONDUCTOR DEVICE, TRANSISTOR, 04713 PART NO. 2N652, 95104 PART NO 352-0254-000 RING DETECTOR 556-3120-004			2	REF		REF		25 3		Q1, 2 A5-8				
720	671		P	H	5820-070-5701				HANDLE 95104 PART NO. 565-8935-002			1	REF		REF		25 3						
721	663								DETECTOR SUBASSEMBLY				REF		REF				A1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
722	695	P	H		5910-804-5138						6	REF		REF			25 3			A2 A2 C3, 9, 13-16	
723	590	P	H		5910-806-4338						3	REF		REF			25 3			C4, 8, 12	
724	697	P	H		5910-725-7061						2	REF		REF			25 0			C1, 10	
725	593	P	H		5910-865-9257						1	REF		REF			25 3			C11	
726	596	P	H		5910-881-1848						1	REF		REF			25 3			C2	
727	569	P	H		5910-728-8634						2	REF		REF			25 3			C5, C6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	R	ITEM N U M B E R	REFERENCE S Y M B O L				
728	701	P	H		5910-808-2634						1	REF						25 3		C7			
729		P	H		5950-914-8957						2	16		1		48		25 3		L1, 2			
730	703	P	H		5905-802-6738						1	REF						25 3		R19			
731	704	P	H		5905-683-2235						1	REF						25 3		R6			
732	680	P	H		5905-726-6433						3	REF						25 3		R7, 15, 20			
733	640	P	H		5905-686-9998						1	REF						25 3		R14			
734	174	P	H		5905-577-0935						4	REF						25		R4, 16, 18,			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
735	646	P	H		5905-726-4413							1	REF		REF			3		22	
736	649	P	H		5905-686-3903							1	REF		REF			25 3		R5	
737	710	P	H		5905-686-3358							1	REF		REF			25 3		R17	
738	210	P	H		5905-752-3158							1	REF		REF			25 3		R1	
739	107	P	H		5905-686-3129							1	REF		REF			25 3		R3	
740		P	H		5905-542-7760							1	8		1	24		25 3		R9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	15	16					
741			P	H	5905-615-7730				RESISTOR, FIXED, FILM 4640 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D4641F. 95104 PART NO. 705-7128-000			1	10			3	30	25 3		R8				
742			P	H	5905-556-3779				RESISTOR, FIXED, FILM 10.000 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN6501002F, 95104 PART NO. 705-7144-000			2	38			4	112	25 3		R10, 12				
743	617		P	H	5905-840-2505				RESISTOR, VARIABLE, WIRE WOUND, 10.000 OHMS, 5% TOL, 1/2 WATT, 80294 PART NO. 224P1-103, 95104 PART NO. 381-1268-000			1	REF		REF			25 3		R2				
744	654		P	H	5960-556-2091				SEMICONDUCTOR DEVICE, DIODE, 03877 PART NO. T12G, 95104 PART NO. 353-0166-000			2	REF		REF			25 3		CR1, 2				
745	585		P	H	5960-691-3608				SEMICONDUCTOR DEVICE, DIODE, 04713 PART NO. 2N652, 95104 PART NO. 352-0254-000 ENCLOSURE 556-3381-008 ENCLOSURE 556-3381-006			2	REF		REF			25 3		Q1, 2				
746	672		P	H	5820-919-9958				POST, ELECTRICAL 95104 PART NO. 563-1897-002 NO. 2 CARD CAGE 758-2192-007			4	REF		REF			25 3						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
753	590	P	H		5910-806-4338						2	REF		REF				24 3		C10, 15		
754	564	P	H		5910-800-2866						3	REF		REF				24 3		C4, 9, 11		
755	669	P	H		5910-225-8671						1	REF		REF				24 3		C1		
756	592	P	H		5910-686-6172						1	REF		REF				24 3		C3		
757	593	P	H		5910-865-9257						1	REF		REF				24 3		C3		
758	594	P	H		5910-985-5180						2	REF		REF				24 3		C3, 6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
759	595	P	H		5910-752-4880						1	REF		REF			24 3		C3		
760	596	P	H		5910-881-148						1	REF		REF			24 3		C3		
761	597	P	H		5910-821-8310						1	REF		REF			24 3		C3		
762	596	P	H		5910-34-881-13						1	REF		REF			24 3		C16		
763	569	P	H		5910-728-8634						1	REF		REF			24 3		C5		
764		P	H		5910-920-4760						1	1		1	3		24 3		C2		
765	601	P	H		5910-228-8672						3	REF		REF			24 3		C1, 7, 8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
766		P	H		5950-919-7655						1	1			1		3	24 3		L2	
767	603	P	H		5950-901-1963						1	REF		REF				24 3		L1	
768	604	P	H		5905-279-3519						1	REF		REF				24 3		R11	
769	605	P	H		5905-171-1997						1	REF		REF				24 3		R12	
770	606	P	H		5905-256-0388						2	REF		REF				24 3		R5, 9	
771	607	P	H		5905-190-8880						1	REF		REF				24 3		R4	
772	516	P	H		5905-279-2672						1	REF		REF				24 3		R10	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
773	609	P	H		5905-195-6502						3	REF		REF				24 3		R8, 13, 17			
774	574	P	H		5905-279-3505						1	REF		REF				24 3		R6			
775	518	P	H		5905-185-8518						1	REF		REF				24 3		R3			
776	612	P	H		5905-190-8876						2	REF		REF				24 3		R1, 16			
777	613	P	H		5905-190-8879						1	REF		REF				24 3		R14			
778	614	P	H		5905-279-3499						2	REF		REF				24 3		R7, 18			
779	615	P	H		5905-991-7136						1	REF		REF				24 3		RT1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
780	616	P	H		5905-688-4568				1 WATT, 10646 PART NO. 763H6, 95104 PART NO. 714-1732-000 RESISTOR, VARIABLE. WIRE WOUND, 5000 OHMS, 5% TOL, 1/2 WATT, 80294 PART NO. 224P1-502 95104 PART NO. 381-1267-000			1	REF		REF			24 3		R3		
781	617	P	H		5905-840-2505				RESISTOR, VARIABLE, WIRE WOUND, 10,000 OHMS, 5% TOL, 1/2 WATT, 80294 PART NO. 224P1-103, 95104 PART NO. 381-1268-000			1	REF		REF			24 3		R15		
782	618	P	H		5960-892-1009				SEMICONDUCTOR, DEVICE, WIRE WOUND, 5000 DIODE, 04713 PART NO. N963502 95104 PART NO. 353-3174-000			1	REF		REF			24 3		CR1		
783	586	P	H		5960-752-5229				SEMICONDUCTOR DEVICE, TRANSISTOR, 02735 PART NO. 2N404, 95104 PART NO. 352-0158-000			4	REF		REF			24		Q1, 2, 4, 5		
784	585	P	H		5960-691-3608				SEMICONDUCTOR DEVICE, TRANSISTOR 04713 PART NO. 2N652 95104 PART NO. 352-0254-000			1	REF		REF			24 3		Q3		
785	621	P	H		5950-914-8961				TRANSFORMER AF 96175 PART N O 2N404, TT042, 95104 PART NO. 677-1663-000 RECEIVER, FSK 522-5665-014 RECEIVER, FSK 522-5665-004			1	REF		REF			24 3		T1 A11-13		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
793			P	H	5910-805-3618						3	50		4	150	17 3			C9, 12, 15		
794			P	H	5910-752-4185						5	70		3	210	17 3			C2, 4, 7, 8, 11		
795	1173		P	H	5910-688-5841						1	20		2	60	17 3			C14		
796			P	H	5910-839-4311						1	14		1	42	17 3			C6		
797			P	H	5910-837-4313						2	32		3	96 3	17			C1, 3		
798			P	H	5970-903-1474						2	28		2	85	17 3					
799			P	H	5905-253-1229						1	15		2	45	17 3			R23		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
801	262	P	H		5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF391K, 95104 PART NO. 745-1335-000			2	REF		REF				17		R10, 17 3			
801	285	P	H		5905-192-3973				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF471K, 95104 PART NO. 745-1338-000			4	REF		REF				17 3		R3, 4, 20, 21			
802		P	H		5905-195-6791				RESISTOR, FIXED, COMPOSITION, 680 OHMS, 10% TOL, 112 WATT, 81349 PART NO. RC20GF681KJ, 95104 PART NO. 745-1345-000			2	33		6	100			17 3		R9, 16			
803	286	P	H		5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000			3	REF		REF				17 3		R7, 11, 18			
804	515	P	H		5905--279-1757				RESISTOR, FIXED, COMPOSITION 1500 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF152K, 95104 PART NO. 745-1359-000			1	REF		REF				17 3		R12			
805	287	P	H		5905-279-1876				RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF222K, 95104 PART NO. 745-13 6-000			4	REF		REF				17 3		R1, 2, 13, 14			
806	574	P	H		5905-279-3505				RESISTOR, FIXED, COMPOSITION, 3900 OHMS, 10% TOL, 1/2			1	REF		REF				17 3		R8			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
807			P	H	5905-279-3504						1	28		5		85	17 3		R5		
808	648		P	H	5905-171-2004						1	REF		REF			17 3		R19		
809	578		P	H	5905-279-2522						2	REF		REF			17 3		R6, 15		
810	272		P	H	5905-752-3261						1	REF		REF			17 3		RT3		
811			P	H	5905-027-9924						2	28		2		85	17 3		RT1, 2		
812			P	H	5905-951-9466						1	15		2		45	17 3		R22		
813			P	H	5905-043-3983						1	14		1		42	17 3		R22		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
814			P	H	5960-556-2091						2	407		19		1221	17		3	CR2, 3	
815			P	H	5960-855-2786						1	14		1		42	17		3	CR4	
816			P	H	15960-542-7018						5	70		3		280	17		3		
817			P	H	5950-912-8030						1	17		1		51	17		3	T3	
818			P	H	5950-913-4633						1	25		2		75	17		3	T1, 2	
819	505											REF		REF						A19-21	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
820		P	H		5935-930-1941						1	18		2	55	18 1		J1		
821	529	P	H		5935-995-9553						21	REF		REF		18 1		XA1-21		
822	531											REF		REF				A6, 12, 18		
823	622											REF		REF				A2, 4, 8, 10 14, 16		
824	790											REF		REF				A7 A1-9		
825	529	P	H		5935-995-9553						14	REF		REF		18 1		XA1-14		
826	530	P	H		5935-914-6790						1	REF		REF		18 1		J2		
827	820	P	H		5935-930-1941						1	REF		REF		18 1		J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
828	790	P	H																	A8	
829		P	H		5910-883-4240					4	17		2	51	21 4					C2, 5, 8, 11	
830	795	P	H		5910-688-5841					1	REF		REF		21 4					C13	
831		P	H		5910-543-9577					4	17		2	51	21 4					C3, 6, 9, 12	
832		P	H		5910-553-5036					4	77		6	231	21 4					C1, 4, 7, 10	
833	509	P	H		5960-070-6331					4	REF		REF		21 4						

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
834			P	H	5905-252-4018						4	43		5		130	21 4		R4, 9, 14, 19		
835	605		P	H	5905-171-1997						4	REF		REF			21 4		R5, 10, 15, 20		
836			P	H	5905-171-1999						4	21		3		63	21 4		R3, 8, 13, 18		
837	609		P	H	5905-195-6502						4	REF		REF			21 4		R1, 6, 11, 16		
838	612		P	H	5905-190-8876						4	REF		REF			21 4		R2, 7, 12, 17		
839			P	H	5905-985-5401						1	8		2		24	21 4		R21		
840	654		P	H	5960-556-2091						4	REF		REF			21		CR1-4		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
841	525	P	H		5960-725-5321						4	REF		REF			4			Q1-4	
842	526	P	H		5950-068-3615						4	REF		REF			21 4			T2, 4, 6, 8	
843		P	H		5950-937-3025						4	16		1	48		21 4			T1, 3, 5, 7	
844		P	H		5910-754-7081						1	1		1	3		23 3			A1 C7	
845		P	H		5910-542-7372						3	4		2	12		23 3			C1, 2, 5	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
846			P	H	5910-752-4270						2	7			2		21	23 3		C3, 6			
847			P	H	5910-823-5973						1	1			1		3	23 3		C8			
848			P	H	5910-848-8986						1	1			1		3	23 3		C4			
849	509		P	H	5960-070-6331						1	REF			REF			23 3					
850			P	H	5905-252-5434						1	7			2		21	23 3		R9			
851	160		P	H	5905-279-3514						1	REF			REF			23 3		R15			
852			P	H	5905-279-2553						1	3			3		9	23 3		R16			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
853			P	H	5905-195-6453						3	12		6		36	23 3		R3, 7, 10		
854	518		P	H	5905-185-8518						1	REF		REF			23 3		R11		
855	613		P	H	5905-190-8879						1	REF		REF			23 3		R1		
856	648		P	H	5905-171-2004						1	REF		REF			23 3		R5		
857			P	H	5905-577-1868						1	1		1		3	23 3		R14		
858			P	H	5905-538-3258						2	3		2		9	23 3		R4, 8		
859			P	H	5905-577-0703						2	3		2		9	23 3		R2, 13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL				
860	714	P	H		5905-577-7504						2	REF						23 3		R6, 12			
861	586	P	H		5960-752-5229						2	REF						23 3		Q1, 2			
862	525	P	H		5960-725-5321						1	REF						23 3		Q3			
863		P	H		5950-912-8033						1	1		1			3	23 3		T1			
864	817	P	H		5950-912-8030						1	REF						23 3		T2			
865		P	H		5960-752-6126						2	6		2			24	20 4		A5, 7 Q3, 4			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
866			P	H	5905-6764776						24	74		4	222	22 3			A3, 9 564- R1-24	
867	564		P	H	5910-800-2866						1	REF		REF		20 4			C2	
868			P	H	5910-823-1375						1	2		11	6	20 4			C1	
869			P	H	5960-783-8003						2	4		1	16	20 4				
870			P	H	5905-279-1956						1	2		1	6	20 4			R9	
871	834		P	H	5905-252-4018						2	REF		REF		20 4			R3, 4	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
872	283	P	H		5905-299-1541						1	REF		REF				204		R2			
873	518	P	H		5905-185-8518						1	REF		REF				204		R7			
874	612	P	H		5905-190-8876						2	REF		REF				204		R5, 6			
875		P	H		5905-171-1998						1	33		7	100			204		R8			
876		P	H		5905-577-1826						1	2		1	6			204		R10			
877		P	H		5905-581-1398						1	2		1	6			204		R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE	ITEM					
878	654	P	H		5960-556-2091				SEMICONDUCTOR DEVICE, DIODE, 81349 PART NO. T12G, 95104 PART NO. 353-0166-000			1	REF		REF			20 4		CR2				
879	P	H			5960-765-4143				SEMICONDUCTOR DEVICE, DIODE, 04713 PART NO. 1N1695, 95104 PART NO. 353-1665-000			1	2		1		6 4			CR1				
880	P	H			5960-751-7605				SEMICONDUCTOR DEVICE, TRANSISTOR, 96214 PART NO. 2N1041, 95104 PART NO. 352-0145-000			2	9		1		36 4			Q1, 2				
881		P	H		5950-800-8756				TRANSFORMER, AF LEADS 1 TO 3 600 OHMS IMPEDANCE, 15% TOL, LEAD 2 TO 5 CT, LEAD 4 TO 6 1200 OHMS IMPEDANCE, 80223 PART NO. DOT2, 95105 PART NO. 667-0047-000			1	2		1		6 4				T2			
882	817	P	H		5950-912-8030				TRANSFORMER AF LEADS 1 TO 3 600 OHMS IMPEDANCE, 15% TOL, LEAD 4 TO 6 CT, 600 OHMS IMPEDANCE, LEADS 2 TO 6 CT, 00348 PART NO. M4246, 95104 PART NO. 667-0058-000			1	REF		REF			20 4			T1			
883		P	H		5950-913-6917				TRANSFORMER, AF LEADS 1 TO 3 500 OHMS IMPEDANCE, LEADS 4 TO 5 4 OHMS IMPEDANCE, 10% TOL, LEAD 2 CT, LEADS 5 TO 6 40 OHMS IMPEDANCE, 97965 PART NO. 30598, 95104 PART NO. 667-0024-000			1	2		1		6 4					T3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																			
884	820	P	H		5935-930-1941				CARD CAGE 06017 CONNECTOR, ELECTRICAL 17419 PART NO. DSM00-19-33P			1	REF					REF	14 2		J1		
885		P	H		5935-647-3503				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PT02A14-19P, 95104 PART NO. 371-2051-000			1	7					2	21	14 2		J2	
886	529	P	H		5935-995-9553				CONNECTOR, ELECTRICAL 44 PINS, 05574 PART NO. 2VH22-1AN5, 95104 PART NO. 372-7010-000			14	REF					REF	14 2			XA1-14	
887									POWER SUPPLY 522-6320-004														A11-14
888		P	H		5910-069-2707				CAPACITOR, FIXED, ELECTROLYTIC, 1450 UF PLUS 125% MINUS 10%, 50 VDCW, 56289 PART NO. D29744, 95104 PART NO. 183-0245-000			1	7					1	21	7 3			C1
889		P	H		9330-542-5848				CHANNEL, PLASTIC 03296 PART NO. G51HA, 95104 PART NO. 150-0173-000	FT		1	1					7	50	3 3			
890		P	H		5340-920-7120				CLIP, ASSEMBLY 06229 PART NO. N5C3M. 95104 PART NO. 139-2913-000			1	7					1	21	7 3			
891		P	H		5920-068-3967				FUSE CARTRIDGE 3/4 AMP. 71400 PART NO. GMW3-4, 95104 PART NO. 264-0818-000			2	28					2	1400	7			F1, 2

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
892		P	H		5920-068-2389						2	28			2	85	7 3		XF1, 2		
893		P	H		5325-489-3075						2	14			1	56	7 3				
894	671	P	H		5820-070-5701						1	REF			REF		7 3				
895		P	H		5910-840-2403						1	7			1	14	7 3				
896		P	H		5960-072-4960						1	7			1	21	7 3		CR5		
897		P	H		5960-226-4634						1	7			1	28	7 3		Q1		
898		P	H		5950-226-2931						1	7			1	21	7 3		T1		
899																					
900	513	P	H		5905-272-3444						1	REF			REF		7 3		R2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
901		P	H		5905-052-3344						1	7			1		21	7 3		R1		
902		P	H		5960-964-5242						4	146			7		438	17 3		CR1-4		
903		P	H		5340-919-9948						1	3			1		9					
904		P	H		5940-078-9345						2	10			1		30			A29		
905		P	H		5325-641-3839						20	20			2		60					
906		P	H		9330-683-8587						AR	AR			1		10					
907		P	H		5325-582-3601						3	3			1		12					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE NUMBER	
908			P	H	5355-919-9951				70485 PART NO. 2856, 95104 PART NO. 201-0021-000 KNOB 16551, PART NO. 83-80113 HOUSE LIGHTING 515-7776-001			8	12		1	36				A2-4		
909			P	H	6240-186-6603				LAMP, INCANDESCENT 24455 PART NO. 308			1	9		1	450						
910			P	H	6240-266-6254				LAMP, INCANDESCENT 24455 PART NO. 40A15			2	14		1	700						
911			P	H	6250-075-0556				SOCKET, LAMP 82379 PART NO. 50714B			2	1		1	30						
912			P	H	6250-682-3371				COVER, LIGHT 515-7776-002 SOCKET, LAMP 24455 PART NO. 12-227 PLATE, COVER 515-7776-003			1	3		1	9						
913			P	H	5325-920-7188				FASTENER 71286 PART NO. 28S20-7			4	16		1	48						
914			P	H	6210-919-3492				PANEL, LIGHTING 14674 PART NO. CRYSTAL93CODE790583 SPEAKER ASSEMBLY 515-6874-001			1	5		1	25						
915,			P	H	6350-261-922				BUZZER 19557 PART NO.			1	2		1	4				DS1		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
916	491	P	H		5935-648-2157						1	REF		REF							J1	
917	913	P	H		5325-920-7188						4	REF		REF								
918		P	H		5945-957-0741						1	2		1		6						K1
919		P	H		5310-639-7435						4	8		1		16						
920		P	H		5965-914-7329						1	2		1		10						
921		P	H		5960-082-3988						2	546		22		1638						CR1, 2
922	491	P	H		5935-648-2157						1	REF		REF								J1
923	918	P	H		5945-957-0741						1	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
924	919	P	H		5310-639-7435						4	REF		REF								
925		P	H		5965-914-7329						1	1		2		4						
926	921	P	H		5960-082-3988						1	REF		REF							CR1	
927																						
928																					A1	
929		P	H		5935-729-8933						1	11		1		33					J157	
930		P	H		5935-729-8953						1	7		1		21					J158	
931		P	H		5935-755-0605						1	3		1		9					J159	
932		P	H		5935-729-8954						1	2		1		6					J160	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
944																					A22		
945			P	H	5935-965-6297							1	18		2		55	36 4			XA1-5		
946	820		P	H	5935-930-1941							1	REF		REF			36 4			J1		
947			P	H	5935-999-1879							1	10		1		30	36 4			J2		
948			P	H	5340-921-3274							2	4		1		4						
949																						A1	
950			P	H	5910-820-2223							6	66		3		200	36 4			C1-6		
951			P	H	5325-919-9950							4	121		6		363	36 4					
952			P	H	5355-959-3161							4	64		3		192	36 4					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
953			P	H	5355-914-1810						4	56		3	168	36 4					
954			P	H	5945-755-8219						2	131		6	393	36 4			K5, 6		
955			P	H	5945-914-9440						4	45		3	135	36 4			K1-4		
956			P	H	5905-279-2643						2	34		5	102	36 4			R23, 24		
957	286		P	H	5905-195-6806						6	REF		REF		36 4			R17-22		
958			P	H	5905-249-4198						4	41		3	123	36 4			R31-34		
959			P	H	5905-763-6661						4	42		3	126	36 4			R13-16		
960			P	H	5905-082-7218						4	40		2	120	36 4			R25-28		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
961			P H	5905-051-6225					2	20			2	60	36 4		R29, 30	
962			P H	5905-787-9555					3	45			2	135	36 4		R35-37	
963			P H	5905-074-4338					3	82			4	246	36 4		R-4	
964			P H	5905-053-9482					4	45			2	135	36 4		R9-12	
965	921		P H	5960-082-3988					2	REF			REF		36 4		CR1, 2	
966			P H	5935-838-0680					4	51			3	153	36 4		XK1-4	
967			P H	5930-755-5970					2	56			3	280	136 4		S5, 6	
968			P H	5930-603-5936					2	20			2	100	36 4		S1, 3	
969			P H	5930-919-7636					2	20			2	100	36 4		S2, 4	
																		PANEL ASSEMBLY, CONTROL 758-2912-005
																		PANEL CONTROL A23

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
986			P	H	5905-171-2006						4	16			1	48	44 4		R1-4		
987	921		P	H	5960-082-3988						5	REF		REF		44 4			CR1-5		
988			P	H	5930-914-1410						4	16			1	80	44 4		S2-5		
989			P	H	5930-914-1501						1	4			1	20	44 4		S1		
990			P	H	5930-914-1409						1	4			1	20	44 4		S6		
991																			A9,11		
992			P	H							1	4			1	20	44 4				
993	988		P	H	5330-914-1410						4	REF		REF		44 4			S2-5		
994	989		P	H	5930-914-1501						1	REF		REF		44 4			S1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	12 A L L O W E D E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L			
		A	B		C	D	1					2	3			DS	GS		DM	ITEM	NUMBER
1004		P	H	5910-023-9918					2	108		4	324	42 4		C1,2					
1005		P	H	5950-052-8093					2	32		2	64	42		L1, 2					
1006	984	P	H	5945-914-3509					2	REF		REF		42 4		K1, 2					
1007		P	H	5945-784-9121					3	22		2	66	42 4		K3, 7, 8					
1008	954	P	H	5945-755-8219					2	REF		REF		42 4		K4, 5					
1009		P	H	5945-914-0153					1	122		7	543	42 4		K6					
1010	283	P	H	5905 5299-1541					5	REF		REF		42 4		R1-4, 7					
1011	190	P	H	5905-256-0409					1	REF		REF		42 4		R5					
1012		P	H	5905-655-3167					4	83		5	250	42 4		R9-12					
1013		P	H	5905-577-9746					2	32		5	96	42		R8, 13					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y S			12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			FIGURE NUMBER	ILLUSTRATIONS		
1014			P	H	5960-051-0017						31	1082		43	3246	42 4			CR2-23, 25-33			
																			A1			
1015			P	H	5905-921-4702						1	18		1	90	43 4			AT1			
1016			P	H	5935-549-2646						1	1		1	3	43 4			J1			
1017			P	H	5805-914-7387						1	2		1	4	43 4			S1			
1018	981		P	H	6240-059-5349						1	REF		REF		43 4						
1019			P	H	5930-912-8197						1	1		5	5	43 4			S3			
1020			P	H	5930-844-6514						1	2		1	10	43 4			S2			
																			A1			
1021	1004		P	H	5910-023-9918						2	REF		REF		43 4						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS	
1022			P H	5910-797-4882					2	2		4	10	43 4		C7, 8		
1023			P H	5945-710-5439					1	1		5	3	43 4				
1024	984		P H	5945-914-3509					2	REF		REF		43 4		K1, 3		
1025	1009		P H	5945-914-0153					2	REF		REF		43 4		K6, 7		
1026			P H	5905-279-1756					1	78		5	234	43 4		R11		
1027			P H	5905-725-6995					4	67		5	200	43 4		R1-4		
1028			P H	5905-195-6799					1	11		3	33	43 4		R13		
1029	286		P H	5905-195-6806					1	REF		REF		43 4		R14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q.		14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS					
1030	5284	P	H		5905-279-2647				PART NO. 745-1352-000 RESISTOR, FIXED, COMPOSITION, 1500 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF152K, 95104			1	REF							43 4	R18			
1031	649	P	H		5905-686-3903				PART NO. 745-3359-000 RESISTOR, FIXED. COMPOSITION, 33,000 OHMS 10% TOL, 1/4 WATT, 81349 PART NO, RC07GF333K, 95104			1	REF							43 4	R16			
1032	710	P	H		5905-682-4222				PART NO. 745-0803-000 RESISTOR, FIXED, COMPOSITION, 39,000 OHMS, 10% TOL, 1/4 WATT 81349 PART NO. RC07GF393K, 95104			1	REF							43 4	R15			
1033		P	H		5905-993-7406				PART NO. 745-0806-000 RESISTOR, VARIABLE, WIRE WOUND, 10,000 OHMS, 10% TOL, 1/4 WATT, 80294 PART NO. 3067P1-103, 95104			1	2		1					6 43 4	R17			
1034		P	H		5960-892-1009				PART NO. 381-1588-000 SEMICONDUCTOR DEVICE DIODE, 81349 PART NO. 1N963B, 95104			1	1		1					3 43 4	CR8			
1035	921	P	H		5960-082-3988				PART NO. 353-3084-000 SEMICONDUCTOR DEVICE DIODE, 02735 PART NO. 1N3254, 95104 PART NO. 353-3275-000			6	REF							43 4	CR1, 2, 4, 7			
1036		P	H		5960-682-9178				SEMICONDUCTOR DEVICE TRANSISTOR, 81349 PART NO. 2N404, 95104 PART NO. 352-9000-000			2	2		1					8 43 4	Q1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
1037	1004	P	H		5910-023-9918						4	REF		REF			43 4		A2 C3-6		
1038	984	P	H		5945-914-3509						2	REF		REF			43 4		K2, 4		
1039	954	P	H		5945-755-8219						1	REF		REF			43 4		K5		
1040	1009	P	H		5945-914-0153						1	REF		REF			43 4		K8		
1041	136	P	H		5905-683-7721						6	REF		REF			43 4		R5-10		
1042	676	P	H		5905-726-6441						1	REF		REF			43 4		R12		
1043	921	P	H		5960-082-3988						1	REF		REF			43 4		CR3		
1044		P	H		5950-989-4424						5	1		15			43 4		L1-3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS	GS	DM					
1045			P H	5355-813-2078					1	13			1	40	43 4					
1046																		A9		
1047			P H															A1-4		
1048	1015		P H	5905-921-4702					1	REF		REF			50 12			R6		
1049	951		P H	5325-919-9950					4	REF		REF			50 12					
1050	1517		P H	5915-899-1720					2	REF		REF			50 12			FL1, 2		
1051	952		P H	5355-959-3161					1	REF		REF			50 12					
1052	953		P H	5355-914-1810					1	REF		REF			50 12					
1053	981		P H	6240-059-5349					1	REF		REF			50 12					
1054			P H	5945-919-8685					1	18			1	54	50 12			K19		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
1055	1027	P	H		5905-725-6995						4	REF		REF			50 12		R7-10		
1056		P	H		5905-058-4942						1	12		1	36		50 12		R11		
1057																					
1058		P	H		5930-787-6996						2	24		5	120		50 12		S2, 3		
1059		P	H		5930-919-7640						1	24		5	120		50 12		DS1		
1060		P	H		5930-919-7632						1	12		2	60		50 12		S1		
1061	967	P	H		5930-755-5970						1	REF		REF			50 12		S4		
1062	3384	P	H		5910-755-0014						2	REF		REF			50 12		C15, 16		
1063		P	H		5910-847-0883						1	13		2	40		50		C14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
1072	1064	P	H		5910-972-7192						2	REF		REF				50 12		C3, 4		
1073		P	H		5910-729-3328						1	12		1	36		50 12			C9		
1074		P	H		5910-819-7635						1	12		2	36		50 12			C13		
1075		P	H		5910-797-4882						2	12		2	36		50 12			C11, 12		
1076	1004	P	H		5910-023-9918						5	REF		REF			50 12			C5-8, 10		
1077		P	H								4	48		3	145		50 12			K12, 13, 16, 18		
1078	984	P	H		5945-914-3509						1	REF		REF			50 12			K7		
1079	954	P	H		5945-755-8219						2	REF		REF			50 12			K10, 17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
1088	1014	P	H		5960-051-0017						26	REF		REF				50 12		CR5, 10, 11, 14-20, 24-28, 33, 35-40, 42-44			
1089		P	H		5960-752-0150						4	131		12	524			50 12		Q1, 2, 4, 5			
1090		P	H		5950-919-7739						1	REF		REF				50 12		T2			
1091	530	P	H		5935-914-6790						1	REF		REF						J3			
1092	820	P	H		5935-930-1941						1	REF		REF						J1			
1093	974	P	H		5935-999-1879						1	REF		REF						J2			
1094	529	P	H		5935-995-9553						8	REF		REF						XA1-8			
1095	1046												REF		REF					A10			
1096	1047												REF		REF					A1-4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B		1	2	3					DS	GS				DM	15		16
1105		P	H	5935-914-6789					1	2		1	6					XA2		
1106		P	H	5935-914-6732					1	2		1	6					XA10		
1107		P	H	5935-914-6731					1	2		1	6					XA6		
1108		P	H	5935-914-6733					5	12		1	36					XA3, 4, 7, 8, 11		
1109		P	H	5935-910-5566					2	4		1	12							
1110		P	H	5935-910-5567					2	4		1	12					XA5A, 5B		
1111		P	H	5340-921-5651					3	6		1	6							
1112		P	H	5310-854-9085					4	4		1	8							
1113		P	H	5935-617-5387					1	14		2	42	69 1-5				J1		
1114		P	H	5930-021-7795					4	6		1	30	69 1-5				E1, 3, 4, 6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1115			P	H	5960-758-1967							12	12			1	36	69 1-5		CR1-12		
1116			P	H	5930-907-7009							1	1			1	5	69 1-5		E2		
1117	1114		P	H	5930-021-7795							1	REF		REF			69 1-5				
1118			P	H	5930-907-4735							1	1			1	5	69 1-5		E5		
1119	1114		P	H	5930-021-7795							1	REF		REF			69 1-5				
1120			P	H																	A4, 8	
1121			P	H	5935-857-9832							1	4			1	12	30 4		XA6		
1122	1113		P	H	5935-617-5387							1	REF		REF			30 4		J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	ILLUSTRATIONS						
1123	529	P	H		5935-995-9553						5	REF		REF			304		XA1-5		
1124			P	H															A1-5		
1125			P	H		5945-782-0672					5	108		4	324		304		K1-5		
1126	187		P	H		5960-577-6084					20	REF		REF			304		CR1-20		
1127			P	H															A6		
1128	1004		P	H		5910-023-9918					1	REF		REF			304		C1		
1129	1125		P	H		5945-782-0672					2	REF		REF			304		K1, 2		
1130	324		P	H		5945-809-6497					1	REF		REF			304		K1		
1131	875		P	H		5905-171-1998					1	REF		REF			304		R1		
1132			P	H		5905-780-9768					1	4		1	12		304		R7		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1133	187	P	H		5960-577-6084						12	REF		REF			30 4		CR1-12		
1134		P	H		5960-837-7262						1	5		2	20		30 4		Q1		
1135		P	H		5340-914-5727						4	54		3	162		29 4				
1136		P	H		5325-921-3667						4	54		3	108		29 4				
1137		P	H																A3		
1138	1113	P	H		5935-617-5387						2	REF		REF			29 4		J1, 2		
1139	529	P	H		5935-995-9553						2	REF		REF			29 4		XA1, 2		
1140	981	P	H		6240-059-5349						2	REF		REF			29 4				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS	GS	DM					
1141	1135	P	H	5340-914-5727					4	REF		REF					29 4			
1142	1136	P	H	5325-921-3667					4	REF		REF					29 4			
1143		P	H	5930-914-1500					1	2		1	10				29 4	S2		
1144		P	H	5930-914-1407					1	2		1	10				29 4	S1		
																			A1	
1145		P	H	5945-914-5725					1	2		1	6				29 4	K12		
1146	984	P	H	5945-914-3509					3	REF		REF					29 4	K9-11		
1147	1014	P	H	5960-051-0017					12	REF		REF					29 4	CR30-41		
1148		P	H																	
1149	1004	P	H	5910-023-9918					1	REF		REF					29 4	C1		
1150	954	P	H	5945-755-8219					3	REF		REF					29 4	K1-3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1151	1009	P	H		5945-914-0153						3	REF						29 4		KS, 7, 8		
1152	984	P	H		5945-914-3509						2	REF						29 4		K4, 6		
1153		P	H		5905-990-0018						2	4		1		12		29 4		R2, 3		
1154		P	H		5905-978-8542						1	2		1		6		29 4		R1		
1155	1087	P	H		5960-852-5170						1	REF						29 4		CR1		
1156	1014	P	H		5960-051-0017						28	REF						29 4		CR2-29		
1157	1089	P	H		5960-752-0150						1	REF						29 4		D1		
1158		P	H																			
1159	929	P	H		5935-729-8933						1	REF						33 4		P1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
															ILLUSTRATIONS								
1160	529	P	H		5935-995-9553				CONNECTOR. ELECTRICAL 44 PINS, 05574 PART NO. 2VH22-1AN5, 95104 PART NO. 372-7010-000			1	REF		REF			33 4		XA1, 2			
1161	952	P	H		5355-959-3161				KNOB 49956 PART NO. 50-5-1G,			1	REF		REF			33 4					
1162		P	H		6625-920-2269				METER 38315 PART NO. MCE1-50UADC			2	4		1	12		33 4		M1, M2			
1163		P	H		5930-860-2064				SWITCH 88140 PART NO. 8867K3, 95104 PART NO. 266-5039-000			1	2		1	10		33 4		S4			
1164		P	H		5930-919-7109				SWITCH 95104 PART NO. 515-3560-001			1	2		1	10		33 4		S1			
1165		P	H		5930-919-7639				SWITCH, PUSH BUTTON 97564 PART NO. 2719L34A1			2	3		1	15		33 4		DS5, 6			
1166		P	H		5905-919-7638				SWITCH, PUSH BUTTON 97564 PART NO. 2719L34B2			1	2		1	10		33 4					
1167		P	H		5930-919-7635				SWITCH, PUSH BUTTON 97564 PART NO. 2719L34G1			2	4		1	20		33 4		DS1, 2			
1168		P	H		5930-919-7634				SWITCH, PUSH BUTTON 97564 PART NO. 2719L34R1			1	2		1	10		33 4		DS7			
1169	998	P	H		5930-919-7633				SWITCH, PUSH BUTTON 97564 PART NO. 2719L34W4R			1	REF		REF			33 4		DS3			
1170		P	H		5930-889-8605				SWITCH, TOGGLE 88140 PART NO. 8866K3			2	4		1	20		33 4		S2, 3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
1171	967	P	H		5930-755-5970				SWITCH 88140 PART NO. 8867K4, 95104 PART NO. 266-5040-000 BOARD, ASSEMBLY 758-2944-001			1	REF		REF			33 4		S5 A1				
1172	1004	P	H		5910-023-9918				CAPACITOR, FIXED ELECTROLYTIC. 56289 PART NO. TE1305			11	REF		REF			33 4		C3				
1173		P	H		5910-800-5406				CAPACITOR, FIXED ELECTROLYTIC, 10 UF, 20% TOL. 50 VDCW. 56289 PART NO. 109D47106X0050C2. 95104 PART NO. 184-7785-000			1	8		1			33 4		C1				
1174		P	H		5910-800-1130				CAPACITOR, FIXED, ELECTROLYTIC. 47 UF, 20% TOL, 20 VDCW, 951046289 PART NO. 1500476X0020R2, 95104 PART NO. 184-7664-00 0			1	8		1	24		33 4		C2				
1175		P	H		5325-738-0629				EYELET, METALLIC 57771 PART NO. A2046 95104 PART NO: 307-1268-000			21	42		2	84		33 4						
1176		P	H		5325-914-5729				EYELET, METALLIC 57771 PART NO, A21114, 95104 PART NO. 307-1270-000			60	120		6	240		33 4						
1177		P	H		5905-993-6004				RESISTOR, FIXED 96214 PART NO. CR1-4 RN60D5761F			1	2		1	6		33 4		R15				
1178		P	H		5905-755-5190				RESISTOR, FIXED 80294 PART NO. 215P1-504			1	2		1	6		33 4		R1				
1179		P	H		5905-726-5346				RESISTOR, FIXED,			1	21		41	63		33		R7				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
1180			P	H	5905-581-6915							3	15		3		45	33 4		R3, 5, 12	
1181	714		P	H	5905-577-7504							1	REF		REF			33 4		R13	
1182			P	H	5905-577-6734							1	8		2		24	33 4		R10	
1183			P	H	5905-681-8754							1	11		3		33	33 4		R11	
1184			P	H	5905-752-3346							1	2		1		6	33 4		R9	
1185			P	H	5905-577-2829							1	2		1		6	33 4		R14	
1186			P	H	5905-812-9254							2	4		1		12	33 4		R8 17	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
1187			P	H	5905-683-3520				200P1-202. 95104 PART NO. 377-9143-000 RESISTOR, VARIABLE WIRE WOUND9 5000 OHMS, 10% TOL, 1/4 WATT. 80294 PART NO. I00P1-502, 95104 PART NO. 377-9164-000			1	2		1		6	33 4		R16		
1188			P	H	5905-812-9256				RESISTOR, VARIABLE WIRE WOUND. 20,000 OHMS. 10% TOL. 1/4 WATT. 80294 PART NO. 200P1-203			3	6		1		18	33 4		R2, 4 6		
1189	1014		P	H	5960-051-0017				SEMICONDUCTOR DEVICE DIODE. 81349 PART NO. 1N3728			9	REF		REF			33 4		CR6-14		
1190			P	H	5960-883-1918				SEMICONDUCTOR DEVICE, DIODE. 03877 PART NO. IN606. 95104 PART NO. 353-1694-000			1	2		1		6	33 4		CR5		
1191			P	H	5960-577-6131				SEMICONDUCTOR DEVICE, TRANSISTOR, 96214 PART NO. 2N336. 95104 PART NO. 352-0166-000			1	2		1		8	33 4		Q1		
1192			P	H	5950-660-4614				TRANSFORMER. AF LEADS BLUE TO RED 10,000 OHMS IMPEDANCE. 25% TOL. LEADS YELLOW TO GREEN 2000 OHMS IMPEDANCE. 25% TOL. LEAD BLACK CT 80223 PART NO. DOT11. 95104 PART NO. 677-1412-000			1	2		1		6	33 4		T1		
1193									BOARD ASSEMBLY 758-0006-001													

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1194	954	P	H		5945-755-8219						2	REF		REF			33 4		K3, 5		
1195	1009	P	H		5945-914-0153						3	REF		REF			33 4		K1, 2, 4		
1196	165	P	H		5960-842-3525						1	REF		REF			33 4		CR19		
1197	921	P	H		5960-082-3988						7	REF		REF			33 4		CR1-4, 15-17		
1198	1135	P	H		5340-914-5727						4	REF		REF			33 4				
1199	1136	P	H		5325-921-3667						4	REF		REF			33 4				
1200																				A1	
1201	529	P	H		5935-995-9553						2	REF		REF			27 3		XA1, 2		
1202	929	P	H		5935-729-8933						1	REF		REF			27 3		J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y E			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
1203	1045	P	H		5355-813-2078						2	REF							27 3			
1204	952	P	H		5355-959-3161						3	REF							27 3			
1205	981	P	H		6240-059-5349						12	REF							27 3			
1206		P	H		6625-920-2258						1	2		1			6		27 3		M1	
1207		P	H		5905-552-2585						2	4		1		12			27 3		R1, 2	
1208		P	H		5905-085-0593						1	2		1		6			27 3		R3	
1209		P	H		5905-087-4510						1	2		1		6			27 3		R4	
1210		P	H		5960-840-1056						1	2		1		6			27 3		CR1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
1211			P	H	5930-844-6513				SWITCH 95105 PART NO. 515-3519-001			1	2		1	10	27 3		S13				
1212			P	H	5930-919-7065				SWITCH 95105 PART NO. 515-3519-002			2	4		1	20	27 3		S6, 7				
1213			P	H	5930-912-8197				SWITCH, PUSH BUTTON 97564 PART NO. 1226L34G 1			2	5		1	25	27 3		S11, 12				
1214			P	H	5930-914-1404				SWITCH, PUSH BUTTON 97564 PART NO. 1226L34R1			2	4		1	20	27 3		S14, 15				
1215	967		P	H	5930-755-5970				SWITCH, TOGGLE 88140 PART NO. 8867K4. 95104 PART NO. 266-5040-000			1	REF		REF		27 3		S16				
									COMPONENT BOARD 515-7869-001										A1				
1216	921		P	H	5960-082-3988				SEMICONDUCTOR DEVICE. DIODE, 02735 PART NO. IN3254. 95104 PART NO. 353-3275-000			18	REF		REF		27 3		CR1-18				
1217									COMPONENT BOARD 515-7861-001										A2				
1218	984		P	H	5945-914-3509				RELAY 70309 PART NO. JHO-18D26-5VDC			1	REF		REF		27 3		K1				
1219	954		P	H	5945-755-8219				RELAY 01526 PART NO. 3S2791FBI00A9			1	REF		REF		27 3		K4				
1220	1009		P	H	5945-914-0153				RELAY 01526 PART NO. 3S2791GD310M21			2	REF		REF		27 3		K2, 3				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
S E Q U E N C E N U M B E R	F O R A U T H O R I Z E D	E Q U I P M E N T N U M B E R	M A I N T E N A N C E & S O U R C E	C O V E R A B I L I T Y C O D E	F E D E R A L S T O C K N U M B E R	D E S I G N A T I O N N U M B E R	M O D E L N U M B E R	D E S C R I P T I O N	U N I T O F I S S U E	E X P E N D I T A B I L I T Y	Q U A N T I T Y I N U S E	Q U A N T I T Y P E R T	F I E L D D A Y		F I G U R E N U M B E R	I T E M N U M B E R	R E F E R E N C E S Y M B O L
													15	16			
1221	1028		P	H	5905-195-6799				1	REF		REF			27 3		R2
1222			P	H	5905-764-3239				1	2		1	6		27 3		R1
1223	921		P	H	5960-082-3988				1	REF		REF			27		CR1-10 3
1224	1135		P	H	5340-914-5727				4	REF		REF			27 3		
1225	1136		P	H	5325-921-3667				4	REF		REF			27 3		
1226			P	H	5930-782-6914				2	4		1	20		27 3		S8, 10

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	FIGURE		ITEM	NUMBER	
1227			P H	5930-782-6913				SWITCH, PUSH BUTTON 97564 PART NO. 1223AL34A1			1	2		1	10	27 3		S3				
1228			P H	5930-782-6918				SWITCH, PUSH BUTTON 97564 PART NO. 1223AL34G1			4	8		1	40	27 3		S1, 2, 4, 5				
								PANEL, BLANK C7600										A6				
1229	1135		P H	5340-914-5727				SPR ING 72794 PART NO. PS3-1-2CADPLYEL. 95104 PART NO. 012-1522-000			2	REF		REF		27 3						
1230	1136		P H	5325-921-3667				STUD 72794 PART NO. PF3-1-2-44X545CADPL			2	REF		REF		27 3						
1231								RING SELECT D7700										A10				
1232			P H	5935-681-0872				CONNECTOR, ELECTRICAL 26 PINS, 77820 PART NO. PTO2A16-26P. 95104 PART NO. 371-2000-000			1	2		1	6	34 4		J1				
1233			P H	5945-802-6699				RELAY 4C CONTACT ARRANGEMENT. 01526 PART NO. 352791FB100K9. 95104 PART NO. 974-0731-000			1	6		2	18	34 4		K1				
1234	1028		P H	5905-195-6799				RESISTOR, FIXED, COMPOSITION. 560 OHMS, 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF561K. 95104 PART NO. 745-1342-000			2	REF		REF		34 4		R1, 2				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1235	921	P	H		5960-082-3988						1	REF		REF			34 4		CR1		
1236		P	H		5935-733-9218						4	12		1	60		34 4		S1-4		
1237	967	P	H		5930-755-5970						4	REF		REF			34 4		S5-8		
1238	529	P	H		5935-995-9553						4	REF		REF			31 3		XA1-4		
1239		P	H		5935-984-2069						2	5		1	15		31 3				
1240	981	P	H		6240-059-5349						10	REF		REF			31		DS1-10		
1241		P	H																A1-3		
1241	921	P	H		5960-082-3988						20	REF		REF			31 3		CR1-20		
1243		P	H																A4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
1244	954	P	H		5945-755-8219				RELAY 01526 PART NO. 3S2791FB100A9			1	REF		REF			31 3		K1			
1245	1009	P	H		5945-914-0153				RELAY 01526 PART NO. 3S2791GD310M21			1	REF		REF			31 3		K2			
1246	1014	P	H		5960-051-0017				SEMICONDUCTOR DEVICE. DIODE 81349 PART NO. IN3728			20	REF		REF			31 3		CR1-20			
									PLATE, MOUNTING C7808														
1247	1135	P	H		5340-914-5727				SPRING 72794 PART NO. PS3-1-2CADDLYEL, 95104 PART NO. 012-1522-000			4	REF		REF			31 3					
1248	1136	P	H		5325-921-3667				STUD 72794 PART NO. PF3-1-2-44X545CADPL			4	REF		REF			31 3					
					5930-914-8843				SWITCH, ASSEMBLY 515-3516-009														
1249		P	H		5930-782-6916				SWITCH, PUSH BUTTON 97564 PART NO. 2719AL34A1			1	4		1	20		31 3		DS3			
1250		P	H		5930-782-6915				SWITCH, PUSH BUTTON 97564 PART NO. 2719AL34G1			3	14		1	70		31 3		DS1, 2, 4			
1251		P	H		5930-782-6936				SWITCH, ASSEMBLY 97564 PART NO 2719AL34W4R											DS5			
									SWITCH, ASSEMBLY 515-3516-008														

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & M A I N T E N A N C E S O U R C E & A B C D				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		ITEM N U M B E R															
1252	1249	P	H		5930-782-6916						1	REF		REF			31		3	DS3		
1253	1250	P	H		5930-782-6915						4	REF		REF			31		3	DS1, 2, 4, 5		
1254		P	H																	A2		
1255		P	H		5935-811-9206						1	3		1	9		28		4	J1		
1256	1135	P	H		5340-914-5727						2	REF		REF			28		4			
1257	1136	P	H		5325-921-3667						2	REF		REF			28		4			
1258	967	P	H		5930-755-5970						4	REF		REF			28		4	S1-4		
																				A16		
1259	1099	P	H									REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1260		P	H																		A7, 11	
1261	1120	P	H									REF		REF								A4 8
1262		P	H																			A1-5
1263	1127	P	H									REF		REF								A6
1264	1137	P	H									REF		REF								A3
1265	1148	P	H									REF		REF								A2
1266	1158	P	H									REF		REF								A9
1267		P	H																			A1
1268	1193	P	H									REF		REF								A2
1269	1200	P	H									REF		REF								A1
1270		P	H																			A1
1271	1217	P	H									REF		REF								A2

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E M I T T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER															
1279	1013	P	H		5905-577-9746				WATT, 81349 PART NO. RN6084220F. 95104 PART NO. 705-6578-000 RESISTOR, FIXED, FILM 19,600 OHMS 1%TOL. 1/4 WATT, 81349 PART NO. RN60B1962F. 95104 PART NO. 705-6658-000 SEMICONDUCTOR DEVICE. DIODE. 02735 PART NO. IN3254, 95104 PART NO. 353-3275-000			8	REF	REF			32 3		R5, 6, 11, 12, 17, 18, 23, 24			
1280	921	P	H		5960-082-3988							5	REF	REF			32 3		CR1-5			
1281	1231	P	H						RING SELECT D7700				REF	REF					A10			
1282	1241	P	H						CHASSIS C7701-002				REF	REF					A1-A3			
1283	1243	P	H						COMPONENT BOARD 515-7865-001				REF	REF					A4			
1284	1231	P	H						RING SELECT MODULE D7700				REF	REF								
1285	1250	P	H		5930-782-6915				SWITCH, ASSEMBLY 515-3516-009			3	REF	REF			31 3		DS1, 2, 4			
1286	1251	P	H		5930-782-6936				SWITCH, PUSH BUTTON 97564 PART NO. 2719AL34G1			11	REF	REF			31 3		DS5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1287	1249	P	H		5930-782-6916						1	REF		REF				31		DS3		
1288	1250	P	H		5930-782-6915						4	REF		REF				31		DS1, 2, 4, 5		
																				A17		
1289	530	P	H		5935-914-6790						1	REF		REF						J5		
1290	820	P	H		5935-930-1941						1	REF		REF						J1		
1291	974	P	H		5935-999-1879						1	REF		REF						J2		
1292	975	P	H		5935-782-6931						1	REF		REF						J3		
1293	976	P	H		5935-782-6932						1	REF		REF						J4		
1294	529	P	H		5935-995-9553						11	REF		REF						XA1-9. 10A		

1 S E R I A L N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			ITEM N U M B E R	REFERENCE S Y M B O L	
1295	1015	P	H		5905-921-4702						3	REF		REF		40 5			10B A10 AT1-3		
1296		P	H		5935-9615-1700						1	1		3		40			J1 5		
1297		P	H		5935-149-2680						1	1		3		40 5			J2		
1298	1017	P	H		5805-914-7387						1	REF		REF		40 5			S1		
1299	1045	P	H		5355-813-2078						3	REF		REF		40 5					
1300	952	P	H		5355-959-3161						3	REF		REF		40 5					
1301	296	P	H		6625-944-7275						1	1		1		3 40 5			M1		
1302	1044	P	H		5950-989-4424						2	REF		REF		40 5			L1, 2		
1303	1020	P	H		5930-844-6514						1	REF		REF		40 5			S3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
1304		P	H		5930-844-6513				SWITCH 91929 PART NO. 13AT403T2			1	1		1	5	40 5		S4				
1305		P	H		5930-913-0780				SWITCH 91929 PART NO. 23AT402T2			3	3		1	15	40 5		S2, 5, 6				
1306		P	H		5930-919-7053				SWITCH, WAFER 95104 PART NO. 516-8428-001			1	1		1	5	40 5		S7				
					5820-736-3477				AMPLIFIER, VU METER 564-9599-004											A1			
1307		P	H		5910-914-8776				CAPACITOR, FIXED. CERAMIC, 0.22 UF. PLUS 80% MINUS 20%, 25 VDCW, 56289 PART NO. 5C9A. 95104 PART NO. 913-3808-000			1	3		1	9	40 5		C1				
1308		P	H		5910-827-8847				CAPACITOR, FIXED. ELECTROLYTIC. 8.2 UF. 20% TOL. 60 VDCW. 56289 PART NO. 109D825X0060C2. 95104 PART NO. 184-7801-000			3	9		1	27	40 5		C2, 4, 7				
1309	1174	P	H		5910-800-1130				CAPACITOR, FIXED. ELECTROLYTIC. 47 UF., 20% TOL. 20 VDCW. 56289 PART NO. 150D476X0020R2. 95104 PART NO. 184-7664-000,			2	REF		REF		40 5		C3, 6				
1310		P	H		5910-846-5366				CAPACITOR, FIXED. MICA 2700 UUF. 10% TOL. 500 VDCW. 72136 PART NO. DM9F272K03, 95104 PART NO. 912-3658-000			1	3		1	9	40 5		C5				
1311	605	P	H		5905-171-1997				RESISTOR, FIXED, COMPOSITION.			1	REF		REF		40 5		R12				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
1312	286	P	H		5905-195-6806				330 OHMS. TO. 1/2 WATT. 81349 PART NO. RC20GF331K. 95104 PART NO. 745-1331-000 RESISTOR, FIXED, COMPOSITION. 1000 OHMS, 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF 102K 95104 PART NO. 745-1352-000			3	REF	REF				40 5		R6, 8. 13		
1313	287	P	H		5905-279-1876				RESISTOR, FIXED, COMPOSITION. 2200 OHMS, 10% TOL, 1/2 WATT. 81349 PART NO. RC20GF222K. 95104 PART NO. 745-1366-000			1	REF	REF				40 5		R5		
1314	574	P	H		5905-279-3505				RESISTOR, FIXED, COMPOSITION, 3900 OHMS, 10% TOL. 1/2 WATT, 81349 PART NO. RC20GF392K. 95104 PART NO. 745-1377-000			1	REF	REF				40 5		R7		
1315	807	P	H		5905-279-3504				RESISTOR, FIXED, COMPOSITION. 4700 OHMS, 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF472K. 95104 PART NO. 745-1380-000			1	REF	REF				40 5		R2		
1316	612	P	H		5905-190-8876				RESISTOR, FIXED, COMPOSITION 154700 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF472153K 95104 PART NO. 745-1401-000			1	REF	REF				40 5		R4		
1317	875	P	H		5905-171-1998				RESISTOR, FIXED, COMPOSITION, 33,000 OHMS, 10% TOL, 1/2 WATT. 81349 PART NO. RC20GF333K. 95104 PART NO. 745-1415-000			1	REF	REF				40 5		R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	R		I
1318		P	H		5905-279-3499				RESISTOR, FIXED, COMPOSITION, 82.000 OHMS. 10% TOL, 1/2 WATT. 81349 PART NO. RC20GF823K. 95104 PART NO. 745-1433-000			1	6		2	18	40 5		R11				
1319		P	H		5905-763-5281				RESISTOR, FIXED, FILM 590 OHMS, 1%TOL. 1/4 WATT. 81349 PART NO. RN6005900F. 95104 PART NO. 705-6585-000			1	3		1	9	40 5		R14				
1320	714	P	H		5905-577-7504				RESISTOR, FIXED, FILM 1210 OHMS, 1/2 WATT, 1% TOL. 81349 PART NO. RN65D1211F. 95104 PART NO. 705-7100-000			1	REF		REF		40 5		R1				
1321		P	H		5905-990-5147				RESISTOR, FIXED FILM 1620 OHMS. 1%TOL. 1/2 WATT. 81349 PART NO. RN65D1621F, 95104 PART NO. 705-7106-000			1	20		4	60	40 5		R3				
1322		P	H		5905-951-5717				RESISTOR, FIXED, FILM 3650 OHMS, 1%TOL, 1/4 WATT. 81349 PART NO. RN60D3651F. 95104 PART NO. 705-6623-000			1	4		2	12	40 5		R1				
1323		P	H		5905-079-1928				RESISTOR, VARIABLE, WIRE WOUND. 2000 OHMS, 5% TOL 1/2 WATT. 80294 PART NO. 224L1-202. 95104 PART NO. 381-1286-000			1	6		2	18	40 5		R10				
1324	585	P	H		5960-691-3608				SEMICONDUCTOR DEVICE. TRANSISTOR, 04713 PART NO. 2N652, 95104 PART NO. 352-0254-000			2	REF		REF		40 5		Q1, 2				
1325		P	H		5950-759-6048				TRANSFORMER. AF LEADS 1 TO 2 10.000			1	3		1	9	40 5						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
1326			P	H	5950-913-6915				OHMS IMPEDANCE, LEADS 3 TO 5 1500 OHMS IMPEDANCE, LEAD 4 CT, 00348 PART NO. M4134, 95104 PART NO. 667-0039-000 TRANSFORMER. AF LEADS 1 TO 2 25.000 OHMS IMPEDANCE, 15% TOL. LEADS 3 TO 4 600 OHMS IMPEDANCE. 00348 PART NO. 667-0040-000			1	3		1		9	40 5		T2		
1327									BOARD ASSEMBLY NO. 1 515-7821-001											A2		
1328	1022		P	H	5910-797-4882				CAPACITOR, FIXED, ELECTROYTIC. 2 UF. PLUS 75% MINUS 10%. 50 VDCW, 56289 PART NO. 033212. 95104 PART NO. 183-1183-000			2	REF		REF			40 5		C7, 8		
1329			P	H	5945-710-5439				RELAY, ARMATURE 1C CONTACT ARRANGEMENT. 71482 PART NO. HGSM5011, 95104 PART NO. 410-0310-000			1	8		1		24	40 5		K7		
1330	984		P	H	5945-914-3509				RELAY 70309 PART NO. JHO-18D26-5VDC			1	REF		REF			40 5		K12		
1331	1009		P	H	5945-914-0153				RELAY 01526 PART NO. 3S2791GD310M21			3	REF		REF			40 5		K6, 8 13		
1332	159		P	H	5905-682-4107				RESISTOR, FIXED, COMPOSITION. 180 OHMS 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF11BIK 95104			14	REF		REF			40 5		R8-21		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
1333	1027	P	H		5905-725-6995						12	REF		REF				40 5		R22-33			
1334		P	H		5905-686-3369						1	7		4	21	40 5				R35			
1335	161	P	H		5905-683-2242						2	REF		REF		40 5				R34, 38			
1336	676	P	H		5905-726-6441						3	REF		REF		40 5				R1, 6.7			
1337	1028	P	H		5905-195-6799						1	REF		REF		40 5				R2			
1338	162	P	H		5905-681-6462						2	REF		REF		40 5				R36, 37			
1339	286	P	H		5905-195-6806						1	REF		REF		40 5				R3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
1340	649	P	H		5905-726-6436				WATT, 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000 RESISTOR, FIXED, COMPOSITION. 33,000 OHMS, 10% TOL, 1/4 WATT. 81349 PART NO. RC07GF333K. 95104 PART NO. 745-0803-000			1	REF		REF			40 5		R5		
1341	710	P	H		590-686-3358				RESISTOR, FIXED, COMPOSITION, 39,000 OHMS. 10% TOL, 1/4 WATT. 91349 PART NO. RC207GF393K. 95104 PART NO. 745-0806-000			1	REF		REF			40 5		R4		
1342		P	H		5905-985-5435				RESISTOR, FIXED, FILM 7500 OHMS. 1% TOL. 1/4 WATT. 81349 PART NO. RN60B7501F, 95104 PART NO. 705-6638-0001			4	16		2	48	40 5			R42-45		
1343		P	H		5905-577-6736				RESISTOR, FIXED, FILM 10000 OHMS, 1% TOL 1/4 WATT 81349 PART NO. RN6081002F. 95104 PART NO. 705-6644-000			2	23		5	70	40 5			R39, 40		
1344	1013	P	H		5905-577-9746				RESISTOR, FIXED, FILM 19.500 OHMS. 1% TOL 1/4 WATT, 81349 PART NO. RN60B1962F, 95104 PART NO. 705-6658-000:			1	REF		REF			40 5		R41		
1345		P	H		5905-993-7406				RESISTOR, VARIABLE, WIRE WOUND. 10.000 OHMS, 10% TOL 1/4 WATT. 80294 PART NO. 3067P1-103. 95104 PART NO. 183-1183-000			1	4		1	12	40 5			R46		
1346		P	H		5960-892-1009				SEMICONDUCTOR DEVICE. DIODE. 81349 PART NO. IN963B, 95104 PART			1	1		1	3	40 5			CR24		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1347	921	P	H		5960-082-3988						7	REF		REF			40 5		CR9-11, 13, 14, 22, 23		
1348	586	P	H		5960-682-9178						2	REF		REF			40 5		Q1, 2		
1349	1004	P	H		5910-023-9918						6	REF		REF			40 5		C1-6		
1350	1009	P	H		5945-914-0153						6	REF		REF			40 5		K1-5, 14		
1351	954	P	H		5945-755-8219						1	REF		REF			40 5		K10		
1352	984	P	H		5945-914-3509						2	REF		REF			40 5		K9, 11		
1353	921	P	H		5960-082-3988						17	REF		REF			40 5		CR1-8, 12, 15-21, 25		
1354	981	P	H		6240-059-5349						3	REF		REF			39 4				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E R S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3	DS	GS			DM	15	
1355	984	P	H	5945-914-3509						1	REF		REF			39 4			K1	
1356	283	P	H	5905-299-1541						1	REF		REF			39 4			R1	
1357		P	H	5905-253-1231						1	13		5	40	39 4				R3	
1358	1028	P	H	5905-195-6800						1	REF		REF			39 4			R2	
1359	921	P	H	5960-082-3988						10	REF		REF			39 4			CR1-10	
1360		P	H	5930-782-6920						1	1		1	5	39 4				S3	
1361		P	H	5930-782-6921						1	21		2	105	39 4				S2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1362	981	P	H		6240-059-5349						7	REF						38 4		A2-9		
1363		P	H		5930-782-6909						1	1		1		5		39 4		S1		
1364	1004	P	H		5910-023-9918						2	REF						38 4		C1, 2		
1365	954	P	H		5945-755-8219						1	REF						38 4		K6		
1366	1009	P	H		5945-914-0153						5	REF						38 4		K4, 5, 7, 8, 9		
1367	984	P	H		5945-914-3509						3	REF						38 4		K1-3		
1368	834	P	H		5905-252-4018						1	REF						36 4		R12		
1369	283	P	H		5905-299-1541						3	REF						38 4		R14-16		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
1370	676	P	H		5905-726-6441						4	REF							384		R1-4		
1371		P	H		5905-688-3980						2	1		3					384		R9, 10		
1372	1342	P	H		5905-985-5435						1	REF							384		R11		
1373	1012	P	H		5905-655-3167						4	REF							38		R5-8		
1374	1013	P	H		5905-577-9746						1	REF							384				
1375	1014	P	H		5960-051-0017						31	REF							384		CR1-31		
1376	1005	P	H		5950-052-8093						1	REF							384		L1		
																						SPACER 541-6017-002	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M I T T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE	ITEM	NUMBER				
1377			P	H	5950-919-7739				TRANSFORMER 89665 PART NO. D1T283			1	20			2		60	38 4		T1			
1378			P	H	5930-782-6917				SWITCH, ASSEMBLY 515-3564-001 SWITCH 97564 PART NO. 1222L56A1			1	8			1		40	38 4		S6			
1379	1000		P	H	5930-914-1406				SWITCH 97564 PART NO. 1240GL56W4			1	REF		REF				38 4		S7			
1380			P	H	5930-919-9969				SWITCH 97564 PART NO. 1422L56B2			1	8			1		40	38 4		S2			
1381			P	H	5930-91Q-9970				SWITCH 97564 PART NO. 1422L56G1			3	24			2		120	38 4		S3-5			
1382			P	H	5930-919-9968				SWITCH 97564 PART NO. 1422L56W4			1	8			1		40	38 4		S1			
									PANEL, TELETYPEWRITER INTERCEPT B3000												A24			
1383	530		P	H	5935-914-6790				CHASSIS, WRAPAROUND D3400 CONNECTOR, ELECTRICAL 11139 PART NO. DSM00-12-14P			1	REF		REF						J5			
1384	820		P	H	5935-930-1941				CONNECTOR, ELECTRICAL 11139 PART NO. DMS00-19-33P			1	REF		REF						J1			
1385	974		P	H	5935-999-1879				CONNECTOR, ELECTRICAL			1	REF		REF						J2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R		REFERENCE S Y M B O L
1386	975	P	H		5935-782-6931						1	REF		REF						J3		
1387	976	P	H		5935-782-6932						1	REF		REF							J4	
1388	529	P	H		5935-995-9553						12	REF		REF							XA1-12	
																					A1	
1389	952	P	H		5355-959-3161						1	REF		REF			46				3	
1390	953	P	H		5355-914-1810						3	REF		REF			46				3	
1391		P	H		6625-920-2256						1	1		1		3	46				3	M1
1392		P	H		5945-914-9440						5	45		5		135	46				3	K1-5
1393		P	H		5905-068-2607						5	5		1		15	46				3	R7, 8, 9, 15,16
1394	962	P	H		5905-787-9555						5	REF		REF			46				3	R10-14
1395	963	P	H		5905-74-4338						1	REF		REF			46				3	R17

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1396	964	P	H		5905-053-9482						3	REF		REF				46		R18-20		
1397		P	H		5930-919-5933						1	1		1		5	46		S1			
																				A2		
1398		P	H		5970-914-1775						1	11		1		33	47 3					
1399	981	P	H		6240-059-5349						5	REF		REF			47 3					
1400		P	H		5905-892-7077						2	2		1		6	47 3			R1, 2		
1401		P	H		5960-836-0383						1	11		1		33	47 3			CR6		
1402		P	H		5910-846-5674						5	8		3		24	46			A1 C1-5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
1403	1045	P	H		5355-813-2078				NO. 33C58. 95104 PART NO. 913-3235-000 KNOB 49956 PART NO. 50-2-16			1	REF					REF	46 3				
1404		P	H		5905-279-1724				RESISTOR, FIXED, COMPOSITION. 150 OHMS. 10% TOL. 1 WATT. 81349 PART NO. RC32GF151K, 95104 PART NO. 745-3317-000			1	1			1		3	46 3		R1		
1405	574	P	H		5905-279-3505				RESISTOR, FIXED, COMPOSITION. 3900 OHMS. 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF392J, 95104 PART NO. 745-1377-000			5	REF					REF	46 3		R2-6		
1406	921	P	H		5960-082-3988				SEMICONDUCTOR DEVICE. DIODE. 02735 PART NO. IN3254. 95104 PART NO. 353-3275-000			5	REF					REF	46 3		CR1-5		
1407	966	P	H		5935-838-0680				SOCKET. RELAY 02660 PART NO. 147-504 PANEL. FRONT C3306			5	REF					REF	46 3		XK1-5		
1408	951	P	H		5325-919-9950				FASTENER 17419 PART NO. D7100-683 COMPONENT BOARD 515-6843-001			4	REF					REF			A1		
1409	984	P	H		5945-914-3509				RELAY 70309 PART NO. JHO-18D26-5VDC			1	REF					REF	47 3		K1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R T	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM									
		DESCRIPTION																							
1410	954	P	H		5945-755-8219						2	REF		REF					47 3		K2, 3				
1411	1009	P	H		5945-914-0153						3	REF		REF					47 3		K4-6				
1412		P	H		5905-279-4312						1	13		2	40				47 3		R3				
1414		P	H		5905-195-6814						2	42		3	126				47 3		R4, 5				
1415					5905-195-6814						1	8		3	24				47 3		R6				
1415	921	P	H		5960-082-3988						9	REF		REF					47 3		CR1-9				
1416		P	H		5930-914-8848						1	1		1	5				47 3						
1417		P	H		5930-782-6937						2	2		1	10				47 3		S4, 5				
1418		P	H		5930-782-6919						2	2		1	10				47 3		S2, 3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
1419			P	H	5930-782-6908						1	1		1		5	47 3		S1				
																				A3-12			
1420	1398		P	H	5970-914-1775						1	REF		REF			48 3						
1421			P	H	6240-223-9092						4	171		7	8550		48 3			DS2-5			
1422	981		P	H	6240-059-5349						1	REF		REF			48 3			DS1			
1423	1401		P	H	5960-836-0383						1	REF		REF			48 3			CR20			
																				A1			
1424	984		P	H	5945-94-3509						2	REF		REF			48 3			K1, 2			
1425	954		P	H	5945-755-8219						2	REF		REF			48 3			K3, 4			
1426	1009		P	H	5945-914-0153						4	REF		REF			48 3			K5-8			
1427	1412		P	H	5905-279-4312						1	REF		REF			48 3			R5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1428	1413	P	H		5905-279-1922						4	REF		REF			48 3		R6-9		
1429		P	H		5905-279-3409						4	40		2	120		48 3		R1-4		
1430	921	P	H		5960-082-3988						19	REF		REF			48 3		CR1-19		
1431		P	H		5930-919-7062						1	1		1	5		48 3				
1432		P	H		5930-919-9971						3	30		2	150		48		S1, 3, 5		
1433	1361	P	H		5930-782-6921						2	REF		REF			48 3		S2, 4		
1434	908	P	H		5355-919-9951 6210-919-3491						8	REF		REF							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
1435			P	H	5895-908-4729						1	10		1	10	70							
1436			P	H	5960-833-8716						6	571		25	1713	70				CR1-6			
1437			P	H	5895-903-1923						3	180		1	540	70							
1438	1436		P	H	5960-833-8716 5895-902-8518						6	REF		REF	70						CR1-6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
1439	1437	P	H		5895-903-1923						3	REF			REF		70 5-7			
1440		P	H		5930-814-9757						7	98		4	490		70 5-14			
1441		P	H		5895-902-8519						1	14		1	14		70 5-4			
1442	1436	P	H		5960-833-8716						8	REF		REF	70		CR1-8 5-4			
1443		P	H		5895-902-8521						1	14		1	14		70 5-4			
1444	604	P	H		5905-279-3519						1	REF		REF	70		R3 5-10			
1445	834	P	H		5905-252-4018						1	REF		REF	70		70 5-10		R2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E D Q U A N T I T Y	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
1446			P	H	5905-950-3287				81349 PART NO. RC20GF470K.,95104 PART NO. 745-1296-000 RESISTOR, FIXED, WIRE WOUND, 180 OHMS, 5% TOL, 6.5 WATTS, 81349 PART NO. RW67V181, 95104 PART NO. 747-5445-000			1	9		3		27	70		R1		
1447	1436		P	H	5960-833-8716				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			2	REF		REF			70 5-10		CR1, 2		
1448			P	H	5960-058-0153				SEMICONDUCTOR DEVICE, TRANSISTOR, 96214 PART NO. 2N2555, 95104 PART NO. 352-0278-000			1	11		3		44	70 5-10		Q1		
1449			P	H	5805-985-9094				SWITCH, ROTARY, TELEPHONE, 1C CONTACT ARRANGEMENT, 71482 PART NO; A295874, 95104 PART NO. 976-0776-000			1	3		2		15	70 5-10		S1		
1450			P	H	5930-907-7003				BASE, STEPPING SWITCH 95104 PART NO. 548-4682-003			1	1		1		5	70 5-10				
1451			P	H	5935-259-4142				CONNECTOR, ELECTRICAL 50 PINS, 71468 PART NO. DD50P, 95104 PART NO. 371-0033-000			1	11		3		33	70 5-10		R1		
1452			P	H	5930-907-4859				BASE, STEPPING SWITCH 95104 PART NO. 548-4681-003 CONTROL SUBASSEMBLY			1	1		1		5	70 5-10				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1453		P	H			5935-856-6938					34	77		6		231	70 5-1, 2		J4-37		
1454		P	H			5915-903-1951					1	3		3		9	70		FL1		
1455		P	H			5935-854-8854					1	5		3		15	70 5-2		J3		
1456		P	H			5935-725-6099					2	11		4		33	70 5-2		J1, 2		
1457		P	H			5935-902-5558					1	1		1		3	70 5-2		P1		
1458		P	H			6105-727-1378					1	1		1		2	70		B1		
1459		P	H			5945-854-8546					6	36		3		108	70				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T P E R			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER							
1460			P	H	5945-732-9538							1	9		3		27	70 5-7			K1					
1461	1448		P	H	5960-058-0153							2	REF		REF			70 5-7			Q2, 3					
1462			P	H	5930-907-4856							1	1		1		5	70 5-6			S1A					
1463			P	H	5930-907-4732							6	6		1		30	70 5-6			S1B-G					
1464			P	H	5930-907-3458							5	5		5		25	70 5-6			S2B-E, J					
1465			P	H	5930-907-4734							1	1		1		5	70 5-6			S2A					
1466			P	H	5930-907-3454							1	1		1		5	70 5-6			S2H					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & M A I N T E N A N C E S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
1467			P	H	5930-907-4857						1	1			1	5	70 5-6		S2G		
1468			P	H	5930-907-4733						1	1			1	5	70 5-6		S2F		
1469			P	H	5945-902-5114						2	2			1	6	70 5-5				
1470			P	H	5945-907-4858						1	1			1	2	70 5-10				
1471			P	H	5945-902-5101						1	2			2	4	70 5-5				
1472			P	H	5895-908-4747						1	1			1	2	70 5-5				
1473			P	H	5895-908-4715						1	1			1	2	70 5-5				
1474			P	H	5895-902-8517						1	1			1	1	70 5-3				
1475			P	H	5905-752-3463						1	1			1	3	70 5-3		R5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
1476	1436	P	H		5960-833-8716						5	REF			REF			70 5-3					
1477	1089	P	H		5960-752-0150						1	REF			REF			70 5-3		Q1			
1478		P	H		5895-908-4716						1	1		1		2		70 5-4					
1479	834	P	H		5905-252-4018						2	REF			REF			70 5-4		R2, 3			
1480		P	H		5905-279-2649						2	3		2		9		70 5-4		R1, 4			
1481	1436	P	H		5960-833-8716						34	REF			REF			70 3-4		CR1-28,			
1482	1087	P	H		5960-852-5170						1	REF			REF			70 5-4		CR29			
1483		P	H		5895-902-8520						1	1		1		1		70 5-8					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
1484			P	H	5910-850-2657						1	6			3	18	70 5-8		C1				
1485			P	H	5905-556-7015						1	1		1	3	70 5-8		R6					
1486	1436		P	H	5960-833-8716						19	REF		REF	70 5-8,9		CR33, 34, 40-56						
1487			P	H	5935-854-8853						1	5		3	15	70 5-6		P2					
1488	1451		P	H	5935-259-4142						1	REF		REF	70 5-6		P1						
1489			P	H	5910-837-9326						1	1		1	3	71 5-17		C1					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
1490	1460	P	H		5945-732-9538						7	REF		REF			71 5-18		K1-4, 7, 8, 10	
1491	1459	P	H		5945-854-8546						5	REF		REF			71 5-18		K5, 6, 11 12, 15	
1492		P	H		5945-880-3376						3	19		2	57		71 5-18		K9, 13, 14	
1493	136	P	H		5905-683-7721						3	REF		REFF			71 5-17		R13-15	
!1494	710	P	H		5905-682-4222						1	REF		REF			71 5-15		R10	
1495		P	H		5905-763-8306						1	1		1	3		71 5-17		R1	
1496		P	H		5905-709-2976						1	1		1	3		71 5-17		R11	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
1497		P	H		5905-781-4857						1	3			3		9	71 5-15		R12			
1498	1323	P	H		5905-079-1928						3	REF			REF			71 5-15, 17		R2, 8, 9			
1499	1436	P	H		5960-833-8716						8	REF			REF			71 5-16		CR47-53, 57			
1500		P	H		5960-902-7094						1	1			1		3	71 5-16					
1501		P	H		5960-950-3449						1	7			1		28	71 5-15		Q1			
1502		P	H		5910-519-4448						1	1			1		3	71 5-14		C3			
1503		P	H		5340-903-5438						1	4			1		12	71 5-13					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I A L N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	REFERENCE SYMBOL														
1504	258	P	H	5905-279-1897				RESISTOR, FIXED, COMPOSITION, 56 OHMS. 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF560K, 95104 PART NO. 745-1300-000			1	REF		REF				71 5-13		R4	
1505	1321	P	H	5905-990-5147				RESISTOR, FIXED, FILM 1620 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D1621F, 95104 PART NO. 705-7106-000			1	REF		REF				71 5-13		R5	
1506		P	H	5905-615-7734				RESISTOR, FIXED, FILM 1960 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D1961F, 95104 PART NO. 705-7110-000			1	34		4	102			71 5-13		R7	
1507		P	H	5905-581-1018				RESISTOR, FIXED, FILM 9090 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D9091F, 95104 PART NO. 705-7142-000			2	4		3	12			71 5-13		R3, 6	
1508	1436	P	H	5960-833-8716				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			34	REF		REF				71 5-13, 14		CR1-3, 9, 11- 18, 24-36, 39-46, 55	
1509	1086	P	H	5960-754-7074				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N751A, 95104 PART NO. 353-2710-000			1	REF		REF				71 5-13		CR10	
1510	1089	P	H	5960-752-0150				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N697, 95104 PART NO. 352-0197-000 CONTROL SUBASSEMBLY 549-4936-000			1	REF		REF				71 5-14		Q3	
1511	1484	P	H	5910-850-2657				CAPACITOR, FIXED, ELECTROLYTIC, 15 UF,			3	REF		REF				71 5-15,		C2, 4, 5	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1512	1436	P	H		5960-833-8716						11	REF		REF			17			CR5, 6, 8 20, 22, 23, 37, 38, 54, 56, 58.	
1513	1087	P	H		5960-852-5170						4	REF		REF			71 5-15, 17			CR4, 7, 19 21,	
1514	1089	P	H		5960-752-0150						3	REF		REF			71 5-15			Q2, 4, 5	
1515		P	H		5935-259-4630						1	4		2	12		71 5-18			P2	
1516	1487	P	H		5935-854-8853						1	REF		REF			71 5-18			P1	
1517		P	H		5915-899-1720						1	2		1	6		71 5-4			FL1	
1518	1459	P	H		5945-854-8546						7	REF		REF			71 5-4			K6-12	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			FIGURE NUMBER	ILLUSTRATIONS		
1519	1492	P	H		5945-880-3376						8	REF		REF			71 5-4		K1-5, 13-15			
1520	1436	P	H		5960-833-8716						4	REF		REF			71 5-5		CR1-4			
1521		P	H		5960-902-7093						1	1		1		3	71 5-5					
1522		P	H		5910-879-3479						2	2		1		6	71 5-4		C1, 2			
1523	1436	P	H		1960-833-8716						37	REF		REF			71 5-4, 5		CR1-34, 39-41			
1524	1487	P	H		5935-854-8853						2	REF		REF			71 5-4		P1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1525	1454	P	H		5915-903-1951							1	REF		REF			71 5-1		FL1	
1526		P	H		5905-852-8232							1	1		1	3		71 5-1		R1	
1527		P	H		5960-850-9564							1	1		1	3		71		CR1 5-1	
1528		P	H		5935-854-8855							2	2		1	6		71 5-1		J8, 9	
1529		P	H		5935-553-2789							1	1		1	3		71 5-2		J1	
1530		P	H		5935-729-7301							3	4		2	12		71 5-2		J4, 5, 7	
1532	1455	P	H		5935-854-8854							3	REF		REF			71 5-2		J2, 3, 6	
1532	1456	P	H		5935-725-6099							2	REF		REF			71 5-1		J10, 11	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O. 1 2 3			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L															
1533		P	H		5935-892-9805				NO. DEF50S, 95104 PART NO. 371-0044-000 CONNECTOR, ELECTRICAL 78 PINS, 71468 PART NO. DPD78-34P1AA101, 95104 PART NO. 370-2064-000 CONTROL SUBASSEMBLY 528-0129-004			1	1		1		3	71 5-1		P1		
1534		P	H		5910-727-7049				CAPACITOR, FIXED ELECTROLYTIC, 0.22 UF, 20% TOL, 35 VDCW, 72982 PART NO. 900-506B070224M, 95104 PART NO. 184-7407-000			1	1		1		3	71 5-19		C3		
1535		P	H		5910-682-3616				CAPACITOR, FIXED, ELECTROLYTIC, 1 UF, PLUS 30% MINUS 15%, 100 VDCW, 81349 PART NO. CL268N010SN3, 95104 PART NO. 184-7177-000			1	1		1		3	71 5-19		C2		
1536		P	H		5910-752-4288				CAPACITOR, FIXED, ELECTROLYTIC, 4.7 UF 20% TOL, 10 VDCW, 72982 PART NO. 900-506C0C0475M, 95104 PART NO. 184-7379-000			1	1		1		3	71 5-19		C7		
1537		P	H		5910-814-5869				CAPACITOR, FIXED, ELECTROLYTIC, 6.8 UF, 20% TOL, 35 VDCW, 05397 PART NO. K6R8J35S, 95104 PART NO. 184-7693-000			1	61		7		183	71 5-19		C6		
1538	5651	P	H		5910-752-4249				CAPACITOR, FIXED, ELECTROLYTIC, 22 UF,			2	REF		REF			71 5-19		C10, 14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1539			P	H	5910-722-4117						1	3				2		9	71 5-19		C5	
1540	56		P	H	5910-805-3621						1	REF				REF			71 5-19		C13	
1541			P	H	5910-777-6922						2	2				1		6	71 5-19		C1, 4	
1542			P	H	5910-678-5471						1	1				1		3	71 5-19		C9	
1543			P	H	5910-805-1014						1	3				3		9	71 5-19		C8	
1544			P	H	5910-080-1746						1	1				1		3	71 5-19		C11	
1545			P	H	5950-880-6036						1	1				1		3	71		L4	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
1546		P	H		5950-880-6048						1	1				1		3	71 5-19		L3		
1547		P	H		5950-518-2174						2	2				1		6	71 5-19		L1, 2		
1548		P	H		5960-716-9426						1	1				1		4	71 5-19				
1549	190	P	H		5905-256-0409						1	REF				REF			71 5-19		R2		
1550	1028	P	H		5905-195-6799						1	REF				REF			71 5-19		R11		
1551	302	P	H		5905-195-6791						1	REF				REF			71 5-19		R14		
1552	286	P	H		5905-195-6806						1	REF				REF			71 5-19		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1553	287	P	H		5905-279-1876						1	REF		REF			71 5-19		R8		
1554	609	P	H		5905-195-6502						1	REF		REF			71 5-19		R7		
1555	574	P	H		5905-279-3505						1	REF		REF			71 5-19		R6		
1556	518	P	H		5905-185-8518						1	REF		REF			71 5-19		R12		
1557	612	P	H		5905-190-8876						1	REF		REF			71 5-19		R9		
1558	648	P	H		5905-171-2004						2	REF		REF			71 5-19		R3, 5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W A N C E P E R E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS									
1559		P	H		5905-192-3981						1	3		2	9	71 5-19		R10									
1560		P	H		5905-754-9142						1	1		1	3	71 5-19		R1									
1561		P	H		5960-557-6118						1	229		13	687	71 5-19		CR3									
1562	38	P	H		5905-617-8804						1	REF		REF		71 5-19		CR1									
1563		P	H		5960-848-8098						1	2		2	6	71 5-19		CR2									
1564		P	H		5960-846-4923						1	2		2	6	71 5-19		CR4									
1565		P	H		5960-877-7244						2	3		2	12	71 5-19		Q1, 2									
1566		P	H		5950-907-7601						1	1		1	3	71 5-19		T1									

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1568			P	H	5999-887-0746						96	715		17		715	71				
																	5-19				
1568			P	H	6105-902-8490						1	1		1		2	71			B1	
																	5-7				
1569	1459		P	H	5945-854-8546						2	REF		REF			71			K2, 3	
																	5-7				
1570	1492		P	H	5915-880-3376						2	REF		REF			71			K1, 4	
																	5-7				
1571			P	H	5945-794-7806						2	2		1		6	71				
																	5-7				
1572			P	H	5915-919-8671						1	1		1		3	71			FL1	
																	5-6				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y D E C A Y		12 A L L O W A N C E P E R E M I T T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
1573	1436	P	H		5960-833-8716						20	REF		REF			71 5-6, 9		CR1-20		
1574		P	H								2	2		1	6		71 5-6				
1575		P	H		5930-907-3456						1	1		1	5		71 5-8		S1A		
1576		P	H		3120-908-0240						3	4		1	12		71 5-8				
1577		P	H		5930-907-3455						1	1		1	5		71 5-8				
1578		P	H		5930-919-7040						1	1		1	5		71 5-8				
1579		P	H		5930-907-3457						1	1		1	5		71 5-8		S1B		
1580		P	H		5930-907-3466						2	2		1	10		71 5-8		S1C, S3A		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
		DESCRIPTION													NUMBER	NUMBER							
1581		P	H		5930-919-7085						1	2			1		10	71 5-8					
1582	1515	P	H		5935-259-4630						1	REF		REF				71 5-7					
1583		P	H		5915-902-8499						1	1		1		3	71 5-23		Z1				
1584		P	H		5905-702-5348						1	2		1		6	71 5-23		R7				
1585		P	H		5950-907-7602						1	2		1		6	71 5-23		T1				
1586	126	P	H		5910-080-1718						1	REF		REF			71		C9				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1587		P	H		5910-740-2290						1	7			3	21	71 5-22		C10		
1588		P	H		5910-730-4440						2	6			1	18	71 5-22		C7, 8		
1589		P	H		5910-519-6991						1	2			1	6	71 5-21		C5		
1590		P	H		5910-666-6989						1	4			2	12	71 5-22		C3		
1591	832	P	H		5910-553-5036						1	REF			REF		71 5-22		C4		
1592	1503	P	H		5340-903-5438						1	REF			REF		71 5-21				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
1593	258	P	H		5905-279-1897				545-8405-002 RESISTOR, FIXED, COMPOSITION, 56 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF560K, 95104 PART NO. 745-1300-000			1	REF		REF			71 5-21		R13			
1594	157	P	H		5905-190-8889				RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF101K, 95104 PART NO. 745-1310-000			1	REF		REF			71 5-21		R5			
1595	262	P	H		5905-279-6550				RESISTOR, FIXED COMPOSITION, 390 OHMS: 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF391K, 95104 PART NO: 745-1335-000			1	REF		REF			71 5-21		R6			
1596	285	P	H		5905-192-3973				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF471K, 95104 PART NO. 745-1338-000			1	REF		REF			71 5-21		R11			
1597		P	H		5905-279-3503				RESISTOR, FIXED, COMPOSITION, 6800 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF682K, 95104 PART NO. 745-1387-000			1	23		6	70		71 5-21		R19			
1598	518	P	H		5905-185-8518				RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF103K, 95104 PART NO. 745-1394-000			5	REF		REF			71 5-,2		R1, 4, 10 17, 20			
1599	648	P	H		5905-171-2004				RESISTOR, FIXED, COMPOSITION, 22,000			1	REF		REF			71 5-21		R21			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
1600	1318	P	H		5905-279-3499						1	REF						71 5-21		R18			
1601	577	P	H		5905-195-6761						2	REF						71 5-21		R2, 3			
1602		P	H		5905-192-0662						2	6		2		18		71 5-21		R9, 14			
1603		P	H		5905-192-3982						1	2		1		6		71 5-21		R12			
1604		P	H		5960-072-4962						1	2		1		6		71 5-21		CR8			
1605	1436	P	H		5960-833-8716						4	REF						71 5-21		CR5-7, 9			
1606	1089	P	H		5960-752-0150						2	REF						71 5-21		Q6, 7			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1607	525	P	H		5960-725-5321						1	REF		REF			71 5-21		Q5		
1608	1501	P	H		5960-950-3449						3	REF		REF			71 5-21		Q1, 2, 4		
1609		P	H		5960-813-9360						1	2		1		8	71 5-21		Q3		
1610		P	H		5910-087-0590						2	4		1		12	71 5-25		C1, 2		
1611		P	H		5910-806-4348						1	6		2		18	71 5-21		C11		
1612	518	P	H		5910-087-0590						2	REF		REF			71		R15, 16		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			FIGURE NUMBER	ILLUSTRATIONS		
1613	658	P	H		5960-060-7587						4	REF		REF			71 5-23		CR10-13			
-1614	1436	P	H		5960-833-8716						4	REF		REF			71 5-23		CR1-4			
1615		P	H		5935-173-7748						1	2		1	6	71			P1			
1616		P	H		5940-549-6937						6	18		1	18	71 5-23						
1617		P	H		5940-518-8734						6	18		1	18	71 5-23						
1618	1610	P	H		5910-087-0590						2	REF		REF			71 5-23		C1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS					
1619	1611	P	H		5910-806-4348							1	REF		REF						C11		
1620	518	P	H		5905-185-8518							2	REF		REF						R15, 16		
1621	1436	P	H		5960-833-8716							4	REF		REF						CR1-4		
1622	1615	P	H		5935-173-7748							1	REF		REF				71 5-23		P1		
1623	1616	P	H		5940-549-6937							6	REF		REF				71				
1624	1617	P	H		5940-518-8734							6	REF		REF				71 5-23				
1625		P	H		6625-908-0360							1	1		1		2	71			51		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1626	1517	P	H		5915-899-17201						1	REF		REF			5-11		FL1		
1627		P	H		5950-729-2126						1	1		1	2		71 5-12		L2		
1628		P	H		5950-937-3027						1	1		1	2		71 5-12		L2		
1629		P	H		5945-850-6533						1	1		1	3		71 5-11		K6		
1630	1459	P	H		5945-854-8546						5	REF		REF			71 5-11		K1-5		
1631		P	H		15950-907-7600						1	1		1	3		71 15-11		T1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
1632	1588	P	H		5910-730-4440						2	REF		REF					71 5-10		C4, 7	
1633		P	H		5910-082-5040						2	2		1		6			71 5-10		C5, 6	
1634	1590	P	H		5910-666-6989						1	REF		REF					71 5-10		C8	
1635		P	H		5910-842-7626						1	1		1		3			71 5-10		C2	
1636	508	P	H		5910-543-9578						1	REF		REF					71 5-10		C3	
1637		P	H		5910-818-9760						1	3		2		9			71 5-10		C1	
1638	1503	P	H		5340-903-5438						1	REF		REF					71 5-10			
1639		P	H		5950-755-0222						1	1		1		3			71		L1	

1 S E Q U E N C E N U M B E R	2 F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
1640			P	H	5905-252-4018						1	3			1		9	71 5-10		R7			
1641			P	H	5905-299-2049						1	4			4		12	71 5-10					
1642	853		P	H	5905-195-6453						1	REF		REF				71 5-10		R6			
1643	613		P	H	5905-190-8879						1	REF		REF				71 5-10		R5			
1644	1318		P	H	5905-279-3499						1	REF		REF				71 5-10		R2			
1645	577		P	H	5905-195-6761						1	REF		REF				71 5-10		R3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
1646		P	H		5905-665-4947						1	1			1		3	71 5-10		R4		
1647		P	H		5905-577-3719						1	3			2		9	71 5-10		R1		
1648	1436	P	H		5960-833-8716						10	REF		REF				71 5-10		CR1-10		
1649		P	H		5960-752-0432						1	2			2		8	71 5-10		Q1		
1650	1089	P	H		5960-752-0150						1	REF		REF				71 5-10		Q2		
1651	1515	P	H		5935-259-4630						1	REF		REF				71 5-11		P1		
1652	1616	P	H		5940-549-6937						6	REF		REF				71 5-11				
1653	1617	P	H		5940-518-8734						6	REF		REF				71 5-11				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1654	604	P	H		5905-279-3519																
1655	834	P	H		5905-252-5198																
1656	1446	P	H		5905-950-3287																
1657	1436	P	H		5960-833-8716																
1658	1448	P	H		5960-058-0153																
1659	1449	P	H		5805-985-9094																

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1660	1451	P	H		5935-2S9-4142						1	REF		REF			71 5-20		P1		
1661		P	H		5820-967-2668						1	1		1		4	72 4-2				
1662		P	H		5985-903-3074						1	1		1		2	72 4-2				
1663		P	H		5340-87-5492						1	1		1		4	72 4-2				
1664		P	H		5821-075-5393						1	1		1		4	72 4-2				
1665		P	H		59013-684-200431						1	1		1		3	72 4-2				
1666		P	H		6240-179-1811						1	1		1		50	72 4-2				
1667		P	H		5905-299-2004						1	5		2		15	72 4-2		R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D 1 5 D A Y			12 A L L O W A N C E P E R			13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE	ITEM	NUMBER							
1668		P	H		5995-703-1974				CABLE ASSEMBLY 95104 PART NO. 544-0106-000			1	1			1		5	72								
1669		P	H		5995-826-2584I				CABLE ASSEMBLY, RF 98278 PART NO. 30-181-11, 95104 PART NO. 426-1673-000			1	1			1		5	72 4-2								
1670		P	H		5821-691-6227				CONNECTOR, ELECTRICAL 95104 PART NO. 544-0090-002			1	1			1		3	72 4-2								
1671		P	H		5935-721-2306				CONNECTOR, ELECTRICAL 32 PINS, 77820 PART NO. PB07C18-32P, 95104 PART NO. 371-1005-000			1	1			1		3	72 4-2		J3						
1672		P	H		5821-583-8031				COVER ASSEMBLY 544-0133-004 CONNECTOR, ELECTRICAL 7 PINS, 02660 PART NO. 178-2015, 95104 PART NO. 357-9279-000			1	1			1		3	72 4-2		TB1						
1673		P	H		5935-636-5905				CONNECTOR, ELECTRICAL 80058 PART NO. UG705U, 95104 PART NO. 357-9356-000 SELECT J1 AS REQUIRED FROM SEQUENCE NUMBERS 1674 THROUGH 1675 BELOW			1	1			1		3	72 4-2		J4						
1674		P	H		5935-787-3200				CONNECTOR, ELECTRICAL 7 PINS, 95238 PART NO. MM7-225GDSS. 95104 PART NO. 372-5319-000			1	1			1		3	72 4-2		J1						
1675		P	H		5935-557-1456				CONNECTOR, ELECTRICAL 7 PINS, 81312 PART			1	1			1		3	72 4-2		J1						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1681		P	H		5910-686-8955						3	29		6		87	72 4-3		C1		
1682		P	H		5910-191-3559						1	1		1		3	72 4-3		C9		
1683		P	H		9950-378-0624						1	1		1		3	72 4-3		C6		
1684		P	H		5950-387-0499						1	8		2		24	72 4--3		L2		
1685		P	H		5935-903-1926						1	1		1		3	72 4-3		P2		
16861		P	H		15935-500-6487						1	1		1		3	72 4-3		P2		
1687		P	H		5935-201-3511						1	1		1		3	72		J2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
1688			P	H	5935-951-9662						1	1		1		3	72 4-3	J1					
1689			P	H	5820-959-8158						3	3		1		3	72 4-3						
1690	286		P	H	5905-195-6806						1	REF		REF			72 4-3	R5					
1691			P	H	5905-556-6653						2	3		2		9	72 4-3	R6, 7					
1692			P	H	5905-660-380						1	1		1		3	72 4-3	R8					
1693			P	H	5960-815-8452						2	2		1		6	72 4-3						
1694			P	H	5960-685-8897						2	2		1		6	72 4-3	CR4-7					
1695			P	H	5950-683-8280						1	1		1		3	72 4-3						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
1696			P	H	5950-892-8354				COIL, RF 95104 PART NO. 543-5683-002			1	1		1		3	72 4-3				
1697			P	H	5950-892-8355				COIL, RF 95104 PART NO. 543-5675-002			1	1		1		3	72 4-3				
1698	1681		P	H	5910-686-8955				5820-657-0454 PLATE ASSEMBLY 543-5690-002			5	REF		REF			72 4-3		C1-4, 8		
1699			P	H	5910-686-8988				CAPACITOR, FIXED, MICA 510 UUF, 2% TOL, 300 VDCW, 14655 PART NO. 22HST5SEG, 95104 PART 912-1883-000			1	1		1		3	72 4-3		C7		
1700	1684		P	H	5950-387-0489				COIL, RF 500 UH INDUCTANCE. 10% TOL, 90526 PART NO. 240-0073-000. 95104 PART NO. 240-0073-000			2	REF		REF			72 4-3		L1, 3		
1701			P	H	5905-279-1734				RESISTOR, FIXED, COMPOSITION, 33 OHMS. 10% TOL, 1 WATT. 81349 PART NO. RC32GF330K, 95104 PART NO. 745-3289-000			1	2		2		6	72 4-3		R1 F		
1702	262		P	H	5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF391 K, 95104 PART NO. 745-1335-000			1	REF		REF			72 4-3		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1703		P	H		5905-615-8090						2	2			1		6	72 4-3		R26 3		
1704		P	H		5960-874-5447						3	3			1		9	72 4-3		CR1-3		
1705		P	H		5910-688-3241						4	4			1		2	72 4-2		C2-5		
1706		P	H		4140-585-6017						1	1			1		1	72 4-2		B4		
1707		P	H		5930-683-5872						1	1			1		5	72 4-2		S13		
1708		P	H		5930-682-0449						1	1			1		5	72 4-2		S12		
1709		P	H		5820-657-0484 5821-705-0740																	
											1	1			1		3	72 4-2				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E M I T T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE		ITEM
1710		P	H		5910-645-0558						1	1		1		2	72 4-2		C1			
1711		P	H		5930-705-0880						1	1		1		5	72 4-2		S5 4-2			
1712		P	H		5930-705-0882						2	2		1		10	72 4-2		S10, 14			
1713		P	H		5930-705-0879						1	1		1		5	72 4-2		S7			
1714		P	H		5930-705-0879						1	1		1		5	72 4-2		S4			
1715		P	H		5905-683-5571						1	1		1		3	72 4-2		R2			
1716		P	H		5821-683-5948						1	1		1		3	72 4-2					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	R		S
1717		P	H		5935-969-4129				CONTACT, ELECTRICAL ON 95104 PART NO. 544-2665-002			1	1		1		3	72 4-2					
1718		P	H		5821-615-6324				ROTOR ASSEMBLY 95104 PART NO. 543-9965-002			1	1		1		2	72 4-2					
1719		P	H		5820-070-9589				ROTOR, SWITCH 95104 PART NO. 543-9958-002			1	1		1		5	72 4-2					
1720		P	H		5930-082-7879				SWITCH ASSEMBLY 95104 PART NO. 548-1337-002			1	1		1		5	72 4-2					
1721		P	H		5930-687-0713				SELECT S1 AS REQUIRED FROM SEQUENCE NUMBERS 1721 THROUGH 1722 BELOW SWITCH PUSH TWO CIRCUIT, ONE NORMALLY OPEN, ONE NORMALLY CLOSED, 80411 PART NO. 260-0024-000, 95104 PART NO. 266-3118-000			1	1		1		5	72 4-2		S1			
1722		P	H		5930-646-4619				SWITCH, SENSITIVE SPDT CONTACT ARRANGEMENT, 81349 95104 PART NO. MS25085-1, 95104 PART NO. 260-2293-000			1	1		1		5	72 4-2		S1			
1723		P	H		5821-705-0758 6625-857-0605				STRAP, SOLDERED 544-0104-002 CONTACT, ELECTRICAL 95104 PART NO. 544-0098-002			1	1		1		3	72 4-2					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
1724			P	H	5821-818-6019 5910-678-5306				ANTENNA COUPLER CONTROL 522-2474-004 AMPLIFIER 528-0023-005 CAPACITOR, FIXED, CERAMIC, 10,000 UUF. PLUS 100% MINUS 20%. 500 VDCW, 71590 PART NO. DA049-123B, 95104 PART NO. 913-3159-000			1	4		1	12	73 4-7		C14			
1725			P	H	5910-995-2238				CAPACITOR, FIXED, ELECTROLYTIC, 0.8 UF. 20% TOL, 30 VDCW. 81349 PART NO. CL33CHOR8MN3, 95104 PART NO. 184-7285-000			1	2		1	6	73 4-7		C15			
1726			P	H	5945-615-7194				CHOPPER, ELECTRONIC 7 PIN CONTACT ARRANGEMENT, 81541 PART NO. 302-22. 95104 PART NO. 354-1022-000			1	2		1	6	73 4-7		G1			
1727	510		P	H	5905-190-8883				RESISTOR, FIXED, COMPOSITION, 10 OHMS. 10% TOL, 1/2 WATT, 81349 PART NO. RC20OGFIOOK, 95104 PART NO. 745-1268-000			1	REF		REF		73 4-7		R25			
1728	875		P	H	5905-171-1998				RESISTOR, FIXED, COMPOSITION, 33,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF333K, 95104 PART NO. 745-1415-000 SELECT R13 AS REQUIRED FROM SEQUENCE NUMBERS			1	REF		REF		73 4-7		R26			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
1729		P	H		5905-249-3656				1729 THROUGH 1744 BELOW RESISTOR, FIXED, COMPOSITION, 62,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF623J 95104 PART NO. 745-1427-000			1	2		9		3	73 4-7		R13		
1730		P	H		5905-249-3661				RESISTOR, FIXED, COMPOSITION, 68,000 OHMS 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF683J, 95104 PART NO. 745-1428-000			1	3		2		9	73 4-7		R13		
1731		P	H		5905-279-3495				RESISTOR, FIXED, COMPOSITION 7582.000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF75823J, 95104 PART NO. 745-1431-000			1	2		1		6	73 4-7		R13		
1732		P	H		5905-279-3494				RESISTOR, FIXED, COMPOSITION, 82,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF823J, 95104 PART NO. 745-1432-000			1	2		1		6	73 4-7		R13		
1733		P	H		5905-254-76100				RESISTOR, FIXED, COMPOSITION, 91,000 OHMS, 5% TOL. 1/2 WATT, 81349 PART NO. RC20OGF9134J, 95104 PART NO. 745-1434-000			1	1		3		6	73 4-7		R13		
1734		P	H		5905-2195-16761				RESISTOR, FIXED, COMPOSITION 100,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF104J, 95104 PART NO0 745-1435-000			1	2		1		6	73 4-7		R13		
1735		P	H		5905-279-1867				RESISTOR, FIXED,			1	2		1		6	73		R13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
1736			P	H	5905-192-3981						1	2		1		6	73 4-7		R13	
1737			P	H	5905-249-9468						1	3		2		9	73 4-7		R13	
1738			P	H	5905-279-2522						1	2		1		6	73 4-7		R13	
1739			P	H	5905-279-1871						1	2		1		6	73 4-7		R13	
1740			P	H	5905-192-0660						1	2		1		6	73 4-7		R13	
1741			P	H	5905-171-2003						1	3		2		9	73 4-7		R13	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
1742		P	H		5905-192-0667						1	2			1		6	73 4-7		R13			
1743		P	H		5905-279-2521						1	2			1		6	73 4-7					
1744		P	H		5905-190-8865						1	2			1		6	73 4-7		R13			
1745		P	H		5905-893-9225						1	2			1		6	73 4-7		RT2			
1746		P	H		5905-725-8045						1	1			1		3	73 4-7		R17			
1747		P	H		5905-725-8044						1	2			1		6	73 4-7		R5			
1748		P	H		5950-615-0441						1	1			1		2	73 4-7		MR1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE NUMBER	
1749			P	H	5960-755-4349				PART NO. 674-5009-000 SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1156. 95104 PART NO. 352-0036-000			2	4		1	16	73 4-7		Q4, 5			
1750			P	H	.5960-724-8066				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1448. 95104 PART NO. 352-0115-000			1	2		1	8	73 4-7		06			
1751			P	H	5950-615-5101				TRANSFORMER, POWER 73386 PART NO. 289501 95104 PART NO. 674-1018-000			1	2	16		73	T1					
1752			P	H	5905-682-1086				RESISTOR, PRESSED 95104 PART NO. 544-9060-002			1	2		1	6	73 4-7		R1			
1753			P	H	5905-083-4666				RESISTOR, FIXED, COMPOSITION, 4700 OHMS, 10% TOL, 4 WATTS 95104 PART NO. 544-9059-002			1	2		1	6	73 4-7					
1754			P	H	5905-725-1099				RESISTOR, FIXED, COMPOSITION, 4700 OHMS, 10% TOL, 4 WATTS, 01121 PART NO. HM4721, 95104 PART NO. 745-9725-000			1	2		1	6	73 4-7					
					5821-818-6048				AMPLIFIER 546-7852-005													
1755			P	H	6145-814-1209				CABLE, RF 80058 PART NO. RG196AU 95104 PART NO. 425-1004-000	FT		3	460		460	2300	73 4-7					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	FIGURE		ITEM	NUMBER	
1756	1724	P	H	5910-678-5306				CAPACITOR, FIXED CERAMIC, 109000 UUF. PLUS 100% MINUS 20%, 500 VDCW, 71590 PART NO. DAO049-123B8 95104 PART NO. 913-3159-000			1	REF		REF				73 4-7		C3		
1757	1611	P	H	5910-806-4348				CAPACITOR, FIXED, ELECTROLYTIC, 0.5 UF, PLUS 30% MINUS 15%, 100 VDCW, 81349 PART NO. CL23CNOR5SN3. 95104 PART NO. 184-7294-000			2	REF		REF				73 4-7		C11, 12		
1758		P	H	5910-615-9808				CAPACITOR, FIXED, ELECTROLYTIC, 2.5 UF, PLUS 75% MINUS 15%. 30 VDCW., 81349 PART NO. CL23CH2R5TN3, 95104 PART NO. 184-7279-000			3	6		1	18			73 4-7		C4, 8, 13		
1759		P	H	5910-952-2960				CAPACITOR, FIXED, ELECTROLYTIC, 3 UF. PLUS 75% MINUS 15%. 50 VDCW, 81349 PART NO. CL21CJ030TP3. 95104 PART NO. 184-7287-000			1	2		1	6			73 4-7		C10		
1760		P	H	5910-879-6825				CAPACITOR, FIXED, ELECTROLYTIC, 4.5 UF. PLUS 75% MINUS 15%, 30 VDCW, 81349 PART NO. CL21CH4R5TP3, 95104 PART NO. 184-7276-000			1	2		1	6			73 4-7		C5		
1761		P	H	5910-889-4650				CAPACITOR, FIXED, ELECTROLYTIC, 8 UF. PLUS 75% MINUS 15%. 60 VDCW, 81349 PART NO. CL21CK080TP3. 95104 PART NO. 184-7280-000			1	2		1	6			73 4-7		C9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2					3	DS				GS	DM		I T E M N U M B E R	R E F E R E N C E S Y M B O L
1762		P	H		5910-982-0389						1	2			1	6	73 4-7		C6			
1763		P	H		5910-698-0389						1	2			1	6	73 4-7		C7			
1764		P	H		5910-668-6149						1	2			1	6	73 4-7		C2			
1765		P	H		5950-810-5304						1	2			1	6	73 4-7					
1766		P	H		5950-829--1532						1	2			1	6	73 4-7		L1			
1767	286	P	H		5905-195-6806						1	REF			REF		73 4-7		R4			
1768	1414	P	H		5905-195-6814						1	REF			REF		73 4-7		R18			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		ILLUSTRATIONS																				
1769	287	P	H		5905-171-2009						1	REF		REF					73 4-7		R22	
1770		P	H		5905-279-1880						1	8		5	24				73 4-7		R12	
1771	609	P	H		5905-195-6502						1	REF		REF					73 4-7		R15	
1772	574	P	H		5905-279-3505						2	REF		REF					73 4-7		R10, 23	
1773		P	H		5905-299-2037						2	6		2	18				73 4-7		R19, 20	
1774		P	H		5905-299-2036						1	2		1	6				73 4-7		R16	
1775	612	P	H		5905-190-8876						1	REF		REF					73 4-7		R11	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1776			P	H	15905-299-2019						1	3			2		9	73 4-7		R8	
1777			P	H	5905-254-9201						1	12			4		36	73 4-7		R7	
1778	577		P	H	5905-195-6761						1	REF			REF			73 4-7		R2	
1779	1559		P	H	5905-192-3981						1	REF			REF			73 4-7		R6	
1780	1602		P	H	5905-192-0662						1	REF			REF			73 4-7		R3	
1781	13431		P	H	15905-577-6736						1	REF			REF			73 4-7		R2	
1782	176		P	H	5905-615-1617						1	REF			REF			73 4-7		RT7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
1783	814	P	H		5960-556-2091						1	REF			REF			73 4-7		CR4			
1784		P	H		5960-501-1854						3	6			1	18		73 4-7		CR-3			
1785		P	H		5960-577-6085						4	11			1	33		73 4-7					
1786		P	H		5960-845-6455						3	6			REF	REF		73 4-7					
					5935-843-6016																		
1787		P	H		5935-752-2974						3	14			1	14		73 4-7					
1788	1567	P	H		5999-887-0746						92	REF			REF			73 4-7					
1789					5999-887-0745						2	4			4			73 4-7					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
1790			P	H	5821-700-0490 5340-902-9041							1	2			1		4			73 4-7	
1791	1681		P	H	5910-686-8955							9	REF		REF							73 C52-60 4-3
1792			P	H	5910-837-0544							1	1			1		3				73 4-5 C61
1793			P	H	5910-683-8003							1	1			1		3				73 4-5 C51
1794	1684		P	H	5950-387-0489							2	REF		REF							73 4-5 L26, 27
1795			P	H	5935-721-2307							3	3			1		9				73 4-5 J6-8
1796			P	H	5935-861-7236							1	1			1		3				73 4-5 J20

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
1797			P	H	5935-810-3767							4	10		2		30	73 4-5		J1-4		
1798	282		P	H	5945-615-1477							1	REF		REF			73 4-5		K1		
1799			P	H	5945-842-6646							1	1		1		3	73 4-5		K2		
1800			P	H	5905-299-2029							2	3		2		9	73 4-5		R4, 10		
1801			P	H	5905-542-7669							1	4		1		12	73 4-5		R12		
1802	713		P	H	5905-542-7762							1	REF		REF			73 4-5		R11		
1803			P	H	5905-577-6733							1	3		2		9	73 4-5		R11		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL				
1804	1321	P	H		5905-990-5147						1	REF							73 4-5		R13		
1805		P	H		5905-615-7718						1	3		2		9			73 4-5		R8		
1806		P	H		5905-583-6885						1	15		2		45			73 4-5		R6		
1807		P	H		5905-583-6902,						1	2		2		6			73 4-5		R14		
1808		P	H		5905-615-7714						1	3		2		9			73 4-5		R19		
1809	581	P	H		5905-556-3772						1	REF		REF					73 4-5		R7		
1810	1507	P	H		5905-581-1018						1	REF		REF					73 4-5		R16		
1811	1691	P	H		5905-556-6653						1	REF		REF								R15	

1 S E Q U E N C E N U M B E R	2 F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & M A I N T E N A N C E S O U R C E & A B C D				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L 1 2 3			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S F I G U R E N U M B E R		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM																	
1812		P	H		5905-681-8847						2	2		1		6			R3, 9		
1813		P	H		5905-577-5703						1	1		1	3	73 4-5			R17		
1814		P	H		5905-615-6489						2	3		2	9	73 4-5			R, 2		
1815		P	H		5905-61586-6434						1	4		1	12	73 4-5			T1		
1816		P	H		5935-687-1885						1	1		1	3	73 4-5			JS		
1817		P	H		5935-683-5144						2	2		1	6	73 4-5			J10, 11		
1818	1456	P	H		5935-725-6099						1	REF		REF		73			J9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
1819	1787	P	H		5895-924-0368 5935-752-2974						8	REF		REF		4-5 73 4-7				
1820		P	H		5910-270-3034						2	10		3		73 4-5		C62, 63		
1821		P	H		5910-544-6494						50	66	6	200		73 4-5				
1822		P	H		5950-686-6339						5	5		1		73 4-5				
1823		P	H		5950-796-3120						19	48		4		73 4-5				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM				
1831	1676	P	H		5910-583-4506						1	REF		REF			73 4-8		C7			
1832	1681	P	H		5910-686-8955						2	REF		REF			73 4-8		C6, 9			
1833		P	H		5910-810-8226						1	3		1	9		73 4-8		C10			
1834		P	H		5910-649-0281						1	3		1	9		73 4-8		C8			
1835		P	H		5950-503-5367						2	6		6	18		73 4-8		L1, 2			
1836	152	P	H		5950-686-6425						1	REF		REF			73 4-8		L4			
1837	1684	P	H		5950-387-0489						1	REF		REF			73 4-8		L3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
1838	258	P	H		5905-279-1897						2	REF		REF				73		R5, 6		
1839	577	P	H		5905-195-6761						2	REF		REF				73 4-8		R4,8		
1840		P	H		5905-702-0117						1	3		1		9		73 4-8		R7		
1841	1801	P	H		5905-542-7669						1	REF		REF				73 4-8		R1		
1842		P	H		5905-923-9731						1	3		1		9		73 4-8		R2		
1843		P	H		5905-802-7367						1	3		1		9		73 4-8		R3		
1844	1785	P	H		5960-S77-60B5						1	REF		REF				73 4-8		CR1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
18451567	P	H	5999-887-0746								36	REF		REF			73 4-8			
1846		P	H	5960-564-755							1	4		2	40		73 4-8	E1		
1847	215	P	H	5960-649-8665							1	REF			REF		73 4-8			
1848	216	P	H	5960-519-6952							1	REF		REF			73 4-8			
1849	218	P	H	5960-552-0236							1	REF		REF			73 4-8			
1850		P	H	5960-865-4500							1	3		1	30		73 4-8			
1851		P	H	6105-617-0806							1	1		1	2		73 4-6	81		
1852		P	H	5945-914-4263							2	2		1	6		73 4-6	K10 11		
1853		P	H	5945-615-8248							2	2		1	6		73	K1, 2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R	I L L U S T R A T I O N S			
1854	282	P	H		5945-615-1477				2C CONTACT ARRANGEMENT. 44038 PART NO. 515951. 95104 PART NO. 974-0449-000			1	REF		REF			4-6						
									RELAY. ARMATURE 4C CONTACT ARRANGEMENT. 99699 PART NO. 26SM12PFC4-155. 95104 PART NO. 974-0551-000			1	1		1	3		73 4-6		K7				
1855		P	H		5945-780-8564				RELAY, ARMATURE 4C CONTACT ARRANGEMENT. 01526 PART NO. 3SAH1023. 95104 PART NO. 974-0787-000			1	1		1	3		73 4-6		K9				
1856		P	H		5945-683-8158				RELAY. ARMATURE 4C CONTACT ARRANGEMENT. 99699 PART NO. 69SM12C. 95104 PART NO. 974-0653-000			3	3		1	9		73 4-6		K4-6				
1857	1233	P	H		5945-802-6699				RELAY. ARMATURE 4C CONTACT ARRANGEMENT, 95104 PART NO. 974-0731-000			1	REF		REF			73 4-6		K9				
1858		P	H		5945-615-8475				RELAY. THERMAL SPNO CONTACT ARRANGEMENT. 06151 PART NO. FR120SNO-115, 95104 PART NO. 402-0321-000			1	1		1	5		73 4-6		K3				
1859		P	H		5945-577-7046				RELAY. THERMAL 1A CONTACT ARRANGEMENT. 93929 PART NO. GT2839. 95104 PART NO. 402-0334-000			1	1		1	5		73 4-6		K8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
18610			P	H	15905-615-163241				SELECT R7, R8 AS REQUIRED FROM SEQUENCE NUMBERS 1860 THROUGH 1875 BELOW RESISTOR. FIXED. WIRE WOUND. 121 OHMS. 3% TOL. 3 WATTS. 91637 PART NO. RS2-121ROG. 95104 PART NO. 747-9670-000			2	2			1	6	73 4-6		R7, 8		
1861			P	H	5905-583-8964				RESISTOR. FIXED. WIRE WOUND. 133 OHMS. 3% TOL. 3 WATTS. 91637 PART NO. RS2-133ROG. 95104 PART NO. 747-9671-000			2	2			1	6	73 4-6		R7, 8		
1862			P	H	5905-548-7642				RESISTOR. FIXED. WIRE WOUND; 150 OHMS. 3% TOL. 3 WATTS. 91637 PART NO. RS2-150ROG, 95104 PART NO. 747-9660-000			2	2			1	6	73 4-6		R7, 8		
1863			P	H	5905-583-8960				RESISTOR. FIXED. WIRE WOUND. 196 OHMS, 3X TOL. 3 WATTS. 91637 PART NO. RS2-162ROG, 95104 PART NO. 747-9672-000			2	2			1	6	73 4-6		R7, 8		
1864			P	H	5905-583-8962				RESISTOR. FIXED, WIRE WOUND, 178 OHMS, 3% TOL. 3 WATTS. 91637 PART NO. RS2-178ROG 95104 PART NO. 747-9673-000			2	2			1	6	73 4-6		R7,8		
1865			P	H	5905-615-1619				RESISTOR FIXED WIRE WOUND, 196 OHMS. 3% TOL. 3 WATTS. 91637 PART NO. RS2-196ROG. 95104 PART NO. 747-9674-000			2	2			1	6	73 4-6		R7, 8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS				DM	ITEM N U M B E R	
1866		P	H		5905-615-1630						2	2		1		6	73 4-6		R7, 8	
1867		P	H		5905-615-1633						2	2		1		6	73 4-6		R7, 8	
1868		P	H		5905-583-8963						2	2		1		6	73 4-6		R7, 8	
1869		P	H		5905-583-8961						2	2		1		6	73 4-6		R7, 8	
1870		P	H		5905-615-1620						2	2		1		6	73 4-6		R7, 8	
1871		P	H		5905-615-1621						2	2		1		6	73 4-6		R7, 8	
1872		P	H		5905-583-8978						2	2		1		6	73 4-6		R7, 8	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K	5 D E S I G N A T I O N M O D E L		6 A B G S	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S	10 E Q U I P M E N T N U M B E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E D E S C R I P T I O N
		D	E		R	A						B	1	2	3	4	5				
1873		P	H	5905-615-1611			PART NO. RS2-383ROG, 95104 PART NO. 747-9681-000 RESISTOR. FIXED. WIRE WOUND. 422 OHMS. 3% TOL, 3 WATTS. 91637 PART NO. RS2-422ROG. 95104 PART NO. 747-9682-000			2	2		1	6	73 4-6	R7. 8					
1874		P	H	5905-615-1602			RESISTOR. FIXED, WIRE WOUND. 464 OHMS. 3% TOL, 3 WATTS. 91637 PART NO. RS2-464ROG. 95104 PART NO. 747-9683-000			2	2		1	6	73 4-6	R7. 8					
1875		P	H	5905-615-1603			RESISTOR. FIXED. WIRE WOUND; 511 OHMS. 3% TOL. 3 WATTS, 9163J7 PART NO. RS2-511ROG. 95104 PART NO. 747-9684-000			2	2		1	6	73 4-6	R7 8					
1876		P	H	5905-080-5653			SELECT R2. R3 AS REQUIRED FROM SEQUENCE NUMBERS 1876 THROUGH 1874 BELOW RESISTOR. FIXED, WIRE WOUND. 450 OHMS. 5% TOL. 565 WATTS. 91637 HS5-450ROH. 95104 PART NO. 747-5453-000 i			2	2		1	6	73 4-6	R2. 3					
18177		P	H	5905-615-6677			RESISTOR. FIXED, WIRE WOUND. 510 OHMS. 3% TOL. 5 WATTS. 00213 PART NO. * 15505510-3PCT. 95104 PART NO. 747-9727-000			2	2		1	6	73 4-6	R2, 3					
1878		P	H	5905-615-6681			RESISTOR. FIXED. WIRE WOUND. 560 OHMS. 3% TOL. 5 WATTS. 00213			2	2		1	6	73 4-6	R 3					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L															
1879		P	H		5905-615-1622				PART NO; 1550S560-3PCT. 95104 PART NO.* 747-9701-000 RESISTOR. FIXED. WIRE WOUND. 620 OHMS. 3% TOL. 5 WATTS. 00213 PART NO. 1550S680-3PCT. 95104 PART NO. 747-9728-000 RESISTOR, FIXED WIRE WOUND, 680 OHMS, 3% TOL, 5 WATTS, 00213 PART NO. 1550S680-3PCT. 95104 PART NO. 747-9729-000 RESISTOR, FIXED. WIRE WOUND. 750 OHMS. 3% TOL. 5 WATTS. 00213 PART NO. 1550S750-3PCT. 95104 PART NO. 747-9730-000 RESISTOR. FIXED. WIRE WOUND. 830 OHMS. 3% % TOL. 5 WATTS. 00213 PART NO. 1550S750-3PCT. 95104 PART NO. 747-9422-000 RESISTOR, FIXED WIRE WOUND, 910 OHMS 3% TOL, 5 WATTS, 00213 PART NO; 1550S910-3PCT. 95104 PART NO. 747-9731-000 RESISTOR. FIXED. WIRE WOUND. 100 OHMS. 3% TOL, 5 WATTS. 00213 PART NO 1550S5100-3PCT. 95104 PART NO. 747-9396-000			2	2	1	6	73 4-6	R2, 3					
1880		P	H		5905-892-7234																	
1881		P	H		5905-583-8975																	
1882		P	H		5905-173-9881																	
1883		P	H		5905-615-1716																	
1884		P	H		5905-644-94a2																	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
1885	P	H			5905-975-11341						1	2		6		6	73 4-6			
1886;	1561	P	H		5960-557-6118						8	REF		REF			73 4-6		CR1. 2. 6, 8. 12-15	
1887		P	H		5905-279-3519						2	3		2		9	73 4-6		C1, 2	
1888	604	P	H		5905-279-3519						1	REF		REF			73 4-6		R4	
1889		P	H		590-583-0897						6	11		2		33	73 4-6		CR3-5,7, 9, 10	
1890		P	H		5325-960-5231						4	8		2		8	73 4-6			
1891		P	H		5995-907-6529						1	1		1		5	73			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1892	1451	P	H		5935-259-41421							1		REF		REF	4-6 73 4-6		P1		
1893		P	H		5930-919-7765						1	1		1		5	73 4-6				
1894		P	H		5930-083-9564						1	1		1		5	73 4-6		S2		
1895		P	H		5930-083-9563						1	1		1		5	73 4-6		S3		
1896		P	H		5930-083-9562						1	1		1		5	73 4-6		S2		
1897		P	H		5930-908-1994						1	1				5	73 4-6		S5		
1898		P	H		5930-069-62171						1	1		1		5	73 4-6		S1		
																				A35	

758-2951-001

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
1899		P	H	5935-543-8565				CONNECTOR. ELECTRICAL 10 PINS: 77820 PART NO. PT02A12-10S. 95104 PART NO. 371-2116-000			1	1		1		3			J2			
1900		P	H	5935-647-3503				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PT02A14-19P 95104 PART NO. 371-2051-000			1	REF		REF					J1			
1901		P	H	9320-926-3948				GASKET, RUBBER 95104 PART NO. 516-0507-010			1	2		1		10						
1902		P	H	9320-926-3949				GASKET, RUBBER 95104 PART NO. 516-0507-011			1	2		1		10						
1903		P	H	5970-937-4037				INSULATION 95104 PART NO. 516-0507-020			1	2		1		2						
1904		P	H	5340-921-3691				LATCH 83014 PART NO. H340-1-050-1-125			4	8		1		24						
1905	P		H	5310-722-8713				POST, ELECTRICAL 95104 PART NO. 540-9168-003			4	4		1		4						
1906		P	H	5945-914-8787				RELAY 24446 PART NO. 3SAM1017			1	1		1		13						
1907	921 9	P	H	5960-082-3988				TERMINAL BOARD ASSEMBLY 758-2946-001 SEMICONDUCTOR DEVICE DIODE. 02735 PART NO., 1N3254. 95104 PART NO. 353-3275-000				REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																			
1908		P	H		5340-919-9985				HINGE ASSEMBLY 95104 PART NO. 516-0507-019			1	1			1	1						
1909		P	H		5315-921-6091				PIN 95104 PART NO. 516-0507-017			1	2			1	4						
1910	1901	P	H		9320-926-3948				DOOR ASSEMBLY 516-0507-022 GASKET, RUBBER 95104 PART NO. 516-0507-010			1	REF			REF							
1911	1902	P	H		9320-926-3949				GASKET, RUBBER 95104 PART NO. 516-0507-011			1	REF			REF							
1912		P	H		5340-919-9947				HINGE ASSEMBLY 95104 PART NO. 516-0507-018			1	1			1	1						
1913	1909	P	H		5315-921-6091				PIN 95104 PART NO. 516-0507-017			1	REF			REF							
1914		P	H		5930-578-9332				ELBOW. AIR EXHAUST 515-3512-001 SWITCH. INTERLOCK 82877 PART NO. 200-2A			1	2			1	10				S1		
1915	1914	P	H		5930-578-9332				ELBOW. AIR EXHAUST 515-3512-002 SWITCH. INTERLOCK 82877 PART NO. 200-2A			1	REF			REF					S1		
									RECEIVER BAND PASS														

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		
		DS	GS	DM	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L													
1916		P	H		5935-779-2525				FILTER CHASSIS ASSEMBLY 516-0330-009 CONNECTOR. ELECTRICAL 5 PINS. 91146 PART NO. DPAS-33S. 95104 PART NO. 370-2179-000	1		2	1		6		J14				
1917		P	H		5935-914-1793				CHASSIS ASSEMBLY 516-0330-010 CONNECTOR. ELECTRICAL 32 PINS. 71468 PART NO. DPDD32-33S1B. 95104 PART NO. 370-2309-000	1		21	1		6		J14				
1918	604	P	H		5905-279-3519				CONTROL, FREQUENCY 522-2442-011 CONTROL SUBASSEMBLY 528-0130-005	1		REF	REF		74		R3				
1919	834	P	H		5905-2525-4018				RESISTOR. FIXED. COMPOSITION. 22 OHMS, 10% TOL. 1/2 WATT, 81349 PART NO. RC20GF220J, 95104 PART NO. 745-1282-000	5-5		1 REF	REF		74		R2				
1920	1446	P	H		5905-950-3287				RESISTOR. FIXED. COMPOSITION, 47 OHMS. 10% TOL. 1/2 WATT., 81349 PART NO. RC20GF470J, 95104 PART NO. 745-1296-000	5-5		1 REF	REF		74		R1				
									RESISTOR. FIXED. WIRE WOUND. 180 OHMS. 5% TOL. 6.5 WATTS. 81349	5-5		1 REF	REF		74						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
1921	1436	P	H		5960-833-8716						2	REF						74 5-5		CR1, 2			
1922	1448	P	H		5960-058-0153						1	REF						74 5-5		Q1			
1923		P	H		5805-985-9094						1	6		1		30		74 5-5		S1			
1924	1451	P	H		5935-259-4142						1	REF						74 5-5		P1			
1925	1459	P	H		5945-854-8546							REF						74 5-4		K1			
1926		P	H		5960-902-7096						1	1		1				74 5-3		TB1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	I T E M N U M B E R					
1927	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE DIODE. 07688 PART NO 1N2611. 95104 PAQT NO. 353-1906-000			20	REF		REF				74 5-3				
1928		P	H		5895-908-4709				STEPPER CONTROL SUBASSEMBLY, 95104 PART NO. 554-8449-002			1	1		1	1			74 5-4		TB2		
1929		P	H		5910-903-1954				CAPACITOR, FIXED ELECTROLYTIC. 230 UF PLUS 75% MINUS 15% 50 VDCW. 56289 PART 95104 PART NO			1	1		1	3			74 5-4		C1		
1930	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			1	REF		REF				74		CR22		
1931	1087	P	H		5960-852-5170				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. 1N303281 95104 PART NO. 353-3137-000			1	REF		REF				74 5-4		,CR21		
1932	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. 1N26110 95104 PART NO. 353-1906-000			1	REF		REF				74		CR22		
1933	1089	P	H		5960-752-0150				SEMICONDUCTOR DEVICE TRANSISTOR. 07688 PART NO 2N697 95104 PART NO. 352-0197-000			1	REF		REF				74 5-4		Q1		
1934	1515	P	H		5935-59-4630				WIRING HARNESS 548-4774-000 CONNECTOR, ELECTRICAL 25 PINS 71468 PART NO. DB25P, 95104 PART				1		REF	REF			74 5-4		P1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER															
1935	1460	P	H	5945-732-9538				NO. 371-0031-000 DIGIT SELECTOR 528-0143-005 RELAY. ARMATURE DPDT CONTACT ARRANGEMENT. 09026 PART NO BR12-120083-1-3-13-0. 95104 PART NO. 408-1107-000			1	REF	REF				74 5-2		K6			
1936	1492	P	H	5945-880-3376				RELAY. ARMATURE DPDT CONTACT ARRANGEMENT. 78277 PART NO 93643. 95104 PART NO 974-0688-000			6	REF	REF					74 5-2		K7-12		
1937	1459	P	H	5945-854-8546				RELAY. ARMATURE 2C CONTACT ARRANGEMENT. 01526 PART NO. 35AF1241, 95104 PART NO. 974-0720-000			6	REF	REF	3				74 5-2		K1-5 13		
1938		P	H	5905-684-4940				RESISTOR. VARIABLE. COMPOSITION. 2500 OHMS* 20% TOL* 1/2 WATT. 71450 PART NO. BJ24246. 95104 PART NO. 380-1665-000			1	1		1				74 5-2		R1		
1939	1484	P	H	5910-850-2657				DIGIT SELECTOR 548-4762-000 CAPACITOR* FIXED. ELECTROLYTIC. 15 UF. 10% TOLD 35 VDCW. 05397 PART NO. K1SJ35KS. 95104 PART NO. 184-7709-000			1	REF	REF					74 5-2		C1		
1940	136	P	H	5905-683-7721				RESISTOR. FIXED			2	REF	REF					74		R2, 3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
1941	1436	P	H		5960-833-8716						31	REF		REF				5-1			
																		74		CR1-5, 7-32	
																		5-1,2			
1942	1087	P	H		5960-852-5170						1	REF		REF				74		CR6	
																		5-1			
1943	1089	P	H		5960-752-0150						1	REF		REF				74		01	
																		5-1			
1944	1484	P	H		5910-850-2657						1	REF		REF				74		C1	
																		5-2			
1945	136	P	H		5905-683-7721						2	REF		REF				74		R2. 3	
																		5-1			
1946	1436	P	H		5960-833-8716						31	REF		REF				74		CR1-5, 7-32	
																		5-1,			
																		2			
1947	1087	P	H		5960-852-5170						1	REF		REF				74		CR6	
																		5-1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
1948	1089	P	H		5960-752-0150						1	REF		REF				74 5-1		Q1		
1949	1487	P	H		5935-854-8853						1	REF		REF				74 5-2		P1		
1950	1454	P	H		5915-903-1951						1	REF		REF				74 5-6		FL1		
1951		P	H		5340-902-5109						2	2		1	6			74 5-7				
1952	1530	P	H		5935-729-7310						1	REF		REF				74 5-7		J4		
PART NO 3371-0042-000 1953		P	H		5935-754-8782						2	4		2	12			74 5-7		P1, 2		
1954	145530	P	H		5935-854-8854310						1	REF		REF				74 5-6		J8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
1955	1456	P	N		5935-725- 6099						6	REF		REF			74 5-6,7		J1-3, 5-7		
1956		P	H		5920-14669-93837						2	2		1	100		75 5-4				
1957		P	H		5920-669-9383						2	2		1	100		75 5-4				
1958		P	H		5935-655-3523						1	1		1	3		75 5-4				
1959	1953	P	H		5935-754-8782						1	REF		REF			75 5-4				
					5815-687-1666																
1960		P	H		5935-807-0159						1	5		1	15		75		P6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E A R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
1961		P	H		5950-714-0146						1	2		1		4	75			
																	5-5			
1962		P	H		5950-714-0143						1	2		1		6	75		T3	
																	5-5			
					5821-714-0176															
					5821-714-0175															
1963	1820	P	H		5910-270-3034						1	REF		REF			75		C1	
																	5-5			
1964		P	H		5905-279-1897						2	5		2		15	75		R7, 18	
																	5-5			
1965		P	H		5905-279-3504						4	22		3		66	75			
																	5-5			
1966		P	H		5905-299-1971						1	6		2		18	75		R19	
																	5-5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
1967		P	H		5905-192-0649						5	13		2	40	75 5-5				RB, 9 15-17			
1968	165	P	H		5960-842-3525						6	REF		REF		75 5-5				CR3-8			
1969		P	H		5960-615-0591						2	8		1	32	75 5-5				Q3, 4			
1970		P	H		5960-752-043?						1	5		1	20	75 5-5				Q5			
1971		P	H		5960-752-0338						1	3		1	12	75 5-5				Q6			
1972	511	P	H		5905-279-2621						1	REF		REF		75 5-5				R22			
1973		P	H		5905-171-2006						1	6		5	18	75 5-5				R3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
1974			P	H	5905-195-6800						1	2		1		6	75 5-5		R21		
1975			P	H	5905-279-1870						1	6		2		18	75 5-5		R2		
1976			P	H	5905-279-1757						1	2		1		6	75 5-5		R6		
1977			P	H	5905-279-3505						1	7		2		21	75 5-5		R4		
1978	1965		P	H	5905-279-3504						1	REF		REF			75 5-5		R20		
1979			P	H	5905-279-3502						1	5		2		15	75 5-5		R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM	FIGURE	ITEM		NUMBER		
1980			P	H	5905-171-1998						1	2			1		6	75 5-5		R5		
1981			P	H	5905-845-2743						1	2			1		6	75 5-5		R14		
1982	165		P	H	5960-842-3525						2	REF			REF		75			CR1, 2		
1983	1969		P	H	5960-615-0591						2	REF			REF		75			Q1, 2		
1984			P	H	5950-714-014477						1	2			1		6	75 5-5		T2		
1985			P	H	5950-714-0177						1	2			1		6	75 5-5		T1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
1986		P	H		5935-806-2686						3	16		1		16	75 5-5		J-3		
					5821-075-5428																
1987		P	H		5915-682-3801						2	2		1		6	75 5-4		FL1, 2		
1988		P	H		5945-682-2737						2	2		1		6	75 5-4		K1, 2		
1989		P	H		5905-827-5087						1	1		1		3	75 5-4		R1		
1990		P	H		5905-549-5343						1	1		1		3	75 5-4		R2		
1991		P	H		5960-682-3819						2	2		1		6	75 5-4		T1, 2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
1992		P	H		5935-687-0010						6	6		1	18	75 5-4	J1-6			
1993	1953	P	H		5935-754-8782						1	REF		REF		75 5-4				
1994		P	H		5340-961-2344						2	2		1	2	75 5-4				
1995	229	P	H		5920-285-0755						4	REF		REF		75 5-4				
1996		P	H		5930-724-8072						1	1		1	5	75 5-4	51			
1997		P	H		5821-714-7969 5325-505-4798						1	1		1	3	75				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ILLUSTRATIONS															
1998	1975	P	H		5999-714-0134 5905-279-1870																	
1999		P	H		5960-081-3629																	
2000		P	H		5960-814-2392																	
2001	1960	P	H		5935-807-0159																	
2002		P	H		5905-279-2286																	
2003		P	H		5905-682-4211																	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
2004			P	H	5960-080-8752				PART NO. 747-9724-000 SEMICONDUCTOR DEVICE. TRANSISTOR. 81349			2	3			1	12	75 5-6		Q3, 4		
					5821-714-7982				PART NO. 2N498, 95104 PART NO. 352-9024-000 KEYER SUBASSEMBLY 591-5650-004													
2005			P	H	5910-583-1944				CAPACITOR. FIXED. ELECTROLYTIC. 0.5 UF. 20% TOL. 75 VDCW. 81349 PART NO. CL37BLOR5MN3. 95104			1	4			3	12	75 5-6		C1		
									PART NO. 184-7220-000 RESISTOR. FIXED. COMPOSITION. 10 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF100J. 95104													
2006			P	H	5905-190-8883				RESISTOR. FIXED. COMPOSITION. 10 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF100J. 95104			1	1			1	3	75 5-6		R6		
									PART NO. 745-1267-000 RESISTOR. FIXED COMPOSITION. 820 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF821J. 95104													
2007			P	H	5905-195-5571				RESISTOR. FIXED COMPOSITION. 820 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF821J. 95104			1	1				3	75 5-6		R4		
									PART NO. 745-1348-000 RESISTOR. FIXED COMPOSITION. 2000 OHMS, 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF202J. 95104													
2008			P	H	5905-190-8887				RESISTOR. FIXED COMPOSITION. 2000 OHMS, 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF202J. 95104			1	9			3	27	75 5-6		R2		
									PART NO. 745-1364-000 RESISTOR. FIXED. COMPOSITION. 3900 OHMS, 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF392J. 95104													
2009	1977		P	H	5905-279-3505				RESISTOR. FIXED. COMPOSITION. 3900 OHMS, 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF392J. 95104 PART NO. 745-1376-000			1	REF			REF		75 5-6		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E				5 F E D E R A L S T O C K N U M B E R	7 D E S I G N A T I O N N U M B E R			8 D E S C R I P T I O N	12 U N I T O F I S S U E	13 E X P E N D I B I L I T Y	14 Q U A N T I T Y I N U S E	15 A L L O W A N C E E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O T Q T Y			16 R E B U I L D 1 0 0 E Q. F I G U R E N U M B E R			I L L U S T R A T I O N S	
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	REFERENCE SYMBOL		
		FIGURE	ITEM	REFERENCE SYMBOL																	
2010	1965	P	H		5905-279-3504				RESISTOR. FIXED. COMPOSITION. 4700 OHMS, 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF472J. 95104 PART NO. 745-1379-000			2	REF		REF		75 5-6		R1, 13		
2011		P	H		5905-195-6453				RESISTOR. FIXED, COMPOSITION. 5600 OHMS. 5% TOL. 1/2 WATT. 81349 PART NOD RC20GF562J. 95104 PART NO. 745-1383-000			1	1	1	3	75 5-6		R5			
2012		P	H		5905-279-3503				RESISTOR. FIXED COMPOSITION. 6800 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF682J, 95104 PART NO. 745-1386-000			1	1	1	3	75 5-6		R9			
2013	1967	P	H		5905-192-0649				RESISTOR. FIXED, COMPOSITION. 20.000 OHMS. S% TOL, 1/2 WATT. 81349 PART NO. RC20GF203J. 95104 PART NO. 745-1406-000			1	REF	REF	75 5-6	R12					
2014		P	H		5905-299-2021				RESISTOR. FIXED, COMPOSITION. 20.000 OHMS. 5% TOL, I WATT. 81349 PART NO. RC32GF203J. 95104 PART NO. 745-3406-000			1	2	2	6 5-6	75		R10			
2015		P	H		5905-279-1878				RESISTOR. FIXED. COMPOSITION. 24.000 OHMS* 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF243J. 95104 PART NO. 745-1410-000			1	2	1	6 5-6	75		R11			
2016		P	H		5960-714-0140				SEMICONDUCTOR DEVICE, DIODE, 99942 PART NO. Z3327. 95104 PART NO. 353-2501-000			1	1	1	3 5-6	75		CR1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	15	16					
2017	187	P	H		5960-577-6084						1	REF		REF				75 5-6		CR3			
2018		P	H		5960-993-6721						1	3		1		9		75 5-6		CR2			
2019	1971	P	H		5960-752-0338						1	REF		REF				75 5-6		Q1			
2020	2004	P	H		5960-080-8752						1	REF		REF				75 5-6		Q2			
					5935-883-7441																		
					5820-686-8140																		
2021		P	H		5910-667-5692						2	2		1		6		75 5-7		C5, 6			
2022		P	H		5910-667-5743						2	2		1		6		75 5-7		C5, 6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
		P	H	D																			
2023			P	H	5910-727-0276				CAPACITOR, FIXED, MICA 33 UUF, 2%, TOL, 500 VDCW, 14655 PART NO. 22R5Q33EG, 95104 PART NO. 912-0457-000			2	2			1		6	75 5-7		C5, 6		
2024			P	H	5910-666-7869				CAPACITOR, FIXED, MICA 36 UUF, 2% TOL. 500 VDCW, 14655 PART NO. 22R5036EGO 95104 PART NO. 912-0460-000			2	2			1		6	75 5-7		C5, 6		
2025			P	H	5910-849-7495				CAPACITOR, FIXED, MICA 39 WUF, 2% TOL 500 VDCW, 14655 PART NO. 22RSQ39EG. 95104 PART NO. 912-0463-000			2	2			1		6	75 5-7		C5, 6		
2026			P	H	5910-666-7863				CAPACITOR, FIXED, MICA 43 UUF, 2% TOLI 500 VDCW, 14455 PART NO. 22R5Q43EG, 95104 PART NO. 912-0466-000			2	2			1		6	5 5-7		C5, 6		
2027			P	H	5910-681-6978				CAPACITOR, FIXED, MICA 47 UUF, 2% TOL. 500 VDCWV 1465 PART NO. 22R5Q471EG 95104 PART NO. 912-0469-000			2	2			1		6	75 5-7		C5, 6		
2028			P	H	5910-636-2115				CAPACITOR, FIXED, MICA 51 UUF, 2% TOL, 500 VDCW, 14655 PART NO. 22RSQ51EG, 95104 PART NO. 912-0472-000			2	2			1		6	75 5-7		C5, 6		
2029			P	H	5910-184-0187				CAPACITOR FIXED MICA 1 56 W F 2% TOL. 500 VDCWV 14655 PART NO. 22R50S6EG, 95104 PART NO. 912-0475-000			2	2			1		6	75 5-7		C5, 6		
2030			P	H	5910-667-5651				CAPACITOR, FIXED, MICA 62 UWF. 2% TOL, 500 VDCW, 14655 PART NMO 22R5062EG. 95104 PART			2	2			1		6	75 5-7		C5, 6		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y S		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
2031		P	H		5910-666-9205						2	2		1		6	75 5-7		C5, 6	
2032		P	H		5910-667-5565						2	2		1		6	75 5-7		C5, 6	
2033		P	H		5910-578-1530						2	2		1		6	75 5-7		C5, 6	
2034		P	H		5910-276-6890						2	2		1		6	75 5-7		C5, 6	
2035	2053	P	H		5910-184-3048						1	6		1		18	75 5-7		C5, 6	
2036		P	H		5910-578-1537						2	4		2		12	75 5-7		C5, 6	
2037		P	H		5910-666-7898						2	2		1		6	75 5-7		C5, 6	
2038		P	H		5910-678-5475						2	2		1		6	75 5-7		C5, 6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2039			P	H	5910-681-6994						2	2		1		6	75 5-7		C5, 6		
2040			P	H	5910-814-0421						2	2		1		6	75 5-7		C5, 6		
2041			P	H	5910-249-5412						1	6		1		18	75 5-7		C5, 6		
2042			P	H	5910-235-2223						2	2		1		6	75 5-7		C5, 6		
2043			P	H	5910-229-1752						2	2		1		6	75 5-7		C5, 6		
2044			P	H	5910-276-6799						1	6		1		18	75 5-7		C5, 6		
2045			P	H	5910-264-9442						2	2		1		6	75 5-7		C5, 6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS				GS	DM	
2046		P	H		5910-648-7895						2	2		1		6	75 5-7		C5, 6	
2047		P	H		5910-256-5566						1	6		1		18	75 5-7		C5, 6	
2048		P	H		5910-264-9450						1	6		1		18	75 5-7		C5, 6	
2049		P	H		5910-191-5312						2	2		1		6	75 5-7		C5, 6	
2050		P	H		5910-242-6073						1	6		1		18	75 5-7		C5, 6	
2051		P	H		5910-648-7903						2	2		1		6	75 5-7		C5, 6	
2052		P	H		5910-270-5378						1	6		1		18	75 5-7		C5, 6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y			12 A L L O W A N C E P E R E N C E			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE	ITEM								
															FIGURE	ITEM	REFERENCE SYMBOL										
2053	2035	P	H		5910-184-3048				CAPACITOR, FIXED, MICA 100 UUF, 2% TOL. 500 VDCI, 14655 PART NO, 22RSTIEG. 95104 PART NO. 912-0493-000			1	REF		REF				75 5-7		C3						
2054	2041	P	H		5910-249-5412				CAPACITOR, FIXED, MICA 180 UUF, 2% TOL. 500 VDCW, 14655 PART NO. 22RST18EGC 95104 PART NO 912-0511-000			1	REF		REF				75 5-7		C3						
2055	2044	P	H		5910-276-6799				CAPACITOR, FIXED, MICA 240 UUF, 2% TOL, 500 VDCW, 14655 PART NO. 22R5T24EG. 95104 PART NO. 912-0520-000			1	REF		REF				75 5-7		C3						
2056	2047	P	H		5910-256-5566				CAPACITOR, FIXED, MICA 330 UUF, 2% TOL. 500 VDCW, 14655 PART NO. 22RST33EG 95104 PART NO. 912-0529-000			1	REF		REF				75 5-7		C3						
2057	2048	P	H		5910-264-9450				CAPACITOR, FIXED, MICA 360 UUF, 2% TOL. 500 VDCW, 14655 PART NO. 22RST36EG 95104 PART NO. 912-0532-000			1	REF		REF				75 5-7		C3						
2058	2050	P	H		5910-242-6073				CAPACITOR, FIXED, MICA 430 UUJF 2% TOL. 500 VDCW, 14655 PART NO. 22R3T43EG. 95104 PART NO. 912-0538-000			1	REF		REF				75 5-7		C3						
2059	2052	P	H		5910-270-5378				CAPACITOR, FIXED, MICA 510 UUF, 2% TOL. 500 VDCW, 14655 PART NO. 22R3T51EG. 95104 PART NO. 912-0544-000 SELECT C1 AS REQUIRED FROM SEOUENCE NUMBERS 2060 THROUGH 2074			1	REF		REF				75 5-7		C3						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS				DM	I T E M N U M B E R	
2060		P	H	5910-284-4025						1	2			2		6	75 5-7		C1	
2061		P	H	5910-808-6983						1	1			1		3	75 5-7		C1	
2062		P	H	5910-899-1058						1	1			1		3	75 5-7		C1	
2063		P	H	5910-171-3231						1	1			1		3	75 5-7		C1	
2064																				
2065		P	H	5910-808-6988						1	1			1		3	75		C1	
2066		P	H	5910-848-9397						1	1			1		3	75 5-7		C1	
2067		P	H	5910-727-9099						1	1			1		3	75 5-7		C1	
2068		P	H	5910-184-5266						1	1			1		3	75		C1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2069			P	H	5910-808-6987							1	1		1		3	75		C1	
2070			P	H	5910-195-2542							1	2		1		6	75 5-7		C1	
2071			P	H	5910-184-5747							1	1		1		6	75 5-7		C1	
2072			P	H	5910-808-6996							1	1		1		3	75 5-7		C1	
2073			P	H	5910-101-4063							1	1		1		3	75 5-7		C1	
2074			P	H	5910-883-7559							1	2		2		6	75 5-7		C1	
2075	1960		P	H	5935-807-0159							1	REF		REF		75 5-7			P2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2076			P	H	5895-902-9026						1	1		1		2	75 5-7				
2077			P	H	5950-774-5562						1	1		1		2	75 5-7		L1		
2078			P	H	5905-249-4200						1	1		1		3	75 5-7		R23		
2079			P	H	5905-185-8510						1	7		2		21	75 5-7		R23		
2080			P	H	5905-279-2667						1	3		1		9	75 5-7		R23		
2081	1979		P	H	5905-279-3502						1	REF		REF			75 5-7		R23		
2082			P	H	5905-279-2669						1	3		1		9	75		R23		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM			
2083			P	H	5905-279-2616						1	3		2		9	75 5-7		R23		
2084			P	H	5905-279-3501						1	1		1		3	75 5-7		R23		
2085			P	H	5905-279-3500						1	1		1		3	75 5-7		R23		
2086	1967		P	H	5905-192-0649						1	REF		REF		75 5-7			R23		
2087			P	H	5950-726-7054						1	1		1		3	75 5-7		T1		
					5935-883-7441															TIP JACK ASSEMBLY	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E R	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2088	1986	P	H		5935-806-2686						3	REF		REF			75 5-7		J1-3		
					5821-714-7970																
2089		P	H		5910-683-3733						1	3		3		9	75 5-7		C19		
2090		P	H		5910-543-9109						1	1		1		3	75 5-7		C10		
2091		P	H		5910-836-3992						1	8		3		24	75 5-7		C17		
2092		P	H		5910-782-8883						1	3		2		9	75 5-7		C17		
2093		P	H		5910-86-83992						1	4		4		12	75 5-7		C17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM			
2094			P	H	5910-892-8003						1	2		2		6	75 5-7		C17		
2095	2070		P	H	5910-195-2542						1	REF		REF			75 5-7		C4		
2096			P	H	5910-883-9671						1	1		1		3	75 5-7		C17		
2097			P	H	5910-883-7554						1	1		1		3	75 5-7		C17		
2098			P	H	5910-883-7555						1	1		1		3	75 5-7		C2		
2099			P	H	5910-879-6085						3	6		1		18	75 5-7		C7-9		
2100			P	H	5950-682-3800						1	2		1		6	75		L2		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
2101			P	H	5905-252-4018				8.5 H INDUCTANCE. 95088 PART NO. TS2306. 95104 PART NO. 678-1377-000 RESISTOR, FIXED COMPOSITION. 47 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF470J. 95104 PART NO. 745-1295-000			1	1			1		3	75 5-7		R28	
2102			P	H	5905-279-1761				RESISTOR, FIXED COMPOSITION. 620 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF621J. 95104 PART NO. 745-1343-000			1	1			1		3	75 5-7		R11	
2103	1975		P	H	5905-279-1870				RESISTOR, FIXED COMPOSITION. 1300 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GFI32J. 95104 PART NO. 745-1357-000			1	REF		REF			75 5-7		R9		
2104			P	H	5905-279-1880				RESISTOR, FIXED COMPOSITION. 2700 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF272J. 95104 PART NO. 745-1369-000			1	1			1		3	75 5-7		R13	
2105	1977		P	H	5905-279-3505				RESISTOR, FIXED, COMPOSITION. 3900 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF392J. 95104 PART NO. 745-1376-000			1	REF		REF			75 5-7		R8		
2106	1965		P	H	5905-279-3504				RESISTOR, FIXED COMPOSITION. 4700 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF472J. 95104			1	REF		REF			75 5-7		R29		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2107			P	H	5905-279-2673						1	11		2		33	75 5-7		R7			
2108	2079		P	H	5905-185-8510						1	REF		REF			75 5-7		R6			
2109	2082		P	H	5905-279-2669						1	REF		REF			75 5-7		R14			
2110			P	H	5905-171-2004						1	7		4		21	75 5-7		R10			
2111			P	H	5905-724-8042						1	1		1		3	75 5-7		R12			
2112			P	H	5960-725-5317							1		1		3	75 5-7		CR1			
2113	1970		P	H	5960-752-0432						1	REF		REF			75 5-7		Q2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2114			P	H	5910-542-7493						2	6			2	18	75 5-7		C13, 18		
2115			P	H	5910-666-7323						1	1			1	3	75 5-7		C12		
2116			P	I	5910-682-3817						1	8			4	24	75 5-7		C16		
2117	2099		P	H	5910-879-6085						3	REF			REF		75 5-7		C11, 14, 15		
2118	P		H		15950-724-8040						1	1			2		75 5-7		L4		
2119	2100		P	H	5950-682-3800						1	REF			REF		75 5-7		L3		
2120			P	H	5905-195-5546						1	1			1	3	75 5-7		R5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM				
2121			P	H	5905-279-1890						1	1			1		3	75 5-7		R4		
2122			P	H	5905-279-3512						1	1			1		3	75 5-7		R2		
2123			P	H	5905-190-8880						1	1			1		3	75 5-7		R27		
2124	1975		P	H	5905-279-1870						1	REF			REF			75 5-7		R17		
2125			P	H	5905-279-1877						1	3			2		6	75 5-7		R25		
2126	1977		P	H	5905-279-3505						2	REF			REF			75 5-7		R3, 16		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
2127	1965	P	H		5905-279-3504						3	REF		REF				75 5-7		R, 18, 22			
2128		P	H		5905-279-2019						1	2		1		6		75 5-7		R24			
2129	2080	P	H		5905-279-2667						1	REF		REF				75 5-7		R15			
2130	1730	P	IH		5905-249-3661						1	REF		REF				75 5-7		R19			
2131	1737	P	H		5905-249-9468						1	REF		REF				75 5-7		R20			
2132	1741	P	H		5905-171-2003						1	REF		REF				75 5-7		R21			
2133		P	H		5905-847-4381						1	1		1		3		75 5-7		R26			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2134			P	H	5960-615-0591							2	2		1		6	75 5-7		R1, 3	
2135	1970		P	H	5960-752-0432							2	REF		REF			75 5-7		R4, 5	
					6130-725-6913																
2136			P	H	5950-714-0145							2	2		1		4	75 5-8		L1, 2	
2137			P	H	5905-682-4210							1	1		1		3	75 5-8		R2	
2138			P	H	5905-682-4209							1	1		1		3	75 5-8		R5	
2139			P	H	5960-714-0141							1	1		1		3	75 5-8		CR7	
2140			P	H	5950-714-0138							1	1		1		3	75 5-8		T1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
2141			P	H	5935-904-1436							1	1			1			75 5-8				
2142	1986		P	H	5935-806-2686							4	REF		REF				75 5-8				
					6130-714-7980																		
2143			P	H	5910-754-6393							1	1		1		3		75 5-8		C2		
2144	1590		P	H	5910-666-6989							1	REF		REF				75 5-8		C1		
2145			P	H	5905-195-6806							1	19		3		57		75 5-8		R4		
2146	2128		P	H	5905-279-2019							1	REF		REF				75 5-8		R3		
2147	2015		P	H	5905-279-1878							1	REF		REF				75		R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2157			P	H	5935-577-2477							1	1		1		3	59 4		J4	
2158			P	H	5935-501-5136							1	1		1		3	59 4		J3	
2159			P	H	5935-782-6927							1	1		1		3	59 4		J2	
2160			P	H	5935-617-6962							1	1		1		3	59 4		J1	
2161			P	H	5920-857-8417							12	55		3	2750	59			F1, 12	
2162			P	H	5920-905-1508							12	220		9	660	59 4			XF1-12	
2163			P	H	5999-919-3502							3	3		1	3	59 4				
2164	952		P	H	5355-959-3161							1	REF		REF		59 4				
2165			P	H	5945-827-9044							1	1		1	3	59 4			K2	
2166			P	H	5945-923-8762							1	10		1	30	59 4			K1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2167		P	H		5961-914-8951						1	3		1	9	59 4					
2168		P	H		6625-841-8940						2	14		3	42	59			CR1,2		
2169		P	H		5961-914-6753						3	3		1	9	59 4			CR3, 4, 5		
2170		P	H		6625-166-1005						4	4		1	12	59 4			R1-4		
2171		P	H		5930-919-7637						1	12		2	60	59 4			DS1		
2172		P	H		5930-553-5024						1	1		4	5	59			S1		
2173		P	H		6625-926-4421						1	1		1	3	59 4			M1		
2174		P	H		6625-944-7276						1	1		1	3	59 4					
2175		P	H		6625-939-7507						1	1		1	3	59 4			M2		
2176		P	H		6625-944-7279						1	1		1	3	59 4					
																			A1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2177			P	H	5935-926-0588						2	2			1		8	51 5				
2178			P	H	5935-295-4785						23	23			2		92	51		J27-31, 33-40, 42-46, 48-52		
2179			P	H	5935-892-9161						7	10			1		40	51		J32, 41, 47 53-56		
2180	491		P	H	5935-642-2157						1	REF		REF			51 5			P57		
2181			P	H	5935-971-2238						26	26			2		78	51 5		J1-26		
2182			P	H	5945-919-8693						2	2			1		6	51 5		K1, 2		
2183			P	H	5985-993-4957						1	1			1		3	51 5		K3		
2184	921		P	H	5960-082-3988						3	REF		REF			51 5			CR1		
2185			P	H	5930-655-1514						1	1			1		5	51 5		S1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2186	1755	P	H		6145-655-2167				FT		1	REF			REF		51 5				
2187		P	H		5935-914-5707						26	56			3	168	51 5		P1-26		
2188		P	H		6145-542-6092				FT		1	13			13	130	51 5				
2189		P	H		5935-823-0487						26	55			4	165	51 5		J27-31, 33- 40, 42-46, 48-55		
2190		P	H		6145-660-8711						1	REF			REF		51 5				
2191	29	P	H		5935-201-7906 6130-902-2082						4	REF			REF		51		J32, 41, 47, 56		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
2192			P	H	4130-919-6482						1	1			1		3	76 6-4		
2193			P	H	5910-926-0050						3	3			1		9	76 6-4	C202-204	
2194			P	H	5910-914-6776						5	5			1		15	76 6-4	C233-237	
2195			P	H	5910-914-2600						16	16			1		48	76 6-2 3,4	C2U5-208 212-215, 219- 222, 226-229	
2196			P	H	5950-919-3456						1	1			1		3	76 6-3	L201, 202	
2197			P	H	5920-782-6923						2	2			1		100	76 6-1	F201, 202	
2198			P	H	5961-921-3777						1	1			1		5	76 6-2	CR204	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE		ITEM
2199		P	H		5905-279-3518				RESISTOR, FIXED, COMPOSITION. 30 OHMS. 5% TOL. 1/2 WATT. 81349 PART NO. RC20GF300J. 95104 PART NO. 745-1287-000			4	4		1	12	76 6-8		R51, 52 73, 74				
2200		P	H		5905-195-5571				RESISTOR, FIXED, COMPOSITION. 68 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC2OGF68OJ. 95104 PART NO. 745-1302-000			4	4		1	12	76 6-8		R50, 53, 72, 75				
2201	38	P	H		5960-617-8804				SEMICONDUCTOR DEVICE, DIODE. 07688 PART NO. IN645. 95104 PART NO. 353-2607-000			4	REF	REF		76 6-8			CR16, 17, 25, 26				
2202		P	H		5950-919-3454				TRANSFORMER. POWER 14310 PART NO. 300-1025 CIRCUIT BOARD ASSEMBLY 180-1270			4	4		1	12	76 6-8		T1-4				
2203		P	H		5910-914-2621				CAPACITOR, FIXED, CERAMIC. 1000 UUF, 10% TOL. 1000 VDCW, 14310 PART NO. 406-1231-000			1	11		1	33	76		C22 6-6				
2204		P	H		5910-914-2594				CAPACITOR, FIXED, PLASTIC. 2200 UUF, 10% TOL. 200 VDCW, 14310 PART NO. 406-1136			1	5		1	15	76		C5 6-6				
2205		P	H		5910-914-2595				CAPACITOR, FIXED, PLASTIC, 4700 UUF, 10% TOL. 200 VDCW, 14310 PART NO. 406-1141			1	1		1	3	76 6-6		C4				
2206		P	H		5910-914-2592				CAPACITOR, FIXED,			1	1		1	3	76		C23				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM				
2207		P1	H		5910-914-2593						4	8		1		24	76 6-6			C1-3, 24		
2208		P1	H		5910-914-1772						1	1		1		3	76 6-6			C21		
2209		P1	H		5910-823-1394						1	1		1		3	76 6-6			C25		
2210		P1	H		5960-939 4289						1	1		1		3	76 6-6			CR36		
2211		P1	H		5905-924-0905						1	1		1		3	76 6-6			R104		
2212		P1	H		5905-279-3521						2	2		1		6	76 6-6			R99, 105		
2213		P1	H		5905-279-2674						2	2		1		6	76 6-6			R16, 17		
2214		P1	H		5905-279-1965						1	2		2		6	76 6-6			R91		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
2215			P	H	5905-279-3511						1	1			1		3	76 6-6		R15			
2216			P	H	5905-195-9481						1	1			1		3	76 6-6		R124			
2217	2145		P	H	5905-195-6806						6	REF		REF			76 6-6			R26, 31, 108, 113, 120, 126			
2218			P	H	5905-279-3508						1	1			1		3	76 6-6		R19			
2219	1975		P	H	5905-279-1870						1	REF		REF			76 6-6			R122			
2220			P	H	5905-279-2530						1	1			1		37	6 6-6		R119			
2221			P	H	5905-279-2552						1	1			1		3	76 6-6		R5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2222	2008	P	H		5905-190-8887						4	REF		REF			76 6-6		R23, 32, 111, 123		
2223		P	H		5905-256-8355						1	1		1	3		76 6-6		R25		
2224	2125	P	H		5905-279-1877						2	REF		REF			76 6-6		R95, 101		
2225		P	H		5905-279-1751						2	2		1	6		76 6-6		R93, 94		
2226	1965	P	H		5905-279-3504						1	REF		REF			76 6-6		R1, 97		
2227	2108	P	H		5905-185-8510						4	REF		REF			76 6-6		R24, 112, 118, 121		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE	ITEM					
2228		P	H		5905-279-1719				RESISTOR, FIXED, COMPOSITION. 10.000 OHMS. 5% TOL. 1 WATT, 81349 PART NO. RC32GF103J, 95104 PART NO 745-3393-000			1	1			1		3	76 6-6		R3			
2229		P	H		5905-249-4225				RESISTOR, FIXED, COMPOSITION. 18.000 OHMS 5% TOL. 2 WATTS. 81349 PART NO. RC42GF-183J. 95104 PART NO. 745-5704-000			1	1			1		3	76 6-6		R4			
2230	1967	P	H		5905-192-0649				RESISTOR, FIXED, COMPOSITION. 209000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF203J. 95104 PART NO. 745-1406-000			1	REF		REF				76 6-6		R96			
2231	2014	P	H		5905-299-2021				RESISTOR, FIXED, COMPOSITION, 20,000 OHMS. 5% TOL. 1 WATT. 81349 PART NO. RC32GF203J. 95104 PART NO. 745-3406-000			1	REF		REF				76 6-6		R30			
2232	2110	P	H		5905-171-2004				RESISTOR, FIXED, COMPOSITION. 22.000 OHMS 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF223J. 95104 PART NO. 745-1407-000			1	REF		REF				76 6-6		R18			
2233		P	H		5905-279-3499				RESISTOR, FIXED, COMPOSITION. 27.000 OHMS. 5% TOL. 1/2 WATT, 81349 PART NO. RC20GF273J. 95104 PART NO. 745-1411-000			2	2			1		6	76 6-6		R151, 117			
2234		P	H		5905-254-1777				RESISTOR, FIXED, COMPOSITION. 27.000 OHMS. 5% TOL. 2			2	2			1		6	76 6-6		R106, 107			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2235			P	H	5905-279-3498							2	2		1		6	76 6-6		R114, 116	
2236	1734		P	H	5905-195-6761							1	REF		REF			76 6-6		R9	
2237			P	H	5905-192-0390							1	1		1		3	76 6-6		R14	
2238			P	H	5905-279-1891							1	1		1		3	76 6-6		R12	
2239			P	H	5905-279-2509							11	21		1		63	76 6-6		R10, 21, 22, 27-29, 92, 98, 100, 109, 110	
2240			P	H	5905-279-3838							2	2		1		6	76 6-6		R11, 20	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2241		P	H		5905-924-1042						3	3			1	9	76 6-6		R2, 13, 125		
2242		P	H		5905-923-0552						1	1			1	3	76 6-6		R8		
2243		P	H		5905-583-6005						1	1			1	3	76 6-6		R6		
2244		P	H		5905-675-7411						1	1			1	3	76 6-6		R102		
2245	38	P	H		5960-617-8804						13	REF		REF		76 6-6			CR3-5, 31-35, 37-41		
2246		P	H		5960-752-6163						1	1			1	3	76 6-6		CR29		
2247		P	H		5960-842-9486						1	1			1	3	76 6-6		CR30		
2248		P	H		5960-845-1136						1	1			1	3	76 6-6		CR6		
2249		P	H		5960-978-7466						1	1			1	3	76 6-6		CR2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y		13 R E B U I L D F O R 1 0 0 E Q.	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R			REFERENCE S Y M B O L		
2250			P	H	5960-893-6766						1	1			1		3	76 6-6		CR1		
2251			P	H	5961-921-0507						1	15			1		5	76 6-6		CR8		
2252			P	H	5961-999-2826						1	1			1		3	76 6-6		CR7		
2253			P	H	5960-683-4340						1	3			2		12	76 6-6		Q4		
2254			P	H	5960-752-0150						14	28			2		112	76		Q1, 2, 5-9,		
2255			P	H	5960-921-0503						4	4			1		16	76 6-6		Q3, 29, 31, 32		
2256	2203		P	H	5910-914-2621						10	REF			REF			76 6-7		C6-8, 11-13, 15-17, 20		
2257			P	H	5910-814-4956						1	1			1		3	76 6-7		C14		
2258	2204		P	H	5910-914-2594						4	REF			REF			76 6-7		C9, 10, 18, 19		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2259	1973	P	H		5905-171-2006						4	REF		REF			6-7	76		R54, 56, 71, 77		
2260	2145	P	H		5905-19-35-606						4	REF		REF				76 6-7		R49, 61, 70, 78		
2261	2107	P	H		5905-279-2673						10	REF		REF				76 6-7		R37, 40, 42, 48, 60, 62, 69, 79, 83, 90		
2262	1979	P	H		5905-279-3502						2	REF		REF				76 6-7		R36, 39		
2263	2083	P	H		5905-279-2616						2	REF		REF				76 6-7		R35, 38, 58, 84, 85, 88, 89		
2265		P	H		5905-249-4256						10	10		1		30		76 6-7		R41, 43, 55, 64-67, 76,		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	ITEM NUMBER						
2266	2239	P	H		5905-279-2509						10	REF		REF			76 6-7		81, 82 R33, 34, 44, 47, 59, 63, 68, 80, 86, 87		
2267	38	P	H		5910-617-8804						2	REF		REF			76 6-7		CR15, 24		
2268	2251	P	H		5961-921-0507						14	REF		REF			76 6-7		CR9-14, 18-23, 27, 28		
2269	2254	P	H		5960-752-0150						14	REF		REF			76 6-7		Q10-23		
2270		P	H		5910-820-9688						2	4		1	12		76 6-3		C209, 216		
2271	2207	P	H		15910-914-2593						2	REF		REF			76 6-3		C210, 217		
2272	P	H			5999-920-7075						2	3		1	3		76 6-3				
2273	P	H			5999-919-9945						1	2		1	2		76 6-3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
2274			P	H	5999-920-7076						1	1			1			76 6-3		
2275			P	H	5960-939-4290						2	4			1		12	76 6-3	CR206, 209	
2276			P	H	5999-939-4292						2	3			1		9	76 6-3	CR202, 203	
2277			P	H	5910-939-4293						4	4			1		12	76 6-3	C205, 208, 211, 214	
2278			P	H	5905-279-1692						2	4			1			76 6-3	C203, 205	
2279	2270		P	H	5910-820-9688						2	REF			REF			76 6-2	C223, 230	
2280	2207		P	H	5910-914-2593						2	REF			REF			76 6-2	C224, 231	
2281	2272		P	H	5999-920-7075						1	REF			REF			76 6-2		
2282	2273		P	H	5999-919-9945						1	REF			REF			76 6-2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2292	2195	P	H		5910-914-2600						2	REF		REF		76 6-2				C222, 229	
2293		P	H		5945-916-0605						1	1		1		3 76 6-2				K201	
2294		P	H		5905-914-7159						2	2		1		6 76 6-1				R201, 202	
2295		P	H		5905-924-1039						2	2		1		6 76 6-1				R7, 103	
2296		P	H		5935-914-2634						1	1		1		2 76 6-1				TP6	
2297		P	H		5935-914-2633						5	5		1		10 76 6-1				TP1-5	
2298		P	H		5950-919-3455																
2298		P	H		5910-820-9686						4	4		1		12 76 6-4,5				C211, 218, 225, 232	
2299		P	H		5950-919-3457						4	4		1		12 76 6-4,5				L202-205	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
2300		P	H		5905-917-7161						4	4		1	12	76 6-4,5		R204, 206, 208, 210		
					6130-919-3467															
2301		P	H		5340-920-0210						4	4		1	12	76 6-5				
2302		P	H		5950-919-3453						4	4		1	12	76 6-5		T201-204		
2303		P	H		5120-763-1262						1	1		1	3	77 6-2				
2304		P	H		5821-019-6290						2	3		3	9	77 6-2 6-18				
					5821-845-8334															

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	15	16					
2306			P	H	5945-884-3464						1	1			1			3	77 6-18		G1		
2307			P	H	5935-737-1547						1	2			2			6	77 6-17		R1		
2308			P	H	5905-473-5251						2	8			4			24	77 6-17		R9, 26		
2309			P	H	5905-081-7350						2	2			1			6	77 6-17		RP19, 20		
2310			P	H	5960-708-7138						3	4			2			16	77 6-17		Q5-7		
					5821-828-2522																		
2311	1681		P	H	5910-686-8955						1	REF			REF				77 6-17		C2		
2312			P	H	5910-812-6501						3	2			6				77 6-18		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2313			P	H	5910-954-1913						2	2			1		6	77 6-18		C11, 12		
2314			P	H	5910-815-5118						2	18			4		54	77 6-18		C5, 8		
2315	2114		P	H	5910-542-7493						4	REF		REF				77 6-18		C3, 4, 6, 7		
2316			P	H	5910-841-6110						2	12			3		36	77 6-18		C9, 10		
2317			P	H	5935-061-7744						1	1			1		1	77 6-18		02		
2318			P	H	5935-812-6413						1	1			1		1	77 6-16		01		
2319			P	H	5905-190-8883						3	REF		REF				77 6-18		R21, 23, 24		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		REFERENCE SYMBOL														
2320	1964	P	H		5905-279-1897						1	REF		REF			77 6-18		R6		
2321		P	H		5905-190-8689						1	1		1		3	77 6-18		R14		
2322		P	H		5905-252-5434						1	1		1		3	77 6-18		R8		
2323	287	P	H		5905-279-1876						2	REF		REF			77 6-18		R15, 16		
2324		P	H		5905-279-1723						1	2		2		6	77 6-18		R22		
2325	1770	P	H		5905-279-1880						1	REF		REF			77 6-18		R17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2326		P	H		5905-279-3506						1	5		2		15	77 6-18		R10		
2327	1977	P	H		5905-279-3505						1	REF		REF			77 6-18		R2		
2328	853	P	H		5905-195-6453						2	REF		REF			77 6-18		R4, 12		
2329	853	P	H		5905-171-1985						1	7		3		21	77 6-18		R18		
2330	518	P	H		5905-185-8518						1	REF		REF			77 6-18		R7		
2331	519	P	H		5905-279-3502						3	REF		REF			77 6-18		R5, 11, 13		
2332	612	P	H		5905-190-8876						1	REF		REF			77 6-18				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
2333		P	H		5905-702-1771						1	11		3		33	77 6-18		R1			
2334		P	H		5905-729-7690						1	1		1		3	77 6-18		R25			
2335		P	H		5905-827-0724						1	2		2		6	77 6-18		RT1			
2336		P	H		5960-064-1424						2	2		1		6	77 6-18		CR1, 2			
2337		P	H		5960-783-5652						4	4		1		16	77 6-18		Q1-4			
2338	1567	P	H		5999-887-0746						85	REF		REF		77 6-18						
2339	1890	P	H		5325-960-5231						4	REF		REF		77 6-18						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		DESCRIPTION																				
2340		P	H		6145-800-8759				FT		1	1			1		10			6-1		
2341		P	H		5910-809-8019						2	2			1		6			77 6-3	C66, 106	
2342		P	H		5910-994-7703						1	34			2		102			77 6-2	C41, 67, 75, 76, 78, 93, 133, 156, 158	
2343		P	H		5910-811-4788						2	18			3		55			77 6-3	C104, 105	
2344		P	H		5910-961-4202						1	1			1		3			77 6-5	C107	
2345		P	H		5910-686-7757						1	3			2		9			77 6-2	C155	
2346		P	H		5910-475-3481						1	1			1		3			77 6-2	C77	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2347			P	H	5910-811-7491							1	1		1		3	77 6-3		C135	
2348			P	H	5910-947-8003							2	2		1		6	77 6-2		C72, 151	
2349			P	H	5910-902-8512							1	1		1		3	77 6-2		C59	
2350			P	H	5910-957-1290							1	1		1		3	77 6-5		C131	
2351			P	H	5910-900-2690							3	3		1		9	77 6-2		C57, 58, 152	
2352			P	H	5910-900-2691							2	2		1		6	77 6-2		C65, 137	
2353			P	H	5910-988-4715							6	6		1		18	77 6-2		C62-64, 68, 69, 71	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E B U I L D F O R E Q. D E P O T Q T Y 1 0 0	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	REFERENCE SYMBOL						
2354			P	H	5910-990-6799						3	3		1	9	77 6-2		C60, 61, 70			
2355			P	H	5910-983-5501						1	1		1	3	77 6-4		C46			
2356	701		P	H	5910-808-2634						1	REF		REF		77 6-2		C73			
2357			P	H	5950-919-8636						1	1		1	3	77 6-2		L43			
2358			P	H	5950-914-4989						1	1		1	3	77 6-3		L62			
2359	132		P	H	5950-842-2247						1	REF		REF		77 6-3		L45			
2360			P	H	5950-060-9188						1	12		4	36	77 6-2		L44			
2361			P	H	5935-729-7J00						2	4		1	12	77 6-3		P1, 3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2362			P	H	5935-00-6959						1	2		1	6	77 6-3		P4			
2363			P	H	5945-884-1444						1	1		1	3	77 6-1		K1			
2364	236		P	H	5945-983-917395						1	REF		REF		77 6-3		K2			
2365			P	H	5905-279-1739						1	2		2	6	77 6-3		R71			
2366			P	H	5945-884-1444						1	REF		REF		77 6-3		R57			
2367	1334		P	H	5905-683-2240						1	14		4	42	77 6-3		R57			
2368	1028		P	H	5905-195-6799						1	REF		REF	77 6-3	R55					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2369	162	P	H		5905-681-6462						1	REF		REF				77 6-3		R70	
2370	286	P	H		5905-195-6806						1	REF		REF				77 6-3		R47	
2371		P	H		5905-279-26861						1	REF		REF				77 6-3		R50	
2372		P	H		5905-552-2505						2	2		1	6			77 6-2		R27, 40	
2373		P	H		5905-279-2295						1	2		2	6			77 6-3		R48	
2374	1776	P	H		5905-299-2019						1	REF		REF				77 6-3		R56	
2375		P	H		5905-299-2013						1	2		2	6			77 6-3		RB6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
2376			P	H	5905-681-3628				OHMS, 5X TOL, 1 WATT. 81349 PART NO. RC32GF473J 95104 PART NO. 745-3421-000			1	1		1	3	77 6-3		R54			
2377			P	H	5905-068-9620				RESISTOR, FIXED, FILM 10 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65810ROF, 95104 PART NO. 705-7000-000			2	2		1	6	77 6-3		R98, 99			
2378			P	H	5905-879-0602				RESISTOR, FIXED, WIRE WOUND, 600 OHMS, 3% TOL, 50 WATTS, 00213 PART NO M50W600-3, 95104 PART NO. 747-9555-000			1	1		1	3	77 6-3		R53			
2379			P	H	5905-892-1316				RESISTOR, VARIABLE, COMPOSITION, 250 OHMS, 20% TOL, 1/2 WATT, 81349 PART NO. RV5LAYS251B, 95104 PART NO. 380-2902-000			2	2		1	6	77 6-3		R38, 72			
2380			P	H	5905-814-8621				RESISTOR, VARIABLE. COMPOSITION, 1000 OHMS, 20% TOL, 1/2 WATT, 81349 PART NO. RVSLAYS251B, 95104 PART NO. 380-2904-000			2	2		1	6	77 6-3		R30, 61			
2381			P	H	5905-844-5377				RESISTOR, VARIABLE, WIRE WOUND, 2000 OHMS 5% TOL, 1 WATT, 80294 PART NO. 224S1-202M, 95104 PART NO. 381-1396-000	1		1	1			3	77 6-3		R49			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM		ITEM N U M B E R	REFERENCE S Y M B O L														
2382		P	H		5960-081-8848				SEMICONDUCTOR DEVICE, DIODE, 07263 PART NO. FD10009, 95104 PART NO. 353-3273-000			2	5		1	15	77 6-5		CR3, 4, 21		
2383		P	H		5960-646-4611				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1 1N457, 95104 PART NO. 353-0204-000			3	28		4	85	77 6-3		CR46-51		
2384	1561	P	H		5960-557-6118				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N458, 95104 PART NO. 353-0205-000			9	REF		REF		77 6-1		CR28-36		
2385		P	H		5960-894-0684				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N758, 95104 PART NO. 353-2723-000			1	1		1	3	77 6-3		CR53		
2386		P	H		5960-834-8044				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2838B, 95104 PART NO. 353-1438-000			1	1		1	3	77 6-2		CR56		
2387		P	H		5961-866-5455				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N28438, 95104 PART NO. 353-1445-000			1	1		1	3	77 6-1		CR20		
2388		P	H		930-817-3497				SWITCH, INTERLOCK 1C CONTACT ARRANGEMENT, 96906 PART NO. M516106-4. 95134 PART NO. 266-8000-000			1	2		1	10	77 6-1		S13		
2389		P	H		5930-753-8764				SWITCH, ROTARY 1 POLE, 12 POSITIONS 12697 PART NO. 31391, 95104 PART NO. 259-9368-000			4	4		1	20	77 6-2		51-4		
2390		P	H		5930-753-8764				SWITCH, SECTION, ROTARY 1 POLE, 12 POSITIONS, 76854 PART NO.			1	2		1	10	77 6-2		S12		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	ITEM NUMBER						
2391			P	H	5910-950-0518						2	2		1	6	77 6-5		C10, 74			
2392			P	H	5910-950-0519						3	3		1	9	77 6-4,5		C11, 19, 136			
2393			P	H	5910-846-8657						7	13		2	40	77 6-5		C3, 5, 9, 13, 14, 127, 128			
2394	2342		P	H	5910-994-7703						1	REF		REF		77 6-5		C2			
2395			P	H							20	20		1	60	77 6-5		C24, 29, 35, 40, 108-123			
2396	126		P	H	5910-983-9280						19	REF		REF		77 6-5		C1, 20-23, 25-28, 30-34, 36-39, 132			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE	ITEM	NUMBER		NUMBER
2397			p	H		5910-714-3806						1	4			2	12	77 6-5		C7			
2398	128		P	H		5910-660-7430						4	REF		REF			77 6-5		C99-102			
2399			P	H		5910-892-7570						1	1		1	3	77 6-5			C124			
2400			P	H		5910-088-0283						1	7		3	21	77 6-5			C150			
2401			P	H		5910-954-7368						1	1		1	3	77 6-5			C150			
2402			P	H		5910-914-4359						1	1		1	3	77 6-5			C126			
2403			P	H		5910-648-7860						1	2		2	6	77 6-5			C125			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	15	16					
2404			P	H	5910-667-6083						1	14			2	42	77 6-5		C17			
2405			P	H	5950-919-8647						1	1			1	3	77		L32			
2406			P	H	5950-054-9131						1	1			1	3	77 6-5		L63			
2407			P	H	5950-617-4860						1	1			1	3	77 6-5		L30			
2408	132		P	H	5950-842-2247						1	REF			REF		77 6-5		L31			
2409	2360		P	H	5950-060-9188						1	REF			REF		77 6-5		L61			
2410			P	H	5950-878-2442						2	5			2	15	77 6-5		L33, 34			
2411			P	H	5960-937-3024						1	1			1	2	77 6-4					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
2412			P H	5960-052-0080					4	4			1	00	77 6-4		V1-4		
2413			P H	5960-060-6584					2	2			1	200	77 6-4		V5, 6		
2414			P H	6105-849-7817					1	1			1		77 6-3				
2415			P H	6105-849-5458					2	REF			REF		77 6-3		B1, 2		
2416	33		P H	1270-609-8499					1	REF			REF		77 6-5				
2417			P H	5310-821-1925					1	9			2	9	77 6-5				
2418			P H	5340-919-8207					1	1			1	1	77 6-5				
2419			P H	5310-843-7628					1	13			2	13	77 6-5				
2420			P H	5905-279-1688					8	8			1	24	77 6-5		R8-11, 93-96,		
2421	136		P H	5905-683-7721					1	REF			REF		77 6-5		R4, 6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
2422	956	P	H		5905-279-2643						4	REF		REF			77 6-5		R12-15		
2423		P	H		5905-279-1979						4	4		1	12		77 6-5		R9-22		
2424		P	H		5905-299-2054						2	2		1	6		77 6-5		R91, 92		
2425		P	H		5905-279-2626						1	5		2	15		77 6-5				
2426	174	P	H		5905-577-0935						1	REF		REF			77 6-5		R32		
2427	107	P	H		5905-686-3129						1	REF		REF			77 6-5		R18		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E R I A L N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T O F E Q U I P M E N T	13 R E B U I L D F O R 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS	DM	FIGURE	
2428	579		P H	5905-279-2515				RESISTOR, FIXED COMPOSITION, 470,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF474K, 95104 PART NO. 745-1464-000			1	REF		REF			77 6-5		R42		
2429			P H	5960-284-6516				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N198, 95104 PART NO. 353-0160-000			2	30		4	90		77 6-4		CR1, 2		
2430	38		P H	5960-617-8804				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N645, 95104 PART NO. 353-2607-000			1	REF		REF			77 6-5		CR39		
2431			P H	5935-924-1015				SOCKET, ELECTRON TUBE 95104 PART NO. 549-9116-003			4	4		1	12		77 6-5		XV1-4		
2432	1828		P H	5935-729-7312				SOCKET, ELECTRON TUBE 9 CONTACTS, 94991 PART NO. 7490-0189. 95104 PART NO. 220-1293-000			2	REF		REF			77 6-5		XV5, 6		
2433			P H	5950-919-8652				TRANSFORMER, RF 95104 PART NO. 549-9207-002			1	1		1	3		77 6-5		T4		
2434			P H	5950-919-8622				TRANSFORMER, RF 95104 PART NO. 553-9946-003			1	1		3			77 6-5		T6		
2435			P H	5930-919-7767				SWITCH, SECTION, ROTARY 1 POLE, 12 POSITIONS, 76854 PART NO. 226052K, 95104 PART NO. 269-2396-000			1	1		1	5		77 6-4		S6		
2436	2390		P H	5930-920-4739				SWITCH, SECTION, ROTARY 1 POLE, 28 POSITIONS, 76854 PART NO. 227323NC, 95104 PART			1	REF		REF			77 6-2		S12		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE		ITEM
2437		P	H		5930-912-0358						1	1		1		5	77 6-2		S8			
2438		P	H		5930-920-470358						1	1		1		5	77 6-1		S7			
2439		P	H		5930-919-7768						2	2		1		5	77 6-1		S9			
2440		P	H		5910-920-4810						1	1		1		3	77 6-4		C8			
2441		P	H		5910-916-0699						1	1		1		3	77 6-4					
2442		P	H		5910-920-4801						1	4		1		12	77 6-4					
2443		P	H		5910-920-4800						1	1		1		3	77 6-5		C18			
2444		P	H		5910-901-6511						1	1		1		3	77 6-5					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM	DM																	
		1	2	3																		
2445	2442	P	H		5910-920-4801						1	REF		REFS				77 6-5				
2446		P	H		5935-960-7327						1	1		1		1		77 6-2				
2447		P	H		5935-951-4050						1	3		1		3		77 6-2				
2448		P	H		5935-061-1363						1	4		1		4		77 6-2				
2449		P	H		5935-080-9292						1	3		1		3		77 6-2				
2450		P	H		5935-080-9293						1	5		1		5		77 6-2				
2451		P	H		5935-954-4470						1	15		1		15		77 6-2				
2452	2448	P	H		5935-061-1363						1	REF		REF				77 6-2	J18			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM	FIGURE	ITEM				
2453	2450	P	H	5935-080-9293			JACK, TIP YELLOW, 98291 PART NO. SKT41YEL. ff104 PART NO. 360-0261-000			1	REF		REF			77		J15				
2454		P	H	5935-988-4769			JACK, TIP GREEN, 98291 PART NO. SKT41GRN, 95104 PART NO. 360-0262-000			1	2		1	2	77 6-2		J17					
2455		P	H	5935-951-4052			JACK, TIP BLUE, 98291 PART NO. SKT41BLU, 95104 PART NO. 360-0263-000			1	2		1	2	77 6-2		J14					
2456		P	H	5960-915-5840			SHIELD, ELECTRON TUBE 95104 PART NO. 549-9114-004			1	1		1	10	77 6-4							
2457		P	H	5960-916-0337			SHIELD, ELECTRON TUBE 95104 PART NO. 549-9113-004			1	1		1	10	77 6-4							
2458		P	H	5960-686-7500			SHIELD, ELECTRON TUBE 95104 PART NO. 541-6555-003			2	3		1	30	77 6-4							
2459		P	H	5960-865-4501			SHIELD, ELECTRON TUBE 95104 PART NO. 541-8162-002			1	4		2	40	77 6-4							
				5960-856-5067			CONTACT ASSEMBLY ELECTRICAL 546-6455-002															
2460		P	H	5960-937-3023			INSERT, TUBE SOCKET 95104 PART NO. 546-6515-003			1	4		1	4	77 6-4							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
		A	B	C		D	1	2						3								
2461			P	H	5930-919-7641				SWITCH, INTERLOCK 95104 PART NO. 549-9088-003			1	1			1	5	77 6-4		S5		
2462			P	H	5930-919-7642				SWITCH, INTERLOCK 95104 PART NO. 553-9956-002			1	1			1	5	77 6-4				
2463	2388		P	H	5930-892-9246				SWITCH, INTERLOCK 1C CONTACT ARRANGEMENT, 96906 PART NO. MS16106-4. 95104 PART NO. 266-8000-000			1	REF		REF			77 6-4				
2464			P	H	5950-919-8655				TRANSFORMER, RF 95104 PART NO. 553-9944-003			1	1			1	3	77 6-4		T5		
2465			P	H	5950-919-8657				TRANSFORMER, RF 95104 PART NO. 553-9945-003			1	1			1	3	77 6-4				
2466	832		P	H	5910-553-5036				AMPLIFIER SUBASSEMBLY 549-9002-004			1	REF		REF			77 6-6		C94		
2467	161		P	H	5905-686-4526				CAPACITOR, FIXED, PAPER 0.1 UF, 20X TOL, 100 VDCW, 53021 PART NO. SDB1K01104M 95104 PART NO. 931-4488-000			1	REF		REF			77 6-6		R34		
2468	137		P	H	5905-686-9996				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10X TOL, 1/4 WATT, 81349 PART NO. RC07GF471K, 95104 PART NO. 745-0737-000			1	REF		REF			77 6-6		R29		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W A N C E P E R E Q U I P M E N T			13 R E E Q U I R E D F O R E Q U I P M E N T			14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	REFERENCE SYMBOL								
2469	1770	P	H		5905-279-1880						1	REF							77 6-6		R37					
2470	681	P	H		5905-682-4098						1	REF							77 6-6		R35					
2471	710	P	H		5905-682-4222						1	REF							77 6-6		R33					
2472	1777	P	H		5905-254-9201						1	REF							77 6-6		R52					
2473		P	H		5905-299-2012						2	3		1		9			77 6-6		R28, 36					
2474		P	H		5905-681-8958						3	1		9					77 6-6		R31, 39					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
2475		P	H		5960-284-6016				SEMICONDUCTOR DEVICE. DIODE, 07688 PART NO. 1N91, 95104 PART NO. 353-1010-000			1	1		1	3	77		CR52				
2476	2383	P	H		5960-646-4611				SEMICONDUCTOR DEVICE, DIODE. 07688 PART NO. 1N457, 95104 PART NO. 353-0204-000			3	REF		REF		77 6-6		CR7, 9, 15				
2477	1086	P	H		5960-754-7074				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. 1N751A. 95104 PART NO- 353-2710-000			1	REF		REF		77 6-6		CR8				
2478		P	H		5960-808-62411				SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO. 2N398A. 95104 PART NO. 352-0301-000			3	4		1	16	77 6-6		Q1-3				
2479	126	P	H		5910-983-9280				AMPLIFIER SUBASSEMBLY 549-8994-004			1	REF		REF		77 6-6		C97				
2480		P	H		5910-552-1938				CAPACITOR. FIXED, CERAMIC, 0.01 UF, PLUS 80% MINUS 20%. 100 VDCW. 72982 PART NO. 855502X5G0103P 95104 PART NO. 913-3680-000			1	3		2	9	77 6-6		C9				
2481		P	H		5910-617-0896				CAPACITOR, FIXED, ELECTROLYTIC, 5 UF, PLUS 75% MINUS 15%. 25 VDCW, 24446 PART NO. 29F489. 95104 PART NO. 184-7152-000	i		1	1		1	3	77 6-6		C95				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2482		P	H		5960-996-1004						2	77		35		77	77 6-6				
2483	2366	P	H		5905-683-2240						1	REF		REF			77 6-6		R46		
2484	1334	P	H		5905-686-3369						1	REF		REF			77 6-6		R45		
2485	106	P	H		5905-752-3156						1	REF		REF			77 6-6		R44		
2486		P	H		5905-279-2527						1	5		3		15	77 6-6		R43		
2487	2476	P	H		5960-754-7074						1	REF		REF			77 6-6		CR12		
2488	1086	P	H		5960-754-7074						1	REF		REF			77 6-6		C14		
2489		P	H		5960-752-0179						1	1		1		3	77		CR13		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
2490			P	H	5960-838-4932				1N971A. 95104 PART NO. 353-3233-000			2	3		2		12	77 6-6		Q4, 5		
2491			P	H	5950-799-4163				SEMICONDUCTOR DEVICE, TRANSISTOR. 07688 PART NO. 2N328A. 95104 PART NO. 352-0073-000			1	1		1		3	77 6-6		T1		
2492			P	H	5950-648-4412				TRANSFORMER, AF LEADS BROWN TO BLUE 10.000 OHMS IMPEDANCE. LEAD RED CT, LEADS YELLOW TO GREEN 10.000 OHMS IMPEDANCE. LEAD BLACK CT. 80223 PART NO. DH226. 95104 PART NO. 677-1485-000			1	2		2		6	77 6-6		T2		
2493	1567		P	H	5999-887-0746				TUBELET 95104 PART NO. 542-0810-003			36	REF		REF			77 6-6				
2494			P	H	5905-686-3838				AMPLIFIER SUBASSEMBLY 549-9006-004			1	19		3		57	77 6-8		R59		
									RESISTOR, FIXED, COMPOSITION 27,000 OHMS, 10% TOL. 1/4 WATT 81349 PART NO. RC07GF273K. 95104 PART NO. 745-0800-000													

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
2495			P	H	5905-249-4243						1	1			1		3	77 6-8		R60			
2496	2473		P	H	5905-299-2012						1	REF		REF				77 6-8		R63			
2497			P	H	5905-819-3362						1	4			3		12	77 6-8		R58			
2498	2474		P	H	5905-681-8958						1	REF		REF				77 6-8		R62			
2499	2476		P	H	5960-646-4611						4	REF		REF				77 6-8		CR17, 18, 37 38			
2500	1086		P	H	5960-754-7074						1	REF		REF				77 6-8		CR19			
2501	2478		P	H	5960-808-6241						1	REF		REF				77 6-8		Q7			
2502	1089		P	H	5960-752-0150						1	REF		REF				77		Q6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2503	1567	P	H		5999-887-0746						26	REF		REF				77				
					5895-905-2979																	
2504	1567	P	H		5999-887-0746						26	REF		REF				77 6-7				
2505		P	H		5910-920-3695						1	1		1		3		77 6-11		C154		
2506		P	H		5905-279-1963						1	1		1		3		77 6-11		R17		
2507		P	H		5905-192-3991						2	2		1		6		77 6-11		R16, 97		
2508		P	H		5905-722-3822						1	1		1		3		77 6-11		R101		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2509	2397	P	H		910-714-3806						2	REF		REF			77 6-11		C15, 16		
2510		P	H		5950-807-3425						2	4		2	12	77		L35, 36			
2511	105	P	H		5905-687-0000						3	REF		REF		77 6-11		R100, 102 103			
2512		P	H		5910-990-7488						1	3		3		77 6-12		C42			
2513		P	H		5950-919-8634						1	3		3		77 6-12		L1			
2514		P	H		5950-919-8639						1	1		1	3	77 6-12		L60			
2515		P	H		5905-279-2555						1	1		1	3	77 6-12		R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2516	286	P	H		5905-195-6806						1	REF		REF				77 6-12		R69		
2517	105	P	H		5905-687-680000						1	REF		REF				77 6-12		R5		
2517	105	P	H		5910-920-3690						1	1		1	3			77 6--12		C43		
2519		P	H		5910-920-4804						1	1		1	3			77 6-12				
2520		P	H		5910-920-4802						1	1		1	3			77 6-12		C12		
2521	1821	P	H		5910-544-6494						1	REF		REF				77 6-12				
2522		P	H		5950-086-8845						2	2		1	6			77 6-13		L28, 29		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2523			P	H	5950-086-8844						1	1			1		3	77 6-13		L27	
2524			P	H	5950-086-8843						3	3			1		9	77 6-13		L24-26	
2525			P	H	5950-086-8842						3	3			1		9	77 6-13		L21-23	
2526			P	H	5950-084-3419						2	2			1		6	77 6-13		L19, 20	
2527			P	H	5950-084-3418						1	1			1		3	77 6-13		L18	
2528			P	H	5950-084-3414						1	2			1		6	77 6-13		L17	
2529			P	H	5950-084-3413						1	1			1		3	77		L16	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
2530			P	H	5950-084-3412						1	2			1	6	77 6-13	L15			
2531			P	H	5950-084-3411						1	1			1	3	77 6-13	L14			
2532			P	H	5950-084-3410						1	2			1	6	77 6-13	L13			
2533			P	H	.5950-086-8799						1	2			1	6	77 6-13	L12			
2534			P	H	5950-086-8798						1	2			1	6	77 6-13	L11			
2535			P	H	5950-S86-8840						1	2			1	6	77 6-13	L10			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2536		P	H		5950-086-8841						1	1		1		3	77 6-13		L9		
2537		P	H		5950-086-8839						1	2		1		6	77 6-13		L8		
2538		P	H		5950-086-8832						1	2		1		3	77 6-13		L7		
2539		P	H		5950-086-8831						1	1		1		3	77 6-13		L6		
2540		P	H		5950-086-8982						1	1		1		3	77 6-13		L5		
2541		P	H		5950-086-8767						1	1		1		3	77 6-13		L4		
2542		P	H		5950-086-8785						1	1		1		3	77 6-13		L3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
2543		P	H		5950-084-3415				COIL. RF 30 UH INDUCTANCE, 11 UH TOL. 09250 PART NO. 18-323, 95104 PART NO. 240-1113-000 COIL ASSEMBLY. RF 553-9952-005			1	1		1	3	77 6-13		L2				
2544		P	H		5910-660-4915				CAPACITOR FIXED MICA 120 UUF 5% TOL, 500 VDCW 81349 PART NO CM05F121J03- 95104 PART NO. 912-2822-000			1	5		4	15	77 6-13		C138				
2545		P	H		5910-723-3700				CAPACITOR. FIXED. MICA 200 UUF. 5% TOL, 500 VDCW. 81349 PART NO. CM05F201J03. 95104 PART NO. 912-2837-000			1	2		2	6	77 6-13		C139				
2546		P	H		5910-838-3166				CAPACITOR, FIXED, MICA 270 UUF, 5% TOL, 500 VDCW. 81349 PART NO. CM05F271J03, 95104 PART NO. 912-2846-000			2	5		4	15	77 6-13		C140, 141				
2547		P	H		5910-020-2499				CAPACITOR, FIXED, MICA 390 UUF, 5% TOL, 500 VDCW. 81349 PART NO. CM05F391J03, 95104 PART NO. 912-2858-000			2	3		2	9	77 6-13		C142, 143				
2548		P	H		5910-820-1358				CAPACITOR, FIXED, MICA 510 UUF, 5% TOL, 500 VDCW. 81349 PART NO. CM06F511J03, 95104 PART NO. 912-2980-000			3	22		4	66	77 6-13		C144-146				
2549		P	H		5910-835-6391				CAPACITOR, FIXED, MICA 560 UUF, 5% TOL, 500 VDCW. 81349 PART NO. CM06F561J03, 95104 PART NO. 912-2983-000	6-13		2	2		1	6	77		C147, 149				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L		
2550		P	H	5910-045-1996						1	1			1		3	77 6-13		C148			
2551	2528	P	H	5950-084-3414						1	REF			REF			77 6-13		L58			
2552	2530	P	H	5950-084-3412						1	REF			REF			77 6-13		L57			
2553	2532	P	H	5950-084-3410						1	REF			REF			77 6-13		L56			
2554	2533	P	H	5950-086-8799						1	REF			REF			77 6-13		L55			
2555	2534	P	H	5950-086-8798						1	REF			REF			77 6-13		L54			
2556	2535	P	H	5950-086-8840						1	REF			REF			77 6-13		L53			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	I T E M N U M B E R					
25571			P	H	5950-920-4784				95104 PART NO. 240-1100-000 COIL. RF 2.025 UH INDUCTANCE, 0.775 UH TOL. 09250 PART NO. 18-718, 95104 PART NO. 240-2663-000			1	1			1		3	77 6-13		L52		
2558	25371		P	H	5950-086-8839				COIL. RF 2.6 UH INDUCTANCE. 1 UH TOL. 09250 PART NO. 18-312. 95104 PART NO. 240-1102-000			1	REF			REF			77 6-13		L51		
2559			P	H	5950-920-4783				COIL RF 3.55 UH INDUCTANCE, 1.55 UH TOL. 09250 PART NO. 18-717. 95104 PART NO. 240-2662-000			1	1			1		3	77 6-13		L50		
2560			P	H	5950-920-4782				COIL. RF 4.6 UH INDUCTANCE. 2 UH TOL. 09250 PART NO. 18-716. 95104 PART NO. 240-2661-000			1	1			1		3	77 6-13		L49		
2561			P	H	5950-920-4772				COIL RF 7.35 UH INDUCTANCE,, 3.15 UH TOL. 09250 PART NO. 18-715. 95104 PART NO. 240-2660-000			1	1			3			77 6-13		L48		
2561			P	H	5950-920-4771				COIL. RF 11.4 UH INDUCTANCE, 4.05 UH TOL, 09250 PART NO. 18-714 95104 PART NO. 240-2659-000			1	1			1		3	77 6-13		L47 L47		
2563			P	H	5950-920-4799				COIL. RF 36 UH INDUCTANCE, 13 UH TOL, 09250 PART			1	1			1		3	77 6-13		L46		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	15	
2564		P	H		5950-920-4767						1	1		1		3	77 6-13		L59		
2565		P	H		5950-937-3028						1	1		1		3	77 6-4				
2566		P	H		5950-937-3030						1	1		1		3	77 6-4				
2567		P	H		5950-946-3299						1	1		1		3	77 6-4				
2568		P	H		5950-919-8637						1	1		1		3	77 6-4		L42		
2569		P	H		5950-919-8653						1	1		1		3	77				
2570		P	H		5950-919-8651						1	1		1		3	77 6-4		L38		
2571		P	H		5950-919-8631						1	1		1		3	77 6-4				
2572		P	H		5950-919-8640						1	1		1		3	77 6-2		L41		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS				DM	ITEM N U M B E R	
2573		P	H		5950-919-8630						1	1		1		3	77 6-2			
2574		P	H		5950-919-8638						1	1		1		3	77 6-4 6-4		L40	
2575		P	H		5950-919-8646						1	1		1		3	77 6-4			
2576	72	P	H		5910-660-7430						4	REF		REF			77 6-9		C44, 45, 134, 153	
2577		P	H		5910-714-5383						1	1		1		3	77 6-9		C129	
2578		P	H		5910-879-6823						1	1		1		3	77 6-9		C13	
2579	157	P	H		5905-190-8889						1	REF		REF			77 6-9		R90	
2580	174	P	H		5905-577-0935						2	REF		REF			77		R83, 84	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E R S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2581			P	H	5905-249-4227						1	2			2		6	77 6-9		R85		
2582			P	H	5905-279-1865						2	2			1		6	77 6-9		R88, 89		
2583			P	H	5905-542-9787						2	2			1		6	77 6-9		R25, 26		
2584			P	H	5905-722-3774						1	3			2		9	77 6-9		R41		
2585	715		P	H	5905-542-7670						2	REF			REF		77 6-9			R23, 24		
2586			P	H	5905-672-2853						1	1			1		3	77 6-9		R87		
2587	2382		P	H	5960-059-8848						2	REF			REF		77			CR54, 57		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	DM					
2588			P	H	5960-82-3525							1	1		1		3	77 6-9		CR5A, B		
2589	657		P	H	5960-894-0684							1	REF		REF			77 6-9		CR55		
2590			P	H	5915-084-8544							1	1		1		3	77 7-2		FL1		
2591			P	H	5910-682-3135							2	2		1		6	77 7-2				
2592			P	H	5950-988-3060							1	1		1		3	77 7-2				
2593	2447		P	H	5935-951-4050							1	REF		REF			77 6-2		J1		
2594	2454		P	H	5935-988-4769							1	REF		REF			77 6-2		J19		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 D E S I G N A T I O N N U M B E R	5 M O D E L N U M B E R	6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 A L L O W A N C E E Q U I P M E N T R E Q U I R E D F O R 1 0 0 E Q. D E E P O T Q T Y			12 F I G U R E N U M B E R	13 I T E M N U M B E R	14 I L L U S T R A T I O N S	15 R E F E R E N C E S Y M B O L	16
		DS	GS	DM																
2595	2449	P	H			5935-080-9292	JACK. TIP ORANGE, 98291 PART NO. SKT410RN. 95104 PART NO. 360-0260-000			1	REF		REF		77 6-2		J3			
2596	2448	P	H			5935-061-1363	JACK. TIP RED, 98291 PART NO. SKT41RED. 95104 PART NO. 360-0259-000			1	REF		REF		77 6-2		J2			
2597	2450	P	H			5935-080-9293	JACK. TIP YELLOW. 98291 PART NO. SKT41YEL. 95104 PART NO. 360-0261-000			2	REF		REF		77 6-2		J4, 20			
2598		P	H			5895-905-2980	RESISTOR ASSEMBLY 95104 PART NO. 549-8990-003			1	1		1	3	77 6-10		TB2			
2599		P	H			5905-079-4046	RESISTOR. FIXED, WIRE WOUND, 39 OHMS. 5% TOL. 3 WATTS. 81349 PART NO. RW69V390. 95104 PART NO. 747-5378-000			10	10		1	30	77 6-10		R73-82			
2600		P	H			5910-920-3694	RETAINER. RING 548-7997-002			1	1		1	3	77 6-3					
2601		P	H			5895-905-8164	RETAINER. CAPACITOR 95104 PART NO. 548-7996-002			1	1		1	5	77 6-14, 15,16					
2602		P	H			5910-519-6789	SWITCH. ROTARY, HF 95104 PART NO. 549-9079-004			2	2		1	6	77 6-16		C4, 6			
							CAPACITOR. FIXED, CERAMIC. 40 UUF. 5% TOL. 5000 VDCW. 71590 PART NO. 850S40ZPORM5PCT. 95104 PART NO.													

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2603			P	H	5910-666-9019						11	11		1	33	77 6-14, 15		C47-56, 96			
2604			P	H	5910-920-3693						1	1		1	3	77 6-15					
2605			P	H	5930-919-7786						1	1		1	5	77 6-16		S10			
2605A					5930-919-7785						1	1		1	5						
2606			P	H	5930-919-7784						1	1		1	5	77 6-16		S11			
2606A					5930-919-7783						1	1		1	5						
2607			P	H	5950-919-8632						1	1		1	3	77 6-5		T3			
2608			P	H	5950-919-8650						1	1		1	3	77 6-5					
2609			P	H	5940-919-3525						1	1		1	1	77 6-5					

1 S E Q U E N C E N U M B E R	2 F O R A L L O W A N C E S E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2610			P	H	5935-729-7306						1	1				1		3	77 6-3		P2	
2611			P	H	5935-729-7305						5	5				1		15	77 6-33		J1, 2, 10, 12, 13	
2612			P	H	5935-867-1714						1	1				1		3	77 6-33		P15	
2613			P	H	5935-939-4476						1	1				1		3	77 6-32		J7	
2614			P	H	4130-937-4378						1	1				1		3	77 6-33			
2615	2628		P	H	5905-984-0296						1	REF			REF			77 6-31			R1	
2616			P	H	5995-921-3309						1	1				1		5	77 6-33			
2617			P	H	5995-921-4474						1	1						5	77 6-33			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
		DESCRIPTION																					
2618		P	H		5935-080-6687				549-9217-003 CONNECTOR, ELECTRICAL 12615 PART NO. 134. 95104 PART NO. 371-0240-000 SHIELD. ELECTRICAL CONNECTOR 549-9300-002			2	2			1		6	77 6-32, 33		J3, 8		
2619		P	H		5940-919-3528				FERRULE 95104 PART NO. 549-9206-002			1	2			2		2	77 6-33				
2620		P	H		5935-923-8787				CONNECTOR, ELECTRICAL 95104 PART NO. 549-9467-003			1	1			1		3	77 6-33		P14		
2621		P	H		5935-923-8786				CONNECTOR, ELECTRICAL 95104 PART NO. 549-9466-003			1	1			1		3	77 6-33				
2622		P	H		5935-921-4248				CONNECTOR. ELECTRICAL 5 PINS, 91146 PART NO. DPAS-34P. 95104 PART NO. 370-2189-000			1	1			1		3	77 6-33				
2623		P	H		5895-905-3693				CONTROL, LOW POWER 95104 PART NO. 757-2845-001			1	1			1		2	77 6-31				
2624		P	H		5945-725-9730				RELAY, ARMATURE 2C CONTACT ARRANGEMENT, 09026 PART NO. 8R12-1950874-1-0-7-2, 95104 PART NO. 408-1175-000			1	8			1		24	77 6-31		K1		
2625	609	P	H		5905-195-6502				RESISTOR. FIXED. COMPOSITION, 3300			1	REF		REF			77	R4 6-31				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2626	646	P	H		5905-726-4413						1	REF							77 6-31		R5	
2627		P	H		5905-815-5498						1	2		2		6			77 6-31		R3	
2628		P	H		5905-984-0296						1	2		1		6			77 6-31		R2	
2629	1561	P	H		5960-557-6118						2	REF							77		CR7, 8 6-31	
2630	38	P	H		5960-617-8804						1	REF							77 6-31		CR9	
2631		P	H		5905-702-2990						1	1				1			77		R8	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
2632			P	H	5905-752-7374													6-31			
											1	1			1		3	77 6-31		R8	
2633			P	H	5905-702-1535																
											1	1			1		3	77 6-31		R8	
2634	510		P	H	5905-190-8883							1	REF		REF			77 6-31		R8	
2635			P	H	5905-257-8375																
											1	1			1		3	77 6-31		R8	
2636			P	H	5905-279-1459																
												1	1				3	77 6-31		R2, 8	
2637			P	H	5905-279-1753																
											1	2			2		6	77 6-31		R8	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
2638	604	P	H		5905-279-3519						1	REF		REF				77 6-31		R8			
2639		P	H		5905-251-7757						1	1		1		3		77 6-31		R8			
2640	511	P	H		5905-279-2621						1	REF		REF				77 6-31		R8			
2641		P	H		5905-279-2645						1	1		1		3		77 6-31		R10			
2642	516	P	H		5905-279-2672						1	REF		REF				77 6-31		R6			
2643	8531	P	H		5905-195-6453						1	REF		REF				77		R7			
2644		P	H		5905-752-6979						1	1		1		3		77 6-31		R4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2645			P	H	5905-752-7229						1	1		1		3	77 6-31		R9		
2646			P	H	5905-995-7945						1	1		1		3	77 6-31		R5		
2647			P	H	5961-810-1972						1	1		1		3	77 6-31		R3		
2648	38		P	H	5960-617-8804						3	REF		REF		77 6-31			CR1, 2, 4		
2649			P	H	5960-060-8379						1	37		5		111	77 6-31		CR6		
2650			P	H							2	2		1		6	77		CR3, 5		
2651			P	H	5960-855-1551						1	6		3		24	77 6-31		Q1		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS	
2652			P H	5961-778-3957					1	1			1	4	77 6-31		Q2	
2653			P H	5960-069-3641					1	2			1	8	77 6-31		Q3	
2654			P H	5961-915-5839					1	1			1	3	77 6-31			
2655			P H	5910-920-4809					1	1			1	3	77 6-31			
2656			P H	5905-960-7331					1	1			1	3	77 6-31		RT1	
2657	1679		P H	5910-583-1997					82	REF			REF		77 6-33			
2658			P H	5950-919-8635					41	41			2	123	77 6-33			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E M I T T E D E Q U I P M E N T	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
2659	219	P	H		6145-812-5034				549-9219-002 WIRING HARNESS 549-9298-000			3	REF		REF			77 6-33				
2660		P	H		5935-812-5805				CONNECTOR, ELECTRICAL 22 PINS. 91146 PART NO. DPA24W2-34P1 95104 PART NO. 370-2177-000			2	2		1	6		77 6-33	P16, 17			
2661		P	H		5935-822-5783				INSERT. ELECTRICAL CONNECTOR. 91146 PART NO. DPA53572-1. 95104 PART NO. 370-2183-000			2	2		1	2		77 6-33				
2662	2451	P	H		5935-954-4470				TIP JACK ASSEMBLY 549-9243-003 JACK. TIP WHITE, 98291 PART NO SKT41WHT. 95104 PART NO. 360-0266-000			14	REF		REF			77 6-33		J18-31		
2663		P	H		5935-060-9529				WIRING HARNESS 549-9468-000 CONNECTOR. ELECTRICAL 9 PINS. 71468 PART NO. DEMF9S. 95104 PART NO. 371-0957-000			1	3		2			77 6-32		J5		
2664	99	P	H		5935-990-3806				CONNECTOR. ELECTRICAL 15 PINS. 71468 PART NO. DAMF15S. 95104 PART NO. 371-0958-000			1	REF		REF			77 6-33		J11		
2665		P	H		5935-883-0218				CONNECTOR. ELECTRICAL			1	1		1	3		77		J6		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE	ITEM	NUMBER	
2666			P	H	5935-583-5956						2	2			1	6	77 6-32 33		J4, 9			
2667	829		P	H	5910-883-4240						1	REF		REF			77 6-30		C5			
2668			P	H	5950-821-9497						1	1			1	3	77 6-29		L1			
2669	2624		P	H	5945-725-9780						7	REF			REF		77 6-30		K1-7			
2670	6411		P	H	5905-691-0195						1	REF			REF		77 6-30		R9			
26711	1561		P	H	5960-557-6118						8	REF			REF		77 6-30		CR14-16, 23-27			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM						
		ILLUSTRATIONS																				
2672			P	H	5960-893-6761				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. 1N969B. 95104 PART NO. 353-3180-000			1	1			1		3	77 6-30		CR22	
2673			P	H	5960-069-3641				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. PART NO. 2N2270, 95104 PART NO. 352-0430-000 CHASSIS. ELECTRICAL EQUIPMENT 549-1737-005			1	REF		REF				77 6-30		Q5	
2674			P	H	5820-086-8724				POST. ELECTRICAL- MECHANICAL, 95104 PART NO. 540-9002-003 CONTROL CIRCUIT SUBASSEMBLY 549-1732-004			5	9		2		9	77 6-30				
2675			P	H	5910-838-3556				CAPACITOR. FIXED. ELECTROLYTIC. 5 UF. PLUS 100% MINUS 10% 50 VDCW. 56289 PART NO. 30D193A1, 95104 PART NO. 183-1162-000			1	1		1		3	77 6-29		C1		
2676	2316		P	H	5910-841-6110				CAPACITOR, FIXED. ELECTROLYTIC. 47 UF. 20% TOL. 35 VDCW. 72982 PART NO. 903-506BOF0476M. 95104 PART NO. 184-74311-000			3	REF		REF				77 6-29		C2-4	
2677	1561		P	H	5960-519-6178				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. 1N458, 95104 PART NO. 353-0205-000			3	REF		REF				77 6-29		CR10-12	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2678		P	H		5960-577-6214						4	4		1	12	77 6-29		CR3. 4. 6. 7			
2679	38	P	H		5960-617-8804						9	REF		REF	77	6-9		CR5. 8. 9. 1 17-21			
2680		P	H		5960-878-3207						1	1		1		3 77 6-29		CR1			
2681	1564	P	H								1	REF		REF		77 6-29		CR2			
2682	1089	P	H		5960-752-0150						4	REF		REF		77 6-29		Q1-4			
2683		P	H		5935-883-9701						1	1		1		3 77 6-29		P1			
2684	2394	P	H		5910-994-7703						5	REF		REF		77 6-26		C16-20			
2685 AN/TSC-38A	506	P	H		5910-823-1657						1	REF		REF		77		C21			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
2686	2361	P	H		5935-729-7300						2	REF							77 6-26				
2687		P	H		5310-888-5853						1	10		3		10			77 6-26				
2688		P	H		5945-877-5926						1	4		1		12			77		K1		
2689	605-	P	H		5905-171-1997						1	REF							77 6-28		Q14		
2690		P	H		5905-171-1999						1	REF							77 6-26		R13		
2691	2476	P	H		5960-646-4611						1	REF							77				
2692	38	-P	H		5960-617-8804						1	REF							77 6-26				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
2693		P	H	5905-920-8970						1	1		1		3	77 6-26					
2694		P	H	5961-916-0343						1	1		1		3	77 6-26		RT1			
2695		P	H	5905-920-8969						1	1		1		3	77 6-26					
2696		P	H	5905-920-5720						1	1		1		3	77 6-26		R5			
2697		P	H	6625-919-5172						2	2		1		6	77 7-6					
2698		P	H	5910-814-6449						2	2		1		6	77 7-6		C5, 6			
2699	2394	P	H	5910-994-7703						4	REF		REF		77 7-6			C8-10, 14			
2700		P	H	5910-914-4411						1	1		1		3	77		C11			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2709			P	H	15895-905-3692						1	1		1			77 7-6				
2710			P	H	5905-279-3527						1	1		1			77 7-6		R8		
2711	646		P	H	5905-726-4413						1	REF		REF			77 7-6		R1		
2712	875		P	H	5905-171-1993						1	REF		REF			77 7-6		R11		
2713			P	H	5905-552-2440						2	2		1	6		77 7-6		R1, 2		
2714			P	H	5905-615-7721						1	1		1	3		77 7-6		R6		
2715	858		P	H	5905-538-3258						1	REF		REF			77 7-6		R6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2716			P	H	5903-542-7759						1	3		-2		9	77 7-6		R6			
2717			P	H	.5905-556-7830						1	1		1		3	77 7-6		R6			
2718			P	H	5905-577-2230						1	1		1		3	77 7-0		R6			
2719			P	H	5905-615-7733						1	1		1		3	77 7-b		R6			
2720			P	H	5905-542-7760						1	1		1		3	77 7-6		R6			
2721			P	H	5905-542-7761						1	1		1		3	77 7-b		R6			
2-7221	713		P	H	5905-542-7762						1	REF		REF		77 7-0			R6			
2723			P	H	5905-577-6765						1	2		2		6	77		R6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
2724			P	H	5905-615-7728						1	1		1		3	77 7-6		R6		
2725			P	H	5905-615-7726						1	1		1		3	77 7-6		R6		
2726	859		P	H	5905-577-0703						1	REF		REF		77 7-6			R6		
2727			P	H	5905-577-6764						1	5		2		15	77 7-6		R6		
2728			P	H	5905-577-7372						1	1		1		3	77 7-6		R6		
2729			P	H	5905-542-7713						1	1		1		3	77 7-6		R6		
27J2			P	H	5905-542-7764						1	1		1		3	77 7-6		R		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE	ITEM														
2731		P	H	-5905-577-1869				RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL. 1/2 WATT. 81349 PART RN65D100IF, 95104- PART NO. 705-7096-000			1	27		5	81	77 7-6		R6			
2732		P	H	5905-725-5312				RESISTOR. FIXED. FILM 1050 OHMS. 1% TOL. 1/2 WATT. 81349 PART RN65D1051F. 95104 PART NO. 705-7097-000			1	1		1	3	77 7-6		R6			
2733		P	H	5905-681-3222				RESISTOR. FIXED. FILM 100 OHMS, 1% TOL. 1/2 WATT. 81349 PART NO. RN65DI10 1F, 95104 PART NO. 705-7098-000			1	1		1	3	77 7-6		R6			
2734		P	H	590-725-5313				RESISTOR. FIXED. FILM 1150 OHMS, 1% TOL. 1/2 WATT 81349 PART NO. RN65D1151F. 95104 PART NO. 705-7099-000			1	1		1	3	77 7-0		R6			
2735	714	P	H	590--577-7504				RESISTOR, FIXLD, FILM 1210 OHMS. 1% TOL, 1/2 WART. 81349 PART NO RN65D121 F. 95104 PART NO. 705-7100-000			1	REF		REF		77 7-b		R6			
2736		P	H	5905-725-5314				RESISTOR. FIXED. FILM 1270 OHMS. 1% TOL, 1/2 WATT. 81349 PART NO. RN65D1217F. 95104 PART NO. 705-7101-000			1	1		1	3	77 7-6		R6			
2737		P	H	5905-615-7716				RESISTOR., FIXED, FILM 1330 OHMS. 1% TOL, 1/2 WATT. 81349 PART NO. RN65D1331IF 95104 PART NOC 705-710d-000			1	1		1	3	77 7-b		R6			
2738		P	H	5905-725- 5315				RESISTOR. FIXED. FILM 1400 OHMS, 1% TOL, 1/2 WATT, 81349 PART			1	1		1	3	77 7-6		R6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
27391	1803	P	H		5905-577-6733						1	REF		REF			77 7-6		R6		
27401		P	H		5905-681-8848						1	2		1	6		77 7-6		R6		
2741	18033	P	H		5905-577-6733						1			REF	REF		6-27	77	R7		
2742	2740,	P	H		5905-681-8848						1	REF		REF			77 6-27		R7		
2743	1321	P	H		5905-990-5147						1	REF		REF			77 6-27		R7		
2744		P	H		5905-804-3957						1	1		1	3		77 6-27		R7		
2745		P	H		5905-577-0586						1	1		1	3		77 6-27		R7		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER		ITEM NUMBER		
2746			P	H	5905-577-7371						1	1		1		3	77 6-27		R7		
2747	1506		P	H	5905-615-7734						1	REF		REF			77 6-27		R7		
2748			P	H	5905-681-8849						1	1		1		3	77 7-6		R7		
2749			P	H	5905-581-0096						1	1		1		3	77 7-6		R3		
2750			P	H	5905-581-0097						1	1		1		3	77 7-6		R3		
2751			P	H	5905-578-9056						1	3		2		9	77 1		R3 7-6		
2752			P	H	5905-581-0099						1	1		1		3	77 1		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
2753	1807	P	H		5905-583-6902						1	REF		REF			7-6			R3	
2754		P	H		5905-583-6887						1	1		1	3		77 7-6			R3	
2755		P	H		5905-538-3229						1	1		1	3		77 1			R3 7-6	
2756		P	H		5905-752-3146						1	39		4	117		77 7-6			R3	
2757		P	H		5905-615-7732						1	1		1	3		77 7-6			R3	
2758		P	H		5905-801-8768						1	1		1	3		77 7-6			R3	
2759		P	H		5905-542-7644						1	19		3	57		77 7-6			R3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS		
2760			P H	5905-577-7485			RESISTOR. FIXED. FILM 4020 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D4021F. 95104 PART NO. 705-7125-000			1	1			1	3	77 7-6		R3		
2761			P H	5905-542-7671			RESISTOR. FIXED. FILM 4220 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D4221F. 95104 PART NO. 705-7126-000			1	2			2	6	77 7-6		R3		
2762			P H,	5905-823-3995			RESISTOR. FIXED. FILM 4220 OHMS, 1% TOL 1/2 WATT. 81349 PART NO. RN65D4421F. 95104 PART NO. 705-7127-000			1	1			1	3	77 7-6		R3		
2763	741		P H	5905-615-7730			RESISTOR. FIXED, FILM 4640 OHMS. 1% TOL 1/2 WATT. 81349 PART NO. RN65D4641F. 95104 PART NO. 705-7128-000			1	REF		REF			77 7-6		R3		
2764			P H	5905-583-6240			RESISTOR. FIXED, FILM 4750 OHMS.1% TOL 1/2 WATT. 81349 PART NO, RN65D4751F. 95104 PART NO. 705-7255-000			1	2			1	6	77 7-6		R3		
2765			P H	5905-542-7752			RESISTOR. FIXED, FILM 4870 OHMS. 1% TOL. 1/2 WATT, 81349 PART NO. RN65D4871F, 95104 PART NO. 705-7129-000			1	2			1	6	77 7-6		R3		
2766			P H	5905-542-7793			RESISTOR. FIXED. FILM 4990 OHMS. 1% TOL, 1/2 WATT. 81349 PART NO. RN65D4991F. 95104 PART NO. 705-7256-000			1	2			1	6	77 7-6		R3		
2767			P H	5905-615-7729			RESISTOR. FIXED, FILM 5110 OHMS, 1% TOL, 1/2 WATT, 81349 PART			1	8			2	24	77 7-6		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
2768			P	H	5905-542-7754						1	2		1		6	77 7-6		R3		
2769			P	H	5905-542-7625						1	2		1		6	77 7-6		R3		
2770			P	H	5905-577-0580						1	2		1		6	77 7-6		R3		
2771			P	H	5905-615-7715						1	2		1		6	77 7-6		R3		
2772			P	H	5905-542-7755						1	2		1		6	77 7-6		R3		
2773			P	H	5905-542-7756						1	2		1		6	77 7-6		R3		
2774			P	H	5905-577-0581						1	2		1		6	77 7-6		R3		
2775			P	H	595-577-9445						1						77		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2776			P	H	5905-542-7757						1	2		1		6	77		R3 7-6		
2777			P	H	5905-583-5207						1	2		1		6	77 7-6		R3		
2778			P	H	5905-577-6738						1	2		1		6	77 7-6		R3		
2779	1808		P	H	5905-615-7714						1	REF		REF		77 7-6			R3		
2780			P	H	5905-542-7558						1	2		1		6	77 7-6		R3		
2781			P	H	5905-725-7535						1	2		1		6	77 7-6		R3		
2782			P	H	5905-725-3514						1	2		1		6	77 7-6		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L																	
2783	715	P	H		5905-542-7670						1	REF		REF					77 7-6		R3			
2784		P	H		5905-725-3515						1	2		1		6			77 7-6		R3			
2785		P	H		5905-577-0933						1	2		1		6			77 7-6		R3			
2786		P	H		5905-721-2568						1	2		1		6			77 7-6		R3			
2787	581	P	H		5905-556-3772						1	REF		REF					77 7-6		R3			
2788		P	H		5905-725-3517						1	2		1		6			77 7-6		R3			
2789	2764	P	H		5905-583-6240						1	REF		REF					77 7-6		R4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
2790	2765	P	H		5905-542-7752I						1	REF		REF				77 7-6		R4			
2791	2766	P	H		5905-542-7753						1	REF		REF				77 7-6		R4			
2792	2767	P	H		5905-615-7729						1	REF		REF-				77 7-6		R4			
2793	2768	P	H		5905-542-7754						1	REF		REF				77 7-6		R4			
2794	2769	P	H,		5905-542-7625						1	REF		REF				77 7-6		:R4			
2795	2770	P	H		5905-577-7580						1	REF		REF				77 7-6		R4			
2796	2771	P	H-		5905-615-7715						1	REF		REF				77 7-6		R4			
2797	2772	P	H		5905-542-7755						1	REF		REF				77 7-6		R4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
2799	2773	P	H		5905-542-7756						1	REF	REF				77 7-6		R4		
2799	2774	P	H		5905-577-0561						1	REF	REF				77 7-6		R4		
2800	580	P	H		5905-577-7756						1	REF	REF				77 7-6		R4		
2801	2776	P	H		5905-577-7757						1	REF	REF				77 7-6		R4		
2802	2777	P	H		5905-58377-94457						1	REF	REF				77 7-6		R4		
2803	2778	P	H		5905-52-77-6738						1	REF	REF				77 7-6		R4		
2804	1808	P	H		5905-615-7714						1	REF	REF				77 7-6		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L		
2805	2780	P	H	5905-542-7558			RESISTOR. FIXED. FILM 6980 OHMS. 1% TOL. 1/2 WATT, 81349 PART NO. RN65D6981F. 95104 PART NO. 705-7263-000			1	REF		REF					77 7-6		R4		
2806	2781	P	H	5905-725-7535			RESISTOR. FIXED. FILM 7150 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN6SD7151F. 95104 PART NO. 705-7137-000			1	REF		REF					77 7-6		R4		
2807	2782	P	H	5905-725-3514			RESISTOR. FIXED. FILM 7320 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D7321F. 95104 PART NO. 705-7316-000			1	REF		REF					77 7-6		R4		
2808	715	P	H	5905-542-7670			RESISTOR. FIXED. FILM 7500 OHMS 1% TOL. 1/2 WATT. 81349 PART NO. RN6507501F. 95104 PART NO. 705-7138-000			1	REF		REF					77 7-6		R4		
2809	2784	P	H	5905-725-3515			RESISTOR. FIXED. FILM 7680 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D7681F. 95104 PART NO. 705-7317-000			1	REF		REF					77 7-6		R4		
2810	2785	P	H	5905-577-0933			RESISTOR. FIXED. FILM 7870 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D7871F. 95104 PART NO. 705-7139-000			1	REF		REF					77 7-6		R4		
2811	2786	P	H	5905-721-2568			RESISTOR. FIXED. FILM 8060 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D8061F, 95104 PART NO. 705-7318-000			1	REF		REF					77 7-6		R4		
2812	581	P	H	5905-556-3772			RESISTOR. FIXED. FILM 8250 OHMS. 1% TOL. 1/2 WATT. 81349 PART NO. RN65D8251F. 95104			1	REF		REF					77 7-6		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
2813	2788	P	H		5905-725-3517						1	REF						77 7-6		R4		
2814		P	H		5905-725-3518						1	1		1		3		77 7-6		R4		
2815		P	H		5905-725-3519						1	1		1		3		77 7-6		R4		
2816	1507	P	H		5905-581-1018						1	REF						77 7-6		R4		
2817		P	H		5905-721-1303						1	1		1		3		77 7-6		R4		
2818		P	H		5905-725-6091						1	1		1		3		77 7-6		R4		
2819		P	H		5905-725-6092						1	1		1		3		77 7-6		R4		
2820	742	P	H		5905-556-3779						1	REF						77 7-6		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
2821			P	H	5905-951-5022						1	1		1			3	77 7-6		R9			
2822			P	H	5960-752-0243						2	2		1			6	77 7-6		CRI 2			
2823	2429		P	H	5960-284-6516						1	REF		REF				77 7-6		CR3			
2824			P	H	5910-924-0917						1	1		1			3	77 6-21		C3			
2825	223		P	H	5910-812-5725						1	REF		REF				77 6-21		C7			
2826			P	H	5910-920-4806						1	1		1				3	77		C4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
2827			P	H	5910-668-0506				ELECTROLYTIC. DUAL SECTION. SECTION 1 60 UF. PLUS 125% MINUS 10, 450 VDCW. SECTION 2 40 UF. PLUS 125% MINUS 10%. 450 VDCW. 95104 PART NO. 183-0088-000			1	1		1	3	77 6-21	C11					
2828			P	H	5910-872-0528				CAPACITOR. FIXED. PAPER 2 UF, PLUS 30% MINUS 20% 100 VDCW. 00656 PART NO. 130K. 95104 PART NO. 931-0034-000			1	1		1	3	77 6-21	C1					
2829	2362		P	H	5935-080-6959				CONNECTOR. ELECTRICAL 12615 PART NO: 133, 95104 PART NO. 371-0239-000			1	REF	REF			77 6-21	P2					
2830			P	H	5915-870-0162				FILTER, RI 56289 PART NO. JN14-373A. 95104 PART NO. 241-0376-000			1	1		1	3	77 6-21	FL1					
2831			P	H	5915-870-0163				FILTER. RI 56289 PART NO. JN14-514C, 95104 PART NO. 241-8000-000			1	1		1	3	77 6-21	FL2					
2832			P	H	5945-869-5926				RELAY. ARMATURE 2A CONTACT ARRANGEMENT. 04221 PART NO. 115-4683. 95104 PART NO. 974-0858-000			1	1		1	3	77 6-21	K6					
2833			P	H	5945-729-1358				RELAY. ARMATURE 2X CONTACT ARRANGEMENT. 96906			1	1		1	3	77 6-21	K5					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D A Y	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2834			P	H	5905-920-5723							1	1		1	3	77		R72		
2835			P	H	5905-060-3731							2	2		1	6	77 6-21		R83, 84		
2836			P	H	5905-081-7348							7	15		1	45	77 6-20		R71		
2837			P	H	5905-778-4760							1	1		1	3	77 6-20		R77		
2838	959		P	H	5905-778-4760							1	REF		REF		77 6-19		R87		
2839			P	H	5905-778-4760							1	1		1	3	77 6-20		R82		
2840	2872		P	H	5905-563-6877							2	5		2	15	77		RT1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS				GS	DM	
2841			P	H	5910-920-4816				RETAINER. CAPACITOR 95104 PART NO. 548-4456-002			2	2		1	6	77 6-21				
2842	38		P	H	5960-617-8804				SEMICONDUCTOR DEVICE DIODE, 07688 PART NO. 1N6459 95104 PART NO. 353-2607-000			1	REF		REF		77 6-21		CR31		
2843	2168		P	H	5960-841-8940				SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. IN1200A. 95104 PART NO. 353-1143-000			2	REF		REF		77 6-21		CR29. 30		
2844			P	H	5960-681-0237				SEMICONDUCTOR DEVICE DIODE. 07688 PART NO. IN1342A. 95104 PART 353-1974-000			1	1		1	3	77 6-21		CR38		
2845			P	H	5950-919-7763				TRANSFORMER. POWER 97315 PART NO. BC3221. 95104 PART NO. 674-0040-000			1	1		1	3	77 6-21		T1		
2846			P	H	5950-919-7761				TRANSFORMER. POWER 97315 PART NO. 8C3222. 95104 PART NO. 674-0042-000			1	1		1	3	77 6-21		T3		
2847			P	H	5950-920-4768				TRANSFORMER. POWER 80008 PART NO. E12568. 95104 PART NO. 672-0118-000			1	1		1	3	77 6-21		T2		
2848	236		P	H	5945-983-9145				CHASSIS 554-4840-004 RELAY. ARMATURE 2C CONTACT ARRANGEMENT. 01526 PART NO. 3SAF1242. 95104 PART NO. 974-0718-000			1	REF		REF		77 6-21		K7		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS		DM																
2849	174	P	H	5905-577-0935			RESISTOR, FIXED COMPOSITION, 10000 OHMS10% TOL, 1/4 WATT, 81349 PART NO. RCO7GF103J 95104 PART NO. 745-0785-000			1	REF		REF					77 6-21		R85	
2850	174	P	H	5905-686-3129			RESISTOR, FIXED COMPOSITION, 10000 OHMS10% TOL, 1/4 WATT, 81349 PART NO. RCO7GF104J 95104 PART NO. 745-0821-000			1	REF		REF					77 6-21		R86	
2851	38	P	H	5960-617-8804			SEMICONDUCTOR DEVICE. DIODE. 07688 PART NO. IN645- 95104 PART NO. 353-2607-000			1	REF		REF					77 6-21		CR 18	
2852		P	H	5960-081-3568 5820-027-1227			SEMICONDUCTOR DEVICE . DIODE. 07688 PART NO. 2N886. 95104 PART NO. 353-3369-000 POWER SUPPLY SUBASSEMBLY 549-1740-004 PLATE, SOLDERED 549-1739-004			1	5		2	15				77 6-21		CR39	
2853		P	H	5910-983-9282			CAPACITOR. FIXED. CERAMIC. 1000 UUF. GMV TOL. 500 VDCW. 00656 PART NO. 913-0146-000, 95104 PART NO. 913-0146-000			8	32		2	96				77 6-21			
2854	136	P	H	5905-683-7721			RESISTOR. FIXED. COMPOSITION. 100 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RCO7GF1O1K. 95104 PART NO. 745-0713-000			8	REF		REF					77 6-21			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS			DM	FIGURE NUMBER		
2855		P	H	5905-686-3131						8	32			1	96	77 6-21				
2856		P	H	5960-845-0766						8	32			2	96	77 6-21				
2857		P	H	5905-051-5643						14	28			1	85	77 6-21		R8-21		
2858		P	H	5905-702-3747						1	1			1	3	77 6-21		R30		
2859	2836	P	H	5905-081-7348						7	REF			REF		77 6-21		R1-7		
2860	2646	P	H	5905-995-7945						1	REF			REF		77 6-19		R67		
2861		P	H	5905-899-1398						1	2			2	6	77 6-19		R70		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2862	2168	P	H		5960-841-8940						1	REF		REF				77 6-19		C9	
2863		P	H		5960-836-0383						1	1		1	3	77 6-19				CR19	
2863		P	H		5960-776-5162						1	1		1	3	77 6-19				CR10, 11 SET	
2865		P	H		5960-965-4101						1	1		1	4	77 6-19				Q19	
2866		P	H		5960-688-8837						2	3		1	12	77 6-19				Q20 21	
2867		P	H		5960-960-7315						7	14		1	56	77 6-19				Q1-7	
2868	2857	P	H		5905-051-5643						14	REF		REF		77 6-21				R31-44	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2869	297	P	H		5905-755-2863						1	REF		REF			77 6-21		R55		
2870	2859	P	H		5905-081-7348						7	REF		REF			77 6-20. 21		R45-51		
2871	266	P	H		5905-081-3014						1	REF		REF			77 6-20		R56		
2872	2840	P	H		5905-563-6877						2	REF		REF			77 6-21		RT1, 2		
2873		P	H		5960-754-5693						1	2		2	6		77 6-21		CR22		
2874	2866	P	H		5960-688-8837						1	REF		REF			77 6-21		Q17		
2875		P	H		5961-778-3943						1	1		1	4		77 6-20		Q18		
2876	2867	P	H		5960-960-7315						7	REF		REF			77 6-20		Q10-16		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
2877			P	H	5961-786-3534						1	2			1		8	77 6-20		Q8			
2878	246		P	H	5930-755-3197						1	REF		REF				77 6-21		S1			
2879	2455		P	H	5935-951-4052						1	REF		REF				77 6-19		J6			
2880	2447		P	H	5935-951-4050						1	REF		REF				77 6-19		J1			
2881			P	H	5935-960-7324						1	1		1				77 6-19		J8			
2882	2454		P	H	5935-988-4769						1	REF		REF				77 6-19		J5			
2883	2449		P	H	5935-080-9292						1	REF		REF				77 6-19		J3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS				DM	ITEM N U M B E R	
2884	2448	P	H	5935-061-1363			JACK, TIP RED, 98291 PART NO SKT41RED, 95104 PART NO. 360-0259-000			1	REF		REF			77 6-19		J2		
2885	2450	P	H	5935-080-9293			JACK TIP YELLOW, 98291 PART NO. SKT41YEL. 95104 PART NO. 360-0261-000			1	REF		REF			77 6-19		J4		
2886		P	H	5935-951-4053			JACK, TIP VIOL;ET, 98291 PART NO SKT41VIO. 95104 PART NO. 360-0264-000			1	1		1	1		77 6-19		J7		
2887	161	P	H	5905-683-2242			POWER SUPPLY SUBASSEMBLY 549-9197-004 RESISTOR. FIXED. COMPOSITION. 470 OHMS, 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF471K, 95104 PART NO. 745-0737-000			1	REF		REF			77 6-20		R78		
2888		P	H	5905-279-1940			RESISTOR, FIXED, COMPOSITION, 180.000 OHMS, 10% TOL, 2 WATTS. 81349 PART NO. RC42GF184K. 95104 PART NO. 745-5747-000			5	5		1	15		77 6-20		R22-26		
2889		P	H	5905-994-7140			RESISTOR FIXED. WIRE WOUND. 62 OHMS. 5% TOL. 3 WATTS. 81349 PART NO. RW69V620. 95104 PART NO. 747-5336-000			1	1		1	3		77 6-20		R27		
2890		P	H	5905-728-4857			RESISTOR. FIXED. WIRE WOUND 680 OHMS. 5% TOL, 6.5 WATTS, 81349 PART NO. RW67V681 95104 PART NO.			2	2		1	6		77 6-20		R65. 76		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS				DM	15	
2891		P	H	5905-872-2682				RESISTOR, VARIABLE WIRE WOUND. 1000 OHMS. 5% TOL. 1 WATT. 75042 PART NO. CT101-1K. 95104 PART NO. 381-1477-000			1	1		1		3	77 6-20		R81	
2892		P	H	5960-794-4309				SEMICONDUCTOR DEVICE. DIODE, 07688 PART NO. 1N560. 95104 PART NO. 353-1676-000			4	4		1		12	77 6-20		CR5-8	
2893		P	H	5910-879-6824				POWER SUPPLY SUBASSEMBLY 553-7186-004			1	1		1		3	77 6-21		C12	
2894		P	H	5910-837-6693				CAPACITOR, FIXED. ELECTROLYTIC. 100 UF. 20%TOL. 20 VDCW. 36289 PART NO. 150D107X9020S2. 95104 PART NO. 184-7721-000			2	2		1		6	77 6-21		C13 15	
2895	2688	P	H	5945-877-5926				RELAY. ARMATURE 2C CONTACT ARRANGEMENT. 09026 PART NO. BR7X300D2S3-26V 95104 PART NO. 974-0707-000			3	REF		REF			77 6-20		K1, 2, 4	
2896		P	H	5945-086-8705				RELAY. ARMATURE 20 CONTACT ARRANGEMENT. 01526 PART NO. 3SAF1334			1	1		1		3	77 -21		K3	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N N U M B E R			6 M O D E L N U M B E R	7	8	9	10	11 U N I T O F I S S U E	12 E X P E N D I B I L I T Y	13 Q U A N T I T Y I N U S E	14 Q U A N T I T Y E Q U I P M E N T	15 A L L O W A N C E E Q U I P M E N T R E Q U I R E D F O R 1 0 0 E Q. D E P O T Q T Y			16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3										DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
2904	254	P	H		5910-615-5517												1	REF	REF			77 6-19		C8
2905		P	H		5910-892-7453												1	1	1	3		77 6-19		C6
2906	795	P	H		5910-757-2133												2	REF	REF			77 6-19 20		C2, 10
2907	56	P	H		5910-805-3621												2	REF	REF			77 6-19 20 -		C5, 9
2908		P	H		5920-014-2864												1	1	1	50		77 6-19		F1
2909		P	H		5920-280-9530												1	REF	REF	50		77 6-19		F2
2910	510	P	H		5905-190-8883												1	REF	REF			77 6-20		R74

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		ITEM NUMBER
2911			P	H	5905-192-3973						1	1		1		3	77 6-19		R63		
2912	802		P	H	5905-195-6791						1	REF		REF			77 6-20		R59		
2913	2002		P	H	5905-279-2286						1	REF		REF			77 6-20		R60		
2914	852		P	H	5905-279-2553						1	REF		REF			77 6-12		R57		
2915			P	H	5905-171-1974						1	1		1		3	77 6-20		R52		
2914			P	H	5905-279-2553						1	3		3			77 6-20		R75		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS		
2917		P	H	5905-299-2059					2	2			1	6	77 6-19	R58 66			
2918		P	H	5905-299-2015					1	1			1	3	77 6-20	R62			
2919		P	H	5905-816-8123					2	2			1	6	77 6-20	R29, 53			
2920		P	H	5905-983-5942					1	1			1	3	77 6-19	R68			
2921		P	H	5905-975-1135					3	4			2	12	77 6-19	R28 54, 69			
2922		P	H	5905-920-5733					1	1			1	3	77 6-20	R64			
2923		P	H	5905-894-0182					1	1			1	3	77 6-20	R61			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T		13 R E E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
				5895-901-2771																	
2931			P H	5935-880-3398							1	2		2		6		78 1-22			
2932	2343		P H	5910-811-4788							6	REF		REF			78 4-4			C1, 2, 4, 5, 7, 8	
2933	624		P H	5910-542-7387							3	REF		REF			78 4-4			C9-11	
2934			P H	5910-993-8308							1	4		2		12	78 4-4			C3	
2935	2548		P H	5910-820-1358							1	REF		REF			78 4-4			C6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER														
2936		P	H	5950-823-3142			COIL, RF 4.7 UH INDUCTANCE, 10% TOL, 06978 PART NO. 22-474., 95104 PART NO. 240-0682-000			1	15		2	45	78 4-4		C1			
2937		P	H	5915-902-5572			FILTER, BANDPASS 500 KC FREQUENCY, 73899 PART NO. FLJ34. 95104 PART NO. 241-0417-000			1	1		1	3	78 4-4		FL1			
2938	627	P	H	5935-073-3249			JACK, TP WHITE, 00779 PART NO. 2-582120-9, 95104 PART NO. 360-0276-000			1	REF		REF		78 4-4		J7			
2939	604	P	H	5905-279-3519			RESISTOR, FIXED, COMPOSITION, 22 OHMS. 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF220J, 95104 PART NO. 745-1282-000			1	REF		REF		78 4-4		R6			
2940	157	P	H	5905-190-8889			RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF101K, 95104 PART NO. 745-1310-000 SELECT R10 AS REQUIRED FROM SEQUENCE NO. 2941 THROUGH 2943 BELOW			5	REF		REF		78 4-4		R3, 5, 7, 12 16			
2941	2214	P	H	5905-279-1965			RESISTOR FIXED COMPOSITION, 300 OHMS 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF301J, 95104 PART NO. 745-1329-000			1	REF		REF		78 4-4		R10			
2942	605	P	H	5905-171-1997			RESISTOR, FIXED COMPOSITION, 330 OHMS, 10% TOL, 1/2			1	REF		REF		78 4-4		R10			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2943			P	H	5905-279-1889							1	1		1		3	78 4-4		R10	
2944	807		P	H	5905-279-3504							3	REF		REF			78 4-4		R4, 11, 15	
2945	2329		P	H	5905-171-1985							1	REF		REF			78 4-4		R14	
2946	518		P	H	5905-185-8518							4	REF		REF			78 4-4		R1, 2, 8, 9	
2947	519		P	H	5905-279-3502							1	REF		REF			78 4-4		R13	
2948	612		P	H	5905-190-8876							1	REF		REF			78 4-4		R17	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	I T E M N U M B E R																
2949		P	H		5905-805-1415						1	3			2	9	78 4-4		R18		
2950		P	H		5960-905-5083						1	16			2	48	78 4-4		CR6		
2951	2429	P	H		5960-284-6516						1	REF		REF			78 4-4		CR5		
2952		P	H		5960-543-0490						4	4			1	16	78 4-4		CR1-4		
2953		P	H		5960-065-5373						3	56			4	225	78 4-4		Q1-3		
2954		P	H		5950-907-6975						1	3			2	9	78 4-4		T1		
2955		P	H		5950-907-6976						1	3			2	9	78 4-4		T2		
2956		P	H		5910-829-0109						1	2			2	6	78 6-4		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y		14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS						
2957		P	H		5910-087-0117						1	12		3		36	78 6-4	C2						
2958	1453	P	H		5935-856-6938						1	REF		REF			78 6-2	J2						
2959	2687	P	H		5340-888-5853						5	REF		REF			78 6-4							
2960	162	P	H		5905-681-6462						4	REF		REF			78 6-4	R18						
2961	680	P	H		5905-726-6433						4	REF		REF			78 6-4.5	R19, 24-26						
2962	287	P	H		5905-279-1876						1	REF		REF			78 6-4	R17						
2963	641	P	H		5905-691-0195						3	REF		REF			78 6-4	R6-8						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
2964	174	P	H		5905-577-0935						4	REF		REF			78 6-4.5		R9, 21, 23 27		
2965	647	P	H		5905-681-8818						1	REF		REF			78 6-4		R10		
2966	106	P	H		5905-752-3156						1	REF		REF			78 6-4		R11		
2967	649	P	H		5905-686-3903						1	REF		REF			78 6-4		R12		
2968	138	P	H		5905-688-4447						2	REF		REF			78 6-5		R5, 20		
2969		P	H		5905-800-0179						2	18		3	54		78 6-4		R4, 13		
2970		P	H		5905-686-4531						1	2		2			78 6-4		R14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
2971	2497	P	H		5905-819-3362						1	REF		REF			78 6-4		R15	
2972		P	H		5905-914-9594						1	2		2	6		78 6-4		R16	
2973		P	H		5905-8105-6689						1	1		1	3		78 6-4		R3	
2974	1647	P	H		5905-577-3719						2	REF		REF			78 6-4		R1, 2	
2975	1561	P	H		5960-557-6118						14	REF		REF			78 6-4,5		CR9-22	
2976		P	H		5960-865-9869						1	2		2	6		78 6-4		CR8	
2977	524	P	H		5960-752-5942						1	REF		REF			78 6-4		Q1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N D A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L		
		A	B	C	D		1	2	3					DS	GS						DM	
2978		P	H		5930-908-1993						1	2			2		10			78 6-4	S1	
2979		P	H		5910-902-5573						1	1			1		3			78 6-3		
2980		P	H		5910-919-7805						1	1			1		3			78 6-3		
2981		P	H		5910-902-5571						1	1			1		3			78 6-3		
2982		P	H		5910-666-8100						45	134			6		402			78 6-3		
2983		P	H		5895-902-8515						1	1			1		1			78 6-3		
2984		P	H		5935-885-6507						3	6			2		18			78 6-3		
2985		P	H		5935-902-8504						1	4			2		12			78 6-3	P1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
2986			P	H	5940-666-4436						8	24		2	24	78 6-3					
2987			P	H	5940-502-7284						8	24		2	24	78 6-3					
2988	1453		P	H	5935-856-6938						20	REF		REF		78 6-2			J1-15, 17-20, 22		
2989	72		P	H	5910-660-7430						7	REF		REF		78 4-6			C9-12, 19, 25, 27		
2990			P	H	5910-683-7276						3	6		2	18	78 4-6			C7, 8, 18		
2991	1537		P	H	5910-814-5869						5	REF		REF		78 4-6			C3, 15, 22-24		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL																
2992	565	P	H		5910-752-4249				150D685X0035B2, 95104 PART NO. 184-7693-000 CAPACITOR, FIXED, ELECTROLYTIC, 22 UF. 20% TOL, 500 VDCW. 05397 PART NO. K22J35S, 95104 PART NO. 184-7695-000			2	REF		REF	78 4-6					C16, 17			
2993	2934	P	H		5910-993-8308				CAPACITOR, FIXED, FILM 0.022 UF, 10% TOL 200 VDCW, 56289 PART NO. 192P22392, 95104 PART NO. 933-1039-020			2	REF		REF	78 4-6					C1, 2			
2994		P	H		5910-889-4462				CAPACITOR, FIXED, FILM 0.047 UF, 10% TOL, 200 VDCW, 56289 PART NO. 192P47392, 95104 PART NO. 933-1039-040			3	3		1	9 78 4-6					C4-6			
2995		P	H		5910-728-8472				CAPACITOR, FIXED, FILM 0.1 UF, 10% TOL, 200 VDCW, 56289 PART NO. 192P10492, 95104 PART NO. 933-1039-050			2	10		2	30 78 4-6					C20, 21			
2996	82	P	H		5910-852-9692				CAPACITOR, FIXED, MICA 220 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05F221J03, 95104 PART NO. 912-2840-000			1	REF		REF	78 4-6					C26			
2997	595	P	H		5910-752-4880				CAPACITOR, FIXED, MICA 2200 UUF, 5% TOL, 500 VDCW, 72136 PART NO. DM20F222J500MV, 95104, PART NO. 912-3339-OOC			2	REF		REF	78 4-6					C13, 14			
2998		P	H		5905-892-6554				RESISTOR, FIXED, COMPOSITION, 39 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF390K, 95104 PART NO. 745-0698-000			1	6		2	18 78 4-6					R33			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS		
2999		P	H	5905-279-1894				RESISTOR, FIXED, COMPOSITION, 82 OHMS. 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF820K, 95104 PART NO. 745-1307-000			1	1		1		3	78 4-6		R32	
3000	136	P	H	5905-683-7721				RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF101K, 95104 PART NO. 745-0713-000			1	REF		REF			78 4-6		R46	
3001	158	P	H	5905-982-5503				RESISTOR, FIXED, COMPOSITION, 120 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF121K, 95104 PART NO. 745-0716-000			1	REF		REF			78 4-6		R14	
3002	1334	P	H	5905-726-6435				RESISTOR, FIXED, COMPOSITION, 330 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF331K, 95104 PART NO. 745-0731-000			1	REF		REF			78 4-6		R26	
3003	262	P	H	5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC20GF391K, 95104 PART NO. 745-1335-000			1	REF		REF			78		R31	
3004	636	P	H	5905-686-9994				RESISTOR, FIXED, COMPOSITION 1200 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO RC07GF122K, 95104 PART NO. 745-0752-000			1	REF		REF			78 4-6		R34	
3005	680	P	H	5905-726-6433				RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL, 1/4			2	REF		REF			78 4-6		R11, 45	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
3006			P	H	5905-681-9969							5	25		4	75	78 4-6		R13, 27, 30, 37, 40	
3007	642		P	H	5905-686-9997							1	REF		REF		78 4-6		R10	
3008	644		P	H	5905-681-9970							1	REF		REF		78 4-6		R16	
3009	174		P	H	5905-577-0935							12	REF		REF		78 4-6		R4, 7, 8, 15, 19-21, 23-25, 41	
3010	647		P	H	5905-681-8818							2	REF		REF		78 4-6		R43, 44	
3011	106		P	H	590-752-3156							2	REF		REF		78 4-6		R17, 18	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS		
3012	138	P	H	5905-688-4447						2	REF		REF			78 4-6		R3, 5		
3013	107	P	H	5905-686-3129						5	REF		REF			78 4-6		R6, 28, 29 38, 39		
3014	139	P	H	5905-682-1101						1	REF		REF			78 4-6		R12		
3015		P	H	5905-681-8817						1	25		4	75		78 4-6		R49		
3016		P	H	5905-800-8068						1	2		2	6		78 4-6		R48		
3017		P	H	5905-800-3480						1	2		2	6		78 4-6		R47		
3018		P	H	5905-815-3792						1	5		2	15		73 4-6				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E Q U I R E D F O R E Q. D E E P O T Q T Y	13 R E B U I L D 1 0 0 F O R E Q.	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
3019		P	H		5905-702-1768						1	5			2	15	78 4-6		R53		
3020		P	H		5905-691-05721						1	2			2	6	78 4-6		R36		
3021	2333	P	H		5905-702-1771						2	REF		REF		78 4-6			R1,2		
3022		P	H		5906-988-2312						1	1			2	6	78 4-6		R54		
3023		P	H		5905-676-8778						1	6			2	18	78 4-6		R52		
3024		P	H		5905-681-8761						1	6			2	18	78 4-6		R51		
3025		P	H		5905-577-6737						1	2			2	6	78 4-6		R50		
3026		P	H		5905-068-1569						1	1			1	3	78 4-6		R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3027			P	H	5905-082-0683						1	7		2	21	78 4-6		R42			
3028	2429		P	H	5960-284-6516						2	REF		REF		78 4-6		C6, 7			
3029	1561		P	H	5960-557-6118						5	REF		REF		78 4-6		CR1-5			
3030	1089		P	H	5960-752-0150						1	REF		REF		78					
3031			P	H	5960-853-5926						4	6		2	24	78 4-6		Q5-8			
3032	3045		P	H	5960-892-0826						8	REF		REF		78 4-6		Q2,-4, 9-13			
3033			P	H	5950-907-7618						1	6		2	18	78 4-6		T1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ILLUSTRATIONS		
					5895-907-8345																	
3034			P	H	5910-726-4605							1	73		4	220		78 4-6			C1	
3035	138		P	H	5905-688-4447							1	REF		REF			78 4-6			R1	
3036	814		P	H	5960-556-2091							1	REF		REF			78 4-6			CR1	
					5895-908-8345																	
3037	3034		P	H	5910-726-4605							1	REF		REF			78 4-6			CI	
3038	138		P	H	590--688-4447							2	REF		REF			78 4-6			R1, 2	
3039	814		P	H	5960-556-2091							1	REF		REF			78 4-6			CR	
																						PRINTED CIRCUIT BOARD

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS		
3040	3034	P	H	5910-726-4605						1	REF		REF			78 4-6		C1	
3041	680	P	H	5905-726-6433						1	REF		REF			78 4-6		R1	
3042		P	H	5901-990-3767						1	37		3	111		78 4-6		R2	
3043	174	P	H	5905-577-0935						1	REF		REF			78 4-6		R3	
3144	814	P	H	5960-556-2091						1	REF		REF			78 4-6		CR1	
3045		P	H	5960-892-0826						1	54		4	216		78 4-6		Q1	
3046		P	H	5910-552-1939						1	2		2	6		78 4-8		C52	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL																
3047		P	H		5910-578-1382				UUF TOL, 500 VDCW, 81349 PART NO. CC20CH080D, 95104 PART NO. 916-0130-000 CAPACITOR FIXED CERAMIC, 10 UUF, 1/2 TOL, 500 VDCW, 81349 PART NO. CC20CH100D 95104 PART NO. 916-038-000			1	2		2		6	78 4-8		C54				
3048		P	H		5910-197-1485				CAPACITOR, FIXED, CERAMIC, 12 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CC20CH120J 95104 PART NO. 916-0141-000			1	2		2		6	78 4-8		C50				
3049		P	H		5910-239-3067				CAPACITOR, FIXED, CERAMIC, 51 UUF, 5% TOL 500 VDCW, 81349 PART NO. CC20UJ51OJ. 95104 PART NO. 916-0476-000			1	2		2		6	78 4-8		C33				
3050		P	H		5910-901-9698				CAPACITOR FIXED, I CERAMIC, 51 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CC32CG510J 95104 PART NO. 916-7271-000			1	1		1		3	78 4-8		C60				
3051		P	H		5910-578-8818				SELECT C18, C19, C59 AS REQUIRED FROM SEQUENCE NUMBERS 3051 THROUGH 3057 BELOW CAPACITOR, FIXED, CERAMIC, 51 UUF, 1% TOL, 500 VDCW, 81349 PART NO. CC305H510F 95104 PART NO. 916-4942-000			3	6		2		18	78 4-8		C18, 19,59				
3052		P	H		5910-901-9694				CAPACITOR, FIXED,			3	6		2		18	78		C18, 19, 59				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
3053		P	H		5910-805-1264						3	6		2	18	78 4-8		C18 19, 59				
3054		P	H		5910-615-0539						3	6		2	18	78 4-8		C18, 19, 59				
3055		P	H		5910-578-8926						3	6		2	18	78 4-8		C18, 19, 59				
3056		P	H		5910-901-9697						3	6		2	18	78 4-8		C18 19				
3057		P	H		5910-083-1629						3	10		3	30	78 4-8		C18, 19, 59				
3058		P	H		5910-951-1723						1	5		3	15	78 4-8		C57				
3059		P	H		5910-080-6462						2	25		3	75	78		C9, 29				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R	I L L U S T R A T I O N S			
																					R E F E R E N C E S Y M B O L			
3060		P	H		5910-080-4020				CERAMIC, 10,000 UUF, 20% TOL 100 VDCW, 04222 PART NO. C80V103RM, 95104 PART NO. 913-3953-000 CAPACITOR, FIXED, CERAMIC, 20,000 UUF, 20% TOL, 100 VDCW. 04222 PART NO. C80V203RM, 95104 PART NO. 913-3954-000			4	71		6	213	78 4-8		C6, 31, 35					
3061	72	P	H		5910-660-7430				CAPACITOR, FIXED, CERAMIC, 0.05 UF. PLUS 80% MINUS 20%, 50 VDCW, 01939 PART NO. 55C23A2, 95104 PART NO. 913-3885-000			2	REF		REF		78 4-8		C13, 45					
3062		P	H		5910-755-9291				CAPACITOR FIXED ELECTROLYTIC, 1 UF, 20% TOL, 35 VDCW 72982 PART NO. 900-506B0F0105M, 95104 PART NO. 184-7398-000			11	112		3	336	78 4-8		C10 12, 30, 42 43, 47, 48, 58					
3063		P	H		5910-728-4274				CAPACITOR, FIXED, ELECTROLYTIC, 1.1 UF, 20% TOL, 20 VDCW. 56289 PART NO. 151D115X0020A29 95104 PART NO. 184--76-000			1	3		2	9	78 4-8		C28					
3064	624	P	H		5910-542-7387				CAPACITOR, FIXED. ELECTROLYTIC, 4,7 UF, 20%, TOL, 35 VDCW' 72982 PART NO. 901-506B0F0475M 95104 PART NO. 184-7396-000			1	REF		REF		78 4-8		C44					
3065	2314	P	H		5910-815-5118				CAPACITOR, FIXED ELECTROLYTIC, 15 UF, 20% TOL, 20 VDCW,			1	REF		REF		78 4-8		C36					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3066	2512	P	H		5910-990-7488							1	REF		REF			78		C8 4-8	
3067		P	H		5910-837-7476							1	7		3	21		78 4-8		C32	
3068		P	H		5910-825-5288							1	6		3	18		78 4-8		C34	
3069	197	P	H		5910-552-9883							1	REF		REF			78 4-8		C37	
3070	198	P	H		5910-781-6497							1	REF		REF			78 4-8		C11	
3071		P	H		5910-844-0905							3	13		3	40		78 4-8		C38, 39, 56	
3072	82	P	H		5910-852-9692							2	REF		REF			78 4-8		C1, 41	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T P E R C E N T	13 R E E B U I L D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS			DM	FIGURE NUMBER		
		C	D																	
3373			P H	5910-804-7562						1	961			3	2882	78 4-8		C55		
3074			P H	5910-811-5155						2	6			2	18	78 4-8		C51, 53		
3075	2967		P H	5910-087-0117						1	REF			REF		78 4-8		C49		
3076			P H	5910-806-5126						1	5			3	15	78 4-8		C16		
3077			P H	5910-686-5126						2	9			3	27	78 4-8		C4, 46		
3078			P H	5910-878-5288						1	2			2	6	78 4-8		C7		
3079			P H	5910-814-0412						1	2			2	6	78 4-8		C17		
3080			P H	5910-902-5555						2	11			3	33	78 4-8		C14, 15		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS		DM													
3081		P	H	5910-811-4965						1	27		3	81	78 4-8		C27	
3082		P	H	5910-835-0718						1	2		2	4	78 4-8		C25	
3083		P	H	5910-978--2558						1	7		3	21	78 4-8		C26	
3084		P	H	5950-444-8793						1	2		2	6	78 4-8		L5	
3085		P	H	5950-902-7104						1	2		2	6	78 4-8		L2	
3086	2936	P	H	5950-823-3142						1	REF		REF		78 4-8		L10	
3087		P	H	5950-728-3633						1	6		2	18	78 4-8		L1	
3088		P	H	5950-812-4443						1	39		3	117	78 4-8		L3	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
3089			P	H	5950-812-4443						4	8		2	24	78 4-8		L6-9			
3090			P	H	6625-084-3398						1	2		2	4	78 4-8		L4			
3091	627		P	H	5935-073-3249						1	REF		REF		78 4-8		J1			
3092	630		P	H	5905-686-3121						1	REF		REF		78 4-8		R35			
3093	136		P	H	5905-683-7721						1	REF		REF		78 4-8		R29			
3094	631		P	H	5905-683-2243						2	REF		REF		78 4-8		R5, 30			
3095	162		P	H	5905-681-6462						8	REF		REF		78 4-8		R4, 9, 13 26, 31, 37, 41, 45			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R C E N T 1 0 0	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R	I T E M N U M B E R	
3096	639	P	H		5905-686-4527							1	REF	REF			78 4-8		R12		
3097	640	P	H		5905-686-9998							8	REF	REF			78 4-8		R3, 11, 23 24, 25, 27, 28, 36		
3098	641	P	H		5905-691-0195							2	REF	REF			78 4-8		R43, 47		
3099	644	P	H		5905-681-9970							1	REF	REF			78 4-8		R44		
3100	174	P	H		5905-577-0935							12	REF	REF			78 4-8		R1, 2, 6, 7 10, 17, 21, 22, 33, 34, 38, 39		
3101	646	P	H		5905-726-4413							1	REF	REF			78 4-8		R8		
3102	105	P	H		5905-687-0000							1	REF	REF			78		R42		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q U I P M E N T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			FIGURE NUMBER	ITEM NUMBER	
3103			P	H	5905-681-8853						1	39		4	117	78 4-8		R49			
3104	1343		P	H	5905-577-6736						1	REF		REF		78 4-8		R16			
3105			P	H	5905-660-4188						2	8		3	24	78 4-8		R14, 15			
3106			P	H	5905-702-6527						1	2		2	6	78 4-8		R19			
3107			P	H	5905-968-3827						1	4		2	12	78 4-8		R46			
3108			P	H	5905-892-7088						1	3		2	9	78 4-8		R32			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS			DM	FIGURE NUMBER		
3109		P	H		5905-082-0681						1	9		2	27	78 4-8		R40			
3110	2950	P	H		5960-905-5083						1	REF		REF		78 4-8		CR6			
3111		P	H		5960-712-3962						1	2		2	6	78 4-8		CR1			
3112	1086	P	H		5960-754-7074						2	REF		REF		78 4-8		CR4,5			
3113		P	H		5960-809-8986						2	4		2	12	78 4-8		CR2, 3			
3114		P	H		5960-842-6937						1	19		3	76	78		96			
3115		P	H		5960-845-6413						1	8		2	32	78 4-8		Q5			
3116		P	H		5960-809-1870						5	76		5	305	78 4-8		Q1, 2, 4, 7, 8			
3117		P	H		5960-985-1503						1	16		2	65	78 4-8		Q3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T			13 R E B U I L D F O R E Q. R E Q U I R E D Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	R	I	15							
																				FIGURE	ITEM						
3118		P	H		5950-907-7593				PART NO. 2N2189, 95104 PART NO. 352-0412-000 TRANSFORMER, IF 81815 PART NO. X537-1, 95104 PART NO. 278-0766-000			1	2	2	6	78 4-8	T2										
3119		P	H		5950-907-6974				TRANSFORMER, RF 81815 PART NO. X556-1, 95104 PART NO. 278-0765-000			1	2	2	6	78 4-8	T1										
3120	2954	P	H		5950-907-6975				TRANSFORMER, RF 81815 PART NO. X649-1, 95104 PART NO. 278-0720-000			1	REF	REF		78 4-8		T3									
3121	2955	P	H		5950-907-6976				TRANSFORMER, RF 81815 PART NO. X650-1, 95104 PART NO. 278-0721-000			1	REF	REF		78 4-8		T4									
3122		P	H		5910-681-7615				GENERATOR MULTIPLEX CARRIER 528-0200-005 CAPACITOR, FIXED, CERAMIC, 12 UUF, 10% TOL, 500 VDCW, 81349 PART NO. CC20UJ120K, 95104 PART NO. 916-0417-000			2	4	2	12	78 4-2	C4, 15										
3123	1681	P	H		5910-686-8955				CAPACITOR, FIXED CERMIC, 10,000 UUF, 20% TOL, 100 VDCW, 96095 PART NO. MC80V103AM, 95104 PART NO. 913-3021-000			2	REF	REF		78 4-2	C8, 20										
3124	3060	P	H		5910-080-4020				CAPACITOR, FIXED, CERMAIC, 20,000 UUF, 20% TOL, 100 VDCW,			2	REF	REF		78 4-2	C3, 14										

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q U I P M E N T	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		15 D S	16 G S	17 D M	18 F I G U R E N U M B E R		19 I T E M N U M B E R														
3125		P	H		5910-686-6927				04222 PART NO. C80V203RM, 95104 PART NO. 913-3954-000 CAPACITOR, FIXED, CERMIC, 47,000 UUF, 20% TOL, 100 VDCW, 96095 PART NO. MC80V473AM, 95104 PART NO. 913-3023-000			2	2		1	6	78 4-2		C28, 29		
3126		P	H		5910-080-4019				CAPACITOR, FIXED, CERAMIC, 50,000 UUF, 20% TOL, 100 VDCW, 04222 PART NO. C80V503RM, 95104 PART NO, 913-3955-000			2	49		4	147	78 4-2		C5, 16		
3127	624	P	H		5910-542-7387				CAPACITOR, FIXED, ELECTROLYTIC, 4.7 UF, 20% TOL, 35 VDCW, 72982 PART NO. 901-506B0F0475M, 95104 PART NO. 184-7396-000			6	REF		REF		78 4-2		C9, 21, 24, 26, 27, 30		
3128	199	P	H		5910-577-1194				CAPACITOR, FIXED, MICA 180 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05F181J03, 95104 PART NO. 912-2834-000			1	REF		REF		78 4-2		C10		
3129	82	P	H		5910-852-9692				CAPACITOR, FIXED, MICA 220 UUF, 5% TOL, 500 VDW, 81349 PART NO. CM05F221J03, 95104 PART NO. 912-2840-000			2	REF		REF		78 4-2		C12, 22		
3130		P	H		5910-811-4989				CAPACITOR, FIXED, MICA 270 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F271G03, 95104 PART NO. 912-2845-000			1	6		3	18	78 4-2		C25		
3131		P	H		5910-717-5853				CAPACITOR, FIXED, MICA 1800 UUF, 55 TOL, 500			1	2		2	6	78 4-2		C18		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q .	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R	
3132	594	P	H		5910-985-5180				VDCW, 81349 PART NO. CM06F182J03, 95104 PART NO. 912-3019-000 CAPACITOR, FIXED, MICA 1800 UUF, 5% TOL, 500 VDWC, 72136 PART NO. DM20F182J500WV, 95104			1	REF		REF			78 4-2		C2		
3133		P	H		5910-902-570				PART NO. 912-3333-000 CAPACITOR, FIXED, MICA 3600 UUF, 1% TOL, 100 VDCW, 72136 PART NO. DM20F362F100WV, 95104			1	2		2		6	78 4-2		C17		
3134		P	H		5910-811-4954				PART NO. 912-3762-000 CAPACITOR, FIXED, MICA 3900 UUF, 5% TOL 500 VDCW, 81349 PART NO. CM06F392J03, 95104			1	5		3		15	78 4-2		C11		
3135		P	H		5910-902-5581				PART NO. 912-3046-000 CAPACITOR, FIXED, MICA 4700 UUF, 1% TOL, 100 VDCW, 72136 PART NO. DM20F472F100WV, 95104			1	2		2		6	78 4-2		C6		
3136		P	H		5910-836-3992				PART NO. 912-3763-000 CAPACITOR, FIXED, MICA 4700 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM06F472J03, 95104			1	REF		REF			78 4-2		C23		
3137		P	H		5910-082-4898				PART NO. 912-3052-000 CAPACITOR, FIXED, MICA 5100 UUF, 2% TOL, 500 VDCW, 51349 PART NO. CM07F512G03, 95104			1	2		2		6	78 4-2		C7		
3138		P	H		5910-805-1014				PART NO. 912-2713-000 CAPACITOR, FIXED, MICA 8200 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM07F822G03, 81349 PART NO. 912-2728-000			1	REF		REF			78 4-2		C19		

1 S E Q U E N C E R N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM	NUMBER					
3139		P	H		5910-799-3571						2	4		2		8	78 4-2			C1, 13			
3140		P	H		5950-784-1976						1	2		2		6	78 4-2			L1			
3141		P	H		5950-902-2777						1	2		2		6	78 4-2			L4			
3142		P	H		5950-902-7115						4	8		2		24	78 4-2			L3, 5-7			
3143		P	H		5950-919-7650						1	2		2		6	78 4-2			L2			
3144		P	H		5955-902-7121						1	2		2		4	78 4-2			Y2			
3145		P	H		5955-762-6607						1	2		2		4	78 4-2			Y1			
3146	627	P	H		5935-073-3249						21	REF:		IREF		78 4-2				J1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D M A I N T E N A N C E D E Q U I P M E N T			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	
3147	641	P	H		5905-691-0195				RESISTOR. FIXED, COMPOSITION. 5600 OHMS, 10% TOL, 1/4 WATT. 81349 PART NO. RC07GF562 J, 95104 PART NO. 745-0776-000			2	REF		REF		78 4-2		R6, 16
3148	644	P	H		5905-681-9970				RESISTOR, FIXED. COMPOSITION. 8200 OHMS. 10% TOL. 1/4 WATT, 81349 PART NO. RC07GFB22J, 95104 PART NO. 745-0782-000			2	REF		REF		78 4-2		R7, 17
3149	174	P	H		5905-577-0935				RESISTOR. FIXED, COMPOSITION. 10.000 OHMS. 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF103J, 95104 PART NO. 745-0785-000	-		2	REF		REF		78 4-2		R1, 2, 5, 8, 11, 12, 15, 18
3150	647	P	H		5905-681-8818				RESISTOR, FIXED. COMPOSITION. 15.000 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF153 J, 95104 PART NO. 745-0791-000			4	REF		REF		78 4-2		R4, 9, 10, 14
3151	105	P	H		5905-687-0000				RESISTOR. FIXED, COMPOSITION. 18,000 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GFI83K, 95104 PART NO. 745-0794-000			2	REF		REF		78 4-2		R3, 13
3152	3116	P	H		5960-809-1870				SEMI CONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1285, 95104 PART NO. 352-0243-000			6	REF		REF		78 4-2		Q1-6
3153		P	H		5950-907-7583				TRANSFORMER. IF 81815 PART NO. X481-2, 95104 PART NO. 278-0695-000			2	4		2	12	78 4-2		T1, 2

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T M A I N T E N A N C E P E R C E N T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM											
3154	72	P	H	5910-660-7430						16	REF		REF				78 4-4		C1-10, 12, 13. 16-18, 20							
3155	3126		P H	5910-080-4019						2	REF		REF				78 4-4		R14, 15							
3156	3062	P	H	5910-755-9291						1	REF		REF				78 4-4		C19							
3157			P H	5910-668-7569						1	2		2		6		78 4-4		C11							
3158	2089	P	H	5910-633-3733						1	REF		REF				78 4-4		C21							
3159	136	P	H	5905-683-7721						1	REF		REF				78 4-4		R21							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D F O R E Q U I R E D Q U A N T I T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM	NUMBER																		
		1	2	3																						
3160	161	P	H		5905-613-2242						1	REF		REF					78 4-4		R14					
3161	162	P	H		5905-681-9967						1	REF		REF					78 4-4		R19					
3162	2916	P	H		5905-279-3837						1	REF		REF					78 4-4		R13					
3163	642	P	H		5905-686-9997						5	REF		REF					78 4-4		R3, 6, 7, 12, 17					
3164	644	P	H		5905-681-9970						1	REF		REF					78 4-4		R18					
3165	174	P	H		5905-577-0935						1	REF		REF					78 4-4		R22					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R		13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM	F I G U R E N U M B E R		I T E M N U M B E R		
3166	105	P	H	5905-687-0000						7	REF		REF			78 4-4		R1, 4, 7, 10, 15, 26, 28			
3167	649	P	H	5905-686-3903						5	REF		REF			78 4-4		R20, 24, 25 27, 29			
3168	138	P	H	5905-688-4447						1	REF		REF			78 4-4		R23			
3169	3015	P	H	5905-681-8817						5	REF		REF			78 4-4		R2, 5, 8, 11,			
3170	814	P	H	5960-556-2091						11	REF		REF			78 4-4		CR1, 2, 5, 6, 9, 10, 13, 14, 17, 18, 28			
3171	1561	P	H	5960-557-6118						10	REF		REF			78 4-4		CR4, 8, 12, 16, 20-25			
3172		P	H	5960-847-4323						6	6		1	18		78 4-4		CR3, 7, 11,			
3173		P	H	5960-826-6631						1	1		1	3		78 4-4		CR27			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM									
		ILLUSTRATIONS																							
3174		P	H		5960-902-7088						5	5		1	15	78 4-4		Q1-5							
3175		P	H		5960-686-8382						1	1		1	4	78		Q6							
3176	3116	P	H		5905-809-1870						1	REF		REF	78 4-4			Q7							
3177	3062	P	H		5910-755-9291						10	REF		REF	78 4-6			C101-105 201-205							
3178		P	H		5910-814-5869						1	REF		REF	78			C106 4-6							
3179		P	H		5905-806-0633						1	3		2	9	78 4-6		R121							
3180	631	P	H		5905-683-2243						2	REF		REF	78 4-6			R108, 208							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM	NUMBER																		
		1	2	3	1		2	3																		
3181	162	P	H		5905-681-6462						2	REF		REF					78 4-6		R101, 201					
3182	639	P	H		5905-686-4527						4	REF		REF					78 4-6		R107, 109, 207, 209					
3183	174	P	H		5905-577-0935						2	REF		REF					78 4-6		R105, 205					
3184	646	P	H		5905-726-4413						2	REF		REF					78 4-6		R106, 206					
3185	106	P	H		5905-752-3156						2	REF		REF					78 4-6		R102, 202					
3186		P	H		5905-837-5132						4	8		1	24				78 4-6		R110, 111, 210, 211					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11-13 F I L E D A Y M A I N T E N A N C E P E R I O D R E B U I L D 1 0 0 E Q U I P M E N T D E P O T Q T Y R E Q U I R E D F O R E Q.			14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	14 F I G U R E N U M B E R		15 I T E M N U M B E R													
3187		P	H		5905-871-0140				SELECT R123, R124, R223, R224 AS REQUIRED FROM SEQUENCE NUMBERS 3187 THROUGH 3197 BELOW RESISTOR, FIXED, FILM 51.1 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D51R1F, 95104 PART NO. 705-6538-000			4	15		2	45	78 4-6		R123, 124, 223, 224	
3188		P	H		5905-958-1595				RESISTOR, FIXED, FILM 61.9 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D61R9F, 95104 PART NO. 705-6542-000			4	8		1	25	78 4-6		R123, 124 223, 224	
3189		P	H		5905-702-0554				RESISTOR, FIXED, FILM 75 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D75R0F, 95104 PART NO. 705-6542-000			4	8		1	24	78 4-6		R123, 124, 223, 224	
3190		P	H		5905-774-7971				RESISTOR, FIXED, FILM 110 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1100F, 95104 PART NO. 705-6550-000			4	8		1	24	78 4-6		R123, 124, 223, 224	
3191		P	H		5905-818-1986				RESISTOR, FIXED, FILM 147 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1470F, 95104 PART NO. 705-6556-000			4	20		2	60	78 4-6		R123, 124, 223, 224	
3192		P	H		5905-069-3911				RESISTOR, FIXED, FILM 178 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1780F, 95104 PART NO. 705-6560-000			4	8		1	24	78 4-6		R123, 124 223, 224	
3193		P	H		5905-069-3912				RESISTOR, FIXED, FILM 196 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1960F, 95104			4	8		1	24	78 4-6		R123, 124, 223, 224	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D I N F O R M A T I O N D A Y			12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2						3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3194		P	H	5905-721-0286				PART NO. 705-6562-000 RESISTOR, FIXED, FILM 215 OHMS, 15 TOL ¼ ATT, 81349 PART NO. RN60D2150F, 95104			4	24		2	72	78 4-6		R123, 124, 223, 224				
3195		P	H	5905-051-8002				PART NO. 705-6564-000 RESISTOR, FIXED, FILM 237 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D2370F, 95104			4	8		1	24	78 4-6		R123, 124,				
3196		P	H	5905-952-7042				PART NO. 705-6566-000 RESISTOR, FIXED, FILM 261 OHMS, 1% TOL, ¼ WATT, 81439 PART NO. RN60D2610F, 95104			4	12		2	36	78 4-6		R123, 124, 223, 224				
3197		P	H	5905-804-9709				PART NO. 705-6568-000 RESISTOR, FIXED, FILM 499 OHMS, 15 TOL, ¼ WATT, 81349 PART NO. RN60D4990F, 95104			4	8		1	24	78 4-6		R123, 124, 223, 224				
3198	3191	P	H	5905-818-1986				PART NO. 705-6546-000 RESISTOR, FIXED, FILM 147 OHMS, 15 TOL, ¼ WATT, 81349 PART NO. RN60D1470F, 95104			4	REF		REF		78 4-6		R122, 125, 222, 225				
3199	3194	P	H	5905-721-0286				PART NO. 705-6556-000 RESISTOR, FIXED, FILM 215 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D2150F, 95104			4	REF		REF		78 4-6		R104, 118, 204, 218				
3200		P	H	5905-722-1770				PART NO. 705-6564-000 RESISTOR, FIXED, FILM 562 OHMS, 15 TOL, ¼ WATT, 81349 PART NO. RN60D5620F, 95104			2	5		2	15	78 4-6		R103, 203 214, 215				
3201		P	H	5905-702-1148				PART NO. 705-6584-000 RESISTOR, FIXED, FILM 619 OHMS, 1% TOL, ¼			4	9		2	27	78 4-6		R114, 115, 214, 215				

SEQUENCE NUMBER	SEQUENCE NUMBER FOR AUTHORIZATION	SOURCE	RECOVERABILITY CODE	FEDERAL STOCK NUMBER			DESIGNATION	MODEL	UNIT OF ISSUE	EXPENDABILITY	QUANTITY IN USE	QUANTITY EQUIPMENT	100 EQUIPMENT			REQUIREMENT FOR EQ.	ILLUSTRATIONS		
				1	2	3							DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL
3202	1183	P	H		5905-681-8754						2	REF		REF		78 4-6		R119, 219	
3203		P	H		5905-681-8755						2	7		2	21	78 4-6		R116, 216	
3204		P	H		5905-761-1905						2	13		2	40	78 4-6		R117, 217	
3205		P	H		5905-702-0540						2	5		2	15	78 4-6		R120, 220	
3206		P	H		5905-683-6704						4	8		1	24	78 4-6		R112, 113	
3207	2950	P	H		5960-905-5083						2	REF		REF		78 4-6		CR103, 203	
3208	2476	P	H		5960-646-4611						2	REF		REF		78 4-6		CR101, 201	
3209		P	H		5960-752-5230						8	20		2		78		CR102, 104-	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T P E R C E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
3217	3060	P	H		5910-080-4020						14	REF		REF				78 4-6		C1, 4, 10, 11, 16, 17, 21-26, 29, 30			
3218		P	H		5910-752-4545						4	7		2	21			78 4-6		C7, 18, 20, 27			
3219		P	H		5910-683-7276						1	REF		REF				78 4-6		C15			
3220	624	P	H		5910-542-7387						10	REF		REF				78 4-6		C2, 3, 5, 6, 8, 12, 19, 28, 31			
3221		P	H		5910-080-5153						1	12		3	36			78 4-6		C13			
3222		P	H		5910-578-5758						1	21		3	63			78 4-6		C13			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	F I G U R E N U M B E R		R E F E R E N C E S Y M B O L																
		A	B	C				D															
3223		P	H		5910-804-7561				CM05F121G03, 95104 PART NO. 912-2821-000			1	14		3	42	78 4-6		C13				
3224		P	H		5910-811-4985				CAPACITOR, FIXED, MICA 150 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F151G03, 95104 PART NO. 912-2827-000			1	12		4	36	78 4-6		C13				
3225		P	H		5910-725-7421				CAPACITOR, FIXED, MICA 180 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F181G03, 95104 PART NO. 912-2833-000			1	5		3	15	78 4-6		C13				
3226		P	H		5910-849-0714				CAPACITOR, FIXED, MICA 220 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F221G03, 95104 PART NO. 912-2833-000			1	2		2	6	78 4-6		C13				
3227		P	H		5910-827-5912				CAPACITOR, FIXED, MICA 260 UUF, 1% TOL, 500 VDCW, 72136 PART NO. VDM15E261 95104 CM05F221G03, 95104 PART NO. 912-3492-000			1	5		2	15	78 4-6		C13				
3228		P	H		5910-824-9780				CAPACITOR, FIXED, MICA 300 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F301G03, 95104 PART NO. 912-2848-000			1	15		3	45	78 4-6		C13				
3229	3077	P	H		5910-686-6126				CAPACITOR, FIXED, MICA 330 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CM05F331G03, 95104 PART NO. 912-2851-000			1	REF		REF		78 4-6		C14				
3230		P	H		5910-668-5580				CAPACITOR, FIXED, MICA 510 UUF, 5% TOL, 300 VDCW, 72136 PART NO. DM15FS11J03 95104 PART NO. 912-2867-000			1	5		3	10	78		C32				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
3231		P	H		5910-958-9693						1	9		2	27	78 4-6	C33								
3232	3088	P	H		5950-812-4443						5	REF		REF		78 4-5	L1-4, 7								
3233		P	H		5950-880-2818						1	1		1	3	78 4-5	L6								
3234	2409	P	H		5950-060-9188						1	REF		REF		78 4-5	L5								
3235	627	P	H		5935-073-3249						1	REF		REF		78 4-5	J1								
3236	703	P	H		5905-802-6738						4	REF		REF		78 4-5	R1, 12, 22								
3237	631	P	H		5905-683-2243						1	REF		REF		78 4-5	R50								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11-13 F I E L D M A I N T E N A N C E D A Y A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O T Q T Y			14-16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3						DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3238	636	P	H		5905-686-9994				WATT, 81349 PART NO. RC07G151K, 95104 PART NO. 745-0719-000			1	REF	REF		78 4-5	R49			
3239	1179	P	H		5905-726-5346				RESISTOR, FIXED, COMPOSITION, 1200 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF122 J, 95104 PART NO. 745-0752-000			4	REF	REF		78 4-5	R4 15, 25,			
3240	639	P	H		5905-686-4527				RESISTOR, FIXED, COMPOSITION, 1800 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF182 J, 95104 PART NO. 745-0758-000			1	REF	REF		78 4-5	R42			
3241	3006	P	H		5905-681-9969				RESISTOR, FIXED, COMPOSITION, 2700 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF272 J, 95104 PART NO. 745-0764-000			2	REF	REF		78 4-5	R51, 52			
3242	640	P	H		5905-686-9998				RESISTOR, FIXED, COMPOSITION, 3300 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF332K, 95104 PART NO. 745-0767-000			2	REF	REF		78 4-5	R46, 48			
3243	641	P	H		5905-691-0195				RESISTOR, FIXED, COMPOSITION, 4700 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF472 J, 95104 PART NO. 745-0773-000			2	REF	REF		78 4-5	R7-9, 18-20, 28-30, 37			
									RESISTOR, FIXED, COMPOSITION, 5600 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF562 J, 95104 PART NO. 745-0776-000											

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R T	11-13 F I E L D M A I N T E N A N C E D E P O S I T I O N R E Q U I R E D F O R E Q U I P M E N T D E P O S I T I O N R E Q U I R E D F O R E Q U I P M E N T			14 F I G U R E N U M B E R	15-16 I L L U S T R A T I O N S	
		11 D S	12 G S	13 D M	15 I T E M N U M B E R		16 R E F E R E N C E S Y M B O L													
3244	642	P	H		5905-686-9997				RESISTOR, FIXED, COMPOSITION, 6800 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF682K J, 95104 PART NO. 745-0779-000			4	REF		REF		78 4-5	R5, 14, 24, 34		
3245	647	P	H		5905-681-8818				RESISTOR, FIXED, COMPOSITION, 15,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF153 J, 95104 PART NO. 745-0779-000			8	REF		REF		78 4-5	R2, 13, 15, 16, 23, 27 33, 36		
3246	105	P	H		5905-687-0000				RESISTOR, FIXED, COMPOSITION, 18,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF183 J, 95104 PART NO. 745-0794-000			1	REF		REF		78 4-5	R44		
3247	106	P	H		5905-752-3156				RESISTOR, FIXED, COMPOSITION, 22,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF223K, 95104 PART NO. 745-0797-000			1	REF		REF		78 4-5			
3248	107	P	H		5905-686-3129				RESISTOR, FIXED, COMPOSITION, 100,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF104 J, 95104 PART NO. 745-0821-000			1	REF		REF		78 4-5	R45		
3249		P	H		5905-682-1115				RESISTOR, FIXED, 316 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D3160F 95104 PART NO. 705-7072-000			1	1		1	3	78 4-5	R11		
3250	2727	P	H		5905-577-6764				RESISTOR, FIXED, 750 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D7500F 95104 PART NO. 705-7090-000			4	REF		REF		78 4-5	R10, 21, 31, 41		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
3251		P	H	5905-804-9710				1		6		3	18	78 4-5		R43								
3252		P	H	5905-577-6743				1		3		2	9	78 4-5		R53								
3253		P	H	5905-856-7772				4		7		3	21	78 4-5		R6, 17, 26, 39								
3254	1561	P	H	5960-557-6118				9	REF			REF		78 4-6		CR1-9								
3255	3031	P	H	5960-853-5926				1	REF			REF		78 4-5		Q6								
3256	2953	P	H	5960-065-5373				5	REF			REF		78 4-5		Q1-5								
3257		P	H	5950-907-6977				1		3		2	9	78 4-5		T1								
																	OSCILLATOR, RF							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	ILLUSTRATIONS							
3258		P	H		5910-195-5367				SELECT C19 AS REQUIRED FROM SEQUENCE NUMBERS 3258 THROUGH 3272 BELOW CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA933-00, 95104 PART NO. 913-0043-000			1	3		3		9	78 4-10		C19							
3259		P	H		5910-356-0075				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA933-009, 95104 PART NO. 913-0044-000			1	3		3		9	78 4-10		C19							
3260		P	H		5910-243-5971				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA934-002, 95104 PART NO. 913-0050-000			1	3		3		9	78 4-10		C19							
3261		P	H		5910-186-3191				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA934-003, 95104 PART NO. 913-0049-000			1	3		3		9	78 4-10		C19							
3262		P	H		5910-195-2570				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA934-004, 95104 PART NO. 913-0048-000			1	3		3		9	78 4-10		C19							
3263		P	H		5910-195-5392				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1% TOL, 500 VDCW, 71590 PART NO. DA934-004, 95104 PART NO.			1	3		3		9	78 4-10		C19							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P E R			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER							
3264		P	H		5910-195-2569						1	3		3		9	78 4-10		C19						
3265		P	H		5910-275-6444						1	3		3		91	78 4-10		C19						
3266		P	H		5910-255-0124						1	3		3		9	78 4-10		C19						
3267		P	H		5910-241-5648						1	3		3		9	78 4-10		C19						
3268		P	H		5910-238-2762						1	3		3		9	78 4-10		C19						
3269		P	H		5910-080-0313						1	2		2		6	78 4-10		C19						
3270		P	H		5910-668-4905						1	2		2		6	78 4-10		C19						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W A N C E P E R T E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		11 D S	12 G S	13 D M	14 F I G U R E N U M B E R		15 I T E M N U M B E R																
3271		P	H		5910-082-5060						1	2		2		6	78 4-10	C19					
3272		P	H		5910-879-4513						1	2		2		6	78 4-10	C19					
3273		P	H		5910-952-1714						2	3		2		9	78 4-10	C9, 27					
3274		P	H		5910-087-2961						4	8		2		2	78 4-10	C11, 13, 16 20					
3275	624	P	H		5910-542-7387						1	REF		REF			78 4-10	C10					
3276		P	H		5910-993-8307						1	5		2		15	78 4-10	C8					
3277	3225	P	H		5910-725-7421						2	REF		REF			78 4-10	C15, 24					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D M A I N T E N A N C E R E Q U I R E D F O R E Q U I P M E N T			12 A L L O W A N C E P E R M I T T E D Q T Y	13 R E B U I L D F O R E Q U I P M E N T	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		F I G U R E N U M B E R	R E F E R E N C E S Y M B O L															
3278	2957	P	H	5910-087-0117				VDCW, 81349 PART NO. CM05F221G03, 95104 PART NO. 912-2839-000 CAPACITOR. FIXED, MICA 470 UUF. 5% TOL. 300 VDCW. 72136 PART NO. DM15F471J03, 95104 PART NO. 912-2864-000			1	REF		REF			78 4-10		C4			
3279		P	H	15910-990-0493				CAPACITOR, FIXED. MICA 1800 UUF. 1% TOL. 500 VDCW, 72136 PART NO. DM19F18F03, 95104 PART NO. 912-3017-000			1	2		2		6	78 4-10		C1			
3280		P	H	5910-725-4794				CAPACITOR. FIXED. MICA 2200 UUF. 2% TOL. 500 V: DCW. 81349 PART NO. CM06F222G03 95104 PART NO. 912-3024-000			3	6		2		1	78 4-10					
3281		P	H	5910-079-5253				CAPACITOR. FIXED. MICA 4700 UUF. 2% TOL. 500 VDCW, 81349 PART NO. CM06F472G03, 95104 PART NO. 912-3051-000			3	REF		REF			78 4-10		C14, 25, 26			
3282		P	H	5910-811-4965				CAPACITOR. FIXED. MICA 5100 UUF, 5% TOL, 500 VDCW. 81349 PART NO. DMI9F5S2J03R 95104 PART NO. 912-3058-000			6	REF		REF			78 4-10		C2, 3, 12, 21-23			
3283		P	H	5910-908-1997				CAPACITOR. VOLTAGE SENSITIVE, 470 UUF, 20% TOL, 20 VDCW, 03877 PART NO. SC47, 95104 PART NO. 922-6050-000			1	2		2		6	78		C17			
3284		P	H	5910-960-7835				CAPACITOR, VOLTAGE VARIABLE, 12-78 UUF, 21 VDCW, 01281 PART NO. V499. 95104 PART NO. 922-6056-000			1	2		2		6	78 4-10		C18			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T			13 R E B U I L D F O R E Q. D E P O S I T Q T Y			14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS	GS	DM	F I G U R E N U M B E R	R E F E R E N C E S Y M B O L							
3285		P	H		5950-902-7106				COIL ASSEMBLY, RF 2 MH INDUCTANCE, 81815 PART NO. X659-1, 95104 PART NO. 278-0753-000			1	2		2		6	78 4-10		L4						
3286		P	H		5950-902-7114				COIL ASSEMBLY. RF 4.5 MH INDUCTANCE 81815 PART NO- X660- NUMBER 95104 PART NO. 278-0754-0000			1	2		2		6	78 4-10		L5						
3287	3088	P	H		5950-812-4443				COIL ASSEMBLY RF 15 MH INDUCTANCE, 10 TOL 06978 PART NO 22-155-, 95104 PART NO 278-0685-000			2	REF		REF			78 4-10		L3, 6						
3288		P	H		5950-902-7100				COIL ASSEMBLY RF 95104 PART NO. 548-5698-002			1	1		1		3	78 4-10								
3289		P	H		5950-903-1354				COIL, RF 95104 PART NO. 548-5700-003			1	1		1		3	78 4-10		L1						
3290		P	H		5950-907-6980				COIL, RF 95104 PART NO. 548-5700-003			1	2		2		6	78 4-10								
3291		P	H		5950-907-6979				COIL, RF 95104 PART NO. 548-5705-004			1	2		2		6	78 4-10		L2						
3292		P	H		5950-907-7592				FORM, COIL POWDERED IRON, 71279 PART NO. PLST200631, 95104 PART NO. 242-0219-000			1	1		1		3	78 4-10								
3293		P	H		5935-073-3249				JACK, TIP WHITE, 00779 PART NO. 2-582120-9, 95104 PART NO. 360-0276-000			1	REF		REF			78 4-10		J1						

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZED ALLOWANCE, SEE RECORD	3 RECOVERABILITY MAINTENANCE & ENHANCEMENT SOURCE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 QUANTITY EQUIPMENT PERCENT	11 ALLOWANCE FOR REPAIR EQUIPMENT 100 PERCENT			13 REBUILD FOR EQ.	14 ILLUSTRATIONS		16 REFERENCE SYMBOL
		A	B	C	D		1	2	3					DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	
3294	160			P	H	5905-279-3514					1	REF		REF		78 4-10		R51		
3295	1357			P	H	5905-253-1231					5	REF		REF		78 4-10		R20-24		
3296	1770			P	H	5905-279-1880					1	REF		REF		78 4-10		R12		
3297	3006			P	H	5905-681-9969					1	REF		REF		78 4-10		R48		
3298	641			P	H	5905-691-0195					1	REF		REF		78 4-10		R14		
3299	853			P	H	5905-195-6453					1	REF		REF		78 14-10		R15		
3300	1597			P	H	5905-279-3503					1	REF		REF		78 4-10		R6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y			12 A L L O W E D M A I N T E N A N C E D E P O S I T Q T Y			13 R E B U I L D F O R E Q U I R E D 1 0 0 E Q U I P M E N T			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER							
3301	174	P	H	5905-577-0935							2	REF		REF				78 4-10		R5, 18				
3302	518	P	H	5905-185-8518							3	REF		REF				78 4-10		R7, 16, 19				
3303	519	P	H	5905-279-3502							1	REF		REF				78 4-10		R13				
3304	875	P	H	5905-171-1998							1	REF		REF				78 4-10		R17				
3305	2969	P	H	5905-800-0179							11	REF		REF				78 4-10		R49				
3306		P	H	5905-702-4172							2	6		2		18		78 4-10		R47, 50				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L							
		6 D E S C R I P T I O N																								
3307		P	H		5905-755-0976						2	5		2		15	78 4-10		R47, 50							
3308	1180	P	H		5905-581-6915						2	REF		REF			78 4-10		R47, 50							
3309		P	H		5905-577-1791						2	9		2		27	78 4-10		R47, 50							
3310		P	H		5905-581-6914						2	6		2			78 4-10		R47, 50							
3311	3018	P	H		5905-815-3792						2	REF		REF			78 4-10		R47, 50							
3312	3251	P	H		5905-804-9710						2	REF		REF			78 4-10		R47, 50							
3313	1083	P	H		5905-702-1144						2	REF		REF			78 4-10		R47, 50							
3314		P	H		5905-824-3077						2	6		3		18	78		R47, 50							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T P E R C E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R						
3315	1084	P	H		5905-676-7972						2	REF		REF				4-10		R47, 50					
3316		P	H		5905-676-8887						2	9		3	27	78 4-10			R47, 50						
3317	1322	P	H		5905-951-5717						1	REF		REF		78 4-10			R46						
3318		P	H		5905-681-8759						2	14		2	42	78 4-10			R2, 3						
3319	3203	P	H		5905-681-8755						1	REF		REF		78 4-10			R34						
3320	1012	P	H		5905-655-3167						1	REF		REF		78 4-10			R33						
3321	1497	P	H		5905-781-4857						1	REF		REF		78 4-10			R32						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T P A R T N O.			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R					
		P	H	D																			
3322		P	H		5905-988-2319				RESISTOR, FIXED, FILM 10,500 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1052F, 95104 PART NO. 705-6646-000			1	2		2		6	78 4-10		R31			
3323		P	H		5905-681-4941				RESISTOR, FIXED, FILM 11,000 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1212F, 95104 PART NO. 705-6646-000			1	2		2		6	78 4-10		R30			
3324		P	H		5905-577-6735				RESISTOR, FIXED, FILM 12,100 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1332F, 95104 PART NO. 705-6650-000			1	2		2		6	78 4-10		R29			
3325	3204	P	H		5905-761-1905				RESISTOR, FIXED, FILM 13,300 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1332F, 95104 PART NO. 705-6652-000			4	REF		REF			78 4-10		R4, 11, 23, R45			
3326		P	H		5905-702-1143				RESISTOR, FIXED, FILM 14,700 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1472F, 95104 PART NO. 705-6652-000			3	15		2		45	78 4-10		R9, 10, 27			
3327		P	H		5905-078-7780				RESISTOR, FIXED, FILM 16,900 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1692F, 95104 PART NO. 705-6655-000			1	2		2		6	78 4-10		R26			
3328	1013	P	H		5905-577-9746				RESISTOR, FIXED, FILM 19,600 OHMS, 1% TOL, ¼ WATT, 81349 PART NO. RN60D1962F, 95104 PART NO. 705-6658-000			1	REF		REF			78 4-10		R25			
3329	2333	P	H		5905-702-1771				RESISTOR, FIXED, FILM 46,400 OHMS, 1% TOL, ¼ WATT, 81349 PART			2	REF		REF			78 4-10		R1, 8			

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
		D																						
3330		P	H	5905-978-8968						1	3		3		9	78 4-10		RT2						
3331		P	H	5905-058-1191						1	2		2		6	78 4-10		RT1						
3332		P	H	5905-781-8800						10	20		2		60	78 4-10		R35-44						
3333	1561	P	H	5960-557-6118						20	REF		REF			78 4-10		CR11-30						
3334		P	H	5960-577-3042						10	22		2		66	78 4-10		CR1-10						
3335	2953	P	H	5960-065-5373						4	REF		REF			78 4-10		Q1-4						
3336		P	H	5950-907-7594						1	2		2		6	78 4-10		T1						
																			SIGNAL CONTROL 528-0210-005					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
3337		P	H		5910-577-7756						2	2		1		6	78 4-5		C26, 30						
3338	3218	P	H		5910-752-4545						1	REF		REF			78 4-5		C23						
3339	2343	P	H		5910-811-4788						9	REF		REF			78 4-5		C1, 3, 6, 12, 17, 24, 28 29, 31						
3340	3062	P	H		5910-755-9291						12	REF		REF			78 4-5		C2, 4, 5, 7, 10, 11, 15 16, 18, 19 21, 27.						
3341	3071	P	H		5910-844-0905						1	REF		REF			78 4-5		C14						
3342	82	P	H		5910-852-9692						2	REF		REF			78 4-5		C20, 22						
3343		P	H		5910-724-5520						1	1		1		3	78 4-5		C13						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
		D																							
3344	3230	P	H	5910-668-5580				PART NO* 912-2726-000 CAPACITOR, VARIABLE, CERAMIC, 8-50 UUF, 350 VDCW, 72982 PART NO. 557051U2P034R 95104 PART NO. 917-1174-000			1	REF		REF				78 4-5		C25					
3345		P	H	5910-702-5897				CAPACITOR, VARIABLE, VOLTAGE SENSITIVE 100 UUF, 20% TOL, 25 VDCW, 73293 PART NO. 1N953, 95104 PART NO. 240-0684-000			1	11		3		22		78		C8					
3346	3087	P	H	5950-728-3633				COIL, RF 10 UH INDUCTANCE, 10% TOL, 06978 PART NO. 22-105, 95104 PART NO. 240-0684-000			3	REF		REF				78		L1, 3, 6					
3347		P	H	5950-902-7103				COIL, RF 10 MH INDUCTANCE 20% TOL, 81815 PART NO. 19-105, 95104 PART NO. 240-2575-000			1	3		3		9		78 4-5		L4					
3348		P	H	5950-902-7128				COIL, RF 22 MH INDUCTANCE, 20% TOL. 80483 PART NO. X482-1, 95104 PART NO. 240-25804-000			1	1		1		3		78 4-5		L7					
3349		P	H	5950-902-7120				COIL, RF 22 MH INDUCTANCE, 20% TOL, 80483 PART NO. 19-225, 95104 PART NO. 240-2576-000			1	1		1		3		78 4-5		L8					
3350		P	H	5950-759-2675				COIL, RF 22 MH INDUCTANCE, 10% TOL, 06978 PART NO. 22-225, 95104 PART NO. 240-0686-000			1	1		1		3		78 4-5		L5					

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R				
3351	627	P	H	5935-073-3249				JACK, TIP WHITE, 00779 PART NO. 2-58 2120-9, 95104 PART NO. 360-0276-000			1	REF	REF				78 4-5	J1				
3352	631	P	H	5905-683-2243				RESISTOR, FIXED, COMPOSITION, 150 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF151J, 95104 PART NO. 745-0719-000			1	REF	REF				78 4-5	R34				
3353	676	P	H	5905-726-6441				RESISTOR, FIXED, COMPOSITION, 560 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF561K. 95104 PART NO. 745-0740-000			1	REF	REF				78 4-5	R10				
3354	162	P	H	5905-631-6462				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10X TOL, 1/4 WATT, 81349 PART NO. RC07GF102K 95104 PART NO, 745-0749-000			1	REF	REF				78 4-5	R35				
3355	680	P	H	5905-726-6433				RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF222K, 95104 PART NO. 745-0761-000			1	REF	REF				78 4-5	R19				
3356	3006	P	H	5905-681-9969				RESISTOR, FIXED. COMPOSITION, 3300 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF332 J, 95104 PART NO. 745-0767-000			4	REF	REF				78 4-5	R5, 15, 25 36				
3357	640	P	H	5905-686-9998				RESISTOR, FIXED, COMPOSITION. 4700 OHMS, 10X TOL, 1/4 WATT, 81349 PART NO. RC07GF472 J. 95104			2	REF	REF				78 4-5	R22, 23				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2						3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3358	642	P	H	5905-686-9997				PART NO. 745-0773-000 RESISTOR, FIXED. COMPOSITION, 6800 OHMS, 10% TOL. 1/4 WATT, 01349 PART NO. RC07GF682 J, 95104			1	REF		REF			78 4-5		R11			
3359	644	P	H	5905-681-9970				PART NO. 745-0779-000 RESISTOR, FIXED, COMPOSITION, 8200 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF822K J, 95104			1	REF		REF			78 4-5		R8			
3360	174	P	H	5905-577-0935				PART NO. 745-G782-000 RESISTOR, FIXED. COMPOSITION. 106000 OHMS. 10% TOL, 1X4 WATT. 81349 PART NO. RC070F103 J, 95104			6	REF		REF			78 4-5		R2, 3, 24 26, 30, 39			
3361	647	P	H	5905-681-8818				PART NO. 745-0785-000 RESISTOR, FIXED. COMPOSITION, 15,000 OHMS. 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF153 J, 95104			3	REF		REF			78 4-5		R21, 33,38			
3362	106	P	H	5905-752-3156				PART NO. 745-0791-000 RESISTOR, FIXED. COMPOSITION, 22,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF223K, 95104			4	REF		REF			78 4-5		R9, 13, 31, 40			
3363		P	H	5905-807-0059				PART NO. 745-0797-000 RESISTOR, FIXED, COMPOSITION, 43,000 OHMS. 5% TOL. 1/4 WATT, 81349 PART No, RC07GF433J, 95104			3	3		1	9		78 4-5		R6, 7, 29			
3364	107	P	H	5905-686-3129				PART NO. 745-0807-000 RESISTOR, FIXED. COMPOSITION, 100,000			3	REF		REF			78 4-5		R17, 20, 28			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER								
3365	3187	P	H	5905-871-0140							2	REF		REF				78 4-5		R1, 27					
3366	2949	P	H	5905-805-1415							1	REF		REF				78		R32					
3367	3203	P	H	5905-681-8755							1	REF		REF				78 4-5		R18					
3368	1012	P	H	5905-655-3167							1	REF		REF				78 4-5		R12					
3369		P	H	5905-855-5219							1	6		2	18			78 4-5		R4					
3370		P	H	5905-078-8271							1	2		2	6			78 4-5		R16					
3371	3370	P	H	5905-866-1766							1	REF		REF				78 4-5		R37					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W A N C E E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R							
		D																						
3372	2950	P	H	5960-905-5083						1	REF		REF				78 4-5		CR1-4					
3373	1561	P	H	5960-557-6118						2	REF		REF				78 4-5		CR8, 10					
3374		P	H	5960-752-S351						3	4		2	12			78 4-5		CR5-7					
3375		P	H	5960-712-3964						1	3		2	9			78 4-5		CR9					
3376	3116	P	H	5960-809-1870						4	REF		REF				78 4-5		Q1-4					
3377		P	H	5950-907-7574						1	1		1	3			78 4-5		T1					
3378		P	H	5950-907-7569						1	1		1	3			78 4-5		T2					
3379		P	H	5950-907-6963						1	1		1	3			78 4-5		T3					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T P A R T N O.			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER							
3380		P	H		5910-902-5575						1	2		2		6	78 4-11	C15						
3381		P	H		5910-195-7572						1	1		1		3	78 4-11	C44						
3382	3059	P	H		5910-080-6462						6	REF		REF			78 4-11	C13, 14, 18, 29, 32, 34						
3383	3060	P	H		5910-080-4020						6	REF		REF			78 4-11	C2, 4, 6, 9, 27, 30						
3384		P	H		5910-7S5-0014						2	4		2		12	78 4-11	C11, 20						
3385	624	P	H		5910-542-7387						5	REF		REF			78 4-11	C19, 24-26 28						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y			12 A L L O W E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM		14 F I G U R E N U M B E R	15 I T E M N U M B E R														
		A	B	C				D													
3386		P	H	5910-902-5582				901-506B0F0475M, 95104 PART NO. 184-7396-000 CAPACITOR, FIXED. MICA 27 UUF, 5X TOL. 500 VDCW, 72136 PART NO. DM10E270J,. 95 104 PART NO. 912-3844-000			1	1		1	3	78 4-11		C35			
33J7		P	H	5910-902-5579				CAPACITOR. FIXED. MICA 39 UUF, 5X TOL. 500 VDCW, 72136 PART NO. DM10E390J,. 95104 PART NO. 912-3852-000			2	6		3	18	78 4-11		C33, 42			
3388		P	H	5910-059-9338				CAPACITOR, FIXED, MICA 100 UUF,. 5X TOL, 500 VDCW,. 72136 PART NO, DM10F101J,. 95104 PART NO. 912-3879-000			1	2		2	6	78 4-11		C22			
3389	3222	P	H	5910-578-5758				CAPACITOR, FIXED. MICA 120 UUF, 2X TOL, 500 VDCW,. 81349 PART NO. CM05F121G03, 95104 PART NO. 912-2821-000			1	REF		REF		78 4-11		C23			
3390	2544	P	H	5910-660-4982				CAPACITOR. FIXED. MICA 120 UUF, 5X TOL, 500 VDCW,. e 1349 PART NO. CM05F121J03, 95104 PART NO. 912-2822-000			1	REF		REF		78 4-11		C17			
3391	82	P	H	5910-852-9692				CAPACITOR, FIXED. MICA 220 UUF,. 5X TOL. 500 VDCW, e 1349 PART NO. CM05F221J03, 95104 PART NO. 912-2840-000			1	REF		REF		78 4-11		C31			
3392	2546	P	H	5910-838-3166				CAPACITOR. FIXED,. MICA 270 UUF, 5X TOL. 500 VDCW, e 1349 PART NO. CM05F271J03, 95104 PART NO. 912-2846-000			1	REF		REF		78 4-11		C16			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q.			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER								
3393	3073	P	M		5910-804-7562						1	REF		REF				78 4-11		C12						
3394	2957	P	H		5910-087-0117						2	REF		REF				78 4-11		C10, 41						
3395		P	H		5910-957-9908						1	2		2	6			78 4-11		C1						
3396	567	P	H		5910-844-1126						1	REF		REF				78 4-11		C43						
3397	592	P	H		5910-686-6172						1	REF		REF				78 4-11		C3						
3398	594	P	H		5910-985-5180						1	REF		REF				78 4-11		C7						
3399	597	P	H		5910-816-7492						1	REF		REF				78 4-11		C8						
3400	3081	P	H		591°-811-4965						1	REF		REF				78 4-11		C5						

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y M A I N T E N A N C E S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D A Y			12 A L L O W A N C E P E R M I T T E N C E			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	ILLUSTRATIONS							
		D																								
3401		P	H	5910-987-8796				PART NO. 912-3058-000 CAPACITOR, VARIABLE, CERAMIC, 8-50 UUF, 350 VDCW, 95 104 PART NO. 917-1106-000			2	4		2		8	78 4-11		C21, 36							
3402		P	H	5910-903-7231				CAPACITOR, VARIABLE,, GLASS. 2 SECTIONS, SECTION 10.7-3 UUF,, SECTION 2 2-3 UUF, 500 VDCW,, 73899 PART NO. DC431, 95104 PART NO. 922-0577-000			1	2		2		4	78 4-11		C39							
3403		P	H	5950-902-7119				COIL, RF 0.33 MH INDUCTANCE, 10X TOL. 06978 PART NO. 22-333, 95104			1	2		2		6	78 4-11		L4							
3404	3088	P	H	5950-812-4443				PART NO. 240-0675-000 COIL, RF 15 MH INDUCTANCE, 10% TOL. 06978 PART NO. 22-155. 95104 PART 140. 240-0685-000			3	REF		REF		78 4-11			L5, 6,							
3405		P	H	5950-902-7081				COIL, RF 81015 PART NO. X197-11, 95104* PART NO. 278-1722-000			1	2		2		6	78 4-11		L7							
3406		P	H	5950-060-9746				COIL, RF. VARIABLE 12 MH INDUCTANCE, 1.5 MH TOL. 81815 PART NO. X103-2, 95104 PART NO. 278-1740-000			1	3		3		9	78 4-11		L1							
3407		P	H	5950-902-7099				COIL. RF, VARIABLE 3.72-4.28 MC FREQUENCY RANGE, 81815 PART NO. X669-1, 95104 PART NO. 278-0?51-000			4	8		2		24	78 4-11		L3, 9-11							
3408		P	H	5950-907-7590				FORM, COIL			1	1		1		3	78									

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I L E D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q U I R E D Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R						
																				15					
3409		P	H	5905-836-2744				POWDERED IRON, 72656 PART NO, F627-3Q, 95104 PART NO. 288-2194-000 RESISTOR, FIXED, COMPOSITION, 1 0 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO . RC07GF100K, 95104 PART NO, 745-0677-000			1	3		2	9	4-11 78 4-11	R54								
3410	161	P	H	5905-683-2242				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF471K, 95104 PART NO, 745-0737-000			2	REF		REF		78 4-11	R23, 41								
3411	162	P	H	5905-681-6462				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10%, TOL , 1/4 WATT, 81349 PART NO. RC07GF102K, 95104 PART NO, 745-0749-000			3	REF		REF		78 4-11	R2, 8, 37								
3412	637	P	H	5905-726-5343				RESISTOR, FIXED. COMPOSITION, 1500 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF152K, 95104 PART NO, 745-0755-000			3	REF		REF		78 4-11	R24, 45, 47								
3413	680	P	H	5905-726-6433				RESISTOR, FIXED. COMPOSITION, 2200 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF222K, 95104 PART NO, 745-0761-000			1	REF		REF		78 4-11	R21								
3414	3006	P	M	5905-681-9964				RESISTOR, FIXED. COMPOSITIONS, 3300 OHMS, 10% TOL , 1/4 WATT, 81349 PART NO. RC07GF332K, 95104 PART NO, 745-0767-000			1	REF		REF		78 4-11	R29								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D F O R E Q. D E P O S I T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R					
3415	681	P	H		5905-682-4098						3	REF		REF				78 4-11		R4, 10, 31			
3416	640	P	H		5905-752-3340						1	REF		REF				78 4-11		R52			
3417	641	P	H		5905-691-0195						3	REF		REF				78 4-11		R25, 28, 42			
3418	644	P	H		5905-681-9970						2	REF		REF				78 4-11		R6, 11			
3419	174	P	H		5905-577-0935						13	REF		REF				78		R1, 3, 5, 9, 14, 17, 18, 22, 33, 44, 49, 53, 56			
3420	646	P	H		5905-726-4413						1	REF		REF				78 4-11		R12			
3421	647	P	H		5905-681-8818						2	REF		REF				78 4-11		R7, 40			

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	ILLUSTRATIONS						
3428		P	H		5905-702-1765						1	1		1		3	78 4-11		R19						
3429		P	H		5905-069-3928						2	4		2		12	78 4-11		R32, 34						
3430	3109	P	H		5905-092-0681						1	REF		REF			78 4-11		R57						
3431		P	H		5905-851-2402						1	2		6			78 4-11		R33						
3432	814	P	H		5960-556-2091						7	REF		REF			78 4-11		CR1-3, 6, 7, 10- 11						
3433	3334	P	H		5960-577-3042						1	REF		REF			78 4-11		CR12						
3434	3209	P	H		5960-752-5230						2	REF		REF			78 4-11		CR4, 5						
3435	1089	P	H		5960-752-0150						1	REF		REF			78 4-11		4						

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	FIGURE	ITEM						
3436	3115	P	H	5960-845-6413				SEMICONDUCTOR, DEVICE, TRANSISTOR. 07688 PART NO. 2N1225 95104 PART NO. 352-013S-000			3	REF		REF		4-11	78		Q9, 11, 12						
3437	3116	P	H	5960-809-1870				SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO. 2N1285, 95104 PART NO. 352-0243-000			7	REF		REF		78 4-11		Q1-3, 5, 6, 8, 10							
3438		P	H	5960-820-9059				SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO. 2N1301, 95104 PART NO. 352-0399-000			1	2		2	8	78 4-11		Q7							
3439		P	H	5950-907-6987				TRANSFORMER. RF 81815 PART NO. X661-1. 95104 PART NO. 278-0750-000			1	2		2	6	78 4-11		T3							
3440		P	H	5950-907-7573				TRANSFORMER. RF 95104 PART NO. 548-5990-002			1	1		1	3	78 4-11									
3441		P	H	5950-907-6981				TRANSFORMER, RF 95104 PART NO. 548-5991-002			1	2		2	6	78 4-11									
3442		P	H	5950-907-6966				TRANSFORMER, RF 95104 PART NO. 548-5993-003			1	2		2	6	78 4-11		T1							
3443		P	-	5950-083-6157				TRANSFORMER. VARIABLE 300 MH INDUCTANCE, 15 MH TOL. 81815 PART NO. X109-2, 95104 PART NO, 278-1743-000 UNIT EXTENDER CABLE 553-5887-003			1	3		3	9	78 4-11		L2							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	DS		GS	DM	DS						GS	DM													
		1	2	3	1		2	3	1						2	3													
3444		P	H		5935-892-9862				WIRING HARNESS 553-5882-000 CONNECTOR. ELECTRICAL 67 PINS. 95104 PART NO- 370-2357-000			1	2		2		6	78 5-1											
3445	2985	P	H		5935-906-3184				CONNECTOR. ELECTRICAL 70 PINS. 71468 PART NO. DPX2AB45P25W3P34A000, 95104 PART NO. 370-2227-000			1	REF		REF			78 5-1											
3446	2211	P	H		5935-908-4721				INSERT. CONNECTOR 91146 PART NO. 249-1330-000. 95104 370-2207-000			3	REF		REF			78 5-1											
3447		P	H		5935-903-1925				SHIELD. CONNECTOR 71468 PART NO. CA020745-0008. 95104 PART NO. 370-2268-000 TRANSLATOR. IF 522-2398-012			4	8		2		24	78 5-1											
3448		P	H		5895-901-2771				BOARD. PRINTED CIRCUIT 95104 PART NO. 528-0195-003 BOARD. PRINTED CIRCUIT 548-5574-003			1	1		1		3	79 1-23											
3449	2931	P	H		5935-880-3398				CONNECTOR. ELECTRICAL 22 PINS. 02660 PART NO. 143-022-03-1102. 95104 PART NO. 372-7322-000 AMPLIFIER. AF 528-0220-005			1	REF		REF			79 1-23											

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		15	16		17	18	19						20	21	22	23								
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER						REFERENCE SYMBOL											
3450	624	P	H	5910-542-7387						4	REF		REF				79 4-3		C1, 3, 9, 11					
3451	1537	P	H	5910-814-5869i						4	REF		REF				79 4-3		C2, 8, 10, 16					
3452		P	H	5910-820-0209						2	5		1	15			79 4-3		C4, 12					
3453	797	P	H	5910-837-43131						2	REF		REF				79 4-3		C5, 13					
3454	3081	P	H	5910-811-4965						2	REF		REF				79 4-3		C6, 14					
3455	2409	P	H	5950-060-9188						2	REF		REF				79 4-3		L1, 2					
3456		P	H	5960-020-8238'						4		8		1	8		79 4-3							

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D A Y			12 A L L O W E D E Q U I P M E N T P E R T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	ILLUSTRATIONS							
3457		P	H		5970-072-7149						10	194		7	585	79 4-3										
3458	627	P	H		5935-073-3249						4	REF		REF		79 4-3		J1-4								
3459	680	P	H		5905-726-6433						2	REF		REF		79 4-3		R7, 27								
3460	680	P	H		5905-726-9996						2	REF		REF		79 4-3		R8, 28								
3461	641	P	H		5905-691-0195						2	REF		REF		79 4-3		R20 40								
3462	105	P	H		5905-687-0000						2	REF		REF		79 4-3		R9, 29								
3463	106	P	H		5905-752-3156						2	REF		REF		79 4-3		R6, 26								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R					
3464	649	P	H		5905-686-3903						2	REF		REF				79 4-3		R18, 38			
3465		P	H		5905-725-1722						4	8		1	24	79 4-3				R14, 15, 34, 35			
3466	3199	P	H		5905-721-0286						2	REF		REF		79 4-3				R16, 36			
3467	1180	P	H		5905-581-6915						2	REF		REF		79 4-3				R5, 25			
3468		P	H		5905-686-0082						2	4		1	12	79				R1, 21			
3469	1182	P	H		5905-577-6734						2	REF		REF		79 4-3				R13, 33			
3470	1343	P	H		5905-577-6736						2	REF		REF		79 4-3				R4, 24			
3471	3326	P	H		5905-702-11431						2	REF		REF		79				R3, 23			

1 S E Q U E N C E R N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y M A I N T E N A N C E R E Q U I R E D Q T Y			12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R	
3472			P	H	5905-062-0540						4	8		1	24	79 4-3		R11, 12, 31, 32			
3473			P	H	5905-577-2704						2	4		1	12	79 4-3		R17, 37			
3474			P	H	5905-857-1986						2	6		3	18	79 4-3		R2, 22			
3475			P	H	5905-791-8674						2	8		1	24	79 4-3		R19, 39			
3476	814		P	H	5960-556-2091						2	REF		REF		79 4-3		CR1, 2			
3477	524		P	H	5960-752-5942						4	REF		REF		79 4-3		Q3, 4, 7, 8			
3478	3116		P	H	5960-809-1870						4	REF		REF		79 4-3		Q1,2, 5, 6			

1 S E Q U E N C E R N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D A L L O W E D M A I N T E N A N C E D A Y			12 E Q U I P M E N T F O R 1 0 0 E Q. D E P O T Q T Y	13 R E B U I L D F O R 1 0 0 E Q.	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2						3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3479	3033	P	H		5950-907-7618				TRANSFORMER, AF LEADS 1 TO 3 500 OHMS IMPEDANCE. LEAD 2 CT. LEADS 4 TO 5 600 OHMS IMPEDANCE. 81095 PART NO. SP500 95104 PART NO. 677-9511-000			2	REF		REF		79 4-3		T2, 5			
3480		P	H		5950-907-7599				TRANSFORMER. AF LEADS 1 TO 3 600 OHMS IMPEDANCE. LEAD 2 CT. LEADS 4 TO 5 500 OHMS IMPEDANCE. 80223 PART NO. CR457, 95104 PART NO. 677-0204-000			2	4		1	12	79 4-3		T1-4			
3481		P	H		5950-923-7319				TRANSFORMER, AF LEADS 1 TO 3 4000 OHMS IMPEDANCE. LEAD 2 CT. LEADS 4 TO 6 600 OHMS IMPEDANCE LEAD S CT. LEADS 7 TO 8 600 OHMS IMPEDANCE 70674 PART NO. A12940. 95104 PART NO. 677-0130-000 AMPLIFIER-CONVERTER 528-0203-005			2	4		1	12	79 4-3		T3, 6			
3482	3062	P	H		5910-755-9291				CAPACITOR. FIXED. ELECTROLYTIC. 1 UF. 20% TOL. 35 VDCW. 72982 PART NO. 900-506B0F0 105M. 95104 PART NO. 184-7398-000			11	REF		REF		79 4-4		C2-4, 8-11			
3483	1537	P	H		5910-814-5869				CAPACITOR. FIXED. ELECTROLYTIC. 6.8 UF. 20% TOL. 35 VDCW, 56289 PART NO. 150D685X0035B2. 95104 PART NO. 184-7693-000			10	REF		REF		79 4-4		C5, 12-15. 21, 22, 25 27, 32			

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E A R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N O.			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S F I G U R E N U M B E R			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		DS	GS	DM						DS	GS	DM											
3484		P	H	5910-814-1301					CAPACITOR. FIXED. MICA 5 UUF. 0.5 UUF TOL. 500 VDCW. 72136 PART NO. DM15C050J01. 95104 PART NO. 912-2750-000 SELECT C1 AS REQUIRED FROM SEQUENCE NUMBERS 3485 THROUGH 3487 BELOW			1	3		2		9	79 4-4		C6							
3485	2544	P	H	5910-660-4982					CAPACITOR. FIXED. MICA 120 UUF. 5% TOL. 500 VDCW. 81349 PART NO. CM0SF121J03. 95104 PART NO. 912-2822-000			1	REF		REF			79 4-4		C9							
3486		P	H	5910-726-3212					CAPACITOR. FIXED. MICA 150 UUF. 5% TOL. 500 VDC. 81349 PART NO. CM05F151J03, 95104 PART NO. 912-2828-000			1	2		2		6	79 4-4		C1							
3487	199	P	H	5910-577-1194					CAPACITOR. FIXED, MICA 180 UUF. 5% TOL. 500 VDCWV 81349 PART NO. CM05F181J03 95104 PART NO. 912-2834-000			2	REF		REF			79 4-4		C1, 17							
3488	82	P	H	5910-852-9692					CAPACITOR, FIXED, MICA 220 UUF. 5% TOL. 500 VDCW. 81349 PART NO. CM0SF221J03. 95104 PART NO. 912-2840-000			2	REF		REF			79 4-4		C7, 23							
3489	592	P	H	5910-686-6172					CAPACITOR, FIXED. MICA 1200 UUF. 5% TOL, 500 VDCW. 72136 PART NO. DM20F122J50WV, 95104 PART NO. 912-3321-000			1	REF		REF			79 4-4		C18							
3490		P	H	5910-678-5326					CAPACITOR, FIXED. MICA 2000 UUF, 5% TOL. 500 VDCWV 81349 PART NO.			1	1		1		3	79		C33							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11-13 F I E L D M A I N T E N A N C E R E Q U I R E D R E B U I L D E Q U I P M E N T D E P O T Q T Y			14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	
3491	597	P	H		5910-878-2910				CM06F202J03. 95104 PART NO. 912-3022-000 CAPACITOR, FIXED, MICA 3300 UUF. 5% TOL, 500 VDCW, 72136 PART NO. DM20F332J500WV 95104 PART NO. 912-3354-000			1	REF		REF		79 4-4		C16	
3492		P	H		5910-811-4971				CAPACITOR. FIXED. MICA 3600 UUF. 5% TOL. 500 VDCW. 81349 PART NO. CM06F362J03. 95104 PART NO. 912-3043-000			1	4		2	12	79 4-4		C26	
3493	3230	P	H		5910-668-5580				CAPACITOR. VARIABLE. CERAMIC. 8-50 UUF. 350 VDCW. 72982 PART NO. 557051U2P034R. 95104 PART NO. 917-1174-000			1	REF		REF		79 4-4		C28	
3494	3345	P	H		5910-702-5897				CAPACITOR. VARIABLE, VOLTAGE SENSITIVE 100 UUF. 20% TOL. 25 VDCW. 73293 PART NO. 1N953. 95104 PART NO. 922-6005-000			2	REF		REF		79 4-4		C29, 30	
3495		P	H		5950-924-0982				COIL ASSEMBLY. VARIABLE 155 KC FREQUENCY. 81815 PART NO. X291-1, 95104 PART NO. 278-1757-000			1	1		1	3	79 4-4		L4	
3496		P	H		5910-051-6988				COIL. RF 10 MH INDUCTANCE. 72259 PART NO. WEE10000. 95104 PART NO. 240-1066-000			3	3		1	9	79 4-4		L1, 2	
3497	3457	P	H		5970-072-7149				INSULATOR. TRANSISTOR 07047 PART NO. A10123. 95104 PART NO. 352-9936-000			10	REF		REF		79 4-4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D A Y			12 A L L O W E D E Q U I P M E N T P E R C E N T			13 R E B U I L D F O R E Q. Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM	FIGURE	ITEM	NUMBER						
3496	510	P	H	5905-190-8883						1	REF		REF				79 4-4		R44						
3499	2998	P	H	5905-892-6554						5	REF		REF				79 4-4		R39-43						
3500		P	H	5905-682-4106						1	6		3	18			79 4-4		R45						
3501	136	P	H	5905-683-7721						2	REF		REF				79 4-4		R20. 34						
3502	157	P	H	5905-190-8889						1	REF		REF				79 4-4		R38						
3503	631	P	H	5905-752-3336						1	REF		REF				79 4-4		R27						
3504	159	P	H	5905-810-8135						1	REF		REF				79 4-4		R24						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R					
3505	285	P	H		5905-192-3973						1	REF		REF		79 4-4		R37					
3506	633	P	H		5905-727-8001						1	REF		REF		79 4-4		R19					
3507	1179	P	H		5905-726-5346						2	REF		REF		79 4-4		R51, 52					
3508	681	P	H		5905-682-4098						1	REF		REF		79 4-4		R25					
3509	640	P	H		5905-686-9998						7	REF		REF		79 4-4		R6, 9, 10, 18, 23, 32, 35					
3510	642	P	H		5905-686-9997						1	REF		REF		79 4-4		R26					
3511	644	P	H		5905-681-9970						1	REF		REF		79		R36					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D 1 5 D A Y			14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM			
		R E C O V E R A B I L I T Y C O D E				M O D E L								E Q U I P M E N T					
3518	2108	P	H	5905-752-3158				PART NO. 745-0812-000 RESISTOR, FIXED. COMPOSITION. 81,000 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF823K. 95104			1	REF		REF	79 4-4		R21		
3519	2584	P	H	5905-722-3774				PART NO. 745-0818-000 RESISTOR. FIXED. FILM OHMS. 1% TOL 1/4 WATT. 81349 PART NO. RN60D1000F, 95104			2	REF		REF	79 4-4		R16, 17		
3520	2949	P	H	5905-805-1415				PART NO. 705-6548-000 RESISTOR. FIXED. FILM 348 OHMS, 1% TOL. 1/4 WATT. 81349 PART NO. RN6 0D3480F, 95104			1	REF		REF	79 4-4		R49		
3521	3314	P	H	5905-824-3077				PART NO. 705-6574-000 RESISTOR. FIXED. FILM 1780 OHMS. 1% TOL, 1/4 WATT. 81349 PART NO. RN6001781F. 95104			1	REF		REF	79 4-4		R53		
3522		P	H	5905-686-0080				PART NO. 705-6608-000 RESISTOR, FIXED. FILM 2610 OHMS, 1% TOL. 1/4 WATT, 81349 PART NO. RN60D2611F, 95104			2	4		1	22	79 4-4		R12, 14	
3523		P	H	5905-827-3333				PART NO. 705-6616-000 RESISTOR. FIXED. FILM 3830 OHMS. 1% TOL. 1/4 WATT. 81349 PART NO. RN60D3831F. 95104			1	3		1	9	79 4-4		R46	
3524	1182	P	H	5905-577-6734				PART NO. 705-6624-000 RESISTOR. FIXED. FILM 5110 OHMS. 1% TOL. 1/4 WATT, 81349 PART NO. RN60D5111F, 95104			1	REF		REF	79 4-4		R1		
3525	1343	P	H	5905-577-6736				PART NO. 705-6630-000 RESISTOR. FIXED. FILM			4	REF		REF	79		R13, 15, 47,		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y			12 A L L O W E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	17 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	79	4-4	79	4-4	79	4-4	79	4-4				
3526	3253	P	H		5905-856-7772				10,000 OHMS, 1% TOL, 1/4 WATT, 81349 PART NO. RN6001002F, 95104 PART NO. 705-6644-000 RESISTOR. VARIABLE. WIRE WOUND. 500 OHMS. 5% TOL, 1 WATT. 75042 PART NO. CT 100-500, 95104 PART NO. 381-1467-000			1	REF		REF				4-4		48								
3527	3109	P	H		5905-082-0681				RESISTOR, VARIABLE, WIRE WOUND, 5000 OHMS. 5% TOL, 1 WATT, 75042 PART NO. CT100-5K, 95104 PART NO. 381-1470-000			1	REF		REF				79	4-4	R11								
3528		P	H		5960-807-7883				SEMICONDUCTOR DEVICE, TRANSISTOR. 07688 PART NO. 2N414. 95104 PART NO. 352-0062-000			2	4		2	16		79	4-4	Q3, 4									
3529		P	H		5960-729-1060				SEMICONDUCTOR DEVICE, TRANSISTOR. 17227 PART NO. 2N416. 95104 PART NO. 352-0215-000			1	5		1	20		79	4-4	Q8									
3530	3114	P	H		5960-842-6937				SEMICONDUCTOR DEVICE. TRANSISTOR. 73293 PART NO. 2N706. 95104 PART NO. 352-0195-000			1	REF		REF			79	4-4	Q7									
3531	2953	P	H		5960-065-5373				SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO. 2N2188. 95104 PART NO. 352-0455-000			4	REF		REF			79	4-4	Q1, 2, 5, 6									
3532		P	H		5950-615-0596				TRANSFORMER, IF 100 KC FREQUENCY. 81815 PART NO. X064, 95104 PART NO. 278-0257-000			1	1		1	3		79	4-4	L3									

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y M A I N T E N A N C E P E R I O D			12 A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O S I T Q T Y	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R E Q.	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R	
3533		P	H		5950-764-4583						1	1		1	3	79 4-4		T4			
3534		P	H		5950-086-8802						2	2		1	6	79 4-4		T3, 5			
3535		P	H		5950-907-6988						2	3		2	9	79		T1, 2			
3536		P	H		5910-733-5688						4	8		2	24	79 4-5		C1, 7, 13, 21			
3537		P	H		5910-081-5494						6	6		1	18	79 4-5		C3, 8, 14, 17, 18, 22			
3538	624	P	H		5910-542-7387						1	REF		REF		79 4-5		C27			
3539	2314	P	H		5910-815-5118						6	REF		REF		79 4-5		C2, 9, 15 20, 25, 26			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D A L L O W E D M A I N T E N A N C E R E Q U I R E D D E P O S I T Q T Y			12 E Q U I P M E N T P A R T N O. 1 0 0	13 R E B U I L D F O R E Q. 1 0 0	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R		
3540		P	H		5910-827-0019						1	1		1		3	79 4-5	C24				
3541	149	P	H		5910-824-6035						2	REF		REF			79 4-5	C5, 11				
3542	2400	P	H		5910-088-0283						2	REF		REF			79 4-5	C5, 11				
3543	3067	P	H		5910-837-7476						2	REF		REF			79 4-5	C5, 11				
3544	3068	P	H		5910-825-5288						2	REF		REF			79 4-5	C5, 11				
3545	197	P	H		5910-552-9883						2	REF		REF			79 4-5	C5, 11				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R C E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O S I T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	ILLUSTRATIONS							
3546	198	P	H		5910-781-6497						2	REF		REF				79 4-5		C5, 11						
3547	3388	P	H		5950-059-9338						1	REF		REF				79 4-5		C23						
3548	3077	P	H		5910-686-6126						2	REF		REF				79 4-5		C16, 19						
3549		P	H		5910-779-3456						2	11		2		22		79 4-5		C6, 12						
3550	3345	P	H		5910-702-5897						4	REF		REF				79 4-5		C4, 10, 28, 29						
3551	3457	P	H		5970-072-7149						9	REF		REF				79 4-5								
3552	627	P	H		5935-073-3249						1	REF		REF				79 4-5		J1						
3553		P	H		5905-087-7997						1	1		1		3		79 4-5		R26						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER								
3554	73	P	H		5905-802-6738						3	REF		REF				79 4-5		R4, 34, 22						
3555	136	P	H		5905-683-7721						1	REF		REF				79 4-5		R17						
3556		P	H		5905-299-2056						1	1		1		3		79 4-5		R25						
3557	2483	P	H		5905-683-2240						1	REF		REF				79 4-5		R38						
3558	1027	P	H		5905-725-6995						1	REF		REF				79 4-5		R10						
3559	1334	P	H		5905-686-3369						2	REF		REF				79 4-3		R10, 30						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R					
3560		P	H		5905-811-0674				WATT, 81349 PART NO. RC07GF331K 95104 PART NO. 745-0731-000 RESISTOR. FIXED, COMPOSITION, 390 OHMS, 10% TOL. 1/4 WATT, 81349 PART No. RC07GF391K, 95104 PART NO. 745-0734-000 RESISTOR. FIXED, COMPOSITION, 390 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF471K. 95104 PART NO. 745-0737-000 RESISTOR, FIXED, COMPOSITION, 560 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF561K. 95104 PART NO. 745-0740-000 RESISTOR. FIXED, COMPOSITION, 680 OHMS 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF681K, 95104 PART NO. 745-0743-000 RESISTOR, FIXED, COMPOSITION, 330 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF331K. 95104 PART NO. 745-0731-000 RESISTOR, FIXED, COMPOSITION. 390 OHMS 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF391K, 95104 PART NO. 745-0734-000			2	7		1	21	79 4-5		R10, 36					
3561	161	P	H		5905-683-2242							1	REF		REF		79 4-5		R10					
3562	676	P	H		5905-726-6441							1	REF		REF		79 4-5		R10					
3563	633	P	H		5905-717-8001							1	REF		REF		79 4-5		R10					
3564	1334	P	H		5905-686-3369							1	REF		REF		79 4-5		R30					
3565	3560	P	H		5905-811-0674							1	REF		REF		79 4-5		R36					

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11-13 F I E L D M A I N T E N A N C E D A Y A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O T Q T Y			14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B		C	1	2						3	DS	GS	DM	F I G U R E N U M B E R		I T E M N U M B E R
3566	676	P	H	5905-726-6441				RESISTOR, FIXED, COMPOSITION, 560 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF561K, 95104 PART NO. 745-0740-000			2	REF	REF		79		R15, 35		
3567	162	P	H	5905-681-6462				RESISTOR, FIXED, COMPOSITION, 1000 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF102K. 95104 PART NO. 745-0749-000			3	REF	REF		79 4-5		R12, 39, 41		
3568	637	P	H	5905-726-5343				RESISTOR, FIXED, COMPOSITION: 1500 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF152K, 95104 PART NO. 745-0755-000			1	REF	REF		79 4-5		R24		
3569	639	P	H	5905-686-4527				RESISTOR, FIXED, COMPOSITION 2700 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07CGF272K 95104 PART NO. 745-0764-000			5	REF	REF		79 4-5		R6, 11, 18, 21, 23		
3570	640	P	H	5905-686-9998				RESISTOR, FIXED, COMPOSITION, 4700 OHMS, 10X TOL. 1/4 WATT, 81349 PART NO. RC07GF472J, 95104 PART NO. 745-0773-000			1	REF	REF		79 4-5		R19		
3571	642	P	H	5905-686-9997				RESISTOR, FIXED, COMPOSITION, 6800 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF682J, 95104 PART NO. 745-0779-000			4	REF	REF		79		R2, 5, 9, 13		
3572	174	P	H	5905-577-0935				RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO.			3	REF	REF		79 4-5		R31, 33, 40		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE NUMBER	ITEM NUMBER								
3573	105	P	H		5905-687-0000				RC07GF103K, 95104 PART NO. 745-0785-000 RESISTOR, FIXED, COMPOSITION, 18,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF183K. 95104			3	REF		REF				79 4-5		R3, 8, 20						
3574	2494	P	H		5905-686-3838				RESISTOR, FIXED, COMPOSITION, 27.000 OHMS, 10% TOL. 1/4 WATT, 81349 PART NO. RC07GF273K, 95104			2	REF		REF				79 4-5		R14, 32						
3575	1138	P	H		5905-688-4447				PART NO. 745-0800-000 RESISTOR, FIXED, COMPOSITION, 47.000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC7GF473K. 95104			1	REF		REF				79 4-5		R27						
3576	107	P	H		5905-686-3129				PART NO. 745-0809-000 RESISTOR, FIXED, COMPOSITION, 100.000 OHMS, 10% TOL, 1/4 WATT. 81349 PART NO. RC07GF104K. 95104			2	REF		REF				79 4-5		R7, 16						
3577	3187	P	H		5905-871-0140				PART NO. 745-0821-000 RESISTOR, FIXED, FILM 51.1 OHMS, 10% TOL. 1/4 WATT. 81349 PART NO. RN60D51R1F, 95104			1	REF		REF				79 4-5		R1						
3578	30271	P	H		5905-856-7774				PART NO. 705-6534-000 RESISTOR, VARIABLE, WIRE WOUND, 10,000 OHMS, 5% TOL, WATT, 70542 PART NO. CT100-10K, 95104 PART NO. 381-1471-000			1	REF		REF				79 4-5		R29						
3579		P	H		5905-866-8519				RESISTOR, VARIABLE, WIRE WOUND, 50.000			2	2		1	6			79 4-5		R28, 37						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	ILLUSTRATIONS							
3580	2429	P	H		5960-284-6516						1	REF		REF				79 4-5		CR2						
3581	1561	P	H		5960-557-6118						2	REF		REF				79 4-5		CR3, 4						
3582	1 658	P	H		5960-060-7587						1	REF		REF				79 4-5		CR5						
3583	1134	P	H		5960-837-7262						1	REF		REF				79 4-5		Q5						
3584	3116	P	H		5960-809-1670						4	REF		REF				79 4-5		Q1-4						
3585		P	H		5960-958-7601						1	1		1		4		79 4-5		Q6						
3586		P	H		5950-907-7584						2	2		1		6		79 4-5		T3, 4						
3587		P	H		5950-907-6978						1	1		1		3		79 4-5		T5						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P E R			13 R E B U I L D R E Q U I R E D F O R E Q.			14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	REFERENCE	SYMBOL							
3558	3257	P	H		5950-907-6977						2	REF		REF					79 4-5		T1, 2						
3589		P	H		5910-080-4022						2	8		1	24	79 4-5					C29, 30						
3590		P	H		5910-817-3895						3	12		1	36	79 4-5					C9, 18, 36						
3591	3060	P	H		5910-080-4020						2	REF		REF		79 4-5					C1, 24						
3592		P	H		5910-804-8496						2	8		1	24	79 4-5					C43, 45						
3593		P	H		5910-902-0598						2	8		1	24	79 4-5					C44, 46						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D M A I N T E N A N C E D E P O S I T Q T Y A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O S I T Q T Y			14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	
3594	695	P	H		5910-804-5138						2	REF		REF		79		C21, 23	
3595	3062	P	H		5910-955-9291						8	REF		REF		79		C10, 25, 31, 33, 37, 41, 42, 52	
3596	624	P	H		5910-542-7387						8	REF		REF		79		C2, 3, 11, 12, 28, 38 40, 47	
3597		P	H		5910-812-2752						1	4		1	12	79 4-5		C53	
3598	565	P	H		5910-752-4249						3	REF		REF		79 4-5		C39, 48, 50	
3599	793	P	H		5910-805-3618						2	REF		REF		79 4-5		C22, 27	
3600	2316	P	H		5910-841-6110						1	REF		REF		79		C49	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11-13 F I E L D M A I N T E N A N C E D E P O T R E B U I L D R E Q U I R E D F O R E Q. D M			14-16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3						DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3601	195	P	H		5910-722-5858				ELECTROLYTIC. 47 UF, 20X TOL. 35 VDCW, 72982 PART NO. 903-506BF0476M. 95104 PART NO. 184-7411-000 SELECT C6. C15 AS REQUIRED FROM SEQUENCE NUMBERS 3601 THROUGH 3610 BELOW CAPACITOR, FIXED, MICA 20 UUF. 5X TOL. 500 DM15C200J PART NO. CMOSE200J03. 95104 PART NO. 912-2765-000			2	REF		REF		79 4-5		C6, 15	
3602		P	H		5910-957-2054				CAPACITOR. FIXED, MICA 33 UUF. 2% TOL, 500 VDCW, 81349 PART NO. CM05E330G03. 95104 PART NO. 912-2779-000			2	11		2	33	79 4-5		C6, 15	
3603		P	H		5910-838-3171				CAPACITOR. FIXED. MICA 39 UUF. 2% TOL, 500 VDCW 81349 PART NO. CM05E390G03. 95104 PART NO. 912-2785-000			2	14		2	42	79 4-5		C6, 15	
3604		P	H		5910-828-9918				CAPACITOR, FIXED, MICA 47 UUF. 2% TOL, 500 VDCWV 81349 PART NO. CM05E470G03. 95104 PART NO. 912-2791-000			2	12		2	36	79 4-5		C6, 15	
3605		P	H		5910-726-3214				CAPACITOR, FIXED, MICA 68 UUF. 2% TOL, 500 VDCW, 81349 PART NO. CM05E680G03. 95104 PART NO. 912-2803-000			2	14		2	42	79 4-5		C6, 15	
3606		P	H		5910-781-7929				CAPACITOR, FIXED, MICA 91 UUF. 2% TOL, 500 VDCW, 81349 PART NO. CM05F910G03, 95104			2	12		2	36	79 4-5		C6, 15	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D E P O S I T I O N			12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q U I R E D E Q U I P M E N T	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS			GS	DM		
3607	3222	P	H	5910-578-5758						2	REF		REF			79 4-5		C6, 15			
3608	3223	P	H	5910-804-7561						2	REF		REF			79 4-5		C6, 15			
3609	3224	P	H	5910-811-4985						2	REF		REF			79 14-5		C6, 15			
3610		P	H	5910-617-4365						2	14		2	42		79 4-5		C6, 15			
3611	3221	P	H	5910-080-5153						1	REF		REF			79 4-5		C32			
3612		P	H	5910-846-2775						1	7		4	21		79 4-5		C32			
3613		P	H	5910-755-0029						1	7		2	21		79 4-5		C32			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11-13 A L L O W E D E Q U I P M E N T R E Q U I R E D F O R 1 0 0 R E B U I L D E Q. D E P O T Q T Y			14-16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3614	3223	P	H		5910-804-7561						1	REF		REF			79 4-5		C32
3615	3222	P	H		5910-578-5758						1	REF		REF			79 4-5		C51
3616	3227	P	H		5910-827-5912						1	REF		REF			79 4-5		C26
3617	3228	P	H		5910-824-9780						1	REF		REF			79 4-5		C26
3618		P	H		5910-811-4041						1	5		2	15		79 4-5		C26
3619		P	H		5910-957-9909						1	5		2	15		79 4-5		C26
3620	3074	P	H		5910-811-5155						1	REF		REF			79 4-5		C26

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R		
3621	3228	P	H		5910-824-9780						2	REF		REF			79 4-5		C5, 14			
3622	3549	P	H		5910-779-3456						2	REF		REF			79 4-5		C7, 16			
3623	3231	P	H		5910-958-9693						2	REF		REF			79 4-5		C8, 17			
3624	2936	P	H		5950-823-3142						3	REF		REF			79 4-5		L4, 5, 7			
3625	3088	P	H		5950-812-4443						1	REF		REF			79 4-5		L6			
3626		P	H		5895-902-9027						1	4		1		8	79 4-5					
3627		P	H		5895-902-9028						1	4		1		8	79 4-5					
3628	3457	P	H		5970-072-7149						16	REF		REF			79 4-5					

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D A Y			12 A L L O W E D E Q U I P M E N T C E N T R E P O S I T I O N			13 R E B U I L D F O R E Q. D E P O S I T I O N	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	F I G U R E N U M B E R		R E F E R E N C E S Y M B O L																		
3629	627	P	H		5935-073-3249				JACK, TIP WHITE, 00779 PART NO. 2-582120-9. 95104 PART NO. 360-0276-000			1	REF		REF		79 4-5								
3630	135	P	H		5905-755-8389				RESISTOR. FIXED. COMPOSITION. 22 OHMS. 10% TOL, 1/4 WATT, 81349 PART HO. RC07GF220K. 95104 PART NO. 745-0689-000			2	REF		REF		79 4-5		R38, 39						
3631	704	P	H		5905-683-2235				RESISTOR, FIXED, COMPOSITION. 68 OHMS. 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF680K. 95104 PART NO. 745-0707-000			1	REF		REF		79 4-5		R33						
3632	136	P	H		5905-683-7721				RESISTOR, FIXED, COMPOSITION. 100 OHMS. 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF101K, 95104 PART NO. 745-0713-000			2	REF		REF		79 4-5		R21, 49						
3633	158	P	H		5905-982-5503				RESISTOR, FIXED, COMPOSITION. 120 OHMS. 10% TOL, 1 /4 WATT, 81349 PART NO. RC07GF121K, 95104 PART NO. 745-0716-000			1	REF		REF		79 4-5		R28						
3634	3565	P	H		5905-811-0674				RESISTOR, FIXED, COMPOSITION, 390 OHMS. 10% TOL 1/4 WATT. 81349 PART NO. RC07GF391K. 95104 PART NO. 745-0734-000			1	REF		REF		79 4-5		R77						
3635	161	P	H		5905-683-2242				RESISTOR. FIXED, COMPOSITION. 470 OHMS, 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF471K. 95104 PART NO. 745-0737-000			1	REF		REF		79 4-5		R69						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D M A I N T E N A N C E D E P O S I T Y A L L O W E Q U I P M E N T R E Q U I R E D F O R R E B U I L D E Q. D E P O S I T Y			14-16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3636	676	P	H		5905-726-6441						3	REF		REF		79 4-5		R5, 10, 54	
3637	162	P	H		5905-681-6462						1	REF		REF		79 4-5		R24	
3638	636	P	H		5905-686-9994						2	REF		REF		79 4-5		R6, 12	
3639	637	P	H		5905-726-5343						1	REF		REF		79 4-5		R52	
3640	680	P	H		5905-726-6433						2	REF		REF		79 4-5		R22, 66	
3641	639	P	H		5905-686-4527						4	REF		REF		79 4-5		R20, 45, 48 53	
3642	681	P	H		5905-682-08						2	REF		REF		79 4-5		R73, 74	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D M A I N T E N A N C E D E P O T R E B U I L D R E Q U I R E D F O R E Q. D M			14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	
3643	640	P	H		5905-686-9998						3	REF		REF		79 4-5		R27, 32, 51
3644	644	P	H		5905-681-9970						1	REF		REF		79 4-5		R31
3645	174	P	H		5905-577-0935						4	REF		REF		79 4-5		R23, 25, 26. 47
3646	646	P	H		5905-686-4529						1	REF		REF		79 4-5		R46
3647	647	P	H		5905-681-8818						1	REF		REF		79 4-5		R65, 75
3648	105	P	H		5905-687-0000						2	REF		REF		79 4-5		R30, 79

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11-13 F I E L D M A I N T E N A N C E D E P O S I T Y A L L O W E D E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O S I T Y			14-16 I L L U S T R A T I O N S		
		A	B	C	D		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3649	106	P	H		5905-752-3156						6	REF		REF		79 4-5		R17, 19, 29 34, 50, 63	
3650	2494	P	H		5905-686-3838						1	REF		REF		79 4-5		R67	
3651	2969	P	H		5905-800-0179						2	REF		REF		79 4-5		R43, 44	
3652		P	H		5905-824-3162						1	4		1	12	79 4-5		R81	
3653		P	H		5905-069-3907						1	4		1	12	79 4-5		R76	
3654	3187	P	H		5905-871-01040						1	REF		REF		79 4-5		R1	
3655		P	H		5905-958-1594						1	4		1	12	79 4-5		R16	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11-13 100 R E B U I L D E Q U I P M E N T F O R 100 E Q. D E P O T Q T Y			14-16 I L L U S T R A T I O N S		
		A	B	C		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
3656		P	H		5905-763-3605						1	4		1	12	79 4-5		R4
3657	3198	P	H		5905-818-1986						1	REF		REF		79 4-5		R60
3658	3199	P	H		5905-721-0286						1	REF		REF		79 4-5		R36
3659	3196	P	H		5905-952-7042						1	REF		REF		79 4-5		R62
3660	3309	P	H		5905-577-1791						1	REF		REF		79 4-5		R56
3661	1084	P	H								1	REF		REF		79 4-5		R64
3662	3316	P	H		5905-676-8887						1	REF		REF		79 4-5		R59
3663		P	H		5905-577-1792						1	6		1	18	79 4-5		R2

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E Q U I P M E N T P E R			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	ILLUSTRATIONS							
3664		P	H		5905-686-3385						1	5		1	15	79 4-5		R11								
3665	3019	P	H		5905-702-1768						1	REF		REF		79 4-5		R61								
3666	3318	P	H		5905-681-8759						2	REF		REF		79 4-5		R9, 31								
3667	1183	P	H		5905-681-8754						1	REF		REF		79 4-5		R7								
3668	1342	P	H		5905-985-5435						1	REF		REF		79 4-5		R8								
3669	1343	P	H		5905-577-6736						2	REF		REF		79 4-5		R13, 40								
3670	3326	P	H		5905-702-1143						1	REF		REF		79 4-5		R78								
3671		P	H		5905-688-3882						1	4		1	12	79 4-5		R3								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		11 D S	11 G S	11 D M	12 D S		12 G S	12 D M	13 D S						13 G S	13 D M	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L										
		ILLUSTRATIONS																											
3672		P	H		5905-615-7339				¼ WATT, 81349 PART NO. RN60D1622F, 95104 PART NO. 705-6654-000 RESISTOR, FIXED, FILM 21,500 OHMS, 1% TOL, 1/4 WATT. 81349 PART NO. RN60D3242F, 95104 PART NO. 705-6660-000 RESISTOR. FIXED. FILM 34,800 OHMS. 1% TOL. 1/4 WATT. 81349 PART NO. RN60D34862F. 95104 PART NO. 705-667054-000;			1	7		2		21	79 4-5			R80								
3673		P	H		5905-687-0059				RESISTOR, FIXED, FILM 34,800 OHMS. 1% TOL. 1/4 WATT. 81349 PART NO. RN60D34862F. 95104 PART NO. 705-667054-000;			1	4		1		12	79 4-5			R42								
3674	2333	P	H		5905-702-1771				RESISTOR, FIXED, FILM 46,400 OHMS, 1% TOL, 1/4 WATT. 81349 PART NO. RN60D54642F 95104 PART NO. 705-6676-000-			1	REF		REF			79 4-5			R14								
3673		P	H		5905-686-2197				RESISTOR, FIXED, FILM 51,100 OHMS. 1% TOL, 1/4 WATT. 81349 PART NO. RN60510382F 95104 PART NO. 705-6678-000			1	5		2		15	79 4-5			R58								
3676	3023	P	H		5905-6702-8771				RESISTOR. FIXED. FILM 121,000 OHMS 1% TOL, 1/4 WATT. 81349 PART NO. RN60D4213F. 95104 PART NO. 705-66796-000			1	REF		REF			79 4-5			R14								
3677	3024	P	H		5905-68-19761				RESISTOR, FIXED, FILM 51,100 OHMS. 1% TOL, 1/4 WATT, 81349 PART NO. RN60DS2373F 95104 PART NO. 705-6710-000			1	REF		REF			79 4-5			R11								
3678	3023	P	H		5905-67-8778				RESISTOR, FIXED WIRE WOUND, 5000 CHMS, 5% TOL, 1 WATT, 75042 PART NO. CT100-5K, 95104 PART NO. 381-1470-000			1	REF		REF			79 4-5			R58								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P A R T N U M B E R			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R				
																					15		
3679	3027	P	H		5905-082-0683						1	REF		REF			79 4-5		R55				
3680	3475	P	H		5905-781-8674						1	REF		REF			79 4-5		R35				
3681	2950	P	H		5905-781905-5083						2	REF		REF			79 4-5		CR8, 9				
3682	814	P	H		5960-556-2091						1	REF		REF			79 4-5		CR1				
3683	1561	P	H		5960-557-6118						10	REF		REF			79 4-5		CR2-5, 11, 12, 14-17				
3684		P	H		5960-826-6634						2	8		1	24		79 4-5		CR6, 13				
3685	658	P	H		5960-060-7587						1	REF		REF			79 4-5		CR10				
3686		P	H		5960-813-0389						1	5		1	15		79 4-5		CR7				
3687		P	H		5960-577-3245						1	10		3	40		79		Q14				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			F I G U R E N U M B E R	I T E M N U M B E R	
3688	3529	P	H		5960-729-1060						1	REF		REF			4-5				
																	79		Q3		
																	4-5				
3689	3114	P	H		5960-842-6937						1	REF		REF			79		Q1		
																	4-5				
3690		P	H		5960-057-6014						1	4		1	16		79		Q15		
																	4-5				
3691	525	P	H		5960-725-5321						1	REF		REF			79		Q1		
																	4-5				
3692	2651	P	H		5960-855-1551						1	REF		REF			79		Q7		
																	4-5				
3693	3116	P	H		5960-809-1870						3	REF		REF			79		Q4, 5, 10		
																	4-5				
3694		P	H		5960-882-7242						2	8		1	32		79		Q8, 9		
																	4-5				
3695		P	H		5960-852-5171						1	4		1	16		79		Q2		
																	4-5				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E P E R D A Y			12 A L L O W A N C E E Q U I P M E N T D E P O S I T Q T Y			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	14 F I G U R E N U M B E R	15 I T E M N U M B E R					
3696	3117	P	H		5960-985-1503						3	REF		REF				79 4-5		Q6, 12, 13			
3697	3687	P	H		5960-577-3245						1	REF		REF				79 4-5					
3698		P	H		5950-902-4821						2	8		1	24			79 4-5		T1, 2			
3699		P	H		5950-907-6990						1	8		1	24			79 4-5					
3700		P	H		5950-907-7585						2	8		1	24			79 4-5		T3, 10			
3701		P	H		5950-907-7586						1	9		1	27			79 4-5					
3702		P	H		5950-907-6972						2	8		1	24			79 4-5		T4, 6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		11 D S	12 G S	13 D M		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L																				
3703		P	H		5950-907-6973						1	8		1	24	79 4-5												
3704		P	H		5950-907-7587						1	4		1	12	79 4-5		T5										
3705		P	H		5950-907-7585						1	4		1	12	79 4-5												
3706		P	H		5950-907-7595						1	4		1	12	79 4-5		T4										
3707	3213	P	H		5950-907-7595						1	REF		REF		79 4-5												
3708		P	H		5950-907-7597						1	4		1	12	79 4-5		T8										
3709		P	H		5950-907-7598						1	4		1	12	79 4-5												
3710		P	H		5950-907-7579						1	4		1	12	79 4-5		T9										

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D M A I N T E N A N C E D A Y			12 A L L O W A N C E P E R E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM	F I G U R E N U M B E R	I T E M N U M B E R	15					
																			16					
3711	3214	P	H	5950-907-7580							1	REF		REF				79 4-5						
				5895-908-0246				!																
3712	72	P	H	5910-660-7430							3	REF		REF				79 4-1		C14, 20, 23				
3713	3062	P	H	5910-755-9291							6	REF		REF				79 4-1		C1, 2, 4, 5, 10, 19				
3714	3063	P	H	5910-728-4274							1	REF		REF				79 4-1		C29				
3715	624	P	H	5910-542-7387							5	REF		REF				79 4-1		C6, 9, 13. 21, 28				
3716		P	H	5910-583-1954							1	2		2		6		79 4-1		C26				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I L E D M A I N T E N A N C E P E R D A Y			12 A L L O W A N C E P E R C E N T	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2					3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3717	846	P	H	5910-752-4270				2			REF		REF			79 4-1		C17, 18			
3718	3452	P	H	5910-820-0209				1			REF		REF			79 4-1		C30			
3719		P	H	5910-686-6431				1			REF		REF			79 4-1		C15			
3720	3071	P	H	5910-844-0905				1			REF		REF			79 4-1		C24			
3721	82	P	H	5910-852-9692				1			REF		REF			79 4-1		C8			
3722	3073	P	H	5910-804-7562				1			REF		REF			79 4-1		C11			
3723		P	H	5910-820-1360				1		1			1			79 4-1		C7			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I L E D M A I N T E N A N C E P E R D A Y			12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2						3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3724	2091	P	H	5910-060-1194				VDCW, 81349 PART NO. CM06F471J03, 95104 PART NO. 912-2974-000 CAPACITOR, FIXED, MICA 1000 UUF, 5% TOL, 500			1	REF		REF		79 4-1		C3				
3725		P	H	5910-846-4375				VDCW, 81349 PART NO. PART NO. 912-3001-000 CAPACITOR, FIXED, MICA 2500 UUF, 5% TOL, 500			1	1		1	3	79 4-1		C25				
3726		P	H	5910-701-8398				VDCW, 14655 PART NO. C19F252J03, 95104 PART NO. 912-3031-000 CAPACITOR, FIXED, MICA 15,000 UUF, 5% TOL, 100			1	1		1	3	79 4-1		C31				
3727	2934	P	H	5910-993-8308				VDCW, 81349 .PART NO. CM07F153J03 95104 PART NO. 912-2741-000 CAPACITOR, FIXED, PLASTIC, 22,000 UUF, 10% TOL, 200			1	REF		REF		79 4-1		C12, 22, 27				
3729	2995	P	H	5910-060-8478				56289 PART NO. 192P22392, 95104 PART NO. 933-1039-020 CAPACITOR, FIXED, PLASTIC, 100,000 UUF, 10% TOL, 200			1	REF		REF		79 4-1		C16				
3729	2409	P	H	5950-060-9188				VDCW, 56289 PART NO. 192P10492, 9510 4 PART' NO. 933-1039-050 COIL, RF 1000 UF INDUCTANCE, 5% TOL, 76487 PART NO. J301-1000, 95104			1	REF		REF		79 4-1		L8				
3730 3	3347	P	H	5950-902-71031				PART NO. 240-2540-000 COIL. RF 10 MH INDUCTANCE, 80483 PART NO.			1	REF		REF		79 4-1		L7				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I L E D M A I N T E N A N C E P E R D A Y			12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2					3	DS	GS			DM	F I G U R E N U M B E R		I T E M N U M B E R
3731	3087	P	H	5950-728-3633							1	REF		REF			79 4-1	L9			
3732	3088	P	H	5950-812-4443							4	REF		REF			79 4-1	L2, 4-6			
3733		P	H	5950-764-8678							1	1		1	3		79 4-1	L3			
3734		P	H	5950-825-5561							1	1		1	3		79 4-1	L1			
3735	3457	P	H	5970-072-7149							21	REF		REF			79 4-1				
3736	627	P	H	5935-073-3249							1	REF		REF			79 4-1	J1			
3737	3409	P	H	5905-836-2744							1	REF		REF			79 4-1	R42			
3738	3500	P	H	5905-682-4106							1	REF		REF			79 4-1	R51			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
3739	136	P	H		5910-68-7721						1	REF		REF				79 4-1		R8, 22		
3740	6313	P	H		5905-683-2243						1	REF		REF				79 4-1		R8, 18		
3741	2483	P	H		5905-683-2240						1	REF		REF				79 4-1		R8		
3742	1334	P	H		5905-686-3369						1	REF		REF				79 4-1		R8		
374 3	676	P	H		5905-726-6441						1	REF		REF				79 4-1		R4		
3744	633	P	H		5905-727-8001						1	REF		REF				79			R7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, A U T H O R I Z E D	3 R E C O V E R A B I L I T Y M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D		12 A L L O W A N C E E Q U I P M E N T P E R T	13 R E B U I L D R E Q U I R E D F O R E Q . D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE N U M B E R	I T E M N U M B E R	
3745	137	P	H		5905-681-9996				COMPOSITION. 680 OHMS,10% TOL ¼ WATT. 81349 PART NO. RC07GF1K J. 95104 PART NO. 745-0743-000 RESISTOR. FIXED.	1			REF		REF			4-1		R1		
3746	162	P	H		5905-681-6462				COMPOSITION 820 OHMS, 10% TOL, ¼ WATT. 81349 PART NO. RC07GF821 J, 95104 PART NO. 745-0746-000 RESISTOR. FIXED.	3			REF		REF			79 4-1		R4, 33, 46		
3747	1179	P	H		5905-726-5346				COMPOSITION. 1000 OHMS 10% TOL ¼ WATT. 81349 PART NO. RC07GF102 J, 95104 PART NO. 745-0749-000 RESISTOR. FIXED.	1			REF		REF			79 4-1		R23		
3748	680	P	H		5905-726-6433				COMPOSITION. 1800 OHMS, 10% TOL, ¼ WATT. 81349 PART NO. RC07GF182K, 95104 PART NO. 745-0758-000 RESISTOR. FIXED.	1			REF		REF			79 4-1		R12		
3749	639	P	H		5905-686-4527				COMPOSITION. 2200 OHMS, 10% TOL. ¼ WATT, 81349 PART NO. RC07GF222K, 95104 PART NO. 745-0761-000 RESISTOR. FIXED.,	3			REF		REF			79 4-1		R17, 26, 44		
3750	3006	P	H		5905-681-9969				COMPOSITION, 2700 OHMS. 10% TOL. ¼ WATT. 81349 PART NO. RC07GF272K, 95104 PART NO. 745-0764-000 RESISTOR, FIXED, COMPOSITION, 3300 OHMS. 10% TOL. ¼ WATT, 81349 PART NO. RC07GF332K, 95104	1			REF		REF			79 4-1		R28		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T 1 0 0	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
3751	681	P	H		5905-682-4098						2	REF		REF			79 4-1		R5, 20	
3752	640	P	H		5905-686-9998						6	REF		REF			79 4-1		R16, 29, 32 36, 49, 50	
3753	642	P	H		5905-686-9997						1	REF		REF			79 4-1		R38	
3754	644	P	H		5905-681-9970						2	REF		REF			79 4-1		R35, 37	
3755	174	P	H		5905-577-0935						7	REF		REF			79 4-1		R9-11, 21 27, 47, 48	
3756	646	P	H		5905-726-4413						1	REF		REF			79 4-1		R31	
3757	647	P	H		5905-681-8818						2	REF		REF			79 4-1		R6, 24	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
3758	106	P	H		5905-752-3156							1	REF		REF			79 4-1		R34			
3759	136	P	H		5905-68-4447							3	REF		REF			79 4-1		R39, 40, 41			
3760	107	P	H		5905-686-3129							1	REF		REF			79 4-1		R13			
3761	3326	P	H		5905-702-1143							1	REF		REF			79		R2			
3762	3205	P	H		5905-702-0540							1	REF		REF			79 4-1		R3			
3763		P	H		5905-725-2120							1	1		1	3		79 4-1		R25			
3764	3107	P	H		5905-968-3827							2	REF		REF'			79 4-1		R14, 30			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R	I T E M N U M B E R				R E F E R E N C E S Y M B O L
3765	3108	P	H		5905-092-7088							1	REF		REF			79 4-1		R15					
3766	3027	P	H		5905-082-0683				*			1	REF		REF			79 4-1		R19					
3767	2429	P	H		5960-284-616							2	REF		REF			79 4-1		CR11, 12					
3767	814	P	H		5960-556-2091							2	REF		REF			79 4-1		CR7, 9					
3769	1561	P	H		5960-557-6118							2	REF		REF			79 4-1		CR13, 14					
3770		P	H		5960-752-5351							3	5		2	15		79 4-1		CR1-3					
3771	3375	P	H		5960-712-396451							1	REF		REF			79 4-1		CR4					
3772	1563	P	H		5960-848-8098							1	REF		REF			79 4-1		CR6					

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T N A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM																			
3773	2649	P	H		5960-060-8379						1	REF		REF				79 4-1					
3774	3686	P	H		5960-813-0389						1	REF		REF				79 4-1		CR10			
3775		P	H		5960-752-5362						1	1		1		4		79 4-1		Q10			
3776	1089	P	H		5960-752-0150						6	REF		REF				79 4-1		Q2, 3, 5, 6.			
3777	525	P	H		5960-725-5321						1	REF		REF				79 4-1		Q4			
3778	2953	P	H		5960-065-5373						4	REF		REF				79 4-1		Q1, 7, 12, 13			
3779	3117	P	H		5960-985-1503						1	REF		REF				79 4-1		Q11			
3780	3033	P	H		5950-907-7618						1	REF		REF				79		T3			

1 S E Q U E N C E N U M B E R	2 F O R A L L O W A N C E N U M B E R A U T H O R I Z E E E	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E E B U I L D 1 0 0 E Q. R E Q U I R E D F O R		14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM	FIGURE NUMBER	ITEM NUMBER				
3781	2492	P	H		5950-648-4412						1	REF		REF					79 4-1		T4	
3782		P	H		5950-907-7582						1	1		1		3			79 4-1		T2	
3783		P	H		5950-907-7581						1	1		1		3			79 4-1		T1	
3784		P	H		5895-908-4713 5895-908-4734						4	4		1		4			79 6-3			
3785	2985	P	H		5935-902-8504						1	REF		REF					79 6-3		P1	
3786	3444	P	H		5935-892-9862						1	REF		REF					79 6-2		J1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM																
3787	221	P	H		5935-908-4721				3	REF		REF						79		6-3			
3788		P	H		5935-908-6377				3	3		1	3					79		6-3			
3789	3447	P	H		5935-903-1925				4	REF		REF						79		6-2			
3790		P	H		5915-902-9023 5915-920-7396				1	1		1	3					79		4-1			
3791		P	H		5915-902-9025 5915-920-7397				1	1		1	3					79		4-1			
3792		P	H		5915-902-9024 5915-920-7410 5805-907-4864				1	1		1	3					79		4-1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
3793	3122	P	H	5910-681-7615							2	REF		REF				79 4-2		C4, 15	
3794	1681	P	H	5910-686-7155							2	REF		REF				79 4-2		C8, 20	
3795	3060	P	H	5910-080-4020							2	REF		REF				79 4-2		C3, 14	
3796		P	H	5910-686-6927					-		2	2		1	6			79 4-2		C28, 29	
3797	3126	P	H	5910-686-6927							2	REF		REF				79 4-2		C5, 16	
3798	199	P	H	5910-577-1194							1	REF		REF				79 4-2		C10	
3799	82	P	H	5910-852-9692							2	REF		REF				79 4-2		C12, 22	

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E E Q U I R E D F O R D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER														
3800	3130	P	H		5910-811-4989						1	REF		REF			79 4-2		C25		
3801	3131	P	H		5910-717-5853						1	REF		REF			79 4-2		C18		
3802	594	P	H		5910-985-5180						1	REF		REF			79 4-2		C2		
3803	3133	P	H		5910-902-5570						1	REF		REF			79 4-2		C17		
3804	3134	P	H		5910-811-4954						1	REF		REF			79 4-2		C11		
3805	2093	P	H		5910-836-3992						1	REF		REF			79 4-2		C23		
3806	3135	P	H		5910-902-5581						1	REF		REF			79 4-2		C6		
3807	3137	P	H		5910-082-4898						1	REF		REF			79		C7		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
		DESCRIPTION																			
3808	1543	P	H		5910-805-1014						1	REF	REF			4-2	79	C19			
3809	624	P	H		5910-542-7387						6	REF	REF		4-2	79	4-2	C9, 21, 24 26, 27, 30			
3810	3139	P	H		5910-799-3571						2	REF	REF			79	4-2	C1, 13			
3811	3140	P	H		5950-784-19761						1	REF	REF			79	4-2	L1			
3812	3141	P	H		5950-902-2777						1	REF	REF			79	4-2	L4			
3813	31421	P	H		5950-902-711						4	REF	REF			79	4-2	L3, 5-7			
3814	3143	P	H		5950-919-7650						1	REF	REF			79	4-2	L2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
3815	3144	P	H		5955-902-7121						1	REF		REF				79 4-2		Y2		
3816	3145	P	H		5955-762-6607						1	REF		REF				79 4-2		Y1		
3817	3457	P	H		5970-072-7149						6	REF		REF				79 4-2				
3818	627	P	H		5935-073-3249						2	REF		REF				79 4-2		J1, 2		
3819	641	P	H		5905-691-0195						2	REF		REF				79 4-2		R6, 16		
3820	644	P	H		5905-681-9970						2	REF		REF				79 4-2		R7, 17		
3821	174	P	H		5905-577-0935						8	REF		REF				79 4-2		R1, 2, 5, 8, 11, 12, 15 18		
3822	647	P	H		5905-681-8818						4	REF		REF				79 4-2		R4, 9, 10, 14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D A L L O W A N C E, S E E D E E	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O . Y E A R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T P E R D E P O T Q T Y	13 R E B U I L D R E Q U I R E D F O R E Q .	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM				
3823	105	P	H		5905-687-0000				OHMS 10 TOL. 1/4 WATT: 81349 PART NO. RC7OGF153 J, 95104 PART NO. 745-0791-000 RESISTOR, FIXED. COMPOSITION, 18.000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF183K, 95104 PART NO. 745-0794-000			2	REF		REF			79 4-2		R3, 13			
3824	3116	P	H		5960-809-1870				SEMICONDUCTOR DEVICE, TRANSISTOR. 93332 PART NO. 2N1285. 95104 PART NO. 352-0243-000			6	REF		REF			79 4-2		Q1-6			
3825	3153	P	H		5950-907-7583				TRANSFORMER, IF 90-110 KC FREQUENCY RANGE, 81815 PART NO. X481-2, 95104 PART NO. 278-0695-000			2	REF		REF			79 4-2		T1, 2			
3826	72	P	H		5910-660-7430	5895-907-6991			MATRIX, MEMORY 528-0199-005 CAPACITOR, FIXED. CERAMIC, 0.05 UF. PLUS 80% MINUS 20% 50 VDCW, 56289 PART NO. 55C23, 95104 PART NO. 913-3885-005			5	REF		REF			79 4-6		C2, 4, 6, 8. 10			
3827	3062	P	H		5910-755-9291				CAPACITOR, FIXED. ELECTROLYTIC, 1 UF, 20% TOL, 35 VDCW, 72982 PART NO. 900-506B0F0105M 95104 PART NO. 184-7398-005			2	REF		REF			79 4-6		C11, 12			
3828	1537	P	H		5910-814-5869				CAPACITOR, FIXED. ELECTROLYTIC, 6.8 UF. 20% TOL, 35 VDCW,			1	REF		REF			79 4-6		C13			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3829	2995	P	H		5910-728-8472						5	REF		REF			79 4-6		C1, 3, 5, 7 9		
3830	161	P	H		5905-683-2242						1	REF		REF			79 4-6		R14		
3831	636	P	H		5905-686-9994						1	REF		REF			79 4-6		R12		
3832	639	P	H		5905-686-4527						1	REF		REF			79 4-6		R9		
3833	1770	P	H		5905-279-1880						1	REF		REF			79 4-6		R13		
3834	174	P	H		5905-577-0935						1	REF		REF			79 4-6		R17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
3835	646	P	H		5905-726-4413						1	REF		REF			79 4-6		R19	
3836	105	P	H		5905-687-000						8	REF		REF			79 4-6		R1, 4, 7, 10, 15, 16, 19 20	
3837	2494	P	H		5905-686-3838						5	REF		REF			79 4-6		R2, 3, 5, 6, 8	
3838	138		P		5905-688-4447						1	REF		REF			79 4-6		R18	
3839	814	P	H		5960-557-6118						10	REF		REF			79 4-6		CR1, 2, 5, 6, 9, 10, 13, 14, 17, 18	
3840	1561	P	H		5960-754-7074						16	REF		REF			79 4-6		CR3, 4, 7, 8, 11, 12, 15, 16, 19-25, 27	
3841	1086	P	H		5960-752-0150						2	REF		REF			79 4-6		CR26, 28	
3842	1089	P	H								1	REF		REF			79 4-6		Q2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER														
3843	P	H		5960-719-9398						5	5		1	15	79 4-6		CR29-33			
3844	3045	P	H	5960-892-0826						1	REF		REF		79 4-6		Q1			
3845		P	H	5910-812-7276						2	12		2	36	79 4-2		C2, 27			
3846	2990	P	H	5910-683-7276						2	REF		REF		79 4-2		C15, 16			
3847	2005	P	H	5910-583-1944						2	REF		REF		79 4-2		C23, 25			
3848		P	H	5910-615-9808						2	2		1	6	79 4-2		C12, 13			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R N A N C E	13 R E E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL														
3849	P	H			5910-543-9790						1	1		1			79 4-2		C1			
3850	624	P	H		5910-542-7387						11	REF		REF			79 4-2		C4, 6, 7, 9-11,14, 17, 19, 24, 26			
3851	845	P	H		5910-542-7372						1	REF		REF			79 4-2		C29			
3852	846	P	H		5910-752-4270						3	REF		REF			79 4-2		C5, 8, 18			
3853	2316	P	H		5910-841-6110						2	REF		REF			79 4-2		C3, 28			
3854	595	P	H		5910-752-4880						3	REF		REF			79 4-2		C20-22			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R	I T E M N U M B E R	
3855	3457	P	H		5970-072-7149						17	REF		REF			79 4-2				
3856		P	H		5950-907-7570						1	1		1	2		79 4-2	L1			
3857		P	H		5945-902-9012						1	1		1	3		79 4-2	K1			
3858	3179	P	H		5905-806-0633						1	REF		REF			79 4-2	R52			
3859		P	H		5905-804-0943						1	1		1	3		79 4-2	R41			
3860	156	P	H		5905-810-5641						1	REF		REF			79 4-2	R61			
3861	630	P	H		5905-6-3121						2	REF		REF			79 4-2	R10, 16			
3862	159	P	H		5905-682-4107						1	REF		REF			79	R54			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T N A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3863	2483	P	H		5905-683-2240						2	REF		REF			4-2				
																	79			R9, 20	
																	4-2				
3864	3565	P	H		5905-811-0674						1	REF		REF			79			R58	
																	4-2				
3865	11	P	H		5905-683-2242						1	REF		REF			79			R58	
																	4-2				
3866	1278	P	H		5905-764-4106						1	REF		REF			79			R58	
																	4-2				
3867		P	H		5905-681-8760						1	1		1		3	79			R58	
																	4-2				
3868		P	H		5905-721-0287						1	1		1		3	79			R58	
																	4-2				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R C E N T 1 0 0		13 R E B U I L D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER		ITEM NUMBER			
3869	3200	P	H		5905-722-1770						1	REF		REF				79 4-2		R58		
3870	3201	P	H		5905-702-1148						1	REF		REF				79 4-2		R58		
3871		P	H		5905-577-1785						1	2		1	6			79 4-2		R58		
3872	866	P	H		5905-676-8776						1	REF		REF				79 4-2		R58		
3873	137	P	H		5905-686-9996						1	REF		REF				79 4-2		R57		
3874	636	P	H		5905-686-999						1	REF		REF				79 4-2		R57		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R T 1 0 0	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
3875	3871	P	H		5905-577-1785					1	REF		REF				79 4-2		R57		
3876	866	P	H		5905-676-8776					1	REF		REF				79 4-2		R57		
3877	3306	P	H		5905-702-4172					1	REF		REF				79 4-2		R57		
3878	3307	P	H		5905-755-0976					1	REF		REF				79 4-2		R57		
3879	1180	P	H		5905-581-6915					1	REF		REF				79 4-2		R57		
3880	3309	P	H		5905-577-1791					1	REF		REF				79 4-2		R57		
3881	3310	P	H		5905-581-6914					1	REF		REF				79 4-2		R57		
3882	162	P	H		5905-681-462					1	REF		REF				79 4-2		R43		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3883	1179	P	H		5905-726-5346						3	REF		REF			79 4-2		R11, 17, 23		
3884	680	P	H		5905-726-6433						5	REF		REF			79 4-2		R40, 46, 47, 50, 55		
3885	639	P	H		5905-686-4527						1	REF		REF			79 4-2		R59		
3886	3006	P	H		5905-681-9969						1	REF		REF			79 4-2		R59		
3887	3468	P	H		5905-686-0082						1	REF		REF			79 4-2		R59		
3888	3522	P	H		5905-686-0080						1	REF		REF			79 4-2		R59		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
3889			P	H	5905-690-9317						1	1					3	79 4-2		R59		
3890	3663		P	H	5905-577-1792						1	REF		REF				79 4-2		R59		
3891	3664		P	H	5905-686-3385						1	REF		REF				79 4-2		R59		
3892	3523		P	H	5905-827-3333						1	REF		REF				79 4-2		R59		
3893	3006		P	H	5905-681-9969						3	REF		REF				79 4-2		R21, 22, 42		
3894	681		P	H	5905-682-4098						2	REF		REF				79 4-2		R33, 34		
3895	640		P	H	5905-686-9998						1	REF		REF				79 4-2		R6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
3896	641	P	H		5905-691-0195						1	REF		REF		79 4-2		R7			
389	642	P	H		5905-686-9997						5	REF		REF		79 4-2		R12, 13, 15 8, 53			
3898	644	P	H		5905-681-9970						1	REF		REF		79 4-2		R37			
3899	174	P	H		5905-577-9975						5	REF		REF		79 4-2		R30-32, 36 72			
3900	647	P	H		5905-681-8818						2	REF		REF		79 4-2		R3, 39			
3901	105	P	H		5905-687-0000						5	REF		REF		79 4-2		R8, 26-29			
3902	106	P	H		5905-752-3156						1	REF		REF		79 4-2		R2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3903	2494	P	H		5905-686-3838						3	REF		REF			79 4-2		R14, 19, 35		
3904	138	P	H		5905-688-4447						3	REF		REF			79 4-2		R38, 56, 60		
3905	210	P	H		5905-752-3158						4	REF		REF			79 4-2		R4, 5, 48, 49		
3906	3015	P	H		5905-681-8817						1	REF		REF			79 4-2		R66		
3907	3016	P	H		5905-800-8068						1	REF		REF			79 4-2		R65		
3908	3017	P	H		5905-800-3480						1	REF		REF			79 4-2		R64		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T N A N C E P E R C E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	F I G U R E N U M B E R		I T E M N U M B E R		
3909		P	H		5905-827-2251						1	1			1		3	79 4-2	R63		
3910	3204	P	H		5905-761-1905						1	REF		REF				79 4-2	R62		
3911	3020	P	H		5905-691-0572						1	REF		REF				79 4-2	R70		
3912	3022	P	H		5905-988-2312						1	REF		REF				79 4-2	R70		
3913		P	H		5905-682-0241						1	1		1			3	79 4-2	R1		
3914	3252	P	H		5905-577-6743						2	REF		REF				79 4-2	R44, 45		
3915	3023	P	H		5905-676-8778						1	REF		REF				79 4-2	R69		
3916	3024	P	H		5905-681-8761						1	REF		REF				79 4-2	R68		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
3917	3025	P	H		5905-577-6737						1	REF		REF			79 4-2		R67		
3918		P	H		5905-805-3430						1	1		1	18		79 4-2		RS5		
3919	617	P	H		5905-840-2505						2	REF		REF			79 4-2		R24, 25		
3920	2429	P	H		5960-284-6516						13	REF		REF			79 4-2		CR2-4, 11-20		
3921	1561	P	H		5960-557-6118						6	REF		REF			79 4-2		CR5-1		
3922	3374	P	H		5960-752-5351						1	REF		REF			79 4-2		CR1		
3923	1089	P	H		5960-752-0150						7	REF		REF			79		Q1, 3, 4		
3924	3031	P	H		5960-853-5926						1	REF		REF			79 4-2		Q5		

AN/TC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R D E E P O T Q T Y	13 R E B U I L D F O R E Q. D M	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
3925	3045	P	H		5960-892-0826						8	REF		REF			79 4-2		Q6, 7, 12-17	
3926	3117	P	H		5960-985-1503						1	REF		REF			79 4-2		Q2	
3927		P	H		5821-867-1638						21	21		2	63		79			
3928	3034	P	H		5910-726-4605						1	REF		REF			79 4-2		C1	
3929	680	P	H		5905-726-6433						1	REF		REF			79 4-2		R1	
3930	3042	P	H		5905-990-3767						1	REF		REF			79 4-2		R2	
3931	174	P	H		5905-577-0935						1	REF		REF			79 4-2		R3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER																
3932	814	P	H		5960-556-2091						1	REF		REF			79 4-2		CR1		
3933	3045	P	H		5960-892-0826						1	REF		REF			79 4-2		Q1		
3934		P	H		5895-907-8345						10	10		10	30		79 4-2				
3935	3034	P	H		5910-726-4605						1	REF		REF			79 4-2		C1		
3936	138	P	H		5905-688-4447						1	REF		REF			79 4-2		R1		
3937	814	P	H		5960-556-2091						1	REF		REF			79 4-2		CR1		
3938		P	H		5895-908-4710						10	10		1	30		79 4-2				
3939	3034	P	H		5910-726-4605						1	REF		REF			79 4-2		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3940	138	P	H		5905-688-4447						2	REF		REF			79 4-2		R1, 2		
3941	814	P	H		5960-556-2091						1	REF		REF			79 4-2		CRI		
3942	3046	P	H		5895-910-4509																
3942	3046	P	H		5910-552-1939						1	REF		REF			79 4-8		C52		
3943	3047	P	H		5910-578-1382						1	REF		REF			79 4-8		C54		
3944	3048	P	H		5910-197-1485						1	REF		REF			79 4-8		C50		
3945	3049	P	H		5910-239-3067						1	REF		REF			79 4-8		C33		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
3946	3051	P	H		5910-578-8818						3	REF		REF				79 4-8		C18, 19, 59	
3947	3052	P	H		5010-901-9694						3	REF		REF				79 4-8		C18, 19, 59	
3948	3053	P	H		5910-805-1264						3	REF		REF				79 4-8		C18, 19, 59	
3949	3054	P	H		5910-615-0539						3	REF		REF				79 4-8		C18, 19, 59	
3950	3055	P	H		5910-578-8926						3	REF		REF				79 4-8		Ci8, 19, 59	
3951	3056	P	H		5910-901-9697						3	REF		REF				79 4-8		C18, 19, 59	

AN/TSC-38A

1 S E R I A L N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E		4 R E C O V E R A B I L I T Y C O D E	5 F E D E R A L S T O C K N U M B E R	6-7 D E S I G N A T I O N N U M B E R			8 U N I T O F I S S U E	9 E X P E N D I B I L I T Y	10 Q U A N T I T Y I N U S E	11 Q U A N T I T Y O F E Q U I P M E N T	12 A L L O W A N C E M A I N T E N A N C E R E Q U I R E D F O R E Q U I P M E N T			13 F I G U R E N U M B E R	14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B			C	D	1					2	3	DS		GS	DM	
3952	3057	P	H		5910-080-1629						3	REF	REF		79 4-8		C9, 19, 59		
3953	3059	P	H		5910-080-6462						4	REF	REF		79 4-8		C9, 23, 24 29		
3954	3060	P	H		5910-080-4020						4	REF	REF		79 4-8		C6, 31, 35, 40		
3955	72	P	H		5910-660-7430						2	REF	REF		79 4-8		C13, 45		
3956	3062	P	H		5910-755-9291						11	REF	REF		79 4-8		C2, 3, 5, 10, 12, 30, 42, 43, 47, 48, 58		
3957	3063	P	H		5910-728-4274						1	REF	REF		79 4-8		C28		
3958	624	P	H		5910-542-7387						1	REF	REF		79 4-8		C44		

1 S C C U M U L A T E D S E R I A L N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 S O U R C E S A B B	4 M A I N T E N A N C E R E C O V E R A B I L I T Y C O D E D	5 F E D E R A L S T O C K N U M B E R	6-7 D E S I G N A T I O N Y T I T L E	8 U N I T O F I S S U E	9 E X P E N D I B I L I T Y	10 Q U A N T I T Y I N U S E	11 E Q U I P M E N T Q U A N T I T Y	11 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E R E P O R T Q U A N T I T Y			12 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R	13 F I G U R E N U M B E R	14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
										DS	GS	DM			I T E M N U M B E R		
3959	2314		P H	5910-815-5118	20% TOL, 35 VDCW 72982 PART NO. 901-50680F0475M, 95104 PART NO. 184-7396-000 CAPACITOR, FIXED, ELECTROLYTIC, 15 UF, 20% TOL, 20 VDCW, 56289 PART NO. 150D156X0020B2, 95104 PART NO. 184-7371-000			1	REF		REF		79 4-8			C36	
3960	2512		P H	5910-990-7488	CAPACITOR, FIXED, MICA 20 UUF, 5% TOL, 500 VDCW, 72136 PART NO. DM10E200J, 95104 PART NO. 912-3841-000			1	REF		REF		79 4-8			C8	
3961	3067		P H	5910-837-7476	CAPACITOR, FIXED, MICA 47 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05E470J03, 95104 PART NO. 912-2792-000			1	REF		REF		79 4-8			C32	
3962	3068		P H	5910-825-5288	CAPACITOR, FIXED, MICA 56 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05E560J03, 95104 PART NO. 912-2798-000			1	REF		REF		79 4-8			C34	
3963	197		P H	5910-552-9883	CAPACITOR, FIXED, MICA 68 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05E560J03, 95104 PART NO. 912-2804-000			1	REF		REF		79 4-8			C37	
3964	198		P H	5910-781-6497	CAPACITOR, FIXED, MICA 68 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CM05E820J03, 95104 PART NO. 912-2810-000			1	REF		REF		79 4-8			C11	
3965	3071		P H	5910-844-0905	CAPACITOR, FIXED, MICA 100 UUF, 5%TOL, 500 VDCW, 81349 PART NO.			3	REF		REF		79 4-8			C38, 39, 56	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
3966	82	P	H		5910-852-9692						2	REF		REF				79 4-8		C1, 41		
3967	3073	P	H		5910-804-7562						1	REF		REF				79 4-8		C55		
3968	3074	P	H		5910-811-5155						2	REF		REF				79 4-8		C51, 53		
3969	2957	P	H		5910-087-0117						1	REF		REF				79 4-8		C49		
3970	3076	P	H		5910-806-0650						1	REF		REF				79 4-8		C16		
3971	3077	P	H		5910-686-6126						2	REF		REF				79 4-8		C4, 46		
3972	3078	P	H		5910-878-5288						1	REF		REF				79 4-8		C7		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS				GS	DM	
3973	3079	P	H	5910-814-041Z						1	REF		REF			79 4-8		C17		
3974	3058	P	H	5910-951-1723						1	REF		REF			79 4-8		C57		
3975	3080	P	H	5910-902-5555						2	REF		REF			79 4-8		C14, 15		
3976	3081	P	H	5910-811-4965						3	REF		REF			79 4-8		C20, 22, 27		
3977	3082	P	H	5910-835-0718						1	REF		REF			79 4-8				
3978	3083	P	H	5910-978-2558						2	REF		REF			79 4-8		C21, 26		
3979	2936	P	H	5950-823-3142						1	REF		REF			79 4-8		L10		
3980	3087	P	H	5950-728-3633						1	REF		REF			79 4-8		LI		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
3981	3089	P	H		5950-812-4443						4	REF	REF				79 4-8		L6-9	
3982	3088	P	H		5950-812-4443						1	REF	REF				79 4-8		L3	
3983	3090	P	H		6625-084-3398						1	REF	REF				79 4-8		L4	
3984	3084	P	H		5950-444-8793						1	REF	REF				79 4-8		L5	
3985	3085	P	N		5950-902-7104						1	REF	REF				79 4-8		L2	
3986	3457	P	H		5970-072-7149						9	REF	REF				79 4-8			
3987	627	P	H		5935-073-3249						1	REF	REF				79 4-8		J1	
3988		P	H		5945-923-7345												79 4-8		K1	

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
3989	630	P	H		5905-686-3121						1	REF		REF			79 4-8		R35		
3990	136	P	H		5905-683-7721						1	REF		REF			79 4-8		R29		
3991	631	P	H		5905-683-2243						2	REF		REF			79 4-8		R5, 30		
3992	162	P	H		5905-681-6462						8	REF		REF			79 4-8		R4, 9, 13 26, 31, 37, 41, 45		
3993	639	P	H		5905-686-4527						2	REF		REF			79 4-8		R12 43		
3994	640	P	H		5905-686-9998						8	REF		REF			79 4-8		R3, 11, 23-25, 27, 28, 36		
3995	641	P	H		5905-691-0195						1	REF		REF			79		R47		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
3996	644	P	H		5905-681-9970						1	REF						4-8				
																		79		R44		
																		4-8				
3997	174	P	H		5905-577-0935						1	REF						79		R1, 2, 6, 7, 10, 17, 21, 22, 33, 34 38, 39		
																		4-8				
3998	646	P	H		5905-726-4413						1	REF						79		R8		
																		4-8				
3999	647	P	H		5905-681-8818						1	REF						79		R42		
																		4-8				
4000	710	P	H		5905-682-4222						1	REF						79		R20		
																		4-8				
4001	3103	P	H		5905-681-8853						2	REF						79		R18, 49		
																		4-8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
4002	1343	P	H		5905-577-6736						1	REF		REF			79 4-8		R16		
4003	3105	P	H		5905-660-4188						2	REF		REF			79 4-8		R14, 15		
4004	3106	P	H		5905-702-6527						1	REF		REF			79 4-8		R19		
4005	3107	P	H		5905-968-3827						1	REF		REF			79 4-8		R46		
4006	3108	P	H		5905-892-7088						1	REF		REF			79 4-8				
4007	3109	P	H		15905-082-0681						1	REF		REF			79 4-8		R40		
4008	2950	P	H		5960-905-5083						1	REF		REF			79 4-8		CR6		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM									
		ILLUSTRATIONS																							
4009	3334	P	H		5960-577-3042						1	REF		REF					79 4-8		CR7				
4010	3111	P	H		5960-712-3962						1	REF		REF					79 4-8		CR1				
4011	1086	P	H		5960-754-7074						2	REF		REF					79 4-8		CR4, 5				
4012	3113	P	H		5960-809-8986						2	REF		REF					79 4-8		CR2, 3				
4013	3114	P	H		5960-842-6937						1	REF		REF					79		Q6				
4014	3115	P	H		5960-845-6413						1	REF		REF					79 4-8		Q5				
4015	3116	P	H		5960-809-1870						5	REF		REF					79 4-8		Q1, 2, 4, 7, 8				
4016	3117	P	H		5960-985-1503						1	REF		REF					79 4-8		Q3				
4017	3118	P	H		5950-907-7593						1	REF		REF					79 4-8		T2				

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ILLUSTRATIONS														
4018	3119	P	H		5950-907-6974						1	REF		RF			79 4-8		T1		
4019	2955	P	H		5950-907-6976						1	REF		REF			79 4-8		T4		
4020	2954	P	H		5950-907-6975						1	REF		REF			79 4-8		T3		
					5895-059-3892																
4021	3258	P	H		5910-195-5367						1	REF		REF			79 4-10		C19		
4022	3259	P	H		5910-356-0075						1	REF		REF			79 4-10		C19		
4023	3260	P	H		5910-243-5971						1	REF		REF			79		C19		

AN/TSC-38A

1 S E R I A L N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E				5 F E D E R A L S T O C K N U M B E R	6-7 D E S I G N A T I O N C O D E			8 U N I T O F I S S U E	9 E X P E N D I B I L I T Y	10 Q U A N T I T Y I N U S E	11 Q U A N T I T Y O F E Q U I P M E N T	12 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q U I P M E N T			13 F I G U R E N U M B E R	14-15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM		14	15	
4024	3261	P	H		5910-186-3191						1	REF	REF		4-10			C19		
															79 4-10					
4025	3262	P	H		5910-195-2570						1	REF	REF		79 4-10			C19		
4026	3263	P	H		5910-195-5392						1	REF	REF		79 4-10			C19		
4027	3264	P	H		5910-195-2569						1	REF	REF		79 4-10			C19		
4028	3265	P	H		5910-275-6444						1	REF	REF		79 4-10			C19		
4029	3266	P	H		5910-255-0124						1	REF	REF		79 4-10			C19		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
4030	3267	P	H		5910-241-5648					1	REF		REF					79 4-10		C19		
4031	3268	P	H		5910-238-2762					1	REF		REF					79 4-10		C19		
4032	3272	P	H		5910-879-4513					1	REF		REF					79 4-10		C19		
4033	3269	P	H		5910-080-0313					1	REF		REF					79 4-10		C19		
4034	3270	P	H		5910-668-4905					1	REF		REF					79 4-10		C19		
4035	3271	P	H		5910-082-5060					1	REF		REF					79 4-10		C19		
4036	3273	P	H		5910-952-1714					1	REF		REF					79 4-10		C9		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4037	3274	P	H		5910-087-2961						4	REF		REF			79 4-10		C11, 13, 16, 20		
4038	624	P	H		5910-542-7387						1	REF		REF			79 4-10		C10		
4039	3225	P	H		5910-725-7421						1	REF		REF			79 4-10		C24		
4040	3228	P	H		5910-824-9780						1	REF		REF			79 4-10		C15		
4041	32957	P	H		5910-087-0117						1	REF		REF			79 4-10		C4		
4042	3279	P	H		5910-990-8493						1	REF		REF			79 4-10		C1		
4043	3280	P	H		5910-725-4794						3	REF		REF			79 4-10		C14 25, 26		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4044	2116	P	H		5910682-3817						3	REF	REF				79 4-10		C5-7		
4045	3081	P	H		5910-811-4965						6	REF	REF				79 4-10		C2, 3, 12 21-23		
4046	3276	P	H		5910-993-8307						2	REF	REF				79 4-10		C8, 27		
4047	3283	P	H		5910-908-1997						1	REF	REF				79 4-10		C17		
4048	3284	P	H		5910-960-7835						1	REF	REF				79 4-10		C18		
4049	3285	P	H		5950-902-7106						1	REF	REF				79 4-10		L4		
4050	3286	P	H		5950-902-7114						1	REF	REF				79 4-10		L5		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4051	3088	P	H		5950-812-4443						2	REF		REF			79 4-10		L3, 6		
4052	3457	P	H		5970-072-7149						16	REF		REF			79 4-10				
4053	627	P	H		5935-073-3249						1	REF		RE			79 4-10		J1		
4054	160	P	H		5905-279-3514						1	REF		REF			79 4-10		R51		
4055	1357	P	H		5905-253-1231						5	REF		REF			79 4-10		R20-24		
4056	639	P	H		5905-686-4527						1	REF		REF			79 4-10		R48		
4057	1770	P	H		5905-279-1880						1	REF		REF			79 4-10		R12		
4058	641	P	H		5905-691-0195						1	REF		REF			79 4-10		R14		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
4059	853	P	H		5905-195-6453						1	REF		REF				79 4-10		R15			
4060	1597	P	H		5905-279-3503						1	REF		REF				79 4-10		R6			
4061	174	P	H		5905-577-0935						2	REF		REF				79 4-10		R5, 18			
4062	518	P	H		5905-185-8518						3	REF		REF				79 4-10		R7, 16, 19			
4063	519	P	H		5905-279-3502						1	REF		REF				79 4-10		R13			
4064	875	P	H		5905-171-1998						1	REF		REF				79 4-10		R17			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ILLUSTRATIONS													
4065	2969	P	H		5905-800-0179					1	REF		REF			79 4-10		R49		
4066	3306	P	H		5905-755-4172					2	REF		REF			79 4-10		R47, 50		
4067	3307	P	H		5905-755-0976					2	REF		REF			79 4-10		R47, 50		
4068	1180	P	H		5905-581-6915					2	REF		REF			79 4-10		R47, 50		
4069	3309	P	H		5905-577-1791					2	REF		REF			79 4-10		R47, 50		
4070	3180	P	H		5905-5815-6912					2	REF		REF			79 4-10		R47, 50		
4071	3018	P	H		5905-815-3792					2	REF		REF			79 4-10				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4072	3251	P	H		5905-804-9710						2	REF	REF					79 4-10		R47, 50		
4073	1083	P	H		5905-702-1144						2	REF	REF					79 4-10		R47, 50		
4074	3314	P	H		5905-824-3077						2	REF	REF					79 4-10		R47, 50		
4075	1084	P	H		5905-069-3914						2	REF	REF					79 4-10		R47, 50		
4076	3316	P	H		5905-676-8887						2	REF	REF					79 4-10		R47, 50		
4077	3318	P	H		5905-681-8759						3	REF	REF					79 4-10		R2, 3, 46		
4078	3203	P	H		5905-681-8755						1	REF	REF					79 4-10		R34		
4079	1012	P	H		5905-655-3167						1	REF	REF					79		R33		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
4080	1497	P	H		5905-781-4857						1	REF		REF				4-10				
4081	3322	P	H		5905-988-2319						1	REF		REF				79 4-10			R32	
4082	3323	P	H		5905-681-4941						1	REF		REF				79 4-10			R31	
4083	3324	P	H		5905-577-6735						1	REF		REF				79 4-10			R30	
4084	3204	P	H		5905-761-1905						4	REF		REF				79 4-10			R4, 11, 28, 45	
4085	3326	P	H		5905-702-1143						3	REF		REF				79 4-10			R9, 10, 27	
4086	3327	P	H		5905-078-7780						1	REF		REF				79 4-10			R26	

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R F O R M A I N T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
4087	1013	P	H		5905-577-9746						1	REF		REF				79 4-10		R25			
4088	2333	P	H		5905-702-1771						2	REF		REF				79 4-10		R1, 8			
4089	3330	P	H		5905-978-8968						1	REF		REF				79 4-10		RT2			
4090	3331	P	H		5905-058-1191						1	REF		REF				79 4-10		RT1			
4091	3332	P	H		5905-781-8800						10	REF		REF				79 4-10		R35-44			
4092	1561	P	H		5960-557-6118						20	REF		REF				79 4-10		CR11-30			
4093	3334	P	H		5960-577-3042						10	REF		REF				79 4-10		CR1-10			
4094	2953	P	H		5960-065-5373						4	REF		REF				79 4-10		Q1-4			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
4095	3336	P	H		5950-907-7594						1	REF		REF				79 4-10		T1		
4096	3291	P	H		5950-907-6979						1	REF		REF				79 4-10		L2		
4097	3290	P	H		5950-907-6980						1	REF		REF				79 4-10				
4098		P	H		5950-903-1354						1	1		1	3			79 4-10		L1		
4099		P	H		5950-912-7100						1	1		1	3			79 4-10				
4100	72	P	H		5915-902-8510 5910-660-7430								4	REF		REF			79 4-3		C2, 5, 10, 11	
4101	624	P	H		5910-542-7387						2	REF		REF				79 4-3		C4, 7		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4102		P	H		5910-841-6931						1	2		2		6	79 4-3		C9		
4103	3276	P	H		5910-993-8307						2	REF		REF			79 4-3		C1, 3		
4104	2995	P	H		5910-728-8472						2	REF		REF			79 4-3		C6, 8		
4105	2708	P	H		5950-812-4422						1	REF		REF			79 4-3		L4		
4106	2409	P	H		5950-060-9188						1	REF		REF			79 4-3		L3		
4107	3088	P	H		5950-812-4443						2	REF		REF			79 4-3		L1, 2		
4108	3457	P	H		5970-072-7149						5	REF		REF			79 4-3				
4109	704	P	H		5905-683-2235						1	REF		REF			79 4-3		R4		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
4110	631	P	H		5905-683-2243						2	REF		REF				79 4-3	R14, 15	
4111	162	P	H		5905-681-6462						2	REF		REF				79 4-3	R1, 12	
4112	639	P	H		5905-686-4527						1	REF		REF				79 4-3	R6	
4113	640	P	H		5905-686-9998						2	REF		REF				79 4-3	R5, 7	
4114	644	P	H		5905-681-9970						1	REF		REF				79 4-3	R10	
4115	174	P	H		505-577-0935						3	REF		REF				79 4-3	R2, 3, 11	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y			12 A L L O W E Q U I P M E N T P E R T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER							
4116	710	P	H		5905-682-4222						2	REF		REF					79 4-3		RB, 9					
4117	3253	P	H		5905-856-7772						1	REF		REF					79 4-3		R13					
4118	3375	P	H		5960-712-3964						1	REF		REF					79 4-3		CR1					
4119	1089	P	H		5960-752-0150						2	REF		REF					79 4-3		02, 3					
4120	2953	P	H		5960-065-5373						1	REF		REF					79 4-3		Q1					
4121	3213	P	H		5950-907-7595						1	REF		REF					79 4-3		T2					
4122	3701	P	H		5950-907-7586						1	REF		REF					79 4-3		T1					

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E B U I L D F O R E Q. D E P O T Q T Y 1 0 0	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
4123			P	H	5915-902-7398				FILTER, BAND PASS 100 KC FREQUENCY, 88407 PART NO. 422A, 95104 PART NO. 293-0905-000			1	1		1		3	79 4-3		FL1		
					5895-570-8136				CONTROL, CONSTANT FREQUENCY 528-0198-005													
4124	3380		P	H	5910-902-5575				CAPACITOR, FIXED, CERAMIC, 33 UUF, 5% TOL, 500 VDCW, 81349 PART NO. CC22UJ330J, 95104 PART NO.			1	REF		REF			79 4-11		C15		
4126	3059		P	H	5910-080-6462				CAPACITOR, FIXED, CERAMIC, 10,000 UUF 20% TOL, 100 VDCW, 56289 PART NO.			6	REF		REF			79 4-11		C13, 14, 18, 29, 32, 34		
4126	3060		P	H	5910-080-4020				6S8082, 95104 PART NO. 913-3953-000			6	REF		REF			79 4-11		C2, 4 6, 9, 27, 30		
4127	3384		P	H	5910-755-0014				CAPACITOR, FIXED, ELECTROLYTIC, 4.7 UF, 20% TOL, 35 VDCW, 56289 PART NO.			2	REF		REF			79 4-11		C11, 20		
4128	624		P	H	5910-542-7387				150D104X0035A2, 95104 PART NO. 184-7408-000			5	REF		REF			79 4-11		C19, 24-26, 38		
									CAPACITOR, FIXED, ELECTROLYTIC, 4.7 UF, 20% TOL, 35 VDCW, 72982 PART NO. 901-506B0F0475M, 95104 PART NO.													

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4129	3387	P	H		5910-902-5579						2	REF		REF			79 4-11		C33, 42		
4130	3222	P	H		5910-578-5758						1	REF		REF			79 4-11		C23		
4131	2544	P	H		5910-660-4982						1	REF		REF			79 4-11		C17		
4132	82	P	H		5910-852-9692						1	REF		REF			79 4-11		C31		
4133	2546	P	H		5910-838-3166						1	REF		REF			79 4-11		C16		
4134	3073	P	H		5910-804-7562						1	REF		REF			79 4-11		C12		
4135	2957	P	H		5910-087-0117						2	REF		REF			79 4-11		C10, 41		
4136	3395	P	H		5910-957-9908						1	REF		REF			79 4-11		C1		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4137	592	P	H		5910-686-6172						1	REF		REF			79 4-11		C3		
4138	594	P	H		5910-985-5180						1	REF		REF			79 4-11		C7		
4139	597	P	H		5910-816-7492						1	REF		REF			79 4-11		C8		
4140	3081	P	H		5910-811-4965						1	REF		REF			79 4-11		C5		
4141	3401	P	H		5910-987-8796						2	REF		REF			79 4-11		C21, 36		
4142	3402	P	H		5910-903-7231						1	REF		REF			79 4-11		C39		
4143	3403	P	H		5950-902-7119						1	REF		REF			79 4-11		L4		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4144	3406	P	H		5950-060-9746						1	REF		REF			79 4-11		L1		
4145	3088	P	H		5950-812-4443						3	REF		REF			79 4-11		L5, 6, 8		
4146	3405	P	H		5950-904-814						1	REF		REF			79 4-11		L7		
4147	3407	P	H		5950-902-7099						4	REF		REF			79 4-11		L3, 9-11		
4148	3457	P	H		5970-072-7149						17	REF		REF			79 4-11				
4149	3409	P	H		5905-836-2744						1	REF		REF			79 4-11		R54		
4150	161	P	H		5905-63-2242						2	REF		REF			79 4-11		R23, 41		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS		DM																
4151	162	P	H	5905-681-6462			RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF102K, 95104 PART NO. 745-0749-000			3	REF	REF			79 4-11		R2, 8, 37				
4152	680	P	H	5905-726-6433			RESISTOR, FIXED, COMPOSITION, 2200 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF222K, 95104 PART NO. 745-0761-000			1	REF	REF			79 4-11		R21				
4153	3006	P	H	5905-681-9969			RESISTOR, FIXED, COMPOSITION, 3300 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF332J, 95104 PART NO. 745-0767-000			1	REF	REF			79 4-11		R29				
4154	681	P	H	5905-682-4098			RESISTOR, FIXED, COMPOSITION, 3900 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF392K, 95104 PART NO. 745-0770-000			3	REF	REF			79 4-11		R4, 10, 31				
4155	641	P	H	5905-691-0195			RESISTOR, FIXED, COMPOSITION, 5600 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF562J, 95104 PART NO. 745-0776-000			3	REF	REF			79 4-11		R25, 28, 42				
4156	644	P	H	5905-681-9970			RESISTOR, FIXED, COMPOSITION, 8200 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF822J, 95104 PART NO. 745-0782-000			2	REF	REF			79 4-11		R6, 11				
4157	174	P	H	5905-577-0935			RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 10% TOL, 1/4			13	REF	REF			79 4-11		R1, 3, 5, 9, 14, 17, 18, 22, 38, 44,				

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4158	646	P	H		5905-726-4413						1	REF		REF			79 4-11		R12	49, 53, 56,	
4159	647	P	H		5905-681-8818						2	REF		REF			79 4-11		R7, 40		
4160	105	P	H		5905-687-0000						1	REF		REF			79 4-11		R13		
4161	649	P	H		5905-686-3903						5	REF		REF			79 4-11		R20, 26, 27, 39, 43		
4162	107	P	H		5905-686-3129						1	REF		REF			79 4-11		R15		
4163	3426	P	H		5905-681-8819						1	REF		REF			79 4-11		R16		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	ILLUSTRATIONS			
4164	2497	P	H	5905-819-3362						1	REF		REF				79 4-11		R36			
4165	3429	P	H	5905-069-3928						2	REF		REF				79 4-11		R32, 34			
4166	3109	P	H	5905-082-0681						1	REF		REF				79 4-11		R57			
4167	3431	P	H	5905-851-2402						1	REF		REF				79 4-11		R33			
4168	814	P	H	5960-556-2091						7	REF		REF				79 4-11		CR1-3, 6, 7, 10, 11			
4169	3209	P	H	5960-752-5230						2	REF		REF				79 4-11		CR4, 5			
4170	1089	P	H	5960-752-0150						1	REF		REF				79 4-11		Q4			
4171	3115	P	H	5960-845-6413						3	REF		REF				79 4-11		Q9, 11, 12			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
4172	3116	P	H		5960-809-1870						7	REF		REF				79 4-11		Q1-3, 5, 6, 8, 10		
4173	3438	P	H		5960-820-9059						1	REF		REF				79 4-11		Q7		
4174	3439	P	H		5950-907-6987						1	REF		REF				79 4-11		T3		
4175	3443	P	H		5950-083-6157						1	REF		REF				79 4-11		T2		
4176	3442	P	H		5950-907-6966						1	REF		REF				79 4-11		T1		
4177	3441	P	H		5950-907-6981						1	REF		REF				79				
4178		P	H		5895-908-4735						1	1		1		5		79				
4179	2956	P	H		5910-829-0109						1	REF		REF				79 6-2		C1		
AN/TSC-38A																						
597																						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS			DM	FIGURE NUMBER		
													DS	GS			DM	FIGURE NUMBER		
4180	2957	P	H	5910-087-0117						1	REF		REF			79 6-2		C2		
4181	1453	P	H	5935-856-6938						1	REF		REF			79 6-2		J16		
4182		P	H	15895-908-4711						1	1		1	2		79 6-2				
4183	3006	P	H	5905-681-9969						1	REF		REF			79 6-2		R20		
4184	106	P	H	5905-752-3156						1	REF		REF			79 6-2		R17		
4185	139	P	H	5905-682-1101						1	REF		REF			79 6-2		R19		
4186		P	H	5905-688-3475						1	2		2	6		79 6-2		R18		
4187 AN/TSC-38A	3306	P	H	5905-702-4172						1	REF		REF			79		R6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4188	3310	P	H		5905-581-6914						1	REF		REF			6-4		R7		
4189	1084	P	H		5905-676-7972						1	REF		REF			79 6-4		R8		
4190	3522	P	H		5905-686-0080						1	REF		REF			79 6-4		R9		
4191	3663	P	H		5905-577-1792						1	REF		REF			79 6-4		R10		
4192	3523	P	H		5905-827-3333						1	REF		REF			79 6-4		R11		
4193	3318	P	H		5905-681-8759						1	REF		REF			79 6-4		R12		
4194	1182	P	H		5905-577-6734						1	REF		REF			79 6-4		R13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
4195	1371	P	H		5095-688-3980						1	REF		REF				79 6-4		R14			
4196	1183	P	H		5905-681-8754						1	REF		REF				79 6-4		R15			
4197	3672	P	H		5905-615-7339						1	REF		REF				79 6-4		R5			
4198	2972	P	H		5905-914-9594						1	REF		REF				79 6-2		R16			
4199		P	H		5905-577-3607						1	1		1	3			79 6-4		R3			
4200		P	H		5905-617-2916						2	2		1	6			79 6-4		R1, 2			
4201	1561	P	H		5960-557-6118						17	REF		REF				79 6-2,-3		CR2, 3, 5, 9-12, 14-23			
4202 AN/TSC-38A		P	H		5960-988-7178						1	2		2	6			79		CR13			

600

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4229	3068	P	H		5910-825-5288						1	REF		REF			80 6-24		C45		
4230		P	H		5910-964-6513						1	1		1	3		80 6-24		C45		
4231	197	P	H		5910-552-9883						1	REF		REF			80 6-24		C45		
4232		P	H		5910-814-0419						1	1		1	3		80 6-24		C45		
4233	198	P	H		5910-781-6497						1	REF		REF			80 6-24		C45		
4234		P	H		5910-725-7426						1	REF		REF			80 6-24		C45		
4235	3071	P	H		5910-844-0905						1	REF		REF			80 6-24		C45		
4236 AN/TSC-38A		P	H		5910-811-4974						1	1		1	3		80		C45		

605

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS		
4243			P H	5910-087-8889				CAPACITOR, FIXED, MICA 470 UUF, 1% TOL, 300 VDCW, 72136 PART NO. DM15E471F300WV, 95104 PART NO. 912-3477-000			1	3		1	9	80 6-24		C22		
4244			P H	5910-080-4015				CAPACITOR, FIXED, MICA 510 UUF, 1% TOL, 300 VDCW, 72136 PART NO, DM15E511F300WV. 95104 PART NO. 912-3467-000			1	1		1	3	80 6-24		C22		
4245			P H	5935-811-1382				CONNECTOR, ELECTRICAL 13 PINS. 71468 PART NO. DBM13W3P, 95104 PART NO. 371-0913-000			1	959		2	2877	80 6-24		P1		
4246			P H	5910-812-4135				FILTER,RI 100-1000 MC FREQUENCY RANGE, 01121 PART NO. FCSC 95104 PART NO. 241-0276-000			3	15		1	45	80 6-23 24		FL1- 3		
4247			P H	5935-885-6508				INSERT, ELECTRICAL CONNECTOR, 71468 PART NO. DM53741-5000, 95104 PART NO. 371-2471-000			3	16		1	16	80 6-24		P/O P1		
4248	703		P H	5905-802-6738				SELECT R48 AS REQUIRED FROM SEQUENCE NUMBERS 4248 THROUGH 4257 BELOW			1	REF		REF		80 6-24		R48		
4249	2483		P H	5905-683-2240				RESISTOR, FIXED, COMPOSITION, 220 OHMS, 10% TOL, ¼ WATT, 81349 PART NO.			1	REF		REF		80 6-24		R48		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4250	161	P	H		5905-683-2242						1	REF		REF				80 6-24		R48		
4251	137	P	H		5905-686-9996						1	REF		REF				80 6-24		R48		
4252	636	P	H		5905-686-994						1	REF		REF				80 6-24		R48		
4253	1179	P	H		5905-726-5346						1	REF		REF				80 6-24		R48		
4254	680	P	H		5905-726-6433						1	REF		REF				80 6-24		R48		
4255	639	P	H		5905-686-4527						1	REF		REF				80 6-24		R48		
4256	3006	P	H		5905-681-9969						1	REF		REF				80		R48		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R	14			
																				FIGURE			NUMBER
4263	3126	P	H		5910-080-4019						1	REF		REF			6-24						
																	80			C35			
																	6-24						
4264	624	P	H		5910-542-7387						1	REF		REF			80			C46			
																	6-24						
4265	2314	P	H		5910-855-6330						1	REF		REF			80			C36			
																	6-24						
4266	624	P	H		5910-542-7387						1	REF		REF									
4267	4243	P	H		5910-087-8889						2	REF		REF			80			C31, 34			
																	6-24						
4268		P	H		5910-811-4964						1	2		1	6		80			C26			
																	6-24						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER																
4269		P	H		5950-060-8091						2	2		1	6	80 6-24		L7, 8			
4270		P	H		5950-812-4431						1	3		1	9	80 6-24		L9			
4271	510	P	H		5905-190-8883						1	REF		REF		80 6-24		R46			
4272	637	P	H		5905-726-5343						1	REF		REF		80 6-24		R39			
4273	680	P	H		5905-726-6433						1	REF		REF		80 6-24		R42			
4274	3006	P	H		5905-681-9969						1	REF		REF		80 6-24		R40			
4275	646	P	H		5905-726-4413						1	REF		REF		80 6-24		R44			
AN/TSC-38A																					
611																					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER		NUMBER		
4290			P	H	5910-988-6482						1	2			1		6	80 6-24		C23			
4291	4270		P	H	5950-812-4431						2	REF		REF				80 6-24		L6, 10			
4292	631		P	H	5905-683-2243						1	REF		REF				80 6-24		R29			
4293	540		P	H	5905-686-9998						1	REF		REF				80 6-24		R28			
4294	644		P	H	5905-681-9970						1	REF		REF				80 6-24		R32			
4295	174		P	H	5905-577-0935						2	REF		REF				80 6-24		R27, 30			
4296 AN/TSC-38A	646		P	H	5905-726-4413						1	REF		REF				80		R31			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE		
4319	681	P	H		5905-682-4098						2	REF	REF					80 6-23		R4, 10	
4320	644	P	H		5905-681-9970						3	REF	REF					80 6-23		R6, 12, 23	
4321	174	P	H		5905-577-0935						8	REF	REF					80 6-23		R3, 5, 9, 14, 18, 21, 22, 47	
4322	646	P	H		5905-726-4413						3	REF	REF					80 6-23		R11, 19, 49	
4323	647	P	H		5905-681-8818						2	REF	REF					80 6-23		R7, 17	
4324	105	P	H		5905-687-0000						2	REF	REF					80 6-23		R13, 24	
4325 AN/TSC-38A	2494	P	H		5905-686-3838						1	REF	REF					80		R20	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4333	3845	P	H		5910-812-7276						2	REF		REF				80 6-25		C47, 51		
4334	2316	P	H		5910-841-6110						1	REF		REF				80 6-25		C48		
4335		P	H		5910-064-6141						1	1		1		3		80 6-25		C43		
4336	3071	P	H		5910-844-0905						1	REF		REF				80 6-25		C62		
4337	2545	P	H		5910-723-3700						1	REF		REF				80 6-25		C62		
4338		P	H		5910-811-5143						1	4		1		12		80 6-25		C62		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
4353	3492	P	H		5910-811-4971						1	REF		REF			80 6-26		C17	
4354	3134	P	H		5910-811-4954						1	REF		REF			80 6-26		C17	
4355		P	H		5910-781-1155						1	1		1		3	80 6-25		C45	
4356		P	H		5910-727-3994						1	1		1		3	80 6-25		C45	
4357		P	H		5910-678-5092						1	1		1		3	80 6-25		C45	
4358		P	H		5910-681-6752						1	1		1		3	80 6-25		C45	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
4359			P	H		5910-681-6753						1	1		1		3	80 6-25		C45			
4360			P	H		5910-683-3012						1	1		1		3	80 6-25		C45			
4361			P	H		5910-556-2406						1	1		1		3	80 6-25		C45			
4362	2074		P	H		5910-883-7559						1	REF		REF			80 6-25		C45			
4363			P	H		5910-082-5121						1	1		1		3	80 6-25		C45			
4364			P	H		5910-649-3164						1	1		1		3	80 6-25		C44			
4365			P	H		5950-812-4438						1	1		1		3	80 6-25		L12			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E		4 F E D B A C K C O D E R E C O V E R A B I L I T Y	5 D E S I G N A T I O N M O D E L N O B Y L	6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L				
		A	B								C	D			F E D B A C K C O D E R E C O V E R A B I L I T Y	F E D B A C K C O D E R E C O V E R A B I L I T Y			D S	G S	D M	F I G U R E N U M B E R
4366	1823		P	H	5950-796-3120				1	REF		REF				80 6-25		L13				
4367			P	H	5935-059-9987				1	1		1	3			80 6-25		P2				
4368	4247		P	H	5935-885-6508				3	REF		REF				80 6-25						
4369			P	H	5970--919-3498				1	1		1	3			80 6-25						
4370			P	H	5910-687-7285				2	2		1	2			80 6-25						
4371	281		P	H	5310-684-9760				4	REF		REF				80 6-25						
4372			P	H	5310-814-8997				4	4		1	4			80 6-25						
4373	2637		P	H	5905-279-176530				4	REF		REF				80 6-25		R44				
4374	607		P	H	5905-190-8880				1	REF		REF				80 6-25		R48				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T F O R E Q. D E E P O T Q T Y	13 R E E B U I L D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL																
4375	2916	P	N		5905-Z79-3 J7				RC20GF122K, 95104 PART NO, 745-1356-000 RESISTOR, FIXED COPOSITION, 2700 OHMS. 105 TOL, 1 WATT. 139B PART MO. RC32GF272K, 95104 PART NO 745-3370-000			1	REF		REF			80 6-25		R43				
4376	2731	P	H		5905-577-1869				RESISTOR, FIXED 1000 OHMS, 1% TOL 1X2 WATT, 81349 PART NO, RN65D100FI 95104 PART NO. 705-7096-000			1	REF		REF			80 6-25		R51				
4377		P	H		5905-978-1008				RESISTOR, THERMAL 31.5 OHMS. 1X TOL. 24446 PART NO. 2W754. 95104 PART NO. 714-2337-000			1	1		1	3		80 6-25		RTI				
4378		P	H		5905-838-2515				RESISTOR. VARIABLE WIRE WOUND 10,000 OHMS. SX TOL. 1/2 WATT 802o94 PART NO. 3250L1-103. 95104 PART NO. 381-9037-000			1	1		1	3		80 6-25		R50				
4379	865	P	H		5960-752-6126				SEMICONDUCTOR DEVICE TRANSISTOR. 07688 PART NO. 2N458As 95104 PART NO. 352-0151-000			2	REF		REF			80		G14, 15				
4380		P	H		5960-842-9773				SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO, 2N1184. 95104 PART NO. 352-0164-000			1	6		2	24		80 6-25		13				
4381		P	H		5950-852-2395				TRANSFORMER. AF 95088 PART NO. TS3713. 95104 PART NO. 677-6034-000			1	1		1	3		80 6-25		T				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E R I A L N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS				DM	ITEM NUMBER	
4382		P	H	5950-850-7810						1	1				3	80 6-25		T2		
4383		P	H	5950-850-5481						1	1				3	80 6-25		T3		
4384	4217	P	H	6145-655-2167				FT		1	REF		REF			80 6-25				
4385	4246	P	H	5910-812-4135						1	REF		REF			80		L55		
4386	565	P	H	5910-752-4249						1	REF		REF			80 6-25		C40		

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZED ALLOWANCE, SEE FEED	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE FIELD 15 DAY		12 EQUIPMENT MAINTENANCE PERCENT	13 REQUIREMENT FOR EQU. DM	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C	D		1	2	3					DS	GS			FIGURE NUMBER			
4387	2316	P	H		5910-841-6110							2	REF		REF			80 6-25		C41, 42	
4388	285	P	H		5905-192-3973							1	REF		REF			80 6-25		R41	
4389	286	P	H		5905-195-6806							1	REF		REF			80 6-25		R40	
4390	2308	P	H		5905-473-5251							1	REF		REF			80 6-25		R42	
4391	519	P	H		5905-279-3502							1	REF		REF			80 6-25		R39	
4392		P	H		5905-192-0651							1	1		1	3		80 6-25		R45	
4393	38	P	H		5960-617-8804							2	REF		REF			80 6-25		CRI 2	

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
4394	4380	P	H	5960-842-973						1	REF		REF		80 6-25			Q12	
4395		P	H	5820-924,-0365						1	1		1	2	80 6-25				
4396		P	H	5821-828-1348															
4396		P	H	5910-809-4281						1	1		1	3	80			C13	
4397	3845	P	H	5910-812-7276						2	REF		REF		80 6-26			C20 21	
4398		P	H	5910-823-1407						1	2		1	10	80 6-26			C25	
4399	198	P	H	5910-781-6497						1	REF		REF	80	C9 6-26				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T P E R	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4400		P	H		5910-806-6033						1	1		1		3	80 6-26		C15			
4401	2091	P	H		5910-060-11-4				f		4	REF		REF			80 6-26		C8, 12, 16, 24			
4402	4342	P	H		4910-988-4224						1	REF		REF			80 6-26		C11			
4403	3134	P	H		5910-811-4954						1	REF		REF			80 6-26		C7			
																	80 6-26					
4405	3081	P	H		5910-811-4965						4	REF		REF			80 6-26		C18, 19, 53, 54			
4406		P	H		5910-640-9596						1	1		1		2	80 6-26		C14			
4047	3Z30	P	H		2910-668-5580						1	REF		REF			80 6-26		C11			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM NUMBER	
4408		P	H		5950-842-2245				350 VDCW. 72982 PART NO. 557051U2P034R. 95104 PART NO. 917-1174-000 COIL. RF 47 UN INDUCTANCE. 5% TOL. 76487 PART NO. J301-47. 95104 PART NO. 240-2508-000			2	2		1	6	80 6-26		L4,5			
4409		P	H		5950-060-9142				COIL- RF 82 UH INDUCTANCE, 5X TOL, 76487 PART NO. J301-82A. 95104 PART NO. 240-2514-000			1	1		1	3	80 6-26		L3			
4410		P	H		5950-755-8586				COIL. RF 1 MH INDUCTANCE, IOX TOL. 72983 PART NO. WEE1000. 95104 PART NO. 240-1065-000			1	1		1	3	80 6-26		L2			
4411	1823	P	H		5950-796-3120				COIL. RF 2000 UH INDUCTANCE. 5% TOL. 76487 PART NO. J301-2000. 95104 PART NO. 240-2547-000			1	REF		REF		80 6-26		L7			
4412	3500	P	H		5905-682-4106				RESISTOR. FIXED. COMPOSITION. 56 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF560K. 95104 PART NO. 745-0704-000			1	REF		REF		80 6-26		R8			
44131	2483	P	H		5905-683-2240				RESISTOR. FIXED, COMPOSITION. 220 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF221K. 95104 PART NO. 745-0725-000			1	REF		REF		80 6-26		R7			
4414	680	P	H		5905-726-6433				RESISTOR, FIXED, COMPOSITION. 2200 OHMS. 10% TOL, 1/4			2	REF		REF		80 6-26		R18, 49			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4415	3006	P	H		5905-681-9969						1	REF		REF			80 6-26		R21		
4416	640	P	H		5905-686-9998						1	REF		REF			80 6-26		ER6		
4417	174	P	H		5905-577-0935						1	REF		REF			80 6-26		R4, 5, 9, 10 12, 13, 16 17, 19, 20		
4418	105	P	H		5905-687-0000						1	REF		REF			80 6-26		R15		
4419	649	P	H		5905-800-0719						1	REF		REF			80 6-26		R11		
4420	2969	P	H		5905-800-0179						1	REF		REF			80 6-26		R14		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
4421	3116	P	H	5960-809-1870						5	REF		REF		80 6-26				
4422	3845	P	H	5910-812-7276						2	REF		REF		80 6-26		C27	50	
4423	3059	P	H	5910-080-6462						1	REF		REF		80 6-26		C28		
4424	3062	P	H	5910-755-9231						1	REF		REF		90 6-26		C46		
4425	4398	P	H	5910-B23-1407						1	REF		REF		80 6-26		C39		
4426	4338	P	H	5910-811-5J43						1	REF		REF		80		C30		
4427		P	H	5910-811-5137						1	2		1	6	80 6-26		C33		

1 SEQUENCE NUMBER	2 FOR AUTHORITY SEQUENCE NUMBER	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE PER DAY		12 EQUIPMENT PER DAY	13 REQUIREMENT FOR EQU. DM	14 FIGURE NUMBER	15 ILLUSTRATIONS		16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS				ITEM NUMBER	REFERENCE SYMBOL	
4428	2957	P	H		5910-087-0117				CM05F361J03, 95104 PART NO. 912-2855-000				1	REF				80 6-26		C52		
4429	2091	P	H		5910-060-1197				CAPACITOR, FIXED. MICA 470 UUF 5% TOL 300 VDCW. 72136 PART NO. DM15F471J03. 95104 PART NO 912-2864-000				1	REF				80 6-26		C26		
4430	4342	P	H		5910-988-4224				CAPACITOR FIXED MICA 2400 WAF. 5X TOL. 500 VDCW. 81349 PART NO. CM06F242J03. 95104 PART NO. 912-2864-000				1	REF				80 6-26		C35		
4431		P	H		5910-717-3539				CAPACITOR. FIXED. MICA 243300 UUF. 5% TOL. 500 VDCW. 81349 PART NO. CM06F3322J03 95104 PART NO 912-302801-000				1	1		1	6	80 6-26		C37		
4432	4352	P	H		5910-811-4972				CAPACITOR, FIXED. MICA 3300 UUF. SX TOL. 500 VDCW. 81349 PART NO. CM06F332J03, 95104 PART NO. 912-303940-000				1	REF				80 6-26		C36		
4433	3492	P	H		5910-811-4971				CAPACITOR. FIXED. MICA 3300 UUF 5% TOL. 500 VDCW. 81349 PART NO. CM06F332JC03 95104 PART NO. 912-3043-000 j				1	REF				80 6-26		C31		
4434	3081	P	H		5910-811-4965				CAPACITORS FIXED, MICA 3600 UUP, 5% TOL. 500 VDCW. 81349 PART NO. CM106F512J03 95104 PART NO. 912-3043-000				1	REF				80 6-26		C32		
4435		P	H		5910-553-7367				CAPACITOR. FIXED PAPER				1	1		1	3	80		C38		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM NUMBER	
4436		P	H		5950-812-4420				0.56 UF· 5X TOLI 100 VODCW 56289 PART NO. 196P3335154 95104 PART NO. 931-5030-000 COIL RF 560 UN INDUCTANCE· 5S TOL. 78487 PART NO. J301-560 95104 PART NO. 240-2534-000			1	1		1		3	6-26 80 6-26		L9		
4437	2409	P	H		5950-060-9188				COIL RF 1000 UH INDUCTANCE. 5% TOL. 76487 PART NO. J301-1000, 95104 PART NO. 240-2540-000			1	REF		REF			80 6-26		La10		
4438	1823	P	H		5950-796-3120				COIL· RF 2000 UH INDUCTANCE. 5% TOL 76487 PART NO. J301-2000, 95104 PART NO 240-2547-000			1	REF		REF			80 6-26		L11		
4439	2510	P	H		5950-807-3425				COIL RF. 10.000 UH INDUCTANCE. SX TOL. 76487 PART NO. 02500-74. 95104 PART NO· 240-2564-000			1	REF		REF			80 6-26		L8		
4440		P	H		5955-879-0283				CRYSTAL UNIT. QUARTZ 3 MC FREQUENCY 0.0003 MC TOL. 94148 PART NO. 290-9977-000 95104 ! PART NO. 290-9977-000			1	1		1		2	80 6-25		Y1		
4441	2483	P	H		5905683-2240				RESISTOR. FIXED. COMPOSITION· 220 OHMS 10% TOL· 1/4 WATT, 81349 PART NO. RC07GF221K 95104 PART NO· 745-0725-000			1	REF		REF			80 6-26		R22		
4442	633	P	H		595-727001				RESISTOR. FIXED. COMPOSITION. 680 OHMS. 10% TOL. 1/4			1	REF		REF			80 6-26		R23		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L		
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S	
																						R E F E R E N C E S	
4443	639	P	H		5905-686-4527						1	REF	REF			80 6-26		R38					
4444	640	P	H		5905-86-52						3	REF	REF			80 6-26		R24 36 37					
4445	174	P	H	H	5905--093						6	REF	REF			80 6-26		R25, 26, 29 30 32 33					
4446	649	P	H		5905-86- 903						1	REF	REF			80 6-26		R3S					
4447	2969	P	H		590-680-0179						2	REF	REF			80 6-26		R3 34					
4448	3116	P	H		59605-800-10						4	REF	REF			80 6-26		Q8-11					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4449		P	H		5910-801-8982						2	2		1	6	80 6-26		C29. 34			
4450	3230	P	H		5910-668-5580				026		1	REF		REF		80					
4451		P	H		5910-920-7080						1	1		1	3	80 6-26					
4452	3606	P	H		S910-781-799						1	REF		REF		80 6-26		C2			
4453		P	H		5960-848-7007						1	1		1		80 6-26		CR3			
4454	3974	P	H		5910-951-1723						1	REF		REF		80 6-26		C6			
4455	2091	P	H		5910-060-1194						1	REF		REF		80		C3			

AN/TSC-38A

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D N U M B E R		12 A L L O W A N C E E Q U I P M E N T	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4456	4342	P	H	5910-9b8-4224					1000 UUF, 5% TOL. 500 VDCW. 81349 PART NO. CM6F 102J03. 95104 PART NO, 912-3001-000 CAPACITOR. FIXED. MICA 2400 UUF. 5% TOL. 500 VDCUW 81349 PART NO. CM06F242JO3. 95104 PART NO. 912-3028-000			2	REF		REF			6-26					
4457		P	H	5950-671-0579					COIL. RF 220 UH INDUCTANCE 10% TOL. 99800 PART NO. 4500-56. 95104 PART NO. 240-0928-000			1	1		1	3		80 6-26		L1			
4458	174	P	H	5905-577-0935					RESISTOR. FIXED. COMPOSITION. 10.000 OHMS. 10% TOL. 14 WATT. 81349 PART NO. RC07GF103K. 95104 PART NO. 745-0785-000			2	REF		REF			80 6-26		R1, 2			
4459	106	P	H	5905-752-3156					RESISTOR. FIXED. COMPOSITION. 22.000 OHMS. 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF223K 95104 PART NO. 745-0797-000!				REF		REF			80 6-26		R3			
4460	3116	P	H	5960-809-1870					SEMICONDUCTOR DEVICE. TRANSISTOR. 07688 PART NO. 2N1285. 95104 PART NO. 352-0243-000				REF		REF			80 6-26		Q1			
4461	3060	P	H	5910-080-4020					TUNER. RF. SUBASSEMBLY 547-5804-003 CAPACITOR. FIXED. CERAMIC. 20.000 UUF. 20% TOL. 100 VDCW. 04222 PART NO. C80V203RM. 95104 PART			2	REF		REF			80 6-26		C59, 60			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM					
		ILLUSTRATIONS																				
4462	3126	P	H		5910-080-4019				NO. 913-3954-000 CAPACITOR, FIXED. CERAMIC, 50,000 UF 20X TOL. 100 VDCW. 04222 PART NO. C80V503RM. 95104 PART NO. 913-3955-000			3	REF		REF			80 6-26		C56s 58. 61		
4463		P	H		5910-954-3525,				CAPACITOR. VARIABLE GLASS. 1-28 UUF, 1000 VDCW. 73899 PART NO. IMC623 95104 PART NO. 922-0607-000			1	1		1	2		80 6-26		C1		
4464	3083	P	H		5910-978-2558				CAPACITOR. VARIABLE. VOLTAGE SENSITIVE. 12-53.4 UUF. 30 VDCW. 82577 PART NO. NC7041. 95104 PART NO. 922-6019-000			1	REF		REF			80 6-26		C57		
4465		P	H		15950-782-8923				COIL. RF 3600 UH INDUCTANCE. 5% TOL. 76487 PART NO. J303-3-3. 95104 PART NO. 240-2553-000			1	1		1	3		80 6-26		L14		
4466	680	P	H		5905-726-6433				RESISTOR. FIXED. COMPOSITION. 2200 OHMS. 10% TOL. 1/4 WATT. 81349 DART NO. RC07GF222K. 95104 PART NO. 745-3761-000			1	REF		REF			80 6-26		R47		
4467	107	P	H						RESISTOR. FIXED. COMPOSITION 100.000 OHMS. 10% TOL, 1/4 WATT. 81349 PART NO. RC07GFI04K. 95104 PART NO. 745-0821-000			1	REF		REF			80 6-26		R46		
4468		P	H		5970-919-3499				PLUG. INSULATION 95104 PART NO. 547-5793-00G			1	1		1	3		80 6-26				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4469		P	H		5310-803-8524				NUT. SPECIAL 95104 PART NO. 546-70 14-002 WIRING HARNESS 553-4528-000			2	50		1	150	80 6-26						
4470	2307	P	H		5935-737-1547				CONNECTOR, ELECTRICAL 9 PINS. 71468 PART NO. DEM9P, 95104 PART NO. 371-0967-000 REGULATOR. VOLTAGE 528-0232-004			1	REF		REF		80 6-26		P1				
4471		P	H		5910-270-3047				CAPACITOR. FIXED. CERAMIC. 470 UUF. 20X TOL. 500 VDCW. 81349 PART NO, CK60AX471M. 95104 PART NO. 913-1189-000			1	1		1	3	80 7-9		C1				
4472		P	H		5910-666-7228				CAPACITOR. FIXED. CERAMIC. 1000 LUF. 20% TOL. 1000 VDCW. 81349 PART NO. CK60AW 102M. 95104 PART NO. 913-1186-000			1	9		2	9	80 7-9		C4				
4473		P	H		5910-805-9472				CAPACITOR. FIXED. CERAMIC. 3300 LUF. 20X TOL. 100 VDCW. 96095 PART NO. MC80V332AM. 95104 PART NO. 913-3025-000			1	1			3	80 7-9		C6				
4474	1681	P	H		5910-686-8955				CAPACITOR. FIXED. CERAMIC. 10.000 WLF. 20X TOL. 100 VDCW. 96095 PART NO. MC80V103AM. 95104 PART NO. 913-3021-000			1	REF		REF		80 7-9		C5				

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZATION	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE FIELD		12 EQUIPMENT MAINTENANCE PERCENT	13 REBUILD REQUIRED FOR EQUIP. DEPOT QTY	14 FIGURE NUMBER	15 ILLUSTRATIONS		16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS				DM	ITEM NUMBER	
4475	3218	P	H		5910-752-4545				CAPACITOR. FIXED. CERAMIC. 22.000 UUF. 20% TOL. 100 VDCWV 96095 PART NO. MC80V223AM 95104 PART NO. 913-3022-000			1	REF		REF			80 7-9				
4476	2089	P	H		5910-683-3733				CAPACITOR FIXED ELECTROLYTIC. 18 UF PLUS 75% MINUS 15%. 50 VDCWV 81349 PART NO. CL25BJ IO8UP3. 95104 PART NO. 184-7228-000			1	REF		REF			80 7-9		C2		
4477		P	H		5910-683-3734				CAPACITOR. FIXED. ELECTROLYTIC. 100 UF. PLUS 75% MINUS 15% 50 VDCW. 81349 PART NO. CL24BJI01UP3. 95104 PART NO. 184-7034-000			1	1		1	3		80 7-9		C3		
4478	2307	P	H		5935-737-1547				CONNECTOR ELECTRICAL 9 PINS. 71468 PART NO. DEM9P. 95104 PART NO. 371-0967-000			1	REF		REF			80 7-9		P1		
4479	136	P	H		5905-683-7721				RESISTOR. FIXED. COMPOSITION. 100 OHMSI 10% TOL. 1/4 WATT, 81349 PART NO. RCO7GFIOIK. 95104 PART NO. 745-0713-000			1	REF		REF			80 7-9		R1		
4480	262	P	H		5905-279-6550				RESISTOR. FIXED, COMPOSITION, 390 OHMS. 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF391K. 95104 PART NO. 745-1335-000			1	REF		REF			80 7-9		R2		
4481	675	P	H		5905-1856 550				RESISTOR. FIXED. COMPOSITION, 470 OHMSI 10% TOL. 2 WATTS. 81349 PART NO.			1	REF		REF			80 7-9		R12		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D N U M B E R		12 A L L O W A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER			REFERENCE SYMBOL
4482	287	P	H	5905-279-1876				RC42GF471K 95104 PART NO. 745-5638-000				1	REF	REF			80 7-9		R4				
4483	640	P	H	5905-686-9998				RESISTOR, FIXED, COMPOSITION, 2200 OHMS. 10% TOL. 1/2 WATT. 81349 PART NO. RC20GF222K. 95104 PART NO. 745-1366-000				1	REF	REF			80 7-9		R7				
4484	174	P	H	5905-577-0935				RESISTOR. FIXED COMPOSITION. 10.000 OHMS. 10% TOI. 1/4 WATT. 81349 PART NO. RC07GF472J, 95104 PART NO. 745-0773-000				2	REF	REF			80 7-9		R6, 17				
4485	646	P	H	5905-725-4413				RESISTOR. FIXED. COMPOSITION. 12.000 OHMS, 10% TOL, 1/4 WATT. 81349 PART NO. RC07GF103J, 95104 PART NO 745-0785-000				1	REF	REF			80 7-9		R5				
4486	647	P	H	5905-681-8818				RESISTOR. FIXED. COMPOSITION, 15.000 OHMS, 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF153J, 95104 PART NO. 745-0788-000				1	REF	REF			80 7-9		R11				
4487	710	P	H	5905-682-4222				RESISTOR. FIXED COMPOSITION. 39.000 OHMS, 10% TOL. 1/4 WATT. 81349 PART NO. RC07GF393K. 95104 PART NO. 745-0791-000				1	REF	REF			80 7-9		R15				
4488	210	P	H	5905-752-3158				RESISTOR. FIXED.				1	REF	REF			80		R13				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4489	3251	P	H		5905-804-9710						1	REF		REF			7-9				
																	80 7-9			R14	
4490	3314	P	H		5905-824-3077						1	REF		REF			80 7-9			R8	
4491	3316	P	H		5905-676-8887						1	REF		REF			80 7-9			R10	
4492		P	H		5905-921-4171						1	1		1		3	80 7-9			R16	
4493		P	H		5905-982-3337						1	1		1		3	80 7-9			R18	
4494	308	P	H		5905-838-1640						1	REF		REF			80 7-9			R3	
4495		P	H		5905-839-9883						1	1		1		3	80			RT1	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O T Q T Y	13 R E B U I L D 1 0 0 E Q.	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
4496			P	H	5905-501-5174							1	1		1			7-9			
																		80			
																		7-9			
4497	24291		P	H	5960-284-6516							1	REF		REF			80		CR6	
																		7-9			
4498	814		P	H	5960-556-2091							1	REF		REF			80		CR5	
																		7-9			
4499	1086		P	H	5960-754-7074							1	REF		REF			80		CR7	
																		7-9			
4500			P	H	5961-939-5888							1	1		1		3	80		CR3	
																		7-9			
4501			P	H	5960-529-5862							2	2		1		6	80		CR1 , 2	
																		7-9			
4902			P	H	5960-815-2288							1	1		1		3	80		CR4	
																		7-9			
4503	3687		P	H	5960-577-3245							2	REF		REF			80		Q6, 8	
																		7-9			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
4504	1649	P	H		5960-752-0432						1	REF		REF				80 7-9		Q7			
4505		P	H		5960-552-0243						1	1		1		4		80 7-9		Q5			
4506	2310	P	H		5960-708-7138						1	REF		REF				80 7-9		Q3			
4507	524	P	H		5960-752-5942						1	REF		REF				80 7-9		Q2			
4508					5960-877-7671						1	1		1				80 7-9		Q4			
4509		P	H		5960-784-7576						1	3		1		12		80 7-9		Q1			
4510	4217	P	H		6145-655-2167						12	REF		REF				80 7-5					
4511	72	P	H		5910-660-7430						6	REF		REF				80 7-5		C115, 117 118, 120-122			

1 S E R I A L N U M B E R	2 A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E S O U R C E				5 F E D E R A L S T O C K N U M B E R	6-7 D E S I G N A T I O N C O D E			9 U N I T O F I S S U E	10 E X P E N D I B I L I T Y	11 Q U A N T I T Y I N U S E	12 A L L O W A N C E E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15-16 I L L U S T R A T I O N S	
		A	B	C	D		1	2	3				DS	GS	DM			I T E M N U M B E R	R E F E R E N C E S Y M B O L
4512	1587	P	H		5910-740-2290						1	REF		REF		80 7-5		C19	
4513	3536	P	H		5910-733-5688						1	REF		REF		80 7-5		C116	
4514		P	H		5910-952-7046						1	1		1	3	80 7-5		C20	
4515	2404	P	H		5910-667-6083						4	REF		REF		80 7-5		C18, 19, 85 86	
4516	4245	P	H		5935-811-1382						1	REF		REF		80 7-5		P1	
4517	4247	P	H		5935-885-6508						3	REF		REF		80 7-5		P1A1, P1A2, P1A3	
4518	281	P	H		5310-684-9760						10	REF		REF		80 7-5			

1 S C C E S S N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E				5 F E D E R A L S T O C K N U M B E R	6-7 D E S I G N A T I O N C O D E			9 U N I T O F I S S U E	10 E X P E N D I B I L I T Y	11 Q U A N T I T Y I N U S E	12 A L L O W A N C E M A I N T E N A N C E R E Q U I R E D F O R E Q U I P M E N T			13 R E B U I L D 1 0 0 E Q .	14 F I G U R E N U M B E R	15-16 I L L U S T R A T I O N S	
		A	B	C	D		1	2	3				D S	G S	D M			I T E M N U M B E R	R E F E R E N C E S Y M B O L
4519	106	P	H		5905-752-3156						2	REF		REF		80 7-5		R75, 76	
					5821-813-7422														
4520	3059	P	H		5910-080-6462						3	REF		REF		80 6-22		C100-102	
4521	3126	P	H		5910-080-4019						10	REF		REF		80 6-22		C88-92, 94-98	
4522		P	H		5910-833-7102						1	1		1	3	80 6-22		C103	
4523	3076	P	H		5910-806-0650						1	REF		REF		80 6-22		C93	
4524		P	H		5910-811-4044						1	REF		REF		80 6-22		C99	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4525	568	P	H		5910-965-9441						1	REF		REF			80 6-22		C87		
4526		P	H		5950-060-8090						1	3		1	9		80 6-22		L19		
4527	3088	P	H		5905-812-4443						3	REF		REF			80 6-22		L20-22		
4528		P	H		5905-686-3369						1	1		1			80 6-22		R93		
4529	137	P	H		5905-686-9996						2	REF		REF			80 6-22		R80, 86		
4530	6179	P	H		5905-726-5346						4	REF		REF			80 6-22		R77, 78, 83, 84		
4531	639	P	H		5905-686-4527						1	REF		REF			80 6-22		R88		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5			12 A L L O W A N C E P E R E N D I C E 1 0 0			13 R E B U I L D F O R E Q. D E P O T Q T Y			14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM								
4532	3006	P	H		5905-681-9969						1	REF		REF				80 6-22		R87						
4533	681	P	H		5905-682-4098						1	REF		REF				80 6-22		R81						
4534	640	P	H		5905-686-9998						1	REF		REF				80 6-22		R82						
4535	174	P	H		5905-577-0935						1	REF		REF				80 6-22		R79						
4536	646	P	H		5905-726-4413						1	REF		REF				80 6-22		R85						
4537	3105	P	H		5905-660-4168						2	REF		REF				80 6-22		R91, 92						
4538	3672	P	H		5905-615-7339						2	REF		REF				80 6-22		R89, 90						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4539	38	P	H		5960-617-8804						1	REF		REF				80 6-22		CR17		
4540		P	H		5960-814-0768						2	4		1	12			80 6-22		CR9, 10		
4541		P	H		5960-065-5373						4	REF		REF				80 6-22		Q16-19		
4542		P	H		5950-850-5484						1	1		1	3			80 6-22		T3		
4543		P	H		5910-666-5317						3	3		1	9			80 6-19		C33, 123, 124		
4544		P	H		5910-195-6513						3	4		1	12			80 6-19		C33, 123, 124		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS				DM	15	
4545	P	H		5910-195-6982						3	4		1	12	80 6-19		C33, 123, 124			
4546	P	H		5910-668-6233						3	3		1	9	80 6-19		C33, 123, 124			
4547	P	H		5910-6196-5331						3	3		1	9	80 6-19		C33, 123, 124			
4548	P	H		5910-195-6964						3	3		1	9	80 6-19		C33, 123, 124			
4549	P	H		5910-553-3910						3	3		1	9	80 6-19		C33 123, 124			
4550	P	H		5910-553-3910						3	3		1	9	80 6-19		C33 123 124			
4551	P	H		5910-668-7489						3	3		1	9	80 6-19		C33, 123, 124			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
4552	P		H		5910-668-7488							3	3			1		9	80 6-19		C33, 123, 124		
4553	195		P	H	5910-722-5858							3	REF			REF			80 6-19		C33, 123, 124		
4554			P	H	5910-926-2434							1	1			1		3	80 6-19		C37		
4555	3060		P	H	5910-080-4020							2	REF			REF			80 6-19		C39, 40		
4556	3126		P	H	5910-080-4019							11	REF			REF			80 6-19		C22-26, 28, 29, 31, 32, 69, 70		
4557	2005		P	H	5910-583-1944							1	REF			REF			80 6-19		C41		
4558			P	H	5910-080-5154							1	2			1		6	80 6-19		C38		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE		ITEM
4559	82	P	H		5910-852-9692							1	REF		REF		80 6-19		C36			
4560	3619	P	H		5910-957-9909							1	REF		REF		80 6-19		C80			
4561	3076	P	H		5910-806-0650							1	REF		REF		80 6-19		C27			
4562		P	H		5910-088-0934							1	1		1	3	80 6-19		C35			
4563	568	P	H		5910-965-9441							1	REF		REF		3 80 6-19		C21			
4564		P	H		5910-952-8401							1	1		1	3	80 6-19		C34			
4565	4526	P	H		5950-060-8090							1	REF		REF		3 80 6-19		L7			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L															
4566		P	H		5950-081-2205				COIL, RF 1 MH INDUCTANCE, 10% TOL, 06978 PART NO. 22-104, 95104 PART NO. 240-0678-000			1	3		1		9	80 6-19	L15			
4567	3088	P	H		5950-812-4443				COIL, RF 15 MH INDUTANCE, 10% TOL, 0978 PART NO. 22-155 95104 PART NO. 240-0685-000			2	REF		REF			80 6-19	L9, 10			
4568		P	H		5905-688-3738				RESISTOR, FIXED COMPOSITION, 1800 OHMS, 5% TOL, 1/4 WATT 81349 PART NO. RC07GF182J, 95104 PART NO. 745-0757-000			1	1		1		3	80 6-19	R70			
4569	1179	P	H		5905-726-5346				RESISTOR, FIXED, COMPOSITION, 1800 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF182K, 95104 PART NO. 745-0758-000			2	REF		REF		3	80 6-19	R18, 19			
4570	680	P	H		5905-726-6433				RESISTOR, FIXE0, COMPOSITION, 2200 OHMS 10% TOLE 1/4 WATT, 81349 PART NO. RC07GF222KI 95104 PART NO. 745-0761-000			1	REF		REF			80 6-19	R21			
4571	639	P	H		5905-686-4527				RESISTOR, FIXED, COMPOSITION, 2700 OHMS 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF272K, 95104 PART NO. 745-0764-000			1	REF		REF			80 6-19	R22			
4572		P	H		5905-682-4098				RESISTOR, FIXED, COMPOSITION, 3900 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF392J, 95104 PART NO. 745-0769-000			1	1		1		3	80 6-19	R28			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS			DM	FIGURE NUMBER		
4573	640	P	H	5905-686-9998						3	REF		REF			80 6-19		R23, 27, 53		
4574	641	P	H	5905-691-0195						1	REF		REF			80 6-19		R26		
4575		P	H	5905-683-2238						1	1		1	3		80 6-19		R25		
4576	174	P	H	5905-577-0935						1	REF		REF			80 6-19		R20		
4577	105	P	H							2	REF		REF			80 6-19		R31, 32		
4578		P	H	5905-687-0002						1	1		1	3		80 6-19		R24		
4579		P	H	5905-685-9821						2	2		2	6		80 6-19		R29, 30		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4580	4540	P	H		5960-814-0768						2	REF		REF			80 6-19		CR1, 11		
4581	2953	P	H		5960-065-5373						4	REF		REF			80 6-19		Q5-8		
4582		P	H		5950-850-5480						1	1		1	3		80 6-19		T1		
4583		P	H		5912-920-7074						1	1		1	3		80 7-5				
4584	4246	P	H		5910-812-4135						2	REF		REF			80 7-5		C104, 105		
4585		P	H		5915-021-6653						1	1		1	3		80 7-5				
4586		P	H		5915-920-7073						1	1		1	3		80 7-5				
4587	4246	P	H		5910-812-4135						9	REF		REF			80		C106-114		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4588	3126	P	H		5910-080-4019						3	REF		REF				80 6-21		C78, 81, 84		
4589		P	H		5910-087-9711						2	3		1	9			80 6-21		C76, 77		
4590	3222	P	H		5910-578-5758						1	REF		REF				80 6-21		C78		
4591	3225	P	H		5910-725-7421						1	REF		REF				80 6-21		C79		
4592	4427	P	H		5910-811-5137						1	REF		REF				80 6-21		C82		
4593		P	H		5910-755-0010						1	3		1	9			80 6-21		C83		
4594		P	H		5950-060-8092						1	2		1	6			80 6-21		L17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R					
4595	4566	P	H		5950-081-2205						1	REF		REF				80 6-21		L18		
4596	3088	P	H		5950-812-4443						1	REF		REF				80 6-21		L16		
4597	159	P	H		5905-682-4107						1	REF		REF				80 6-21		R66		
4598	640	P	H		5905-686-9998						1	REF		REF				80 6-21		R67		
4599	174	P	H		5905-577-0935						4	REF		REF				80 6-21		R68, 71, 73, 74		
4600	2494	P	H		5905-686-3838						1	REF		REF				80 6-21		R69		
4601	2970	P	H		5905-686-4531						1	REF		REF				80 6-21		R72		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
4609	3222	P	H		5910-578-5758						1	REF		REF				80 6-18		C8		
4610	3486	P	H		5910-726-3212						1	REF		REF				80 6-18		C17		
4611	199	P	H		5910-577-1194						1	REF		REF				80 6-18		C15		
4612	3610	P	H		5910-617-4365						1	REF		REF				80 6-18		C6		
4613	3076	P	H		5910-806-0650						1	REF		REF				80 6-18		C3		
4614	568	P	H		5910-965-9441						1	REF		REF				80 6-18		C9		
4615	4526	P	H		5950-060-8090						1	REF		REF				80 6-18		L2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS				GS	DM	
4616	4594	P	H	5950-060-8092					1	REF		REF			80 6-18			L3	
4617		P	H	5950-081-2204					1	1		1	3		80 6-18			L1	
4618	4566	P	H	5950-081-2205					1	REF		REF			80 6-18			L6	
4619	3088	P	H	5950-812-4443					2	REF		REF			80 6-18			L4, 5	
4620		P	H	5905-192-4490					1	1		1	3		80 6-18			R9	
4621	162	P	H	5905-681-6462					1	REF		REF			80 6-18			R4	
4622	681	P	H	5905-682-4098					1	REF		REF			80 6-18			R1	
4623	641	P	H	5905-691-0195					1	REF		REF			80			R16	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R S O N N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
4624	644	P	H		5905-681-9970						1	REF		REF			6-18			
4625	174	P	H		5905-577-0935						4	REF		REF			80 6-18		R3	
4626	106	P	H		5905-683-2243						1	REF		REF			80 6-18		R15	
4627	2494	P	H		5905-686-3838						2	REF		REF			80 6-18		R2, 17	
4628	710	P	H		5905-682-4222						2	REF		REF			80 6-18		R13, 14	
4629	138	P	H		5905-68884447						2	REF		REF			80 6-18		R8	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4630	3426	P	H		5905-681-8819						2	REF		REF			80		R7, 10		
4631	2953	P	H		5960-065-5373						4	REF		REF			80 6-18		Q1-4		
4632		P	H		5910-688-6786						2	2		1	6		80 6-20		C45, 126		
4633	3059	P	H		5910-080-6462						1	REF		REF			80 6-20		C30		
4634	3126	P	H		5910 080-4019						3	REF		REF			80 6-20		C47, 48, 56		
4635	2314	P	H		5910-815-5118						1	REF		REF			80 6-20		C57		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4136	4589	P	H		5910-087-9711					1	REF		REF			80 6-20		C58			
4637	532	P	H		5910-060-1188					1	REF		REF			80 6-20		C127			
4638	551	P	H		5910-071-1642					1	REF		REF			80 6-20		C43			
4639	3071	P	H		5910-844-0905					1	REF		REF			80 6-20		C59			
4640		P	H		5910-820-1360					1	1		1	3		80 6-20		C53			
4641	3071	P	H		5910-965-9441					1	REF		REF			80 6-20		C49			
4642	4593	P	H		5910-755-0010					2	REF		REF			80 6-20		C44, 51			
4643		P	H		5910-683-7157					2	2		1	4		80 6-20		C54, 55			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4644	3083	P	H		5910-978-2558						2	REF		REF			80 6-20		C46, 52		
4645	3088	P	H		5950-812-4443						1	REF		REF			80 6-20		L11		
4646	703	P	H		5905-802-6738						1	REF		REF			80 6-20		R48		
4647	676	P	H		5905-726-6441						1	REF		REF			80 6-20		R44		
4648	633	P	H		5905-727-8001						1	REF		REF			80 6-20		R46		
4649	639	P	H		5905-686-4527						1	REF		REF			80 6-20		R45		
4650	640	P	H		5905-686-9998						1	REF		REF			80		R40		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
4651	642	P	H		5905-686-9997						1	REF		REF				6-20			R37		
4652	174	P	H		5905-577-0935						6	REF		REF				80 6-20			R33, 35, 36 42, 43, 56		
4653	646	P	H		5905-726-4413						2	REF		REF				80 6-20			R61, 65		
4654	647	P	H		5905-681-8818						1	REF		REF				80 6-20			R39		
4655	138	P	H		5905-688-4447						1	REF		REF				80 6-20			R34		
4656	2969	P	H		5905-800-0179						1	REF		REF				80 6-20			R41		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM					
4657	107	P	H	5905-686-3129						1	REF		REF					80 6-20		R38	
4658	814	P	H	5960-556-2091						1	REF		REF					80 6-20		CR13	
4659	2476	P	H	5960-646-4611						5	REF		REF					80 6-20		CR3-5, 14, 15	
4660	3114	P	H	5960-842-6937						3	REF		REF					80 6-20		Q9-11	
4661		P	H	5950-794-4780						1	1		1	3				80 6-20		T2	
4662		P	H	5950-057-3154						1	31		1	93				80 6-20			
4663		P	H	5950-785-2067						1	1		1	3				80 6-20			
4664	4662	P	H	5950-057-3154						1	REF		REF					80 6-20			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
					5821-828-0840				OSCILLATOR, RF 548-4138-004 SELECT C125 AS REQUIRED FROM SEQUENCE NUMBERS 4665 THROUGH 4667 BELOW												
4665			P	H	5910-812-7302				CAPACITOR, FIXED, CERAMIC 5 UUF, 0.5 UUF TOL, 500 VDCW, 71590 PART NO. DA934-002, 95104 PART NO. 913-0035-000			1	1		1		3	80 6-20		C125	
4666	3258		P	H	5910-195-5367				CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO. DA933-001, 95104 PART NO. 913-0043-000			1	REF		REF		80 6-20			C125	
4667	4544		P	H	5910-195-6513				CAPACITOR, FIXED, CERAMIC, 20 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO. DA933-003, 95104 PART NO. 913-0051-000 SELECT C64 AS REQUIRED FROM SEQUENCE NUMBERS 4668 THROUGH 4691 BELOW			1	REF		REF		80 6-20			C125	
4669			P	H	5910-812-7304				CAPACITOR, FIXED, CERAMIC, 5 UUF, 0.5 UUF TOL, 500 VDCW, 71590 PART NO. DA934-016, 95104 PART NO. 913-0039-000			1	1		1		3	80 6-20		C64	
4669			P	H	5910-809-6363				CAPACITOR, FIXED CERAMIC, 5 UUF, 0.5 UUF TOL, 500 VDCW.			1	1		1		3	80 6-20		C64	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
4670			P	H	5910-544-6342						1	1		1		3	80 6-20		C64		
4671			P	H	5905-668-5246						1	1		1		3	80 6-20		C64		
4672			P	H	5910-666-8171						1	1		1		3	80 6-20		C64		
4673			P	H	5910-809-8017						1	1		1		3	80 6-20		C64		
4674	3259		P	H	5910-356-0075						1	REF		REF			80 6-20		C64		
4675	3260		P	H	5910-243-5971						1	REF		REF			80 6-20		C64		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y M A I N T E N A N C E		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER													
4676	3261	P	H	5905-186-3191			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UAF TOL, 500 VDCW, 71590 PART NO. DA934-003, 95104 PART NO. 913-0049-000			1	REF		REF			80 6-20		C64		
4677	3262	P	H	5905-195-2570			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO. DA934-004, 95104 PART NO. 913-0048-000			1	REF		REF			80 6-20		C64		
4678	3263	P	H	5910-195-5392			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW 71590 PART NO. DA934-008, 95104 PART NO. 913-0046-000			1	REF		REF			80 6-20		C64		
4679	3264	P	H	5910-195-2569			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO. DA934-009, 95104 PART NO. 913-0047-000			1	REF		REF			80 6-20		C64		
4680	3265	P	H	5910-275-6444			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO. DA934-010, 95104 PART NO. 913-0045-000			1	REF		REF			80 6-20		C64		
4681		P	H	5910-241-5646			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO; DA934-015, 95104 PART NO. 913-0231-000			1	1		1	3		80 6-20		C64		
4682	3266	P	H	5910-255-0124			CAPACITOR, FIXED, CERAMIC, 10 UUF, 1 UUF TOL, 500 VDCW, 71590 PART NO.			1	REF		REF			80 6-20		C64		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4683	3267	P	H		5910-241-5648						1	REF		REF			80 6-20		C64		
4684	3268	P	H		5910-238-2762						1	REF		REF			80 6-20		C64		
4685		P	H		5910-241-5647						1	1		1	3		80 6-20		C64		
4686	4545	P	H		5905-195-6982						1	REF		REF			80 6-20		C64		
4687		P	H		5910-688-6434						1	1		1	3		80 6-20		C64		
4688		P	H		5910-726-5255						1	1		1	3		80 6-20		C64		
4689		P	H		5910-844-4557						1	1		1	3		80		C64		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4690			P	H	5910-812-7317						1	1		1		3	80 6-20		C64		
4691			P	H	5910-812-7312						1	1		1		3	80 6-20		C64		
4692	3126		P	H	5910-080-4019						3	REF		REF			80 6-20		C60, 71, 73		
4693	624		P	H	5910-542-7387						2	REF		REF			80 6-20		C62, 74		
4694	2314		P	H	5910-815-5118						2	REF		REF			80 6-20		C61, 72		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4695			P	H	5910-811-4042						1	1			1		3	80 6-20		C65	
4696			P	H	5910-080-4018						1	1			1		3	80 6-20		C65	
4697	3080		P	H	5910-902-5555						3	REF		REF				80 6-20		C63, 67, 68	
4698	3083		P	H	5910-978-2558						1	REF		REF				80 6-20		C66	
4699	3088		P	H	5910-812-4443						1	REF		REF				80 6-20		L12	
4700	174		P	H	5905-577-0935						1	REF		REF				80 6-20		R49	
4701	2969		P	H	5905-800-0179						1	REF		REF				80 6-20		R57	
4702	1343		P	H	5905-577-6736						1	REF		REF				80		R52	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
4703	3675	P	H		5905-686-2197						1	REF		REF			6-20					
																	80			R54		
																	6-20					
4704	3105	P	H		5905-660-4188						2	REF		REF			80			R50, 51		
																	6-20					
4705		P	H		5905-810-2780						1	1		1		3	80			R58		
																	6-20					
4706		P	H		5905-810-2782						1	1		1		3	80			R55		
																	6-20					
4707		P	H		5905-810-2785						1	1		1		3	80			R64		
																	6-20					
4708	616	P	H		5905-688-4568						1	REF		REF			80			R59		
																	6-20					
4709	617	P	H		5905-840-2505						1	REF		REF			80			R63		
																	6-20					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
4710			P	H	5905-668-3366						1	3		2		9	80 6-20		R62		
4711	38		P	H	5960-617-8804						1	REF		REF			80 6-20		CR12		
4712			P	H	5960-812-3742						3	3		1		9	80 6-20		CR-8		
4713	2651		P	H	5960-855-1551						1	REF		REF			80 6-20		Q12		
4714			P	H	5950-813-2523						1	1		1		3	80 6-20		L14		
4715			P	H	5950-904-3497						1	1		1		3	80 6-20				
4716	4217		P	H	6145-655-2167				FT		7	REF		REF			80 6-16				
4717	3536		P	H	5910-733-5688						2	REF		REF			80		C1, 4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE	ITEM	NUMBER	
4718	3062	P	H		5910-755-9291						2	REF		REF			6-16				C5, 6	
4719		P	H		5910-061-7119						1	1		1		3	80 6-16				C2	
4720	4219	P	H		5910-846-3526						2	REF		REF			80 6-17				A1C1, A2C12	
4721	4220	P	H		5910-851-3878						2	REF		REF			80 6-17				A1C12, A2	
4722	4605	P	H		5910-543-0741						2	REF		REF			80 6-17				A1C12, A2	
4723		P	H		5910-823-1296						2	3		1		9	80 6-17				A1C12, A2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
4724	149	P	H		5910-824-8035						2	REF			REF			80 6-17		A1C12, A2			
4725		P	H		5910-964-6512						2	3		1		9		80 6-17		A1C12, A2C12			
4726	4223	P	H		5910-088-0d61						2	REF			REF			80 6-17		A1C12, A2C12			
4727	4224	P	H		5910-964-6511						2	REF			REF			80 6-17		A1C12, A2C12			
4728	2400	P	H		5910-088-0283						2	REF			REF			80 6-17		A1C12, A2C12			
4729	4226	P	H		5910-958-4175						2	REF			REF			80 6-17		A1C12, A2C12			
4730	3067	P	H		5910-837-7476						2	REF			REF			80 6-17		A1C12, A2C12			
4731	2036	P	H		5910-578-1537						2	REF			REF			80		C11, 12			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4732	2708	P	H		5950-812-4422						5	REF		REF			6-16				
																	80 6-16			L2, 12-15	
4733	1823	P	H		5950-796-3120						5	REF		REF			80 6-16			L1, 8-11	
4734	4245	P	H		5935-811-1382						1	REF		REF			80 6-16			P1	
4735		P	H		5935-809-2115						2	2		1	6		80 6-16			A2P1, A3P1	
4736		P	H		5820-057-9516						1	2		1	3		80 6-16				
4737		P	H		5915-848-7966						1	1		1	3		80 6-16			FL1	
4738	4247	P	H		5935-885-6508						1	REF		REF			80 6-16			A1P1	
4739	2674	P	H		5820-086-8724						4	REF		REF			80 6-16				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4740	1027	P	H		5905-725-6995						2	REF		REF			80 6-16		R7, 8		
4741	174	P	H		5905-725-0935						1	REF		REF			80 6-16		R9		
4742	2253	P	H		5905-583-0935						2	REF		REF			80 6-16		Q3, 4		
4743		P	H		5821-058-0920						2	2		1	6				A2A1, A2A2		
4744		P	H		5910-061-7109						1	2		1	6	80 6-17			C8		
4745	3060	P	H		5910-080-4020						4	REF		REF			80		C2, 3, 5, 13		
4746	3845	P	H		5910-812-7276						2	REF		REF			80 6-17		C4, 9		
4747	2312	P	H		5910-812-6501						1	REF		REF			80 6-17		C11		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4748	3071	P	H		5910-844-0905						1	REF		REF			80 6-17		C1		
4749	3130	P	H		5910-811-4989						1	REF		REF			80 6-17		C7		
4750	4338	P	H		5910-811-5143						1	REF		REF			80 6-17		C10		
4751	3974	P	H		5910-951-1723						1	REF		REF			80 6-17		C6		
4752		P	H		5950-811-9476						1	2		1	6		80 6-17		L1		
4753		P	H		5950-893-0434						1	2		1	6		80 6-17		L2		
4754	1823	P	H		5950-796-3120						1	REF		REF			80 6-17		L3		
4755	137	P	H		5905-686-9996						1	REF		REF			80		R6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		REFERENCE SYMBOL															
4756	630	P	H		5910-686-3121						1	REF		REF			6-17					
																	80		R11			
4757	136	P	H		5905-683-7721						1	REF		REF			80		R10			
																	6-17					
4758	158	P	H		5910-982-5503						1	REF		REF			80		R17			
																	6-17					
4759	631	P	H		5910-752-3336						1	REF		REF			80		R8			
																	6-17					
4760	161	P	H		5910-683-2242						1	REF		REF			80		R14			
																	6-17					
4761	636	P	H		5905-686-9994						1	REF		REF			80		R9			
																	6-17					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E C A Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
4762	1179	P	H		5910-726-5346						2	REF		REF			80 6-17		R7, 13		
4763	680	P	H		5910-726-6433						1	REF		REF			80 6-17		R18		
4764	174	P	H		5910-577-0935						2	REF		REF			80 6-17		R1, 15		
4765	105	P	H		5905-687-0000						2	REF		REF			80 6-17		R2, 5		
4766	106	P	H		5905-752-3156						4	REF		REF			80 6-17		R3, 4, 12, 16		
4767	2872	P	H		5910-563-6877						1	REF		REF			80 6-17		RT1		
4768	2429	P	H		5960-284-6516						2	REF		REF			80 6-17		CR1, 2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
4769	3114	P	H		5960-42-6937						2	REF		REF			80 6-17		Q2, 3		
4770	2953	P	H		5960-065-5373						2	REF		REF			80 6-17		Q1, 4		
4771		P	H		5950-811-0525						1	2		1	6		80 6-17		T1		
4772		P	H		5910-810-6549						1	1		1	3		80 6-16		C10		
4773	3536	P	H		5910-733-5688						1	REF		REF			80 6-16				
4774	3060	P	H		5910-080-4020						1	REF		REF			80 6-16		C3		
4775	3613	P	H		5910-755-0029						1	REF		REF			80 6-16		C8		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4776	3077	P	H		5910-686-6126						1	REF		REF			80 6-16		C9		
4777		P	H		5950-715-0792						2	2		1	6		80 6-16		L6, 7		
4778		P	H		5950-543-9367						1	1		1	3		80 6-16		L5		
4779	2409	P	H		5950-060-9188						2	REF		REF			80 6-16		L3, 4		
4780	631	P	H		5905-683-2243						1	REF		REF			80 6-16		R1		
4781	1641	P	H		5905-299-2049						1	REF		REF			80 6-16		R4		
4782	515	P	H		5905-279-1757						1	REF		REF			80 6-16		R2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q U I P M E N T D E P O T Q U A N T I T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4783	174	P	H	5905-577-0935				RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF103J, 95104 PART NO. 745-0785-000			1	REF		REF			80 6-16		R3			
4784		P	H	5905-688-3365				RESISTOR, VARIABLE, WIRE WOUND, 2000 OHMS 5% TOL, 1/2 WATT, 80294 PART NO. 224P1-202, 95104 PART NO. 381-1266-000			2	2		1	6		80 6-16		R5, 6			
4785	3114	P	H	5960-842-6937				SEMICONDUCTOR DEVICE TRANSISTOR, 07688 PART NO. 2N706, 95104 PART NO. 352-0195-000			1	REF		REF			80 6-16		Q1			
4786		P	H	5960-985-2363				SEMICONDUCTOR DEVICE, TRANSISTOR 07688 PART NO. 2N2218, 95104 PART NO. 352-0433-000 TRANSLATOR, RF 553-2583-000			1	1		1	4		80 6-16		Q2			
4787		P	H	5910-543-9568				CAPACITOR, FIXED, PAPER 0,1 UF, 1% TOL, 400 VDCW, 56289 PART NO. 103P10404, 95104 PART NO. 241-0089-000			1	3		2	9		80 6-3		C21			
4788		P	H	5910-669-2649				CAPACITOR, FIXED, PAPER 0,1 UF 10% TOL, 600 VDCW, 56289 PART NO. 103P10406, 95104 PART NO. 241-0090-000			1	5		2	15		80 6-3		C20			
4789		P	H	5910-281-0829				CAPACITOR, FIXED, PAPER 0,22 UF, 10% TOL, 100 VDCW, 56289 PART NO.			2	2		1	6		80 6-3		C22, 23			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4790	2417	P	H	5310-821-1925							4	REF		REF			80 6-3					
4791		P	H	5820-777-2494							5	5		1	5		80 6-3					
4792		P	H	5945-867-1044							2	4		1	12		80 6-3		K1, 2			
4793		P	H	5960-681-9880							2	2		1	6		80 6-3		CR1, 20			
4794	2480	P	H	5910-552-1938							2	REF		REF			80 6-3		C1, 2			
4795		P	H	5910-079-9474							2	2		1	6		80 6-3		C3, 4			
4796		P	H	5340-984-2148							3	3		1	3		80 6-3					
4797	609	P	H	5905-195-6502							1	REF		REF			80		R6			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM		ITEM NUMBER	REFERENCE SYMBOL													
4798	648	P	H	5905-171-2004							1	REF				6-3				
																	80 6-3		R7	
4799	265	P	H	5905-080-5899							2	REF					80 6-3		R3, 5	
4800	839	P	H	5905-985-5401							2	REF					80 6-3		R4, 27	
4801	2873	P	H	5960-754-5693							1	REF					80 6-3		CR2	
4802		P	H	5960-577-6214							1	4		1	12		80 6-3		CR15	
4803	1086	P	H	5960-754-7074							1	REF					80 6-3		CR21	
4804	1565	P	H	5960-877-7244							1	REF					80 6-3		Q2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E M A I N T E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS	GS	DM				
4805	1089	P	H	5960-752-0150							1	REF		REF			80 6-3		Q3	
4806		P	H	5960-889-3968							1	1		1		4	80 6-3		Q1	
4807		P	H	5950-924-9144							1	1		1		3	80 6-3		6U	
4808		P	H	5950-923-7340							1	1		1		3	80 6-3			
4809		P	H	5910-823-1068							8	a		1		24	80 6-3		C7-10, 13-16	
4810	2345	P	H	5910-686-7757							2	REF		REF			80 6-3		C11, 17	
4811		P	H	5950-914-8877							1	1		1		3	80 6-3		C6	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2					3	DS				GS	DM		ITEM	NUMBER
4812		P	H	5910-930-6919							1	1		1		3	80 6-3		C5			
4813		P	H	5910-900-3514							2	2		1		6	80 6-3		C18, 19			
4814		P	H	5910-779-8402							1	1		1		3	80 6-3		C12			
4815	1357	P	H	5905-253-1231							1	REF		REF			80 6-3		R15			
4816	2486	P	H	5905-279-2527							1	REF		REF			80 6-3		R18			
4817	875	P	H	5905-171-1998							1	REF		REF			80 6-3		R16			
4818		P	H	5905-254-7096							2	3		2		9	80 6-3		R20, 21			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D N O T A C T I V E		12 A L L O W A N C E P E R C E N T	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM NUMBER	
4819			P	H	5905-847-3470						1	1		1		3	80 6-3		R17		
4820			P	H	5905-901-7362						2	2		1		6	80 6-3		R12, 14		
4821			P	H	5905-889-0010						1	1		1		3	80 6-3		R19		
4822	265		P	H	5905-080-5899						2	REF		REF			80 6-3		R8, 11		
4823	839		P	H	5905-985-5401						2	REF		REF			80 6-3		R9, 10		
4824	289		P	H	5905-993-9865						1	REF		REF			80 6-3		R13		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4825	4802		P	H	5960-577-6214						3	REF		REF			80 6-3		CR3-5			
4826	274		P	H	5960-978-7660						4	REF		REF			80 6-3		CR7-10			
4827	1889		P	H	5960-583-0897						4	REF		REF			80 6-3		CR11-14			
4828			P	H	5960-752-6178						1	1		1	3		80 6-3		CR6			
4829			P	H	5961-778-3948						2	2		1	8		80 6-3		Q4, 5			
4830			P	H	5940-255-3907						1	1		1	1		80 6-3					
4831			P	H	5950-999-5480						1	1		1	3		80 6-3		T1			
4832	157		P	H	5905-190-8889						1	REF		REF			80 6-3		R26			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E		13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R			R E F E R E N C E S Y M B O L		
4833	1770	P	H		5905-279-1880						1	REF		REF			3	80 6-3		R25		
4834	1561	P	H		5960-557-6118						2	REF		REF				3	80 6-3		CR16, 18	
4835		P	H		5960-519-7816						1	1		1				3	80 6-3		CR17	
4836	4509	P	H		5960-784-7576						1	REF		REF					3	80 6-3		Q6
4837		P	H		5905-824-0693						1	1		1				3	80 6-3		R22	
4838		P	H		5905-081-9240						3	3		1				9	80 6-3		R23, 24, 28	
4839		P	H		5960-848-7006						1	1		1				3	80 6-3		CR19	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q U A N T I T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		I T E M N U M B E R	R E F E R E N C E S Y M B O L
4840	217	P	H	6145-655-2167				WIRING HARNESS 55370-2612-00 CABLE, RF 80058 PART NO. PART NO. RG1788U, 95104 PART NO. 425-1494-000	FT		28	REF			REF		80 6-1						
4841		P	H	5935-981-1466				CONNECTOR, ELECTRICAL 71468 PART NO. NO. DM53743-5003 95104 PART NO. 371-0230-000			1	1			1	3	80 6-1						
4842		P	H	5935-914-5706				CONNECTOR, ELECTRICAL, 94375 PART NO. 660-11- 95104 PART NO. 357-9795-000			7	7			1	21	80 6-1						
4843		P	H	5935--089-6921				CONNECTOR, ELECTRICAL 3 PINS, 71468 PART NO. DAMF3W3S- 95104 PART NOD 371-0910-000			1	1			1	3	80 6-2			J8			
4844		P	H	5935-951-7197				CONNECTOR, ELECTRICAL 7 PINS 71468 PART NO. DAM7W2S, 95104 PART NO. 371-0911-000			1	1			1	3	80 6-2			J3			
4845		P	H	5935-921-5634				CONNECTOR, ELECTRICAL 7 PINS, 71468 PART NO. PXA-C7AA-33S-7, 95104 PART NO. 370-2362-000			1	1			1	3	80 6-2			P2			
4846	2663	P	H	5935-060-9529				CONNECTOR, ELECTRICAL, 9 PINS 71468 PART NO. DEMF9S- 95104 PART NO. 371-0957-000			2	REF			REF		80 6-2			J4, 9			
4847		P	H	5935-811-1381				CONNECTOR, ELECTRICAL 13 PINS, 71468 PART NO. D8MF13W3S, 95104 PART NO. 371-0918-000			3	3			1	9	80 6-1			J1, 2, 10			
4848		P	H	5935-983-7040				CONNECTOR, ELECTRICAL,			2	2			1	6	80			J4, 6			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		1	2	3					DS	GS				DM	J		P
4849		P	H	5935-850-5653							1	1	1	3	80 6-2	J5					
4850		P	H	5935-051-6369							1	1	1	3	80 6-2	P1					
4851		P	H	5935-080-0268							3	3	1	3	80 6-1						
4852		P	H	5935-885-6506							15	15	1	15	80 6-1						
4853		P	H	5120-720-1908							1	1	1	1	80 6-1			A1			
4854		P	H	5120--800-6165							1	1	1	1	80 6-1						
4855		P	H	5120-016-4139							1	1	1	1	80 6-1						
4856		P	H	5120-288-7786							1	1	1	1	80 6-1						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4857	4217	P	H		6145-655-2167				024-0295-000 CABLE, RF 80058 PART NO. RG176BU, 95104 PART NO 425-1494-000	FT		4	REF		REF		80 6-10						
4858		P	H		5960-262-0167				ELECTRON TUBE 82219 PART NO. 12AT7WA, 95104 PART NO. 255-0218-000			4	4		1	400	80 6-10		V2, 3, 5, 6				
4859		P	H		5960-548-9298				ELECTRON TUBE 49671 PART NO. 5763, 95104 PART NO. 257-0059-000			2	2		1	200	80 6-10		V9, 10				
4860		P	H		5960-542-7004				ELECTRON TUBE 49956 PART NO. 6AH6WA 95104 PART NO. 255-0344-000			4	4		1	400	80 6-10		V1, 4, 11, 12				
4861		P	H		5960-548-5068				ELECTRON TUBE 49671 PART ND, 6DC6, 95104 PART NO. 255-0226-000			2	2		1	200	80 6-10		V7, 8				
4862		P	H		5120-223-6995				KEY, SOCKET HEAD SCREW 08664 PART NO. S096-8-6CDPL, 95104 PART NO. 024-0019-000			1	1		1	5	80 6-1						
4863		P	H		5340-919-9396				POST, ELECTRICAL- MECHANICAL, 95104 PART NO. 546-7191-002 ACTUATOR, ELECTRO- MECHANICAL ROTARY 548-5528-005			2	2		1	2	80 6-10						
4864	72	P	H		5910-660-7430				CAPACITOR, FIXED, CERAMIC, 0.05 UF, PLUS 80% MINUS 20%, 50 VDCW, 01939 PART NO. 55C23A2, 95104			3	REF		REF		80 6-10		C3-5				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D B A C K C O D E F E D B A C K C O D E F E D B A C K C O D E	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3				DS	GS	
4865		P	H	5910-581-2547				PART NO. 913-3885-000 CAPACITOR, FIXED, ELECTROLYTIC, 1 UF, 20% TOL, 150 VDCW, 56289 PART NO. 111D105X0150G1, 95104			1	1		1	3	80 6-10		C1		
4866	1823	P	H	5950-796-3120				PART NO. 184-7236-000 COIL, RF 2000 UH INDUCTANCE, 5% TOL, 76487 PART NO. J301-2000, 95104			1	REF		REF		80 6-10		L1		
4867	31	P	H	6105-849-5458				PART NO. 240-2547-000 MOTOR DIRECT CURRENT, 25140 PART NO. 41A205, 95104 PART NO. 230-0303-000			3	REF		REF		80 6-10		B1-3		
4868	2687	P	H	5310-888-5853				POST, ELECTRICAL- MECHANICAL, 95104 PART NO. 540-9033-003			4	REF		REF		80 6-10				
4869		P	H	5340-921-5502				POST, ELECTRICAL- MECHANICAL, 95104 PART NO. 546-6817-002			4	4		1	4	80 6-10				
4870	4792	P	H	5945-867-1044				RELAY, ARMATURE 2C CONTACT ARRANGEMENT, 78277 PART NO. 94463, 95104 PART NO. 408-1097-000			2	REF		REF		80 6-10		K1, 5		
4871		P	H	5945-869-5930				RELAY, ARMATURE 2C CONTACT ARRANGEMENT, 78277 PART NO. 95930, 95104 PART NO. 408-1161-000			2	2		2	6	80 6-10		K3, 4		
4872		P	H	5905-226-4744				RESISTOR, FIXED, WIRE WOUND, 33 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V330, 95104 PART NO.			2	2		1	6	80 6-10		R33, 34		

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4873		P	H		5905-810-0627						1	1		1		3	80 6-10		R32			
4874	1561	P	H		5905-810-0627						1	1		1		3	80 6-10		R31			
4875	1561	P	H		5960-557-6118						6	REF		REF			80 6-10		CR20-23, 27, 28			
4876	38	P	H		5960-617-8804						1	REF		REF			80 6-10		CR1			
4877	1436	P	H		5960-833-8716						1	REF		REF			80 6-10		CR2			
4878		P	H		5930-064-6285						1	1		1		5	80 6-10		S7			
4879		P	H		5905-060-5288						1	1		1		3	80 6-		R7			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D A L L O W A N C E S E R I E S N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM															
		DESCRIPTION																	
4880		P	H	5905-809-6364							1	1	1	3	80 6-10		R2		
4881		P	H	5905-810-2777							1	1	1	3	80 6-10		R11		
4882		P	H	5945-020-9502							1	1	1	3	80 6-10				
4883		P	H	5945-971-4287							1	1	1	3	80 6-10				
4884	1471	P	H	5945-902-5101							1	REF	REF		80 6-10				
4885		P	H	5945-080-7567							1	1	1	3	80 6-10				
4886		P	H	5320-839-0308							1	4	1	12	80 6-10				
4887		P	H	5945-904-4210							1	1	1	1	3	80			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15	16	ILLUSTRATIONS																
		DS	GS	DM																
4888		P	H		5915-080-5440							1	1		1	3	80			
																	6-10			
4889	4886	P	H		5320-839-0308							1	REF		REF		80			
																	6-10			
4890		P	H		5945-903-2883							1	1		1	3	80			
																	6-10			
4891		P	H		5945-080-7565							1	1		1	3	80			
																	6-10			
4892	4886	P	H		5320-839-0308							1	REF		REF		80			
																	6-10			
4893		P	H		5895-919-9934							1	1		1	3	80			
																	6-10			
4894		P	H		5945-080-7566							1	1		1	3	80			
																	6-10			
4895	4886	P	H		5320-839-0308							1	REF		REF		80			
																	6-10			
409a		P	H		5895-919-9935							1	1		1	3	80			
																	6-10			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15	16																
		DS	GS	DM															
4897		P	H	5950-080-3243							1	1		1	3	80 6-10			
4898		P	H	5905-810-2778							10	10		1	30	80 6-10		R12-21	
4899		P	H	5930-083-7158							1	1		1	5	80 6-10			
4900		P	H	5905-810-0626							1	1		1	3	80 6-10		R10	
4901		P	H	5905-810-2776							1	1		1	3	80 6-10		R9	
4902		P	H	5905-060-5287							1	1		1	3	80 6-10		R8	

1 SOURCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZED ALLOWANCE	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE FIELD		12 EQUIPMENT MAINTENANCE PERCENT	13 REQUIREMENT FOR EQUIPMENT REPAIR EQUIPMENT	14 FIGURE NUMBER	15 ITEM NUMBER	16 ILLUSTRATIONS REFERENCE SYMBOL	
		A	B	C	D		1	2	3						DS	GS						DM
4903		P	H		5905-060-5289				C9570, 95104 PART NO. 748-9570-000 RESISTOR, FIXED, WIRE WOUND, 1620 OHMS, 0.5% TOL, 0.0375 WATT, 15909 PART NO. C9572, 95104 PART NO. 748-972-000			1	1		1		3	80 6-10		R6		
4904		P	H		5905-810-0646				RESISTOR, FIXED, WIRE WOUND, 1964 OHMS,, 0.2% TOL, 0.025 WATT, 15909 PART NO. C9559, 95104 PART NO. 748-9559-000			1	2		1		6	80 6-10		R5		
4905		P	H		5905-810-0614				RESISTOR, FIXED, WIRE WOUND, 2370 OHMS, 0.5% TOL, 0.0375 WATT, 15909 PART NO. C9573, 95104 PART NO. 748-9573-000			1	1		1		3	80 6-10		R4		
4906		P	H		5905-809-6365				RESISTOR, FIXED, WIRE WOUND, 2610 OHMS, 0.5% TOL, 0.0375 WATT, 15909 PART NO. C9574, 95104 PART NO. 748-9574-000			1	1		1		3	80 6-10		R3		
4907		P	H		5905-810-0665				RESISTOR, FIXED, WIRE WOUND, 3480 OHMS, 0.5% TOL, 0.0375 WATT, 15909 PART NO. C9576, 95104 PART NO. 748-9576-000			1	1		1		3	80 6-10		R1		
4908		P	H		5930-919-3467				SWITCH, SECTION, ROTARY 2 POLES, 22 POSITIONS, 76854 PART NO. 215610BK, 95104 PART NO. 269-2264-000 WAFER-DIODE			1	1		1		3	80 6-10				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4909	1561	P	H	5960-557-6118				546-9577-002 SEMICONDUCTOR DEVICE, DIODE: 0768 PART NO. 1N458 95104 PART NO.				5	REF		REF		80 6-10		CR3-7			
4910		P	H	5930-920-5811				353-0205-000 SWITCH, SECTION, ROTARY 1 POLE 10 POSITIONS 76854 PART NO. 222297BK, 95104 PART NO. 269-2346-000 WAFER-DIODE				1	2		1	5	80 6-10					
4911	1561	P	H	5960-557-6118				548-4093-002 SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N458, 95104 PART NO.				5	REF		REF		80 6-10		CR8-12			
4912	4910	P	H	5930-920-5811				353-0205-000 SWITCH, SECTION, ROTARY 1 POLE, 10 POSITIONS, 76854 PART NO. 222297BK, 95104 PART NO. 269-2346-000 ACTUATOR SUBASSEMBLY				1	REF		REF		80 6-10					
4913	615	P	H	5905-991-7136				548-5946-003 RESISTOR, THERMAL 1000 OHMS, 10% TOL, 1 WATT, 10646 PART NO. 763H6, 95104 PART NO. 714-1732-000				1	REF		REF		80 6-10		RT3			
4914		P	H	5961-923-9766				RESISTOR, THERMAL 31.500 OHMS, 10% TOL, 1 WATT, 73168 PART NO. RA43L1, 95104 PART NO. 714-2744-000				1	2		1	6	80 6-10		RT2			
4915	4202	P	H	5960-988-7178				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO.				1	REF		REF		80 6-10		CR26			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R	13 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2					3	DS				GS	DM		I T E M N U M B E R	R E F E R E N C E S Y M B O L
4916		P	H	5960-752-6081							1	3		1	12	80 6-10		Q4				
4917		P	H	5905-939-3803							1	1		1	3	80 6-10		Z1				
4918	4914	P	H	5961-923-9766							1	REF		REF		80 6-10		RT1				
4919	2316	P	H	5910-841-6110							1	REF		REF		80 6-10		C2				
4920	158	P	H	5905-982-5503							1	REF		REF		80 6-10		R36				
4921	676	P	H	5905-726-6441							1	REF		REF		80 6-10		R35				
4922	802	P	H	5905-195-6791							1	REF		REF		80 6-10		R37				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
		DESCRIPTION																		
4923	641	P	H		5905-691-0195							1	REF	REF			80 6-10		R39	
4924	174	P	H		5905-577-0935							1	REF	REF			80 6-10		R38	
4925	1561	P	H		5960-557-6118							3	REF	REF			80 6-10		CR18, 24, 25	
4926	4916	P	H		5960-752-6081							2	REF	REF			80		Q1, 3	
4927	4509	P	H		5960-784-7576							1	REF	REF			80 6-10		Q2	
4928		P	H		5905-810-0648							1	1	1	3		80 6-10		R27	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4929		P	H		5905-810-0647						1	1			1	3	80 6-10		R26			
4930	4904	P	H		5905-810-0648						1	REF			REF		80 6-10		R25			
4931		P	H		5905-810-0643						1	1		1		3	80 6-10		R24			
4932		P	H		5905-060-5286						1	1		1		3	80 6-10		R23			
4933		P	H		5905-810-0639						1	1		1		3	80 6-10		R22			
4934		P	H		5905-061-5341						1	1		1		3	80 6-10		R30			
4935		P	H		5905-810-0631						1	1		1		3	80 6-10		R29			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E R E Q U I R E D F O R E Q. D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS						DM
4936			P	H	5905-810-0633				95104 PART NO. 748-9564-000 RESISTOR, FIXED, WIRE WOUND, 6750 OHMS 0.2% TOL, 0.025 WATT , 15909 PART NO. C9565, 95104 PART NO. 744-9565-000			1	1		1	3	80 6-10					
4937			P	H	5905-810-0633				SWITCH, SECTION, ROTARY 2 POLES 12 POSITIONS, 76854 PART NO. N207578A, 95104 PART NO. 269-2193-000 WAFER DIODE 548-5767-003			1	1		1	3	80 6-10					
4938	1561		P	H	5930-557-6118				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N458, 95104 PART NO. 353-0205-000			5	REF		REF		80 6-10		CR13-17			
4939			P	H	5930-920-5810				SWITCH SECTION ROTARY 2 POLES, 7 POSITIONS 76854 PART NO. 221767A, 95104 PART NO. 269-2348-000 WIRING HARNESS 548-5856-000			1	1		1	5	80 6-10		S5			
4940			P	H	5935-775-0949				CONNECTOR, ELECTRICAL 37 PINS, 71468 PART NO. DCM37P, 95104 PART NO. 371-0970-000 TRANSLATOR SUBASSEMBLY 756-0473-000			1	1		1	3	80 6-10		P1			
4941	2404		P	H	5910-667-6083				CAPACITOR, VARIABLE, CERAMIC, 8-75 UUF,			1	REF		REF		80 6-7		C73			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D N O . 1 M A I N T E N A N C E E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15	16																
		DS	GS	DM															
4942		P	H	5950-809-1239				350 VDCW, 72982 PART NO. 557018U2P034R, 95104 PART NO. 917-1075-000 COIL, RF 0.93 UH INDUCTANCE, 0.28 UH TOL, 81815 PART NO. X516-1 95104 PART NO. 278-1782-000			1	14	1	42	80 6-7		L33		
4943		P	H	5895 916-2272				CONTACT ASSEMBLY 95104 PART NO. 756-0466-000			1	1	1	2	80 6-7				
4944		P	H	5340-919-9395				POST, ELECTRICAL-MECHANICAL 95104 PART NO. 546-7398-002 TUNER, RF 553-5898-004			1	4	1	4	80 6-7				
4945	72	P	H	5910-660-7430				CAPACITOR, FIXED, CERAMIC, 0.05 UF, PLUS 80% MINUS 20%, 50 VDCW, 01939 PART NO. 55C23A2, 95104 PART NO. 913-3885-000			4	REF	REF		80 7-3		C5-8		
4946	2544	P	H	5910-660-4982				CAPACITOR, FIXED, MICA 120 UUF 5% TOL 500 VDCW 81349 PART NO. CM05F 121J03 95104 PART NO. 912-2822-000			1	REF	REF		80 7-3		C4		
4947	3549	P	H	5910-779-3456				CAPACITOR, VARIABLE CERAMIC, 9-35 UUF, 200 VDCW, 95104 PART NO. 917-1215-000			1	REF	REF		80 7-3		C3		
4948	3345	P	H	5910-702-5897				CAPACITOR, VARIABLE VOLTAGE SENSITIVE, 100 UUF, 20% TOL, 35 VDCW, 80131 PART NO.			2	REF	REF		80 7-3		C1, 2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4949	3347	P	H		5950-902-7103							1	REF		REF		80 7-3		L1			
4950	162	P	H		5905-681-6422							1	REF		REF		80 7-3		R9			
4951	637	P	H		5905-726-5343							1	REF		REF		80 7-3		R6			
4952	639	P	H		5905-686-4527							2	REF		REF		80 7-3		R1, 4			
4953	640	P	H		5905-752-3340							1	REF		REF		80 7-3		R7			
4954	174	P	H		5905-577-0935							2	REF		R		80 7-3		R2, 3			
4955	107	P	H		5905-686-3129							1	REF		REF		80 7-3		R5			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E M A I N T E N A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
4956	3253	P	H		5905-856-7772				OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF 104K 95104 PART NO. 745-0821-000 RESISTOR , VARIABLE WIRE WOUND, 500 OHMS, 5% TOL, 1 WATT, 81349 PART NO. CT100-5000 95104 PART NO. 381-1467-000			1	REF		REF			80 7-3		R8			
4957		P	H		5960-890-7034				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N757A, 95104 PART NO. 353-2722-000			1	1		1	3		80 7-3		CR1			
4958	3116	P	H		5960-809-1870				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N1285, 95104 PART NO 352-0243-000			1	REF		REF			80 7-3		Q1			
4959	3535	P	H		5950-907-6988				TRANSFORMER, RF 81815 PART NO. X651-1 95104 PART NO. 278-0722-000 TUNER, RF, SUBASSEMBLY 548-5818-004 CAPACITOR ASSEMBLY 548-5825-005			1	REF		REF			80 7-3		T1			
4960	532	P	H		5910-060-1188				CAPACITOR, FIXED, MICA 10 UUF, 10% TOL, 500 VDCW, 81349 PART NO. CM05C100K03, 95104 PART NO. 912-2754-000			1	REF		REF			80 6-15		C26			
4961	148	P	H		5910-984-5619				CAPACITOR, FIXED, MICA 12 UUF, 10% TOL, 500 VDCW, 81349 PART NO. CM05C120K03, 95104			1	REF		REF			80 6-15		C25			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
4962	535	P	H	5910-702-5740						1	REF		REF		80 6-15			C21	
4963	4723	P	H	5910-823-1296						1	REF		REF		80 6-15			C23	
4964		P	H	5910-080-8786						1	4		1	12	80 6-15			C22	
4965	360	P	H	5910-838-3521						1	2		1	6	80 6-15			C21	
4966		P	H	5910-723-5272						1	3		1	9	80 6-15			C20	
4967		P	H	5910-828-9914						1	4		1	12	80 6-15			C19	
4968	3604	P	H	5910-828-9918						1	REF		REF		80 6--15			C18	
4969	36C5	P	H	5910-726-3214						1	REF		REF		80 6-15			C10	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D N U M B E R		12 A L L O W A N C E P E R C E N T	13 R E Q U I R E D F O R E Q U I P M E N T	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM NUMBER	
4970	4558	P	H		5910-080-5154						1	REF		REF			80 6-15		C17		
4971	3221	P	H		5910-080-5153						2	REP		REF			80 6-15		C9, 16		
4972		P	H		5910-080-4014						1	2		1	6		80 6-15		C15		
4973	3606	P	H		5910-781-7929						1	REF		REF			80 6-15		C14		
4974	3612	P	H		5910-846-2775						2	REF		REF			80 6-15		C8, 13		
4975	3222	P	H		5910-578-5778						1	REF		REF			80 6-15		C12		
4976	3613	P	H		5910-755-0029						1	REF		REF			80 6-15		C11		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B		1	2	3						DS	GS				DM	ITEM		NUMBER
		C	D																		
4977		P	H	5910-814-0417						1	3		1	9	80 6-15		C7				
4978		P	H	5910-990-4485						1	1		1	3	80 6-15		C6				
4979		P	H	5910-993-1067						1	REF		1	9	80 6-15		C5				
4980	3130	P	H	5910-811-4989						1	REF		REF		80 6-15		C4				
4981	4240	P	H	5910-080-4016						1	REF		REF		80 6-15		C3				
4982	566	P	H	5910-081-7433						1	REF		REF		80 6-15		C2				
4983		P	H	5950-080-4676						2	18		1	55	80 6-15		L28, 29				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM NUMBER	
4984		P	H		5950-984-3307						5	5		1	15	80 6-15		L23-27			
4985		P	H		5950-080-2724						4	16		1	48	80 6-15		L19-22			
4986		P	H		5950-809-1239						3	9		1	27	80 6-15		L16-18			
4987	4942	P	H		5950-809-1239						4	REF		REF		80 6-15		L12-15			
4988		P	H		5950-809-1243						1	10		1	30	80 6-15		L11			
4989		P	H		5950-809-1257						1	3		1	9	80 6-15		L10			
4990		P	H		5950-811-2569						1	3		1	9	80 6-15		L9			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E M A I N T E N A N C E E Q U I P M E N T	13 R E Q U I R E D F O R D E P O T Q T Y	13 R E Q U I R E D F O R E Q U I P M E N T	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
4991			P	H	5950-080-4682				0.8 UH TOL, 81835 PART NO. X511-1 95104 PART NO. 278-1777-000 COIL, RF			2	4		1	12	80 6-15		L7, 8					
4992			P	H	5950-080-4678				3.5 UH INDUCTANCE 1 UH TOL, 81815 PART NO. X510-1, 95104 PART NO 278-1776-000 COIL, RF			1	2		1	6	80 6-15		L6					
4993			P	H	5950-080-4681				4.4 UH INDUCTANCE 1.3 UH TOL, 81815 PART NO. X509-1, 95104 PART NO. 278-1775-000 COIL, RF			2	5		1	15	80 6-15		L4, 5					
4994			P	H	5950-809-1237				8.5 UH INDUCTANCE, 2.3 UN TOL, 81815 PART NO. X508-1, 95104 PART NO. 278-1774-000 COIL, RF			1	1		1	3	80 6-15		L3					
4995			P	H	5930-991-7110				22.5 UH INDUCTANCE, 6.8 UH TOL, 81815 PART NO. X505-1, 95104 PART NO. 278-1771-000 CONTACT, ELECTRICAL			1	16		4	48	80							
4996			P	H	5895-919-9939				548-5735-002 NOT USED CONTACT, ELECTRICAL			2	8		1	24	80 6-15							
4997			P	H	5895-919-9939				95104 PART NO. 548-5743-003 CONTACT, ELECTRICAL			4	380		1	114	80 6-15							
4998			P	H	5821-828-0752				95104 PART NO. 547-4311-002															

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
4999	3221	P	N		5910-080-5153						1	REF		REF			80 6-14		C28		
5000	3057	P			5910-088-1629						1	REF		REF			80 6-14		C26		
5001	3612	P	H		5910-846--2775						1	REF		REF			80 6-14		C24		
5002	3222	P	H		5910-578-7560						1	REF		REF			80 6-14		C22		
5003	3223	P	H		5910-804-7561						1	REF		REF			80 6-14		C20		
5004		P	H		5910-804-7560						1	3		1	9		80 6-14		C18		
5005	3224	P	H		5910-811-4985						1	REF		REF			80 6-14		C17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
		A	B	C	D		1	2	3											
5006	3610	P	H		5910-617-365						1	REF		REF		80 6-14		C16		
5007		P	H		5910-993-1067						1	REF		REF		80 6-14		C15		
5008		P	H		5910-080-3690						1	REF		REF		80 6-14		C14		
5009	3226	P	H		5910-849-0714						1	REF		REF		80 6-14		C13		
5010	3130	P	H		5910-811-4989						1	REF		REF		80 6-14		C12		
5011		P	H		5910-951-3388						1	REF		REF		80 6-14		C11		
5012	4240	P	H		5910-080-4016						1	REF		REF		80 6-14		C10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM		I T E M N U M B E R															
5013		P	H		5910-080-4010						1	1			1		3	80 6-14		C9	
5014		P	H		5910-952-1708						1	1			1		3	80 6-14		C8	
5015	566	P	H		5910-081-7433						1	REF		REF				80 6-14		C7	
5016		P	H		5910-051-9714						1	1			1		3	80 6-14		C6	
5017		P	H		5910-990-6859						1	1			1		3	80 6-14		C5	
5018		P	H		5910-809-8656						1	1			1		3	80 6-14		C4	
5019		P	H		5910-724-5523						1	1			1		3	80 6-14		C3	
5020		P	H		5910-728-4093						1	1			1		3	80 6-14		C2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
		A	B	C		D	1	2						3						
5021	4995	P	H		5930-991-7110				CONTACT, ELECTRICAL 95104 PART NO. 548-5735-002			1	REF		REF		80 6-14			
5022	4998	P	H		5821-828-0752				CONTACT, ELECTRICAL 95104 PART NO. 547-4311-002			2	REF		REF		80 6-14			
5023	4997.	P	H		5895-919-9939				CONTACT, ELECTRICAL 95104 PART NO. 548-5743-003 SHELL, COIL 546-7422-004			1	REF		REF		80 6-14			
5024	4998	P	H		5821-828-0752				CONTACT, ELECTRICAL 95104 PART NO. 547-4311-002 COIL ASSEMBLY 548-5830-005			28	REF		REF		80 6-14			
5025		P	H		5950-989-4335				COIL, RF 0.25 UH INDUCTANCE. 0.05 UH TOL, 81815 PART NO. X525-1. 95104 PART NO. 278-1791-000			4	4		1	12	80 6-14		L 26-29	
5026		P	H		5950-994-3309				COIL, RF 0.32 UH INDUCTANCE. 0.07 UH INDUCTANCE. PART NO, X522-1, 95104 PART NO. 278-1788-000			3	4		1	12	80 6-14		L23-25	
5027		P	H		5950-080-4458				COIL, RF 0.36 UH INDUCTANCE. 0.08 UH TOL, 81815 PART NO. X520-1,			3	6		1	18	80 6-14		L20-22	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5028	4983	P	H		5950-080-4676						5	REF		REF				80 6-14		L15-19		
5029	4985	P	H		5950-080-2724						2	REF		REF				80 6-14		13, 14		
5030	4906	P	H		5950-809-1239						2	REF		REF				80 6-14		L11,12		
5031	4942	P	H		5950-809-1239						3	REF		REF				80 6-14		L8-10		
5032	4988	P	H		5950-809-1243						1	REF		REF				80 6-14		L7		
5033	4989	P	H		5950-809-1257						2	REF		REF				80 6-14		L 6		
5034		P	H		5950-809-1268						1	5		1	15			80		L4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5035	4992	P	H		5950-080-4678						1	REF					6-14			L3		
5036	4993										1	REF						80 6-14			L2	
5037	4992	P	H		5950-080-4678						1	REF						80 6-14				
5038	4998	P	H		5821-828-0752						2	REF						80 6-14				
5039	4997	P	H		5895-919-9939						1	REF						80 6-14				
5040	4998	P	H		5821-828-0752						28	REF						80 6-14				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5041	196	P	H		5910-811-4986						1	REF		REF			80 6-12		C29		
5042	4964	P	H		5910-080-8786						1	REF		REF			80 6-12		C28		
5043	3602	P	H		5910-957-2054						1	REF		REF			80 6-12		C26		
5044	4966	P	H		5910-723-5272						1	REF		REF			80 6-12		C24		
5045	3603	P	H		5910-838-3171						2	REF		REF			80 6-12		C21, 23		
5046	4967	P	H		5910-828-9914						1	REF		REF			80 6-12		C22		
5047		P	H		5910-838-4242						1	4		1	12		80 6-12		C19		
5048		P	H		5910-842-3332						2	5		1	15		80		C14, 17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5049	3605	P	H		5910-726-3214						2	REF		REF			6-12			C13, 15	
5050	3221	P	H		5910-080-5153						1	REF		REF			80 6-12			C12	
5051	3606	P	H		5910-781-7929						1	REF		REF			80 6-12			C11	
5052	3605	P	H		5910-088-1629						1	REF		REF			80 6-12			C10	
5053	3222	P	H		5910-0808-S75						1	REF		REF			80 6-12			C9	
5054	4977	P	H		5910-814-7929						1	REF		REF			80 6-12			C8	
5055	5004	P	H		5910-804-7560						1	REF		REF			80 6-12			C7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y R E Q U I R E D		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
5056	3610	P	H		5910-617-4365						1	REF		REF			80 6-12		C6		
5057		P	H											1		3	1 6-12	9	80	C5	
5058	5011	P	H		5910-951-3388						1	REF		REF			80 6-12		C4		
5059	566	P	H		5910-081-7433						1	REF		REF			80 6-12		C3		
5060		P	H		5910-827-9776						1	2		1		6	80 6-12		C2		
5061	4995	P	H		5930-991-7110						1	REF		REF			80 6-12				
5062	4998	P	H		5821-828-075						2	REF		REF			80 6-12				
5063	4997	P	H		5895-919-9939						1	REF		REF			80 6-12				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R 1 0 0	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
5064	4998	P	H		5821-828-0752						56	REF		REF			80 6-12				
5065	5026	P	H		5950-994-3309						1	REF		REF			80 6-12		L29		
5066	5027	P	H		5950-080-4458-3309						1	REF		REF			80 6-12		L28		
5067	4983	P	H		5950-080-4676						4	REF		REF			80 6-12		L22-25		
5068		P	H		5950-080-4334						2	2		1	6		80 6-12		L26, 27		
5069	4985	P	H		5950-080-2724						5	REF		REF			80 16-12		L17-21		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R T	11 F I E L D D A Y D E C A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
5070	4986	P	H		5950-809-1239				COIL, RF 0.75 UH INDUCTANCE, 0.2 UH TOL, 81815 PART NO. X517-1. 95104 PART NO. 278-1783-000			2	REF		REF			80 6-12		L15, 16		
5071	4942	P	H		5950-809-1239				COIL, RF 0.93 UH INDUCTANCE. 0.28 UH TOL, 81815 PART NO. X516-1. 95104 PART NO. 278-1782-000			2	REF		REF			80 6-12		L13, 14		
5072	4968	P	H		5950-809-1243				COIL, RF 1.4 UH INDUCTANCE, 0.4 UN TOL; 81815 PART NO. X515-1. 95104 PART NO. 278-1781-000			4	REF		REF			80 6-12		L9-12		
5073	5034	P	H		5950-809-1268				COIL, RF 2.3 UH INDUCTANCE, 0.6 UH TOL, 81815 PART NO. X513-1. 95104 PART NO. 278-1779-000			2	REF		REF			80 6-12		L7, 8		
5074	4990	P	H		5950-811-2569				COIL, RF 2.7 UH INDUCTANCE, 0.8 UH TOL, 81815 PART NO. X511-1. 95104 PART NO. 278-1777-000			1	REF		REF			80 6-12		L6		
5075	4991	P	H		5950-080-4682				COIL, RF 3.5 UH INDUCTANCE, 1 UH TOL, 81815 PART NO. X510-1. 95104 PART NO. 278-1776-000			1	REF		REF			80 6-12		L5		
5076		P	H		5950-994-3308				COIL, RF 6 UH INDUCTANCE, 2.1 UH TOL, 81815 PART NO. X523-1, 95104			1	2		2	6		80 6-12		L4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5077	4993	P	H		5950-080-4681						1	REF		REF			80 6-12		L3	
5078		P	H		5950-991-7100						1	2		1	6		80 6-12		L2	
5079	4995	P	H		5930-991-7110						1	REF		REF			80 6-12			
5080	4998	P	H		5821-828-0752						2	REF		REF			80 6-12			
5081	4997	P	H		5895-919-9939						1	REF		REF			80 6-12			
5082	4998	P	H		5821-828-0752						56	REF		REF			80 6-12			
5083	196	P	H		5910-811-4966						1	REF		REF			80		C28	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5084	4964	P	H		5910-080-8786						1	REF		REF			6-11			C27	
5085	3602 P N				5910-957-2054						1	REF		RF			80 6-11			C25	
5086	4966	P	H		5910-723-5272						1	REF		REF			80 6-11			C24	
5087	3603	P	H		5910-838-3171						2	REF		REF			80 6-11			C21, 23	
5088	4967	P	H		5910-828-9914						1	REF		REF			80 6-11			C22	
5089	5047	P	H		5910-838-4242						1	REF		REF			80 6-11			C19	
5090	5048	P	H		591n-842-3332						2	REF		REF			80 6-11			C14, 17	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		I T E M N U M B E R	
5091	3605	P	H		5910-726-3214						2	REF		REF			80 6-11		C13, 15				
5092	3221	P	H		5910-080-5153						1	REF		REF			80 6-11		C12				
5093	3606	P	H		5910-781-7929						1	REF		REF			80 6-11		11				
5094	3057	P	H		5910-088-1629						1	REF		RE			80 6-11		C10				
5095	3222	P	H		5910-578-5758						1	REF		REF			80 6-11		C9				
5096	4977	P	H		5910-814-0417						1	REF		REF			80 6-11		C8				
5097	5004	P	H		5910-804-7560						1	REF		REF			80 6-11		C7				
5098	3610	P	H		5910-617-4365						1	REF		REF			80 6-11		C6				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5099	5057	P	H		5910-951-6723						1	REF		REF			80 6-11		C5		
5100	5011	P	H		5910-951-3388						1	RE		REF F			80 6-11		C4		
5101	566	P	H		5910-081-7433						1	REF		REF			80 6-11		C3		
5102	5060	P	H		5910-827-9776						1	REF		REF			80 6-11		C2		
5103	4995	P	H		5930-991-7110						1	REF		REF			80 6-11				
5104	4998	P	H		5821-828-0752						2	REF		REF			80 6-11				
5105		P	H		5895-919-9939						1	REF		REF			80 6-11				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S			12 A L L O W E D E Q U I P M E N T			13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y			14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS									
														FIGURE NUMBER	ILLUSTRATIONS												
5106	4998	P	H		5821-828-0752				CONTACT, ELECTRICAL 95104 PART NO. 547-4311-002 COIL ASSEMBLY 548-5829-005			56	REF		REF				80 6-11								
5107		P	H		5910-990-7487				CAPACITOR, FIXED, MICA 18 UUF, 5% TOL, 500 VDCW, 72136 PART NO. DM10E180J, 95104 PART NO. 912-3840-000			1	1		1			3	80 6-11		C30						
5108		P	H		5910-990-7489				CAPACITOR, FIXED MICA 27 UUF, 2%, TOL, 500 VDCW, 72136 PART NO. DM10E270G, 95104 PART NO. 912-3845-000			1	1		1			3	e 6-11		C29						
5109		P	H		5950-828-5333				COIL, RF 95104 PART NO. 546-7076-002			1	1		1			3	80 6-11		L30						
5110		P	H		5950-811-9479				COIL, RF 95104 PART NOD 546-7077-002			1	1		1			3	80 6-11		L31						
5111		P	H		5950-828-5331				COIL, RF 95104 PART NO. 546-74 11-002			1	1		1			3	80 6-11		L32						
5112		P	H		5950-850-1138				COIL, RF 0.15 UH INDUCTANCE. 20% TOL, 96906 PART NO. MS16224-1. 95104 PART NO. 240-1585-000			1	1		1			3	80		L33						
5113	5027	P	H		5950-080-4458				COIL, RF 0.36 UH INDUCTANCE. 0.08 UH TOL, 81815 PART NO. X520-1 95104 PART NO. 278-1786-000			1	REF		REF				80 6-11		L29						
5114	4983	P	H		5950-080-4676				COIL, RF			1	REF		REF				80		L22-28						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM			
5115	4	P	H		5950-080-2724						5	REF		REF			6-11				
																	80			L17-21	
5116	4985	P	H		5950-809-1239						2	REF		REF			80			L15, 16	
																	6-11				
5117	4982	P	H		5950-809-1239						2	REF		REF			80			L13, 14	
																	6-11				
5118	4988	P	H		5950-809-1243						4	REF		REF			80			L9-12	
																	6-11				
5119	5034	P	H		5950-809-1268						2	REF		REF			80			L7, 8	
																	6-11				
5120	4990	P	H		5950-811-2569						1	REF		REF			80			L6	
																	6-11				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
5121	991 F H	5950-080-4682									1	REF		REF				80 6-11		L5		
5122	5076	P H		5950-994-3308							1	REF		REF				80 6-11		L4		
5123	4993	P H		5950-080-4681							1	REF		REF				80 6-11		L3		
5124	5078	P H		5950-991-7100							1	REF		REF				80 6-11		L2		
5125	4995	P H		5930-991-7110							1	REF		REF				80 6-11				
5126	4998	P H		5821-828-0752							2	REF		REF				80 6-11				
5127	4997	P H		5895-919-9939							1	REF		REF				80 6-11				
5128	4998	P H		5821-828-0752							56	REF		REF				80				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5129	72	P	H		5910-660-7430						2	REF		REF			6-11				
																	80 6-6, 7			C129, 163	
5130	2404	P	H		5910-667-6083						1	REF		REF			80 6-6, 7			C155	
5131	4247	P	H		5935-885-6508						2	REF		REF			80 6-6, 7				
5132	37	P	H		5945-869-5925						1	REF		REF			80 6-6, 7			K2	
5133		P	H		5960-083-8546						1	1		1	3		80 6-6,7				
5134		P	H		5950-924-0947						1	1		1	3		80 6-6, 7				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
5135		P	H		5910-688-6457					2	2			1		6	80 6-6, 7		C164, 165		
5136		P	H		5960-557-6118					9	REF		REF				80 6-13		CR3-10, 12		
5137	40	P	H		5930-083-6163					1	1		1		5	80 6-13		S3			
5138		P	H		5930-020-9 554					1	REF		REF				80 6-13		S4		
5139		P	H		5930-083-6160 SWITCH.					1	1		1		5	80 6-13		S1			
5140		P	H		5930-917-2760					1	1		1		5	80 6-13		S6			
5141	2439	P	H		5930-919-7768					1	REF		REF				80 6-13		S5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
5142			P	H	5930-083-6139						1	1			1	51	80		S2 6-13		
5143			P	H	5910-552-9881						1	REF		REF			80 6-13		C113		
5144	4964		P	H	5910-552080-8786						1	REF		REF			80 6-13		C109		
5145	4965		P	H	5910-838-4352						1	REF		REF			80 6-13		C116		
5146	3602		P	H	5910-838-2052						1	REF		REF			80 6-13		C111		
5147	3603		P	H	5910-838-3171						1	REF		REF			80 6-13		C112		
5148	4967		P	H	5910-828-9914						1	REF		REF			80 6-13		C110		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		I T E M N U M B E R	
5149	3604	P	H		5910-828-9918				CAPACITOR, FIXED, MICA 47 UUF, 2%, TOL, 500 VDCW. 81349 PART NO. CM05E470G03. 95104 PART NO. 912-2791-000			1	REF		REF		80 6-13		C114				
5150		P	H		5910-080-2331				CAPACITOR, FIXED, MICA 54 UUF, 2%, TOL, 500 VDCW. 72136 PART NO. DM15E540G500WV. 95104 PART NO. 912-3478-000			1	1		1	3	80 6-13		C119				
5151	5048	P	H		5910-842-3332				CAPACITOR, FIXED, MICA 62 UUF, 2%, TOL, 500 VDCW. 81349 PART NO. CM05E620G03. 95104 PART NO. 912-2800-000			1	REF		REF		80 6-13		C108				
5152		P	H		5910-080-2330				CAPACITOR, FIXED, MICA 1 UUF, 2%, TOL, 500 VDCW, 72136 PART NO. DM15E710G500WV, 95104 PART NO. 912-3479-000			1	1		1	3	80 6-13		C115				
5153		P	H		5910-080-4013				CAPACITOR, FIXED, MICA 79 UUF, 2%, TOL, 500 VDCW. 72136 PART NO. DM15E790G500WV. 95104 PART NO. 912-3480-000			1	1		1	3	80 6-13		C107				
5154	4972	P	H		5910-080-4014				CAPACITOR, FIXED, MICA 89 UUF, 2%, TOL, 500 VDCW. 72136 PART NO. DM15E890G500WV. 95104 PART NO. 912-3481-000			1	REF		REF		80 6-13		C118				
5155	3057	P	H		5910-088-1629				CAPACITOR, FIXED, MICA 100 UUF, 2%, TOL, 500 VDCW. 81349 PART NO. CM05F101G03. 95104 PART NO. 912-2815-000			1	REF		REF		80 6-13		C106				
5156		P	H		5910-080-3688				CAPACITOR, FIXED MICA 114 UUF, 2%, TOL, 500 VDCW, 72136 PART NO.			1	1		1	3	80 6-13		C117				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5157	3613	P	H		5910-755-0029						1	REF		REF			80 6-13		C105		
5158	P	H			5910-080-3689						1	2		2	6		80 6-13		C104		
5159	P	H			5930-083-6165						1	1		1	5		80 6-13		S1		
5160		P	H		5950-987-5394						3	3		1	9		80 6-13		L95, 103, 104		
5161		P	H		5950-067-5689						1	2		2	1		6 80 6-13		L94, 105		
5162		P	H		5950-987-5395						6	6		1	18		80 6-13		L93, 96, 97,		
5163		P	H		5950-987-5396						8	1		24			80 6-13		L91, 92, 98 99, L109-112		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5164		P	H		5950-987-5397						4	4			1	12	80 6-13			
5165		P	H		5950-987-5398						5	5			1	15	80 6-13		L101, 102, 116-118	
5166		P	H		5950-067-4209						1	1			1	3	80			
5167		P	H		5821-019-0024						1	1			1	3	80			
5168	2404	P	H		5910-667-6083						1	REF		REF		80 6-6,7			C45	
5169	4942	P	H		5950-809-1239						1	REF		REF		80 6-6,7			L27	
5170		P	H		5950-538-0590						1	3			2	9	80		L30	
5171		P	H		5895-916-2273						1	2			1	4	80 6-6,7			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS			GS	DM		
5172		P	H		5910-892-7334					1	1			1		3	80 6-6,7		C159	
5173	2404	P	H		5910-667-6083					1	REF			REF			80 6-6,7		C55	
5174	4942	P	H		5950-809-1239					1	REF			REF			80 6-6,7		L32	
5175	5170	P	H		5950-538-0590					1	REF			REF			80 6-6, 7		L31	
5176	5171	P	H		5896-916-2273					1	REF			REF			80 6-6,.7			
5177	2404	P	H		' 5910-667-6083					1	REF			REF			80 6-6,7			
5178	5027	P	H		5950-080-4458					1	REF			REF			80 6-6,7		L15	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5185		P	H		5910-923-9761						8	15		1	45	80 6-6		C3, 5, 21, 22, 24, 25, 27, 36		
5186	3062	P	H		5910-755-9291						1	REF		REF		80 6-6		C174		
5187		P	H		5910-763-9761						1	1		1	3	80 6-6		C8		
5188		P	H		5910-755-9291						3	3		1	9	80 6-5		C74, 89, 93		
5189		P	H		5910-838-3171						1	REF		REF		80 6-6		C20		
5190	3604	P	H		5910-6818-9918						1	REF		REF		80		C75		
5191	3221	P	H		5910-838-3171						2	REF		REF		80 6-6		C9, 160		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5192	3224	P	H		5910-811-4985						1	REF		REF				80 6-6		C30		
5193	2957	P	H		5910-087-0117						1	REF		REF				80 6-6		C7		
5194	1821	P	H		5910-544-6494						10	REF		REF				80 6-6		C11, 23, 3., 90, 91, 148- 152		
5195	597	P	H		5910-821-8310						1	REF		REF				80 6-6		C173		
5196		P	H		5910-649-5141						1	2		1	4			80 6-5		C88		
5197		P	H		5950-067-4211						1	1		1	3			80 6-5				
5198		P	H		5950-060-3087						1	1		1	3			80 6-5		L25		
5199	2708	P	H		5950-812-4422						2	REF		REF				80 6-5		L22, 26		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5200	132	P	H		5950-842-2247						2	REF		REF			80 6-6				
5201		P	H		5935-829-1866						1	1		1		3	80 6-6				
5202		P	H		5950-914-8901						1	1		1		2	80 6-7		L34		
5203	4247	P	H		5935-885-6508						2	REF		REF			80 6-6				
5204	703	P	H		5905-802-6738						2	REF		REF			80 6-6		R1, 8		
5205	802	P	H		5905-195-6791						1	REF		REF			80 6-5		R50		
5206	162	P	H		5905-681-6462						1	REF		REF			80 6-6		R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS			GS	DM	
5207	636	P	H	5905-686-99948					1	REF		REF			80 6-6		R2	
5208	607	P	H	5905-190-8880					1	REF		REF			80 6-6		R44	
5209	637	P	H	5905-726-5343					1	REF		REF			80 6-6		R3	
5210	680	P	H	5905-726-6433					7	REF		REF			80 6-6		R5-7, 10, 12,	
5211	287	P	H	5905-279-1876					1	REF		REF			80 6-7		R52	
5212	2324	P	H	5905-279-1723					1	REF		REF			80 6-5		R45	
5210	609	P	H	5905-195-6502					7	REF		REF			80 6-7		R66	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
5214	681	P	H		5905-682-4098						1	REF		REF			80 6-6		R17	
5215	574	P	H		5905-279-3505						1	REF		REF			80 6-7		R65	
5216	807	P	H		5905-279-3504						2	REF		REF			80 6-6		R42, 43	
5217	174	P	H		5905-577-0935						2	REF		REF			80 6-6		R16	
5218	106	P	H		5905-752-3156						1	REF		REF			80 6-6		R11	
5219	2486	P	H		5905-279-2527						1	REF		REF			80 6-6		R64	
5220	107	P	H		5905-686-3129						1	REF		REF			80		R59	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM	NUMBER																
5221	4186	P	H		5905-688-3475				COMPOSITION 100,000 OHMS, 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF104K 95104 PART NO. 745-0821-000 RESISTOR, FIXED, COMPOSITION, 470,000 OHMS 10% TOL, 1/4 WATT, 81349 PART NO. RC07GF474K, 95104 PART NO. 745-0845-000			1	REF		REF			6-7		R4				
5222		P	H		5905-982-3334				RESISTOR, FIXED, WIRE WOUND. 82 OHMS, 5% TOL, 3 WATTS, 81349 PART NO. RW69V820. 95104 PART NO. 747-5383-000			1	1		1	3	80 6-7		R53					
5223		P	H		5905-577-9825				RESISTOR, FIXED, WIRE WOUND. 900 OHMS, 5% TOL, 3 WATTS, 91637 PART NO. NS2C900ROH. 95104 PART NO. 747-5359-000			1	1		1	3	80 6-6		R41					
5224	38	P	H		5960-617-8804				SEMICONDUCTOR DEVICE, DIODE. 07688 PART NO. 1N645. 95104 PART NO. 353-2607-000			1	REF		REF		80 6-6		CR14					
5225		P	H		5935-703-1980				SOCKET. ELECTRON TUBE 7 CONTACTS. 94991 PART NO. 7470-0231. 95104 PART NO. 220-1334-000			4	6		1	18	80 6-6		XV1, 4, 11, 12					
5226	140	P	H		5935-703-2009				SOCKET. ELECTRON TUBE 9 CONTACTS. 91662 PART NO. 15208C. 95104 PART NO. 220-1337-000			2	REF		REF		80 6-6		XV2, 3					
5227		P	H		5950-084-3394				TRANSFORMER ASSEMBLY 15 MC FREQUENCY.			1	1		1	3	80 6-6		FL1					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5228			P	H	5950-852-7428							1	1		1		3	80 6-5		T4	
5229			P	H	5950-847-2302							1	1		1		3	80 6-5		T3	
5230			P	H	5950-084-3395							2	2		1		3	60 6-6		T1, 6	
5231	4217		P	H	6145-655-2167				FT			2	REF		REF			80 6-5			
5232			P	H	5910-812-7286							1	1		1		3	80 6-5		C76	
5233			P	H	5910-951-8035							1	1		1		3	80 6-5		C82	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y M A I N T E N A N C E		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS	DM	FIGURE	
5234	535	P	H	5910-702-5740				CAPACITOR, FIXED, MICA 18 UUF 10% TOL, 500 VDCW, 81349 PART NO. CM05C180K03 95104 PART NO. 912-2763-000			1	REF		REF		80 6-5		C81			
5235	195	P	H	5910-722-5858				CAPACITOR, FIXED, MICA 20 UUF. 5% TOL, 500 VDCW, 81349 PART NO. CM05E200J03. 95104 PART NO. 912-2765-000			1	REF		REF		80 6-5		C81			
5236		P	H	5910-552-9881				CAPACITOR, FIXED, MICA 22 UUF. 5% TOL, 500 VDCW, 81349 PART NO. CM05F220J03. 95104 PART NO 912-2768-000			1	REF		REF		80 6-5		C81			
5237	196	P	H	5910-811-4966				CAPACITOR, FIXED, MICA 24 UUF 5% TOL, 500 VDCW 81349 PART NO. DM15C240J500V, 95104 PART NO. 912-2771-000			1	REF		REF		80 6-5		C81			
5238	149	P	H	5910-824-8035				CAPACITOR, FIXED, MICA 27 UUF. 5% TOL, 500 VDCW, 81349 PART NO. CM05E270J03. 95104 PART NO. 912-2774-000			1	REF		REF		80 6-5		C81			
5239	195	P	H	5910-722-5858				CAPACITOR, FIXED, MICA 20 UUF. 5% TOL, 500 VDCW, 81349 PART NO. CM05E200J03. 95104 PART NO. 912-2765-000 SELECT C87 AS REQUIRED FROM SEQUENCE NUMBERS 5240 THROUGH 5243 BELOW			2	REF		REF		80 6-5		C78, 84			
5240	4725	P	H	5910-964-6512				CAPACITOR, FIXED, MICA 30 UUF. 5% TOL, 500 VDCW, 81349 PART NO. CM05E300J03. 95104			1	REF		REF		80 6-5		C87			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5241	4223	P	H		5910-088-0281						1	REF		REF				80 6-5		C87			
5242	4224	P	H		5910-964-6511						1	REF		REF				80 6-5		C87			
5243	2400	P	H		5910-088-0283						1	REF		REF				80 6-5		C87			
5244	5047	P	H		5910-838-4242						2	REF		REF				80 6-5		C77, 83			
5245	3610	P	H		5910-617-4365						2	REF		REF				80 6-5		C79, 85			
5246	568	P	H		5910-765-9441						2	REF		REF				80 6-5		C80, 86			
5247	3345	P	H		5910-702-5897						2	REF		REF				80 6-5		VC1, 2			
5248	107	P	H		5905-686-3129						2	REF		REF				80		R46, 47			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5249			P	H	5905-882-0101												6-5				
																	80				
																	6-5				
5250	4217		P	H	6145-655-2167				FT								80				
																	6-7				
5251	5185		P	H	5910-923-9761												80			C37, 50, 52,	
																	6-7			57, 62, 72	
5252	5180		P	H	5910-978-2567												80			C38, 39, 41,	
																	6-7			44, 51, 53,	
																				54, 58, 60,	
																				61, 69-71,	
																				130, 132	
5253	72		P	H	5910-660-7430												80			C48, 67, 145	
																	6-7				
5254	3484		P	H	5910-814-1301												80			C14	
																	6-8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3				DS	GS	
5255	4219	P	H	5910-846-3526						1	REF		REF			80 6-8		C17		
5256	149	P	H	5910-824-8035						1	REF		REF			80 6-7		C40		
5257	3605	P	H	5910-726-3214						1	REF		REF			80 6-7		C65		
5258	5057	P	H	5910-951-6723						1	REF		REF			80 6-8		C18		
5259	3228	P	H	5910-824-9780						1	REF		REF			80 6-8		C12		
5260	3618	P	H	5910-811-4041						1	REF		REF			80 6-8		C15		
5261		P	H	5910-254-5987						1	1		1	3		80 6-7		C64		
5262	2404	P	H	5910-667-6083						4	REF		REF			80 6-7, 8		C13, 16, 19, 66		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5263			P	H	5950-858-1212						1	1				1		3	80 6-8		L16	
5264			P	H	5950-858-1211						2	2				1		6	80 6-8		L9, 12	
5265			P	H	5950-818-3507						3	3				1		9	80 6-8		L4-6	
5266			P	H	5950-083-8541						1	1				1		3	80 6-7		L21	
5267	2708		P	H	5950-812-4422						2	REF			REF			80 6-7			L11, 20	
5268	132		P	H	5950-842-2247						2	REF			REF			80 6-7			L10, 28	
5269			P	H	5950-814-1608						1	1				1		3	80 6-7		L19	
5270	1823		P	H	5950-796-3120						1	REF			REF			80 6-7			L14	
5271	33		P	H	1270-609-8499						6	REF			REF			80				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5272	1701	P	H		5905-279-1734						1	REF		REF			6-7		R35		
5273	703	P	H		5905-802-6738						1	REF		REF			80 6-7		R20		
5274	834	P	H		5905-252-4018						3	REF		REF			80 6-7		R18, 36, 37		
5275	258	P	H		5905-279-1897						1	REF		REF			80 6-7		R30		
5276		P	H		5905-279-2302						1	1		1	3		80 6-7		R56		
5277	704	P	H		5905-683-2235						1	REF		REF			80 6-7		R21		
5278	157	P	H		5905-190-8889						3	REF		REF			80		R31, 38, 39		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5279	850	P	H		5905-252-5434						1	REF						6-7			R32		
5280	633	P	H		5905-727-8001						1	REF						80 6-7			R19		
5281	286	P	H		5905-195-6806						1	REF						80 6-7			R22		
5282	2308	P	H		5905-473-5251						1	REF						80 6-7			R33		
5283	637	P	H		5905-726-5343						2	REF						80 6-7			R25, 26		
5284	679	P	H		5905-299-2046						1	REF						80 6-7			R40		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5285	287	P	H		5905-279-1876						1	REF		REF				80 6-7		R23			
5286	640	P	H		5905-686-9998						1	REF		REF				80 6-7		R34			
5287	640	P	H		5905-752-3156						1	REF		REF				80 6-7		R27			
5288	138	P	H		5905-752-4447						1	REF		REF				80 6-7		R29			
5289		P	H		5905-951-4028						2	2		1	6			80 6-7		R54, 55			
5290	3474	P	H		5905-857-1986						1	REF		REF				80 6-7		R24			
5291	5225	P	H		5935-703-1980						2	REF		REF				80 6-7		XV7, 8			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5292	140	P	H		5935-703-2009						4	REF		REF			80 6-7		XV5, 6, 9, 10	
5293	834	P	H		5905-252-4018						1	REF		REF			80 6-7			
5294		P	H		5950-083-8545						1	1		1		3	80 6-7		T2	
5295		P	H		5935-258-4367						1	1		1		3	80 6-7			
5296		P	H		5950-924-0946						1	1		1		3	80 6-7			
5297	4217	P	H		6145-655-2167				FT		1	REF		REF			80 6-7			
5298	5185	P	H		5910-923-9761						1	REF		REF			80		C43	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
5299			P	H	5910-578-8491							1	1					3	80 6-7	C158		
5300	3068		P	H	5910-825-5288							1	REF		REF				80 6-7	C157		
5301	5196		P	H	5910-649-5141							1	REF		REF				80 6-7	C42		
5302	132		P	H	5950-842-2241							2	REF		REF				80 6-7	L8, 29		
5303			P	H	5935-061-7127							1	2		1				6 80 6-7	P1		
5304	4217		P	H	6145-655-2167					FT		2	REF		REF				80 7-3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5305			P	H	5910-812-2892						3	3			1		9	80 7-3		C101A, B, 134A, B, 143A, B		
5306	72		P	H	5910-660-7430						1	REF		REF				80 7-3		C172		
5307	2546		P	H	5910-838-3166						1	REF		REF				80 7-3		C156		
5308			P	H	5910-649-2919						3	REF		REF				80 7-3		C169-171		
5309	2510		P	H	5950-807-3425						1	REF		REF				80 7-3		L35		
5310	5303		P	H	5935-061-7127						1	REF		REF				80 7-3		P3		
5311	4247		P	H	5935-885-6508						1	REF		REF				80 7-3		P3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS				GS	DM	
5312	37	P	H	5945-869-5925					1	REF		REF			80 7-3		K1		
5313		P	H	5905-682-1249					1	1		1	3		80 7-3		R63		
5314	2429	P	H	5960-284-6516					2	REF		REF			80 7-3		CR11, 13		
5315		P	H	5340-919-9391					1	1		1	1		80 7-3				
5316	4217	P	H	6145-655-2167				FT	5	REF		REF			80 7-3				
5317	4247	P	H	5935-885-6508					1	REF		REF			80 7-3		P3 A9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3					DS	GS				DM	1	
5318		P	H	5935-905-2983					13	139		6	417					XA1-10, 20-22	
5319	529	P	H	5999-995-9553					9	REF		REF						XA11-19	
5320		P	H	5935-892-9850					1	1		1	3					J1	
5321		P	H	5915-914-1771					1	3		1	9					A5	
5322		P	H	5915-914-1769					1	3		1	9					A2	
5323	5333	P	H	5821-767-8510					2	REF		REF							
5324		P	H	5950-068-3983					2	12		1	36	10 2				T1, 2	
5325																			
5326		P	H	5340-914-1780					2	14		1	14						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
		A	B	C	D		1	2	3													
5327		P	H		5910-683-7998						1	7	1		21			C1				
5328		P	H		5925-818-3421						1	7	1		35			CB1				
5329		P	H		5925-859-2854						1	7	1		35			CB2				
5330		P	H		5895-919-6488						1	7	1		14							
5331		P	H		4130-926-4188						1	9	1		27							
5332		P	H		4S40-905-6408						1	7	1		7			HR1				
5333		P	H		5821-767-8510						2	36	3		36							
5334		P	H		5310-684-9756						2	26	2		26							
5335		P	H		5930-905-8319						1	7	1		35			S2				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y E			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5336			P	H	5930-905-2446						1	7			1		35			S1		
5337			P	H	5930-904-8792						1	7			1		35			S3		
5338																						
5339			P	H	5935-905-2988						1	1			1		3					
5340																						
5341																						
5342	1537		P	H	5910-814-5869						2	REF		REF			11 5			C1, 2		
5343			P	H	5970-071-0004						11	1		1031		1031	11 5					
5344	627		P	H	5935-073-3249						8	REF		REF			11 5			J1-8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E D E P O T Q T Y	13 R E B U I L D F O R E Q. R E Q U I R E D Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
5345	631	P	H		5905-683-2243						1	REF		REF			115		R20	
5346	162	P	H		5905-681-6462						2	REF		REF			115		R6, 12	
5347	637	P	H		5905-726-5343						4	REF		REF			115		R1, 3, 7, 9	
5348	680	P	H		5905-726-6433						2	REF		REF			115		R5, 11	
5349	287	P	H		5905-279-1876						5	REF		REF			115		R16, 19, 21,	
5350	574	P	H		5905-279-3505						1	REF		REF			115		R30	
5351	640	P	H		5905-686-9998						1	REF		REF			11		R33	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
5352	642	P	H		5905-686-9997						3	REF						5					
																			115		R13, 15, 28		
5353	1597	P	H		5905-279-3503						1	REF							115		R24		
5354	174	P	H		5905-577-0935						4	REF							115		R23, 27, 29,		
5355	105	P	H		5905-687-0000						2	REF							115		R22, 26		
5356	648	P	H		5905-171-2004						1	REF							115		R34		
5357	710	P	H		5905-682-4222						4	REF							115		R2, 4, 8, 10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5358	3103	P	H		5905-681-8853						2	REF		REF				11 5		R17, 18		
5359		P	H		5905-015-7271						1	34		2	102			11 5		R14		
5360	814	P	H		5960-556-2091						15	REF		REF				11 5		CR1-10, 12, 13, 15, 17, 18		
5361	2649	P	H		5960-060-8379						2	REF		REF				11 5		CR11, 16		
5362	657	P	H		5960-894-0684						1	REF		REF				11 5		CR14		
5363	524	P	H		5960-752-5942						1	REF		REF				11 5		Q1-11		
5364		P	H		5950-926-3162						2	34		2	102			11 5		T1, 2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM	DS		GS	DM														
5365	516	P	H		5905-279-2672						1	REF		REF							R1	
5366	902	P	H		5960-964-5242						2	REF		REF								CR1, 2
5367																						
5368	2548	P	H		5910-820-1358						2	REF		REF					8 4			C4, 10
5369	567	P	H		5910-844-1126						2	REF		REF					8 4			C3, 9
5370		P	H		5910-701-3932						2	18		2		54			8 4			C5, 11
5371	832	P	H		5910-553-5036						6	REF		REF					8 4			C1, 2, 6-8, 12

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5372		P	H		5950-844-930						2	18			2		52	8 4		L2, 4		
5373		P	H		5950-834-9467						2	18			2		54	8 4		L1, 3		
5374	627	P	H		5935-073-3249						4	REF		REF				8 4		J1-4		
5375	3015	P	H		5905-681-8817						2	REF		REF				8 4		R8, 16		
5376	680	P	H		5905-726-6433						2	REF		REF				8 4		R7, 15		
5377	287	P	H		5905-279-1876						2	REF		REF				8 4		R6, 14		
5378	609	P	H		5905-195-6502						2	REF		REF				8 4		R1, 9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
5379	518	P	H		5905-185-8510				RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF103K. 95104 PART NO. 745-1394-000			2	REF		REF			8 4		R5, 13			
5380	519	P	H		5905-279-3502				RESISTOR, FIXED, COMPOSITION, 12,000 OHMS 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF123K. 95104 PART NO. 745-1398-000			2	REF		REF			8 4		R3, 11			
5381	612	P	H		5905-190-8876				RESISTOR, FIXED, COMPOSITION, 15,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF153K, 95104 PART NO. 745-1401-000			2	REF		REF			8 4		R1, 13			
5382	875	P	H		5905-171-1998				RESISTOR, FIXED, COMPOSITION 33,000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF333K. 95104 PART NO. 745-1415-000			2	REF		REF			8 4		R4, 12			
5383	655	P	H		5960-060-7587				SEMICONDUCTOR DEVICE, DIODE. 03877 PART NO. 1N276. 95104 PART NO. 353-2031-000			4	REF		REF			8 4		CR1, 2, 8, 9			
5384	658	P	H		5960-846-4924				SEMICONDUCTOR DEVICE DIODE. 03877 PART NO. 1N816. 95104 PART NO. 353-2564-000			2	REF		REF			8 4		CR3, 10			
5385	902	P	H		5960-964-5242				SEMICONDUCTOR DEVICE, DIODE, 02735 PART NO. 1N325576 95104 PART NO. 353-3276-000			8	REF		REF			8 4		CR4-7, 11-14			
5386	524	P	H		5960-752-5942				SEMICONDUCTOR DEVICE, TRANSISTOR, 93332			4	REF		REF			4		Q1, 2-4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL				
5387			P	H	5960-904-8134						2	18		2		72	8 4			Q3, 6			
5388			P	H	5950-914-6786						2	18		2		54	8 4			T1, 2			
5389			P	H	5910-615-0105							1	14		1	42	6 5			C1			
5390			P	H	5910-808-8146							1	14		1	46	6 5			C1			
5391			P	H	5910-892-2836							1	14		1	42	6 5			C1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5392			P	H	6110-075-5542						1	2		1		6	6 5		FL1		
5393	627		P	H	5935-073-3249						1	REF		REF			6 5		J1		
5394	262		P	H	5905-279-6550						1	REF		REF					R14		
5395			P	H	5905-687-0364						1	18		2		54	6 5		R7		
5396	2731		P	H	5905-577-1869						1	REF		REF			6 5		R9		
5397	1321		P	H	5905-990-5147						1	REF		REF			6 5		R13		
5398	1506		P	H	5905-615-7734						2	REF		REF			6 5		R2, 10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS			GS	DM	
5399	1806	P	H	5905-583-6885					1	REF		REF			65		R4	
5400	2756	P	H	5905-752-3146					2	REF		REF			65		R6, 8	
5401	2759	P	H	5905-542-7644					1	REF		REF			65		R11	
5402	742	P	H	5905-556-3779					1	REF		REF			65		R12	
5403		P	H	5905-539-0793					1	11		3	33		65		R3	
5404	5359	P	H	5905-015-7271					1	REF		REF			65		R5	
5405		P	H	5905-015-7249					1	23		2	69		65		R1	
5406		P	H	5961-914-6752					1	18		2	54		65		CR1	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I A L N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E D Q T Y	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		REFERENCE SYMBOL														
5407	1089	P	H		5960-752-0150						2	REF		REF			6		5	Q1, 2	
5408		P	H		5915-919-3503						1	2		1		6		5		FL1	
5409	627	P	H		5935-073-3249						1	REF		REF			6		5	J1	
5410	262	P	H		5905-279-6550						1	REF		REF			6		5	R14	
5411	5395	P	H		5905-687-0364						1	REF		REF			6		5	R7	
5412	2731	P	H		5905-577-1869						2	REF		REF			6		5	R2, 9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS			GS	DM	
5413	1506	P	H		5905-615-7734					1	REF		REF			6 5		R10	
5414	2756	P	H		5905-752-3146					2	REF		REF			6 5		R6, 8	
5415	2759	P	H		5905-542-7644					1	REF		REF			6 5		R11	
5416	742	P	H		5905-556-3779					1	REF		REF			6 5		R13	
5417	716	P	H		5905-577-7488					1	REF		REF			6 5		R4	
5418	5403	P	H		5905-539-0793					1	REF		REF			6 5		R3	
5419	5359	P	H		5905-015-7271					1	REF		REF			6 5		R5	
5420	5405	P	H		5905-015-7249					2	REF		REF			6 5		R1, 13	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5421	5406	P	H		5961-914-6752						1	REF	REF				6		5	CR1	
5422	1089	P	H		5960-752-0150						2	REF	REF				6			Q1, 2	
5423	887											REF	REF							A20	
5424	899											REF	REF							A1	
5425	622											REF	REF							A1-4	
5426	623											REF	REF								
5427																				A11	
5428	629	P	H		5945-923-8790						4	REF	REF				10		2	K1-4	
5429	902	P	H		5960-964-5242						4	REF	REF				10		2	CR1-4	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
5430					5820-914-8903															A7, 9	
5431			P	H	5820-910-8778 5910-821-4933						4	22		2		66	5	5		C2-5	
5432			P	H	5910-819-7093						1	4		1		12	5	5		C6	
5433	627		P	H	5935-073-3249						2	REF		REF			5	5		J1, 2	
5434			P	H	5905-195-5546						1	4		1		12	5	5		R19	
5435	850		P	H	5905-252-5434						1	REF		REF			5	5		R24	
5436			P	H	5905-279-2642						1	4		1		12	5	5		R1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
5437	2425	P	H		5905-279-2626						1	REF		REF			5		R23	
5438		P	H		5905-299-2050						1	4		1	12		5		R2	
5439	836	P	H		5905-171-1999						1	REF		REF			5		R20	
5440	2145	P	H		5905-195-6806						2	REF		REF			5		R3, 4	
5441	607	P	H		5905-190-8880						1	REF		REF			5		R27	
5442	516	P	H		5905-279-2672						1	REF		REF			5		R18	
5443	2008	P	H		5905-190-8887						1	REF		REF			5		R8	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER		NUMBER		
5444	2326	P	H		5905-279-3506						1	REF						5			R6		
5445		P	H		5905-686-9998						2	8		1		24		55			R10,13		
5446	1965	P	H		5905-279-3504						1	REF						55			R1		
5447	1966	P	H		5905-299-1971						1	REF						55			R7		
5448	2329	P	H		5905-171-1985						1	REF						55			R17		
5449	518	P	H		5905-185-8518						1	REF						55			R14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5450	519	P	H		5905-279-3502						1	REF		REF				5		R2		
5451	2110	P	H		5905-171-2004						1	REF		REF				5		R16		
5452	614	P	H		5905-279-3499						1	4		REF	REF			5		R16		
5453		P	H		5905-688-4447						1	4		1		12		5		R9		
5454		P	H		5905-195-6761						1	4		1		12		5		R12		
5455		P	H		5960-905-9351						1	4		1		12		5		R15		
5456	658	P	H		5960-060-7587						1	REF		REF				5		CR3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
5457	902	P	H		5960-964-5242						2	REF		REF				5		5	CR1, 2		
5458	524	P	H		5960-752-5942						3	REF		REF				5		5	Q1, 2,3		
5459	4394	P	H		5960-842-9773						1	REF		REF				5		5	Q4		
5460	660	P	H		5930-905-8265						1	REF		REF				5		5	S1		
5461	5318	P	H		5935-905-2983						22	REF		REF								A29 XA1-XA22	
5462		P	H		5935-914-6782						1	4		1		12						J1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
5463			P H	5915-926-0080					2	2			1		6		FL2, 5	
5464	5322		P H	5915-914-1769					2	REF			REF				FL2, 5	
5465			P H	5915-914-8941					2	2			1		6		FL2, 5	
5466	503		P H	5915-914-8968					2	REF			REF				FL2, 5	
5467			P H	5914-914-8938					2	2			1		6		FL7, 10	
5468			P H	5915-921-0543					2	2			1		6		FL7, 10	
5469	5321		P H	5915-914-1771					2	REF			REF				FL7, 10	

1 S E Q U E N C E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS				GS	DM	
5470		P	H	5915-914-8917						2	2			1	6			FL7, 10		
5472		P	H	5915-914-8936						2	2			1	6			FL7, 10		
5473		P	H	5915-939-5740						2	2			1	6			FL7, 10		
5473		P	H	5915-999-5216						2	2			1	6			FL7, 10		
5474		P	H	5915-900-5933						2	2			2	6			FL7, 10		
5475		P	H	5915-926-2435						2	2			2	6			FL7, 10		
5476		P	H	5915-914-8834						2	2			1	6			FL7, 10		
5477		P	H	5915-921-0544						2	2			1	6			FL7, 10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5478	504	P	H		5915-919-8676						2	REF		REF							FL7, 10	
5479	2419	P	H		5310-843-7628						3	REF		REF								
5480	5333	P	H		5821-767-8510						3	REF		REF								
5481	5324	P	H		5950-068-3983						2	REF		REF								T1, 2
5482	5325												REF		REF							
5483	889	P	H		9330-542-5848						1	REF		REF								
5484	5340												REF		REF							A3, 8, 11 19 A23, 24

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
5485	629	P	H		5945-923-8790						3	REF		REF						K1-3
5486	902	P	H								3	REF		REF						CR1-3
5487	5367											REF		REF						
5488	622											REF		REF						
																				A31
5489	5318	P	H		5935-905-2983						19	REF		REF						XA1-16, 20-22
5490	529	P	H		5935-995-9553						3	REF		REF						XA17-19
5491		P	H		5935-914-6783						1	4		1		12				J1
5492	5325											REF		REF						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS	DM									
5493	5338											REF		REF											
																									A2
5494	5389	P	H		5999-615-0105						1	REF		REF					65					C1	
																									SELECT C1 AS REQUIRED FROM SEQUENCE NUMBERS 5495 THROUGH 5496 BELOW
5495	5390	P	H		5510-808-8146						1	REF		REF					65					C1	
5496	5391	P	H		5910-892-2836						1	REF		REF					65					C1	
5497		P	H		5915-914-8768						1	1		1					365					FL1	
5498		P	H		5915-915-5755						1	1		1					36					FL1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5499	627	P	H		5935-073-3249						1	REF		REF			6		J1		
5500	262	P	H		5905-279-6550						1	REF		REF			6		R14		
5501	5395	P	H		5905-687-0364						1	REF		REF			6		R7		
5502	2731	P	H		5905-577-1869						1	REF		REF			6		R9		
5503	1321	P	H		5905-990-5147						1	REF		REF			6		R13		
5504	1506	P	H		5905-615-7734						2	REF		REF			6		R2, 10		
5505	1806	P	H		5905-583-6885						1	REF		REF			6		R4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E R I A L I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y M A I N T E N A N C E P E R I O D			12 E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
5506	2756	P	H	5905-752-3146				RESISTOR, FIXED, FILM 3480 OHMS, 1% TOL 1/2 WATT, 81349 PART NO. RN6503481F. 95104 PART NO. 705-7 122-000			2	REF		REF			6 5		R6, 8			
5507	2759	P	H	5905-542-7644				RESISTOR, FIXED, FILM 3830 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. R65B3831F, 95104 PART NO. 705-7124-000			1	REF		REF			6 5		R11			
5508	742	P	H	5905-556-3779				RESISTOR, FIXED, FILM 10,000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D1002F, 95104 PART NO. 705-7144-000			1	REF		REF			6 5		R12			
5509	5403	P	H	5905-539-0793				RESISTOR, FIXED, FILM 909,000 OHMS, 1% TOL. 1/2 WATT, RN65D9093F. 95104 PART NO. 705-7238-000			1	REF		REF			6 5		R3			
5510	5359	P	H	5905-015-7271				RESISTOR, VARIABLE, CERMET, 10,000 OHMS, 10% TOL, 1 WATT, 73138 PART NO. 55PR10K, 95104 PART NO. 380-3590-000			1	REF		REF			6		R5			
5511	5405	P	H	5905-015-7249				RESISTOR, VARIABLE, COMPOSITION, 5000 OHMS, 10% TOL, 1 WATT, 73138 PART NO. 5SPR5K, 95104 PART NO. 380-3589-000			1	REF		REF			6 5		R1			
5512	5406	P	H	5961-914-6752				SEMICONDUCTOR DEVICE, DIODE, 13327 PART NO. 1R15B 95104 PART NO. 353-6384-000			1	REF		REF			6 5		CR1			
5513	1089	P	H	5960-752-0150				SEMICONDUCTOR DEVICE,			2	REF		REF			6		Q1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5514	5389	P	H		5910-615-0105						1	REF		REF				5		A4		
5515	5390	P	H		5910-808-8146						1	REF		REF				6 5		C1		
5516	5391	P	H		5910-892-2836						1	REF		REF				6 5		C1		
5517		P	H		5915-914-8860						1	1		1				3 6 5		FL1		
5518					5915-937-3032						1	1		1				3 6 5		FL1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
5519	627	P	H		5910-073-349							REF		REF				6		R7			
																		5					
5520	262	P	H		5905-279-6550						2	REF		REF				6		R14			
																		5					
5521	5395	P	H		5905-687-0364						1	REF		REF				6		R7			
																		5					
5522	2731	P	H		5910-577-1869						2	REF		REF				6		R2, 9			
																		5					
5523	1321	P	H		5905-990-5147						1	REF		REF						R4			
5524	1506	P	H		5910-615-7734						2	REF		REF						R2, 10			
5525	1806	P	H		5905-583-6885						1	REF		REF				6		R4			
																		5					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y M A I N T E N A N C E P E R		12 E Q U I P M E N T R E Q U I R E D F O R E Q. D E P O T Q T Y	13 R E B U I L D F O R E Q.	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R R E F E R E N C E S Y M B O L
		DS	GS		DM															
552	2756	P	H	5905-752-3146						2	REF		REF			6 5		R6, 8		
5527	2759	P	H	5905-542-7644						1	REF		REF			6 5		R11		
5528	742	P	H	5905-556-3779						1	REF		REF			6 5		R12		
5529		P	H	5905-542-7750				1		1	1		3			6 5		R4		
5530	5403	P	H	5905-539-0793						1	REF		REF			6 5		R3		
5531	5359	P	H	5905-015-7271						1	REF		REF			6 5		R5		
5532		P	H	5905-916-2342						1	1		1	3		6 5		R5		
5533	5405	P	H	5905-015-7249						2	REF		REF			6 5		R1, 13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5534	5406	P	H		5961-914-6752						1	REF		REF			6 5		CR1		
5535	1089	P	H		5960-752-0150						2	REF		REF			6 5		Q1, 2		
5536	5389	P	H		5910-615-0105						1	REF		REF			6 5		A6 C1		
5537	5390	P	H		5910-808-8146						1	REF		REF			6 5		C1		
5538	5391	P	H		5910-892-2836						1	REF		REF			6 5		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5539			P	H	5914-914-8803						1	1				1		3	6 5		FL1		
5540			P	H	5915-999-0841						1	1				1		3	6 5		FL1		
5541	627		P	H	5935-073-3249						1	REF			REF			6 5			J1		
5542	5359		P	H	5905-015-7271						1	REF			REF			6 5			R5		
5543	262		P	H	5905-279-6550						1	REF			REF			6 5			R14		
5544	5395		P	H	5905-687-0364						1	REF			REF			6 5			R7		
5545	2731		P	H	5905-577-1869						1	REF			REF			6 5			R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3			DS	GS	DM	FIGURE	
5546	1321	P	H	5905-990-5147			RESISTOR, FIXED, FILM 1620 OHMS, 1% TOL. 112 WATT, 81349 PART NO. RN6SD1621F, 95104 PART NO. 705-7106-000			1	REF		REF			6 5			R13		
5547	1506	P	H	5905-615-7734			RESISTOR, FIXED, FILM 1960 OHMS, 1% TOL. 112 WATT, 81349 PART ND, RN6SD1961F, 95104 PART NO. 705-7110-000			2	REF		REF			6 5			R2, 10		
5548	1806	P	H	5905-583-6885			RESISTOR, FIXED, FILM 2610 OHMS, 1% TOL. 112 WATT, 81349 PART NO. RN65D2611F, 95104 PART NO. 705-7116-000			1	REF		REF			6 5			R4		
5549	2756	P	H	5905-752-3146			RESISTOR, FIXED, FILM 3480 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D3481F, 95104 PART NO. 705-7122-000			1	REF		REF			6 5			R6, 8		
5550	2759	P	H	5905-542-7644			RESISTOR, FIXED, FILM 3830 OHMS .1% TOL. 1/2 WATT, 81349 PART NO. RN6503831F, 95104 PART NO. 705-7124-000			1	REF		REF			6 5			R5		
5551	742	P	H	5905-556-3779			RESISTOR, FIXED, FILM 10,000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D1002F, 95104 PART NO. 705-7144-000			1	REF		REF			6 5			R1		
5552	5703	P	H	5905-539-0793			RESISTOR, FIXED, FILM 909,000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D9093F, 95104 PART NO. 705-7238-000			1	REF		REF			6 5			R3		
5553	5405	P	H	5905-015-7249			RESISTOR, VARIABLE, COMPOSITION, 5000 OHMS 10% TOL, 1 WATT, 73138 PART NO.			1	REF		REF			6 5			R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE NUMBER	
5554	5406	P	H		5964-914-6752						1	REF		REF			65		CR1		
5555	1089	P	H		5960-752-0150						2	REF		REF			65		Q1, 2		
5556	5389	P	H		5910-615-0105						1	REF		REF			65		A8 C1		
5557	5390	P	H		5910-808-8146						1	REF		REF			65		C1		
5558	5391	P	H		5910-892-2836						1	REF		REF			65		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS	DM	FIGURE	
5599		P	H	5915-941-5510					1	1		1		3	6 5		FL1			
5560		P	H	5915-907-0796					1	1		1		3	6 5		FL1			
5561	627	P	H	5935-073-3249					1	REF		REF			6 5		J2			
5562	262	P	H	5905-279-6550					1	REF		REF			6 5		R14			
5563	5395	P	H	5905-687-0364					1	REF		REF			6		R7			
5564	2731	P	H	5905-990-5147					2	REF		REF			6 5		R2, 9			
5565	1321	P	H	5905-577-0579					1	REF		REF			6 5		R13			
5566	1506	P	H	5905-615-7734					2	REF		REF			6 5		R2, 10			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5567	1806	P	H		5905-583-6885						1	REF		REF				6			R4		
5568	2756	P	H		5905-752-3146						2	REF		REF				6			R6, 8		
5589	2759	P	H		5905-542-7644						1	REF		REF				6			R11		
5570	742	P	H		5905-556-3779						1	REF		REF				6			R12		
5571	716	P	H		5905-577-7488						1	REF		REF				6			R4		
5572	5403	P	H		5905-539-0793						1	REF		REF				6			R3		
5573	5359	P	H		5905-015-7271						1	REF		REF				6			R5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS				DM	ITEM N U M B E R	
5574	5405	P	H		5905-015-7249				RESISTOR, VARIABLE, COMPOSITION, 5000 OHMS, 10% TOL, 1 WATT, 73138 PART NO. 55PRSK, 95104 PART NO. 380-3589-000			2	REF		REF		6 5		R1, 13		
5575	5406	P	H		5961-914-6752				SEMICONDUCTOR DEVICE, DIODE, 13327 PART NO. 1R158, 95104 PART NO. 353-6384-000			1	REF		REF		6 5		CR1		
5576	1089	P	H		5960-752-0150				SEMICONDUCTOR DEVICE, TRANSISTOR, 06228 PART NO. 2N697, 95104 PART NO. 352-0197-000			2	REF		REF		6 5		Q1, 2		
5577	5389	P	H		5910-615-0105				NETWORK, TRANSMITTER 515-6255-002										A10		
5577	5389	P	H		5910-615-0105				NETWORK, TRANSMITTER 515-6255-001			1	REF		REF		6 5		C1		
5578	5390	P	H		5910-808-8146				CAPACITOR, FIXED, CERAMIC, 100 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CC30UJ101G 95104 PART NO. 916-4058-000 SELECT C1 AS REQUIRED FROM SEQUENCE NUMBERS 5578 THROUGH 5579 BELOW			1	REF		REF		6 5		C1		
5579	5391	P	H		5910-892-2836				CAPACITOR, FIXED, CERAMIC, 300 UUF, 1%			1	REF		REF		6 5		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5580	5392	P	H		6110-075-5542						1	REF		REF			6			FL1	
5581		P	H		5915-926-0086						1	1		1		3	6			FL1	
5582	627	P	H		5935-073-3249						1	REF		REF		6	J1				
5583	5359	P	H		5905-015-7271						1	REF		REF		6				R5	
5584	262	P	H		5905-279-6550						1	REF		REF		6				R14	
5585	5395	P	H		5905-687-0364						1	REF		REF		6				R7	
5586	2731	P	H		5905-577-1869				5		1	REF		REF		6				R9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER		ITEM NUMBER		
5587	1321	P	H		5905-99O:5147						1	REF		REF			65		R13		
5588	1506	P	H		5910-615-7734						2	REF		REF			65		R2, 10		
5589	1806	P	H		5905-583-6885						1	REF		REF			65		R4		
5590	2756	P	H		5905-752-3146						2	REF		REF			65		R6, 8		
5591	2759	P	H		5905-542-7644						1	REF		REF			65		R11		
5592	742	P	H		5905-556-3779						1	REF		REF			65		R2		
5593	5403	P	H		5905-539-0793						1	REF		REF			65		R3		
5594	5405	P	H		5905-015-7249						1	REF		REF			6		R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
5600	5408	P	H		5915-919-3503						1	REF		REF			6		FL1		
5601		P	H		5915-999-7346			5			1	1		1		3	6		FL1		
5602	627	P	H		5935-073-3249			5			1	REF		REF			6		J1		
5603	5359	P	H		5905-015-7271			5			1	REF		REF			6		R5		
5604	262	P	H		5905-279-6550			5			1	REF		REF			6		R14		
5605	5395	P	H		5905-687-0364			5			1	REF		REF			6		R7		
5606	2731	P	H		5905-577-1869			5			2	REF		REF			6		R2, 9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L		
5607	1321	P	H	5905-990-5147			RESISTOR, FIXED, FILM 1620 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN6SD1621F, 95104 PART NO. 705-7106-000			1	REF		REF				6 5		R13			
5608	1506	P	H	5910-615-7734			RESISTOR, FIXED, FILM 1960 OHMS, 1% TOL 1/2 WATT, 81349 PART NO. RN6581961F, 95104 PART NO. 705-7110-000			1	REF		REF				6 5		R2, 10			
5609	1806	P	H	5905-583-6885			RESISTOR, FIXED, FILM 2610 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN6582611F, 95104 PART NO. 705-7116-000			1	REF		REF				6 5		R4			
5610	2756	P	H	5905-752-3146			RESISTOR, FIXED, FILM 3480 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D3481F, 95104 PART NO. 705-7122-000			2	REF		REF				6 5		R6, 8			
5611	2759	P	H	5905-542-7644			RESISTOR, FIXED, FILM 3830 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D3831F, 95104 PART NO. 705-7124-000			1	REF		REF				6 5		R11			
5612	742	P	H	5905-556-3779			RESISTOR, FIXED, FILM 10,000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN6SD1002F, 95104 PART NO. 705-7144-000			1	REF		REF				6 5		R12			
5613	716	P	H	5905-577-7488			RESISTOR, FIXED, FILM 14,700 OHMS, 1% TOL 1/2 WATT, 81349 PART NO. RN65D3832F, 95104 PART NO. 705-7152-000			1	REF		REF				6 5		R4			
5614	5403	P	H	5905-539-0793			RESISTOR, FIXED, FILM 909,000 OHMS, 1% TOL. 1/2 WATT, 81349 PART			1	REF		REF				6 5		R3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
5615	5405	P	H		5905-015-7249						2	REF	REF					6 5		R13			
5616	5406	P	H		5961-914-6752						1	REF	REF					6 5		CR1			
5617	1089	P	H		5960-752-0150						2	REF	REF					6 5		Q1, 2			
5618	5389	P	H		5910-615-0105						1	REF	REF					6 5		A14 C1			
5619	5390	P	H		5910-808-8146						1	REF	REF					6 5		C1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D B A C K C O D E	5 D E S I G N A T I O N N U M B E R	6 M O D E L N U M B E R	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS								DM	FIGURE	ITEM	NUMBER						
5620	5391	P	H						1	REF		REF					6		C1	
					5910-892-2836												5			
5621		P	H						1	1		1	3	6			5		FL1	
					5915-925-5992															
5622		P	H						1	1		1	3	6			5		FL1	
					5915-915-8840															
5623	627	P	H						1	REF		REF		6			5		J1	
					5935-073-3249															
5624	262	P	H						1	REF		REF		6			5		R14	
					5905-279-6550															
5625	5395	P	H						1	REF		REF		6			5		R7	
					5905-687-0364															
5626	2731	P	H						1	REF		REF		6			5		R9	
					5905-577-1869															
5627	1321	P	H						1	REF		REF		6			5		R13	
					5905-990-5147															

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5628	1506	P	H		5905-615-7734						2	REF		REF				6		R2, 10		
5629	1806	P	H		5905-583-6885						1	REF		REF				6		R4		
5630	2756	P	H		5905-752-3146						2	REF		REF				6		R6, 8		
5631	2759	P	H		5905-542-7644						1	REF		REF				6		R11		
5632	742	P	H		5905-556-3779						1	REF		REF				6		R12		
5633	5403	P	H		5905-539-0793						1	REF		REF				6		R3		
5634	5359	P	H		5905-015-7271						1	REF		REF				6		R5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS				GS	DM	
5635	5405	P	H	5905-015-7249			RESISTOR, VARIABLE COMPOSITION, 5000 OHMS, 10% TOL, 1 WATT, 73138 PART NO. 55PR5K, 95104 PART NO. 380-3589-000			1	REF				REF	6 5		R1		
5636	5406	P	H	5961-914-6752			SEMICONDUCTOR DEVICE DIODE, 13327 PART NO. IR15B, 95104 PART NO. 253-6384-000			1	REF				REF	6		CRI		
5637	1089	P	H	5960-752-0150			SEMICONDUCTOR DEVICE, TRANSISTOR, 06228 PART NO. 2N697, 95104 PART NO. 352-0197-000 NETWORK, TRANSMITTER 515-6248-002 NETWORK, TRANSMITTER 515-6248-001			2	REF				REF	6 5		Q1, 2 A16		
5638	5389	P	H	5910-8925-0105			CAPACITOR, FIXED, CERAMIC, 100 UUF 2% TOL, 500 VDCW, 81349 PART NO. CC30UJ101G 95104 PART NO. 916-4058-000 SELECT C1 AS REQUIRED FROM SEQUENCE NUMBERS 5639 THROUGH 5640 BELOW			1	REF		REF			6 5		C1		
5639	5390	P	H	5910-808-8146			CAPACITOR FIXED CERAMIC: 200 UUF, 2% TOL, 500 VDCW, 81349 PART NO. CC32UJ201G 95104 PART NO. 916-7347-000			1	REF		REF			6 5		C1		
5640	5391	P	H	5910-892-2836			CAPACITOR, FIXED,			1	REF		REF			6		C1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		REFERENCE SYMBOL															
5641			P	H	5915-939-7494				CERAMIC, 300 UUF, 1% TOL, 500 VDCW9 81349 PART NO. CC32UJ301F, 95104 PART NO. 916-7360-000			1	1		1		3	6		FL1		
5642			P	H	5915-999-2071				FILTER, BAND PASS 935 CPS CENTER FREQUENCY, 07388 PART NO. 13968, 95104 PART NO. 673-1052-000			1	1		1		3	6		FL1		
5643	627		P	H	5935-073-3249				JACK, TIP WHITE, 00779 PART NO. 2-582120-9, 95104 PART NO. 360-0276-000			1	REF		REF		6	5		J1		
5644	262		P	H	5905-279-6550				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF391K, 95104 PART NO. 745-1335-000			1	REF		REF		6	5		R14		
5645	5395		P	H	5905-687-0364				RESISTOR, FIXED, FILM 215 OHMS, 1 TOL, 1/2 WATT, 81349 PART NO. RN65D2150F, 95104 PART NO. 705-7064-000			1	REF		REF		6	5		R7		
5646	2731		P	H	5905-577-1869				RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN6SD1001F, 95104 PART NO. 705-7096-000			1	REF		REF		6	5		R9		
5647	1321		P	H	5905-990-5147				RESISTOR, FIXED, FILM 1620 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D1621F, 95104			1	REF		REF		6	5		R13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
5648	1506	P	H		5905-615-7734						2	REF		REF				6 5		R2, 10			
5649	1806	P	H		5905-583-6885						1	REF		REF				6 5		R4			
5650	2756	P	H		5905-752-3146						2	REF		REF				6 5		R6, 8			
5651	2759	P	H		5905-542-7644						1	REF		REF				6 5		R11			
5652	742	P	H		5905-556-3779						1	REF		REF				6 5		R12			
5653	5403	P	H		5905-539-0793						1	REF		REF				6 5		R3			
5654	5359	P	H		5905-015-7271						1	REF		REF				6 5		R5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS	DM						
		ILLUSTRATIONS																			
5655	5405	P	H	5905-015-7249						1	REF		REF					6 5		R1	
5656	5406	P	H	5961-914-6752						1	REF		REF					6 5		CR1	
5657	1089	P	H	5960-752-0150						2	REF		REF					6 5		Q1, 2	
5658	887	P	H										REF		REF					A20	
5659	899	P	H										REF		REF					A1	
5660	5427	P	H										REF		REF					A17	
5661	5430	P	H	5820-914-8903									REF		REF					A1, 3, 5, 7, 9, 11, 13, 15	
5662		P	H																	A7	
5663		P	H	5935-921-5540						1	1		1		5						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
5664			P	H	5935-930-1944						1	1			1		5						
5665			P	H	5815-919-3501						1	1			1		5						
5666			P	H																			
5667			P	H	5935-882-2046						3	6			1		18						
5668	5666		P	H									REF		REF								
5669			P	H	5935-879-1537						1	1			1		3	56 3		A2 J2			
5670			P	H	5935-850-5644						1	1			1		3	56 3		J1			
5671			P	H	5815-919-3500						1	3			1		6	56 3					
5672			P	H	5920-995-6079					20	50				3		2500	56 3		F41-60			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5673			P	H	5920-877-5303						40	100		2		5000		563		F1-40		
5674	2162		P	H	5920-905-1508						60	REF		REF				563		XF1-60		
5675	981		P	H	6240-059-5349						1	REF		REF				563				
5676			P	H	5945-923-8762						2	10		2		30		563		K1, 2		
5677			P	H	5905-975-1160						3	6		1		18		563		R1, 2, 3		
5678			P	H	5340-919-9949						2	6		1		18		563				
5679			P	H	5930-919-7637						1	6		1		30		563		S1		
5680	885		P	H	5935-647-3503						1	REF		REF				583		A1 J3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5681			P	H	5935-811-5689						1	1			1		3	583	J1		
5682	5671		P	H	5815-919-3500						1	REF		REF				583			
5683			P	H	5920-857-8933				18		28			2	1440			583	F31-48		
5684			P	H	5920-975-1976						11	11		1	550			583	F49-59		
5685	2161		P	H	5920-857-8417						27	REF		REF				583	F1, 2, 7-30. 60		
5686			P	H	5920-857-8418						4	14		1	700			583	F3-6		
5687	2162		P	H	5920-905-1508						60	REF		REF				583	XF1-60		
5688	981		P	H	6240-059-5349						1	REF		REF				583			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
5689	2166	P	H		5945-923-8762				PART NO. 262-1106-000 RELAY			2	REF		REF			58		K1, 2		
5690		P	H		5905-927-3536				01526 PART NO. 3S2791GC310AW21 RESISTOR, FIXED WIRE WOUND, 4 OHMS, 5% TOL, 11 WATTS, 91637 PART NO. HL114-5PCT, 95104 PART NO. 746-6032-000			2	2		2		6	58		R1, 2		
5691	567	P	H		5340-919-9949				746-6032-000 RETAINER, FUSE			2	REF		REF			58				
5692		P	H		5960-834-4937				95104 PART NO. B8003 SEMICONDUCTOR DEVICE, DIODE 04713 PART NO.			2	2		1		6	58		CR1, 2		
5693	2171	P	H		5930-919-7637				DIODE 04713 PART NO. SWITCH, PUSH BUTTON 97564 PART NO. 001049DL141W4R 130 VAC DC FUSE PANEL D8000-2			1	REF		REF			58		S1		
5694		P	H		5935-727-5927				001049DL141W4R 130 VAC DC FUSE PANEL D8000-2 CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PT2A14-19PX.			1	1		1		3	57		J3		
5695		P	H		5935-850-7304				95104 PART NO. 371-2053-000 CONNECTOR, ELECTRICAL 61 PINS, 77820 PART NO. PT02A24-61SX, 95104 PART NO.			1	1		1		3	57		J1		
5696		P	H		5935-850-7303				371-6046-000 CONNECTOR, ELECTRICAL 61 PINS, 77820 PART . NO. PTO2A24-61SY, 95104 PART NO. 371-6047-000			1	1		1		3	57		J2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5697	5671	P	H		5815-919-3500						1	REF		REF				57 3				
5698	5673	P	H		5920-877-5303						60	REF		REF				57 3	F1-60			
5699	2162	P	H		5920-905-1508						60	REF		REF				57 3	XF1-60			
5700	981	P	H		6240-059-5349						1	REF		REF				57 3				
5701	2166	P	H		5945-923-8762						2	REF		REF				57 3	K1, 2			
5702		P	H		5905-975-1160						3	6		2	18			57 3	R1-3			
5703	2171	P	H		5930-919-7637						1	REF		REF				57 3	S1			
5704		P	H		5925-682-0136						8	10		3	50				CB3-10			
5705		P	H		5925-729-9858						2	2		1	10				CB1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L			
		A	B	C	D		1	2	3						DS	GS				DM	54 5		54 5	54 5	54 5
5706			P	H	5935-191-4263				CURVE4 CONNECTOR, ELECTRICAL 2 PINS, 96906 PART NO. MS3102A22-1P. 95104 PART NO. 357-3026-000			1	1		1		3								
5707			P	H	5935-283-2879				CONNECTOR, ELECTRICAL 24 PINS, 96906 PART NO. MS310224-28S. 95104 PART NO. 357-2012-000 PANEL, CRYPTOGRAPHIC CONTROL 515-6849-001			1	2		1		6		J2						
5708			P	H	6350-914-7380				BELL 19557 PART NO. 13-1-24VDC			1	4		2		16	54 5	DS1						
5709	1255		P	H	5935-811-9206				CONNECTOR, ELECTRICAL 77820 PART NO. PT02A14-18P			1	REF		REF			54 5	J45						
5710			P	H	5935-647-3519				CONNECTOR, ELECTRICAL 4 PINS, 77820 PART NO. PTO2A8-4P, 95104 PART NO. 371-6105-000			1	1		1		3	54 5	J44						
5711	1113		P	H	5935-617-5387				CONNECTOR, ELECTRICAL 41 PINS, 77820 PART NO. PTO2A20-41P. 95104 PART NO. 371-2126-000			1	REF		REF			54 5	J43						
5712			P	H	5920-227-9142				FUSE, CARTRIDGE 1/4-AMP, 250 VAC, 71400 PART NO. MDL1-4, 95104 PART NO. 264-0291-000			1	4		1		200	54 5	F1						
5713			P	H	5920-356-2193				FUSE, CARTRIDGE 1/2-AMP, 250 VAC,			1	4		1		200	54 5	F2						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5714			P	H	5920-846-3685						1	1		1		3	54 5		XF1		
5715			P	H	5920-958-7515						1	5		2		15	54 5		XF2		
5716	952		P	H	5355-959-3161						1	REF		REF			54 5				
5717	1045		P	H	5355-813-2078						2	REF		REF			54 5				
5718			P	H	6625-920-2257						1	1		1		3	54 5		M1		
5719	173		P	H	5945-965-8786						1	REF		REF			54 5		K10		
5720	173		P	H	5945-965-8786						3	REF		REF			54 5		K7-9		
5721			P	H	5945-923-8767						6	2		1		6	54 5		K1-6		
5722	964		P	H	5905-053-9482						2	REF		REF			54 5		R13, 14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
5723	966	P	H		5935-838-0680						6	REF		REF			54 5		XK1-6		
5724		P	H		5930-919-6481						1	1		1		5	54 5		S2		
5725		P	H		5930-919-7070						1	1		1		5					
5726		P	H		5950-583-1715						1	12		2		36	54 5		T1		
5727		P	H		5935-815-4721						14	14		1		42	54 5		J1-14		
5728		P	H		5935-617-9945						28	28		2		84	54 5		J15-42		
5729	950	P	H		5910-820-2223						3	REF		REF			54 5		C1, 3, 5		
5730	956	P	H		5905-279-2643						3	REF		REF			54		R8, 10, 12		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
5731	286	P	H		5905-195-6806				COMPOSITION 100 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC20GF101K, 95104 PART NO. 745-3310-000 RESISTOR, FIXED			3	REF		REF			5		R1, 3, 5		
5732									COMPOSITION, 1000 OHMS 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000 SEMICONDUCTOR DEVICE, DIODE, 02735 PART NO. IN3254			14	546		10	1092		54 5		CR1-14		
5733	921				5960-082-3988				TERMINAL BOARD ASSEMBLY 515-6849-013 SEMICONDUCTOR DEVICE, DIODE, 02735 PART NO. IN3254, 95104 PART NO. 353-3275-000			4	REF		REF			54 5		TB2 CR1-4		
5734	950	P	H		5910-820-2223				TERMINAL BOARD ASSEMBLY 515-6849-014 CAPACITOR, FIXED, CERAMIC, 100.000 UUF. PLUS 50% MINUS 20X. 400 VDCW, 01939 PART , NO. 41095, 95104 PART NO. 913-3737-000			3	REF		REF			54 5		C2, 4, 6		
5735	956	P	H		5905-279-2643				RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC20GF101K, 95104 PART NO. 745-3310-000			3	REF		REF			54 5		R7, 9, 11		
5736	286	P	H		5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000			3	REF		REF			54 5		R2, 4 6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
5746	961	P	H		6240-059-5349						1	REF		REF			4	554	DS1	
5747	5334	P	H		5310-684-9756						8	REF		REF			554			
5748		P	H		5945-914-1786						2	2		1	6		554		K1, 2	
5749	2171	P	H		5930-919-7637						1	REF		REF			554			
5750	5726	P	H		5950-583-1715							REF		REF			554		T 1	
5751		P	H		5905-195-6449						2	2		1	6		554		R3, 4	
5752	1885	P	H		5905-975-1134						1	REF		REF			554		R5	
5753		P	H		5905-855-2544						2	2		1	6		554		R1, 2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
5754	921	P	H		5960-082-3988						3	REF		REF				55 4		CR1-3			
5755	2168	P	H		5960-841-8940						4	REF		REF				55 4		CR4-7			
5756	959	P	H		5905-763-6661						1	REF		REF						A9 R1			
5757		P	H		5935-914-1798						1	1		1				3					
5758		P	H		5935-801-4378						1	2		1				6		P7			
5759		P	H		5935-782-6902						2	2		1				6		P1			
5760		P	H		5935-921-5631						1	3		1				9		P1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ITEM NUMBER	
5761		P	H		5935-681-4449						1	1		1		3			P3		
5762		P	H		5935-201-922						1	1		1		3			P1		
5763		P	H		5935-646-5692						1	1		1		3			3P4		
5764		P	H		5935-553-2964						1	1		1		3			3P1		
5765		P	H		5935-685-9373						1	1		1		3			3P6		
5766		P	H		5935-944-4717						1	1		1		3			P2		
5767		P	H		5935-549-3515						1	1		1		3			P1		
5768		P	H		5935-660-4110						1	1		1		3			P1		
5769		P	H		5935-201-6422						1	1		1		3			3P2		
5770		P	H		5935-500-7676						1	1		1		3			3P5		
5771		P	H		5935-201-2661						1	1		1		3			3P3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15	16	17	18		19	20	21						22								
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
5772		P	H		5935-617-8139				CONNECTOR, ELECTRICAL 96906 PART NO. MS3106E36-5P			1	1			1		3		P4			
5773		P	H		5935-683-7785				CONNECTOR, ELECTRICAL 96906 PART NO. MS3106E36-6P			1	1			1		3		P3			
5774		P	H		5935-806-4183				CONNECTOR, ELECTRICAL 96906 PART NO. MS3108R18- 11S			1	1			1		3		P1			
5775		P	H		5935-782-6954				CONNECTOR, ELECTRICAL 96906 PART NO. MS3108R18-13P			1	2			2		6		P2			
5776		P	H		5935-817-8070				CONNECTOR, ELECTRICAL 96909 PART NO. MS3108R28-21P			1	1			1		3		P5			
5777		P	H		5935-914-5709				CONNECTOR, ELECTRICAL 77820 PART NO. PTO6A14-12SSR			1	1			1		3		P2			
5778	1916	P	H		5935-779-2525				CONNECTOR, ELECTRICAL 5 PINS, 91146 PART NO. DPA5-335, 95104 PART NO. 370-2179-000			1	REF		REF					P14			
5779		P	H		5935-500-9841				CONNECTOR, ELECTRICAL 8 PINS, 96906 PART NO. MS3108832-15S, 95104 PART NO. 357-6113-000			1	1			1		3		P1			
5780		P	H		5935-878-8347				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PTO6A14-19SW, 95104 PART NO. 371-2395-000			1	1			1		3		P3			
5781		P	H		5935-914-5704				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PTO6A14-19SX, 95104 PART NO. 371-2396-000			1	1			1		3		P3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		A	B	C	D																
5782		P	H		5935-914-5710				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PT06A14-19SSR. 95104 PART NO. 371-2536-000			1	1		1		3			P2	
5783		P	H		5935-914-5708				CONNECTOR, ELECTRICAL 19 PINS, 77820 PART NO. PTO6AI4-19SSR. 95104 PART NO. 371 6462-000			1	1		1		3				
5784		P	H		5935-089-1161				CONNECTOR, ELECTRICAL 24 PINS, 91146 PART NO. DPA24W2-33S1- 95104 PART NO. 370-2178-000			1	3		1		9			P17	
5785		P	H		5935-879-9362				CONNECTOR, ELECTRICAL 24 PINS, 96906 PART NO. MS3108R24-28P			1	1		1		3			P1	
5786		P	H		5935-914-5711				CONNECTOR, ELECTRICAL 26 PINS, 77820 PART NO. PBO6E-16-26S. 95104 PART NO. 371-1224-000			1	2		1		6			P5	
5787		P	H		5935-811-0923				CONNECTOR, ELECTRICAL 26 PINS, 77820 PART NO. PT06 24-61P. 95104 PART NO. 371-6113-000			1	2		1		6			P1	
5788		P	H		5935-850-6279				CONNECTOR, ELECTRICAL 26 PINS, 77820 PART NO. PTO6A16-26PSR, 95104 PART NO. 371-6211-000			1	1		1		3			P1	
5789		P	H		5935-914-1793				CONNECTOR, ELECTRICAL 32 PINS, 71468 PART NO. DPDD32-33515. 95104 PART NO. 370-2309-000			2	2		1		6			P1, 2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER													
5790		P	H	5935-921-5631				CONNECTOR, ELECTRICAL 40 PINS, 71468 PART NO. 95104 PART NO. 370-5258-000			3	6		1	18			P1-5		
5791		P	H	5935-782-6952				CONNECTOR, ELECTRICAL 40 PINS, 71468 PART NO. DPX2EB45-4033S0003. 95104 PART NO. 370-5216-000				4		1	12			P1, 2		
5792		P	H	5935-914-6715				CONNECTOR, ELECTRICAL 45 PINS, 71468 PART NO. DPXB45-33S0005 95104 PART NO. 370-5217-000				2		2	6			P1		
5793		P	H	5935-782-6928				CONNECTOR, ELECTRICAL 45 PINS, 71468 PART NO. DPXB45-33S0005 95104 PART NO. 370-5218-000			4	8		1	24			P1-4		
5794		P	H	5935-665-6388				CONNECTOR, ELECTRICAL 48 PINS, 96906 PART NO. MS3106E-33-10P. 95104 PART NO. 357-5076-000			4	1		1	3			4P1		
5795		P	H	5935-820-2435				CONNECTOR, ELECTRICAL 55 PINS, 77820 PART NO. PTS3106A22-55PSR, 95104 PART NO. 371-6294-000			2	2		1	6			3P7, 4P2		
5796		P	H	5935-782-0691				CONNECTOR, ELECTRICAL 57 PINS, 71468 PART NO. DPXA57-33S7, 95104 PART NO. 370-2239-000			5	10		1	30					
5797		P	H	5935-866-1791				CONNECTOR, ELECTRICAL 61 PINS, 77820 PART			1	1		1	3			P1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
5804			P	H	5820-939-7419				AMPLIFIER, RF 553-0761-000 TERMAL BOARD ASSEMBLY 95104 PART NO. 553-0971-000			1	1		1		3	81 6-11		2		
5805			P	H	5995-914-8786				CABLE ASSEMBLY RF 95104 PART NO. 554-0598-000			1	1		1		5	81 6-16				
5806			P	H	5910-192-2120				CAPACITOR, FIXED, CERAMIC, 47 UUF, 5% TOL, 5000 VDCW, 71590 PART NO. 85OS47ZPORM5PCT. 95104 PART NO. 913-0827-000			1	1		1		3	81 6-26		C62		
5807			P	H	5910-930-6917				CAPACITOR, FIXED, CERAMIC, 200 UUF, 5% TOL, 5000 VDCW, 04222 PART NO. HPA42N470-201J, 95104 PART NO. 913-4352-000			1	1		1		3	81 6-26		C63		
5808	5924		P	H	5910-804-7566				CAPACITOR, FIXED, CERAMIC, 1000 UUF. 20% TOL, 500 VDCW. 81349 PART NO. CK70AW102M, 95104 PART NO. 913-4064-000			2	REF		REF		81 6-32			C106, 107		
5809			P	H	5910-899-2415				CAPACITOR, FIXED, CERAMIC, 1000 UUF. 10% TOL, 2500 VDCW. 71590 PART NO. DA988-001, 95104 PART NO. 913-3508-000			1	1		1		3	81 6-25		C4		
5810\	5908		P	H	5910-737-1530				CAPACITOR, FIXED, CERAMIC, 2000 UUF, 5X TOL, 8500 VDCW, 00656 PART NO. HPD65-130N750, 95104			1	REF		REF		81 6-28			C72		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
5811		P	H		5910-8923-159						4	4			1	12	81 6-26		C67-69, 71		
5812	2094	P	H		5910-892-8003						1	REF		REF			81 6-18		C118		
5813	6008	P	H		5910-552-9869						1	REF		REF			81 6-29		C100		
5814		P	H		5910-939-4305						1	1		1		3	81 6-29		C77		
5815		P	H		5910-920-9010						1	1		1		3	81 6-28		C108		
5816		P	H		5910-941-5031						1	1		1		3	81 6-28		C102		
5817		P	H		5910-920-5754						1	1		1		3	81 6-28		C73		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
5818		P	H		5910-920-5755						1	1		1		3	81 6-28	C74				
5819		P	H		5950-924-0949						1	3		2		9	81 6-21					
5820		P	H		5950-924-0942						1	1		1		3	81 6-21					
5821		P	H		5950-924-0941						1	1		1		3	81 6-21					
5822		P	H		5950-924-0939						1	1		1		3	81 6-21					
5823		P	H		5950-869-2175						1	1		1		3	81 6-29	L25				
5824		P	H		5950-924-0975						1	1		1		3	81 6-21	L9				
5825		P	H		5935-729-8730						1	1		1		3	81 6-29	P12				
5826	5874	P	H		5310-874-2243						4	REF		REF			81 6-29					
5827		P	H		5310-855-1903						1	1		1			81 6-29					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y	13 R E B U I L D F O R E Q. D M	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5828		P	H		5340-919-8198						1	1			1		81 6-29				
5829		P	H		5310-079-2519						1	1			1		81 6-29				
5830		P	H		5340-919-8203						7	7			7		81 6-29				
5831		P	H		5950-923-7322						1	1			7		81 6-17	L34			
5832	5952	P	H		5905-247-9329						1	REF		REF			81 6-29	R101			
5833		P	H		5905-087-7157						1	1			3		81 6-17	R104			
5834	6207	P	H		5905-021-9500						2	REF		REF			81 6-17	R66, 102			
5835		P	H		5910-914-9460						1	1			3		81 6-28				
5836		P	H		5960-921-8436						1	1			3		81 6-26				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5837		P	H		5960-914-8891						1	1		1		3	81 6-26				
5838		P	H		5935-920-7087						1	1		1		3	81 6-26		XV5		
5839		P	H		5930-548-4585						2	4		2		20	81		S4, 5		
5840		P	H		5930-919-9926						2	3		1		15	81 6-29		S6, 7		
5841		P	H		5950-924-0938						1	1		1		3	81 6-26		T6		
5842		P	H		5950-924-0956						1	1		1		3	81 6-30		T3		
5843		P	H		5910-879-3481						1	1		1		3	1 6-38		2A1-4 C4		
5844	152	P	H		5950-686-6425						1	REF		REF		81 6-36			L1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
5845		P	H		5935-702-3446				240-0198-000 CONNECTOR ELECTRICAL 9 PINS, 91146 PART NO. DE9PC7, 95104 PART NO. 371-0168-000			1	1			1	3	81 6-36	P1				
5846	604	P	H		5905-279-3519				RESISTOR, FIXED, COMPOSITION, 22 OHMS 10% TOL, 1/2 WATT, 81349 PART NO. RC2OGF 220 J, 95104 PART NO. 745-1282-000			1	REF		REF			81 6-37	R15				
5847		P	H		5905-051-8028				RESISTOR, FIXED, WIRE WOUND, 027 OHMS, 1X TOL, 3 WATTS, 81349 PART NO. RW69VR279 95104 PART NO. 747-5397-000			1	1		1		3	81 6-37	R19				
5840		P	H		5905-951-8137				RESISTOR, THERMAL 10 OHMS, 10% TOL, 1/2 WATT, 02606 PART NO. WB11W1, 95104 PART NO. 7142773-000			1	1		1		3	81 6-37	RT1				
5849		P	H		5980-882-8680				SEMICONDUCTOR DEVICE, TRANSISTOR 07688 PART NO. 2N1547A. 95104 PART NO. 352-0419-000			2	2		1		8	81 6-37	Q4, 5				
5850		P	N		5960-686-6887				SEMICONDUCTOR DEVICE, TRANSISTOR, 07688 PART NO. 2N498, 95104 PART NO. 352-0112-000			1	1		1		4	81 6-36	Q3				
5851		P	H		5950-923-7338				TRANSFORMER AF LEADS 1 TO 2 800 OHMS IMPEDANCE, 15% TOL LEADS 3 TO 5 48 OHMS IMPEDANCE, 15% TOIL LEAD 4 CT, 97965 PART NO. 31607, 95104 PART NO. 667-0076-000			1	1		1		3	81 6-38	T1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
5852	126	P	H		5910-983-9280							1	REF		REF			81 6-36		P/O 2A1-4 C5		
5853	3716	P	H		5910-583-1954							1	REF		REF			81 6-36		C1		
5854	1539	P	H		5910-722-4117							2	REF		REF			81 6-36		C2, 3		
5855	604	P	H		5905-279-3519							1	REF		REF			81 6-36		R11		
5856	515	P	H		5905-279-1757							1	REF		REF			81 6-36		R8		
5857	609	P	H		5905-195-6502							2	REF		REF			81 6-36		R16, 17		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER		NUMBER		
5858	853	P	H		5905-195-6453						3	REF		REF					81 6-36		R2, 6, 10		
5859	1597	P	H		5905-279-3503						2	REF		REF					81 6-36		R4, 7		
5860	648	P	H		5905-171-2004						3	REF		REF					81 6-36		R3, 5, 9		
5861	690	P	H		5905-539-3982						1	REF		REF					81 6-36		R13		
5862	1814	P	H		5905-615-6489						1	REF		REF					81 6-36		R18		
5863		P	H		5905-646-5785						2	3		1		9			81 6-36		R12, 14		
5864		P	H		5961-057-1962						1	1		1		3			81 6-36		CR1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
5865	1089	P	H		5960-752-0150						2	REF		REF			81 6-36		Q1, 2		
5866	2397	P	H		5910-714-3806						1	REF		REF			81 6-49		2A13 C11		
5867	1587	P	H		5910-740-2290						1	REF		REF			81 6-49		C2		
5868		P	H		5910-846-5673						1	27		3	8		81 6-49		C1		
5869		P	H		5910-270-9507						2	2		6			81 6-49		C12		
5870		P	H		5910-822-3015						1	1		1	3		81 6-49		C10		
5871		P	H		5910-921-1117					1	1	1		3	81				C9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
5872		P	H		5935-782-6953				0.47 UF, 20% TOL, 600 VDCW, 53021 PART NO. SDB1K06474M, 95104 PART NO. 931-4592-000 CONNECTOR, ELECTRICAL 34 PINS, 81312 PART NO. MPA34PG7, 95104 PART NO 372-5283-000			1	5		1	15	81 6-49	J1			
5873		P	H		5355-751-7533				KNOB 95104 PART NO. 543-4124-002			3	3		1	9	81 6-49				
5874		P	H		5310-874-2243				POST, ELECTRICAL-MECHANICAL, 95104 PART NO. 540-9225-003			4	20		2	20	81 6-49				
5875		P	H		5945-916-0705				RELAY, ARMATURE 3C CONTACT ARRANGEMENT, 77523 PART NO. 28571-0, 95104 PART NO. 970-2230-000			4	14		1	42	81 6-49	K2-5			
5876		P	H		5945-991-8703				RELAY, REED TYPE 2A CONTACT ARRANGEMENT, 21441 PART NO. SR7100, 95104 PART NO. 410-0288-000			1	1		1	3	81 6-49	K1			
5877		P	H		5905-195-6743				RESISTOR, FIXED, COMPOSITION, 2700 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF272K, 95104 PART NO. 745-5670-000			1	1		1	3	81 6-49	R14			
5878		P	H		5905-279-2303				RESISTOR, FIXED, COMPOSITION, 5600 OHMS, 10 TOL, 2 WATTS, 81349 PART NO. RC42GF562K, 95104 PART NO. 745-5684-000			1	1		1	3	81 6-49	R20			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D 1 5 D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
5879	2373	P	H		5905-279-2295						1	REF		REF			81 6-49		R27		
5880	958	P	H		5905-249-4198						1	REF		REF			81 6-49		R28		
5881	1800	P	H		5905-299-2029						1	REF		REF			81 6-49		R16		
5882		P	H		5905-552-3903						1	2		1	6		81 6-49		R21		
5883	2756	P	H		5905-752-3146						1	REF		REF			81 6-4				
5884	742	P	H		5905-556-3779						2	REF		REF			81 6-49		R2, 31		
5885		P	H		5905-556-3768						1	3		2	9		81 6-49		R30		
5886		P	H		5905-682-1113						1	2		1	6		81		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15 D S	16 G S	17 D M																
5887		P	H		5905-542-7836						1	1			1	3	81 6-49	R2		
5888		P	H		5905-557-1951						2	14			1	42	81 6-49	R17, 9		
5889		P	H		5905-879-3636						1	1			1	3	81 6-49	R23		
5890		P	H		5905-080-6833						1	2			1	6	81 6-49	RT1		
5891		P	H		5905-666-3649						1	1			1	3	81 6-49	R29		
5892	5907	P	H		5905-681-8635						1	REF		REF			81 6-49	R22		
5893		P	H		5905-825-1397						1	1			1	3	81 6-49	R1		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L E D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
5894			P	H	5905-581-6187						2	2			1	6	81 6-49		R6, 7	
5895			P	H	5905-923-9748						1	4			1	12	81 6-49		R18	
5896			P	H	5960-853-2607						1	1			1	3	81 6-49		CR7	
5897	1436		P	H	5960-833-8716						4	REF		REF			81 6-49		CR5, 9-11	
5898			P	H	5960-850-9440						1	1			1	3	81 6-49		CR8	
5899	2476		P	H	5960-646-4611						4	REF		REF			81 6-49		CR1-4	
5900	2649		P	H	5960-060-8379						1	REF		REF			81 6-49		CR6	
5901	2852		P	H	5960-081-3568					1	REF	REF		81 S			6-49			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5902	2490	P	H		5960-838-4932						1	REF		REF			81 6-49		Q2	
5903	1641	P	H		5905-299-2049						1	REF		REF			81 6-49		R5	
5904	2581	P	H		5905-249-4227						1	REF		REF			81 6-49		R8	
5905		P	H		5905-279-2675						1	1		1	3		81 6-49		R9	
5906	4818	P	H		5905-254-7096						1	REF		REF			81 6-49		R11	
5907		P	H		5905-681-8635						1	3		1	9		81 6-49		R10	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		ILLUSTRATIONS																			
5908		P	H		5910-737-1530				PART NO. 380 -2658-000 AMPLIFIER SUBASSEMBLY 553-0864-000			2	3		1	9	81 6-26		C81, 82		
5909		P	H		5950-086-8827				COIL, RF 95104 PART NO. 547-6291-003			1	1		1	3	81 6-29		L30		
5910		P	H		5340-919-8201				POST, ELECTRICAL- MECHANICAL, 95104 PART NO. 547-6286-002			8	8		1	8	81 6-29				
5911		P	H		5910-920-7151				RETAINER, CAPACITOR 95104 PART NO. 553-0866-002			1	1		1	3	81 6-26				
5912		P	H		5910-920-7150				RETAINER, CAPACITOR 95104 PART NO. 553-0867-003			1	1		1	3	81 6-26				
5913		P	H		5910-950-3789				AMPLIFIER SUBASSEMBLY 553-0893-000			1	1		1	3	81 6-29				
5914		P	H		5340-919-8208				CAPACITOR, FIXED, VACUUM, 2 UUF, 10% TOL, 10,000 VDCW, JENNINGS RADIO PART NO. 42-17N478, 95104 PART NO. 919-0112-000			1	1		1	1	81 6-29				
5915		P	H		5910-920-5768				POST, ELECTRICAL- MECHANICAL, 95104 PART NO. 553-0894-002			3	4		1	12	81				

1	2		3			4	5			6	7	8	9	10	11		12	13	14	15		16
S E Q U E N C E N U M B E R	F O R A U T H O R I Z E D	S E Q U E N C E N U M B E R	S O U R C E A	M A I N T E N A N C E & B	R E C O V E R A B I L I T Y C O D E D	F E D E R A L S T O C K N U M B E R	D E S I G N A T I O N 1	M O D E L 2	D E S C R I P T I O N 3	U N I T O F I S S U E	E X P E N D A B I L I T Y	Q U A N T I T Y I N U S E	Q U A N T I T Y P E R	F I E L D 1 5	D A Y	A L L O W A N C E		R E Q U I R E D F O R E Q. D E P O T Q T Y	F I G U R E N U M B E R	I T E M N U M B E R	R E F E R E N C E S Y M B O L	
																DS	GS					DM
5916				P	H	5820-914-9446			95104 PART NO. 548-8283-002 AMPLIFIER SUBASSEMBLY			1	1			1	3	81 6-29				
5917				P	H	5910-794-9037			95104 PART NO. 756-8670-003 CAPACITOR, FIXED CERAMIC, 5 UUF, 5% TOL, 5000 VDCW, 71590 PART NO. 850S5ZPORM5PCT, 95104 PART NO. 913-0840-000			2	2			1	6	81 6-31	C140, 141			
5918				P	H	5950-923-7341			COIL, RF 95104 PART NO. 756-8673-003			1	1			1	3	81 6-31				
5919				P	H	5950-924-0963			COIL, RF 95104 PART NO. 756-8674-003			1	1			1	3	81 6-31				
5920				P	H	5905-064-4922			RESISTOR, FIXED, SILICON BORON, 3300 OHMS, 10% TOL, 30 WATTS, 95104 PART NO. 412-4223-000			1	2			1	6	81 6-31	R111			
5921				P	H	5820-914-9447			AMPLIFIER SUBASSEMBLY 95104 PART NO. 553-7228-000			1	1			1	3	81 6-26				
5922	5920			P	H	5905-064-4922			RESISTOR, FIXED, SILICON BORON, 3300 OHMS, 10% TOL, 30 WATTS, 95104 PART NO. 712-4223-000			1	REF			REF		81 6-26	R29			
5923				P	H	6625-767-4255			AMPLIFIER SUBASSEMBLY 553-1203-000 AMMETER 0 TO 5 CW RANGE,			1	1			1	3	81 6-33	M2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L D A Y		12 A L L O W A N C E P E R M I T T E D D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5924		P	H		5910-804-7566						9	21		1	63	81 6-33		C79, 80, 85, 94-99		
5925	2393	P	H		5910-846-8657						1	REF		REF		81 6-34		C104		
5926	1820	P	H		5910-270-3034						3	REF		REF		81 6-33, 34		C9, 75, 105		
5927		P	H		5910-914-8918						1	1		1	3	81 6-34		C76		
5928		P	H		5910-073-2243						2	3		1	9	81 6-34		C47, 70		
5929	1823	P	H		5950-796-3120						2	REF		REF		81 6-34		L23, 24		
5930		P	H		5960-188-0969						1	1		1	100	81 6-34		V6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
5931			P	H	5355-073-0556				95104 PART NO. 255-0197-000 KNOB			1	3		1	9	81 6-34					
5932			P	H	6625-767-4265				95104 PART NO. 549-1023-003 MULTIMETER			1	1		1	3	81 6-33		M1			
5933	236		P	H	5945-983-9145				95104 PART NO. 458-0655-000 RELAY, ARMATURE 2C CONTACT ARRANGEMENT, 01526 PART NO. 3SAF1242, 95104 PART NO. 974-0718-000			1	REF		REF		81 6-35		K4			
5934			P	H	5945-259-5277				RELAY, ARMATURE 2C CONTACT ARRANGEMENT 78277 PART NO. 90581, 95104 PART NO. 974-0464-000			1	1		1	3	81 6-35		K2			
5935	157		P	H	5905-190-8889				RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF101K, 95104 PART NO. 745-1310-000			2	REF		REF		81 6-34		R34, 49			
5936	1480		P	H	5905-279-2649				RESISTOR, FIXED, COMPOSITION, 180 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF181K, 95104 PART NO. 745-3321-000			1	REF		REF		81 6-33		R113			
5937	286		P	H	5905-195-6806				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000			1	REF		REF		81 6-34		R35			
5938			P	H	5905-299-2007				RESISTOR, FIXED,			1	1		1	3	81		R38			

1 COMMISSION NUMBER	2 FOR AUTHORITY REFERENCES	3 MAINTENANCE REQUIREMENTS				4 FEDERAL STOCK NUMBER	5 WOUND BY MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY PER	11 FIELD MATERIAL DAY		12 EQUIPMENT ALLOWANCE PER ANALYSE	13 REBUILD EQUIPMENT FOR EQ. QTY	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
5939	2731	P	H		5905-577-1869				COMPOSITION 68,000 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF683K, 95104 PART NO. 745-3429-000 RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL 1/2 WATT, 81349 PART NO. RN65D1001F, 95104 PART NO. 705-7096-000			1	REF		REF			6-33	81 6-33		R100	
5940	2792	P	H		5905-615-7729				RESISTOR, FIXED, FILM 5110 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D5111F, 95104 PART NO. 705-7130-000			2	REF		REF			81 6-33			R98, 99	
5941		P	H		5905-556-3338				RESISTOR, FIXED, FILM 5110 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D5111F, 95104 PART NO. 705-7630-000			2	3		1	9	81 6-33				R90, 92	
5942		P	H		5905-552-7195				RESISTOR, FIXED, FILM 23,700 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D2372F, 95104 PART NO. 705-7662-000			2	3		1	9	81 6-33				R89, 91	
5943		P	H		5905-665-5453				RESISTOR, FIXED, FILM 121,000 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D1213F, 95104 PART NO. 705-7696-000			2	2		1	6	81 6-33				R18, 19	
5944		P	H		5905-780-9118				RESISTOR, FIXED WIRE WOUND, 120 OHMS, 5% TOL 6.5 WATTS, 81349 PART NO. RW67V121, 95104 PART NO. 747-5442-000			2	2		1	3	81 6-33				R36	
5945	5895	P	H		5905-923-9748				RESISTOR, VARIABLE, WIRE WOUND, 5000 OHMS, 10% TOL, 12.5			3	REF		REF			81 6-33			R40, 45, 54	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D 1 5 D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
5946	5915	P	H		5910-920-5768						1	REF		REF			81 6-33			
5947		P	H		5935-866-1551						1	3		1		9	81 6-34		XV6	
5948		P	H		5930-919-9965						1	1		1		5	81 6-33		S3	
5949	2393	P	H		5910-846-8657						2	REF		REF			81 6-34		C78, 121	
5950	1823	P	H		5950-796-3120						1	REF		REF			81 6-34		L26	
5951		P	H		5960-813-9392						2	5		1		15	81 6-34		CR11, 14	
																			TB7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D I N G D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		ILLUSTRATIONS																			
5952		P	H		5905-47-9329				RESISTOR, FIXED, FILM COMPOSITION, 47 OHMS, 10% TOL, 2 WATTS, 81349 PART NO RC42GF470K, 95104 PART NO. 745-5596-000			1	2		1	6	81 6-33		R72		
5953		P	H		5905-752-6461				RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70C1001F, 95104 PART NO. 705-4801-000			2	2		1	6	81 6-33		R58, 59		
5954		P	H		5905-542-8401				RESISTOR, FIXED, FILM 10,000 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D1002F, 95104 PART NO. 705-7644-000			1	4		1	12	81 6-33		R25		
5955		P	H		5905-552-6143				RESISTOR, FIXED, FILM 13,300 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D1332F, 95104 PART NO. 705-7650-000			1	1		1	3	81 6-33		R63		
5956		P	H		5905-552-5446				RESISTOR, FIXED, FILM 14,700 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70D1472F, 95104 PART NO. 705-7652-000			2	2		1	6	81 6-33		R64, 65		
5957		P	H		5905-553-2219				RESISTOR, FIXED, FILM 82,500 OHMS, 1% TOL, 3/4 WATT, 81349 PART RN70D8252F, 95104 PART NO. 705-7688-000			1	1		1	3	81 6-33		R28		
5958		P	H		5905-801-1217				RESISTOR, FIXED, FILM 237,000 OHMS, 1% TOL, 3/4 WATT, 81349 PART NO. RN70C2373F, 95104 PART NO. 705-4894-000			1	1		1	3	81 6-33		R60		
5959		P	H		5905-801-1221				RESISTOR, FIXED, FILM 261,000 OHMS, 1% TOL,			1	1		1	3	81		R61		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM															
5960		P	H	5905-805-0993						2	2		1	6	81 6-33		R11, 44		
5961	812	P	H	5905-951-9466						1	REF		REF		81 6-33		R71		
5962		P	H	5960-546-7191						1	1		1	10	81 6-34				
5963		P	H	5960-617-5788						1	1		1	3	81 6-34				
5964		P	H	5960-615-4597						1	1		1	10	81 6-34				
5965		P	H	5960-589-9924						1	1		1	10	81 6-34				
5966		P	H	5910-072-5995						1	1		1	3	81 6-17		C137		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS						DM
5967		P	H		5910-926-0049						1	1			1	3	81 6-17		C60		
5968		P	H		5910-849-1469						1	1			1	3	81 6-17		C127		
5969	831	P	H		5910-543-9577						1	REF		REF			81 6-17		C130		
5970		P	H		5950-086-3731						1	1			1	2	81 6-17		L39		
5971	5934	P	H		5945-259-5277						1	REF		REF			81 6-17		K3		
5972		P	H		5945-666-4653						1	2			1	6	81 6-17		K1		
5973		P	H		5905-279-1920						1	1			1	3	81 6-17				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I L D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS		DM													
5974	518	P	H	5905-185-8518					1	REF		REF			81 6-17		R70	
5975		P	H	5905-682-0234					1	1		1	3		81 6-17		R69	
5976		P	H	5905-837-7324					1	1		1	3		81 6-17		R68	
5977	2723	P	H	5905-577-6765					1	REF		REF			81 6-17		R84	
5978	2756	P	H	5905-752-3146					1	REF		REF			81 6-17		R79	
5979	2761	P	H	5905-542-7671					1	REF		REF			81 6-17		R114	
5980	5941	P	H	5905-556-3338					1	REF		REF			81 6-17		R75	
5981	5954	P	H	5905-542-8401					3	REF		REF			81 6-17		R73, 76, 85	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
5982		P	H		5905-556-3769						1	1		1		3	81 6-17		R78	
5983	5886	P	H		5905-682-1113						1	REF		REF			81 6-17		R86	
5984		P	H		5905-583-4154						1	1		1		3	81 6-17		R87	
5985		P	H		5905-556-3057						1	2		1		6	81 6-17		R77	
5986		P	H		15905-552-2442						1	1		1		3	81 6-17		R103	
5987		P	H		5905-539-3809						1	1		1		3	81 6-17		R74	
5988		P	H		5905-062-2251						1	1		1		3	81 6-17		R80	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D I N G D A Y		12 A L L O W E Q U I P M E N T P E R D E P O T Q T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			FIGURE NUMBER	REFERENCE SYMBOL		
5989	3330	P	H		5905-978-8968				RESISTOR, THERMAL 500 OHMS, 10% TOL, 1/2 WATT, 10646 PART NO. 997F20, 95104 PART NO. 714-1735-000			1	REF		REF			81 6-17		RT1		
5990		P	H		5905-814-8622				RESISTOR, VARIABLE, COMPOSITION, 10,000 OHMS, 20% TOL, 1/2 WATT, 81349 PART NO. RV5LAYS B103B, 95104 PART NO. 380-2907-000			1	1		1	3		81 6-17		R31		
5991		P	H		5961-921-0595				SEMICONDUCTOR DEVICE, DIODE, 06751 PART NO. PZT10, 95104 PART NO. 353-2846-000			1	1		1	3		81 6-17		CR20		
5992	2168	P	H		5960-841-8940				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N1200A, 95104 PART NO. 353-1143-000			2	REF		REF			81 6-17		CR21, 22		
5993	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			3	REF		REF			81 6-17		CR6, 27, 28		
5994	2852	P	H		5960-081-3568				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 2N886, 95104 PART NO. 353-3369-000			1	REF		REF			81 6-17		Q1		
5995		P	H		5960-865-5068				SHIELD, ELECTRON TUBE 95104 PART NO. 541-8158-002			1	1		1	10		81 6-17				
5996		P	H		5960-614-8676				SHIELD, ELECTRON TUBE 95104 PART NO. 541-8169-002			2	2		1	20		81 6-17				
5997	5997	P	H		5935-866-1551				SOCKET, ELECTRON TUBE 7 CONTACTS, 94991 PART NO. 7470-0125, 95104 PART NO.			2	REF		REF			81 6-17				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
5998	2393	P	H		5910-846-8657				220-1203-000 CAPACITOR, FIXED CERAMIC 1000 UUF, 20% TOL, 500 VDCW, 72982 PART NO. 851000X5U0102Z, 95104 PART NO. 913-3009-000			1	REF		REF		81 6-24		C2B		
5999	5924	P	H		5910-804-7566				CAPACITOR, FIXED, CERAMIC 1000 UUF 20% TOL, 500 VDCW, 81349 PART NO. CK70AW102M, 95104 PART NO. 913-4064-000			9	REF		REF		81 6-18		C1, 3, 6, 12, 15, 16, 19, 23, 24		
6000		P	H		5910-027-3937				CAPACITOR, FIXED, CERAMIC, 10,000 UUF, 20% TOL, 2000 VDCW, 71590 PART NO. DA154, 95104 PART NO 913-4754-000			18	19		1	57	81 6-25, 6-21, 6-19, 6-20		C33-48, 43 46, 48-52 54-58 6-19,		
6001	1820	P	H		5910-270-3034				CAPACITOR, FIXED, CERAMIC, 0.01 UF, 20% TOL, 200 VDCW, 81349 PART NO. CK63AW103M, 95104 PART NO. 913-1188-000			3	REF		REF		81 6-21		C40, 44, 46 46		
6002	5868	P	H		5910-846-5673				CAPACITOR, FIXED, CERAMIC, 0.1 UF PLUS 80% MINUS 20%, 200 VDCW, 72982 PART NO. 805-014X5V0103Z, 95104 PART NO. 913-3681-000			3	REF		REF		81 6-24 6-25		C26, 27, 29		
6003	1402	P	H		5910-846-5674				CAPACITOR, FIXED, CERAMIC, 0.05 UF, PLUS 80% MINUS 20%, 500 VDCW, 01939 PART NO. 33C58, 95104 PART NO. 913-3235-000			1	REF		REF		81 6-25		C31		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM															
6004		P	H		5910-686-7757				CAPACITOR, FIXED, CERAMIC, 0.1 UF, PLUS 80% MINUS 20%, 500 VDCW, 01939 PART NO. 41C92- 95104 PART NO. 913-3234-000			1	1		1		3	81 6-22		C32		
6005	127	P	H		5910-950-1142				CAPACITOR, FIXED, CERAMIC, 0.1 UF, PLUS 80% MINUS 20%, 500 VDCW, 01939 PART NO. 55C30, 95104 PART NO. 913-3236-000			1	REF		REF			81 6-25		C30		
6006		P	H		5910-817-9216				CAPACITOR, FIXED, ELECTROLYTIC, 300 UF, PLUS 75% MINUS 15%- 30 VDCW, 81349 PART NO. CL25BH301UP3, 95104 PART NO. 184-8014-000			2	2		1		6	81 6-24		C2, 11		
6007		P	H		5910-991-8688				CAPACITOR, FIXED, PAPER 0.01 UF, PLUS 30% MINUS 20%, 2500 VDCW, 56289 PART NO. J17-340A, 95104 PART NO. 241-0184-000			4	6		1		18	81 6-24, 6-18		C7, 8, 18, 21		
6008		P	H		5910-552-9869				CAPACITOR, FIXED, PAPER 0.1 UF, 20% TOL, 100 VDCW, 56289 PART NO. 103P10401, 95104 PART NO. 241-0088-000			4	16		1		48	81 6-25, 6-18		C5, 109-111		
6009		P	H		5910-679-9324				CAPACITOR, FIXED, PAPER 0.1 UF, PLUS 30% MINUS 25%, 2500 VDCW, 56289 PART NO. 99JX22A, 95104 PART NO. 241-0182-000			3	8		1		24	81 6-18		C10, 17, 20		
6010	149	P	H		5910-824-8035				CAPACITOR, FIXED, MICA 27 UUF, 5% TOL, 500 VDCW, 95104			1	REF		REF			81 6-21		C59		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6011		P	H		5910-709-0272				PART NO. 912-2774-000 CAPACITOR, FIXED, MICA 270 UUF, 5% TOL, 300 VDCW, 72136 PART NO. DM10F271J, 95104			1	1			1	3	81 6-25		C93	
6012		P	H		5950-752-4588				PART NO. 912-3909-000 COIL RF 0.33 UH, 20% TOL, 96906 PART NO. MS16225-3, 95104 PART NO. 240-1564-000			1	1			1	3	81 6-22		L5	
6013	5170	P	H		5950-538-0590				COIL, RF 1 UH, 10% TOL, 82142 PART NO. 4411-8, 95104 PART NO. 240-0062-000			1	REF		REF			81 6-22		L19	
6014		P	H		5150-823-3143				COIL, RF 2.7 UH, 10% TOL, 96906 PART NO. MS16225-12, 95104 PART NO. 240-1573-000			1	1			1	3	81 6-21		L8	
6015		P	H		5950-583-1347				COIL, RF 4.7 UH, 10% TOL, 96906 PART NO. MS16225-15, 95104 PART NO. 240-1576-000			1	1			1	3	81 6-24		L3	
6016		P	H		5950-642-5951				COIL, RF 120 UH, 10% TOL, 82142 PART NO. 4424-10, 95104 PART NO. 240-0194-000			1	3			1	9	81 6-20		L12	
6017	152	P	H		5950-686-6425				COIL, RF 220 UH, 5% TOL, 99800 PART NO. BP217, 95104 PART NO. 240-0198-000			1	REF		REF			81 6-22		L2	
6018		P	H		5950-645-9222				COIL, RF 1000 UH, 10% TOL, 82142 PART NO.			1	1			1	3	81 6-20		L7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 E Q U I P M E N T D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6019	1823	P	H		5950-796-3120				4424-9, 95104 PART NO. 240-0193-000 COIL, RF 2000 UH, 5% TOL, 76487 PART NO. J301-2000, 95104 PART NO. 240-2547-000			4	REF		REF		81 6-24, 6-20		L1, 4, 6, 32		
6020		P	H		5935-552-7660				CONNECTOR, ELECTRICAL 80058 PART NO. UG625BU, 95104 PART NO. 357-9670-000			1	2		2	6	81 6-18		J4		
6021		P	H		5935-518-8696				CONNECTOR, ELECTRICAL 2 PINS, 02660 PART NO. 80PC2F, 95104 PART NO. 369-1004-000			1	1		1	3	81 6-18		J11		
6022		P	H		5960-952-7202				ELECTRON TUBE 73445 PART NO. 7788, 95104 PART NO. 255-0390-000			1	1		2	100	81 6-18		V1		
6023		P	H		5960-054-1986				ELECTRON TUBE 06980 PART NO. 4CX350A, 95104 PART NO. 256-0148-000			3	3		7	300	81 6-20, 6-19		V2-4		
6024		P	H		5340-919-8200				POST, ELECTRICAL 95104 PART NO. 540-9513-003			1	1		1	1	81 16-22				
6025		P	H		5975-919-9980				PUSHBUTTON 95104 PART NO. 553-1277-002			2	2		1	2	81 6-23				
6026	157	P	H		5905-190-8889				RESISTOR, FIXED, COMPOSITION, 100 OHMS, 10% TOL, 1/2 WATT, 81349 PART NO. RN70B2372F, 95104 PART NO. 705-7662-000			1	REF		REF		81 6-24		R7		
6027	956	P	H		5905-279-2643				RESISTOR, FIXED, COMPOSITION, 100			3	REF		REF		81 6-21		R10, 14, 21		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T P E R	11 F I L D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS						DM
6028		P	H		5905-279-1971				OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF101K, 95104 PART NO. 745-3310-000 RESISTOR, FIXED, COMPOSITION 120 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF121K, 95104 PART NO. 745-5614-000			3	3		1	9	81 6-20 6-22		R16, 23, 93			
6029		P	H		5905-279-1742				RESISTOR, FIXED, COMPOSITION, 150 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF150K, 95104 PART NO. 745-3275-000			2	2		1	6	81 6-25		R3, 62			
6030		P	H		5905-279-2603				RESISTOR, FIXED, COMPOSITION, 470 OHMS, 10% TOL, 2 WATT, 81349 PART NO. RC32GF471K, 95104 PART NO. 745-3338-000			1	2		1	6	81 6-21		R88			
6031	675	P	H		5905-185-6550				RESISTOR, FIXED, COMPOSITION 82 470 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF471J, 95104 PART NO. 745-5638-000			2	REF		REF		81 6-21		R26, 27			
6032		P	H		5905-809-8932				RESISTOR, FIXED, COMPOSITION, 82 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF820K 95104 PART NO. 745-5607-000			3	3		1	9	81 6-22 6-24		R2, 15, 42			
6033	286	P	H		5905-195-6806				RESISTOR, FIXED COMPOSITION, 1000 OHMS, 10 TOL, 1/2 WATT. 81349 PART NO. RC20GF102K, 95104 PART NO. 745-1352-000			1	REF		REF		81 6-25		R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM														
6034	2308	P	H		5905-279-1722						1	REF		REF			81 6-24		R9		
6035	263	P	H		5905-195-5507						1	REF		REF			81 6-21		R24		
6036	287	P	H		5905-279-1876						1	REF		REF			81 6-24		R33		
6037	648	P	H		5905-171-2004						1	REF		REF			81 6-24		R4		
6038		P	H		5905-687-0518						1	1		1	3		81 6-22		R5		
6039	2716	P	H		5905-542-7759						2	REF		REF	81		R8, 22 6-22				
6040	5942	P	H		5905-552-7195						1	REF		REF	81		R6 6-22				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6041	2861	P	H		5905-899-1398				RESISTOR, FIXED, WIRE WOUND, 1000 OHMS, 5% TOL, 6.5 WATTS, 81349 PART NO. RW67V102, 95104 PART NO. 747-5460-000			1	REF		REF		81 6-24		R39		
6042		P	H		5905-921-4677				RESISTOR, FIXED, WIRE WOUND, 20,000 OHMS, 5% TOL, 10 WATTS, 95104 PART NO. 710-2917-000			2	2		1	6	81 6-20, 6-18		R17, 20		
6043		P	H		5960-838-8893				SEMICONDUCTOR DEVICE, DIODE, 07263 PART NO. FD100, 95104 PART NO. 353-3024-000			2	9		1	27	81 6-22		CR1		
6044	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			1	REF		REF		81 6-25		CR29		
6045		P	H		5935-729-7317				SOCKET, ELECTRON 7 PINS, 94991 PART NO. 7490-0100, 95104 PART NO. 220-1244-000			1	1		1	3	81 6-18		XVI		
6046		P	H		5935-914-7388				SOCKET, TUBE 95104 PART NO. 553-1290-003			1	1		1	3	81				
6047		P	H		5930-501-1787				SWITCH SPDT CONTACT ARRANGEMENT, 91929 PART NO. 11SM3, 95104 PART NO. 266-3097-000			2	2		1	10	81 6-18		S1, 2		
6048		P	H		5910-924-0925				CAPACITOR, FIXED 95104 PART NO. 553-1339-001			1	1		1	3	81		C39		
6049		P	H		5910-916-0423				CAPACITOR, FIXED, MICA			4	4		1	12	81		C133-136		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E A B C D				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER														
6055	5158	P	H		5910-080-3689						1	REF		REF			81 6-23		C114		
6056	2403	P	H		5910-080-3786						1	REF		REF			81 6-23		C114		
6057	1823	P	H		5950-796-3120						3	REF		REF			81 6-22		L11, 13, 14		
6058	283	P	H		5905-299-1541						1	REF		REF			81 6-22		R37		
6059	3474	P	H		5905-857-1986						1	REF		REF			81 6-23		R115		
6060		P	H		5961-944-4764						1	1		1	3		81 6-23		CR12A, 12B TB10		
																				ELECTRICAL COMPONENT ASSEMBLY	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6061	2393	P	H		5910-846-8657						1	REF		REF			81 6-22		C45	
6062	1823	P	H		5950-796-3120						1	REF		REF			81 6-23		L10	
6063		P	H		5905-553-2204						1	1		1	3		81 6-22		R13	
6064	5951	P	H		5960-813-9392						1	REF		REF			81 6-23		CR3	
6065		P	H		5910-950-0776						2	4		1	12		81 6-18		C119, 120	
6066	1823	P	H		5950-796-3120						2	REF		REF			81 6-18		L35, 36	
6067		P	H		5905-279-3416				2		2	1	681	R52, 53			6-18			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E R N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6068	2792	P	H		5905-615-7729						2	REF		REF			81 6-18		R56, 57	
6069	6043	P	H		5960-838-8893						2	REF		REF			81 6-18		CR15, 16	
6070	1846	P	H		5960-564-4755						1	REF		REF			81			
6071		P	H		5935-926-0598						1	1		1	10		81			
6072		P	H		5960-865-5067						1	2		1	20		81			
6073	2459	P	H		5960-865-4501						1	REF		REF			81			
6074		P	H		5950-869-2174						2	2		1	6		81 6-25, 6-20		T1, 2	
6075		P	H		5950-924-0986						1	1		1	3		81			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L E D D A Y		12 A L L O W A N C E E Q U I P M E N T P E R D E P O T Q T Y	13 R E B U I L D R E Q U I R E D F O R E Q .	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE N U M B E R		
6076			P	H	5910-978-4522				AMPLIFIER SUBASSEMBLY 553-1333-001			1	1				3	81 6-26		C64		
6077			P	H	5910-280-8374				CAPACITOR, FIXED, CERAMIC, 10 UUF, 10% TOL, 5000 VDCW, 71590 PART NO. 854-10Z, 95104 PART NO. 913-1404-000			2	2			1	6	81 6-26		C124, 125		
6078	6007		P	H	15910-991-8688				CAPACITOR, FIXED, PAPER 0.01 UF, PLUS 30% MINUS 20%, 2500 VDCW, 56289 PART NO. JN17-340A, 95104 PART NO. 241-0184-000			1	REF		REF		81 6-26			C87		
6079	4787		P	H	5910-543-9568				CAPACITOR, FIXED PAPER 0.1 UF, 10% TOL, 400 VDCW, 81349 PART NO. CZ24BKE104, 95104 PART NO. 241-0089-000			2	REF		REF		81 6-26			C89, 90		
6080	6008		P	H	5910-552-9869				CAPACITOR, FIXED, PAPER 0.1 UF, 20% TOL, 100 VDCW, 56289 PART NO. 103P10401, 95104 PART NO. 241-0088-000			1	REF		REF		81 6-26			C83		
6081	6009		P	H	5910-679-9324				CAPACITOR, FIXED, PAPER 0.1 UF, PLUS 30% MINUS 20%, 2500 VDCW, 56289 PART NO. 99JX22A, 95104 PART NO. 241-0182-000			1	REF		REF		81 16-26			C88		
6082			P	H	5910-921-0403				CAPACITOR, VARIABLE CERAMIC, 8-50 UUF,			1	1			1	2	81 6-26		C128		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D 1 5 D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6083	5819	P	H		5950-924-0949				350 VDCW, 72982 PART NO. 557006U2P034R, 95104 PART NO. 917-1196-000 COIL, RF			1	REF		REF		81 6-26				
6084	6016	P	H		5950-642-5951				95104 PART NO. 553-0977-003 COIL, RF			2	REF		REF		81 6-26,		L16, 22		
6085	1823	P	H		5950-796-3120				120 UH, 10% TOL, 82142 PART NO. 4424-10, 95104 PART NO. 240-0194-000 COIL, RF			1	REF		REF		81 6-26		L20		
6086		P	H		5820-670-2787				2000 UH, 5% TOL, 76487 PART NO. J301-2000, 95104 PART NO. 240-2547-000 POST, ELECTRICAL			3	3		1	3	81 6-26				
6087	799	P	H		5905-253-1229				95104 PART NO. 540-9472-003 RESISTOR, FIXED, COMPOSITION, 330 OHMS, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF331K, 95104 PART NO. 745-5631-000			1	REF		REF		81 6-15		R82		
6088	1414	P	H		5905-195-6814				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 10% TOL, 2 WATTS, 81349 PART NO RC42GF102K, 95104 PART NO. 745-5652-000			3	REF		REF		81 6-26		R32, 55, 83		
6089		P	H		5905-894-0673				RESISTOR, FIXED, WIRE WOUND, 22,000 OHMS, 5% TOL, 113 WATTS, 81349 PART NO. RW37V223, 95104 PART NO. 747-3727-000			1	1		1	3	81 6-15		R81		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		A	B	C																	
6090		P	H	5950-923-7334				COIL, RF 95104 PART NO. 553-0970-001			1	1		1		3	81 6-26		L15		
6091		P	H	5820-907-4767				COIL, RF 95104 PART NO. 546-6512-003			1	1		1		3	81 6-26				
6092		P	H	5340-919-8204				POST, ELECTRICAL 95104 PART NO. 553-0972-002			3	3		1		3	81 6-26				
6093		P	H	5820-991-7114				ROTOR, COIL 95104 PART NO. 546-6447-002			1	1		1		3	81				
6094		P	H	5820-907-4767				COIL, RF 95104 PART NO. 555-0147-003			1	1		1		3	81				
6095		P	H	5950-057-9539				COIL, RF 95104 PART NO. 546-6427-002			1	1		1		3	81				
6096		P	H	5910-920-4812				ELECTRICAL COMPONENT ASSEMBLY 553-1334-001			1	1		1		3	81 6-26		C86		
6097		P	H	5910-988-7261				CAPACITOR, FIXED, GLASS 240 UUF, 5% TOL, 500 VDCW, 95275 PART NO. VY81C241J, 95104 PART NO. 914-2620-000			1	1		1		2	81 6-26		C61		
6098	257	P	H	5905-252-1953				RESISTOR, FIXED, COMPOSITION, 10 OHMS, 10% TOL, 2 WATTS,			2	REF		REF		81 6-26			R41, 43		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6099			P	H	5961-057-1958						2	2		1		6	81 6-15		CR25, 26		
6100			P	H	5960-785-3635						1	1		1		3	81 6-15		CR24A, 24B		
6101	5928		P	H	5910-073-2243						1	REF		REF			81 6-27		C103		
6102	2393		P	H	5910-846-8657						1	REF		REF			81 6-27		C91		
6103	5924		P	H	5910-804-7566						1	REF		REF			81 6-27		C84		
6104	1823		P	H	5950-796-3120						1	REF		REF			81		L18		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
6105	286	P	H		5905-195-6806						1	REF		REF			6-27	81	R30	
6106	5951	P	H		5960-813-9392						1	REF		REF			6-27	81	CR4	
6107	6065	P	H		5910-950-0776						2	REF		REF			6-27	81	C122, 123	
6108	1587	P	H		5910-740-2290						1	REF		REF			6-27	81	C131	
6109	2708	P	H		5950-812-4422						2	REF		REF			6-27	81	L37, 38	
6110	1412	P	H		5905-279-4312						2	REF		REF			6-27	81	R46, 47	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6111	2792	P	H		5905-615-7729						2	REF							81 6-27		R50, 51	
6112	6069	P	H		5960-838-8893						2	REF							81 6-27		CR17, 18	
6113		P	H		5950-869-2173						1	1		1		3			81 6-27		T4, 5	
6114		P	H		5950-924-0945						2	2		1		6			81 6-27			
6115		P	H		5340-914-9438						2	2		1		2			81 6-27			
6116		P	H		5910-920-5756						1	3		1		9			81 6-17		C129A, 129B	
6117		P	H		5910-894-0446						1	4		1		12			81 6-17		C126	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6118	1063	P	H		5910-847-0883						1	REF		REF				81 6-17		C22	
6119		P	H		5910-808-5948						1	1		1		3		81 6-17		C25	
6120	519	P	H		5905-279-3502						4	REF		REF				81 6-17		R94-97	
6121	1436	P	H		5960-833-8716						1	REF		REF				81 6-17		CR23	
6122	2852	P	H		5960-081-3568						1	REF		REF				81 6-17		Q2	
6123		P	H		5920-920-7102						1	2		1		8		81			
6124		P	H		5920-923-8254						1	2		1		8		81			
6125		P	H		5920-919-9981						1	2		1		8		81			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6126	1797	P	H		5935-810-3767						2	REF						81 6-281		J1, 15		
6127		P	H		5995-921-4475						1	1		1		5						
6128	2189	P	H		5935-823-0487						1	REF						81 6-15		P2		
6129	1797	P	H		5935-810-3767						1	REF									J14	
6130		P	H								1	1		1		5						
6131	1797	P	H		5935-810-3767						1	REF						81 6-28		J2		
6132		P	H								1	1		1		5						
6133	2189	P	H		5935-823-0487						2	REF						81		P14, 15		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		A	B	C	D		1	2	3												
6134		P	H		5895-920-7160				CAPACITOR, FIXED 95104 PART NO. 553-1376-001			1	1		1		3				
6135		P	H		5910-803-8094				CAPACITOR, FIXED, MICA 1000 UUF, 10% TOL, 1000 VDCW, 00853 PART NO. M4-1000K, 95104 PART NO. 912-2055-000			1	1		1		3	81 6-30		C92	
6136		P	H		5950-920-9146				COIL, RF 95104 PART NO. 553-0751-001			1	1		1		3				
6137		P	H		5340-919-8199				POST, ELECTRICAL 95104 PART NO. 540-9501-001			2	2		1		2				
6138		P	H		5950-924-0950				COIL, RF 95104 PART NO. 553-0964-005			1	1		1		3				
6139		P	H		5950-924-0952				COIL, RF 95104 PART NO. 553-0960-005			1	1		1		3				
6141		P	H		5950-924-0966				COIL, RF 95104 PART NO. 554-0683-004			1	1		1		3				
6142		P	H		5340-819-6857				POST, ELECTRICAL 95104 PART NO. 540-9217-003			1	5		1		5				
6143		P	H						COIL, RF 95104 PART NO. 553-0957-004			1	1		1		1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
6144		P	H		5950-924-0943				COIL, RF 95104 PART NO. 553-0954-004			1	1		1		3					
6145		P	H		5950-924-0954				COIL, RF 95104 PART NO. 553-0956-004 CONTROL, AMPLIFIER 553-0760-001			1	1		1		3					
6146		P	H		5355-063-7912				KNOB 49956 PART NO. 70-3-2, 95104 PART NO. 281-0136-000			2	2		2		6					
6147		P	H		5340-920-7309				POST, ELECTRICAL 95104 PART NO. 540-9516-003			2	2		1		2					
6148		P	H		5945-916-0392				RELAY, ELECTRONIC 2C CONTACT ARRANGEMENT, 12034 PART NO. TR321, 95104 PART NO. 402-0405-000			1	2		1		6				K5	
6149	5972	P	H		5945-666-4653				RELAY, ARMATURE ARRANGEMENT, 78277 PART NO. 90899, 95104 PART NO. 974-0514-000			1	REF		REF		81 6-17				K3	
6150	1436	P	H		5960-833-8716				SEMICONDUCTOR DEVICE, DIODE, 07688 PART NO. 1N2611, 95104 PART NO. 353-1906-000			1	REF		REF		81 6-22				CR12	
6151	P	H			5950-259-9686				SWITCH, PUSH SPST CONTACT ARRANGEMENT, 04009 PART NO. 3391EG, 95104 PART NO. 266-6382-000			2	2		1		10 81 6-18				S2, 5	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
6152		P	H		5930-920-4731						1	1			1		5	81 6-28		S4			
6153		P	H		5930-919-9964						1	1			1		5	81 6-33		S3			
6154		P	H		5930-919-9927						1	1			1		5	81 6-18		S1			
6155	5872	P	H		5935-782-6953						1	REF			REF		81 6-32			P1			
6156	2343	P	H		5910-811-4788						1	REF			REF		81 6-18			C4			
6157		P	H		5910-666-8115						3	3			1		9	81 6-18		C17-19			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C		D	1	2						3	DS			GS	DM		
6158	3387	P	H		5910-902-5579				CAPACITOR, FIXED, MICA 39 UUF, 5% TOL, 500 VDCW, 72136 PART NO. DM10E390J, 95104 PART NO. 912-352-000			2	REF		REF			81 6-18		C3, 12	
6159		P	H		5910-920-5769				CAPACITOR, FIXED, MICA 62 UUF, 2% TOL, 500 VDCW, 53021 PART NO. M23-62G, 95104 PART NO. 912-0679-000			2	2		1	6		81 6-25, 6-18		C2, 6	
6160		P	H		5910-668-7395				CAPACITOR, FIXED, MICA 100 UUF, 20% TOL, 500 VDCW, 53021 PART .NO. M23-100M, 95104 PART NO. 912-0069-000			2	2		1	6		81 6-24 6-33 6-18		C8, 10	
6161	1821	P	H		5910-544-6494				CAPACITOR, FIXED, MICA 1000 UUF, 20% TOL, 500 VDCW, 53021 PART NO. M23-1000M, 95104 PART NO. 912-0668-000			5	REF		REF			81 6-25 6-18		C11, 13-16	
6162		P	H		5950-929-0940				COIL, RF 95104 PART NO. 553-1064-003			2	4		2	12		81			
6163 6164	1823	P	H		5950-796-3120				NOT USED COIL, RF 2000 UH, 5% TOL, 76487 PART NO. J301-2000, 95104 PART NO. 240-2547-000			2	REF		REF			81 6-22 6-20		L5, 6	
6165	2410	P	H		5950-878-2442				COIL, RF 5000 UH, 5% TOL, 76487 PART NO. J303-5-0, 95104 PART NO. 240-2557-000			3	REF		REF			81 6-24 6-24 6-20		L1, 3, 4	
6166		P	H		5935-259-6794				CONNECTOR, ELECTRICAL 9 PINS, 96906 PART NO. MS24056, 95104			1	1		1	3		81 6-28		J3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6167	649	P	H		5905-686-3903						2	REF		REF			81 6-25		R7, 8		
6168		P	H		5905-843-4283						2	2		1	6		81 6-22		R3, 4		
6169		P	H		5905-983-9344						2	2		1	6		81 6-25 6-22		R1, 2		
6170	4710	P	H		5905-688-3366						2	REF		REF			81 6-22		R5, 6		
6171	6069	P	H		5960-838-8893						4	REF		REF			81 6-22		CR1-4		
6172	885	P	H		5935-647-3503						1	REF		REF			81 6-42		J1		
6173		P	H		5355-846-2847						1	3		1	9		81 6-42				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ILLUSTRATIONS					
6174		P	H		5355-921-3709						1	1			1		2	81 6-42					
6175	852	P	H		5905-279-2553						1	REF		REF				81 6-42		R6			
6176	1805	P	H		5905-615-7718						1	REF		REF				81 6-42		R3			
6177		P	H		5905-578-4861						1	1		1			3	81 6-42		R4			
6178	2627	P	H		5905-815-5498						1	REF		REF				81 6-42		R5			
6179		P	H		5905-924-0912						1	1		1			3	81 6-42		R2			
6180		P	H		5905-615-2099						1	4		1			12	81 6-42		R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
6181	885	P	H		5935-647-353				554-0615-005 CONNECTOR, ELECTRICAL 77820 PART NO. PT02A14-19P, 95104 PART NO. 371-2051-000			1	REF		REF			81 6-43		J1		
6182		P	H		5355-685-3799				KNOB 96906 PART NO. MS91528-4N2B, 95104 PART NO. 281-0312-000			1	1		1		3	81 6-43				
6183		P	H		5340-919-8202				POST, ELECTRICAL 95104 PART NO. 553-0877-002			4	4		1		4	81 6-43				
6184	2731	P	H		5905-577-1869				RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL. 1/2 WATT, 81349 PART NO. RN65D1001F, 95104 PART NO. 705-7096-000			1	REF		REF			81 6-43		R4		
6185	2751	P	H		5905-578-9056				RESISTOR, FIXED, FILM 2870 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D2871F, 95104 PART NO. 705-7118-000			1	REF		REF			81 6-43		R3		
6186	6180	P	H		5905-615-2099				RESISTOR, VARIABLE WIRE WOUND, 20,000 OHMS, 2.5X TOL, 2 WATTS, 02111 PART NO. 500-583, 95104 PART NO. 381-1120-000			1	REF		REF			81 6-43		R1		
6187	492	P	H		5940-812-1316				TERMINAL, STUD 91663 PART NO. RTMT12-6M, 95104 PART NO. 306-0978-000			2	REF		REF			81 6-43		E1, 2		
6188	885	P	H		5935-647-3503				DRIVE, TUNING 554-0614-004 CONNECTOR, ELECTRICAL 77820 PART NO.			1	REF		REF			81 6-45		J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	I T E M N U M B E R						
6189	6173	P	H		5355-846-2847						1	REF		REF				81 6-45					
6190	6142	P	H		5340-819-6857						2	REF		REF				81 6-45					
6191	6030	P	H		5905-279-2603						1	REF		REF				81 6-45		R2			
6192	2751	P	H		5905-578-9056						1	REF		REF				81 6-45		R4			
6193	741	P	H		5905-615-7730						1	REF		REF				81 6-45		R3			
6194	6180	P	H		5905-615-2099						1	REF		REF				81 6-45		R1			
6195	1436	P	H		5960-833-8716						1	REF		REF				81 6-45		CR1			
6196		P	H		5930-920-5807						1	1		1		5		81 6-45		S1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6199	885	P	H		5935-647-3503				DRIVE TUNING 554-0612-004 CONNECTOR, ELECTRICAL 77820 PART NO. PT02A14-19P, 95104 PART NO. 371-2051-000			1	REF		REF		81 6-48		J1		
6200	2731	P	H		5905-577-1869				RESISTOR, FIXED, FILM 1000 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN6501001F, 95104 PART NO. 705-7096-000			1	REF		REF		81 6-48		R3		
6201	1805	P	H		5905-615-7718				RESISTOR, FIXED, FILM 2150 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN6502151F, 95104 PART NO. 705-7112-000			1	REF		REF		81 6-48		R2		
6202	5985	P	H		5905-556-3057				RESISTOR, FIXED, FILM 61,900 OHMS, 1% TOL, 1/2 WATT, 81349 PART NO. RN65D6192F, 95104 PART NO. 705-7182-000			1	REF		REF		81 6-48		R4		
6203	6180	P	H		5905-615-2099				RESISTOR, VARIABLE, WIRE WOUND, 20,000 OHMS, 2.5% TOL, 2 WATTS, 02111 PART NO. 500-583, 95104 PART NO. 381-1120-000			1	REF		REF		81 6-48		R1		
6204	492	P	H		5940-812-1316				TERMINAL, STUD			4	REF		REF		81				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6205		P	H		5905-921-7839						1	1		1		3	81			
6206		P	H		5340-919-8205						1	1		1		1	81			
6207		P	H		5905-021-9500						1	3		1		9	81			
6208		P	H		5935-965-5571						8	8		1		32	81 6-6			
6209		P	H		5935-345-9394						1	6		2		12	81 6-6			
6210	1797	P	H		5935-810-3767						1	REF		REF		81 6-6		J3		
6211		P	H		5935-149-4084						1	1		1		3	81		P10	
6212		P	H		5935-820-9500						4	4		1		12	81 6-1		J7-10	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6213		P	H		5935-257-8683						1	2		1		6	81 6-16			
6214		P	H		5935-679-5346						2	2		1		6	81 6-29, 32	J12, 13		
6215		P	H		5935-729-8683						4	4		1		12	81 6-6	P4-7		
6216		P	H		5935-700-4044						2	5		1		15	81 6-16	J6, P8		
6217		P	H		5995-914-7385						1	1		1		5	81 6-11			
6218		P	H		5920-280-9549						3	13		4		650	81 6-11	F4-6		
6219		P	H		5910-775-5646						1	1		1		3	81 6-3	C12		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
6220	6007	P	H		5910-991-82649						1	REF		REF			81 6-8		C65		
6223	60081	P	H		5910-552-9896						1	1		1	3		81 6-7		C10		
6222	4788	P	H		5910-669-2649						4	REF		REF			81 6-8		C51, 52, 57,		
6223	6008	P	H		5910-552-9869						10	REF		REF			81 6-7		C50, 54, 58-64, 68		
6224		P	H		5910-5921-7519						2	2		1	6		81 6-8		C48, 53		
6225	6009	P	H		5910-679-9324						4	REF		REF			81 6-8		C49, 55, 56		
6226		P	H		5910-921-3718						1	1		1	3		81 6-7		C11		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6227			P	H	5925-920-3101						1	1			1		5	81 6-6		CB1		
6228			P	H	5935-617-6712						1	1			1		3	81 6-6		J3		
6229			P	H	5935-660-3825						1	1			1		3	81 6-6				
6230			P	H	5915-539-7590						3	3			1		9	81 6-8		FL2-4		
6231			P	H	5310-827-7008						4	4			1		12	81 6-12				
6232			P	H	5340-782-6107						6	6			1		6	81 6-12				
6233			P	H	5950-843-4807						1	1			1		3	81 6-3		L3		
6234			P	H	5930-914-8928						2	2			1		6	81 6-4		K1, 2		
6235	6148		P	H	5945-916-0392						1	REF		REF				81 6-4		K3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6236			P	H	5945-939-5842						1	1			1			3	81 6-3		K5	
6237	2486		P	H	5905-279-2527						1	REF			REF							R45
6238			P	H	5905-557-4694						1	1			1			3				R39
6239			P	H	5905-923-9749						3	3			1			9	81 6-12			R1-3
6240			P	H	5905-985-5401						1	1			1			3				R83
6241	5907		P	H	5905-681-8635						1	REF			REF							R44
6242			P	H	5910-920-4807						2	2			1			4				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	ITEM N U M B E R	REFERENCE S Y M B O L					
6243	1436	P	H		5960-833-8716						6	REF		REF							CR10-15		
6244		P	H		5961-916-0663						1	1		1		3	81 6-2				A6		
6245		P	H		5961-914-7383						1	1		1		3	81 6-4				A1		
6246	5840	P	H		5930-919-9926						1	REF		REF								S3	
6247		P	H		5930-849-6192						1	1		1		5	81 6-4					S1	
6248	5839	P	H		5930-548-4585						1	REF		REF			81 6-4					S2	
6249		P	H		5950-924-0985						1	1		1		3	81 6-3					T1	
6250		P	H		5950-924-0977						1	1		1		3	81 6-3					T3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
6251		P	H		5950-924-0969				TRANSFORMER, POWER 50-400 CPS, 49956 PART NO. 292-5815G1, 95104 PART NO. 664-0015-000			1	1		1		3	81 6-3		T2			
6252		P	H		5915-920-9147				FILTER, LOW PASS 95104 PART NO. 756-7543-004			1	1		1		3	81 6-7		L2			
6253		P	H		5950-924-0970				REACTOR 0.75 H INDUCTANCE, 49956 PART NO. 292-5817G1, 95104 PART NO. 668-0023-000			1	1		1		2	81 6-2					
6254		P	H		5915-920-7109				FILTER, SUBASSEMBLY 95104 PART NO. 756-7542-004			1	1		1		3	81 6-7					
6255		P	H		5910-914-8637				CAPACITOR, FIXED, ELECTROLYTIC, 1100 UUF, PLUS 75% MINUS 10% TOL, 56289 PART NO. 36D1201T, 95104 PART NO. 183-2290-000			4	4		1		12	81 6-2		C18-21			
6256		P	H		5330-919-8193				GASKET 95104 PART NO. 756-7544-002			4	4		1		20	81 6-2					
6257		P	H		5340-919-8206				POST, ELECTRICAL 95104 PART NO. 756-7538-002			7	7		1		7	81 6-2					
6258		P	H		5905-171-1973				RESISTOR, FIXED, COMPOSITION, 0.15 MEGOHM, 10% TOL, 2 WATTS, 81349 PART NO. RC42GF154K, 95104 PART NO. 745-5743-000			2	2		1		6	81 6-2		R88, 94			
6259		P	H		5905-204-7754				RESISTOR, FIXED WIRE WOUND, 310			1	2		1		6			R6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
6260			P	H	5910-920-5770				OHMS, 5% TOL, 14 WATTS, 81349 PART NO. RW31V311, 95104 PART NO. 747-0754-000			1	1			1		2					
6261			P	H	5910-924-0929				RETAINER, CAP 95104 PART NO. 756-7545-003			1	1			1		2					
6262			P	H	5920-553-5734				PANEL POWER DISTRIBUTION 553-0770-005			1	1			1		50	81 6-12		F13		
6263			P	H	5920-057-2986				FUSE, CARTRIDGE NO. MDL3, 95104 PART NO. 264-0298-000			3	8			6		400	81 6-12		F11, 12, 14		
6264	5715		P	H	5920-958-7515				FUSEHOLDER 20-AMP, 71400 PART NO. HKREJQRWZZ, 95104 PART NO. 265-1073-000			4	REF		REF				81 6-12		XF11-14		
6265			P	H	5355-920-0215				KNOB 95104 PART NO. 553-1363-003			1	1			1		3	81 6-12				
6266			P	H	6240-723-3378				LAMP, GLOW 24446 PART NO. NE2J, 95104 PART NO. 262-0692-000			11	11			1		550	81 6-12		DS4-14		
6267			P	H	6240-155-8714				LAMP, INCANDESCENT 0.17-AMP, 28 VAC, 81349 PART NO. MS15571-4, 95104			3	6			1		300	81 6-12		DS1-3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	15			16		
6268			P	H	6210-805-3937						11	11			1	55	81 6-12		XDS4-14			
6269			P	H	6210-809-9018						3	6			1	30	81 6-12		XDS1-3			
6270			P	H	6210-892-5460						11	11			1	55						
6271			P	H	6220-809-9019						1	2			1	10	81 6-12		DS22			
6272			P	H	6210-811-8229						1	2			1	10	81 6-12		DS21			
6273			P	H	6210-775-5641						1	2			1	10	81 6-12		DS23			
6274	5875		P	H	5945-916-0705						3	REF		REF			81 6-12		K1-3			
6275	1414		P	H	5905-195-6814						2	REF		REF			81 6-12		R5, 6			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
6276	2486	P	H		5905-279-2527						1	REF		REF					81 6-12		R4		
6277		P	H		5905-857-2440						2	4		1		12			81 6-12		R2, 3		
6278		P	H		5905-044-4404						1	3		2		9			81 6-12		R1		
6279	1436	P	H		5960-833-8716						5	REF		REF					81 6-12		CR1-5		
6280		P	H		6110-919-9972						1	1		1		10			81 6-12				
6281		P	H		5930-655-1517						1	1		1		5			81 6-12		S4		
6282		P	H		5930-050-2704						2	2		1		10			81 6-12		S1, 2		
6283		P	H		5930-188-7272						1	1		1		5			81 6-12		S3		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
6284			P	H	6625-914-4129				ARRANGEMENT, 15605 PART NO. 766BK4, 95104 PART NO. 266-0072-000 VOLTMETER 95104 PART NO. 453-0008-000			1	1			1	4	81 6-12		MI		
6285			P	H	5355-919-9952				DRIVE ASSEMBLY 553-1174-003 CAP, KNOB 95104 PART NO. 553-1362-002			1	1			1	3					
6286			P	H	5355-926-5218				KNOB 49956 PART NO. 125-1C82G, 95104 PART NO. 281-0472-000 PANEL ASSEMBLY 553-0762-005			1	1			1	3					
6287			P	H	5930-920-4744				ADAPTER, SWITCH 95104 PART NO. 553-0816-003			2	2			1	10	81 6-43				
6288			P	H	6625-914-4128				AMMETER 80145 PART NO. 36-1134-0000, 95104 PART NO. 458-0656-000			1	1			1	3	81 6-43		MI		
6289	6267		P	H	6240-155-8714				LAMP, INCANDESCENT 0.17-AMP, 28 VAC, 81349 PART NO. MS15571-49 95104 PART NO. 262-3270-000			3	REF		REF		81 6-12			1-3		
6290	6272		P	H	6210-811-8229				LENS, INDICATOR GREEN, 72619 PART NO. 81-212, 95104 PART NO. 262-0921-000			1	REF		REF		81 6-12			DS1-3		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y			12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM			FIGURE NUMBER	REFERENCE SYMBOL		
6291	6273	P	H		6210-775-5641						1	REF		REF			81 6-12		DS13			
6292	6271	P	H		6220-809-9019						1	REF		REF			81 6-12		DS12			
6293	6269	P	H		6210-809-9018						3	REF		REF			81 6-12		XDS1-3			
6294	286	P	H		5905-195-6806						1	REF		REF			81 6-12		R4			
6295	6277	P	H		5905-857-2440						2	REF		REF			81 6-12		R2, 3			
6296	6278	P	H		5905-044-4404						1	REF		REF			81 6-12		R1			
6297		P	H		5930-920-4732						2	2		1	10		81 6-12		S3, 4			
6298		P	H		5930-914-6450						2	4		2	20		81 6-12		S1, 2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM						FIGURE NUMBER	ITEM NUMBER						
6299																						
6300			P	H	6625-914-4130							1	1		1		4	81 6-43		M2		
6301			P	H	5975-919-9982							2	2		1		2	81 6-12				
6302			P	H	5975-923-7163							1	2		1		2	81 6-12				
6303			P	H	5975-920-7103							1	2		1		2	81 6-12				
6304			P	H	5975-920-7104							2	2		1		2	81 6-12				
6305			P	H	5340-919-8197							4	4		4			81 6-12				
6306	5872		P	H	5935-782-6953							1	REF		REF			81 6-12		J2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6307	5872	P	H		5935-782-6953						1	REF		REF			81 6-12		P		
6308	5882	P	H		5905-552-3903						1	REF		REF			81 6-9		R29		
6309		P	H		5905-581-6806						1	1		1	3		81 6-9		R26		
6310	5888	P	H		5905-557-1951						12	REF		REF			81 6-9		R16-25, 27, 28		
6311	6117	P	H		5910-894-0446						2	REF		REF			81 6-4		C1, 2		
6312	6259	P	H		5905-204-7754						1	REF		REF			81 6-4		R40		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	REFERENCE SYMBOL		
6313	5333	P	H		5821-767-8510						4	REF		REF			81 6-5					
6314	5875	P	H		5945-916-0705						1	REF		REF			81 6-5		K6			
6315	1436	P	H		5960-833-8716						1	REF		REF					CR16			
6316	147	P	H		5910-846-5674						2	REF		REF			81 6-6		C5, 6			
6317		P	H		5920-921-8351						1	2		2	6		81 6-10					
6318		P	H		5920-160-4891						1	1		1			81 6-10					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 I L L U S T R A T I O N S F I G U R E N U M B E R		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
6319	6317	P	H		5920-921-8351						1	REF		REF				81 6-10					
6320	742	P	H		5905-556-3779						1	REF		REF				81 6-6		R42			
6321	5885	P	H		5905-556-3768						1	REF		REF				81 6-6		R43			
6322	5890	P	H		5905-080-6833						1	REF		REF				81 6-6		RT1			
6323		P	H		5960-069-4628						1	1		1	3			81 6-10		CR17			
6324	2852	P	H		5960-081-3568						1	REF		REF				81 6-6		Q1 T85			
6325	5868	P	H		5910-846-5673						2	REF		REF				81 6-4		C16, 17			
6326	1402	P	H		5910-846-5674						1	REF		REF				81		C15			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6327			P	H	5920-229-1244						1	6		2	300	81 6-10		F15			
6328			P	H	5340-919-9393						3	3		1	3	81 6--10					
6329			P	H	5340-919-8196						4	4		1	4	81					
6330			P	H	5905-299-2020						1	2		1	6	81 6-10		R41			
6331	2375		P	H	5905-299-2013						1	REF		REF		81 6-10		R32			
6332			P	H	5905-279-1954						1	1		1	3	81 6-10		R35			
6333			P	H	5905-279-1946						2	2		1	6	81 6-10		R33, 34			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS	DM						
		ILLUSTRATIONS																			
6334		P	H	5905-852-7859						1	1			1		3	81 6-10		R12		
6335		P	H	5905-549-5602						2	2			1		6	81 6-10		R10, 13		
6336		P	H	5905-549-7846						1	2			1		6	81 6-10		R11		
6337		P	H	5905-258-6924						2	2			1		6	81 6-10		R15, 30		
6338		P	H	5905-852-1581						1	1			1		3	81 6-10		R31		
6339		P	H	5905-764-8816						1	1			1		3	81 6-10		R14		
6340		P	H	5905-837-3613						2	2			1		6	81 6-10		R8, 9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6348			P	H	5905-171-1978						2	8		1	24	81 6-11		R58, 59			
6349			P	H	5905-279-1717						5	5		1	15	81 6-11		R47-50, 60			
6350	6116		P	H	5910-920-5756						2	REF		REF		81 6-13, 14		C7A, B, 8A, B			
6351			P	H	5910-900-9702						2	2		1	6	81 6-14		C5, 6			
6352			P	H	5960-578-8178						1	1		1	100	81 6-14		V1			
6353	513		P	H	5905-272-3444						1	REF		REF		81 6-13		R9			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 I L L U S T R A T I O N S			16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
6354	1357	P	H		5905-253-1231						1	REF		REF				81 6-13		R7			
6355	675	P	H		5905-185-6550						1	REF		REF				81 6-13		R8			
6356	6348	P	H		5905-171-1978						2	REF		REF				81 6-14		R10, 11			
6357		P	H		5960-899-8004						4	6		1	18			81 6-14		CR5, 6			
6358	2458	P	H		5960-686-7500						1	REF		REF				81 6-14					
6359		P	H		5950-924-0957						1	1		1	3			81 6-14		T1			
6360	P	H			5910-712-6931						4	4		1	12			81 6-13		C1-4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
6361	1667	P	H		5905-299-2004						1	REF		REF			81 6-13		R5		
6362	6348	P	H		5905-171-1978						4	REF		REF			81 6-13		R1-4		
6363		P	H		5905-642-1680						1	1		1		3	81 6-14		R6		
6364	6357	P	H		5960-899-8004						4	REF		REF			81 6-13		CR1-4		
6365		P	H		5935-160-1365						1	1		1		3	81 6-13		XV1		
366	6117	P	H		5910-894-0446						1	REF		REF			81 6-4		C9		
6367		P	H		5950-813-6409						1	1		1		3	81		L4		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ILLUSTRATIONS															
6368	2365	P	H		5905-279-1739				15 MH INDUCTANCE, 88063 PART NO. MP206-7B, 95104 PART NO. 240-0263-000									6-4				
6369		P	H		5961-941-4863				RESISTOR, FIXED, COMPOSITION, 22 OHMS, 10% TOL, 1 WATT, 81349 PART NO. RC32GF220K, 95104 PART NO. 745-3282-000			1	REF			REF			81 6-4		R38	
6370	6336	P	H		5905-549-7846				RESISTOR, FIXED, SILICON, 300 OHMS, 5% TOL, 113 WATTS, 81349 PART NO. KN37V100, 95104 PART NO. 747-3660-000			1	1			1		3	81 6-3		R4	
6372		P	H		5340-919-8195				RESISTOR, FIXED, WIRE WOUND, 10 OHMS, 5% TOL, 113 WATTS, 81349 PART NO. KN37V100, 95104 PART NO. 747-3660-000 RESISTOR ASSEMBLY 756-7540-003			3	3			1		3	81 6-3		R5	
6373		P	H		5905-912-8574				POST, ELECTRICAL 95104 PART NO. 756-7537-002			3	3			1		9	81 6-3		R84-86	

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
6374	6216	P	H		593-700-4044						1	REF		REF				81 6-6		J4		
6374	6216	P	H		5935-700-4044						1	REF		REF				81 6-6		J4		
6375	6216	P	H		5935-700-4044						1	REF		REF				81 6-32		P4		
6377	6216	P	H		5935-782-6954						1	REF		REF				81 6-16		P2		
6377	6216	P	H		5935-700-4044						1	REF		REF				81 6-32		P		
6378		P	H		5925-914-8879						1	1		1		5		62 3		CB2		
6379		P	H		5925-914-8880						1	1		1		5		62 3		CB1		
6380		P	H		5945-921-3643						1	1		1		5		62 3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM		DM																
6381		P	H		5945-914-8842						1	1			1		5	62				
6382		P	H		5925-914-8772						1	5			3		25	62		CB7		
6383		P	H		5925-914-8772						1	2			1		10	62				
6384		P	H		5925-944-4594						1	1			1		5	62				
6385		P	H		595-940-2979						1	1			1		5	62				
6386		P	H		5935-283-2878						1	1			1		3	62		J4		
6387		P	H		5935-280-1928						1	1			1		3	62		J1		
6388		P	H		5935-259-2698						1	1			1		3	62		J6		
6389		P	H		5935--227-8493						1	1			1		3	62		J3		
6390	5775	P	H		5935-787-2230						1	REF			REF		62	3		P1		
6391	2156	P	H		5935-280-2115						1	REF			REF		62			J5		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	F I G U R E N U M B E R			R E F E R E N C E S Y M B O L
6392			P	H	5935-193-2929						1	1		1	3	62 3	J2					
6393			P	H	5935-683-7693						1	2		1	6	62 3	J7					
6394	5334		P	H	5310-684-9756						4	REF		REF		62 3						
6395			P	H	5945-921-3631						3	3		1	9	62 3	K6, 7, 8					
6396			P	H	5945-803-4204						2	2		1	6	62 3	K1, 3					
6397			P	H	5945-729-1213						3	3		1	9	62 3	K2, 4, 5					
6398			P	H	5925-919-3496						1	2		1	2	62 3						
6399			P	H	5935-502-4721						3	3		1	9	62 3	XK6, 7, 8					
6400	921		P	H	5960-082-3988						6	REF		REF		62	TB1 CR1-6					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM	DM																	
6401		P	H		5950-915-5757						6	6			1	18	62 3					
6402		P	H		5910-542-7365						2	2			1	6	82 5			C11, 12		
6403		P	H		5910-060-6318						1	1			1	3	82 5					
6404		P	H		5910-543-9564						2	2			1	6	82			C14, 15 4, 5		
6405		P	H		5910-902-5102						1	1			1	3	82 4			C13		
6406		P	H		6625-061-4490						1	1			1	1	82 4					
6407		P	H		6750-907-6983						1	1			1	1	82 5			J1		
6408		P	H		5935-615-3237						1	1			1	1	82 5			J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6409		P	H		6105-061-4487						1	1			1		2	82 5		B1		
6410		P	H		5340-902-5091						1	1			1		1	82 5				
6411		P	H		5310-754-3071						4	4			1		4	82 5				
6412		P	H		5340-902-5097						4	4			1		4	82 5				
6413		P	H		5340-902-5100						2	2			1		2	82 5				
6414		P	H		5950-724-9223						1	1			1		2	82 4		L1		
6415		P	H		5905-279-1723						1	1			1		3	82 5		R17		
6416		P	H		5905-060-6767						1	1			1		3	82 5		R7		
6417		P	H		5961-813-9363						1	1			1		3	82 5		CR1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6418		P	H		5960-686-6884						1	1		1		3	82 5		CR2		
6419		P	H		5960-679-5290						8	8		1		32	82 4, 6		Q7-14		
6420		P	H		5960-542-7005						2	2		1		8	82 6		Q5, 6		
6421		P	H		5935-260-0516						1	1		1		3	82 6		XT1		
6422		P	H		5950-679-9494						1	1		1		3	82 5		T1		
6423		P	H		5950-064-7946						1	1		1		3	82 4		T2		
6424		P	H		5950-064-7947						1	1		1		3	82 5		T3		
6425		P	H		5950-080-8732						1	1		1		3	82 5		T4		
					5999-908-1995												5				

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6426	1637	P	H		5910-818-9760				CAPACITOR, FIXED, PAPER 1 UF, 20X TOL, 100 VDCW, 53021 PART NO. SDB1K0110M, 95104 PART NO. 931-4500-000			2	REF		REF		82 4		C18, 19		
6427		P	H		5820-711-2217				POST, ELECTRICAL 95104 PART NO. 015-0558-000			2	2		1	2	82 4				
6428		P	H		5945-080-2915				RELAY 2B CONTACT ARRANGEMENT, 04221 PART NO, 102-3663. 95104 PART NO. 972-1489-000			1	1		1	3	82 4		K1		
6429		P	H		5905-549-1816				RESISTOR, FIXED, WIRE WOUND, 20 OHMS, 5% TOL, 11 WATTS. 81349 PART NO. RW29V200, 95104 PART NO. 746-6046-000			1	1		1	3	82 4		R18		
6430		P	H		5905-581-1377				RESISTOR, FIXED, WIRE WOUND, 40 OHMS, 5% TOL, 11 WATTS, 95104 PART NO. 746-6052-000			1	1		1	3	82 4		R19		
6431	5869	P	H		5910-270-9507				CABLE ASSEMBLY, SP 543-7862-000			1	REF		REF		82 5		C6		
6432	3157	P	H		5910-668-7569				CAPACITOR, FIXED, ELECTROLYTIC, 4.5 UF PLUS 75% MINUS 15%, 50 VDCW, 81349 PART NO. CL24BJ4RSUP3.			1	REF		REF		82 6		C3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D M		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L																
6433	255	P	H		5910-755-9350						1	REF		REF				82 6		C5			
6434		P	H		5910-060-5820						2	2		1		6		82 5		C9, 10			
6435		P	H		5910-552-0524						1	1		1		3		82 5		C4			
6436	832	P	H		5910-553-5036						4	REF		REF				82 5		C1, 8, 16, 17			
6437		P	H		5910-712-6945						1	1		1		3		82 5		C2			
6438		P	H		5935-643-6909						1	1		1		3		82 4		P1			
6439		P	H		5999-907-4863						1	2		1		6		82 4					
6440	510	P	H		5905-190-8883						1	REF		REF				82		R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
6441	604	P	H		5905-279-3519						1	REF		REF			5			
																	825		R15	
6442	956	P	H		5905-279-2643						1	REF		REF			825		R5	
6443	283	P	H		5905-299-1514						1	REF		REF			825		R12	
6444	285	P	H		5905-192-3973						1	REF		REF			825		R2	
6445	802	P	H		5905-195-6791						1	REF		REF			82		R16	
6446	287	P	H		5905-279-1876						1	REF		REF			825		R10	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	FIGURE	
6447	807	P	H		5905-279-3504						1	REF		REF			82 5		R6		
6448	1773	P	H		5905-299-2037						2	REF		REF			82 4		R13, 14		
6449		P	H		5905-257-0937						1	1		1		3	82 5		R9		
6450	518	P	H		5905-185-8518						2	REF		REF			82 5		R1, 4		
6451	2110	P	H		5905-171-2004						1	REF		REF			82 5		R11		
6452	1777	P	H		5905-254-9201						1	REF		REF			82 5		R3		
6453		P	H		5905-249-3661						1	1		1		3	82 5		R20		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
6454	578	P	H		5905-279-2522				5		1	REF		REF			82		R21		
6455	2335	P	H		5905-827-0724						1	REF		REF			82 5		RT2		
6456		P	H		5905-724-9369						1	1		1		3	82 5		RT1		
6457		P	H		5960-553-4364						1	1		1		3	82 5		CR3, 4		
6458		P	H		5960-80-1084						2	2		1		8	82 5		Q3, 4		
6459	3528	P	H		5960-807-7883						2	REF		REF			82 5		Q1, 2		
6460		P	H		5910-837-8035						3	3		1		9	63 3		A4 C1-3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
		A	B	C		D	1	2						3						
6461			P	H	5925-914-8782				CIRCUIT BREAKER 74193 PART NO. AM 12MG3-10A400CPSCURV E15			5	5		1	25	63 3			
6462			P	H	5925-913-8730				CIRCUIT BREAKER 74193 PART NO. XAM33M3-20-10A208VAC400 CYCURVE15			1	5		3	25	63 3			
6463	6382		P	H	5925-914-8772				CIRCUIT BREAKER 74193 PART NO. XAM33MG3-20-2A400CPSC URVEIS			1	REF		REF		63 3			
6464			P	H	5925-914-8861				CIRCUIT BREAKER 74193 PART NO. XAM333MG3-10A400CPSCU RVE 15			1	I		1	5	63 3			
6465			P	H	5925-914-8773				CIRCUIT BREAKER 74193 PART NO. XAM333WM3-15A5A400C PSCURVEI S			1	I		1	5	63 3		CB1	
6466			P	H	5935-259-2697				CONNECTOR, ELECTRICAL 48 PINS, 96906 PART NO. MS3102A36-10 S 95104 PART NO. 357-2078-000			1	I		1	3	63 3		J1	
6467	6393		P	H	5935-683-7693				CONNECTOR ELECTRICAL 55 PINS, 77820 PART NO. PT02A22-55S. 95104 PART NO. 371-6000-000			1	REF		REF		63 3			
6468			P	H	5930-615-6731				GUARD, SWITCH 15605 PART NO. 8497K1			3	3		1	9	63 3			
6469	5333		P	H	5821-767-8510				POST, ELECTRICAL 95104 PART NO. 540-9172-003			4	REF		REF		63 3			
6470			P	H	5945-905-2159				RELAY 93929 PART NO.			1	I		1	3	63 3		K15	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6471		P	H		5945-919-7128						2	2				1	6	63 3		K5, 6		
6472		P	H		5945-916-0512						3	3				1	9	63 3		K1, 2, 14		
6473		P	H		5945-815-3494						2	2				1	6	63 3		K12, 13		
6474	970	P	H		5945-833-6657						2	REF		REF			63 3			K10, 11		
6475		P	H		5945-899-2267						2	2				1	6	63		K3, 4		
6476		P	H		5945-937-3031						1	1				1	3	63 3		K9		
6477		P	H		5945-910-8049						1	1				1	3	63 3		K7		
6478		P	H		5945-822-9294						1	1				1	3	63 3		K8		
6479		P	H		5905-299-2015						1	1				1	3	63 3		R5		
6480		P	H		5905-279-8684						1	1				1	3	63 3		R1		
6481		P	H		5930-655-1514						2	2				1	10	63 3		S4, 5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		R E F E R E N C E S Y M B O L
6482		P	H		5930-655-1575				SWITCH, TOGGLE 15605 PART NO. 8823K			2	2		1	10	63 3		52, 3				
6483		P	H		5930-685-9521				SWITCH, TOGGLE 15605 PART NO. 8827K			1	1		1	5	63 3		S1				
6484		P	H		5930-962-0542				SWITCH, TOGGLE 04426 PART NO. 76-4220-404			1	1		1	5	63 3		S6				
6485		P	H		15950-914-0808				TRANSFORMER 89665 PART NO. H134			1	1		1	3	63 3		T1				
6486		P	H		5950-873-8197				TRANSFORMER 81095 PART NO. HSM271			1	1		1	3	63 3		T2				
									TERMINAL BOARD ASSEMBLY 515-6870-006														
6487		P	H		15905-984-3649				RESISTOR, FIXED, WIRE WOUND, 1.2 OHMS 5% TOL, 3 WATTS, 81349 PART NO. RW69V1R2. 95104 PART NO. 747-5302-000			3	3		1	9	63 3		R2, 3, 4				
6488	2168	P	H		5960-841-8940				SEMICONDUCTOR DEVICE, DIODE, 03508 PART NO. 1N1200A, 95104 PART NO. 353-1143-000			1	REF		REF		63 3		CR12				
6489	921	P	H		5960-082-3988				SEMICONDUCTOR DEVICE, DIODE, 02735 PART NO. 1N3254, 95104 PART NO. 353-3275-000			12	REF		REF		63 3		CR1-11, 14				
6490	5707	P	H		5935-283-2879				CONTROL PANEL, BATTERY 758-2932-001 CONNECTOR, ELECTRICAL 24 PINS, 96906 PART NO. MS3102A24-28S, 95104 PART NO.			1	REF		REF		64 3		A5 SJ1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
6491	945	P	H		5935-967-6297						3	REF		REF				64 3		J2-4			
6492		P	H		5920-794-4415						1	1		1		50		64 3		F1			
6493		P	H		5920-782-6924						1	1		1		3		64 3		XF1			
6494		P	H		5895-919-6489						3	3		1		15		64 3					
6495		P	H		1270-609-8499						6	6		1		18		64 3					
6496		P	H		5945-914-5726						2	2		1		6		64 3		K1, 2			
6497		P	H		5945-755-2301						1	1		1		3		64 3		K3			
6498		P	H		5945-815-3494						3	3		1		9		64 3		K6-8			
6499		P	H		5945-681-7856						2	2		1		6		64 3		K4, 5			
6500		P	H		5960-685-8967						4	4		1		12		64 3		CR2-5			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6501			P	H	5961-925-5974						1	1			1		3	64 3		CR1		
6502			P	H	5960-811-8372						1	6			1		18	64 3		CR6		
6503			P	H	5961-999-0843						3	5			1		15	64 3		Q1-3		
6504	5431		P	H	5910-821-4933						3	REF		REF				64 3		C1-3		
6505			P	H	5945-914-6765						3	3			1		9	64 3		K4-6		
6506	1007		P	H	5945-784-9121						1	REF		REF				64 3		K3		
6507	1009		P	H	5945-914-0153						2	REF		REF				64 3		K1, 2		
6508	136		P	H	5905-683-7721						3	REF		REF				64 3		R8, 13, 18		
6509	162		P	H	5905-681-6462						2	REF		REF				64 3		R4, 5		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W E D E Q U I P M E N T P E R 1 0 0	13 R E B U I L D R E Q U I R E D F O R E Q. D E P O T Q T Y 1 0 0	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6510	680	P	H		5905-726-6433						4	REF		REF			64 3		R9, 10, 14 15		
6511	106	P	H		5905-752-3156						6	REF		REF			64 3		R6, 7, 11 12, 16, 17		
6512	3369	P	H		5905-855-5219						3	REF		REF			64 3		R1-3		
6513		P	H		5960-883-6004						4	6		1	18		64 3		CR10-13		
6514	6502	P	H		5960-811-8372						1	REF		REF			64 3		CR6		
6515	1014	P	H		5960-051-0017						8	REF		REF			64 3		CR1-5, 7, 8 9		
6516	880	P	H		5960-751-7605						3	REF		REF			64 3		Q4-6		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6517	6503	P	H		5961-999-0843						1	REF		REF				64 3		A2 Q1		
6518	5431	P	H		5910-821-4933						1	REF		REF				64 3		C1		
6519	667	P	H		5910-958-8327						1	REF		REF				64 3		C2		
6520		P	H		5945-914-8872						1	3		1		9		64 3		K2		
6521		P	H		5945-914-6744						1	2		1		6		64 3		K1		
6522	6506	P	H		5945-784-9121						2	REF		REF				64 3		K4, 5		
6523	954	P	H		5945-755-8219						1	REF		REF				64 3		K3		
6524	3500	P	H		5905-682-4106						1	REF		REF				64 3		R6		
6525	160	P	H		5905-279-3514						1	REF		REF				64		R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
															NUMBER	NUMBER							
6526	2483	P	H		5905-683-2240						2	REF		REF				3					
6527	162	P	H		5905-681-6462						1	REF		REF				64 3			R3, 8		
6528	3006	P	H		5905-686-4528						1	REF		REF				64 3			R4		
6529	106	P	H		5905-752-3156						1	REF		REF				64 3			R5		
6530	710	P	H		5905-682-4222						1	REF		REF				64 3			R7		
6531	3369	P	H		5905-855-5219						1	REF		REF				64 3			R1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y S		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L														
6532	6513	P	H		5960-883-6004						1	REF		REF			64 3		CR4		
6533	6514	P	H		5960-811-8372						1	REF		REF			64 3		CR1		
6534	1014	P	H		5960-051-0017						11	REF		REF			64 3		CR2, 3, 5-13		
6535		P	H		5960-844-7108						1	3		1	12		64 3		Q3		
6536	880	P	H		5960-751-7605						1	REF		REF			64 3		Q2		
6538	6503	P	H		5961-999-0843						1	REF		REF			64 3		Q1		
6539	5431	P	H		5910-821-4933						2	REF		REF			64 3		C2, 3		
6540	667	P	H		5910-958-8327						2	REF		REF			64 3		C2, 3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R I O D	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6541	6520	P	H		5945-914-8872						2	REF		REF			64 3		K4, 5		
6542	6521	P	H		5945-914-6744						1	REF		REF			64 3		K6		
6543	6506	P	H		5945-784-9121						1	REF		REF			64 3		K1, 2		
6544		P	H		5945-082-7140						1	1		1	3		64 3		K3		
6545	3500	P	H		5905-682-4106						1	REF		REF			64 3		K3		
6546	160	P	H		5905-279-3514						2	REF		REF			64 3		R9, 12		
6547	2483	P	H		5905-683-2240						3	REF		REF			64 3		R4, 8, 11		
6548	637	P	H		5905-726-5343						1	REF		REF			64 3		R3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y 1 5			12 A L L O W E Q U I P M E N T P E R 1 0 0			13 R E B U I L D F O R E Q. D E P O T Q T Y 1 0 0			14 I L L U S T R A T I O N S F I G U R E N U M B E R			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	REFERENCE								
															NUMBER	NUMBER	SYMBOL										
6549	639	P	H		5905-686-4527						1	REF		REF				64 3		R2							
6550	106	P	H		5905-752-3156						1	REF		REF				64 3		R5							
6551	3103	P	H		5905-681-8853						2	REF		REF				64 3		R7, 10							
6552	3369	P	H		5905-855-5219						1	REF		REF				64 3		R1							
6553	6513	P	H		5905-883-6004						1	REF		REF				64 3		CR10							
6554	1014	P	H		5960-051-0017						17	REF		REF				64 3		CR1-9, 11-18							
6555	6535	P	H		5960-844-7108						2	REF		REF				64 3		Q3, 4							
6556	880	P	H		5960-751-7605						1	REF		REF				64 3		Q2							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6557	6514	P	H		5960-811-8372						3	REF		REF				64 3		TB3 CR2-4		
6558	1014	P	H		5960-051-0017						2	REF		REF				64 3		CR, 5		
6559		P	H		6625-944-7278						1	1		1		3		61 3		A1 M1		
6560	5708	P	H		6350-914-7380						1	REF		REF				61 3		DS8		
6561	1239	P	H		5935-984-2069						1	REF		REF				61 3		J1		
6562		P	H		5920-917-3538						12	22		2	1100			61 3		F1-12		
6563	2162	P	H		5920-905-1508						12	REF		REF				61 3		XF1-12		
6564		P	H		5355-926-5219						2	2		1	6			61 3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
6565			P	H	6240-155-7836						25	35			2		1750	61 3				
6566			P	H	5340-914-1807						4	4			1		12	61 3				
6567	2166		P	H	5945-923-8762						3	REF			REF			61 3		K1-3		
6568	2168		P	H	5960-841-8940						1	REF			REF			61 3		CR23		
6569	2171		P	H	5930-919-7637						1	REF			REF			61 3		DS7		
6570			P	H	5930-919-7820						1	1			1		5	61 3				
6571			P	H	5999-915-8838						1	1			1		5	61 3				
6572			P	H	5930-919-7818						1	2			2		10	61 3				
6573			P	H	5930-939-4429						1	2			2		10	61 3		DS6		
6574			P	H	5930-919-7822						1	2			2		10	61				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
6575	6574	P	H		5930-919-7821						1	REF						3				
																		61				
																		3				
6576		P	H		5930-703-3410						2	2		1		10		61				
																		3				
6577		P	H		5930-864-6515						2	2		1		10		61		S3, 4		
																		3				
6578		P	H		5950-702-4465						1	2		1		6		61		T2		
																		3				
6579		P	H		5950-939-5868						1	1		1		3		61		T1		
																		3				
6580		P	H		6625-908-9576						1	1		1		4		61		M2		
																		3				
6581	258	P	H		5905-279-1897						2	REF		REF				61		R2, 3		
																		3				
6582	2921	P	H		5905-975-1135						1	REF		REF				61		R1		
																		3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
6583	921	P	H		5960-082-3988						22	REF		REF			61 3		CR1-22	
6584	2150	P	-H		4140-937-4374						1	REF		REF			64 4			
6585		P	H		5935-193-3550							1	1		1		3	64 4	J1	
6586		P	H		5999-919-3497						3	3		1		3	64 4			
6587		P	H		5340-914-1808						4	4		1		4	64 4			
6588		P	H		5960-051-3064						3	3		1		9	64		CR1-3	
6589		P	H		5905-921-4104						2	2		1		6	64 4		R1, 2	
6590		P	H		5905-914-6390						1	1		1		3	64 4		R3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E E Q U I R E D F O R E Q. D E E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS			GS	DM			F I G U R E N U M B E R	R E F E R E N C E S Y M B O L
6591		P	H	5905-901-4706				RESISTOR, FIXED, WIRE WOUND, 8.2 OMS. 5 TOL, 113 WATTS, 81349 PART NO. RW37VSR2. 95104 PART MO. 747-3770-000			1	1		1	3	64 4	R4						
6592		P	H	6625-940-8152				TELEGRAPH SIGNAL ANALYZER DT603			1	1		1	4	83 7-21	5M1						
6593		P	H	5935-149-2758				AMMETER 14031 PART NO. B1411			1	1		1	3	83 7-21	5J2						
6594		P	H	5920-227-9142				CONNECTOR, ELECTRICAL 71785 PART NO. S302AB			2	2		1	100	83 7-21	4F1, 2						
6595		P	H	5920-904-7016				FUSE, CARTRIDGE 75915 PART NO. 313.250			1	1		1	50	83 7-21	5F1						
6596		P	H	5920-849-6564				FUSE, CARTRIDGE 75915 PART NO. 361.100			2	2		1	6	83 7-21	4XF1, 2						
6597		P	H	5920-322-8218				FUSEHOLDER 75915 PART NO. 342004			1	1		1	3	83 7-21	5XF1						
6598		P	H	5935-608-0518				FUSEHOLDER 75915 PART NO. 372001			1	1		1	1	83 7-21	5J1						
6599		P	H	5935-655-4379				JACK, TIP 82389 PART NO. L12A			1	1		1	1	83 7-21	5TP3						
6600		P	H	5935-615-9129				JACK, TIP BLACK, 98291 PART NO. SKT10BLACK			1	1		1	1	83 7-21	5TP4						
6601		P	H	5935-681-5682				JACK, TIP ORANGE. 98291 PART NO. SKT10ORANGE			2	2		1	2	83 7-21	STP1, 2						
								JACK, TIP WHITE, 98291 PART NO.															

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D I S D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		DS	GS	DM					FIGURE NUMBER	ILLUSTRATIONS						
6602			P	H	5355-579-9375						3	3		1		9	83 7-21				
6603			P	H	6240-722-6467						3	3		1		150	83 7-21				
6604			P	H	6210-914-7361						1	1		1		5	83 7-21		5SD4		
6605			P	H	6210-617-0938						3	3		1		15	83 7-21		5D51-3		
6606			P	H	5905-682-4105						1	1		1		3	83 7-21		5R2		
6607			P	H	5905-195-6791						1	1		1		3	83 7-21		5R1		
6608			P	H	5960-853-3438						1	1		1		3	83 7-21		4CR1		
6609			P	H	5930-240-7839						1	1		1		5	83 7-21		5S1		
6610			P	H	5930-246-5599						1	1		1		5	83 7-21		5S2		
6611			P	H	5930-537-7006						1	1		1		5	83 7-21		5S4		
6612			P	H	5930-701-1858						1	1		1		5	83 7-21		5S3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
6613		P	H		5930-919-9962				SWITCH, ROTARY 8 POLES, 5 POSITIONS, 14031 PART NO. 81384			1	1		1	5	83 7-21		5S5			
6614		P	H		5930-539-7661				SWITCH. SLIDE 83330 PART NO. 518			3	3		1	15	83 7-21		5S6-8			
6615		P	H		5950-914-6784				TRANSFORMER, POWER 14031 PART NO. 31081 MODULE. COUNTER PC160-3			1	1		1	3	83 7-21		4T1 1			
6616		P	H		5910-071-1642				CAPACITOR, FIXED, MICA 82 UUF. 2% TOL, 500 VDCW. 88124 PART NO. CD 15-5Q82			54	114		4	342	83 7-18		1C1 1A-JFAC3. 10, 19, 26. 1LFAC3 10, 19, 26. 1CFAC8 11FAC8. 1A-CFAC21 1DFAC21 1EFAC21. 1HFAC21, 11FAC21 1A-LFAR4. 25			
6617		P	H		5905-807-3065				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C81645			24	56		3	100	83 7-18		1A-JFAR5 24. 1LFAR5, 24, 1CFAR6. 11FAR6. 1A-EFAR23, 1H, IFAR23, 1KGAR7,. 9. 11, 18, 20. 22			
6618		P	H		5905-803-2908				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C83035			37	102		4	306	83 7-18		1A-LFAR1,. 28			
6619		P	H		5905-577-9459				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C83925			24	54		3	162	83 7-18		1R1,			
6620		P	H		5905-192-3978				RESISTOR, FIXED,			23	31		2	93	83					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6621			P	H	5960-556-2091						32	113		4	339	7-18		1A-JFAR11, 18, 1FLAR11 18			
6622			P	H	5960-752-5229						24	68		3	272	83 7-18		1CR1, 1A-JFACR9 20, 1LFCAR9 20, 1CFACR7 11FACR7, 1A-EFACR22, 1HFACR22, 11FACR22 1A-LFAQ1, 2			
6623	6616		P	H	5910-071-1642						48	REF		REF		83 7-19		2AFAC3, 8, 10, 19, 21 26, 2BFAC3, 8, 10, 19, 21, 26, 2DFAC3, 8, 10, 19, 21, 26, 2EFAC3, 8, 10, 19, 21, 26, 2GFAC3, 10, 19, 26, 2HFAC3, 26, 21FAC3, 8, 10, 19, 21, 26, 2KFAC3, 8, 10, 19, 21, 26, 2LFAC3, 8, 10, 19, 21 26			
6624	6616		P	H	5910-954-552						4	4		1	12	83 7-19		2HFEC8, 10, 19, 21			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER																
6625		P	H		5905-577-9497					2	2		1		6	83 7-19	2J603R11, 18				
6626		P	H		5905-681-6462					1	2		1		6	83 7-19	2HFER28				
6627		P	H		5905-577-9465					2	7		1		21	83 7-19	2HFER5 24				
6628		P	H		5905-801-0443					4	9		1		27	83 7-19	2HFER4, 25, 2J603R4, 25				
6629		P	H		5905-752-3186					14	16		1		48	83 7-19	2C603R3, 7, 11, 15, 19 23, 27, 2F603R3, 7, 11, 15, 19, 23, 27				
6630	6617	P	H		5905-807-3065					16	REF		REF		83 7-19	2AFAR4, 25, 2BFAR4, 25, 2DFAR4, 25, 2EFAR4, 25, 2GFAR4, 25, 2IFAR4, 25, 2KFAR4, 25, 2LFAR4, 25					
6631	6618	P	H		5905-803-2908					34	REF		REF		83 7-19	2AFAR5, 24, 2BFAR5, 24, 2C603R1, 5, 9, 13, 17, 19, 2DFAR5, 24, 2EFAR5 24, 2F603R1, 5, 9, 13, 17, 21, 25, 2GFARS, 24, 2HFER6, 23, 2IFERS, 24					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 I L L U S T R A T I O N S F I G U R E N U M B E R		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
6632			P	H	5905-686-3369						2	4		1	12	83 7-19		2J603R9, 20, 2KFARS5, 24, 2LFAR5, 24 2HFER1, 18					
6633	6619		P	H	5905-577-9459						18	REF		REF		83 7-19		2AFAR1, 28, 2BFAR1, 28, 2DAR1, 28, 2EFAR1, 28, 2GFAR1, 28, 2IFAR1, 28, 2J603R1, 28, 2KFAR1, 28, 2LFAR1, 28, 2R8, 2GFAR11, 18, 2HFER11					
6634	6620		P	H	5905-192-3978						4	REF		REF		83 7-19		2AFAR6, 11, 18, 23, 2BFAR6, 11, 18, 2DFAR6, 11, 18, 23, 2EFAR6, 11, 18, 23, 2IFAR6, 11, 18, 23, 2KFAR6, 11, 18, 23, 2LFAR6, 11, 18, 23 2R9					
6635			P	H	5905-279-3505						28	30		2	90	83 7-19		2AFAR6, 11, 18, 23, 2BFAR6, 11, 18, 2DFAR6, 11, 18, 23, 2EFAR6, 11, 18, 23, 2IFAR6, 11, 18, 23, 2KFAR6, 11, 18, 23, 2LFAR6, 11, 18, 23 2R9					
6636			P	H	5905-192-3973						1	2		1	6	83 7-19		2AFAR6, 11, 18, 23, 2BFAR6, 11, 18, 2DFAR6, 11, 18, 23, 2EFAR6, 11, 18, 23, 2IFAR6, 11, 18, 23, 2KFAR6, 11, 18, 23, 2LFAR6, 11, 18, 23 2R9					
6637			P	H	5905-079-3175						1	1		1	3	83 7-19		2R3					
6638			P	H	5905-071-2605						1	1		1	3	83 7-19		2R3					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y E			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		DS	GS	DM		DM																	
		A	B	C		D	1	2						3									
6639			P	H	5905-892-7279				RESISTOR, FIXED, FILM 81349 PART No. RN65D3401F			1	1			1	3	83		2R7			
6640			P	H	5905-951-4924				RESISTOR, FIXED, FILM 81349 PART NO. RN65D3402F			1	1			1	3	83		2R2			
6641			P	H	5905-060-2481				RESISTOR, FIXED, FILM 81349 PART NO. RN20X6811F			1	1			1	3	83		2R4			
6642			P	H	5905-062-5677				RESISTOR, FIXED, FILM 81349 PART NO. RN20X6812F			2	2			1	6	83		2R1, 2R6			
6643	6621		P	H	5960-556-2091				SEMICONDUCTOR DEVICE. DIODE, 99180 PART NO. 1N270			62	REF			REF		83		2AFACR7, 9, 20, 22, 2BFACR7, 9, 20, 22, 2C603CR2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 2DFACR7, 9, 20, 22, 2EFACR7, 9, 20, 22, 2F603CR2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 2GFACR9, 20, 2HFECR7, 9, 20, 22, 2IFACR7, 9, 20, 22, 2KFACR7, 9, 20, 22, 2LFACR7, 9, 20, 22		7-19	
6644			P	H	5960-900-6711				SEMICONDUCTOR DEVICE. DIODE. 80368 PART NO. 1N456A			7	7			1	21	83		2AFACR2, 2BFACR2, 2DFACR2, 2EFACR2, 2IFACR2,	7-19		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6645	6622	P	H		5960-752-5229						20	REF		REF				83 7-19		2KFACR2, 2LFACR2 2AFAQ1, 2, 2BFAQ1, 2, 2CFAQ1, 2, 2DFAQ1, 2, 2EFAQ1, 2, 2GFAQ1, 2, 2HFAQ1, 2, 2IFAQ1, 2, 2J603Q1, 2, 2KFAQ1, 2 2LFAQ1, 2 3	
					6625-920-2262																MODULE, INPUT PC162-3
6646		P	H		5910-963-8069						2	2		1	6	83 7-20				3GIC27, 3KTCC5	
6647		P	H		5910-577-3282						1	1		1	3	83 7-20				3GIC2	
6648		P	H		5910-921-3775						1	1		1	3	83 7-20				3C6	
6649		P	H		5910-044-4355						1	1		1	3	83 7-20				3J603C10	
6650	6616	P	H		5910-071-1642						8	REF		REF		83 7-20				31TBC4, 26, 3KTCC26, 3LFAC3, 10, 19, 21, 26 3C12	
6651		P	H		5910-717-0167						1	2		1	6	83 7-20				3C12	
6652		P	H		5910-846-4375						1	1		1	3	83				3C5	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6653			P	H	5910-082-4898						2	2		1	6	83 7-20		3C3, 8			
6654			P	H	5910-777-6907						1	1		1	3	83 7-20		3C9			
6655			P	H	5910-921-0525						2	2		1	6	83 7-20		3C10, 11,			
6656			P	H	5910-811-2460						1	1		1	2	83 7-20		3C7			
6657			P	H	5910-868-7647						2	2		1	4	83 7-20		3C4, 6			
6658			P	H	5910-865-6105						1	1		1	2	83 7-20		3C2			
6659			P	H	5950-883-9448						2	2		1	6	83 7-20		3GIL3, 24			
6660			P	H	5935-045-7779						1	1		1	1	83 7-20		3E603TP1			
6661	6626		P	H	5905-681-6462						1	REF		REF		83 7-20		3J603R27			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
6662	6628	P	H		5905-801-0443						1	REF		REF			83 7-20		31TR3		
6663	6629	P	H		5905-752-3186						2	REF		REF			83 7-20		3J603R9, 28		
6664	6617	P	H		5905-807-3065						10	REF		REF			83 7-20		3FGAR4, 25, 3H603R25, 3ITBR25, 3J603R4, 25, 3KTCR25, 3LFAR4, 24, 3R3		
6665		P	H		5905-577-9463						2	2		1	6		83 7-20		3E603R2, 3		
6666	6618	P	H		5905-803-2908						12	REF		REF			83 7-20		3FGAR7, 9, 11, 18, 3J603R11, 3KTCR3, 24, 3LFAR5, 11, 18, 23, 24		
6667	6632	P	H		5905-686-3369						1	REF		REF			83 7-20		3GIR28		
6668		P	H		5905-716-4841						1	1		1	6		83 7-20		3R7		
6669	6619	P	H		5905-577-9459						5	REF		REF			83 7-20		3FGR1, 28, 3J603R1, 3LFAR1, 28		
6670		P	H		5905-577-9685						3	3		1	9		83 7-20		3H603R3, 24, 3ITBR24		
6671		P	H		5905-683-2246						1	1		1	3		83 7-20		3J603R18		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D I N G D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6672			P	H	5905-577-9487						1	1			1		3	83 7-20		3E603R1	
6673			P	H	5905-577-9604						2	2			1		6	83 7-20		3H603R1 28	
6674			P	H	5905-195-6806						1	3			1		9	83 7-20		3R5	
6675			P	H	5905-279-3515						1	1			1		3	83 7-20		3R4	
6676			P	H	5905-279-3501						2	2			1		6	83 7-20		3GIR4, 3R6	
6677	6620		P	H	5905-192-3978						1	REF			REF			83 7-20		3GIR5	
6678			P	H	5905-171-1998						1	1			1		3	83 7-20		31TBR5	
6679	6635		P	H	5905-279-3505						2	REF			REF			83 7-20		3KTCR1, 28	
6680			P	H	5905-257-0935						1	1			1		3	83 7-20		3R1	
6681			P	H	5905-577-1962						3	3			1		9	83 7-20		3R2, 31TBR1 28	
6682			P	H	5905-962-0537						3	3			1		9	83 7-20		3E603R5, 6, 7	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6683			P	H	5905-764-3239						1	1		1		3	83 7-20		3E603R4	
6684	6621		P	H	5960-556-2091						14	REF		REF			83 7-20		3CR1,2, 3GICR20,21, 3H603CR4,5 3ITBCR2, 27, 3KTCCRR2, 3LFACR9, 20, 22,29, 30 3CR3	
6685			P	H	5960-752-6163						1	1		1		3	83 7-20		3CR3	
6686			P	H	5960-838-8888						2	2		1		8	83 7-20		3GIQ1, 2	
6687	6622		P	H	5960-752-5229						14	REF		REF			83 7-20		3FGAQ1,2 3H603Q1,2 3ITBQ1,2 3KTCCQ1, 2. 3LFAQ1, 2, 3Q1, 2 3GIT1	
6688			P	H	5950-919-6480						1	1		1		3	83 7-20		6	
6689			P	H	5910-926-8068						2	2		1		6	83 7-21		6C1, 2	
6690			P	H	5910-926-0005						1	1		1		3	83 7-21		6C3	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS						DM
6691	6636	P	H		5905-192-3973						1	REF		REF			83 7-21		6R2		
6692		P	H		5905-841-8769						1	1		1	3		83 7-21		6R1		
6693	6621	P	H		5960-556-2091						1	REF		REF			83 7-21		6CR5		
6694		P	H		5960-964-5478						4	4		1	12		83 7-21		6CR1-4 8		
6695		P	H		5910-952-4101						1	1		1	3		83 7-21		8C2		
6696		P	H		5910-995-0614						2	2		1	6		83 7-21		8EGEC10, 19		
6697		P	H		5910-051-4612						2	2		1	6		83 7-21		8AFAC8, 10		
6698	6616	P	H		5910-071-1642						4	REF		REF			83 7-21		8AFAC3, 19, 26, 8CGAC3		
6699	6651	P	H		5910-717-0167						1	REF		REF			83 7-21		8C1		
6700	6627	P	H		5905-577-9465						5	REF		REF			83		8B603R7, 9.		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D I N D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
6701	6628	P	H		5905-801-0443				COMPOSITION, 01121 PART NO. C81035 RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C81245			4	REF		REF		7-21		11, 8EGER11, 18 8B603R4, 8CGAR25, 8EGER4, 25			
6702	6617	P	H		5905-807-3065				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C81645			6	REF		REF		83 7-21		8AFAR4, 25. 8B603R25, 8CGAR4, 8DGAR4, 25			
6703	6618	P	H		5905-803-2908				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. C83035			19	REF		REF		83 7-21		8AFAR5, 6. 24, 8B603R18, 20, 8CGAR11 18, 8DGAR5, 6, 7, 8, 9, 11, 18, 20, 21, 22, 23, 24			
6704	6632	P	H		5905-686-3369				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. CB3315			1	REF		REF		83 7-21		8B603R1			
6705	6619	P	H		5905-577-9459				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. CB3925			7	REF		REF		83 7-21		8AFAR1, 28, 8B603R28, 8CGAR1, 28. 8DGAR1, 28 8CGAR20			
6706		P	H		5905-835-1634				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. CB4305			1	1		1	3	83 7-21					
6707	6674	P	H		5905-195-6806				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. EB1025			2	REF		REF		83 7-21		8ECER1, 28			
6708		P	H		5905-185-8510				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. EB1035			1	1		1	3	83 7-21		8R1			
6709	6620	P	H		5905-192-3978				RESISTOR, FIXED, COMPOSITION, 01121 PART NO. EB3035			3	REF		REF		83 7-21		8AFAR11, 18, 8R2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		A	B	C	D																
6710	6621	P	H		5960-556-2091				SEMICONDUCTOR DEVICE, DIODE, 99180 PART NO. 1N270			4	REF		REF		83 7-21		8AFACR7, 9 20, 8CR1		
6711	6622	P	H		5960-752-5229				SEMICONDUCTOR DEVICE, TRANSISTOR, 86664 PART NO. 2N404			10	REF		REF		83 7-21		8AFAQ1, 2. 8B603Q1, 2 8CGAQ1, 2. 8DGAQ1, 2, 8EGEQ1, 2 9		
					6625-919-7965				MODULE, TIMING PC 164-3												
6712		P	H		5910-901-9870				CAPACITOR, FIXED, PAPER 100,000 UUF, 10% TOL, 100 VDCW, 90201 PART NO. PVC101			1	1		1	3	83 7-20		9C3		
6713		P	H		5910-914-8783				CAPACITOR, FIXED, PAPER 150,000 UUF, 10% TOL, 100 VDCW, 90201 PART NO. PVC1015			1	1		1	3	83 7-20		9C2		
6714		P	H		5910-982-2803				CAPACITOR, FIXED, PAPER 500,000 UUF, 10% TOL, 100 VDCW, 90201 PART NO PVC105			1	1		1	3	83 7-20		9C1		
6715		P	H		5950-892-8307				REACTOR 81095 PART NO. EC020A RACK ASSEMBLY EQUIPMENT 515-6896-001			1	1		1	2	83 7-20		9L1		
6716	6020	P	H		5935-552-7660				CONNECTOR, ELECTRICAL 91737 PART NO. UG625BU, 95104 PART NO. 357-9670-000			1	REF		REF				J2		
6717		P	H		5935-149-4266				CONNECTOR, ELECTRICAL 02660 PART NO. 75MC1F			1	1		1	3			J1		
6716		P	H		5965-914-7327				MICROPHONE			1	1		1	3					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
		DS	GS	DM																	
6719		P	H		5940-615-9110				54715 PART NO. 201 POST, BINDING			2	2		1	6					
6720					5940-846-5474				58474 PART NO. DFN30BC, 95104 PART NO. 372-1061-000 POST, BINDING			4	4		1	12					
6721	903	P	H		5340-919-9948				58474 PART NO. DFN30RC, 95104 PART NO. 372-1062-000 DRAWER			1	REF		REF						
6722	904	P	H		5940-078-9345				515-6885-002 FASTENER, LOCK			2	REF		REF						
6723		P	H		5340-550-8834				94222 PART NO. 44-99-223-22 FERRULE, HANDLE			1	7		1	7					
6724	904	P	H		5940-078-9345				71279 PART NO. 1965 95104 PART NO. 015-0377-000 DRAWER			2	REF		REF						
6725	6723	P	H		5340-550-8834				515-6885-003 FERRULE, HANDLE			1	REF		REF						
6726		P	H		5935-088-5252				71279 PART NO. X1988. 95104 PART NO. 015-0377-000 HANDLE, BOW			13	13		1	39					
									71279 PART NO. 1965. 95104 PART NO. 015-0453-000 DRAWER												
									RECEPTACLE 15-AMP, 125 VAC.												

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6727																				
6728			P	H	5835-914-2590						1	1		1		4				
6729			P	H	4130-926-4156						1	1		1		3	84			
6730			P	H	6625-930-7967						1	1		1		4	84			
6731			P	H	5995-995-9822						1	1		1		5	84			W1
6732			P	H	5910-961-4204						1	1		1		3	84			C21
6733			P	H	5910-877-8151						1	1		1		3	84			C17
6734			P	H	5910-827-1218						1	1		1		3	84			C20

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6735		P	H		5910-961-9684						2	2			1	6	84 5-2		C18, 19	
6736		P	H		5910-578-1623						1	1			1	2	84 5-1		C10	
6737		P	H		5950-815-3830						2	2			1	6	84 5-2		L1, 2	
6738		P	H		5935-914-4737						1	2			2	6	84 5-2		J3	
6739		P	H		5935-972-9464						17	17			1	51	84 5-2			
6740		P	H		5935-665-5718						1	1			1	3	84 5-2			
6741		P	H		5935-843-9008						1	1			1	3	84 5-2		J1	
6742		P	H		5935-043-4067						1	1			1	3	84 5-1			
6743		P	H		4140-921-8240						1	1			1	1	84			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6744		P	H		5920-296-0556						1	1		1	50	84		F2		
6745		P	H		5920-665-2881						1	1		1	50	84		F1		
6746		P	H		5920-356-2193						1	1		1	50	84				
6747		P	H		5920-881-4636						2	3		2	9	84				
6748		P	H		5355-619-9862						1	1		1	3	84				
6749		P	H		5355-878-8926						2	2		1	6	84				
6750		P	H		6240-577-8456						1	1		1	5	84		DS1		
6751		P	H		6105-755-6941						1	1		1	2	84				
6752		P	H		5905-279-3511						1	1		1	3	84		R10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T E N D A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		
6753		P	H		5905-563-2238						1	15		1	45	84 5		R18				
6754		P	H		5905-686-3358						1	2		1	6	84 5-1		R19				
6755		P	H		5905-681-8822						1	1		1	3	84 5-2		R22				
6756		P	H		5905-193-2115						1	1		1	3	84 5-2		R20				
6757		P	H		5905-968-0371						1	1		1	3	84 5-2		R21				
6758		P	H		5960-962-5206						5	11		1	33	84 5-2		CR1				
6759		P	H		5960-846-9458						1	1		1	4	84 5-2		Q2				
6760		P	H		5960-087-3569						1	1		1	4	84 5-1		Q1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
														FIGURE NUMBER	ITEM NUMBER			REFERENCE SYMBOL			
6761		P	H		5935-763-1304						1	2		2		6	84 5-2				
6762		P	H		5340-916-2253						2	2		1		4	84 5-2				
6763		P	H		5930-815-8982						1	1		1		5	84 5-2	S5			
6764		P	H		5930-977-1760						1	2		2	10	84 5-2					
6765		P	H		5930-231-1491						1	1		1	5	84 5-2		S7			
6766		P	H		5930-715-1130						1	1		1	5	84 5-2					
6767		P	H		5930-989-8658						1	1		1	5	84 5-2		S3			
6768		P	H		6145-542-6092					FT	4	4		4	20	84 1-1					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS						DM
6769		P	H		5935-149-4066						2	2		1		6	84 1-1				
					6625-919-7955																
6770		P	H		5910-914-2602						1	1		1		3	84 5-4		C11		
6771		P	H		5905-279-3504						1	1		1		3	84 5-4		R15		
6772		P	H		5905-686-3838						1	7		1		21	84 5-4		R17		
6773		P	H		5905-681-8853						1	4		1		12	84 5-4		R16		
6774		P	H		5905-682-4105						1	1		1			84 5-4		R11		
6775		P	H		5930-012-2483						1	1		1		5	84		S1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I L D A Y		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
6776		P	H		5910-688-6886				28480 PART NO. 3100-0276 ATTENUATOR ASSEMBLY 5232A-198			1	1		1	3	84 5-4		C4				
6777		P	H		5910-617-9346				CAPACITOR, FIXED CERAMIC, 78488 PART NO. GA-0.47PF PORM5%, 28480 PART NO. 150-0021			1	1		1	3	84 5-4		C6				
6778		P	H		5910-725-5578				CAPACITOR, FIXED, CERAMIC, 78488 PART NO. GA-2PF PORM5%, 28480 PART NO. 0150-0031			1	1		1	3	84 5-4		C7				
6779		P	H		5910-819-2536				CAPACITOR, FIXED, MICA 00853 PART NO. DR1456E, 28480 PART NO. 0140-0081			1	1		1	3	84 5-4		C13				
6780		P	H		5910-823-1930				CAPACITOR, FIXED, MICA 00853 PART NO. RCM15C150J, 28480 PART NO. 0140-0101			1	1		1	3	84 5-4		C8				
6781		P	H		5910-053-1767				CAPACITOR, FIXED, MICA 00853 PART NO. DR1418EPORM.5PF, 28480 PART NO. 0140-0144			1	1		1	3	84 5-4		C9				
6782		P	H		5910-914-4731				CAPACITOR, FIXED, MICA 04062 PART NO. DM15F131J-300V, 28480 PART NO. 0140-0195			1	15		2	45	84 5-4		C12				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6783		P	H		5905-691-0195						1	1		1		3	84 5-4		R12	
6784		P	H		5905-726-4413						1	2		1		6	84 5-4		R3	
6785	6772	P	H		5905-686-3838						1	REF		REF			84 5-4		R14	
6786	6754	P	H		5905-686-3358						1	REF		REF			84 5-4		R5	
6787		P	H		5905-686-9993						1	2		1		6	84 5-4		R7	
6788		P	H		5905-681-8958						1	1		1		3	84 5-4		R9	
6789		P	H		5905-681-9021						1	1		1		3	84 5-4		R8	

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR ALLOWANCE, SEE AUTHORIZED	3 RECOVERABILITY CODE MAINTENANCE & SOURCE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE		12 EQUIPMENT DEPOSIT QTY	13 REBUILT 100 REQUIRED FOR EQ.	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
6790		P	H		5905-681-8817				RC07GF824J, 28480 PART NO. 0683-8245 RESISTOR, FIXED, COMPOSITION, 1 MEGOHM, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF105J, 28480 PART NO. 0683-1055			1	3		1		9	84 5-4		R6		
6791		P	H		5905-687-0353				RESISTOR, FIXED, COMPOSITION, 1.2 MEGOHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF125J, 28480 PART NO. 0683-1255			2	2		1		6	84 5-4		R2, 4		
6792		P	H		5905-800-3955				RESISTOR, FIXED, COMPOSITION, 3.3 MEGOHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF335J, 28480 PART NO. 0683-3355			1	1		1		3	84 5-4		R13		
6793		P	H		5930-919-3464				SWITCH, ROTARY 28480 PART NO. 3100-0277			1	1		1		5	84 5-4		S2		
					6625-915-5833				DECADE, DIVISION ASSEMBLY 5212A-65C											A11-16		
6794		P	H		5910-961-4202				CAPACITOR, FIXED, CERAMIC, 100,000 UUF, PLUS 80% MINUS 20% TOL, 50 VDCW, 56289 PART NO. 5C50A, 28480 PART NO. 0150-0121			1	12		1		36	84 5-19		C1		
6795		P	H		5910-961-3961				CAPACITOR, FIXED, MICA 04062 PART NO. DM15F111J-300V, 28480 PART NO. 0140-0194			2	15		1		45	84		C2, 11		
6796	6782	P	H		5910-914-4731				CAPACITOR, FIXED, MICA			4	REF		REF			84		C3, 4, 9, 10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6797		P	H		5910-774-7294						3	4		1	12	84			5-19	C5, 6, 7
6798		P	H		5910-954-5497						2	6		1	18	84 5-19				C12, 13
6799		P	H		5910-954-5508						1	2		1	6	84 5-19				C8
6800		P	H		5910-957-9909						1	6		1	18	84 5-19				C14
6801		P	H		5905-683-2239						4	4		1	12	84 5-19				R7, 18, 30, 41
6802		P	H		5905-683-2236						1	3		1	9	84 5-19				R1
6803		P	H		5905-682-4089						8	16		1	48	84 5-19				R6, 8, 17, 19, 29, 31 40,42

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L E D I S D A Y		12 A L L O W A N C E P E R M I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6804		P	H		5905-686-9997						8	9		1	27	84 5-19		R3, 9, 14, 20 26, 32, 37, 43		
6805		P	H		5905-681-9970						2	6		1	18	84 5-19		R16, 34		
6806	6753	P	H		5905-563-2238						5	REF		REF		84 5-19		R5, 11, 22 28, 39		
6807		P	H		5905-683-2246						16	25		2	75	84 5-19		R2, 4, 10, 12, 13, 15 21, 23, 27, 33, 35, 36, 38, 44, 46		
6808	6773	P	H		5905-681-8853						1	REF		REF		84 5-19	R24			
6809	6758	P	H		5960-962-5206						5	REF		REF		84 5-19		CR1-5		
6810		P	H		5960-988-7630						8	24		2	96	84 5-19		Q1-8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6811	6794	P	H		5910-961-4202						1	REF		REF			84 5-21		A17 C6		
6812	6795	P	H		5910-961-3961						2	REF		REF			84 5-21		C1, 2		
6813	6798	P	H		5910-954-5497						1	REF		REF			84 5-21		C5		
6814	6800	P	H		5910-957-9909						2	REF		REF			84 5-21		C3, 4		
6815		P	H		6240-577-8456						2	4		1	200		84 5-21		DS1, 2		
6816		P	H		5905-808-6135						1	5		1	15		84 5-21		R8		
6817		P	H		5905-501-8479						1	3		1	9		84 5-21		R15		
6818		P	H		5905-686-9998						3	4		1	12		84 5-21		R4, 5, 18		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L E D D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6819		P	H		5905-279-3503						1	2		1	6	84 5-21		R19		
6820	6753	P	H		5905-563-2238						1	REF		REF		84 5-21		R4		
6821		P	H		5905-687-0000						1	31		2	93	84 5-21		R11		
6822	4578	P	H		5905-687-0002						2	REF		REF		84 5-21		R3, 6		
6823		P	H		5905-721-0597						1	3		1	9	84 5-21		R12		
6824	6772	P	H		5905-686-3838						1	REF		REF		84 5-21		R24		

1 SEQUENCE NUMBER	2 SEQUENCE FOR ALLOWANCE AUTHORIZED	3 RECOVERABILITY MAINTENANCE SOURCE & CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABLE ABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY PER	11 ALLOWANCE FIELD 15 DAYS		12 EQUIPMENT PER	13 REQUIRED FOR EQ. DEPOT QTY	14 FIGURE NUMBER	15 ITEM NUMBER	16 ILLUSTRATIONS REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS					
6825		P	H		5905-686-5903				0683-2735 RESISTOR, FIXED, COMPOSITION, 33,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF333J, 28480 PART NO. 0683-3335			3	3		1		9	84 5-21		R16, 17, 20	
6826	6807	P	H		5905-683-2246				RESISTOR, FIXED, COMPOSITION, 47,000 OHMS: 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF473J, 28480 PART NO 0683-4735			3	REF		REF			84 5-21		R2, 9, 10	
6827		P	H		5905-686-3129				RESISTOR, FIXED, COMPOSITION 100,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF104J, 28480 PART NO. 0683-1045			1	9		1		27	84 5-21		R23	
6828		P	H		5905-681-8822				RESISTOR, FIXED, COMPOSITION, 270,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF274J, 28480 PART NO. 0683-2745			1	1		1		3	84 5-21		R21	
6829		P	H		5905-686-3131				RESISTOR FIXED, COMPOSITION, 330,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF334J, 28480 PART NO. 0683-3345			1	1		1		3	84 5-21		R22	
6830		P	H		5905-880-5451				RESISTOR, FIXED FILM 14674 PART NO. RL32S222J, 28480 PART NO. 0761-0005			2	2		2		6	84 5-21		R1, 7	
6831		P	H		5960-978-7468				SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1901-0025			4	24		3		72	84 5-21		CR4-7	

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR ALLOWANCE, SEE AUTHORIZED	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 QUANTITY PER EQUIPMENT	11 ALLOWANCE		12 EQUIPMENT	13 REQUIRED FOR EQ. DEPOSIT QTY	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
6832		P	H		5960-846-2081				SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1910-00 1			3	13		1	39		84 5-21		CR1-3		
6833	6810	P	H		5960-988-7630				SEMICONDUCTOR DEVICE, TRANSISTOR, 28480 PART NO. 1850-0062			2	REF		REF			84 5-21		Q1, 2		
6834		P	H		5960-729-1279				SEMICONDUCTOR DEVICE, TRANSISTOR, 80131 PART NO. 2N169A, 28480 PART NO. 1851-0006			1	1		1	4		84 5-21		Q3		
6835		P	H		5960-542-7158				SEMICONDUCTOR DEVICE, TRANSISTOR, 80131 PART NO. 2N383, 28480 PART NO. 1850-0040			2	4		2	16		84 5-21		Q4, 5		
6836		P	H		5910-896-3109				CAPACITOR, FIXED CERAMIC, 28480 PART NO. 0150-0014			2	2		1	6		84 5-22		C6, 9		
6837	6794	P	H		5910-961-4202				CAPACITOR, FIXED, CERAMIC, 56289 PART NO. 5C50A, 28480 PART NO. 0150-0121			1	REF		REF			84 5-22		C2		
6838		P	H		5910-781-9398				CAPACITOR, FIXED, ELECTROLYTIC 56289 PART NO. 033909, 28480 PART NO. 0180-0049			1	2		1	6		84 5-22		C10		
6839		P	H		5910o-35-5090				CAPACITOR, FIXED ELECTROLYTIC 56289 PART NO. 028118, 28480 PART NO. 0180-0058			1	1		1	3		84 5-22		C8		
6840		P	H		5910-809-4701				CAPACITOR, FIXED			1	1		1	3		84		C3		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6841	6800	P	H		5910-957-9909						2	REF		REF			5-22			
6842		P	H		5910-578-8483						1	1		1	3		84 5-22		C1	
6843		P	H		5910-984-3869						1	2		1	6		84 5-22		C7	
6844	6802	P	H		5905-683-2236						1	REF		REF			84 5-22		R15	
6845		P	H		5905-578-0909						1	1		1	3		84 5-22		R21	
6846		P	H		5905-686-9994						1	5		1	15		84 5-22		R20	
6847	6817	P	H		5905-501-8479						2	REF		REF			84 5-22		R16, 19	

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR ALLOWANCE, SEE AUTHORIZED	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT	11 FILED		12 ALLOWANCE PER DAY	13 REQUIR 100 EQ. DEPT QTY	14 FIGURE NUMBER	15 ILLUSTRATIONS		16 REFERENCE SYMBOL
		A	B	C	D		1	2	3					DS	GS				DM	ITEM NUMBER	
6848		P	H		5905-686-3798						1	6			1	18	84 5-22		R18		
6849		P	H		5905-681-9969						3	5			1	15	84 5-22		R3, 4, 12		
6850	6818	P	H		5905-686-9998						1	REF		REF			84 5-22		R23		
6851		P	H		5905-195-6453						3	3			1	9	84 5-22		R1, 6, 11		
6852	6819	P	H		5905-279-3503						1	REF		REF			84 5-22		R8		
6853	6753	P	H		5905-563-2238						1	REF		REF			84 5-22		R7		
6854		P	H		5905-681-8818						2	2			1	6	84 5-22		R9, 13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D I S A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
6855	6821	P	H		5905-687-0000				OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07G153J, 28480 PART NO. 0683-1535			1	REF		REF		84 5-22		R10			
6856	6823	P	H		5905-721-0597				RESISTOR, FIXED, COMPOSITION, 22,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF223J, 28480 PART NO. 0683-2235			1	REF		REF		84 5-22		R14			
6857	6772	P	H		5905-686-3838				RESISTOR, FIXED, COMPOSITION, 27,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF243J, 28480 PART NO. 0683-2435			1	REF		REF		84 5-22		R17			
6858	6807	P	H		5905-683-2246				RESISTOR, FIXED, COMPOSITION, 47,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF273J, 28480 PART NO. 0683-2735			2	REF		REF		84 5-22		R2, 5			
6859	6773	P	H		5905-681-8853				RESISTOR, FIXED, COMPOSITION, 68,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF473J, 28480 PART NO. 0683-4735			1	REF		REF		84 5-22		R22			
6860	6831	P	H		5960-978-7468				SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1901-0025			2	REF		REF		84 5-22		CR2, 8			
6861		P	H		5960-912-5679				SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO.			1	1		1	3	84 5-22		CR7			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D 1 5 D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE		ITEM														
6862	6832	P	H		5960-846-2081						4	REF		REF			84 5-22		CR3-6		
6863	6835	P	H		5960-542-7158						1	REF		REF			84 5-22		Q6		
6864	6810	P	H		5960-988-7630						5	REF		REF			84 5-22		Q1-5		
6865		P	H		5960-752-5362						1	1		1	3		84 5-22		Q7		
6866		P	H		5910-781-9347						2	3		1	9		84 5-23		C2, 3		
6867		P	H		5910-726-6249						1	1		1	3		84 5-23		C1		
6868		P	H		5905-808-6136						2	9		1	23		84 5-23		R12, 13		
6869		P	H		5905-279-5464						2	9		1	27		84 5-23		R 13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
6870			P H	5905-683-2242					1	1		1		3	84 5-23		R8	
6871			P H	5905-681-6462					1	10		1		30	84 5-23		R4	
6872	6846		P H	5905-686-9994					1	REF		REF			84 5-23		R9	
6873			P H	5905-279-1723					1	1		1		3	84 5-23		R6	
6874			P H	5905-171-2001					1	1		1		3	84 5-23		R10	
6875			P H	5905-279-2662					1	1		1		3	84 5-23		R1	
6876	6784		P H	5905-726-4413					1	REF		REF			84 5-23		R3	

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORITY SEE	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABLE LITTY	9 QUANTITY IN USE	10 EQUIPMENT PER CENT	11 FILED DATE		12 ALLOWANCE PER CENT	13 REQUIRD FOR EQ. DEPOT QTY	14 FIGURE NUMBER	15 ITEM NUMBER	16 ILLUSTRATIONS REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS					
6877	6787	P	H		5905-686-9993				WATT, 81349 PART NO. RC07GF123J, 28480 PART NO. 0683-1235 RESISTOR, FIXED, COMPOSITION, 120,000 OHMS, 5% TOL, 1/4 WATT 81349 PART NO. RC07GF124J, 28480 PART NO. 0683-1245			1	REF					84 5-23		R2	
6878		P	H		5905-988-9997				RESISTOR, VARIABLE 28480 PART NO. 2100-0128			1	1			1		3 84 5-23		R7	
6879		P	H		5905-962-5466				RESISTOR, FIXED, WIRE WOUND 75042 PART NO. BWHR-0-47J 28480												
6880		P	H		5905-988-9997				PART NO. 0813-0019 SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1901-0028			8	8			1		3 84 5-23		CR1-CR8	
6881		P	H		5905-962-5466				SEMICONDUCTOR DEVICE, DIODE, 28480 PART. NO. 1902-0148			1	1			1		3 84 5-23		CR9	
6882	6810	P	H		5960-988-7630				SEMICONDUCTOR DEVICE , TRANSISTOR, 28480 PART NO. 1850-0062 DECADE DIVIDER ASSEMBLY 5232A-65H			1	REF			REF		84 5-23		Q1	
6883		P	H		5910-957-8578				CAPACITOR, FIXED, CERAMIC, 04062 PART NO. DM15C240J-300V, 28480 PART NO. 0160-0196			1	1			1		3 84 5-17		C7	
6884	6794	P	H		5910-961-4202				CAPACITOR, FIXED, CERAMIC, 56289 PART NO. 5C50A, 28480 PART			1	REF			REF		84 5-17		C3	

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6885		P	H		5910-577-1306						2	4		1	12	84 5-17		C5, 9		
6886		P	H		5910-691-0202						2	5		2	15	84 5-17		C12, 13		
6887		P	H		5910-961-1301						1	2		1	6	84 5-17		C11, 16		
6888		P	H		5910-961-3962						6	4		1	12	84 5-17		C1, 2, 6, 8 10, 14		
6889	6795	P	H		5910-961-3961						1	REF		REF		84 5-17		C15		
6890	6782	P	H		5910-914-4731						1	REF		REF		84 5-17		C4		
6891	6797	P	H		5910-774-7294						1	REF		REF		84 5-17		C17		
6892	6869	P	H		5905-279-5464						2	REF		REF		84 5-17		R30, 33		
6893		P	H		5905-682-4106						2	4		1	12	84		R8, 19		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L E D I S D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
6894			P	H	5905-835-1635							4	5		1	15	84 5-17		R7, 9, 18 21	
6895			P	H	5905-683-7721							2	4		1	12	84 5-17		R31, 44	
6896	6871		P	H	5905-681-6462							3	REF		REF		84 5-17		R20, 32, 45	
6897			P	H	5905-688-3738							8	13		1	39	84 5-17		R4, 12, 15 24, 27, 36 41,48	
6898			P	H	5905-682-4097							1	2		1	6	84 5-17		R39	
6899	6821		P	H	5905-687-0000							9	REF		REF		84 5-17		R1, 5, 13, 16, 2, 28, 37, 42, 49	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y P E R	11 F I L D I N G D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM															
6900	6821	P	H	5905-687-0000							8	REF		REF			84 5-17		R6, 10, 17, 22, 29, 34, 43, 46
6901		P	H	5905-800-0179							1	18		1	54	84 5-17			R38
6902		P	H	5905-717-3342							4	4		1	12	84 5-17			R3, 11 14, 23
6903		P	H	5905-900-2089							1	5		2	15	84 5-17			R25
6904		P	H	5905-775-0637							4	8		1	24	84 5-17			R26, 35, 40 R47
6905		P	H	5960-954-9182							11	11		1	33	84 5-17			CR1-11
6906		P	H	5960-010-0270							8	8		1	32	84 5-17			Q1-8
6907		P	H	5910-809-5484							2	2		1	6	84 5-15			C4, 8

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6908	6794	P	H		5910-961-4202						6	REF		REF			84 5-15		C6, 9-12, 15	
6909	6838	P	H		5910-781-9398						1	REF		REF			84 5-15		C5	
6910		P	H		5910-777-6918						1	1		1		3	84 5-15		C2	
6911	6843	P	H		5910-984-3869						1	REF		REF			84 5-15		C3	
6912	6782	P	H		5910-914-4731						1	REF		REF			84 5-15		C1	
6913	6800	P	H		5910-957-9909						1	REF		REF			84 5-15		C14	
6914		P	H		5910-658-0681						1	1		1		3	84 5-15		C7	
6915		P	H		5910-968-0339						1	1		1		3	84 5-15		C13	
6916		P	H		5950-764-6546						2	3		1		9	84 5-15		L1, 2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I L E D I S D A Y		12 A L L O W A N C E P E R M I T T E D N A M A C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
6917	6894	P	H		5905-835-1635				PART NO. 9140-0029 RESISTOR, FIXED, COMPOSITION, 62 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF620J, 28480			1	REF		REF			84 5-15		R17			
6918		P	H		5905-6869996				PART NO. 0683-6205 RESISTOR, FIXED COMPOSITION 82 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF821J, 28480			1	1		1	3		84 5-15		R15			
6919		P	H		5905-801-6444				PART NO. 0683-8215 RESISTOR, FIXED, COMPOSITION, 91 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GFC911J 28480			1	2		1	6		84 5-15		R19			
6920	6846	P	H		5905-686-9994				PART NO. 0683-9115 RESISTOR, FIXED COMPOSITION, 1200 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF9122J, 28480			1	REF		REF			84 5-15		R1			
6921		P	H		5905-686-3119				PART NO. 0683-1225 RESISTOR, FIXED, COMPOSITION, 1300 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF132J. 28480			1	1		1	3		84 5-15		R9			
6922		P	H		5905-683-7723				PART NO. 0683-1325 RESISTOR, FIXED, COMPOSITION, 1500 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF152J, 28480			1	1		1	3		84 5-15		R13			
6923		P	H		5905-279-2661				PART NO. 0683-1525 RESISTOR, FIXED COMPOSITION, 1800			2	3		1	9		84 5-15		R16, 20			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L E D A Y		12 A L L O W A N C E P E R M I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6924		P	H		5905-683-7724				OHMS, 5% TOL, 1 WATT, 81349 PART NO. RC32GF182J, 28400 PART NO. 0689-1825 RESISTOR, FIXED, COMPOSITION, 2400 OHMS, 5% TOL, 1/4 WATT 81349 PART NO. RC07GF242J, 28480 PART NO. 0683-2425			1	1		1	3	84 5-15		R12		
6925	6848	P	H		5905-686-3798				RESISTOR, FIXED COMPOSITION, 2700 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF272J, 28480 PART NO. 0683-2725			1	REF		REF		84 5-15		R2		
6926	6849	P	H		5905-681-9969				RESISTOR, FIXED, COMPOSITION, 3300 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07TGF332J, 28480 PART NO 0683-3325			2	REF		REF		84 5-15		R5, 7		
6927		P	H		5905-682-4099				RESISTOR, FIXED, COMPOSITION, 4300 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF432J, 28480 PART NO. 0683-4325			1	1		1	3	84 5-15		R8		
6928		P	H		5905-683-2241				RESISTOR, FIXED COMPOSITION, 5100 OHMS: 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF512J, 28480 PART NO. 0683-5125			1	1		1	3	84 5-15		R4		
6929	6805	P	H		5905-681-9970				RESISTOR, FIXED, COMPOSITION, 8200 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF822J, 28480 PART NO. 0683-8225			2	REF		REF		84 5-15		R11, 18		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		
6930		P	H		5905-686-3128						1	1		1		3	84 5-15		R6			
6931	6899	P	H		5905-687-0000						1	REF		REF			84 5-15		R14			
6932	6823	P	H		5905-721-0597						1	REF		REF			84 5-15		R10			
6933	6832	P	H		5960-846-2081						3	REF		REF			84 5-15		CR1-3			
6934		P	H		5960-617-9384						4	6		1	24		84 5-15		Q1-4			
6935	6885	P	H		5910-577-1306						2	REF		REF			84 5-9		C3, 7			
6936	6886	P	H		5910-691-0202						3	REF		REF			84		C10, 12, 14			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I L D M A I N T E N A N C E D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D R E Q U I R E D F O R E Q . D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R	
6937		P	H		5910-957-2054				04062 PART NO. DM15E470J5C 28480 PART NO. 0140-0204 CAPACITOR FIXED, MICA			1	1		1		3	84 5-9		C5		
6938		P	H		5910-068-1332				04062 PART NO. DM15E390J-300V CAPACITOR, FIXED, MICA			3	3		1		9	84 5-9		C6, 8,9		
6939		P	H		5910-082-2487				04062 PART NO. DM15E390J-300V 28480 PART NO. 0140-0190 CAPACITOR, FIXED, MICA			1	1		1		3	84 5-9		C1		
6940		P	H		5910-889-4975				04062 PART NO. DM15E560J-300V. 28480 PART NO. 0140-0191 CAPACITOR, FIXED, MICA			3	1		1		3	84 5-9		C13		
6941	6887	P	H		5910-961-1301				04062 PART NO. DM15E620J-300V, 28480 PART NO. 0140-0205 CAPACITOR, FIXED, MICA			1	REF		REF		84 5-9			C15		
6942	6888	P	H		5910-961-3962				04062 PART NO. DM15E680J-300V, 28480 PART NO. 0140-0192 CAPACITOR, FIXED, MICA			1	REF		REF		84 5-9			C17		
6943	6782	P	H		5910-914-4731				04062 PART NO. DM15E820J-300V, 28480 PART NO. 0140-0193 CAPACITOR, FIXED, MICA			3	REF		REF		84 5-9			C2, 4, 16		
6944		P	H		5960-080-9824				04062 PART NO. DMF15F031J-300V 28480 28480 PART NO. 0140-0195 ELECTRON, TUBE,			1	2		1		200	84 5-9		DS6		
6945		P	H		5330-869-8799				83594 PART NO. 85092, 28480 PART NO. 1970-0002 GASKET 28480 PART NO.			1	2		1		10	84 5-9				

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZEE	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABLE LITTY	9 QUANTITY IN USE	10 EQUIPMENT PER CENT	11 FILED DATE		12 ALLOWANCE PER CENT	13 REBUILT 100 EQUIP FOR EQ. DEPOT QTY	14 FIGURE NUMBER	15 ILLUSTRATIONS		16 REFERENCE SYMBOL
		A	B	C	D		1	2	3						DS	GS				DM	ITEM NUMBER	
6946		P	H		5330-921-8470				0905-0043 GASKET, FELT 28480 PART NO.			1	2			1	10	84 5-9				
6947	6815	P	H		6240-577-8456				0905-0051 LAMP, GLOW 08806 PART NO. NE-2E, 28480 PART NO.			1	REF		REF			84 5-9		DS5		
6948		P	H		6240-919-0008				2140-0022 LAMP, GLOW 28480 PART NO.			4	8		1	400	84 -9			S1A/1B, 2A/2B S3A/3B, 4A/4B		
6949		P	H		5895-919-6486				2140-0044 READOUT, INLINE 28480 PART NO.			1	2		1	4	84 5-9					
6950		P	H		5905-682-3593				5512A-83A RESISTOR, ASSEMBLY 28480 PART NO.			1	2		1	6	84			R2		
6951	6816	P	H		5905-808-6135				0845-0001 RESISTOR, FIXED, COMPOSITION, 27 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO.			4	REF		REF			84 5-9		R25, 44, 47, 63		
6952	6869	P	H		5905-279-5464				RC07GF270J, 28480 PART NO. 0683-2705 RESISTOR, FIXED, COMPOSITION, 47 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO.			2	REF		REF			84 5-9		R22, 34		
6953	6893	P	H		5905-682-4106				RC07GF470J, 28480 PART NO. 0683-4705 RESISTOR, FIXED, COMPOSITION, 56 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO.			1	REF		REF			84 5-9		R24		
6954		P	H		5905-809-2377				RC07GF560J, 28480 PART NO. 0683-5605 RESISTOR, FIXED, COMPOSITION, 75			2	2		1	6	84 5-9			R45, 58		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
6955	6919	P	H		5905-801-6444						1	REF		REF			84 5-9		R64		
6956	6871	P	H		5905-681-6462						2	REF		REF			84 5-9		R46, 59		
6957	6897	P	H		5905-688-3738						4	REF		REF			84 5-9		R41, 50, 55 62		
6958	6848	P	H		5905-686-3798						4	REF		REF			84 5-9		R20, 28, 31, 38		
6959	6898	P	H		5905-682-4097						1	REF		REF			84 5-9		R52		
6960		P	H		5905-752-3186						4	4		1	12		84 5-9		R19, 27, 30 37		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6961	6821	P	H		5905-687-0000						4	REF		REF			84 5-9		R23, 33, 40 49	
6962	6821	P	H		5905-687-0002						2	REF		REF			84 5-9		R43, 57	
6963		P	H		5905-254-9201						1	2		1	6		84 5-9		R1	
6964	6901	P	H		5905-800-0179						9	REF		REF			84 5-9		R-10-17, 51	
6965		P	H		5905-686-3356						1	1		1	3		84 5-9		R4	
6966	6827	P	H		5905-686-3129						4	REF		REF			84 5-9		R2, 32, 42 56	
6967		P	H		5905-681-8855						4	8		1	24		84 5-9		R6-9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D I N D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6698	6790	P	H		5905-681-8817						1	REF		REF			84 5-9		R3		
6969	6903	P	H		5905-900-2089						4	REF		REF			84 5-9		R18, 26, 29, 36		
6970	6904	P	H		5905-775-0637						4	REF		REF			84 5-9		R39, 48, 53, 60		
6971	6831	P	H		5960-978-7468						8	REF		REF			84 5-9		CR1-8		
6972		P	H		5960-965-5917						2	2		1	6		84 5-9		CR10, 14		
6973		P	H		5960-718-7050						10	10		1	30		84 5-9		CR9 11-20		
6974	6906	P	H		5960-010-0270						8	REF		REF			84 5-9		Q1-8		
6975	6795	P	H		5910-961-3961						6	REF		REF			84 5-13		C1, 3, 5, 6, 8, 9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
6976	6782	P	H		5910-914-4731						2	REF		REF			84 5-13		C4, 10		
6977	6798	P	H		5910-954-5497						3	REF		REF			84 5-13		C7, 11, 12		
6978	6799	P	H		5910-954-5508						1	REF		REF			84 5-13		C13		
6979		P	H		5910-902-2577						1	1		1	3		84 5-13		C2		
6980	6944	P	H		5960-080-9824						1	REF		REF			84 5-13		DS6		
6981	6945	P	H		5330-869-8799						1	REF		REF			84 5-13				
6982	6946	P	H		5330-921-8470						1	REF		REF			84 5-13				
6983	6815	P	H		6240-577-8456						1	REF		REF			84 5-13		DS5		
6984	6948	P	H		6240-919-0008						4	REF		REF			84 5-13		DS1-4		
6985	6949	P	H		5895-919-6486						1	REF		REF			84 5-13				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
6986	6950	P	H		5905-682-3593				RESISTOR ASSEMBLY 28480 PART NO. 0845-0001			1	REF		REF		84 5-13		R2		
6987		P	H		5905-682-4107				RESISTOR, FIXED, COMPOSITION, 180 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07G181J, 28480 PART NO. 0683-1815			4	4		1	12	84 5-13		R24, 35, 46, 58		
6988	6803	P	H		5905-682-4089				RESISTOR, FIXED, COMPOSITION, 3900 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF392J, 28480 PART NO. 0683-3925			8	REF		REF		84 5-13		R23, 25, 34, 36, 45, 47, 57, 59		
6989		P	H		5905-249-4195				RESISTOR, FIXED, COMPOSITION, 7500 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF752J, 28480 PART NO. 0686-7525			8	8		1	24	84 5-13		R18, 26, 29, 37, 40, 48, 52, 60		
6990	6805	P	H		5905-681-9970				RESISTOR, FIXED, COMPOSITION, 8200 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF822J, 28480 PART NO. 0683-8225			2	REF		REF		84 5-13		R31, 50		
6991	6753	P	H		5905-563-2238				RESISTOR, FIXED, COMPOSITION, 10,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF103J, 28480 PART NO. 0683-1035			5	REF		REF		84 5-13		R20, 28, 39, 42, 54		
6992		P	H		5905-807-0059				RESISTOR, FIXED, COMPOSITION, 43,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF433J, 28480 PART NO. 0683-4335			8	8		1	24	84 5-13		R19, 27, 30, 38, 41, 49, 53 61		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
6993	6807	P	H		5905-683-2246						4	REF		REF			84 5-13		R22, 23, 44, 56	
6994	6963	P	H		5905-254-9201						1	REF		REF			84 5-13		R1	
6995	6901	P	H		5905-800-0179						8	REF		REF			84 5-13		R10-17	
6996	6773	P	H		5905-681-8853						1	REF		REF			84 5-13		R51	
6997		P	H		5905-752-3158						1	1		1	3		84 5-13		R4	
6998	6827	P	H		5905-686-3129						4	REF		REF			84 5-13		R21, 32, 43 55	
6999	6967	P	H		5905-681-8855						4	REF		REF			84 5-13		R6-9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M I T T E D E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
7000	6790	P	H		5905-681-8817						1	REF		REF			84 5-13		R3		
7001	6831	P	H		5960-978-7468						8	REF		REF			84 5-13		CR1-8		
7002	6809	P	H		5960-962-5206						5	REF		REF			84 5-13		CR9-13		
7003	6810	P	H		5960-988-7630						8	REF		REF			84 5-13		Q1-8		
7004		P	H		5910-969-9280						1	1		1	3				C14		
7005		P	H		5910-827-1209						1	2		2	6		84 5-5		C1		
7006	6888	P	H		5910-961-3962						1	REF		REF			84 5-5		C2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D 1 5 D A Y		12 A L L O W A N C E P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		REFERENCE SYMBOL															
7007	6916	P	H		5950-764-6546				COIL, RF 99800 PART NO. 3100-15-101, 28480 PART NO. 9140-0029			1	REF		REF			84 5-5		L1		
7008	6869	P	H		5905-279-5464				RESISTOR, FIXED, COMPOSITION, 47 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF470J, 28480 PART NO. 0683-4705			1	REF		REF			84 5-5		R5		
7009		P	H		5905-686-3369				RESISTOR, FIXED, COMPOSITION, 330 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF330J, 28480 PART NO. 0683-3315			1	2		1	6		84 5-5		R1		
7010		P	H		5905-279-3509				RESISTOR, FIXED, COMPOSITION, 910 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF911J, 28480 PART NO. 0686-9115			2	2		1	6		84 5-5		R8, 9		
7011	6846	P	H		5905-686-9994				RESISTOR, FIXED, COMPOSITION, 1200 OHMS 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF122J, 28480 PART NO. 0683-1225			1	REF		REF			84 5-5		R7		
7012	6923	P	H		5905-279-2661				RESISTOR, FIXED, COMPOSITION, 1800 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC32GF182J, 28480 PART NO. 0689-1825			1	REF		REF			84 5-5		R4		
7013	6805	P	H		5905-681-9970				RESISTOR, FIXED, COMPOSITION, 8200 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF822J, 28480			1	REF		REF			84 5-5		R6		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I L E D 1 5 D A Y		12 A L L O W A N C E P E R M I T T E D E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
7014	6821	P	H		5905-687-0000				PART NO. 0683-8225 RESISTOR, FIXED, COMPOSITION, 18,000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF183J, 28480			1	REF		REF		84 5-5		R3		
7015		P	H		5905-087-5640				PART NO. 0683-1835 RESISTOR, VARIABLE 28480 PART NO. 2100-0154			1	1		1	3	84 5-5		R2		
7016	6832	P	H		5960-846-2081				SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1910-0011			2	REF		REF		84 5-5		CR1, 2		
7017	6934	P	H		5960-617-9384				SEMICONDUCTOR DEVICE, TRANSISTOR, 28480 PART NO. 1850-0029, AMPLIFIER ASSEMBLY 5232A-65F			2	REF		REF		84 5-5		Q1, 2		
7018		P	H		5910-773-7702				CAPACITOR, FIXED, ELECTROLYTIC, 56289 PART NO. D32697,			1	2		2	6	84 5-5		C1		
7019		P	H		5910-827-1208				CAPACITOR, FIXED, ELECTROLYTIC, 56289 PART NO. 30D107G015DD4, 28480			1	1		1	3	84 5-5		C3		
7020		P	H		5910-914-1767				CAPACITOR, FIXED, ELECTROLYTIC, 56289 PART NO. 30D207G006DF4, 28480			1	1		1	3	84 5-5		C2		
7021	6866	P	H		5910-781-9347				CAPACITOR, FIXED, ELECTROLYTIC, 28480 PART NO. 0180-0124 PART NO. 0180-0050			1	REF		REF		84 5-5		C4		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
7022	7009	P	H		5905-686-3369				RESISTOR FIXED, COMPOSITION, 330 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF331J, 28480 PART NO. 0683-3315			1	REF		REF		84 5-5		R9				
7023	6802	P	H		5905-683-2236				RESISTOR, FIXED, COMPOSITION, 390 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF391J, 28480 PART NO. 0683-3915			1	REF		REF		84 5-5		R5				
7024		P	H		5905-682-4109				RESISTOR, FIXED, COMPOSITION, 560 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF561J, 28480 PART NO. 0683-5615			1	1		1	3	84 5-5		R2				
7025	6871	P	H		5905-681-6462				RESISTOR, FIXED, COMPOSITION, 1000 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF102J, 28480 PART NO. 0683-1025			2	REF		REF		84 5-5		R11, 13				
7026	6846	P	H		5905-686-9994				RESISTOR, FIXED, COMPOSITION, 1200 OHMS, 5% TOL, 1/4 WATT, 81349 PART NO. RC07GF122J, 28480 PART NO. 0683-1225			1	REF		REF		84 5-5		R10				
7027		P	H		5905-279-1757				RESISTOR, FIXED, COMPOSITION, 1500 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF152J, 28480 PART NO. 0686-1525			1	1		1	3	84 5-5		R8				
7028	6897	P	H		5905-688-3738				RESISTOR, FIXED, COMPOSITION, 1800 OHMS, 5% TOL, 1/4			1	REF		REF		84 5-5		R6				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7029	6804	P	H		5905-686-9997						1	REF		REF				84 5-5		R4	
7030	6821	P	H		5905-687-0000						1	REF		REF				84 5-5		R12	
7031	6772	P	H		5905-686-3838						3	REF		REF				84 5-5		R1, 3, 7	
7032	6832	P	H		5960-846-2081						1	REF		REF				84 5-5		CRI	
7033		P	H		5960-989-6700						3	3		1	12			84 5-5		Q2-4	
7034		P	H		5960-067-8323						1	1		1	4			84 5-5		Q1	
7035	7123	P	H		5895-939-7273						3	REF		REF				85 B-2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7045		P	H		5935-027-8915						1	1	1	1			85 B-9			
7046		P	H		5935-027-9419						3	3	1	3			85 B-9			
7047		P	H		5935-782-6934						1	1	1	1			85 B-9			
7048		P	H		5935-852-7172						3	3	1	3			85 B-9			
7049		P	H		5935-782-6933						18	18	1	18			85 B-9			
7050		P	H		5355-667-9099						3	3	1	9			85 B-9			
7051		P	H		6210-914-8800						1	1	1	50			85 B-9			
7052		P	H		5905-171-2004						1	REF	REF				85 B-9			
7053		P	H		5905-254-9201						1	102	4	306			85 B-9			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R C E N T	13 R E B U I L D Q T Y F O R E Q. D E P O T	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7054		P	H		5960-713-7392						1	140		6	420		85 B-9			
7055		P	H		5930-920-7057						1	1		1	5		85 B-9			
7056		P	H		5930-919-9924						1	1		1	5		85 B-9			
7057		P	H		5930-919-9925						1	1		1	5		85 B-9			
7058		P	H		5930-914-7338						1	1		1	5		85 B-9			
7059		P	H		5820-914-8785						1	1		1	1		85 B-1			
7060		P	H		5910-827-5240						3	3		1	9		85 B-1			
7061		P	H		5910-170-5192						1	1		1	3		85 B-1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
7062		P	H		5820-914-8956						1	1			1		85 B-1			
7063		P	H		6240-617-1720						2	2			1	100	85 B-1		DS1, 2	
7064		P	H		6250-756-3537						2	2			1	10	85 B1		XDS1, 2	
7065		P	H		5905-279-2302						1	1			1	3	85 B-1		R1	
7066		P	H		5905-101-0682						1	1			1	3	85 B-1		R2	
7067		P	H		5960-878-4291						1	1			1	3	85 B-1		CR10	
7068		P	H		5960-849-4180						1	1			1	3	85 B-1		CR9	
7069		P	H		5961-921-3781						8	8			1	24	85 B-1		CR1-8	
7070		P	H		5940-779-2219						4	4			1	12	85 B-1		TB1-4	
7071		P	H		5950-930-2105						1	1			1	3	85 B-1		T1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
7072			P	H	5895-916-2291							1	1		1		85 B-10		A12		
7073			P	H	5910-914-6718							1	130		7	390	85 B-10		C1		
7074			P	H	5960-734-1105							7	91		4	273	85 B-10				
7075			P	H	5820-914-8812							1	1		1	3	85 B-10		2Y1		
7076			P	H	5905-279-3520							5	8		1	24	85 B-10		R8-12		
7077	396		P	H	5905-195-6806							7	REF		REF		85 B-10		R1-7		
7078			P	H	5905-279-3500							1	5		1	15	85 B-10		R14		
7079	7053		P	H	5905-254-9201							1	REF		REF		85 B-10		R13		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	FIGURE	
7080	7054	P	H		5960-713-7392				WATT, 81349 PART NO. RC20GF473J SEMICONDUCTOR DEVICE. DIODE. 93332 PART NO. IN192. 91417 PART NO. 100470G1			6	REF		REF			85 B-10		CR1-6		
7081		P	H		5960-851-5923				SEMICONDUCTOR DEVICE, TRANSISTOR, 01295 PART NO. 2N1309. 91417 PART NO. 102780&1			5	6		1	24		85 B-10		Q2-6		
7082		P	H		5960-752-5229				SEMICONDUCTOR DEVICE, TRANSISTOR, 03508 PART NO. 2N404, 91417 PART NO. 100767&1 PRINTED CIRCUIT BOARD ASSEMBLY 40490061			2	75		3	300		85 B-10		Q1, 7		
7083		P	H		5935-767-1606				CONNECTOR, ELECTRICAL PART NO. (91662) 00-7022-029-000-001			1	13		1	39		85 B-10				
7084		P	H		5095-939-7424				CORE MEMORY UNIT 91417 PART NO. 506476G1			1	1		1	1		85		A18 B-9		
7085		P	H		5950-914-8805				CORE, ELECTROMAGNETIC 90797 PART NO. 805301&2D100, 91417 PART NO. 104379&1			6	6		1	6		85 B-9				
7086	425	P	H		5905-195-5571				RESISTOR, FIXED. COMPOSITION, 68 OHMS. 5% TOL, 1/2 WATT. 81349 PART NO. RC20GF680J			1	REF		REF			85 B-9		R1		
7087		P	H		5960-892-0734				SEMICONDUCTOR DEVICE, DIODE, 98925 PART NO.			112	114		4	42		85 B-9		CR1-112		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7088		P	H		5935-782-6925						1	1		1		3	85 B-9			
7089		P	H		5895-916-2274						1	1		1		4	85 B-8	A10		
7090		P	H		5910-939-5736						4	32		3		96	85 B-8	C1, 3, 5, 6		
7091		P	H		5910-914-6759						1	2		1		6	85 B-8	C2		
7092	7073	P	H		5910-914-6718						1	REF		REF		85 B-8	C4			
7093	7074	P	H		5960-734-1105						8	REF		REF		85 B-8				
7094	396	P	H		5905-195-6806						5	REF		REF		85 B-8	R2, 5, 8, 13 14			
7095		P	H		5905-279-3506						1	1		1		3	85 B-8	R7		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N D I C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM N U M B E R	
7096	397	P	H		5905-279-3504						3	REF		REF			85 B-8		R4, 12, 15		
7097	398	P	H		5905-185-8510						2	REF		REF			85 B-8		R1, 6		
7098	7078	P	H		5905-279-3500						4	REF		REF			85 B-8		R3, 9, 11, 16		
7099	7053	P	H		5905-254-9201						1	REF		REF			85 B-8		R10		
7100	7054	P	H		5960-713-7392						2	REF		REF			85 B-8		CR1, 2		
7101	7082	P	H		5960-752-5229						8	REF		REF			85 B-8		Q1-8		
7102		P	H		5950-914-6748						14	30		2	90		85 B-8		T1-14		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7103	7083	P	H		5935-767-1606						1	REF		REF			85 B-8			
7104		P	H		5895-926-3147						1	1		1	1		85 B-6	A8		
7105	7090	P	H		5910-939-5736						4	REF		REF			85 B-6	C1, 2, 4, 6		
7106	7091	P	H		5910-914-6759						1	REF		REF			85 B-6	C3		
7107	7073	P	H		5910-914-6718						3	REF		REF			85 B-6	C7-9		
7108	7074	P	H		5960-734-1105						8	REF		REF			85 B-6			
7109	7076	P	H		5905-279-3520						1	REF		REF			85 B-6	R24		
7110	425	P	H		5905-195-5571						1	REF		REF			85 B-6	R6		
7111	396	P	H		5905-195-6806						4	REF		REF			85 B-6	R3, 11, 17, 23		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15 D S	16 G S	17 D M																
7112		P	H		5905-190-8881						1	1		1		3	85 B-6		R5	
7113	397	P	H		5905-279-3504						4	REF		REF			85 B-6		R12, 19, 22, 25	
7114	398	P	H		5905-185-8510						5	REF		REF			85 B-6		R2, 7, 10, 14, 20	
7115		P	H		5905-279-3497						1	1		1		3	85 B-6		R4	
7116	7053	P	H		5905-254-9201						5	REF		REF			85 B-6		R8, 9, 13 15, 21	
7117		P	H		5905-195-6761						2	2		1		6	85 B-6		R16, 18	
7118		P	H		5905-279-1865						1	1		1		3	85 B-6		R1	
7119	7054	P	H		5960-713-7392						8	REF		REF			85		CR1-8	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7120	7081	P	H		5960-851-5923						1	REF		REF			85 B-6		Q3	
7121	7082	P	H		5960-752-5229						7	REF		REF			85 B-6		Q1, 2, 4-8	
7122	7083	P	H		5935-767-1606						1	REF		REF			85 B-6			
7123		P	H		5895-939-7273						1	4		1	20		85 B-2		A2	
7124	7090	P	H		5910-939-5736						16	REF		REF			85 B-2		C1A-4D	
7125	7073	P	H		5910-914-6718						1	REF		REF			85 B-2		C5	
7126	7074	P	H		5960-734-1105						8	REF		REF			85 B-2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7127	397	P	H		5905-279-3504						8	REF		REF			85 B-2		R1A-2D	
7128	398	P	H		5905-185-8510						8	REF		REF			85 B-2		R3A-4D	
7129	7053	P	H		5905-254-9201						16	REF		REF			85 B-2		R5A-8D	
7130	7054	P	H		5960-713-7392						8	REF		REF			85 B-2		CR1A-2D	
7131	7082	P	H		5960-752-5229						8	REF		REF			85 B-2		Q1A-2D	
7132	7083	P	H		5935-767-1606						1	REF		REF			85 B-2			
7133		P	H		5895-939-7271						1	1		1	5		85 B-4		A5	
7134	7090	P	H		5910-914-6718						16	REF		REF			85		C1A-4D	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7135	7073	P	H		5910-914-6718						1	REF		REF			B-4				
7136	7074	P	H		5960-734-1105						8	REF		REF			85 B-4			C5	
7137	396	P	H		5905-195-6806						8	REF		REF			85 B-4			R1A-2D	
7138	398	P	H		5905-185-8510						16	REF		REF			85 B-4			R3A-4D 6A-6D, 8A-8D	
7139	7053	P	H		5905-254-9201						8	REF		REF			85 B-4			R5A-5D 7A-7D	
7140	7054	P	H		5960-713-7392						8	REF		REF			85 B-4			CR1A-2D	
7141	7082	P	H		5960-752-5229						8	REF		REF			85 B-4			Q1A-2D	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7142	7003	P	H		5935-767-1606						1	REF		REF			85 B-4			
7143		P	H		5895-939-7425						1	1		1			85 B-5	A6		
7144	7090	P	H		5910-939-5736						12	REF		REF			85 B-5	C1-4A, C, D		
7145	7073	P	H		5910-914-6718						1	REF		REF			85 B-5	C5		
7146		P	H		5910-926-0097						1	1		3			85 B-5	C6		
7147	7074	P	H		5960-734-1105						6	REF		REF			85 B-5			
7148	396	P	H		5905-195-6806						6	REF		REF			85 B-5	R1, 2A, C, D		
7149	398	P	H		5905-185-8510						12	REF		REF			85 B-5	R3, 4, 6, 8A, C, D		
7150		P	H		5905-279-3499						1	1		1			85 B-5	R9		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7151	7053	P	H		5905-254-9201						6	REF		REF			85 B-5		R5, 7A, C, D	
7152	7054	P	H		5960-713-7392						7	REF		REF			85 B-5		CR1, 2A, C, D, 3	
7153	7082	P	H		5960-752-5229						6	REF		REF			85 B-5		Q1, 2A, C, D	
7154	7083	P	H		5935-767-1606						1	REF		REF			85 B-5			
7155		P	H		5895-947-0012						1	1		1		3	85 B-7		A9	
7156		P	H		5910-914-6760						2	130		7		390	85 B-7		C1, 4	
7157	7073	P	H		5910-914-6718						2	REF		REF			85 B-7		C2, 3	
7158	7074	P	H		5960-734-1105						6	REF		REF			85 B-7			

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7159			P	H	5905-781-7123						4	4		1		12	85 B-7		R6, 12, 17, 18		
7160	338		P	H	5905-190-8883						2	REF		REF			85 B-7		R19, 20		
7161			P	H	5905-279-3924						2	2		1		6	85 B-7		R19, 20		
7162			P	H	5905-279-1752						2	2		1		6	85 B-7		R19, 20		
7163			P	H	5905-279-3923						2	2		1		6	85 B-7		R19, 20		
7164			P	H	5905-279-3521						2	2		1		6	85 B-7		R19, 20		
7165			P	H	5905-835-1630						2	2		1		6	85 B-7		R19, 20		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N D I T Y	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7166			P	H	5905-279-1753						2	6		1		18	85 B-7		R19, 20	
7167	7076		P	H	5905-279-3520						2	REF		REF			85 B-7		R19, 20	
7168			P	H	5905-279-3519						2	2		1		6	85 B-7		R19, 20	
7169			P	H	5905-279-1879						2	2		1		6	85 B-7		R2, 11,	
7170	392		P	H	5905-190-8889						4	REF		REF			85 B-7		R5, 7, 14,15	
7171			P	H	5905-727-8001						2	2		1		6	85 B-7		R1, 10	
7172	429		P	H	5905-171-1999						2	REF		REF			85 B-7		R8, 16	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7173	398	P	H		5905-125-8510						2	REF		REF			85 B-7		R4, 13	
7174	7053	P	H		5905-254-229						2	REF		REF			85 B-7		R3, 4	
7175	7082	P	H		5960-752-5229						2	2		1	8	85 B-7			Q1, 2, 3, 4, 6	
7176		P	H		5960-060-8381						2	2		1	8	85 B-7			Q2, 5	
7177	7102	P	H		5950-914-6748						16	REF		REF	6	85 B-7			T3-18	
7178		P	H		5950-926-0743						2	2		1	6	85 B-7			T1, 2	
7179	7083	P	H		5935-767-1606						1	REF		REF		85				
7180		P	H		5945-919-9956						1	1		1	3	85			A16	
7181		P	H		5910-939-5737						4	4		1	12	85			C2, 5, 7, 9	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
7182		P	H		5910-889-4462				PLASTIC, 5289 PART NO. 192P47192, 91417 PART NO. 102726&21 CAPACITOR, FIXED, PLASTIC, 56289 PART No. 192Pr7392, 91417 PART NO. 102726&14			2	2		1	6	85		C1, 10		
7183		P	H		5910-993-8307				CAPACITOR, FIXED, PLASTIC, 1000 UUF, 10% TOL, 200 VDCW, 56289 PART NO. 192P10392, 91417 PART NO. 10276&10			4	4		1	12	85		C3, 4, 6, 8		
7184		P	H		5950-893-0434				CHOKER, RF 99800 PART NO. 1537&76, 91417 PART NO. 102715&12			2	2		1	6	85		L1, 2		
7185		P	H		5999-920-7149				HEATSINK, ELECTRICAL-ELECTRONIC COMPONENT, 72982 PART NO. ED3008, 91417 PART NO. 104548&1			4	4		1	4	85				
7186	7074	P	H		5960-734-1105				SOCKET, SEMI COND 07047 PART NO. A10067DAP, 91417 PART NO. 102370&1			10	REF		REF		85				
7187	7166	P	H		5905-279-1753				RESISTOR, FIXED, COMPOSITION, 18 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF180J			4	REF		REF		85		R2, 5, 18, 21		
7188	425	P	H		5905-195-5571				RESISTOR, FIXED, COMPOSITION, 68 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF680J			4	REF		REF		85		R7, 9, 12, 15		
7189		P	H		5905-279-3513				RESISTOR, FIXED, COMPOSITION, 220			2	2		1	3	85		R3, 19		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7190	429	P	H		5905-171-1999						4	REF		REF			85		R8, 10, 13 16	
7191	396	P	H		5905-195-6806						2	REF		REF			85		R4, 20	
7192	7053	P	H		5905-254-9201						2	REF		REF			85		R1, 22	
7193		P	H		5905-822-4861						4	4		1	12	85			R6, 11, 14 17	
7194		P	H		5961-914-6729						4	4		1	12	85			CR2, 7, 8 13	
7195	7087	P	H		5960-892-0734						2	REF		REF			85		CR1, 14	
7196		P	H		5960-805-7870						8	8		1	24	85			CR3-6, 9-12	
7197		P	H		5960-702-5487						4	4		1	16	85			Q4-7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM															
7198	7082	P	H	5960-752-5229							2	REF		REF		85		Q1, 8	
7199		P	H	5960-878-6521							4	4		1	16	85		Q2, 3, 9, 10	
7200		P	H	5950-919-3459							2	2		1	6	85		T1, 2	
7201	7083	P	H	5935-767-1606							1	REF		REF		85			
7202		P	H	5961-914-6730							1	1		1	3	85 B-3		A4	
7203	7054	P	H	5960-713-7392							70	REF		REF		85 B-3		CR1-70	
7204	7083	P	H	5935-767-1606							1	REF		REF		85 B-3			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15 D S	16 G S	17 D M																
7205		P	H		6625-852-0179												87		C2	
					5935-621-3257						1	1		1		4	87			
7206		P	H		6625-995-7224						1	1		3			87			
7207		P	H		6625-738-6751						1	1		1		3	87			
7208		P	H		5910-983-5000						1	1		1		3	87 C		C2	
7209		P	H		5910-801-1005						1	4		1		12	87 C1-C		C851, 864	
7210		P	H		5910-810-4208						1	1		1		3	87 C		C8	
7211		P	H		5910-812-0323						1	1		1		3	87 G3		C401	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS						DM
7212		P	H		5935-903-5792				CONNECTOR, ELECTRICAL 95712 PART NO. 9856-1, 80009 PART NO. 131-106			1	1		1	3	87					
7213		P	H		5310-984-3503				CONTACT, ELECTRICAL 80009 PART NO. 210-914			1	1		1	3	87					
7214		P	H		5960-904-4601				ELECTRON TUBE 80009 PART NO. 154-347			1	1		1	100	87 D1-C	V859				
7215		P	H		5935-990-0247				JACK, TIP 80009 PART NO. 136-106			3	5		2	5	87					
7216		P	H		5355-680-8537				KNOB 80009 PART NO. 366-033			1	1		1	3	87					
7217		P	H		5355-983-8715				KNOB 80009 PART NO. 366-081			2	2		1	6	87					
7218		P	H		5355-996-7898				KNOB 80009 PART NO. 366-087			2	2		1	6	87					
7219		P	H		5355-903-5786				KNOB 80009 PART NO. 366-203			4	4		1	12	87					
7220		P	H		5355-903-5787				KNOB 80009 PART NO. 366-205			2	2		1	6	87					
7221		P	H		6210-903-4826				LIGHT, INDICATOR CLEAR, 07137 PART NO. FML-P2-F7-000-NE-2E, 80009 PART NO, 150-020			1	1		1	5	87 D1-C	B845				
7222		P	H		5905-853-3629				RESISTOR, FIXED, COMPOSITION, 0.1			1	1		1	3	87 C	R2				

1 S E R I E S N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D N U M B E R		12 A L L O W A N C E P E R C E N T	13 R E Q U I R E D F O R E Q U I P M E N T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	ITEM N U M B E R		R E F E R E N C E S Y M B O L
7223		P	H		5905-995-5907				MECOHM, 10% TOL. 1/4 WATT, 01121 PART NO. CB1041, 80009 PART NO. 316-104 RESISTOR, VARIABLE COMPOSITION, 100 OHMS, 50% TOL, 12967 PART NO. CM30936, 80009 PART NO. 311-344			1	1		1	3	87 11		R602				
7224		P	H		5905-995-7268				RESISTOR, VARIABLE COMPOSITION, 2500 OHMS, 20% TOL. 1/2 WATT, 01121 PART NO. GA2G024S252MZ, 80009 PART NO. 311-086			1	1		1	3	87 G3		R432				
7225		P	H		5905-904-9840				RESISTOR, VARIABLE, COMPOSITION, 2 X 20,000 OHMS, 71590 PART NO. BA111-010, 80009 PART NO. 311-346			1	1		1	3	87 G3		R480				
7226		P	H		5905-904-6396				RESISTOR, VARIABLE, COMPOSITION. 20,000 OHMS, 10% TOL, 12697 PART NO. CM30937			1	1		1	3	87 B1		R321				
7227		P	H		5905-995-7270				RESISTOR, VARIABLE, COMPOSITION, 50,000 . OHMS, 12697 PART NO. CM26538, 80009 PART NO. 311-154			1	3		1	9	87 G		R111				
7228		P	H		5905-904-8505				RESISTOR, VARIABLE COMPOSITION, 0.1 MEGOHM, 10% TOL, 12697 PART NO. CM30938, 80009 PART NO. 311-347			1	1		1	3	87 D1-C		R864				
7229		P	H		5905-995-5908				RESISTOR, VARIABLE,			1	1		1	3	87		R844				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		15 D S	16 G S	17 D M															
7230		P	H	5905-965-8795							1	1	1	3	87	D1-C			
																D1-C			R842
7231		P	H	6695-903-4825							1	1	1	3	87				
7234		P	H	6625-996-5092							1	1	1	3	87				
7233		P	H	5340-937-4484							1	1	1	2	87				
7234		P	H	6625-996-5091							1	1	1	2	87				
7235		P	H	5960-916-0829							1	1	1	10	87				
7236		P	H	5930-636-1285							1	1	1	5	87				SW621
7237		P	H	5930-995-9259							3	3	1	5	87				SW2, 8, 401
7238		P	H	5930-674-5914							1	1	1	5	87				SW15

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS						DM
7239		P	H		5930-844-6969							1	1			1	5	87 C-A				
7240	7209	P	H		5910-801-1005							1	REF		REF			87 C, C-A		C20		
7241		P	H		6625-708-7198							1	1		1		1	87 C-A				
7242		P	H		5905-755-2613							2	2		1		6	87 C, C-A		R20, 15		
7243		P	H		5905-726-5344							1	1		1		3	87 C,C-A		R19		
7244		P	H		5905-995-9275							1	1		1		3	87 C, C-A		R17		
7245		P	H		5930-953-0162							1	1		1		5	87 C, C-A		SW17		
7246		P	H		5930-924-0994							1	1		1		5	87 C				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E S			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		D	1	2					3	DS					
7247			P	H	5910-667-3891						1	1		1		3	87 C		C160K
7248			P	H	5910-577-1315						1	1		1		3	87 C		C300
7249			P	H	5910-903-5458						1	1		1		3	87 C		C160M
7250			P	H	5910-995-9245						1	1		1		3	87 C		C180G
7251			P	H	5910-995-8667						1	1		1		3	87 C		C180E
7252			P	H	5910-954-9055						1	1		1		3	87 C		C180C
7253			P	H	5910-954-1849						1	1		1		3	87 C		C180A

1 SOURCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZATION	3 RECOVERABILITY CODE				4 FEDERAL STOCK NUMBER	5 DESIGNATION			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE		12 EQUIPMENT MAINTENANCE PER DAY	13 REBUILD REQUIRED FOR EQ. DEPT QTY	14 FIGURE NUMBER	15 ITEM NUMBER	16 ILLUSTRATIONS REFERENCE SYMBOL	
		A	B	C	D		1	2	3						DS	GS						DM
7254		P	H		5910-954-1830				CAPACITOR, FIXED, MYLAR, 10 UF, 80009 PART NO. 291-028			1	1		1		3	87 C		C160A		
7255		P	H		5910-889-4739				CAPACITOR. FIXED. PLASTIC, 80009 PART NO. 291-027			4	1		1		3	87 C		C160C, E, G, J		
7256		P	H		5910-754-8483				CAPACITOR, VARIABLE, CERAMIC, 8-50 UUF, 72982 PART NO. 557-01942P034R, 80009 PART NO. 281-022			1	1		1		2	87 C		C160L		
7257		P	H		5315-985-1812				EXTENSION SHAFT 80009 PART NO. 384-197			1	1		1		1	87 C				
7258		P	H		5905-837-1505				RESISTOR, FIXED, COMPOSITION, 22,000 OHMS, 10% TOL, 1/4 WATT, 01121 PART NO. CB2231, 80009 PART NO. 316-223			2	7		1		21	87 C		R160V, R		
7259		P	H		5905-686-3838				RESISTOR, FIXED, COMPOSITION, 27,000 OHMS, 10% TOL, 1/4 WATT, 01121 PART NO. CB2731, 80009 PART NO. 316-273			1	2		1		6	87 C		R160S		
7260		P	H		5905-985-5609				RESISTOR, FIXED, COMPOSITION, 47,000 OHMS, 10% TOL, 1/4 WATT, 01121 PART NO. C84731, 80009 PART NO. 316-473			2	3		1		9	87 C		R160T, Z		
7261		P	H		5905-681-8853				RESISTOR, FIXED, COMPOSITION, 68,000 OHMS, 10% TOL, 1/4 WATT, 01121 PART			1	2		1		6	87 C		R300		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N D I C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7262		P	H		5905-078-7451						1	1		1		3	87 C		R160L	
7262		P	H		5905-904-1797						1	1		1		3	87 C		R160J	
7264		P	H		5905-904-1794						1	1		1		3	87 C		R160G	
7265		P	H		5905-904-1796						1	1		1		3	87 C		R160E	
7266		P	H		5905-904-1800						1	1		1		3	87 C		R160C	
7267		P	H		5905-905-1053						1	1		1		3	87 C		R160A	
7268		P	H		5905-969-8992						1	1		1		3	87 C		R160V	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7269		P	H		5930-908-4745						1	1		1		5	87		SW160		
7270		P	H		5930-924-1001						1	1		1		5	87 G3-A				
7271		P	H		5910-874-6919						1	1		1		3	87 G3, G3-A		C422		
7272		P	H		5910-951-0668						2	2		6			87 G3		C414E		
7273		P	H		5910-851-8654						1	1		1		3	87 G3		C412E		
7274		P	H		5910-818-5998						2	2		1		6	87 G3		C410E, F		
7275		P	H		5910-903-5457						1	1		1		3	87 G3,		C423		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7276		P	H		5910-556-9440						3	3		1		6	87 G3, G3-A		C410C, 412C 418A	
7277		P	H		5910-843-0951						3	3		1		6	87 G3, G3-A		C414C, 412C, 416C	
7278		P	H		5910-126-1619						3	3		1		6	87 G3- G3-A		C412A, 414A, 418A	
7279		P	H		5910-578-1623						1	1		1		2	87 G3, G3-A		C410A	
7280		P	H		5905-811-7912						2	8		1		24	87 G3 G3-A		R420, 424	
7281		P	H		5905-844-0659						1	1		3			87 G3		R423	
7282		P	H		5905-892-0535						1	1		1		3	87 G3, G3-A		R410E	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E R N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7283		P	H		5905-802-9537						1	1		1		3	87 G3, G3-A		R412E		
7284		P	H		5905-804-3938						1	1		1		3	87 G3		R14E		
7285		P	H		5905-552-6531						1	1		1		3	87 G3, G3-A		R416E		
7286		P	H		5905-542-9290						1	1		1		3	87 G3, G3-A		R418C		
7287		P	H		5905-805-2838						1	1		1		3	87 G3, G3-A		R416C		
7288		P	H		5905-855-4408						1	1		1		3	87 G3, G3-A		R414C		
7289		P	H		5905-542-9294						1	1		1		3	87 G3, G3-A		R412C		
7290		P	H		5905-892-6475						3	3		1		9	87 G3, G3-A		R410C, 418E, 422		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y S		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7291		P	H		5905-995-8658						1	1		1		3	87 G3		R478		
7292	7215	P	H		5935-990-0247						1	REF		REF			87				
7293		P	H		5970-144-1586						1	1		1		1	87				
7294		P	H		5940-926-0053						1	1		1		1	87				
7295		P	H		5905-192-3982						1	2		1		6	87 D1-C		R854		
7296		P	H		5960-755-4350						1	1		1		4	87				
7297		P	H		5910-881-8941						1	1		1		3	87 81		C311		
7298	7272	P	H		5910-951-0668						1	REF		REF			87 G		C131		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7299		P	H		5910-056-8101						1	1			1	3	87 81		C312		
7300		P	H		5910-983-3976						1	1			1	3	87 C		C37		
7301		P	H		5910-686-7160						2	3			1	9	87 G		C141, 181		
7302		P	H		5910-688-8702						2	2			1	6	87 D1		C707, 724		
7303		P	H		5910-983-9286						4	4			1	12	87 D1		C7142, 715, 717, 720		
7304		P	H		5910-615-0406						1	1			1	3	87 D1		C701		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7305		P	H		5910-752-4189						2	2		1		6	87 D1, D1, C		C7187, 854		
7306		P	H		5910-816-7435						1	1		1		3	87 D1		C716		
7307		P	H		5910-225-7327						1	1		1		3	87 C		C30		
7308		P	H		5910-729-3328						5	6		1		18	87 D1		C730, 731, 734, 756, 757		
7309		P	H		5910-085-0284						4	6		1		18	87 D1		C738, 739, 750, 751		
7310		P	H		5910-954-1829						1	1		1		3	87 D1		C719		
7311		P	H		5910-553-5682						2	2		1		6	87 D1		C742, 743,		
7312		P	H		5950-965-5350						1	2		1		6	87 D1		L743		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I L D A Y		12 A L L O W A N C E P E R E M I T T E D Q T Y	13 R E B U I L D R E Q U I R E D F O R E Q U I P M E N T	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS					
7313		P	H	6240-577-8456				LAMP, GLOW 65 VAC, 90 VDC, 08806 PART O, NE2E, 80009 PART NO. 150-025			1	1		1	50	87		B714	
7314		P	H	6240-155-8706				LAMP, INCANDESCENT 08806 PART NO. 47, 80009 PART NO.			1	2		1	100	87 11		B601	
7315		P	H	6250-283-9741				LAMPHOLDER 95263 PART NO. 7-06, 80009 PART NO. 136-035			1	2		1	10	87			
7316		P	H	5995-878-5768				LEAD, ELECTRICAL 80009 PART NO. 15031-084			1	1		1	2	87			
7317		P	H	5905-190-8883				RESISTOR, FIXED COMPOSITION, 10 OHMS, 10% TOL, 1/2 WATT, 01121 PART NO. EB1001, 80009 PART NO. 302-100			1	1		1	3	87 D1		R701	
7318	7280	P	H	5905-811-7912				RESISTOR, FIXED, COMPOSITION, 47 OHMS 10% TOL, 1/4 WATT, 01121 PART NO. CB4701, 80009 PART NO. 316-470			3	REF		REF		87 G, D1		R153, 739 751	
7319		P	H	5905-726-5340				RESISTOR, FIXED, COMPOSITION, 100 , OHMS, 10% TOL, 1/4 WATT, 01121 PART NO.CB1011, 80009 PART NO. 316 -101			2	3		1	9	87 D1		R731, 739,	
7320		P	H	5905-721-0673				RESISTOR, FIXED, COMPOSITION, 150 OHMS, 10% TOL, 1/4 WATT, 01121 PART			2	3		1	9	87 G		R7316 757	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7321		P	H		5905-721-0131						1	2		1	6	87 G		R163			
7322		P	H		5905-726-6435						2	2		1	6	87 G, D1		R196, 700			
7323		P	H		5905-72686-9996						1	2		1	6	87 G		R133			
7324		P	H		5905-729-0563						2	4		1	12	87 G		R134, 151			
7325		P	H		5905-801-0829						2	1		1	3	87 C		R24			
7326		P	H		5905-726-6433						2	3		1	9	87 C		R13, 87			
7327		P	H		5905-577-9596						1	1		1	3	87 C		R38			
7327		P	H		5905-577-9596						1	1		1	3	87		R38			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E R S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	REFERENCE SYMBOL		
7328		P	H		5905-809-8029						4	9		1	27	87 G, B1	R166, 317 327, 719					
7329	7242	P	H		5905-755-2613						2	REF		REF		87 G	R135, 190					
7330		P	H		5905-686-4529						1	4		1	12	87 G	R169					
7331		P	H		5905-687-0000						4	REF		REF		87 B1, G	R1, 1983 199, 323					
7332	7258	P	H		5905-837-1505						4	REF		REF		87 C, D1, G	R46, 194 197, 707					
7333		P	H		5905-847-4338				81		1	1		1	3	87 B1	R316					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y C A T E		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3					
7334		P	H	5905-577-9666						1	1		1		3	87 C		R37
7335	7259	P	H	5905-686-3838						1	REF		REF			87 G		R152
7336		P	H	5905-726-6436						2	2		1		6	87 G		R148, 197,
7337		P	H	5905-990-6658						2	2		1		6	87 G		R141, 144
7338	7260	P	H	5905-985-5609						1	REF		REF			87 C		R23
7339	7261	P	H	5905-681-8853						1	REF		REF			87 G		R174
7340	7222	P	H	5905-853-3629						3	REF		REF			87 C, G,		R32, 181, 851

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y E		12 A L L O W A N C E P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	REFERENCE SYMBOL		
7341		P	H		5905-195-6761						1	1		1		3	87 D1		R714			
7342		P	H		5905-726-6431						1	1		1		3	87 G		R143			
7343		P	H		5905-990-6659						1	1		1		3	87 D1-C		R845			
7344		P	H		5905-681-9021						1	1		1		3	87 C		R33			
7345		P	H		5905-721-0675						1	1		1		3	87 D1		R718			
7346	7295	P	H		5905-192-3982						1	REF		REF		87			R720			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7347		P	H		5905-687-0353						2	2		1		6	87 G		R162, 847		
7348		P	H		5905-814-1618						1	1		1		3	87 81		R312		
7349		P	H		5905-985-5363						1	1		1		3	87 81		R333		
7350		P	H		5905-857-2445						1	1		1		3	87 81		R343		
7351		P	H		5905-865-4687						2	2		1		6	87 B8		R336, 346		
7352		P	H		5905-985-5364						1	1		1		3	87 B1		R311		
7353		P	H		5905-995-5903						1	2		1		6	87 B1		R348		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
7354		P	H		5905-995-8659				OHMS, 10% TOL, 1/2 WATT, 12697 PART NO. CM26541, 80009 PART NO. 311-158			1	2		1	6	87 B1		R338			
7355	7227	P	H		5905-995-7270				RESISTOR, VARIABLE, COMPOSITION, 1000 OHMS, 10% TOL, 12697 PART NO. CM26539, 80009 PART NO. 311-155			2	REF		REF		87 G		R167, 176			
7356		P	H		5905-995-8662				RESISTOR, VARIABLE, COMPOSITION, 100,000 OHMS, 10% TOL, 12697 PART NO. CM26540, 80009 PART NO. 311-157			1	1		1	3	87 D1-C		R861			
7357		P	H		5960-904-8163				RETAINER, TRANSISTOR 01009 PART NO. CS90BC, 80009 PART NO. 343-068			6	9		1	27	87					
7358		P	H		5960-831-2849				RETAINER, TRANSISTOR, 01009 PART NO. CS918C, 80009 PART NO. 343-044			2	9		1	27	87					
7359		P	H		5960-856-8642				SEMICONDUCTOR DEVICE, DIODE, 03877 PART NO. T12G, 80009 PART NO. 152-008			7	9		1	27	87 G,D1		D111, 131, 194, 710, 711, 712, 713			
7360		P	H		5625-184-6517				SEMICONDUCTOR DEVICE, DIODE, 01295 PART NO. IN1329, 80009 PART NO. 152-002			6	6		1	18	87 D1		0714-719			
7361		P	H		5960-962-4721				SEMICONDUCTOR DEVICE,			4	10		1	30	87		0720-726			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
7362		P	H		5960-995-8471							1	1		1	3	87 G		D153	
7363		P	H		5961-284-6016							2	4		1	12	87 D1		D700, 728	
7364		P	H		5960-995-8478							2	4		1	16	87 G		0161 194	
7365		P	H		5960-995-8468							2	2		1	8	7 81		0334, 344	
7366		P	H		5960-883-2837							4	4		1	16	87 C, G		035, 45, 135, 145	
7367		P	H		5960-682-9178							1	1		1	4	87 G		Q183	
7368		P	H		5960-837-7851							1	2		1	8	87 G		0173	
7369		P	H		5960-954-0798							1	1		1	4	87 G		0163	
7370		P	H		5960-995-8468							4	7		1	28	87 C, BL		G14, 24, 313, 323	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
7371		P	H		5960-954-0855				PART NO. 2N16320 80009 PART NO. 151-048 SEMICONDUCTOR DEVICE, TRANSISTOR, 01295			1	1		1		4	87 G		Q153	
7372		P	H		5960-985-8903				PART NO. 2N1997, 80009 PART NO. 151-078 SEMICONDUCTOR DEVICE, TRANSISTOR, 04713			2	2		2		8	87 D1		Q700, 710	
7373		P	H		5960-916-0830				PART NO. 2N2137, 80009 PART NO. 151-101 SHIELD, ELECTRICAL			1	1		13		87				
7374		P	H		5960-939-4189				80009 PART NO. 337-343 SHIELD, ELECTRICAL			1	1		13		87				
7375		P	H		6625-903-7248				80009 PART NO. 337-425 SHIELD, ELECTRICAL			1	1		13		87				
7376		P	H		5355-565-0214				80009 PART NO. 337-426 SWITCH, THERMOSTATIC			1	1		1		5	87 I1		TK621	
7377		P	H		5950-995-8701				93410 PART NO. A636, 80009 PART NO. 260-293 TRANSFORMER, POWER			1	1		1		3	87 D1		T701	
7378	7300	P	H		5910-983-3976				120-210 CHASSIS, LEFT CAPACITOR, FIXED, CERAMIC, 120 UUF, 500 VDCW, 72982 PART NO. 301-024XSU0121K, 80009 PART NO. 281-550			1	REF		REF		87 G3			C507	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T		13 R E Q U I R E D F O R E Q U I P M E N T		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7389	7301	P	H		5910-686-7160						1	REF		REF				87 G3		C522		
7380	7306	P	H		5910-816-7435						1	REF		REF				87 D1-C		C852		
7381		P	H		5910-984-2728						1	1		1		3		87 G3		C442		
73812		P	H		5910-768-2909						2	2		1		6		87 G3 D1-C		C518, 874		
7383	7308	P	H		5910-729-3328						1	REF		REF				87 D1		C753		
7384	7309	P	H		5910-085-33284						2	REF		REF				87		C657, 753		
7385		P	H		5910-954-1850						2	2		1		6		87 G3, D1		C43, 745		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS			DM	FIGURE NUMBER		
7386		P	H		5910-903-5455				NO. NLW242P, 80009 PART NO. 290-105 CAPACITOR, FIXED, ELECTROLYTIC, 2 X 100 UF, 50 VDCW, 80009 PART NO. 290-119			1	1		1		3	87 I1		C620		
7387		P	H		5910-617-4240				CAPACITOR, FIXED, ELECTROLYTIC, 500 UF, 25 VDCW, 58289 PART NO. TVA1209, 80009 PART NO, 290-116			1	1		1		3	87 I1		C660		
7388		P	H		5910-954-1773				CAPACITOR, FIXED ELECTROLYTIC, 2000 UF, 30 VDCW, 80009 PART NO. 290-087			1	1		1		3	87 I1		C612		
7389	7211	P	H		5910-812-0323				CAPACITOR, FIXED, PLASTIC 0.1 UF, 600 VDCW, 80009 PART NO. 285-556			1	REF		REF			87 I1		C621		
7390	7279	P	H		5910-578-1623				CAPACITOR, VARIABLE, CERAMIC, 7-45 UUF, 72982 PART NO. 503-000D2P033R, 80009 PART NO. 281-012			1	REF		REF			87 G3		C508		
7391	7312	P	H		5950-965-5350				COIL, RF 40 UH, 80009 PART NO. 108-200			1	REF		REF			87 D1		L74S		
7392		P	H		5920-356-2193				FUSE, CARTRIDGE 1.5 AMP CURRENT RATING, 71400 PART NO. AGC1 1-2, 80009 PART NO. 159-016			1	1		1		50	87 I1		F621		
7393		P	H		5920-280-4081				FUSE, CARTRIDGE 0.25 AMP CURRENT RATING, 71400 PART			1	1		1		50	87 I1		F601		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E R I E S N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7394			P	H	5920-221-5673							1	1		1		3	87			
7395	7280		P	H	5905-811-7912							3	REF		REF			87 G3, 11		R454, 467, 644	
7396			P	H	5905-822-2390							1	1		1		3	87 G3		R509	
7397	7319		P	H	5905-726-5340							1	REF		REF			87 G3		R508	
7398			P	H	5905-577-9689							1	1		1		3	87 G3		R477	
7399	7320		P	H	5905-721-0673							1	REF		REF			87 D1-C		R874	
7400	7321		P	H	5905-721-0131							1	REF		REF			87 D1		R753	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7401			P	H	5905-682-4108						1	1				1		3	87		R507 G3	
7402			P	H	5905-682-4109						3	3				1		9	87 G3, 11		R433, 436, 624	
7403			P	H	5905-256-0388						1	1				1		3	87 11		R694	
7404	7324		P	H	5905-729-0563						2	REF			REF				87 11		R622, 650	
7405			P	H	5905-190-8880						2	2				1		6	87 G3		R462, 472	
7406			P	H	5905-279-1757						2	2				1		6	87 G3		R463, 473	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
		A	B	C	D		1	2	3													
7407		P	H		5905-726-5346						3	3			1		9	87 G3, I1		R522, 631, 652		
7408	7326	P	H		5905-726-6433						1	REF			REF			87 D1-C		R881		
7409		P	H		5905-279-1880						2	2			1		6	87 G3		R466, 476		
7410		P	H		5905-279-3505						2	2			1		6	87 G3		R464, 474		
7411	7328	P	H		5905-809-8029						5	REF			REF			87 G3		R17, 443, 453 483, 493		
7412		P	H		5905-195-6460						1	1			1		3	87 D1-C		R882		
7413		P	H		5905-721-0671						1	1			1		3	87 G3		R521		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7414	7242	P	H		5905-755-2613						1	REF		REF				87 G3		R42		
7415	7330	P	H		5905-686-4529						3	REF		REF				87 G3		R434, 481 491		
7416	7331	P	H		5905-687-0000						1	REF		REP				87 G3		R437		
7417	7258	P	H		5905-837-1505						1	REF		REF				87 G3		R430		
7418		P	H		5905-800-3955						1	1		1				87 D1-C		R841		
7419		P	H		5905-985-5360						1	1		1	6			87 D1-C		R886		
7420		P	H		5905-985-5361						2	2		1				87		R506, 516		

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR ALLOWANCE, SEE AUTHORIZED	3 RECOVERABILITY CODE			4 FEDERAL STOCK NUMBER	5 DESIGNATION MODEL			7 UNIT OF ISSUE	8 EXPENDABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY	11 ALLOWANCE		12 EQUIPMENT	13 REBUILT 100 REQUIRED FOR EQ. DEPOSIT QTY	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C		D	1	2					3	DS			GS	DM		
7421		P1	H		5905-794-3739						2	2		1	6	87 G3			R502,5S12	
7422		P1	H		5905-805-2840						1	1		1	3	87 G3			R524	
7423		P1	H		5905-985-5362						1	1		1	3	87 D1-C			R888	
7424		P1	H		5950-995-8481						1	1		1	3	87 I1			R610	
7425		P1	H		5905-995-9309						1	1		1	3	87 I1			R635	
7426		P1	H		5905-798-1401						1	1		1	3	87 I1			R692	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM	ITEM N U M B E R		REFERENCE S Y M B O L															
7427		P	H		5905-995-9310				RESISTOR, FIXED, WIRE WOUND, 117 OHMS 5% TOL, 8 WATTS, 63743 PART NO. K-46410, 80009 PART NO. 308-174			1	1		1		3	87 11		R693		
7428	7353	P	H		3905995-5903				RESISTOR, VARIABLE, COMPOSITION, 200 OHMS, 10% TOL, 1/2 WATT, 12697 PART NO. CM26541, 80009 PART NO. 311-158			1	REF		REF			87 G3		R468		
7429	7354	P	H		5905-995-8659				RESISTOR, VARIABLE, COMPOSITION, 1000 OHMS, 10% TOL, 12697 PART NO. CM26539, 80009 PART NO. 311-155			1	REF		REF			87 11		R651		
7430		P	H		5905-851-4900				RESISTOR, VARIABLE, COMPOSITION, 2500 OHMS, 20% TOL, 12697 PART NO. CM23644, 80009 PART NO. 311-120			1	1		1		3	87 D1-C		R884		
7431		P	H		5950-995-5905				RESISTOR, VARIABLE, COMPOSITION, 10,000 OHMS, 10% TOL, 1/4 WATT, 12697 PART NO. CM26537, 80009 PART NO. 311-153			1	1		1		3	87 G3		R518		
7432	7357	P	H		5905-995-5905				RETAINER, TRANSISTOR 01009 PART NO. CS90BC, 80009 PART NO. 343-068			3	REF		REF			87				
7433	7358	P	H		5960-904-8163				RETAINER, TRANSISTOR 01009 PART NO. CS91BC, 80009 PART NO. 343-044			7	REF		REF			87				
7434		P	H		5960-908-7598				SEMICONDUCTOR DEVICE,			2	2		1		6	87		D506, 507		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M I T T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER			ILLUSTRATIONS
7435			P	H	5960-828-6108							1	1		1		3	87 11		D629		
7436	7359		P	H	5960-856-8642							2	REF		REF			87 G3, DL-C		D482, 882		
7437	7363		P	H	5961-284-6016							2	REF		REF			87 11		D621, 622		
7438	7361		P	H	5960-962-4721							6	REF		REF			87 11		D610, 611, 620, 660, 661, 692		
7439			P	H	5960-685-9032							1	1		1		4	87 11		Q634		
7440	7368		P	H	5960-837-7851							1	REF		REF			87 1		Q634		
7441			P	H	5960-839-9402							1	1		1		4	87 11		Q624		
7442			P	H	5960-779-9527							5	5		1		20	87 G3		Q443, 464, 474, 483, 493		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E R N U M B E R	3 R E C O V E R A B I L I T Y C O D E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E D E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
7443	7370	P	H		5960-995-8468						3	REF		REF				87 G3, D1-C		Q453, 524, 874	
7444	7364	P	H		5906-995-8478						2	REF		REF				87 G3		Q504, 514	
7445		P	H		5935-960-8108						1	1		1		3		87 11			
7446		P	H		5935-903-5785						1	1		1		3		87 11			
7447		P	H		5930-674-5912						1	1		1		5		87 11		SW692	
7448		P	H		5950-995-7207						1	1		1		3		87 11		T601	
7449		P	H		5910-163-0068						2	2		1		6		68 4		C20, 21	
7450		P	H		5945-816-1632						1	1		1		3		68 1			
7451		P	H		5945-521-0519						1	1		1		3		68 1			
7452		P	H		5945-818-5697						1	2		2		6		68			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R T	13 R E E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7453																				
7454		P	H		5905-284-3595						2	2		1		6	68		R27, 28	
																3				
7455		P	H		5905-258-7030						1	1		1		3	68		R29	
																3				
7456		P	H		5905-637-3542						1	1		1		3	68		R30	
																3				
7457		P	H		5910-914-8769						2	2		1		6	68		C11, 12	
																1				
7458		P	H		5910-914-8770						2	2		1		6	68		C8, 26	
																1				
7459		P	H		5910-583-3422						1	1		1		3	68		C1	
																1				
7460		P	H		5910-691-0053						2	2		1		6	68		C7, 19	
																1				
7461		P	H		5910-822-5683						2	2		1		6	68		C4, 5	
																1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	
7462			P	H	5910-174-9027						1	1		1		3	68 1		C3	
7463			P	H	5910-914-6770						2	2		1		6	68 1		C6, 14	
7464			P	H	5910-914-6773						2	2		1		6	68 1		C10, 18	
7465			P	H	5910-914-6771						1	1		1		3	68 1		C17	
7466			P	H	5910-950-0216						1	1		1		3	68 1		C16	
7467			P	H	5910-914-6774						3	3		1		9	68 1		C2, 13, 15	
7468			P	H	5910-914-8796						1	1		1		3	68 1		C9	
7469			P	H	5910-914-6775						1	1		1		3	68		C27	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7470		P	H		5340-926-5352						1	1				1		3	68			
																			1			
7471		P	H		5950-939-5886						1	1				1		3	68			
																			1			
7472		P	H		5935-845-8536						1	1				1		4	68			
																			1			
7473		P	H		5935-259-3874						1	1				1		4	68			
																			1			
7474		P	H		5960-617-8559						1	1				1	100		68			
																			1			
7475		P	H		5960-189-5920						2	2				1	200		68			
																			1			
7476		P	H		5920-636-0963						2	2				1	100		68			
																			1			
7477		P	H		5920-847-0856						2	2				1	6		68			
																			1			
7478		P	H		240-647-3773						1	1				1	50		68			
																			1			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R E Q U I P M E N T D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7479		P	H		6130-647-3772						1	1		1		3	68				
																	1				
7480		P	H		6130-671-4033						1	1		1		3	68				
																	1				
7481		P	H		5945-649-7199						1	1		1		3	68				
																	1				
7482		P	H		5905-556-6218						1	1		1		3	68		R2		
																	1				
7483		P	H		5905-279-4312						1	1		1		3	68		R1		
																	1				
7484		P	H		5905-279-3527						1	1		1		3	68		R23		
																	1				
7485		P	H		5905-299-1541						1	1		1		3	68		R10		
																	1				
7486		P	H		5905-195-6800						1	1		1		3	68		R21		
																	1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM							
7487		P	H		5905-171-2009						1	1		1			3	68 1		R7			
7488		P	H		5905-279-3505						1	1		1			3	68 1		R3			
7489		P	H		5905-245-0023						2	2		1			6	68 1		R16, 17			
7490		P	H		5905-295-3410						2	2		1			6	68 1		R68, 12			
7491		P	H		5905-192-3981						3	3		1			9	68 1		R11, 20, 22			
7492		P	H		5905-279-2522						1	1		1			3	68 1		R8			
7493		P	H		5905-295-3409						2	2		1			6	68 1		R4, 5			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q, D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7494			P	H	5905-279-2515						3	3		1		9	68 1		R14, 15, 18		
7495			P	H	5905-192-0390						1	1		1		3	68 1		R19		
7496			P	H	5905-190-8885						1	1		1		3	68 1		R13		
7497			P	H	5905-549-2286						1	1		1		3	68 1		R26		
7498			P	H	5905-921-4199						1	1		1		3	68 1		R24		
7499			P	H	5935-259-0347						2	2		1		6	68 1				
7500			P	H	5935-658-4787						1	1		1		3	68 1				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B		1	2	3						DS	GS						DM
		C	D																	
7501		P	H	5930-920-7911				SWITCH, ROTARY 14100 PART NO. 211393			1	1		1	5	68				
7502		P	H	5805-797-5764				SWITCH, ROTARY 14100 PART NO. 486447			1	1		1	1	68				
7503		P	H	5950-819-0896				TRANSFORMER AF 14100 PART NO. 202854-492			1	1		1	3	68		T1		
7504		P	H	5995-649-7303				CABLE ASSEMBLY POWER, ELECTRICAL, 14100 PART NO. 211394-000			1	1		1	5	68				
7505		P	H	5935-914-4739				CONNECTOR, ELECTICAL 2 PINS, 14100 PART NO. 211388-000			1	1		1	3	68				
7506		P	H	5805-653-5603				MOTOR AND CARTRIDGE HOLDER ASSEMBLY, 14100 PART NO. 211399			1	1		1	3	68				
7507		P	H	6105-796-5606				MOTOR ALTERNATING CURRENT, 01626 PART 36-03, 14100 PART NO. 202133-597			1	1		1	2	68				
7508		P	H	5985-914-7391				GENERATOR, SIGNAL TYPE 1001A			1	1		1	4	88				
7509		P	H	5985-914-8875				ADAPTER, TEST 24655 PART NO. 1000-0020			1	1		1	4	88				
7510		P	H	5935-782-6929				PLUG, ADAPTER 24655 PART NO. 0874-9870			1	1		1	4	88				

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM				
7511		P	H	5935-914-8853				PLUG 24655 PART NO. 0274-9875			1	1		1		5	88 3				
7512		P	H	5120-921-3726				WRENCH, INSULATED 24655 PART NO. 7980-0600			1	1		1		2	88 3				
								CABLE ASSEMBLY RF 0874-9683													
7513		P	H	5935-914-8878				CONNECTOR 24655 PART NO. 0874-9415			2	2		1		6	88 3				
								INSTRUMENT ASSEMBLY 1001-3000													
7514		P	H	5960-578-1611				TUBE, ELECTRON 12672 PART NO. OC3, 24655 PART NO. 8300-0500			2	2		4		200	88 3		V5, 6		
7515		P	H	5960-262-0218				TUBE, ELECTRON 12672 PART NO. 5Y3GT, 24655 PART NO. 8350-0400			1	1		2		100	88 3		V4		
7516		P	H	5960-262-0185				TUBE, ELECTRON 12672 PART NO. 6AL5, 24655 PART NO. 8360-100			1	1		2		100	88 3		V3		
7517		P	H	5960-617-4925				TUBE, ELECTRON 12672 PART NO. 6C4, 24655 PART NO. 8360-3800			1	1		2		100	88 3		V1		
7518		P	H	5960-053-4006				TUBE, ELECTRON 12672 PART NO. 6SN7GT, 24655 PART NO. 8360-7100			1	1		2		100	88 3		V7		

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM						
		DESCRIPTION																			
7519		P	H		5960-556-1302						1	1			2		100	88 3		V2	
7520		P	H		5355-920-7260						1	1			1		5	88 3			
7521	7523	P	H		5355-920-7265						1	REF		REF				88 3			
7522		P	H		5355-920-7259						1	1			1		3	88 3			
7523		P	H		5355-920-7265						1	2			2		10	88 3			
7524		P	H		5355-920-7263						1	1			1		2	88 3			
7525		P	H		5355-920-7262						1	1			1		3	88 3			
7526		P	H		5355-914-8945						1	1			1		2	88			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
7527			P	H	6145-914-6761							1	1		1		5	88		
																		3		
7528			P	H	5910-581-2159							1	1		1		3	88		C41
																		3		
7529			P	H	5910-184-3127							2	3		1		9	88		C47, 48
																		3		
7530			P	H	5355-920-7261							1	1		1		2	88		
																		3		
7531			P	H	5355-920-7268							4	4		1		12	88		
																		3		
7532			P	H	6250-914-8850							1	1		1		5	88		
																		3		
7533			P	H	6210-914-8874							1	1		1		5	88		
																		3		
7534			P	H	6240-057-2887							1	1		1		5	88		P1
																		3		
7535			P	H	6625-908-9572							1	1		1		3	88		M1

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7536		P	H		5935-926-0635						1	1			1		3			
																	88		PL1	
																	3			
7537		P	H		5940-738-6457						1	1			1		3			
																	88			
																	3			
7538		P	H		5940-915-5751						3	3			1		9			
																	88			
																	3			
7539		P	H		5905-279-3514						1	1			1		3		R59	
																	88			
																	3			
7540		P	H		5905-279-6800						2	3			1		9		R43, 44	
																	88			
																	3			
7541		P	H		5905-185-8510						1	1			1		3		R57	
																	88			
																	3			
7542		P	H		5905-279-2515						1	1			1		3		R58	
																	88			
																	3			
7543		P	H		5905-933-4375						1	1			1		3		R41	
																	88			
																	3			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3				DS	GS	
7544	P		H	5905-926-0386						1	1		1	3	88 3			R51	
7545			P H	5905-924-1031						1	1		1	3	88 3			R56	
7546			P H	5905-924-1036						1	1		1	3	88 3			R50	
7547			P H	5930-914-7146						1	1		1	5	88 3			S5	
7548			P H	5910-082-5133						1	1		1	3	88 3			C38	
7549			P H	5910-924-0926						4	4		1	12	88 3			C34-37	
7550			P H	5905-921-4107						1	1		1	3	88 3			R48	
7551			P H	5905-916-2346						1	1		1	3	88 3			R47	
7552			P H	5905-916-2344						2	2		2	6	88 3			R45, 46	
7553			P H	5905-924-1041						1	1		1	3	88			R49	

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E S O U R C E S			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	REFERENCE SYMBOL													
7554		P	H	5960-728-0404							1	1		1	3	883		CR3		
7555	7609	P	H	5935-782-6955							3	REF		REF		883				
7556		P	H	5950-923-7333							1	1		1	3	883		T1		
7557		P	H	5910-921-0567							5	7		1	21	883		C8-12		
7558		P	H	5910-926-0078							2	2		1	6	883		C33, 32		
7559		P	H	5935-914-6795							1	1		1	5	883		PL3		
7560		P	H	5905-171-2006							4	4		1	12	883		R6-8, 11		
7561	7540	P	H	5905-195-6800							1	REF		REF		883		R9		

1 S E R I E S N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		15 D S	16 G S	17 D M		18 F I G U R E N U M B E R	19 I T E M N U M B E R	20 R E F E R E N C E S Y M B O L													
7562			P H	5910-082-5128																	
7563			P H	5910-924-0918																	
7564			P H	5910-924-0915																	
7565			P H	5910-101-5617																	
7566			P H	5910-060-9619																	
7567			P H	5910-939-7225																	
7568			P H	5910-794-3098																	
7569			P H	5910-543-9081																	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E S O U R C E		4 R E C O V E R A B I L I T Y C O D E	5 F E D E R A L S T O C K N U M B E R	6 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 A L L O W E D E Q U I P M E N T M A I N T E N A N C E P E R F I E L D			12 R E B U I L D 1 0 0 E Q, R E Q U I R E D F O R D E P O T Q T Y	13 F I G U R E N U M B E R	14 I T E M N U M B E R	15 I L L U S T R A T I O N S	16 R E F E R E N C E S Y M B O L
		A	B			C	D	1					2	3	DS					
7570	7557		P	H	5910-921-0567						2	REF		REF		88 3			C6, 7	
7571			P	H	5910-538-1784						1	1		1	2	88 3			C21	
7572			P	H	1 5950-924-0955						1	1		1	3	88 3			L4	
7573			P	H	5930-919-9923						1	1		1	5	88 3				
7574			P	H	5935-999-1128						1	1		1	1	88 3				
7575			P	H	5935-999-6932						1	1		1	1	88 3			J4	
7576			P	H	5905-279-2545						1	1		1	3	88 3			R17	
7577			P	H	590-279-2019						1	1		1	3	88 3			B14	
7578			P	H	5905-171-1998 j						1	2		1	6	88 3			R10	

1 SEQUENCE NUMBER	2 SEQUENCE NUMBER FOR AUTHORIZED ALLOWANCE, SEE	3 RECOVERABILITY CODE			4 FEDERAL STOCK NUMBER	5 DESIGNATION BY MODEL			6 DESCRIPTION	7 UNIT OF ISSUE	8 EXPENDABLE ABILITY	9 QUANTITY IN USE	10 EQUIPMENT QUANTITY PER	11 ALLOWANCE PER DAY		12 EQUIPMENT DEPOT QTY	13 REBUILT 100 EQUIPMENT FOR EQ, DM	14 ILLUSTRATIONS		15 ITEM NUMBER	16 REFERENCE SYMBOL
		A	B	C		D	1	2						3	DS			GS	DM		
7579		P	H		5905-299-2014				RC20GF333J, 24655 PART NO. 6110-3335 RESISTOR, FIXED 1 COMPOSITION, 47,000 OHMS 10% TOL, 1 WATT, 81349 PART NO. RC32GF473K, 24655 PART NO. 6110-3479			1	1		1	3	88 3		R2		
7580		P	H		5905-171-1986				RESISTOR, FIXED, COMPOSITION, 56,000 OHMS 5% TOLE 1/2 WATT, 81349 PART NO. RC20GFS63J, 24655 PART NO. 6100-3565			1	1		1	3	88 3		R15		
7581		P	H		5905-279-2516				RESISTOR, FIXED, COMPOSITION, 500,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF504J, 24655 PART NO. 6100-4565			1	1		1	3	88 3		R19		
7582		P	H		5905-279-1759				RESISTOR, FIXED, COMPOSITION, 750,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF754J, 24655 PART NO. 6100-4755			1	1		1	3	88 3		R16		
7583		P	H		5905-916-2347				RESISTOR, FIXED, FILM 25,000 OHMS, 1% TOL, 75042 PART NO. CEC8-25K1PCT, 24655 PART NO. 6450-1825			1	1		1	3	88 3		R13		
7584		P	H		5905-999-9820 !				RESISTOR, FIXED, FILM 75042 PART NO. CEB5-6K1PCT, 24655 PART NO. 6350-1560			1	1		1	3	88		R21		
7585		P	H		5905-921-4693				RESISTOR, FIXED, WIRE WOUND, 24655 PART NO. 1001-0290			1	1		1	3	88 3		R24		

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3			DS	GS		
7586		P	H	5905-256-8355					2	2		1	6	88 3		R22			
7587		P	H	5905-921-4697					1	1		1	3	88 3		R18			
7588		P	H	5905-924-1030					1	1		1	3	88 3		R25			
7589		P	H	5905-924-1037					1	1		1	3	88 3		R23			
7590		P	H	5935-232-3758					1	2		1	6	88 3					
7591		P	H	5935-782-6955					1	5		1	15	88 3					
																ATTENUATOR ASSEMBLY 1001-0390			
7592		P	H	5905-921-4694					2	2		1	6	88 3		R38, 39			
7593		P	H	5905-921-4109					6	6		1	18	88		R32-37			
7594		P	H	5905-083-0866					2	2		1	6	88 3		R30, 31			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	ITEM NUMBER	
7595			P	H	5930-920-5789						2	2		1	10	88 3					
7596	7529		P	H	5910-184-3147							1	REF		REF		88 3			C40	
7597			P	H	5930-919-9955							2	2		1	10	88 3			S4, 6	
7598			P	H	5910-284-7148							2	2		1	6	88 3			C30, 31	
7599			P	H	5950-939-5712							1	1		1	3	88 3			L3	
7600			P	H	5920-284-6733							2	2		1	100	88 3			F1, 2	
7601			P	H	5920-847-7144							2	2		1	6	88 3				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E S			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2					3	DS			GS	DM	88	3		88	3
7602		P	H	5910-082-5137						1	1		1	3	88 3		C39						
7603		P	H	5905-190-8889						1	1		1	3	88 3		R68						
7604		P	H	5905-171-2004						2	1		1	6	88 3		R55						
7605		P	H	5905-299-2020						1	1		1	3	88 3		R61						
7606		P	H	5905-755-8868						1	1		1	3	88 3		R53						
7607		P	H	5905-921-4700						1	1		1	3	88 3		R52						
7608		P	H	5961-914-9451						1	2		1	6	88 3		CR2						
7609	7591	P	H	5935-782-6955						1	REF		REF	88 3									

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T Q U A N T I T Y	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q, D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2					3	DS			GS	DM			F I G U R E N U M B E R	R E F E R E N C E S Y M B O L
7610			P	H	5910-794-3025						2	2		1	6	88 3		C42, 46				
7611			P	H	5905-279-2673						1	1		1	3	88 3		R42				
7612	7604		P	H	5905-171-2004						1	REF		REF		88 3		R54				
7613			P	H	5905-192-0390						1	1		1	3	88 3		R62				
7614	7608		P	H	5961-914-9451						1	REF		REF	1	88 3		CR1				
7615			P	H	5910-082-5124						2	2		1	6	88 3		C43, 44				
7616			P	H	5910-921-8816						1	1		1	3	88 3		C35				
7617			P	H	5905-279-1877						1	1		1	3	88 3		R69				

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS	DM			ITEM NUMBER															
7618		P	H		5905-192-3981				COMPOSITION, 2400 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF242J, 24655 PART NO. 6100-2245			1	1		1	3	88		R70			
7619		P	H		5905-921-4812				RESISTOR, FIXED, COMPOSITION, 120,000 OHMS, 5% TOL 1/2 WATT, 81349 PART NO. RC20GF124J 24655 PART NO. 6100-4125			2	2		1	6	88 3		R66 67			
7620		P	H		5905-171-2000				COMPOSITION, 517, 000 OHMS, 2% TOL, 75042 PART NO. CEC517K1-2PCT, 24655 PART NO. 6450-3517			1	1		1	3	88 3		R64			
7621		P	H		5905-190-8885				RESISTOR, FIXED, COMPOSITION, 680,000 OHMS, 5% TOL, 1/2 WATT, 81349 PART NO. RC20GF12684J, 28480 PART NO. 6100-4685			1	1		1	3	88 3		R60			
7622		P	H		5905-916-2356				RESISTOR, FIXED, COMPOSITION, 2.2 MEGOHMS, 5% TOL, 1/2 WATT, 81349, PART NO. RC20GF225J, 24655 PART NO. 6100-5225			1	1		1	3	88		R65			
7623		P	H		5950-914-8934				RESISTOR, FIXED FILM 107,000 OHMS, 1% TOL, 75042 PART NO , CEC107KPCT9 24655 PART NO. 6450-3107 BRACKET ASSEMBLY 1001-3110 COIL, RF 24655 PART NO.			1	1		1	3	88 3		L1			

1 S E R I A L N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER		
7624			P	H	5910-943-6912							1	1		1	3	883			C3	
7625			P	H	5910-101-5767							1	2		1	6	883			C5	
7626			P	H	5905-299-1965							1	1		1	3	883			R3	
7627			P	H	5905-195-6761							1	1		1	3	883			R4	
7628	7590		P	H	5935-232-3758							1	REF		REF		883				
7629			P	H	5905-921-4098							1	1		1	3	883			R12	

1 S O U R C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS			GS	DM			F I G U R E N U M B E R	R E F E R E N C E S Y M B O L
7630	7566	P	H	5910-060-9619				1001-3150 CAPACITOR, FIXED, MICA 81349 PART NO. CM208501K, 24655 PART NO. 4660-5600			1	REF		REF			88 3		C27				
7631	7625	P	H	5910-101-5767				CAPACITOR FIXED, MICA 81349 PART NO. CM35B103K, 24655 PART NO. 4760-0100			1	REF		REF			88 3		C28				
7632		P	H	5905-279-1894				RESISTOR, FIXED, FILM 82 OHMS, 5% TOL, ½ WATT, 81349 PART NO. RC20GF20J, 24655 PART NO. 6100-0825			1	1		1		3	88		R20				
7633		P	H	5910-917-9766				SWITCH, ROTARY 24655 PART NO. 7890-0370 TURRET SWITCH ASSEMBLY 1001-3050			1	1		1		5	88		S2				
7634		P	H	5910-924-0914				CAPACITOR, FIXED, MICA 24655 PART NO. 4660-3100			1	1		1		3	88 3		C302				
7635		P	H	5910-087-3540				CAPACITOR, VARIABLE, CERAMIC, 71590 PART NO. 822BN7-45 UUF, 24655 PART NO 4910-0100			6	6		1		12	88 3		C201, 301 401, 501 601, 701				
7636		P	H	5910-806-6893				CAPACITOR, VARIABLE, CERAMIC, 24655 PART NO. 4910-0400			2	2		1		12	88 3		C101, 801				
7637		P	H	5950-794-3134				COIL, RF 24655 PART NO. 1001-2052			1	1		1		3	88 3		L201				
7638		P	H	5950-794-3135				COIL, RF 24655 PART NO.			1	1		1		3	88 3		L301				

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C		D	1	2					3	DS			GS	DM			FIGURE NUMBER
													FIGURE NUMBER	REFERENCE SYMBOL							
7639		P	H		5950-794-3136						1	1		1	3	88 3		L401			
7640		P	H		5950-794-3137						1	1		1	3	88 3		L501			
7641		P	H		5950-794-3139						1	1		1	3	88 3		L601			
7642		P	H		5950-794-3138						1	1		1	3	88 3		L701			
7643		P	H		5950-794-3107						1	1		1	3	88 3		L801			
7644		P	H		5950-794-3108						1	1		1	3	88 3		L101			
7645		P	H		5905-279-1878						1	1		1	3	88 3		R301			
7646	7578	P	H		5905-171-1998						1	REF		REF		88 3		R201			
7647		P	H		5905-254-9201						1	1		1	3	88 3		R101			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E E Q U I P M E N T M A I N T E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	ITEM NUMBER	
7648			P	H	5910-851-7199				VOLTMETER, ELECTRONIC 410C			1	1		1		3	80 5-8				
7649			P	H	5910-067-6229				CAPACITOR, FIXED, CERAMIC, 28480 PART NO. 0150-0023			1	1		1		3	80 5-8		C5		
7650			P	H	5910-911-9273				CAPACITOR, FIXED, ELECTROLYTIC, 28480 PART NO. 0180-0125			1	1		1		3	80 5-8		C6		
7651			P	H	5910-892-7783				CAPACITOR, FIXED, PLASTIC, 28480 PART NO. 0170-0021			1	1		1		3	80 5-8				
7652			P	H	5910-837-9231				CAPACITOR, FIXED, PLASTIC, 28480 PART NO. 0160-0001			1	1		1		3	80 5-8		C2		
7653	6738		P	H	5935-914-4737				CONNECTOR, ELECTRICAL 3 PINS, 28480 PART NO. 1251-0148			1	REF		REF		80 5-8			J3		
7654			P	H	5935-930-1942				CONNECTOR, ELECTRICAL 28480 PART NO. 143-010-09 (109)			1	1		1		3	80 5-8				
7655			P	H	5920-227-9142				FUSE, CARTRIDGE 75915 PART NO. 313-250			1	1		1	50	80 5-8			F1		
7656	6747		P	H	5920-881-4636				FUSEHOLDER 75915 PART NO. 342014, 28480 PART NO. 1400-0084			1	REF		REF		80 5-8			XF1		
7657			P	H	5935-914-4740				JACK, TELEPHONE 28480 PART NO. 1251-0200 NO.			1	1		1		3	80 5-8				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS	DM						
		DESCRIPTION																			
7658		P	H		5355-919-9953						1	1			1		3	80			
																		3-1			
7659		P	H		5355-930-0667						1	1			1		3	80			
																		3-1			
7660		P	H		5355-908-9418						1	1			1		3	80			
																		3-1			
7661		P	H		6625-914-4126						1	1			1		3	80			
																		3-1			
7662		P	H		6625-914-4124						1	1			1		3	80			
																		3-1			
7663		P	H		6625-914-4125						1	1			1		3	80			
																		3-1			
7664		P	H		5940-802-8935						1	1			1		3	80			
																		5-8			
7665		P	H		5940-802-5245						2	2			1		6	80		J2	
																		5-8			
7666		P	H		5905-249-3661						1	1			1		3	80		R5	
																		5-8			
7667		P	H		5905-914-7163						1	1			1		3	80		R2	
																		5-8			
7668		P	H		5905-908-5376						1	1			1		3	80		R3	
																		5-8			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM	NUMBER				
7669			P	H	5961-921-3778						2	2			1		6	80 5-8		CR1, 2			
7670			P	H	5961-911-9275						2	2			1		6	80 5-8		CR3, 4			
7671	6761		P	H	5935-763-1304						1	REF		REF				80 5-8		XQ1			
7672			P	H	5960-899-2249						1	1			1		4	80 5-8		Q1			
7673			P	H	5930-782-6911						1	1			1		5	80 5-8		S3			
7674	6764		P	H	5930-977-1760						1	REF		REF				80 5-8		S4			
7675			P	H	5950-908-5451						1	1			1		3	80 5-8		T1			
7676			P	H	6625-939-7520						1	1			1		4	80 3-1					
7677			P	H	6625-910-5973						1	1			1		3	80 5-11					
7678			P	H	5995-930-0669						1	1			1		5	80 5-11					
7679			P	H	5960-052-8560						1	1			1		100	80 5-11					

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM				
7680			P	H	5905-117-4197						1	1			1		3	80 5-13 5-14		R7	A1	
7681			P	H	5905-080-9816						1	1			1		3	80 5-13 5-14		R5		
7682			P	H	5905-919-1050						1	1			1		3	80 5-13 5-14		R10		
7683			P	H	5905-921-4690						1	1			1		3	80 5-13 5-14		R2		
7684			P	H	5905-919-1086						1	1			1		3	80 5-13 5-14		R1		
7685			P	H	5905-908-5426						1	1			1		3	80 5-13 5-14		R6		
7686			P	H	5930-976-4355						1	1			1		3	80 5-13 5-14				
7687			P	H	5930-999-3918						1	1			1		5	80 5-13 5-14		S1		
																						AZ

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3						DS	GS	DM	I T E M N U M B E R	R E F E R E N C E S Y M B O L					
7688		P	H		5905-914-7158				RESISTOR, FIXED, COMPOSITION, 28480 PART NO. 410-26A			1	1		1		3	80		R26			
7689		P	H		5905-914-7164				RESISTOR, FIXED, COMPOSITION, 28480 PART NO. 410C-26B			1	1		1		3	80		R25			
7690		P	H		5905-082-7476				RESISTOR, FIXED, COMPOSITION 28480 PART NO. 0687-1031			1	1		1		3	80		R6			
7691		P	H		5905-721-1195				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0031			1	1		1		3	80		R31			
7692		P	H		5905-918-7485				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0445			1	1		1		3	80		R24			
7693		P	H		5905-918-9221				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0446			1	1		1		3	80		R23			
7694		P	H		5905-903-4508				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0448			2	2		1		6	80		R22, 32			
7695		P	H		5905-903-4509				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0449			1	1		1		3	80		R21			
7696		P	H		5905-903-4515				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0450			1	1		1		3	80		R20			
7697		P	H		5905-908-7225				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0451			1	1		1		3	80		R16			
7698		P	H		5905-903-4510				RESISTOR, FIXED, FILM 28480 PART NO. 0727-0452			1	1		1		3	80		R19			
7699		P	H		5905-908-7229				RESISTOR, FIXED, FILM 28480 PART NO.			1	1		1		3	80		R18			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R		
7700		P	H		5905-903-4511						1	1			1	3	5-14 80		R17			
7701		P	H		5905-903-4514						1	1			1	3	5-13 5-14 80		R15			
7702		P	H		5905-914-7167						1	1			1	3	5-13 5-14 80		R14			
7703		P	H		5905-921-4188						1	1			1	3	5-13 5-14 80		R13			
7704		P	H		5905-903-4512						1	1			1	3	5-13 5-14 80		R12			
7705		P	H		5905-921-4189						1	1			1	3	5-13 5-14 80		R11			
7706		P	H		5905-921-4688						1	1			1	3	5-13 5-14 80		R7			
7707		P	H		5905-919-1088						1	1			1	3	5-13 5-14 80		R30			
7708		P	H		5905-914-9708						1	1			1	3	5-13 5-14 80		R2			
7709		P	H		5905-918-9194						2	2			1	6	5-13 5-14 80		R1, 3			
7710		P	H		5905-919-1084						1	1			1	3	5-13 5-14 80		R33			
																	5-14					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS	DM						
		R E C O V E R A B I L I T Y C O D E			F E D E R A L S T O C K N U M B E R								D E S I G N A T I O N M O D E L		F I E L D 1 5 D A Y		A L L O W A N C E P E R				
7711		P	H	5905-921-4689			RESISTOR, FIXED, FILM 28480 PART NO. 0730-0176			1	1		1	3	80 5-13 5-14		R10				
7712		P	H	5905-921-4817			RESISTOR, FIXED, FILM 03888 PART NO. HB2000, 28480 PART NO. 0733-0018			1	1		1	3	80 5-13 5-14		R4				
7713		P	H	5930-918-4379			SWITCH, ROTARY 28480 PART NO. 3100-0382			1	1		1	5	80 5-13 5-14		S2				
				6625-868-1027			NET, AMPLIFIER ASSEMBLY 410C-65A										A3				
7714		P	H	5910-542-1796			CAPACITOR, FIXED, CERAMIC, 28480 PART NO. 0150-0096			1	1		1	3	80 5-10		C13				
7715		P	H	5910-702-0568			CAPACITOR, FIXED, ELECTROLYTIC, 28480 PART NO. 0180-0039			1	1		1	3	80 5-10		C8				
7716	7005	P	H	5910-827-1209			CAPACITOR, FIXED, ELECTROLYTIC, 56289 PART NO. 30D107G025DH4, 28480 PART NO. 0180-0094			1	REF		REF		80 5-10		C11				
7717		P	H	5910-914-4733			CAPACITOR, FIXED, MICA 28480 PART NO. 0140-0154			1	1		1	3	80 5-10		C16				
7718		P	H	5910-914-2623			CAPACITOR, FIXED, MICA 28480 PART NO. 0140-0208			1	1		1	3	80 5-10		C5				
7719		P	H	5910-721-1783			CAPACITOR, FIXED, PLASTIC, 28480 PART NO. 0170-0018			1	1		1	3	80 5-10		C14				
7720		P	H	5910-911-9271			CAPACITOR, FIXED,			1	1		1	3	80		C4				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
7721			P	H	5910-911-9338						2	2		1		6	80 5-10		C9, 12		
7722			P	H	5910-911-9272						1	1		1		3	80 5-10		C6		
7723			P	H	5910-820-2443						1	1		1		3	80 5-10		C1		
7724			P	H	5910-959-6889						1	1		1		3	80 5-10		C2		
7725			P	H	5960-846-6619						1	1		1	100	80 5-10			V1		
7726			P	H	6625-18-1842						1	1		1		3	80 5-10				
7727			P	H	5905-921-4695						1	1		1		3	80 5-10		R3		
7728			P	H	5905-991-8597						1	1		1		3	80 5-10		R20		
7729			P	H	5905-279-1874						1	1		1		3	80 5-10		R2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		I T E M N U M B E R	
7730			P	H	5905-171-2009				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF222K, 28480 PART NO. 0687-2221			1	1		1		3	80 5-10		R25			
7731			P	H	5905-279-1882				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF275K, 28480 PART NO., 0687-2751			1	1		1		3	80 5-10		R24			
7732			P	H	5905-252-4018				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF470K, 28480 PART NO. 0687-4701			1	1		1		3	80 5-10		R9			
7733			P	H	5905-195-6451				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF472K, 28480 PART NO. 0697-4731			1	1		1		3	80 5-10		R8			
7734	7681		P	H	5905-080-9816				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF566K, 28480 PART NO. 0687-5661			1	REF		REF			80 5-10		R7			
7735			P	H	5905-221-5842				RESISTOR, FIXED, COMPOSITION, 81349 PART NO. RC20GF684K 28480 PART NO. 0687-6841			1	1		1		3	80 5-10		R1			
7736			P	H	5905-923-0869				RESISTOR, FIXED, FILM 28480 PART NO. 0757-0091			1	1		1		3	80 5-10		R18			
7737			P	H	5905-921-4692				RESISTOR, FIXED, FILM 28480 PART NO. 0757-0163			1	1		1		3	80 5-10		R14			
7738			P	H	5905-914-7790				RESISTOR, FIXED, FILM 28480 PART NO.			1	1		1		3	80 5-10		R12			

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. F O R D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R		
7739			P	H	5905-923-0868				0757-0164 RESISTOR, FIXED, FILM 28480 PART NO.			1	1			1	3	80 5-10		R15			
7740			P	H	5905-947-3428				0757-0165 RESISTOR, FIXED, FILM 28480 PART NO.			2	2			1	6	80 5-10		R13, 19			
7741			P	H	5905-957-7365				0757-0166 RESISTOR, VARIABLE 28480 PART NO.			1	1			1	3	80 5-10		R31			
7742			P	H	5905-916-2378				2100-227 RESISTOR, VARIABLE 28480 PART NO.			1	1			1	3	80 5-10		R21			
7743			P	H	5905-908-5433				2100-0396 RESISTOR, VARIABLE 28480 PART NO.			1	1			1	3	80 5-10		R30			
7744			P	H	5905-864-3211				2100-0413 RESISTOR, VARIABLE 28480 PART NO.			1	1			1	3	80 5-10		R5			
7745			P	H	5960-225-6544				2100-0442 SEMICONDUCTOR DEVICE, DIODE, 28480 PART NO. 1901-0023			2	2			1	6	80 5-10		CR1, 2			
7746			P	H	5960-728-3261				SEMICONDUCTOR DEVICE, TRANSISTOR, 28480 PART NO. 1850-0013			1	1			1	4	80 5-10		Q1			
7747	6835		P	H	5960-542-7158				SEMICONDUCTOR DEVICE TRANSISTOR, 28480 PART NO. 1850-0040			1	REF			REF		80 5-10		Q2			
7748			P	H	5935-984-9322				SOCKET, ELECTRON TUBE 28480 PART NO. 1200-0062			1	1			1	3	80 5-10		XV1			
7749			P	H	5940-904-0300				TERMINAL, STUD 28480 PART NO. 0340-0038			2	2			1	2	80 5-10					

AN/TSC-38A

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 M A I N T E N A N C E & R E C O V E R A B I L I T Y C O D E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R		15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE			ITEM
																					A6	
7750			P1	H	5905-919-1049						1	1		1		3	80 5-10				R21	
7751			P1	H	5905-921-4815						1	1		1		3	80 5-10				R1	
7752			P1	H	5905-921-4813						1	1		1		3	80 5-10				R17	
7753			P1	H	5905-921-4814						1	1		1		3	80 5-10				R8	
7754			P1	H	5905-921-4186						1	1		1		3	80 5-10				R6	
7755			P1	H	5905-919-1087						1	1		1		3	80 5-10				R4	
7756			P1	H	5905-915-8843						1	1		1		3	80 5-10				R16	
7757			P1	H	5960-921-5566						1	1		1		3	80 5-10				R20	
7758	6831		P1	H	5960-978-7468						1	REF		REF		80 5-10					CR1	
					6625-868-1029																	A7
7759			P1	H	5910-838-9248						1	1		1		3	80 5-8				C1	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R T E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
7770			P	H	5945-225-0374						4	20			2	60			A2				
7771	38		P	H	5960-617-8804						12	REF		REF					K1-4				
7772	5868		P	H	5910-846-5673						20	REF		REF					A1				
7773	190		P	H	5905-256-0409						20	REF		REF					C1-20				
																			R1-20				
																			A3				

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B		1	2	3					DS	GS			DM				
7774		P	H	4010-908-0241					2	2			1	10						
																				A1
7775		P	H	5995-907-6527					1	1			1	5						
7776		P	H	5995-907-6526					1	1			1	5						
7777		P	H	5935-908-7380					1	1			1	3						
				5895-906-6398																
7778		P	H	5995-907-6528					1	1			1	5						
7779		P	H	5910-902-5563					3	7			1	21						C1, 2, 5
7780	1517	P	H	5915-899-1720					1	REF			REF							FL1
7781	1421	P	H	6240-223-9092					25	REF			REF							E1-25

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
7782	5874	P	H		5310-874-2243						10	REF		REF								
7783		P	H		5820-659-7068						6	10		1		10						
7784		P	H		5821-696-4761						6	8		1		8						
7785		P	H		5945-930-2111						1	1		1		3					K11	
7786		P	H		5945-921-3647						1	1		1		3					K10	
7787		P	H		5945-921-3633						1	1		1		3					K18	
7788		P	H		5945-919-8692						1	3		1		9					K9	
7789		P	H		5945-919-8688						1	1		1		3					K7	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L		
		A	B	C		D	1	2						3	DS				GS	DM		I T E M N U M B E R	
7790		P	H		5945-919-8687				RELAY, ARMATURE R-1A, 58 L-1A CONTACT ARRANGEMENT. 71482 PART NO. E342125, 95104 PART NO. 970-2269-000			1	1		1		3			K1			
7791		P	H		5945-919-8686				RELAY, ARMATURE R-3C, 1A- L-3C 1A CONTACT ARRANGEMENT* 71482 PART NO. F342125, 95104 PART NO. 970-2270-000			1	3		1		9			K15			
7792		P	H		5945-919-8685				RELAY, ARMATURE R-1C 1A, L-1C CONTACT ARRANGEMENT, 71482 PART NO. G342125, 95104 PART NO. 970-2276-000			1	18		2		54			K17			
7793		P	H		5945-916-0862				RELAY, ARMATURE 1C CONTACT ARRANGEMENT, 71482 PART NO. H342125. 95104 PART NO. 970-2277-000			1	1		1		3			K3			
7794		P	H		5945-919-7071				RELAY, ARMATURE R-2C CONTACT ARRANGEMENT, 77342 PART NO. LS2616. 95104 PART NO. 970-2250-000			4	4		1		12			K5, 6, 12, 13			
7795		P	H		5945-919-7072				RELAY, ARMATURE R-3C, L-3C CONTACT ARRANGEMENT, 77342 PART NO. LS2617, 95104 PART NO. 970-2251-000			3	7		1		21			K8, 14 16			
7796		P	H		5945-919-7081				RELAY, ARMATURE R-2C, 1D L-4A CONTACT ARRANGEMENT.			1	1		1		3			K4			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7797			P	H	5945-919-7082						1	1				1		3			K2	
7798			P	H	5905-843-2633						5	5				1		15			R-3, 5, 6	
7799			P	H	5905-636-7780						1	1				1		3			R4	
7800			P	H	5805-902-7563						2	2				1		10			S1, 2	
7801			P	H	5805-902-7562						1	1				1		5			S3	
7802			P	H	5805-903-3087						2	2				1		10			S4, 5	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R M A I N T E N A N C E		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7803			P	H	5950-919-7738						3	23		2		69				T1-3		
7804			P	H	5910-781-8667						2	2		1		6				A1 C3, 4		
7805			P	H	5905-279-1691						1	1		1		3				R12		
7807			P	H	5905-279-1736						2	3		1		9				R13, 14		
7807			P	H	5905-258-6558						2	2		1		6				R7, 8		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER													
7808	2308	P	H	5905-473-5251			RESISTOR, FIXED, COMPOSITION, 1000 OHMS 10% TOL, 1 WATT, 81349 PART NO. RC32GF102J, 95104 PART NO. 745-3352-000			2	REF		REF						R10, 11	
7809		P	H	5905-984-3221			RESISTOR, FIXED, FILM 600 OHMS, 1% TOL. 1/2 WATT, 07716 PART NO. MDB6000F, 95104 PART NO. 705-7286-000			1	1		1	3					R9	
7810	921	P	H	5960-082-3988			SEMICONDUCTOR DEVICE, DIODE, 02735 PART NO. 1N3254, 95104 PART NO. 353-3275-000 CARD CAGE NO. 1 556-3497-001 CARD CAGE ASSEMBLY 556-3455-001			11	REF		REF						CR1-11	
7811	529	P	H	5935-995-9553			CONNECTOR, ELECTRICAL 44 PINS, 05574 PART NO. 2UH22-1AN5, 95104 PART NO. 372-7010-000 EXTENDER CARD 565-3846-004 AMPLIFIER, BRIDGE 564-9611-004 BRIDGE, 4W-4W 564-9579-004 CARD CAGE ASSEMBLY			20	REF		REF						XA1-20	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER	ILLUSTRATIONS		
7812			P	H	5910-952-2122						1	1		1		3			C1			
7813	529		P	H	5935-995-9553						16	REF		REF					XA1-16			
7814	7806		P	H	5905-279-1736						1	REF		REF					R3			
7815			P	H	5905-903-5705						2	2		1		6			R1, 2			
7816	4472		P	H	5910-666-7228						8	REF		REF					C3-10			
7817	30		P	H	5910-826-4471						1	REF		REF					C11			
7818	1887		P	H	5910-821-7227						1	REF		REF					C12			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y E			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL					
7819	665 P			H	5910-855-4567						2	REF		REF								C1, 2		
7820	1329			P H	5945-710-5439						3	REF		REF								K1-3		
7821	604			P H	5905-279-3519						1	REF		REF								R25		
7822	1641			P H	5905-299-2049						1	REF		REF								R4		
7823	2308			P H	5905-473-5251						1	REF		REF								R24		
7824	607			P H	5905-190-8880						1	REF		REF								R26		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y		14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL						
7825	807	P	H		5905-279-350 4						5	REF		REF									R5, 10 , 13 18, 22		
7826	2329	P	H		5905-171-1985						1	REF		REF									R21		
7828	2329	P	H		5905-171-1985						6	REF		REF									R6, 11 14, 19, 23		
7829	1777	P	H		5905-190-8876						8	REF		REF									R3		
7830	617	P	H		5905-840-2505						1	REF		REF									R2		
7831	654	P	H		5960-556-2091						5	REF		REF									CR1, 2, 8, 9, 10		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R C E N T	13 R E E Q U I R E D F O R 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS				DM	I T E M N U M B E R	
7832	38	P	H		5960-617-8804				T12G; 95104 PART NO. 353-0166-000			5	REF		REF					CR4-7, 13		
7833	2926	P	H		5960-890-7019				SEMICONDUCTOR DEVICE, DIODE, 96214 PART NO. 1N645,95104 PART NO. 353-2607-000			1	REF		REF					CR12		
7834	618	P	H		5960-892-1009				SEMICONDUCTOR DEVICE, DIODE, 01281 PART NO. 1N752, 95104 PART NO. 353-2711-000			2	REF		REF					CR3, 11		
7835	586	P	H		5960-752-5229				SEMICONDUCTOR DEVICE, TRANSISTOR 02735 PART NO. 2N404, 95104 PART NO. 352-0158-000			7	REF		REF					Q1-7		
									TIMER 556-3111-004												A2	
									TIMER 556-3111-003													
7836	5431	P	H		5910-821-4933				CAPACITOR, FIXED, ELECTROLYTIC, 10 UF, PLUS 100% MINUS 10%, 25 VDCW, 56289 PART NO. 300182A1, 95104 PART NO. 183-1163-000			1	REF		REF						C3	
7837		P	H		5910-849-5209				CAPACITOR, FIXED, ELECTROLYTIC, 24 UF. PLUS 100% MINUS 10% 50 VDCW, 56289 PART NO. 029328, 99104 PART NO. 183-1173-U00			1	1		1	3					C2	
7838		P	H		5910-853-1743				CAPACITOR, FIXED,			1	1		1	3					C1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
7839			P	H	5935-735-4684						2	2			1		2			J1, 2			
7840			P	H	5945-980-5681						1	1			1		3			K1			
7841	157		P	H	5905-190-8889						1	REF			REF					R7			
7842	850		P	H	5905-252-5434						1	REF			REF					R5			
7843	287		P	H	5905-279-1876						1	REF			REF					R4			
7844	6296		P	H	5905-044-4404						1	REF			REF					R1			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. R E Q U I R E D F O R D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM		FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL														
7845		P	H	5905-081-7349				RESISTOR FIXED, TIRE WOUND; 160 OHMS. 5% TOL, 6 , WATTS. 81 349 PART NO RN367V1961 95104 PART NO 747-325444-000			1	1		1		3				R2		
7846		P	H	5905-922-8179				RESISTOR, FIXED, WIRE WOUND, 196 OHMS. 3% TOL, 5 WATTS, 81349 PART NO . RS4-196R043 95104 PART NO. 747-9419-000			1	1		1		3				R6		
7847		P	H	5905-710-9860				RESISTOR, VARIABLE COMPOSITION, 500,000 OHMS, 20 %TOL, 1/4 WATT, 01121 PART NO. RP504M, 95104 PART NO- 380-9179-000			1	1		1		3				R3		
7848	38	P	H	5960-617-8804				SEMICONDUCTOR DEVICE DIODE 96214 PART NO 1N645G 95104 PART NO- 353-2607-000			2	REF		REF							CR3, 4	
7849		P	H	5960-034-5803				SEMICONDUCTOR DEVICE , DIODE, 02735 PART NO. 1N3193- 95104 PART NO. 353-3258-000			2	2		1		6					CR2, 5	
7850		P	H	5960-725-7288				SEMICONDUCTOR DEVICE , DIODE, 07966 PART NO. 4EK143, 95104 PART NO. 353-3392-000			1	1		1		3					CR1	
7851	5784	P	H	5935-089-1161				CABLE ASSEMBLY, 31 515-3572-001 CONNECTOR, ELECTRICAL 24 PINS, 91146 PART NO. DPA24W2-33S1, 95104 PART NO. 370-2178-000			1	REF		REF							J16	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM	FIGURE NUMBER	ITEM NUMBER					
7852	5784	P	H		5935-089-1161				CABLE ASSEMBLY, 2 515-3572-002			1	REF									J17		
									CONNECTOR, ELECTRICAL 24 PINS, 91146 PART NO. DPA24W2-3351. 95104 PART NO, 370-2178-000															
7853	5786	P	H		5935-914-5711				CABLE ASSEMBLY, 3 515-3572-003			1	REF									J5		
					5995-914-6762				CONNECTOR, ELECTRICAL 4 PINS, 77820 PART NO. PB06E16-26S. 95104 PART NO. 371-1224-000															
7854		P	H		5935-937-3041				CABLE ASSEMBLY, 4 515-3572-004			1	2		1		6					J1		
									CONNECTOR, ELECTRICAL 71468 PART NO. DPD78-33S1AA101															
7855		P	H		5935-921-5632				CABLE ASSEMBLY, 5 515-3572-005			1	5		1		15					J1A, 1B		
									CONNECTOR, ELECTRICAL 71468 PART NO. DPX2-45525C3533C1001															
7856	5796	P	H		5935-782-0691				CABLE ASSEMBLY, 6 515-3572-006			1	REF									J1		
									CONNECTOR, ELECTRICAL 57 PINS, 71468 PART NO. DPXA57-33S7. 95104 PART NO. 370-2239-000															

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER	ITEM NUMBER	REFERENCE SYMBOL					
7857	7855	P	H		5935-921-5632						1	REF		REF								J1A, 1B		
7858	5796	P	H		5935-782-0691						1	REF		REF								J1		
7859	5790	P	H		5935-921-5630						1	REF		REF								J1		
7860	7855	P	H		5935-921-5632						1	REF		REF								J1A, 1B		
7861	5796	P	H		5935-782-0691						1	REF		REF								J1		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7862	7855	P	H		5935-921-5632						1	REF		REF							J1A, 1B	
7863	5796	P	H		5935-782-0691						1	REF		REF							J1	
7864	5790	P	H		5935-921-5630						1	REF		REF							J1	
7865		P	H		5935-782-6930						1	4		2		12					J1	
7866	7865	P	H		5935-782-6930						1	REF		REF							J2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7867			P	H	5935-921-5630						1	REF		REF							J1	
7868	7867		P	H	5935-921-5630						1	REF		REF								J1
7869	7854		P	H	5935-937-3041						1	REF		REF								J1
7870	7855		P	H	5935-921-5632						1	REF		REF								J1A ,1B
7871	5796		P	H	5935-782-0691						1	REF		REF								J1
7872	5790		P	H	5935-921-5631						1	REF		REF								J1

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y 1 5		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 I T E M N U M B E R	16 R E F E R E N C E S Y M B O L	
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER			ILLUSTRATIONS
7873	5793	P	H		5935-782-6928						1	REF		REF						J1		
7874	5793	P	H		5935-782-6928						1	REF		REF							J1	
7875	5793	P	H		5935-782-6928						1	REF		REF							J1	
1676	5793	P	H		5935-782-6928						1	REF		REF							J1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7877	5791	P	H		5935-782-6952						1	REF		REF								
7878	5791	P	H		5935-782-6952						1	REF		REF							J1	
7879	5792	P	H		5935-914-6715						1	REF		REF							J1	
7880	5758	P	H		5935-801-4378						1	REF		REF							J1	
7881		P	H		5935-820-4076						1	1		1		3					P1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7882		P	H		5935-729-8 88						1	3		1		9				P1		
7883	1755	P	H		6145-814-1209				FT		22	REF		REF								
7884	1755	P	H		6145-814-1209				FT		22	REF		REF								
7885	1755	P	H		6145-814-1209				FT		26	REF		REF								
7886	1755	P	H		6145-814-1209				FT		25	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7887	1755	P	H		6145-814-1209				FT		8	REF										
7888	2187	P	H		5035-914-5707						1	REF										
7889	1755	P	H		6145-814-1209				FT		8	REF										
7890	2187	P	H		5935-914-5707						1	REF										
7891		P	H		5935-833-724						1	2		1		8						
7892	1755	P	H		6145-814-1209				FT		26	REF										
7893	2187	P	H		5935-911-5707						2	REF										
7894	1755	P	H		6145-814-1209				FT		10	REF										

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7895	2187	P	H		5935-914-5707						1	REF		REF								
7896	1755	P	H		6145-814-1209				FT		10	REF		REF								
7897	2187	P	H		5935-914-5707						1	REF		REF							P5	
7898	1755	P	H		6145-814-1209				FT		10	REF		REF								
7899	2187	P	H		5935-914-5707						1	REF		REF							P6	
7900	1755	P	H		6145-814-1209				FT		10	REF		REF								
7901	2187	P	H		5935-914-5707						1	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL																
7902	1755	P	H		6145-814-1209				515-3572-067 CABLE, RF 80058 PART NO. RG196AU, 95104 PART NO. 425-1004-000	FT		6	REF		REF									
7903	2187	P	H		5905-914-5707				CONNECTOR, ELECTRICAL 98278 PART NO. 32-23 CABLE ASSEMBLY, 68 515-3572-068			1	REF		REF									
7904	1755	P	H		6145-814-1209				CABLE, RF 80058 PART NO. RG196AU, 95104 PART NO. 425-1004-000	FT		6	REF		REF	80								
7905	2187	P	H		5935-914-5707				CONNECTOR, ELECTRICAL 98278 PART NO. 32-23 CABLE ASSEMBLY, 69 515-3572-069			2	REF		REF							P8, 9		
7906	1755	P	H		6145-814-1209				CABLE, RF 80058 PART NO. RG196AU, 95104 PART NO. 425-1004-000	FT		10	REF		REF									
7907	2187	P	H		5935-914-5707				CONNECTOR, ELECTRICAL 98278 PART NO. 32-23 CABLE ASSEMBLY, 70 515-3572-070			1	REF		REF							P10		
7908	1755	P	H		6145-814-1209				CABLE, RF 80058 PART NO. RG196AU, 95104 PART NO. 425-1004-000	FT		10	REF		REF									
7909	2187	P	H		5935-914-5707				CONNECTOR, ELECTRICAL 98278 PART NO. 32-23			1	REF		REF							P11		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7910	1755	P	H		6145-814-1209				FT		6	REF		REF								
7911	2187	P	H		5935-914-5707						2	REF		REF							P11, 12	
7912	1755	P	H		6145-814-1209				FT		8	REF		REF								
7913		P	H		5935-913-1812						1	10		1		30						
7914	2187	P	H		5935-914-5707						1	REF		REF								
7915	1755	P	H		6145-814-1209				FT		8	REF		REF								
7916	7913	P	H		5935-913-1812						1	REF		REF							ATR-3-4P2A2	
7917	2187	P	H		5935-914-5707						1	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL															
7918	1755	P	H		6145-814-1209				FT		10	REF	REF										
7919	7913	P	H		5935-913-1812						1	REF	REF									ATR4-5P2A2	
7920	2187	P	H		5935-914-5707						1	REF	REF									P15	
7921	1755	P	H		6145-814-1209				FT		7	REF	REF										
7922	7913	P	H		5935-913-1812						1	REF	REF										
7923	2187	P	H		5935-914-5707						1	REF	REF										
7924					NOT USED																		
7925	1755	P	H		6145-814-1209				FT		7	REF	REF										
7926	7913	P	H		5935-913-1812						1	REF	REF									ATR2-4P2A2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T		13 R E E Q U I R E D 1 0 0 E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS	GS	DM					
7927	2187	P	H	5935-914-5707						1	REF		REF							
7928	7891	P	H	5935-833-7246						1	REF		REF							
7929	1755	P	H	5145-814-1209				FT		26	REF		REF							
7930	2187	P	H	5935-914-5707						2	REF		REF						2P2,18	
7931	1755	P	H	6145-814-1209				FT		1	REF		REF							
7932	2187	P	H	5935-914-5707						1	REF		REF						P19	
7933	1755	P	H	6145-814-1209				FT		8	REF		REF							
7934	7913	P	H	5935-913-1812						1	REF		REF							
7935	2187	P	H	5935-914-5707						1	REF		REF							

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N T E Q U I P M E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7936	1755	P	H		6145-814-1209				FT		8	REF		REF						
7937	7913	P	H		5935-913-1812						1	REF		REF						ATR3-3P1B1
7938	2187	P	H		5935-914-5707						1	REF		REF						
7939	1755	P	H		6145-814-1209				FT		1	REF		REF						
7940	7913	P	H		5935-913-1812						1	REF		REF						
7941	2187	P	H		5935-914-5707						1	REF		REF						
7942	1755	P	H		6145-814-1209				FT	7	REF	REF								
7943	7913	P	H		5935-913-1812						1	REF		REF						ATR2-1P1B1

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS					
7944	2187	P	H		5935-914-5707						1	REF		REF					P23	
7945	1755	P	H		6145-814-1209				FT		7	REF		REF						
7946	7913	P	H		5935-913-1812						1	REF		REF						ATR2-3P1B1
7947	2187	P	H		5935-914-5707						1	REF		REF						P24
7948	1755	P	H		6145-814-1209				FT		8	REF		REF						
7949	2187	P	H		5935-914-5707						1	REF		REF						P25
7950	1755	P	H		6145-814-1209				FT		7	REF		REF						
7951	2187	P	H		5935-914-5707						1	REF		REF						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS	GS	DM					
7952		P	H	6145-542-6092				FT		8	233		233	1165							
7953	2189	P	H	5935-823-0487						1	REF		REF							P27	
7954		P	H	5935-921-5633						1	16		1	48						ATR3-4P2A1	
7955	7952	P	H	6145-542-6092				FT		8	REF		REF								
7956	2189	P	H	5935-823-0487						1	REF		REF							P28	
7957	7954			5935-921-5633						1	REF		REF							ATR3-4P2A4	
7958	7952			6145-542-6092				FT		10	REF		REF								
7959	2189			5935-823-0487						1	REF		REF							P29	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																
7960	7954	P	H		5935-921-5633						1	REF		REF					ATR4-5P2A4	
7961	7952	P	H		6145-542-6092				FT		7	REF		REF						
7962	2189	P	H		5935-823-0487						1	REF		REF					P30	
7963	7954	P	H		5935-921-5633						1	REF		REF						
7964	7952	P	H		6145-542-6092				FT		7	REF		REF						
7965	2189	P	H		5935-823-0487						1	REF		REF					P31	
7966	7954	P	H		5935-921-5633						1	REF		REF					ATR2-4P2A4	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3						DS	GS	DM						
7967	7952	P	H		6145-542-6092				CABLE ASSEMBLY, 91 515-3572-091 CABLE, RF 80058 PART NO. RG58U, 95104 PART NO. 425-0011-000	FT		10	REF		REF								
7968	29	P	H		5935-201-7906				CONNECTOR, ELECTRICAL 80058 PART NO. UG573AU, 95104 PART NO. 357-0008-000			1	REF		REF						P32		
7969		P	H		5935-914-5722				CONNECTOR, ELECTRICAL 74868 PART NO. 311-81875, 95104 PART NO. 357-9407-000			1	1		1		3				ATR1-1J15		
7970	7952	P	H		6145-542-6092				CABLE ASSEMBLY, 92 515-3572-092 CABLE, RF 80058 PART NO. RG58U, 95104 PART NO. 425-0011-000	FT		8	REF		REF								
7971	2189	P	H		5935-823-0487				CONNECTOR, ELECTRICAL 80058 PART NO. UG88EU, 95104 PART NO. 357-9292-000			1	REF		REF						P33		
7972	7954	P	H		5935-921-5633				CONNECTOR, ELECTRICAL 94375 PART NO. 6621-60. 95104 PART NO. 357-9658-000			1	REF		REF						ATR3-2P2A6		
7973	7952	P	H		6145-542-6092				CABLE ASSEMBLY, 93 515-3572-93 CABLE, RF 80058 PART NO. RG58U, 95104 PART NO. 425-0011-000	FT		8	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E A R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7974	2189		P	H	5935-823-0487						1	REF		REF							P34	
7975	7954		P	H	5935-921-5633						1	REF		REF								ATR3-4P2A3
7976	7952		P	H	6145-542-6092				FT		10	REF		REF								
7977	2189		P	H	5935-823-0487						1	REF		REF								P35
7978	7954		P	H	5935-921-5633						1	REF		REF								ATR4-5P2A3
7979	7952		P	H	6145-542-6092				FT		7	REF		REF								
7980	289		P	H	5935-823-0487						1	REF		REF								P36
7981	7954		P	H	5935-921-5633						1	REF		REF								ATR2-2P2A6

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7982	7952	P	H		6145-542-6092				FT		7	REF		REF								
7983	2189	P	H		5935-823-0487						1	REF		REF							P37	
7984	7954	P	H		5935-921-5633						1	REF		REF							ATR2-4P2A3	
7985	7952	P	H		6145-542-6092				FT		2	REF		REF								
7986	2189	P	H		5935-823-0487						2	REF		REF							P37	
7987	7952	P	H		6145-542-6097				FT		2	REF		REF								
7988	2189	P	H		5935-823-0487						2	REF		REF							P3-4, P39	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
7989	7952	P	H		6145-542-6092				FT		2	REF		REF								
7990	2189	P	H		5935-823-0487							2	REF		REF						P2-2, 40	
7991		P	H		6145-161-0887						6	120		120		600						
7992	29	P	H		5935-201-7906							1	REF		REF						P41	
7993		P	H		5935-201-3213							1	1		1		3				ATR1-3P1	
7994	7952	P	H		6145-542-6092				FT		8	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N O B Y Y E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E N T	11 F I E L D D A Y 1 5		12 A L L O W E Q U I P M E N T P E R E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS		DM													
7995	2189	P	H	5935-823-0487						1	REF		REF				P42	
7996	7954	P	H	5935-921-5633						1	REF		REF				ATR3-1P1B2	
7997	7952	P	H	6145-542-6092			FT			8	REF		REF					
7998	2189	P	H	5935-823-0487						1	REF		REF				P43	
7999	7954	P	H	5935-921-5633						1	REF		REF				ATR3-3P182	
8000	7952	P	H	6145-542-6092			FT			8	REF		REF					
8001	2189	P	H	5935-823-0487						1	REF		REF				P44	
8002	7954	P	H	5935-921-5633						1	REF		REF				ATR4-4P1B3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8003	7952	P	H		6145-542-6092				FT		7	REF		REF								
8004	2189	P	H		5935-823-0487						1	REF		REF						P45		
8005	7954	P	H		5935-056-5605						1	REF		REF								
8006	7952	P	H		6145-542-6092				FT		7	REF		REF								
8007	2189	P	H		5935-823-0487						1	REF		REF						P46		
8008	7954	P	H		5935-921-5633						1	REF		REF						ATR2-3P1B3		
8009	7991	P	H		6145-161-0887				FT		10	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS			DM	FIGURE NUMBER			
8010	29	P	H		5935-201-7906						2	REF		REF							ATR1-3P1, 47	
8011	7952	P	H		6145-542-6092				FT		26	REF		REF								
8012	2189	P	H		5935-823-0487						2	REF		REF								2P1, 48
8013	7952	P	H		6145-542-6092				FT		26	REF		REF								
8014	2189	P	H		5935-823-0487						1	REF		REF								D49
8015	7952	P	H		6145-542-6092				FT		10	REF		REF								
8016	2189	P	H		5935-823-0487						1	REF		REF								P50

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8017	7952	P	H		6145-542-6092				FT		6	REF		REF								
8018	2189	P	H		5935-823-0487							1	REF		REF					P51		
8019	7954	P	H		5935-921-5633							1	REF		REF					ATR1-1P17A1		
8020	7952	P	H		6145-542-6092				FT		7	REF		REF								
8021	2189	P	H		5935-823-0487							1	REF		REF					P52		
8022	7991	P	H		614B5-161-0887				FT		26	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N B Y M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER					REFERENCE SYMBOL								
8023	29	P	H	5935-201-7906					2	REF		REF							P3, 53	
8024	7991	P	H	6145-161-0887				FT	26	REF		REF								
8025	29	P	H	5935-201-7906					2	REF		REF							P4, 54	
8026	7991	P	H	6145-161-0887				FT	26	REF		REF								
8027	29	P	H	5935-201-7906					2	REF		REF							P5, 55	
8028	7991	P	H	6145-161-0887				FT	1	REF		REF								
8029	29	P	H	5935-201-7906					2	REF		REF							P2, 56	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8030	7952	P	H		6145-542-6092				FT		1	REF	REF									
8031	2189	P	H		5935-823-0487						2	REF	REF								P1, 2	
8032	7952	P	H		6145-542-6092				FT		7	REF	REF									
8033	2189	P	H		5935-823-0487						1	REF	REF								P1-1	
8034	7952	P	IH		6145-542-6092				FT		8	REF	REF									
8035	2189	P	H		5935-823-0487						1	REF	REF								P3-2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R E N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1						2	3	DS	GS	DM				
8036	1755	P	H	6145-814-1209				FT		25	REF		REF								
8037	7952	P	H	6145-542-6092				FT		10	REF		REF								
8038	2189	P	H	5935-823-0487							1	REF		REF							
8039	7952	P	H	6145-542-6092				FT		8	REF		REF								
8040	2189	P	H	5935-823-0487							2	REF		REF							P1-2, 2-1
8041	24	P	H	6145-914-9512				FT		AR	REF		REF								
8042		P	H	5935-921-5468							1	1		1			3				P2

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		DS	GS		DM	FIGURE NUMBER	ITEM NUMBER													
8043		P	H	5935-914-5717					1	1		1		3				P1		
8044	1755	P	H	6145-814-1209				FT	25	REF		REF								
8045	1755	P	H	6145-814-1209				FT	25	REF		REF								
8046	1755	P	H	6145-814-1209				FT	25	REF		REF								
8047	7952	P	H	6145-542-6092				FT	6	REF		REF								
8048	2189	P	H	5935-823-0487					2	REF		REF						P2-3, ATR1-2P2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W A N C E P E R E N A N C E		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8049			P	H	5935-686-3737						2	2			1		6			ATR1-3PR ATR1-2J20		
8050			P	H	5935-914-2629						1	32			4		96					
8051	8050		P	H	5935-914-2629						1	REF		REF						P1		
8052			P	H	5935-914-2627						1	11			1		33			P2		
8053	8050		P	H	5935-914-2629						1	REF		REF						P1		
8054			P	H	5935-914-2628						1	1			1		3			P1		

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E S E Q U E N C E N U M B E R	3 R E C O V E R A B I L I T Y C O D E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I T Y	9 Q U A N T I T Y	10 E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E D E Q U I P M E N T	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C		1	2	3					DS	GS			DM	FIGURE NUMBER	
8055		P	H	5935-914-3635						1	11		1	33				P2	
8056	8052	P	H	5935-914-2627						1	REF		REF					P3	
8057	8050	P	H	5935-914-2629						1	REF		REF					P1	
8058	8055	P	H	5935-914-3635						1	REF		REF					P2	
8059	8052	P	H	5935-914-2627						1	REF		REF					P3	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A L L O W A N C E, S E E D E E R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE	ITEM					
															NUMBER	NUMBER							
8060	8050	P	H		5935-914-2629						1	REF		REF						P1			
8061	8055	P	H		5935-914-3635						1	REF		REF						P2			
8062	8052	P	H		5935-914-2627						1	REF		REF						P3			
8063	8050	P	H		5935-914-2629						1	REF		REF						P1			
8064	8055	P	H		5935-914-3635						1	REF		REF						P2			
8065		P	H		5935-914-1790						1	11		1	33					P3			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D F O R E Q. D E P O T Q T Y 1 0 0		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8066		P	H		5935-914-2626						1	11			1		33			P4		
8067	8052	P	H		5935-914-2627						1	REF		REF						P5		
8068	8052	P	H		5935-914-2627						1	REF		REF								
8069	8052	P	H		5935-914-2627						1	REF		REF								
8070	8050	P	H		5935-914-2629						1	REF		REF						P1		
8071	8055	P	H		5935-914-3635						1	REF		REF						P2		

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8072	8065	P	H		5935-914-1790						1	REF		REF							P3	
8073	8066	P	H		5935-914-2626						1	REF		REF								P4
8074	8052	P	H		5935-914-2627						1	REF		REF								P5
8075	8050	P	H		5935-914-2629						1	REF		REF								P1
8076	8055	P	H		5935-914-3635						1	REF		REF								P2
8077	8065	P	H		5935-914-1790						1	REF		REF								P3

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8078	8066	P	H		5935-914-2626						1	REF		REF							P4	
8079	8052	P	H		5935-914-2627						1	REF		REF								P5
8080	8050	P	H		5935-914-2629						1	REF		REF								P1
8081	8055	P	H		5935-914-3635						1	REF		REF								P2
8082	8065	P	H		5935-914-1790						1	REF		REF								P3

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
		A	B	C		1	2	3														
8083	8066	P	H	5935-914-2626				CONNECTOR, ELECTRICAL 61 PINS, 11139 PART NO. DSM07-19-33SY059 CABLE ASSEMBLY, 182 515-3572-182			1	REF		REF						P4		
8084	8052	P	H	5935-914-2627				CONNECTOR, ELECTRICAL 11139 PART NO. DSM07-12-145059 CABLE ASSEMBLY, 183 515-3572-183			1	REF		REF							P5	
8085		P	H	5935-820-2433				CONNECTOR, ELECTRICAL 55 PINS, 77820 PART NO. PT06A22-55SWSR. 95104 PART NO. 371-6225-000 CABLE ASSEMBLY, 184 515-3572-184			1	7		1	21						P1	
8086		P	H	5935-820-2432				CONNECTOR, ELECTRICAL 55 PINS, 77820 PART NO. PT06A22-55SWSR 95104 PART NO. 371-6226-000 CABLE ASSEMBLY, 185 515-3572-185			1	7		1	21						P2	
8087	8085	P	H	5935-820-2433				CONNECTOR, ELECTRICAL 55 PINS, 77820 PART NO. PT06A22-55SSR. 95104 PART NO. 371-6225-000 CABLE ASSEMBLY, 186 515-3572-186			1	REF		REF							P1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B		C	1	2					3	DS			GS	DM				
8088	8086	P	H	5935-820-2432					1	REF		REF						P2			
8089	8085	P	H	5935-820-2433					1	REF		REF						P1			
8090	8086	P	H	5935-820-2432					1	REF		REF						P2			
8091	8085	P	H	5935-820-2433					1	REF		REF						P1			
8092	8086	P	H	5935-820-2432					1	REF		REF						P2			

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E			4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R C E N T	13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S			15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L	
		DS	GS	DM																			
8093	8050	P	H	5935-914-2629							1	REF	REF								P1		
8094	8055	P	H	5935-914-3635							1	REF	REF									P2	
8095	8050	P	H	5935-914-2629							1	REF	REF									P1	
8096	8055	P	H	5935-914-3635							1	REF	REF									P2	
8097	8050	P	H	5935-914-2629							1	REF	REF									P1	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		C	D	1					2	3	DS	GS	DM				
8098	8055	P	H	5935-914-3635					1	REF		REF							P2	
8099	8055	P	H	5935-914-3635					1	REF		REF							P3	
8100	8066	P	H	5935-914-2626					1	REF		REF							P4	
8101	8052	P	H	5935-914-2627					1	REF		REF							P5	
8102	8085	P	H	5935-820-2433					1	REF		REF							P1	
8103	8086	P	H	5935-820-2432					1	REF		REF							P2	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E E N U M B E R	3 R E C O V E R A B I L I T Y C O D E S O U R C E & M A I N T E N A N C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T		13 R E B U I L D 1 0 0 F O R E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																	
8104		P	H		5935-820-2431						1	3		1			9			P3	
8105		P	H		5935-820-2430						1	2		1			6			P4	
8106	8085	P	H		5935-820-2433						1	REF		REF						P1	
8107	8086	P	H		5935-820-2432						1	REF		REF						P2	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B		1	2	3						DS	GS	DM	FIGURE	ITEM					
8108	8104	P	H	5935-820-2431						1	REF		REF							P3		
8109	8105	P	H	5935-820-2430						1	REF		REF								P4	
8110	8085	P	H	5935-820-2433						1	REF		REF								P1	
8111	8086	P	H	5935-820-2432						1	REF		REF								P2	
8112	8104	P	H	5935-820-2431						1	REF		REF				P3					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E N A N C E	13 R E B U I L D 1 0 0 E Q. D E P O T Q T Y	14 F I G U R E N U M B E R	15 I L L U S T R A T I O N S		16 R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS				DM	I T E M N U M B E R	
8113			P	H	5935-683-6026				1		1	1			3					P1	
8114			P	H	5935-984-6042						1	1			1		3			P1	
8115			P	H	5935-984-6041						1	1			1		3			P1	
8116	5787		P	H	5935-811-0923						1	REF			REF					P1	
8117			P	H	5935-914-7354						1	1			1		3			P2	

1 S E Q U E N C E N U M B E R	2 F O R A U T H O R I Z E D S E Q U E N C E N U M B E R	3 M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N			7 U N I T O F I S S U E	8 E X P E N D A B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8118	7882	P	H		5935-729-8688						1	REF		REF							P1	
8119	7882	P	H		5935-729-8688						1	REF		REF								P2
8120		P	H		5935-914-7353						1	4		1		12						
8121	8120	P	H		5935-914-7353						1	REF		REF								P2
8122	8120	P	H		5935-914-7353						1	REF		REF								P1

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R T 1 0 0		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		ILLUSTRATIONS																				
8123	8120	P	H		5935-914-7353						1	REF		REF							P2	
8124	889	P	H		9330-542-5848						AR	REF		REF								
8125	909	P	H		6240-186-6603						1	REF		REF								
8126	910	P	H		6240-266-6254						2	REF		REF								
8127	911	P	H		6250-075-0556						2	REF		REF								
8128	914	P	H		6210-919-3492						1	REF		REF								
8129	909	P	H		6240-186-6603						1	REF		REF								
8130	910	P	H		6240-266-6254						2	REF		REF								
8131	911	P	H		6250-075-0556						2	REF		REF								

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R	13 R E B U I L D F O R E Q. D E P O T Q T Y	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B		C	1	2						3	DS			GS	DM			
8132	914	P	H	6210-919-3492				PANEL, LIGHTING 14674 PART NO CRYSTAL93C0DE790583 STOWAGE INSTALLATION 758-2914-001			1	REF		REF							
8133		P	H	5920-914-5731				FUSE, AMPTRAP 71724 PART NO. A25X40			10	10		2	500						
8134		P	H	5920-068-7353				FUSE, CARTRIDGE 0.18-AMP, 71400 PART NO GMT18-100, 95104 PART NO. 264-0598-000			10	10		10	500						
8135	5712	P	H	5920-227-9142				FUSE, CARTRIDGE 1/4-AMP, 71400 PART NO. MDC1-4. 95104 PART NO. 264-0291-000			3	REF		REF							
8136	5713	P	H	5920-356-2193				FUSE, CARTRIDGE 1/2-AMP, 71400 PART NO. AGC250-1-2, 95104 PART NO. 264-0719-000			3	REF		REF							
8137		P	H	5920-636-0957				FUSE, CARTRIDGE 1-AMP, 96906 PART NO. MS15249-1-1, 95104 PART NO. 264-0413-000			5	8		2	400						
8138		P	H	5920-295-9074				FUSE, CARTRIDGE 2-AMP. 71400 PART NO. MDC2. 95104 PART NO. 264-0297-0297-000			5	5		1	250						
8139	6341	P	H	5920-280-5059				FUSE, CARTRIDGE 5-AMP, 71400 PART NO. FNM5, 95104 PART NO. 264-0649-000			6	REF		REF							
8140		P	H	5920-199-4004				FUSE, CARTRIDGE 8-AMP, 71400 PART NO. FNM8, 95104 PART NO. 264-0653-000			9	9		2	450						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E		4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B		1	2	3					DS	GS	DM						
		ILLUSTRATIONS																		
8141		P	H	5920-221-5892						10	10		2	500						
8142	6263	P	H	5920-057-2986						5	REF		REF							
8143	6218	P	H	5920-280-9549						6	REF		REF							
8144	6343	P	H	5920-778-6442						9	REF		REF							
8145	5672	P	H	5920-995-6079						20	REF		REF							
8146		P	H	5920-636-0960						5	8		2	400						
8147		P	H	5920-295-7013						5	8		2	400						
8148	5683	P	H	5920-857-8933						10	REF		REF							
8149		P	H	5920-503-4843						5	8		2	400						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R 1 0 0		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
		ILLUSTRATIONS																				
8150	2161	P	H		5920-857-8417						12	REF		REF								
8151	5686	P	H		5920-857-8418						10	REF		REF								
8152	6562	P	H		5920-917-3538						10	REF		REF								
8153		P	H		5965-682-2769						1	1		1		5						
8154		P	H		5965-128-2457						1	1		1		5						
8155		P	H		6240-155-7836						10	35				1650						
8156	909	P	H		6240-186-6603						4	REF		REF								
8157	910	P	H		6240-266-6254						4	REF		REF								
8158	4	P	H		5340-921-0596						8	REF		REF								
8159		P	H		5965-920-0456						1	1		1		10						
8160		P	H		6625-149-6301						1	1		1		4						
8161		P	H		5995-914-6763						20	20		2		40						

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R T	11 F I E L D 1 5 D A Y		12 A L L O W A N C E P E R E Q U I P M E N T		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM						
8162			P	H	5995-725-8848						20	20			2		40					
8163	4		P	H	5340-921-0596						4	REF			REF							
8164			P	H	5895-879-1911						1	1			1		4					
8165			P	H	5985-887-9515						1	1			1		3					
8166			P	H	5985-854-8988						1	1			1		3					
8167			P	H	5935-201-8420						1	1			1		3					
8168			P	H	5985-883-8463						1	1			1		4					

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I T Y I N U S E	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y O F E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																		
8177		P	H		4130-926-4158						1	1		1								
8178	488	P	H		5910-020-2517						40	REF		REF							C1-40	
8179	489	P	H		5910-594-1217						40	REF		REF							L1-40	
8180	1113	P	H		5935-617-5387						1	REF		REF							J41	
8181		P	H		5940-226-4169						40	80		4		240						
8182		P	H		5940-223--5293						40	160		7		480						
8183	488	P	H		5910-020-2517						40	REF		REF							C1-40	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			6 D E S C R I P T I O N	7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 E Q U I P M E N T P E R C E N T	11 F I E L D D A Y		12 A L L O W E Q U I P M E N T P E R C E N T		13 R E B U I L D F O R E Q. D E P O T Q T Y		14 F I G U R E N U M B E R	15 I T E M N U M B E R	16 I L L U S T R A T I O N S R E F E R E N C E S Y M B O L
		DS	GS	DM																			
8184	489	P	H		5950-594-1217				20% TOL 500 VDCW. 72982 PART NO. 327-029X5T0102M. 95104 PART NO. 913-1294-000 COIL, RF 1 UH INDUCTANCE, 10% TOL, 99800 PART NO: BS222, 95104 PART NO. 240-0313-000			40	REF		REF						L1-40		
8185	1113	P	H		5935-617-5387				CONNECTOR, ELECTRICAL 41 PINS, 09922 PART NO. BT02A20-41P. 95104 PART NO. 371-2126-000			1	REF		REF						J41		
8186	8182	P	H		5940-223-5293				POST, BINDING 11136 PART NO. K952D. 95104 PART NO. 372-1154-000			40	REF		REF								
8187	488	P	H		5910-020-2517				ENTRY PANEL, D-C 515-3590-003 CAPACITOR, FIXED, CERAMIC, 1000 UUF. 20% TOL, 500 VDCW 72982 PART NO. 327-029X5T0102M, 95104 PART NO. 913-1294-000			40	REF		REF							C1-40	
8188	489	P	H		5950-594-1217				COIL, RF 1 UHN INDUCTANCE. 10% TOL, 99800 PART NO. BS222, 95104 PART NO. 240-0313-000			40	REF		REF							L1-40	
8189	1113	P	H		5935-617-5387				CONNECTOR, ELECTRICAL 41 PINS, 09922 PART NO BT02A20-41P. 95104 PART NO. 371-2126-000			1	REF		REF							J41	

1 S E Q U E N C E N U M B E R	2 S E Q U E N C E N U M B E R F O R A U T H O R I Z E D	3 R E C O V E R A B I L I T Y C O D E M A I N T E N A N C E & S O U R C E				4 F E D E R A L S T O C K N U M B E R	5 D E S I G N A T I O N M O D E L N U M B E R			7 U N I T O F I S S U E	8 E X P E N D I B I L I T Y	9 Q U A N T I T Y I N U S E	10 Q U A N T I T Y P E R E Q U I P M E N T	11 F I E L D 1 5 D A Y		12 A L L O W E Q U I P M E N T P E R E Q U I R E D F O R E Q. D E P O T Q T Y		13 R E B U I L D 1 0 0 R E Q U I R E D F O R E Q.	14 I L L U S T R A T I O N S		15 F I G U R E N U M B E R	16 I T E M N U M B E R	R E F E R E N C E S Y M B O L
		A	B	C	D		1	2	3					DS	GS	DM	FIGURE NUMBER		ITEM NUMBER	REFERENCE SYMBOL			
8190		P	H		5970-869-6263						40	40			2	120							
8191	8182	P	H		5940-223-5293						40	REF		REF							J1-40		
8192	488	P	H		5910-020-2517						40	REF		REF							C1-40		
8193	489	P	H		5950-594-1217						40	REF		REF							L1-40		
8194	1113	P	H		5935-617-5387						1	REF		REF									
8195		P	H		5970-869-6263						40	40			2	120							
8196	8182	P	H		5910-223-5293						40	REF		REF									

By Order of the Secretary of the Army:

HAROLD K. JOHNSON,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distributions

Active Army:

DCA (8)	CINCUSAREUR (5)	
USASA (2)	CINCAL (5)	
CNGB (1)	Ft Huachuca (15)	
CofSptS (1)	CINCPAC (5)	
OCC-E (2)	USCINCSO (5)	
USACDCCEA:	Units org under fol TOE:	
Ft Huachuca (1)	(2 copies each)	
USAMC (1)	11-57	11-592
USAECOM (2)	11-97	11-597
TOAD (15)	11-98	
SAAD (10)	11-117	
OS Maj Comd (4)	11-127	
USASTRATCOM-EUR (2)	11-155	
USASTRATCOM-CONUS (2)	11-157	
USASTRATCOM-SEA (2)	11-158	
USASTRATCOM-V (2)	11-500 (AA-AC)	
CINCSTRIKE (5)	11-587	

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN...JOT DOWN THE
DOPE ABOUT IT ON THIS FORM.
CAREFULLY TEAR IT OUT, FOLD IT
AND DROP IT IN THE MAIL.

SOMETHING WRONG WITH PUBLICATION

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

IN THIS SPACE, TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

THE METRIC SYSTEM AND EQUIVALENTS

WEIGHT MEASURE

1 Centimeter = 10 Millimeters = 0.01 Meters = 0.3937 Inches
 1 Meter = 100 Centimeters = 1000 Millimeters = 39.37 Inches
 1 Kilometer = 1000 Meters = 0.621 Miles

WEIGHTS

1 Gram = 0.001 Kilograms = 1000 Milligrams = 0.035 Ounces
 1 Kilogram = 1000 Grams = 2.2 lb.
 1 Metric Ton = 1000 Kilograms = 1 Megagram = 1.1 Short Tons

LIQUID MEASURE

1 Milliliter = 0.001 Liters = 0.0338 Fluid Ounces
 1 Liter = 1000 Milliliters = 33.82 Fluid Ounces

SQUARE MEASURE

1 Sq. Centimeter = 100 Sq. Millimeters = 0.155 Sq. Inches
 1 Sq. Meter = 10,000 Sq. Centimeters = 10.76 Sq. Feet
 1 Sq. Kilometer = 1,000,000 Sq. Meters = 0.386 Sq. Miles

CUBIC MEASURE

1 Cu. Centimeter = 1000 Cu. Millimeters = 0.06 Cu. Inches
 1 Cu. Meter = 1,000,000 Cu. Centimeters = 35.31 Cu. Feet

TEMPERATURE

$5/9(^{\circ}\text{F} - 32) = ^{\circ}\text{C}$
 212° Fahrenheit is equivalent to 100° Celsius
 90° Fahrenheit is equivalent to 32.2° Celsius
 32° Fahrenheit is equivalent to 0° Celsius
 $9/5^{\circ}\text{C} + 32 = ^{\circ}\text{F}$

APPROXIMATE CONVERSION FACTORS

TO CHANGE	TO	MULTIPLY BY
Inches	Centimeters	2.540
Feet	Meters	0.305
Yards	Meters	0.914
Miles	Kilometers	1.609
Square Inches	Square Centimeters	6.451
Square Feet	Square Meters	0.093
Square Yards	Square Meters	0.836
Square Miles	Square Kilometers	2.590
Acres	Square Hectometers	0.405
Cubic Feet	Cubic Meters	0.028
Cubic Yards	Cubic Meters	0.765
Fluid Ounces	Milliliters	29.573
its	Liters	0.473
arts	Liters	0.946
allons	Liters	3.785
Ounces	Grams	28.349
Pounds	Kilograms	0.454
Short Tons	Metric Tons	0.907
Pound-Feet	Newton-Meters	1.356
Pounds per Square Inch	Kilopascals	6.895
Miles per Gallon	Kilometers per Liter	0.425
Miles per Hour	Kilometers per Hour	1.609

TO CHANGE	TO	MULTIPLY BY
Centimeters	Inches	0.394
Meters	Feet	3.280
Meters	Yards	1.094
Kilometers	Miles	0.621
Square Centimeters	Square Inches	0.155
Square Meters	Square Feet	10.764
Square Meters	Square Yards	1.196
Square Kilometers	Square Miles	0.386
Square Hectometers	Acres	2.471
Cubic Meters	Cubic Feet	35.315
Cubic Meters	Cubic Yards	1.308
Milliliters	Fluid Ounces	0.034
Liters	Pints	2.113
Liters	Quarts	1.057
ers	Gallons	0.264
ms	Ounces	0.035
ograms	Pounds	2.205
Metric Tons	Short Tons	1.102
Newton-Meters	Pounds-Feet	0.738
Kilopascals	Pounds per Square Inch	0.145
ometers per Liter	Miles per Gallon	2.354
ometers per Hour	Miles per Hour	0.621



PIN: 023110-000