

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL
SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL
TOOLS LISTS (INCLUDING DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS)
ATTENUATORS TS-402/U AND TS-402A/U
FSN 6625-230-5149

Headquarters, Department of the Army, Washington, D.C.
31 July 1973

		<i>Current as of January 1973</i>	Paragraph	Page
Section	I.	INTRODUCTION		
		Scope	1-1	2
		General.....	1-2	2
		Explanation of columns	1-3	2
		Special information.....	1-4	4
		Location of repair parts.....	1-5	4
		Abbreviations (Not applicable)	1-6	4
		Reporting of equipment publication improvements	1-7	4
	II.	PREScribed LOAD ALLOWANCE (Not applicable)		
	III.	REPAIR PARTS LIST(Not applicable)		
	IV.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	V.	REPAIR PARTS LIST		6
	VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	VII.	INDEX -FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER		11

*This manual supersedes TM 11-5905-200-35P, 23 December 1959.

SECTION I INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational, direct support, general support, and depot maintenance of the TS-402/U and TS-402/U. The PCCN for the equipment is GTEAAB for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

- a. *Prescribed Load Allowance (PLA)-Section II.* Not applicable.
- b. *Repair Parts List-Section III.* Not applicable.
- c. *Special Tools, Test and Support Equipment-Section IV.* Not applicable.
- d. *Repair Parts List-Section V.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.
- e. *Special Tools, Test and Support Equipment-Section VI.* Not applicable.
- f. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section VII.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

- a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or over-haul of end items. Source codes are-

Code	Explanation
PA -	Item procured and stocked for anticipated or known usage.
PB-	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC -	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

- PD- Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
- PE- Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
- PF- Support equipment which will not be stocked but which will be centrally procured on demand.
- PG- Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
- KD - An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
- KF- An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
- KB - Item included in both a depot overhaul/repair kit and a maintenance kit.
- MO- Item to be manufactured or fabricated at organizational level.
- MF- Item to be manufactured or fabricated at direct support maintenance level.
- MH-Item to be manufactured or fabricated at general support maintenance level.
- MD-Item to be manufactured or fabricated at depot maintenance level.
- AO- Item to be assembled at organizational level.
- AF- Item to be assembled at direct support maintenance level.
- AH- Item to be assembled at general support maintenance level.
- AD- Item to be assembled at depot maintenance level.
- XA- Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
- XB- Item is not procured or stocked. If not available through salvage, requisition.
- XC-Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
- XD- Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code	Application/Explanation
O-	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F - Support item is removed, replaced, used at the direct support maintenance level.
H-- Support item is removed, replaced, used at the general support maintenance.
D-- Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For, multi-service equipment /systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code--

Code	Application/Explanation
O-	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F -	The lowest maintenance level capable of complete repair of the support item is direct support.
H -	The lowest maintenance level capable of complete repair of the support item is general support.

<i>Code</i>	<i>Application/Explanation</i>
D --	The lowest maintenance level capable of complete repair of the support item is the depot level.
L -	Repair restricted to designated Specialized Repair Activity.
Z -	Non-repairable. No repair is authorized.
B -	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Explanation</i>
Z-	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O--	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F-	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H--	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D -	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L-	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A -	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 15-Day Organizational Maintenance Allowances. Not applicable.

g. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

h. 1-Year Allowances Per 100 Equipment./Contingency Planning Purposes. Column intentionally left blank.

i. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

j. Illustration.

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-2044.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are--

Code	Used on
AD5	TS402/U
AD6	TS402A/U

b. The following publication pertains to the equipment and its components:

TM 11-2044 Attenuator TS-402/U and TS402A/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec VII) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec VII), and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec III and V) and locate the figure number (col 7a-20P, 10a-34P) and item number or reference designation (col 7b-20P, 10b-34P) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b-20P and 10a and 10b-34P, of the repair parts list (sec III and V) until the item is located.

d. When the FSN, reference number, figure number, and item number are not known, scrutinize column 3 of the repair parts list (see III and V), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CRA, Fort Monmouth, NJ., 07703.

(Next printed page is 6)

SECTION V

TM 11-5905-200-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
PAHZZ	5935-192-4826	JACK, TELEPHONE J1..... JJ0866 (81349)	EA	4				*	*	*			3	3	J1
PAHZZ	5935-192-4826	JACK, TELEPHONE J2..... JJ086 (81349)	EA	REF				*	*	*			3	3	J2
PAHZZ	5935-192-4826	JACK, TELEPHONE J3..... JJ086 (81349)	EA	REF				*	*	*			3	3	J3
PAHZZ	5935-192-4826	JACK, TELEPHONE J4..... JJ086 (81349)	EA	REF				*	*	*			3	3	J4
PAHZZ	5940-237-7453	POST, BINDING E1 5-8 IN DIA X 1 IN H..... 41 (00629)	EA	4				*	*	*			1	3	E1
PAHZZ	5940-237-7453	POST, BINDING E2 5-8 IN DIA X 1 IN H..... 41 (00629)	EA	REF				*	*	*			1	3	E2
PAHZZ	5940-237-7453	POST, BINDING E3 5-8 IN DIA X 1 IN H..... 41 (00629)	EA	REF				*	*	*			1	3	E3
PAHZZ	5940-237-7453	POST, BINDING E4 5-8 IN DIA X 1 IN H..... 41 (00629)	EA	REF				*	*	*			1	3	E4
PAHZZ	5940-237-6798	POST, BINDING E5..... SCD530 (80063)	EA	2				*	*	*			1	3	E5
PAHZZ	5940-237-6798	LOST, BINDING E 6..... SCD530 (80063)	EA					*	*	*			1	3	E6
PAHZZ	5905-258-0699	RESISTOR, FIXED, FILM R15 34-6 OHM..... PORM1PCT 1-2 W NA15 (72223)	EA	2				*	*	*			3	6	R15
PAHZZ	5905-2590699	RESISTOR, FIXED, FILM R16 34-6 OHM..... PORMLPCT 1-2 W NA15 (72223)	AD5	EA	REF			*	*	*			3	6	R16
PAHZZ	5935-284-3760	RESISTOR, FIXED, FILM R15 34-6 OHM..... PORM1PCT 1-2WN NR20 (79727)	AD5	EA	REF			*	*	*			3	7	R15
PAHZZ	5905-284-3760	RESISTOR, FIXED, FILM R16 34-6 OHM..... PORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*			3	7	R16
PAHZZ	5905-248-9938	RESISTOR, FIXED, FILM R17 69-7 OHM..... PORM1PCT 1-2 W NR15 (72223)	AD6'	EA	2			*	*	*			3	6	R17
PAHZZ	5905-248-9938	RESISTOR, FIXED, FILM R18 69-7 OHM..... PORM1PCT 1-2 W NA15 (72223)	AD5	EA	REF			*	*	*			3	6	R18
PAHZZ	5905-232-9284	RESISTOR, FIXED. FILM R17 69-7 OHM..... PORM1PCT 1-2 W NR20 (79727)	AD5	EA	2			*	*	*			3	7	R17
PAHZZ	5905-232-9284	RESISTOR FIXED, FILM R18 69-7 OHM..... PORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*			3	7	R18
PAHZZ	5905-752-3231	RESISTOR, FIXED. FILM R19 105-7 OHM..... PORM1PCT 1-2 W NA15 (72223)	AD6	EA	2			*	*	*			3	6	R19
PAHZZ	5905-752-3231	RESISTOR, FIXED, FILM R20 105-7 OHM..... PORM1PCT 1-2 W NA15 (72223)	AD5	EA	REF			*	*	*			3	6	R20
PAHZZ	5905-247-8940	RESISTOR- FIXED, FILM R19 105-7 OHM..... PORM1PCT 1-2 W NR20 (79727)	ADS	EA	2			*	*	*			3	7	R19

SECTION V

TM 11-5905-200-24P

SECTION V

TM 11-5905-200-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP EQUIP	(10) ILLUSTRATION	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) FIGURE NO.	(b) ITEM NO/
		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE											
PAHZZ	5905-173-7613	RESISTOR, FIXED. FILM R10 1155 OHM.....		EA	REF			*	*	*		3	6	R10
PAHZZ	5905-259-2778	FORM1PCT 1-2 W NF1-2 (75727) ADS		EA	2			*	*	*		3	7	R9
PAHZZ	5905-259-2778	RESISTOR, FIXED. FILM R9 1155 OHM.....		EA	REF			*	*	*		3	7	R10
		FORM1PCT 1-2 W NR20 (79727)	AD6											
PAHZZ	5905-258-0676	RESISTOR, FIXED, FILM R10 1155 OHM.....		EA	2			*	*	*		3	6	R11
PAHZZ	5905-25-0676	FORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*		3	6	R12
PAHZZ	5935-263-2998	RESISTOR, FIXED, FILM R11 1485 OHM.....		EA	2			*	*	*		3	7	R11
PAHZZ	5935-263-2998	FORM1PCT 1-2 W NR20 (72727)	AD5	EA	REF			*	*	*		3	7	R12
PAHZZ	5905-232-9273	RESISTOR, FIXED, FILM R11 1485 OHM.....		EA	2			*	*	*		3	7	R12
PAHZZ	5905-232-9273	FORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*		3	7	R7
PAHZZ	5905-173-6884	RESISTOR, FIXED, FILM R7 2142 OHM.....		EA	2			*	*	*		3	6	R5
PAHZZ	5905-173-6884	FORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*		3	6	R6
PAHZZ	5935-263-2988	RESISTOR, FIXED, FILM R8 2142 OHM.....		EA	2			*	*	*		3	7	R5
PAHZZ	5905-263-2988	FORM1PCT 1-2 W NR20 (79727)	AD5	EA	REF			*	*	*		3	7	R6
PAHZZ	5905-539-2630	RESISTOR, FIXED, FILM R5 3509 OHM.....		EA	2			*	*	*		3	6	R3
PAHZZ	5905-539-2630	FORM1PCT 1-2 W NR20 (79727)	AD6	EA	REF			*	*	*		3	6	R4
PAHZZ	5905-263-2999	RESISTOR, FIXED, FILM R3 5235 OHM.....		EA	2			*	*	*		3	7	R3
PAHZZ	5905-263-2999	FORM1PCT 1-2 W NR20 (79727)	AD5	EA	REF			*	*	*		3	7	R4
		RESISTOR, FIXED. FILM R4 5235 OHM.....												
		FORM1PCT 1-2 W NR20 (79727)	AD6											
		RESISTOR, FIXED. FILM R4 5235 OHM.....												
		FORM1PCT 1-2 W NR20 (79727)	AD6											
		RESISTOR, FIXED. FILM R4 5235 OHM.....												
		CONTINUED												

SECTION V

TM 11-5905-200-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE											
		CONTINUED												
PAHZZ	5905-801-1205	RESISTOR, FIXED, FILM R1 10,430 OHM.....		EA	2			*	*	*		3	6	R1
PAHZZ	5935-801-1205	NA15 (72223) PORM1PCT 1-2 W	AD5	EA	REF			*	*	*		3	6	R2
PAHZZ	5905-263-2991	RESISTOR, FIXED. FILM R2 10,430 OHM.....		EA	2			*	*	*		3	7	R1
PAHZZ	5905-263-2991	NA15 (72223) PORM1PCT 1-2 W	AD5	EA	REF			*	*	*		3	7	R2
PAHZZ	5905-263-2991	RESISTOR, FIXED, FILM R1 10,430 OHM.....		EA	2			*	*	*		3	7	R2
PAHZZ	5905-518-7362	PORM1PCT 1-2 W	NR20 (79727)	EA	REF			*	*	*		3	6	R13
PAHZZ	5905-518-7362	RESISTOR, FIXED, FILM R13	AD6	EA	2			*	*	*		3	6	R13
PAHZZ	5905-518-7362	RN70A502F (79727)	AD5	EA	REF			*	*	*		3	6	R14
PAHZZ	5905-263-3002	RESISTOR, FIXED, FILM R14.....		EA	2			*	*	*		3	7	R13
PAHZZ	5905-263-3002	PORM1PCT 1-2 W	NR20 (79727)	EA	REF			*	*	*		3	7	R14
PAHZZ	5930-235-9764	RESISTOR, FIXED, FILM R14 15,000 OHM.....		EA	7			*	*	*		5	3	K1
PAHZZ	5930-235-9764	NR20 (79727)	AD6	EA	REF			*	*	*		5	3	K2
PAHZZ	5930-235-9764	SWITCH, ROTARY K1 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K1
PAHZZ	5930-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K2
PAHZZ	5930-235-9764	SWITCH, ROTARY K2 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K2
PAHZZ	5930-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K3
PAHZZ	5930-235-9764	SWITCH, ROTARY K3 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K3
PAHZZ	5930-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K4
PAHZZ	5930-235-9764	SWITCH, ROTARY K4 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K4
PAHZZ	5930-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K5
PAHZZ	5930-235-9764	SWITCH, ROTARY K5 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K5
PAHZZ	5937-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K6
PAHZZ	5933-235-9764	SWITCH, ROTARY K6 2 SECT 3-7-8 IN X.....		EA	16			*	*	*		5	3	K7
PAHZZ	5933-235-9764	9-16 X 13-16 IN	0161892A (01401)	EA	REF			*	*	*		5	3	K7
PAHZZ	5930-327-7508	SWITCH, ROTARY K1 1 SECT, 2 POS 3 1-2	ADS	EA	7			*	*	*		5	3	K1
PAHZZ	5933-327-7508	IN X 15-16 X 9-16 IN	HT69 (714821)	EA	REF			*	*	*		5	3	K2
PAHZZ	5933-327-7508	HT69 4(11482)	AD6	EA	REF			*	*	*		5	3	K2

SECTION V

TM 11-5905-200-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO/
					1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5930-327-7508	SWITCH, ROTARY K3 1 SECT, 2 POS 3 1-2 IN X 15-16 X 9-16 IN HT69 (71482) AD6	EA	REF				*	*	*		5	3	K3
PAHZZ	5930-327-7508	SWITCH, ROTARY K4 1 SECT, 2 POS 3 1-2 IN X 15-16 X 9-16 IN HT69 (71482) AD6	EA	REF				*	*	*		5	3	K4
PAHZZ	5930-327-7508	SWITCH, ROTARY K5 1 SECT, 2 POS 3 1-2 IN X 15-16 X 9-16 IN HT69 (71482) AD6	EA	REF				*	*	*		5	3	K5
PAHZZ	5938-327-7508	SWITCH, ROTARY K6 1 SECT, 2 POS 3 1-2 IN X 15-16 X 9-16 IN HT69 (714821) AD6	EA	REF				*	*	*		5	3	K6
PAHZZ	5930-327-7508	SWITCH, ROTARY K7 1 SECT, 2 POS 3 1-2 IN X 15-16 X 9-16 IN HT69 (714821) AD6	EA	REF				*	*	*		5	3	K7
PAHZZ	5905-227-8921	RESISTOR, FIXED, FILM 2142 OHM..... PORM1PCT 1-2W	EA	2				*	*	*		3	6	R7
PAHZZ	5905-247-8921	RESISTOR, FIXED, FILM R6 2142 OHM..... PORM1PCT 1-2W NA15 (72223) AD5	EA	REF				*	*	*		3	6	R8

**INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCED TO FIGURE AND ITEM NUMBER**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5905-173-6884	6	R5	5905-263-3000	7	R22
5905-173-6884	6	R6	5905-263-3002	7	R13
5905-173-6887	6	R25	5905-263-3002	7	R14
5905-173-6887	6	R26	5905-284-3760	7	R15
5905-173-6890	6	R23	5905-284-3760	7	R16
5905-173-6890	6	R24	5905-518-7362	6	R13
5905-173-7613	6	R9	5905-518-7362	6	R14
5905-173-7613	6	R10	5905-539-2630	6	R3
5905-232-9272	6	R25	5905-539-2630	6	R4
5905-232-9272	7	R26	5905-752-3231	6	R19
5905-232-9273	7	R7	5905-752-3231	6	R20
5905-232-9273	7	RS	5905-801-1205	6	R1
5905-232-9284	7	R17	5905-801-1205	6	R2
5905-232-9284	7	R18	5905-809-8565	6	R21
5905-247-8939	7	R23	5905-809-8565	6	R22
5905-247-8939	7	R24	5930-235-9764	3	K1
5905-247-8940	7	R19	5930-235-9764	3	K2
5905-247-8940	7	R20	5933-235-9764	3	K3
5905-248-9938	6	R17	5933-235-9764	3	K4
5905-248-9938	6	R18	5930-235-9764	3	K5
5905-248-9941	7	R27	5930-235-9764	3	K6
5905-248-9941	7	R28	5930-235-9764	3	K7
5905-258-0676	6	R15	5930-327-7508	3	K1
5905-258-0676	6	R12	5930-327-7508	3	K2
5905-258-0678	6	R27	5930-327-7508	3	K3
5905-258-0678	6	R28	5930-327-7508	3	K4
5905-258-0699	6	R15	5930-327-7508	3	K5
5905-258-0699	6	R16	5930-327-7508	3	K6
5905-259-2778	7	R9	5930-327-7508	3	K7
5905-259-2778	7	R10	5935-192-4826	3	J1
5905-263-2988	7	R5	5935-192-4826	3	J2
5905-263-2588	7	R6	5935-192-4826	3	J3
5905-263-2991	7	R1	5935-192-4826	3	J4
5935-263-2991	7	R2	5940-237-6798	3	E5
5905-263-2998	7	R11	5943-237-6798	3	E6
5905-263-2998	7	R12	5940-237-7453	3	E1
5905-263-2999	7	R3	5940-237-7453	3	E2
5905-263-2999	7	R4	5940-237-7453	3	E3
5905-263-3000	7	R21	5940-237-7453	3	E4
5905-247-8921	6	R7	5905-247-8921	6	R8

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
D161892A	01401	3	K1	NA15	72223	6	R19
D161892A	01401	3	K2	NA15	72223	6	R20
D161892A	01401	3	K3	NA15	72223	6	R21
D161892A	01401	3	K4	NA15	72223	6	R22
D161892A	01401	3	K5	NA15	72223	6	R23
D161892A	01401	3	K6	NA15	72223	6	R24
D161892A	01401	3	K7	NA15	72223	6	R25
HT69	71482	3	K1	NA.5	72223	6	R26
HT69	71482	3	K2	NA15	72223	6	R27
HT69	71482	3	K3	NA15	72223	6	R28
HT69	71482	3	K4	NR20	79727	7	R1
HT69	71482	3	K5	NR20	79727	7	R2
HT69	71482	3	K6	NR20	79727	7	P3
HT69	71482	3	K7	NR20	79727	7	R4
JJ086	81349	3	J1	NP20	79727	7	R5
JJO86	81349	3	J2	NR20	79727	7	R6
JJO86	81349	3	J3	NR20	79727	7	R7
JJ386	81349	3	J4	NR20	79727	7	R8J
NA15	72223	6	R1	NR20	79727	7	R9
NA15	72223	6	R2	NR20	79727	7	R10
NA15	72223	6	R3	NR20	79727	7	R11
NA15	72223	6	R4	NR20	79727	7	R12
NA15	72223	6	R5	NR20	79727	7	R13
NA15	72223	6	R6	NR20	79727	7	R14
NA15	72223	6	R9	NR20	79727	7	R15
NA15	72223	6	R10	NR20	79727	7	R16
NA15	72223	6	R11	NR20	79727	7	R17
NA15	72223	6	R12	NR20	79727	7	R18
NA15	72223	6	R15	NR20	79727	7	R19
NA15	72223	6	R16	NR20	79727	7	R20
NA15	72223	6	R17	NR20	79727	7	P21
NA15	72223	6	R18	NR20	79727	7	R22
NA15	72223	6	R7				
NA15	72223	6	R8				

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM. NO
NR20	79727	7	R23	RN70A502F	79727	6	R14
NR20	79727	7	P24	SCD530	80063	3	E5
NR20	79727	7	R25	SCD530	80063	3	E6
NR20	79727	7	R26	41	00629	3	E1
NR20	79727	7	R27	41	00629	3	E2
NR20	79727	7	R28	41	00629	3	E3
RN70A502F	79727	6	R13	41	00629	3	E4

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS

*Major General, United States Army
The Adjutant General*

CREIGHTON W. ABRAMS
*General, United States Army
Chief of Staff*

Distribution:

Active Army

USASA (2)	USAADS (2)
CNGB (1)	USAFAS (2)
ACSC-E (2)	USAARMS (2)
USAARENBD (2)	USAIS (2)
USAMB (101)	USAES (2)
AMC (1)	AD (2) except
MICOM (2)	SAAD (30)
TECOM (2)	LBAD (14)
USASTRATCOM (4)	TOAD (14)
HISA (ECOM) (18)	ATAD (10)
CONARC(5)	LEAD (7)
ARADCOM (2)	Gen Dep (2)
ARADCOM Rgn (21)	Sig Sec. Gen Dep (2)
OS Maj Comd (4)	Sig Dep (5)
LOGCOMD (5)	MAAG (1)
USACDCEC (5)	WRAMC (1)
MDW (1)	USARMIS (1)
Armies(2)	USAERDAA (1)
Corps (2)	USAERDAW (1)
Instl (2) except	Sig FLDMS (1)
Ft Gordon (10)	Ft Richardson (ECOM Ofc) (2)
Ft Huachuca (10)	Units org under fol TOE:-1 ea.
Ft Carson (10)	11-158
Svc Colleges (2)	29-134
USASESS(5)	29-136
USAINTS (3)	

ARNG & USAR: None.

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH THIS PUBLICATION?

THEN... JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, CAREFULLY TEAR IT
OUT, FOLD IT AND DROP IT
IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:

PAGE
NO.

PARA-
GRAPH

FIGURE
NO.

TABLE
NO.

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 1 JUL 79 2028-2

PREVIOUS EDITIONS
ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 014811-000