

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

OPERATOR'S, ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS) ATTENUATOR, VARIABLE CN-7961 /U FSN 5985-83 1-5991

Headquarters, Department of the Army, Washington, D.C.

23 April 1973

Current as of October 1972

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope	1-1	2
	General.....	1-2	2
	Explanation of columns.....	1-3	2
	Special information	1-4	4
	Location of repair parts	1-5	4
	Abbreviations (Not applicable)	1-6	4
	Reporting of equipment manual imply`	1-7	4
	Items comprising an operable equipment.....	1-8	4
II.	BASIC ISSUE ITEMS LIST (Not applicable)		
III.	ITEMS TROOP INSTALLED OR AUTHORIZED LIST (Not applicable)		
IV.	PRESCRIBED LOAD ALLOWANCE (Not applicable)		
V.	REPAIR PARTS LIST (Not applicable)		
VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
VII.	REPAIR PARTS LIST -.....		6
VIII.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IX.	INDEX FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER		10

This publication has been printed by the UNITED STATES ARMY PUBLICATIONS DISTRIBUTION CENTER, ST. LOUIS, MISSOURI, to meet your needs on a timely basis.

This manual supersedes TM 11-5985-237-12F, 9 May 1963 and TM 11-5985 237-45F 9 May 1963

SECTION I
INTRODUCTION

1-1. Scope

This manual lists basic issue items, items troop installed or authorized, repair parts, and special tools required by the crew/operator for operation and required for the performance of organizational, direct support, general support, and depot maintenance of the CN-796/U. The PCCN for the CN-796/U Is GTEAAE for all models.

1-2. General

This basic Issue Items, items troop installed or authorized, repair parts, and special tools list Is divided Into the following sections-

- a. *Basic Issue Items List-Section II.* Not applicable.
- b. *Items Troop Installed or Authorized List Section III.* Not applicable.
- c. *Prescribed Load Allowance (PLA)-Section IV.* Not applicable.
- d. *Repair Parts List-Section V.* Not applicable
- e. *Special Tools, Test and Support Equipment- Section VI.* Not applicable.
- f. *Repair Parts List-Section VII.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level
- g. *Special Tools, Test and Support Equipment- Section VIII.* Not applicable.
- h. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IX.* A list, In ascending numerical sequence, of all Federal stock numbers appearing in the listings followed by a list, in alphameric sequence, of all reference numbers appearing in the listings Federal stock number and reference numbers are cross-referenced to each Illustration figure and item number or reference designation appearance

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

- a. *Source, Maintenance, and Recoverability Codes (SMR).*
 - (1) *Source code.* Indicates the source for the listed items. Source codes are—

<i>Code</i>	<i>Explanation</i>
P—	Repair parts, special tools and test equipment supplied from the GSA/DSA or Army supply system and authorized for use at indicated maintenance categories.
P2—	Repair parts, special tools and test equipment which are procured and stocked for Insurance purposes because the combat or military essentially of the end item dictates that a minimum quantity be available In the supply system.
P9—	Assigned to items which are NSA design controlled unique repair parts, special tools, test, measuring, and diagnostic equipment which are stocked and supplied by the Army COMSEC Logistic System and which are not subject to the provisions of AR 380-41.
P10—	Assigned to Items which are NSA design controlled: special tools, test, measuring, and diagnostic equipment for COMSEC support which are accountable under the provisions of AR 380 41 and which are stocked and supplied by the Army COMSEC Logistic System
M—	Repair parts, special tools and test equipment which are not procured or stocked as such In the supply system but are to be manufactured at Indicated maintenance levels.
A—	Assemblies which are not procured or stocked as such but are made up of two or more units. Such component units carry Individual stock numbers and descriptions, are procured and stocked separately, and can be assembled to form the required assembly at indicated maintenance categories.

<i>Code</i>	<i>Explanation</i>
X—	Parts and assemblies that are not procured or stocked because the failure is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1—	Repair parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X2—	Repair parts, special tools and test equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage. The item may be requisitioned, with exception data, from the end item manager for immediate use.
G—	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DS and GS level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded X1 and aircraft support items as restricted by AR 700-42.

(2) Maintenance code. Indicates the lowest category of maintenance authorized to install the listed item. Capabilities of higher maintenance categories are considered equal or better. Maintenance codes are-

<i>Code</i>	<i>Explanation</i>
C.....	Crew/operator
O.....	Organizational maintenance
F.....	Direct support maintenance
H.....	General support maintenance
D.....	Depot maintenance

(3) *Recoverability code*. Indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are nonrecoverable. Recoverability codes are-

<i>Code</i>	<i>Explanation</i>
R—	Repair parts (assemblies and components), special tools and test equipment which are considered economically repairable at direct and general support maintenance levels. When the item is no longer economically repairable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-1. When so listed they will be replaced by supply on an exchange basis.
S—	Repair parts, special tools and test equipment, and assemblies which are economically repairable at DS and GS activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T—	High dollar value recoverable repair parts, special tools and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U—	Repair parts, special tools and test equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value, or reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708 42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation, e.g., ea. in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

- e. *Quantity Furnished with Equipment (Basic Issue Items Only)*. Not applicable.
- f. *Quantity Authorized item Troop Installed or Authorized Only*. Not applicable.
- g. *Quantity Incorporated in Unit*. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".
- h. *15-Day Organization Maintenance Allowances*. Not applicable.
- i. *30-Day DS/GS Maintenance Allowances*.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TILDE, and other support equipment.

j. *1-Year Allowances Per 100 Equipments/ Contingency Planning Purposes*. Column intentionally left blank.

k. *Depot Maintenance Allowance Per 100 Equipments*. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipment.

l. *Illustration*.

(1) *Figure number*. Not applicable.

(2) *Item number*. Indicates the item number or reference designation used to identify the item.

1-4. Special Information

Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

<i>Code</i>	<i>Used on</i>
AEN	CN-796/U

1-5. Location of Repair Parts

a. This manual contains one cross reference index (see IX) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see IX), and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (see VII) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see VII) until the item is located.

d. When the FSN, reference number, figure number, and item number are not known, scrutinize column 3 of the repair parts list (see VII), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Manual Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN:: AMSEL-MA-CRA, Fort Monmouth, N.J., 07703.

1-8. Items Comprising An Operable Equipment

FSN 59B-B31-991

Attenuator, Variable CN-796/U (1 ea)

SECTION VII

TM 11-5985-237-14P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF. NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
P--H--	5910-983-8301	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC03 (95121)	C9	0-3 MMF.....	EA	1				*	*	*		5		C9
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C1	1-2 MMF.....	EA	8				*	*	*		5		C1
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C2	1-2 MMF.....	EA	REF				*	*	*		5		C2
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C3	1-2 MMF.....	EA	REF				*	*	*		5		C3
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C4	1-2 MMF.....	EA	REF				*	*	*		5		C4
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C5	1-2 MMF.....	EA	REF				*	*	*		5		C5
P--H--	5910-951-6429	CAPACITOR, FIXED CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C6	1-2 MMF.....	EA	REF				*	*	*		5		C6
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C7	1-2 MMF.....	EA	REF				*	*	*		5		C7
P--H--	5910-951-6429	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC1-2 (95121)	C8	1-2 MMF.....	EA	REF				*	*	*		5		C8
P--H--	5910-983-8801	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC33 (95121)	C10	3-3 MMF.....	EA	1				*	*	*		5		C10
P--H--	5910-794-4298	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC7-5 (95121)	C11	7-5 MMF.,	EA	1				*	*	*		5		C11
P--H--	5910-950-4770	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC10 (95121)	C12	10 MMF.....	EA	1				*	*	*		5		C12
P--H--	5910-951-6430	CAPACITOR, FIXED, CERAMIC PORM10PCT, 500V DC QC20 (95121)	C13	20 MMF.....	EA	1				*	*	*		5		C13
P--H--	5935-201-3511	CONNECTOR, RECEPTACLE, UG-185/U UG185U (80058)	J1.....		EA	2				*	*	*		3		01
P--H--	5935-201-3511	CONNECTOR, RECEPTACLE, UG-185/U UG185U (80058)	J1.....		EA	REF				*	*	*		3		02
P--H--	5905-804-0943	RESISTOR, FIXED, COMPOSITION R40 OHMS, PORM5PCT 1-4 WATT RC07GF180J (81349)	R40	18.....	EA	1				*	*	*		3		R40
P--H--	5905-811-7912	RESISTOR, FIXED, COMPOSITION R38 OHMS, PORM10PCT, 1-4 WATT RC07GF470K (81349)	R38	47.....	EA	3				*	*	*		3		38
P--H--	5905-811-7912	RESISTOR, FIXED, COMPOSITION R39A OHMS, PORM10PCT 1-4 WATT RC07GF470K (81349)	R39A	47.....	EA	REF				*	*	*		3		R39A

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
P--H-	5905-811-7912	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1-4 WATT RC07GF470K (81349)	R398 47.....	EA	REF				*	*	*		3		R39A
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R28 100.....	EA	9				*	*	*		3		R28
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R29 100.....	EA	REF				*	*	*		3		R29
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R30 100.....	EA	REF				*	*	*		3		R30
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R31 100.....	EA	REF				*	*	*		3		R31
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R32 100.....	EA	REF				*	*	*		3		R32
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R33 100.....	EA	REF				*	*	*		3		R33
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R34 100.....	EA	REF				*	*	*		3		R34
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R35 100.....	EA	REF				*	*	*		3		R35
P--H-	5905-683-7721	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R37 100.....	EA	REF				*	*	*		3		R37
P--H-	5905-662-4107	RESISTOR, FIXED, COMPOSITION OHMS, PORM5PCT, 1-4 WATT RC07GF101J (81349)	R36 180.....	EA	1				*	*	*		3		R36
P--H-	5905-978-8530	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C106R18F (80031)	R26 6-18 OHMS.....	EA	1				*	*	*		3		R26
P--H-	5905-951-9192	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1018R9F (80031)	R23 12-43 OHMS.....	EA	1				*	*	*		3		R23
P--H-	5905-951-1741	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1018R9F (80031)	R20 18-9 OHMS.....	EA	1				*	*	*		3		R20
P--H-	5905-839-2794	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1032R6F (80031)	R17 32-5 OHMS.....	EA	1				*	*	*		3		R17
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R1 65-4 OHMS.....	EA	1				*	*	*		3		R1
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R3 65-4 OHMS.....	EA	REF				*	*	*		3		R3
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R4 65-4 OHMS.....	EA	REF				*	*	*		3		R4

CONTINUED

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
P--H-	5905-839-2787	PORM1PCT, 1-4WATT C1065R4F (80031)	R6	65-4 OHMS.....	EA	REF			*	*	*		3			R6
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R7	65-4 OHMS.....	EA	REF			*	*	*		3			R7
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R9	65-4 OHMS.....	EA	REF			*	*	*		3			R9
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R10	65-4 OHMS.....	EA	REF			*	*	*		3			R10
P--H-	5905-839-2787	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R12	65-4 OHMS.....	EA	REF			*	*	*		3			R12
P--H-	5905-838-9804	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R14	76-4 OHMS.....	EA	1			*	*	*		3			R14
P--H-	5905-839-2792	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1065R4F (80031)	R13	103 OHMS.....	EA	2			*	*	*		3			R13
P--H-	5905-839-2792	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C1010315 (80031)	R15	103 OHMS.....	EA	REF			*	*	*		3			R15
P--H-	5905-707-4864	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C101031F (80031)	R16	191 OHMS.....	EA	2			*	*	*		3			R16
P--H-	5905-707-4864	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C101091F (80031)	R18	191 OHMS.....	EA	REF			*	*	*		3			R18
P--H-	5905-840-8189	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C101091F (80031)	R2	264 OHMS.....	EA	4			*	*	*		3			R2
P--H-	5905-840-8189	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C102640F (80031)	R5	264 OHMS.....	EA	REF			*	*	*		3			R5
P--H-	5905-840-8189	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C102640F (80031)	R8	264 OHMS.....	EA	REF			*	*	*		3			R8
P--H-	5905-840-8189	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C102640F (80031)	R11	264 OHMS.....	EA	REF			*	*	*		3			R11
P--H-	5905-840-2789	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C102640F (80031)	R19	313 OHMS.....	EA	2			*	*	*		3			R19
P--H-	5905-840-2789	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C103130F (80031)	R21	313 OHMS.....	EA	REF			*	*	*		3			R21
P--H-	5905-839-2790	RESISTOR, FIXED, FILM C103130F (80031)	R22	467 OHMS.....	EA	2			*	*	*		3			R22
		CONTINUED														

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
P--H-	5905-839-2790	PORM1PCT, 1-4WATT C104670F (80031)	R24	467 OHMS.....	EA	REF			*	*	*		3			R24
P--H-	5905-951-9191	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C104670F (80031)	R25	931 OHMS.....	EA	2			*	*	*		3			R25
P--H-	5905-951-9191	RESISTOR, FIXED, FILM PORM1PCT, 1-4 WATT C109310F (80031)	R27	931 OHMS.....	EA	REF			*	*	*		3			R27
P--H-	5930-060-0466	SWITCH, TOGGLE S1 BAT HANDLE 254T (80138)	S1	DPOT 125V, 6 AMP.....	EA	9			*	*	*		5			S1
P--H-	5930-060-0466	SWITCH, TOGGLE S2 BAT HANDLE 254T (80138)	S2	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S2
P--H-	5930-060-0466	SWITCH, TOGGLE S3 BAT HANDLE 254T (80138)	S3	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S3
P--H-	5930-060-0466	SWITCH, TOGGLE S4 BAT HANDLE 254T (80138)	S4	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S4
P--H-	5930-060-0466	SWITCH, TOGGLE S5 BAT HANDLE 254T (80138)	S5	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S5
P--H-	5930-060-0466	SWITCH, TOGGLE S6 BAT HANDLE 254T (80138)	S6	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S6
P--H-	5930-060-0466	SWITCH, TOGGLE S7 BAT HANDLE 254T (80138)	S7	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S7
P--H-	5930-060-0466	SWITCH, TOGGLE S8 BAT HANDLE 254T (80138)	S8	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S8
P--H-	5930-060-0466	SWITCH, TOGGLE S9 BAT HANDLE 254T (80138)	S9	DPOT 125V, 6 AMPS.....	EA	REF			*	*	*		5			S9

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5905-682-4107		R36	5905-840-8189		R2
5905-682-7721		R28	5905-840-8189		R5
5905-682-7721		R29	5905-840-8189		R8
5905-682-7721		R30	5905-840-8189		R11
5905-683-7721		R31	5905-951-9191		R25
5905-683-7721		R32	5905-951-9191		R27
5905-683-7721		433	59050951-9192		R23
5905-683-7721		R34	5905-978-8530		R26
5905-683-7721		R35	5910-794-4298		C11
5905-683-7721		R37	5910-950-4770		C12
5905-707-4864		R16	5910-951-6429		C1
5905-707-4864		R18	5910-951-6429		C2
5905-733-1741		R20	5910-951-6429		C3
5905-804-0943		R40	5910-951-6429		C4
5905-811-7912		R38	5910-951-6429		C5
5905-811-7912		R39A	5910-951-6429		C6
5905-811-7912		R39B	5910-951-6429		C7
5905-838-9804		R14	5910-951-6429		C8
5905-839-2787		R1	5910-951-6430		C13
5905-839-2787		R3	5910-983-8301		C9
5905-839-2787		R4	5910-983-8801		C10
5905-839-2787		R6	5930-060-0466		S1
5905-839-2787		R7	5930-060-0466		S2
5905-839-2787		R9	5930-060-0466		S3
5905-839-2787		R10	5930-060-0466		S4
5905-839-2787		R12	5930-060-0466		S5
5905-839-2789		R19	5930-060-0466		S6
5905-839-2789		R21	5930-060-0466		S7
5905-839-2790		R22	5930-060-0466		S8
5905-839-2790		R24	5930-060-0466		S9
5905-839-2792		R13	5935-201-3511		J1
5905-839-2792		R15	5935-201-3511		J2
5905-839-2794		R17			

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
C101031F	80031		R13	QC1-2	95121		C6
C101031F	80031		R15	QC1-2	95121		C7
C1012R43F	80031		R23	QC1-2	95121		C8
C1018R9F	80031		R20	QC10	95121		C12
C10910F	80031		R16	QC20	95121		C13
C101910F	80031		R18	QC33	95121		C10
C102640F	80031		R2	QC7-5	95121		C11
C102640F	80031		R5	RC07GF101J	81349		R28
C102640F	80031		R8	RC07GF101J	81349		R29
C102640F	80031		R11	RC07GF101J	81349		R30
C1013130F	80031		R19	RC07GF101J	81349		R31
C103130F	80031		R21	RC07GF101J	81349		R32
C1032R5F	80031		R17	RC07GF101J	81349		R33
C104670F	80031		R22	RC07GF101J	81349		R34
C104670F	80031		R24	RC07GF101J	81349		R35
C106R18F	80031		R26	RC07GF101J	81349		R37
C1065R4F	80031		R1	RC07GF180J	81349		R40
C1065R4F	80031		R3	RC07GF181J	81349		R36
C1065R4F	80031		R4	RC07GF470K	81349		R38
C1065R4F	80031		R6	RC07GF470K	81349		R39A
C1065R4F	80031		R7	RC07GF470K	81349		R39B
C1065R4F	80031		R9	JG185U	80058		J1
C1065R4F	80031		R10	UG185U	80058		J2
C1065R4F	80031		R12	254T	80138		S1
C1076R4F	80031		R14	254T	80138		S2
C109310F	80031		R25	254T	80138		S3
C109310F	80031		R27	254T	80138		S4
QCD3	95121		C9	254T	80138		S5
QC1-2	95121		C1	254T	80138		S6
QC1-2	95121		C2	254T	80138		S7
QC1-2	95121		C3	254T	80138		S8
QC1-2	95121		C4	254T	80138		S9
QC1-2	95121		C5				

By Order of the Secretary of the Army:


Official:
VERNE L. BOWERS
Major General, United States Army
The Adjutant General

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

DISTRIBUTION:

To be distributed in accordance with DA Form 12-36, Direct and General Support Maintenance requirements for AN/AP~94, AN/AKT-16, AN/AKT-18 and DA Form 12-36A, Direct and General Support Maintenance requirements for AN/AAM-12.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

 <p style="font-size: 1.2em; font-weight: bold;">SOMETHING WRONG WITH PUBLICATION</p>		FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)	
		DATE SENT	
PUBLICATION NUMBER	PUBLICATION DATE	PUBLICATION TITLE	
BE EXACT PIN-POINT WHERE IT IS		<p style="font-weight: bold;">IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.</p>	
PAGE NO.	PARA-GRAPH		FIGURE NO.
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER		SIGN HERE	

