

TECHNICAL BULLETIN

WARRANTY PROCEDURES

FOR

3KW

COMMERCIAL SKID-MOUNTED  
GENERATOR SET ASSEMBLY  
CONTRACT NO. DAAKO1-86-D-C078  
NSN: 6115-01-226-4666

---

HEADQUARTERS, DEPARTMENT OF THE ARMY

27 MARCH 1987

---

## REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistake or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), to: Commander, U. S. Army Troop Support Command, ATTN: AMSTR-MCTS, 4300 Goodfellow Boulevard, St. Louis, MO 63120-1798. A reply will be furnished directly to you.

---

### SECTION I

#### GENERAL

**1-1. GENERAL.** The purpose of this technical bulletin is to outline the procedures for identifying warranted items/components of the 3KW commercial skid-mounted generator set assembly being procured under contract DAAKO1-86-D-C078 from Lister Petter Inc. Olathe, Kansas.

**1-2. EXPLANATION OF TERMS.** Not applicable to this technical bulletin.

**1-3. COVERAGE.** The contractor, Lister Petter Inc. guarantees the Commercial Skid-Mounted Generator Set and all parts thereof, to be free of defects in material and workmanship for a period of twenty four (24) months from the time of acceptance or delivery, or 1500 operating hours, whichever occurs first except as noted in the foregoing paragraph. Since all components and parts are warranted except as noted in paragraph 1-4 no specific listing will be provided.

**1-4. EXCEPTIONS TO WARRANTY.** The warranty does not apply to repair or replacement required to restore the unit to operation in the following instances:

a. Expandable items such as V-belts, filters (air, fuel and oil) or any expendable items provided as part of overpack spares to support preventive maintenance only, are not covered under the terms of this warranty.

b. Failure or performance deficiencies attributable to installation, utilization, or operation not in accordance with the operating instructions and technical data provided with the unit.

c. Failure or performance deficiencies attributable to operation, repair, or alteration by individuals not trained in proper operation or maintenance of the unit.

d. Failure or performance deficiencies attributable to activation of the BATTLE SHORT Switch, or resulting from accidental or combat damage.

e. Failure or performance deficiencies attributable to repairs with, or an addition of, parts or components not supplied by or approved by Lister Petter Inc.

**SECTION II****RESPONSIBILITIES****2-1. CONTRACTOR RESPONSIBILITIES.**

a. The contractor is responsible for providing repair or replacement of warranted items/components as prescribed in this TB and within 30 days after notification of failure. Inquiries may be made of Lister Petter Inc., 555 E. 56 Highway, P.O. Box 1160, Olathe, Kansas 66061, phone (913) 764-3512.

b. If the Government determines that a defective or nonconforming warranted item or component is within the maintenance capability of the user to repair or replace, or does not require contractor repair or replacement, then the Government shall be entitled, from the contractor, those costs incurred, including detail parts, materials, and labor necessary to restore a generator set to an operational status.

c. If the contractor fails to repair, replace or modify such parts promptly, as determined by the Contracting Officer, the contractor shall pay costs incurred by the Government in procuring such parts from another source and in accomplishing the repair or replacement.

**2-2. TRANSPORTATION.**

a. In all situations when repair or replacement requires transportation of the nonconforming or defective item(s), shipping costs from line item delivery point to contractor's plant and return shall be at the expense of the contractor.

b. On items used within the continental 48 states of the United States and the District of Columbia, the guarantee shall include the furnishing of new items to replace any that prove to be nonconforming and/or defective within the warranty period. Such items shall be furnished without cost to the Government, F.O.B. manufacturer's nearest dealer or branch, or to the original line item destination, whichever is more advantageous to the Government.

c. On items used outside the continental 48 states of the United States and outside the District of Columbia, the guarantee shall include the furnishing of new items to replace any that prove to be nonconforming and/or defective within the warranty period. Such items shall be delivered via air by the contractor to the destination point designated by the Government. The contractor shall be responsible for transportation costs not to exceed the greater of F.O.B. manufacturer's nearest dealer or branch, or the original line item destination, whichever is more advantageous to the Government. Return of defective items to the contractor shall be at the option and at the expense of the contractor.

**2-3. GOVERNMENT RESPONSIBILITIES.** Using Units are responsible for reporting failure to U.S. Army Troop Support Command, 4300 Goodfellow Blvd., ATTN: AMSTR-QE, St. Louis, MO 63120-1798, AUTOVON 693-9457, CMCL (314) 263-9457.

**SECTION III****FORMS AND PROCEDURES**

**3-1. CLAIMS.** Warranty claims from using field units are to be forwarded to the TROSCOM Warranty Control Office (WARCO) AMSTR-Q, which will initiate Warranty Claim Actions for warranted items, and Quality Deficiency Reporting actions for systematic failures in accordance with DA PAM 738-750. See Appendix A for other WARCO offices and addresses.

**3-2. NOTIFICATION OF FAILURES.** The contractor must be notified by the Government in writing of any failure of the generator set or component thereof that is covered under this warranty within 30 days after verification of the failure by an intermediate maintenance facility. Lister Petter shall correct warranty failures within 30 days of Government notice. See Appendix C for a list of dealers and their addresses.

**3-3. GOVERNMENT MAINTENANCE.** Contractor warranty prohibits using units from repairing any component of the generator set. Using units are allowed to perform troubleshooting, preventive maintenance and replacement of defective components as authorized by the Maintenance Allocation Chart.

**3-4. ALTERATIONS.** Alterations and/or modifications shall not be made to this equipment unless authorized by USATROSCOM.

**3-5. NULLIFICATION.** Failure to perform operation and maintenance in accordance with the applicable technical manuals and maintenance allocation chart may be cause for nullification of the warranty.

**3-6. REPORTING.** Reporting or recording action in a failure item shall be specified in DA PAM 738-750.

**3-7. FORMS.** DA Forms 2407 and 2402 are used by the field in reporting warranty claim actions (WCA's). The purpose of these forms are for the Seller to repair or replace any defective part so the equipment can be returned to an operational readiness mode.

**3-8. GOVERNING OF WCA'S.**

a. End items under warranty have either a decal, data plate, or label on them and/or entry on the DA Form 2408-9, Acceptance Report, giving the warranty period.

b. WCA's can be started by any maintenance level.

c. Selecting exhibits. A component, part or assembly under warranty that is defective due to design or workmanship becomes a warranty claim exhibit. All exhibits will carry a DA Form 2402 marked "Warranty Exhibit."

d. If a Reliability Improvement Warranty (RIW) is involved, go to the instructions in the supply bulletin that covers the RIW.

e. Local commands will set up an office to handle local warranty claims. The office will also deal with warranty actions between its activities, the local dealer or manufacturer, and the National Maintenance Point (NMP). Report warranties settled locally by printing "For Information Only" in Block 16a of the DA Form 2407.

f. Non-direct exchange (non-DX) claim items. When the warranted item is not handled through DX, the unit prepares and sends a completed DA Form 2402 (with exhibit) and DA Form 2407 to the warranty claims office. The office then deals with the DA Form 2407 as follows:

(1) Send copy #1, #2, and #5 to: CDR, TROSCOM, ATTN: AMSTR-Q, 4300 Goodfellow Blvd., St. Louis, MO 63120-1798. One of these copies will go to the item manager to show a supply demand.

(2) Keep copy #3 for 180 days (with exhibit and DA Form 2402), unless you are told differently. If you receive no instructions after 90 days, contact: CDR, TROSCOM, ATTN: AMSTR-Q, 4300 Goodfellow Blvd., St. Louis, MO 63120-1798, telephone number, 314-263-3478 for information.

(3) Copy #4 gives you the authority to tell the claim creator to get the new item through supply. Copy #4 is kept, at most, for 180 days or until you get notice that the claim has been honored.

g. Direct exchange (DX) claim items. When the warranted item is handled through DX, the unit starting the claim action fills out the same forms and deals with them the way they do for a non-DX item except as follows:

(1) The unit running the DX shop starts the replacement action for supported units. The DX shop uses Copy #4 of the DA Form 2407 to start the action.

(2) Normal DX replacement actions will be made by the DX shop for like serviceable items in stock.

h. Final processing of approved claims. Support or depot maintenance units will handle all WCA's promptly. These units will send approved claims to the creator whose address and MILSTRIP document number is in Block 20 of DA Form 2407. The support or depot unit will also return to the replacing unit all labor costs used in replacing the bad items.

3-9. DA FORM 2407. The following are instructions on .completing DA Form 2407 by block number and title heading:

<b>MAINTENANCE REQUEST</b> <small>For use of this form, see TM 38-750; the proponent agency is DCSLOG.</small>		<b>PAGE NO.</b>	<b>NO. OF PAGES</b>	<b>REQUIREMENT CONTROL SYMBOL</b> <small>CSGLD-1047(R1)</small>	
<b>SECTION I - EQUIPMENT DATA</b>					
<b>CONTROL NUMBER</b> L08610	<b>WORK ORDER NUMBER</b>	<b>WESOC</b>	<b>ORG PO</b>	<b>PD AUTHENTICATION</b>	
<input type="checkbox"/> <b>WORK REQUEST</b> <input type="checkbox"/> <b>MWO</b> <input type="checkbox"/> <b>WARRANTY CLAIM</b>	<b>1a. ORGANIZATION</b>	<b>b. LOCATION</b>		<b>c. UNIT IDENT CODE</b>	
<b>2. SERIAL NO.</b>	<b>3. NOUN NOMENCLATURE</b>	<b>4. LINE NO.</b>	<b>5. MODEL</b>	<b>6. NATIONAL STOCK NUMBER</b>	

**Page No/No of Pages** Enter the page number. Total pages will be entered when entries in Section II are complete.

**Work Order Number** Leave blank.

**WESOC** Leave blank.

**ORG PO** Leave blank.

**PD Authentication** Leave blank.

**Work Request** Leave blank.

**MWO** Leave blank.

**Warranty** Mark this block.

**1a ORGANIZATION** Enter location of organization sending in the report.

**1b LOCATION** Enter name of organization writing the request (overseas list APO only).

**1c UNIT IDENT CODE** Enter unit identification code (UIC) of the unit shown in block 1a.

**2. SERIAL NO**

- a. For nontactical wheeled vehicles. list the USA registration number.
- b. For ammunition, put in the lot number.
- c. For all other items. list the serial number, if known. For floating craft, list the Department of Army Hull number. If more than one serial number, leave blank.
- d. When using this form for more than one item or component. leave blank.

**3. NOUN NOMENCLATURE** Put in name abbreviation of equipment for which the form was started.

**4. LINE NO** Leave blank.

**5. Model** Put in the item model number.

**6. National Stock Number** Put in the National Stock Number of equipment in block 3. When completing this form for many items having several NSNs,. leave blank.

7. MAINTENANCE ACTIVITY	a. LEVEL	8. UTILIZATION CODE	9. MCSR ITEM	9a. ERC	9b. PACING ITEM	10. HOURS	11. MILES	12. ROUNDS	13. STARTS
14. FAILURE DETECTED DURING (Select one - use V or X)				15. FIRST INDICATION OF TROUBLE (Select one - use V or X)					
<input type="checkbox"/> A Scheduled Maintenance <input type="checkbox"/> C Test <input type="checkbox"/> E Storage <input type="checkbox"/> G Flight <input type="checkbox"/> B Handling <input type="checkbox"/> D Normal Op <input type="checkbox"/> F Inspection <input type="checkbox"/> H Other				<input type="checkbox"/> 008 Inoperative <input type="checkbox"/> 258 Overheating <input type="checkbox"/> 790 Out of Adjustment <input type="checkbox"/> 008 Noisy <input type="checkbox"/> 387 Low Performance <input type="checkbox"/> Other					
16. DESCRIBE DEFICIENCIES OR SYMPTOMS ON THE BASIS OF COMPLETE CHECKOUT AND DIAGNOSTIC PROCEDURE IN EQUIPMENT TM (Do not prescribe repairs)									
16a. REMARKS									

**7. Maintenance Activity** Put in the name of your support activity.

**a. Level** Put in the code of the maintenance level doing the maintenance.

- O- Organizational (ORG)
- F - Direct Support (DS)
- H - General Support (GS)
- D - Depot
- L - Special Repair Activity

**8. Utilization Code** For nontactical wheeled vehicles in administrative use. Use utilization code "V."

**9. MCSR Item** Leave blank.

**9a. ERC** Leave blank.

**9b. Pacing Item** Leave blank.

**10. Hours** Put in the hour reading (rounded to the nearest hour) from the hour meter on the equipment in block 3.

**11. Miles** Put in the mileage [rounded to the nearest mile] of the equipment in block 3.

**12. Rounds** Leave blank.

**13. Starts.** For turbine engines put in the number of hot starts. If not needed leave blank.

**14. Failure** Detected During Mark the box that best describes when the failure was found.

**15. FIRST INDICATION OF TROUBLE** Mark the box that best describes the conditions when you First found the trouble. Write in a code number from the table below. Leave blank if block 14 is left blank or when listing sampled items for unit maintenance.

Code	Description
008	Noisy
56s	Inoperative
258	Overheating
387	Low performance
790	Out of adjustment
*360	Intermittent
*432	Off frequency
*680	Unstable
*077	Accident (motor vehicle]
*777	Mid-service life
*099	Other

\*The asterisk shows code numbers not listed in block 15, DA Form 2407. If you select one of these codes the proper code number must be put in the space called "Other." Block 15.

**16 & 16a** Leave blank.

SECTION II - WORK ACCOMPLISHED									
17a. REPAIR ORGANIZATION/ACTIVITY			c. UNIT IDENT CODE			18. TYPE ORGANIZATION/ACTIVITY AC. COMPLETING WORK (Select one - use ✓ or X)		19. AMS ACCOUNT CODE	
b. LOCATION						<input type="checkbox"/> 1 TOE <input type="checkbox"/> 2 TO <input type="checkbox"/> 3 CONTRACTOR			
20a. ACT CODE	FAILURE CODE	c. COMPONENT/PART NOUN, SVC, OR MFG NO.			MANHOURS (Hrs & tenths)	NATIONAL STOCK NUMBER	PART SOURCE CODE	QTY	PARTS COST
		d. CB CODE	e. REF DESIGNATOR	f. MFR CODE					
i. TOTAL MANHOURS					m. TOTAL MANHOURS COST		n. TOTAL PARTS COST		
21. DELAY (Select one)					22. DATA TRANSCRIBED				
<input type="checkbox"/> 1 Parts <input type="checkbox"/> 2 Manpower <input type="checkbox"/> 3 Facilities <input type="checkbox"/> 4 Funds <input type="checkbox"/> 5 Tools					<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5				
23. SUBMITTED BY		24. RECEIVED BY		25. WORK STARTED BY		26. INSPECTED BY		27. ACCEPTED BY	
JULIAN DATE		JULIAN DATE		JULIAN DATE		JULIAN DATE		JULIAN DATE	
								28. DISPOSITION (Select one) <input type="checkbox"/> 1 To Use <input type="checkbox"/> 2 Salvaged <input type="checkbox"/> 3 To Stock <input type="checkbox"/> 4 Evacuated <input type="checkbox"/> 5 Contribution	

DA FORM MAY 61 2407

EDITION OF JUL 79 IS OBSOLETE.

ORGANIZATION COPY 4

17a thru 19 Leave blank.

20d. CB COOE Put in the name of the part or assembly under warranty.

20e. REF DESIGNATOR Put in the serial number of the part or assembly under warranty.

20g. Put in the estimated number of hours needed to replace the bad part. Use the proper technical bulletin time schedule guide to get the estimated hours. IF you can't get the guide, use actual hours.

20h. NATIONAL STOCK NUMBER Put in the NSN of the bad part. If an NSN is not found. use the part number.

20i. j k Leave blank.

20a thru 20k Using the remaining spaces in block 20a--20k. put in this information: The NSN of the defective item.

The name of the defective item.

The date of the failure.

The complete telephone number (AUTOVON/commercial with area code) of the person creating the form. State clearly all factors which added to the failure. Include Factors such as type of operation and land and weather conditions. State clearly your opinion as to why the part failed.

20l Total Manhours Self explained.

20m Total Manhour Coat Leave blank.

20n Total Parts Cost Self-explained.

21 thru 22 Leave blank.


23 Submitted The person authorized to send DA Form 2407 signs here

24 thru 28 Leave blank.



3-10. DA Form 2402. The following are instructions on completing DA Form 2402 by block number and title:

Edition of Sep 73 is obsolete



\*U.S. GOVT PRINTING OFF. 1983 354-180

<b>1. SUPPORT AGENCY (DODAAC)</b>		<b>2. DATE</b>	
<b>3. ORGANIZATION (DODAAC)</b>		<b>4.</b> <input type="checkbox"/> EIR EXHIBIT <input type="checkbox"/> EXCHANGE	
<b>5. NSN</b>	<b>6. NOUN NOMENCLATURE</b>		
<b>7. PD</b>	<b>8. PD AUTHENTICATION</b>		
<b>END ITEM IDENTIFICATION</b>	<b>9. END ITEM NOUN NOMENCLATURE</b>		
	<b>10. MODEL</b>	<b>11. SERIAL NO.</b>	
<b>12. DEFICIENCY OR SYMPTOM</b>			
<b>13. DATE ACCEPTED</b>	<b>14. SIGNATURE</b>		<b>15. NMCS</b>
<b>16. JON</b>		<b>17. INITIALS</b>	
<b>18. DATE REPAIRED</b>		<b>19. INITIALS</b>	

EXCHANGE TAG (TM 38-760)

COPY 1

DA FORM 2402  
MAY 81

1. **SUPPORT AGENCY (ODOAAC)** Enter the DODAAC of the support activity that will exchange the item for you. When this form is used for other than exchanges. use the DODAAC or UIC.
2. **DATE** Enter the Julian date the item was prepared for exchange.
3. **ORGANIZATION [DODAAC]** Enter the DODAAC of the unit or organization needing to exchange the item. When this form is used for other exchanges. use the DODAAC or UIC.
4. **EIR EXHIBIT/EXCHANGE** Mark the block to show an exchange or EIR exhibit. When used for warranty claims. put a "W" in the open space to the right of EIR EXHIBIT.
5. **NSN** Enter the NSN of the item.
6. **NOUN NOMENCLATURE** Print the noun abbreviation of the item to be exchanged.
7. **PO** Enter the priority designator (PD) that applies to the action. The unit or organization listed in Block 3 normally assigns the PD. When the exchange supports a customer maintenance request. use the PD of the maintenance request.

**8. PO AUTHENTICATION**

- a. The commander or the designated representative signs when a PD of 01 through 10 is in Block 7.
- b. Enter the job order number when a PD of 01 through 10 is taken from a maintenance request.

**9. END ITEM NOMENCLATURE** Enter the noun abbreviation of the end item for the part or component in Block 6.

**10. MOEL** Enter the model number of the end item.

**11. SERIAL NO.** Enter the serial number of the end item.

**12. DEFICIENCY OR SYMPTOM** Briefly describe the problem.

**13. DATE ACCEPTED** When the form is used as a receipt, the exchange facility will enter the Julian date.

**14. SIGNATURE** The person who receives the item for exchange signs.

**15. NMCS** Print the word "Yes" for an NMCS condition.

**16. JON** The facility that will repair the item enters the job order number.

**17. INITIALS** The person receiving the item for repair initials in this block.

**18. DATE REPAIRED** The person doing the work enters the date the work was finished.

**19. INITIALS** The person doing the work initials in this block.

**SECTION IV**

**STORAGE AND SHIPMENT**

- 4-1. **STORAGE.** Storage of the equipment or its components shall be as prescribed in applicable technical manuals.
- 4-2. **SHIPMENT.** Instructions for shipment of components will be provided by the TROSCOM Warranty Control Officer.

## APPENDIX A

## TROSCOM WARRANTY CONTROL OFFICES (WARCO's)

Command	Location/Station	Address	Phone AV/COMM
TROSCOM	HEADQUARTERS	Cdr, TROSCOM ATTN: AMSTR-Q 4300 Goodfellow Blvd. St. Louis, MO 63120-1798	693-3478
USACSLA	FT. HUACHUCA	Cdr, USA CSLA ATTN: SELCL-MMP-MM Ft. Huachuca, AZ 85613-7090	879-6037
USAEMRA	VINT HILL FARMS	Cdr, USA EMRA ATTN: SELEM-A Vint Hill Farms Station Warrenton, VA 22186	249-6781
USAREUR	Belgium, Chivres	Cdr, 47th Area Spt Group ATTN: AERUK-Q APO NY 09075	243-1274
USAREUR	GE, ANSBACH	Crdr, 1st AD ATTN: AETS-KGD-M APO NY 09326	ETS 468-8467
USAREUR	GE, BAD KREUZNACH	Cdr, 8th DMMC ATTN: AETH-MC APO NY 09111	ETS 490-7181/7148
USAREUR	GE, BERLIN	Cdr, USA Berlin ATTN: AEBA-MA-O APO NY 09742	ETS 332-3249/3189
USAREUR	GE, BREMERHAVEN	Cdr, 543D Area Support Gp ATTN: AERB-GM APO NY 09069	ETS 342-8285/8588
USAREUR	GE, CHIVRES BERLIN	Cdr, 80th Area Support Gp ATTN: AERSH-LM APO NY 09088	ETS 361-5454
USAREUR	GE, DARMSTADT	Cdr, 32D AADCOM ATTN: AETL-GD-CM APO NY 09175	ETS 348-6532/7186
USAREUR	GE, FRANKFURT	Cdr, 3D DMMC (3d AD) ATTN: AETFOE-MMO-MAT APO NY 09039	ETS 328-7221/8281
USAREUR	GE, FRANKFURT	Cdr, V Corps ATTN: AETV-GDM-M APO NY 09079	ETS 320-6062/5773

**APPENDIX A (Continued)**  
**TROSCOM WARRANTY CONTROL OFFICES (WARCO's)**

Command	Location/Station	Address	Phone AV/COMM
USAREUR	GE, FULDA	Cdr, 11th ACR ATTN: AETO-CSS-MMC APO NY 09146	ETS 321-3679/3779
USAREUR	GE, GARLSTEDT	Cdr, 2D Armd Div (FWD) ATTN: AEUAD-498-MAT APO NY 09355	ETS 342-6730-6728
USAREUR	GE, GOEPPINGEN	Cdr, 1st Inf Div Fwd ATTN: AETSGSB-MM-MMD APO NY 09137	ETS 425-3637/3753
USAREUR	GE, GRAFENWOEHR	Cdr, 7th ATC ATTN: AETT-DOL-SM-E APO NY 09114	ETS 476-2567/2767
USAREUR	GE, GRAFENWOEHR	Chief, M1 Mat Fielding Team ATTN: AMCPM-GCM-MFT-E APO NY 09114	ETS 476-2757/2612
USAREUR	GE, HEIDELBERG	Cdr, 7th MEDCOM ATTN: AEMLO-L APO NY 09102-3304	ETS 370-2718/2719
USAREUR	GE, HEIDELBERG	Cdr, 26th Spt Gp ATTN: AEUSG-LG-M APO NY 09102-0161	ETS 370-8319/6478
USAREUR	GE, KAEFERTAL	Cdr, 51st Maint Bn ATTN: AERAB-MO APO NY 09086	ETS 380-6773/7416
USAREUR	GE, KAISERSLAUTERN	Cdr, 9th Spt Ctr ATTN: AERLM-LS APO NY 09325-3704	ETS 483-7561/8625
USAREUR	GE KAISERSLAUTERN	Cdr, 29th Area Support Gp ATTN: AERAS-MM APO NY 09054	ETS 483-7347/8235
USAREUR	GE, KAISERSLAUTERN	Cdr, HHD 66th Maint Bn ATTN: AERAS-W-D APO NY 09227	ETS 489-6636/6676

## APPENDIX A (Continued)

## TROSCOM WARRANTY CONTROL OFFICES (WARCO's)

Command	Location/Station	Address	Phone AV/COMM
USAREUR	GE, KARLSRUHE	Cdr, 18th Eng Bde ATTN: AEUEG-S APO NY 09164-2934	ETS 376-6069/7102
USAREUR	GE, MANNHEIM	Cdr, CBT Equip Gp Europe ATTN: AERSE-M-SMO APO NY 09166-3768	ETS 380-7686/6285
USAREUR	GE, MOEHRINGEN	Cdr, VII Corps ATTN: AETS-GD-MR APO NY 09107	ETA 421-2622/2382
USAREUR	GE, MUNICH	Cdr, 66th MI GP ATTN: IAGPE-LO-MM APO NY 09108-4827	ETS 440-7306/6433
USAREUR	GE, NELLINGEN	Cdr, 800th CMMCS ATTN: AETS-SC-CMMC-OP APO NY 09061	ETS 421-6500/6372
USAREUR	GE, NELLINGEN	Cdr, 2d SUPCOM Corps ATTN: AETS-SC-GE-TAAEM APO NY 09160	ETS 421-6385
USAREUR	GE, NEU ULM	Cdr, 55th Maint Bn ATTN: AEUATS-MMC APO NY 09035	ETS 427-6189/7193
USAREUR	GE, NUERNBERG	Cdr, 2d ACR ATTN: AETSAC-AL-RMO APO NY 09093	ETS 460-5757/5805
USAREUR	GE, OBERURSEL	Cdr, 4th TRANSCOM ATTN: AEUTR-SVC-M APO NY 09451-4006	ETS 325-2743/2808
USAREUR	GE, PIRMASENS	Cdr, 59th Ord Bn ATTN: AEUSA-DMM APO NY 09189	ETS 495-7216/7276
USAREUR	GE, RHEINBERG	Cdr, 7th SUPCOM ATTN: AERSC-LM APO NY 09712	Comm 02843_70757
USAREUR	GE, RHEINBERG	Cdr, 54 Area Support GP ATTN: AERV-L APO NY 09712	Comm 02843-70674

## APPENDIX A (Continued)

## TROSCOM WARRANTY CONTROL OFFICES (WARCO's)

Command	Location/Station	Address	Phone AV/COMM
USAREUR	GE, SANDHOFEN	Cdr, 70th TRANS BN ATTN: AERSS-S APO NY 09028	ETS 382-6110/7236
USAREUR	GE, SECKENHEIM	Cdr, HQ AMC Europe ATTN: AMXEU-CQ APO NY 09333	380-6222 Comm 0621-478791
USAREUR	GE, WIESBADEN	Cdr, 19th Support Center ATTN: AETV-SCM-PF APO NY 09757-5000	ETS 337-5851/5377
USAREUR	GE, WORMS	Cdr, 5th SIGCOM ATTN: ASELG-M APO NY 09056	ETS 383-7554/7548
USAREUR	GE, WUERZBERG	Cdr, 3d ID ATTN: AETSBGD-MR APO NY 09036	ETS 350-7188/6226
USAREUR	GE, WUERZBERG	Cdr, 3d ID ATTN: AETSBSC-DM-(WARCO) APO NY 09701	ETS 355-2603/2782
USAREUR	GE, ZWEIBRUECKEN	Cdr, 60th Ord Gp ATTN: AEROD-LM APO NY 09052-3818	ETS 494-6275/7398
USAREUR	GE, ZWEIBRUECKEN	Cdr, 200th TAMMC ATTN: AEAGD-MMC-RL-W APO NY 09052-5356	ETS 494-6568/8268
USAREUR	IT, LIVORNO	Cdr, 201st MMC (USASETAF) ATTN: AESE-MMX-M APO NY 09019	ETS 633-7002/7087
USARJ	JAPAN, ZAMA	Cdr, USA Garrison Honshu ATTN: AJGH-ID-MS-Q APO San Francisco 96343-0071	228-4194
WESTCOM	FT. SHAFTER	Cdr, USASCH ATTN: APZV-DLM Ft. Shafter, HI 96858	438-1410

**APPENDIX B**

**REFERENCES**

DA PAM 738-750  
DA FORM 2407  
DA FORM 2402  
DA FORM 2408-9

The Army Maintenance Management System (TAMMS)  
Maintenance Request  
Exchange Tag  
Acceptance Report



**APPENDIX C**

**DEALERS**

I. CONTINENTAL UNITED STATES (CONUS)

CALIFORNIA

Ledbetter Machinery  
391 South Graham, Tipton, CA 93272  
209-752-4221

COLORADO

Wagner Equipment Company  
18091 E. 22nd Ave., Aurora, CO 80011  
303-366-7700

GEORGIA

Kraft Power Corporation  
3218 Marjan Drive, Atlanta, GA 30340  
404-458-8991

KANSAS

AAA Engine & Electric  
1317 S.W. 6th Street, Topeka, KS 66603  
913-232-2022

KENTUCKY

Evansville Auto Parts  
5 E. Riverside, Evansville, IN 47713  
812-425-8264

LOUISIANA

Louisiana Diesel  
4705 Milhaven Road, Monroe LA 71203  
318-343-3556

NEW YORK

Southworth Machinery, Inc.  
Harts Lane - Menands, Albany, NY 12204  
518-465-5255

NORTH CAROLINA

Power Systems, Inc.  
RR #5, Box 599, Conover, NC 28613  
704-464-7500

**APPENDIX C (Continued)  
DEALERS**

I. CONTINENTAL UNITED STATES (CONUS)

TEXAS

River City Distributors  
12949 Research, Austin, TX 78750  
512-250-8585

WASHINGTON

Craig Taylor Equipment  
3100 East Valley Road, Renton, WA 98055  
206-251-8022

II. OUTSIDE CONTINENTAL UNITED STATES (OCONUS).

ALASKA

Alaska Diesel Elec. - ANCHORAGE  
1220 W. Int'l. Airport Road, Anchorage, AK 99502  
907-562-2222

GERMANY (WEST)

Lister Diesels GmbH  
Brusseler Strasse 17  
5210 Troisdorf-Spich  
West Germany  
Telephone (02241) 44094  
Telex 889687

HAWAII

Pacific Area Sales & Service  
76-B Keaa Street, Hilo, HI 96720  
808-935-2895

KOREA

New Korea Shipping Co. Ltd.  
21 Bukchang Dong  
CPO Box 2194  
Chung Ku, Seoul

**By Order of the Secretary of the Army:**

**Official:**

**JOHN A. WICKHAM, JR.**  
*General, United States Army*  
*Chief of Staff*

**R. L. DILWORTH**  
*Brigadier General, United States Army*  
*The Adjutant General*

**DISTRIBUTION:**

To be distributed in accordance with special list.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN...JOT DOWN THE  
DOPE ABOUT IT ON THIS FORM.  
CAREFULLY TEAR IT OUT, FOLD IT  
AND DROP IT IN THE MAIL.

**SOMETHING WRONG WITH PUBLICATION**

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT PIN-POINT WHERE IT IS

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.

PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER

SIGN HERE

PIN: 062090-000