
DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

**WARRANTY PROGRAM
FOR
GENERATOR SET, TACTICAL QUIET
15 KW, 50/60 AND 400 HZ
MEP-804A, MEP-804B, MEP-814A AND MEP-814B**

Headquarters, Department of the Army, Washington, D.C.

1 August 2008

*** This bulletin supersedes TB 9-6115-643-24, dated 30 October 1996**

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Reports, as applicable by the requiring Service, should be submitted as follows:

Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms) located in the back of this manual, directly to: Commander, U.S. Army CECOM Life Cycle Management Command (LCMC) and Fort Monmouth, ATTN: AMSEL-LC-LEO-E-ED, Fort Monmouth, NJ 07703-5006. You may also send in your recommended changes via electronic mail or by fax. Our fax number is 732-532-1556, DSN 992-1556. Our e-mail address is MONM-AMSELLEOPUBSCHG@conus.army.mil. Our online web address for entering and submitting DA Form 2028s is <http://edm.monmouth.army.mil/pubs/2028.html>.

A reply will be furnished to you.

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited

1. General.

a. This bulletin provides guidance for the Warranty on the Diesel Engine Generator Sets, 15 KW, 50/60 and 400 Hz, designated MEP-804A, MEP-804B, MEP-814A and MEP-814B. It contains instructions for obtaining service and/or supplies covered under warranty. This bulletin also describes methods of processing warranty claims. For additional warranty information contact your local Warranty Control Office/Officer (WARCO) or Command Logistics Assistance Representative (LAR). If your WARCO or Command LAR is not available or if additional Information is required, contact CECOM. The number to call is DSN 987-6321, Commercial (732) 427-6321. The caller should be prepared to provide: (1) name, (2) DSN and commercial telephone numbers, (3) complete unit designation, (4) identification of the Generator Set to include serial number(s), (5) a brief description of the problem and (6) the contract number (see paragraph 3a.).

(1) The new MEP-804B and MEP-814B Generator sets manufactured by DRS Fermont Corporation of America, Bridgeport, CT are under prime contract W15P7T-08-D-A005 . Refer to Appendix A for serial number affectivity.

(2) There were also MEP-804B and MEP-814B generator sets manufactured by DRS Fermont Corporation of America, Bridgeport, CT under prime contract DAAK01-97-D-0034. Refer to Appendix A for serial number effectively.

(3) The MEP-804A and MEP-814A generator sets were manufactured by DRS Fermont Corporation of America, Bridgeport, CT under prime contract DAAK01-94-D-0036. Refer to Appendix A for serial number effectively.

b. These warranties are designed to indemnify the Government and provide an additional incentive for the manufacturers to deliver a quality product. Due to warranty claim(s) processing time, the warranty is not an appropriate vehicle for maintaining readiness of Tactical Quiet Generators. The normal supply system should be used to maintain readiness. Parts provided in response to warranty claims should be used to replenish your supply stocks.

c. These warranties provide that the generator set and all components at the time of acceptance or delivery will conform to design and manufacturing requirements, be free from all defects in materials and workmanship, and conform to all performance requirements delineated in the applicable specifications of these contracts. The warranty for all sets will be for 1800 operating hours on each unit, or thirty-six (36) months, whichever occurs first, from the date that the unit has been accepted by the Government as shown on the Material Inspection and Receiving Report (DD Form 250). This warranty shall include furnishing of new items to replace any that prove to be nonconforming and/or defective within the warranty period. Such items shall be furnished without cost to the Government.

d. When repair or replacement requires transportation of the nonconforming or defective items, shipping cost from the line item delivery point (irrespective of the f.o.b. point or the point of acceptance) to the Contractor's plant and return shall be at the expense of the Contractor.

2. Explanation of Terms.

a. **Abuse.** The improper use, maintenance, repair, or handling of warranted items such that may cause the warranty of those items to become void (for example, not following service intervals; using the Generator Set for other than what is intended).

b. **Acceptance.** The execution of the Acceptance Block and signing of the DD Form 250, by the authorized Government representative, unless end-item are placed in storage in which case acceptance shall mean date of shipment from storage facility as reflected on DD Form 1149 or DD Form 1348-1A.

c. **Acceptance Date.** The date the unit has been accepted by the Government as shown on the Material Inspection and Receiving Report (DD Form 250).

d. **Alterations/Modifications.** Any alteration after delivery such as retrofit, conversion, remanufacture, whether or not authorized by a design change or engineering change.

e. **Correction.** The elimination of a defect.

f. **Defect.** Any condition or characteristic in any supplies furnished by the Contractor under the contract which fails to conform to the design and manufacturing requirements, or fails to meet the standards or materials of workmanship, or is a departure from performance requirements as delineated in the specifications of this contract.

g. **Failed Item.** A part, component, or end item that fails to perform its intended use as defined herein.

h. **False Return.** The return of suspected defective warranty items to the manufacturer that are eventually determined to be serviceable.

i. **Prime Contractor.** A party that enters into an agreement directly with the United States to furnish part or all of a weapon system.

j. **Reimbursement.** To repay or make restitution for claims and/or false returns, etc.

k. **Repair.** To restore an item to serviceable condition.

l. **Supplies.** The commodities purchased under the contract and all original constituent components/parts thereof delivered under the contract, excluding Government-furnished property (GFP). It also includes all new contractor-supplied or contractor overhauled replacement components/parts as may be installed on the original commodities delivered under the contract to remedy a defect in an original component/part.

m. **Validation.** The process by which the contractor shall test/measure the WTB to assure its accuracy as it pertains to the warranty items(s).

n. **Warranty.** A promise or statement of fact from a seller to a purchaser on the nature, usefulness, or condition of the supplies or performance of services to be furnished. The main purposes of a warranty in a Government contract are to outline the rights and obligations of the Contractor and the Government for defective items and services. It also serves to foster quality performance by the Contractor but is not a substitute for an adequate quality assurance program.

o. **Warranty Claim.** An action started by the Government for warranted items which have failed and the claim is issued by U.S. Army Aviation and Troop Command (CECOM) Warranty Control Office (WARCO) in conjunction with the Contracting Officer.

p. **Warranty Control (WARCO).** An agency established at CECOM to handle and process warranty claims which originate by field users. All warranty claim actions will be processed through the U.S. Army Aviation and Troop Support Command WARCO (AMSAT-A-WC).

q. **Warranty Start Date.** The date the warranty is effective.

r. **Warranty Technical Bulletin (WTB).** A document that provides guidelines for warranty control officers and user activities on how to manage and apply warranties in full.

3. Contractor Responsibilities - DRS Fermont Division. The following paragraphs pertain to all generator sets.

a. The Prime Contractor (DRS Fermont) guarantees the supplies and parts at the time of acceptance or delivery conform to the design and manufacturing requirements, are free from all defects in materials and workmanship, and conform to all performance requirements delineated in the applicable specifications of the contract. This guarantee will be for 1800 operating hours on each unit, or thirty-six (36) months, whichever occurs first, from the date that the unit has been accepted by the Government as shown on the Material Inspection and Receiving Report (DD Form 250). The guarantee shall include furnishing of new items to replace any that prove to be nonconforming and/or defective within the warranty period. Such items shall be furnished without cost to the Government. When repair or replacement requires transportation of the nonconforming or defective items, shipping cost from the line item delivery point (irrespective of the f.o.b. point or the point of acceptance) to the Contractor's plant and return shall be at the expense of the Contractor.

TB 9-6115-643-24

b. The Contractor's warranty will extend only to the proper installation of Government-furnished property (GFP), unless the Contractor performs some modification or other work on the property, in which case the full warranty will extend to the modification or other work.

c. The Contractor is not obligated to correct or replace supplies if the facilities, tooling, drawings, or other equipment, or supplies necessary to accomplish the correction or replacement have been made unavailable to the Contractor by action of the Government. In the event that correction or replacement has been directed, the Contractor will promptly notify the Contracting Officer, in writing, of the nonavailability.

d. The Contractor (Fermont) will be allowed ten (10) legal working days from the receipt of the warranty claim form to process and validate the CECOM WARCO warranty claims. The WARCO will be notified in writing at the end of this 10 day period of the recommended action.

e. The following paragraphs describe the Prime Contractor's understanding of the warranty process and responsibilities in handling a warranty claim.

(1) Generator set fails. User completes DA Form 2402, Exchange Tag.

NOTE

Prior to using DA Form 2407, read DA PAM 738-750 for detailed preparation instructions.

(2) Using activity prepares and submits DA Form 2407, Maintenance Request, to CECOM WARCO.

(3) CECOM WARCO or the CECOM Contracting Office notifies the Contractor that a failure has occurred within 10 days after receipt of a failure notice from the using activity. Notification should be sent to: DRS Fermont, 141 North Avenue, Bridgeport, CT 06606, ATTN: Warranty Claims.

(4) Upon notification, the Prime Contractor will review the warranty claim and recommend one of the following within 10 days after receiving the warranty claim:

(a) Return item for warranty replacement using Material Return Authorization number which will be assigned by Fermont at the time the return decision is made.

(b) Return item for failure analysis and evaluation of warranty using Material Return Authorization number.

(c) Item is not covered under warranty.

(5) Upon notification by CECOM WARCO that the item is to be returned to DRS Fermont, the using activity will package and return the item to Fermont at the address provided in paragraph 5e(3).

(6) The contractor shall repair or replace the warranted item within 90 days from the date when both the WARCO notification and the item are received. The contractor shall promptly provide all material, labor, facilities and tools needed to affect repairs and commence to repair/replace such parts in accordance with published service/repair procedures.

(7) Contractor shall notify an authorized Government representative upon receipt of the warranted item to witness the opening of the warranted item shipping containers at that facility. The Government representative will verify contractor actions concerning warranted/non-warranted repair requirements of the item. If a Government representative is not available within 3 working days, the contractor may proceed and the 90 day turn-around-time will commence at that time.

(8) If the claim is not valid, the CECOM WARCO will be notified and disposition instructions requested.

(9) Warranty Performance Reports will be prepared and submitted to CECOM WARCO upon request by the Contracting Officer or WARCO for as long as the warranty is in effect.

4. Government Responsibilities/Identification. The Government activity responsible for administrative functions of the warranty program is the U.S. Army CECOM Life Cycle Management Command (LCMC) Fort Monmouth, ATTN: AMSEL-LC-LEO-E-CM, Fort Monmouth, NJ 07703-5006. Commercial (732) 532-1556; Autovon (DSN) 992-1556. The following paragraphs describe the responsibilities of each Government activity.

a. Government Maintenance. Failure to follow published maintenance procedures at the maintenance levels specified in the appropriate technical manual could result in a warranty claim being declared invalid. The following maintenance requirements must be performed:

(1) Preventive Maintenance Checks and Services (PMCS). All PMCS requirements contained in the Operator's Manual (TM 9-6115-643-10) and the Unit, Direct and General Support Maintenance Manuals (TM 9-6115-643-24 and TM 9-2815-254-24).

(2) Lubrication Order. All lubrication requirements are outlined in LO 9-6115-643-12.

(3) Corrective maintenance for the equipment is given in TM 9-6115-643-24 and TM 9-2815-254-24 based upon the approved Maintenance Allocation Chart (MAC). Any deviations from the normal maintenance and repair procedures is not authorized.

b. The owning unit is responsible for operating and maintaining the generator sets in accordance with the technical manuals. All PMCS and lubrication order requirements must be met. In addition, all operating procedures will be strictly followed while observing all warnings, cautions, and notes. Upon experiencing a warranty related failure, the owning unit shall prepare the required documentation in accordance with paragraphs 4c(2) or 5e(2).

c. Warranty Control Office Responsibilities. The CECOM WARCO, AMSAT-A-WC, will handle all warranty claims generated by the field units with the exception of FMS customers. The WARCO will determine whether or not each claim is a candidate for warranty consideration. The Government will initiate Warranty Claim Actions (WCA) for warranty items and Quality Deficiency Reports (QDR) for systematic failures in accordance with DA PAM 738-750 and this Technical Bulletin. The CECOM WARCO will coordinate warranty claims with the CECOM Contracting Officer as appropriate. FMS customers will administer their own WCA and QDRs.

d. Army Oil Analysis Program (AOAP). There are no warranty components of the generator set enrolled in the AOAP.

e. Alteration/Modifications. Alterations and modifications shall not be made unless expressly authorized or directed by: Commander, U.S. Army CECOM Life Cycle Management Command (LCMC) Fort Monmouth, ATTN: AMSEL-LC-LEO-E-CM, Fort Monmouth, NJ 07703-5006. Commercial (732) 532-1556; Autovon (DSN) 992-1556.

5. Design/Performance Specifications.

a. Design and performance specifications for the generator set are contained in the Operator's Technical Manual (TM 9-6115-643-10) and the Unit, Direct and General Support Maintenance Manuals (TM 9-6115-643-24 and TM 9-2815-254-24) which also contain maintenance procedures and authorized maintenance levels. Testing and measuring methods designed to check generator set performance are contained in the maintenance manuals.

b. The warranty label (Figure 1) is located at the front of the generator set. When generating a warranty claim, information from the data plate must be used in completing the required DA Forms.

6. Nullification. The following examples of actions which will nullify the warranty are examples only, and are not inclusive and do not alter the terms of the contract warranty provisions.

a. Any maintenance/repair procedure, improper use or operation, abuse, improper environmental exposure, and installation methods which are outside of the published guidelines and procedures contained in the technical manuals can be cause for nullifying a warranty claim.

b. In addition, the following actions will be cause for nullification of the warranty:

- (1) Subsequent damage to components as a result of continued use after a component malfunction.
- (2) Damage caused by combat conditions or acts of war.
- (3) Operation of the unit with the battle short switch on.

(4) Operation of the unit in an environment beyond that specified in the Operator's Technical Manual TM 9-6115-643-10.

(5) Installation of equipment not in accordance with the technical manuals.

(6) Any abuse, such as improper use, repair, or handling of warranted items.

(7) Any damage caused by (1) acts of God or the public enemy, (2) acts of the Government in either its sovereign or contractual capacity, (3) fires, (4) floods, or (5) unusually severe weather beyond the performance specifications.

c. Abuse Determination. In cases where generator set abuse is suspected (i.e., not obvious), the CECOM WARCO or Prime Contractor shall initiate an inquiry into the circumstances leading up to the generator set failure. The Prime Contractor must submit a letter requesting an inquiry through the CECOM WARCO and Contracting Office.

(1) The CECOM WARCO will review the Prime Contractor's request and provide a response tot eh Prime Contractor through the Contracting Office.

(2) This warranty is void for any generator set for which abuse is determined. The generator set may be returned to a functional condition by performing the necessary repair procedures in TM 96115-643-24 and TM 9-2815-254-24.

(3) The Prime Contractor will identify warranty claims that are under investigation in the quarterly Warranty Status Report, if supplied.

d. Abuse Avoidance. When abuse (intentional or unintentional) has been determined, a statement shall be made by the abuse determination activity as to how abuse can be avoided in the future.

7. Claim Procedures. The following procedures provide instructions for processing warranty claims (refer to DA PAM 738-750).

a. Identification of Failed Items. Generator sets and components thereof that experience a warranty failure shall be tagged/identified to prevent improper repair or use. Tag the generator set with an Exchange Tag, DA Form 2402 and complete the Maintenance Request Form, DA Form 2407 (refer to DA PAM 738-750). There are no items requiring special handling, storage, or shipment during the processing or warranty claims.

b. Disposition. Upon notification by CECOM WARCO that the item is to be returned to the Prime Contractor, the using activity will package and return the item directly to the Prime Contractor at the address noted in paragraph 4b(3) or 5e(3) as appropriate. A copy of the Maintenance Request Form, DA Form 2407 (refer to DA PAM 738-750) will be forwarded with the failed item.

(1) False Return (Libby Corporation). If, upon investigation, the returned generator set or item is found to be serviceable, the Government unit submitting the return will pay shipping cost and will be charged \$1000.00 for contractor processing, testing, and administrative time. In addition, the using activity should consider the down time of the affected generator set. False returns will be reported in the quarterly Warranty Status Reports

submitted by the contractor. These false returns will be monitored by the CECOM WARCO and corrective action will be taken.

(2) False Return (Fermont Division). If, upon preliminary analysis of the component/part returned for warranted repairs, the cause of the failure cannot be duplicated or verified and the item functions within the required specifications, the contractor shall prepare an analysis report of the actions taken to include a cost reimbursement proposal. This report/proposal shall be forwarded to the WARCO within 30 days after completion of the analysis for review/approval.

(3) Receipts/Verification of Contractor Repairs. Upon receipt of the repaired components, the using activity will review the accompanying documentation. The repaired part will be tagged by the Prime Contractor service department. The using activity will also visually inspect the repaired part for evidence of physical damage incurred during shipping. No item testing will be required to ensure that the component was repaired properly. The Prime Contractor assumes all responsibility for testing after repair.

(4) Special Area Requirements. There are no special limitations or adjustments/changes required at different commands, theaters, or locations.

c. Reimbursement for Army Repair. Reimbursement for Army repair is not authorized by this warranty.

d. Claim Denials/Disputes. Claim denials or disputes will be coordinated through the Prime Contractor Warranty Administrator and the CECOM WARCO.

e. Reporting. Reporting or recording action on a failed item shall be as specified in DA PAM 738-750. Contractor unique forms shall not be used.

8. Storage/Shipment Handling.

a. Storage. There are no special storage requirements pertaining to the warranty contract.

b. Shipment. The returned item must be packaged and shipped collect to the Prime Contractor at the address given in paragraph 4b(3) or 5e(3). Shipping costs for items shipped to the user by the Prime Contractor will be paid by the Prime Contractor. No shipment shall be made without authority from CECOM WARCO.

c. Handling. There are no special handling requirements for the generator sets or components.

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 50/60HZ	
MODEL	MEP-804A
NSN	6115-01-274-7388
SER NO	FZ
REG NO.	
TM	9-6115-643-10
NAVFAC	9-6115-643-10
TO	35C2-3-445-21
TM	-
VOLTS	120/208V 3PH, 208/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	1885 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	DAAK01-94-D-0036
WARRANTY	
DATE INSP	
MFD BY	FERMONT DIV
INSP STAMP	
30554-88-20063-05	

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 400HZ	
MODEL	MEP-814A
NSN	6115-01-274-7393
SER NO	FZ
REG NO.	
TM	9-6115-643-10
NAVFAC	9-6115-643-10
TO	35C2-3-445-21
TM	-
VOLTS	120/208V 3PH, 208/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	2015 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	DAAK01-94-D-0036
WARRANTY	
DATE INSP	
MFD BY	FERMONT DIV
INSP STAMP	
30554-88-20063-06	

Figure 1. Warranty Label (Sheet 1 of 3)

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 50/60HZ	
MODEL	MEP-804B
NSN	6115-01-530-1458
SER NO	
REG NO	
TM	
TO	
NAVFACTM	
VOLTS	120/208V 3PH, 240/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	1785 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	DAAK01-90-D-0034
WARRANTY	
DATE INSP	
MFD BY	FERMONT ESSI
INSP STAMP	
30554-97-24050-01	

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 400HZ	
MODEL	MEP-814B
NSN	6115-01-529-9494
SER NO	
REG NO	
TM	
TO	
NAVFACTM	
VOLTS	120/208V 3PH, 240/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	1915 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	DAAK01-90-D-0034
WARRANTY	
DATE INSP	
MFD BY	FERMONT ESSI
INSP STAMP	
30554-97-24050-02	

15KW-6115-10-203B

Figure 1. Warranty Label (Sheet 2 of 3)

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 50/60HZ	
MODEL	MEP-804B
NSN	6115-01-530-1458
SER NO	
REG NO.	
TM	
NAVFACTM	
VOLTS	120/208V 3PH, 240/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	1785 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	W15P7T-08-D-A005
WARRANTY	
DATE INSP	
MFD BY	FERMONT ESSI
INSP STAMP	
30554-97-24050-01	

US DEPARTMENT OF DEFENSE NATO STANDARD OTAN	
GENERATOR SET DIESEL ENGINE 15KW 400HZ	
MODEL	MEP-814B
NSN	6115-01-529-9494
SER NO	
REG NO.	
TM	
NAVFACTM	
VOLTS	120/208V 3PH, 240/416V 3PH
AMPS	52, 26
PF	0.8
DRY WT	1915 LB
LG	69.7 IN
W	35.7 IN
HGT	55 IN
DATE MFD	
CONTR NO	W15P7T-08-D-A005
WARRANTY	
DATE INSP	
MFD BY	FERMONT ESSI
INSP STAMP	
30554-97-24050-02	

15KW-6115-10-203B

Figure 1. Warranty Label (Sheet 3 of 3)

APPENDIX A

EQUIPMENT UNDER WARRANTY

MEP-804A	DAAK01-94-D-0036 (Contract Number)
LINE ITEM NUMBERS	SERIAL NUMBERS
1501AA, 1501AM, 1501AN, 1501AP, 2501AA, 2501AN, 2501AP, 2501AQ, 5501AA, 5501AM, 5501AN, 5501AP, 5501AQ, 5501AR, 5501AS, 5501AT, 5501AU, 5501AV, 5501AW, 5501AX, 5501AY, 5501AZ, 5501BA, 5501BB, 5501BC, 5501BD, 5501BE, 5501BF, 5501BG, 5501BH, 5501BJ, AND 5501BK TBD BY GOVERNMENT	RZG00050 THRU RZG01164 FZ00021 THRU FZ00025, AND FZ57500 THRU FZ64999
MEP-814A	DAAK01-94-D-0036 (Contract Number)
LINE ITEM NUMBERS	SERIAL NUMBERS
1401AA, 1401AM, 2401AA, 401AA, AND 5401AM TBD BY GOVERNMENT	RZG15050 THRU RZG151765 FZ00026 THRU FZ00030, AND FZ65000 THRU FZ69499
MEP-804B/MEP814B	DAAK01-97-D-0034 (Contract Number)
LINE ITEM NUMBERS	SERIAL NUMBERS
TBD BY GOVERNMENT	FZ60736 THRU FZ62139
MEP-804B/MEP-814B	W15P7T-08-D-A005 (Contract Number)
LINE ITEM NUMBERS	SERIAL NUMBERS
TBD BY GOVERNMENT	FZ62140 THRU TBD

These are the instructions for sending an electronic 2028

The following format must be used if submitting an electronic 2028. The subject line must be exactly the same and all fields must be included; however only the following fields are mandatory: 1, 3, 4, 5, 6, 7, 8, 9,10, 13, 15, 16, 17, and 27.

From: "Whomever" ~whomever@avma27.army.mil> To: mpmt%avma28@st-louis-emh7.army.mil
Subject: DA Form 2028 1.

1 **From:** Joe Smith
2 Unit: home
3 **Address:** 4300 Park
4 **City:** Hometown
5 **St.:** MO
6 **Zip:** 77777
7 **Date Sent:** 19-OCT-93
8 **Pub no:** 55-2840-229-23
9 **Pub Title:** TM
10 **Publication Date:** 04-JUL-85
11 Change Number: 7
12 Submitter Rank: MSG
13 **Submitter FName:** Joe
14 **Submitter MName:** T
15 **Submitter LName:** Smith
16 **Submitter Phone:** 123-1 23-1 234
17 **Problem: 1**
18 Page: 2

19 Paragraph: 3

20 Line: 4

21 NSN: 5

22 Reference: 6

23 Figure: 7 24. Table: 8

1 Item: 9

2 Total: 1 23

3 **Text:**

This is the text for the problem below line 27.

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA					Use Part II (reverse) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).		DATE 30 August 2002	
TO: (Forward to proponent of publication or form) (Include ZIP Code) Commander, US Army CECOM LCMC ATTN: AMSEL-LC-LEO-E-ED Fort Monmouth, NJ 07703-5006					FROM: (Activity and location) (Include ZIP Code) Jane Q. Doe, SFC 1234 Any Street Anytown, AL 34565			
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS								
PUBLICATION/FORM NUMBER TM 11-1234-567-14					DATE 16 Sep 2001		TITLE Operator, Field and Sustainment Support Maintenance Manual for Radio, AN/ABC-123	
ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON		
1	WP0005 PG 3		2			Test or Corrective Action column should identify a different WP number.		
TYPED NAME, GRADE OR TITLE Jane Q. Doe, SFC				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION 123-4567		SIGNATURE		

EXAMPLE

TO: (Forward to proponent of publication or form) (Include ZIP Code)	FROM: (Activity and location) (Include ZIP Code)	DATE
---	---	-------------

PART II- REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS

PUBLICATION/FORM NUMBER	DATE	TITLE
-------------------------	------	-------

PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION
EXAMPLE								

PART III - REMARKS (Any general remarks, recommendations, or suggestions for improvement of publications and blank forms. Additional space may be used if more space is needed.)

EXAMPLE								
----------------	--	--	--	--	--	--	--	--

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA					Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).		DATE
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>)					FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>)		
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER					DATE		TITLE
ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION		SIGNATURE	

TO: (Forward to proponent of publication or form) (Include ZIP Code)	FROM: (Activity and location) (Include ZIP Code)	DATE
---	---	-------------

PART II- REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS

PUBLICATION/FORM NUMBER			DATE	TITLE				
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA					Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).		DATE
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>)					FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>)		
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER					DATE		TITLE
ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION		SIGNATURE	

TO: <i>(Forward to proponent of publication or form) (Include ZIP Code)</i>	FROM: <i>(Activity and location) (Include ZIP Code)</i>	DATE
--	--	-------------

PART II- REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS

PUBLICATION/FORM NUMBER			DATE		TITLE			
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

PART III - REMARKS *(Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)*

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS For use of this form, see AR 25-30; the proponent agency is OAASA					Use Part II (<i>reverse</i>) for Repair Parts and Special Tool Lists (RPSTL) and Supply Catalogs/Supply Manuals (SC/SM).		DATE
TO: (<i>Forward to proponent of publication or form</i>) (<i>Include ZIP Code</i>)					FROM: (<i>Activity and location</i>) (<i>Include ZIP Code</i>)		
PART I - ALL PUBLICATIONS (EXCEPT RPSTL AND SC/SM) AND BLANK FORMS							
PUBLICATION/FORM NUMBER					DATE		TITLE
ITEM	PAGE	PARA-GRAPH	LINE	FIGURE NO.	TABLE	RECOMMENDED CHANGES AND REASON	
TYPED NAME, GRADE OR TITLE				TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION		SIGNATURE	

TO: (Forward to proponent of publication or form) (Include ZIP Code)	FROM: (Activity and location) (Include ZIP Code)	DATE
---	---	-------------

PART II- REPAIR PARTS AND SPECIAL TOOL LISTS AND SUPPLY CATALOGS/SUPPLY MANUALS

PUBLICATION/FORM NUMBER			DATE	TITLE				
PAGE NO.	COLM NO.	LINE NO.	NATIONAL STOCK NUMBER	REFERENCE NO.	FIGURE NO.	ITEM NO.	TOTAL NO. OF MAJOR ITEMS SUPPORTED	RECOMMENDED ACTION

PART III - REMARKS (Any general remarks or recommendations, or suggestions for improvement of publications and blank forms. Additional blank sheets may be used if more space is needed.)

TYPED NAME, GRADE OR TITLE	TELEPHONE EXCHANGE/AUTOVON, PLUS EXTENSION	SIGNATURE
----------------------------	--	-----------

By Order of the Secretary of the Army:

Official:



JOYCE E. MORROW

*Administrative Assistant to the
Secretary of the Army*

0823101

GEORGE W. CASEY, JR
*General, United States Army
Chief of Staff*

DISTRIBUTION:

To be distributed in accordance with the initial distribution number (IDN) 255994 requirements for TB 9-6115-643-24.

