

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL, DS, GS, AND DEPOT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS
COMPASS-CONTROLLED DIRECTIONAL GYRO SYSTEM, TYPE MA-1
(GENERAL ELECTRIC)

Headquarters, Department of the Army, Washington, D.C.
18 March 1970

Current as of 2 March 1970

	Paragraph	Page
Section I. INTRODUCTION		
Scope	2	1
General		
Explanation of columns	3	2
Special information	4	3
Location of repair parts	5	4
Federal supply codes for manufacturers	6	4
Reporting of equipment publication improvements	7	4
II. PRESCRIBED LOAD ALLOWANCE		
III. REPAIR PARTS ORGANIZATIONAL		
IV. REPAIR PARTS (DS, GS, AND DEPOT)		
V. FEDERAL STOCK NUMBER INDEX		

SECTION I

INTRODUCTION

1. Scope

This manual lists the repair parts required for the performance of organizational, direct support, general support, and depot maintenance of Compass-Controlled Directional Gyro System, Type MA-1 (General Electric).

2. General

This repair parts list is divided into the following sections:

a. Prescribed Load Allowance (PLA) -Section II.

A composite listing of repair parts, special tools test and support equipment Caving quantitative allowances for initial stockage at the organizational level.

b. Repair Parts—Section III. A list of repair parts authorized for the performance of maintenance at the organizational level.

c. Repair Parts—Section IV. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level.

d. Special Tools, Test and Support Equipment. Not required.

e. Federal Stock Number Index—Section V. A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all the listings cross-referenced to the illustration figure number and item number.

This manual supersedes TM11-6615-205-20P, 15 May 1963, and TM 11-6615-205-35P, 14 May 1963.

The following provides an explanation of columns in the tabular lists in sections II, III, and IV.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code indicates the selection status and source for the list item. Source codes are—

Code	Explanation
P—	Repair parts which are stocked in or supplied from the GSA/DSA or Army Supply system and authorized for use at indicated maintenance categories.
P2—	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9—	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
P10—	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
M—	Repair parts which are not procured or stocked, but are to be manufactured in indicated maintenance levels.
A—	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X—	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1—	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2—	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such re-

Explanation

pair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.

G— Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are—

Code	Explanation
C	Operator/crew
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability code indicates whether un-serviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are—

Code	Explanation
R—	Repair parts and assemblies that are economically repairable at DSU and GSU activities and are normally furnished by supply on an exchange basis.
S—	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T—	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U—	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable castings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. The abbreviation "w/e", when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable

five-digit Federal supply code for manufacturers in parentheses. Repair parts quantities included in the kits, sets, and assemblies are shown in front of the repair part name.

d. Unit of Issue. A two-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based; e.g., ft. en, pr, etc.

e. *Quantity Incorporated in Unit Pack.* The actual quantity in the unit pack is noted in this column.

f. *Quantity Incorporated in Unit.* Indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

g. 15-Day Organizational Maintenance Allowances.

(1) The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of items authorized for the number of equipments supported. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. *Example*, authorized allowance for 51-100 equipments is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-R, Fort Monmouth, N-J., 07703, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the USA ECOM National Maintenance Point based upon engineering experience, demand data, or TAERS information.

h. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. *Example*, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

i. *1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for 1 year.

j. *Depot Maintenance Allowance Per 100 Equipments.* Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

k. Illustration

(1) *Figure number.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item Number.* Indicates the callout number (or reference designation) used to reference the item in the illustration.

4. Special Information

a. An "X" in the model column indicates the model on which the item is used.

The model indicators are as follows:

Model	Used on
1.8KE28AH2.
2.8KE28EH2.

b. Repair parts mortality is computed from failure rates derived from experience factors with the individual parts in a variety of equipments. Varia

tions in the specific application and periods of use of electronics equipment, the fragility of electronic piece parts, plus intangible material and quality factors intrinsic to the manufacture of electronic parts, do not permit mortality to be based on hours of end item use. However, long periods of continuous use under adverse conditions are likely to increase repair parts mortality.

c. The basis of issue for authorized special tools, test and support equipment is the number of end items of equipment supported and the number of maintenance personnel allocated to perform the required maintenance operations.

d. Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

e. (Applicable to revision and/or change only). Action change codes indicated in the left-hand margin of the listing page denote the following:

N - Indicates an added item not included in previous publications

C - Indicates a change in data

F - Indicate a change in FSN only

f. The following publication pertains to Compass-Controlled Directional Gyro System, Type MA-1 (GE) and its components:

TM 11-6615-205-15 Operator, Organizational, Field, and Depot Maintenance Manual: Compass-Controlled Directional Gyro System, Type MA-1 (General Electric).

5. Location of Repair Parts

a. When the Federal stock number is unknown,

follow the procedure given in (1) and (2) below.

(1) If the item or symbol number is available, locate the item by scrutiny of column 10b in the repair parts list.

(2) If the item, symbol, and figure number are not known, check the description column (col 3) of the repair parts list to locate the part.

b. When the Federal stock number is known, use the repair parts list to locate the repair part.

6. Federal Supply Codes for Manufacturers

This paragraph lists the Federal supply code with the associated manufacturer's name.

code	Manufacturer
00629..	H H E b y
05293.	A B Mfg.
05571.	Sprague Electric Co.
12065.	Transitron Electronic
14655.	Cornell-Dubilier
17569	Barry Controls
5 9 4 4 6 .	Telex Inc.
7 1 4 6 8 .	Cannon Electric
7 1 4 8 2 .	Clare C. P. and Co.
7 2 7 9 4	Dzus Fastener Co.
75915.	Littlefuse
80063.	Signal Corps
8 1 3 4 9 . . .	Military Specification
8 6 1 9 7	Clifton Precision
91637	Dale Products
95412.	General Electric

7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-EM, Fort Monmouth, N. J. 07703.

PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION	(3) 15-DAY ORG. MAINT. ALLOWANCE			
		(A)	(B)	(C)	(D)
		1-5	6-20	21-50	51-100
5920-826-5511	CAP. ELECTRICAL 75915 NO. 342008-W-2			2	2
6240-155-7836	LAMP, INCANDESCENT: NO. 361-A-7-327				2

SOURCE MAINT REQ. CL	FEDERAL STOCK NUMBER	MODEL						DESCRIPTION	UNIT		1-5	6-2	21-5	51-1	NUMBER	SYMBOL NUMBER
		1	2	3	4	5	6									
								COMPASS CONTROLLED, DIRECTIONAL GYRO SYSTEM MA-1								
P OR	615-732-8233							COMPASS-CONTROLLED. DIRECTIONAL GYRO SYSTEM A-1 (GE): 95412	EA	1						
								2. AMPLIFIER. COMPASS:								
P O	5920-826-5511							CAP. ELECTRICAL1 75915 NO. 342008-SH-2	EA	1	5	*	*	2	2	
								3. CONTROLLER								
P O	5935-795-2020							CONNECTOR, PLUG. ELECTRICAL: 95412 NO. 9893544P1	EA	1	1	*	*	*	*	7-3
P O	5355-563-2980							KNOB: 95412 NO. 9893410P1	EA	1	1	*	*	*	*	
P O	5355-518-0489							NO8 ASSEMBLY: 95412 NO. 5468892G1	EA	1	1	*	*	*	*	
P O	6615-535-9090							KNOB, LATITUUE: 95412 NO. 9893353P1	EA	1	1	*	*	*	*	
P O	6240-155-7836							LAMP, INCANDESCENT: 95412 NO. 361-A-7-327	EA	1	2	*	*	*	2	

SECTION IV

(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) MODEL						DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. PER 100 EQUIP. CNIGCY PL.	(9) DEPOT MAINT. 100 EQUIP.	(10) ILLUSTRATIONS	
		1	2	3	4	5	6					DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
												(A)	(B)	(C)	(A)	(B)	(C)				
												1-20	21-50	51-100	1-20	21-50	51-100				
							COMPASS CONTROLLED. DIRECTIONAL GYRO SYSTEM MA-1														
POR	6615-732-8233						COMPASS-CONTROLLED, DIRECTIONAL GYRO SYSTEM A-1 (GE): 95412	EA	1												
P FR	6615-531-6389						DIRECTIONAL GYRO COMPASS: 95412 NO. 8K03AC3	EA	1	1	*	*	2	*	*	2	55				
P FR	6605-531-2992						TRANSMITTER • INDUCTION COMPASS T-611/ASN: NR	EA	1	1	*	*	2	*	*	2	85				
							ADAPTER DEVIATION COMPENSATED														
							NOTE: MODEL COLUMN 1 REFERS TO 8KE28AH2: COLUMN 2 REFERS TO 8KE28EH2														
P F	6615-705-3117	XX					BUSHING: 95412 NO. 5472360P1	EA	1	1	*	*	2	*	*	2	55				
P F	910-644-372	XX					CAPACITOR, FIXED, PAPER • DIELECTRIC: 81349 NO. CP05A1KF102K AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	5-2	C2		
P F	5910-280-9611	X					CAPACITOR, FIXED, PAPER DIELECTRIC: 05571 NO. 96P22296S2	EA	1	1	*	*	2	*	*	2	85	5-5	C9		
P F	5910-615-4124	X					CAPACITOR, FIXED. PAPER • DIELECTRIC: 05571 NO. 96P47296S2	EA	1	1	*	*	2	*	*	2	85	5-4	C14		
P F	5910-617-4114	XX					CAPACITOR, FIXED, PAPER. DIELECTRIC: 05571 NO. 196P68296S2	EA	1	1	*	*	2	*	*	2	85	5-5	C8		
P F		XX					CAPACITOR, FIXED, PAPER. DIELECTRIC: 81349 NO. CP08A3KB103K AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	2	*	*	2	820	5-2	C1		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE			(3)		(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	MODEL 2 3 4 5 6	DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						1 YR ALW. PER 100 EQUIP. CNTG CY PL.	DEPOT MAINT. ALW. PER 100 EQUIP.	ILLUSTRATIONS	
								DS			GS					FIGURE NUMBER	ITEM OR SYMBOL NUMBER
								(A)	(B)	(C)	(A)	(B)	(C)				
P	F		X	5910-625-114	EA	1	1	*	*	2	*	*	2	820	5-2	C4	
P	F		X	5910-894-0083	EA	1	1	*	*	2	*	*	2	820	5-2	C3	
P	F		X	5910-834-9860	EA	1	1	*	*	2	*	*	2	85	5-4	C13	
P	F		X	5910-634-9861	EA	1	1	*	*	2	*	*	2	85	5-4	C12	
P	F		X	5910-834-9858	EA	1	4	*	*	2	*	*	2	2720	5-5	C6, C7, C10, C11	
P	F		X	5910-823-1351	EA	1	1	*	*	2	*	*	2	85		C5	
P	F		X	6605-783-9596	EA	1	1	*	*	2	*	*	2	85			
P	F		X	6615-703-2490	EA	1	1	*	*	2	*	*	2	85			
P	F		X	6615-704-9203	EA	1	1	*	*	2	*	*	2	85			
P	F		X	6615-793-2008	EA	1	1	*	*	*	*	*	*				
P	F		X	6615-684-7820	EA	1	1	*	*	2	*	*	2	45			
P	F		X	6615-703-8901	EA	1	3	*	*	2	*	*	2	815			
P	F		X	6615-703-8902	EA	1	3	*	*	2	*	*	2	815			
P	F		X	6615-703-8919	EA	1	5	*	*	2	*	*	2	1225			

			REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE								(10)					
SOURCE CD (A)	MAINT. CD (B)	FEDERAL STOCK NUMBER (2)	DESCRIPTION (3)	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7)						PERCENTAGE OF QTY. CRITICAL TO ALW PER 100 EQUIP. (8)	DEPOT MAINT. ALW PER 100 EQUIP. (9)	ILLUSTRATIONS	
							DS			GS					FIGURE NUMBER (A)	ITEM OR SYMBOL NUMBER (B)
							(A)	(B)	(C)	(A)	(B)	(C)				
P	F	6605-795-9718	CLAMP: 95412 894866P56	EA	1	2	*	*	2	*	*	2	510			
P	F	6620-708-1399	COLLAR, SHAFT: 95412 NO. 9886897F21	EA	1	4	*	*	2	*	*	2	2720			
P	F	5935-259-3257	CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DD50S	EA	1	1	*	*	2	*	*	2	85	6-3	J102	
P	F	5935-280-2265	CONNECTOR, RECEPTACLE ELECTRICAL: 71468 NO. DC37S	EA	1	1	*	*	2	*	*	2	85	6-3	J101	
P	F	5935-259-3258	CONNECTOR, RECEPTACLE, ELECTRICAL 71468 NO. DC37P	EA	1	1	*	*	2	*	*	2	85	6-3	P101	
P	F		CONNECTOR, RECEPTACLE, ELECTRICAL: 71468 NO. DD50P	EA	1	1	*	*	2	*	*	2	85	6-3	P102	
P	F	5960-262-0196	ELECTRON TUBE: 91349 NO. 5703WA (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 10)	EA	1	4	*	*	600	*	*	600	100	8-2	V2.V3.V4.V5	
P	F	5960-583-4071	ELECTRON TUBE: 81349 NO. 8744WA (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 6)	EA	1	2	*	*	8	*	*	8	500	8-2	V1.V5	
P	F	6615-580-5017	GEAR, SPUR: 95412 NO. 9893076P122	EA	1	1	*	*	2	*	*	2	85			
P	F	6615-703-2445	GEAR AND SHAFT ASSEMBLY: 95412 NO. 9893436G8	EA	1	1	*	*	2	*	*	2	85			
P	F	6605-713-0905	GEAR: 95412 NO. 9893076P90	EA	1	1	*	*	2	*	*	2	85			
P	F	6615-729-4877	GEAR, SPUR: 95412 NO. 9893076P123	EA	1	4	*	*	2	*	*	2	2720			
P	F	6615-704-9206	POTENTIOMETER ASSEMBLY: 95412 NO. 5480149G1	EA	1	1	*	*	2	*	*	2	55			
P	F	5950-686-9056	REACTOR: 95412 NO. 547282P1	EA	1	2	*	*	*	*	*	*	1010	8-3	L1.L2	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)												
SOURCE CD (A)	MAINT. CODE (B)	FEDERAL STOCK NUMBER (2)	MODEL (3)						DESCRIPTION (3)	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	JO-BAY MAINT. ALW. (7)						L.V. ALW. EQUIP. PER 100 EQUIP. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10)	
			DS										GS			FIGURE NUMBER (A)	ITEM OR SYMBOL NUMBER (B)					
			(A)	(B)	(C)	(A)	(B)	(C)					(A)	(B)	(C)							
1	2	3	4	5	6	1-20	21-50	51-100	1-20	21-50	51-100											
P	F	5905-556-3736							RESISTOR, FIXED FILM: 81349 NO. RN0B2152F (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	8	7-11	R7		
P	F	5905-581-1046							RESISTOR, FIXED FILM: 81349 NO. RN70B4222F (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	2	*	*	*	*	*	13	7-11	R6R15		
P	F	5905-617-7739							RESISTOR, FIXED, FILM: 81349 NO. RN8085622F	EA	1	1	*	*	2	*	*	2	85	7-11	R24	
P	F	5905-553-2193							RESISTOR, FIXED FILM: 81349 NO. RN70B6192F	EA	1	3	*	*	*	*	*	1815	7-11	R12R44R45		
P	F	5905-556-5812							RESISTOR, FIXED FILM: 81349 NO. RN70B6812F	EA	1	1	*	*	2	*	*	2	85	7-11	R34	
P	F	5905-518-5134							RESISTOR, FIXED FILM: 81349 NO. RN30X6812F	EA	1	1	*	*	2	*	*	2	85	7-11	R25	
P	F	5905-552-2442							RESISTOR, FIXED FILM: 81349 NO. RN70B1003F	EA	1	1	*	*	2	*	*	2	85	7-11	R21	
P	F	5905-542-9801							RESISTOR, FIXED FILM: 81349 NO. RN70B2153F (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	2	*	*	*	*	*	13	7-11	R2R11		
P	F	5905-539-4969							RESISTOR, FIXED, FILM: 81349 NO. RN70N2613P	EA	1	1	*	*	*	*	*	8			R5	
P	F	5905-539-4565							RESISTOR, FIXED FILM: 81349 NO. RN70B1004F (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	3	*	*	*	*	*	18	7-11	R3R13R32		
P	F	5905-835-3812							RESISTOR, VARIABLE: 59446 NO. 65	EA	1	1	*	*	2	*	*	2	135		R29	
P	F	5905-835-3813							RESISTOR, VARIABLE: 59446 NO. X3536	EA	1	1	*	*	2	*	*	2	135	7-11	R23	
P	F	6680-534-4711							SEAL AND NUT ASSEMBLY: 95412 NO. 8900660P1	EA	1	1	*	*	2	*	*	2	105			
P	F	5961-828-9184							SEMICONDUCTOR DEVICE, DIODE: 12065 NO. 1N253	EA	1	2	*	*	*	*	*	1010	7-6		CR5CR6	

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD (A)	MAINT. CD (B)	REC. CODE (C)	(2) FEDERAL STOCK NUMBER	MODEL						(3) DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						1 YR. ALV. EQUIP. REQ. PER CENT. OF DEPOT MAINT. ALW. PER 100 EQUIP.	FIGURE NUMBER	ITEM OR SYMBOL NUMBER
				1	2	3	4	5	6					DS			GS					
														(A)	(B)	(C)	(A)	(B)	(C)			
P	F		5905-556-3348									*	*	2	*	*	2	85	7-11	R10		
	PF		5905-552-5444									*	*	*	*	*	*	8	7-11	R4		
P	F		5950-556-3334									*	*	2	*	*	2	85	7-11	R33		
P	F		5905-542-8408									*	*	2	*	*	2	85	7-11	R38		
	PF		5905-553-2205									*	*	*	*	*	*	8	7-11	R1		
P	F		5905-577-0890									*	*	2	*	*	2	85	7-11	R41		
P	F		5905-542-8401									*	*	2	*	*	2	85				
P	F		5905-851-1717									*	*	2	*	*	2	85				
P	F		5905-556-4627									*	*	2	*	*	2	85				
P	F		5905-556-3345									*	*	2	*	*	2	85				
P	F		5905-556-3783									*	*	2	*	*	2	85				
P	F		5905-556-4008									*	*	2	*	*	2	85				
P	F		5905-581-9146									*	*	2	*	*	2	85				
P	F		5905-553-2201									*	*	2	*	*	2	85				
P	F		5905-258-8718									*	*	2	*	*	2	1310	7-11	R3QR31		
	PF		5905-578-0491									*	*	2	*	*	2	85				

(A) SOURCE CD	(B) MAINT. CD	(C) DE	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE			(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. EQUIP. 100 EQUIP.	(9) DEPOT MAINT. ALW. EQUIP. 100 EQUIP.	(10) ILLUSTRATIONS		
			(2) FEDERAL STOCK NUMBER	MODEL	(3) DESCRIPTION				DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
									(A)	(B)	(C)	(A)	(B)	(C)					
									1-20	21-50	51-100	1-20	21-50	51-100					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
P	F	5945-752-5463			RELAY, THERMAL: 95412 NO. 5468227P3	EA	1	1	*	*	2	*	*	2	85	7-6	SK1		
P	F	5905-816-0240			RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-2	EA	1	1	*	*	2	*	*	2	85	7-11	R39		
P	F	5905-853-1545			RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-5	EA	1	2	*	*	2	*	*	2	1310	7-11	R36R43		
P	F	5905-650-0367			RESISTOR, MATCHED PAIR: 95412 NO. 5468894GP2	EA	1	1	*	*	2	*	*	2	810	7-11	R36R27		
P	F	5905-577-0568			RESISTOR, FIXED, WIRE WOUND: 91637 NO. 151E (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	8	7-11	R9			
P	F	5905-816-2247			RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-5 (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	8	7-11	R40			
P	F	5905-660-5395			RESISTOR, FIXED WIRE WOUND: 05571 NO. 151E	EA	1	1	*	*	2	*	*	2	85	7-11	R8		
P	F	5905-279-5222			RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-2	EA	1	4	*	*	2	*	*	2	2720	7-11	R17 THRU R20		
P	F	5905-65-7077			RESISTOR, FIXED FILM: 91637 NO. RS-5	EA	1	1	*	*	2	*	*	2	85	7-11	R37		
P	F	5905-816-1866			RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-2	EA	1	1	*	*	2	*	*	2	85	7-11	R16		
P	F	5905-834-6365			RESISTOR, FIXED, WIRE WOUND: 05571 NO. 10	EA	1	1	*	*	2	*	*	2	85	7-11	R28		
P	F	5905-539-3523			RESISTOR, FIXED, FILM: 81349 NO. RN70B3160F	EA	1	1	*	*	2	*	*	2	85	7-11	R14		
P	F	5905-552-4350			RESISTOR, FIXED FILM: 81349 NO. RN70B3830F	EA	1	1	*	*	2	*	*	2	85	7-11	R22		
P	F	5905-581-1004			RESISTOR, FIXED FILM: 81349 NO. RN70B4640Ft (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	8	7-11	R35			

(1) SOURCE CD	(2) FEDERAL STOCK NUMBER	(3) MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) QTY INC IN UN PK	(7) 30 DAY MAINT. ALW.						(8) PER 100 EQUIP. PER 100 EQUIP. CRTRGY PL.	(9) DEPOT MAINT. ALW. PER 100 EQUIP.	(10) ILLUSTRATIONS	
						DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
						(A) 1-20	(B) 21-50	(C) 51-100	(A) 1-20	(B) 21-50	(C) 51-100				
P	6615-793-2007	123456	CLAMP: 95412 NO. 8948688P4	EA	1	9	*	*	3	*	*	3	1845		
P	6615-793-2006		CLAMP: 95412 NO. 9848688P66	EA	1	4	*	*	2	*	*	2	1020		
P	5935-149-341		CONNECTOR, RECEPTACLE, ELECTRICAL: 81349 NO. AN3102A-14S-5S	EA	1	1	*	*	2	*	*	2	85	6-3	J2
P	5935-149-3237		CONNECTOR, RECEPTACLE, ELECTRICAL: 81349 NO. 3102A-20-27S	EA	1	1	*	*	2	*	*	2	85	6-3	J3
P	5935-201-5325		CONNECTOR, RECEPTACLE, ELECTRICAL: 81349 NO. 3102A-20-27SW	EA	1	1	*	*	2	*	*	2	85	6-3	J4
P	5935-259-4630		CONNECTOR, RECEPTACLE, ELECTRICAL: 7 1 4 6 8	EA	1	2	*	*	2	*	*	2	1310	7-4	P7P8
P	5935-280-2074		CONNECTOR, RECEPTACLE ELECTRICAL: 81349 NO. AN3102A-20-27P	EA	1	1	*	*	2	*	*	2	85	6-3	J1
P	5935-259-4413		CONNECTOR, RECEPTACLE, ELECTRICAL: 7 1 4 6 8	EA	1	2	*	*	2	*	*	2	1310	8-2	J7J8
P	5960-262-3763		ELECTRON TUBE: 91349 NO. OB2WA	EA	1	1	2	6	11	2	6	11	130100	8-2	V21
P	5960-583-4071		ELECTRON TUBE: 81349 NO. 5744WA (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	4	8	20	38	8	20	38	460	8-2	V1V5V6V8
P	5960-262-0196		ELECTRON TUBE: 81349 NO. 5703WA (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	6	21	48	91	21	48	91	990	8-2	V2V3V4V7V 9V10
P	5920-284-6804		FUSE CARTRIDGE: 81349	EA											
P	5920-556-0144		FUSEHOLDER: 75915 NO. 342008	EA	1	5	*	*	2	*	*	2	2725		
P	6605-612-0992		GEAR: 95412 NO. 9893076P20	EA	1	3	*	*	*	*	*	*	1815		
P	6105-580-9295		MOTOR GENERATOR: 95412 NO. 5468088P2	EA	5	1	*	*	2	*	*	2	8 10	7-8	MG1
P	5950-630-7005		REACTOR ASSEMBLY: 95412 NO. 9886121G5	EA	1	1	*	*	2	*	*	2	55	7-6	T6
P	5945-822-2198		RELAY, ARMATURE: 71482 NO. RP7631	EA	1	1	*	*	2	*	*	2	85	8-1	X1

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE											(10)						
SOURCE CD (1)	MAINT CD (2)	FEDERAL STOCK NUMBER (2)	MODEL (3)	DESCRIPTION (3)	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7)						YR. ALW. EQUIP. CRG. FL. PER 100 EQUIP. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10)	
								DS			GS					FIGURE NUMBER (A)	ITEM OR SYMBOL NUMBER (B)
								(A)	(B)	(C)	(A)	(B)	(C)				
P	D	5920-826-511		CAP ELECTRICAL: 75915 NO. 342008-SH-2	EA	1	5	*	*	2	*	*	2	85			
P	F	5910-583-4589		CAPACITOR, FIXED, PAPER DIELECTRIC 9 5 4 1 2	EA	1	1	*	*	2	*	*	2	85	7-6	C17	
P	F	5910-644-3724		CAPACITOR, FIXED, PAPER DIELECTRIC 81349 NO. CP05A1KF102K (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	*	8	7-10	C7	
P	F	5910-834-2784		CAPACITOR, FIXED, PAPER DIELECTRIC 05571 NO. 89P68404T15	EA	1	1	*	*	2	*	*	2	85			
P	F	4910-644-3484		CAPACITOR, FIXED, PAPER DIELECTRIC 05571 NO. 96P82494T16	EA	1	1	*	*	2	*	*	2	85		C16	
P	F	5910-823-1145		CAPACITOR, FIXED, PAPER, DIELECTRIC: 81349 NO. CP05A1KF223K (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	3	*	*	*	*	*	*	18			
P	F	5910-894-0083		CAPACITOR, FIXED, PAPER DIELECTRIC 8 1 3 4 9 (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	3	*	*	*	*	*	*	18	8-2	C3C6C8	
P	F	5910-552-9734		CAPACITOR, FIXED, PAPER DIELECTRIC: 81349 NO. CP08A3KB103K (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	3	*	*	*	*	*	*	18	8-2	C1C14	
P	F	5910-822-2193		CAPACITOR, FIXED, PAPER, DIELECTRIC 14655 NO. TWU1D33EG-10-10	EA	1	1	*	*	2	*	*	2	85	8-2	13	
P	F	5910-688-6221		CAPACITOR, FIXED, PAPER DIELECTRIC: 81349 NO. CP09ASKB103K	EA	1	1	*	*	2	*	*	2	85	8-2	C11	
P	F	5910-686-6371		CAPACITOR, FIXED, PAPER DIELECTRIC: 8 1 3 4 9	EA	1	1	*	*	2	*	*	2	85	8-2	C10	
P	F	5910-840-5789		CAPACITOR, FIXED, PAPER DIELECTRIC 81349 NO. CP05A3KE473K1	EA	1	1	*	*	2	*	*	2	85	8-2	C9	
P	F	5999-631-9511		CIRCUIT CARD LEVEL: 95412 NO. 5468565P1	EA	1	1	*	*	2	*	*	2	85			
P	F	6615-793-2008		CIRCUIT SERVO: 95412 NO. 5468575P1 (FOR AUTHORIZED ALLOWANCES SEE GROUP 1)	EA	1	1	*	*	*	*	*	*	8			
P	F	6615-792-6326		CLAMP: 95412 NO. 9886897P4	EA	1	3	*	*	2	*	*	2	85			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT AND DEPOT MAINTENANCE										(4)			(5)			(6)			(7)						(8)		(9)		(10)	
SOURCE CD	PART CD	FEDERAL STOCK NUMBER	MODEL						DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						1 YR ALW PER 100 EQUIP. CMTGTY PL.	DEPOT MAINT. ALW PER 100 EQUIP.	FIGURE NUMBER	ITEM OR SYMBOL NUMBER								
			1	2	3	4	5	6					DS			GS														
(A)	(B)	(2)						(3)				(A)	(B)	(C)	(A)	(B)	(C)	(8)	(9)	(A)	(B)									
P	F	5905-542-9801						RESISTOR, FIXED, FILM: 81349 NO. RN70B2153F	EA	1	1	*	*	*	*	*	*	815		R3										
P	F	5905-539-4969	XX					RESISTOR, FIXED, FILM: 81349 NO. RN70B2613F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810		7-8	R9									
P	F	5905-539-4565						RESISTOR, FIXED, FILM: 81349 NO. RN70B1004F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 4)	EA	1	1	*	*	2	*	*	2	820		7-8	R4									
P	F	5905-835-3816	XX					RESISTOR, VARIABLE: 05293	EA	1	24	*	*	9	*	*	9	175120		8-1	R15 THRU R38									
P	F	5930-577-2372	XX					SWITCH, TOGGLE: 80063 NO. S19-C-209256-1	EA	1	1	*	*	2	*	*	2	125												
P	F	5990-819-5504	XX					SYNCHRO, DIFFERENTIAL TRANSMITTER 86197 NO. CTH-11-HS-7	EA	1	3	*	*	2	*	*	2	1815		6-4	B38485									
P	F	5990-822-3839						SYNCHRO, DIFFERENTIAL TRANSMITTER: 86197 NO. CGH-11-HS-2	EA	1	2	*	*	2	*	*	2	10			B1.82									
P	F	5950-686-7859						TRANSFORMER, AF: 95412 NO. 5472486P2	EA	1	1	*	*	2	*	*	2	85			T3									
P	F	5950-686-7860						TRANSFORMER, AF: 95412 NO. 5480018P1	EA	1	1	*	*	2	*	*	2	85			T6									
P	F	5950-706-0781	X					TRANSFORMER, POWER: 95412 NO. 5480024G1	EA	1	1	*	*	2	*	*	2	85		7-7	T5									
								2 AMPLIFIER, COMPASS:																						
P	F	8110-287-0895						BEARING, BALL ANNULAR 95412 NO. 8948684PT4	EA	1	4	*	*	2	*	*	2	3320												
P	F	6605-562-5548						BOARD TERMINAL: 95412 NO. 9893448P1	EA	1	1	*	*	2	*	*	2	85												

AND DEPOT MAINTENANCE

SOURCE CD	MAINT. REC. CODE	(2) FEDERAL STOCK NUMBER	MODEL					(3) DESCRIPTION	UNIT OF ISSU	INC IN UN PK	QTY INC IN UNIT	DS			GS			1 YR. ALLOW. PER 100 FOR CRITCY PL. DEPOT MAIN 100 EQUIP.	(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER
			1	2	3	4	5					1-20	(B)	(C)	(A)	(B)	(C)			
			1	2	3	4	5					1-20	(B)	(C)	(A)	(B)	(C)			
P	F	6130-688-4712	XX					RECTIFIER, METALLIC: 9 5 4 1 2	EA	1	1	*	*	2	*	*	2	85	6-4	CR1
P	F	5905-752-6652	XX					RESISTOR, FIXED WIRE WOUND: 91637	EA	1	1	*	*	2	*	*	2	85	7-8	R42
P	F	5905-677-0867	XX					RESISTOR, FIXED, WIRE WOUND: 05571 NO. 151E (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	7-8	R8
P	F	5905-816-2247	XX					RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-5,150 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	7-8	R43
P	F	5905-581-1004	XX					RESISTOR, FIXED, FILM: 8 1 3 4 9 (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	2	*	*	0	*	*	0	1315	7-8	R39
P	F	5905-552-5444	XX					RESISTOR, FIXED FILM: 81349 NO. RN70B1001F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	7-8	R5
P	F	5905-553-2205	XX					RESISTOR, FIXED FILM: 81349 NO. RN70B4221F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	7-8	R2
P	F	5905-581-1717	XX					RESISTOR, FIXED, FILM: 81349 NO. RN70B1502F	EA	1	2	*	*	2	*	*	2	1310	7-8	R13.R40
P	F	5905-581-1022	XX					RESISTOR, FIXED, FILM 8 1 3 4 9	EA	1	2	*	*	2	*	*	2	1310	7-15	R14.R41
P	F	5905-556-3736	XX					RESISTOR, FIXED, FILM: 81349 NO. RN70B2152F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 2)	EA	1	1	*	*	2	*	*	2	810	7-8	R6
P	F	5905-581-1046	XX					RESISTOR, FIXED, FILM: 81349 NO. RN70B4222F (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 3)	EA	1	1	*	*	*	*	*	*	815	7-8	R10
P	F	5905-822-1110	XX					RESISTOR, FIXED WIRE WOUND: 91637 NO. RS5	EA	1	1	*	*	2	*	*	2	85		R11

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD (A)	MAINT CD (B)	FEDERAL STOCK NUMBER (2)	MODEL (3)						DESCRIPTION (3)	UNIT OF ISSUE (4)	QTY INC IN UN PK (5)	QTY INC IN UNIT (6)	30 DAY MAINT. ALW. (7)						1 YR. ALW. PER 100 EQUIP. CMTGTY PL. (8)	DEPOT MAINT. ALW. PER 100 EQUIP. (9)	ILLUSTRATIONS (10)	
			1	2	3	4	5	6					IND CD	DS (A)	DS (B)	DS (C)	GS (A)	GS (B)			GS (C)	FIGURE NUMBER (A)
P	F	5961-975-2175							SEMICONDUCTOR DEVICE, DIODE: 8 1 3 4 9 NO. IN 4 5 8	EA	1	4	*	*	3	*	*	3	1620	7-6	CR 1 THRU CR 4	
P	F	605-630-8826							SHAFT, GEAR ASSEMBLY: 9 5 4 1 2 NO. 9 8 9 3 4 3 6 G 3	EA	1	3	*	*	2	*	*	2	1315			
P	F	5960-296-4174							SHIELD, ELECTRON TUBE: 9 5 4 1 2 NO. 1 4 9 V	EA	1	1	*	*	2	*	*	2	55			
P	F	6680-534-4713							SHIELD, TUBE: 9 5 4 1 2 NO. 1 4 9 V	EA	1	1	*	*	2	*	*	2	55			
P	F	5935-260-0516							SOCKET, ELECTRON TUBE: NO. TA102P01	EA	1	1	*	*	2	*	*	2	55			
P	F	5935-823-0233							SOCKET, ELECTRON TUBE: 0 0 6 2 9 NO. 9 7 2 7 - 6 2	EA	1	1	*	*	2	*	*	2	55			
P	F	5990-820-4814							SYNCHRO, CONTROL TRANSFORMER: 9 5 4 1 2 NO. 8 9 4 8 6 4 1 P 8	EA	1	2	*	*	*	*	*	*	1310			
P	F	5950-631-9538							TRANSFORMER, POWER: 9 5 4 1 2 NO. 9 5 4 1 2	EA	1	1	*	*	2	*	*	2	85			
P	F	5950-587-8870							TRANSFORMER: 9 5 4 1 2 NO. 9 8 8 6 2 4 7 P 3	EA	1	2	*	*	*	*	*	*	1310	7-6	T 4 T 7	
P	F	5950-632-6176							TRANSFORMER: 9 5 4 1 2 NO. 5 4 6 8 - 3 6 1 - P 1	EA	1	3	*	*	3	*	*	3	1815	7-6	T 1 T 3 T 5	
P	F	5920-632-3286							TRANSFORMER: 9 5 4 1 2 NO. 5 4 6 8 2 3 2 P 1	EA	1	1	*	*	2	*	*	2	85	7-6	T 2	
P	F	5950-632-3287							TRANSFORMER: 9 5 4 1 2 NO. 9 5 4 1 2	EA	1	1	*	*	2	*	*	2	85	7-6	T 8	
									3 CONTROLLER													
P	F	6615-791-0146							BEARING, SLEEVE: 9 5 4 1 2 NO. 9 8 9 3 4 6 8 P 2	EA	1	1	*	*	2	*	*	2	85			
P	F	6615-791-5428							BEARING, SLEEVE: 9 5 4 1 2 NO. 9 8 9 3 4 6 8 P 1	EA	1	1	*	*	2	*	*	2	85			

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(10)												
SOURCE CD (A)	MAINT. CD (B)	(2) FEDERAL STOCK NUMBER	(3) MODEL						DESCRIPTION	(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) 1 YR. ALW. PER 100 EQUIP. CENTGY PL.	(9) DEPOT MAINT. ALW PER 100 EQUIP.	(A)	(B)
			1	2	3	4	5	6					DS			GS					FIGURE NUMBER	ITEM OR SYMBOL NUMBER
													(A)	(B)	(C)	(A)	(B)	(C)				
P	F	5340-201-0272						SPRING: 72794 NO. PS31/2	EA	1	4	*	*	2	*	*	2	4020				
P	F	46605-531-6601						SPRING: 05412 NO. 8948286P1	EA	1	1	*	*	2	*	*	2	135				
P	F	6615-563-2970						SPRING: 95412 NO. 9893301P1	EA	1	4	*	*	2	*	*	2	4020				
P	F	5930-646-4916						SWITCH SENSITIVE: 81349 NO. 2508S-1	EA		5							25	S?			
P	F	5990-792-6355						SYNCHRO, DIFFERENTIAL, TRANSMITTER: 86197 NO. CDC-10-A-1	EA	1	1	*	*	2	*	*	2	85				
P	F	5310-754-3165						WASHER, SPRING TENSION: 95412 NO. 9893459P1	EA	1	1	*	*	2	*	*	2	45				
								4 RESILIENT MOUNT ASSEMBLY														
P	F	6615-348-0552						LEAD, ELECTRICAL: 17569 NO. 880778-02704	EA	1	2	*	*	2	*	*	2	1010				
P	F	5340-713-0234						MOUNT RESILIENT 17569 NO. 10995-1	EA	1	2	*	*	2	*	*	2	1310				
								5 RESILIENT MOUNT ASSEMBLY														
P	F	6615-520-1026						LEAD, ELECTRICAL: 17569 NO. 880927-00704	EA	1	2	*	*	2	*	*	2	1010				
P	F	5340-831-1421						MOUNT, RESILIENT: 17569 NO. 5941-001-000	EA	1	1	*	*	2	*	*	2	85				

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(4) UNIT OF ISSUE	(5) QTY INC IN UN PK	(6) QTY INC IN UNIT	(7) 30 DAY MAINT. ALW.						(8) LYR ALW. EQUIP. PER 100 EQUIP. PL. CENTGY PL.	(9) DEPOT MAINT. ALW PER 100 EQUIP.	(10) ILLUSTRATIONS		
SOURCE CD (A)	MAINT CD (B)	FEDERAL STOCK NUMBER	MODEL						DESCRIPTION				DS			GS					(A) FIGURE NUMBER	(B) ITEM OR SYMBOL NUMBER	
			1	2	3	4	5	6					(A)	(B)	(C)	(A)	(B)	(C)					
P	F	6615-893-0990									BUSHING, SLEEVE: 95412 NO. 8946344P1	EA	1	4	*	*	2	*	*	2	1620		
P	F	6615-615-501-0220									CAP, ELECTRICAL: 95412 NO. 9893528P1	EA	1	1	*	*	2	*	*	2	135		
P	D	5935-793-2020									CONNECTOR, PLUG, ELECTRICAL: 95412 NO. 9893544P1	EA	1	1	*	*	2	*	*	2	85	7-3	J6
P	F	6615-563-2934									COUNTER WEIGHT 95412 NO. 4155146P3	EA	1	4	*	*	2	*	*	2	20		
P	F	6615-563-2946									COUNTER WEIGHT: 95412 NO. 8948723P2	EA	1	2	*	*	2	*	*	2	10		
P	F	5325-291-9360									CUP, RETAINER: 72794 NO. PC31/2	EA	10	1	*	*	2	*	*	2	5		
P	F	6615-790-8043									CUP: 95412 NO. 8948285P1	EA	1	1	*	*	2	*	*	2	5		
P	F	6615-790-8041									ELEMENT ASSEMBLY: 95412 NO. 4149663G1	EA	1	1	*	*	2	*	*	2	5		
P	F	6615-790-8044									ELEMENT ASSEMBLY: 95412 NO. 4149663G60	EA	1	1	*	*	2	*	*	2	5		
P	D	5355-563-2980									KNOB: 95412 NO. 9893410P1	EA	1	1	*	2	2	*	2	2	55		
P	D	5355-518-0489									KNOB ASSEMBLY: 95412 NO. 5468832G1	EA	1	1	*	*	2	*	*	2	55		
P	D	6615-535-9090									KNOB, LATITUDE: 95412 NO. 9893353P1	EA	1	1	*	*	2	*	*	2	55		
P	D	6240-155-7836									LAMP, INCANDESCENT 85412 NO. 381-A-7-327	EA	1	2	3	8	5	3	8	5	4620		
P	F	6615-563-2943									POINTER ASSEMBLY: 95412 NO. 9848289G1	EA	1	1	*	*	2	*	*	2	5		
P	F	6615-563-2944									POINTER ASSEMBLY: 95412 NO. 8948289G2	EA	1	1	*	*	2	*	*	2	5		

REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE										(4)	(5)	(6)	(7)						(8)	(9)	(10)	
SOURCE CD (A) P F	FEDERAL STOCK NUMBER (2)	MODEL (3)						DESCRIPTION	UNIT OF ISSUE	QTY INC IN UN PK	QTY INC IN UNIT	30 DAY MAINT. ALW.						PER. ALW. EQUIP. CATEGORY FL.	DEPOT MAINT. ALW. PER. 100 EQUIP.	FIGURE NUMBER	ITEM OR SYMBOL NUMBER	
		1	2	3	4	5	6					DS			GS							
												(A)	(B)	(C)	(A)	(B)	(C)					
P	5905-814-2843							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 54268R10F	EA	1	1	*	*	2	*	*	2	85		R115		
P	5905-814-2846							RESISTOR, FIXED, WIRE WOUND: 95412 NO. CE54215R0F	EA	1	1	*	*	2	*	*	2	85		R114		
P	5905-814-2845							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E400R0F	EA	1	1	*	*	2	*	*	2	85		R113		
P	5905-814-2838							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E462R0F	EA	1	1	*	*	2	*	*	2	85	7-18	R103		
P	5905-814-7154							RESISTOR, FIXED, WIRE WOUND 91637 NO. RS-2	EA	1	1	*	*	2	*	*	2	85	7-18	R111		
P	5905-814-7155							RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-2	EA	1	1	*	*	2	*	*	2	85	7-18	R110		
P	5905-814-7156							RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-2	EA	1	1	*	*	2	*	*	2	85	7-18	R112		
P	5905-814-2839							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E683R0F	EA	1	1	*	*	2	*	*	2	85				
P	5905-814-7157							RESISTOR, FIXED, WIRE WOUND: 9 1 6 3 7	EA	1	1	*	*	2	*	*	2	85	7-18	R109		
P	5905-814-2840							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542W11050F	EA	1	1	*	*	2	*	*	2	85	7-18	R101		
P	5905-814-7153							RESISTOR, FIXED, WIRE WOUND: 9 1 6 3 7	EA	1	1	*	*	2	*	*	2	85	7-18	R108		
P	5905-814-2841							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E20650F	EA	1	1	*	*	2	*	*	2	85	7-18	R104		
P	5905-583-7378							RESISTOR, FIXED, WIRE WOUND: 91637 NO. RS-5	EA	1	1	*	*	2	*	*	2	85				
P	5950-814-2842							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E51620F	EA	1	1	*	*	2	*	*	2	85	7-18	R105		
P	5905-814-2844							RESISTOR, FIXED, WIRE WOUND: 95412 NO. 542E34704F	EA	1	1	*	*	2	*	*	2	85	7-18	R106		
P	6615-535-9091							SPRING: 95412 NO. 9893368P1	EA	1	1	*	*	2	*	*	2	135				

SECTION V FEDERAL STOCK NUMBER INDEX

F S N	FIGURE	SYMBOL	I T E M
5905-258-8718			R30 R31
5905-279-5222	7-11		R17 THRU R20
5905-518-5134	7-11		R25
5905-539-3523	7-11		R14
5905-539-4565	7-8		
	7-11		R3 R13 R32
5905-539-4969			R5
	7-8		R9
5905-542-8408	7-11		R38
5905-542-9801	7-11		R2 R11
5905-552-2442	7-11		R21
5905-552-4350	7-11		R22
5905-552-5444	7-11		R4
	7-8		R5
5905-553-2193	7-11		R12 R44 R45
5905-553-2205	7-11		R1
	7-8		R2
5905-556-3334	7-11		R33
5905-556-3348	7-11		R10
5905-556-3736			R6
	7-11		R7
5905-556-5812	7-11		R34
5905-577-0867	7-11		
	7-8		R8
5905-577-0890	7-11		R41
5905-581-1004	7-11		R35
			R39
5905-581-1022	7-15		R14.R41
5905-581-1046	7-8		R10
	7-11		R6 R15
5905-581-1717	7-8		R13.R40
5905-617-7739	7-11		R24
5905-650-0367	7-11		R36 R27
5905-660-5395	7-11		R8
5905-665-7077	t-11		R37
5903-752-6652	7-8		R42
5905-814-2838	7-18		R103
5905-814-2840	7-18		R101
5905-814-2841	7-18		R104
5905-814-2642	7-18		R105
5905-814-2843			R115
5904-814-2844	7-18		R106
5905-814-2845			
5905-814-2846			R114
5905-814-7133	7-18		R108
5905-814-7154	7-18		R111
5905-814-7155	7-18		R110
5905-814-7156	7-18		
5905-814-7157	7-18		R109
5905-616-0240	7-11		R39
5905-816-1866	7-11		R16
5905-816-2247	7-8		R43
	7-11		R40

F S N	FIGURE	SYMBOL	I T E M
5905-834-6365	7-11		R28
5905-835-3812			R29
5905-835-3813	7-11		R23
5905-835-3816	8-1		R15 THRU R38
5905-853-1545	7-11		R36 R43
5910-280-9611	5-5		C9
5910-879-7325	5-4		C15
5916-583-4859	7-8		C17
5910-615-4124			C14
5910-617-4114	5-5		C8
5910-644-3724	5-2		C2
	7-10		C7
5910-686-6371	8-2		C10
5910-686-6221	8-2		C11
5910-822-2193	n-2		13
5910-823-1145			C4
5910-834-9858	5-5		C6.C7.C10.C11
5910-834-9860	5-4		C13
5910-834-9861			C12
5910-840-5789	8-2		C9
5910-894-0083	5-2		C3 C6 C8
			C3
5935-149-3237			J2
5935-149-3419	6-3		J4
5935-201-5325			J102
5935-259-3257	6-3		P101
5935-259-3258	6-3		P101
5935-259-4413	8-2		J7 J8
5935-259-4630	7-4		P7 P8
5935-280-2265	6-3		J101
5935-280-2074	6-3		P102
5935-793-2020			J6
5945-752-5463	7-6		SK1
5945-822-2198	8-1		K1
5950-587-8870			T4 T7
5950-630-7005	7-6		T6
5950-632-3286			
5950-632-3287	7-6		T8
5950-632-6176	7-6		T1 T3 T5
5950-686-7859			T 3
5950-686-7860			
5950-686-9056			L1,L2
5950-706-0781	7-7		T5
5960-262-0196	e-2		V2,V3,V4,V6
	8-2		V2 V3 V4 V7 V9 V10
5960-262-3763	8-2		V21
5951-975-2175			CR1 THRU CR4
5960-583-4071	8-2		V1,V5
5960-583-4071	8-2		V1 V5 V6 V8
5961-828-9184	7-6		CR5 CR6

F S N	FIGURE	SYMBOL	I T E M
5990-819-5504	6-4		B3 B4 B5
5990-822-3839			B1. 62
6130-688-4712	6-4		CR1

By Order of the Secretary of the Army:

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Distribution:

To be distributed in accordance with DA Form 12-36, Organizational maintenance requirements for OV-1A, OV-1B, and OB-1C aircrafts.

END

12-25-82


DATE





DEPARTMENT OF THE ARMY

MICROFORM
TEST TARGET



10 mm (e= .81 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890
abcdefghijklmnopqrstuvwxyz \$%# 1/2 1/4 3/4 —=+ x&@*

1.5 mm (e= 1.09 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890
abcdefghijklmnopqrstuvwxyz \$%# 1/2 1/4 3/4 —=+ x&@*

2.0 mm (e= 1.37 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 \$%# 1/2 1/4 3/4 —=+ x&@*

2.5 mm (e= 1.77 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 \$%# 1/2 1/4 3/4 —=+ x&@*

150 MM

10 mm (e= .81 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890
abcdefghijklmnopqrstuvwxyz \$%# 1/2 1/4 3/4 —=+ x&@*

1.5 mm (e= 1.09 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890
abcdefghijklmnopqrstuvwxyz \$%# 1/2 1/4 3/4 —=+ x&@*

2.0 mm (e= 1.37 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 \$%# 1/2 1/4 3/4 —=+ x&@*

2.5 mm (e= 1.77 mm)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 \$%# 1/2 1/4 3/4 —=+ x&@*

200 MM

250 MM