

# TM 11-6625-1711-25P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

---

ORGANIZATIONAL, DS, GS, AND DEPOT MAINTENANCE REPAIR

PARTS AND SPECIAL TOOL LISTS

TEST SET, SIMULATOR AN/APM-245

---

HEADQUARTERS, DEPARTMENT OF THE ARMY

FEBRUARY 1971



TECHNICAL MANUAL }  
 No. 11-6625-1711-25P }

HEADQUARTERS  
 DEPARTMENT OF THE ARMY  
 WASHINGTON, D.C., 18 February 1971

**Organizational, DS, GS, and Depot Maintenance Repair  
 Parts and Special Tool Lists**

**TEST SET, SIMULATOR AN/APM-245**

*Current as of 13 November 1970*

	Paragraph	Page
SECTION I. INTRODUCTION		
Scope .....	1	2
General .....	2	2
Explanation of columns .....	3	2
Special information .....	4	4
Location of repair parts .....	5	4
Federal supply code for manufacturers .....	6	5
Recommendations for maintenance publication improvements .....	7	5
II. PRESCRIBED LOAD ALLOWANCE .....		6
III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE .....		7
IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR ORGANIZATIONAL MAINTENANCE (Nonapplicable).		
V. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE .....		8
VI. SPECIAL TOOLS, TEST, AND SUPPORT EQUIPMENT FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (Nonapplicable).		
VII. INDEX—FEDERAL STOCK NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION .....		43

# SECTION I

## INTRODUCTION

---

### 1. Scope

This manual lists repair parts and special tools required for the performance of organizational, general support, and depot maintenance of the AN/APM-245. No parts authorized for stockage at direct support maintenance.

### 2. General

This repair parts and special tools list is divided into the following sections:

*a. Prescribed Allowance (PLA)-Section II.* A composite of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

*b. Repair Parts for Organizational Maintenance-Section III.* A list of repair parts authorized for the performance of maintenance at the organizational level.

*c. Special Tools, Test and Support Equipment for Organizational Maintenance-Section IV.* Not applicable.

*d. Repair Parts for Direct Support, General Support, and Depot Maintenance-Section V.* A list of repair parts authorized for the performance of maintenance at the general support and depot level.

*e. Special Tools, Test, and Support Equipment for Direct Support, General Support, and Depot Maintenance-Section VI.* Not applicable.

*f. Index-Federal Stock Number Cross-Reference to Figure and Item Number or Reference Designation-Section VII.* A list of Federal stock numbers in ascending numerical sequence, followed by a list of reference numbers appearing in ascending alphanumeric sequence, cross-referenced to the figure number and item number.

### 3. Explanation of Columns

The following provides an explanation of columns in the tabular lists:

*a. Source, Maintenance, and Recoverability Codes (SMR).*

(1) Source codes indicate the selection status and source for the list item. Source codes are-

*Code*

*Explanation*

- P—Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.
- P2—Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
- P9—Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.
- P10—Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
- M—Repair parts which are not procured or stocked, but are to be manufactured at indicated maintenance levels.
- A—Assemblies which are not procured or stocked as such but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
- X—Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the

<i>Code</i>	<i>Explanation</i>
	applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1-	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2-	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G-	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance codes indicate the lowest category of maintenance authorized to install the listed item. The maintenance level codes are -

<i>Code</i>	<i>Explanation</i>
C . . .	Operator/crew
O . . .	Organizational maintenance
H . . .	General support maintenance
D . . .	Depot maintenance

(3) Recoverability codes indicate whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are-

<i>Code</i>	<i>Explanation</i>
R-	Repair parts and assemblies that are economically repairable at DSU and GSU activities and are normally furnished by supply on an exchange basis.
S-	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T-	High-dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired

<i>Code</i>	<i>Explanation</i>
	or overhauled at depot maintenance activities.
U-	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high-dollar value reusable casings or castings.
	<i>b. Federal Stock Number.</i> Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.
	<i>c. Description.</i> Indicates the Federal item name and any additional description of the item required. The index number has been included as part of the description to aid in the location of "same as" items. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses.
	<i>d. Unit of Measure (U/M).</i> A two-character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.
	<i>e. Quantity Incorporated in Unit.</i> Indicates the quantity of the item used in the AN/APM-245. Subsequent appearances of the same item in the same assembly are indicated by the letters REF.

*f. 15-Day Organizational Maintenance Allowances.*

(1) The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance columns. Items authorized for use as required, but not for initial stockage, are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by converting the equipment quantity to a decimal factor by placing a decimal point be-

fore the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. *Example*, authorized allowance for 51-100 equipment is 12; for 140 equipments multiply 12 by 1.40 or 16.80 rounded off to 17 parts required.

(4) Subsequent changes to allowances will be limited as follows: No changes in the range of items is authorized. If additional items are considered necessary, recommendation should be forwarded to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-EM, Fort Monmouth, N.J. 07703, for exception or revision to the allowance list. Revisions to the range of items authorized will be made by the USAECOM National Maintenance Point based upon engineering experience, demand data, or TAERS information.

*g. 30-Day DS/GS Maintenance Allowances.*

**NOTE**

Allowances in GS Column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required, but not for initial stockage, are identified with an asterisk in the allowance column.

(2) The quantitative allowances for GS level of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. *Example*, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

*h. One-Year Allowances per 100 Equipments/Contingency Planning Purposes.* Indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items in-

dicates total quantities of all authorized items required to provide for adequate support of 100 equipments for 1 year.

*i. Depot Maintenance Allowance per 100 Equipments.* Indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required, but not for initial stockage, are identified with an asterisk in the allowance column.

*j. Illustrations.*

(1) *Figure number.* Indicates the figure number in which the item is shown in TM 11-6625-1711-15.

(2) *Item number or reference designation.* Indicates the item number used to identify the item in the illustration.

**4. Special Information**

*a.* Repair parts mortality is computed from failure rates derived from experience factors with the individual parts in a variety of equipments. Variations in the specific application and periods of use of electronics equipment, the fragility of electronic piece parts, plus intangible material and quality factors intrinsic to the manufacture of electronic parts, do not permit mortality to be based on hours of end item use. However, long periods of continuous use under adverse conditions are likely to increase repair parts mortality.

*b.* The following publication pertains to AN/APM-245 and to components.

TM 11-6625-1711-15 -- Operation and Service/Organizational, GS, and Depot Maintenance Manual with Illustrated Parts Breakdown: Simulator Test Set AN/APM-245.

**5. Location of Repair Parts**

*a.* This manual contains one cross-reference index (sec. VII) to be used to locate a repair part when either the Federal stock number, reference number (manufacturer's part number), or item number is known. The first column in the index is prepared in numerical and/or alphanumeric sequence in ascending order. Where a Federal stock number is not listed, refer to the reference number (manufacturer's part number) immediately following the Federal stock number.

*b.* When the Federal stock number is not

known, to locate a repair part, scrutinize column 3 of the repair parts list (sec. III and V).

## 6. Federal Supply Code for Manufacturers

<i>Code</i>	<i>Manufacturer's name</i>
00779 . . . .	AMP, Inc.
02660 . . . .	Bunker C. Raino Corp. The Amphenol Connector Div.
02735 . . . .	RCA Corp. Solid State Division
06229 . . . .	Electrovert, Inc.
06540 . . . .	Amatom Electronic Hardware Div. of Mite Corp.
07047 . . . .	Ross Milton Co., The
08108. . . . .	Lamp Industry for use with Industry Designations and Abbreviations for Lamps
12615 . . . .	U.S. Terminals, Inc.
13103 . . . .	Thermalloy Co.
18324 . . . .	Signetics Corp.
19178 . . . .	Zero Mfg. Co. East Division
61007. . . . .	Tubular Rivet and Stud Division, Townsend Co.
70276 . . . .	Allen Mfg. Co.
71785. . . . .	Cinch Mfg. Co. and Howard B. Jones Div.
72962 . . . .	Elastic Stop Nut Division of Amerace Esna Corp.

<i>Code</i>	<i>Manufacturer's name</i>
78947. . . . .	Ucinite Co., The Division of United and Carr, Inc.
79963 . . . .	Zierick Mfg. Co.
80058. . . . .	Joint Electronic Type Designation System
80131. . . .	Electronic Industries Association
80205. . . .	National Aerospace Standards Committee
80249 . . . .	Hazeltine Corp.
81349 . . . .	Military Specifications
91506. . . .	Augat, Inc.
95987 . . . .	Weckesser Co., Inc.
96906 . . . .	Military Standards
99378. . . .	Atlee Corp.
99392. . . .	STM

## 7. Recommendations for Maintenance Publication Improvements

Reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U.S. Army Electronics Command, ATTN: AMSEL-ME-NMP-EM, Fort Monmouth, N.J. 07703.

TABLE 4-2. TOOLS AND EQUIPMENT LIST (CONT'D)

SECTION II. PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION	USABLE ON CODE	(3) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE			
			(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100
5355-813-2078	KNOB MS91528-0D1B (96906)				2	2
5920-296-0446	FUSE, CARTRIDGE: FO2A250V3-4A (81349)			2	2	3



## SECTION III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR CODE	(4) UNIT OF MEAS UNIT	(5) QTY INC	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUSTRATIONS (A) (B)	
					(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	FIG NO	ITEM NO OR REFERENCE DESIGNATION
	6625-869-4015	A001 TEST SET, SIMULATOR AN/APM-245								1-1
P-O	5920-296-0446	A002 FUSE, CARTRIDGE: F02A250V3-4A (81349)	EA	1	*	2	2	3	5-2	22
P-O	5355-994-3435	A071 KNOB: MS91528-1E2B (96906)	EA	1	*	*	*	*	5-2	2
P-O	5355-813-2078	A075 KNOB: MS91528-0D1B (96906)	EA	9	*	*	2	2	5-2	6
P-O	5920-296-0446	A100 FUSE, CARTRIDGE: SAME AS A002	EA	2	REF	REF	REF	REF	5-2	22
P-O	5920-296-0446	A101 FUSE, CARTRIDGE: SAME AS A002	EA	REF	REF	REF	REF	REF	5-2	22
P-O	6240-682-3411	LAMP, GLOW: NE51H (08108)	EA	1	*	*	*	*	5-2	25
P-O	6210-989-9885	A105 LENS, INDICATOR LIGHT: LC19CN (81349)	EA	1	*	*	*	*	5-2	24

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	UNIT	(A) (B) (C)	(A) (B) (C)	ALW PER	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	ALLOWANCE	ALLOWANCE	EQUIP	ALW PER	FIG
			USABLE ON		(A) (B) (C)	(A) (B) (C)	CNTGCTY	100	NO
			CODE		1-20 21-50 51-100	1-20 21-50 51-100		EQUIP	OR
									REFERENCE
									DESIGNATION
	6625-869-4015	A001 TEST SET, SIMULATOR AN/APM-245:							1-1
P-O	5920-296-0446	A002 FUSE, CARTRIDGE: FO2A250V3-4A (81349)	EA	1		2 3 6	83	60	5-2 22
X2-H		A003 KEY, SCREW: 880000-01050F4 (70276)	EA	1					5-1 11
X2-H		A004 EXTRACTOR, CIRCUIT CARD: 880007-3 (80249)	EA	1					5-1 10
M-D		A005 PLATE, IDENTIFICATION: 651006 (80249)	EA	1					5-1 9
A-H		A006 CABLE ASSEMBLY, RF: 117743 (80249)	EA	4					
P-H	5935-850-9157	007 CONNECTOR, PLUG ELECTRICAL UG-260E/U: M39012-16-0002 (81349)	EA	2		* 2 2	19	10	5-1 13
X2-H		A008 SLEEVE, MAKER, CABLE: ST650712-117743 (80249)	EA	1					5-1 15
P-H	6145-661-0191	A009 CABLE, RF: RG59BU (81349)	FT	4		* * *	8	4	5-1 14
A-H		A010 CABLE ASSEMBLY, POWER: 117740 (80249)	EA	1					5-1
X2-H	5940-636-5593	A011 TERMINAL, LUG: ST850007-134541 (00779)	EA	1					5-1 19
P-H	5935-843-7362	A012 CONNECTOR, PLUG ELECTRICAL: UP131M (81349)	EA	1		* 2 2	12	5	5-1 17
P-H	5935-781-8765	A013 CONNECTOR, PLUG ELECTRICAL: MS3116P14-55 (96906)	EA	1		* 2 2	12	5	5-1 16
X2-H		A014 SLEEVE, MARKER, CABLE: ST650716P1 (80249)	EA	1					5-1 21
X2-H		A105 SLEEVE, MARKER, CABLE: ST650716P2 (80249)	EA	1					5-1 22
X2-H		A016 SLEEVE, MARKER, CABLE: ST650716W1 (80249)	EA	1					5-1 23
X2-H		A017 SLEEVE, MARKER, CABLE: ST650716-117740 (80249)	EA	1					5-1 20
P-H	6145-676-7691	A018 CABLE, POWER, ELECTRICAL: THOF3 (81349)	EA	1		* 2 2	19	10	5-1 18
X2-H		A019 PANEL - CHASSIS ASSEMBLY: 117474 (80249)	EA	1					
X2-H		A020 PIN, SHOULDERED, HEADLESS: 751647 (80249)	EA	2					5-1 5
X2-H	5310-619-1148	A021 WASHER, FLAT: MS15795-808 (96906)	EA	2					5-1 6
X2-H	5310-933-8120	A022 WASHER, LOCK: MS35338-138 (96906)	EA	2					5-1 7
X2-H	5310-812-4292	A023 NUT, PLAIN, HEXAGONAL: NAS671010 (80205)	EA	2					5-1 8
M-D		A024 PLATE, IDENTIFICATION: 651005 (80249)	EA	1					5-2 27
X2-H	5305-054-5649	A025 SCREW, MACHINE: MS51957-15 (96906)	EA	8					5-2 28
X2-H	5310-933-8118	A026 WASHER, LOCK: MS35338-135 (96906)	EA	20					5-2 17
X2-H	5310-934-9748	A027 NUT, PLAIN, HEXAGONAL: MS35649-244 (96906)	EA	16					

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC	(6) 30-DAY DS ALLOWANCE (A) (B) (C)	(7) 30-DAY GS ALLOWANCE (A) (B) (C)	(8) 1 YR ALW PER EQUIP CNTGCT	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION				
		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE										
X2-H		A028 HANDLE, BOW: 410120 (80249)	EA	2						5-2	11		
X2-H	5305-781-5664	A029 SCREW, MACHINE: MS24693C271 (96906)	EA	4						5-2	13		
X2-H		A030 WASHER, RECESSED: 340297-3 (80249)	EA	4						5-2	2		
P-H	5930-902-2395	A031 SWITCH, TOGGLE: MS75028-23 (96906)	EA	40			4	11	20	242	200	5-2	1
P-H	5930-902-2395	A032 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A033 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A034 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A035 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A036 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A037 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A038 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A039 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A040 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A041 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A042 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A043 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A044 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A045 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A046 SWITCH, TOGGLE: SAME AS A031	A	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A047 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A048 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A049 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A050 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A051 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A052 SWITCH, TOGGLE: SAME AS A031	A	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A053 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A054 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A055 SWITCH, TOGGLE: SAME AS A031	EA	REF			REF	REF	REF	REF	REF	5-2	1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGNCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
						(A)	(B)	(C)	(A)	(B)	(C)			(A)	(B)
P-H	5930-902-2395	A056 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A057 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A058 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A059 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A060 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A061 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A062 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A063 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A064 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A065 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A066 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A067 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A068 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A069 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5930-902-2395	A070 SWITCH, TOGGLE: SAME AS A031		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-O	5355-994-3435	A071 KNOB: MS91528-1E2B (96906)		EA	1				*	*	*	5	2	5-2	2
P-H		A072 SWITCH, ROTARY: 840797 (80249)		EA	1				*	2	2	12	5	5-2	3
P-H	5930-501-1749	A073 SWITCH, PUSH: MS25089-3C (96906)		EA	1				*	2	2	12	5	5-2	4
P-H	5930-932-6959	A074 SWITCH-TOGGLE: MS75029-21 (96906)		EA	1				*	2	2	12	5	5-2	5
P-O	5355-813-2078	A075 KNOB: MS91528-0D1B (96906)		EA	9				*	2	2	29	18	5-2	6
P-H	5905-577-3608	A076 RESISTOR, VARIABLE: RV6NAYS03A (81349)		EA	3				*	2	2	20	12	5-2	7
P-H	5905-577-3608	A077 RESISTOR, VARIABLE: SAME AS A076		EA	REF				REF	REF	REF	REF	REF	5-2	7
P-H	5905-577-3608	A078 RESISTOR, VARIABLE: SAME AS A076		EA	REF				REF	REF	REF	REF	REF	5-2	7
P-H	5905-581-6185	A079 RESISTOR, VARIABLE: RV6NAYS02A (81349)		EA	2				*	*	2	16	8	5-2	8
P-H	5905-581-6185	A080 RESISTOR, VARIABLE: SAME AS A079		EA	REF				REF	REF	REF	REF	REF	5-2	8
P-H	5905-542-9605	A081 RESISTOR, VARIABLE: RV6NAYS103A (81349)		EA	3				*	2	2	20	12	5-2	9
P-H	5905-542-9605	A082 RESISTOR, VARIABLE: SAME AS A081		EA	REF				REF	REF	REF	REF	REF	5-2	9
P-H	5905-542-9605	A083 RESISTOR, VARIABLE: SAME AS A081		EA	REF				REF	REF	REF	REF	REF	5-2	9

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	UNIT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	CNTGCTY	100	NO
			CODE					EQUIP	OR
									REFERENCE
									DESIGNATION
P-H	5905-552-2585	A084 RESISTOR, VARIABLE: RV6NAYS253A (81349)	EA	1		* * *	10	4	5-2 10
P-H		A085 CONNECTOR, RECEPTACLE, ELECTRICAL: 94-62548-1 (02660)	EA	1		* * 2	8	3	5-2 14
X2-H	5305-054-5650	A086 SCREW, MACHINE: MS51957-16 (96906)	EA	6					5-2 15
X2-H	5310-595-6211	A087 WASHER, FLAT: MS15795-803 (96906)	EA	16					5-2 16
X2-H	5310-933-8118	A088 WASHER, LOCK: SAME AS A026	EA	REF					5-2 17
P-H		A089 RESISTOR, FIXED, COMPOSITION: RCR20G910JM (81349)	EA	1		* 2 2	13	6	5-2 20
P-H	5935-926-7460	A090 CONNECTOR, RECEPTACLE, ELECTRICAL: M39012-18-0002 (81349)	EA	9		* 2 2	43	27	5-2 18
P-H	5935-926-7460	A091 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A092 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A093 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A094 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A095 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A096 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A097 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
P-H	5935-926-7460	A098 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A090	EA	REF		REF REF REF	REF	REF	5-2 18
X2-H		A099 TERMINAL, LUG: 850186-1 (80249)	EA	1					5-2 19
P-O	5920-296-0446	A100 FUSE, CARTRIDGE: SAME AS A002	EA	2		REF REF REF	REF	REF	5-2 22
P-O	5920-296-0446	A101 FUSE, CARTRIDGE: SAME AS A002	EA	REF		REF REF REF	REF	REF	5-2 22
P-H	5920-556-0144	A102 FUSEHOLDER: FHN20G (81349)	EA	2		* 2 2	13	6	5-2 21
P-H	5920-556-0144	A103 FUSEHOLDER SAME AS A102	EA	REF		REF REF REF	REF	REF	5-2 21
P-O	6240-682-3411	A104 LAMP, GLOW: NE51H (08108)	EA	1		* * 2	10	4	5-2 25
P-O	6210-989-9885	A105 LENS, INDICATOR LIGHT: LC19CN (81349)	EA	1		* * 2	8	3	5-2 24
P-H	6210-989-9884	A106 LIGHT, INDICATOR: LH78 (81349)	EA	1		* * 2	10	4	5-2 23
P-H		A107 SWITCH, TOGGLE: MS35059-22 (96906)	EA	1		* * 2	12	5	5-2 26
P-H	5935-850-6522	A108 CONNECTOR, RECEPTACLE ELECTRICAL: MS3112E14-5P (96906)	EA	1		* * 2	8	3	5-2 30
X2-H	5305-054-5649	A109 SCREW, MACHINE: SAME AS A025	EA	REF					5-2 28
X2-H	5310-933-8118	A110 WASHER, LOCK: SAME AS A026	EA	REF					5-2 17

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER		USABLE ON		(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG
			CODE		1-20 21-50 51-100	1-20 21-50 51-100	CNTGCT	100	NO
								EQUIP	REFERENCE
									DESIGNATION
X2-H	5310-934-9748	A111 NUT, PLAIN, HEXAGONAL: SAME AS A027	EA	REF					
P-H	5930-916-3875	A112 SWITCH, TOGGLE: MS75028-26 (96906)	EA	1		* 2 2	12	5	5-2 31
P-H	5930-838-4449	A113 SWITCH, TOGGLE: MS75028-21 (96906)	EA	1		* 2 2	12	5	5-2 32
P-H	6625-720-3127	A114 AMMETER: MR13W001DCMAR (81349)	EA	1		* * *	5	2	5-2 33
X2-H	5305-054-5652	A115 SCREW, MACHINE: MS51957-18 (96906)	EA	4					5-2 97
X2-H	5310-933-8118	A116 WASHER, LOCK: SAME AS A026	EA	REF					5-2 17
X2-H	5310-934-9748	A117 NUT, PLAIN, HEXAGONAL: SAME AS A027	EA	REF					
X2-H		A118 FRONT PANEL ASSEMBLY: 117731 (80249)	EA	1					
X2-H	5305-054-6670	A119 SCREW, MACHINE: MS51957-45 (96906)	EA	8					5-2 35
X2-H		A120 PANEL, SCREW RETAINER: 6312BSS0832 (06540)	EA	12					5-2 37
X2-H	5305-989-5351	A121 SCREW, EXTERNAL RELIEF BODY: 6106SS0832-7 (06540)	EA	12					5-2 36
X2-H	5310-619-1929	A122 NUT, SELF-LOCKING, PLASTIC: 22NA7-68-82 (72962)	EA	1					5-2 38
X2-H	5320-117-6938	A123 RIVET, SOLID: MS20426AD3-4 (96906)	EA	2					5-2 39
P-H	5905-683-2242	A124 RESISTOR, FIXED, COMPOSITION: RC07GF471J (81349)	EA	1		2 4 8	101	74	5-2 70
P-H	5905-279-1979	A125 RESISTOR, FIXED, COMPOSITION: RC42GF101J (81349)	EA	1		* * 2	8	3	5-2 71
P-H		A126 CAPACITOR, FIXED, ELECTROLYTIC: CE13C331E (81349)	EA	1		* 2 2	16	8	
P-H	5961-892-0734	A127 SEMICONDUCTOR DEVICE DIODE: 1N483B (81349)	EA	2		* * 2	10	4	5-2 73
P-H	5961-892-0734	A128 SEMICONDUCTOR DEVICE, DIODE: SAME AS A127	EA	REF		REF REF REF	REF	REF	5-2 73
P-H	5961-892-3361	A129 SEMICONDUCTOR DEVICE DIODE: 1N750A (81349)	EA	1		* 2 2	13	6	5-2 75
P-H	5910-907-1867	A130 CAPACITOR, FIXED, ELECTROLYTIC: CE13C300J (81349)	EA	1		* 2 2	16	8	
P-H		A131 CAPACITOR, FIXED, PAPER CP09A3B104K1 (81349)	EA	1		* * 2	8	3	5-2 103
P-H	5910-992-3238	A132 CAPACITOR, FIXED, ELECTROLYTIC: M39003-01-2178 (81349)	EA	1		2 2 3	40	24	
X2-H	5940-280-0875	A133 TERMINAL, LUG: 147-4 (79963)	EA	2					5-2 104
X2-H	5305-054-5649	A134 SCREW, MACHINE: SAME AS A025	EA	REF					5-2 28
X2-H	5310-933-8118	A135 WASHER, LOCK: SAME AS A026	EA	REF					5-2 17
X2-H	5310-934-9748	A136 NUT, PLAIN, HEXAGONAL: SAME AS A027	EA	REF					5-2 29

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS		
CODE	STOCK		OF	INC	IN 30-DAY DS MAINT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)		
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG ITEM NO OR		
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	1-20 21-50 51-100	CNTG	100	NO REFERENCE		
			CODE					PER	PER	DESIGNATION		
								100	100			
X2-H	5340-969-6501	A137 CLAMP, LOOP: NAS1397R7 (80205)	EA	1						5-2 106		
X2-H	5340-290-7273	A138 CLAMP, LOOP: 3-4-6 (95987)	EA	1						5-2 107		
X2-H	5305-054-6671	A139 SCREW, MACHINE: MS51957-46 (96906)	EA	2						5-2 108		
X2-H	5310-880-5978	A140 WASHER, FLAT: MS15795-807 (96906)	EA	6						5-2 49		
X2-H	5310-982-6814	A141 NUT, PLAIN, HEXAGONAL: MS21044C08 (96906)	EA	2						5-2 109		
P-H	5910-985-3578	A142 CAPACITOR, FIXED, ELECTROLYTIC: CZ23BKFI03 (81349)	EA	2			*	2	2	27	16	5-2 40
P-H	5910-985-3578	A143 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A142	EA	REF			REF	REF	REF	REF	REF	5-2 40
X2-H	5940-082-4968	A144 TERMINAL, LUG: 650 (79963)	EA	2								5-2 41
P-H		A145 TRANSFORMER, POWER, STEP-UP: 890356 (80249)	EA	1			*	*	2	8	3	5-2 47
X2-H	5305-054-6669	A146 SCREW, MACHINE: MS51957-44 (96906)	EA	4								5-2 49
X2-H	5310-880-5978	A147 WASHER, FLAT: SAME AS A140	EA	REF								5-2 49
P-H	5905-905-7761	A148 RESISTOR, FIXED, WIREWOUND: RE60G1000 (81349)	EA	1			*	*	2	8	3	5-2 43
P-H		A149 RESISTOR, FIXED, WIREWOUND: RE65N1001 (81349)	EA	1			*	*	2	8	3	5-2 42
X2-H	5305-054-5637	A150 SCREW, MACHINE: MS51957-3 (96906)	EA	4								5-2 44
X2-H	5310-928-2690	A151 WASHER, LOCK: MS35338-134 (96906)	EA	4								5-2 45
X2-H	5310-926-5819	A152 NUT, PLAIN, HEXAGONAL: MS16210-1 (96906)	EA	4								5-2 46
P-H	5961-878-4683	A153 SEMICONDUCTOR DEVICE, DIODE: 1N2999B (81349)	EA	1			*	*	*	5	2	5-2 50
P-H	5961-978-6318	A154 SEMICONDUCTOR DEVICE, DIODE: 1N1615 (81349)	EA	2			*	*	2	10	4	5-2 52
P-H	5961-978-6318	A155 SEMICONDUCTOR DEVICE, DIODE: SAME AS A154	EA	REF			REF	REF	REF	REF	REF	5-2 52
P-H		A156 SEMICONDUCTOR DEVICE, DIODE: 1N614A (80131)	EA	2			*	*	2	10	4	5-2 51
P-H		A157 SEMICONDUCTOR DEVICE, DIODE: SAME AS A156	EA	REF			REF	REF	REF	REF	REF	5-2 51
X2-H		A158 WASHER, NONMETALLIC 930129-8 (80249)	EA	10								5-2 54
X2-H	5330-988-0666	A159 WASHER, NONMETALLIC 930120-2 (80249)	EA	5								5-2 55
X2-H	5310-933-8120	A160 WASHER, LOCK: SAME AS A022	EA	5								5-2 56
X2-H	5310-812-4292	A161 NUT, PLAIN, HEXAGONAL: SAME AS A023	EA	5								5-2 57
X2-H	5940-681-8184	A162 TERMINAL, LUG: MS35431-8 (96906)	EA	5								5-2 53
P-H		A163 CAPACITOR, FIXED, ELECTROLYTIC: 105EZ25HB552 (99392)	EA	1			*	2	2	16	8	5-2 58

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5910-955-6728	A164 CAPACITOR, FIXED, ELECTROLYTIC: CE31C251J (81349)	EA	1		* 2 2	16	8	
X2-H	5340-473-5595	A165 STRAP, RETAINING: 310159-13 (06229)	EA	4					5-2 61
X2-H	5910-946-9440	A166 RETAINER, CAPACITOR: C3M (06229)	EA	4					5-2 60
X2-H	5305-054-6650	A167 SCREW, MACHINE: MS51957-26 (96906)	EA	4					5-2 62
X2-H	5310-929-6395	A168 WASHER, LOCK: MS35338-136 (96906)	EA	4					5-2 63
P-H		A169 TRANSISTOR: 2N1485 (02735)	EA	2		* 2 2	13	6	5-2 93
P-H		A170 TRNSISTOR: SAME AS A169	EA	REF		REF REF REF	REF	REF	5-2 93
X2-H	5305-054-5651	A171 SCREW, MACHINE: MS51957-17 (96906)	EA	4					5-2 94
X2-H	5310-595-6211	A172 WASHER, FLAT: SAME AS A087	EA	REF					5-2 16
X2-H	5310-933-8118	A173 WASHER, LOCK: SAME AS A026	EA	REF					5-2 17
X2-H	5310-934-9748	A174 NUT, PLAIN, HEXAGONAL: SAME AS A027	EA	REF					5-2 29
P-H	5905-549-6195	A175 RESISTOR, FIXED, WIREWOUND: RW55V2R0 (81349)	EA	1		* * 2	8	3	5-2 64
P-H	5905-258-7358	A176 RESISTOR, FIXED, WIREWOUND: RW55V100 (81349)	EA	1		* * 2	8	3	5-2 65
P-H	5905-542-9835	A177 RESISTOR, FIXED, WIREWOUND: RW55V120 (81349)	EA	2		* 2 2	13	6	5-2 66
P-H	5905-542-9835	A178 RESISTOR, FIXED, WIREWOUND: SAME AS A177	EA	REF		REF REF REF	REF	REF	5-2 66
P-H	5905-836-4587	A179 RESISTOR, FIXED, WIREWOUND: RW55V221 (81349)	EA	1		* * 2	8	3	5-2 67
P-H	5905-878-7527	A180 RESISTOR, FIXED, WIREWOUND: RW55V240 (81349)	EA	1		* * 2	8	3	5-2 68
P-H	5910-941-3997	A181 CAPACITOR, FIXED, CE13C600H (81349)	EA	1		* 2 2	16	8	
M-D		A182 STRAP ASSEMBLY: 117736 (80249)	EA	1					5-2 100
X2-H	5305-054-6670	A183 SCREW, MACHINE: SAME AS A119	EA	REF					5-2 35
X2-H	5310-933-8119	A184 WASHER, LOCK: MS35338-137 (96906)	EA	1					5-2 101
P-H		A185 EXTENDER BAORD ASSEMBLY: 117459 (80249)	EA	1		* * *	4	1	
X1-H		A186 CONNECTOR, RECEPTACLE, ELECTRICAL: 251-22-30-270 (71785)	EA	1					5-2 91
X1-H		A187 PRINTED WIRING BOARD: 865703 (80249)	EA	1					5-2 92
P-H-S		A188 CIRCUIT CARD ASSEMBLY: 117460 (80249)	EA	1		* * 2	8	3	5-2 88
P-H	5961-842-9864	A189 SEMICONDUCTOR DEVICE, DIODE: 1N914 (81349)	EA	151		13 30 57	673	578	5-3 1
P-H	5961-842-9864	A190 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1



## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	UNIT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER		MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	CNTGCTY	100	NO
			CODE					EQUIP	REFERENCE
									DESIGNATION
P-H	5961-842-9864	A191 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A192 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A193 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A194 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A195 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A196 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A197 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A198 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A199 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A200 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A201 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A202 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A203 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A204 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A205 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A206 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A207 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A208 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A209 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A210 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A211 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A212 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A213 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A214 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A215 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A216 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A217 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A218 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
						(A)	(B)	(C)	(A)	(B)	(C)			5-3	1
P-H	5961-842-9864	A219 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A220 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A221 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A222 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A223 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A224 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A225 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A226 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-2	1
P-H	5961-842-9864	A227 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A228 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A229 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A230 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A231 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842	A232 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A233 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A234 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A235 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A236 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A237 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A238 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A239 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A240 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A241 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A242 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A243 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A244 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A245 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A246 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
						(A)	(B)	(C)	(A)	(B)	(C)			5-3	1
P-H	5961-842-9864	A247 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A248 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A249 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A250 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A251 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A252 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A253 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A254 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A255 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A256 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A257 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A258 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A259 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A260 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A261 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A262 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A263 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A264 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A265 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A266 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A267 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A268 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A269 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A270 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A271 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A272 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A273 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A274 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
						(A)	(B)	(C)	(A)	(B)	(C)			5-3	1
P-H	5961-842-9864	A275 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A276 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A277 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A278 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A279 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A280 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A281 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A282 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A283 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A284 SEMICONDUCTOR DEVICE DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A285 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A286 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A287 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A288 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A289 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A290 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A291 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A292 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A293 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A294 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A295 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A296 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A297 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A298 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A298 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A300 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A301 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A302 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B)	
						(A)	(B)	(C)	(A)	(B)	(C)			FIG NO	ITEM NO OR REFERENCE DESIGNATION
P-H	5961-842-9864	A303 SEMICONDUCTOR DEVICE DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A304 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A305 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A306 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A307 SEMICONDUCTOR DEVICE DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A308 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A309 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A310 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A311 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A312 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A313 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A314 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A315 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A316 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A317 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A318 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A319 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A320 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A321 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A322 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A323 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A324 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A325 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A326 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A327 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A328 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A329 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1
P-H	5961-842-9864	A330 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-3	1

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C)	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C)	(8) 1 YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5961-842-9864	A331 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A332 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A333 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A334 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A335 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A336 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A337 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A338 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5961-842-9864	A339 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-3 1
P-H	5905-686-9998	A340 RESISTOR, FIXED, COMPOSITION: RC07GF472J (81349)	EA	38		3 9 16	198	162	5-3 2
P-H	5905-686-9998	A341 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A342 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A343 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A344 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A345 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A346 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A347 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A348 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A349 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A350 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A351 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A352 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A353 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A354 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A355 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A356 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A357 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A358 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-3 2

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	INC	IN 30-DAY DS MAINT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	(A) (B) (C)	EQUIP	100	FIG
			USABLE ON					CNTG	PER	NO
			CODE					GY	CENT	OR
										DESIGNATION
P-H	5905-686-9998	A359 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A360 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A361 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A362 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A363 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A364 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A365 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A366 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A367 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A368 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A369 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A370 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A371 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A372 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A373 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A374 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A375 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A376 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-686-9998	A377 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF			REF REF REF	REF	REF	5-3 2
P-H	5905-681-9969	A378 RESISTOR, FIXED, COMPOSITION: RC07GF332J (81349)	EA	1			2 2 3	46	30	5-3 3
P-H	5905-683-2238	A379 RESISTOR, FIXED, COMPOSITION: RC07GF103J (81349)	EA	1			2 3 6	83	60	5-3 4
P-H		A380 CAPACITOR, FIXED, MICA: CM05FD620J03 (81349)	EA	3			2 3 6	77	57	3-2 5
P-H		A381 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF			REF REF REF	REF	REF	3-2 5
P-H		A382 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF			REF REF REF	REF	REF	3-2 5
P-H	5905-683-2246	A383 RESISTOR, FIXED, COMPOSITION: RC07GF473J (81349)	EA	1			2 3 5	65	45	5-3 6
P-H	5905-681-6462	A384 RESISTOR, FIXED, COMPOSITION: RC07GF102J (81349)	EA	3			2 3 6	71	51	5-3 7
P-H	5905-681-6462	A385 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF			REF REF REF	REF	REF	5-3 7
P-H	5905-681-6462	A386 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF			REF REF REF	REF	REF	5-3 7

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CMTGCTY	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5905-686-9994	A387 RESISTOR, FIXED, COMPOSITION: RC07GF122J (81349)	EA	1		* 2 2	13	6	5-3 11
P-H	5905-726-4413	A388 RESISTOR, FIXED, COMPOSITION: RC07GF123J (81349)	EA	1		* 2 2	13	6	5-3 8
P-H	5905-683-2242	A389 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	3		REF REF REF	REF	REF	5-3 9
P-H	5905-683-2242	A390 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-3 9
P-H	5905-683-2242	A391 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-3 9
P-H	5905-681-8818	A392 RESISTOR, FIXED, COMPOSITION: RC07GF153J (81349)	EA	2		2 2 3	30	18	5-3 10
P-H	5905-681-8818	A393 RESISTOR, FIXED, COMPOSITION: SAME AS A392	EA	REF		REF REF REF	REF	REF	5-3 10
P-H	5910-847-7288	A394 CAPACITOR, FIXED, CERAMIC DISK: CK06CW103K (81349)	EA	1		* 2 2	19	12	5-3 12
X2-H		A395 RETAINER, CAPACITOR: 310073-2 (80249)	EA	1					5-3 13
P-H	5910-934-1636	A396 CAPACITOR, FIXED, ELECTROLYTIC: M39003-01-2134 (81349)	EA	1		2 2 3	46	32	5-3 14
P-H	5961-082-4020	A397 SEMICONDUCTOR DEVICE, DIODE: IN3825A (81349)	EA	1		* 2 2	13	6	5-3 15
P-H	5961-951-8757	A398 TRANSISTOR: 2N2222A (81349)	EA	5		3 9 16	175	163	5-3 16
P-H	5961-951-8757	A399 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-3 16
P-H	5961-951-8757	A400 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-3 16
P-H	5961-951-8757	A401 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-3 16
P-H	5961-951-8757	A402 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-3 16
P-H	5961-976-9592	A403 INSULATOR, DISK: 10020DAP (07047)	EA	5		2 2 3	40	26	5-3 17
P-H		A404 INTEGRATED CIRCUIT, AND-OR GATE: SU315K (18324)	EA	7		2 2 3	33	21	5-3 18
P-H		A405 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H		A406 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H		A407 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H		A408 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H		A409 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H		A410 INTEGRATED CIRCUIT, AND-OR GATE: SAME AS A404	EA	REF		REF REF REF	REF	REF	5-3 18
P-H	5962-916-7127	A411 INTEGRATED CIRCUIT, FLIP-FLOP: SU320K (18324)	EA	6		* 2 2	71	48	5-3 19
P-H	5962-916-7127	A412 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF REF	REF	REF	5-3 19
P-H	5962-916-7127	A413 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF REF	REF	REF	5-3 19



## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CMTGCTY	(9) DEPOT MAINT ALW PER EQUIP 100	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5962-916-7127	A414 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF REF	REF	REF	5-3 19
P-H	5962-916-7127	A415 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF REF	REF	REF	5-3 19
P-H	5962-916-7127	A416 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF REF	REF	REF	5-3 19
P-H	5935-854-7465	A417 JACK, TIP: 119437D (78947)	EA	1		* 2 2	19	10	5-3 20
P-H	5935-061-7744	A418 JACK,TIP: 1194378 (78947)	EA	1		* 2 2	16	8	5-3 21
P-H	5935-808-6134	A419 JACK, TIP: 119437F (78947)	EA	1		* 2 2	16	8	5-3 22
P-H	5935-081-6290	A420 JACK, TIP: 119437H (78947)	EA	1		* 2 2	13	6	5-3 23
X2-H		A421 PRINTED WIRING BOARD: 865704 (80249)	EA	1					5-3 25
P-H-S		A422 CIRCUIT CARD ASSEMBLY: 117461 (80249)	EA	1		* *	2 8	3	5-2 89
X2-H		A423 RETAINER CAPACITOR: SAME AS A395	EA	9					5-4 1
P-H	5910-992-3238	A424 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A132	EA	1		REF REF REF	REF	REF	5-4 2
P-H	5910-835-2175	A425 CAPACITOR, FIXED, PAPER: CP09A1KB103K3 (81349)	EA	1		* * 2	8	3	5-4 3
P-H	5910-688-2822	A426 CAPACITOR, FIXED, PAPER: CP05A1K8104K3 (81349)	EA	1		* * 2	8	3	5-4 4
P-H	5910-936-1334	A427 CAPACITOR, FIXED, ELECTROLYTIC: M39003-01-2116 (81349)	EA	6		2 4 8	107	80	5-4 5
P-H	5910-936-1334	A428 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF		REF REF REF	REF	REF	5-4 5
P-H	5910-936-1334	A429 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF		REF REF REF	REF	REF	5-4 5
P-H	5910-936-1334	A430 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF		REF REF REF	REF	REF	5-4 5
P-H	5910-936-1334	A431 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF		REF REF REF	REF	REF	5-4 5
P-H	5910-936-1334	A432 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF		REF REF REF	REF	REF	5-4 5
P-H	5910-946-6810	A433 CAPACITOR, FIXED, GLASS: CY12C390F (81349)	EA	1		* * 2	8	3	5-4 81
P-H		A434 RESISTOR, FIXED, COMPOSITION: RCR20G302JM (81349)	EA	1		* * 2	8	3	5-4 7
P-H		A435 RESISTOR, FIXED, COMPOSITION: RCR20G912JM (81349)	EA	1		* * 2	8	3	5-4 8
P-H	5905-682-4098	A436 RESISTOR, FIXED, COMPOSITION: RC07GF392J (81349)	EA	3		* 2 2	18	9	5-4 9

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP 100	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5905-682-4098	A437 RESISTOR, FIXED, COMPOSITION: SAME AS A436	EA	REF		REF REF REF	REF	REF	5-4 9
P-H	5905-682-4098	A438 RESISTOR, FIXED, COMPOSITION: SAME AS A436	EA	1		REF REF REF	REF	REF	5-4 9
P-H	5905-807-0059	A439 RESISTOR, FIXED, COMPOSITION: RC07GF433J (81349)	EA	1		* * 2	8	3	5-4 10
P-H		A440 RESISTOR, FIXED, COMPOSITION: RCR20G202JM (81349)	EA	1		* * 2	8	3	5-4 11
P-H	5905-683-2242	A441 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	11		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A442 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A443 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A444 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A445 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A446 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A447 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A448 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A449 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A450 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2242	A451 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-4 12
P-H	5905-683-2246	A452 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	11		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A453 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A454 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A455 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A456 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A457 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A458 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A459 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A460 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A461 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5905-683-2246	A462 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-4 13
P-H	5961-752-6081	A463 TRANSISTOR: 2N657 (81349)	EA	4		* 2 2	27	15	5-4 15
P-H	5961-752-6081	A464 TRANSISTOR: SAME AS A463	EA	REF		REF REF REF	REF	REF	5-4 15

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C)	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C)	(8) 1 YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR REFERENCE DESIGNATION
P-H	5961-752-6081	A465 TRANSISTOR: SAME AS A463	EA	REF		REF REF REF	REF	REF	5-4 15
P-H	5961-752-6081	A466 TRANSISTOR: SAME AS A463	EA	REF		REF REF REF	REF	REF	5-4 15
P-H	5961-926-2569	A467 TRANSISTOR: 2N491A (81349)	EA	1		* * *	8	3	5-4 16
P-H	5961-976-9592	A468 INSULATOR, DISK: SAME AS A403	EA	5		REF REF REF	REF	REF	5-4 14
P-H	5905-681-6462	A469 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	10		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A470 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A471 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A472 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A473 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A474 RESISTOR, FIXED, COMPOSITION: SAM AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A475 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A476 RESISTOR, FIXED, COMPOSITION SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A477 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-681-6462	A478 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-4 17
P-H	5905-683-2243	A479 RESISTOR, FIXED, COMPOSITION: RC07GF151J (81349)	EA	1		* * *	8	3	5-4 18
P-H	5961-951-8757	A480 TRANSISTOR: SAME AS A398	EA	27		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A481 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A482 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A483 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A484 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A485 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A486 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A487 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A488 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A489 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A490 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER EQUIP 100	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5961-951-8757	A491 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A492 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A493 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A494 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A495 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A496 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A497 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A498 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A499 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A500 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A501 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A502 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A503 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-951-8757	A504 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 20
P-H	5961-911-6015	A505 TRANSISTOR: 2N3251A (81349)	EA	3		* 2 2	18	9	5-4 6
P-H	5961-911-6015	A506 TRANSISTOR: SAME AS A505	EA	REF		REF REF REF	REF	REF	5-4 6
P-H	5961-911-6015	A507 TRANSISTOR: SAME AS A505	EA	REF		REF REF REF	REF	REF	5-4 6
P-H	5961-951-8757	A508 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 21
P-H	5961-951-8757	A509 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-4 21
P-H	5961-842-6937	A510 TRANSISTOR: 2N706 (81349)	EA	2		* * 2	13	6	5-4 86
P-H	5961-842-6937	A511 TRANSISTOR: SAME AS A510	EA	REF		REF REF REF	REF	REF	5-4 86
P-H	5961-964-3872	A512 INSULATOR, DISK: 7717-18DAPBLACK (13103)	EA	32		2 3 6	130	102	5-4 19
P-H		A513 CAPACITOR, FIXED, MICA: CM06FD511J03 (81349)	EA	4		* 2 2	19	12	5-4 22
P-H		A514 CAPACITOR, FIXED, MICA: SAME AS A513	EA	REF		REF REF REF	REF	REF	5-4 22
P-H		A515 CAPACITOR, FIXED, MICA: SAME AS A513	EA	REF		REF REF REF	REF	REF	5-4 22
P-H		A516 CAPACITOR, FIXED, MICA: SAME AS A513	EA	REF		REF REF REF	REF	REF	5-4 22
P-H	5905-686-3370	A517 RESISTOR, FIXED, COMPOSITION: RC07GF202J (81349)	EA	2		* 2 2	33	21	5-4 23
P-H	5905-686-3370	A518 RESISTOR, FIXED, COMPOSITION: SAME AS A517	EA	REF		REF REF REF	REF	REF	5-4 23
P-H	5905-686-9998	A519 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	11		REF REF REF	REF	REF	5-4 24

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
				UNIT OF MEAS	QTY INC UNIT	IN	30-DAY ALLOWANCE	DS	MAINT	30-DAY ALLOWANCE	GS	MAINT	1 YR ALW PER EQUIP CNTG	DEPOT MAINT ALW PER EQUIP 100	ILLUSTRATIONS (A)	(B)	OR NO REFERENCE DESIGNATION
						(A)	(B)	(C)	(A)	(B)	(C)						
P-H	5905-686-9998	A520 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A521 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A522 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A523 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A524 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A525 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A526 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A527 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A528 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-9998	A529 RESISTOR, FIXED, COMPOSITION: SAME AS A340		EA	REF				REF	REF	REF	REF	REF	REF	5-4	24	
P-H	5905-686-3122	A530 RESISTOR, FIXED, COMPOSITION: RC07GF301J (81349)		EA	1				*	*	*	8	3	5-4	87		
P-H	5905-195-6752	A531 RESISTOR, FIXED, COMPOSITION: RC42GF392J (81349)		EA	1				*	*	*	8	3	5-4	25		
P-H		A532 RESISTOR, FIXED, COMPOSITION: RCR20G102JM (81349)		EA	3				*	2	2	19	12	5-4	26		
P-H		A533 RESISTOR, FIXED, COMPOSITION: SAME AS A532		EA	REF				REF	REF	REF	REF	REF	5-4	26		
P-H		A534 RESISTOR, FIXED, COMPOSITION: SAME AS A532		EA	REF				REF	REF	REF	REF	REF	5-4	26		
P-H		A535 RESISTOR, FIXED, COMPOSITION: RCR20G200JM (81349)		EA	3				*	2	2	18	9	5-4	27		
P-H		A536 RESISTOR, FIXED, COMPOSITION: SAME AS A535		EA	REF				REF	REF	REF	REF	REF	5-4	27		
P-H		A537 RESISTOR, FIXED, COMPOSITION: SAME AS A535		EA	REF				REF	REF	REF	REF	REF	5-4	27		
P-H	5961-842-9864	A538 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	40				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A539 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A540 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A541 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A542 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A543 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A544 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A545 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A546 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		
P-H	5961-842-9864	A547 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	5-4	28		

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5961-842-9864	A548 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A549 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A550 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A551 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A552 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A553 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A554 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A555 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A556 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A557 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A558 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A559 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A560 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A561 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A562 SEMICONDUCTOR DEVICE DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A563 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A564 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A565 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A566 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A567 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A568 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A569 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A570 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A571 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A572 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A573 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A574 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A575 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	INC	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG ITEM NO OR
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	CNTGCV	100	NO REFERENCE
			CODE					EQUIP	DESIGNATION
P-H	5961-842-9864	A576 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5961-842-9864	A577 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-4 28
P-H	5910-934-1636	A578 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A396	EA	2		REF REF REF	REF	REF	5-4 29
P-H	5910-934-1636	A579 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A396	EA	REF		REF REF REF	REF	REF	5-4 29
P-H		A580 CAPACITOR, FIXED, MICA: SAME AS A380	EA	8		REF REF REF	REF	REF	5-4 30
P-H		A581 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A582 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A583 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A584 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A585 CAPACITOR, FIXED MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A586 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H		A587 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-4 30
P-H	5905-279-1719	A588 RESISTOR, FIXED, COMPOSITION: RC32GF103J (81349)	EA	3		* 2 2	18	9	5-4 31
P-H	5905-279-1719	A589 RESISTOR, FIXED, COMPOSITION: SAME AS A588	EA	REF		REF REF REF	REF	REF	5-4 31
P-H	5905-279-1719	A590 RESISTOR, FIXED, COMPOSITION: SAME AS A588	EA	REF		REF REF REF	REF	REF	5-4 31
P-H		A591 CAPACITOR, FIXED, MICA CM05FD391J03 (81349)	EA	2		* * 2	13	6	5-4 32
P-H		A592 CAPACITOR, FIXED, MICA: SAME AS A591	EA	REF		REF REF REF	REF	REF	5-4 32
P-H	5905-686-3368	A593 RESISTOR, FIXED, COMPOSITION: RC07GF203J (81349)	EA	3		* 2 2	19	12	5-4 33
P-H	5905-686-3368	A594 RESISTOR, FIXED, COMPOSITION: SAME AS A593	EA	REF		REF REF REF	REF	REF	5-4 33
P-H	5905-686-3368	A595 RESISTOR, FIXED, COMPOSITION: SAME AS A593	EA	REF		REF REF REF	REF	REF	5-4 33
P-H	5905-817-7971	A596 RESISTOR, FIXED, COMPOSITION: RC07GF100J (81349)	EA	3		* 2 2	19	12	5-4 34
P-H	5905-817-7971	A597 RESISTOR, FIXED, COMPOSITION: SAME AS A596	EA	REF		REF REF REF	REF	REF	5-4 34
P-H	5905-817-7971	A598 RESISTOR, FIXED, COMPOSITION: SAME AS A596	EA	REF		REF REF REF	REF	REF	5-4 34
P-H		A599 RESISTOR, FIXED, COMPOSITION: RCR20G472JM (81349)	EA	4		* 2 2	19	12	5-4 35
P-H		A600 RESISTOR, FIXED, COMPOSITION: SAME AS A599	EA	REF		REF REF REF	REF	REF	5-4 35
P-H		A601 RESISTOR, FIXED, COMPOSITION: SAME AS A599	EA	REF		REF REF REF	REF	REF	5-4 35
P-H		A602 RESISTOR, FIXED, COMPOSITION: SAME AS A599	EA	REF		REF REF REF	REF	REF	5-4 35
P-H	5905-702-4439	A603 RESISTOR, FIXED, COMPOSITION: RC07GF133J (81349)	EA	2		* * 2	13	6	5-4 36

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	INC	IN	ALLOWANCE	ALLOWANCE	EQUIP	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	(A) (B) (C)	CNTG	100	FIG
			USABLE ON					PER	PER	NO
			CODE					CY	EQUIP	OR
										REFERENCE
										DESIGNATION
P-H	5905-702-4439	A604 RESISTOR, FIXED, COMPOSITION: SAME AS A603	EA	REF			REF REF REF	REF	REF	5-4 36
P-H	5910-936-1334	A605 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	2			REF REF REF	REF	REF	5-4 39
P-H	5910-936-1334	A606 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	REF			REF REF REF	REF	REF	5-4 39
P-H	5905-682-4100	A607 RESISTOR, FIXED, COMPOSITION: RC07GF622J (81349)	EA	3			* 2 2	18	9	5-4 38
P-H	5905-682-4100	A608 RESISTOR, FIXED, COMPOSITION: SAME AS A607	EA	REF			REF REF REF	REF	REF	5-4 38
P-H	5905-682-4100	A609 RESISTOR, FIXED, COMPOSITION: SAME AS A607	EA	REF			REF REF REF	REF	REF	5-4 38
P-H	5910-926-9824	A610 CAPACITOR, FIXED, ELECTROLYTIC: M9003-01-2160 (81349)	EA	2			* 2 2	27	16	
P-H	5910-926-9824	A611 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A610	EA	REF			REF REF REF	REF		
P-H		A612 CAPACITOR, FIXED, MICA: CM06FD471J03 (81349)	EA	5			* 2 2	33	21	5-4 40
P-H		A613 CAPACITOR, FIXED, MICA: SAME AS A612	EA	REF			REF REF REF	REF	REF	5-4 40
P-H		A614 CAPACITOR, FIXED, MICA: SAME AS A612	EA	REF			REF REF REF	REF	REF	5-4 40
P-H		A615 CAPACITOR, FIXED, MICA SAME AS A612	EA	REF			REF REF REF	REF	REF	5-4 40
P-H		A616 CAPACITOR, FIXED, MICA SAME AS A612	EA	REF			REF REF REF	REF	REF	5-4 40
P-H	5905-683-2238	A617 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	6			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2238	A618 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2238	A619 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2238	A620 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2238	A621 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2238	A622 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF			REF REF REF	REF	REF	5-4 41
P-H	5905-683-2241	A623 RESISTOR, FIXED, COMPOSITION: RC07GF512J (81349)	EA	10			* 2 2	46	30	5-4 42
P-H	5905-683-2241	A624 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A625 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A626 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A627 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A628 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A629 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A630 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42
P-H	5905-683-2241	A631 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF			REF REF REF	REF	REF	5-4 42



## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 YR ALW PER EQUIP CNTGCV		(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
					(A)	(B)	(C)	(A)	(B)	(C)						
					1-20	21-50	51-100	1-20	21-50	51-100						
P-H	5905-683-2241	A632 RESISTOR, FIXED, COMPOSITION: SAME AS A623	EA	REF				REF	REF	REF	REF	REF	REF	5-4	42	
P-H	5905-279-1745	A633 RESISTOR, FIXED, COMPOSITION: RC32GF150J (81349)	EA	2				*	*	2	13	6		5-4	43	
P-H	5905-279-1745	A634 RESISTOR, FIXED, COMPOSITION: SAME AS A633	EA	REF				REF	REF	REF	REF	REF	REF	5-4	43	
P-H		A635 CAPACITOR, FIXED, MICA CM05FD151J03 (81349)	EA	4				*	2	2	30	18		5-4	80	
P-H		A636 CAPACITOR, FIXED, MICA SAME AS A635	EA	REF				REF	REF	REF	REF	REF	REF	5-4	80	
P-H		A637 CAPACITOR, FIXED, MICA SAME AS A635	EA	REF				REF	REF	REF	REF	REF	REF	5-4	80	
P-H		A638 CAPACITOR, FIXED, MICA: SAME AS A635	EA	REF				REF	REF	REF	REF	REF	REF	5-4	80	
P-H		A639 CAPACITOR, FIXED, MICA: CM05FD820J03 (81349)	EA	5				*	2	2	27	15		5-4	82	
P-H		A640 CAPACITOR, FIXED, MICA: SAME AS A639	EA	REF				REF	REF	REF	REF	REF	REF	5-4	82	
P-H		A641 CAPACITOR, FIXED, MICA: SAME AS A639	EA	REF				REF	REF	REF	REF	REF	REF	5-4	82	
P-H		A642 CAPACITOR, FIXED, MICA: SAME AS A639	EA	REF				REF	REF	REF	REF	REF	REF	5-4	82	
P-H		A643 CAPACITOR, FIXED, MICA: SAME AS A639	EA	REF				REF	REF	REF	REF	REF	REF	5-4	82	
P-H	5905-683-7724	A644 RESISTOR, FIXED, COMPOSITION: RC07GF242J (81349)	EA	1				*	*	*	8	3		5-4	83	
P-H	5905-681-9970	A645 RESISTOR, FIXED, COMPOSITION: RC07GF822J (81349)	EA	2				*	2	2	18	9		5-4	84	
P-H	5905-681-9970	A646 RESISTOR, FIXED, COMPOSITION: SAME AS A645	EA	REF				REF	REF	REF	REF	REF	REF	5-4	84	
P-H	5905-683-2239	A647 RESISTOR, FIXED, COMPOSITION: RC07GF201J (81349)	EA	6				*	2	2	30	18		5-4	85	
P-H	5905-683-2239	648 RESISTOR, FIXED, COMPOSITION: SAME AS A647	EA	REF				REF	REF	REF	REF	REF	REF	5-4	85	
P-H	5905-683-2239	A649 RESISTOR, FIXED, COMPOSITION: SAME AS A647	EA	REF				REF	REF	REF	REF	REF	REF	5-4	85	
P-H	5905-683-2239	A650 RESISTOR, FIXED, COMPOSITION: SAME AS A647	EA	REF				REF	REF	REF	REF	REF	REF	5-4	85	
P-H	5905-683-2239	A651 RESISTOR, FIXED, COMPOSITION: SAME AS A647	EA	REF				REF	REF	REF	REF	REF	REF	5-4	85	
P-H	5905-683-2239	A652 RESISTOR, FIXED, COMPOSITION: SAME AS A647	EA	REF				REF	REF	REF	REF	REF	REF	5-4	85	
P-H	5935-854-7465	A653 JACK, TIP: SAME AS A 417	EA	2				REF	REF	REF	REF	REF	REF	5-4	44	
P-H	5935-854-7465	A654 JACK, TIP: SAME AS A417	EA	REF				REF	REF	REF	REF	REF	REF	5-4	44	
P-H	5935-061-7744	A655 JACK, TIP: SAME AS A418	EA	2				REF	REF	REF	REF	REF	REF	5-4	45	
P-H	5935-061-7744	A656 JACK, TIP: SAME AS A418	EA	REF				REF	REF	REF	REF	REF	REF	5-4	45	
P-H	5935-808-6134	A657 JACK, TIP: SAME AS A419	EA	2				REF	REF	REF	REF	REF	REF	5-4	46	
P-H	5935-808-6134	A658 JACK, TIP: SAME AS A 419	EA	REF				REF	REF	REF	REF	REF	REF	5-4	46	
P-H	5935-081-6290	A659 JACK, TIP: SAME AS A420	EA	1				REF	REF	REF	REF	REF	REF	5-4	47	

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5935-812-6415	A660 JACK, TIP: 119437E (78947)	EA	1		* * *	10	4	5-4 48
P-H	5935-812-7323	A661 JACK, TIP: 119437G (78947)	EA	1		* * *	10	4	5-4 49
P-H	5935-827-8014	A662 JACK, TIP: 119437K (78947)	EA	1		* * *	10	4	5-4 50
P-H	5935-883-1886	A663 JACK, TIP: 119437J (78947)	EA	1		* * *	4	10	5-4 51
P-H	5935-063-9106	A664 JACK, TIP: 119437A (78947)	EA	1		* * *	10	4	5-4 52
P-H	5935-755-3428	A665 JACK, TIP: 119437C (78947)	EA	1		* * *	10	4	5-4 53
P-H	5905-926-8621	A666 RESISTOR, VARIABLE: RJ12CP102 (81349)	EA	1		* * 2	12	5	5-4 54
P-H		A667 RESISTOR, VARIABLE: RJ12BP502 (81349)	EA	2		* 2 2	19	10	5-4 55
P-H		A668 RESISTOR, VARIABLE: SAME AS A 667	EA	REF		REF REF REF	REF	REF	5-4 55
P-H	5905-681-8818	A669 RESISTOR, FIXED, COMPOSITION: SAME AS A392	EA	1		REF REF REF	REF	REF	5-4 56
P-H	5905-691-0195	A670 RESISTOR, FIXED, COMPOSITION: RC07GF562J (81349)	EA	2		* * 2	13	6	5-4 57
P-H	5905-691-0195	A671 RESISTOR, FIXED, COMPOSITION: SAME AS A670	EA	REF		REF REF REF	REF	REF	5-4 57
P-H	5905-839-6949	A672 RESISTOR, FIXED, FILM: RN60C6341F (81349)	EA	1		* * *	8	3	5-4 58
P-H	5905-809-5175	A673 RESISTOR, FIXED, FILM: RN60C5762F (81349)	EA	1		* * *	8	3	5-4 59
P-H		A674 CAPACITOR, FIXED, PLASTIC: C009A1MA103G3 (81349)	EA	1		* * *	8	3	5-4 60
P-H	5905-185-6935	A675 RESISTOR, FIXED, COMPOSITION: RC42GF302J (81349)	EA	1		* * *	8	3	5-4 61
P-H	5905-805-9714	A676 RESISTOR, FIXED, COMPOSITION: RC07GF362J (81349)	EA	1		* * *	8	3	5-4 62
P-H	5905-686-9994	A677 RESISTOR, FIXED, COMPOSITION: SAME AS A387	EA	1		REF REF REF	REF	REF	5-4 63
P-H	5961-892-3361	A678 SEMICONDUCTOR DEVICE, DIODE: SAME AS A129	EA	2		REF REF REF	REF	REF	5-4 64
P-H	5961-892-3361	A679 SEMICONDUCTOR DEVICE, DIODE: SAME AS A129	EA	REF		REF REF REF	REF	REF	5-4 64
P-H		A680 SEMICONDUCTOR DEVICE, DIODE: 1N752A (81349)	EA	1		* * *	5	2	5-4 65
P-H	5910-765-6296	A681 CAPACITOR, FIXED, GLASS: CY12C301F (81349)	EA	2		* * 2	13	6	5-4 66
P-H	5910-765-6296	A682 CAPACITOR, FIXED, GLASS: SAME AS A681	EA	REF		REF REF REF	REF	REF	5-4 66
P-H		A683 RESISTOR, FIXED, COMPOSITION: RCR20G153JM (81349)	EA	2		* * 2	13	6	5-4 67
P-H		A684 RESISTOR, FIXED, COMPOSITION: SAME AS A683	EA	REF		REF REF REF	REF	REF	5-4 67
P-H		A685 CAPACITOR, FIXED, PLASTIC: CQ09S1MA563G3 (81349)	EA	1		* * 2	10	4	5-4 68
P-H	5962-916-7127	A686 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	1		REF REF REF	REF	REF	5-4 69
P-H	5905-833-8355	A687 RESISTOR, FIXED, FILM: RM60C5901F (81349)	EA	1		* * *	8	3	5-4 70

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION	
P-H	5910-898-9616	A688 CAPACITOR, FIXED, GLASS: CY12C820F (81349)	EA	1		* *	2	13	6	5-4 71
P-H	5910-810-2544	A689 CAPACITOR, FIXED, GLASS: CY20C512F (81349)	EA	1		* *	*	8	3	5-4 72
P-H	5961-082-4020	A690 SEMICONDUCTOR DEVICE, DIODE: SAME AS A397	EA	1		REF REF	REF	REF	REF	5-4 73
P-H	5910-847-7288	A691 CAPACITOR, FIXED, CERAMIC DISK: SAME AS A394	EA	1		REF REF	REF	REF	REF	5-4 74
P-H	5905-688-3738	A692 RESISTOR, FIXED, COMPOSITION: RC07GF182J (81349)	EA	1		* *	*	8	3	5-4 75
P-H		A693 RESISTOR, FIXED, COMPOSITION: RCR20G560JM (81349)	EA	1		* *	*	8	3	5-4 76
P-H		A694 RESISTOR, FIXED, COMPOSITION: RCR20G511JM (81349)	EA	3		* 2	2	18	9	5-4 77
P-H		A695 RESISTOR, FIXED, COMPOSITION: SAME AS A694	EA	REF		REF REF	REF	REF	REF	5-4 77
P-H		A696 RESISTOR, FIXED, COMPOSITION: SAME AS A694	EA	REF		REF REF	REF	REF	REF	5-4 77
P-H	5905-801-8272	A697 RESISTOR, FIXED, COMPOSITION: RC07GF511J (81349)	EA	3		* 2	2	18	9	5-4 78
P-H	5905-801-8272	A698 RESISTOR, FIXED, COMPOSITION: SAME AS A697	EA	REF		REF REF	REF	REF	REF	5-4 78
P-H	5905-801-8272	A699 RESISTOR, FIXED, COMPOSITION: SAME AS A697	EA	REF		REF REF	REF	REF	REF	5-4 78
P-H		A700 RESISTOR, FIXED, COMPOSITION: SAME AS A089	EA	1		REF REF	REF	REF	REF	5-4 79
X1-H		A701 PRINTED WIRING BOARD: 865705 (80249)	EA	1						5-4 88
P-H-S		A702 CIRCUIT CARD ASSEMBLY, 3: 117462 (80249)	EA	1		* *	*	5	2	5-2 90
P-H	5935-854-7465	A703 JACK, TIP: SAME AS A417	EA	2		REF REF	REF	REF	REF	5-5 2
P-H	5935-854-7465	A704 JACK, TIP: SAME AS A417	EA	REF		REF REF	REF	REF	REF	5-5 2
P-H	5935-061-7744	A705 JACK, TIP: SAME AS A418	EA	1		REF REF	REF	REF	REF	5-5 3
P-H	5935-808-6134	A706 JACK, TIP: SAME AS A419	EA	1		REF REF	REF	REF	REF	5-5 4
P-H	5935-081-6290	A707 JACK, TIP: SAME AS A420	EA	1		REF REF	REF	REF	REF	5-5 5
P-H	5935-812-6415	A708 JACK, TIP: SAME AS A660	EA	1		REF REF	REF	REF	REF	5-5 6
P-H	5935-812-7323	A709 JACK, TIP: SAME AS A661	EA	1		REF REF	REF	REF	REF	5-5 7
P-H	5935-827-8014	A710 JACK, TIP: SAME AS A662	EA	1		REF REF	REF	REF	REF	5-5 8
P-H	5935-883-1886	A711 JACK, TIP: SAME AS A663	EA	1		REF REF	REF	REF	REF	5-5 9
P-H	5935-063-9106	A712 JACK, TIP: SAME AS A664	EA	1		REF REF	REF	REF	REF	5-5 10
P-H	5935-755-3428	A713 JACK, TIP: SAME AS A665	EA	1		REF REF	REF	REF	REF	5-5 11
P-H	5962-916-7127	A714 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	9		REF REF	REF	REF	REF	5-5 14
P-H	5962-916-7127	A715 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411	EA	REF		REF REF	REF	REF	REF	5-5 14

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
				UNIT OF MEAS	QTY INC UNIT	IN	30-DAY ALLOWANCE	DS	MAINT	30-DAY ALLOWANCE	GS	MAINT	1 YR ALW PER EQUIP CNTGCY	DEPOT MAINT ALW PER EQUIP	(A)	(B)	ILLUSTRATIONS FIG ITEM NO OR NO REFERENCE DESIGNATION
							(A)	(B)	(C)	(A)	(B)	(C)					
P-H	5962-916-7127	A716 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H	5962-916-7127	A717 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H	5962-916-7127	A719 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H	5962-916-7127	A720 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H	5962-916-7127	A721 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A411		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H	5962-916-7127	A722 INTEGRATED CIRCUIT, FLIP-FLOP: SAME AS A686		EA	REF				REF	REF	REF	REF	REF	REF	5-5	14	
P-H		A723 CRYSTAL UNIT, QUARTZ: CR19AU2000-000KC (81349)		EA	1				*	*	2	12	5	5-5	16		
P-H	5935-990-6219	A724 SOCKE, CRYSTAL: 8000DGL (91506)		EA	1				*	*	*	5	2	5-5	15		
X2-H		A725 RIVET, TUBULAR: ST390472-9 (80249)		EA	2									5-5	66		
P-H	5961-842-9864	A726 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	46				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A727 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A728 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A729 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A730 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A731 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A732 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A733 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A734 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A735 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A736 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A737 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A738 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A739 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A740 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A741 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A742 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	
P-H	5961-842-9864	A743 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189		EA	REF				REF	REF	REF	REF	REF	REF	5-5	17	

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	IN	IN	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG ITEM NO OR
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	1-20 21-50 51-100	CNTGCY	100	NO REFERENCE
			CODE						EQUIP	DESIGNATION
P-H	5961-842-9864	A744 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A745 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A746 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A747 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A748 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A749 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A750 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A751 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A752 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A753 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A754 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A755 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A756 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A757 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A758 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A759 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A760 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A761 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A762 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A763 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A764 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A765 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A766 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A767 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A768 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A769 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF	REF REF	REF	REF	5-5 17

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5961-842-9864	A770 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-5 17
P-H	5961-842-9864	A771 SEMICONDUCTOR DEVICE, DIODE: SAME AS A189	EA	REF		REF REF REF	REF	REF	5-5 17
P-H	5961-082-4020	A772 SEMICONDUCTOR DEVICE, DIODE: SAME AS A397	EA	1		REF REF REF	REF	REF	5-5 18
P-H	5961-951-8757	A773 TRANSISTOR: SAME AS A398	EA	19		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A774 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A775 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A776 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A777 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A778 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A779 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A780 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A781 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A782 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A783 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A784 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A785 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A786 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A787 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A788 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A789 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A790 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 19
P-H	5961-951-8757	A791 TRANSISTOR: SAME AS A398	EA	REF		REF REF REF	REF	REF	5-5 20
P-H	5961-964-3872	A792 INSULATOR, DISK: SAME AS A512	EA	19		REF REF REF	REF	REF	5-5 13
P-H	5961-949-1432	A793 TRANSISTOR: 2N2219A (81349)	EA	2		* * 2	13	6	5-5 71
P-H	5961-949-1432	A794 TRANSISTOR: SAME AS A793	EA	REF		REF REF REF	REF	REF	5-5 71
P-H	5961-752-6081	A795 TRANSISTOR: SAME AS A463	EA	1		REF REF REF	REF	REF	5-5 21

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC IN 30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS		
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)		
NUMBER					(A) (B) (C)	(A) (B) (C)	EQUIP	ALW PER	FIG		
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	CNTGCTY	100	NO		
			CODE					EQUIP	OR		
									REFERENCE		
									DESIGNATION		
P-H	5961-976-9592	A796 INSULATOR, DISK: SAME AS A403	EA	3		REF REF REF	REF	REF	5-5	12	
P-H		A797 CAPACITOR, FIXED, MICA: SAME AS A635	EA	2		REF REF REF	REF	REF	5-5	22	
P-H		A798 CAPACITOR, FIXED, MICA: SAME AS A635	EA	REF		REF REF REF	REF	REF	5-5	22	
P-H		A799 CAPACITOR, FIXED, MICA: CM05FD301J03 (81349)	EA	1		* * *	8	3	5-5	23	
P-H		A800 CAPACITOR, FIXED, MICA: CM05FD181J03 (81349)	EA	1		* * *	8	3	5-5	24	
P-H		A801 CAPACITOR, FIXED, MICA: SAME AS A380	EA	8		REF REF REF	REF	REF	5-5	25	
P-H		A802 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A803 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A804 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A805 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A806 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A807 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A808 CAPACITOR, FIXED, MICA: SAME AS A380	EA	REF		REF REF REF	REF	REF	5-5	25	
P-H		A809 CAPACITOR, FIXED, MICA: SAME AS A612	EA	2		REF REF REF	REF	REF	5-5	26	
P-H		A810 CAPACITOR, FIXED, MICA: SAME AS A612	EA	REF		REF REF REF	REF	REF	5-5	26	
P-H		A811 CAPACITOR, FIXED, MICA: CM06FD431J03 (81349)	EA	1		* * *	8	3	5-5	27	
P-H		A812 CAPACITOR, FIXED, MICA: CM06FD272J03 (81349)	EA	1		* * *	8	3	5-5	28	
P-H		A813 CAPACITOR, FIXED, MICA: CM06FD911J03 (81349)	EA	2		* * *	2	13	6	5-5	29
P-H		A814 CAPACITOR, FIXED, MICA: SAME AS A813	EA	REF		REF REF REF	REF	REF	5-5	29	
P-H		A815 CAPACITOR, FIXED, MICA: CM06FD681J03 (81349)	EA	1		* * *	8	3	5-5	30	
P-H		A816 CAPACITOR, FIXED, MICA: CM05FD270J03 (81349)	EA	1		* * *	8	3	5-5	72	
P-H		A817 CAPACITOR, FIXED, MICA: CM05FD390J03 (81349)	EA	1		* * *	8	3	5-5	73	
P-H	5910-881-8945	A818 CAPACITOR, FIXED, GLASSA: CK06CW222K (81349)	EA	1		* * *	8	3	5-5	31	
P-H	5910-898-9616	A819 CAPACITOR, FIXED, GLASS: SAME AS A688	EA	1		REF REF REF	REF	REF	5-5	32	
P-H	5910-847-7288	A820 CAPACITOR, FIXED, CERAMIC DISK: SAME AS A394	EA	2		REF REF REF	REF	REF	5-5	33	
P-H	5910-847-7288	A821 CAPACITOR, FIXED, CERAMIC DISK: SAME AS A394	EA	REF		REF REF REF	REF	REF	5-5	33	

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS  USABLE ON CODE	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER EQUIP 100	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5910-936-1334	A822 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	1		REF REF REF	REF	REF	5-5 34
P-H	5910-934-1636	A823 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A396	EA	1		REF REF REF	REF	REF	5-5 35
P-H	5910-992-3238	A824 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A132	EA	1		REF REF REF	REF	REF	5-5 36
X2-H		A825 RETAINER, CAPACITOR: SAME AS A395	EA	2					5-5 1
P-H	5905-847-5055	A826 RESISTOR, FIXED, EILM: RN60C8661F (81349)	EA	1		* * *	8	3	5-5 37
P-H	5905-279-2656	A287 RESISTOR, FIXED, COMPOSITION: RC32GF511J (81349)	EA	1		* * *	8	3	5-5 39
P-H	5905-681-6462	A828 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	4		REF REF REF	REF	REF	5-5 40
P-H	5905-681-6462	A829 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-5 40
P-H	5905-681-6462	A830 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-5 40
P-H	5905-681-6462	A831 RESISTOR, FIXED, COMPOSITION: SAME AS A384	EA	REF		REF REF REF	REF	REF	5-5 40
P-H	5905-683-2238	A832 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	13		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A833 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A834 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A835 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A836 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A837 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A838 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A839 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A840 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A841 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A842 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A843 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-683-2238	A844 RESISTOR, FIXED, COMPOSITION: SAME AS A379	EA	REF		REF REF REF	REF	REF	5-5 41
P-H	5905-726-4413	A845 RESISTOR, FIXED, COMPOSITION: SAME AS A388	EA	1		REF REF REF	REF	REF	5-5 42
P-H	5905-726-3807	A846 RESISTOR, FIXED, COMPOSITION: RC87GF912J (81349)	EA	2		* * *	2	13	5-5 43
P-H	5905-726-3807	A847 RESISTOR, FIXED, COMPOSITION: SAME AS A846	EA	REF		REF REF REF	REF	REF	5-5 43A



## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS	
CODE	STOCK		OF	INC	IN	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)	
	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	(A) (B) (C)	EQUIP	100	FIG	ITEM NO OR
			USABLE ON		1-20 21-50 51-100	1-20 21-50 51-100	1-20 21-50 51-100	CNTG	PER	NO	REFERENCE
			CODE					ALW	ALW		DESIGNATION
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		
								PER	PER		
								100	100		

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) IN 30-DAY DS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C) 1-20 21-50 51-100	(8) 1 YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATIONS (A) (B) FIG ITEM NO OR NO REFERENCE DESIGNATION
P-H	5905-683-2242	A874 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A875 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A876 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A877 RESISTOR, FIXED, COMPOSITIN: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A878 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A879 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A880 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A881 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A882 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A883 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A884 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-683-2242	A885 RESISTOR, FIXED, COMPOSITION: SAME AS A124	EA	REF		REF REF REF	REF	REF	5-5 54
P-H	5905-686-9998	A886 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	5		REF REF REF	REF	REF	5-5 55
P-H	5905-686-9998	A887 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-5 55
P-H	5905-686-9998	A888 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-5 55
P-H	5905-686-9998	A889 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-5 55
P-H	5905-686-9998	A890 RESISTOR, FIXED, COMPOSITION: SAME AS A340	EA	REF		REF REF REF	REF	REF	5-5 55
P-H	5905-683-2246	A891 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	3		REF REF REF	REF	REF	5-5 56
P-H	5905-683-2246	A892 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-5 56
P-H	5905-683-2246	A893 RESISTOR, FIXED, COMPOSITION: SAME AS A383	EA	REF		REF REF REF	REF	REF	5-5 56
P-H	5905-686-3368	A894 RESISTOR, FIXED, COMPOSITION: SAME AS A593	EA	2		REF REF REF	REF	REF	5-5 57
P-H	5905-686-3368	A895 RESISTOR, FIXED, COMPOSITION: SAME AS A593	EA	REF		REF REF REF	REF	REF	5-5 57
P-H	5905-681-9970	A896 RESISTOR, FIXED, COMPOSITION: SAME AS A645	EA	1		REF REF REF	REF	REF	5-5 59
P-H		A897 RESISTOR, FIXED, COMPOSITION: SAME AS A532	EA	1		REF REF REF	REF	REF	5-5 60
P-H	5905-078-7059	A898 RESISTOR, FIXED, COMPOSITION: RCR20G100JM (81349)	EA	2		* * 2	13	6	5-5 61
P-H	5905-078-7059	A899 RESISTOR, FIXED, COMPOSITION: SAME AS A898	EA	REF		REF REF REF	REF	REF	5-5 61

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	INC	30-DAY DS MAINT	30-DAY GS MAINT	1 YR	DEPOT	ILLUSTRATIONS			
CODE	STOCK		OF	INC	IN	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A) (B)			
	NUMBER		MEAS	UNIT	(A)	(B)	(A)	EQUIP	ALW PER	FIG			
		REFERENCE NUMBER & MFR. CODE	USABLE ON		1-20	21-50	1-20	CNTG	100	NO			
			CODE		51-100		21-50	100		OR			
										REFERENCE			
										DESIGNATION			
P-H		A900 RESISTOR, FIXED, COMPOSITION: RCR20G750JM (81349)	EA	1			*	*	*	8	3	5-5	62
P-H		A901 RESISTOR, FIXED, COMPOSITION: RC42GF122J (81349)	EA	1			*	*	*	8	3	5-5	63
P-H	5905-279-3527	A902 RESISTOR, FIXED, COMPOSITION: RC42GF470J (81349)	EA	2			*	*	2	13	6	5-5	64
P-H	5905-279-3527	A903 RESISTOR, FIXED, COMPOSITION: SAME AS A902	EA	REF			REF	REF	REF	REF	REF	5-5	64
P-H		A904 RESISTOR, FIXED, COMPOSITION: RC42GF202J (81349)	EA	1			*	*	*	8	3	5-5	65
P-H	5905-817-7971	A905 RESISTOR, FIXED, COMPOSITION: SAME AS A596	EA	1			REF	REF	REF	REF	REF	5-5	67
P-H	5905-681-8817	A906 RESISTOR, FIXED, COMPOSITION: RC07GF105J (81349)	EA	1			*	*	*	8	3	5-5	68
P-H	5905-683-7723	A907 RESISTOR, FIXED, COMPOSITION: RC07GF152J (81349)	EA	1			*	*	*	8	3	5-5	69
P-H	5905-683-2236	A908 RESISTOR, FIXED, COMPOSITION: SAME AS A868	EA	1			REF	REF	REF	REF	REF	5-5	50
P-H	5910-936-1334	A909 CAPACITOR, FIXED, ELECTROLYTIC: SAME AS A427	EA	1			REF	REF	REF	REF	REF	5-5	73
P-H	5950-914-1401	A910 COIL, RADIO FREQUENCY: MS18100-20 (96906)	EA	1			*	*	*	8	3	5-5	51
X2-H		A911 PRINTED WIRING BOARD: 865706 (80249)	EA	1								5-5	74
P-H	5935-907-2391	A912 KEY, POLARIZING: 350580 (80249)	EA	3			*	2	2	18	9	5-2	95
P-H	5935-905-7595	A913 CONNECTOR, RECEPTACLE, ELECTRICAL: 350582 (80249)	EA	3			*	2	2	18	9	5-2	96
P-H	5935-905-7595	A914 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A913	EA	REF			REF	REF	REF	REF	REF	5-2	96
P-H	5935-905-7595	A915 CONNECTOR, RECEPTACLE, ELECTRICAL: SAME AS A913	EA	REF			REF	REF	REF	REF	REF	5-2	96
X2-H	5305-054-5652	A916 SCREW, MACHINE: SAME AS A115	EA	6								5-2	97
X2-H		A917 SPACER, RING: 481273-1 (80249)	EA	6								5-2	99
X2-H	5310-595-6211	A918 WASHER, FLAT: SAME AS A087	EA	REF								5-2	101
X2-H	5310-982-4999	A919 NUT, PLAIN, HEXAGONAL: MS21044C04 (96906)	EA	6								5-2	109
X2-D		A920 CHASSIS, ELECTRONIC EQUIPMENT: 117738 (80249)	EA	1									
X2-D		A921 RUBBER CHANNEL 440148 (80249)	EA	1								5-2	77
X2-D		A922 BLOCK, GUIDE PIN: 482139 (80249)	EA	2								5-2	75
X2-D	5320-117-6951	A923 RIVET, SOLID: MS20426AD4-6 (96906)	EA	4								5-2	76
X2-H		A924 NUT, SELF-LOCKING, CLINCH: NC1-82A (72962)	EA	7								5-2	80
X2-H	5940-729-0456	A925 CLIP, SPRING, TENSION: 6014-14CC (91506)	EA	7								5-2	81
X2-D		A926 RIVET, TUBULAR: 20194-8-64 (61007)	EA	20								5-2	82
X2-D	5340-056-7456	A927 CLIP, SPRING TENSION: 6024-4CC (91506)	EA	1								5-2	83

## SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR	FEDERAL	DESCRIPTION	UNIT	QTY			1 YR	DEPOT	ILLUSTRATIONS
CODE	STOCK		OF	INC	IN 30-DAY DS MAINT	30-DAY GS MAINT	ALW PER	MAINT	(A) (B)
NUMBER			MEAS	UNIT	ALLOWANCE	ALLOWANCE	EQUIP	ALW PER	FIG ITEM NO OR
		REFERENCE NUMBER & MFR. CODE	USABLE ON		(A) (B) (C)	(A) (B) (C)	CNTGNCY	100	NO REFERENCE
			CODE		1-20 21-50 51-100	1-20 21-50 51-100		EQUIP	DESIGNATION
X2-D	5320-936-0065	A928 RIVET, TUBULAR: 7961-7-64 (61007)	EA	1					5-2 84
P-H		A929 RUNNER, METAL: 11903-300-9 (99378)	EA	8		* 2 2	27	16	5-2 78
X2-D		A930 RIVET, TUBULAR: 20196-8-64 (61007)	EA	16					5-2 79
X2-H		A931 CLIP, SPRING TENSION: 6016-11CC (91506)	EA	3					5-2 85
X2-D		A932 RIVET, TUBULAR: SAME AS A926	EA	REF					5-2 79
X2-H		A933 TERMINAL, STUD: SL235-269 (12615)	EA	21					5-2 86
X2-H		A934 TERMINAL, FEEDTHRU: SL236-270 (12615)	EA	7					5-2 87
X2-H		A935 CASE, TEST SET: 360086 (80249)	EA	1					
P-H	4920-730-3481	A936 PRESSURE EQUALIZER, MANUAL: ZSP6-602 (19178)	EA	1		* * *	5	2	5-1 1
P-H	6625-993-0879	A937 LATCH, THUMB: ZSP2-204 (19178)	EA	2		* * *	10	4	5-1 2
M-H		A938 GASKET: ZSP5-502-47 (19178)	EA	1					5-1 3

## SECTION VII. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE

TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION (CONTINUED)

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF DESIGNATION	FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF DESIGNATION
4920-730-3481	5-1	1	5905-681-9970	5-4	84
5305-054-5637	5-2	44	5905-681-9970	5-5	59
5305-054-5649	5-2	28	5905-682-4098	5-4	9
5305-054-5650	5-2	15	5905-682-4100	5-4	38
5305-054-5651	5-2	94	5905-683-2236	5-5	50
5305-054-5652	5-2	97	5905-683-2238	5-3	4
5305-054-6650	5-2	62	5905-683-2238	5-4	41
5305-054-6670	5-2	35	5905-683-2238	5-5	41
5305-054-6671	5-2	108	5905-683-2239	5-4	85
5305-781-5664	5-2	13	5905-683-2241	5-4	42
5305-989-5351	5-2	36	5905-683-2242	5-2	70
5310-595-6211	5-2	16	5905-683-2242	5-3	9
5310-595-6211	5-2	101	5905-683-2242	5-4	12
5310-619-1148	5-1	6	5905-683-2242	5-5	54
5310-619-1929	5-2	38	5905-683-2243	5-4	8
5310-812-4292	5-1	8	5905-683-2246	5-3	6
5310-812-4292	5-2	57	5905-683-2246	5-4	13
5310-880-5978	5-2	49	5905-683-2246	5-5	56
5310-926-5819	5-2	46	5905-683-7723	5-5	69
5310-928-2690	5-2	45	5905-683-7724	5-4	83
5310-929-6395	5-2	63	5905-686-3122	5-4	87
5310-933-8118	5-2	17	5905-686-3358	5-5	52
5310-933-8119	5-2	101	5905-686-3368	5-4	33
5310-933-8120	5-1	7	5905-686-3368	5-5	57
5310-933-8120	5-2	56	5905-686-3370	5-4	23
5310-934-9748	5-2	29	5905-686-3370	5-5	46
5310-982-4999	5-2	109	5905-686-9994	5-3	11
5310-982-6814	5-2	109	5905-686-9994	5-4	63
5320-117-6938	5-2	39	5905-686-9998	5-3	2
5320-117-6951	5-2	76	5905-686-9998	5-4	24
5320-936-0065	5-2	84	5905-686-9998	5-5	55
5330-988-0666	5-2	55	5905-688-3738	5-4	75
5340-056-7456	5-2	83	5905-691-0195	5-4	57
5340-290-7273	5-2	107	5905-702-4439	5-4	36
5340-473-5595	5-2	61	5905-723-5251	5-5	47
5340-969-6501	5-2	106	5905-726-3807	5-5	43
5355-813-2078	5-2	6	5905-726-3807	5-5	43A
5355-994-3435	5-2	2	5905-726-4413	5-3	8
5905-078-7059	5-5	61	5905-726-4413	5-5	42
5905-185-6935	5-4	61	5905-801-8272	5-4	78
5905-195-6752	5-4	25	5905-802-6730	5-5	53
5905-258-7358	5-2	65	5905-803-2908	5-5	48
5905-279-1719	5-4	31	5905-805-9714	5-4	62
5905-279-1745	5-4	43	5905-807-0059	5-4	10
5905-279-1979	5-2	71	5905-809-5175	5-4	59
5905-279-2656	5-5	39	5905-817-7971	5-4	34
5905-279-3527	5-5	64	5905-817-7971	5-5	67
5905-542-9605	5-2	9	5905-833-8355	5-4	70
5905-542-9835	5-2	66	5905-835-1631	5-5	45
5905-549-6195	5-2	64	5905-836-4587	5-2	67
5905-552-2585	5-2	10	5905-839-6949	5-4	58
5905-577-3608	5-2	7	5905-847-5055	5-5	37
5905-581-6185	5-2	8	5905-878-7527	5-2	68
5905-681-6462	5-3	7	5905-905-7761	5-2	43
5905-681-6462	5-4	17	5905-926-8621	5-4	54
5905-681-6462	5-5	40	5910-688-2822	5-4	4
5905-681-8817	5-5	68	5910-765-6296	5-4	66
5905-681-8818	5-3	10	5910-810-2544	5-4	72
5905-681-8818	5-4	56	5910-835-2175	5-4	3
5905-681-8818	5-5	44	5910-847-7288	5-3	12
5905-681-9969	5-3	3	5910-847-7288	5-4	74
5905-681-9969	5-5	49	5910-847-7288	5-5	33

## SECTION VII. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE

TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION (CONTINUED)

FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF DESIGNATION	FEDERAL STOCK NUMBER	FIGURE NUMBER	ITEM NUMBER OR REF DESIGNATION
5910-881-8945	5-5	31	5961-082-4020	5-5	18
5910-898-9616	5-4	71	5961-752-6081	5-4	15
5910-898-9616	5-5	32	5961-752-6081	5-5	21
5910-934-1636	5-3	14	5961-842-6937	5-4	86
5910-934-1636	5-4	29	5961-842-9864	5-3	1
5910-934-1636	5-5	35	5961-842-9864	5-4	28
5910-936-1334	5-4	5	5961-842-9864	5-5	17
5910-936-1334	5-4	39	5961-878-4683	5-2	50
5910-936-1334	5-5	34	5961-892-0734	5-2	73
5910-936-1334	5-5	73	5961-892-3361	5-2	75
5910-946-6810	5-4	81	5961-892-3361	5-4	64
5910-946-9440	5-2	60	5961-911-6015	5-4	6
5910-985-3578	5-2	40	5961-926-2569	5-4	16
5910-992-3238	5-4	2	5961-949-1432	5-5	71
5910-992-3238	5-5	36	5961-951-8757	5-3	16
5920-296-0446	5-2	22	5961-951-8757	5-4	20
5920-556-0144	5-2	21	5961-951-8757	5-4	21
5930-501-1749	5-2	4	5961-951-8757	5-5	19
5930-838-4449	5-2	32	5961-951-8757	5-5	20
5930-902-2395	5-2	1	5961-964-3872	5-4	19
5930-916-3875	5-2	31	5961-964-3872	5-5	13
5930-932-6959	5-2	5	5961-976-9592	5-3	17
5935-061-7744	5-3	21	5961-976-9592	5-4	14
5935-061-7744	5-4	45	5961-976-9592	5-5	12
5935-061-7744	5-5	3	5961-978-6318	5-2	52
5935-063-9106	5-4	52	5962-916-7127	5-3	19
5935-063-9106	5-5	10	5962-916-7127	5-4	69
5935-081-6290	5-3	23	5962-916-7127	5-5	14
5935-081-6290	5-4	47	6145-661-0191	5-1	14
5935-081-6290	5-5	5	6145-676-7691	5-1	18
5935-755-3428	5-4	53	6210-989-9884	5-2	23
5935-755-3428	5-5	11	6210-989-9885	5-2	24
5935-781-8765	5-1	16	6240-682-3411	5-2	25
5935-808-6134	5-3	22	6625-720-3127	5-2	33
5935-808-6134	5-4	46	6625-993-0879	5-1	2
5935-808-6134	5-5	4			
5935-812-6415	5-4	48			
5935-812-6415	5-5	6			
5935-812-7323	5-4	49			
5935-812-7323	5-5	7			
5935-827-8014	5-4	50			
5935-827-8014	5-5	8			
5935-843-7362	5-1	17			
5935-850-6522	5-2	30			
5935-850-9157	5-1	13			
5935-854-7465	5-3	20			
5935-854-7465	5-4	44			
5935-854-7465	5-5	2			
5935-883-1886	5-4	51			
5935-883-1886	5-5	9			
5935-905-7595	5-2	96			
5935-907-2391	5-2	95			
5935-926-7460	5-2	18			
5935-990-6219	5-5	15			
5940-082-4968	5-2	41			
5940-280-0875	5-2	104			
5940-636-5593	5-1	19			
5940-681-8184	5-2	53			
5940-729-0456	5-2	81			
5950-914-1401	5-5	51			
5961-082-4020	5-3	15			
5961-082-4020	5-4	73			

## SECTION VII. INDEX-FEDERAL STOCK NUMBER CROSS REFERENCE

TO FIGURE AND ITEM NUMBER OR REFERENCE DESIGNATION (CONTINUED)

REFERENCE NO.	MFG. CODE	FIG. NO.	REF. DESIG. OR ITEM NO.	REFERENCE NO.	MFG. CODE	FIG. NO.	REF. DESIG. OR ITEM NO.
CM05FD151J03	81349	5-5	32	11903-300-9	99378	35187	78
CM05FD151J03	81349	5-4	80	2N1485	02735	35187	93
CM05FD181J03	81349	5-5	24	20194-8-64	61007	35187	79
CM05FD270J03	81349	5-5	72	20194-8-64	61007	35187	82
CM05FD301J03	81349	5-5	23	20196-8-64	61007	35187	79
CM05FD390J03	81349	5-5	73	251-22-30-270	71785	35187	91
CM05FD391J03	81349	5-4	32	310073-2	80249	35189	1
				310073-2	80249	35188	13
CM05FD620J03	81349	3-2	5	310073-2	80249	35190	1
CM05FD620J03	81349	5-5	25	340297-3	80249	35187	12
CM05FD620J03	81349	5-4	30	410120	80249	35187	11
CM05FD820J03	81349	5-4	82	440148-02	80249	35187	77
CM06FD272J03	81349	5-5	28	481273-1	80249	35187	99
CM06FD431J03	81349	5-5	27	482139	80249	35187	75
CM06FD471J03	81349	5-5	26	6016-11CC	91506	35187	85
CM06FD471J03	81349	5-4	40	6312BSS0832	06540	35187	37
CM06FD511J03	81349	5-4	22	651005	80249	35187	27
CM06FD681J03	81349	5-5	30	651006	80249	35186	9
CM06FD911J03	81349	5-5	29	751647	80249	35186	5
CP09A3B104K1	81349	5-2	103	840797	80249	35187	3
CQ09A1MA103G3	81349	5-4	60	850186-1	80249	35187	19
CQ09A1MA563G3	81349	5-4	68	865703	80249	35187	92
CR19AU2000-000KC	81349	5-5	16	865704	80249	35188	25
MS35059-22	96906	5-2	26	865705	80249	35189	88
NCL-82A	72962	5-2	80	865706	80249	35190	74
RCR20G102JM	81349	5-4	26	880000-01050F4	70276	35186	11
RCR20G102JM	81349	5-5	60	880007-3	80249	35186	10
RCR20G153JM	81349	5-4	67	890356	80249	35187	47
RCR20G200JM	81349	5-4	27	930129-8	80249	35187	54
RCR20G202JM	81349	5-4	11	94-62548-1	02660	35187	14
RCR20G302JM	81349	5-4	7				
RCR20G472JM	81349	5-4	35				
RCR20G511JM	81349	5-4	77				
RCR20G560JM	81349	5-4	76				
RCR20G750JM	81349	5-5	62				
RCR20G910JM	81349	5-2	20				
RCR20G910JM	81349	5-4	79				
RCR20G912JM	81349	5-4	8				
RC42GF122J	81349	5-5	63				
RC42GF202J	81349	5-5	65				
RE65N1001	81349	5-2	42				
RJ12-BP502	81349	5-4	55				
SL235-269	12615	5-2	86				
SL236-270	12615	5-2	87				
ST390472-9	80249	5-5	66				
ST650712-117743	80249	5-1	15				
ST650716-117740	80249	5-1	20				
ST650716P1	80249	5-1	21				
ST650716P2	80249	5-1	22				
ST650716W1	80249	5-1	23				
SU315K	18324	5-3	18				
ZSP5-502-47	19178	5-1	3				
1N614A	80131	5-2	51				
1N752A	81349	5-4	65				
105EZ25HB552	99392	5-2	58				
117460	80249	5-2	88				
117461	80249	5-2	89				
117462	80249	5-2	90				
117736	80249	5-2	100				

29-134  
29-136  
29-205  
29-402  
29-427  
29-500  
32-87  
37  
37-100  
39-51  
39-52  
44-2

44-12  
44-236  
44-536  
44-568  
55-405  
55-407  
55-457  
55-458  
55-500  
57  
57-100

**ARNG:** None.

**USAR:** None.

**For explanation of abbreviations used, see AR 310-50.**



By Order of the Secretary of the Army:

W. C. WESTMORELAND,  
General, United States Army,  
Chief of Staff.

Official:

KENNETH G. WICKHAM,  
Major General, United States Army,  
The Adjutant General.

Distribution:

*Active Army:*

USASA (2)	TOAD (14)
CNGB (1)	ATAD (10)
ACSC-E (2)	LEAD (7)
Dir of Trans (1)	NAAD (5)
CofEngrs (1)	SVAD (5)
TSG (1)	Gen Dep (2)
CofSpts (1)	Sig See, Gen Dep (5)
USAARENBD (2)	Sig Dep (10)
USAMB (10)	ATS (1)
USAAESWBD (2)	APG (5)
USAAVNTBD (2)	MAAG (1)
USARADB (2)	NLABS (5)
USACDC (2)	AAF-AHP (1)
USACDC Agcy (1)	USARMIS (1)
USACDCEC (10)	USAERDAA (2)
USAMC (1)	USAERDAW (5)
USAMICOM (4)	USACRREL (2)
USATECOM (2)	ARADMAC (5)
USASTRATCOM (4)	USAJFKCENMA (5)
USAESC (70)	Redstone Arsenal (5)
CONARC (5)	Sig FLDMS (2)
ARADCOM (2)	Units org under fol TOE: - 2 ea.
ARADCOM Rgn (2)	1-7
OS Maj Cored (4) except	6-100
USARYIS (5)	6-155
USARAL (5)	6-156
USARJ (5)	6-185
LOGCOMD (5)	6-186
MDW (1)	6-200
Armies (2)	6-215
Corps (2)	6-216
1st Cav Div (3)	6-300
Instl (2) except	6-345
Ft Carson (25)	6-346
Ft Gordon (10)	6-385
Ft Huachuca (10)	6-386
USAQMCENFL (5)	6-636
WSMR (3)	7
Svc Colleges (2)	7-100
USASESS (10)	11-97
USAADS (2)	11-98
USAFAS (2)	11-117
USAARMS (5)	11-158
USAIS (5)	11-237
USAES (2)	11-302
USAINTS (3)	11-500 (AA-AC, RD,
USATSCH (5)	RL, RR, RV
USAOC&S (5)	17
Army Dep (2) except	17-51
SAAD (30)	17-100
LBAAD (14)	29-41





**TM 11-6625-1711-25P TEST SET, SIMULATOR AN/APM-245-1971**