

TECHNICAL MANUAL

**ORGANIZATIONAL, DIRECT SUPPORT, AND GENERAL
SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL
TOOLS LISTS (INCLUDING DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS)**

**GENERATORS, PULSE
AN/PPM-1 (FSN 6625-503-0661)
AND
AN/PPM-1A (FSN 6625-585-3621)**

H E A D Q U A R T E R S , D E P A R T M E N T O F T H E A R M Y
MARCH 1975

**Organizational, Direct Support, and General
Support Maintenance Repair Parts and Special
Tools Lists (Including Depot Maintenance
Repair Parts and Special Tools)**

**GENERATORS, PULSE AN/PPM-1 (FSN 6625-503-0661)
AND AN/PPM-1A (FSN 6625-585-3621)**

Current as of December 1974

SECTION	I.	INTRODUCTION	Paragraph	Page
		Scope	1-1	1
		General.....	1-2	1
		Explanation of columns	1-3	1
		Special information.....	1-4	4
		Location of repair parts.....	1-5	4
		Abbreviations (Not applicable).....	1-6	4
		Reporting of equipment publication improvements	1-7	4
	II.	PRESCRIBED LOAD ALLOWANCE (Not applicable)		
	III.	REPAIR PARTS LIST		6
	IV.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	V.	REPAIR PARTS LIST		11
	VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	VII.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER.....		61



***This manual supersedes TM 11-6625-237-20P, 2 November 1961, and TM 11 6625-237-3P, 14 August 1961. including all changes.**

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational, direct support, general support, and depot maintenance of the AN/PPM-1 and AN/PPM -1A. The PCCN for the equipment is GTEAFU for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

- a. *Prescribed Load Allowance (PLA)- Section II.* Not applicable.
- b. *Repair Parts List-Section III.* A list of repair parts authorized for the performance of maintenance at the organizational level. This repair parts list is arranged in alphabetical order.
- c. *Special Tools, Test and Support Equipment-Section IV.* Not applicable.
- d. *Repair Parts List-Section V.* A list of repair parts authorized for the performance of maintenance at the direct support, general, support, and depot level.
- e. *Special Tools, Test and Support Equipment-Section VI.* Not applicable.
- f. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section VII.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

- a. *Source, Maintenance, and Recoverability Codes (SMR).*
 - (1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are

<i>Code</i>	<i>Explanation</i>
PA-	Item procured and stocked for anticipated or known usage.
PB-	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC-	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD-	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfitting. Not subject to automatic replenishment.
PE-	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair —activities.
PF-	Support equipment which will not be stocked but which will be centrally procured on demand.
PG-	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD-	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF-	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB-	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO-	Item to be manufactured or fabricated at organizational level.
MF-	Item to be manufactured or fabricated at direct support maintenance level

<i>Code</i>	<i>Explanation</i>
MH-	Item to be manufactured or fabricated at general support maintenance level.
MD-	Item to be manufactured or fabricated at depot maintenance level.
AO-	Item to be assembled at organizational level.
AF-	Item to be assembled at direct support maintenance level.
AH-	Item to be assembled at general support maintenance level.
AD-	Item to be assembled at depot maintenance level.
XA-	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB-	Item is not procured or stocked. If not
XC-	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD-	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application Explanation</i>
O-	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed, within organizational maintenance

<i>Code</i>	<i>Explanation</i>
-------------	--------------------

- F- Support item is removed, replaced, used at the direct support maintenance level.
- H- Support item is removed, replaced, used at the general support maintenance.
- D- Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code

<i>Code</i>	<i>Application Explanation</i>
O-	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F-	The lowest maintenance level capable of complete repair of the support item is direct support.
H-	The lowest maintenance level capable of complete repair of the support item is general support.
D-	The lowest maintenance level capable of complete repair of the support item is the depot level.
L-	Repair restricted to designated Specialized Repair Activity.
Z-	Non-repairable. No repairs authorized.
B-	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows

<i>Code</i>	<i>Application Explanation</i>
Z-	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.

<i>Code</i>	<i>Explanation</i>
O-	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F-	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H-	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D-	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L-	Repairable item. Repair, condemnation, and disposal not authorized below depot/ Specialized Repair Activity level.
A-	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. Federal Stock Number. Indicates the Federal stock number assigned to the item.

NOTE

For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-oo-" after the Federal stock classification (FSC) code (first four digits). For example, FSN 6625-553-0142 converts to NSN 6625-00-553-0142.

c. Description. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 15-Day Organizational Maintenance Allowances.

(1) The repair parts indicated by an asterisk in the allowance column represent those authorized for use at the organizational category, and will be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Major Army commanders are authorized to approve' reduction in the range of support items authorized for use in units within their commands. Recommendations for increase in range of items authorized for use will be forwarded to Commander, US Army Electronics Command, ATTN: AMSEL--MA--DM, Fort Monmouth, N.J. 07703.

(3) Allowance quantities are indicated in the special tools list section for special tools, TMDE, and other support equipment.

g. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

h. 1-Year Allowances Per 100 Equipment/Contingency Planning Purposes. Column intentionally left blank.

i. Depot Maintenance Allowance Per 100 Equipment. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipment .

j. Illustration.

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-2678.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are

<i>Code</i>	<i>Used on</i>
A98	AN/PPM-1
A99	AN/PPM-1A

b. The following publication pertains to the equipment and its components:

TM 11-2678	Operator, Organizational, Field and Depot Maintenance Manual: Pulse Generators AN/PPM-1 and AN/PPM-1A.
------------	---

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec VII) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedure given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec VII), and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec III and V) and locate the figure number (col 7a-20P, 10a-34P) and item number or reference designation (col 7b-20P, 10b-34P) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b-20P and 10a and 10b-34P, of the repair parts list (sec III and V) until the item is located.

d. When the FSN, reference number, figure number, and item number are not known, scrutinize column 3 of the repair parts list (sec III and V), which is arranged in alphabetical order.

1-6. Abbreviations Not applicable.

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-DM, Fort Monmouth, N.J., 07703.

Next printed page is 6)



SECTION III

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(A)	(B)	(C)	(D)	(A) FIG. NO.	(B) ITEM NO.
					1-5	6-20	21-50	51-100		
PAOZZ	5920-283-7178	CAP, ELECTRICAL NO-REF-DESIG FOR FUSEHOLDER 61BS739 (28480)	EA	1	*	*	*	*	4	
PAOZZ	5935-636-7145	CONNECTOR, PLUG, ELECTEICAL P1 UP121M (81349)	EA	1	*	*	*	*	32	P1
XDOZZ		ELECTRON TUBE V4 OB2 (81350)	EA	2	*	*	*	*	5	V4
XDOZZ		ELECTRON TUBE V14 OB2 (81350)	EA	1	*	*	*	*	5	V14
PAOZZ	5960-188-8573	ELECTRON TUBE V12 OD3 (81350)	EA	1	*	*	*	*	5	V13
XDOZZ		ELECTRON TUBE V13N (USED ON MODELS SG-69/PPM- 1, SERIAL NOS. TO 2499AND ABOVE, AND SG- 5R4WGY (81350)	EA	1	*	*	*	*	5	V13
XDOZZ		ELECTRON TUBE V13 (USED ON MODELS SG-69A/PPM- 1 AND SG-69B/PPM-1A) 5R4GYA (11350)	EA	1	*	*	*	*	5	V13
PAOZZ	5960-166-7674	ELECTRON TUBE V11 (USED ON MODELS SG-69/PPM- 1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) 6AS7G (81350)	EA	2	*	*	*	*	5	V11
PAOZZ	5960-166-7674	ELECTRON TUBE V17 (USED ON MODELS SG-69/PPM- 1 SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A. 6AS7G (81350)	EA	REF	*	*	*	*	5	V17
XDOZZ		ELECTRON TUBE V11 (USED ON MODEL SG-69A/PPM- 6ASTGA (8150)	EA	2	*	*	*	*	5	V11
XDOZZ		ELECTRON TUBE V17 E (USED ON MODEL SG-69A/PPM- 6AS7GA (81350)	EA	REF	*	*	*	*	5	V17
XDOZZ		ELECTRON TUBE V15 6AU6WA (81350)	EA	1	*	*	*	*	5	V15
PAOZZ	5960-188-3967	ELECTRON TUBE V7 6J6 (81350)	EA	3	*	*	*	*	23	V7
PAOZZ	5960-188-3967	ELECTRON TUBE V8 6J6 (81350)	EA	REF	*	*	*	*	3	V8
PAOZZ	5960-188-3967	ELECTRON TUBE V9 69A/PPM-1) 6J6/(813501)	EA	REF	*	*	*	*	3	V9
PAOZZ	5960-262-0160	ELECTRON TUBE V7 6J6WA (81350]	EA	3	*	*	*	*	23	V7
PAOZZ	5960-262-0160	ELECTRON TUBE V8 6J6WA (81350)	EA	REF	*	*	*	*	3	V8
PAOZZ	5960-262-0160	ELECTRON TUBE V9 6J6WA (81350)	EA	REF	*	*	*	*	3	V9
PAOZZ	5960-262-0161	ELECTRON TUBE V2 6L6WGB (81350)	EA	1	*	*	*	*	3	V2
PAOZZ	5960-239-1993	ELECTRON TUBE V3 6W4GT (81350)	EA	1	*	*	*	*	5	V3
PAOZZ	5960-272-9182	ELECTRON TUBE V1 6x4W (81350)	EA	1	*	*	*	*	5	V1

SECTION III

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) UNIT OF MEAS USABLE ON CODE	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(A)	(B)	(C)	(D)	(A)	(B)
					1-5	6-20	21-50	51-100	FIG. NO.	ITEM NO.
PAOZZ	5960-166-7663	ELECTRON TUBE V101 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 12AU7(81350)	EA	6	*	*	*	*	3	V101
PAOZZ	5960-166-7663	ELECTRON TUBE V103 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 12AU7(81350)	EA	REF	*	*	*	*	3	V103
PAOZZ	5960-166-7663	ELECTRON TUBE V104 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 12AU7 (81350)	EA	REF	*	*	*	*	3	V104
PAOZZ	5960-166-7663	ELECTRON TUBE V105 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 12AU7(81350)	EA	REF	*	*	*	*	3	V105
PAOZZ	5960-166-7663	ELECTRON TUBE V107 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	3	V107
PAOZZ	5960-166-7663	ELECTRON TUBE V108 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 12AU7(81350)	EA	REF	*	*	*	*	3	V108
PAOZZ	5960-166-7663	ELECTRON TUBE (USED ON MODELS SG69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	9	*	*	*	*	3	V101
PAOZZ	5960-166-7663	ELECTRON TUBE V102 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V102
PAOZZ	5960-166-7663	ELECTRON TUBE V103 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V103
PAOZZ	5960-166-7663	ELECTRON TUBE V104 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V104
PAOZZ	5960-166-7663	ELECTRON TUBE V105 (USE ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V105
PAOZZ	5960-166-7663	ELECTRON TUBE V106 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V106
PAOZZ	5960-166-7663	ELECTRON TUBE V107 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V107
PAOZZ	5960-166-7663	ELECTRON TUBE V108 (USED ON MODELS SG-69/PPM-1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V108
PAOZZ	5960-166-7663	ELECTRON TUBE V109 (USED ON MODELS SG-69/PPM-1 1 SERIAL NOS. TO 2499 AND ABOVE) 12AU7(81350)	EA	REF	*	*	*	*	3	V109
PAOZZ	5960-827-8782	ELECTRON TUBE V10 12AX7(81350)	EA	1	*	*	*	*	5	V100
XDOZZ		ELECTRON TUBE V102 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 5963(81350)	EA	3	*	*	*	*	3	V102
XDOZZ		ELECTRON TUBE V106 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 5963(81350)	EA	REF	*	*	*	*	3	V106
XDOZZ		ELECTRON TUBE V109 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) 5963(81350)	EA	REF	*	*	*	*	3	V109
PAOZZ	5960-825-2857	ELECTRON TUBE V6 GLASS ENVELOPE , GAS THYRATRON, 212HP45B (28480)	EA	2	*	*	*	*	5	V6
PAOZZ	5960-825-2857	ELECTRON TUBE V16 GLASS ENVELOPE, GAS THYRATRON, 212HP45B (28480)	EA	REF	*	*	*	*	5	V16
PAOZZ	5920-284-7466	FUSE, CARTRIDGE F1 4 AMP, 125 V, TIME DELAY, 12 SEC AT 200 PCT OVERLOAD, MX4 (71400)	EA	1	*	*	*	*	10	F1
PAOZZ	5355-342-5382	KNOB H101 BLACK, PHENOLIC, S380-64LBBDD (75376)	EA	1	*	*	*	*		H101
PAOZZ	5355-160-6056	KNOB H102 PHENOLIC. BLACK,,1 1/2 IN DIA X..... 27/37 IN WD, CONTINUED	EA	3	*	*	*	*	*	H102

SECTION III

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(A)	(B)	(C)	(D)	(A) FIG. NO.	(B) ITEM NO.
					1-5	6-20	21-50	51-100		
CONTINUED										
PACZZ	535-160-6056	S380DDL522 (75376) KNOB H103 PHENOLIC, BLACK, 1 1/2 IN DIA X..... A98	EA	REF	*	*	*	*		H103
PACZZ	535-160-6056	S380DDL522 (75376) KNOB H104 PHENOLIC, BLACK, 1 1/2 IN DIA X..... A98	EA	REF	*	*	*	*		H104
XDCZZ		S380DDL522 (75376) KNOB H105 RD WITH FLUTED EDGE, BLACK PHENOLIC, 2 IN DIA X 7/8 IN THK., A98	EA	2	*	*	*	*		H105
XDCZZ		S311-64DD522L (75376) KNOB H106 RD WITH FLUTEO EDGE, BLACK PHENOLIC, 2 IN DIA X 7/8 IN THK, A98	EA	REF	*	*	*	*		H106
PACZZ	5355-351-4474	S311-64DD522L (75376) KNOB H107 RND KNURLED, BLACK PLASTIC, 3 IN DIA X 7/8 IN THK, A98	EA	1	*	*	*	*		H107
XDOZZ		212AM314 (28480) KNOB MP13 ROUND, BLACK PHENOLIC, 3/4 IN OD X 9/16 IN THK, A99	EA	1	*	*	*	*		MP13
PACZZ	5355-579-1210	G74B (28480) KNOB MP14 RND, BLACK PHENOLIC 1 3/8 IN OD X 3/4 IN THK, A99	EA	2	*	*	*	*		MP14
PACZZ	5355-579-1210	MS91528-3F2D (96906) KNOB MP15 RNO, BLACK PHENOLIC, 1 3/8 IN OD X 3/4 IN THK1 A99	EA	REF	*	*	*	*		MP15
PACZZ	5355-721-8924	MS91528-3F2D (96906) KNOB MP16 RND, BLACK PHENOLIC, WITH SKIRT, 1 3/8 IN OD X 3/4 IN THK, A99	EA	1	*	*	*	*		MP16
PACZZ	535-547-7996	GT40 (28480) KNOB MP17 RND BLACK PHENOLIC 0370-0035 (28480) A99	EA	3	*	*	*	*		MP17
PACZZ	5355 547-7996	KNOB MP18 RND BLACK PHENOLIC, 0370-0035 (28480) A99	EA	REF	*	*	*	*		MP18
PACZZ	5355-547-7996	KNOB MP19 RND, BLACK PHENOLIC, 0370-0035 (28480) A99	EA	REF	*	*	*	*		MP19
PACZZ	5355-646-4704	KNOB MP6 RD. BLACK PHENOLIC, 2 3/4 IN OD X 0.750 IN THK, A99	EA	1	*	*	*	*		MP6
XDCZZ		G74G (28480) KNOB MP13 RND BLACK PHENOLIC, 3/4 IN OD X 9/16 IN THK, ACCOM 3/16 IN DIA SHAFT 50MS106 (28480)	EA	1	*	*	*	*		MP13
PACZZ	6240-153-6509	LAMP, INCANDESCENT LM-42 I1 I8 V, 2.7 W 0.15 AMP, MIN BAYONET BASE, (USED ON MODEL SG- 69/PPM-I, SERIAL NOS. TO 2499 AND AOVE) 2Z5942 (80063)	EA	1	*	*	*	*	10	I1
PACZZ	6240-153-8706	LAMP, INCANDESCENT LM-52 I1 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-IA) MS15571-2 (96906)	EA	1	*	*	*	*	10	I1
PAOZZ	6210-188-8779	LENS, INDICATOR LIGHT NO-REF-DESIG RED TRANSLUCENT, SMOOTH FACE FROSTED BACK, 81-121 (72619)	EA	1	*	*	*	*		
PAOZZ	596G-280-3759	RETAINER, ELECTRON TUBE MP25 1 5/16 IN W X 3/4 IN H, A99	EA	14	*	*	*	*		MP25
PAOZZ	5960-280-3759	140-12 (28480) RETAINER1 ELECTRON TUBE MP26 1 5/16 IN X 3/4 IN H, A99	EA	REF	*	*	*	*		MP26
PAOZZ	5960-280-3759	140-12 (28480) RETAINER, ELECTRON TUBE MP27 1 5/16 IN W X 3/4 IN H, (USED ON MODEL SG-69B/PPM-1A) A99	EA	REF	*	*	*	*		MP27
PAOZZ	5960-280-3759	140-12 (28480) RETAINER, ELECTRON TUBE MP28 1 5/16 IN W X 3/4 IN H, (USED ON MODEL SG-69B/PPM-1A) A99	EA	REF	*	*	*	*		MP28

SECTION III

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	(4) USABLE ON CODE	(5) UNIT OF MEAS	(6) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
						(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	(A) FIG. NO.	(B) ITEM NO.
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP29 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP29
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP30 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP30
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP31 1 5/16 IN W X 3/4 IN H, N H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP31
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP32 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP28
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP33 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP33
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP34 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP34
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP35 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP35
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP36 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP36
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP37 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP37
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP38 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A99	EA	REF	*	*	*	*		MP38
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A120 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A98	EA	5	*	*	*	*		A120
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A122 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A98	EA	REF	*	*	*	*		A122
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A123 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A98	EA	REF	*	*	*	*		A123
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A124 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A98	EA	REF	*	*	*	*		A124
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A125 1 5/16 IN W X 3/4 IN H, 140-12 (28480)	A98	EA	REF	*	*	*	*		A125
XDOZZ		RETAINER, ELECTRON TUBE MP39 1 5/16 IN W X 1 1/4 IN H, 140-13 (28480)	A99	EA	REF	*	*	*	*		MP39
XDOZZ		RETAINER, ELECTRON TUBE MP40 1 5/16 IN W X 1 1/4 IN H, 140-13 (28480)	A99	EA	REF	*	*	*	*		MP40
XDOZZ		RETAINER, ELECTRON TUBE MP41 1 5/16 IN W X 1 1/4 IN H, 140-13 (28480)	A99	EA	REF	*	*	*	*		MP41
XDOZZ		RETAINER, ELECTRON TUBE MP20 1 7/16 IN DIA X 1 9/16 IN H, 120F5-63AHS (91506)	A99	EA	5	*	*	*	*		MP20
XDOZZ		RETAINER, ELECTRON TUBE MP21 1 7/16 IN DIA X 9/16 IN H, 120F5-63AHS (91506)	A99	EA	REF	*	*	*	*		MP21
XDOZZ		RETAINER, ELECTRON TUBE MP22 1 7/16 IN DIA X 9/16 IN H, 120F5-63AHS (91506)	A99	EA	REF	*	*	*	*		MP22
XDOZZ		RETAINER, ELECTRON TUBE MP23 1 7/16 IN DIA X 9/16 IN H, 120F5-63AHS (91506)	A99	EA	REF	*	*	*	*		MP23
XDOZZ		RETAINER, ELECTRON TUBE MP24 1 7/16 IN DIA X 9/16 IN H, 120F5-63AHS (91506)	A99	EA	REF	*	*	*	*		MP24
XDOZZ		SHIELD, ELECTRON TUBE EV6 ASBESTOS CLOTH, 1 1/2 IN ID X 3 IN H, 212A6A (28480)	A99	EA	2	*	*	*	*		EV6

SECTION III

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(A) 1-5	(B) 6-20	(C) 21-50	(D) 51-100	(A) FIG. NO.	(B) ITEM NO.
XDOZZ		SHIELD, ELECTRON TUBE EV16 ASBESTOS CLOTH, 1 1/2 IN ID X 3 IN H, 212A6A (28480)	EA	REF	*	*	*	*		EV16

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		BPD01 (96095) 98		EA	1				*	*	*			24	C101
PAHZZ	5910-818-6855	CAPACITOR FIXED, ELECTROLYTIC C101 10 UF, 450 VDCW, 3/4 IN DIA X 1 19/16. IN LG, TC72 (37942)		EA	4				*	*	*		3	5	C5
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C5 40 UF, 450 VDCW. 3 IN LG X 1 IN D, (USED ON MODELS SG-69/PPM-L, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) D27364 (56289)		EA	REF				*	*	*			32	C14
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C14 40 UF, 450 VDC, 3 IN LG X 1 IN D, (USED ON MODELS SG-69/PPM-I SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) D27364 (56289)		EA	REF				*	*	*			32	C15
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C15 40 UF, 450 VDCW. 3 IN LG X 1 IN D, (USED ON MODELS SG-69/PPM-I, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) D27364 (56289)		EA	REF				*	*	*			5	C29
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C29 40 UF, 450 VDCW 3 IN LG X 1 IN OD (USED ON MODELS SG-69/PPM-I SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A)		EA	REF				*	*	*		3	5	C25
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C 5 40 UF, 450 VDCW 3 IN LG X 1 IN OD (USED ON MODELS SG-69A/PPM-I)		EA	REF				*	*	*			32	C14
PAHZZ	5910-818-6855	CAPACITOR, FIXED, ELECTROLYTIC C14 40 UF, 450 VDCW 3 IN LG X 1 IN OD (USED ON MODELS SG-69A/PPM-I)		EA	REF				*	*	*			5	C29
XDHZZ		CAPACITOR, FIXED, MICA DIELECTRIC C31 10 UUF PORM 10 PCT, 500 VDCW. CM208100K (81349) A99		EA	1				*	*	*			32	C31
PAHZZ	5910-101-5575	CAPACITOR, FIXED MICA DIELECTRIC C126 20 UUF PORM 5PCT, 500 VDCW (USED ON MODEL SG-69/PPM-1, SERIAL NOS TO 2499 AND ABOVE) CM20CM200J (81349)		EA	2				*	*	*		3	30	C126
PAHZZ	5910-101-5575	CAPACITOR, FIXED, MICA DIELECTRIC C133		EA	REF				*	*	*			30	C133
		CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5910-101-5575	CONTINUED 20UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS TO 2499 AND ABOVE) CM20CM200J (81349)		EA	3				*	*	*		3	32	C15
PAHZZ	5910-101-5575	CAPACITOR, FIXED, MICA DIELECTRIC C15..... 20UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69A/PPM-1)		EA	REF				*	*	*			24	C126
XDHZZ	5910-101-5575	CM208220K (81349) CAPACITOR FIXED, MICA DIELECTRIC C133.....		EA	REF				*	*	*			30	C133
XDHZZ	5910-101-5575	A99 22 UUF PORN 10PCT, 500 VDCW, CM208220K (81349)		EA	2				*	*	*			18	C126
XDHZZ	5910-101-5575	A99 22 UUF PORN 10PCT, 500 VDCW, CM208220K (81349)		EA	REF				*	*	*			34	C133
PAHZZ	5910-101-4708	A99 CAPACITOR, FIXED, MICA DIELECTRIC C127..... 24 UUF PORM 5PCT, 500 VDCW, CM20C240J (81349)		EA	1				*	*	*		3	31	C127
XDHZZ		A98 CAPACITOR FIXED, MICA DIELECTRIC C127..... 27 UUF PORN 10PCT, 500 VDCW, CM15B27OK (81349)		EA	2				*	*	*			24.1	C127
XDHZZ		A99 CAPACITOR FIXED, MICA DIELECTRIC C143..... 27 UUF PORN 10PCT, 500 VDCW, CM15B27OK (81349)		EA	REF				*	*	*				C143
XDHZZ		A99 CAPACITOR FIXED, MICA DIELECTRIC C103..... 30 UUF PORN 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. 1040 TO 1439) CM20C300J (81349)		EA	1				*	*	*			31	C103
XDHZZ		A99 CAPACITOR FIXED, MICA DIELECTRIC C9..... 39 UUF PORN 10PCT, 500 VDCW, CM15B39OK (81349)		EA	3				*	*	*				C9
XDHZZ		A99 CAPACITOR FIXED, MICA DIELECTRIC C113..... 39 UUF PORN 10PCT, 500 VDCW, CM15B39OK (81349)		EA	REF				*	*	*			34	C113
XDHZZ		A99 CAPACITOR FIXED, MICA DIELECTRIC C139..... 39 UUF PORN 10PCT, 500 VDCW, CONTINUED		EA	REF				*	*	*				C139

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDHZZ		CM158390K (81349) A99	A99	EA	2				*	*	*			33	C9
		CAPACITOR, FIXED. MICA DIELECTRIC C9.....													
		39 UUF PORM 10PCT, 500 VDCW,													
XDHZZ		CM15B390K (81349) A98	A98	EA	REF				*	*	*			30	C113
		CAPACITOR, FIXED. MICA DIELECTRIC C113.....													
		39 UUF PORM 10PCT, 500 VDCW,													
XDHZZ		CM15B390K (81349) A98	A98	EA	1				*	*	*				C139
		CAPACITOR, FIXED MICA DIELECTRIC C139.....													
		39 UUF PORM 10PCT, 500 VDCW, (USED ON													
		MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO													
		2499 AND ABOVE. AND SG-69A/PPM-1)													
PAHZZ	5910-850-0541	CM158390K (81349)		EA	2				*	*	*		3	24-1	C118
		CAPACITOR, FIXED. MICA DIELECTRIC C118.....													
		47 UUF PORM IOPCT. 500 VDCW,													
PAHZZ	5910-850-0541	CM20B470K (81349) A99	A99	EA	REF				*	*	*			24-1	C120
		CAPACITOR, FIXED, MICA DIELECTRIC C120.....													
		47 UUF PORM 10PCT, 500 VDCW													
XDHZZ		CM20B470K (81349) A99	A99	EA	3				*	*	*			16	C103
		CAPACITOR. FIXED. MICA DIELECTRIC C103.....													
		51 UUF PORM 5PCT 500 VDCW, (USED ON MODEL													
		SG-69/PPM-1, SERIAL NOS. TO 1039)													
XDHZZ		CM25ES10J (81349)		EA	REF				*	*	*			15	C118
		CAPACITOR. FIXED, MICA DIELECTRIC C118.....													
		51 UUF PORM 5PCT, 500 VDCWU (USED ON MODEL													
		SG-69/PPM-I SERIAL NOS. TO 1L039)													
XDHZZ		CM25E510J (81349)		EA	REF				*	*	*			17	C120
		CAPACITOR, FIXED MICA DIELECTRIC C120.....													
		51 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL													
		SG-69/PPM-1, SERIAL NOS. TO 1039)													
XDHZZ		CM25E510J (81349)		EA	2				*	*	*			15	C118
		CAPACITOR, FIXED. MICA DIELECTRIC C118.....													
		51 UUF PORN 5PCT 500 VDCW (USED ON													
		MODELS SG-69/PPM-I, SERIAL NOS. 1040 TO													
		2499 AND ABOVE AND SG-69A/PPM-1)													
XDHZZ		CM25E510J (81349) A98	A98	EA	REF				*	*	*			17	C120
		CAPACITOR, FIXED. MICA DIELECTRIC C120.....													
		51 UUF PORM 5PCT 500 VDCW (USED ON													
		MODELS SG-69/PPM-I, SERIAL NOS. 1040 TO													
		2499 AND ABOVE. AND SG-69A/PPM-1)													
PAHZZ	5910-727-4995	CM25E510J (81349)		EA	1				*	*	*		3	30	C117
		CAPACITOR. FIXED, MICA DIELECTRIC C117.....													
		82 UUF PORM 10PCT. 500 VDCW, (USED ON													
		MODELS SG-69/PPM-1 SERIAL NOS. TO 2499													
		AND ABOVE. SG-69A/PPM-													
		CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGKY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM2DD241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C123.....		EA	REF				*	*	*			24.1	C123	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C132.....		EA	REF				*	*	*			24.1	C132	
PAHZZ	5910-101-4714	240 UUF PORM SPCT, 500 VDCW, (USED ON MODEL SG-69gPPM-1, SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C135.....		EA	REF				*	*	*			31	C135	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C136.....		EA	REF				*	*	*			31	C136	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C137.....		EA	REF				*	*	*			31	C137	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1 SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C138.....		EA	REF				*	*	*			31	C138	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C105.....		EA	7				*	*	*	3		34	C105	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODELS SG-69/PPM-1 SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C123.....		EA	REF				*	*	*			34	C123	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT 500 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C132.....		EA	REF				*	*	*			34	C132	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C135.....		EA	REF				*	*	*			30	C135	
PAHZZ	5910-101-4714	240 UUF PORM 5PCT, 500 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM20D241J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C136.....		EA	REF				*	*	*			30	C136	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP	(9) DEPOT MAINT ALW PER 100	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5910-667-5737	CONTINUED HDS-500SUUF (53021) CAPACITOR, FIXED, MICA DIELECTRIC C38.....	EA	REF				*	*	*		*		C38
PAHZZ	5910-667-5737	500 UUF PORM 5PCT, 2500 VDCW, 1-1/8 IN D, 5/16 IN H9 1-1/4 IN W1 HDS-50UUF (53021) CAPACITOR, FIXED, MICA DIELECTRIC C39.....	EA	REF				*	*	*				C39
XDHZZ		500 UUF PORM 5PCT, 2500 VDCW, 1-1/8 IN D, 5/16 IN H, 1-1/4 IN I, HL5-500UUF (53021) CAPACITOR, FIXED, MICA DIELECTRIC C102.....	EA	3				*	*	*			16	C102
XDHZZ		680 UUF PORM 10PCT, 500 VDCW, CM300D681J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C110.....	EA	REF				*	*	*			15	C110
XDHZZ		680 UUF PURN 10PCT, 500 VDCW, CM30D681J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C112.....	EA	REF				*	*	*			15	C112
XDHZZ		680 UUF PORM 10PCT, 500 VDCW, CM30D681J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C37.....	EA	1				*	*	*				C37
XDHZZ		750 UUF PORM 5PCT, 2500 VDCW, 1-1/8 IN D, 5/16 IN H, 1-1/4 IN I H05-75UUF (53021) CAPACITOR, FIXED, MICA DIELECTRIC C23.....	EA	2				*	*	*			32	C23
XDHZZ		1000 UUF PORM 10PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1. SERIAL NOS. TO 14391 CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C121.....	EA	REF				*	*	*			33	C121
XDHZZ		1000 UUF PORM 10PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C23.....	EA	4				*	*	*			32	C23
XDHZZ		1000 UUF PORM 10PCT, 500 VDCW, (USED ON MODELSSG-69/PPM, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C121.....	EA	REF				*	*	*			34	C121
		1000 UUF PORM 10PCT, 500 VDCW, (USED ON CONTINUED												

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		MODELS SG-69/PPM, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-11 CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C141.....		EA	REF				*	*	*			34	C141
		1000 UUF PORM 10PCT, 500 VDCW, (USED ON MODELS SG-69/PPM, SERIAL NOS. 1440 TO 2499 AN) ABOVE, AND SG-69A/PPM-1) CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C142.....		EA	REF				*	*	*			34	C142
		1000 UUF PORM 10PCT, 500 VDCW, (USED IN MODELS SG-69/PPM, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1) CM30B102K (81349) CAPACITOR, FIXED, MICA DIELECTRIC C23.....		EA	5				*	*	*			33	C23
		1000 UUF PORM 10PCT. 500 VDCW, CM308102K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C121.....		EA	REF				*	*	*			24.1	C121
		1000 UUF PORM 10PCT, 500 VDCW, CM308102K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C124.....		EA	REF				*	*	*			34	C124
		1000 UUF PORM 10PCT 500 VDCW, CM30B102K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C141.....		EA	REF				*	*	*			24.1	C141
		1000 UUF PORM 10PCT, 500 VDCW, CM308102K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C142.....		EA	REF				*	*	*			24.1	C142
		1000 UUF PORM 10PCT, 500 VDCW, CM30B102K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C20.....		EA	3				*	*	*			21	C20
		1800 UUF PORM 10PCT, 500 VDCW, CM308182K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C24.....		EA	REF				*	*	*			33	C24
		1800 UUF PORM 10PCT. 500 VDCW, CM308182K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C140.....		EA	REF				*	*	*			34	C140
		1800 UUF PORM 10PCT, 500 VDCW, CM308182K (81349) A99 CAPACITOR, FIXED, MICA DIELECTRIC C20.....		EA	2				*	*	*			32	C20
		2000 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM30D202J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C24.....		EA	REF				*	*	*			32	C24
		2000 UUF PORM 5PCT, 500 VDCW, (USED ON CONTINUED													

SECTION V

TM 11-6625-237-24P
(10)

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
XDHZZ		CONTINUED MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) CM30D202J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C20.....		EA	3				*	*	*			33	C20
XDHZZ		2000 UUF PORM 5PCT 500 VDCW, (USED ON MODELS SG-69/PPM-1t SERIAL NOS. 1440 TO 2499 AND ABOVE, ANU SG-69A/PPM-1) CM30D202J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C24.....		EA	REF				*	*	*			33	C24
XDHZZ		2000 UUF PORM SPCT, 500 VDCW, (USED ON MODELS SG-69/PPN-1. SERIAL NOS. 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) CM30D202J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C140.....		EA	REF				*	*	*			34	C140
XDHZZ		2000 UUF PORM SPCT 500 VDCW, (USED ON MODELS SG-69/PPN-1, SERIAL NOS. 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) CM30D202J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C106.....		EA	2				*	*	*			31	C106
XDHZZ		5100 UUF PORM SPCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1. SERIAL NOS. TO 1439) CM35D512J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C131.....		EA	REF				*	*	*			31	C131
XDHZZ		5100 UUF PORM 5PCT, 500 VDCW, (USED ON MODEL SG-69/PPM-1. SERIAL NOS. TO 1439) CM35D512J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C131.....		EA	1				*	*	*			34	C131
PAHZZ	5910-819-2578	5600 UUF PORM 2PCT, 500 VDCW, (USED ON MODELS SG-69/PPM-1 SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPN-1 AND SG- 69B/PPM-1A) CM35E562G (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C21.....		EA	6				*	*	*		3	33	C21
PAHZZ	5910-819-2578	10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN. DIA, 1-1/4 IN LG, 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C104.....		EA	REF				*	*	*			16	C104
PAHZZ	5910-819-2578	10,000 UUF PORM 10PCT, 600 VDCW 3/8 IN DIA, 1-1/4 IN LG, 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C122.....		EA	REF				*	*	*			11	C122
PAHZZ	5910-819-2578	10,000 UUF PORM 10PCTT 600 VDCW, 3/8 IN DIA. 1-1/4 IN LG, AND SG-69A/PPM-1 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C124.....		EA	REF				*	*	*			11	C124
		10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP	(9) DEPOT MAINT ALW PER 100	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED												
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C125..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	REF				*	*	*			18	C125
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C130..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	REF				*	*	*			18	C130
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-0002 (28480) A98 CAPACITOR, FIXED, PAPER DIELECTRIC C21..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	5				*	*	*	3		33	C21
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-0002 (28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C104..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	REF				*	*	*			34	C104
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-0002 (28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C122..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	REF				*	*	*			24.1	C122
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-002 (28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C125..... 10,000 UUF PORM 10PCT, 600 VDCW, 3/8 IN	EA	REF				*	*	*			34	C125
PAHZZ	5910-819-2578	DIA. 1-1/4 IN LG. 0160-000(28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C130..... 10,000 UUF PORM 10PCT, 600 VDCI, 3/8 IN	EA	REF				*	*	*			34	C130
PAHZZ	5910-615-5120	DIA. 1-1/4 IN LG. 0160-0002 (28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C16..... 10,000 UUF PORM 10PCT, 600 VDCW, LP09ALKFZ23K3 (81349)	EA	1				*	*	*	3		15	C116
PAHZZ	5910-849-0217	DIA. 1-1/4 IN LG. 0160-0002 (28480) A99 CAPACITOR, FIXED, PAPER DIELECTRIC C18..... 10,000 UUF PORM 10PCT 400 VDCW, 7/8 IN LG, 0.400 IN DIA, (USED ON MODEL SG- 69A/PPM-1) CP05A1KE27K3 (81349)	EA	1				*	*	*	3		24	C18

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
PAHZZ	5910-543-9081	CAPACITOR, FIXED, PAPER DIELECTRIC C32.....		EA	2				*				3	33	C32	
		41, 000 UUF PORM 10PCT, 600 VDCW, 1-1/2 IN LG, 1/2 IN DIA, (USED ON MODELS SG-69/PPM- 1, SERIAL NOS. 1240 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) CP09A1KF473K3 (81319)														
PAHZZ	5910-543-9081	CAPACITOR, FIXED, PAPER DIELECTRIC C108.....		EA	REF				*			*		34	C108	
		41, 000 UUF PORM 10PCT, 600 VDCW, 1-1/2 IN LG, 1/2 IN DIA, (USED ON MODELS SG-69/PPM- 1, SERIAL NOS. 1240 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) CP09A1KF473K3 (81319)														
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C108.....		EA	1				*			*		31	C108	
		50,000 UUF P30 M10PCT, 600 VDCW, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1239 P688 (96905)														
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C12.....		EA	4					*		*		21	C12	
		100,000 UUF PORM 10PCT., 600 VDCW. 1-1/2 IN LG X 1/2 IN DIA, 160P10494 (56289)														
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C25.....		EA	REF					*				21	C25	
		100,000 UUF PORM 10 PCT, 600 VDCW, 1-1/2 IN LG X 1/2 IN DIA, 160P10494 (56289)														
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C30.....		EA	REF					*		*	*	32	C30	
		100, 000 UUF PORM 10PCT, 600 VDCW, 1-1/2 IN LG X 1/2 IN DIA, 160P10494 (56289)														
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C109.....		EA	REF					*		*	*	16	C109	
		100, 000 UUF PORM 10PCT, 600 VDCW, 1-1/2 IN LG X 1/2 IN DIA, 160P102494 (56289)														
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C3.....		EA	11					*		*	*	3	19	C3
		220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NCS. TO 2499 AND ABOVE, AND SG-69B/PPM-LA) CPU9AIKE2Z4K3 (81349)														
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C10.....		EA	REF					*		*	*	19	C10	
		220, 000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1KE224K3 (81349)														
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C17.....		EA	REF					*		*	*	24.1	C17	
		220, 000 UUF PORM 10PCT, 400 VDCW, (USED ON CONTINUED														

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5910-894-2373	CONTINUED MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-696/PPM-1A) CP09A1KE224K3 (181349) CAPACITOR, FIXED, PAPER DIELECTRIC C1..... 220,000 UUF PORM LOPCT, 400 VDC U, (UDO UN MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1KE224K3 (81349)		EA	REF				*	*	*			24.1	C18
PAHZZ	5910-894-2313	CAPACITOR, FIXED, PAPER DIELECTRIC C19..... 220,000 UUF PORM 10PCT, 400 VDCW (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-698/PPM-1A) CP09A1LE224K3 (81349)		EA	REF				*	*	*			19	C19
PAHZZ	5910-894-2373	CAPACITOR., FIXED, PAPER DIELECTRIC C26..... 120,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09ALKE224K3 (81349)		EA	REF				*	*	*			21	C26
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C27..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE AND SG-69B/PPM-1A) CP09ALKE2K3 (81349)		EA	REF				*	*	*			33	C27
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C107..... 220,000 UUF PORM 10PCT, 400 VDCW (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1KE224K3 (81349)		EA	REF				*	*	*			24.1	C107
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C111..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1K224K3 (81349)		EA	REF				*	*	*			15	C111
PAHZZ	5910-894-2373	CAPACITOR FIXED, PAPER DIELECTRIC C119..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1K224K3 (81349)		EA	REF				*	*	*			24.1	C119
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C134..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, AND SG-69B/PPM-1A) CP09A1K224K3 (81349)		EA	REF				*	*	*			18	C134
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C3..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	10				*	*	*	3		19	C3
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C10..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			19	C10

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C17..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF					*	*	*		24	C17
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C19..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			19	C19
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C26..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			21	C26
PAHZZ	5910-694-2373	CAPACITOR FIXED, PAPER DIELECTRIC C27..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			33	C27
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C107..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			24	C107
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C111..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			31	C111
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C119..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			24	C119
PAHZZ	5910-894-2373	CAPACITOR, FIXED, PAPER DIELECTRIC C134..... 220,000 UUF PORM 10PCT, 400 VDCW, (USED ON MODELS SG-69/PPM-1 CP09A1K224K3 (81349)		EA	REF				*	*	*			31	C134
PAHZZ	5910-681-9264	CAPACITOR, FIXED, PAPER DIELECTRIC C1..... 4 UF PORM 10PCT. 1000 VDCW, 1 1/2 IN DIA X 5 IN LG. T104 (72758)		EA	4				*	*	*		3	5	C1
PAHZZ	5910-681-9264	CAPACITLOR FIXED, PAPER DIELECTRIC C2..... 4 UF PORM 10PCT. 1000 VDCW, 1 1/2 IN DIA X 5 IN LG. T104 (72758)		EA	REF				*	*	*			5	C2
PAHZZ	5910-681-9264	CAPACITOR, FIXED, PAPER DIELECTRIC C4..... 4 UF PORM 10PCT. 1000 VDCW, 1 1/2 IN DIA X 5 IN LG. T104 (72758)		EA	REF				*	*	*			5	C4
PAHZZ	5910-681-9264	CAPACITOR, FIXED, PAPER DIELECTRIC C16..... 4 UF PORM 10PCT. 1000 VDCW, 1 1/2 IN DIA X CONTINUED		EA	REF				*	*	*			5	C16

SECTION V															
(1)	(2)	(3)		(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		UNIT OF MEAS	QTY INC IN UNIT	30 DAYS DS MAINT ALLOWANCE			30 DAYS GS MAINT ALLOWANCE			1-YEAR ALW PER 100 EQUIP CNTGCTY	DEPOT MAINT ALW PER 100 EQUIP	ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5950-253-7330	COIL, RADIO FREQUENCY L6 CHOKE DESIGNED FOR R.F. ABOVE 10 MC, 1-1/2 IN LG X 1 IN DIA.		EA	2								3	33	L6
PAHZZ	5950-253-7330	RF581 (37942) A98 COIL, RADIO FREQUENCY L7 CHOKE DESIGNED FOR R.F. ABOVE 10 MC, 1-1/2 IN LG X 1 IN DIA.		EA	REF				*					33	L7
PAHZZ	5950-253-7330	RF581 (37942) A98 COIL, RADIO FREQUENCY L8 CHOKE DESIGNED FOR R.F. ABOVE 10 MC, 1-1/2 IN LG X 1 IN DIA.		EA	2									3	L8
PAHZZ	5950-253-7330	RF581 (37942) A98 COIL, RADIO FREQUENCY L9 CHOKE DESIGNED FOR R.F. ABOVE 10 MC, 1-1/2 IN LG X 1 IN DIA.		EA	REF				*	*					L9
PAHZZ	3040-682-4498	RF581 (37942) A98 COLLAR NU-REF-DESIG BRASS, 1/2 IN OD X..... 1/4 IN LG,		EA	1					*				3	
PAOZZ	5935-636-7145	54MS304 (28480) A99 CONNECTOR, PLUG, ELECTRICAL P1		EA	1				*	*			3	32	P1
PAHZZ	5935-974-5418	UP121M (81349) CONNECTOR, RECEPTACLE, ELECTRICAL J103		EA	1				*	*	*			34	J103
PAHZZ	5935-552-7660	UG58AU (80058) CONNECTOR RECEPTACLE, ELECTRICAL J101		EA	2					*				34	J101
PAHZZ	5935-552-7660	UG625BU (80058) CONNECTOR. RECEPTACLE, ELECTRICAL J102		EA	REF				*	*	*			4	J102
PAHZZ	3010-203-1632	UG625BU (80058) COUPLING, SHAFT, FLEXIBLE MP65 NON-..... INSULATOR SPRING ACTION TYPE, 1 IN LG X 1 1/4 IN OD, FNC46S (80583)		EA	1				*	*	*		3		MP65

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	3040-834-2412		COUPLING, SHAFT. FLEXIBLE MP62 SLOTTED..... JAW WITH SLIDE ACTION TYPE 13/16 IN LG X 13/4 IN OD. M87 (28480) A99	EA	2				*	*	*		3		P62
PAHZZ	3040-834-2412		COUPLING, SHAFT, FLEXIBLE MP63 SLOTTED..... JAW WITH SLIDE ACTION TYPE 13/16 IN LG X 13/4 IN OD. M87 (28480) A99	EA	REF				*	*	*				MP63
XDHZZ			COUPLING, SHAFT, RIGID A107 SLEEVE TYPE,.....	EA	2				*	*	*				A107
XDHZZ			327337422 (80063) A98 COUPLING, SHAFT, RIGID A108 SLEEVE TYPE,	EA	REF				*	*	*				A108
XDOZZ			327337422 (80063) A98 ELECTRON TUBE V4	EA	2	*	*	*	*	*	*			5	V4
XDOZZ			OB2 (81350) ELECTRON TUBE V14	EA	REF	*	*	*	*	*	*			5	V14
PAOZZ	5960-188-8573		OB2 (81350) ELECTRON TUBE V12	EA	1	*	*	*	*	*	*		100	5	V12
XDOZZ			OD3 (81350) ELECTRON TUBE V13 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE)	EA	1	*	*	*	*	*	*			5	V13
XDOZZ			5R4WGY (81350) ELECTRON TUBE V13 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	1	*	*	*	*	*	*			5	V13
PAOZZ	5960-166-7674		5R4GYA (81350) ELECTRON TUBE V11 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) AND SG-69B/PPM-1A)	EA	2	*	*	*	*	*	*		100	5	V11
PAOZZ	5960-166-7674		6AS7G (81350) ELECTRON TUBE V17 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*			5	V17
XDOZZ			6AS7G (81350) ELECTRON TUBE V11 USED ON MODEL SG- 69A/PPM-1)	EA	2	*	*	*	*	*	*			5	V11
XDOZZ			6AS7GA, (81350) A98 ELECTRON TUBE V17 (USED ON MODEL SG- 69A/PPM-1)	EA	REF	*	*	*	*	*	*			5	V17
XDOZZ			6AS7GA, (81350) A98 ELECTRON TUBE V15	EA	1	*	*	*	*	*	*			5	V15
			6AU6WA (81350)												

SECTION V SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAOZZ	5960-188-3967	ELECTRON TUBE V7 6J6 (81350) A98	EA	3	*	*	*	*	*	*	100	23	V7	
PAOZZ	5960-188-3967	ELECTRON TUBE V8 6J6 (81350) A98	EA	REF								3	V8	
PAOZZ	5960-188-3967	ELECTRON TUBE V9 6J6 (81350) A98	EA	REF	*	*	*	*	*	*		3	V9	
PAOZZ	5960-262-0160	ELECTRON TUBE V7 6J6 (81350) A98	EA	3	*	*	*	*	*	*	100	23	V7	
PAOZZ	5960-262-0160	ELECTRON TUBE V8 6J6WA (81350) A99	EA	REF	*	*	*	*	*	*		3	V8	
PAOZZ	5960-262-0160	ELECTRON TUBE V9 6J6WA (81350) A99	EA	REF	*	*	*	*	*	*		3	V9	
PAOZZ	5960-262-0161	ELECTRON TUBE V2 6J6WA (81350) A99	EA	1	*	*	*	*	*	*	100	3	V2	
PAOZZ	5960-239-1993	ELECTRON TUBE V3 6J6WA (81350)	EA	1	*	*	*	*	*	*	100	5	V3	
PAOZZ	5960-272-9182	ELECTRON TUBE V1 6J6WA (81350)	EA	1	*	*	*	*	*	*	100	5	V1	
PAOZZ	5960-166-7663	ELECTRON TUBE V1(USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	6	*	*	*	*	*	*	100	3	V101	
PAOZZ	5960-166-7663	ELECTRON TUBE V103 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*		3	V103	
PAOZZ	5900-166-7663	ELECTRON TUBE V104 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*		3	V104	
PAOZZ	5960-166-7663	ELECTRON TUBE V105 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*		3	V105	
PAOZZ	5960-166-7663	ELECTRON TUBE V107 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*		3	V107	
PAOZZ	5960-166-1663	ELECTRON TUBE V108 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A)	EA	REF	*	*	*	*	*	*		3	V108	
PAOZZ	5960-166-7663	ELECTRON TUBE VIOL (USED ON MODELS SG-..... 12AU7 (81350)	EA	9	*	*	*	*	*	*	100	3	V101	

CONTINUED

SECTION V

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED												
PAOZZ	5960-166-7663	69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350) ELECTRON TUBE V102 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V102
PAOZZ	5960-166-7663	ELECTRON TUBE V103 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V103
PAOZZ	5960-166-7663	ELECTRON TUBE V104 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V104
PAOZZ	5960-166-7663	ELECTRON TUBE V105 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V105
PAOZZ	5960-166-7663	ELECTRON TUBE V106 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V106
PAOZZ	5960-166-7663	ELECTRON TUBE V107 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V107
PAOZZ	5960-166-7663	ELECTRON TUBE V108 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V108
PAOZZ	5960-166-7663	ELECTRON TUBE V109 (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) 12AU7 (81350)	EA	REF	*	*	*	*	*	*			3	V109
PAOZZ	5960-827-8782	ELECTRON TUBE V10 12AX7 (81350)	EA	1	*	*	*	*	*	*	100		5	V10
XDOZZ		ELECTRON TUBE V102 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A) 5963 (81350)	EA	3	*	*	*	*	*	*			3	V102
XDOZZ		ELECTRON TUBE V106 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A) 5963 (81350)	EA	REF	*	*	*	*	*	*			3	V106
XDOZZ		ELECTRON TUBE V109 (USED ON MODELS SG- 69A/PPM-1 AND SG-69B/PPM-1A) 5963 (81350)	EA	REF	*	*	*	*	*	*			3	V109
PAOZZ	5960-825-2851	ELECTRON TUBE V6 GLASS ENVELOPE, GAS THYRATRON,	EA	2	*	*	*	*	*	*	100		5	V6
PAOZZ	5960-825-2851	212HP45B (28480) ELECTRON TUBE V16 GLASS ENVELOPE, GAS THYRATRON,	EA	REF	*	*	*	*	*	*			5	V16
PAOZZ	5920-284-7466	212HP45B (28480) FUSE, CARTRIDGE F1 4 AMP, 125 V- TIME..... DELAY, 12 SEC AT 200PCT OVERLOAD* CONTINUED	EA	1	*	*	*	*	*	*	50		4	F1

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
PACZZ	5355-579-1210	OD X 3/4 IN THK, MS91528-3F2D (96906)	A99	EA	REF	*	*	*	*	*	*				MP15
PACZZ	5355-721-8924	KNOB MP15 RND, BLACK PHENOLIC, 1.3/8 IN. OD X 3/4 IN THKt MS91528-3F2D (96906)	A99	EA	1	*	*	*	*	*	*	3			MP16
PACZZ	5355-547-7996	KNOB MP16 RND, BLACK PHENOLIC, WITH SKIRT 1 3/8 IN OD X 3/4 IN THK GT4C (28480).	A99	EA	3	*	*	*	*	*	*	3			MP17
PACZZ	5355-547-7996	KNOB MP17 RND, BCLACK PHENOLIC, 0370-0035 (28480)	A99	EA	REF	*	*	*	*	*	*				MP18
PACZZ	5355-547-7996	KNOB MP18 RND, BLACK PHENOLIC 0370-0035 (28480)	A99	EA	REF	*	*	*	*	*	*				MP19
PACZZ	5355-547-7996	KNOB MP19 RND, BLACK PHENOLIC 0370-0035 (284801)	A99	EA	REF	*	*	*	*	*	*				MP19
PACZZ	5355-646-4704	KNOB MP6 RND, BLACK PHENOLIC 2 3/4 IN OD X 0.1750 IN THK, G74G (28480)	A99	EA	1	*	*	*	*	*	*	3			MP6
XDCZZ		KNOB MP13 RND, BLACK PHENOLIC, 3/4 IN OD X 9/16 IN THK, ACCO .3/16 IN DIA SHAFT, 50MS106 (28480)	EA	1	*	*	*	*	*	*	*			M/P13	
PACZZ	6240-153-6509	LAMP, INCANDESCENT LM-42, I1 18 V, 2.7 W, 0.15 AMP MIN BAYONET BASE, (USED ON MODEL SG-69/PPN-1, SERIAL NOS. TO 2499 AND ABOVE) 2Z5942 (80063)	EA	1	*	*	*	*	*	*	*	50	10	11	
PACZZ	6240-155-8706	LAMP, INCANDESCENT LM-5211 (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-LA) MS15571-2 (96906)	EA	1	*	*	*	*	*	*	*	50	10	11	
XDHZZ		LAMPHOLDER, SINGLE HOLDER, X1-1, ACCOM MINIATURE BAYONET BASE, 125 V, 75 W 1-7/8 IN LG X 7/8 IN W X, 1 IN H O/A. 807BS (80063)	A98	EA	1				*	*	*		10	X11	
PAOZZ	6210-188-8779	LENS, INDICATOR LIGHT NO-REF--DESIG RED, TRANSLUCENT, SMOOTH FACE, FROSTED BACK, 81-121 (72619)	EA	1	*	*	*	*	*	*	*	5			
PAHZZ	6210-299-4149	LAMPHOLDER, SINGLE, HOLDER X1-1 ACCOM MINITURE BAYONET BASE 125V, 75W 1 5/8 IN LG X 7/8 IN WIDE X 1 IN H O/A USED ON MODELS CONTINUED	EA	1				*	*	*		4		X1-1	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		2 7/16 IN LG X-2 1N H X 9/16 IN WI 911-52 (28480)													
PAHZZ	5950-809-4571	REACTOR L5 6 TO 7 HENRIES, 125 MA 240..... OHM 2 7/8 IN LG X 2 5/8 IN H X 2 3/16. IN W, 8169A (72964)		EA	1				*	*	*			5	L5
PAHZZ	5950-809-4571	REACTOR L1 6.7 HENRIES, 125 MA, 240..... OHM, 3 1/8 IN LG X 2 1/4 IN H 1 3/4 IN W, 9110-0004 (28480)		EA	2				*	*	*		2	32	L1
PAHZZ	5950-809-4571	REACTOR L4 6.7 HENRIES, 125 MA, 240..... OHM, 3 1/8 IN LG X 2 1/4 IN H 1 3/4 IN W, 9110-0004 (28480)		EA	REF				*	*	*			32	L1
PAHZZ	6130-284-0218	RECTIFIER, METALLIC CR1 SELENIUM, 130 V AC, SINGLE PH, 65 MHA 1 IN LG X 25/32 IN WD X 1 9/64 IN H, 1002A (88421)		EA	4				*	*	*		3	4	CR1
PAHZZ	6130-284-0218	RECTIFIER, METALLIC CR2 SELENIUM, 130 V AC, SINGLE PH, 65 MA, 1 IN LG X 25/32 IN WD X 1 9/64 IN H, 1002A (88421)		EA	REF				*	*	*			4	CR2
PAHZZ	6130-284-0218	RECTIFIER, METALLIC CR3 SELENIUM, 130 V AC, SINGLE PH, 65 MA, 1 IN LG X 25/32 IN WD X 1 9/64 IN H, 1002A (88421)		EA	REF				*	*	*			4	CR3
PAHZZ	6130-284-0218	RECTIFIER, METALLIC CR4 SELENIUM, 130 V AC, SINGLE PH, 65 MA, 1 IN LG X 25/32 IN WD X 1 9/64 IN H, 1002A (88421)		EA	REF				*	*	*			4	CR4
XDHZZ		RECTIFIER, METALLIC CR1. SELENIUM. 5/8..... IN LG X 1 IN W X 1 IN H, 65 (84970)		EA	4				*	*	*			4	CR1
XDHZZ		RECTIFIER, METALLIC CR2 SELENIUM, 5/8..... IN LG X 1 IN W X 1 IN H, 65 (84970)		EA	REF				*	*	*			4	CR2

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ			RECTIFIER, METALLIC CR3 SELENIUM, 5/8..... IN LG X 1 IN W X 1 IN H,	EA	REF				*	*	*			4	CR3
XEZZ			65 (84970) A99 RECTIFIER, METALLIC CR4 SELENIUM, 5/8..... IN LG X 1 IN W X 1 IN H	EA	REF				*	*	*			4	CR4
PAHZZ	5945-188-5600		65 (84970)A99 RELAY, ARMATURE REL1 MERCURY TYPE, DPDT,..... 24 V DC, 15 AMP,	EA	1				*	*	*		3	4	REL1
PAHZZ	5945-624-4122		29259 (80064) A98 RELAY, SOLENOID REL1 24 V, 15 AMP 1..... WNDG, 1 5/8 IN LG X 1 1/2 IN W X 1 15/16 IN H,	EA	1				*	*	*		3	4	REL1
XDHZZ			212A60EPS (28480) A99 RESISTOR FIXED, COMPOSITION R42 12 OHM..... PORM 10PCT, 1/2 W,	EA	1				*	*	*			32	R42
XDHZZ			RC20GF120K (81349) RESISTOR, FIXED, COMPOSITION R41 33 OHM..... PORM 10PCT, 1 W,	EA	1				*	*	*			30	R41
XDHZZ			RC3ZGF330K (81349) RESISTOR, FIXED, COMPOSITION R20 47 OHM PORM 10PCT, 2 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A)	EA	2				*	*	*			32	R20
PAHZZ	5905-279-2643		RC42GF470K (81349) RESISTOR, FIXED, COMPOSITION R30 100..... OHM PORM 10PCT, 1 W,	EA	1				*	*	*		3	32	R30
XDHZZ			RC32GF101K (81349) A98 RESISTOR, FIXED, COMPOSITION R47 100..... OHM PORM 10PCT, 2 W	EA	2				*	*	*			32	R47
XDHZZ			RC42GF101K (81349) RESISTOR, FIXED, COMPOSITION R48 100..... OHM PORM 10PCT, 2 W,	EA	REF				*	*	*			32	R48
			RC42GF101K (81349)												

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDHZZ		RESISTOR, FIXED, COMPOSITION NO-REF-DESIG.....		EA	REF				*	*	*				
		100 OHM PORM 10PCT, 2 W, (USED ON MODEL SG-69A/PPM-1)													
PAHZZ	5905-256-0409	RC42GF101K (81349)		EA					*	*	*			3	R81
		RESISTOR, FIXED, COMPOSITION R81 220.....													
		OHM PORM 10PCT, 1/2 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A)													
XDHZZ		RC20GF221K (81349)		EA	1				*	*	*			34	R146
		RESISTOR, FIXED, COMPOSITION R146 220.....													
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF221K (81349)		EA	1				*	*	*			32	R10
		RESISTOR, FIXED, COMPOSITION R10 220.....													
		OHM PORM 10PCT. 2 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A)													
XDHZZ		RC42GF221K (81349)		EA	4				*	*	*			32	R44
		RESISTOR, FIXED, COMPOSITION R44 330.....													
		OHM PORM IOPCT, 2 W,													
XDHZZ		RC42GF331K (81349)		EA	REF				*	*	*			32	R45
		RESISTOR, FIXED, COMPOSITION R45 330.....													
		OHM PORM 10PCT, 2 W,													
XDHZZ		RC42GF331K (81349)		EA	REF				*	*	*			32	R46
		RESISTOR, FIXED, COMPOSITION R46 330.....													
		OHM PORM 10PCT, 2 W,													
XDHZZ		RC42GF331K (81349)		EA	REF				*	*	*				R80
		RESISTOR, FIXED, COMPOSITION R80 330.....													
		OHM PORM 10PCT, 2W,													
XDHZZ		RC42GF331K (81349)		EA	2				*	*	*			32	R27
		RESISTOR, FIXED, COMPOSITION R27 330.....													
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF331K (81349)	A99	EA	REF				*	*	*			32	R49
		RESISTOR, FIXED, COMPOSITION R49 330.....													
		OHM PORM 10PCT, 1W,													
XDHZZ		RC32GF331K (81349)	A99	EA	3				*	*	*			32	R27
		RESISTOR, FIXED, COMPOSITION R27 330.....													
		CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		RESISTOR, FIXED, COMPOSITION R85 1000.....		EA	2				*	*	*				R85
		OHM PORM 5PCT, 1 W,													
XDHZZ		RC32GF102J (81349) A99 RESISTOR, FIXED, COMPOSITION R149 1000.....		EA	REF				*	*	*			31	R149
		OHM PORM 5PCT, 1 W,													
XDHZZ		RC32GF102J (81349) A99 RESISTOR, FIXED, COMPOSITION R150 1200.....		EA	1				*	*	*			30	R150
		OHM PORM 10PCT, 1 W, (USED ON MODEL SG-													
PAHZZ	5905-279-2647	RC32GF122K (81349) A98 RESISTOR, FIXED, COMPOSITION R14 1500.....		EA	2				*	*	*		3	32	R14
		OHM PORM 10PCT, 1 W,													
PAHZZ	5905-279-2647	RC32GF152K (81349) RESISTOR, FIXED, COMPOSITION R116 1500.....		EA	REF				*	*	*			32	R116
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF152K (81349) RESISTOR, FIXED, COMPOSITION R74 2200.....		EA	5				*	*	*				R74
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF222K (81350) RESISTOR, FIXED, COMPOSITION R103 2200.....		EA	REF				*	*	*			30	R103
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF222K (81350) RESISTOR, FIXED, COMPOSITION R109 2200.....		EA	REF				*	*	*			30	R109
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF222K (81349) RESISTOR, FIXED, COMPOSITION R131 2200.....		EA	REF				*	*	*			30	R131
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF222K (81349) RESISTOR, FIXED, COMPOSITION R148 2200.....		EA	REF				*	*	*			24	R148
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF222K (81349) RESISTOR, FIXED, COMPOSITION R162 2700.....		EA	1				*	*	*				R162
		OHM PORM 10PCT, 1 W,													
XDHZZ		RC32GF272K (81349) A99 RESISTOR, FIXED, COMPOSITION R138 2700.....		EA	1				*	*	*				R138
		CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		RC42GF272K (81349) A99 RESISTOR, FIXED, COMPOSITION R106 3300..... OHM PORM 10PCT, 1 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A	EA	2				*	*	*			24	R106	
XDHZZ		RC32GF332K (81349) RESISTOR, FIXED, COMPOSITION R141 3300..... OHM PORM 10PCT, 1 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A	EA	REF				*	*	*			24	R141	
XDHZZ		RC32GF332K (81349) RESISTOR, FIXED, COMPOSITION R106 3300..... OHM PORM 10PCT, 1 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND RC32GF332K (81349)	EA	3				*	*	*			24	R106	
XDHZZ		RC32GF332K (81349) RESISTOR, FIXED, COMPOSITION R137 3300..... OHM PORM 10PCT, 1 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND RC32GF332K (81349)	EA	REF				*	*	*			24	R137	
XDHZZ		RC32GF332K (81349) RESISTOR, FIXED, COMPOSITION R141 3300..... OHM PORM 10PCT, 1 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND RC32GF332K (81349)	EA	REF				*	*	*			24	R141	
XDHZZ		RC32GF332K (81349) RESISTOR, FIXED, COMPOSITION R78 3300..... OHM PORM 10PCT, 2 W,	EA	2				*	*	*				R78	
XDHZZ		RC42GF332K (81349) RESISTOR, FIXED, COMPOSITION R79 3300..... OHM PORM 10PCT, 2 W,	EA	REF				*	*	*				R79	
XDHZZ		RC42GF332K (81349) RESISTOR, FIXED, COMPOSITION R2 3900..... OHM PORM 10PCT, 2 W,	EA	1				*	*	*			32	R2	
XDHZZ		RC32GF392K (81349) RESISTOR, FIXED, COMPOSITION R114 4700..... OHM PORM 10PCT, 2 W,	EA	1				*	*	*				R114	
XDHZZ		RC32GF472K (81349) A99 RESISTOR, FIXED, COMPOSITION R76 4700..... OHM PORM 10PCT, 2 W,	EA	2				*	*	*				R76	
XDHZZ		RC42GF472K (81349) A99 RESISTOR, FIXED, COMPOSITION R76 4700..... OHM PORM 10PCT, 2 W,	EA	REF				*	*	*				R77	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
		CONTINUED													
XDHZZ		RC42G47K (813949) RESISTOR, FIXED, COMPOSITION R119 OHM PORM 10PCT, 1 W	5600.....EA	EA	1				*	*	*			24.1	R119
XDHZZ		RC32GF562K (81349) RESISTOR, FIXED, COMPOSITION R154 OHM PORM 10PCT, 2, W	6800.....EA	EA	1				*	*	*			30	R154
XDHZZ		RC42GF682K (81349) RESISTOR, FIXED, COMPOSITION R108 OHM PORM 10PCT, 1/2 W, USED ON MODEL SG- 69/PPM-1. SERIAL NOS. TO 1439)	8200.....EA	EA	1				*	*	*			30	R108
XDHZZ		RC20GF822K (81349) RESISTOR, FIXED, COMPOSITION R52 OHM PORM 10PCT, 1/2 W,	10,000.....EA	EA	1				*	*	*			32	R52
XDHZZ		RC20GF103K (81349) RESISTOR, FIXED, COMPOSITION R15 OHM PORM 10PCT, 1 W,	10,000.....EA	EA	2				*	*	*			33	R15
XDHZZ		A99 RESISTOR, FIXED, COMPOSITION R139 OHM PORM 10PCT, 1,W	10, 000.....EA	EA	REF				*	*	*			34	R139
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R15 OHM PORM 10PCT, 1 W, USED ON MODEL SG- 69/PPM-1. SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1)	10,000.....EA	EA	3				*	*	*			33	R15
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R138 OHM PORM 10PCT 1 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-11	10,000.....EA	EA	REF				*	*	*			34	R138
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R139 OHM PORM 10PCT, 1 W (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, AND SG-69A/PPM-1)	10,000.....EA	EA	REF				*	*	*			34	R139
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R15 OHM PORM 10PCT 1 W, (USED ON MODELS SG- 69/PPM-1. SERIAL NOS. TO 1439)	10,000.....EA	EA	4				*	*	*			32	R15
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R111 OHM PORM 10PCT, 1 W, (USED ON MODELS SG- CONTINUED	10,000.....EA	EA	REF				*	*	*			31	R111

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
XDHZZ		69/PPM-1, SERIAL NOS. TO 1439) RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R138 OHM PORM 10PCT, 1 W, *USED ON MODELS SG- 69/PPM-1 SERIAL NOS. TO 1439)	10,000.....EA	EA	REF				*	*	*			31	R138	
XDHZZ		RC32GF103K (81349) RESISTOR, FIXED, COMPOSITION R139 OHM PORM 10PCT, 1 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 1439)	10,000.....EA	EA	REF				*	*	*			31	R139	
PAHZZ	5905-279-2616	RC3GF103K (81349) RESISTOR, FIXED, COMPOSITION R102 OHM PORM 10PCT, 1/2 W, (USED ON MODEL SG- 69A/PPM-1)	15,000.....EA	EA	1				*	*	*		3	34	R102	
PAHZZ	5905-279-2616	RC20GF153 (81349) RESISTOR, FIXED, COMPOSITION R102 OHM PORM 10PCT, 1/2 W,	15,000.....EA	EA	2				*	*	*		3	34	R102	
PAHZZ	5905-279-2616	A99 RESISTOR, FIXED, COMPOSITION R165A OHM PORM 10PCT, 1/2 W,	15,000.....EA	EA	REF				*	*	*				R165	
XDHZZ		RC20GF153J (81349) RESISTOR, FIXED, COMPOSITION A99 OHM PORM 10PCT, 1 W,	15,000.....EA	EA	3				*	*	*			33	R11	
XDHZZ		RC32GF153K (81349) RESISTOR, FIXED, COMPOSITION R12 OHM PORM 10PCT, 1 W,	15,000.....EA	EA	REF				*	*	*			33	R12	
XDHZZ		RC32GF153K (81349) RESISTOR, FIXED, COMPOSITION R29 OHM PORM 10PCT, 1 W,	15,000.....EA	EA	REF				*	*	*			33	R29	
PAHZZ	5905-190-8879	RESISTOR, FIXED, COMPOSITION R102 OHM PORM 10PCT, 1/2 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS. TO 1439)	15,000.....EA	EA	REF				*	*	*		3	31	R102	
PAHZZ	5905-190-8879	RC32GF183K (81349) RESISTOR, FIXED, COMPOSITION R128 OHM PORM 10 PCT, 1/2 W, (USED ON MODEL SG- 69/PPM-1, SERIAL NOS, TO 1439)	18,000.....EA	EA	REF				*	*	*			30	R128	
PAHZZ	5905-190-8879	RC20GF183K (81349) RESISTOR, FIXED, COMPOSITION R102 OHM PORM 10PCT, 1/2 W, (USED ON MODEL SG- 69/PPM-1. SERIAL NOS. 1440 TO 2499 AND ABOVE)	18,000.....EA	EA	1				*	*	*		3	31	R102	
PAHZZ	5905-299-2023	RC20GF183K (81349) RESISTOR, FIXED, COMPOSITION R102 CONTINUED	18,000.....EA	EA	1				*	*	*		3	31	R128	

SECTION V
(1)

TM 11-6625-237-24P
(10)

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
					1-20	21-50	51-100	1-20	21-50	51-100				
CONTINUED														
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF183K (81349) RESISTOR, FIXED, COMPOSITION R40 27,000.....EA	EA	6				*	*	*		3	33	R40
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R130 27,000.....EA	EA	REF				*	*	*			34	R130
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R156 27,000.....EA	EA	REF				*	*	*			34	R156
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R158 27,000.....EA	EA	REF				*	*	*				R158
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, S;-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R159 27,000.....EA	EA	REF				*	*	*			34	R159
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R160 27,000.....EA	EA	REF				*	*	*			34	R160
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) RC32GF173K (81349) RESISTOR, FIXED, COMPOSITION R40 27,000.....EA	EA	3				*	*	*		3	33	R40
PAHZZ	5905-104-5757	OHM PORM 10PCT 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) RC32CGF27K (81349) RESISTOR, FIXED, COMPOSITION R130 27,000.....EA	EA	REF				*	*	*			31	R130
PAHZZ	5905-104-5757	OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) RC32GF273K (81349) RESISTOR, FIXED, COMPOSITION R156 27,000.....EA	EA	REF				*	*	*			31	R156
XDHZZ		OHM PORM 10PCT, 2 W, RC42GF273K (81349) RESISTOR, FIXED, COMPOSITION R104 27,000.....EA	EA	2				*	*	*			34	R104

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
XDHZZ		RESISTOR, FIXED, COMPOSITION R105 OHM PORM 10PCT, 2, W, RC42GF273K (81349)	27,000.....EA	EA	REF				*	*	*			34	R105
XDHZZ		RESISTOR, FIXED, COMPOSITION R23 OHM PORM 10PCT, 1 W, RC32GF333K (81349)	33,000.....EA	EA	2				*	*	*			32	R23
XDHZZ		RESISTOR, FIXED, COMPOSITION R101 OHM PORM 10PCT, 1 W, RC32GF333K (81349)	33,000.....EA	EA	REF				*	*	*			34	R101
PAHZZ	5905-279-2675	RESISTOR, FIXED, COMPOSITION, RC42GF333K (81349)	33,000.....EA	EA	1				*	*	*		3	34	R145
PAHZZ	5905-190-8882	RESISTOR, FIXED, COMPOSITION R163 OHM PORM 10PCT, 1/2 W, RC20GF393K (81349)	39,000.....EA	EA	1				*	*	*		3		R163
XDHZZ		RESISTOR, FIXED, COMPOSITION R51 OHM PORM 10PCT, 1 W, RC32GF393K (81349)	39,000.....EA	EA	1				*	*	*			33	R51
XDHZZ		RESISTOR, FIXED, COMPOSITION R117 OHM PORM 10PCT, 1.W, RC32GF473K (81349)	41,000.....EA	EA	2				*	*	*			30	R117
XDHZZ		RESISTOR, FIXED, COMPOSITION R129 OHM PORM 10PCT, 1 W, RESISTOR, FIXED, COMPOSITION R147 OHM PORM 10PCT, 1/2 W, RC20GF563K (81349)	47,000.....EA	EA	REF				*	*	*			30	R129
XDHZZ		RESISTOR, FIXED, COMPOSITION R147 OHM PORM 10PCT, 1/2 W, RC20GF563K (81349)	56,000.....EA	EA	1				*	*	*			30	R147
PAHZZ	5905-299-2008	RESISTOR, FIXED COMPOSITION R155 OHM PORM 5PCT, 1 W, RC32753J (81349)	75,000.....EA	EA	1				*	*	*		3	30	R155
PAHZZ	5905-299-2004	RESISTOR, FIXED, COMPOSITION R5 000 OHM PORM 10PCT 1 W, RC32GF104K (81349)	100,.....EA	EA	5				*	*	*		3	32	R5
PAHZZ	5905-299-2004	RESISTOR, FIXED, COMPOSITION R6 CONTINUED	100,.....EA	EA	REF				*	*	*			32	R6

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-299-2004	CONTINUED 000 OHM PORM 10PCT, 1 W, RC32GF104K (81349)	100,.....	EA	REF				*	*	*			32	R24
PAHZZ	5905-299-2004	RESISTOR, FIXED, COMPOSITION R24 000 OHM PORM 10PCT. 1 W RC32GF104K (81349)	100,.....	EA	REF				*	*	*			32	R25
PAHZZ	5905-299-2004	RESISTOR, FIXED, COMPOSITION R25 000 OHM PORM 10PCT, 1 W, ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A1 RC32GF104K (81349)	100,.....	EA	REF				*	*	*			32	R34
XDHZZ		RESISTOR, FIXED, COMPOSITION R34 000 OHM PORM 10PCT, 1 W, RC32GF104K (81349)	100, ..	EA	2				*	*	*			24	R122
XDHZZ		RESISTOR, FIXED, COMPOSITION R122 000 OHM PORM 10PCT, 2 W RC42GF104K (81349)	100,.....	EA	REF				*	*	*			24	R123
XDHZZ		RESISTOR, FIXED, COMPOSITION R123 000 OHM PORM 10PCT. 2 W RC42GF104K (81349)	120,.....	EA	1				*	*	*			24	R39
XDHZZ		RESISTOR, FIXED, COMPOSITION R39 000 OHM PORM 10PCT, 1 W, RC32GF124K (81349)	150,.....	EA	1				*	*	*			24	R140
XDHZZ		RESISTOR, FIXED, COMPOSITION R140 000 OHM PORM 10PCT, 1 W RC32GF154K (81349)	180,.....	EA	1				*	*	*			24	R120
XDHZZ		RESISTOR, FIXED, COMPOSITION R120 000 OHM PORM 10PCT, 1 W (USED ON MODELS SG-69A/PPM-1A AND SG-69B/PPM-1A) RC32GF184K (81349)	220,.....	EA	3				*	*	*			24	R151
XDHZZ		RESISTOR, FIXED, COMPOSITION R151 000 OHM PORN 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) RC32GF224K (81349)	220,.....	EA	REF				*	*	*			24	R152
XDHZZ		RESISTOR, FIXED, COMPOSITION R152 000 OHM PORN 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439) RC32GF224K (81349)													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
XDHZZ		RESISTOR, FIXED COMPOSITION R153 000 OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1 SERIAL NOS. TO 1439) RC32GF224K (81349)	220,.....	EA	REF				*	*	*			24	R153
XDHZZ		RESISTOR, FIXED, COMPOSITION R151 000 OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1 SERIAL NOS 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) RC32GF224K (81349)	220,.....	EA	4				*	*	*			24	R151
XDHZZ		RESISTOR, FIXED, COMPOSITION R152 000 OHM PORM 10PCT, 1 W (USED ON MODELS SG-69/PPM-1, SERIAL NOS 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) RC32GF224K (81349)	220,.....	EA	REF				*	*	*			24	R152
XDHZZ		RESISTOR, FIXED, COMPOSITION R153 000 OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1 SERIAL NOS 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) RC32GF224K (81349)	220,.....	EA	REF				*	*	*			24	R153
XDHZZ		RESISTOR, FIXED, COMPOSITION R157 000 OHM PORM 10PCT1 W (USED ON MODELS SG-69/PPM-1, SERIAL NOS 1440 TO 2499 AND ABOVE AND SG-69A/PPM-1) RC32GF224K (81349)	220,.....	EA	REF				*	*	*			24.1	R157
XDHZZ		RESISTOR, FIXED, COMPOSITION R151 000 OHM PORM 10PCT, 1 W, RC32GF224K (81349)	220,.....	EA	3				*	*	*			24.1	R151
XDHZZ		RESISTOR, FIXED, COMPOSITION R152 000 OHM PORM 10PCT, 1 W, RC32GF224K (81349)	220,.....	EA	REF				*	*	*			30	R152
XDHZZ		RESISTOR, FIXED, COMPOSITION R157 00 OHM PORM 10PCT, 1 W, RC32GF224K (81349)	220,.....	EA	REF				*	*	*				R157
XDHZZ		RESISTOR, FIXED, COMPOSITION R72 000 OHM PORM 10PCT, 2 W, (USED ON MODELS SO-69/PPM-1, SERIAL NOS. 1240 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC42GF224K (81349)	220,.....	EA	2				*	*	*			33	R72
XDHZZ		RESISTOR, FIXED, COMPOSITION R73 000 OHM PORM 10PCT, 2 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1240 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC42GF224K (81349)	220,.....	EA	REF				*	*	*			33	R73
XDHZZ		RESISTOR, FIXED, COMPOSITION R107 000 OHM PORM 10PCT, 1/2 W, RC20GF274K (81349)	270,.....	EA	3				*	*	*			30	R107
XDHZZ		RESISTOR, FIXED, COMPOSITION R118 CONTINUED	270,.....	EA	REF				*	*	*			30	R118

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDHZZ		000 OHM PORM 10PCT 1/2 W, RC20GF274K (81349)	270,.....	EA	REF				*	*	*			30	R135
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R135 000 OHM PORM 10PCT, 1/2 W, RC20GF174K (81349)	270,.....	EA	2				*	*	*	3		33	R37
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R37 000 OHM PORM 10PCT, 1 W. (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF274K (81349)	270,.....	EA	REF				*	*	*			34	R127
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R127 030 OHM PORM 10PCT, 1 W, (USED ON MODELS SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF714K (81349)	270,.....	EA	3				*	*	*	3		32	R37
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R317 000 OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) RC32GF274K (81349)	270,.....	EA	REF				*	*	*			30	R120
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R120 000 OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) RC32GF274K (81349)	270,.....	EA	REF				*	*	*			30	127
PAHZZ	5905-252-1047	RESISTOR, FIXED, COMPOSITION R127 000 OHM PORM 10PCT, 1 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE) RC32GF174K (81349)	270,.....	EA	REF				*	*	*			30	127
XDHZZ		RESISTOR, FIXED, COMPOSITION R32 000 OHM PORM 10PCT, 1 W, RC32GF334K (81349)	330,.....	EA	1				*	*	*			32	R32
PAHZZ	5905-106-9353	RESISTOR, FIXED, COMPOSITION R9 000 OHM PORM 10PCT, 1 W, RC32GF474K (81349)	470,.....	EA	2				*	*	*	3		32	R9
PAHZZ	5905-106-9353	RESISTOR, FIXED, COMPOSITION R115 000 OHM PORM 10PCT, 1 W, RC32GF474K (81349)	470,.....	EA	REF				*	*	*			30	R115
XDHZZ		RESISTOR, FIXED, COMPOSITION R31 PORM 10PCT, 1 W, USED ON MODELS SG- 69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) RC32GF105K (81349)	1 MEG.....	EA	1				*	*	*			33	R31

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
XDHZZ		RESISTOR, FIXED, COMPOSITION R19 PORM 10PCT, 1 W, (USED ON MODELSSG-69/PPM-1, SERIAL NOS. TO 1239)	1 MEG.....EA	EA	2				*	*	*			32	R19
XDHZZ		RC32GF105K (81349) RESISTOR, FIXED, COMPOSITION R31 PORM 10PCT 1 W, (USED ON MODELSSG-69/PPM-1, SERIAL NOS. TO 1239)	1 MEG.....EA	EA	REF				*	*	*			32	R31
XDHZZ		RC32GF105K (81349) RESISTOR, FIXED, COMPOSITION R19 MEG PORM 10PCT, 1 W, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1240 TO 2499 AND ABOVE SG-69A/PPM-1 AND SG-69B/PPM-1A)	1.5.....EA	EA	1				*	*	*			33	R19
PAHZZ	5905-484-0274	RC32GF155K (81349) RESISTOR, FIXED, COMPOSITION R126 MEG PORM 10PCT, 1,W,	2.2.....EA	EA	1				*	*	*		3	30	R126
PAHZZ	5905-502-3988	RC32GF225K (81349) RESISTOR, FIXED, FILM R21 1PCT, 5 W, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 1439)	20 OHM PORM.....EA	EA	1				*	*	*		3	32	R21
XDHZZ		X5 (79727) RESISTOR, FIXED, FILM R21 1PCT, 1 W, 15/16 IN LG X 19/64 IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-698/PPM-1)	20 OHM PORM.....EA	EA	1				*	*	*			33	R21
PAHZZ	5905-764-3991	N25-200HM (14674) RESISTOR, FIXED, FILM R61 PORM 1PCT, 1/2 W 15/32 IN LG X 11/64 IN DIA.	71.16 OHM.....EA	EA	4				*	*	*		3	33	R61
PAHZZ	5905-764-3991	RN70D95R3F (81349) RESISTOR, FIXED, FILM R62 PORM 1PCT, 1/2 Wt 15/32 IN LG X 11/64 IN DIA,	71.16 OHM.....EA	EA	REF				*	*	*			33	R62
PAHZZ	5905-764-3991	RN70D95R3F (81349) RESISTOR, FIXED, FILM R63 PORM 1PCT. 1/2 Wt 15/32 IN LG X 11/64 IN DIA.	71.16 OHM.....EA	EA	REF				*	*	*			33	R63
PAHZZ	5905-764-3991	RN70D95R3F (81349) RESISTOR, FIXED, FILM R64 PORM 1PCT, 1/2 Wt 15/32 IN LG X 11/64 IN DIA, RN70D95R3F (81349)	71.16 OHM.....EA	EA	REF				*	*	*			33	R64

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
XDHZZ		RESISTOR, FIXED, FILM R53 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	8				*	*	*			32	R53
XDHZZ		RESISTOR, FIXED, FILM R54 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R54
XDHZZ		RESISTOR, FIXED, FILM R55 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R55
XDHZZ		RESISTOR, FIXED, FILM R56 PORM 1PCT. 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R56
XDHZZ		RESISTOR, FIXED, FILM R57 PORM 11PCT, 1/2 W, 15/32 IN LG X11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R57
XDHZZ		RESISTOR, FIXED, FILM R58 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R58
XDHZZ		RESISTOR, FIXED, FILM R59 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R59
XDHZZ		RESISTOR, FIXED, FILM R60 PORM 1PCT, 1/2 W, 15/32 IN LG X 11/64 IN DIA, RN70C3322F (81349)	96.25 OHM.....EA	EA	REF				*	*	*			32	R60
XDHZZ	5905-764-3991	RESISTOR, FIXED, FILM R70 PORM 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, CONTINUED	96.25 OHM.....EA	EA	1				*	*	*			32	R70

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDHZZ		DC1-96-25OHM (81349) RESISTOR, FIXED, FILM R22 100 OHM PORM.....EA 1PCT, 2 W, 2 IN LG X 19/64 IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG- 69B/PPM-1A)		EA	2				*	*	*			32	R22
XDHZZ		S30-1000HM (14676) RESISTOR, FIXED, FILM R83 100 OHM PORM.....EA 1PCT, 2 W, 2 IN LG X 19/64 IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG- 69B/PPM-1A)		EA	REF				*	*	*				R83
PAHZZ	5905-713-2533	S30-1000HM (14676) RESISTOR, FIXED, FILM R68 142.3 OHM.....EA PORM 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, RN70D1430F (81349)		EA	2				*	*	*	3		33	R68
PAHZZ	5905-713-2533	RESISTOR, FIXED, FILM R69 142.3 OHM.....EA PORM 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, RN70D1430F (81349)		EA	REF				*	*	*			33	R69
XDHZZ		RESISTOR, FIXED, FILM R65 288.7 OHM.....EA PORM 1PCT, 1 W 15/16 IN LG X 9/32 IN DIA, DC111A (33224)		EA	3				*	*	*			33	R65
XDHZZ		RESISTOR, FIXED, FILM R66 288.7 OHM.....EA PORM 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, DC1-1A (33224)		EA	REF				*	*	*			33	R66
XDHZZ		RESISTOR, FIXED, FILM R67 288.7 OHM.....EA PORM 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, DC1-1A (33224)		EA	REF				*	*	*			33	R67
XDHZZ		RESISTOR, FIXED, FILM R144 3.28 MEG PORM.....EA 1PCT, 1 W, 15/16 IN LG X 9/32 IN DIA, DC1-1A (33224)		EA	1				*	*	*			34	R144
XDHZZ		RESISTOR, VARIABLE R30 500 OHM PORM.....EA CONTINUED		EA	2				*	*	*			33	R30

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
XDHZZ		20PCT, 1/2 W, 1 7/16 IN H X 1 1/8 IN W X 1/2 IN D, 210-25 (28480) RESISTOR, VARIABLE R143 500 OHM PORM 20PCT, 1/2 W, 1 7/16 IN H X 1 1/8 IN W X 1/1 IN D, 210-25 (28480)	A99	EA	REF				*	*	*			3	R143	
XDHZZ		RESISTOR, VARIABLE R143 500 OHMS PORM 10PCT, 3/4 W, 1 1/8 IN DIA X 9/16 IN D, BA33-010-1466 (71590)	A99	EA	1				*	*	*			3	R143	
PAHZZ	5905-539-5013	RESISTOR, VARIABLE R10 2000 OHM PORM 20PCT, 1/4 W, 1 7/16 IN H X 1 1/8 IN W X 9/16 IN D, JA1N200P252UA (01121)	A98	EA	1				*	*	*	3		3	R110	
XBHZZ		RESISTOR, VARIABLE R110 2,500 OHM PORM 10PCT, 1/4 W, RV2AT50252A (81349)	A99	EA	1				*	*	*			3	R110	
PAHZZ	5905-556-6784	RESISTOR, VARIABLE R142 20,000 OHM PORM 10PCT, 2.25 W. 1 13/32 IN H X 1 5/32 IN W X 5/8 IN D, JA1N056P203AA (01121)	A98	EA	1				*	*	*	3		31	R142	
PAHZZ	5905-295-3961	RESISTOR, VARIABLE R4 2 SECT, 20,000 OHM EACH SECT, PORM 20PCT, 1/3 W, H X 1 IN W X 3/4 IN D, 210-68 (28480)		EA	1				*	*	*	3		33	R4	
PAHZZ	5905-259-2835	RESISTOR, VARIABLE R132 2 SECT, 100,000 OHM 1ST SECT, 1000 OHM, 2ND SECT, PORM 20PCT, 1/2 W, 1 1/2 IN H X 1 1/8 IN W X 1 1/16 IN D, 2100-0055 (28480)		EA	1				*	*	*			3	R33	
XDHZZ		RESISTOR, VARIABLE, COMPOSITION R33 50, 000 OHM PORM 10PCT, R4VNAYS5038 (81349)		EA	1				*	*	*	3		3	R121	
PAHZZ	5905-552-5476	RESISTOR, VARIABLE R121 200,000 OHM PORM 20PCT, 1/4 W, 1 7/16 IN H X 1 1/18 IN W X 9/16 IN D, JA2N056S254UA (01121)		EA	1				*	*	*			3	R35	
XDHZZ		RESISTOR, VARIABLE R35 250,000 OHM PORM CONTINUED		EA	1				*	*	*			3	R35	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5905-553-2023	CONTINUED 10PCT, 2 W, RV4NAXSD254A (81349)	EA	1					*	*	*		3	3	R124
PAHZZ	5905-755-0749	RESISTOR, VARIABLE R124 500, 000 OHM PORM 10PCT, 1 W RV4ATSD504A (81349) A98	EA	1					*	*	*		3	3	R124
XDHZZ		RESISTOR, VARIABLE R125 3.5 MEG PORM 33-010-255 (71590), A99	EA	1					*	*	*			3	R125
XDHZZ		RESISTOR, FIXED, WIRE WOUND R43 1I OHM 10PCT, 1 W, RV4NAXSD355F (81349)	EA	1					*	*	*			32	R43
XDHZZ		PORM 10PCT, 1/2 W, RU3B1ROK (81349)	EA	1					*	*	*			32	R22
XDHZZ		RESISTOR, FIXED, WIRE WOUND R22 50 OHM. PORM 5PCT, 10W (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 1439) RW33G500 (81349)	EA	1					*	*	*			32	R26
PAHZZ	5905-660-5727	RESISTOR, FIXED, WIRE WOUND R26 50 OHM. PORM 10PCT, 10 W, (USED ON MODELS SG- 69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-698/PPM-1A) RW29F500 (81349)	EA	1					*	*	*		3		R161
XDHZZ		PORM 10PCT, 5 W, 1 IN LG X 5/16 IN OD, C5-3300HM (35434) A99	EA	1					*	*	*				R87
PAHZZ	5905-807-3315	RESISTOR, FIXED, WIRE WOUND R87 350 OHM PORM 10PCT, (USED ON MODEL SG-69A/PPM-1) RW55G351 (81349)	EA	1					*	*	*		3	33	R1
XDHZZ		PORM 1-PCT, 10 W, 1 3/4 IN LG X 5/16 IN DIA, (USED ON MODEL SG-69/PPM-1, SERIAL NOS. TO 2498) 1-3-4E (35434)	EA	1					*	*	*		3		R71
PAHZZ	5905-808-1718	RESISTOR, FIXED, WIRE WOUND R71 600 OHM PORM 10PCT, 20 W, 2 IN LG X 5/16 IN OD, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1240 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-698/PPM-1A) C20-600HM (35434)	EA	1					*	*	*				R1
		CONTINUED													

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.	
						1-20	21-50	51-100	1-20	21-50	51-100					
		CONTINUED														
PAHZZ	5905-549-5382	PORM 10PCT, 10 W, 1 3/4 IN LG X 5/16 IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS, 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PP RW29V821 (81349)		EA	1				*	*	*		3	33	R13	
XDHZZ		RESISTOR, FIXED, WIRE WOUND R13 1250 OHM PORM 10PCT, 10 W, AND SG-69A/PPM-1)		EA	1				*	*	*					R84
XDHZZ		RESISTOR, FIXED, WIRE WOUND R13 1250 OHM PORM 10PCT, 10 W, 1 3/4 IN LG X 5/16 IN OD, 995-58511H (44655)		EA	1				*	*	*			31	R126	
PAHZZ	5905-173-8794	RESISTOR, FIXED, WIRE WOUND R136 3100 OHM, 10 W, RW31G312 (81349)		EA	1				*	*	*		3	33	R136	
PAHZZ	5905-848-8322	RESISTOR, FIXED, WIRE WOUND R3 4,000 OHM PORM 5PCT, 20 W, 2 IN LG X 5/16 IN OD, C20-4000DHM (35434)		EA	1				*	*	*		3	33	R3	
PAHZZ	5905-682-0190	RESISTOR, FIXED, WIRE WOUND R86 10,000 OHM PORM 10PCT, 10 W, 1 3/4 IN LG X 5/16 IN OD, C10-10000DHM (35434)		EA	1				*	*	*		3		R86	
PAHZZ	5905-539-3072	RESISTOR, FIXED, WIRE WOUND R134 15,000 OHM PORM 10PCT, 10 W 1 3/4 IN LG X 5/16 IN ID, C10-15000DHM (35434)		EA	1				*	*	*		3	30	R134	
PAHZZ	5905-101-5366	RESISTOR, FIXED, WIRE WOUND R38 25,000 OHM PORM 10PCT, 10 W, 1 3/4 IN LG X 5/16 IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS, 1440 TO 2499 AND ABOVE SG-69A/PPM-1 AND SG-69B/PPM-1A. 1-3-4E25000OHM (35434)		EA	2				*	*	*		3	33	R38	
PAHZZ	5905-101-5366	RESISTOR, FIXED, WIRE WOUND R82 25,000 CONTINUED		EA	REF				*	*	*					R82

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5905-101-5366	CONTINUED IN DIA, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 2499 AND ABOVE, SG-69A/PPM-1 AND SG-69B/PPM-1A) 1-3-4E250000HM (35434)		EA	1				*	*	*		3	32	R38
XDHZZ		RESISTOR, FIXED, WIRE WOUND R38 25,000. OHM PORM 10PCT, 10 W, 1 3/4 IN LG X 5/16 IN DIA, (USED ON MODELS SG-69/PP-1, SERIAL NOS. TO 1439) 1-3-4E250000OHM)35434)		EA	1				*	*	*			33	R28
PAHZZ	5905-101-5366	RESISTOR, FIXED, WIRE WOUND R134 25,000. OHM PORM 10PCT, 10 W, 3/4 IN LG X 5/16 IN DIA. C10-10-0000HM (35434)		EA	1				*	*	*		3		R134
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP25	A99 1 5/16 IN W	EA	14	*	*	*	*	*	*		3		MP25
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP26	A99 1 5/16 IN W	EA	REF *	*	*	*	*	*	*				MP26
PAOZZ	5960-280-3179	RETAINER, ELECTRON TUBE MP27	A99 1 5/16 IN W	EA	REF *	*	*	*	*	*	*				MP27
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP28	A99 1 5/16 IN W	EA	REF *	*	*	*	*	*	*				MP28
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP29	A99 1 5/16 I	EA	REF	*	*	*	*	*	*				MP29
PAOZZ	5960-280-3179	RETAINER, ELECTRON TUBE MP30	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP30
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP31	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP31
PAOZZ	5960-280-3159	RETAINER, ELECTRON TUBE MP32	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP32
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP33	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP33
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP34	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP34
PAOZZ	5960-280-3159	RETAINER, ELECTRON TUBE MP35	A99 1 5/16 IN W	EA	REF	*	*	*	*	*	*				MP35

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP36 X 3/4 IN H, 140-12 (25480)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP36
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE MP31 X 3/4 IN H, 140-12 (24801)	A99	5/16 IN W	EA	REF	*	*	*	*	*	*			MP37
PAOZZ	5960-80-3759	RETAINER, ELECTRON TUBE MP38 X 3/4 IN H, 140-12 (25480)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP38
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A120 X 3/4 IN H, 140-12 (25480)	A98	1-5/16 IN W	EA	5	*	*	*	*	*	*			A120
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A120 X 3/4 IN H, 140-12 (25480)	A98	1-5/16 IN W	EA	REF	*	*	*	*	*	*			A122
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A123 X 3/4 IN H, 140-12 (25480)	A98	1-5/16 IN W	EA	REF	*	*	*	*	*	*			A123
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A124 X 3/4 IN H, 140-12 (25480)	A98	1-5/16 IN W	EA	REF	*	*	*	*	*	*			A124
PAOZZ	5960-280-3759	RETAINER, ELECTRON TUBE A125 X 3/4 IN H, 140-12 (25480)	A98	1-5/16 IN W	EA	REF	*	*	*	*	*	*			A125
XDOZZ		RETAINER, ELECTRON TUBE MP39 X 1/4 IN H, 140-13 (28480)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP39
XDOZZ		RETAINER, ELECTRON TUBE MP40 X 1 1/4 IN H, 140-13 (28480)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP40
XDOZZ		RETAINER, ELECTRON TUBE MP41 X 1 1/4 IN H, 140-13 (26480)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP41
XDOZZ		RETAINER, ELECTRON TUBE MP20 X 1 1/4 IN H, DIA X 9/16 IN H, 120F5-63AHS (91506)	A99	1 5/16 IN W	EA	REF	*	*	*	*	*	*			MP20
XDOZZ		RETAINER, ELECTRON TUBE MP21 DIA X 9/16 IN H, CONTINUED	A99	1 7/16 IN W	EA	REF	*	*	*	*	*	*			MP21

SECTION V

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDOZZ		120F5-63AHS (91506) RETAINER, ELECTRON TUBE MP22 DIA X 9/16 IN H,	A99 1 7/16 IN	EA	REF *	*	*	*	*	*				MP22	
XDOZZ		120F5-63AHS (91506) RETAINER, ELECTRON TUBE MP23 DIA X 9/16 IN H,	A99 1 7/16 IN	EA	REF *	*	*	*	*	*				MP23	
XDOZZ		120F5-63AHS (91506) RETAINER, ELECTRON TUBE MP24 DIA X 9/16 IN H	A99 1 7/16 IN	EA	REF *	*	*	*	*	*				MP24	
PAHZZ	5961-170-4430	120F5-63AHS (91506) SEMICONDUCTOR, DEVICE, DIODE IN34A (81350)	A99 CR102	EA	2			*	*	*	3	34			
PAHZZ	5961-170-6430	SEMICONDUCTOR, DEVICE, DIODE IN34A (81350)	A99 CR106	EA	REF			*	*	*		34			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE 1N69 (81350)	A98 CR101	EA	6			*	*	*		16			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN69 (81350)	A98 CR102	EA	REF			*	*	*		17			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE 1N69 (81350)	A98 CR103	EA	REF			*	*	*		17			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE 1N69 (81350)	A98 CR104	EA	REF			*	*	*		17			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN69 (81350)	A98 CR105	EA	REF			*	*	*		18			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CONTINUED	A98 CR106	EA	REF										

SECTION V

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
		CONTINUED													
XDHZZ		IN69 (81350) SEMICONDUCTOR, DEVICE, DIODE IN69 (81350)	A98 CR101EA	EA	3			*	*	*		33			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN69 (81350)	A99 CR103EA	EA	REF			*	*	*		33			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN69 (81350)	A99 CR105EA	EA	REF			*	*	*		33			
PAHZZ	5935-283-1207	SHIELD, ELECTRIC E2 UG177U (80058)	A99EA	EA	1			*	*	*	3		E2		
XDOZZ		SHIELD, ELECTRON TUBE EV6 CLOTH, 1 1/2 IN ID X 3 IN H, 212A6A (28480)	ASBESTOSEA	EA	2	*	*	*	*	*			EV6		
XDOZZ		SHIELD, ELECTRON TUBE EV16 CLOTH, 1 1/2 IN ID X 3 IN H, 212A6A (28480)	ASBESTOSEA	EA	REF	*	*	*	*	*			EV16		
PAHZZ	5935-812-9142	SOCKET, ELECTRON TUBE XV1 CONTACT, 1 3/32 IN LG X 11/32 IN H X 47/64 IN W, 316PH (91662)	7 PINEA	EA	7			*	*	*	3	8	XV1		
PAHZZ	5935-812-9142	SOCKET, ELECTRON TUBE XV4 CONTACT, 1 3/32 IN LG X 11/32 IN H X 47/64 IN W, 316PH (91662)	7 PINEA	EA	REF			*	*	*		8	XV4		
PAHZZ	5935-812-9142	SOCKET, ELECTRON TUBE XV7 CONTACT, 1 3/32 IN LG X 11/32 IN H X 47/64 IN W, CONTINUED	7 PINEA	EA	REF			*	*	*		8	XV7		

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5935-812-9142	316PH (91662) SOCKET, ELECTRON TUBE XV8 CONTACT, 1 3/32 IN LG 11/32 IN H X 47/64 IN W,	7 PIN.....EA	REF			*	*	*			8		XV8	
PAHZZ	5935-812-9142	316PH (91662) SOCKET, ELECTRON TUBE XV9 CONTACT, 1 3/32 IN LG X 11/32 IN H X 47/64 IN W,	7 PIN.....EA	REF			*	*	*			8		XV9	
PAHZZ	5935-812-9142	316PH (91662) SOCKET, ELECTRON TUBE XV14 CONTACT, 1 3/32 IN LB X 11/32 IN H X 47/64 IN W,	7 PIN.....EA	REF			*	*	*			8		XV14	
PAHZZ	5935-812-9142	316PH (91662) SOCKET, ELECTRON TUBE XV15 CONTACT 1 3/32 IN LG X 11/32 IN H X 47/64 IN W,	7 PIN.....EA	REF			*	*	*					XV15	
PAHZZ	5935-935-2231	316PH (91662) SOCKET, ELECTRON TUBE XV2 TS101P01 (81349)EA	2			*	*	*		3	8		XV2	
PAHZZ	5935-935-2231	A99 SOCKET, ELECTRON TUBE XV3 TS101P01 (81349)EA	REF			*	*	*			8		XV3	
XDHZZ		A99 SOCKET, ELECTRON TUBE XV2 CONT 1 9/16 IN LG X 1 7/32 X 1/2 IN H, 51A12272 (7785)	OCTAL, 8.....EA	6			*	*	*			8		XV2	
		A98 SOCKET, ELECTRON TUBE XV3 CONT, 1 9/16 IN LG X 1 7/32 X 1/2 IN H, 51A12272 (71785)	OCTAL, 8.....EA	REF			*	*	*			8		XV3	
XDHZZ		A98 SOCKET, ELECTRON TUBE XV11 CONT. 1 9/16 IN LG X 1 7/32 X 1/2 IN H, 51A12272 (71785)	OCTAL, 8.....EA	REF			*	*	*			8		XV11	
XDHZZ		A98 SOCKET, ELECTRON TUBE XV12 CONT, 1 9/16 IN LG X 1 7/32 X 1/2 IN H. CONTINUED	OCTAL, 8.....EA	REF			*	*	*			8		XV12	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
		CONTINUED														
		TO 2499 AND ABOVE, AND SG-69A/PPM-1)														
XDHZZ		51A12272 (71785)	A98	REF			*	*	*			8		XV13		
		SOCKET, ELECTRON TUBE XV13 CONT, 1 9/16 IN LG X 1 7/32 X 1 12 IN H,	OCTAL, 8.....EA													
		551A2272 (71785)	A98	REF			*	*	*			8		XV17		
		SOCKET, ELECTRON TUBE XV17 CONT, 1 9/16 IN LG X 1 7/32 X 1/2 IN H,	OCTAL, 8.....EA													
		51A12272 (71785)	A98	3			*	*	*			8		XV11		
		SOCKET, ELECTRON TUBE XV11 CONT. 1 9/16 IN LG X 1 7/32 X 1/2 IN H.	OCTAL, 8.....EA													
XDHZZ		51A12272 (71785)	A99	REF			*	*	*			8		XV12		
		SOCKET, ELECTRON TUBE XV12 CONT, 1 9/16 IN LG X 1 7/32 X 1/2 IN H,	OCTAL, 8.....EA													
XDHZZ		51A12272 (71785)	A99	REF			*	*	*			8		XV17		
		SOCKET, ELECTRON TUBE XV17 CONT, 1 9/16 IN LG X 1 7/32 X 1/2 IN H,	OCTAL, 8.....EA													
PAHZZ	5935-129-3081	51A12272 (71785)	A99	REF			*	*	*		3	8		XV6		
		SOCKET, ELECTRON TUBE XV6 31/64 IN H X 9/32 IN W X 1 7/8 IN LG,	4 PIN CONT,EA													
PAHZZ	5935-129-3081	77M1P4TM (02660)	A98	REF			*	*	*			8		XV16		
		SOCKET, ELECTRON TUBE XV16 31/64 IN H X 1 9/32 IN W X 17/8 IN LG,	4 PIN CONT,EA													
PAHZZ	5935-721-0124	77M1P4TM (02660)	A98	10			*	*	*		3	8		XV10		
		SOCKET, ELECTRON TUBE XV10 11/32 IN LG X 11/32 IN H X 23/32 IN DIA	9 CONT.....EA													
PAHZZ	5935-721-0124	1200-0008(28480)		REF			*	*	*			8				
		SOCKET, ELECTRON TUBE XV101 11/32 IN LG X 11/32 IN H X 23/32 IN D1A,	9 CONT, 1.....EA													
PAHZZ	5935-721-0124	1200-0008 (28480)		REF			*	*	*			8				
		SOCKET, ELECTRON TUBE XV102 11/32 IN LG X 11/32 IN H X 23/32 IN DIA,	9 CONT, 1.....EA													
		1200-0008 (28480)														

SECTION V

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV103 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV104 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV105 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV106 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV107 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV108 11/32 1N LG X 11/32 IN H X 23/32 IN DIA. 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
PAHZZ	5935-721-0124	SOCKET, ELECTRON TUBE XV109 11/32 IN LG X 11/32 IN H X 23/32 IN DIA, 1200-0008 (28480)	9 CONT, 1.....EA	EA	REF			*	*	*			8		
XDHZZ		SWITCH, TOGGLE S101 MS35059-16 (81349)EA	EA	1			*	*	*			30	S101	
PAHZZ	5930-615-9376	SWITCH, TOGGLE S101 MS35059-21 (81349)EA	EA	1			*	*	*	5		34	S101	
XDHZZ		SWITCH, TOGGLE S1 MSS35058-9 (81349)EA	EA	1			*	*	*			32	S1	

SECTION V

TM 11-6625-237-24P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5930-351-7118	SWITCH, ROTARYS2	2 POSITIONS, 3.....EA	EA	1				*	*	*		5	32	S2
		MOVING CONT, 9 FIXED CONT, 13/16 IN LG X 11 7/8 IN H X 1 33/64 IN W, 43054H1 76854) A98													
PAHZZ	5930-351-7188	SWITCH, ROTARY S3	2 POSITIONS, 3.....EA	EA	1				*	*	*		5	32	S3
		MOVING CONT, 9 FIXED CONT, 13/16 IN LG X 1 7/8 IN H X 1 33/64 1N W, 43054H1 (76854) A99													
PAHZZ	5930-630-1965	SWITCH, ROTARY S3	2 SECTIONS, 6 POS.....EA	EA	1				*	*	*		5	33	S3
		NON PILE-UP TYPE, 1 7/8 IN H X 1 1/4 IN LG X 1 33/64 IN W, 43056H2 (76854)													
PAHZZ	5930-549-0300	SWITCH, ROTARY S102	1 SECTION, 4 POS. 2.....EA	EA	1				*	*	*		5	30	S102
		MOV CONT, 12 FIXED CONT, 1 7/8 IN H X 3/4 IN LG X 1 33/64 IN W, 43057H1 (76854)													
XDHZZ		TRANSFORMER, POWER, STEP-DOWN T1	115 OR.....EA	EA	1				*	*	*			5	T1
		230 V, 50 TO 1000 CYC, 526 V CTR TAPPED, 250 MA, 4 IN LG X 3 3/4 IN W, 910-74PS (28480)													
XDHZZ		TRANSFORMER, POWER, STEP-DOWN T2	PR1.....EA	EA	1				*	*	*			5	T2
		115 OR 230 V, 50 TO 1000 CYC, 6 VARIAD SECONDARY WNDGS, 4 1/2 IN H X 3 3/4 IN LG X 3 3/16 IN W, 910-75PS (28480)													
XDHZZ		TRANSFORMER, PULSE T102	BLOCKING OSC.....EA	EA	2				*	*	*			3	T102
		TYPE, 1000 CPS REPETITION RATE, PR1 300 V PEAK V, 0.5 AMP PEAK CURRENT, SECD AND TERTIANY WND 300 V AND 600 PEAK VOLTAGE RESPECTIVELY 1 IN LG X 1/16 IN W X1 1/2 IN H,													
XDHZZ		TRANSFORMER, PULSE T103	BLOCKING OSC.....EA	EA	REF				*	*	*			18	T103
		TYPE, 1000 CPS REPETITION RATE, PRI 300 V PEAK V, 0.5 AMP PEAK CURRENT, SECD AND TERTIANY WND 300 V AND 600 V PEAK VOLTAGE RESPECTIVELY; 1 IN LG X 1 1/16 IN D BY 1 1/2 IN H, 212A60A (28480) A98													
PAHZZ	5950-630-6888	TRANSFORMER, PULSE T102	1 MICROSECOND.....EA	EA	2				*	*	*			18	T102
		PULSE WIDTH, 1000 P/PER SEC MAX REPETITION RATE, 1 1/4 IN LG X 1 1/4 IN OD, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 NAD SG-69/B-PPM-1A 2315556 (56232)													
PAHZZ	5950-630-9888	TRANSFORMER, PULSE T103	1 MICROSECOND.....EA	EA	REF				*	*	*			18	t103
		CONTINUED													

SECTION V

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAYS DS MAINT ALLOWANCE			(7) 30 DAYS GS MAINT ALLOWANCE			(8) 1-YEAR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5950-809-6369	CONTINUED PULSE WIDTH, 1000 P/PER SEC MAX REPETITION RATE, 1 1/4 IN LG X 1 1/4 IN OD, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE; SG-69A/PPM-1 AND SG-69B-PPM-1A) 2315556 (56232)		EA	1			*	*	*		3	3	T101	
PAHZZ	5950-351-5133	TRANSFORMER, PULSE T101 1 MICROSECOND..... PULSE WIDTH, 1000 CPS REPETITION RATE 1 1/4 IN LG X 1 1/4 IN OD, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. 1440 TO 2499 AND ABOVE, SG-69A/PPM-1 NAD SG-69B/PPM-1A) 9130-0003)28480)		EA	1			*	*	*		3	3	T101	
XDHZZ		TRANSFORMER, RADIO FREQUENCY L10 UNIVERSAL WNDG, PHENOLIC COIL FORM, 1 1/8 IN DIA X 3 3/4 IN LG O/A, (USED ON MODELS SG-69/PPM-1, SERIAL NOS. TO 2499 AND ABOVE SG-69A/PPM-1 NAD SG-69B/PPM-1A) 212A608 (28480)		A98 6 PIE.....EA	1			*	*	*			32	L10	

**CROSS- REFERENCE-INDEXES
NATIONAL STOCK NUMBER INDEX**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
3010-203-1632		MP65	5905-201-7400	8	AT1
3040-682-4498			5905-229-2044		R74
3040-834-2412		MP62	5905-229-2044	24	R148
3040-834-2412		MP63	5905-252-1047	30	R120
4140-356-1979		MP42	5905-252-1047	30	R27
5340-526-3993		MP43	5905-252-1047	32	R37
5340-526-3993		MP44	5905-252-1047	33	R37
5340-526-3993		MP45	5905-252-1047	34	R127
5340-526-3993		MP46	5905-256-0409		R81
5355-160-6056		H102	5905-259-2835	31	R132
5355-160-6056		H103	5905-279-2616		R165
5355-160-6056		H104	5905-279-2616	34	R102
5355-342-5382		H101	5905-279-2643	32	R30
5355-351-4474		H107	5905-279-2647	30	R116
5355-547-7996		MP17	5905-279-2647	32	R14
5355-547-7996		MP18	5905-279-2675	34	R145
5355-547-7996		MP19	5905-295-3961	33	R4
5355-579-1210		MP14	5905-299-2004	32	R5
5355-579-1210		MP15	5905-299-2004	32	R6
5355-646-4704		MP6	5905-299-2004	32	R24
5355-721-8924		MP16	5905-299-2004	32	R25
5905-101-5366		R82	5905-299-2004	32	R34
5905-101-5366		R134	5905-299-2008	30	R155
5905-101-5366	32	R305	5905-299-2023	31	R128
5905-101-5366	33	R38	5905-484-0274	30	R126
5905-104-5757		R158	5905-502-3988	32	R21
5905-104-5757	31	R130	5905-539-3072	30	R134
5905-104-5757	31	R156	5905-539-5013	3	R110
5905-104-5757	33	R40	5905-539-5382	33	R13
5905-104-5757	34	R130	5905-552-5476	3	R121
5905-104-5757	34	R156	5905-553-2023	3	R124
5905-104-5757	34	R159	5905-556-6784	31	R42
5905-104-5757	34	R160	5905-660-5727		R161
5905-106-9353	30	R15	5905-682-0190		R86
5905-106-9353	32	R9	5905-713-2533	33	R68
5905-173-8794	33	R136	5905-713-2533	33	R69
5905-185-6580		R75	5905-755-0749	3	R124
5905-185-6580	32	R7	5905-764-3991	32	R70
5905-190-8879	30	R128	5905-764-3991	33	R61
5905-190-8879	31	R102	5905-764-3991	33	R62
5905-190-8882		R163	5905-764-3991	33	R63

**CROSS- REFERENCE-INDEXES
NATIONAL STOCK NUMBER INDEX**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5905-764-3991	33	R64	5910-681-9264	5	C16
5905-807-3315	32	R1	5910-727-4995	30	C117
5905-808-1718		R1	5910-818-6855	5	C5
5905-848-8322	33	R3	5910-818-6855	5	C29
5910-101-4708	31	C127	5910-818-6855	32	C14
5910-101-4714	24.1	C105	5910-818-6855	32	C15
5910-101-4714	24.1	C123	5910-819-2578	16	C104
5910-101-4714	30	C135	5910-819-2578	17	C122
5910-101-4714	30	C136	5910-819-2578	17	C124
5910-101-4714	30	C137	5910-819-2578	18	C125
5910-101-4714	30	C138	5910-819-2578	18	C130
5910-101-4714	31	C115	5910-819-2578	24.1	C122
5910-101-4714	31	C135	5910-819-2578	33	C21
5910-101-4714	31	C136	5910-819-2578	34	C104
5910-101-4714	31	C137	5912-819-2578	34	C125
5910-101-4714	31	C138	5910-819-2578	34	C130
5910-101-4714	34	C105	5910-849-0217	24	C18
5910-101-4714	34	C123	5910-850-0541	24-1	C118
5910-101-4714	34	C132	5910-850-0541	24-1	C120
5910-101-5575	24	C126	5910-894-2373	15	C111
5910-101-5575	30	C126	5910-894-2373	18	C134
5910-101-5575	30	C133	5910-894-2373	19	C3
5910-101-5575	32	C15	5910-894-2373	19	C10
5910-280-6451		C40	5910-894-2373	19	C19
5910-280-6451		C41	5910-894-2373	21	C26
5910-280-6451		C42	5910-894-2373	24	C17
5910-280-6451		C43	5910-894-2373	24	C107
5910-543-9081	33	C32	5910-894-2373	24	C119
5910-543-9081	34	C108	5910-894-2373	24.1	C17
5910-578-1623	3	C11	5910-894-2373	24.1	C18
5910-578-1623	3	C22	5910-894-2373	24.1	C107
5910-615-5120	15	C116	5910-894-2373	24.1	C119
5910-667-5737		C33	5910-894-2373	31	C111
5910-667-5737		C34	5910-894-2373	31	C134
5910-667-5737		C35	5910-894-2373	33	C27
5910-667-5737		C36	5910-899-2538	15	C115
5910-667-5737		C38	5910-899-2538	34	C135
5910-667-5737		C35	5910-899-2538	34	C136
5910-667-6746	3	C128	5910-899-2538	34	C137
5910-681-9264	5	C1	5910-899-2538	34	C138
5910-681-9264	5	C2	5910-984-4142		C115
5910-681-9264	5	C4			

**CROSS- REFERENCE-INDEXES
NATIONAL STOCK NUMBER INDEX**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5915-349-1345			5950-809-4571	32	L4
5920-283-7178	4		5950-809-6369	3	T101
5920-284-7178	4	F1	5950-809-6369	3	T101
5920-284-7466	10	F1	5960-166-7663	3	V101
5920-556-0144	4	XF1	5960-166-7663	3	V103
5930-351-7188	32	S2	5960-166-7663	3	V104
5930-351-7188	32	S3	5960-166-7663	3	V105
5930-549-0300	30	S102	5960-166-7663	3	V106
5930-615-9376	34	S101	5960-166-7663	3	V107
5930-630-1965	33	S3	5960-166-7663	3	V108
5935-129-3081	8	XV6	5960-166-7663	3	V109
5935-129-3081	8	XV16	5960-166-7674	5	V11
5935-149-4066			5960-166-7674	5	V17
5935-283-1207		E2	5960-188-3967	3	V8
5935-552-7660	4	J101	5960-188-3967	3	V9
5935-552-7660	4	J102	5960-188-3967	23	V7
5935-636-7145	32	P1	5960-188-8573	5	V12
5935-721-0124	8		5960-239-1993	5	V3
5935-721-0124	8	XV10	5960-262-0160	3	V8
5935-812-9142	8	XV1	5960-262-0160	3	V9
5935-812-9142	8	XV4	5960-262-0160	23	V7
5935-812-9142	8	XV7	5960-262-0161	3	V2
5935-812-9142	8	XV8	5960-272-9182	5	V1
5935-812-9142	8	XV9	5960-280-3759		A120
5935-812-9142	8	XV14	5960-280-3759		A122
5935-935-2231	8	XV2	5960-280-3759		A123
5935-935-2231	8	XV3	5960-280-3759		A124
5935-974-5418			5960-280-3759		A125
5935-974-5418	4	J103	5960-280-3759		MP25
5945-188-5600	4	REL1	5960-280-3759		MP26
5950-624-4122	4	REL1	5960-280-3759		MP27
5950-253-7330		L8	5960-280-3759		MP28
5950-253-7330		L9	5960-280-3759		MP29
5950-253-7330	33	L6	5960-280-3759		MP30
5950-253-7330	33	L7	5960-280-3759		MP31
5950-253-5133		3-T101	5960-280-3759		MP32
5950-630-6888	3	T102	5960-280-3759		MP33
5950-630-6888	18	T103	5960-280-3759		MP34
5950-645-3752	33	L3	5960-280-3759		MP35
5950-645-6020	8	L2	5960-280-3759		MP36
5950-809-4571	32	L1	5960-280-3759		MP37

SECTION VII

TM 11-6625-237-24P

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5960-280-3759		MP38	6130-284-0218	4	CR2
5960-825-2857		V6	6130-284-0218	4	CR3
5960-825-2857	5	V16	6130-284-0218	4	CR4
5960-827-8782	5	V10	6145-284-0579		
5961-170-4430	5	34	6210-188-8779		
5975-273-0788		MP59	6210-299-4149		X1-1
5999-204-5222		E6	6240-153-6509	10	I1
6105-647-1159		B101	6240-1553-8706	10	I1
6130-284-0218	4	CR1			

REFERENCE NUMBER	MFR. CODE	FIGURE NO.	ITEM NO.	REFERENCE NUMBER	MFR. CODE	FIG. NO.	ITEM NO.
A8780	72354	32	L6	CM30B102K	81349	34	C141
A8780	72354	32	L7	CM30B102K	81349	34	C142
BA33-010-1466	71590	3	R143	CM30B102K	81349	24.1	C121
BPD01	96095		C40	CM30B102K	81349	24.1	C141
BPD01	96095		C41	CM30B102K	81349	24.1	C142
BPD01	96095		C42	CM30B182K	81349	21	C20
BPD01	96095		C43	CM30B182K	81349	33	C24
CM15B270K	8139		C143	CM30B182K	81349	34	C140
CM15B270K	81349	24.1	C127	CM30D202J	81349	32	C20
CM15B390K	81349		C9	CM30D202J	81349	32	C24
CM15B390K	81349		C139	CM30D202J	81349	33	C20
CM15B390K	81349	30	C113	CM30D202J	81349	33	C24
CM15B390K	81349	33	C9	CM30D202J	81349	34	C140
CM15B390K	81349	34	C113	CM30D681J	81349	15	C110
CM15FD221GP3	81349		C115	CM30D681J	81349	15	C112
CM20B100K	81349	32	C31	CM30D681J	81349	16	C102
CM20B201K	81349	30	C114	CM35D512J	81349	31	C131
CM20B201K	81349	32	C7	CM35D512J	81349	31	C106
CM20B201K	81349	32	C8	CM35E562G	81349	34	C131
CM20B201K	81349	32	C28	CP05A1KE273K3	81349	24	C18
CM20B220K	81349	18	C126	CP09A1KE224K3	81349	15	C111
CM20B220K	81349	34	C133	CP09A1KE224K3	81349	18	C134
CM20B221J	81349	34	C115	CP09A1KE224K3	81349	19	C3
CM20B221J	81349	24.1	C123	CP09A1KE224K3	81349	19	C10
CM20B221J	81349	24.1	C105	CP09A1KE224K3	81349	19	C19
CM20B221J	81349	24.1	C132	CP09A1KE224K3	81349	21	C26
CM20B470K	81349	24.1	C118	CP09A1KE224K3	81349	24	C17
CM20B470K	81349	24.1	C120	CP09A1KE224K3	81349	24	C107
CM20B820K	81349	30	C117	CP09A1KE224K3	81349	24	C119
CM20CM200J	81349	30	C126	CP09A1KE224K3	81349	31	C111
CM20CM200J	81349	30	C133	CP09A1KE224K3	81349	31	C134
CM20C200J	81349	24	C126	CP09A1KE224K3	81349	33	C27
CM20C200J	81349	30	C133	CP09A1KE224K3	81349	24.1	C17
CM20C200J	81349	32	C15	CP09A1KE224K3	81349	24.1	C18
CM20C240J	81349	31	C127	CP09A1KE224K3	81349	24.1	C107
CM20C300J	81349	31	C103	CP09A1KE224K3	81349	24.1	C119
CM20D241J	81349	30	C135	CP09A1KE223K3	81349	15	C116
CM20D241J	81349	30	C136	CP09A1KF473K3	81349	33	C32
CM20D241J	81349	30	C137	CP09A1KF473K3	81349	34	C108
CM20D241J	81349	30	C138	CT2-0-103L	81349	3	C128
CM20D241J	81349	31	C115	CV11C450	81349	3	C11
CM20D241J	81349	31	C135	CV11C450	81349	3	022
CM20D241J	81349	31	C136	C0-03MGF3-18J0330	81349		
CM20D241J	81349	31	C137	C10-10-0000HM	35434	33	R28
CM20D241J	81349	31	C138	C10-100000HM	35434		R86
CM20D241J	81349	34	C105	C10-150000HM	35434	30	R134
CM20D241J	81349	34	C123	C20-40000HM	35434	33	R3
CM20D241J	81349	34	C132	C20-6000HM	35434	33	R71
CM20D241J	81349	24.1	C105	C5-3300HM	35434		R161
CM20D241J	81349	24.1	C123	DC1-1A	33224	33	R65
CM20D241J	81349	24.1	C132	DC1-1A	33224	33	R66
CM20D271J	81349	15	C115	DC1-1A	33224	33	R67
CM20D271J	81349	34	C135	DC1-1A1	33224	34	R144
CM20D271J	81349	34	C136	DC1-96-250HM	81349	32	R70
CM20D271J	81349	34	C137	D27364	56289	5	C5
CM20D271J	81349	34	C138	D27364	56289	5	C29
CM25E510J	81349	15	C118	D27364	56289	32	C14
CM25E510J	81349	16	C103	D27364	56289		C15
CM25E510J	81349	17	C120	ER6667	73793		B1
CM30B102K	81349	30	C121	FNC46S	80583		MP65
CM30B102K	81349	32	C23	GT4C	28480		MP16
CM30B102K	81349	33	C23	G74B	28480		MP13
CM30B102K	81349	34	C121	G74G	28180		MP6
CM30B102K	81349	34	C124	HD5-50UUF	53021		C38

SECTION VII

TM 11-6625-237-24P

REFERENCE NUMBER	MFR. CODE	FIGURE NO.	ITEM NO.	REFERENCE NUMBER	MFR. CODE	FIG. NO.	ITEM NO.
HD5-50000F	53021		C33	RC32GF224K	81349	24	R153
HD5-50000F	53021		C34	RC32GF224K	81349	30	R152
HD5-50000F	53021		C35	RC32GF224K	81349	24.1	R151
HD5-50000F	53021		C36	RC32GF224K	81349	24.1	R157
HD5-50000F	53021		C39	RC32GF225K	81349	30	R126
HD5-75000F	53021		C37	RC32GF272K	81349		R162
1N34A	81350	34		RC32GF273K	81349		R158
1N69	81350			RC32GF273K	81349	31	R130
1N69	81350	16		RC32GF273K	81349	31	R156
1N69	81350	17		RC32GF273K	81349	33	R40
1N69	81350	18		RC32GF273K	81349	34	R130
1N69	81350	33		RC32GF273K	81349	34	R156
JA1N058P203AA	01121	31	R142	RC32GF273K	81349	34	R159
JA1N200P2520A	01121	3	R110	RC32GF273K	81349	34	R160
JA2N056S5250A	01121	3	R121	RC32GF274K	81349	30	R120
MDX4	71400	10	F1	RC32GF274K	81349	30	R127
MS15571-2	96906	10	11	RC32GF274K	81349	32	R37
MS35058-9	81349	32	S1	RC32GF274K	81349	33	R37
MS35059-16	81349	30	S101	RC32GF274K	81349	34	R127
MS35059-21	81349	34	S101	RC32GF330K	81349	30	R41
MS91528-3F2D	96906		MP14	RC32GF331K	81349	30	R114
MS91528-3F2D	96906		MP15	RC32GF331K	81349	32	R27
M87	28480		MP62	RC32GF331K	81349	32	R49
M87	28480		MP63	RC32GF332K	81349	24	R106
N25-200HM	14674	33	R21	RC32GF332K	81349	24	R141
P6-8	72758	22	C13	RC32GF333K	81349	32	R23
P688	96905	31	C108	RC32GF333K	81349	34	R101
RC20GF103K	81349	32	R52	RC32GF334K	81349	32	R32
RC20GF120K	81349	32	R42	RC32GF391K	81349	30	R112
RC20GF153J	81349		R165	RC32GF391K	81349	30	R113
RC20GF153J	81349	34	R102	RC32GF392K	81349	32	R2
RC20GF183K	81349	30	R128	RC32GF393K	81349	33	R51
RC20GF183K	81349	31	R102	RC32GF471K	81349	32	R16
RC20GF221K	81349		R81	RC32GF472K	81349		R114
RC20GF274K	81349		R107	RC32GF473K	81349	30	R117
RC20GF274K	81349	30	R118	RC32GF473K	81349	30	R129
RC20GF274K	81349	30	R135	RC32GF474K	81349	30	R115
RC20GF393K	81349		R163	RC32GF474K	81349	32	R9
RC20GF563K	81349	30	R147	RC32GF561K	81349	33	R50
RC20GF681K	81349	3	R133	RC32GF562K	81349	24.1	R119
RC32GF822K	81349	30	R108	RC32GF753J	81349	30	R155
RC32GF101K	81349	32	R30	RC332GF332K	81349	24	R137
RC32GF102J	81349		R85	RC42GF101K	81349		
RC32GF102J	81349	30	R149	RC42GF101K	81349		R47
RC32GF102J	81349	31	R149	RC42GF101K	81349		R48
RC32GF103K	81349	31	R111	RC42GF101K	81349	32	R47
RC32GF103K	81349	31	R138	RC42GF101K	81349	32	R48
RC32GF103K	81369	31	R139	RC42GF104K	81349	24	R122
RC32GF103K	81349	32	R15	RC42GF104K	81349	24	R123
RC32GF103K	81349	33	R15	RC42GF221K	81349	32	R10
RC32GF103K	81349	318	R138	RC42GF224K	81349	33	R72
RC32GF103K	81349	34	R139	RC42GF224K	81349	33	R73
RC32GF104K	81349	32	R5	RC42GF272K	81349		R138
RC32GF104K	81349	32	R6	RC42GF273K	81349	34	R104
RC32GF104K	81349	32	R24	RC42GF273K	81349	34	R105
RC32GF104K	81349	32	R25	RC42GF331K	81349		R10
RC32GF104K	81349	32	R3	RC42GF331K	81349	32	R44
RC32GF105K	81349	32	R19	RC42GF331K	81349	32	R45
RC32GF105K	81349	32	R31	RC42GF331K	81349	32	R46
RC32GF105K	81349	33	R31	RC42GF332K	81349		R78
RC32GF122K	81349	30	R101	RC42GF332K	81349		R79
RC32GF124K	81349	24	R39	RC42GF333K	81349	34	R145
RC32GF152K	81349	30	R116	RC4ZGF170K	81349	32	R20
RC32GF152K	81349	32	R14	RC42GF471K	81349		R75
RC32GF153K	81349	33	R11	RC42GF471K	81349	32	R7
RC32GF153K	81349	33	R12	RC42GF412K	81349		R76
RC32GF153K	81349	33	R29	RC42GF682K	81349	30	R154
RC32GF154K	81349	24	R140	RC42G472K	81349		R77
RC32GF155K	81349	33	R19	RF581	37942		L8
RC32GF183K	81349	31	R128	RF581	37942		L9
RC32GF184K	81349	24	R120	RF581	37942	33	L6
RC32GF221K	81349	34	R146	RF581	37942	33	L7
RC32GF222K	81349	24	R148	RG58BU	81349		
RC32GF222K	81349	30	R109	RN70C3322F	81349	32	R53
RC32GF222K	81349	30	R131	RN70C3322F	81349	32	R54
RC32GF222K	81350		R74	RN70C3322F	81349	32	R55
RC32GF222K	81350	30	R103	RN70C3322F	81349	32	R56
RC32GF224K	81349		R157	RN70C3322F	81349	32	R57
RC32GF224K	81349	24	R151	RN70C3322F	81349	32	R58
RC32GF224K	81349	24	R152	RN70C3322F	81349	32	R59

SECTION VII

TM 11-6625-237-24P

REFERENCE NUMBER	MFR. CODE	FIGURE NO.	ITEM NO.	REFERENCE NUMBER	MFR. CODE	FIG. NO.	ITEM NO.
RN70C3322F	81349	32	R60	120F5-63AHS	91506		MP20
RN70D1430F	81349	33	R68	120F5-63AHS	91506		MP21
RN70D1430F	81349	33	R69	120F5-63AHS	91506		MP22
RN70D95R3F	81349	33	R61	120F5-63AHS	91506		MP23
RN70D95R3F	81349	33	R62	120F5-63AHS	91506		MP24
RN70D95R3F	81349	33	R63	1200-0008	28480	8	
RU3B1R0K	81349	32	R64	1200-0008	28480	8	XV10
RV2AT50252A	81349	3	R43	140-12	28480		A120
RV4ATSD504A	81349	3	R110	140-12	284180		A122
RV4ATSD504A	81349	3	R124	140-12	28480		A123
RV4NAXSD254A	81349	3	R35	140-12	28480		A124
RV4NAXSD355F	81349	3	R125	140-12	28480		A125
RW29F500	81349	32	R26	140-12	28480		MP25
RW29G122	81349	33	R13	140-12	28480		MP26
RW29V821	81349		R1	140-12	28480		MP27
RW31G312	81349	33	R136	140-12	28480		MP28
RW33G500	81349	32	R22	140-12	28480		MP29
RW55G351	81349		R87	140-12	28480		MP30
R4VNAYS503B	81349	3	R33	140-12	28480		MP31
S30-1000HM	14676		R83	140-12	28480		MP32
S30-1000HM	14676	32	R22	140-12	28480		MP33
S311-64DD522L	75376		H105	140-12	28480		MP34
S311-64DD522L	75376		H106	140--2	28480		MP35
S380-64LB3BDD	75376		H101	140-12	28480		MP36
S380DDL522	73376		H102	140-12	26480		MP37
S380DDL522	75376		H103	140-12	28480		MP38
S380DDL522	75376		H104	140-13	28480		MP39
TC72	37942	24	C101	140-13	28480		MP40
TS101P01	81349	8	XV2	140-13	28480		MP41
TS101P01	61349	8	XV3	160P10494	56289	16	C109
T104	72758	5	C1	160P10494	56289	21	C12
T104	72758	5	C2	160P10494	56289	21	C25
T104	72758	5	C4	160P10494	56289	32	C30
T104	72758	5	C16	2Z5942	80063	10	I1
UG1170	81349			210-25	28480	3	R143
UG1170	80058		E2	210-25	28480	33	R30
UG58AU	80058	4	J103	210-68	28480	33	R4
UG580	81349			2100-0055	28480	31	R132
UG825BU	80358	4	J101	212AL40404	28480	4	
UG825BU	80058	4	J102	212AM314	28480		H107
UG88U	81349			212A19B	28480	8	AT1
UP121M	81349	32	P1	212A6A	28480		EV6
X5	79727	32	R21	212A60A	28480		EV16
0-5527-5	60380		MP42	212A60A	28480	3	T102
0B2	81350	5	V4	212A60A	28480	18	T103
0B2	81350	5	V14	212A60B	28480	3	T101
0D3	81350	5	V12	212A60C	28480		
0160-0002	28480	16	C104	212A60C3	28480		L11
0160-0002	28480	17	C122	212A60D3	28480	32	L10
0160-0002	28480	17	C124	212A60EPS	28480	4	REL1
0160-0002	28480	18	C125	212HP45B	28480	5	V6
0160-0002	28480	18	C130	212HP45B	28480	5	V16
0160-0002	28480	33	C21	2315556	56232	3	T102
0160-0002	28480	34	C104	2315556	56232	18	T103
0160-0002	28480	34	C125	275-4	81860		MP43
0160-0002	28480	34	C130	275-4	81860		MP44
0160-0002	28480	24.1	C122	275-4	81860		MP45
0370-0035	28480		MP17	275-4	81860		MP46
0370-0035	28480		MP18	29259	80064	4	REL1
0370-0035	28480		MP19	3K926	25795		B101
1-3-4E	35434	32	R1	316PH	91662	8	XV1
1-3-4E25000OHM	35434		R82	316PH	91662	B	XV4
1-3-4E25000OHM	35434		R134	316PH	91662		XV7
1-3-4E25000OHM	35434	32	R38	316PH	91662	8	XV8
1-3-4E25000OHM	35434	33	R38	316PH	91662	8	XV9
1-3-4E3000	35434	31	R136	316PH	91662		XV14
1002A	88421	4	CR1	316PH	91662	8	XV15
1002A	88421	4	CR2	32733742Z	80063		A107
1002A	88421	4	CR3	32733742Z	80063		A108
1002A	88421	4	CR4	33-010--255	71590	3	R124
12AU7	81350	3	V101	342003	75915	4	XF1
I12AU7	81350	3	V102	36002	98278		E6
12AU7	81350	3	V103	36002	98278		E7
12AU7	81350	3	V104	43054H1	76854	32	S2
12AU7	81350	3	V105	43054H1	76854	32	S3
12AU7	81350	3	V106	43056H2	76854	33	S3
12AU7	81350	3	V107	43057H1	76854	30	S102
12AU7	81350	3	V108	5R4GYA	81350	5	V13
12AU7	81350	3	V109	5R4WGY	81350	5	V13
12AU7	81350	5	V10	5OMS106	28480		MP13

SECTION VII

TM 11-6625-237-24P

REFERENCE NUMBER	MFR. CODE	FIGURE NO.	ITEM NO.	REFERENCE NUMBER	MFR. CODE	FIG. NO.	ITEM NO.
51A12272	71785	8	XV2	6W4GT	81350	5	V3
51A12272	71785	8	XV3	6X4W	81350	5	V1
51A12272	71785	8	XV11	61BS739	28480	4	
51A12272	71785	8	XV12	65	84970	4	CR1
51A12272	T1785	8	XV17	65	84970	4	CR2
522B60B1	28480	33	L3	65	84970	4	CR3
54MS304	28480			65	84970	4	CR4
551A2272	71785	8	XV13	77M1P4TM	02660	8	XV6
5963	81350	3	V102	77M1P4TM	02660	8	XV16
5963	81350	3	V106	807BS	80063	10	X11
5963	81350	3	V109	807B5	78283	X1-1	
6AS7G	81350	5	V11	81-121	72619		
6AS7G	81350	.5	V17	810B121	72619		X11
6AS7GA	81350	5	V11	8169A	72964	5	L5
6AS7GA	81350	5	V17	910-74PS	28480	5	T1
6AU6WA	81350	5	V15	910-75PS	28480	5	T2
6J6	81350	3	V8	911-24	28480	8	L2
6J6	81350	3	V9	911-52	28480	8	L2
6J6	81350	23	V7	9110-0004	28480	32	L1
6J6WA	81350	3	V8	9110-0004	28480	32	L4
6J6WA	81350	3	V9	9130-0003	28480	3	T101
6J6WA	81350	23	V7	995-5B511J	44655		R13
6J6WGB	81350	3	V2	995-5B511J	44655		R84
6P1	28520		MP59				

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	Sig Dep (2)
Dir of Trans (1)	Army Dep (1) except
COE (1)	LBAD (14)
TSG (1)	SAAD (30)
USAARENBD (1)	TOAD (14)
AMC (1)	ATAD (10)
TRADOC (2)	USA Dep (2)
ARADCOM (2)	Sig Sec USA Dep (2)
ARADCOM Rgn (2)	SigFLDMS (1)
OS Maj Comd (4)	USAERDAA (1)
LOGCOMDS (3)	USAERDAW (1)
MICOM (2)	MAAG (1)
TECOM (2)	USARMIS (1)
USACC (4)	Units org under fol TOE
MDW (1)	(1 copy each unit):
Armies (2)	9-47
Corp (2)	9-87
HISA (Ft Monmouth) (43)	9-227
Svc Colleges (1)	11-16
USASESS (5)	11-98
USAADS (2)	11-117
USAFAS (2)	11-500(AA-AC)
USAARMS (2)	44-435
USAIS (2)	44-436
USAES (2)	44-437
USAINTCS (3)	44-445
WRAMC (1)	44-535
ATS (1)	44-536
Fort Gordon (10)	44-537
Fort Huachuca (10)	44-545
WSMR (1)	44-546
Fort Carson (5)	44-547
Ft Richardson (ECOM Ofc) (2)	44-548

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 018847-000