

HAND RECEIPT MANUAL

COVERING END ITEM/COMPONENTS OF END ITEM (COEI),  
BASIC ISSUE ITEMS (BII),  
AND ADDITIONAL AUTHORIZATION LIST (AAL)  
FOR  
TEST SET, LASER INFRARED OBSERVATION DEVICE TS-3620/GVS-5  
(NSN 5880-01-052-9477)

THIS PUBLICATION IS A COURTESY QUICK COPY  
FROM THE UNITED STATES ARMY PUBLICATIONS  
DISTRIBUTION CENTER, ST. LOUIS MISSOURI  
TO MEET YOUR NEEDS WHILE WE REPLENISH OUR  
REGULAR STOCK.

---

HEADQUARTERS, DEPARTMENT OF THE ARMY

MARCH 1979



**HAND RECEIPT MANUAL  
COVERING END ITEM/COMPONENTS OF END ITEM (COEI),  
BASIC ISSUE ITEMS (BII),  
AND ADDITIONAL AUTHORIZATION LIST (AAL)  
FOR  
TEST SET, LASER INFRARED OBSERVATION  
DEVICE TS-3620/GVS-5  
(NSN 5660-01-052-9477)**

*Current as of 18 December 1978*

**REPORTING OF ERRORS**

You can improve this manual by recommending improvements using DA Form 2028-2 located in the back of the manual. Simply tear out the self-addressed form, fill it out as shown on the sample, fold it where shown, and drop it in the mail.

If there are no blank DA Form 2028 in the back of your manual, use the standard DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forward to the commander, US Army Communications and Electronics Materiel Readiness Command, ATTN: DRSEL-ME-MQ Fort Monmouth, NJ 07703.

In either case a reply will be furnished direct to you.

**TABLE OF CONTENTS**

	Page
SECTION I. Introduction .....	3
II. Hand Receipt .....	3



## Section I. INTRODUCTION

### 1. Scope.

This Hand Receipt Manual provides a listing on a preprinted DA Form 2062 (Hand Receipt) of accountable End Items COEI, BII, and AAL items related to Test Set, Laser Infrared Observation Device TS-3620-GVS-5.

### 2. General.

Section II of this manual is an overprinted DA Form 2062 consisting of a listing of The End Item Components of End Items (COEI), Basic issue Items (BII), and Additional Authorization List (AAL) items extracted from TM 11-6625-2684-12. The listings consist of exactly the same items and are in the same sequence as the End Item/COEI, BII, and AAL listings in the operator's manual. The overprinted DA Form 2062 will aid property accountability officers in preparation of hand receipts referred by AR 710-2. Local reproduction of the overprinted DA Form 2062 is authorized. Extra copies of the HR Manual are available through:

Commander  
US Army AG Publications Center  
ATTN: AGDL-OD  
1655 Woodson Road  
St. Louis, MO. 63114

### 3. Explanation of Blocks and Columns.

- a. *FROM*. Enter the organization for which the property book is maintained.
- b. *TO*. Enter the (UIC) and the hand receipt file number of the unit/personnel receiving the property.
- c. *CATALOG NO*. Contains the technical manual

(TM) number of the operator's manual.

d. *CURR OF ALW*. Not applicable.

e. *ITEM*. Contains end item short title.

f. *STOCK NO*. National stock number of the item described.

g. *ITEM DESCRIPTION*. Identifies the item contained in the COEI, BII, and AAL. Contains nomenclature, and serial USA number (If applicable) that will be useful in identifying and controlling the item. Serial number to be inserted and initialed on all copies by the hand receipt holder.

h. *T'(a)*. Quantity of each item as listed in the COEI, BII, and AAL.

i. *C<sup>2</sup>(t)*. Leave blank.

j. *BALANCE*.

(1) 1. Enter the total quantity possessed by the receiving unit/personnel for each item listed. All quantity totals will be advanced to the next balance column on any item changes, annotated "adjusted", dated, and signed by the individual receiving the property.

(2) 2. The individual receiving property will sign and date the appropriate balance column on the bottom of the last page below a drawn line. When an inventory is taken, the column will be annotated "Per inventory".

(3) 3. through 12. Same as (2) above.

k. *PAGE NO./NO. OF PAGES*. Contains page number and total pages for the COEI, BII, and AAL portions of the hand receipt. Hand receipt holder initial each page no. (only when two or more forms are involved). When hand receipt holders change, the old initials will be lined out and new hand receipt holder will initial each page.

## Section II. HAND RECEIPT

Following is hand receipt for Test Set, Laser Infrared Observation Device TS-3620/GVS-5.

HAND RECEIPT/ANNEX NO. For use of this form, see AR 735-35; the proponent agency is the office of the Deputy Chief of Staff for Logistics.		FROM:				TO: Hand Receipt File No.										
Following last item, state in each balance column the type of action (e.g. issue, turn-in, inventory, etc.) producing this balance, date of action, and signature.		Fill in the following when this form is used as Hand Receipt Annex.														
		CATALOG No. TM 11-6625-2684-12				CURR OF ALW				ITEM TS-3620/GVS-5						
STOCK NO.	END ITEM/COMPONENTS OF END ITEM (COEI) ITEM DESCRIPTION	T' (a)	C' (i)	BALANCE												
				1	2	3	4	5	6	7	8	9	10	11	12	
	AC POWER CABLE ASSEMBLY	1														
	ALINEMENT BRACKET ASSEMBLY	1														
	ADAPTER CABLE ASSEMBLY	1														
	PUBLICATION TM 11-6625-2684-12	1														
	ELECTRONIC TEST SET ASSEMBLY	1														
	COMBINATION CASE ASSEMBLY	1														
	BASIC ISSUE ITEMS															
	NONE															
	ADDITIONAL AUTHORIZATION LIST															
4240-00-258-2054	GOGGLES, INDUSTRIAL (LASER SAFETY GOGGLES)	1														
T - Total allowance for Hand Receipts. (a) Authorized per item for Hand Receipt Annexes.										PAGE NO		1				
C - Current operating allowance for Hand Receipts. (i) Total authorized for Hand Receipt Annexes.										NO. OF PAGES		1				



RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



**SOMETHING WRONG WITH THIS MANUAL?**

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM. TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)  
 Commander  
 Stateside Army Depot  
 ATTN: AMSIA-MS  
 Stateside, N.J. 07708

DATE 19 July 1975

PUBLICATION NUMBER

TM 11-5840-340-12

DATE

23 Jan 74

TITLE

Radar Set AN/SPC-76

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT.

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

2-25	2-28		
3-10	3-3		3-1
5-6	5-8		

F03

Recommend that the installation antenna alignment procedure be changed through to specify a 2° IFF antenna lag rather than 1°.

REASON: Experience has shown that with only a 1° lag, the antenna servo system is too sensitive to wind gusting in excess of 7 knots, and has a tendency to rapidly accelerate and decelerate as it hunts, causing strain to the drive train. Hunting is minimized by adjusting the lag to 2° without degradation of operation.

Item 5, Functions column. Change "2 db" to "3db."

REASON: The adjustment procedure for the TRANS POWER FAULT indicator calls for a 3 db (500 watts) adjustment to light the TRANS POWER FAULT indicator.

Add new step f.1 to read, "Replace cover plate removed in step e.1, above."

REASON: To replace the cover plate.

Zone C 3. On J1-2, change "+24 VDC to "+5 VDC."

REASON: This is the output line of the 5 VDC power supply. + 24 VDC is the input voltage.

TEAR ALONG DOTTED LINE

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SSG I. M. DeSpirito 999-1776

SIGN HERE:

*SSG I. M. DeSpirito*

DA FORM 2028-2  
1 AUG 74

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR MANUAL "FIX," MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.



RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL MANUALS



# SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER  
TM 11-6625-2684-12-HR

DATE  
30 MAR 79

TITLE TEST SET, LASER INFRARED OBSERVATION DEVICE TS-3620/GVS-5

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

TEAR ALONG DOTTED LINE

TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

FILL IN YOUR  
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
DEPARTMENT OF THE ARMY  
DDG-314



Commander  
US Army Communications and  
Electronics Materiel Readiness Command  
ATTN: DRSEL-ME-MQ  
Fort Monmouth, New Jersey 07703

TEAR ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2025-2



# SOMETHING WRONG WITH THIS MANUAL?

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM. TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (YOUR UNIT'S COMPLETE ADDRESS)

DATE

PUBLICATION NUMBER

TM 11-6625-2684-12-HR

DATE

30 MAR 79

TITLE TEST SET, LASER INFRARED

OBSERVATION DEVICE TS-3620/GVS-5

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

TEAR ALONG DOTTED LINE


TYPED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

FILL IN YOUR  
UNIT'S ADDRESS

FOLD BACK

DEPARTMENT OF THE ARMY



OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
DEPARTMENT OF THE ARMY  
DDG-314



Commander  
US Army Communications and  
Electronics Materiel Readiness Command  
ATTN: DRSEL-ME-MQ  
Fort Monmouth, New Jersey 07703

TEAR ALONG DOTTED LINE

FOLD BACK

REVERSE OF DA FORM 2025-1

By Order of the Secretary of the Army:

BERNARD W. ROGERS  
*General, United States Army*  
*Chief of Staff*

Official:

J. C. PENNINGTON  
*Major General, United States Army*  
*The Adjutant General*

DISTRIBUTION:

*Active Army:*

HISA (Ft Monmouth) (26)	USAICS (3)
USAINSCOM (2)	MAAG (1)
COE (1)	USARMIS (1)
TSG (1)	USAERDAA (1)
USAARENBD (1)	USAERDAW (1)
DARCOM (1)	Ft. Gordon (10)
TRADOC (2)	Ft. Huachuca (10)
OS Maj Comd (4)	Ft Carson (5)
TECOM (2)	Ft Gillem (10)
USACC (4)	Army Dep (1) except
MDW (1)	LBAD (14)
Armies (2)	SAAD (30)
Corps (2)	TOAD (14)
Svc Colleges (1)	SHAD (3)
USASIGS (5)	USA Dep (1)
USAADS (2)	Sig Sec USA Dep (1)
USAFAS (2)	Ft Richardson (CERCOM Ofc) (2)
USARRMS (2)	Units org under fol TOE:
USAIS (2)	29-207 (2)
USAES (2)	29-610 (2)

NG: None

USAR: None

For explanation of abbreviation used, see

