

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING
DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
SIGNAL GENERATORS AN/URM-49 (FSN 6625-6695131),
AN/URM-49A (FSN 6625-553-7386),
AN/URM-49B, AND AN/URM-49C

Headquarters, Department of the Army, Washington, DC
13 December 1974

Current as of 17 September 1974

| | Paragraph | Page |
|--|-----------|------|
| SECTION I. INTRODUCTION | | |
| Scope | 1-1 | 2 |
| General..... | 1-2 | 2 |
| Explanation of columns | 1-3 | 2 |
| Special information..... | 1-4 | 4 |
| Location of repair parts..... | 1-5 | 4 |
| Abbreviations (Not applicable) | 1-6 | 5 |
| Reporting of equipment publication improvements | 1-7 | 5 |
| II. REPAIR PARTS LIST | 6 | |
| III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT | 22 | |
| IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER..... | 23 | |

*This manual supersedes TM 11-6625-280-35P, 19 July 1961, Including all changes.

SECTION I. INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of direct support, general support, and depot maintenance of the AN/URM49, AN/URM49A, AN/URM49B, and AN/URM49C. The PCCN for the equipment is GTEAFI for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List - Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment - Section III. A list of special tools, test and support equipment authorized for the performance of maintenance at the direct support, general support, and depot level.

c. Index - Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are:

Code Explanation

PA — Item procured and stocked for anticipated or known usage.

PB — Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

PC — Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

PD — Support item, excluding support equipment, procured for initial issue or outfitting and

| <i>Code</i> | <i>Explanation</i> |
|-------------|---|
| PE | Stocked only for subsequent or additional initial issues or outfitting. Not subject to automatic replenishment. |
| PF | Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities. |
| PG | Support equipment which will not be stocked but which will be centrally procured on demand. |
| KD | Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time. |
| KF | An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair. |
| KB | An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance. |
| MO | Item to be manufactured or fabricated at organizational level. |
| MF | Item to be manufactured or fabricated at direct support maintenance level. |
| MH | Item to be manufactured or fabricated at general support maintenance level. |
| MD | Item to be manufactured or fabricated at depot maintenance level. |
| AO | Item to be assembled at organizational level. |
| AF | Item to be assembled at direct support maintenance level. |
| AH | Item to be assembled at general support maintenance level. |
| AD | Item to be assembled at depot maintenance level. |
| XA | Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly. |
| XB | Item is not procured or stocked. If not available through salvage, requisition. |
| XC | Installation drawing, diagram instruction sheet, field service drawing, that is identified |

| <i>Code</i> | <i>Explanation</i> |
|-------------|--|
| XD | by manufacturers' part number. |
| XD — | Support items can be requisitioned with justification. |

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code Application/Explanation

O — Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F — Support item is removed, replaced, used at the direct support maintenance level.

H — Support item is removed, replaced, used at the general support maintenance.

D — Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code:

Code Application/Explanation

0 — The lowest maintenance level capable of complete repair of the support item is the organizational level.

F — The lowest maintenance level capable of complete repair of the support item is direct support.

| <i>Code</i> | <i>Application/Explanation</i> |
|---------------------------------|---|
| H — | The lowest maintenance level capable of complete repair of the support item is general support. |
| D — | The lowest maintenance level capable of complete repair of the support item is the depot level. |
| L — | Repair restricted to designated Specialized Repair Activity. |
| Z — | Nonrepairable. No repair is authorized. |
| B — | No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item. |
| (3) <i>Recoverability code.</i> | Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows: |

Code Explanation

Z — Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.

0 — Repairable item. When uneconomically repairable, condemn and dispose at organizational level.

F — Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.

H — Repairable item. When uneconomically repairable condemn and dispose general support level.

D — Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.

L — Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.

A — Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item.

NOTE

For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-00-" after the Federal stock classification (FSC) code (first four digits). For example, FSN 6625-553-0142 converts to NSN 6625-00-553-0142..

c. *Description*. Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. *Unit of Measure (UIM)*. Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit*. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/GS Maintenance Allowances*.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments/Contingency Planning Purposes*. Column intentionally left blank

h. *Depot Maintenance Allowance Per 100 Equipments*. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration*. This column is divided as follows:

(1) *Figure number*. Indicates the figure number of the illustration on which the item is shown in TM 114625280-15.

(2) *Item number*. Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models.

Identification of the usable on codes used in this publication are—

| <i>Code</i> | <i>Used on</i> |
|-------------|----------------|
| BBA | AN/URM-49 |
| BBB | AN/URM-49A |
| BBC | AN/URM-49B |
| BBD | AN/URM49C |

b. The basis of issue for authorized special tools, test and support equipment is the number of end items of equipment supported and the number of maintenance personnel allocated to perform the required maintenance operations.

c. The following publications pertain to the equipment and its components:

TM 11-6625280-15 Organizational, Field and Depot Maintenance Manual:
Signal Generators AN/
URM-49, AN/URM-49A,
AN/URM-49B, and AN/
URM-49C.

TM 11-6625280.20P Organizational Maintenance Repair Parts and Special Tools Lists: Signal Generator AN/URM-49 (FSN 6625-669-5131), AN/URM49A (FSN 6625553-7386), AN/URM49B, and AN/URM-49C.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-TMDE, Fort Monmouth, NJ 07703.

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|----------------------------|--------------------|
| | | | | | (A) 1-20 | (B) 21-50 | (C) 51-100 | (A) 1-20 | (B) 21-50 | (C) 51-100 | | | (A) FIG. ITEM NO. | (B) ITEM NO. |
| PAOZZ | 6145-284-0579 | CABLE POWER ELECTRICAL W101 CO-03MGFs-18J0330 (81L349) | FT | 8 | * | * | * | * | * | * | | 5 | 1-1 | W101 |
| PAHZZ | 5995-545-7120 | CABLEI RADIO FREQUENCY W201 RC55AU (81349) | FT | 22 | | * | * | * | * | * | | 5 | 1-1 | W201 |
| XDOZZ | | CONNECTOR° ADAPTER ELECTRICAL E208 UG201AU (81349) | EA | 3 | * | * | * | * | * | * | * | | 1-1 | E208 |
| XDOZZ | | CONNECTORI ADAPTER, ELECTRICAL E209 UG201AU (81349) | EA | REF | * | * | * | * | * | * | * | | 1-1 | E209 |
| PAOZZ | | CONNECTOR, ADAPTER1 ELECTRICAL E210 UGZ02AU (81349) | EA | REF | * | * | * | * | * | * | * | | 1-1 | E210 |
| PAOZZ | 5935- 149-3914 | CONNECTORI ADAPTER ELECTRICAL E211 G25SU i81349! | EA | 3 | a | * | * | * | * | * | * | 3 | 1-1 | E211 |
| PAOZZ | 5935-149-3914 | CONNECTORS ADAPTER, ELECTRICAL E212 UG255U (S81349!) | EA | REF | * | * | * | * | * | * | * | 3 | 1-1 | E211 |
| PAOZZ | 5935-149-3914 | CONNECTOR1 ADAPTER ELECTRICAL E13 UG255U 1813491 | EA | REF | * | * | * | * | * | * | * | 3 | 1-1 | E213 |
| PAOZZ | 5935-149-3534 | CONNECTOR ADAPTER, ELECTRICAL E205 UG273U i(B349) | EA | 3 | * | * | * | * | * | * | * | 3 | 1-1 | E205 |
| PAOZZ | 5935-149-3534 | CONNECTOR ADAPTER, ELECTRICAL E206 UGZ73U (81349) | EA | REF | * | * | * | * | * | * | * | 3 | 1-1 | E206 |
| PAOZZ | 5935-149-3534 | CONNECTOR ADAPTER ELECTRICAL E207 UG273U (81349) | EA | REF | * | * | * | * | * | * | * | 3 | 1-1 | E20 |
| PAHZZ | 5935-L49-4066 | CONNECTOR PLUG, ELECTRICAL P201 UG88DU (81349) | EA | 6 | | | | * | * | * | * | 3 | | P201 |
| PAHZZ | 5935-149-4066 | CONNECTORPLUG+ELECTRICAL P202 UGBBBDU (81349) | EA | REF | | | | * | * | * | * | 3 | | P202 |
| PAHZZ | 5935-L49-4066 | CONNECTOR, PLUGWELECTRICAL P301 UGBBBDU (813491) | EA | REF | | | | * | * | * | * | 3 | | P301 |
| PAHZZ | 5935-149-4066 | CONNECTORPLUG ELECTRICAL P302 UGBBBDU 1813491 | EA | REF | | | | * | * | * | * | 3 | | P302 |
| PAHZZ | 5935-L49-4066 | CONNECTORPLUG, ELECTRICAL P303 UG8BDU (81349!) | EA | REF | | | | * | * | * | * | 3 | | P303 |
| PAHZZ | 5935-149-4066 | CONNECTOR-PLUG, ELECTRICAL P304 UG88DU 1813491 | EA | REF | | | | * | * | * | * | 3 | | P304 |
| PAOZZ | 3935-201-2714 | CONNECTOR, PLUG, ELECTRICAL P101 7084 (74545) BBA | EA | 1 | | | | * | * | * | * | 3 | | P101 |
| PAOZZ | 5935-149-4013 | CONNECTOR, PLUG, ELECTRICAL P102 7057 l74545) BBA | EA | 1 | | | | * | * | * | * | 3 | | P102 |
| PAOZZ | 5935-539-2650 | CONNECTOR, PLUG, ELECTRICALNO-REF-DESIG AN3106A10SL35 (88044) BBB | EA | 1 | | | | * | * | * | * | 3 | | |
| PAOZZ | 5935-636-7145 | CONNECTORI PLUG, ELECTRICALNO-REF-DESIG UP121M (81349) BBB GROUP 0001 SIGNAL GENERATOR TS-4188/U TS-LBCI/U | EA | 1 | | | | * | * | * | * | 3 | | |
| PAHZZ | 5905-092-8685 | ATTENUATOR ASSEBLY 203A 1410101 (35225) | EA | 1 | | | | * | * | * | * | 5 | | 203A |
| PAHZZ | 6625-378-5032 | BALL, MOUNT ASSEMBLYNO-REF-DESIG A1367467 (35225) BEARING, SLEEVENO-REF-DESIG PART OF CAVITY DRIVE BLOCK BUSHING ASSY A437-2 (70901) BBB | EA | 2 | | | | * | * | * | * | 2 | | |
| XDHZZ | | | | | | | | | | | | | | |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|---|---|---------------------------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| XDHZZ | | BUSHING, SLEEVENO-REF-DESIG FOR MONITOR SHAFT PULLEY 1410247 (35225) BBA | | EA | 1 | | | | * | * | * | | | | |
| PAHZZ | 5970-755-0910 | BUSHING, SLEEVE0204A INSULATOR FOR THERMISTOR A1J67456 (35225)BBA | | EA | 1 | | | | * | * | * | | 3 | | |
| PAHZZ | 6625-378-5166 | CAN CONTROLNO-REF-DESIG LOCK FOR POWER SET P1410249 (35225) | | EA | 1 | | | | * | * | * | | 5 | | |
| PAHZZ | 6625-378-5167 | CAN, CONTROLNO-REF-DESIG LOCK FOR VERNIER 1410250 (35225) | | EA | 1 | | | | * | * | * | | 5 | | |
| PAHZZ | 5910-577-6859 | CAPACITORFIXEDI CERAMIC DIELECTRIC C320 5 MMF PORMO.25PCT CC21CHO50C (81349) | | EA | 1 | | | | * | * | * | | 3 | 8-11 | C320 |
| PAHZZ | 5910-726-2448 | CAPACITOR, FIXED, CERAMIC DELECTRIC C214 5 MMF PORNSPCT* CC20CJ050D (81349) BB8 | | EA | 1 | | | | * | * | * | | 3 | 8-11 | C2L4 |
| XDHZZ | | CAPACITORFIXED, CERAMIC DIELECTRIC C311 24 MMF PORMSPCT CCZ6CH240J (81349) | | EA | 1 | | | | * | * | * | * | 3 | 5-4 | C311 |
| PAHZZ | 5910-853-4999 | CAPACITOR, FIXED, CERAMIC DIELECTRIC C316 51 MMF PORMSPCT 50s VDCW CC30PG510G (81349) | | EA | 1 | | | | * | * | * | * | | 5-4 | C316 |
| PAHZZ | 5910-727-4997 | CAPACITOR, FIXED, MICA DIELECTRIC C218 24 MNF PORMSPCT 500 VDCW CM15C0240J3 (81349) | | EA | 4 | | | | | | | * | 3 | 8-11 | C218 |
| PAHZZ | 5910-727-4997 | CAPACITOR, FIXED, MICA DIELECTRIC C321 24 MMF PORMSPCT 500 VDCW CM15CDD040J3 (81349) | | EA | REF | | | | * | * | * | | 3 | 8-11 | C321 |
| PAHZZ | 5910-727-4997 | CAPACITOR, FIXED, MICA DIELECTRIC C322 24 MMF PORMSPCT 500 VDCW CM15CD240J3 (81349) | | EA | REF | | | | * | * | * | | 3 | 8-11 | C322 |
| PAHZZ | 5910-727-4997 | CAPACITOR, FIXED, MICA DIELECTRIC C323 24 MMF PORMSPCT 500 VDCM CM15CD240J3 (81349) | | EA | REF | | | * | * | * | * | | 3 | 8-11 | C323 |
| XDHZZ | | CAPACITOR, FIXED, CERAMIC DIELECTRIC C315 100 MMF PORMZPCT500 VDCW CC36CH01G (813491) | | EA | 1 | | | | * | * | * | | | 5-4 | C315 |
| XDHZZ | | CAPACITOR, FIXED, MICA DIELECTRIC C313 100 MMF PORMIOPCT 500 VDCW CM20B101K (81349) | | EA | 2 | | | | * | * | * | | | 5-3 | C313 |
| XDHZZ | | CAPACITOR, FIXED, MICA DIELECTRIC C319 100 MMF PORMLOPCT 500 VDCW CM200101K (813495) | | EA | REF | | | | * | * | * | | | 5-4 | C319 |
| XDHZZ | | CAPACITOR, FIXED, CERAMIC DIELECTRIC C308 100 MMF PORMIOPCT 500 VDCW CC36PG101K (813491) | | EA | 1 | | | | * | * | * | | | 5-3 | C308 |
| XDHZZ | | CAPACITOR, FIXED, CERAMIC DIELECTRIC C312 510 MMF PORM5PCT 500 VDCW CM2C0510J (81349) | | EA | 2 | | | | * | * | * | | | 5-3 | C312 |
| XDHZZ | | CAPACITORFIXED, CERAMIC DIELECTRIC C341 CONTINUED | | EA | REF | | | | * | * | * | | | 8-11 | C341 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) | |
| | | CONTINUED | | | | | | | | | | | | | | |
| | | 510 MHF PORNSPCT 500 VDCW | | | | | | | | | | | | | | |
| XDHZZ | | CM20C510J (81349) | | | | | | | * | * | * | | | 8-11 | C309 | |
| | | CAPACITOR, FIXED,PAPER DIELECTRIC C309 | | EA | 1 | | | | * | * | * | | | | | |
| | | 1 MF PORM 10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP6581DF105K (81349) | | | | | | | | | | | | | | |
| PAHZZ | 5910-227-0762 | CAPACITOR, FIXED, PAPER DIELECTRIC C101 | | EA | 2 | | | | * | * | * | | | 3 | 8-11 | C101 |
| | | 2 MF PORM1OPCT 1000 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DG20K (81349) | | | | | | | | | | | | | | |
| PAHZZ | 5910-227-0762 | CAPACITOR, FIXED, PAPER DIELECTRIR C102 | | EA | REF | | | | * | * | * | | | 3 | 8-11 | C102 |
| | | 2 MF PORM10PCT 1000 VDC | | | | | | | | | | | | | | |
| | | CP41B1DG205K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITORFIXED, PAPER DIELECTRIC C103 | | EA | 5 | | | | * | * | * | | | 8-11 | C103 | |
| | | 4 MF PORMIOPCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DF405K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR, FIXED, PAPER DIELECTRIC C104 | | EA | REF | | | | * | * | * | | | 8-11 | C104 | |
| | | 4 MF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DF405K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR FIXEDPAPER DIELECTRIC C105 | | EA | REF | | | | * | * | * | | | 8-11 | C105 | |
| | | 4 MF PORMNOPECT 600 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DF405K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR, FIXEDPAPER DIELECTRIC C106 | | EA | REF | | | | * | * | * | | | 8-11 | C106 | |
| | | 4 MF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DF405K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR, FIXED, PAPER DIELECTRIC C107 | | EA | REF | | | | * | * | * | | | 8-11 | C107 | |
| | | 4 MF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP41B1DF405K (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR, FIXED,PAPER DIELECTRIC C317 | | EA | 1 | | | | * | * | * | | | 8-11 | C317 | |
| | | 10,000 MMF PORM20PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CN35AF103M (81349) | | | | | | | | | | | | | | |
| XDHZZ | | CAPACITOR, FIXED, PAPER DIELECTRIC C306 | | EA | 2 | | | | * | * | * | | | 8-11 | C306 | |
| | | 100,000 MMF PORM20PCT EACH SEAT 600 VDCW | | | | | | | | | | | | | | |
| | | CP6586EF104V (81349) | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITOR, FIXED PAPER DIELECTRIC C108 | | EA | 4 | | | | * | * | * | | | 3 | 5-3 | C108 |
| | | 100,000 MMF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBA | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITOR, FIXEDO PAPER DIELECTRIC C301 | | EA | REF | | | | * | * | * | | | 3 | 8-11 | C301 |
| | | 100,000 MMF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBA | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITORFIXED, PAPER DIELECTRIC C3068 | | EA | REF | | | | * | * | * | | | 3 | 8-11 | |
| | | 100,000 MMF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBA | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITOR, FIXED,PAPER DIELECTRIC C314 | | EA | REF | | | | * | * | * | | | 3 | 8-11 | C314 |
| | | 100,000 MMF PORM10PCT 600 VDCM | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBA | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITOR, FIXED PAPER DIELECTRIC C108 | | EA | 4 | | | | * | * | * | | | 3 | 5-3 | C108 |
| | | 100,000 MMF PORM10PCT 600 VDCW | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBB | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITORFIXED, PAPER DIELECTRIC C301 | | EA | REF | | | | * | * | * | | | 3 | 8-11 | C301 |
| | | 100,000 MMF PORM10PCT 600 VDCM | | | | | | | | | | | | | | |
| | | CP28A1EH104K (81349) BBB | | | | | | | | | | | | | | |
| PAHZZ | 5910-112-7483 | CAPACITORFIXED, PAPER DIELECTRIC C306 | CONTINUED | EA | REF | | | | * | * | * | | | 3 | 8-11 | C306 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|---|---|---------------------------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| PAHZZ | 5910-112-7483 | CONTINUED 100,000 MMF PORMIOPCT 600 VDCW CP28A1EH104K (81349) BBB CAPACITOR, FIXED, PAPER DIELECTRIC C351 100,00 MMF PORM10PCT 600 VDCW CP28A1EH104K (81349) BBB | | EA | REF | | | | * | * | * | | 3 | 8-11 | C351 |
| XDHZZ | | CAPACITOR, FIXED, PAPER DIELECTRIC C302 100,000 OHM PORM10PCT 600 VDCW CP6581EF104K (81349) | | EA | 2 | | | | * | * | * | | | 8-11 | C302 |
| XDHZZ | | CAPACITOR, FIXED, PAPER DIELECTRIC C304 100,000 OHM PORM10PCT 600 VDCW CP6581EF104K (81349) | | EA | REF | | | | * | * | * | | * | 8-11 | C304 |
| PAHZZ | 5910-112-7409 | CAPACITOR, FIXED, PAPER DIELECTRIC C109 500,000 MMF PORM10PCT 600 VOCW CP53BIFF504K (81349) | | EA | 1 | | | | * | * | * | | 3 | 5-3 | C109 |
| PAHZZ | 5910-101-4881 | CAPACITOR, FIXED, MICA DIELECTRIC C303 510 MMF PORMSPCT500 VDCW CM20D511J (81349) | | EA | 2 | | | | * | * | * | | 3 | 5-3 | C303 |
| PAHZZ | 5910-101-4881 | CAPACITOR, FIXED, MICA DIELECTRIC C305 510 MMF PORMSPCT500 VDCW CM20D511J (81349) | | EA | REF | | | | * | * | * | | 3 | 5-4 | C305 |
| XDHZZ | | CAPACITOR, FIXED, MICA DIELECTRIC C310 910 MMF PORMSPCT500 VDCW CM30D911J (81349) | | EA | 1 | | | | * | * | * | | | 5-4 | C310 |
| PAHZZ | 5910-892-3044 | CAPACITOR, FIXED, MICA DIELECTRIC C307 6800 MMF PORMSPCT 500 VDCW CM40E682J (81349) | | EA | 1 | | | | * | * | * | | 3 | 5-3 | C307 |
| PAHZZ | 6625-614-6454 | CAVITY DRIVE GEAR SUBASSEMBLY NO-REF-DESIG CAVITY DRIVE PINION GEAR K46300170 (35225) BBB | | EA | 1 | | | | * | * | * | | 2 | | |
| XDHZZ | | CHOKE RADIO FREQUENCY L101 17240 (73386) 888 | | EA | 1 | | | | * | * | * | | | 8-11 | L101 |
| XDHZZ | | CL.AMP NO-REF-DESIG B1410200 (35225) BBA | | EA | 1 | | | | * | * | * | | | | |
| PAHZZ | 5960-151-7562 | CLAMP, ELECTRICAL0102 ELECTRON TUBE CLAMP 926B (74370) | | EA | 1 | * | * | * | * | * | * | | 2 | | 0102 |
| PAHZZ | 5915-394-1336 | FILTER, LOW PASS J302 81367310 (35225) | | EA | 4 | | | | * | * | * | | 3 | 8-15 | J302 |
| PAHZZ | 5915-394-1336 | FILTER, LOW PASS J303 B1367310 (35225) | | EA | REF | | | | * | * | * | | 3 | 8-15 | J303 |
| PAHZZ | 5915-394-1336 | FILTER, LOW PASS J304 813 67310 (35225) | | EA | REF | | | | * | * | * | | 3 | 8-15 | J304 |
| PAHZZ | 5915-394-1336 | FILTER, LOW PASS J305 81367310 (35225) | | EA | REF | | | | * | * | * | | 3 | 8-15 | J305 |
| XDHZZ | | COIL, RADIO FREQUENCY Z301 FIG NO 7-1.1 B1367322 (35225) | | EA | 1 | | | | * | * | * | | | | J301 |
| PAHZZ | 5340-282-0782 | COLLAR, SHAFTNO-REF-DESIG NAS51 (79136) BBA | | EA | 3 | | | | * | * | * | | 2 | | |
| PAHZZ | 5935-149-3092 | CONNECTOR, RECEPTACLE, ELECTRICAL J101 4891 (74545) | | EA | 1 | | | | * | * | * | | 3 | 8-15 | J01 |
| XDHZZ | | CONNECTOR, RECEPTACLE, ELECTRICAL J201 UG291BU (81349) | | EA | 1 | | | | * | * | * | | | 8-15 | J201 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | (4) USABLE ON CODE | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|-----------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|--|---|----------------------------|--------------------|
| | | | | | (A) 1-20 | (B) 21-50 | (C) 51-100 | (A) 1-20 | (B) 21-50 | (C) 51-100 | | | (A) FIG. ITEM NO. | (B) ITEM NO. |
| PAHZZ | 5999-568-4806 | CONTACT, ELECTRICAL EZ03J M79001160 (35225) | EA | 1 | * | * | * | * | * | * | * | 3 | 7-10 | |
| XDHZZ | | COVER, ELECTRICAL CONNECTOR C301 CW123AU (81349) | EA | 4 | * | * | * | * | * | * | * | | 0301 | |
| XDHZZ | | COVER, ELECTRICAL CONNECTOR 0302 CW123AU (81349) | EA | REF | * | * | * | * | * | * | * | | 0302 | |
| XDHZZ | | COVER, ELECTRICAL CONNECTOR 0303 CW123AU (81349) | EA | REF | * | * | * | * | * | * | * | | 303A | |
| XDHZZ | | COVER, ELECTRICAL CONNECTOR C304 CW123AU (81349) | EA | REF | * | * | * | * | * | * | * | | 0304 | |
| PAHZZ | 5355-396-3165 | DIAL, CONTROL 203A ATTENUATING INDICATING DIAL K74100160 (35225) | EA | 1 | * | * | * | * | * | * | * | 2 | 203A | |
| XDHZZ | | DIAL, CONTROL NO-REF-DESIG OUTER AND INNER SCALES, 3.250 DIA X 0.878 IN W D1410210 (35225) BBA | EA | 1 | * | * | * | * | * | * | * | | | |
| XDHZZ | | DIAL, CONTROL NO-REF-DESIG OUTER SCALE 0 TO 121 OBM, INNER SCALE 0.2 TO 200K 80120-0051o (120651BBA) | EA | 1 | * | * | * | * | * | * | * | | | |
| XDHZZ | | DIAL, CONTROL 1302 PULSE WIDTH 81110038 (352251 BBA) | EA | 1 | * | * | * | * | * | * | * | 8-15 | 1302 | |
| XDHZZ | | DIAL, CONTROL 130 PULSE DELAY 81410045 (35225) BBA | EA | 1 | * | * | * | * | * | * | * | 8-15 | 1301 | |
| XDHZZ | | DIAL, CONTROL 1201 VERNIER B1410225 (35225s) | EA | 1 | * | * | * | * | * | * | * | 4-6 | 1201 | |
| PAHZZ | 5355-503-3075 | DIAL. SCALE 1202 ATTENUATOR INDICATING DIAL 01410196 (35225) | EA | 1 | * | * | * | * | * | * | * | 2 | 8-15 | 1202 |
| XDHZZ | | DIAL, CONTROL 1302 PULSE WIDTH INDICATING A0109-00409 (93983) | EA | 1 | * | * | * | * | * | * | * | 8-15 | 1302 | |
| PAHZZ | 5355-396-3167 | DIAL. SCALE NO-REF-DESIG FREQ INDICATING DIAL C0122-00523 (11212) | EA | 1 | * | * | * | * | * | * | * | 2 | | |
| XDHZZ | | DIAL SCALE 1301 PULSE DELAY INDICATING. DIAL A109-00149 (12065) | EA | 1 | * | * | * | * | * | * | * | 8-15 | 1301 | |
| XDHZZ | | DIAL, SCALE 1303 PULSE RATE INDICATING A0109-00412 (12065) | EA | 1 | * | * | * | * | * | * | * | 8-15 | 1303 | |
| PAOZZ | 5960-624-4718 | ELECTRON TUBE V106 OB2WA (81349) | EA | 2 | * | * | * | * | * | * | * | 100 | 5-1 | V106 |
| PAOZZ | 5960-624-4718 | ELECTRON TUBE V107 OB2WA (81349) | EA | REF | * | * | * | * | * | * | * | 100 | 5-1 | V107 |
| PAOZZ | 5960-166-7686 | ELECTRON TUBE V201 2C36 (81349) | EA | 1 | * | * | * | * | * | * | * | 100 | 7-10 | V201 |
| XDOZZ | | ELECTRON TUBE V102 5R4WGA (81349) | EA | 1 | * | * | * | * | * | * | * | | 5-1 | V102 |
| PAOZZ | 5960-816-4654 | ELECTRON TUBE V101 5V3 (81349) | EA | 1 | * | * | * | * | * | * | * | 100 | 5-1 | V101 |
| PAOZZ | 5960-188-8565 | ELECTRON TUBE V104 6AG7Y (81349) | EA | 2 | * | * | * | * | * | * | * | 100 | 5-1 | V104 |
| PAOZZ | 5960-188-856 | ELECTRON TUBE V306 6AG7Y (81349) | EA | REF | * | * | * | * | * | * | * | 100 | 5-1 | V306 |

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGTY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|---|---|---------------------------|-------------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | FIG. | ITEM NO. |
| PAOZZ | 5960-188-3545 | ELECTRON TUBE V105 6AK5 (81349) | | EA | 1 | * | * | * | * | * | * | | 100 | 5-1 | V105 |
| PAOZZ | 5960-188-3967 | ELECTRON TUBE V103 6J6 (81349) | | EA | 4 | * | * | * | * | * | * | | 100 | 5-1 | V103 |
| PAOZZ | 5960-188-3967 | ELECTRON TUBE V303 6J6 (81349) | | EA | REF | * | * | * | * | * | * | | 100 | 5-1 | V303 |
| PAOZZ | 5960-188-3967 | ELECTRON TUBE V305 6J6 (81349) | | EA | REF | * | * | * | * | * | * | | 100 | 5-1 | V305 |
| PAOZZ | 5960-188-3967 | ELECTRON TUBE V307 6J6 (81349) | | EA | REF | * | * | * | * | * | * | | 100 | 5-1 | V307 |
| PAOZZ | 5960-262-0167 | ELECTRON TUBE V302 12AT7WA (81349) | | EA | 2 | * | | * | * | * | * | | 100 | 5-1 | V302 |
| PAOZZ | 5960-262-0L67 | ELECTRON TUBE V304 12AT7WA (81349) | | EA | REF | * | | * | * | * | * | | 100 | 5-1 | V304 |
| PAOZZ | 5960-166-7664 | ELECTRON TUBE V301 12AX7 (81349) | | EA | 1 | * | * | * | * | * | * | | 100 | 5-1 | V301 |
| PAHZZ | 5915-569-0319 | FILTER, LOW PASS Z202 B1367447 (35225) | | EA | 1 | * | * | * | * | * | * | | 3 | 17-10 | Z202 |
| PAHZZ | 5915-373-0843 | FILTER, LOW PASS Z201 B1367448 (352251) | | EA | 1 | | | | * | * | * | | 3 | 7-10 | Z201 |
| PAHZZ | 5915-392-9417 | FILTER, LOW PASS Z205 B8367195 (35225. B8367195 (35225. | | EA | 1 | | | | * | * | * | | 3 | 4-4 | Z205 |
| XDHZZ | | FILTER, LOW PASS Z203 B1367196 (35225) | | EA | 6 | | | | * | * | * | | | 8-11 | Z203 |
| XDHZZ | | FILTER, LOW PASS Z204 B1367196 (352Z51) | | EA | REF | | | | * | * | * | | | 8-11 | Z204 |
| XDHZZ | | FILTER* LOW PASS Z206 B1367196 (352251) | | EA | REF | | | | * | * | * | | | 8-11 | Z206 |
| XDHZZ | | FILTER, LOW PASS Z302 81367196 (35225: 81367196 (35225: | | EA | REF | | | | * | * | * | | | 8-11 | Z302 |
| ZDHZZ | | FILTER, LOW PASS Z303 B1367196 (35225) | | EA | REF | | | | * | * | * | | | 8-11 | Z303 |
| XDHZZ | | FILTER, LOW PASS Z304 B1367196 (352251) | | EA | REF | | | | * | * | * | | | 8-11 | Z304 |
| PAHZZ | 6625-473-8560 | FOLLOWER, CAM 0208 A1367290 (35225) BBA | | EA | 1 | | | | * | * | * | | 5 | | 0208 |
| PACZZ | 5920-010-6652 | FUSE, CARTRIDGE F101 F02G3R00A (81349) | | EA | 2 | * | * | * | * | * | * | | 5 | 1-1 | F101 |
| PACZZ | 5920-010-6652 | FUSE. CARTRIDGE F102 F02G3R00A (81349) | | EA | REF | * | * | * | * | * | * | | 5 | 1-1 | F102 |
| PAHZZ | 5920-240-4036 | FUSEHOLDER E109 HKPH (1714100: | | EA | 2 | | | | * | * | * | | 3 | 8-15 | E109 |
| PAHZZ | 5920-240-4036 | FUSEHOLDER E11 HKPH (71400) | | EA | REF | | | | * | * | * | | 3 | 8-15 | E110 |
| PCHZZ | 5330-599-0832 | PACKINI, PREFORDED 0202 CAVITY CAP A136744 (35225) | | EA | 1 | | | | * | * | * | | 10 | 7-10 | 0202 |
| PAHZZ | 5330-309-3313 | GASKET NO-REF-DESIG SUB PANEL G1410213 (35225) BBA | | EA | 1 | | | | * | * | * | | 5 | | |
| PAHZZ | 5330-692-6481 | GASKET NO-REF-DESIG U SHAPE* B1410211 (35225) BBA | | EA | 1 | | | | * | * | * | | 5 | | |
| PAHZZ | 5330-560-1962 | GASKET NO-REF-DESIG 3 HOLES 2 13/16 IN LG X 1/4 IN W X 1/32 IN THK 1410251 (35225) BBA | | EA | 1 | | | | * | * | * | | 5 | | |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|-----------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| PAHZZ | 6625-378-5362 | GEAR SUBASSEMBLY 0219 B1410714 (35225) | | EA | 1 | | | | * | * | * | | 3 | | 0219 |
| PAHZZ | 6625-377-6118 | SIGNAL GENERATOR SUBASSEMBLY 0209 B1367293 (35225) | | EA | 1 | | | | * | * | * | | 5 | | 0209 |
| PAHZZ | 5970-310-3411 | INSULATOR. DISK E203G A1367265 (35225) | | EA | 1 | | | | * | * | * | | 2 | | |
| PAHZZ | 5970-280-9469 | INSULATOR, DISK E203H M63000610 (35225) | | EA | 1 | | | | * | * | * | | 2 | | |
| PAHZZ | 5355-644-2206 | KNOB NO-REF-DESIG 1 5/8 IN. DIA X 3/4 IN. S309-64BBB (75376)BBA | | EA | | * | * | * | * | * | * | | 3 | | |
| XDOZZ | | KNOB E2021 5/8 IN 00 X 1/2 IN THK A1367018 (35225) BBA | | EA | 1 | | * | * | * | * | * | | 3 | | 8-15 E202 |
| PAOZZ | 5355-644*-1088 | KNOB NO-REF-DESIG 1 5/8 IN DIA X 1 1/4 IN THK S309-61BBBBF18898 (75376) BBA | | EA | 1 | * | * | * | * | * | * | | 3 | | |
| PAOZZ | 5355-160-5964 | KNOB E311 WITH POINTER S308-64BB40269 (75376) BBA | | EA | 2 | * | * | * | * | * | * | | 3 | | 8-15 E311 |
| PAOZZ | 5355-160-5964 | KNOB E312 WITH POINTER S308-64BB40269 (75376) BBA | | EA | REF | * | * | * | * | * | * | | 3 | | 8-15 312 |
| XDOZZ | | KNOB E309 1 1/2 IN 00 X 0.705 IN THK 6400 (80375) BBA | | EA | 2 | * | * | * | * | * | * | | | | 8-15 E309 |
| XDOZZ | | KNOBE310 1 1/2 IN 00 X 0.705 IN THK 6400 (80375) BBA | | EA | REF | * | * | * | * | * | * | | | | 8-15 E310 |
| XDOZZ | KNOB | E201 1 1/2 IN 00 X 0.023 IN THK A1410015 (35225) | | EA | 1 | * | * | * | * | * | * | | | | 4-5 E201 |
| PAOZZ | 5355-644-2206 | KNOB NO-REF-DESIG ADJUSTS ATTENUATION OF RF SIGNAL 4100 (72512) BBB | | EA | 1 | * | * | * | * | * | * | | 3 | | |
| PAOZZ | 5355-667-6013 | KN3B NO-REF-DESIG DIAL LOCK KNOB M45000120 (35225) | | EA | 2 | * | * | * | * | * | * | | 3 | | |
| PAOZZ | 5355-284-5164 | KNOB NO-REF-DESIG DIAL CONTROL KNOB 4100 (72512) BBB | | EA | 3 | * | * | * | * | * | * | | 3 | | |
| PAOZZ | 5355-511-4323 | KNOB NO-REF-DESIG FREQ CONTROL KNOB 41008135 (72512) BBB | | EA | 2 | * | * | * | * | * | * | | 3 | | |
| PACZZ | 6240-057-28871 | LAMP. INCANDESCENT E107 44 (24446) | | EA | 1 | * | * | * | * | * | * | | 1-1 | | E107 |
| PACZZ | 6240-155-8706 | LAMP. INCANDESCENT E108e 47 (24446) | | EA | 1 | * | * | * | * | * | * | | 20 | | 1-1 E08 |
| XDHZZ | | LEAD, ELECTRICAL NO-REF-DESIG B1410122 (35225) | | EA | 1 | * | * | * | * | * | * | | 20 | | |
| XDOZZ | | LENS* INDICATOR LIGHT NO-REF-DESIG RED 83-111 (72619) | | EA | 1 | * | * | * | * | * | * | | | | |
| PAOZZ | 6210-299-5773 | LENS. INDICATOR LIGHT NO-REF-DESIG WHITE 83-177 (72619) | | EA | 1 | * | * | * | * | * | * | | 5 | | |
| ZDHZZ | | LIGHT. INDICATOR 1101 832210 (72619) | | EA | 2 | | | | * | * | * | | | | 8-15 1101 |
| ZDHZZ | | LIGHT. INDICATOR 1102 832210 (72619) | | EA | REF | | | | * | * | * | | | | 8-15 1102 |
| ZDHZZ | | METER. AUDIO LEVEL M301 81367416 (35225) | | EA | 1 | | | | * | * | * | | | | 8-15 M301 |
| PAHZZ | 6625-392-5951 | MOUNTING NO-REF-DESIG FOR ATTENUATOR CONTINUED | | EA | 1 | | | | | | | | 3 | | |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| | | CONTINUED | | | | | | | | | | | | | |
| PAHZZ | 6625-537-3884 | DIAL 1410029 (35225) BBA OSCILLATOR SUBASSEMBLY NO-REF-DESIG ANTI-BACKLASH, CAVITY DRIVE A109-00229 (12065) BBA | EA | 1 | | | | | * | * | * | | 5 | | |
| PAHZZ | 6625-537-3886 | OSCILLATOR SUBASSEMBLY NO-REF-DESIG DRIVES MONITOR ASSY A0122-00541 (12065) BBA | EA | 1 | | | | | * | * | * | | | | |
| XDHZZ | | OSCILLATOR SUBASSEMBLY NO-REF-DESIG GEAR ATTENUATOR DRIVE A0122-00540 (12065) BBA | EA | 1 | | | | | * | * | * | | | | |
| PAHZZ | 6625-519-4005 | OSCILLATOR SUBASSEMBLY NO-REF-DESIG GEAR CAVITY DRIVE A0109-00205 (12065) BBA | EA | 1 | | | | | * | * | * | | 5 | | |
| XDHZZ | | PLATE. INDICATOR NO-REF-DESIC VERNIER A1410017 (35225) BBA | EA | 1 | | | | | * | * | * | | | | |
| XDHZZ | | PLUG ASSEMBLY NO-REF-DESIG CONTROL COVER A1410018 (35225) | EA | 1 | | | | | * | * | * | | | | |
| XDHZZ | | PLUNGER ASSEMBLY CATHODE GRID 0213 B1410141 (35225) | EA | 1 | | | | | * | * | * | | 7-10 | 0213 | |
| PAHZZ | 6130-635-3042 | POWER SUPPLY SUBASSEMBLY 0214 B1410142 (35225) | EA | | | | | | * | * | * | | 7-10 | 0214 | |
| PAHZZ | 6625-546-6661 | PROBE WAVEGUIDE E203B D1410113 (35225) | EA | 1 | | | | | * | * | * | | 3 | 7-10 | |
| PAHZZ | 5950-280-5564 | REACTOR L101A P32100022 (35225) | EA | | | | | | * | * | * | | 2 | 8-11 | |
| PAHZZ | 5950-280-5564 | REACTOR LI01B P32100022 (35225) | EA | REF | | | | | * | * | * | | 2 | 8-11 | |
| PAHZZ | 5905-689-5175 | RESISTOR, FIXED, COMPOSITION R353 39 OHMS PORM2PCT RN65D39R2F (81349) | EA | 1 | | | | | * | * | * | | 3 | 7-4 | R353 |
| PAHZZ | 5905-195-5571 | RESISTOR, FIXEDO CONPOSITION R204 68 OHMS PORM5PCT 1/2 W RC20GF680J (81349) | EA | 1 | | | | | * | * | * | | 3 | 7-4 | R204 |
| PAHZZ | 5905-279-3513 | RESISTOR* FIXED .CONPOSITION R109 Z20 OHMS PORN5PCT 1/2 W RC20GF221J (81349) | EA | 2 | | | | | * | * | * | | 3 | 5-4 | R109 |
| PAHZZ | 5905-279-3513 | RESISTOR, FIXED, COMPOSITION R319 220 OHMS PORM5PCT 1/2 W RC20GF221J (81349) | EA | REF | | | | | * | * | * | | 3 | 5-4 | R319 |
| PAHZZ | 5905-192-3973 | RESISTOR, FIXED, COMPOSITION R201 470 OHMS PORN5PCT 1/2 W RC20GF471J (81349) | EA | 3 | | | | | * | * | * | | 3 | 4-2 | R201 |
| PAHZZ | 5905-192-3973 | RESISTOR FIXED. COMPOSITION R326 470 OHMS PORM5PCT 1/2 W RC20GF471J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-11 | R326 |
| PAHZZ | 5905-192-3973 | RESISTOR, FIXED. COMPOSITION R339 470 OHMS PORN5PCT 1/2 W RC20GF471J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-11 | R339 |
| PAHZZ | 5905-195-6791 | RESISTOR. FIXED, CONPOSITION R343 680 OHMS PORM5PCT 1/2 W RC20GF681J (81349) | EA | 1 | | | | | * | * | * | | 3 | 5-3 | R343 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| PAHZZ | 5905-279-2626 | RESISTOR, FIXED, COMPOSITION R321 680 OHMS PORM5PCT 1 W RC32GF681J (81349) | EA | 1 | | | | * | * | * | | | 3 | 5-3 | R321 |
| PAHZZ | 5905-256-3361 | RESISTOR, FIXED, COMPOSITION R363 1,000. OHMS PORM5PCT 2 W RC426FL02J (81349) BBA | EA | 2 | | | * | * | * | * | | | 3 | 5-2 | R363 |
| PAHZZ | 5905-256-3361 | RESISTOR, FIXED, COMPOSITION R364 1,000 OHMS PORM5PCT z W RC42GF102J (81349) BBA | EA | REF | | | | * | * | * | | | 3 | 5-2 | R364 |
| PAHZZ | 5905-256-3361 | RESISTOR, FIXED, COMPOSITION R363 1,000. OHMS PORM5PCT 2 W RC42GF102J (813491 BBB | EA | 1 | | | | * | * | * | | | 3 | 5-2 | R363 |
| PAHZZ | 5905-279-1757 | RESISTOR* FIXED, COMPOSITION R305 1,500. OHIS PORM5PCT 1/2W RCZOGF152J (81349) | EA | 1 | | | | * | * | * | | | 3 | 5-4 | R305 |
| PAHZZ | 5905-279-3506 | RESISTOR, FIXED, COMPOSITION R203 3,300. OHMS PORM5PCT 1/2 W* RC20GF332J (81349) BBB | EA | 2 | | | | * | * | * | | | 3 | 7-10 | R203 |
| PAHZZ | 5905-279-3506 | RESISTOR, FIXED, COMPOSITION R365 3,300. OHMS PORM5PCT 1/2 W RC20GF332J (81349) BBB | EA | REF | | | | * | * | * | | | 3 | 8-11 | R3C5 |
| PAHZZ | s905-257-0926 | RESISTOR. FIXED, COMPOSITION R341 3,300 OHIS PORM5PCT 2 W 42GF332J (813491 | EA | 2 | | | | * | * | * | | | 3 | 5-3 | R341 |
| PAHZZ | 5905-257-0926 | RESISTOR* FIXEDO COMPOSITION R342 3,300 OHMS PORM5PCT 2 W 42GF332J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-3 | R342 |
| PAHZZ | 5905-257-0937 | RESISTOR, FIXED, COMPOSITION R103 4,700. OHMS PORM5PCT 2 W RC42GF472J (815349) | EA | 6 | | | | * | * | * | | | 3 | 5-4 | R103 |
| PAHZZ | 5905-257-0937 | RESISTOR, FIXED* COMPOSITION R04 4,700. OHMS PORM5PCT 2 W RC42GF472J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-4 | R104 |
| PAHZZ | 5905-257-0937 | RESISTOR. FIXED* COMPOSITION R105 4,700. OHMS PORM5PCT 2 W RC42GF472J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-4 | R105 |
| PAHZZ | 5905-257-0937 | RESISTOR. FIXED. COMPOSITION R106 4,700. OHMS PORM5PCT 2 W RC42GF472J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-4 | R106 |
| PAHZZ | 5905-257-0937 | RESISTORU FIXED. COPOSITION R107 4,700. OHMS PROM5PCT 2 W RC42GF472J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-4 | R107 |
| PAHZZ | 5905-257-0937 | RESISTOR, FIXED, COMPOSITION R329 4,700. OHMS PORM5PCT 2 W RC42GF472J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-4 | R329 |
| PAHZZ | 5905-185-8510 | RESISTORA FIXED* COMPOSITION R306 .10,000 OHMS PORM5PCT 1/2W RC20GF103J (81349) | EA | 4 | | | | * | * | * | | | 3 | 8-11 | R306 |
| PAHZZ | 5905-185-8510 | RESISTOR, FIXED, COMPOSITION R314 10,000 OHMS PORM5PCT 1/2W RC20GF103J (81349) | EA | REF | | | | * | * | * | | | 3 | 5-3 | R314 |
| PAHZZ | 5905-185-8510 | RESISTOR. FIXED, COMPOSITION R325 10,000 CONTINUED | EA | REF | | | | * | * | * | | | 3 | 8-11 | R325 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) | |
| | | CONTINUED | | | | | | | | | | | | | | |
| | | OHMS PORM5PCT 1/2W | | | | | | | | | | | | | | |
| PAHZZ | 5905-185-8510 | RC20GF103J (81349) | | | | | | | * | * | * | | | 3 | 5-4 | R328 |
| PAHZZ | 5905-279-1719 | RESISTOR, FIXED, COMPOSITION R328 10,000 | EA | REF | | | | | * | * | * | | | 3 | 5-4 | R113 |
| PAHZZ | 5905-279-1719 | OHMS PORM5PCT 1/2W | | | | | | | * | * | * | | | 3 | 5-4 | R114 |
| PAHZZ | 5905-279-1719 | RC20GF103J (81349) | | | | | | | * | * | * | | | 3 | 5-3 | R312 |
| PAHZZ | 5905-279-2616 | RESISTOR, FIXED, COMPOSITION R113 10,000 | EA | 2 | | | | | * | * | * | | | 3 | 5-4 | R362 |
| PAHZZ | 5905-279-2527 | OHMS PORM5PCT 1 W | | | | | | | * | * | * | | | 3 | 8-11 | R367 |
| PAHZZ | 5905-279-2527 | RC32GF103J (81349) | | | | | | | * | * | * | | | 3 | 5-4 | R318 |
| PAHZZ | 5905-171-1998 | RESISTOR, FIXED, COMPOSITION R114 10,000 | EA | REF | | | | | * | * | * | | | 3 | 5-4 | R308 |
| PAHZZ | 5905-279-2675 | OHMS PORM5PCT 1 W | | | | | | | * | * | * | | | 3 | 5-4 | R307 |
| PAHZZ | 5905-254-9201 | RC32GF103J (81349) | | | | | | | * | * | * | | | 3 | 5-3 | R315 |
| PAHZZ | 5905-195-6761 | RESISTOR, FIXED, COMPOSITION R318 33,000 | EA | 1 | | | | | * | * | * | | | 3 | 5-4 | R330 |
| PAHZZ | 5905-195-6761 | OHMS PORM5PCT 1/2W | | | | | | | * | * | * | | | 3 | 5-4 | R361 |
| PAHZZ | 5905-195-6761 | RC20GF104J (81349) | | | | | | | * | * | * | | | 3 | 8-11 | R323 |
| XDHZZ | | RESISTOR, FIXED, COMPOSITION R315 100,000 OHMS PORM5PCT 1/2W | EA | 3 | | | | | * | * | * | | | 3 | 5-3 | R323 |
| PAHZZ | 5905-195-6761 | RC20GF104J (81349) | | | | | | | * | * | * | | | 3 | 5-4 | R337 |
| PAHZZ | 5905-195-6761 | RESISTOR, FIXED, COMPOSITION R320 100,000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 5-3 | R337 |
| PAHZZ | 5905-195-6761 | RC20GF104J (81349) | | | | | | | * | * | * | | | 3 | 8-11 | R359 |
| | | RESISTOR, FIXED, COMPOSITION R303 100,000 OHMS PORM5PCT 1W | EA | 1 | | | | | * | * | * | | | 5-4 | | |
| PAHZZ | 5905-192-3981 | RC20GF104K (81349) | | | | | | | * | * | * | | | 3 | 5-3 | R323 |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R323 120,000 OHMS PORM5PCT 1/2W | EA | 1 | | | | | * | * | * | | | 3 | 5-3 | R323 |
| PAHZZ | 5905-279-2522 | RC20GF124 (81349) BBA | | | | | | | * | * | * | | | 3 | 5-3 | R337 |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R323 150,000 OHMS PORM5PCT 1/2W | EA | 3 | | | | | * | * | * | | | 3 | 5-3 | R337 |
| PAHZZ | 5905-279-2522 | RC20GF154 (81349) BBA | | | | | | | * | * | * | | | 3 | 8-11 | R359 |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R337 150,000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 5-4 | | |
| PAHZZ | 5905-279-2522 | RC20GF154J (81349) BBA | | | | | | | * | * | * | | | 3 | 5-4 | |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R359 150,000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 8-11 | |
| | | CONTINUED | | | | | | | | | | | | | | |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|--|---|---------------------------|------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) | |
| | | CONTINUED | | | | | | | | | | | | | | |
| | | 000 OHMS PORM5PCT 1/2W | | | | | | | | | | | | | | |
| PAHZZ | 5905-279-2522 | RC20GF154J (81349) BBA | | | | | | | * | * | * | | | 3 | 5-3 | R337 |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R337 150, 000 OHMS PORM5PCT 1/2W | EA | 2 | | | | | * | * | * | | | 3 | 8-11 | R359 |
| PAHZZ | 5905-279-2522 | RC20GF154J (81349) BBB | | | | | | | * | | | | | | | |
| XDHZZ | | RESISTOR, FIXED, COMPOSITION R359 150, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | | | | | | | |
| XDHZZ | | RC20GF154J (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-279-2522 | RESISTOR, FIXED, COMPOSITION R101 150, 000 OHMS PORM5PCT 1W | EA | 1 | | | | | * | * | * | | | 5-4 | R101 | |
| PAHZZ | 5905-192-0667 | RC32GF154J (81349) | | | | | | | * | | | | | 3 | 5-4 | R345 |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R345 220, 000 OHMS PORM5PCT 1/2W | EA | 1 | | | | | * | * | * | | | 3 | 5-4 | R345 |
| PAHZZ | 5905-141-1071 | RCR20GF224J (81349) | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R108 470 | EA | 6 | | | | | * | * | * | | | 3 | 5-4 | R108 |
| PAHZZ | 5905-141-1071 | 000 OHMS PORM5PCT 1/2W | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBA | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R304 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 5-4 | R304 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBA | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R310 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 5-3 | R310 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBA | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R344 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 8-11 | R344 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R3238 470., 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 8-11 | |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBA | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R370 470 | EA | REF | | | | | * | * | * | | | 3 | 8-11 | R370 |
| PAHZZ | 5905-141-1071 | 000 OHMS PORMSPCT 1/2W | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBA | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R100 470, 000 OHMS PORM5PCT 1/2W | EA | 1 | | | | | * | * | * | | | 3 | 5-4 | R108 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R304 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 5-4 | R304 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R309 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | 5-3 | R309 |
| PAHZZ | 5905-141-1071 | RCRZOG474JS (813491 BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R310 470 | EA | REF | | | | | * | * | * | | | 3 | 5-3 | R310 |
| PAHZZ | 5905-141-1071 | 000 OHMS PORM5PCT 1/2W | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R371 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | | R371 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-141-1071 | RESISTOR, FIXED, COMPOSITION R394 470, 000 OHMS PORM5PCT 1/2W | EA | REF | | | | | * | * | * | | | 3 | | R394 |
| PAHZZ | 5905-141-1071 | RCR20G474JS (81349) BBB | | | | | | | * | | | | | | | |
| PAHZZ | 5905-299-1993 | RESISTOR, FIXED. COMPOSITION 309 470, CONTINUED | EA | 1 | | | | | * | * | * | | | 3 | 5-3 | R309 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTG | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|--|----------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|---------------------------|--------------------|
| | | | | | | (A) 1-20 | (B) 21-50 | (C) 51-100 | (A) 1-20 | (B) 21-50 | (C) 51-100 | | | (A) FIG. NO. | (B) ITEM NO. |
| | | CONTINUED 000 OHMS PORM5PCT 1 W RC32GF474J (81349) | | | | | | | * | * | * | | | | |
| PAHZZ | 5905-171-2000 | RESISTOR, FIXED, COMPOSITION R117 680, 000 OHMS PORM5PCT 1/2W RC20GF684J (81349) | EA | 1 | | | | | * | * | * | | 3 | 5-4 | R117 |
| PAHZZ | 5905-192-0390 | RESISTOR, FIXED, COMPOSITION R311 1 MEG. PORM5PCT 1/2W RC20GF105J (81349) | EA | 6 | | | | | * | * | * | | 3 | 5-3 | R311 |
| PAHZZ | 5905-192-0390 | RESISTOR* FIXED, COMPOSITION R324 1 MEG. PORM5PCT 1/2W RC20GF105J (81349) | EA | REF | | | | | * | * | * | | 3 | 5-1 | R324 |
| PAHZZ | 5905-192-0390 | RESISTOR, FIXED, COMPOSITION R336 1 MEG. PORM5PCT 1/2W RC20GF105J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-11 | R336 |
| PAHZZ | 5905-192-0390 | RESISTOR, FIXED, COMPOSITION R338 1 MEG. PORM5PCT 1/2W RC20GF105J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-11 | R338 |
| PAHZZ | 5905-192-0390 | RESISTOR, FIXED, COWPOSITION R352 1 MEG. PORM5PCT 1/2W RC20GF105J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-1 | R3 5 |
| PAHZZ | 5905-192-0390 | RESISTOR, FIXED, COMPOSITION R366 1 MEG PORM5PCT 1/2W RC20GF105J (81349) | EA | REF | | | | | * | * | * | | 3 | 8-11 | R36 |
| PAHZZ | 5905-279-1754 | RESISTOR, FIXED, CONPOSITION R327 1.5 MEG PORM5PCT 1/2W RC24GFI155J (81349) | EA | 1 | | | | | * | * | * | | 3 | 5-4 | R32T |
| PAHZZ | 5905-957-7108 | RESISTOR, FIXED, FIL R347 22 OHMS PORM2PCT 1/2W RN65D22R1F (81349) | EA | 1 | | | | | * | * | * | | 3 | 7-4 | R34 |
| PAHZZ | 5905-993-4555 | RESISTOR, FIXED, FIL RU357 36 OHMS PORM2PCT 1/2W RN65D35R7F (81349) | EA | 1 | | | | | * | * | * | | 3 | 7-4 | R35 |
| PAHZZ | 5905-97c-7110 | RESISTOR, FIXED, FILI R346 240 OHS PORM2PCT 1/2W RN65D2430F (181349) | EA | 4 | | | | | * | * | * | | 3 | 7-4 | R346 |
| PAHZZ | 5905-978-7110 | RESISTOR, FIXED, FILM R348 Z*O OHS. PORM2PCT 1/2W RN6502430F (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | R344 |
| PAHZZ | 5905-978-7110 | RESISTOR, FIXED, FILM R350 240 OHS PORM2PCT 1/2W RN6502430F (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | R350 |
| PAHZZ | 5905-978-7110 | RESISTOR, FIXED, FILN IR31 240 OHMS PORM2PCT 1/2W RN65D2430F (81349) | EA | REF | | | | | * | * | * | | 3 | 5-2 | R351 |
| PAHZZ | 5905-813-8623 | RESISTOR, FIXED, FILM A356 4m 0 OHMS PORM1PCT 1/2W RN65D4750F (81349) | EA | 1 | | | | | * | * | * | | 3 | 7-4 | R356 |
| PAHZZ | 5905-501-6099 | RESISTOR, THERMAL RZ04 33.47 OHS WTH 25 MA D166382 (64959) | EA | 1 | | | | | * | * | * | | 3 | 5-6 | R204 |
| PAHZZ | 5905-591-2935 | RESISTOR, THERMAL R335 275 OHMS AT 122 CONTINUED | EA | 1 | | | | | * | * | * | | 3 | 5-4 | R335 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTG | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|---------------------------|-----------------|
| | | | | | | (A) 1-20 | (B) 21-50 | (C) 51-100 | (A) 1-20 | (B) 21-50 | (C) 51-100 | | | (A) (B) | (B) FIG. NO. |
| | | CONTINUED | | | | | | | | | | | | | |
| PAHZZ | 5905-549-7436 | DEG F PORM5PCT 28D1 (83186) BBB RESISTOR, THERMAL R355 756 OHMS AT 75 | EA | 1 | | | | | * | * | * | | 3 | 7-10 | R355 |
| PAHZZ | 5905-284-3049 | DEG F PORM5PCT 0839-0003 (28480) RESISTOR, THERMAL R349 803 OHMS T | EA | 1 | | | | | * | * | * | | 3 | 7-10 | R349 |
| PAHZZ | 5905-583-6411 | PORM5PC 28D1-8030 (83186) RESISTOR VARIABLE R358 500 OHMS PORM10PCT 4W RA30A1RD501AK (81349) | EA | 1 | | | | | * | * | * | | 3 | 5-1 | R358 |
| PAHZZ | 5905-173-7055 | RESISTOR, VARIABLE R335 200 OHMS PORM10PCT JLU5021SD40401 (01121) | EA | 1 | | | | | * | * | * | | 3 | 5-2 | R335 |
| PAHZZ | 5905-114-3341 | RESISTOR, VARIABLE R369 2,500 OHMS PORM10PCT 2W JLU2521S04040L (011211) | EA | 1 | | | | | * | * | * | | 3 | 8-15 | R369 |
| XDHZZ | | RESISTOR, VARIABLE R368 3,500 OHMS PORM10PCT 2a RA20AISA352AK (81349) | EA | 1 | | | | | * | * | | | | 8-11 | R368 |
| XDHZZ | | RESISTOR VARIABLE 358 3500 OHMS PORM10PCT 4W RA30A1R0352AK (81349) BBA | EA | 1 | | | | | * | * | * | | | 7-4 | R358 |
| ZDHZZ | | RESISTOR, VARIABLE R334 50,000 OHMS PORM5PCT 2W RV4ATRD503C (81349) BBA | EA | 1 | | | | | * | * | * | | | 8-11 | R334 |
| PAHZZ | 5905-539-4900 | RESISTOR, VARIABLE R334 75,000 OHMS PORM5PCT 1/2W TA5031P3056 (01121) BBB | EA | 1 | | | | | * | * | * | | 3 | 8-11 | R334 |
| XDHZZ | | RESISTOR VARIABLE R313 200,000 OHMS PORM10PCT 2W JS2041P3056 (01121) | EA | 1 | | | | | * | * | * | | | 5-1 | R313 |
| ZDHZZ | | RESISTOR, VARIABLE R360 250,000 OHMS PORM10PCT 2 W JU2541JD3056 (01121) | EA | 1 | | | | | * | * | * | | | 5-1 | R360 |
| PAHZZ | 5905-542-8376 | RESISTOR* VARIABLE R320 250,00 OHMS PORM10PCT 2W RV4AUSD254C (81349) | EA | 1 | | | | | * | * | * | | 3 | 5-1 | R320 |
| XDHZZ | | RESISTOR, VARIABLE R320 250,000 OHMS PORM20PCT 2W JA2541P3056 (01121) BBB | EA | 1 | | | | | * | * | * | | | 5-1 | R320 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R332 100 OHMS PORM5PCT 5W RW55G102 (81349) | EA | 2 | | | | | * | * | * | | | 5-4 | R332 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R333 100 OHMS PORM5CT 5 W RW55GC102 (81349) | EA | REF | | | | | * | * | * | | | 5-4 | R333 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R119 1200 OHMS PORM5PCT 19W P65524122 (35225) | EA | 2 | | | | | * | * | * | | | 5-4 | R119 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R120 1200 OHMS PROM5PCT 19W P65524122 (35225) | EA | REF | | | | | * | * | * | | | 5-4 | R120 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTG | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-----|-----|-------------------------------------|-----|-----|---|---|---------------------------|-------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R112 2,000 OHM PORM5PCT 10W RW56G202 (81349) | EA | 1 | | | | * | * | * | | | | 5-4 | R112 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R110 2500 OHMS PORM5PCT 19W P65524252 (35225) | EA | 2 | | | | * | * | * | | | | 5-4 | R110 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R111 2500 OHMS PORM5PCT 19W P65524252 (35225) | EA | REF | | | | * | * | * | | | | 5-4 | R111 |
| PAHZZ | 5905-270-5635 | RESISTOR, FIXED, WIRE WOUND R354 4000 OHMS PORM5PCT 5W RW55G402 (81349) | EA | 1 | | | | * | * | * | | | 3 | 5-2 | R354 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R110 6300 OHMS PORM5PCT 10W RW56G632 (81349) | EA | 4 | | | | * | * | * | | | | 5-4 | R102 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R11 6300 OHMS PORM5PCT 10W RW56G632 (81349) | EA | REF | | | | * | * | * | | | | 5-4 | R115 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R116 6300 OHMS PORM5PCT 10W RW56G632 (81349) | EA | REF | | | | * | * | * | | | | 5-4 | R116 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R118 6300 OHMS PORM5PCT 10W RW56G632 (81349) | EA | REF | | | | * | * | * | | | | 5-4 | R11 |
| PAHZZ | 5905-100-8474 | RESISTOR, FIXED, WIRE WOUND R331 10,000 OHMS PORM5PCT 30 W RW34G103 (81349) | EA | 1 | | | | * | * | * | | | 3 | 5-3 | R 331 |
| XDHZZ | | RESISTOR, FIXED, WIRE WOUND R322 15,000 OHMS PORM5PCT 25W 3IND (75042) BBA | EA | 1 | | | | * | * | * | | | | 5-3 | R322 |
| XDHZZ | | RETAINER, ELECTRON TUBE 0203 756-3280 (46859) BBA | EA | 1 | * | * | * | * | * | * | | | | 7-10 | 0203 |
| PAOZZ | 5960-151-7562 | RETAINER, ELECTRON TUBE 0206 926B (74370) | EA | 1 | * | * | * | * | * | * | | | 2 | | 0206 |
| PAOZZ | 5960-249-4973 | RETAINER, ELECTRON TUBE 0101 926C (74370) | EA | 3 | * | * | * | * | * | * | | | 2 | | 0101 |
| PAOZZ | 5960-249-4973 | RETAINER, ELECTRON TUBE 0103 926C (74370) | EA | REF | * | * | * | * | * | * | | | 2 | | 0103 |
| PAOZZ | 5960-249-4973 | RETAINER, ELECTRON TUBE 0105 926C (74370) | EA | REF | * | * | * | * | * | * | | | 2 | | 0105 |
| PAHZZ | 5365-200-2637 | RING, RETAINING NO-REF-DESIG 0.112 IN 10 X 0.222 00 5100-12 (79136) BBA | EA | 1 | | | | * | * | * | | | 2 | | |
| XDHZZ | | RING, RETAINING NO-REF-DESIG 1-7/8 IN LG X 11/16 IN W X 0.091 IN THK B1410145 (35225) BBA | EA | 1 | | | | * | * | * | | | | | |
| XDHZZ | | RING, RETAINING NO-REF-DESIG LOCK RING FOR DIAL GUIDE ADJUSTMENT SCREW 5133-9W (79136) | EA | 1 | | | | * | * | * | | | | | |
| XDHZZ | | SHAFT ASSEMBLY NO-REF-DESIG 3 3/32 IN LG X 23/32 IN DIA B1410163 (35225) BBA | EA | 1 | | | | * | * | * | | | | | |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|--------------|---------------------------|------|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | | |
| XDOZZ | | SHIELD, ELECTRON TUBE E106 FOR 6AG7Y A1367324 (35225) | EA | 2 | * | * | * | * | * | * | * | | | | E106 |
| XDOZZ | | SHIELD, ELECTRON TUBE E113 FOR 6AG7Y A1367324 (35225) | EA | REF | * | * | * | * | * | * | * | | | | E113 |
| XDOZZ | | SHIELD, ELECTRON TUBE E314 TS102U03 (81349) | EA | 3 | * | * | * | * | * | * | * | | | | E314 |
| XDOZZ | | SHIELD, ELECTRON TUBE E315 TS102U03 (81349) | EA | REF | * | * | * | * | * | * | * | | | | E315 |
| XDOZZ | | SHIELDO ELECTRON TUBE E317 TS102U03 (81349) | EA | REF | * | * | * | * | * | * | * | | | | E317 |
| XDOZZ | | SHIELD, ELECTRON TUBE E104 TS102U02(81349) | EA | 4 | * | * | * | * | * | * | * | | | | E104 |
| XDOZZ | | SHIELD, ELECTRON TUBE E316 TS102U02 (81349) | EA | REF | - | * | * | * | * | * | * | | | | E316 |
| XDOZZ | | SHIELD, ELECTRON TUBE E318 TS102U02 (81349) | EA | REF | * | * | * | * | * | * | * | | | | E118 |
| XDOZZ | | SHIELD, ELECTRON TUBE E319 TS102U02 (81349) | EA | REF | * | * | * | * | * | * | * | | | | E319 |
| PAOZZ | 5960-264-3004 | SHIELD ELECTRON TUBE NO-REF-DESIG TS102U02 (81349) BBA | EA | 3 | * | * | * | * | * | * | * | | 2 | | |
| PAOZZ | 560-686-8119 | SHIELD. ELECTRON TUBE E105 TS102U01 (81349) BBA | EA | 1 | * | * | * | * | * | * | * | | 2 | | E105 |
| XDHZZ | | INSULATOR. BUSHING 0204A A13767469 (35225) | EA | 4 | | | | | * | * | * | | | | |
| XDHZZ | | INSULATOR, BUSHING 0204B AL1367469 (352251) | EA | REF | | | | | * | * | * | | | | |
| XDHZZ | | INSULATOR BUSHING 0204C A13767469 (35225) | EA | REF | | | | | * | * | * | | | | |
| XDHZZ | | INSULATOR BUSHING 0204D A13767469 (35225) | EA | REF | | | | | * | * | * | | | | |
| PAHZZ | 535-160-1364 | SOCKET, ELECT RON TUBE X101 TS101C01 (81349) | EA | 4 | | | | | * | * | * | | 3 | 7-4 | X101 |
| PAHZZ | 5335-160-1364 | SO CKE T, ELECTRON TUBE X102 TS101C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X102 |
| PAHZZ | 5935-160-1364 | SOCKET. ELECTRON TUBE X104 TS101C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X104 |
| PAHZZ | 5935-16-1364 | SOCKET. ELECTRON TUBE X306 TS103C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X306 |
| PAHZZ | 5935-222-982s | SOCKET, ELECTRON TUBE X301. TS103C01 (81349) | EA | 3 | | | | | * | * | * | | 3 | 7-4 | X301 |
| PAHZZ | 5935-222-9828 | SOCKET. ELECTRON TUBE X302 TS103C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X302 |
| PAHZZ | 5935-222-9828 | SOCKET, ELECTRON TUBE X304 TS103C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X304 |
| PAHZZ | 5935-232-3758 | SOCKET, ELECTRON TUBE X103 TS102C01 (81349) | EA | 7 | | | | | * | * | * | | 3 | | X103 |
| PAHZZ | 5935-232-3758 | SOCKET. ELECTRON TUBE X105 TS102C01 (81349)* | EA | REF | | | | | * | * | * | | 3 | | X105 |
| PAHZZ | 5935-232-375 | SOCKET, ELECTRON TUBE X106 TS102001 (81349) | EA | REF | | | | | * | * | * | | 3 | | X106 |
| PAHZZ | 5935-232-3758 | SOCKET. ELECTRON TUBE X107 TS102C01 (81349) | EA | REF | | | | | * | * | * | | 3 | 7-4 | X107 |

SECTION II

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTG | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|--------------|---------------|-------------------------------------|--------------|---------------|---|---|---------------------------|-------------|
| | | | | | | (A) 1-20 | (B) 21-50 | (C) 51-100 | (A) 1-20 | (B) 21-50 | (C) 51-100 | | | (A) (B) | ITEM NO. |
| PAHZZ | 5935-232-3758 | SOCKET, ELECTRON TUBE X303 TS102C01 (81349) | EA | REF | | * | * | * | | | | | 3 | 7-4 | X303 |
| PAHZZ | 5935-232-3758 | SOCKET* ELECTRON TUBE X305. TS102C01(81349) | EA | REF | | * | * | * | | | | | 3 | 7-4 | X305 |
| PAHZZ | 5935-232-3758 | SOCKET, ELECTRON TUBE X307 TS102C01 (81349) | EA | REF | | * | * | * | | | | | 3 | 7-4 | X307 |
| PAHZZ | 6625-613-1815 | SPRING, FLAT 0207 PART OF DIAL STRIP ASSY M79001170 (35225) BBB STOP, DIAL NO-REF-DESIG 25/32 IN LG X 0.250 IN WD | EA | 1 | | * | * | * | | | | | 2 | | 0207 |
| XDHZZ | | A1410226 (35225) BBA SUBASSEMBLY 0225 GEAR ATTENUATOR DRIVE B1410212 (35225) BBA | EA | 1 | | * | * | * | | | | | | | |
| PAHZZ | 6625-392-6459 | SUBASSEMBLY 0217 GEAR CAVITY DRIVE B1410212 (35225) BBA | EA | 1 | | * | * | * | | | | | 3 | | 0225 |
| XDHZZ | | SUBASSEMBLY 1203 NTS TO FREQ DIAL SHAFT. D1410206 (35225) BBA | EA | 1 | | * | * | * | | | | | | | 0217 |
| PAHZZ | 6625-392-6457 | SUBASSEMBLY 0211 VERNIER DIAL SHAFT B1410193 (35225) BBA | EA | 1 | | * | * | * | | | | | 3 | | 0217 |
| XDHZZ | | SUPPRESSOR, PARASITIC L212 P32130017 (35225) | EA | 1 | | * | * | * | | | | | | | 8-11 L212 |
| PAHZZ | 5930-268-0895 | SITCH ROTARY S302 39300DH3 (76854) | EA | 2 | | * | * | * | | | | | 5 | 5-1 | S302 |
| PAHZZ | 5930-268-0895 | S NITCH, ROTARY S305 39300DH3 (76854) | EA | REF | | * | * | * | | | | | 5 | | S305 |
| XDHZZ | | SWITCH, TOGGLE 5304 ST12A (81349) | EA | 1 | | * | * | * | | | | | | | 8-5 S304 |
| XDHZZ | | SWITCH, TOGGLE S101 ST22N (81349) | EA | 1 | | * | * | * | | | | | | | 8-15 S101 |
| XDHZZ | | TERNINAL STUD NO-REF-DESIG 28014 (352251) B8A | EA | 3 | | * | * | * | | | | | | | |
| XDHZZ | | THUMBSCREW NO-REF-DESIG ATTENUATOR. DIAL LOCK SCREW A1410186 (35225) | EA | 1 | | * | * | * | | | | | | | |
| XDHZZ | | TRANSFORMER, POUER. STEP-DOWN AND. STEP-UP T101 17241 (73386) | EA | 1 | | * | * | * | | | | | | | 5-1 T101 |
| PAHZZ | 5950-645-5699 | TRANSFORNER. PULSE T301 P38500061 (35225) | EA | 3 | | * | * | * | | | | | 3 | 5-1 | T301 |
| PAHZZ | 5950-645-5699 | TRANSFOAPER. PULSE T302 P38500061 (352255) | EA | REF | | * | * | * | | | | | 3 | 5-1 | T302 |
| PAHZZ | 5950-645-5699 | TRANSFORER. PULSE T303 P3850006L (35225) | EA | REF | | * | * | * | | | | | 3 | 5-1 | T303 |
| PAHZZ | 6625-392-6556 | TUNER. RADIO FREQUENCY NO-REF-DESIG 400 1000 MC 1410100 (35225) BBA | EA | 1 | | * | * | * | | | | | 5 | | |
| XDHZZ | | TUNER. RADIO FREQUENCY NO-REF-DESIG 400- 1000 MC C0122-00538 (12065) BBA | EA | 1 | | * | * | * | | | | | | | |
| XDHZZ | | WASHER. NONMETALLIC NO-REF-DESIG 1410240 (35225) BBA | EA | 4 | | * | * | * | | | | | | | |

SECTION III

TM11-6625-280-34P

| (1) SMR CODE | (2) FEDERAL STOCK NUMBER | (3) DESCRIPTION REF. NUMBER & MFR CODE | USABLE ON CODE | (4) UNIT OF MEAS | (5) QTY INC IN UNIT | (6) 30 DAY DS MAINT ALLOWANCE | | | (7) 30 DAY DS MAINT ALLOWANCE | | | (8) 1-YR ALW PER 100 EQUIP CNTGY | (9) DEPOT MAINT ALW PER 100 EQUIP | (10) ILLUS- TRATION | |
|--------------------|-----------------------------------|---|----------------------|---------------------------|---------------------------------|-------------------------------------|-------|--------|-------------------------------------|-------|--------|--|---|---------------------------|-----|
| | | | | | | (A) | (B) | (C) | (A) | (B) | (C) | | | (A) | (B) |
| | | | | | | 1-20 | 21-50 | 51-100 | 1-20 | 21-50 | 51-100 | | | | |
| XDOZZ | | WRENCH, SPANNER NO-REF-OESIG 1 9/16 IN W OPENING 1410155 (35225) BBA WRENCH SPANNER NO-REF-DESIG A109-00276 (12065) | | EA | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| XDOZZ | | | | EA | 1 | | | | | | | | | | |

SECTION IV

TM11-6625-280-34P

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER

CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

NOTE: LATEST FEDERAL STOCK NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|---------------|------------|----------|
| 5330-309-3313 | | | 5905-195-6791 | 5-3 | R343 |
| 5330-560-7962 | | | 5905-254-920 | 5-4 | R307 |
| 5330-599-0832 | | | 5905-256-3361 | 5-2 | R363 |
| 5330-692-6481 | | | 5905-256-3361 | 8-11 | R364 |
| | | | 5905-257-0926 | 5-3 | R341 |
| | | | 5905-257-0926 | 5-3 | R342 |
| | | | 5905-257-0937 | 5-4 | R103 |
| | | | 5905-257-0937 | 5-4 | R104 |
| | 7-10 | 0202 | 5905-257-0937 | s-4 | R105 |
| | | | 5905-257-0937 | 5-4 | R106 |
| | | | 5905-257-0937 | 5-4 | R107 |
| | | | 5905-257-0937 | 5-4 | R329 |
| 5340-282-0782 | | | 5905-270-5635 | 5-2 | R354 |
| 5355-160-596s | 8-15 | E311 | 5905-279-1719 | 5-4 | R113 |
| 5355-160-5964 | 8-15 | E312 | 5905-279-1719 | 5-4 | R114 |
| 5355-284-5164 | | | 5905-279-1754 | 5-4 | R327 |
| 5355-396-3165 | | 203A | 5905-279-1757 | 5-4 | R305 |
| 5355-396-3167 | | | 5905-279-2522 | 5-3 | R323 |
| 5355-503-3075 | | | 5905-279-2522 | 5-3 | R337 |
| 5355-511-4323 | | | 5905-279-2522 | 8-11 | R359 |
| | | | 5905-279-2527 | 5-4 | R362 |
| 5355-644-1088 | | | 5905-279-2616 | 5-3 | R312 |
| 5355-667-6013 | | | 5905-279-2626 | 5-3 | R321 |
| | | | 5905-279-2675 | 5-4 | R308 |
| | | | 5905-279-3506 | 7-10 | R203 |
| | | | 5905-279-3506 | 8-11 | R365 |
| | | | 5905-279-3513 | 5-4 | R109 |
| | | | 5905-279-3513 | 5-4 | R319 |
| | | | 5905-284-3049 | 7-10 | R349 |
| | | | 5905-299-1993 | 5-3 | R309 |
| 5905-092-8685 | | 203A | | | |
| 5905-100-8474 | 5-3 | R331 | | | |
| 5905-114-3341 | 8-15 | R369 | 5905-501-6099 | 5-6 | R204 |
| 5905-141-1071 | | R371 | 5905-539-4900 | 7-4 | R334 |
| 5905-141-1071 | | R394 | 5905-542-8376 | 5-1 | R320 |
| 5905-141-1071 | 5-3 | R309 | | | |
| 5905-141-1071 | 5-3 | R310 | 5905-549-7436 | 7-10 | R355 |
| 5905-141-1071 | 5-4 | R108 | | | |
| 5905-141-1071 | 5-4 | R304 | | | |
| 5905-141-1071 | 8-11 | | | | |
| 5905-141-1071 | 8-11 | R344 | | | |
| 5905-141-1071 | 8-11 | R370 | 5905-583-6411 | 5-1 | R358 |
| 5905-591-2935 | 5-4 | R335 | | | |
| 5905-171-1998 | 5-4 | R318 | 5905-689-5175 | 7-4 | R353 |
| 5905-171-2000 | 5-4 | R117 | 5905-813-8623 | 7-4 | R356 |
| 5905-173-7055 | 5-2 | R335 | 5905-957-7108 | 74 | R347 |
| 5905-185-8510 | 5-3 | R314 | 5905-978-7110 | 7-4 | R346 |
| 5905-185-8510 | 5-4 | R328 | 5905-978-7110 | 7-4 | R348 |
| 5905-185-8510 | 8-11 | R306 | 5905-978-7110 | 5-2 | R350 |
| 5905-185-8510 | 8-11 | R325 | 5905-993-4555 | 3-4 | R357 |
| | | | 5910-101-4881 | 5-3 | C303 |
| 5905-192-0390 | 5-1 | R324 | 5910-101-4881 | 5-4 | C305 |
| 5905-19a-0390 | 5-3 | R311 | | | |
| 5905-192-0390 | 8-11 | R336 | | | |
| 5905-192-0390 | 8-11 | R338 | | | |
| 5905-192-0390 | 8-11 | R352 | | | |
| 5905-192-0390 | 8-11 | R366 | | | |
| 5905-192-0667 | 5-4 | R345 | | | |
| 5905-192-3973 | 4-2 | R201 | 5910-112-7409 | 5-3 | C109 |
| 5905-192-3s73 | 8-11 | R32 | 5910-112-7483 | 5-3 | C108 |
| 5905-192-3973 | 8-11 | R339 | 5910-112-7483 | 7-11 | |
| 5905-192-3981 | 5-3 | R323 | 5910-112-7483 | 8-11 | C301 |
| | | | 5910-112-7483 | 8-11 | C306 |
| 5905-195-5571 | | R204 | 5910-112-7483 | 8-11 | C314 |
| | | | 5910-112-7483 | 8-11 | C351 |
| 5905-195-6761 | | R361 | | | |
| 5905-195-6761 | 5-3 | R315 | | | |
| 5905-195-6761 | 5-4 | R330 | | | |

SECTION IV
TM11-6625-280-34P

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|----------------|------------|----------|
| | | | 5950-645-5699 | 5-1 | T302 |
| | | | 5950-645-5699 | 5-1 | T303 |
| | | | 5960-151-7562 | | 0102 |
| | | | 5960-151-7562 | | 0206 |
| 5910-227-0762 | 8-11 | C101 | | | |
| 5910-227-0762 | 8-11 | C102 | | | |
| 5910-577-b859 | 8-11 | C320 | 5960-166-7664 | 5-1 | V301 |
| | | | 5960-166-7686 | 7-10 | V201 |
| | | | 5960-188-3545 | 5-1 | V105 |
| 5910-726-2448 | 8-11 | C214 | | | |
| 5910-727-4997 | | C218 | 5960-188-3967 | 5-1 | V103 |
| 5910-727-4997 | 8-11 | C321 | 5960-188-3967 | 5-1 | V303 |
| 5910-727-4997 | 8-11 | C322 | 5960-188-3967 | 5-1 | V305 |
| 5910-727-4997 | 8-11 | C323 | 5960-188-3967 | 5-1 | V307 |
| 5910-853-4999 | 5-4 | C316 | 5960-188-8565 | 5-1 | V104 |
| 5910-892-3044 | 5-3 | C307 | 5960-188-8565 | 5-1 | V306 |
| 5915-373-3843 | 7-10 | ZZO1 | 5960-249-4973 | | 0101 |
| 5915-392-9417 | 4-4 | 2205 | 5960-249-4973 | | 0103 |
| | | | 5960-262-0167 | 5-1 | V302 |
| | | | 5960-2 62-0167 | 5-1 | V304 |
| | | | 5960-264-3004 | | |
| 5915-394-1336 | 8-15 | J302 | | | |
| 5915-394-1336 | 8-15 | J303 | | | |
| 5915-394-1336 | 8-15 | J304 | | | |
| 5915-394-1336 | 8-15 | J305 | | | |
| 5915-569-0319 | 7-10 | 2202 | | | |
| 5920-010-6652 | 1-1 | F101 | | | |
| 5920-010-6652 | 1-1 | F102 | | | |
| 5920-240-4036 | 8-15 | E109 | | | |
| 5920-240-4036 | 8-15 | E110 | 5960-624-4718 | 5-1 | V106 |
| | | | 5960-624-4718 | 5-1 | V107 |
| | | | 5960-816-4654 | 5-1 | V101 |
| 5930-268-0895 | | S302 | 5970-280-9469 | | |
| 5930-268-0895 | 5-1 | S305 | 597 0-310-3411 | | |
| 5935-149-3092 | 8-15 | J101 | 5970-755-0910 | | |
| 5935-149-3534 | 1-1 | E205 | | | |
| 5935-149-3534 | 1-1 | E206 | | | |
| 5935-149-3534 | 1-1 | E237 | | | |
| 5935-149-3914 | 1-1 | E211 | 5995-545-7920 | 1-1 | W201 |
| 5935-149-3914 | 1-1 | E212 | | | |
| 5935-149-3914 | 1-1 | E213 | 5999-568-4806 | 7-10 | |
| 5935-149-4013 | | P102 | 6130-635-3042 | 7-10 | 0214 |
| 5935-149-4066 | | P201 | 6145-284-0579 | 1-1 | W101 |
| 5935-149-4066 | | P202 | | | |
| 5935-149-4066 | | P301 | | | |
| 5935-149-4066 | | P302 | 6210-299-5773 | | |
| 5935-149-4066 | | P303 | | | |
| 5935-149-4066 | | P304 | 62-40-05-2887 | 1-1 | E107 |
| | | | 6240-155-8706 | 1-1 | E108 |
| | | | 6625-377-6118 | 7-10 | 0209 |
| | | | 6625-378-5032 | | |
| | | | 6625-3 78-5166 | | |
| 5935-222-9828 | 7-4 | X301 | 6625-378-5167 | | |
| 5935-222-9828 | 7-4 | X302 | 6625-3 78-5362 | | 0219 |
| 5935-222-9828 | 7-4 | X304 | 6625-392-5951 | | |
| 593t-232-3758 | | X103 | | | |
| 5935-232-3758 | | X105 | | | |
| 5935-212-3758 | | X106 | 6625-392-6457 | | 0217 |
| 5935-z32-3758 | 7-4 | X107 | | | |
| 5935-232-3758 | 7-4 | X303 | 6625-392-6459 | | 0225 |
| 5935-232-3758 | 7-4 | X305 | | | |
| 5935-232-3758 | 7-4 | X307 | 6625-392-6556 | | |
| | | | 6625-473-8560 | | |
| | | | 6625-519-4005 | | |
| | | | 6625-537-3884 | | |
| 5935-539-2650 | | | 6625-537-3886 | | |
| 5935-636-7145 | | | 6625-546-6661 | | |
| | | | 6625-613-1815 | 7-10 | 0207 |
| 5950-280-5564 | 8-11 | | 6625-6-6454 | | |
| 5950-645-5699 | 5-1 | T301 | | | |

SECTION IV

TM11-6625-280-34P

| STOCK NUMBER | FIGURE NO. | ITEM NO. | STOCK NUMBER | FIGURE NO. | ITEM NO. | |
|---------------|------------|----------|--------------|-------------------|----------|------|
| REFERENCE NO. | MFR CODE | FIG NO. | ITEM NO. | REFERENCE NO. | MFR CODE | |
| AN3106A105L35 | 88044 | | | CN35AF103M | 81349 | 8-11 |
| A0109-00205 | 12065 | | | CP28A1EH104K | 81349 | C108 |
| A0109-00409 | 93983 | 8-15 | I302 | CP28A1EH104K | 81349 | 7-11 |
| A0109-00412 | 12065 | 8-15 | I303 | CP28A1EH104K | 81349 | 8-11 |
| A0122-00540 | 12065 | | | CP28A1EH104K | 81349 | C301 |
| A0122-00541 | 12065 | | | CP28A1EH104K | 81349 | C306 |
| A109-00229 | 12065 | | | CP28A1EH104K | 81349 | C3L4 |
| A109-00276 | 12065 | | | CP41B1DF405K | 81349 | c351 |
| A109-00414 | 12065 | 8-15 | I301 | CP41B1DF405K | 81349 | 8-11 |
| A1367018 | 35225 | 8-15 | EZ02 | CP41B1DF405K | 81349 | C103 |
| A1367265 | 35225 | | | CP41B1DF405K | 81349 | C104 |
| A1367290 | 35225 | | 0208 | CP41B1DF405K | 81349 | C105 |
| A1367324 | 35225 | | E106 | CP41B1DG205K | 81349 | C107 |
| A1367324 | 35225 | | E113 | CP41B1DG205K | 81349 | C108 |
| A136744 | 35225 | 7-10 | 0202 | CP531BFF504K | 81349 | C109 |
| A1367456 | 35225 | | | CP65B1DF105K | 81349 | C309 |
| A1367467 | 35225 | | | CP65B1EF104K | 81349 | C302 |
| A13767469 | 35225 | | | CP65B1EF104K | 81349 | C304 |
| A1410015 | 35225 | 4-5 | E201 | CP65B6EF104V | 81349 | C306 |
| A1410017 | 35225 | | | CW123AU | 81349 | 0301 |
| A1410018 | 35225 | | | CW123AU | 81349 | 0302 |
| A1410186 | 35225 | | | CW123AU | 81349 | 0303 |
| A1410226 | 35225 | | | CW123AU | 81349 | 0304 |
| A437-2 | 70901 | | | C0-03MGF8-18J0330 | 81349 | |
| B0120-00514 | 12065 | | | C0122-00523 | 11242 | |
| B1367195 | 35225 | 4-4 | Z205 | C0122-00538 | 12065 | |
| B1367196 | 35225 | 8-11 | Z203 | D1410113 | 35225 | 7-10 |
| B1367196 | 35225 | 8-11 | Z204 | D1410196 | 35225 | 8-15 |
| B1367196 | 35225 | 8-11 | Z206 | D1410206 | 35225 | I203 |
| B1367L96 | 35225 | 8-11 | Z302 | D1410210 | 35225 | |
| B1367196 | 35225 | 8-11 | Z303 | D166382 | 64959 | R204 |
| B1367196 | 35225 | 8-11 | Z304 | F02G3R00A | 81349 | F101 |
| B1367293 | 35225 | 7-10 | 0209 | F02G3R00A | 81349 | F101 |
| B1367310 | 35225 | 8-15 | J302 | G1410213 | 35225 | |
| B1367310 | 35225 | 8-15 | J303 | HKPH | 71400 | E109 |
| B1367310 | 35225 | 8-15 | J304 | HKPH | 71400 | E110 |
| B13673L0 | 35225 | 8-15 | J305 | JA2541P3056 | 01121 | 5-1 |
| B1367322 | 35225 | | Z301 | JLU2521SD4040L | 01121 | R369 |
| B1367416 | 35225 | 8-15 | M301 | JLU5021SD40401 | 01121 | R335 |
| B1367447 | 35225 | 7-10 | Z202 | JS2041P3056 | 01121 | R313 |
| B1367448 | 35225 | 7-10 | Z201 | JU2541JD3056 | 01121 | R360 |
| B1413038 | 35225 | 8-15 | I302 | K46300170 | 35225 | |
| B1410045 | 35225 | 8-L5 | I301 | K74100160 | 35225 | 203A |
| B1410122 | 35225 | | | M45000120 | 35225 | |
| B14101i1 | 35225 | 7-10 | 0213 | M63000610 | 35225 | |
| B1410142 | 35225 | 7-10 | 0214 | M79001160 | 35225 | 7-10 |
| B1410145 | 35225 | | | M79001170 | 35225 | |
| B1410163 | 35225 | | | NAS51 | 79136 | 0207 |
| B1410174 | 35225 | | 0219 | P1410249 | 35225 | |
| B1410193 | 35225 | | 0217 | P32100022 | 35225 | 8-11 |
| B1410200 | 35225 | | | P32130017 | 35225 | L212 |
| B1410211 | 35225 | | | P38500061 | 35225 | T301 |
| B1410212 | 35225 | | 0217 | P38500061 | 35225 | T302 |
| B1410225 | 35225 | 4-6 | I201 | P38500061 | 35225 | 7303 |
| BL1410227 | 35225 | | 0225 | P65524122 | 35225 | R119 |
| CC20CJ050D | 81349 | 8-11 | C214 | P65524122 | 35225 | R120 |
| CC21CH050C | 81349 | 8-11 | C320 | P65524252 | 35225 | R110 |
| CC26CH240J | 81349 | 5-4 | C311 | P65524252 | 35225 | R111 |
| CC30PG510G | 81349 | 5-4 | C316 | RA20A1SA35ZAK | 81349 | R368 |
| CC36CH101G | 81349 | 5-4 | C315 | RA30A1RD352AK | 81349 | R358 |
| CC36PG101K | 81349 | 5-3 | C308 | RA30A1RD50AK | 81349 | R358 |
| CM15CD240J3 | 81349 | 8-11 | C218 | RCR200G74JS | 81349 | R371 |
| CM15CD240J3 | 81349 | 8-11 | C321 | RCR20G474JS | 81349 | R394 |
| CM15CD240J3 | 81349 | 8-11 | C322 | RCR20G474JS | 81349 | R309 |
| CM15CD240J3 | 81349 | 8-11 | C323 | RCR20G474JS | 81349 | R108 |
| CM20B101K | 81349 | 5-4 | C319 | RCR20G474JS | 81349 | R304 |
| CM20C510J | 81349 | 8-11 | C341 | RCR20G474JS | 81349 | R344 |
| CM20C510J | 81349 | 5-3 | C312 | RCR20G474JS | 81349 | R370 |
| CM20D511J | 81349 | 5-3 | C303 | RCR20G474JS | 81349 | R328 |
| CM20D511J | 81349 | 5-4 | C305 | RC20GF103J | 81349 | R306 |
| CM40E682J | 81349 | 5-3 | C307 | RC20GF103J | 81349 | R306 |

SECTION IV
TM11-6625-280-34P

| REFERENCE NO. | MFR CODE | FIG NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG NO. | ITEM NO. |
|------------------|-------------|------------|-------------|------------------|-------------|------------|-------------|
| RC20GF103J | 81349 | 8-11 | R325 | TS102C01 | 81349 | X106 | |
| RC20GF104J | 81349 | 8-11 | R361 | TS102C01 | 81349 | 7-4 | X107 |
| RC20GF104J | 81349 | 5-3 | R315 | TS102C01 | 81349 | 7-4 | X303 |
| RC20GF104J | 81349 | 5-4 | R330 | TS102C01 | 81349 | 7-4 | X305 |
| RC20GF105J | 81349 | 5-1 | R324 | TS102C01 | 81349 | 7-4 | X307 |
| RC20GF105J | 81349 | 5-3 | R311 | TS102C01 | 813L49 | | E105 |
| RC20GF105J | 81349 | 8-11 | R336 | TS102U02 | 81349 | | E104 |
| RC20GF105J | 81349 | 8-11 | R338 | TS102U02 | 81349 | | E316 |
| RC20GF105J | 81349 | 8-11 | R352 | TS102U02 | 81349 | | E318 |
| RC20GF105J | 81349 | 8-11 | R366 | TS102U02 | 81349 | | E319 |
| RC20GF124J | 81349 | 5-3 | R323 | TS102U03 | 81349 | | E314 |
| RC20GF152J | 81349 | 5-4 | R305 | TS102U03 | 81349 | | E315 |
| RC20GF153J | 81349 | 5-3 | R312 | TS102U03 | 81349 | | E317 |
| RC20GF154J | 81349 | 5-3 | P323 | TS102C01 | 81349 | 7-4 | X301 |
| RC20GF154J | 81349 | 5-3 | R337 | TS102C01 | 81349 | 7-4 | X302 |
| RC20GF154J | 81349 | 8-11 | R359 | TS102C01 | 81349 | 7-4 | X304 |
| RC20GF155J | 81349 | 5-4 | 327 | TS103U02 | 81349 | | |
| RC20GF221d | 81349 | 5-4 | R109 | UG201AU | 81349 | 1-1 | E208 |
| RC20GF221J | 81349 | 5-4 | 319 | UG201AU | 81349 | 1-1 | E209 |
| RC20GF224J | 81349 | 5-4 | R345 | UG20AU | 81349 | 1-1 | E210 |
| RC20GF332J | 81349 | 7-10 | R203 | UG255U | 81349 | 1-1 | E211 |
| RC20GF332J | 81349 | 8-11 | R365 | UG255U | 81349 | 1-1 | E212 |
| RC20GF333J | 81349 | 5-4 | R318 | UG255U | 81349 | 1-1 | E213 |
| RC20GF471J | 81349 | 4-2 | R201 | UG237U | 81349 | 1-1 | E205 |
| RC20GF471J | 81349 | 8-11 | R326 | UG273U | 81349 | 1-1 | E206 |
| RC20GF471d | 81349 | 8-11 | R339 | UG273U | 81349 | 1-1 | E207 |
| RC20GF473J | 81349 | 5-4 | R307 | UG291BU | 81349 | 8-15 | J201 |
| RC20GF680J | 81349 | 8-11 | R204 | UG88DU | 81349 | | P201 |
| RC20GF681J | 81349 | 5-3 | R343 | UG88DU | 81349 | | P202 |
| RC20GF684d | 81349 | 5-4 | R117 | UG88DU | 81349 | | P301 |
| RC32GF103J | 81349 | 5-4 | R113 | UG88DU | 81349 | | P302 |
| RC32GF103J | 81349 | 5-4 | R114 | UG88DU | 81349 | | P303 |
| RC32GF104K | 81349 | 5-4 | R303 | UG88DU | 81349 | | P304 |
| RC32GF154J | 81349 | 5-4 | Rwe1 | UP121M | 81349 | | |
| RC32GF474J | 81349 | 5-3 | R309 | 0B2WA | 81349 | 5-1 | V106 |
| RC32GF681J | 81349 | 5-3 | R321 | 0B2WA | 1349 | 5-1 | VU07 |
| RC42GF102J | 81349 | 5-2 | R363 | 0839-0003 | 28480 | 7-10 | R355 |
| RC42GF102J | 81349 | 5-2 | R364 | 12AT7WA | 81349 | 5-1 | V302 |
| RC42GF223J | 81349 | 8-11 | R367 | 12AT7WA | 81349 | 5-1 | V304 |
| RC42GF223J | 81349 | 5-4 | R362 | 12AX7 | 81349 | 5-1 | V301 |
| RC42GF333J | 81349 | 5-4 | R308 | 1410029 | | | |
| RC42GF472J | 81349 | 5-4 | R103 | 1410101 | 35225 | | |
| RC42GF472d | 81349 | 5-4 | R1O4 | 1410155 | 35225 | | 203A |
| RC42GF472J | 81349 | 5-4 | R105 | 1410155 | 35225 | | |
| RC42GF472J | 81349 | 5-4 | R106 | 1410240 | 35225 | | |
| RC42GF472J | 81349 | 5-4 | R10I | 1410240 | 35225 | | |
| RC42GF472J | 81349 | 5-4 | R329 | 1410250 | 35225 | | |
| RG55AU | 81349 | | | 1410251 | 35225 | | |
| RN65D2ZR1F | 81349 | 3-4 | R347 | 17240 | 73386 | 8-11 | L101 |
| RN65D2430F | 81349 | 3-4 | R346 | 17241 | 73386 | 5-1 | T101 |
| RN65D2430F | 81349 | 3-4 | R348 | 2C36 | 81349 | 7-10 | V201 |
| RN65D2430F | 81349 | 3-4 | R350 | 28D1 | 81349 | 5-4 | R335 |
| RN65D2430F | 81439 | 5-2 | R351 | 28D1-8030 | 81349 | 7-10 | R349 |
| RN65D35R7F | 81349 | 3-4 | Ru357 | 28014 | 35225 | | |
| RN65039R2F | 81349 | 3-4 | R353 | 3IND | 75042 | 5-3 | R322 |
| RN65D4750F | 81349 | 3-4 | R356 | 39300DH3 | 76854 | 5-1 | S302 |
| RV4ATRD0503C | 81349 | 8-11 | R334 | 39300DN3 | 76854 | 5-1 | S305 |
| RV4AUSD254C | 81349 | 5-1 | R320 | 4100 | 72512 | | |
| RW34G103 | 81349 | 5-3 | R331 | 41008 | 72512 | | |
| RW55G102 | 81349 | 5-4 | R332 | 41008135 | 72512 | | |
| RW55G102 | 81349 | 5-4 | R333 | 42GF332J | 81349 | 5-3 | R341 |
| RW55G402 | 81349 | 5-2 | R354 | 42GF332J | 81349 | 5-3 | R342 |
| RW56G202 | 81349 | 5-4 | R112 | 44 | 24446 | 1-1 | E107 |
| RW56G632 | 81349 | 5-4 | R102 | 47 | 24446 | 1-1 | E108 |
| RW56G632 | 81349 | 5-4 | R115 | 4891 | 74545 | 8-15 | J101 |
| RW56G632 | 81349 | 5-4 | R116 | 5R4WGA | 81349 | 5-1 | V102 |
| RW56b632 | 81349 | 5-4 | R11 | 5V3 | 81349 | 5-1 | V101 |
| ST12A | 81349 | 8-15 | S304 | 5100-12 | 7936 | | |
| ST22N | 81349 | 8-15 | S101 | 5133-9W | 79136 | | |
| S308-648840269 | 75376 | 8-15 | E311 | 6AG7Y | 81349 | 5-1 | V104 |
| S308-648840269 | 75376 | 8-15 | E312 | 6AG7Y | 81349 | 5-1 | V306 |
| S309-61888F18898 | 75376 | | | 6AK5 | 81349 | 5-1 | V105 |
| S309-64888 75376 | 75376 | | | 6J6 | 81349 | 5-1 | V103 |
| TA5031P3056 | 01121a | 8-11 | R334 | 6J6 | 81349 | 5-1 | V303 |
| TS101C01 | 81349 | 7-4 | X101 | 6J6 | 81349 | 5-1 | V305 |
| TSIOIC01 | 81349 | 7-4 | X102 | 6J6 | 81349 | 5-1 | V305 |
| TS101C01 | 81349 | 7-4 | X102 | 6J6 | 81349 | 5-1 | V307 |
| TS10LC01 | 81349 | 7-4 | X104 | 6J6 | 80375 | 8-15 | E309 |
| TS101C01 | 81349 | 7-4 | X306 | 6400 | 80375 | 8-15 | E310 |
| TS102C01 | 81349 | | X103 | 7057 | 74545 | | P102 |
| TS102C01 | 81349 | | X105 | 7084 | 74545 | | P101 |

SECTION IV**TM11-6625-280-34P**

| REFERENCE NO. | MFR CODE | FIG NO. | ITEM NO. | REFERENCE NO. | MFR CODE | FIG NO. | ITEM NO. |
|------------------|-------------|------------|-------------|------------------|-------------|------------|-------------|
| 756-3280 | 46859 | 7-10 | 02033 | 926B | 74370 | 0102 | |
| 83-111 | 72619 | | | 926B | 74370 | 0206 | |
| 83-177 | 72619 | | | 926C | 74370 | 0101 | |
| 832210 | 72619 | 8-15 | 1101 | 926C | 74370 | 0103 | |
| 832210 | 72619 | 8-15 | 1102 | 926C | 74370 | 0105 | |

LASTEST FEDERAL STOCK NUMBER ASSIGNMENTS

| <u>STOCK NUMBER</u> | <u>FIGURE NO.</u> | <u>ITEM. NO.</u> |
|---------------------|-----------------------|----------------------|
| 3935-201-2774 | P101 | |
| 5355-644-206 | | |
| 5935-160-1364 | 74 | X101 |
| 5935-160-1364 | 7-4 | X102 |
| 5935-160-1364 | 7-4 | X104 |
| 5935-160-1364 | 7-4 | X306 |
| 5960-686-8119 | | E105 |

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

| | |
|-------------------------|------------------------------|
| USASA (2) | ATS (1) |
| CNGB (1) | Fort Gordon (10) |
| Dir of Trans (1) | Fort Huachuca (10) |
| COE (1) | WSMR (1) |
| TSG (1) | Fort Carson (5) |
| USAARENBD (1) | Ft Richardson (ECOM Ofc) (2) |
| USAMB (10) | Army Dep (1) except |
| AMC (1) | LBAD (14) |
| TRADOC (2) | SAAD (30) |
| ARADCOM (2) | TOAD (14) |
| ARADCOM Rgn (2) | ATAD (10) |
| OS Maj Comd (4) | USADEP2) |
| LOGCOMDS (2) | Sig Sec USA Dep (2) |
| MICOM (2) | Sig Dep (2) |
| TECOM (2) | Sig FLDMS (1) |
| USACC (4) | USAERDAA (1) |
| MDW (1) | USAERDAW (1) |
| Armies (2) | MAAG(1) |
| Corps (2) | USARMIS (1) |
| HISA (Ft Monmouth) (18) | Units org under fol TOE |
| Svc Colleges (1) | (1 copy each unit): |
| USAESS (6) | 11-16 |
| USAADS() | 11-97 |
| USAFFAS (2) | 11-98 |
| USAARMS (2) | 11-117 |
| USAIS (2) | 11-302 |
| USAES (2) | 11500(AA-AC) |
| USAINTCS (3) | 32-57 |
| WRAMC (1) | 32-78 |

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

U.S. GOVERNMENT PRINTING OFFICE: 1974-513/367
824--041

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH THIS PUBLICATION?

**THEN. . JOT DOWN THE
DOPE ABOUT IT ON THIS
FORM, CAREFULLY TEAR IT
OUT, FOLD IT AND DROP IT
IN THE MAIL.**

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE BENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT...PIN-POINT WHERE IT IS

**IN THIS SPACE TELL WHAT IS WRONG
AND WHAT SHOULD BE DONE ABOUT IT:**

1

PARA
GRAPH

FIGURE
NC

TABLE
NO.

THE MORNING LINE

PRINTER NAME, GRADE OR TITLE, AND THE REMOTE NUMBER

SIGN HERE

DA FORM 1 JUL 79 2028-2

**PREVIOUS EDITIONS
• ARE OBSOLETE.**

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR
RECOMMENDATION MAKE A CARBON COPY OF THIS
AND GIVE IT TO YOUR HEADQUARTERS.

PIN NO: 023172