

TECHNICAL MANUAL

**GENERAL SUPPORT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LISTS (INCLUDING DEPOT
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)**

SIGNAL GENERATORS

TS-452 B/U (FSN 6625-643-1706),

TS-452 C/U (FSN 6625-643-1521),

AND

TS-452 D/U (FSN 6625-828-6410)

**THIS PUBLICATION IS A COURTESY QUICK
COPY FROM THE UNITED STATES ARMY
PUBLICATIONS DISTRIBUTION CENTER,
ST. LOUIS MO TO MEET YOUR NEEDS
WHILE WE REPLENISH OUR STOCK.**

TECHNICAL MANUAL }
No. 11-6625-283-40P }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 31 August 1973

**General Support Maintenance Repair Parts and Special Tools Lists
(Including Depot Maintenance Repair Parts and Special Tools)**

**SIGNAL GENERATORS TS-452B/U (FSN 6625-643-1706), TS-452C/U
(FSN 6625-643-1521), AND TS-452D/U (FSN 6625-828-6410)**

Current as of February 1973

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope -----	1-1	2
	General -----	1-2	2
	Explanation of columns -----	1-3	2
	Special information -----	1-4	4
	Location of repair parts -----	1-5	5
	Abbreviations (Not applicable) -----	1-6	5
	Reporting of equipment publication improvements -----	1-7	5
II.	REPAIR PARTS LIST -----		6
III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER-----		29

*This manual supersedes TM 11-6625-283-45P, 27 September 1963.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the TS-452B/U, TS-452C/U, and TS-452D/U. The PCCN for the equipment is GTEAAX for all models.

NOTE

No parts authorized for stockage at direct support.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. Repair Parts List—Section II. A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.

b. Special Tools, Test and Support Equipment—Section III. Not applicable.

c. Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number—Section IV. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are—

<i>Code</i>	<i>Explanation</i>
PA—	Item procured and stocked for anticipated or known usage.
PB—	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

<i>Code</i>	<i>Explanation</i>
PC—	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD—	Support item, excluding support equipment, procured for initial issue or out-fitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE—	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF—	Support equipment which will not be stocked but which will be centrally procured on demand.
PG—	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD—	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF—	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB—	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO—	Item to be manufactured or fabricated at organizational level.
MF—	Item to be manufactured or fabricated at direct support maintenance level.
MH—	Item to be manufactured or fabricated at general support maintenance level.

<i>Code</i>	<i>Explanation</i>
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.
XC	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows—

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F	Support item is removed, replaced, used at the direct support-maintenance level.
---	----------------------------------------------------------------------------------

<i>Code</i>	<i>Application/Explanation</i>
H	Support item is removed, replaced, used at the general support maintenance.
D	Support items that are removed, replaced, used at depot only. (b) <i>Repair (fourth position).</i> The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code—

<i>Code</i>	<i>Application/Explanation</i>
O	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F	The lowest maintenance level capable of complete repair of the support item is direct support.
H	The lowest maintenance level capable of complete repair of the support item is general support.
D	The lowest maintenance level capable of complete repair of the support item is the depot level.
L	Repair restricted to designated Specialized Repair Activity.
Z	Non-repairable. No repair is authorized.
B	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.
	(3) <i>Recoverability code.</i> Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows—

<i>Code</i>	<i>Explanation</i>
Z	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.

Code	Explanation
H	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material). <ul style="list-style-type: none"> b. <i>Federal Stock Number.</i> Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes. c. <i>Description.</i> Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42. d. <i>Unit of Measure (U/M).</i> Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned. e. <i>Quantity Incorporated in Unit.</i> This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF". f. <i>30-Day DS/GS Maintenance Allowances.</i>

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipment.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-283-35.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code	Used on
AGG	TS-452B/U
AGH	TS-452C/U
BCD	TS-452D/U

b. The following publications pertain to the equipment and its components:

TM 11-6625-283-12	Operator and Organizational Maintenance Manual: Signal Generators TS-452B/U and US-452C/U.
TM 11-6625-283-20P	Organizational Maintenance Repair Parts and Special Tools Lists: Signal Generators TS-452B/U, TS-452C/U, and TS-452D/U.
TM 11-6625-283-35	DS, GS, and Depot Maintenance Manual: Signal Generators TS-452B/U and TS-452C/U.
TM 11-6625-575-15	Operator, Organizational, DS, GS, and Depot Maintenance Manual: Signal Generator TS-452D/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CRA, Fort Monmouth, N.J. 07703.

(Next printed page is 6)

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
PAHZZ	6625-677-0285	AMPLIFIER, VERTICAL ASSEMBLY NO-REF-DESIG 7837 (26687)	AGH	EA	1				*	*	*		5	2-9	
PAHZZ	6105-090-1359	ARMATURE, MOTOR NO-REF-DESIG A7619 (36004)	AGG, AGH	EA	1				*	*	*		2	2-16	
PAHZZ	5905-259-3784	ATTENUATOR, VARIABLE NO-REF-DESIG RESISTIVE TYPE G7658 (36004)	AGG, AGH	EA	1				*	*	*		15	2-78	
PAHZZ	3110-155-9630	BEARING, BALL NO-REF-DESIG SINGLE ROW RADIAL S1K0D7 (21335)	AGG	EA	2				*	*	*		2		
PAHZZ	3110-155-9628	BEARING, BALL NO-REF-DESIG SINGLE ROW RADIAL AND THRUST DOUBLE- SHIELD ED XA134RPP (43991)	AGH	EA	2				*	*	*		2		
PAOZZ	5977-378-3378	BRUSH SET, ELECTRICAL CONTACT NO-REF- DESIG SWEEP OSCILLATOR MOTOR D58503-1 (93369)	AGG, AGH	EA	1				*	*	*		10	2-16	
PAHZZ	5975-988-3127	BUSHING, ELECTRICAL CONDUCTOR NO-REF- DESIG A105E142 (12019)	BCD	EA	1				*	*	*		3		
PAHZZ	5975-843-4192	BUSHING, STRAIN RELIEF, CABLE XP103 SR6P (28520)	BCD	EA	1				*	*	*		3		
PAHZZ	5355-644-1420	BUTTON, PUSH NO-REF-DESIG P-O ATTENUATOR 7658 (36004)	AGG, AGH	EA	8				*	*	*		1		
PAHZZ	5355-644-1420	BUTTON, PUSH NO-REF -DESIG P/O ATTENUATOR S343-30 (75376)	BCD	EA	B				*	*	*		1		
PAHZZ	6145-112-8623	CABLE, POWER, ELECTRICAL NO-REF-DESIG P/O CABLE ASSY W101 TWO NO. 18 STRANDED COND ITEM NO W101A 18SJ (78310)		FT	7				*	*	*		5	1-1	
PAHZZ	6145-661-0191	CABLE, RADIO FREQUENCY NO-REF-DESIG RG59BU (81349)		FT	8				*	*	*		5		
PAOZZ	5975-961-4307	CAP, ELECTRICAL NO-REF-DESIG RETAINS MOTOR BRUSHES F24269 (04869)	AGG, AGH	EA	2				*	*	*		3	2-16	
PAHZZ	5910-578-5523	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10UUF PORM.5UUF.500VDC CC21CH100D (81349)	AGG, BCD	EA	2				*	*	*		5	2-14	C512
PAHZZ	5910-577-1151	CAPACITOR, FIXED, CERAMIC DIELECTRIC NO- REF-DESIG 10UUF PORM1UUF, 500VDC CC21CH100F (81349)	AGH, BCD	EA	2				*	*	*		5	2-14	C512
PAHZZ	5910-577-1151	CAPACITOR, FIXED, CERAMIC DIELECTRIC NO- REF-DESIG 10UUF PORM1UUF, 500VDC CC21CH100F (81349)	AGH, BCD	EA	REF				*	*	*		5	1-10	C406
PAHZZ	5910-890-8908	CAPACITOR, FIXED, CERAMIC DIELECTRIC 15UUF PORM5PCT 500VDC CC21CH150J (81349)	C405	EA	1				*	*	*		5	2-12	C405
PAHZZ	5910-112-8273	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 500VDC CC21SL510J (81349)	AGG, AGH	EA	6				*	*	*		5	2-5	C121
PAHZZ	5910-112-8273	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 500VDC CC21SL510J (81349)	AGG, AGH	EA	REF				*	*	*		5	2-12	C403
PAHZZ	5910-578-5523	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10UUF PORM. 5UUF, 500VDC CC22CH200D(81349)	C406	EA	2				*	*	*			1-10	C406

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5910-112-8273	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 500VDC CC21SL510J (81349)	C502	EA	REF				*	*	*		5	2-14	C502
PAHZZ	5913-112-8273	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 500VDC CC21SL510J (81349)	AGG, AGH C503	EA	REF				*	*	*		5	2-14	C503
PAHZZ	5910-112-8273	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 500VDC CC21SL510J (81349)	AGG, AGH C511	EA	REF				*	*	*		5	2-14	C511
PAHZZ	5910-777-6876	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 315006S2L0510J (26135)	AGG, AGH C121	EA	3				*	*	*		5	2-5	C121
PAHZZ	5910-777-6876	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 315006S2L0510J (26135)	BCD C202	EA	REF				*	*	*		5	2-12	C202
PAHZZ	5913-777-6876	CAPACITOR, FIXED, CERAMIC DIELECTRIC 51UUF PORM5PCT 315006S2L0510J (26135)	BCD C403	EA	REF				*	*	*		5	2-12	C403
PAHZZ	5910-255-0129	CAPACITOR, FIXED, CERAMIC DIELECTRIC 500UUF PORM10PCT HIK500 (26135)	BCD C501	EA	5				*	*	*		5	2-14	C501
PAHZZ	5910-255-0129	CAPACITOR, FIXED, CERAMIC DIELECTRIC 500UUF PORM10PCT HIK500 (26135)	AGG, AGH C504	EA	REF				*	*	*		5	2-14	C504
PAHZZ	5910-255-0129	CAPACITOR, FIXED, CERAMIC DIELECTRIC 500UUF PORM10PCT HIK500 (26135)	AGG, AGH C505	EA	REF				*	*	*		5	2-14	C505
PAHZZ	5910-255-0129	CAPACITOR, FIXED, CERAMIC DIELECTRIC 500UUF PORM10PCT HIK500 (26135)	AGG, AGH C510	EA	REF				*	*	*		5	2-14	C510
PAHZZ	5910-985-4369	CAPACITOR, FIXED, CERAMIC DIELECTRIC 500 UUF PORM100PCT 500VDC B105E31-26 (12019)	AGG, AGH C201	EA	1				*	*	*		5	2-14	C201
PAHZZ	5910-823-1068	CAPACITOR, FIXED, CERAMIC DIELECTRIC 4700UUF CK62AW472M (81349)	BCD C1	EA	2				*	*	*		5		C1
PAHZZ	5910-823-1068	CAPACITOR, FIXED, CERAMIC DIELECTRIC 4700UUF CK62AW472M (81349)	BCD C2	EA	REF				*	*	*		5		C2
PAHZZ	5910-822-5683	CAPACITOR, FIXED, CERAMIC DIELECTRIC 10,000UUF CK63AW103M (81349)	BCD C5	EA	2				*	*	*		5		C5
PAHZZ	5910-676-8680	CAPACITOR, FIXED, ELECTROLYTIC C102 CE52C300Q (81349)	BCD	EA	5				*	*	*		3	2-7A	C102
PAHZZ	5913-676-8680	CAPACITOR, FIXED, ELECTROLYTIC C107 CE52C300Q (81349)	BCD	EA	REF				*	*	*		3	2-7A	C107
PAHZZ	5910-676-8680	CAPACITOR, FIXED, ELECTROLYTIC C114 CE52C300Q (81349)	BCD	EA	REF				*	*	*		3	2-7A	C114
PAHZZ	5910-101-4022	CAPACITOR, FIXED, MICA DIELECTRIC C113 1000MMF PORM5PCT CM30B102J (81349)	BCD	EA	1				*	*	*		3		C113
PAHZZ	5910-985-3064	CAPACITOR, FIXED, MICA DIELECTRIC C108 2000UUF Radio Materials PN RMCU002Z5U (11418)	BCD C102A	EA	2				*	*	*		3	2-7A	C108
PAHZZ	5910-676-8680	CAPACITOR, FIXED, ELECTROLYTIC: 2 SECTION, 30UF EA SECT CE52C300Q C102B	BCD	EA	5									1-13	C102A
PAHZZ	5910-676-8630	CAPACITOR, FIXED, ELECTROLYTIC: 2 SECTION, 30UF EA SECT CE52C300Q	AGG, AGH	EA	REF									1-6	C102B
PAHZZ	5910-676-8660	CAPACITOR, FIXED, ELECTROLYTIC: 2 SECTION, 30UF EA SECT CE52C300Q C122A C122B C124A C124B	AGG, AGH	EA	REF									1-6	C122A
														1-6	C122B
														1-6	C124A
														1-6	C124B

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5910-985-3064	CAPACITOR, FIXED, MICA DIELECTRIC C109 2000 UUF ^F	BCD	EA	REF				*	*	*		3	2-7A	109
PAHZZ	5910-100-8053	RMCU002Z5U (11418) CAPACITOR, FIXED, MICA DIELECTRIC C404 2400MMF PORM5PCT	BCD	EA	1				*	*	*		3	2-12	C404
PAHZZ	5910-190-7589	CM30B242J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C404 2400MMF POR M5PCT	AGG	EA	1				*	*	*		3	2-12	C404
PAHZZ	5910-823-1799	CM30E242J (81349) CAPACITOR, FIXED MICA DIELECTRIC C108 5100MMF PORM5PCT	AGH, BCD	EA	2				*	*	*		3	2-7A	C108
PAHZZ	5910-823-1799	CM40C512J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C109 5100MMF PORM5PCT	AGG, AGH	EA	REF				*	*	*		3	2-7A	C109
PAHZZ	5910-841-9175	CM40C512J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C400 10,000 UUF PORM5PCT	AGG, AGH	EA	1				*	*	*		3	2-12	C400
PAHZZ	5910-644-5824	CM35D103JN3 (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C113 1000UUF PORM10PCT	BCD	EA	1				*	*	*		3	1-8	C113
PAHZZ	5910-192-8465	CN30AZ102K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C120 10,000 UUF 1500 VDC	AGH	EA	1				*	*	*		3	2-5	C120
PAHZZ	5910-667-5183	CP29A1EH103K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C120 10,000 UUF ^F	AGG	EA	1				*	*	*		3	2-5	C120
PAHZZ	5910-668-0588	73P103916 (56289) CAPACITOR, FIXED, PAPER DIELECTRIC C114 10,000 UUF 400VDC	AGH, BCD	EA	3				*	*	*		3	2-7A	C114
PAHZZ	5910-668-0588	CN35AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C117 10,000 UUF 400VDC	AGG	EA	REF				*	*	*		3	2-7A	C117
PAHZZ	5910-668-0588	CN35AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C400 10,000 UUF 400VDC	AGG	EA	REF				*	*	*		3	2-12	C400
PAHZZ	5910-161-4046	CN35AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C114 10,000 UUF 400VDC	AGG	EA	3				*	*	*		3	2-7A	C114
PAHZZ	5910-161-4046	CN30AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C117 10,000 UUF 400VDC	AGH	EA	REF				*	*	*		3	2-7A	C117
PAHZZ	5910-161-4046	CN30AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C400 10,000 UUF 400VDC	AGH	EA	REF				*	*	*		3	2-12	C400
PAHZZ	5910-668-0592	CN30AE103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C401 10,000MMF	AGH	EA	2				*	*	*		3	2-12	C401
PAHZZ	5910-668-0592	CN20EY103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C402 10,000mmf CN20EY103M(81349)	AGH	EA	REF				*	*	*		3	2-12	C402

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-683-3300	CAPACITOR, FIXED, PAPER DIELECTRIC C134 50,000UUF PORM20PCT, 200VDC		EA	2				*	*	*		3	1-7	C134
PAHZZ	5910-683-3300	MPT1K (86675) CAPACITOR, FIXED, PAPER DIELECTRIC C135 50,000UUF PORM20PCT, 200VDC	AGH	EA	REF				*	*	*		3	1-7	C135
PAHZZ	5910-807-5570	MPT1K (86675) CAPACITOR, FIXED, PAPER DIELECTRIC C3 100,000 UUF	AGH	EA	1				*	*	*		3		C3
PAHZZ	5910-184-3111	CP04A1EE104M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C111 MODEL NO TS-452B/U, TS-452C/U C123, C126	BCD	EA	2				*	*	*		3	2-7A	C112
PAHZZ	5910-184-3111	CP61B1EE104K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C113 MODEL NO TS-452B/U, TS-452C/U C123, C126		EA	REF				*	*	*		3	2-7A	C113
PAHZZ	5910-184-3111	CP61B1EE104K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C123 MODEL NO TS-452B/U, TS-452C/U C123, C126		EA	REF				*	*	*		3	2-7A	C123
PAHZZ	5910-184-3111	CP61B1EE104K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C126 MODEL NO TS-452B/U, TS-452C/U C123, C126		EA	REF				*	*	*		3	2-7A	C126
PAHZZ	5910-667-4916	CP61B1EE104K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C4 220,000UUF		EA	3				*	*	*		3		C4
PAHZZ	5910-667-4916	CP04A1EE224M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C7 220,000UUF	BCD	EA	REF				*	*	*		3		C7
PAHZZ	5910-667-4916	CP04A1EE224M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C8 220,000UUF	BCD	EA	REF				*	*	*		3		C8
PAHZZ	5910-187-6641	CP04A1EE224M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C130 250,000MMF	BCD	EA	2				*	*	*		3	2-7A	C130
PAHZZ	5910-187-6641	CP70E1EH254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C131 250,000MMF	AGG, AGH	EA	REF				*	*	*		3	2-7A	C131
PAHZZ	5910-164-7490	CP70E1EH254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C101 250,000 MMF	AGG, AGH	EA	7				*	*	*		3	2-7A	C101
PAHZZ	5910-164-7490	CP61B1EE254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C103 250,000 MMF		EA	REF				*	*	*		3	2-7A	C103
PAHZZ	5910-164-7490	CP61B1EE254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C104 250,000 MMF		EA	REF				*	*	*		3	2-7A	C104
PAHZZ	5910-164-7490	CP61B1EE254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C105 250,000 MMF		EA	REF				*	*	*		3	2-7A	C105
PAHZZ	5910-164-7490	CP61B1EE254V (81349) CAPACITOR, FIXED, PAPER DIELECTRIC C106 250,000 MMF, CP61B1EE254V (81349)		EA	REF				*	*	*		3	2-7A	C106
PAHZZ	5910-676-8630	CAPACITOR, FIXED, ELECTROLYTIC: 2 SECTION, 30UF EA SECT CE52C300Q	C107A, C107B AGG, AGH	EA	REF									1-8	C107A
PAHZZ	5910-676-8630	CAPACITOR, FIXED, ELECTROLYTIC: 2 SECTION, 30UF EA SECT CE52C300Q	C107A, C107B AGG, AGH	EA	REF									1-8	C107B
PAHZZ	5910-112-8273	CAPACITOR, FIXED, CER AMIC DIELECTRIC 51UUF PORM5PCT 500VDC	C116A, C116B AGG, AGH	EA	REF									1-7	C116A
PAHZZ	5910-112-8273	CC21S1511 (81349)	AGG, AGH C202	EA	6								5	2-14	C116B C-202

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5910-164-7490	CAPACITOR, FIXED, PAPER DIELECTRIC C118 250,000 MMF CP61B1EE254V (81349)		EA	REF				*	*	*		3	2-7A	C118
PAHZZ	5910-164-7490	CAPACITOR, FIXED, PAPER DIELECTRIC C119 250,000 MMF CP61B1EE254V (81349)		EA	REF				*	*	*		3	2-7A	C119
PAHZZ	5910-280-9107	CAPACITOR, FIXED, PAPER DIELECTRIC C115 250,000 UUF PORM10PCT, 1500V CP70E1EH254K1 (81349)		EA	2				*	*	*		3	2-7A	C115
PAHZZ	5910-280-9107	CAPACITOR, FIXED, PAPER DIELECTRIC C116 250,000 UUF PORM10PCT, 1500V CP70E1EH254K1 (81349)	BCD	EA	REF				*	*	*		3	2-7A	C116
PAHZZ	5910-170-4423	CAPACITOR, VARIABLE, AIR DIELECTRIC C407 HA3749 (80583)	BCD	EA	1				*	*	*		2	2-11	C407
PAHZZ	5910-666-7806	CAPACITOR, VARIABLE, AIR DIELECTRIC C407 BPD7495 (80583)	AGG	EA	1				*	*	*		2	4-4	C407
PAHZZ	5910-186-7252	CAPACITOR, VARIABLE, AIR DIELECTRIC C506 CONTINUOUS ROTATING PLATE MESHING TYPE 168 MMF MAX, 16 MME MIN 1000V AC PEAK B7389 (36004)	AGH	EA	1				*	*	*		2	2-15	C506
PAHZZ	5910-578-5543	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C507 CV11B200 (81349)	AGG, AGH	EA	2				*	*	*		2	2-14	C507
PAHZZ	5910-578-5543	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C508 CV11B200 (81439)	AGG, AGH	EA	REF				*	*	*		2	2-14	C508
PAHZZ	5910-992-2160	CAPACITOR ASSEMBLY, VARIABLE C407 0-25V AC INPUT 1-187 X3 X3-531 IN C105E93 (12019)	AGG, AGH	EA	1				*	*	*		2	2-11	C407
PAHZZ	6625-677-0286	CATCH, LU GGAGE NO-RE-DESIG WB4916-5-4 (99100)	BCD	EA	4				*	*	*		3	1-1A	
PAHZZ	6625-677-0288	CHUCK, PROBE NO-REF-DESIG 37387 (26687)	AGH	EA	2				*	*	*		5	7	
PAHZZ	6625-981-2160	CHUCK, PROBE NO-REF-DESIG A105E47 (12019)	AGG, AGH	EA	2				*	*	*		5		
PAHZZ	6625-677-0284	CLAMP ASSEMBLY, ELECTRON TUBE NO-REF- DESIG 8630 (26687)	BCD	EA	1				*	*	*		3	2-2A	
PAHZZ	5340-282-7965	CLAMP, LOOP NON-REF-DESIG F/CABLE' 1-4-6 (55987)	AGH	EA	5				*	*	*		3		
PAHZZ	5940-186-8929	CLIP, ELECTRICAL NO-REF-DESIG ALLIGATOR STYLE 91HL (01009)	BCD	EA	1				*	*	*		3		
PAHZZ	5940-234-5206	CLIP, ELECTRICAL NO-REF-DESIG ALLIGATOR STYLE 60 (76545)	AGH	EA	1				*	*	*		3		
PAOZZ	5950-245-1157	COIL, RADIO FREQUENCY L501 D7815 (36004)	AGH	EA	1				*	*	*		3	4-2	L501
PAOZZ	5950-245-1153	COIL, RADIO FREQUENCY L502 D7816 (36004)	AGG, AGH	EA	1				*	*	*		3	4-2	L502

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
						1-20	21-50	51-100	1-20	21-50	51-100				
PAOZZ	5950-245-1150	COIL, RADIO FREQUENCY L503 7817 (36044)	AGG, AGH	EA	1				*	*	*		3	4-2	L503
PAOZZ	5950-245-1151	COIL, RADIO FREQUENCY L504 D7818 (36004)	AGG, AGH	EA	1				*	*	*		3	4-2	L504
PAOZZ	5950-648-0732	COIL, RADIO FREQUENCY L505 D7819 (36004)	AGG, AGH	EA	1				*	*	*		3	4-2	L505
PAOZZ	5950-647-9903	COIL, RADIO FREQUENCY L506 D7820 (36004)	AGG, AGH	EA	1				*	*	*		3	4-2	L506
PAHZZ	5950-351-5611	COIL, RADIO FREQUENCY L401 B7674 (36004)	AGG	EA	1				*	*	*		3	1-10	L401
PAHZZ	5950-096-7217	COIL, RADIO FREQUENCY L401 G7921 (36004)	AGH	EA	1				*	*	*		5	1-10	L401
PAHZZ	5950-973-2777	COIL, RADIO FREQU ENCY L401 B105E94 (12019)	BCD	EA	1				*	*	*		3		L401
PAHZZ	5950-351-5612	COIL, RADIO FREQUENCY L402 B7675 (36004)	AGG, AGH	EA	1				*	*	*		3	1-10	L402
PAHZZ	5950-973-2776	COIL, RADIO FREQUENCY L402 B105E95 (12019)	BCD	EA	1				*	*	*		3		L402
PAHZZ	5950-704-1993	COIL, RADIO FREQUENCY L403 B7676 (36004)	AGG, AGH	EA	1				*	*	*		3	1-10	L403
PAHZZ	5950-973-2775	COIL, RADIO FREQUENCY L403 B105E96 (12019)	BCD	EA	1				*	*	*		3		L403
PAHZZ	5950-246-4366	COIL, RADIO FREQUENCY L404 B7677 (36004)	AGG, AGH	EA	1				*	*	*		3	1-10	L404
PAHZZ	5950-973-4066	COIL, RADIO FREQUENCY L494 B105E97 (12019)	BCD	EA	1				*	*	*		3		L404
PAOZZ	6625-979-9536	COLLET, PROBE NO-REF-DESIG A7388 (26687)	AGG, AGH	EA	2				*	*	*		2	7	
PAOZZ	6625-979-9536	COLLET, PROBE NO-REF-DESIG A105E43 (19497)	BCD	EA	2				*	*	*		2		
PAOZZ	5935-204-8388	CONNECTOR, ADAPTER UG-83/U NO-REF-DESIG UG83U (80058)		EA	1				*	*	*		3	1	
PAOZZ	5935-823-0639	CONNECTOR, ADAPTER UG-255A/U NO-REF-DESIG UG255AU (80058)		EA	1				*	*	*		3	1	
PAOZZ	5935-149-3534	CONNECTOR, ADAPTER UG-273/U NO-REF-DESIG UG273U (80058)		EA	1				*	*	*		3	1	
PAOZZ	6625-856-9696	CONNECTOR, ASSEMBLY, ELECTRICAL ADAPTER TEST UF-1100 NO-REF-DESIG UF1100U (80058)		EA	1				*	*	*		3	1	
PAHZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL P101 UG260BU (81349)		EA	8				*	*	*		3		P101
PAHZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL P102 UG260BU (81349)		EA	REF				*	*	*		3		P102
PAHZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL P201 UG260BU (81349)		EA	REF				*	*	*		3		P201
PAHZZ	5935-173-5895	CONNECTOR, PLUG, ELECTRICAL P302 UG260BU (81349)		EA	5				*	*	*		3		P302
PAOZZ	5935-636-7145	CONNECTOR PLUG ELECTRICAL P103 TWO PARALLEL BLADES UP121M (81349)		EA	1				*	*	*		3	4-2	P103
PAHZZ	5935-299-7815	CONNECTOR, RECEPTACLE, ELECTRICAL J201 UG290U (81349)		EA	2				*	*	*		3	1-3	J201

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCP	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHZZ	5935-299-7815	CONNECTOR, RECEPTACLE, ELECTRICAL J301 UG290U (81349)		EA	REF				*	*	*		3	1-3	J301
PAHZZ	5935-295-3345	CONNECTOR, RECEPTACLE, ELECTRICAL J302 UG535U (81349)		EA	1				*	*	*		3	4-4	J302
PAHZZ	3010-254-4772	COUPLING, SHAFT, FLEXIBLE NO-REF-DESIG A7556 (36004)		EA	1				*	*	*		5	2-3	
PAHZZ	6625-984-1926	COVER DOOR, ACCESS NO-REF-DESIG A105E40 (12019)		EA	1				*	*	*		2	1-1	
PAHZZ	6625-981-0550	DIAL SCALE NO-REF-DESIG P/O WAVEMETER ALUMINUM 3-15-16 IN FOUR BRANDS MARKED 'A' 'B' 'C' AND 'D' B105E106 (12019)		EA	1				*	*	*		3	2-12	
PAOZZ	6625-245-9619	DETECTOR, RADIO FREQUENCY NO-REF-DESIG RF DETECTOR DT-149/U DT149U (80058)		EA	1				*	*	*		5	1	
PAHZZ	6625-980-0204	DRIVE ASSEMBLY, PINION NO-REF-DESIG P/O WAVEMETER 1 13-32 X 0-250 DIA AT LARGE END, 0-186 IN DIA AT SMALL END A105E107 (12019)		EA	1				*	*	*		10	2-2	
PAOZZ	5960-682-8625	ELECTRON TUBE V107 0D3VR150 (81349)		EA	2				*	*	*		3	2-2	V107
PAOZZ	5960-682-8625	ELECTRON TUBE V108 0D3VR150 (81349)		EA	REF				*	*	*		3	2-2	V108
PAOZZ	5960-193-5087	ELECTRON TUBE V104 1B3GT (81349)		EA	1				*	*	*		100	2	V104
PAOZZ	5960-193-5087	ELECTRON TUBE V110 1B3GT (81349)		EA	REF				*	*	*		100	2	V110
PAHZZ	5960-170-4575	ELECTRON TUBE V109 3BP1A (81349)		EA	1				*	*	*		100	2-13	V109
PAHZZ	5960-170-4575	ELECTRON TUBE V103 3BP1A (81349)		EA	REF				*	*	*		100	2-2	V103
PAOZZ	5960-188-8558	ELECTRON TUBE V502 6AQ6 (81349)		EA	1				*	*	*		100	2-2	V502
PAOZZ	5960-188-3967	ELECTRON TUBE V501 6J6 (81349)		EA	1				*	*	*		100	2-2	V501
PAOZZ	5960-188-0883	ELECTRON TUBE V401 6SL7WGT (81349)		EA	2				*	*	*		100	2-2	V401
PAOZZ	5960-188-0883	ELECTRON TUBE V402 6SL7WGT (81349)		EA	REF				*	*	*		100	2-2	V402
PAOZZ	5960-188-3577	ELECTRON TUBE V100 MODEL NO TS-452B/U, TS-452C/U V100, V101 6SN7WGT (81349)		EA	3				*	*	*		100	2	V100
PAOZZ	5960-188-3577	ELECTRON TUBE V101 MODEL NO TS-452B/U, TS-452C/U V100, V101 6SN7WGT (81349)		EA	REF				*	*	*		100	2-2A	V101
PAOZZ	5960-188-3577	ELECTRON TUBE V103 MODEL NO TS-452B/U, TS-452C/U V100, V101 6SN7WGT (81349)		EA	REF				*	*	*		100	2-2A	V103
PAOZZ	5960-116-9927	ELECTRON TUBE V5 6V6GT (81349)		EA	1				*	*	*		100		V5
PAOZZ	5960-188-0926	ELECTRON TUBE V105 6X5WGT (81349)		EA	2				*	*	*		100	2-2	V105

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAOZZ	5960-188-0926	ELECTRON TUBE V106 6X5WGT (81349)		EA	REF				*	*	*		100	2-2	V106
PAOZZ	5960-262-0167	ELECTRON TUBE V6 12AT7WA (81349)	BCD	EA	1				*	*	*		100		V6
PAOZZ	5960-262-0210	ELECTRON TUBE V1 12AU7 (81349)	BCD	EA	3				*	*	*		100		V1
PAOZZ	5960-262-0210	ELECTRON TUBE V2 12AU7 (81349)	BCD	EA	REF				*	*	*		100		V2
PAOZZ	5960-262-0210	ELECTRON TUBE V4 12AU7 (81349)	BCD	EA	REF				*	*	*		100		V4
PAOZZ	5960-166-7664	ELECTRON TUBE V3 12AX7 (81349)	BCD	EA	1				*	*	*		100	2-2A	V3
PAHZZ	6625-677-0287	FERRULE ASSEMBLY, PROBE NO-REF-DESIG A7313 (26687)	AGG, AGH	EA	1				*	*	*		5		
PAHZZ	6625-981-2161	FERRULE ASSEMBLY, PROBE NO-REF-DESIG A105E67 (12019)	BCD	EA	1				*	*	*		5	1-1	
PAHZZ	6625-981-2162	FERRULE, HANDLE NO-REF-DESIG SECURES HANDLE TO FRONT PANEL, ANODIZED ALUMINUM 3-4 X 1-2' A105E31 (12019)	BCD	EA	4				*	*	*		5		
PAHZZ	5915-531-3153	FILTER, RADIO INTERFERENCE NO-REF-DESIG 9003 (26687)	AGH	EA	1				*	*	*		3		
PAOZZ	5920-280-4960	FUSE, CARTRIDGE F101 2 AMP 250V F02G2R00A (81349)		EA	2				*	*	*		50	2-7B	F101
PAOZZ	5920-280-4960	FUSE, CARTRIDGE F102 2 AMP 250V F02G2R00A (81349)		EA	REF				*	*	*		50	2-7B	F102
PAHZZ	5929-556-0256	FUSEHOLDER E103 HKPHZ (71400)	AGG, AGH	EA	2				*	*	*		3	1-3	E103
PAHZZ	5920-556-0256	FUSEHOLDER E104 HKPHZ (71400)	AGG, AGH	EA	REF				*	*	*		3	1-3	E104
PAHZZ	6625-677-0293	GASKET NO-REF-DESIG WB101 (99100)	AGH	EA	1				*	*	*		5		
PAHZZ	6625-986-7026	GEAR ASSEMBLY, SPUR NO-REF-DESIG P/O WAVEMETER, 2-042 X 0-390 IN SPUR GEARS HAVE 96 TEETH C105E116 (12019)	BCD	EA	1				*	*	*		3		
PAHZZ	6625-986-7027	GEAR CLUSTER, SPUR NO-REF-DESIG P/O WAVEMETER BRASS 1-917 X 0-296 SPUR GEAR 90 TEETH, PINION GEAR 24 TEETH C105E111 (12019)	BCD	EA	1				*	*	*		3		
PAHZZ	6625-979-5016	GEAR, SPUR NO-REF-DESIG P/O DRIVE PINION FOR WAVEMETER BRASS, 0-188 IN ID 0-187 IN THK B105E108 (12019)	BCD	EA	1				*	*	*		3	2-11	
PAHZZ	6625-677-9283	GROMMET, RUBBER NO-REF-DESIG P/O CR TUBE ASSY 7982 (26687)	AGG, AGH	EA	1				*	*	*		4		
PAHZZ	5325-981-8717	GROMMET, RUBBER NO-REF-DESIG LIGHT SHIELD FOR CR TUBE, 2-5-8 X 3-15-16 X 11- 32 IN THK A105E13 (12019)	BCD	EA	1				*	*	*		4		
PAHZZ	5977-636-4285	HOLDER, ELECTRICAL CONTACT BRUSH NO-REF- D58505-3(51064)		EA	2				*	*	*		3	2-16	

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	6625-404-7148	INSULATOR, BUSHING NO-REV-DESIG SR6P (28520)	AGG	EA	1				*	*	*		3		
PAOZZ	5355-543-7183	KNOB NO-REF-DESIG U/W REP SYM S401 AND OSC. SW 4100L (85145)	BCD	EA	2				*	*	*		3		
PAOZZ	5355-553-3491	KNOB NO-REF-DESIG U/W REF SYM R5, R17, R23, R25, R101, R133, R136, R136, R141, R143, R407, R410 4100AB (85145)	BCD	EA	11				*	*	*		3		
PAOZZ	5355-284-5181	KNOB NO-REF-DESIG B2992 (70499)	AGG, AGH	EA	8				*	*	*		3		
PAOZZ	5320-674-1223	KNOB NO-REF-DESIG 9004 (26687)	AGH	EA	1				*	*	*		3		
PAOZZ	5355-284-5164	KNOB NO-REF-DESIG 4100BLACK (85145)	AGG, AGH	EA	2				*	*	*		3		
PAOZZ	6240-223-9100	LAMP, GLOW 1101 105-120V, 1-25 WATT NEON NE51 (24446)		EA	2				*	*	*		10	2-78	1101
PAOZZ	6240-223-9100	LAMP, GLOW 1102 105-120V, 1-25 WATT NEON NE51 (24446)		EA	REF				*	*	*		10	4-2	1102
PAHZZ	6210-112-2766	LIGHT, INDICATOR E101 52408-991 (72619)	AGG, AGH	EA	2				*	*	*		5		E101
PAHZZ	6210-112-2766	LIGHT, INDICATOR E102 52408-991 (72619)	AGG, AGH	EA	REF				*	*	*		5		F102
PAHZZ	6210-228-5732	LIGHT, INDICATOR NO-REF-DESIG LH50PR5 (81349)	BCD	EA	1				*	*	*		5		
PAHZZ	5999-532-6546	MAGNET, PERMANENT NO-REF-DESIG PART OF MOTOR DRIVE UNIT BPB7296 (36004)	AGH	EA	1				*	*	*		3	2-16	
PAHZZ	6625-809-5867	OSCILLATOR CONTROL NO-REF-DESIG B105E87 (12019)	BCD	EA	1				*	*	*		5		
PAHZZ	5950-245-5920	REACTOR L101 15881 (73386)	AGG, AGH	EA	1				*	*	*		2	2-2A	L101
PAHZZ	5950-988-1257	REACTOR L101 12 UH FIXED INDUCT, 1 COIL 100 MA 300 OHMS, HS METAL CASE 2 STANDOFF SCREW TERM, E105E79 (12019)	BCD	EA	1				*	*	*		2	2-2A	L101
PAHZZ	6130-548-0818	RECTIFIER, METALLIC NO-REF-DESIG LEWYT CORP ITEM NO CR101 B7917 (36004)	AGG, AGH	EA	1				*	*	*		3	2-2	
PAHZZ	5905-279-1879	RESISTOR, FIXED, COMPOSITION R504 27 OHM PORM5PCT, 1-2W RC20GF270J (81349)	AGG, AGH	EA	2				*	*	*		3	2-14	R504
PAHZZ	5905-279-1879	RESISTOR, FIXED, COMPOSITION P505 27 OHM PORM5PCT, 1-2W RC20GF270J (81349)	AGG, AGH	EA	REF				*	*	*		3	2-14	R505
PAHZZ	5905-279-1758	RESISTOR, FIXED, COMPOSITION R515 RC20GF750J (81349)	AGG, AGH	EA	3				*	*	*		3	2-14	R515

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-279-1758	RESISTOR, FIXED, COMPOSITION R516 RC20GF750J (81349)	AGG, AGH	EA	REF				*	*	*		3	2-14	R516
PAHZZ	5905-279-1758	RESISTOR, FIXED, COMPOSITION R406 RC20GF750J (81349)	BCD	EA	1				*	*	*		3		R406
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION R518 220 OHM PORM10PCT, 1-2W RC20GF221K (81349)	AGG, AGH	EA	1				*	*	*		3	2-14	R518
PAHZZ	5905-171-2006	RESISTOR, FIXED, COMPOSITION R201 MODEL NO TS-452B/U, TS-452C/U R201, R501, RC20GF271J (81349)	AGG, AGH	EA	4				*	*	*		3	2-8	R201
PAHZZ	5905-171-2006	RESISTOR, FIXED, COMPOSITION R201 MODEL NO TS-452B/U, TS-452C/U R201, R501, RC20GF271J (81349)	AGG, AGH	EA	REF				*	*	*		3	2-14	R501
PAHZZ	5905-171-2006	RESISTOR, FIXED, COMPOSITION R508 MODEL NO TS-452B/U, TS-452C/U R201, R501, RC20GF271J (81349)	AGG, AGH	EA	REF				*	*	*		3	2-14	R508
PAHZZ	5905-171-2006	RESISTOR, FIXED, COMPOSITION R509 MODEL NO TS-452B/U, TS-452C/U R201, R501, RC20GF271J (81349)	AGG, AGH	EA	REF				*	*	*		3	2-14	R509
PAHZZ	5905-256-0401	RESISTOR, FIXED, COMPOSITION NO-REF-DESIG 330 OHM PORM10PCT, 2 WATT RC42GF331K (81349)	BCD	EA	1				*	*	*		3		R24
PAHZZ	5905-279-3512	RESISTOR, FIXED, COMPOSITION R102 430 OHM PORM5PCT, 1-2W RC20GF431J (81349)	BCD	EA	1				*	*	*		3	4-2	R102
PAHZZ	5905-256-0387	RESISTOR, FIXED, COMPOSITION R503A THRU R503F P-O COIL R.F. L501 THRU L506 680 OHM PORM10PCT, 1-2W RC20GF681K (81349)	AGG	EA	6				*	*	*		3	4-4	
PAHZZ	5905-195-9481	RESISTOR, FIXED, COMPOSITION R148 750 OHM PORM5PCT, 1-2 WATT RC20GF751J (81349)	AGG	EA	1				*	*	*		3	2-5	R148
PAHZZ	5905-279-1722	RESISTOR, FIXED, COMPOSITION R130 1000 OHM PORM10PCT, 1 WATT RC32GF102K (81349)	BCD	EA	1				*	*	*		3	2-7A	R130
PAHZZ	5905-279-1870	RESISTOR, FIXED, COMPOSITION R202 1300 OHM PORM5PCT, 1-2 WATT RC20GF132J (81349)	BCD	EA	2				*	*	*		3		R202
PAHZZ	5905-279-1870	RESISTOR, FIXED, COMPOSITION R404 1300 OHM PORM5PCT, 1-2 WATT RC20GF132J (81349)	BCD	EA	REF				*	*	*		3	2-12	R404
PAHZZ	5905-190-8887	RESISTOR, FIXED, COMPOSITION R502 2000 OHM PORM5PCT, 1-2WATT RC20GF202J (81349)	AGG, AGH	EA	1				*	*	*		3	4-2	R502
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R402 2200 OHM PORM10PCT, 1-2WATT RC20GF222K (81349)	AGG, AGH	EA	2				*	*	*		3	2-12	R402
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R415 2200 OHM PORM10PCT, 1-2WATT RC20GF222K (81349)	AGG, AGH	EA	REF				*	*	*		3	4-2	R415
PAHZZ	5905-279-1723	RESISTOR, FIXED, COMPOSITION R9 2200 OHM PORM5PCT, 1WATT RC32GF222J (81349)	BCD	EA	1				*	*	*		3		R9

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-195-6741	RESISTOR, FIXED, COMPOSITION R506 2700 OHM PORM10PCT, 1-2WATT RC20GF272K (81349)	EA	2				*	*	*		3	4-4	R506
PAHZZ	5905-195-6741	RESISTOR, FIXED, COMPOSITION R507 2700 OHM PORM10PCT, 1-2WATT RC20GF272K (81349)	EA	REF				*	*	*		3	2-14	R507
PAHZZ	5905-195-6741	RESISTOR, FIXED, COMPOSITION R22 3700 OHM PORM10PCT, 1-2WATT RC20GF272K (81349)	EA	REF				*	*	*		3		R22
PAHZZ	5905-279-3505	RESISTOR, FIXED, COMPOSITION R105 3900 OHM PORM5PCT, 1-2WATT RC20GF392J 1(81349)	EA	1				*	*	*		3	4-2	R105
PAHZZ	5905-537-6439	RESISTOR, FIXED, COMPOSITION R412 4700 OHM PORM10PCT, 1-2WATT RC20GF472K (81349)	EA	1				*	*	*		3	2-12	R412
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R407 5600 OHM PORM10PCT, 1-2WATT RC20GF562K (81349)	EA	3				*	*	*		3	2-12	R407
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R412 5600 OHM PORM10PCT, 1-2WATT RC20GF562K (81349)	EA	REF				*	*	*		3	2-12	R412
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R103 5600 OHM PORM10PCT, 1-2WATT RC20GF562K (81349)	EA	REF				*	*	*		3	2-9	R103
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R407 5600 OHM PORM10PCT, 1-2WATT RC20GF562K (81349)	EA	2				*	*	*		3	2-12	R407
PAHZZ	5905-299-2029	RESISTOR, FIXED, COMPOSITION R112 10,000 OHM PORM10PCT, 1WATT RC32GF103K (81349)	EA	1				*	*	*		3	4-2	R112
PAHZZ	5905-299-2029	RESISTOR, FIXED, COMPOSITION R119 10,000 OHM PORM10PCT, 1WATT RC32GF103K (81349)	EA	REF				*	*	*		3		R18
PAHZZ	5905-279-2616	RESISTOR, FIXED, COMPOSITION R110 15,000 OHM PORM5PCT, 1-2WATT RC20GF153J (81349)	EA	2				*	*	*		3	2-9	R110
PAHZZ	5905-279-2616	RESISTOR, FIXED, COMPOSITION R111 15,000 OHM PORM5PCT, 1-2WATT RC20GF153J (81349)	EA	REF				*	*	*		3	2-9	R111
PAHZZ	5905-279-2616	RESISTOR, FIXED, COMPOSITION R403 15,000 OHM PORM5PCT, 1-2WATT RC20GF153J (81349)	EA	1				*	*	*		3	2-12	R403
PAHZZ	5905-279-2029	RESISTOR, FIXED, COMPOSITION R19 22,000 OHM PORM10PCT, 1-2WATT RC20GF223K (81349)	EA	1				*	*	*		3		R19
PAHZZ	5905-299-2020	RESISTOR, FIXED, COMPOSITION R127 27,000 OHM PORM5PCT, 1WATT RC32GF273J (81349)	EA	2				*	*	*		3	4-2	R127
PAHZZ	5905-299-2020	RESISTOR, FIXED, COMPOSITION R6 27,000 OHM PORM5PCT, 1WATT RC32GF273J (81349)	EA	2				*	*	*		3		R6
PAHZZ	5905-299-2020	RESISTOR, FIXED, COMPOSITION R127 27,000 RC32GF273J (81319)	EA	REF				*	*	*		3		R127

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCP	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R109 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	5				*	*	*		3	4-2	R109
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R113 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3	1-8	R113
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R116 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3	1-8	R116
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R128 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3		R128
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R129 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3		R129
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R109 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	3				*	*	*		3		R109
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R128 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3		R128
PAHZZ	5905-299-2015	RESISTOR, FIXED, COMPOSITION R129 39,000 OHM PORM5PCT, 1WATT RC32GF393J (81349)	EA	REF				*	*	*		3		R129
PAHZZ	5905-190-8873	RESISTOR, FIXED, COMPOSITION R1 47,000 OHM PORM10PCT, 2WATT RC42GF473K (81349)	EA	3				*	*	*		3		R1
PAHZZ	5905-190-8873	RESISTOR, FIXED, COMPOSITION R2 47,000 OHM PORM10PCT, 2WATT RC42GF473K (81349)	BCD EA	REF				*	*	*		3		R2
PAHZZ	5905-190-8873	RESISTOR, FIXED, COMPOSITION R13 47,000 OHM PORM10PCT, 2WATT RC42GF473K (81349)	BCD EA	REF				*	*	*		3		R13
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R138 51,000 OHM PORM5PCT, 1-2WATT RC20GF513J (81349)	BCD EA	1				*	*	*		3	2-5	R138
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R110 51,000 OHM PORM5PCT, 1-2WATT RC20GF513J (81349)	EA	4				*	*	*		3	2-9	R110
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R111 51,000 OHM PORM5PCT, 1-2WATT RC20GF513J (81349)	EA	REF				*	*	*		3	2-9	R111
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R114 51,000 OHM PORM5PCT, 1-2WATT RC20GF513J (81349)	EA	REF				*	*	*		3	4-1	R114
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R138 51,000 OHM PORM5PCT, 1-2WATT RC20GF513J (81349)	EA	REF				*	*	*		3	2-5	R138
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R8 100, RC20GF104J (81349)	EA	4				*	*	*		3		R8

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R20 100, 000 OHM PORM5PCT, 1-2W RC20GF104J (81349)	EA	REF				*	*	*		3		R20
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R411 100, 000 OHM PORM5PCT, 1-2W RC20GF104J (81349)	EA	REF				*	*	*		3		R411
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R107 100, 000 OHM PORM5PCT, 1-2W RC20GF104J (81349)	EA	3				*	*	*		3	2-9	R107
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R519 100, 000 OHM PORM5PCT, 1-2W RC20GF104J (81349)	EA	REF				*	*	*		3	2-14	R519
PAHZZ	5905-254-7101	RESISTOR, FIXED, COMPOSITION R15 100, 000 OHM PORM5PCT, 2WATT RC42GF104J (81349)	EA	2				*	*	*		3		R15
PAHZZ	5905-254-7101	RESISTOR, FIXED, COMPOSITION R16 100, 000 OHM PORM5PCT, 2WATT RC42GF104J (81349)	EA	REF				*	*	*		3		R16
PAHZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION R414 120, 000 OHM PORM5PCT, 1-2WATT RC20GF124J (81349)	EA	1				*	*	*		3	2-12	R414
PAHZZ	5905-299-2002	RESISTOR, FIXED, COMPOSITION R28 120, 000 OHM PORM5PCT, 1WATT RC32GF124K (81349)	EA	1				*	*	*		3		R28
PAHZZ	5905-171-2003	RESISTOR, FIXED, COMPOSITION R106 200, 000 OHM PORM5PCT, 1-2WATT RC20GF204J (81349)	EA	2				*	*	*		3	2-9	R106
PAHZZ	5905-171-2003	RESISTOR, FIXED, COMPOSITION R140 200, 000 OHM PORM5PCT, 1-2WATT RC20GF204J (81349)	EA	REF				*	*	*		3	4-2	R140
PAHZZ	5905-192-0667	RESISTOR, FIXED, COMPOSITION R122 220, 000 OHM PORM5PCT, 1-2WATT RC20GF224J (81349)	EA	1				*	*	*		3		R122
PAHZZ	5905-279-1714	RESISTOR, FIXED, COMPOSITION R29 220, 000 OHM PORM5PCT, 1WATT RC32GF224K (81349)	EA	1				*	*	*		3		R29
PAHZZ	5905-249-9491	RESISTOR, FIXED, COMPOSITION R10 270, 000 OHM PORM10PCT, 1-2WATT RC20GF274K (81349)	EA	1				*	*	*		3		R10
PAHZZ	5905-299-1997	RESISTOR, FIXED, COMPOSITION R32 270, 000 OHM PORM10PCT, 1WATT RC32GF274K (81349)	EA	1				*	*	*		3		R32
PAHZZ	5905-185-6859	RESISTOR, FIXED, COMPOSITION R142 300, 000 OHM PORM5PCT, 1-2WATT RC20GF304J (81349)	EA	4				*	*	*		3	2-5	R142
PAHZZ	5905-185-6859	RESISTOR, FIXED, COMPOSITION R401 300, 000 OHM PORM5PCT, 1-2WATT RC20GF304J (81349)	EA	REF				*	*	*		3	4-2	R401
PAHZZ	5905-185-6859	RESISTOR, FIXED, COMPOSITION R405 300, RC20GF304J(81349)	EA	REF				*	*	*		3	2-12	R405

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-185-6859	RESISTOR, FIXED, COMPOSITION R413 300, 000 OHM PORM5PCT, 1-2WATT RC20GF304J (81349)	EA	REF				*	*	*		3	2-12	R413
PAHZZ	5905-185-6944	RESISTOR, FIXED, COMPOSITION R408 390, 000 OHM PORM10PCT, 1-2WATT RC20GF394K (81349)	EA	2				*	*	*		3	2-12	R408
PAHZZ	5905-185-6944	RESISTOR, FIXED, COMPOSITION R409 390, 000 OHM PORM10PCT, 1-2WATT RC20GF394K (81349)	EA	REF				*	*	*		3	2-12	R409
PAHZZ	5905-185-6946	RESISTOR, FIXED, COMPOSITION R7 470, 000 OHM PORM10PCT, 1-2WATT RC20GF474K (81349)	EA	2				*	*	*		3		R7
PAHZZ	5905-185-6946	RESISTOR, FIXED, COMPOSITION R26 470, 000 OHM PORM10PCT, 1-2WATT RC20GF474K (81349)	EA	REF	BCD			*	*	*		3		R26
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R146 510, 000 OHM PORM5PCT; 1-2WATT RC20GF514J (81349)	EA	6	BCD			*	*	*		3	2-5	R146
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R147 510, 000 OHM PORM5PCT, 1-2WATT RC20GF514J (81349)	EA	REF				*	*	*		3	2-5	R117
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R416 510, 000 OHM PORM5PCT, 1-2WATT RC20GF514J (81349)	EA	REF				*	*	*		3		R416
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R400 510, 000 OHM PORM5PCT, 1-2WATT RC20GF514J (81349)	EA	REF				*	*	*		3	2-12	R400
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R104 510, 000 OHM PORM5PCT, 1-2WATT RC20GF514J (81349)	EA	REF				*	*	*		3		R104
PAHZZ	5905-279-2516	RESISTOR, FIXED, COMPOSITION R108 510, 000 OHM PORM5PCT, 1-2WATT RC20GF514J (81349)	EA	REF				*	*	*		3		R108
PAHZZ	5905-299-1991	RESISTOR, FIXED, COMPOSITION R118 510 000 OHM PORM5PCT, 1WATT RC32GF514J (81349)	EA	3				*	*	*		3	1-8	R118
PAHZZ	5905-299-1991	RESISTOR, FIXED, COMPOSITION R146 510, 000 OHM PORM5PCT, 1WATT RC32GF514J (81349)	EA	REF	AGG, AGH			*	*	*		3	2-5	R146
PAHZZ	5905-299-1991	RESISTOR, FIXED, COMPOSITION R147 510, 000 OHM PORM5PCT, 1WATT RC32GF514J (81349)	EA	REF	AGG, AGH			*	*	*		3	2-5	R147
PAHZZ	5905-221-5841	RESISTOR, FIXED, COMPOSITION NO-REF-DESIG 620,000 OHM PORM5PCT, 1-2WATT RC20GF624J (81349)	EA	1	AGG, AGH			*	*	*		3	4-1	R122
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R117 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	3	AGG, AGH			*	*	*		3	1-8	R117
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R126 1 MEG. RC20GF105K (81349)	EA	REF				*	*	*		3	1-8	R126

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R521 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	REF				*	*	*		3	1-9	R521
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R3 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	4				*	*	*		3		R3
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R4 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	REF				*	*	*		3		R4
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R30 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	REF				*	*	*		3		R30
PAHZZ	5905-192-3982	RESISTOR, FIXED, COMPOSITION R31 1 MEG. PORM10PCT, 1-2WATT RC20GF105K (81349)	EA	REF				*	*	*		3		R31
PAHZZ	5905-185-6920	RESISTOR, FIXED, COMPOSITION R14 1,500, 000 OHM PORM10PCT, 1-2WATT RC20GF155K (81349)	EA	1				*	*	*		3		R14
PAHZZ	5905-295-3403	RESISTOR, FIXED, COMPOSITION R11 2,200, 000 OHM PORM10PCT, 1-2WATT RC20GF225K (81349)	EA	2	BCD			*	*	*		3		R11
PAHZZ	5905-295-3403	RESISTOR, FIXED, COMPOSITION R12 2,200, 000 OHM PORM10PCT, 1-2WATT RC20GF225K (81349)	EA	REF	BCD			*	*	*		3	2-5	R12
PAHZZ	5905-279-2664	RESISTOR, FIXED, COMPOSITION R132 3,000, 000 OHM PORM5PCT, 1-2WATT RC20GF305J (81349)	EA	4	BCD			*	*	*		3	2-5	R132
PAHZZ	5905-279-2664	RESISTOR, FIXED, COMPOSITION R134 3,000, 000 OHM PORM5PCT, 1-2WATT RC20GF305J (81349)	EA	REF				*	*	*		3	2-5	R134
PAHZZ	5905-279-2664	RESISTOR, FIXED, COMPOSITION R135 3,000, 000 OHM PORM5PCT, 1-2WATT RC20GF305J (81349)	EA	REF				*	*	*		3	2-5	R135
PAHZZ	5905-279-2664	RESISTOR, FIXED, COMPOSITION R137 3,000, 000 OHM PORM5PCT, 1-2WATT RC20GF305J (81349)	EA	REF				*	*	*		3	2-5	R137
PAHZZ	5905-636-6175	RESISTOR, FIXED, FILM R302A,B 17-4 OHMS PORM1PCT 1-3WATT CP1-3-17-4 (96095)	EA	2	AGG			*	*	*		3	1-11	
PAHZZ	5905-173-9008	RESISTOR, FIXED, FILM R302A,B 17-4 OHMS PORM1PCT, 1-2WATT CPSE1-2-17-4 (96095)	EA	2	AGH, BCD			*	*	*		3	1-11	
PAHZZ	5905-255-4082	RESISTOR, FIXED, FILM R305 17-5 OHMS PORM1PCT, 1-3WATT CP1-3-17-5 (96095)	EA	1	AGG			*	*	*		3	1-11	R305
PAHZZ	5905-257-9510	RESISTOR, FIXED, FILM 305 17-5 OHMS PORM1PCT, 1-2WATT CPSE1-2-17-5 (96095)	EA	1	AGH, BCD			*	*	*		3	1-11	R305
PAHZZ	5905-295-3007	RESISTOR, FIXED, FILM R308 26-6 OHMS CP1-3-2/6-6(96095)	EA	1				*	*	*		3	1-11	R308

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-258-0051	RESISTOR, FIXED, FILM R308 26-6 OHMS PORM1PCT, 1-2WATT CPSE1-2-26-6 (96095)	AGG	EA	1				*	*	*		3	1-11	R308
PAHZZ	5905-666-2857	RESISTOR, FIXED, FILM R311 45-6 OHMS PORM1PCT 1-3WATT CP1-3-45-6 (96095)	AGH, BCD	EA	1				*	*	*		3	1-11	R311
PAHZZ	5905-258-0056	RESISTOR, FIXED, FILM R311 45-6 OHMS PORM1PCT 1-2WATT CPSE1-2-45-6 (96095)	AGG	EA	1				*	*	*		3	1-11	R311
PAHZZ	5905-542-9381	RESISTOR, FIXED, FILM R319 79-4 OHMS PORM1PCT 1-3WATT CP1-3-79-4 (96095)	AGH, BCD	EA	4				*	*	*		3	1-11	R319
PAHZZ	5905-542-9381	RESISTOR, FIXED, FILM R321 79-4 OHMS PORM1PCT 1-3WATT CP1-3-79-4 (96095)	AGG	EA	REF				*	*	*		3	1-11	R321
PAHZZ	5905-542-9381	RESISTOR, FIXED, FILM R322 79-4 OHMS PORM1PCT 1-3WATT CP1-3-9-4 (96095)	AGG	EA	REF				*	*	*		3	1-11	R322
PAHZZ	5905-542-9381	RESISTOR, FIXED, FILM R324 79-4 OHMS PORM1PCT 1-3WATT CP1-3-79-4 (96095)	AGG	EA	REF				*	*	*		3	1-11	R324
PAHZZ	5905-283-5382	RESISTOR, FIXED, FILM R316 79-4 OHMS PORM1PCT 1-2WATT CPSE1-2-79-4 (96095)	AGG	EA	4				*	*	*		3	1-11	R319
PAHZZ	5905-283-5382	RESISTOR, FIXED, FILM R321 79-4 OHMS PORM1PCT 1-2WATT CPSE1-2-79-4 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R321
PAHZZ	5905-283-5382	RESISTOR, FIXED, FILM R322 79-4 OHMS PORM1PCT 1-2WATT CPSE1-2-79-4 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R322
PAHZZ	5905-283-5382	RESISTOR, FIXED, FILM R324 79-4 OHMS PORM1PCT 1-2WATT CPSE1-2-79-4 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R324
PAHZZ	5905-279-7040	RESISTOR, FIXED, FILM R316 91-7 OHMS PORM1PCT 1-3WATT CP1-3-91-7 (96095)	AGG	EA	2				*	*	*		3	1-11	R316
PAHZZ	5905-279-7040	RESISTOR, FIXED, FILM R318 91-7 OHMS PORM1PCT 1-3WATT CP1-3-91-7 (96095)	AGG	EA	REF				*	*	*		3	1-11	R318
PAHZZ	5905-581-1034	RESISTOR, FIXED, FILM R316 91-7 OHMS PORM1PCT 1-2WATT CPSE1-2-91-7 (96095)	AGG	EA	2				*	*	*		3	1-11	R316
PAHZZ	5905-581-1034	RESISTOR, FIXED, FILM R318 91-7 OHMS PORM1PCT 1-2WATT CPSE1-2-91-7 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R318
PAHZZ	5905-283-8283	RESISTOR, FIXED, FILM R314 106-7 OHMS PORM1PCT 1-3WATT CP1-3-106-7 (96095)	AGH, BCD	EA	1				*	*	*		3	1-11	R314
PAHZZ	5905-283-3875	RESISTOR, FIXED, FILM R314 106-7 OHMS CPSE1-2-106-7 (96095)	AGG	EA	1				*	*	*		3	1-11	R314

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-542-8439	RESISTOR, FIXED, FILM R313 144 OHMS PORM1PCT 1-3WATT CP1-3-144-0 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R313
PAHZZ	5905-542-8439	RESISTOR, FIXED, FILM R315 144 OHMS PORM1PCT 1-3WATT CP1-3-144-0 (96095)	AGG	EA	REF				*	*	*		3	1-11	R315
PAHZZ	5905-532-4771	RESISTOR, FIXED, FILM R313 144 OHMS PORM1PCT 1-2WATT CPSE1-2-144-0 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R313
PAHZZ	5905-532-4771	RESISTOR, FIXED, FILM R315 144 OHMS PORM1PCT 1-2WATT CPSE1-2-144-0 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R315
PAHZZ	5905-539-3841	RESISTOR, FIXED, FILM R310 267 OHMS PORM1PCT 1-3WATT CP1-3-267-0 (96095)	AGG	EA	2				*	*	*		3	1-11	R310
PAHZZ	5905-539-3841	RESISTOR, FIXED, FILM R312 267 OHMS PORM1PCT 1-3WATT CP1-3-267-0 (96095)	AGG	EA	REF				*	*	*		3	1-11	R312
PAHZZ	5905-257-6481	RESISTOR, FIXED, FILM R310 267 OHMS PORM1PCT 1-2WATT CPSE1-2-267-0 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R310
PAHZZ	5905-257-6481	RESISTOR, FIXED, FILM R312 267 OHMS PORM1PCT 1-2WATT CPSE1-2-267-0 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R312
PAHZZ	5905-283-8286	RESISTOR, FIXED, FILM R317 361 OHMS PORM1PCT 1-4WATT CP1-3-361-0 (96095)	AGG	EA	1				*	*	*		3	1-11	R317
PAHZZ	5905-283-8286	RESISTOR, FIXED, FILM R317 361 OHMS PORM1PCT 1-2WATT CPSE1-2-361-0 (96095)	AGH, BCD	EA	1				*	*	*		3	1-11	R317
PAHZZ	5905-279-7548	RESISTOR, FIXED, FILM R307 438 OHMS PORM1PCT 1-3WATT CP1-3-438-0 (96095)	AGG	EA	2				*	*	*		3	1-11	R307
PAHZZ	5905-279-7548	RESISTOR, FIXED, FILM R309 438 OHMS PORM1PCT 1-3WATT CP1-3-438-0 (96095)	AGG	EA	REF				*	*	*		3	1-11	R309
PAHZZ	5905-283-8287	RESISTOR, FIXED, FILM R307 438 OHMS PORM1PCT 1-2WATT CPSE1-2-438-0 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R307
PAHZZ	5905-283-8287	RESISTOR, FIXED, FILM R309 438 OHMS PORM1PCT 1-2WATT CPSE1-2-438-0 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R309
PAHZZ	5905-542-8374	RESISTOR, FIXED, FILM R304 654 OHMS PORM1PCT 1-3WATT CP1-3-654-0 (96095)	AGG	EA	2				*	*	*		3	1-11	R304
PAHZZ	5905-542-8374	RESISTOR, FIXED, FILM R306 654 OHMS PORM1PCT 1-3WATT CP1-3-654-0 (96095)	AGG	EA	REF				*	*	*		3	1-11	R306
PAHZZ	5905-283-3880	RESISTOR, FIXED, FILM R304 654 OHMS PORM1PCT 1-2WATT CPSE1-2-654-0 (96095)	AGG	EA	2				*	*	*		3	1-11	R304

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5905-283-3880	RESISTOR, FIXED, FILM R306 654 OHMS PORM1PCT 1-2WATT CPSE1-2-654-0 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R306
PAHZZ	5905-248-2009	RESISTOR, FIXED, FILM R320 1,310,000 OHMS PORM1PCT 1-3WATT CP1-3-1314 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R320
PAHZZ	5935-248-2009	RESISTOR, FIXED, FILM R323 1,313,000 OHMS PORM1PCT 1-3WATT CP1-3-1314 (96095)	AGG	EA	REF				*	*	*		3	1-11	R323
PAHZZ	5905-383-6228	RESISTOR, FIXED, FILM R320 1,310,000 OHMS PORM1PCT 1-2WATT CPSE1-2-1314 (96095)	AGG	EA	2				*	*	*		3	1-11	R320
PAHZZ	5905-383-6228	RESISTOR, FIXED, FILM R323 1,310,000 OHMS PORM1PCT 1-2WATT CPSE1-2-1314 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R323
PAHZZ	5905-248-2008	RESISTOR, FIXED, FILM R301 13 MEG PORM1PCT 1-3WATT CP1-3-1305 (96095)	AGH, BCD	EA	2				*	*	*		3	1-11	R301
PAHZZ	5905-248-2008	RESISTOR, FIXED, FILM R303 13 MEG PORM1PCT 1-3WATT CP1-3-1305 (96095)	AGG	EA	REF				*	*	*		3	1-11	R303
PAHZZ	5905-283-3879	RESISTOR, FIXED, FILM R301 13 MEG PORM1PCT 1-2WATT CPSE1-2-1305 (96095)	AGG	EA	2				*	*	*		3	1-11	R301
PAHZZ	5905-283-3879	RESISTOR, FIXED, FILM R303 13 MEG PORM1PCT 1-2WATT CPSE1-2-1305 (96095)	AGH, BCD	EA	REF				*	*	*		3	1-11	R303
PAHZZ	5905-174-2710	RESISTOR, FIXED, WIREWOUND R123 630 OHMS PORM5PCT 8W RW29G631 (81349)	AGH, BCD	EA	1				*	*	*		3	2-7A	R123
PAHZZ	5905-175-7434	RESISTOR, FIXED, WIREWOUND R130 1000 OHM PORM5PCT, 8W RW29G102 (81349)		EA	2				*	*	*		3	2-7A	R130
PAHZZ	5905-175-7434	RESISTOR, FIXED, WIREWOUND R131 1000 OHM PORM5PCT, 8W RW29G102 (81349)		EA	REF				*	*	*		3	2-7A	R131
PAHZZ	5905-192-0618	RESISTOR, VARIABLE R124 WIREWOUND POWER TYPE, 350 OHM PORM10PCT, 25 WATTS RP101FK351KK (81349)		EA	1				*	*	*		3	1-3	R124
PAHZZ	5905-195-2296	RESISTOR, VARIABLE P124 WIREWOUND, POWER TYPE, 350 OHM PORM10PCT, 25 WATTS RP101RD351KK (81349)	AGG	EA	1				*	*	*		3	1-3	R124
PAHZZ	5905-581-4900	RESISTOR, VARIABLE R27 WIREWOUND 1000 OHMS RA20NASA102A (81349)	AGH	EA	1				*	*	*		3		R27
PAHZZ	5905-556-3350	RESISTOR, VARIABLE R25 10,000 OHMS COMPOSITION RV4NAYS103A (81349)	BCD	EA	1				*	*	*		3		R25
PAHZZ	5905-241-7102	RESISTOR, VARIABLE R101 COMPOSITION 20 000 OHMS PORM10PCT, 2 WATT A7845(36004)	BCD	EA	2				*	*	*		3	1-28	R101

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
PAHZZ	5905-241-7102	RESISTOR, VARIABLE R125 COMPOSITION 20, 000 OHMS PORM10PCT, 2 WATT A7845 (36004)	AGG, AGH	EA	REF				*	*	*		3	1-2B	R125
PAHZZ	5905-539-1559	RESISTOR, VARIABLE R5 COMP, 25,000 OHMS PORM10PCT, 2 WATT RV4NAYS253A (81349)	AGG, AGH	EA	2				*	*	*		3		R5
PAHZZ	5905-539-1559	RESISTOR, VARIABLE R101 COMP, 25,000 OHMS PORM10PCT, 2 WATT RV4NAYS253A (81349)	BCD	EA	REF				*	*	*		3	1-2B	R101
PAHZZ	5905-238-3832	RESISTOR, VARIABLE R120 COMPOSITION 50, 000 OHM PORM10PCT, 3 WATT A7848 (36004)	AGG, AGH	EA	2				*	*	*		3	1-9	R120
PAHZZ	5905-238-3832	RESISTOR, VARIABLE R141 COMPOSITION 50, 000 OHM PORM10PCT, 3 WATT A7848 (36004)	AGG, AGH	EA	REF				*	*	*		3	2-2	R141
PAHZZ	5905-503-9347	RESISTOR, VARIABLE R120 COMPOSITION, 50, 000 OHMS PORM10PCT, 2 WATTS A7842 (36004)	AGH	EA	1				*	*	*		3	2-2B	R120
PAHZZ	5905-539-4900	RESISTOR, VARIABLE R141 COMP, 50,000 OHMS PORM10PCT RV4NAYS503A (81349)	BCD	EA	1				*	*	*		3	2-2	R141
PAHZZ	5905-556-3349	RESISTOR, VARIABLE R143 COMP 250,000 OHMS PORM10PCT, 2W A7847 (36004)	AGG, AGH	EA	2				*	*	*		3	2-2	R143
PAHZZ	5905-556-3349	RESISTOR, VARIABLE R410 COMP 250,000 OHMS PORM10PCT, 2W A7847 (36004)	AGG, AGH	EA	REF				*	*	*		3	2-7B	R410
PAHZZ	5905-615-8481	RESISTOR, VARIABLE R143 COMP 250,000 OHMS PORM10PCT RV4NAYS254A (81349)	BCD	EA	2				*	*	*		3	2-2	R143
PAHZZ	5905-615-8481	RESISTOR, VARIABLE R410 COMP 250,000 OHMS PORM10PCT RV4NAYS254A (81349)	BCD	EA	REF				*	*	*		3		R410
PAHZZ	5905-238-3834	RESISTOR, VARIABLE R115 COMPOSITION 500,000 OHMS PORM10PCT 2 WATT A7843 (36004)	AGG, AGH	EA	1				*	*	*		3	2-2B	R115
PAHZZ	5905-552-2265	RESISTOR, VARIABLE R17 1 MEGOHM RV4NAYS105A (81349)	BCD	EA	2				*	*	*		3		R17
PAHZZ	5905-552-2265	RESISTOR, VARIABLE R23 1 MEGOHM RV4NAYS105A (81349)	BCD	EA	REF				*	*	*		3		R23
PAHZZ	5905-240-8431	RESISTOR, VARIABLE R133 COMPOSITION DUAL, 1 MEG PORM10PCT, 2 WATT EA SECT 1-4 IN LG BUSHING WITH 5-8 IN LG SHAFT FMS A7850 (36004)	AGG, AGH	EA	2				*	*	*		3	2-2	R133
PAHZZ	5905-240-8431	RESISTOR, VARIABLE R136 COMPOSITION DUAL, 1 MEG PORM10PCT, 2 WATT EA SECT 1-4 IN LG BUSHING WITH 5-8 IN LG SHAFT FMS A7850 (36004)	AGG, AGH	EA	REF				*	*	*		3	2-2	R136
PAHZZ	5905-984-2751	RESISTOR, VARIABLE R133 COMPOSITION Dual 1 Meg PORM10PCT, 3watt Ea Sect 3-8 x3-4 In Lg shaft fms R2A1D511R3048A(97979)	AGG, AGH	EA	2				*	*	*		3	2-2	R133

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.	
PAHZZ	5905-984-2751	RESISTOR, VARIABLE R136 COMPOSITION DUAL 1 MEG PORM10PCT, 3 WATT EA SECT 3-8 X 3-4 IN LG. SHAFT FMS R2A1D511R3048A (97979)	BCD	EA	REF				*	*	*		3	2-2	R136
PAHZZ	5910-160-4819	RETAINER, CAPACITOR NO-REF-DESIG U-W REF SYM C101 C103, C104, C105, C106, C117, C118	BCD	EA	7				*	*	*		2		
PAHZZ	5340-598-1023	CP06SA2 (81349) RING, RETAINING NO-REF-DESIG P-O MOTOR DRIVE UNIT STEEL	BCD	EA	2				*	*	*		2	2-16	
PAHZZ	5340-598-1221	5000-62 (79136) RING, RETAINING NO-REF-DESIG P-O MOTOR DRIVE UNIT STEEL	AGG, AGH	EA	1				*	*	*		2	2-16	
PAHZZ	5340-285-6962	5000-212 (79136) RING, RETAINING NO-REF-DESIG P-O MOTOR DRIVE UNIT STEEL	AGG, AGH	EA	1				*	*	*		2	2-16	
PAHZZ	5310-616-2652	5002-212 (79136) RING, RETAINING NO-REF-DESIG P-O CR TUBE ASSY 3-11 IN DIA, STEEL	AGG, AGH	EA	1				*	*	*		2		
PAHZZ	6625-537-5831	8593 (71785) ROTOR, GENERATOR NO-REF-DESIG P-O OSCILLATOR ASSY	AGG, AGH	EA	1				*	*	*		5	2-16	
PAHZZ	6625-981-2163	A7386 (36004) RUBBER STRIP, SOLID NO-REF-DESIG USED ON CR TUBE ASSY 1-4 X 3-4 X 10 IN SPONGE RUBBER	AGG, AGH	EA	1				*	*	*		5		
PAHHD	6625-519-3491	A105E65 (12019) SCALE, CATHODE RAY TUBE NO-REF-DESIG MX1638U (80058)	BCD	EA	1				*	*	*		3	2-4A	
PAHZZ	5961-581-8066	SEMICONDUCTOR DEVICE, DIODE CR401, CR1, CR201, CR201, 401	AGG, AGH	EA	3				*	*	*		3	2-12	
PAHZZ	6625-988-9303	1N69A (81349) SHAFT, SHOULDERED NO-REF-DESIG P-O DRIVE PINION OF WAVEMETER BRASS 1-406X 0-248 IN	AGG, AGH	EA	1				*	*	*		2		
PAOZZ	5960-764-3004	A105E110 (12019) SHIELD, ELECTRON TUBE NO-REF-DESIG U-W TUBE V6	BCD	EA	1				*	*	*		10		
PAOZZ	5960-272-9094	TS103U02 (81349) SHIELD, ELECTRON TUBE NO-REF-DESIG U-W TUBES V501 AND V502	BCD	EA	2				*	*	*		10		
PAHZZ	5935-222-6446	TS102U02 (81350) SOCKET, ELECTRON TUBE NO-REF-DESIG USED TO HOLD SPARE COILS L502 THRU L506	AGG, AGH	EA	5				*	*	*		3		
PAHZZ	5935-201-3194	A15 (71785) SOCKET, ELECTRON TUBE NO-REF-DESIG USED TO HOLD SPARE COILS L502 THRU L506 10818174 (71785)	AGG, AGH	EA	5				*	*	*		3		

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCP	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5935-232-3758	SOCKET, ELECTRON TUBE X501 TS102C01 (81350)	AGG, AGH	EA	2				*	*	*		3	2-14	X501
PAHZZ	5935-232-3758	SOCKET, ELECTRON TUBE X502 TS102C01 (81350)	AGG, AGH	EA	REF				*	*	*		3	2-14	X502
PAHZZ	5935-256-2103	SOCKET, ELECTRON TUBE X503 77M1P6TM (02660)	AGG, AGH	EA	1				*	*	*		3		X503
PAHZZ	5935-237-6444	SOCKET, ELECTRON TUBE X109 XV103 9453-14 (71785)		EA	1				*	*	*		3	2-13	X109
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 101 51A13696 (71785)	AGG	EA	15				*	*	*		3	2-7A	X101
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 102 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X102
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 103 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X103
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 105 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X105
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 106 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X106
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 107 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X107
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 108 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X108
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 110 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-7A	X110
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 401 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-12	X401
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 402 51A13696 (71785)	AGG	EA	REF				*	*	*		3	2-12	X402
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 601 51A13696 (71785)	AGG	EA	REF				*	*	*		3		X601
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 602 51A13696 (71785)	AGG	EA	REF				*	*	*		3		X602
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 603 51A13696 (71785)	AGG	EA	REF				*	*	*		3		X603
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 604 51A13696 (71785)	AGG	EA	REF				*	*	*		3		X604
PAHZZ	5935-224-0946	SOCKET, ELECTRON TUBE 605 51A13696 (71785)	AGG	EA	REF				*	*	*		3		X605
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 101 51A16164 (71785)	AGH	EA	15				*	*	*		3	2-7A	X101
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 102 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X102
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 103 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X103
PAHZZ	5915-224-0940	SOCKET, ELECTRON TUBE 105 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X105
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 106 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X106
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 107 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X107
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 108 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X108

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 110 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-7A	X110
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 401 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-12	X401
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 402 51A16164 (71785)	AGH	EA	REF				*	*	*		3	2-12	X402
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 601 51A16164 (71785)	AGH	EA	REF				*	*	*		3		X601
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 602 51A16164 (71785)	AGH	EA	REF				*	*	*		3		X602
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 603 51A16164 (71785)	AGH	EA	REF				*	*	*		3		X603
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 604 51A16164 (71785)	AGH	EA	REF				*	*	*		3		X604
PAHZZ	5935-224-0940	SOCKET, ELECTRON TUBE 605 51A16164 (71785)	AGH	EA	REF				*	*	*		3		X605
PAHZZ	5935-063-5789	SOCKET, ELECTRON TUBE V5 XV101, 102, 104, 105, 106, 107, 108, 401, 402, XC102, 107, 110, 111, 114 TS101P01 (81349)	BCD	EA	15				*	*	*		3		V5
PAHZZ	5935-687-2156	SOCKET, ELECTRON TUBE XV1 TS103P02 (81349)	BCD	EA	4				*	*	*		3		XV1
PAHZZ	5935-687-2156	SOCKET, ELECTRON TUBE XV2 TS103P02 (81349)	BCD	EA	REF				*	*	*		3		XV2
PAHZZ	5935-687-2156	SOCKET, ELECTRON TUBE XV3 TS103P02 (81349)	BCD	EA	REF				*	*	*		3		XV3
PAHZZ	5935-687-2156	SOCKET, ELECTRON TUBE XV4 TS103P02 (81349)	BCD	EA	REF				*	*	*		3		XV4
PAHZZ	5977-684-9711	SPRING, HELICAL, COMPRESSION NO-REF-DESIG P-O WAVEMETER ASSY, FOR BACKLASH CONTROL A7692 (26687)	AGH	EA	2				*	*	*		3		
PAHZZ	6105-356-1758	STATOR, MOTOR B101B B7849 (36004)	AGG, AGH	EA	1				*	*	*		3	2-2	
PAHZZ	5930-268-0357	SWITCH, PUSH S301 170 (76854)	AGG, AGH	EA	8				*	*	*		5	1-3	S301
PAHZZ	5930-268-0357	SWITCH, PUSH S302 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S302
PAHZZ	5930-268-0357	SWITCH, PUSH S303 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S303
PAHZZ	5930-268-0357	SWITCH, PUSH S304 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S304
PAHZZ	5930-268-0357	SWITCH, PUSH S305 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S305
PAHZZ	5930-268-0357	SWITCH, PUSH S306 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S306
PAHZZ	5930-268-0357	SWITCH, PUSH S307 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S307
PAHZZ	5930-268-0357	SWITCH, PUSH S308 170 (76854)	AGG, AGH	EA	REF				*	*	*		5	1-3	S308
PAHZZ	6625-990-1393	SWITCH, PUSH S301 DPDT A105E61 (12019)	BCD	EA	8				*	*	*		5	1-3	S301
PAHZZ	6625-990-1393	SWITCH, PUSH S302 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S302

SECTION II

TM 11-6625-283-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) Description REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PAHZZ	6625-990-1393	SWITCH, PUSH S303 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S303
PAHZZ	6625-990-1393	SWITCH, PUSH S304 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S304
PAHZZ	6625-990-1393	SWITCH, PUSH S305 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S305
PAHZZ	6625-990-1393	SWITCH, PUSH S306 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S306
PAHZZ	6625-990-1393	SWITCH, PUSH S307 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S307
PAHZZ	6625-990-1393	SWITCH, PUSH S308 DPDT A105E61 (12019)	BCD	EA	REF				*	*	*		5	1-3	S308
PAHZZ	5930-248-6311	SWITCH, ROTARY S401A, S402B 4035QH2C (76854)	AGG	EA	1				*	*	*		5	2-11	
PAHZZ	5930-248-6311	SWITCH, ROTARY S401 B7671 (76854)	AGH	EA	1				*	*	*		5	211B	S401
PAHZZ	5930-992-9413	SWITCH, ROTARY S401 2 SECTIONS, 4 POSITIONS B105E99 (12019)	BCD	EA	1				*	*	*		5	2-11	S401
PAHZZ	5930-655-1514	SWITCH TOGGLE S101 ST42A (81350)		EA	2				*	*	*		5	1-28	S101
PAHZZ	5930-655-1514	SWITCH TOGGLE S102 ST42A (81350)		EA	REF				*	*	*		5	1-28	S102
PAHZZ	5950-227-7769	TRANSFORMER, AUDIO FREQUENCY T102 B7759 (36004)	AGG, AGH	EA	2				*	*	*		3	2-2	T102
PAHZZ	5950-227-7769	TRANSFORMER, AUDIO FREQUENCY T103 B7759 (36004)	AGG, AGH	EA	REF				*	*	*		3	2-2	T103
PAHZZ	5950-227-7769	TRANSFORMER, AUDIO FREQUENCY T102 BPB7759 (36004)	AGH	EA	2				*	*	*		3	2-2	T102
PAHZZ	5950-227-7769	TRANSFORMER, AUDIO FREQUENCY T103 BPB7759 (36004)	AGH	EA	REF				*	*	*		3	2-2	T103
PAHZZ	5950-645-6498	TRANSFORMER, POWER, STEP DOWN AND STEP UP T101 87317 (36004)	AGG, AGH	EA	1				*	*	*		3	2-2A	T101
PAHZZ	5950-985-1241	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP T101 INPUT 115V AC AT 50 TO 1600 CPS OUTPUT 250, 500, 1100, 6-3VAC 13 STAND OFF TERM		EA	1				*	*	*		3	2-2A	T101
PAHZZ	5310-209-5560	C105E78 (12019) WASHER, SPRING TENSION NO-REF-DESIG P-O OSC ASSY DRIVE UNIT	BCD	EA	1				*	*	*		5		
PAHZZ	6625-668-9512	BPA7668 (36004) WAVEMETER SUBASSEMBLY G7921 (36004)	AGG, AGH	EA	1				*	*	*		5	2-2A	

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
3010-254-4772	2-3		5905-255-4082	1-11	R305
3110-155-9628			5905-256-0387	4-4	
3110-155-9630			5905-256-0401		R24
5310-209-5560			5905-256-0409	2-14	R518
5310-616-2652			5905-257-6481	1-11	R310
5320-674-1223			5905-257-6481	1-11	R312
5325-981-8717			5905-257-9510	1-11	R305
5340-282-7965			5905-258-0051	1-11	R308
5340-285-6962	2-16		5905-258-0056	1-11	R311
5340-598-1023	2-16		5905-259-3784	2-7B	
5340-598-1221	2-16		5905-279-1714		R29
5355-284-5164			5905-279-1722	2-7A	R130
5355-284-5181			5905-279-1723		R9
5355-543-7183			5905-279-1758		R406
5355-553-3491			5905-279-1758	2-14	R515
5355-644-1420			5905-279-1758	2-14	R516
5905-171-2003	2-9	R106	5905-279-1870		R202
5905-171-2003	4-2	R140	5905-279-1870	2-12	R404
5905-171-2006	2-8	R201	5905-279-1879	2-14	R504
5905-171-2006	2-14	R501	5905-279-1879	2-14	R505
5905-171-2006	2-14	R508	5905-279-2029		R19
5905-171-2006	2-14	R509	5905-279-2516		R104
5905-171-2009	4-2	R415	5905-279-2516		R108
5905-171-2009	2-12	R402	5905-279-2516		R416
5905-173-9008	1-11		5905-279-2516	2-5	R117
5905-174-2710	2-7A	R123	5905-279-2516	2-5	R146
5905-175-7434	2-7A	R130	5905-279-2516	2-12	R400
5905-175-7434	2-7A	R131	5905-279-2616	2-9	R110
5905-185-6859	2-5	R142	5905-279-2616	2-9	R111
5905-185-6859	4-2	R401	5905-279-2616	2-12	R403
5905-185-6859	2-12	R405	5905-279-2664	2-5	R132
5905-185-6859	2-12	R413	5905-279-2664	2-5	R134
5905-185-6920		R14	5905-279-2664	2-5	R135
5905-185-6944	2-12	R408	5905-279-2664	2-5	R137
5905-185-6944	2-12	R409	5905-279-3496	2-5	R138
5905-185-6946		R7	5905-279-3496	2-9	R110
5905-185-6946		R26	5905-279-3496	2-9	R111
5905-190-8873		R1	5905-279-3496	4-1	R114
5905-190-8873		R2	5905-279-3505	4-2	R105
5905-190-8873		R13	5905-279-3512	4-2	R102
5905-190-8887	4-2	R502	5905-279-7040	1-11	R316
5905-192-0618	1-3	R124	5905-279-7040	1-11	R318
5905-192-0667		R122	5905-279-7548	1-11	R307
5905-192-3981	2-12	R414	5905-279-7548	1-11	R309
5905-192-3982		R3	5905-283-3875	1-11	R314
5905-192-3982		R4	5905-283-3879	1-11	R301
5905-192-3982		R30	5905-283-3879	1-11	R303
5905-192-3982		R31	5905-283-3880	1-11	R304
5905-192-3982	1-8	R117	5905-283-3880	1-11	R306
5905-192-3982	1-8	R126	5905-283-5382	1-11	R319
5905-192-3982	1-9	R521	5905-283-5382	1-11	R321
5905-192-4408	2-9	R103	5905-283-5382	1-11	R322
5905-192-4408	2-12	R407	5905-283-5382	1-11	R324
5905-192-4408	2-12	R412	5905-283-8283	1-11	R314
5905-195-2296	1-3	R124	5905-283-8286	1-11	R317
5905-195-6741		R22	5905-283-8287	1-11	R307
5905-195-6741	4-4	R506	5905-283-8287	1-11	R309
5905-195-6741	2-14	R507	5905-295-3007	1-11	R308
5905-195-6761		R8	5905-295-3403		R11
5905-195-6761		R20	5905-295-3403	2-5	R12
5905-195-6761		R411	5905-299-1991	1-8	R118
5905-195-6761	2-9	R107	5905-299-1991	2-5	R146
5905-195-6761	2-14	R519	5905-299-1991	2-5	R147
5905-195-9481	2-5	R148	5905-299-1997		R32
5905-221-5841	4-1	R122	5905-299-2002		R28
5905-238-3832	1-9	R120	5905-299-2015		R109
5905-238-3832	2-2	R141	5905-299-2015		R128
5905-238-3834	2-28	R115	5905-299-2015		R129
5905-240-8431	2-2	R133	5905-299-2015	1-8	R113
5905-240-8431	2-2	R136	5905-299-2015	1-8	R116
5905-248-2008	1-11	R301	5905-299-2015	4-2	R109
5905-248-2008	1-11	R303	5905-299-2020		R6
5905-248-2009	1-11	R320	5905-299-2020		R127
5905-248-2009	1-11	R323	5905-299-2020	4-2	R127
5905-249-9491		R10	5905-299-2029		R18
5905-254-7101		R15	5905-299-2029	4-2	R112
5905-254-7101		R16	5905-383-6228	1-11	R320

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5905-383-6228	1-11	R323	5910-668-0588	2-7A	C114
5905-503-9347	2-2B	R120	5910-668-0592	2-12	C401
5905-532-4771	1-11	R313	5910-668-0592	2-12	C402
5905-532-4771	1-11	R315	5910-676-8680	2-7A	C102
5905-537-6439	2-12	R412	5910-676-8680	2-7A	C107
5905-539-1559		R5	5910-676-8680	2-7A	C114
5905-539-1559	1-2B	R101	5910-683-3300	1-7	C134
5905-539-1559	1-2B	R125	5910-683-3300	1-7	C135
5905-539-3841	1-11	R310	5910-777-6876	2-5	C121
5905-539-3841	1-11	R312	5910-777-6876	2-12	C202
5905-539-4900	2-2	R141	5910-777-6876	2-12	C403
5905-542-8374	1-11	R304	5910-807-5570		C3
5905-542-8374	1-11	R306	5910-822-5683		C5
5905-542-8439	1-11	R313	5910-823-1068		C1
5905-542-8439	1-11	R315	5910-823-1068		C2
5905-542-9381	1-11	R319	5910-823-1799	2-7A	C108
5905-542-9381	1-11	R321	5910-823-1799	2-7A	C109
5905-542-9381	1-11	R322	5910-841-9175	2-12	C400
5905-542-9381	1-11	R324	5910-890-8908	2-12	C405
5905-552-2265		R17	5910-985-3064	2-7A	109
5905-552-2265		R23	5910-985-3064	2-7A	C108
5905-556-3349	2-2	R143	5910-985-4369	2-14	C202
5905-556-3349	2-7B	R410	5910-992-2160	2-11	C407
5905-556-3350		R25	5915-501-3153		
5905-581-1034	1-11	R316	5920-280-4960	2-7B	E101
5905-581-1034	1-11	R318	5920-280-4960	2-7B	E102
5905-581-4900		R27	5920-556-0256	1-3	E103
5905-615-8481		R410	5920-556-0256	1-3	E104
5905-615-8481	2-2	R143	5930-248-6311	2-11	
5905-636-6175	1-11		5930-248-6311	211B	S401
5905-666-2857	1-11	R311	5930-268-0357	1-3	S301
5905-984-2751	2-2	R133	5930-268-0357	1-3	S302
5905-984-2751	2-2	R136	5930-268-0357	1-3	S303
5910-100-8053	2-12	C404	5930-268-0357	1-3	S304
5910-101-4022		C113	5930-268-0357	1-3	S305
5910-112-8273	2-5	C121	5930-268-0357	1-3	S306
5910-112-8273	2-12	C403	5930-268-0357	1-3	S307
5910-112-8273	2-14	C502	5930-268-0357	1-3	S308
5910-112-8273	2-14	C503	5930-655-1514	1-2B	S101
5910-112-8273	2-14	C511	5930-655-1514	1-2B	S102
5910-160-4919			5930-992-9413	2-11	S401
5910-161-4046	2-12	C400	5935-063-5789		V5
5910-161-4046	2-7A	C114	5935-149-3534	1	
5910-161-4046	2-7A	C117	5935-173-5895		P101
5910-164-7490	2-7A	C101	5935-173-5895		P102
5910-164-7490	2-7A	C103	5935-173-5895		P201
5910-164-7490	2-7A	C104	5935-173-5895		P302
5910-164-7490	2-7A	C105	5935-201-3194		
5910-164-7490	2-7A	C106	5935-204-8388	1	
5910-164-7490	2-7A	C118	5935-222-6446		
5910-164-7490	2-7A	C119	5935-224-0940		X601
5910-170-4423	2-11	C407	5935-224-0940		X602
5910-184-3111	2-7A	C112	5935-224-0940		X603
5910-184-3111	2-7A	C113	5935-224-0940		X604
5910-184-3111	2-7A	C123	5935-224-0940		X605
5910-184-3111	2-7A	C126	5935-224-0940	2-12	X401
5910-186-7252	2-15	C506	5935-224-0940	2-12	X402
5910-187-6641	2-7A	C130	5935-224-0940	2-7A	X101
5910-187-6641	2-7A	C131	5935-224-0940	2-7A	X102
5910-190-7589	2-12	C404	5935-224-0940	2-7A	X103
5910-192-8465	2-5	C120	5935-224-0940	2-7A	X105
5910-255-0129	2-14	C501	5935-224-0940	2-7A	X106
5910-255-0129	2-14	C504	5935-224-0940	2-7A	X107
5910-255-0129	2-14	C505	5935-224-0940	2-7A	X108
5910-255-0129	2-14	C510	5935-224-0940	2-7A	X110
5910-280-9107	2-7A	C115	5935-224-0946		X601
5910-280-9107	2-7A	C116	5935-224-0946		X602
5910-577-1151	1-10	C406	5935-224-0946		X603
5910-577-1151	2-14	C512	5935-224-0946		X604
5910-578-5523	2-14	C512	5935-224-0946		X605
5910-578-5543	2-14	C507	5935-224-0946	2-12	X401
5910-578-5543	2-14	C508	5935-224-0946	2-12	X402
5910-644-5824	4-4	C113	5935-224-0946	2-7A	X101
5910-666-7806	4-4	C407	5935-224-0946	2-7A	X102
5910-667-4916		C4	5935-224-0946	2-7A	X103
5910-667-4916		C7	5935-224-0946	2-7A	X105
5910-667-4916		C8	5935-224-0946	2-7A	X106
5910-667-5183	2-5	C120	5935-224-0946	2-7A	X107
5910-668-0588	4-2	C117	5935-224-0946	2-7A	X108
5910-668-0588	2-12	C400	5935-224-0946	2-7A	X110

SECTION IV

TM 11-6625-283-40P

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-232-3758	2-14	X501	5960-272-9094		
5935-232-3758	2-14	X502	5960-682-8625	2-2	V107
5935-237-6444	2-13	X109	5960-682-8625	2-2	V108
5935-237-2103		X503	5961-581-8066	2-12	
5935-295-3345	4-4	J302	5975-843-4192		
5935-299-7815	1-3	J201	5975-961-4307	2-16	
5935-299-7815	1-3	J301	5975-988-3127		
5935-636-7145	4-2	P103	5977-378-3378	2	
5935-687-2156		XV1	5977-636-4285	2-16	
5935-687-2156		XV2	5977-684-9711		
5935-687-2156		XV3	5999-502-6546	2-16	
5935-687-2156		XV4	6105-090-1359	2-16	
5935-823-0639	1		6105-356-1758	2-2	
5940-186-8929			6130-548-0818	2-2	
5940-204-5206			6145-112-8623	1-1	
5950-096-7217	1-10	L401	6145-661-0191		E101
5950-227-7769	2-2	T102	6210-112-2766		E102
5950-227-7769	2-2	T103	6210-112-2766		
5950-245-1150	4-2	L503	6210-228-5732		
5950-245-1151	4-2	L504	6240-223-9100	4-2	T102
5950-245-1153	4-2	L502	6240-223-9100	2-7B	T101
5950-245-1157	4-2	L501	6625-245-9619	1	
5950-245-5920	2-2A	L101	6625-404-7148		
5950-246-4366	1-10	L404	6625-519-3491	2-4A	
5950-351-5611	1-10	L401	6625-537-5831	2-16	
5950-351-5612	1-10	L402	6625-668-9512	2-2A	
5950-645-6498	2-2A	T101	6625-677-0283		
5950-647-9903	4-2	L506	6625-677-0284	2-2A	
5950-648-0732	4-2	L505	6625-677-0285	1-13	
5950-704-1993	1-10	L403	6625-677-0286	1-1A	
5950-973-2775		L403	6625-677-0287		
5950-973-2776		L402	6625-677-0288	7	
5950-973-2777		L401	6625-677-0293		
5950-973-4066		L404	6625-809-5867		
5950-985-1241	2-2A	T101	6625-856-9696	1	
5950-988-1257	2-2A	L101	6625-979-5016	2-11	
5960-116-9927		V5	6625-979-9536		
5960-166-7664	2-2A	V3	6625-979-9536	7	
5960-170-4575	2-2	V103	6625-981-0204	2-2	
5960-170-4575	2-13	V109	6625-981-0550	2-12	
5960-188-0883	2-2	V401	6625-981-2160		
5960-188-0883	2-2	V402	6625-981-2161	1-1	
5960-188-0926	2-2	V105	6625-981-2162		
5960-188-0926	2-2	V106	6625-981-2163		
5960-188-3577	2	V100	6625-984-1926	1-1	
5960-188-3577	2-2A	V101	6625-986-7026		
5960-188-3577	2-2A	V103	6625-986-7027		
5960-188-3967	2-2	V501	6625-988-9303		
5960-188-8558	2-2	V502	6625-990-1393	1-3	S301
5960-193-5087	2	V104	6625-990-1393	1-3	S302
5960-193-5087	2	V110	6625-990-1393	1-3	S303
5960-262-0167		V6	6625-990-1393	1-3	S304
5960-262-0210		V1	6625-990-1393	1-3	S305
5960-262-0210		V2	6625-990-1393	1-3	S306
5960-262-0210		V4	6625-990-1393	1-3	S307
5960-264-3004			6625-990-1393	1-3	S308

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
A105E107	12019	2-2	A15		71785		
A105E110	12019		A7313		26687		
A105E13	12019		A7386		36004	2-16	
A105E142	12019		A7388		26687	7	
A105E31	12019		A7556		36004	2-3	
A105E40	12019	1-1	A7619		36004	2-16	
A105E43	19497		A7692		26687		
A105E47	12019		A7842		36004	2-2B	R120
A105E61	12019	1-3	A7843		36004	2-2B	R115
A105E61	12019	1-3	A7845		36004	1-2B	R101
A105E61	12019	1-3	A7845		36004	1-2B	R125
A105E61	12019	1-3	A7847		36004	2-2	R143
A105E61	12019	1-3	A7847		36004	2-7B	R410
A105E61	12019	1-3	A7848		36004	1-9	R120
A105E61	12019	1-3	A7848		36004	2-2	R141
A105E61	12019	1-3	A7850		36004	2-2	R133
A105E65	12019		A7850		36004	2-2	R136
A105E67	12019	1-1	BPA7668		36004		

SECTION IV

TM 11-6625-283-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
BPB7296	36004	2-16		CP04A1EE224M	81349		C4
BPB7759	36004	2-2	T102	CP04A1EE224M	81349		C7
BPB7759	36004	2-2	T103	CP04A1EE224M	81349		C8
BPD7495	80583	4-4	C407	CP06SA2	81349		
B105E106	12019	2-12		CP1-3-106-7	96095	1-11	R314
B105E108	12019	2-11		CP1-3-1305	96095	1-11	R301
B105E31-26	12019	2-14	C201	CP1-3-1305	96095	1-11	R303
B105E87	12019			CP1-3-1314	96095	1-11	R320
B105E94	12019		L401	CP1-3-1314	96095	1-11	R323
B105E95	12019		L402	CP1-3-144-0	96095	1-11	R313
B105E96	12019		L403	CP1-3-144-0	96095	1-11	R315
B105E97	12019		L404	CP1-3-17-4	96095	1-11	
B105E99	12019	2-11	S401	CP1-3-17-5	96095	1-11	R305
B2992	70499			CP1-3-26-6	96095	1-11	R308
B7317	36004	2-2A	T101	CP1-3-267-0	96095	1-11	R310
B7389	36004	2-15	C506	CP1-3-267-0	96095	1-11	R312
B7671	76854	211B	S401	CP1-3-361-0	96095	1-11	R317
B7674	36004	1-10	L401	CP1-3-438-0	96095	1-11	R307
B7675	36004	1-10	L402	CP1-3-438-0	96095	1-11	R309
B7676	36004	1-10	L403	CP1-3-45-6	96095	1-11	R311
B7677	36004	1-10	L404	CP1-3-654-0	96095	1-11	R304
B7759	36004	2-2	T102	CP1-3-654-0	96095	1-11	R306
B7759	36004	2-2	T103	CP1-3-79-4	96095	1-11	R319
B7849	36004	2-2		CP1-3-79-4	96095	1-11	R321
B7917	36004	2-2		CP1-3-79-4	96095	1-11	R322
CC21CH100D	81349	2-14	C512	CP1-3-79-4	96095	1-11	R324
CC21CH100F	81349	1-10	C406	CP1-3-91-7	96095	1-11	R316
CC21CH100F	81349	2-14	C512	CP1-3-91-7	96095	1-11	R318
CC21CH150J	81349	2-12	C405	CP29A1EH103K	81349	2-5	C120
CC21SL510J	81349	2-5	C121	CP61B1EE104K	81349	2-7A	C112
CC21SL510J	81349	2-12	C403	CP61B1EE104K	81349	2-7A	C113
CC21SL510J	81349	2-14	C502	CP61B1EE104K	81349	2-7A	C123
CC21SL510J	81349	2-14	C503	CP61B1EE104K	81349	2-7A	C126
CC21SL510J	81349	2-14	C511	CP61B1EE254V	81349	2-7A	C101
CE52C300Q	81349	2-7A	C102	CP61B1EE254V	81349	2-7A	C103
CE52C300Q	81349	2-7A	C107	CP61B1EE254V	81349	2-7A	C104
CE52C300Q	81349	2-7A	C114	CP61B1EE254V	81349	2-7A	C105
CK62AW472M	81349		C1	CP61B1EE254V	81349	2-7A	C106
CK62AW472M	81349		C2	CP61B1EE254V	81349	2-7A	C118
CK63AW103M	81349		C5	CP61B1EE254V	81349	2-7A	C119
CM30B102J	81349		C113	CP70E1EH254K1	81349	2-7A	C115
CM30B242J	81349	2-12	C404	CP70E1EH254K1	81349	2-7A	C116
CM30E242J	81349	2-12	C404	CP70E1EH254V	81349	2-7A	C130
CM35D103JN3	81349	2-12	C400	CP70E1EH254V	81349	2-7A	C131
CM40C512J	81349	2-7A	C108	CV11B200	81349	2-14	C507
CM40C512J	81349	2-7A	C109	CV11B200	81349	2-14	C508
CN20EY103M	81349	2-12	C401	C105E111	12019		
CN20EY103M	81349	2-12	C402	C105E116	12019		
CN30AE103M	81349	2-12	C400	C105E78	12019	2-2A	T101
CN30AE103M	81349	2-7A	C114	C105E93	12019	2-11	C407
CN30AE103M	81349	2-7A	C117	DT149U	80058	1	
CN30AZ102K	81349	4-4	C113	D58503-1	93369	2	
CN35AE103M	81349	4-2	C117	D58505-3	51064	2-16	
CN35AE103M	81349	2-12	C400	D7815	36004	4-2	L501
CN35AE103M	81349	2-7A	C114	D7816	36004	4-2	L502
CPSE1-2-106-7	96095	1-11	R314	D7818	36004	4-2	L504
CPSE1-2-1305	96095	1-11	R301	D7819	36004	4-2	L505
CPSE1-2-1305	96095	1-11	R303	D7820	36004	4-2	L506
CPSE1-2-1314	96095	1-11	R320	E105E79	12019	2-2A	L101
CPSE1-2-1314	96095	1-11	R323	F02G2R00A	81349	2-7B	F101
CPSE1-2-144-0	96095	1-11	R313	F02G2R00A	81349	2-7B	F102
CPSE1-2-144-0	96095	1-11	R315	F24269	04868	2-16	
CPSE1-2-17-4	96095	1-11		G7658	36004	2-7B	
CPSE1-2-17-5	96095	1-11	R305	G7921	36004	1-10	L401
CPSE1-2-26-6	96095	1-11	R308	G7921	36004	2-2A	
CPSE1-2-267-0	96095	1-11	R310	HA3749	80583	2-11	C407
CPSE1-2-267-0	96095	1-11	R312	HIK500	26135	2-14	C501
CPSE1-2-361-0	96095	1-11	R317	HIK500	26135	2-14	C504
CPSE1-2-438	96095	1-11	R307	HIK500	26135	2-14	C505
CPSE1-2-438	96095	1-11	R309	HIK500	26135	2-14	C510
CPSE1-2-45-6	96095	1-11	R311	HKPHZ	71400	1-3	E103
CPSE1-2-654-0	96095	1-11	R304	HKPHZ	71400	1-3	E104
CPSE1-2-654-0	96095	1-11	R306	LH50PR 5	81349		
CPSE1-2-79-4	96095	1-11	R319	MPT1K	86675	1-7	C134
CPSE1-2-79-4	96095	1-11	R321	MPT1K	86675	1-7	C135
CPSE1-2-79-4	96095	1-11	R322	MX1638U	80058	2-4A	
CPSE1-2-79-4	96095	1-11	R324	NE51	24446	4-2	I102
CPSE1-2-91-7	96095	1-11	R316	NE51	24446	2-7B	I101
CPSE1-2-91-7	96095	1-11	R318	RA20NASA102A	81349		R27
CP04A1EE104M	81349		C3	RC20GF104J	81349		R8

SECTION IV

TM 11-6625-283-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
RC20GF104J	81349		R20	RC32GF273J	81349	4-2	R127
RC20GF104J	81349		R411	RC32GF274K	81349		R32
RC20GF104J	81349	2-9	R107	RC32GF393J	81349		R109
RC20GF104J	81349	2-14	R519	RC32GF393J	81349		R128
RC20GF105K	81349		R3	RC32GF393J	81349		R129
RC20GF105K	81349		R4	RC32GF393J	81349	1-8	R113
RC20GF105K	81349		R30	RC32GF393J	81349	1-8	1116
RC20GF105K	81349		R31	RC32GF393J	81349	4-2	R109
RC20GF105K	81349	1-8	R117	RC32GF514J	81349	1-8	R116
RC20GF105K	81349	1-8	R126	RC32GF514J	81349	2-5	R146
RC20GF105K	81349	1-9	R521	RC32GF514J	81349	2-5	R147
RC20GF124J	81349	2-12	R414	RC42GF104J	81349		R15
RC20GF132J	81349		R202	RC42GF104J	81349		R16
RC20GF132J	81349	2-12	R404	RC42GF331K	81349		R24
RC20GF153J	81349	2-9	R110	RC42GF473K	81349		R1
RC20GF153J	81349	2-9	R111	RC42GF473K	81349		R2
RC20GF153J	81349	2-12	R403	RC42GF473K	81349		R13
RC20GF155K	81349		R14	RG59BU	81349		
RC20GF202J	81349	4-2	R502	RMCU002Z5U	11418	2-7A	109
RC20GF204J	81349	2-9	R106	RMCU002Z5U	11418	2-7A	C108
RC20GF204J	81349	4-2	R140	RP101FK351KK	81349	1-3	R124
RC20GF221K	81349	2-14	R518	RP101RD351KK	81349	1-3	R124'
RC20GF222K	81349	4-2	R415	RV4NAYS103A	81349		R25
RC20GF222K	81349	2-12	R402	RV4NAYS105A	81349		R17
RC20GF223K	81349		R19	RV4NAYS105A	81349		R23
RC20GF224J	81349		R122	RV4NAYS105A	81349		R5
RC20GF225K	81349		R11	RV4NAYS253A	81349	1-2B	R101
RC20GF225K	81349	2-5	R12	RV4NAYS253A	81349		R410
RC20GF270J	81349	2-14	R504	RV4NAYS254A	81349	2-2	R143
RC20GF270J	81349	2-14	R505	RV4NAYS254A	81349	2-2	R141
RC20GF270J	81349	2-8	R201	RW29G102	81349	2-7A	R130
RC20GF271J	81349	2-14	R501	RW29G102	81349	2-7A	R131
RC20GF271J	81349	2-14	R508	RW29G631	81349	2-7A	R123
RC20GF271J	81349	2-14	R509	R2A1D511R3048A	97979	2-2	R133
RC20GF272K	81349		R22	R2A1D511R3048A	97979	2-2	R136
RC20GF272K	81349	4-4	R506	SR6P	28520		
RC20GF272K	81349	2-14	R507	ST42A	81350	1-2B	S101
RC20GF274K	81349		R10	ST42A	81350	1-2B	S102
RC20GF304J	81349	2-5	R142	S1K0D7	21335		
RC20GF304J	81349	4-2	R401	S343-30	75376		
RC20GF304J	81349	2-12	1405	TS101P01	81349		V5
RC20GF304J	81349	2-12	R413	TS102C01	81350	2-14	X501
RC20GF305J	81349	2-5	R132	TS102C01	81350	2-14	X502
RC20GF305J	81349	2-5	R134	TS102U02	81350		
RC20GF305J	81349	2-5	R135	TS103P02	81349		XV1
RC20GF305J	81349	2-5	R137	TS103P02	81349		XV2
RC20GF392J	81349	4-2	R105	TS103P02	81349		XV3
RC20GF394K	81349	2-12	R408	TS103P02	81349		XV4
RC20GF394K	81349	2-12	R409	TS103U02	81349		
RC20GF431J	81349	4-2	R102	UF1100U	80058	1	
RC20GF472K	81349	2-12	R412	UG255AU	80058	1	
RC20GF474K	81349		R7	UG260BU	81349		P101
RC20GF474K	81349		R26	UG260BU	81349		P102
RC20GF513J	81349	2-5	R138	UG260BU	81349		P201
RC20GF513J	81349	2-9	R110	UG260BU	81349		P302
RC20GF513J	81349	2-9	R111	UG273U	80058	1	
RC20GF513J	81349	4-1	R114	UG290U	81349	1-3	J201
RC20GF514J	81349		R104	UG290U	81349	1-3	J301
RC20GF514J	81349		R108	UG535U	81349	4-4	J302
RC20GF514J	81349		R416	UG83U	80058	1	
RC20GF514J	81349	2-5	R117	UP121M	81349	4-2	P103
RC20GF514J	81349	2-5	R146	WB101	99100		
RC20GF514J	81349	2-12	R400	W84916-5-4	99100	1-1A	
RC20GF562K	81349	2-9	R103	XA134RPP	43991		
RC20GF562K	81349	2-12	R407	0D3VR150	81349	2-2	V107
RC20GF562K	81349	2-12	R412	0D3VR150	81349	2-2	V108
RC20GF624J	81349	4-1	R122	1-4-6	95987		
RC20GF681K	81349	4-4		1B3GT	81349	2	V104
RC20GF750J	81349		R406	1B3GT	81349	2	V110
RC20GF750J	81349	2-14	R515	1N69A	81349	2-12	
RC20GF750J	81349	2-14	R516	10B18174	71785		
RC20GF751J	81349	2-5	R148	12AT7WA	81349		V6
RC32GF102K	81349	2-7A	R130	12AU7	81349		V1
RC32GF103K	81349		R18	12AU7	81349		V2
RC32GF103K	81349	4-2	R112	12AU7	81349		V4
RC32GF124K	81349		R28	12AX7	81349	2-2A	V3
RC32GF222J	81349		R9	15881	73386	2-2A	L101
RC32GF224K	81349		R29	170	76854	1-3	S301
RC32GF273J	81349		R6	170	76854	1-3	S302
RC32GF273J	81349		R127	170	76854	1-3	S303

SECTION IV

TM 11-6625-283-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.		REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
170	76854	1-3	S304	51A16164		71785		X604
170	76854	1-3	S305	51A16164		71785		X605
170	76854	1-3	S306	51A16164		71785	2-12	X401
170	76854	1-1	S307	51A16164		71785	2-12	X402
170	76854	1-3	S308	51A16164		71785	2-7A	X101
18SJ	78310	1-1		51A16164		71785	2-7A	X102
3BP1A	81349	2-2	V103	51A16164		71785	2-7A	X103
3BP1A	81349	2-13	V109	51A16164		71785	2-7A	X105
315006S2L0510J	26135	2-5	C121	51A16164		71785	2-7A	X106
315006S2L0510J	26135	2-12	C202	51A16164		71785	2-7A	X107
315006S2L0510J	26135	2-12	C403	51A16164		71785	2-7A	X108
37387	26687	7		51A16164		71785	2-7A	X110
4035QH2C	76854	2-11		52408-991		72619		E101
4100AB	85145			52408-991		72619		E102
4100BBLACK	85145			6AQ6		81349	2-2	V502
4100L	85145			6J6		81349	2-2	V501
5000-212	79136	2-16		6SL7WGT		81349	2-2	V401
5000-62	79136	2-16		6SL7WGT		81349	2-2	V402
5002-212	79136	2-16		6SN7WGT		81349	2	V100
51A13696	71785	X601		6SN7WGT		81349	2-2A	V101
51A13696	71765	X602		6SN7WGT		81349	2-2A	V103
51A13696	71785	X603		6V6GTY		81349		V5
51A13696	71785	X604		6X5WGT		81349	2-2	V105
51A13696	71785	X605		6X5WGT		81349	2-2	V106
51A13696	71785	2-12	X401	60		76545		
51A13696	71785	2-12	X402	73P103916		56289	2-5	C120
51A13696	71785	2-74	X101	7658		36004		
51A13696	71785	2-74	X102	77M1P6TM		02660		X503
51A13696	71785	2-74	X103	7817		36044	4-2	L503
51A13696	71785	2-7A	X105	7837		26687	1-13	
51A13696	71785	2-7A	X106	7982		26687		
51A13696	71785	2-7A	X107	8593		71785		
51A13696	71785	2-7A	X108	8630		26687	2-2A	
51A13696	71785	2-7A	X110	9003		26687		
51A16164	71785		X601	9004		26687		
51A16164	71785		X602	91HL		01009		
51A16164	71785		X603	9453-14		71785	2-13	X109

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)
 CNGB (1)
 ACSC-E (2)
 USAARENBD (2)
 USAMB (10)
 AMC (1)
 FORSCOM (5)
 ARADCOM (2)
 ARADCOM Rgn (2)
 OS Maj Comd (4)
 LOGCOMD (5)
 MICOM (2)
 TECOM (2)
 USASTRATCOM (4)
 HISA (ECOM)(21)
 MDW (1)
 Armies (2)
 Corps (2)
 Svc Colleges (2)
 USASESS (5)
 USAADS (2)
 USAFAS (2)
 USAARMS (2)
 USAIS (2)
 USAES (2)
 USAINTS (3)
 USACDCEC (5)

Instl (2) except
 Fort Gordon (10)
 Fort Huachuca (10)
 Fort Carson (10)
 WSMR (2)
 Army Dep (2) except
 LBAD (14)
 SAAD (30)
 TOAD (14)
 LEAD (7)
 ATAD (10)
 USA Dep (2)
 Sig Sec USA Dep (2)
 Sig Dep (5)
 Sig FLDMS (1)
 USAERDAA (1)
 USAERDAW (1)
 MAAG (1)
 USARMIS (1)
 Ft Richardson (ECOM Ofc) (2)
 WRAMC (1)
 Units org under fol TOE:
 (1 copy each)
 11-16
 11-96
 11-97
 11-98
 11-117
 11-500 (AA-AC)

NG: State AG (3)

USAR: None

For explanation of abbreviations used, see AR 310-50.

