

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

**GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND
SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS)
SIGNAL GENERATOR SG-336/U
(FSN 6625-669-2395)**

Headquarters, Department of the Army, Washington, D.C.
20 December 1974

Current as of 3 October 1974

	Paragraph	Page
SECTION I. INTRODUCTION		
Scope.....	1-1	2
General.....	1-2	2
Explanation of columns	1-3	2
Special information	1-4	4
Location of repair parts	1-5	4
Abbreviations (Not applicable).....	1-6	4
Reporting of equipment publication improvements	1-7	4
II. REPAIR PARTS LIST		6
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX --FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER		17

*This manual supersedes TM 11-625-406-45P, 14 May 1962.

**SECTION I
INTRODUCTION**

1-1. Scope

This manual lists repair parts and special tool required for the performance of general support an depot maintenance of the SG-336/U. The PCCN for the SG-336/U is GTEAEK for all models.

NOTE

No parts authorized for stockage at direct support.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List -Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, an depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment - Section, III.* Not applicable.

c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number Section-IV.* A list, in ascending numeric sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of column found in the tabular list.

a. *Source, Maintenance and Recoverability Code (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are --

<i>Code</i>	<i>Explanation</i>
PA --	Item procured and stocked for anticipated or known usage.
PB --	Item procured and stocked for insurance purposes because essentiality dictate that a minimum quantity be available i the supply systems.
PC --	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD --	Support item, excluding support equipment procured for initial issue or outfitting and stocked only for subsequent or addition initial issues or outfittings. Not subject automatic replenishment.

<i>Code</i>	<i>Explanation</i>
PE --	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF --	Support equipment which will not be stocked but which will be centrally procured on demand.
PG --	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD --	An item of depot overhaul/repair kit and not purchased separately. Depot kit (defined as a kit that provides items required at the time of overhaul or repair.
KF --	An item of a maintenance kit and not purchased separately. Maintenance kit. defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB --	Item included in both a depot over haul/repair kit and a maintenance kit.
MO --	Item to be manufactured or fabricated at organizational level.
MF --	Item to be manufactured or fabricated at direct support maintenance level.
MH --	Item to be manufactured or fabricated at general support maintenance level.
MD --	Item to be manufactured or fabricated at depot maintenance level.
AO --	Item to be assembled at organizational level.
AF --	Item to be assembled at direct support maintenance level.
AH --	Item to be assembled at general support maintenance level.
AD --	Item to be assembled at depot maintenance level.
XA --	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB --	Item is not procured or stocked. If not available through salvage, requisition.
XC --	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD --	Support items can be requisitioned with justification.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O --	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F --	Support item is removed, replaced, used at the direct support maintenance level.
H --	Support item is removed, replaced, used at the general support maintenance level.
D --	Support items that are removed, replaced used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code:

<i>Code</i>	<i>Application/Explanation</i>
O --	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F --	The lowest maintenance level capable of complete repair of the support item is direct support.
H --	The lowest maintenance level capable of complete repair of the support item is general support.

<i>Code</i>	<i>Application/Explanation</i>
D --	The lowest maintenance level capable of complete repair of the support item is the depot level.
L --	Repair restricted to designated Specialized Repair Activity.
Z --	Non-repairable. No repair is authorized.
B --	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows:

<i>Code</i>	<i>Explanation</i>
Z --	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O --	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F --	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H --	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D --	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L --	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A --	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item.

NOTE

For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-00-" after the Federal stock classification (FSC) code (first four digits). For example, FSN 6625-553-0142 converts to NSN 6625-00-553-0142.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency etc., and is identified in SB 708-42.

d. *Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/GS Maintenance Allowances.*

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipment Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipment

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-406-35.

(2) *Item number.* Indicates the item number reference designation used to reference the item the illustration.

1-4. Special Information

a. Usable on codes are included in column Un-coded items are applicable to all models. Identification of the usable on codes used in this publication are --

<i>Code</i>	<i>Used on</i>
BAM	SG-336/U
b. The following publications pertain to the SG-336/U and its components:	
TM 11-6625-406-12	Operator and Organizational Maintenance Manual: Signal Generator SG-336/U.
TM 11-6625-406-20P	Organizational Maintenance Repair Parts and Special Tools Lists: Signal Generator SG-336/U.
TM 11-6625-406-35	Field and Depot Maintenance Repair Parts and Special Tool Lists: Signal Generator SG-336/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col. 10a) and item number or reference designation (col. 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual

user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to

Commander, US Army Electronics Command,
ATTN: AMSEL-MA-DM, Fort Monmouth, NJ., 07703.

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTG CY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
XDOZZ		BUMPER, RUBBER NO-REF-DESIG		EA	8				*	*	*				
PAHZZ	6145-284-0579	1611 (73734) CABLE, POWER, ELECTRICAL NO-REF-DESIG		FT	8				*	*	*		5		
PAHZZ	5910-851-7794	C0-03MGF3 118J033* 0 (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C3.	EA	3				*	*	*		3	13-2	C3
PAHZZ	5910-851-7794	0.01 MF; 500 VDC 5KHS1 (56289) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C4.	EA	REF				*	*	*		3	13-2	C4
PAHZZ	5910-851-7794	0.01 MF; 500 VDC 5KHS1 (56289) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C17.	EA	REF				*	*	*		3	12	C17
PAHZZ	5910-826-5703	0.01 MF; 500 VDC 5KHS1 (56289) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C5..	EA	2				*	*	*		3	13-2	C5
PAHZZ	5910-826-5703	0.02 MF; 500V 4402 (56289) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C46.	EA	REF				*	*	*		3	13-2	C46
XDHZZ		0.02 MF; 500V 4402 (56289) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C31.	EA	9				*	*	*			13-2	C31
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K35 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C32.	EA	REF				*	*	*			13-2	C32
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C33.	EA	REF				*	*	*			13-2	C33
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C34.	EA	REF				*	*	*			13-2	C34
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C35.	EA	REF				*	*	*			13-2	C35
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C36.	EA	REF				*	*	*			13-2	C36
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C37.	EA	REF				*	*	*			13-2	C37
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C38.	EA	REF				*	*	*			13-2	C38
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C39.	EA	REF				*	*	*			13-2	C39
XDHZZ		8.2 MMF, PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C15.	EA	2				*	*	*			12	C15
XDHZZ		10 UUF PORM10PCT; 500V N750K315 (72982) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C16.	EA	REF				*	*	*			12	C16
		10 UUF PORM10PCT; 500V N750K315 (72982)													

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C44 33 UUF PORM10PCT; 500V N750K315 (72982)		EA	1				*	*	*			13-2	C44
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C21. 1000 UUF PORM10PCT; 500V GP2-331-1000 (72982)		EA	5				*	*	*			13-2	C21
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C23. 1000 UUF PORM10PCT; 500V GP2-331-1000 (72982)		EA	REF				*	*	*			13-2	C23
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C28. 1000 UUF PORM10PCT; 500V GP2-331-1000 (72982)		EA	REF				*	*	*			13-2	C28
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C29. 1000 UUF PORM10PCT; 500V GP2-331-1000 (72982)		EA	REF				*	*	*			13-2	C29
XDHZZ		CAPACITOR FIXED, CERAMIC DIELECTRIC C25. 1000 UUF PORM10PCT; 500V GP2-331-1000 (72982)		EA	REF				*	*	*				C25
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C47. 1000 MMF PORM10PCT 331000X5U0120K (72982)		EA	1				*	*	*			30	C47
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C11. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	8				*	*	*		3	12	C11
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C12. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C12	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C40. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C40	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C41. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C41	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C42. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C42	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C43. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C43	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C48. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C48	
PAHZZ	5910-196-0547	CAPACITOR, FIXED, CERAMIC DIELECTRIC C52. 1000 MMF PORM20PCT; 500V 357-102 (72982)		EA	REF				*	*	*	3	12	C52	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC C22. 2000 UUF PORM10PCT; 500V GP2-331-200 (72982)		EA	1				*	*	*		13-2	C22	
XDHZZ		CAPACITOR, FIXED, ELECTROLYTIC C49 2.5..... MF PORM10PCT; 25 VDCW MM25-25 (25801)		EA	1	*	*	*		13-2	C49				
XDHZZ		CAPACITOR, FIXED, ELECTROLYTIC C13 20..... CONTINUED		EA	1	*	*	*		13-2	C13				

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
		CONTINUED														
XDHZZ		MF; 250 VDCW MM20-250 (25801) CAPACITOR, FIXED, MICA DIELECTRIC..... C24. 390 MMF PORM5PCT; 500V 5R5T39 (14655)		EA	2				*	*	*			30	C25	
XDHZZ		CAPACITOR, FIXED, MICA DIELECTRIC C25. 390 MMF PORM5PCT; 500V 5R5T39 (14655)		EA	REF				*	*	*			13-2	C24	
XDHZZ		CAPACITOR, FIXED, MICA DIELECTRIC..... C30. 100 MMF, PORM5PCT; 500V 5R5T1 (14655)		EA	1				*	*	*			13-2	C30	
XDHZZ		CAPACITOR, FIXED, MICA DIELECTRIC.....C7 91. MMF PORM5PCT; 500V 5R5Q91 (14655)		EA	2				*	*	*			13-2	C7	
XDHZZ		CAPACITOR, FIXED, MICA DIELECTRIC.....C18 91 MMF PORM5PCT; 500V 5R5Q91 (14655)		EA	REF				*	*	*			13-2	C18	
PAHZZ	5910-727-9382	CAPACITOR, FIXED, MICA DIELECTRIC..... C1. 2000 MMF PORM5PCT; 500V 1R5D2 (14655)		EA	2				*	*	*		3	13-2	C1	
PAHZZ	5910-727-9382	CAPACITOR, FIXED, MICA DIELECTRIC..... C2. 2000 MMF PORM5PCT; 500V 1R5D2 (14655)		EA	REF				*	*	*		3	13-2	C2	
PAHZZ	5910-851-2782	CAPACITOR, FIXED, PAPER DIELECTRIC C14. 0.05 MF PORM10PCT; 400VDC 4DP3-503 (72136)		EA	1				*	*	*		3	3-2	C14	
PAHZZ	5910-854-8849	CAPACITOR, FIXED, PAPER DIELECTRIC C9. 0.1 MF PORM10PCT; 400VDC 4DP3-104 (72136)		EA	2				*	*	*		3	13-2	C9	
PAHZZ	5910-854-8849	CAPACITOR, FIXED, PAPER DIELECTRIC C10. 0.1 MF PORM10PCT; 400VDC 4DP3-104 (72136)		EA	REF				*	*	*		3	13-2	C10	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C6. 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	6				*	*	*		3	13-2	C6	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C8. 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	REF				*	*	*		3	13-2	C8	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C19 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	REF				*	*	*		3	13-2	C19	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C20 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	REF				*	*	*		3	13-2	C20	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C26 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	REF				*	*	*		3	13-2	C26	
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C27 0.25 MF PORM10PCT; 400VDC 4DP5-254 (72136)		EA	REF				*	*	*		3	13-2	C27	
XDHZZ		CAPACITOR, VARIABLE, CERAMIC DIELECTRIC..... CONTINUED		EA	1				*	*	*			12	C50	

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
		CONTINUED												
XBDZZ		C50 1.5 TO 7 MMF; 500V 503000C0P010R (72982) CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C51 (SELECT VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	1									12	C51
XDHZZ		COIL, RADIO FREQUENCY L2 6394-3 (80138)	EA	1				*	*	*			12	L2
PAHZZ	5935-149-2682	CONNECTOR, PLUG, ELECTRICAL P1 P406CCT (71785)	EA	1				*	*	*		3	12	P1
PAOZZ	5935-636-7145	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. UP121M (81349)	EA	1				*	*	*		3		
PAHZZ	5930-201-3511	CONNECTOR, RECEPTACLE, ELECTRICAL J1..... UG185U (81349)	EA	2				*	*	*		3	13-2	J1
PAHZZ	5930-201-3511	CONNECTOR, RECEPTACLE, ELECTRICAL J2 UG185U (81349)	EA	REF				*	*	*		3	13-2	J2
PAHZZ	5935-229-7328	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF- DESIG S2406SB (71785)	EA	1				*	*	*		3		
XDOZZ		CRYSTAL UNIT, QUARTZ Y1 27.5 MC Y1-27-5MC (80138)	EA	1				*	*	*			30	Y1
XDOZZ		CRYSTAL UNIT, QUARTZ Y2 28.5 MC Y2-28-5MC (80138)	EA	1				*	*	*			30	Y2
XDOZZ		CRYSTAL UNIT, QUARTZ Y3 30 MC Y3-30MC (80138)	EA	1				*	*	*			30	Y3
XDOZZ		CRYSTAL UNIT, QUARTZ Y4 31.5 MC Y4-31-5MC (80138)	EA	1				*	*	*			30	Y4
XDOZZ		CRYSTAL UNIT, QUARTZ Y5 32.5 MC Y5-32-5MC (80138)	EA	1				*	*	*			30	Y5
PAOZZ	5960-188-3967	ELECTRON TUBE V1..... 6J6 (81349)	EA	1				*	*	*		100	12	V1
XDOZZ		ELECTRON TUBE V3..... 6SN7WGT (81349)	EA	1				*	*	*			12	V3
PAOZZ	5960-116-9927	ELECTRON TUBE V2..... 6V6GT (81349)	EA	1				*	*	*		100	12	V2
PAOZZ	5960-262-0167	ELECTRON TUBE V4..... 12AT7 (81349)	EA	2				*	*	*		100	13-2	V4
PAOZZ	5960-262-0167	ELECTRON TUBE V7..... 12AT7 (81349)	EA	REF				*	*	*		100	12	V7
PAOZZ	5960-262-0210	ELECTRON TUBE V5..... 12AU7 (81349)	EA	2				*	*	*		100	12	V5
PAOZZ	5960-262-0210	ELECTRON TUBE V6..... 12AU7 (81349)	EA	REF				*	*	*		100	12	V6
XDHZZ		GROMMET, PLASTIC NO-REF-DESIG 7097 (80138)	EA	1				*	*	*				
PCHZZ	5325-279-1235	GROMMET, RUBBER NO-REF-DESIG AN930-1 (88044)	EA	1				*	*	*		5		
XDHZZ		GROMMET, RUBBER NO-REF-DESIG AN931-4-7 (88044)	EA	1				*	*	*				
PAHZZ	5940-193-0716	INSULATOR NO-REF-DESIG 938Z (06840)	EA	1				*	*	*		2		

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			NO.	ITEM NO/	
XDOZZ		KNOB NO-REF-DESIG MARKED SINGLE WHITE..... DOT 165 (80138)		EA	1				*	*	*					
XDOZZ		KNOB NO-REF-DESIG MARKED "PIP ADJ N"..... 1426-2 (80138)		EA	1				*	*	*					
XDOZZ		KNOB NO-REF-DESIG MARKED "PIP ADJ. W"..... 1426-3 (80138)		EA	1				*	*	*					
XDOZZ		KNOB NO-REF-DESIG..... 2300A (72512)		EA	1				*	*	*					
PACZZ	6240-057-2887	LAMP, INCANDESCENT I1..... 44 (24446)		EA	1				*	*	*		20	30	11	
PAHZZ	6220-646-9106	LIGHT, INDICATOR NO-REF-DESIG..... 810B621 (72619)		EA	1				*	*	*		5			
XDHZZ		POST, BINDING, ELECTRICAL E1..... 938A (24655)		EA	4				*	*	*		12	E1		
XDHZZ		POST, BINDING, ELECTRICAL E2..... 938A (24655)		EA	REF				*	*	*			12	E2	
XDHZZ		POST, BINDING, ELECTRICAL E3..... 938A (24655)		EA	REF				*	*	*			12	E3	
XDHZZ		POST, BINDING, ELECTRICAL E4..... 938A (24655)		EA	REF				*	*	*			12	E4	
PAHZZ	5950-863-7919	REACTOR L1..... 156 (80138)		EA	1				*	*	*		2	12	L1	
XDHZZ		RESISTOR, FIXED, COMPOSITION R50..... RC20GF180(81349)		EA	1				*	*	*			12	R50	
XDHZZ		RESISTOR, FIXED, COMPOSITION R47..... RC20GF820K (81349)		EA	2				*	*	*			12	R47	
XDHZZ		RESISTOR, FIXED, COMPOSITION R55..... RC20GF820K (81349)		EA	REF				*	*	*			30	R55	
PAHZZ	5905-252-5434	RESISTOR, FIXED, COMPOSITION R51..... RC20GF121K (81349)		EA	2				*	*	*		3	12	R51	
PAHZZ	5905-252-5434	RESISTOR, FIXED, COMPOSITION R53..... RC20GF121K (81349)		EA	REF				*	*	*		3	12	R53	
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R68..... RC20GF241J (81349)		EA	4				*	*	*		3	13-1	R68	
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R73..... RC20GF241J (81349)		EA	REF				*	*	*		3	13-1	R73	
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R78..... RC20GF241J (81349)		EA	REF				*	*	*		3	13-1	R78	
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R83..... RC20GF241J (81349)		EA	REF				*	*	*		3	13-1	R83	
PAHZZ	5905-299-1965	RESISTOR, FIXED, COMPOSITION R43..... RC20GF301J (81349)		EA	1				*	*	*		3	12	R43	
PAHZZ	5905-192-3971	RESISTOR, FIXED, COMPOSITION R28..... RC20GF331K (81349)		EA	1				*	*	*		3	13-1	R28	
PAHZZ	5905-171-2005	RESISTOR, FIXED, COMPOSITION R71..... RC20GF471K (81349)		EA	4				*	*	*		3	13-1	R71	
PAHZZ	5905-171-2005	RESISTOR, FIXED, COMPOSITION R72..... RC20GF471K (81349)		EA	REF				*	*	*		3	13-1	R72	
PAHZZ	5905-171-2005	RESISTOR, FIXED, COMPOSITION R81..... RC20GF471K (81349)		EA	REF				*	*	*		3	13-1	R81	
PAHZZ	5905-171-2005	RESISTOR, FIXED, COMPOSITION R82..... RC20GF471K (81349)		EA	REF				*	*	*		3	13-1	R82	

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-279-3511	RESISTOR, FIXED, COMPOSITION RC20GF511J (81349)	R32.....	EA	1				*	*	*		3	13-1	R32
PAHZZ	5905-195-6800	RESISTOR, FIXED, COMPOSITION RC20GF561J (81349)	R31.....	EA	1				*	*	*		3	13-1	R31
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF681K (81349)	R40.....	EA	1				*	*	*			13-1	R40
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION RC20GF102J (81349)	R29.....	EA	1				*	*	*		3	13-1	R29
PAHZZ	5905-195-5514	RESISTOR, FIXED, COMPOSITION RC20GF152K (81349)	R35.....	EA	1				*	*	*		3	13-1	R35
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION RC20GF222K (81349)	R34.....	EA	1				*	*	*		3	13-1	R34
PAHZZ	5905-195-6502	RESISTOR, FIXED, COMPOSITION RC20GF332K (81349)	R37.....	EA	1				*	*	*		3	13-1	R37
PAHZZ	5905-185-6575	RESISTOR, FIXED, COMPOSITION RC20GF392K (81349)	R66.....	EA	1				*	*	*		3	13-1	R66
PAHZZ	5905-195-6449	RESISTOR, FIXED, COMPOSITION RC42GF472K (81349)	R39.....	EA	1				*	*	*		3	13-1	R39
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION RC20GF103K (81349)	R21.....	EA	4				*	*	*		3	13-1	R21
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION RC20GF103K (81349)	R89.....	EA	REF				*	*	*		3	13-1	R89
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION RC20GF103K (81349)	R44.....	EA	REF				*	*	*		3	12	R44
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION RC20GF103K (81349)	R46.....	EA	REF				*	*	*		3	12	R46
PAHZZ	5905-190-8882	RESISTOR, FIXED, COMPOSITION RC20GF393K (81349)	R87.....	EA	1				*	*	*		3	3-1	R87
PAHZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION RC20GF473K (81349)	R38.....	EA	2				*	*	*		3	13-1	R38
PAHZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION RC20GF473K (81349)	R92.....	EA	REF				*	*	*		3	12	R92
PAHZZ	5905-254-7087	RESISTOR, FIXED, COMPOSITION RC20GF683K (81349)	R54.....	EA	1				*	*	*		3	30	R54
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF823K (81349)	R16.....	EA	1				*	*	*			13-1	R16
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R4.....	EA	7				*	*	*		3	13-1	R4
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R5.....	EA	REF				*	*	*		3	13-1	R5
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R69.....	EA	REF				*	*	*		3	13-1	R69
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R70.....	EA	REF				*	*	*		3	13-1	R70
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R79.....	EA	REF				*	*	*		3	13-1	R79
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R0.....	EA	RFF				*	*	*		3	13-1	R80
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION RC20GF104K (81349)	R85.....	EA	REF				*	*	*		3	13-1	R85
PAHZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION RC20GF124K (81349)	R67.....	EA	4				*	*	*		3	13-1	R67

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION RC20GF124K (81349)	R74.....	EA	REF				*	*	*		3	13-1	R74
PAHZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION RC20GF124K (81349)	R74.....	EA	REF				*	*	*		3	13-1	R77
PAHZZ	5905-192-3981	RESISTOR, FIXED, COMPOSITION RC20GF124K (81349)	R84.....	EA	REF				*	*	*		3	13-1	R84
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION RC20GF154K (81349)	R9.....	EA	2				*	*	*		3	13-1	R9
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION RC20GF154K (81349)	R10.....	EA	REF				*	*	*		3	13-1	R10
PAHZZ	5905-171-2003	RESISTOR, FIXED, COMPOSITION RC20GF204J (81349)	R86.....	EA	1				*	*	*		3	13-1	R86
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF224K (81349)	R6.....	EA	2				*	*	*			13-1	R6
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF224K (81349)	R23.....	EA	REF				*	*	*			13-1	R23
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF274K (81349)	R2.....	EA	2				*	*	*			13-1	R2
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF274K (81349)	R15.....	EA	REF				*	*	*			3-1	R15
PAHZZ	5905-221-5860	RESISTOR, FIXED, COMPOSITION RC20GF334K (81349)	R36.....	EA	1				*	*	*		3	13-1	R36
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF105K (81349)	R14.....	EA	1				*	*	*			12	R14
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF125K (81349)	R11.....	EA	1				*	*	*			12	R11
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF155K (81349)	R12.....	EA	1				*	*	*			13-1	R12
PAHZZ	5905-190-8885	RESISTOR, FIXFD, COMPOSITION RC20GF225K (81349)	R42.....	EA	1				*	*	*		3	13-1	R42
PAHZZ	5905-279-1884	RESISTOR, FIXED, COMPOSITION RC20GF335K (81349)	R1.....	EA	5				*	*	*		3	13-1	R1
PAHZZ	5905-279-1884	RESISTOR, FIXED, COMPOSITION RC20GF335K (81349)	R7.....	EA	REF				*	*	*		3	13-1	R7
PAHZZ	5905-279-1884	RESISTOR, FIXED, COMPOSITION RC20GF335K (81349)	R8.....	EA	REF				*	*	*		3	13-1	R8
PAHZZ	5905-279-1884	RESISTOR, FIXED, COMPOSITION RC20GF335K (81349)	R22.....	EA	REF				*	*	*		3	13-1	R22
PAHZZ	5905-279-1884	RESISTOR, FIXED, COMPOSITION RC20GF335K (81349)	R24.....	EA	REF				*	*	*		3	13-1	R24
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF395K (81349)	R41.....	EA	1				*	*	*			13-1	R41
XDHZZ		RESISTOR, FIXED, COMPOSITION RC32GF333K (81349)	R25.....	EA	1				*	*	*			13-1	R25
XDHZZ		RESISTOR, FIXED, COMPOSITION RC32GF473K (81349)	R90.....	EA	1				*	*	*			13-1	R90
PAHZZ	5905-171-1976	RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT)	R26 (SELECT	EA	2				*	*	*		3	13-1	R26
PAHZZ	5905-171-1976	RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT)	R27 (SELECT	EA	REF				*	*	*		3	13-1	R27

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R17	(SELECT	EA	1								12	R17
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R18	(SELECT	EA	1								12	R18
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R19	(SELECT	EA	1								30	R19
XBDZZ		RESISTOR, FIXED, COMPOSITION SELECT VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R20	(.....	EA	1								12	R20
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R45	(SELECT	EA	1								12	R45
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R49	(SELECT	EA	1									R49
XBDZZ		RESISTOR, FIXED, COMPOSITION VALUE AT DEPOT) ZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZ (ZZZZ)	R65	(SELECT	EA	1								30	R65
XDHZZ		RESISTOR, FIXED, FILM R56 65.4 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	4								12	R56
XDHZZ		RESISTOR, FIXED, FILM R58 65.4 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	REF			*	*	*			12	R58
XDHZZ		RESISTOR, FIXED, FILM R59 65.4 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	REF			*	*	*			12	R59
XDHZZ		RESISTOR, FIXED, FILM R61 65.4 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	REF			*	*	*			12	R61
XDHZZ		RESISTOR, FIXED, FILM R63 76.4 OHMS PORM1PCT; 1/2 W HF15T (80031)			EA	1			*	*	*			12	R63
XDHZZ		RESISTOR, FIXED, FILM R62 103 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	2			*	*	*			12	R62
XDHZZ		RESISTOR, FIXED, FILM R64 103 OHMS PORM1PCT; 1/2 W HF15 (80031)			EA	REF			*	*	*			12	R64
XDHZZ		RESISTOR, FIXED, FILM R57 264 OHMS PORM1PCT; 1/2 W HF15T (80031)			EA	2			*	*	*			12	R57

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
XDHZZ		RESISTOR, FIXED, FILM R60 264 OHMS PORM1PCT; 1/2 W HF15T (80031)	EA	REF				*	*	*			30	R60	
PAHZZ	5905-646-5957	RESISTOR, VARIABLE R30 10,000 OHMS PORM10PCT; 2 W JU10315D30320 (01121)	EA	2				*	*	*		3	13-1	R30	
PAHZZ	5905-646-5957	RESISTOR, VARIABLE R88 10,000 OHMS PORM10PCT; 2 W JUL0315D30320 (01121)	EA	REF				*	*	*		3	13-1	R88	
XDHZZ		RESISTOR, VARIABLE R33 3000 OHMS PORM10PCT; 2 W JU3021P30480PT2 (01121)	EA	1				*	*	*			12	R33	
XDHZZ		RESISTOR, VARIABLE R3 100,000 OHMS, PORM10PCT; 2 W JA2N048P104UA (01121)	EA	2				*	*	*			12	R3	
XDHZZ		RESISTOR, VARIABLE R91 100,000 OHMS, PORM10PCT; 2 W JA2N048P104UA (01121)	EA	REF				*	*	*			12	R91	
XDHZZ		RESISTOR, VARIABLE R13 500,000 OHMS PORM10PCT; 2 W JA2N048P504U2 (01121)	EA	3				*	*	*			13-1	R13	
XDHZZ		RESISTOR, VARIABLE R75 500,000 OHMS, PORM10PCT; 2 W JA2N048P504U2 (01121)	EA	REF				*	*	*			12	R75	
XDHZZ		RESISTOR, VARIABLE R76 500,000 OHMS, PORM10PCT; 2 W JA2N048P504U2 (01121)	EA	REF				*	*	*			12	R76	
PAHZZ	5905-655-3971	RESISTOR, VARIABLE R52 100 OHMS, 1ST..... SECT, 500 OHMS 2ND SECT; PORM10PCT; 3 TAPS EA SECT; 2 W JJ54T743P30480PT2 (01121)	EA	1				*	*	*		3	12	R52	
PAHZZ	5961-821-4177	SEMICONDUCTOR DEVICE, DIODE CR1 1N294 (49956)	EA	5				*	*	*		3	13-1	CR1	
PAHZZ	5961-821-4177	SEMICONDUCTOR DEVICE, DIODE CR2 1N294 (49956)	EA	REF				*	*	*		3	13-1	CR2	
PAHZZ	5961-821-4177	SEMICONDUCTOR DEVICE, DIODE CR3 1N294 (49956)	EA	REF				*	*	*		3	13-1	CR3	
PAHZZ	5961-821-4177	SEMICONDUCTOR DEVICE, DIODE CR4 1N294 (49956)	EA	REF				*	*	*		3	13-1	CR4	
PAHZZ	5961-821-4177	SEMICONDUCTOR DEVICE, DIODE CR5 1N294 (49956)	EA	REF				*	*	*		3	13-1	CR5	
XDOZZ		SHIELD, ELECTRON TUBE NO-REF-DESIG..... 126 (91662)	EA	1				*	*	*					
XDOZZ		SHIELD, ELECTRON TUBE NO-REF-DESIG..... 190 (91662)	EA	4				*	*	*					
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY1..... 430U (91662)	EA	9				*	*	*		3	13-2	XY1	
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY2..... 430U (91662)	EA	REF				*	*	*		3	13-2	XY2	
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY3..... 430U (91662)	EA	REF				*	*	*		3	13-2	XY3	
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY4..... 430U (91662)	EA	REF				*	*	*		3	13-2	XY4	

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY5.....		EA	REF				*	*	*		3	3-2	XY5
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY6.....		EA	REF				*	*	*		3	13-2	XY6
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY7.....		EA	REF				*	*	*		3	13-2	XY7
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY8		EA	REF				*	*	*		3	13-2	XY8
PAHZZ	5935-201-7119	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XY9.....		EA	REF				*	*	*		3	13-2	XY9
PAHZZ	5935-642-0334	SOCKET, PLUG-IN ELECTRONIC COMPONENTS NO-.....		EA	4				*	*	*		3		
PAHZZ	5935-232-3758	SOCKET, PLUG-IN ELECTRONIC COMPONENTS NO-.....		EA	1				*	*	*		3		
PAHZZ	5935-222-9828	SOCKET, PLUG-IN ELECTRONIC COMPONENTS NO-.....		EA	1				*	*	*		3		
XDHZZ		S3	SWITCH, ROTARY	EA	1				*	*	*			13-2	S3
XDHZZ		S2	SWITCH, ROTARY	EA	1				*	*	*			12	S2
XDHZZ		S4	SWITCH, TOGGLE	EA	12				*	*	*			12	S4
XDHZZ		S5	SWITCH, TOGGLE	EA	REF				*	*	*			12	S5
XDHZZ		S6	SWITCH, TOGGLE	EA	REF				*	*	*			12	S6
XDHZZ		S7	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S7
XDHZZ		S8	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S8
XDHZZ		S9	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S9
XDHZZ		S10	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S10
XDHZZ		S11	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S11
XDHZZ		S12	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S12
XDHZZ		S13	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	513
XDHZZ		S14	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S14
XDHZZ		S15	SWITCH, TOGGLE	EA	REF				*	*	*			13-2	S15
XDHZZ	5930-825-9010	S1	SWITCH, TOGGLE	EA	1				*	*	*		5	13-2	51
XDHZZ		C2	CAPACITOR FIXED, ELECTROLYTIC	EA	1				*	*	*			10	C2

SECTION II

TM11-6625-406-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C3..... 0.5 MF; 600 VDCW 305-1154 (00656)		EA	1				*	*	*			11	C3
XDHZZ		CAPACITOR, FIXED, PAPER DIELECTRIC C1..... CP53B4FF105L (81349)		EA	1				*	*	*			11	C1
PAOZZ	5960-188-8573	ELECTRON TUBE V4..... OD3 (81349)		EA	1				*	*	*		100	10	V4
XDOZZ		ELECTRON TUBE V1..... 5Y3 (81349)		EA	1				*	*	*			10	V1
XDOZZ		ELECTRON TUBE V3..... 6SL7GT (81349)		EA	1				*	*	*			10	V3
XDOZZ		ELECTRON TUBE V2..... 6Y6G (81349)		EA					*	*	*			10	V2
PACZZ	5920-518-1793	FUSE, CARTRIDGE F1 F02G3R00A (81349)		EA	1				*	*	*		5	28	F1
PAHZZ		FUSEHOLDER XF1 NKP (71400)		EA	1				*	*	*			11	XF1
IXDHZZ		GROMMET, RUBBER NO-REF-DESIG 325G (99806)		EA	1				*	*	*				
XDHZZ		REACTOR L1..... 323B (80138)		EA	1				*	*	*			11	L1
PAHZZ	5905-186-3008	RESISTOR, FIXED, COMPOSITION R2 RC20GF101K (81349)		EA	2				*	*	*		3	11	R2
PAHZZ	5905-186-3008	RESISTOR, FIXED COMPOSITION R3 RC20GF101K (81349)		EA	REF				*	*	*		3	11	R3
PAHZZ	5905-195-6758	RESISTOR FIXED COMPOSITION R4 RC20GF273K (81349)		EA	1				*	*	*		3	11	R4
PAHZZ	5905-295-3410	RESISTOR, FIXED, COMPOSITION R5 RC20GF473K (81349)		EA	1				*	*	*		3	11	R5
PAHZZ	5905-114-5441	RESISTOR, FIXED, COMPOSITION R8 RCR20G563JS (81349)		EA	1				*	*	*		3	11	R8
XDHZZ		RESISTOR, FIXED, COMPOSITION R1 RC32GF334K 181349)		EA	1				*	*	*			11	R1
XDHZZ		RESISTOR, FIXED, WIRE WOUND R6 20,000..... OHMS, PORM10PCT; 5 W 20K5W (44655)		EA	1				*	*	*			11	R6
PAHZZ	5905-539-1559	RESISTOR, VARIABLE R7 JU2531SD30320P2 (01121)		EA	1				*	*	*		3	11	R7
XDHZZ		RING, GROMMET NO- REF-DESIG..... 325R (99806)		EA	1				*	*	*				
PAHZZ	5935-642-0334	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XV1..... 77M1P8 (02660)		EA	4				*	*	*		3		XV1
PAHZZ	5935-642-0334	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XV2..... 77M1P8 (02660)		EA	REF				*	*	*		3	11	XV2
PAHZZ	5935-642-0334	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XV3..... 77M1P8 (02660)		EA	REF				*	*	*		3	11	XV3
PAHZZ	5935-642-0334	SOCKET, PLUG-IN ELECTRONIC COMPONENTS XV4..... 77M1P8 (02660)		EA	REF				*	*	*		3	11	XV4
XDHZZ		TRANSFORMER, PCOER, STEP-DOWN AND STEP-UP..... T1 KP6324 (30724)		EA	1				*	*	*			10	T1

SECTION IV

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
 CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

NOTE: LATEST FEDERAL STOCK NUMBER ASSIGNMENTS ARE INCLUDED AT END OF INDEX

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5325-279-1235			5905-295-3410	11	R5
			5905-295-3410	12	R92
			5905-295-3410	13-1	R38
			5905-299-1965	12	R43
			5905-539-1559	11	R7
			5905-646-5957	13-1	R30
			5905-646-5957	13-1	R88
			5905-655-3971	12	R52
5905-114-5441	11	R8			
5905-171-1976	13-1	R26			
5905-171-1976	13-1	R27			
5905-171-2003	13-1	R86			
5905-171-2005	13-1	R71			
5905-171-2005	13-1	R72			
5905-171-2005	13-1	R81			
5905-171-2005	13-1	R82			
5905-171-2009	13-1	R34			
5905-185-6575	3-1	R66			
5905-185-8518	12	R44			
5905-185-8518	12	R46			
5905-185-8518	13-1	R21			
5905-185-8518	13-1	R89			
5905-186-3008	11	R2			
5905-186-3008	11	R3			
5905-190-8882	13-1	R87	5910-196-0547	12	C11
5905-190-8885	3-1	R42	5910-196-0547	12	C12
5905-192-3971	13-1	R28	5910-196-0547	12	C40
5905-192-3981	13-1	R67	5910-196-0547	12	C41
5905-192-3981	13-1	R74	5910-196-0547	12	C42
5905-192-3981	13-1	R77	5910-196-0547	12	C43
5905-192-3981	13-1	R84	5910-196-0547	12	C48
5905-192-9260	13-1	R10	5910-196-0547	12	C52
5905-192-9260	13-1	R9	5910-727-9382	13-2	C1
5905-195-5514	13-1	R35	5910-727-9382	13-2	C2
5905-195-6449	13-1	R39			
5905-195-6502	13-1	R37	5910-826-5703	13-2	C46
5905-195-6758	11	R4	5910-826-5703	13-2	C5
5905-195-6761	13-1	R69			
5905-195-6761	13-1	R70	5910-851-2782	13-2	C14
5905-195-6761	13-1	R79			
5905-195-6761	13-1	R80			
5905-195-6761	13-1	R85			
5905-195-6761	13-1	R4			
5905-195-6761	13-1	R5			
5905-195-6800	13-1	R31			
5905-195-6806	13-1	R29			
5905-221-5860	13-1	R36			
5905-252-5434	12	R51			
5905-252-5434	12	R53			
5905-254-7087	30	R54			
5905-279-1884	13-1	R22	5910-851-7794	12	C17
5905-279-1884	13-1	R24	5910-851-7794	13-2	C3
5905-279-1884	13-1	R1	5910-851-7794	13-2	C4
5905-279-1884	13-1	R7	5910-851-7853	13-2	C19
5905-279-1884	13-1	R8	5910-851-7853	13-2	C20
			5910-851-7853	13-2	C26
5905-279-2593	13-1	R68	5910-851-7853	13-2	C27
5905-279-2593	13-1	R73	5910-851-7853	13-2	C6
5905-279-2593	13-1	R78	5910-851-7853	13-2	C8
5905-279-2593	13-1	R83			
			5910-854-8849	13-2	C10
5905-279-3511	13-1	R32	5910-854-8849	13-2	C9

SECTION IV

TM11-6625-406-40P

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5920-518-1793	28	F1	5935-642-0334 5940-193-0716	11	XV4
			5950-863-7919	12	L1
5930-825-9010	13-2	S1	5960-116-9927	12	V2
5935-149-2682	12	P1	5960-188-3967 5960-188-8573	12 10	V1 V4
5935-201-7119	13-2	XY1			
5935-201-7119	13-2	XY2	5960-262-0167	12	V7
5935-201-7119	13-2	XY3	5960-262-0167	13-2	V4
5935-201-7119	13-2	XY4	5960-262-0210	12	V5
5935-201-7119	13-2	XY5	5960-262-0210	12	V6
5935-201-7119	13-2	XY6			
5935-201-7119	13-2	XY7			
5935-201-7119	13-2	XY8	5961-821-4177	13-1	CR1
5935-201-7119	13-2	XY9	5961-821-4177	13-1	CR2
5935-222-9828			5961-821-4177	13-1	CR3
5935-229-7328			5961-821-4177	13-1	CR4
5935-232-3758			5961-821-4177	13-1	CR5
5935-636-7145			6145-284-0579		
5935-642-0334			6220-646-9106		
5935-642-0334		XV1	6240-057-2887	30	11
5935-642-0334	11	XV2			
5935-642-0334	11	XV3			

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
AN930-1			N750K315	72982		12	C16
AN931-4-7			N750K315	72982		13-2	C31
CP5384FF105L			N750K315	72982		112	C32
C0-03MGF3118J0330		11	N750K315	72982		13-2	C33
014923-6047		10	N750K315	72982		13Z	C34
F02G3R00A		28	N750K315	72982		13-2	C35
GP2-331-1000			N750K315	72982		13-2	C36
GP2-331-1000		13-2	N750K315	72982		13-2	C37
GP2-331-1000		13-2	N750K315	72982		13-2	C38
GP2-331-1000		13-2	N750K315	72982		13-2	C39
GP2-331-1000		13-2	N750K315	72982		13-2	C44
GP2-331-2000		13-2	P406CCT	71785		12	P1
HF15		12	RCR20G563JS	81349		11	R8
HF15		12	RC20GF101K	81349		11	R2
HF15		12	RC20GF101K	81349		11	R3
HF15		12	RC20GF102J	81349		13-1	R29
HF15		12	RC20GF103K	81349		12	R44
HF15		12	RC20GF103K	81349		12	R46
HF15T		12	RC20GF103K	81349		13-1	R21
HF15T		12	RC20GF103K	81349		13-1	R89
HF15T		30	RC20GF104K	81349		13-1	R4
HKP		11	RC20GF104K	81349		13-1	R5
JA2N048P104UA		12	RC20GF104K	81349		13-1	R69
JA2N048P104UA		12	RC20GF104K	81349		13-1	R70
JA2N048P504U2		12	RC20GF104K	81349		13-1	R79
JA2N048P504U2		12	RC20GF104K	81349		13-1	R80
JA2N048P504U2		13-1	RC20GF104K	81349		13-1	R85
JJ54743P30480PT2		12	RC20GF105K	81349		12	R14
JU10315D30320		13-1	RC20GF121K	81349		12	R51
JU10315D30320		13-1	RC20GF121K	81349		12	R53
JU2531SD30320P2		11	RC20GF124K	81349		13-1	R67
JU3021P30480PT2		12	RC20GF124K	81349		13-1	R74
KP6324		10	RC20GF124K	81349		13-1	R77
MM20-250		13-2	RC20GF124K	81349		13-1	R84
MM25-25		13-2	RC20GF125K	81349		12	R11
N750K315		12	RC20GF152K	81349		13-1	R35

SECTION IV

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
938A	24655	12	E1	938A	24655	12	E4
938A	24655	12	E2	938Z	06840		
938A	24655	12	E3				

LATEST FEDERAL STOCK NUMBER ASSIGNMENTS

STOCK NUMBER	FIGURE NO.	ITEM NO.
5935-201-3511	13-2	J1
5935-201-3511	13-2	J2

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:
VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	Fort Carson (5)
CNGB (1)	Ft Richardson (ECOM Ofc) (2)
Dir of Trans (1)	Army Dep (1) except
COE (1)	LBAD (14)
TSG (1)	SAAD (30)
USAARENBD (1)	TOAD (14)
AMC (1)	ATAD (10)
TRADOC (2)	USA Dep (2)
ARADCOM (2)	Sig Sec USA Dep (2)
ARADCOM Rgn (2)	Sig Dep (2)
OS Maj Comd (4)	Sig FLDMS (1)
LOGCOMDS (3)	USAERDAA (1)
MICOM (2)	USAERDAW (1)
TECOM (2)	MAAG (1)
USACC (4)	USARMIS (1)
MDW (1)	Units org under fol TOE:
Armies (2)	(1 copy each unit)
Corps (2)	7
HISA (Ft Monmouth) (43)	11-16
Svc Colleges (1)	11-97
USASESS (5)	11-98
USAADS (2)	11-117
USAFAS (2)	11-500 (AA-AC)
USAARMS (2)	29-1
USAIS (2)	2915
USAINTCS (3)	29-16
WRAMC (1)	2921
ATS (1)	2935
Fort Gordon (10)	2936
Fort Huachuca (10)	29-134
WSMR (1)	29-136

NG: State AG (3)

USAR: None

For explanation of abbreviations used, see AR 310-50.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974-665136/452

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
----------	------------	------------	-----------

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

