

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS) GENERATOR, PULSE SG-366/U FSN 6625-682-9496

Headquarters, Department of the Army, Washington D.C 19April 1974,

Current as of September 1973

Table with 2 columns: Paragraph and Page. Includes sections: SECTION I. INTRODUCTION, II. REPAIR PARTS LIST, III. SPECIAL TOLLS. TEST AND SUPPORT EQUIPMENT (Not appliable), IV. INDEX — FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER.

This publication is a courtesy quick copy from the UNITED STATES ARMY PUBLICATIONS CENTER, ST. LOUIS , MISSOURI, to meet your needs while we are replenishing our regular stock.

\*This manual supersedes TM11-6625-435-45P, 4 October 1962.

# SECTION I INTRODUCTION

---

## 1-1. Scope

This manual lists repair parts and special tools required for the Performance of general support and depot maintenance of the SG-366/U. The PCCN for the SG-366/U is GRRACO for all models.

### NOTE

No parts authorized for stockage at direct support.

## 1-2. General

This repair parts and special tools list is divided into the following sections:

*a. Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.

*b. Special Tools,, Test and Support Equipment - Section III.* Not applicable.

*c. Index - Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

## 1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

*a. Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items Source codes are —

<i>Code</i>	<i>Explanation</i>
PA —	Item procured and stocked for anticipated or known usage.
PB —	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC —	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature
PD —	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional

<i>Code</i>	<i>Explanation</i>
	initial issues or outfittings. Not subject to automatic replenishment.
PE —	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF —	Support equipment which will not be stocked but which will be centrally procured on demand
PG —	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD —	An item of depot overhaul, repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF —	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB —	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO —	Item to be manufactured or fabricated at organizational level.
MF —	Item to be manufactured or fabricated at direct support maintenance level.
MH —	Item to be manufactured or fabricatd at general support maintenance level.
MD —	Item to be manufactured or fabricated at depot maintenance level.
AO —	Item to be assembled at organizational level.
AF —	Item to be assembled at direct support maintenance level.
AH —	Item to be assembled at general support maintenance level.
AD —	Item to be assembled at depot maintenance level.
XA —	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB —	Item is not procured or stocked. If not available through salvage, requisition.

<i>Code</i>	<i>Explanation</i>
XC —	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD —	Support items can be requisitioned with justification.

**NOTE**

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O —	Support item is removed, replaced, used at the organizational level of maintenance.

**NOTE**

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F —	Support item is removed, replaced, used at the direct support maintenance level.
H —	Support item is removed, replaced, used at the general support maintenance.
D —	Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functional). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code:

<i>Code</i>	<i>Application/Explanation</i>
O —	The lowest maintenance level capable of complete repair of the support item is the organizational level.

<i>Code</i>	<i>Application/Explanation</i>
F —	The lowest maintenance level capable of complete repair of the support item is direct support.
H —	The lowest maintenance level capable of complete repair of the support item is general support.
D —	The lowest maintenance level capable of complete repair of the support item is the depot level.
L —	Repair restricted to designated Specialized Repair Activity.
Z —	Non-repairable. No repair is authorized.
B —	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows:

<i>Code</i>	<i>Explanation</i>
Z —	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O —	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F —	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H —	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D —	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L —	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A —	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

*b. Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

*c. Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses, The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

*d. Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

*e. Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

*f. 30-Day DS/GS Maintenance Allowances.*

**NOTE**

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance column for GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment

*g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes.* Column intentionally left blank.

*h. Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

*i. Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-435-45.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

**1-4 Special Information**

*a.* Usable on codes are included in column 3. Uncoded items are applicable to all models. Identifi-

cation of the usable on codes used in this publication are —

code	<i>Used on</i>
<b>AZJ</b>	<b>SG-366/U</b>

*b.* The following publications pertain to the SG-366/U and its components:

- |                    |   |
|--------------------|---|
| TM 11-6625-435-12  | Operator and Organizational Maintenance Manual: Generator, Pulse SG-366/U.                  |
| TM 11-6625-435-20P | Organizational Maintenance Repair Parts and Special Tools Lists: Generator, Pulse SG-366/U. |
| TM 11-6625-435-45  | GS and Depot Maintenance Manual: Generator, Pulse SG-366/U.                                 |

**1-5 Location of Repair Parts**

*a.* This manual contains one cross-reference index (see IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturers part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers

*b.* When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation

(2) Refer to the repair parts list (see II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index

*c.* When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see II) until the item is located

*d.* When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (see II), which is arranged in alphabetical order.

**1-6 Abbreviations**

Not applicable.

## **1-7. Reporting of Equipment Publication Improvements**

The reporting of errors, omissions, and recommendations for improving this publication by the individual

user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-SR, Fort Monmouth, NJ., 07703.

SECTION II			TM11-6625-435-40P											(10)		
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
SMR	FEDERAL	DESCRIPTION	USABLE ON CODE	QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION			
CODE	STOCK	REFERENCE NUMBER & MFR. CODE		INC	ALLOWANCE	(A)	(B)	(C)	ALLOWANCE	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
NUMBER	NUMBER			IN	(A)	(B)	(C)	(A)	(B)	(C)	100	100	EQUIP	100	FIGUR	ITEM
				UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTG	PER	EQUIP		NO.	NO.
PCOZZ	5340-864-3336	BUMPER, RUBBER NO-REF-DESIG 1611 (73734)		EA	8				*	*	*			10		
PAHZZ	5935-201-3511	CONNECTOR, RECEPACLE, ELECTRICAL J1 UG1850 (81349)		EA	4				*	*	*			3	15	J1
PAHZZ	5935-201-3511	CONNECTOR, RECEPACLE, ELECTRICAL J2 UG1850 (81349)		EA	REF				*	*	*			3	12	J2
PAHZZ	5935-201-3511	CONNECTOR, RECEPACLE, ELECTRICAL J3 UG1850 (81349)		EA	REF				*	*	*			3	12	J3
PAHZZ	5935-201-3511	CONNECTOR, RECEPACLE, ELECTRICAL J4 UG185U (81349)		EA	REF				*	*	*			3	13	C24
PAHZZ	5910-060-1226	CAPACITOR, FIXED, CERAMIC DIELECTRIC C24 5 MMF 500 V DC 315U2JR0P0RM10PC* T (72982)		EA	4				*	*	*			3	13	C24
PAHZZ	5910-060-1226	CAPACITOR, FIXED, CERAMIC DIELECTRIC C26 5 MMF 500 V DC 315U2JR0P0RM10PC* T (72982)		EA	REF				*	*	*			3	13	C26
PAHZZ	5910-060-1226	CAPACITOR, FIXED, CERAMIC DIELECTRIC C29 5 MMF 500 V DC 315U2JR0P0RM10PC* T (72982)		EA	REF				*	*	*			3	13	C29
PAHZZ	5910-060-1226	CAPACITOR, FIXED, CERAMIC DIELECTRIC C30 5 MMF 500 V DC 315U2JR0P0RM10PC* T (72982)		EA	REF				*	*	*			3	13	C30
PAHZZ	5910-666-6789	CAPACITOR, FIXED, CERAMIC DIELECTRIC C47 50 MMF 500V DC 315U2J500P0RM10P* CT (72983)		EA	1				*	*	*			3	32	C47
PAHZZ	5910-230-8930	CAPACITOR, FIXED, CERAMIC DIELECTRIC C38 680 MMF 500V DC 315U2M681P0RM20P* CT (72983)		EA	2				*	*	*			3	15	C38
PAHZZ	5910-230-8930	CAPACITOR, FIXED, CERAMIC DIELECTRIC C46 680 MMF 500V DC 315U2M681P0RM20P* CT (72983)		EA	REF				*	*	*			3	15	C46
PAHZZ	5910-851-2788	CAPACITOR, FIXED, CERAMIC DIELECTRIC C39 1,000 MMF 500V DC 331H3M102P0RM10P* CT (72983)		EA	1				*	*	*			3	15	C39
PAHZZ	5910-324-6191	CAPACITOR, FIXED, CERAMIC DIELECTRIC C17 20 MMF 500 V DC 315U2J200P0RM10P* CT (72983)		EA	3				*	*	*			3	15	C17
PAHZZ	5910-324-6191	CAPACITOR, FIXED, CERAMIC DIELECTRIC C31 20 MMF 500 V DC 315U2J200P0RM10P* CT (72983)		EA	REF				*	*	*			3	13	C31
PAHZZ	5910-324-6191	CAPACITOR, FIXED, CERAMIC DIELECTRIC C32 20 MMF 500 V DC		EA	REF				*	*	*			3	13	C32

CONTINUED

SECTION II			TM11-6625-435-40P													
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
		DESCRIPTION		QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION			
SMR	FEDERAL		UNIT	INC	ALLOWANCE	(A)	(B)	(C)	ALLOWANCE	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	IN	(A)	(B)	(C)	(A)	(B)	(C)	100	100	EQUIP	100	FIGURE	ITEM
	NUMBER		MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTG	PER	EQUIP	NO.	NO.	NO.
		CONTINUED														
		315U2J200PORM10P*														
		CT (72983)														
PAHZZ	5910-060-9999	CAPACITOR, FIXED, CERAMIC DIELECTRIC C44 4000 MMF 500 V DC	EA	2				*	*	*				3	15	C44
		X5V2443-4000GMV (72983)														
PAHZZ	5910-060-9999	CAPACITOR, FIXED, CERAMIC DIELECTRIC C51 4000 MMF 500 V DC	EA	REF				*	*	*				3	32	C51
		X5V2443-4000GMV (72983)														
PAHZZ	5910-814-3614	CAPACITOR, FIXED, CERAMIC DIELECTRIC C25 5000 MMF 500 V DC	EA	4				*	*	*				3	13	C25
		36C142A1 (56289)														
PAHZZ	5910-814-3614	CAPACITOR, FIXED, CERAMIC DIELECTRIC C27 5000 MMF 500 V DC	EA	REF				*	*	*				3	13	C27
		36C142A1 (56289)														
PAHZZ	5910-814-3614	CAPACITOR, FIXED, CERAMIC DIELECTRIC C37 5000 MMF 500 V DC	EA	REF				*	*	*				3	15	C37
		36C142A1 (56289)														
PAHZZ	5910-814-3614	CAPACITOR, FIXED, CERAMIC DIELECTRIC C45 5000 MMF 500 V DC	EA	REF				*	*	*				3	15	C45
		36C142A1 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C1 10,000 MMF 500V DC	EA	8				*	*	*				3	15	C1
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C5 10,000 MMF 500V DC	EA	REF				*	*	*				3	15	C5
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C7 10,000 MMF 500V DC	EA	REF				*	*	*				3	15	C7
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C21 10,000 MMF 500V DC	EA	REF				*	*	*				3	15	C21
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C42 10,000 MMF 500V DC	EA	REF				*	*	*				3	15	C42
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C43 10,000 MMF 500V DC	EA	REF				*	*	*				3	15	C43
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C40 10,000 MMF 500V DC	EA	REF				*	*	*				3	13	C40
		36C70 (56289)														
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C41 10,000 MMF 500V DC	EA	REF				*	*	*				3	13	C41
		36C70 (56289)														
PAHZZ	5910-812-2092	CAPACITOR, FIXED, CERAMIC DIELECTRIC C35 20,000 MMF 500 VDCW	EA	1				*	*	*				3	15	C35
		33C60 (56289)														
PAHZZ	5910-649-2538	CAPACITOR, FIXED, ELECTROLYTIC C20 10 MFD 450 VDCW	EA	1				*	*	*				3	15	C20
		MM10-450 (25801)														
PAHZZ	5910-668-9354	CAPACITOR, FIXED, ELECTROLYTIC C19 2	EA	1				*	*	*				3	12	C19
		CONTINUED														

SECTION II			TM11-6625-435-40P											
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	ALW PER	(A)	(B)
	NUMBER		MEAS	IN	1-20	21-50	51-100	1-20	21-50	51-100	EQUIP	100	FIGURE	ITEM
		USABLE ON CODE		UNIT							CNTGCT	EQUIP	NO.	NO.
		CONTINUED												
PAHZZ	5910-668-9354	SECT 20 MFD EA SECT 450 VDCW EA SECT D14923-930 (56289)	EA	REF				*	*	*		3	15	C34
PAHZZ	5905-080-6833	CAPACITOR, FIXED, ELECTROLYTIC C34 2 SECT 20 MFD EA SECT 450 VDCW EA SECT D14923-930 (56289)	EA	1				*	*	*		3	15	C10
PAHZZ	5910-552-8370	CAPACITOR, FIXED, MICA DIELECTRIC C10 150 MMF FORM5PCT 500V DC 22R5T15 (14655)	EA	1				*	*	*		3	15	C11
PAHZZ	5910-936-4804	CAPACITOR, FIXED, MICA DIELECTRIC C11 300 MMF FORM5PCT 500V DC 22R5T3 (14655)	EA	1				*	*	*		3	15	C15
PAHZZ	5910-060-3645	CAPACITOR, FIXED, MICA DIELECTRIC C15 3900 MMF FORM5PCT 500V DC 1R5D39 (14655)	EA	1				*	*	*		3	15	C6
PAHZZ	5910-270-3203	CAPACITOR, FIXED, MICA DIELECTRIC C6 1R5D1 (14655)	EA	2				*	*	*		3	15	C2
PAHZZ	5910-270-3203	CAPACITOR, FIXED, MICA DIELECTRIC C2 5R5T3 (14655)	EA	REF				*	*	*		3	15	C9
PAHZZ	5910-060-9619	CAPACITOR, FIXED, MICA DIELECTRIC C9 5R5T3 (14655)	EA	1				*	*	*		3	15	C8
XBDZZ		CAPACITOR, FIXED, MICA DIELECTRIC C8 5R5T5 (14655)	EA	1				*	*	*			15	C14
XBDZZ		CAPACITOR, FIXED, MICA DIELECTRIC C4 75 TO 300 UUF RANGE (RESISTANCE TO BE DETERMINED AT TIME OF ASSEMBLY OR REPAIR IN ACCORDANCE WITH CALIBRATION REQUIREMENTS) ZZZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	1									15	C14
PAHZZ	5910-854-8849	CAPACITOR, FIXED, MICA DIELECTRIC C14 300 TO 500 UUF RANGE (RESISTANCE TO BE DETERMINED AT TIME OF ASSEMBLY OR REPAIR IN ACCORDANCE WITH CALIBRATION REQUIREMENTS) ZZZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	2				*	*	*		3	13	C23
PAHZZ	5910-854-8849	CAPACITOR, FIXED, PAPER DIELECTRIC C23 100,000 MMF FORM10PCT 400V DC 4DP3-104 (72136)	EA	REF				*	*	*		3	13	C28
PAHZZ	5910-851-7853	CAPACITOR, FIXED, PAPER DIELECTRIC C28 100,000 MMF FORM10PCT 400V DC 4DP3-104 (72136)	EA	1				*	*	*		3	15	C48
PAHZZ	5910-284-5307	CAPACITOR, FIXED, PAPER DIELECTRIC C48 250,000 MMF FORM10PCT 400V DC 4DP5-254 (72136)	EA	1				*	*	*		3	15	C12
PAHZZ	5910-889-4350	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC 1.5 MMF TO 7 MMF C12 503000COP010R (72983)	EA	1				*	*	*		3	13	C22
		CAPACITOR, VARIABLE, AIR DIELECTRIC C22 3 MMF TO 50 MMF MCD50M (80583)												



SECTION II			TM11-6625-435-40P											
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	INC	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER	MAINT	(A)	(B)
	NUMBER	USABLE ON CODE	MEAS	IN	1-20	21-50	51-100	1-20	21-50	51-100	EQUIP	100	FIGURE	ITEM
				UNIT							CNTGCV	EQUIP	NO.	NO.
PAHZZ	5910-060-3158	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C3 7MMF TO 45 MMF 503000D2P033R (72983)	EA	3				*	*	*		3	15	C3
PAHZZ	5910-060-3158	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C13 7MMF TO 45 MMF 503000D2P033R (72983)	EA	REF				*	*	*		3	15	C13
PAHZZ	5910-060-3158	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C16 7 MMF TO 45 MMF 503000D2P033R (72983)	EA	REF				*	*	*		3	15	C16
PAHZZ	5950-475-2377	COIL, RADIO FREQUENCY L6 L6-3001D (80138)	EA	1				*	*	*		3	13	L6
PAHZZ	5950-475-2384	COIL, RADIO FREQUENCY L7 L7-3001D (80138)	EA	1				*	*	*		3	13	L7
PAHZZ	5950-475-2382	COIL, RADIO FREQUENCY L8 L8-3001D (80138)	EA	1				*	*	*		3	13	L8
PAHZZ	5950-475-2379	COIL, RADIO FREQUENCY L9 L9-3001D (80138)	EA	1				*	*	*		3	13	L9
PAHZZ	5950-475-1836	COIL, RADIO FREQUENCY L10 L10-3001D (80138)	EA	1				*	*	*		3	13	L10
PAHZZ	5950-863-7920	COIL, RADIO FREQUENCY L11 6394-3 (80138)	EA	5				*	*	*		3	13	L11
PAHZZ	5950-863-7920	COIL, RADIO FREQUENCY L12 6394-3 (80138)	EA	REF				*	*	*		3	13	L12
PAHZZ	5950-863-7920	COIL, RADIO FREQUENCY L13 6394-3 (80138)	EA	REF				*	*	*		3	15	L13
PAHZZ	5950-863-7920	COIL, RADIO FREQUENCY L14 6394-3 (80138)	EA	REF				*	*	*		3	15	L14
PAHZZ	5950-863-7920	COIL, RADIO FREQUENCY L15 6394-3 (80138)	EA	REF				*	*	*		3	13	L15
PAHZZ	5950-475-2376	COIL, RADIO FREQUENCY L1 6394-5 (80138)	EA	5				*	*	*		3	32	L1
PAHZZ	5950-475-2376	COIL, RADIO FREQUENCY L2 6394-5 (80138)	EA	REF				*	*	*		3	32	L2
PAHZZ	5950-475-2376	COIL, RADIO FREQUENCY L3 6394-5 (80138)	EA	REF				*	*	*		3	32	L3
PAHZZ	5950-475-2376	COIL, RADIO FREQUENCY L4 6394-5 (80138)	EA	REF				*	*	*		3	32	L4
PAHZZ	5950-475-2376	COIL, RADIO FREQUENCY L5 6394-5 (80138)	EA	REF				*	*	*		3	32	L5
PAHZZ	5935-190-3226	CONNECTOR, RECEPTACLE, ELECTRICAL J5 P312AB (71785)	EA	1				*	*	*		3	12	J5
PAHZZ	5355-084-0845	DIAL, CONTROL NO-REF-DESIG 3017 (80138)	EA	1				*	*	*		2		
PAHZZ	6625-889-3374	DIAL, SCALE NO-REF-DESIG 2955 (80138)	EA	1				*	*	*		2		
PAHZZ	6625-475-2235	DISC, CORE MOUNTING NO-REF-DESIG 2408 (80138)	EA	2				*	*	*		1		
PAHZZ	6625-475-2176	DRIVE, PLANETARY NO-REF-DESIG 4626-3 (80138)	EA	1				*	*	*		5		
PAOZZ	5960-108-0261	ELECTRON TUBE V3 2D21 (81349)	EA	2				*	*	*		100	12	V3
PAOZZ	5960-108-0261	ELECTRON TUBE V5 2D21 (81349)	EA	REF				*	*	*		100	12	V5

## SECTION II

TM11-6625-435-40P

(1)	(2)	(3)	DESCRIPTION	USABLE ON CODE	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
							30-DAY DS MAINT ALLOWANCE	30-DAY DS MAINT ALLOWANCE	30-DAY DS MAINT ALLOWANCE	30-DAY GS MAINT ALLOWANCE	30-DAY GS MAINT ALLOWANCE	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER 100 EQUIP CNTGCV	DEPOT MAINT ALW PER 100 EQUIP	(A)	(B)
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE			UNIT OF MEAS	QTY INC IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)			FIGURE NO.	ITEM NO.
PAOZZ	5960-166-7667	ELECTRON TUBE V7 6AH6 (81349)			EA	1				*	*	*		100	12	V7
PAOZZ	5960-262-1357	ELECTRON TUBE V2 6AK5 (81349)			EA	3				*	*	*		100	12	V2
PAOZZ	5960-262-1357	ELECTRON TUBE V8 6AK5 (81349)			EA	REF				*	*	*		100	12	V8
PAOZZ	5960-262-1357	ELECTRON TUBE V9 6AK5 (81349)			EA	REF				*	*	*		100	12	V9
PAOZZ	5960-879-5078	ELECTRON TUBE V4 5726 (81349)			EA	1				*	*	*		100	12	V4
PAOZZ	5960-669-6861	ELECTRON TUBE V6 6AQ5 (81349)			EA	1				*	*	*		100	12	V6
PAOZZ	5960-188-3602	ELECTRON TUBE V10 6BH6 (81349)			EA	2				*	*	*		100	12	V10
PAOZZ	5960-188-3602	ELECTRON TUBE V11 6BH6 (81349)			EA	REF				*	*	*		100	12	V11
PAOZZ	5960-166-7663	ELECTRON TUBE V1 12AU7 (81349)			EA	1				*	*	*		100	12	V1
PAHZZ	3895-064-5508	GEAR, SPUR NO-REF-DESIG 2927 (80138)			EA	1				*	*	*		3		
PAHZZ	3895-060-2772	GEAR, SPUR NO-REF-DESIG 2928 (80138)			EA	1				*	*	*		3		
PAHZZ	3895-060-2773	GEAR, SPUR NO-REF-DESIG 2929 (80138)			EA	1				*	*	*		3		
PCHZZ	5325-061-9494	GROMMET, RUBBER NO-REF-DESIG Z2188 (76385)			EA	5				*	*	*		5		
PAHZZ	6625-475-2248	HUB, DIAL NO-REF-DESIG 2930 (80138)			EA	1				*	*	*		3		
PAHZZ	6625-475-2245	HUB, GEAR NO-REF-DESIG 2933-1 (80138)			EA	1				*	*	*		3		
PAOZZ	5355-284-5886	KNOB NO-REF-DESIG 2300A (72512)			EA	1				*	*	*		3		
PAOZZ	5355-059-9162	KNOB NO-REF-DESIG 1426D (80138)			EA	3				*	*	*		3		
PAOZZ	5355-889-3368	KNOB NO-REF-DESIG 2961 (80138)			EA	1				*	*	*		3		
PAOZZ	5355-889-3377	KNOB NO-REF-DESIG 2962 (80138)			EA	1				*	*	*		3		
PACZZ	6240-057-2887	LAMP, INCANDESCENT NO-REF-DESIG 44 (24446)			EA	1				*	*	*		20		
PAHZZ	6250-553-1880	LAMPHOLDER XII 7-06 (72619)			EA	1				*	*	*		2		
PAHZZ	5905-279-3833	RESISTOR, FIXED, COMPOSITION R92 RC20GF100K (81349)			EA	1				*	*	*		3	14	R92
PAHZZ	5905-252-2995	RESISTOR, FIXED, COMPOSITION R46 RC20GF220K (81349)			EA	2				*	*	*		3	13	R46
PAHZZ	5905-252-2995	RESISTOR, FIXED, COMPOSITION R49 RC20GF220K (81349)			EA	REF				*	*	*		3	13	R49
PAHZZ	5905-279-3517	RESISTOR, FIXED, COMPOSITION R26 RC20GF510J (81349)			EA	1				*	*	*		3	14	R26
PAHZZ	5905-279-1897	RESISTOR, FIXED, COMPOSITION R43 RC20GF560J (81349)			EA	2				*	*	*		3	13	R43

SECTION II		TM11-6625-435-40P												
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	INC	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A)	(B)	
	NUMBER		MEAS	IN	(A)	(B)	(C)	(A)	(B)	100	100	FIGURE	ITEM	
				UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGNCY	EQUIP	NO.	NO.
PAHZZ	5905-279-1897	RESISTOR, FIXED, COMPOSITION R44 RC20GF560J (81349)	EA	REF				*	*	*		3	13	R44
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITIONR6 RC20GF101K (81349)	EA	5				*	*	*		3	14	R6
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R19 RC20GF101K (81349)	EA	REF				*	*	*		3	14	R19
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R24 RC20GF101K (81349)	EA	REF				*	*	*		3	14	R24
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R58 RC20GF101K (81349)	EA	REF				*	*	*		3	14	R58
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R40 RC20GF101K (81349)	EA	REF				*	*	*		3	13	R40
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION R13 RC20GF221K (81349)	EA	3				*	*	*		3	14	R13
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION R42 RC20GF221K (81349)	EA	REF				*	*	*		3	13	R42
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION R43 RC20GF221K (81349)	EA	REF				*	*	*		3	13	R43
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R47 RC20GF241J (81349)	EA	2				*	*	*		3	14	R47
PAHZZ	5905-279-2593	RESISTOR, FIXED, COMPOSITION R48 RC20GF241J (81349)	EA	REF				*	*	*		3	14	R48
PAHZZ	5905-192-3971	RESISTOR, FIXED, COMPOSITION R90 RC20GF331K (81349)	EA	2				*	*	*		3	13	R90
PAHZZ	5905-192-3971	RESISTOR, FIXED, COMPOSITION R91 RC20GF331K (81349)	EA	REF				*	*	*		3	13	R91
PAHZZ	5905-192-3973	RESISTOR, FIXED, COMPOSITION R27 RC20GF471K (81349)	EA	1				*	*	*		3	14	R27
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R56 RC20GF102K (81349)	EA	1				*	*	*		3	14	R56
PAHZZ	5905-190-8887	RESISTOR, FIXED, COMPOSITION R15 RC20GF202J (81349)	EA	1				*	*	*		3	14	R15
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R14 RC20GF222K (81349)	EA	1				*	*	*		3	14	R14
PAHZZ	5905-195-6741	RESISTOR, FIXED, COMPOSITION R98 RC20GF272K (81349)	EA	1				*	*	*		3	32	R98
PAHZZ	5905-185-6575	RESISTOR, FIXED, COMPOSITION R51 RC20GF392K (81349)	EA	1				*	*	*		3	14	R51
PAHZZ	5905-195-6451	RESISTOR, FIXED, COMPOSITION R7 RC20GF472K (81349)	EA	1				*	*	*		3	14	R7
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPOSITION R37 RC32GF472K (81349)	EA	1				*	*	*		3	13	R37
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R32 RC20GF562K (81349)	EA	2				*	*	*		3	13	R32
PAHZZ	5905-192-4408	RESISTOR, FIXED, COMPOSITION R36 RC20GF562K (81349)	EA	REF				*	*	*		3	13	R36
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R8 RC20GF103K (81349)	EA	3				*	*	*		3	14	R8
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R9 RC20GF103K (81349)	EA	REF				*	*	*		3	14	R9
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R28 RC20GF103K (81349)	EA	REF				*	*	*		3	14	R28

SECTION II		TM11-6625-435-40P												
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
SMR	FEDERAL	DESCRIPTION	UNIT	QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR	DEPOT	ILLUSTRATION	
CODE	STOCK	REFERENCE NUMBER & MFR. CODE	OF	INC	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALLOWANCE	ALW PER	MAINT	(A)	(B)	
	NUMBER		MEAS	IN	(A)	(B)	(C)	(A)	(B)	EQUIP	100	FIGURE	ITEM	
				UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGNCY	NO.	NO.	
PAHZZ	5905-190-8876	RESISTOR, FIXED, COMPOSITION R23 RC20GF153K (81349)	EA	2				*	*	*		3	14	R23
PAHZZ	5905-190-8876	RESISTOR, FIXED, COMPOSITION R96 RC20GF153K (81349)	EA	REF				*	*	*		3	13	R96
PAHZZ	5905-192-0649	RESISTOR, FIXED, COMPOSITION R94 RC20GF203J (81349)	EA	3				*	*	*		3	13	R94
PAHZZ	5905-192-0649	RESISTOR, FIXED, COMPOSITION R95 RC20GF203J (81349)	EA	REF				*	*	*		3	13	R95
PAHZZ	5905-192-0649	RESISTOR, FIXED, COMPOSITION R97 RC20GF203J (81349)	EA	REF				*	*	*		3	13	R97
PAHZZ	5905-279-3499	RESISTOR, FIXED, COMPOSITION R34 RC20GF273K (81349)	EA	1				*	*	*		3	14	R34
PAHZZ	5905-279-3497	RESISTOR, FIXED, COMPOSITION R29 RC20GF393K (81349)	EA	1				*	*	*		3	14	R29
PAHZZ	5905-279-3496	RESISTOR, FIXED, COMPOSITION R99 RC20GF513J (81349)	EA	1				*	*	*		3	14	R99
PAHZZ	5905-249-5661	RESISTOR, FIXED, COMPOSITION R30 RC20GF683K (81349)	EA	1				*	*	*		3	14	R30
PAHZZ	5905-299-2008	RESISTOR, FIXED, COMPOSITION R53 RC32GF753J (81349)	EA	1				*	*	*		3	14	R53
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R10 RC20GF104K (81349)	EA	REF				*	*	*		3	14	R10
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R12 RC20GF104K (81349)	EA	REF				*	*	*		3	14	R12
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R31 RC20GF104K (81349)	EA	REF				*	*	*		3	14	R31
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R38 RC20GF104K (81349)	EA	REF				*	*	*		3	13	R38
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R39 RC20GF104K (81349)	EA	REF				*	*	*		3	13	R39
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R45 RC20GF104K (81349)	EA	REF				*	*	*		3	13	R45
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R50 RC20GF104K (81349)	EA	REF				*	*	*		3	13	R50
PAHZZ	5905-192-0662	RESISTOR, FIXED, COMPOSITION R11 RC20GF184K (81349)	EA	1				*	*	*		3	14	R11
PAHZZ	5905-279-1934	RESISTOR, FIXED, COMPOSITION R1 RC42GF204J (81349)	EA	2				*	*	*		3	14	R1
PAHZZ	5905-279-1934	RESISTOR, FIXED, COMPOSITION R2 RC42GF204J (81349)	EA	REF				*	*	*		3	14	R2
PAHZZ	5905-185-6944	RESISTOR, FIXED, COMPOSITION R17 RC20GF394K (81349)	EA	1				*	*	*		3	14	R17
PAHZZ	5905-279-2515	RESISTOR, FIXED, COMPOSITION R4 RC20GF474K (81349)	EA	1				*	*	*		3	14	R4
PAHZZ	5905-221-5840	RESISTOR, FIXED, COMPOSITION R16 RC20GF564K (81349)	EA	1				*	*	*		3	14	R16
PAHZZ	5905-192-0390	RESISTOR, FIXED, COMPOSITION R33 RC20GF105K (81349)	EA	1				*	*	*		3	14	R33
PAHZZ	5905-190-8885	RESISTOR, FIXED, COMPOSITION R3 RC20GF225K (81349)	EA	1				*	*	*		3	14	R3
PAHZZ	5905-279-2657	RESISTOR, FIXED, COMPOSITION R20 RC20GF565K (81349)	EA	1				*	*	*		3	14	R20

SECTION II			TM11-6625-435-40P												
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)		
	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE (A) (B) (C)			30-DAY GS MAINT ALLOWANCE (A) (B) (C)			1-YR ALW PER EQUIP CNTGCV	DEPOT MAINT ALW PER EQUIP	(A) FIGURE NO.	(B) ITEM NO.	
SMR CODE		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE		1-20	21-50	51-100	1-20	21-50	51-100					
XBDZZ		RESISTOR, FIXED, COMPOSITION R54A 680 TO 3900 OHM RANGE (RESISTANCE TO BE DETERMINED AT TIME OF ASSEMBLY OR REPAIR IN ACCORDANCE WITH CALIBRATION REQUIREMENTS) ZZZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	2									32	R54A	
XBDZZ		RESISTOR, FIXED, COMPOSITION R54B 680 TO 3900 OHM RANGE (RESISTANCE TO BE DETERMINED AT TIME OF ASSEMBLY OR REPAIR IN ACCORDANCE WITH CALIBRATION REQUIREMENTS) ZZZZZZZZZZZZZZZZZZ* ZZZZZZZZZZZZZZZZZZ (ZZZZZ)	EA	REF									32	R54B	
PAHZZ	5905-060-1944	RESISTOR, FIXED, FILM R57 5.74 OHMS PORM1PCT 1/2 W HF15-5R740F (80031)	EA	2				*	*	*			3	14	R57
PAHZZ	5905-060-1944	RESISTOR, FIXED, FILM R90 5.74 OHMS PORM1PCT 1/2 W HF15-5R740F (80031)	EA	REF				*	*	*			3	14	R90
PAHZZ	5905-060-2383	RESISTOR, FIXED, FILM R62 6.18 OHMS PORM1PCT 1/2 W HF15-6R180F (80031)	EA	1				*	*	*			3	14	R62
PAHZZ	5905-060-2384	RESISTOR, FIXED, FILM R66 12.43 OHMS PORM1PCT 1/2 W HF15T12R430FS (80031)	EA	1				*	*	*			3	14	R66
PAHZZ	5905-060-2386	RESISTOR, FIXED, FILM R69 18.9 OHMS PORM1PCT 1/2 W HF15-18R90F (80031)	EA	1				*	*	*			3	14	R69
PAHZZ	5905-060-1950	RESISTOR, FIXED, FILM R72 32.5 OHMS PORM1PCT 1/2 W HF15T32R50FS (80031)	EA	1				*	*	*			3	14	R72
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R79 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	8				*	*	*			3	32	R79
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R80 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	14	R80
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R79 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	32	R82
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R83 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	14	R83
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R85 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	32	R85
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R86 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	14	R86
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R88 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)	EA	REF				*	*	*			3	32	R88

SECTION II  
(1) (2)

(3)

TM11-6625-435-40P

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCV	(9) DEPOT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)		
PAHZZ	5905-060-1949	RESISTOR, FIXED, FILM R89 65.4 OHMS PORM1PCT 1/2 W HF15T65R40FS (80031)		EA	REF				*	*	*		3	14	R89
PAHZZ	5905-060-1947	RESISTOR, FIXED, FILM R75 76.4 OHMS PORM1PCT 1/2 W HF15T76R40FS (80031)		EA	1				*	*	*		3	14	R75
PAHZZ	5905-060-1948	RESISTOR, FIXED, FILM R77 103 OHMS PORM1PCT 1/2 W HF15T100FS (80031)		EA	REF				*	*	*		3	14	R77
PAHZZ	5905-060-1951	RESISTOR, FIXED, FILM R73 191 OHMS PORM1PCT 1/2 W HF15T1910FS (80031)		EA	2				*	*	*		3	32	R73
PAHZZ	5905-060-1951	RESISTOR, FIXED, FILM R74 191 OHMS PORM1PCT 1/2 W HF15T1910FS (80031)		EA	REF				*	*	*		3	14	R74
PAHZZ	5905-060-2387	RESISTOR, FIXED, FILM R78 264 OHMS PORM1PCT 1/2 W HF15T2640FS (80031)		EA	4				*	*	*		3	14	R78
PAHZZ	5905-060-2387	RESISTOR, FIXED, FILM R81 264 OHMS PORM1PCT 1/2 W HF15T2640FS (80031)		EA	REF				*	*	*		3	14	R81
PAHZZ	5905-060-2387	RESISTOR, FIXED, FILM R84 264 OHMS PORM1PCT 1/2 W HF15T2640FS (80031)		EA	REF				*	*	*		3	14	R84
PAHZZ	5905-060-2387	RESISTOR, FIXED, FILM R87 264 OHMS PORM1PCT 1/2 W HF15T2640FS (80031)		EA	REF				*	*	*		3	14	R87
PAHZZ	5905-060-1946	RESISTOR, FIXED, FILM R70 313 OHMS PORM1PCT 1/2 W HF15T3130FS (80031)		EA	2				*	*	*		3	32	R70
PAHZZ	5905-060-1946	RESISTOR, FIXED, FILM R71 313 OHMS PORM1PCT 1/2 W HF15T3130FS (80031)		EA	REF				*	*	*		3	14	R71
PAHZZ	5905-060-2385	RESISTOR, FIXED, FILM R67 467 OHMS PORM1PCT 1/2 W HF15T4670FS (80031)		EA	2				*	*	*		3	32	R67
PAHZZ	5905-060-2385	RESISTOR, FIXED, FILM R68 467 OHMS PORM1PCT 1/2 W HF15T4670FS (80031)		EA	REF				*	*	*		3	14	R68
PAHZZ	5905-060-0447	RESISTOR, FIXED, FILM R64 931 OHMS PORM1PCT 1/2 W HF15T9310FS (80031)		EA	2				*	*	*		3	14	R64
PAHZZ	5905-060-0447	RESISTOR, FIXED, FILM R65 931 OHMS PORM1PCT 1/2 W HF15T9310FS (80031)		EA	REF				*	*	*		3	14	R65
PAHZZ	5905-060-2382	RESISTOR, FIXED, FILM R60 1745 OHMS PORM1PCT 1/2 W HF15-17450F (80031)		EA	2				*	*	*		3	14	R60
PAHZZ	5905-060-2382	RESISTOR, FIXED, FILM R61 1745 OHMS CONTINUED		EA	REF				*	*	*		3	14	R61

SECTION II  
(1) (2)

TM11-6625-435-40P  
(4) (5)

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR ALW PER EQUIP CNTGCV	(9) DEPOT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(A)	(B)	(C)	(A)	(B)	(C)			(A) FIGURE NO.	(B) ITEM NO.	
		CONTINUED														
PAHZZ	5905-228-5684	PORM1PCT 1/2 W HF15-17450F (80031) RESISTOR, FIXED, WIRE WOUND R21 5,000 OHMS PORM5PCT 5 W 1545 (44655)		EA	1				*	*	*		3	14	R21	
PAHZZ	5905-795-2016	RESISTOR, FIXED, WIRE WOUND R22 10,000 OHMS PORM5PCT 10 W 1755 (44655)		EA	1				*	*	*		3	14	R22	
PAHZZ	5905-899-8780	RESISTOR, VARIABLE R35 50,000 PORM10PCT 2 W JU5031 (01121)		EA	1				*	*	*		3	13	R35	
PAHZZ	5905-060-1945	RESISTOR, VARIABLE R18 150,000 OHMS PORM10PCT 2 W JU1541 (01121)		EA	1				*	*	*		3	14	R18	
PAHZZ	5905-060-1995	RESISTOR, VARIABLE R5A 2 SECT 100,000 OHMS PORM10PCT 1ST SECT 2 MEG PORM20PCT 2ND SECT 2 W JJ51704 (01121)		EA	1				*	*	*		3	32	R5A	
PAHZZ	5905-060-1995	RESISTOR, VARIABLE R5B 2 SECT 100,000 OHMS PORM10PCT 1ST SECT 2 MEG PORM20PCT 2ND SECT 2 W JJ51704 (01121)		EA	REF				*	*	*		3	32	R5B	
PAHZZ	5905-264-9285	RESISTOR, VARIABLE R52 JU1041 (01121)		EA	2				*	*	*		3	12	R52	
PAHZZ	5905-264-9285	RESISTOR, VARIABLE R93 JU1041 (01121)		EA	REF				*	*	*		3	14	R93	
PAHZZ	5305-060-5745	SCREW, SHOULDER NO-REF-DESIG 2931 (80138)		EA	1				*	*	*		5			
PAHZZ	5961-617-4659	SEMICONDUCTOR DEVICE, DIODE D1 1N294 (81349)		EA	2				*	*	*		3		D1	
PAHZZ	5961-617-4659	SEMICONDUCTOR DEVICE, DIODE D2 1N294 (81349)		EA	REF				*	*	*		3		D2	
PAHZZ	5355-528-8223	SHAFT, EXTENSION NO-REF-DESIG 39023-6201 (76487)		EA	1				*	*	*		3			
PAOZZ	5960-295-7652	SHIELD, ELECTRON TUBE NO-REF-DESIG TS102U03 (81349)		EA	1				*	*	*		2			
PAOZZ	5960-264-3004	SHIELD, ELECTRON TUBE NO-REF-DESIG TS103U02 (81349)		EA	1				*	*	*		2			
PAOZZ	5960-262-0015	SHIELD, ELECTRON TUBE NO-REF-DESIG SOS3 (91662)		EA	4				*	*	*		2			
PAOZZ	5960-262-0347	SHIELD, ELECTRON TUBE NO-REF-DESIG SOS6 (91662)		EA	5				*	*	*		2			
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV8 SO-11M (91662)		EA	10				*	*	*		3	13	XV8	
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV9 SO-11M (91662)		EA	REF				*	*	*		3	13	XV9	
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV2 SO-11M (91662)		EA	REF				*	*	*		3	15	XV2	
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV3 SO-11M (91662)		EA	REF				*	*	*		3	15	XV3	
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV4 SO-11M (91662)		EA	REF				*	*	*		3	15	XV4	

SECTION II  
(1) (2)

TM11-6625-435-40P

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCV	(9) DEPOT MAINT ALW PER EQUIP	(10) ILLUSTRATION	
						(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)		
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV5 S0-11M (91662)		EA	REF				*	*	*		3	15	XV5
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV6 S0-11M (91662)		EA	REF				*	*	*		3	15	XV6
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV7 S0-11M (91662)		EA	REF				*	*	*		3	15	XV7
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV10 S0-11M (91662)		EA	REF				*	*	*		3	15	XV10
PAHZZ	5935-059-8721	SOCKET, ELECTRON TUBE XV11 S0-11M (91662)		EA	REF				*	*	*		3	15	XV11
PAHZZ	5935-160-1365	SOCKET, ELECTRON TUBE XV1 TSE9T101 (81349)		EA	1				*	*	*		3	15	XV1
PAHZZ	5930-509-2917	SWITCH, ROTARY S2 2951 (80138)		EA	1				*	*	*		5		S2
PAHZZ	5930-509-2916	SWITCH, ROTARY S4 2952 (80138)		EA	1				*	*	*		5	13	S4
PAHZZ	5930-683-2456	SWITCH, TOGGLE S1 2BL62-73 (73559)		EA	1				*	*	*		5	12	S1
PAHZZ	5930-060-0466	SWITCH, TOGGLE S3 254T (80138)		EA	11				*	*	*		5	15	S3
PAHZZ	5930-060-0466	SWITCH, TOGGLE S5 254T (80138)		EA	REF				*	*	*		5	15	S5
PAHZZ	5930-060-0466	SWITCH, TOGGLE S6 254T (80138)		EA	REF				*	*	*		5	15	S6
PAHZZ	5930-060-0466	SWITCH, TOGGLE S7 254T (80138)		EA	REF				*	*	*		5	15	S7
PAHZZ	5930-060-0466	SWITCH, TOGGLE S8 254T (80138)		EA	REF				*	*	*		5	15	S8
PAHZZ	5930-060-0466	SWITCH, TOGGLE S9 254T (80138)		EA	REF				*	*	*		5	15	S9
PAHZZ	5930-060-0466	SWITCH, TOGGLE S10 254T (80138)		EA	REF				*	*	*		5	15	S10
PAHZZ	5930-060-0466	SWITCH, TOGGLE S11 254T (80138)		EA	REF				*	*	*		5	15	S11
PAHZZ	5930-060-0466	SWICH, TOGGLE S12 254T (80138)		EA	REF				*	*	*		5	15	S12
PAHZZ	5930-060-0466	SWITCH, TOGGLE S13 254T (80138)		EA	REF				*	*	*		5	15	S13
PAHZZ	5930-060-0466	SWITCH, TOGGLE S14 254T (80138)		EA	REF				*	*	*		5	15	S14
PAHZZ	5940-642-3964	TERMINAL, FEEDTHRU, INSULATED NO-REF-DESIG 1990 (71279)		EA	2				*	*	*		3		
PAHZZ	5940-059-9186	TERMINAL, STUD NO-REF-DESIG S203A1 (92825)		EA	20				*	*	*		3		
PAHZZ	5950-472-7276	TRANSFORMER, RADIO FREQUENCY T1 6037 (80138)		EA	1				*	*	*		3	15	T1
PAHZZ	6625-060-0459	VOLTMETER M1 2960 (80138)		EA	1				*	*	*		2	12	M1
PAHZZ	5910-839-8197	CAPACITOR, FIXED, CERAMIC DIELECTRIC C106 10,000 UUF, 36C70 (56289)		EA	1				*	*	*		3	11	C106



SECTION II			TM11-6625-435-40P											
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY IN UNIT	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR ALW PER EQUIP CNTGCV	DEPOT MAINT ALW PER EQUIP	(A) FIGURE NO.	(B) ITEM NO.
SMR CODE		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE		(A)	(B)	(C)	(A)	(B)	(C)				
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C108A 2 SECT 20 M EA SECT 450 VDCW E35B21 (00656)	EA	3				*	*	*		3		32
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C108B 2 SECT 20 MF EA SECT 450 VDCW E35B21 (00656)	EA	REF				*	*	*		3		32
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C109A 2 SECT 20 MF EA SECT 450 VDCW E35B21 (00656)	EA	REF				*	*	*		3		32
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C109B 2 SECT 20 MF EA SECT 450 VDCW E35B21 (00656)	EA	REF				*	*	*		3		32
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C110A 2 SECT 20 MF EA SECT 450 VDCW E35B21 (00656)	EA	REF				*	*	*		3		32
PAHZZ	5910-060-6706	CAPACITOR, FIXED, ELECTROLYTIC C110B 2 SECT 20 MF EA SECT 450 VDCW E35B21 (00656)	EA	REF				*	*	*		3		32
PAHZZ	5910-805-9294	CAPACITOR, FIXED, ELECTROLYTIC C103 4 SECT 30/30/20/20 MFD 450 VDCW FP444-8 (90201)	EA	1				*	*	*		3	10	C103
PAHZZ	5910-805-9294	CAPACITOR, FIXED, ELECTROLYTIC C104 4 SECT 30/30/20/20 MFD 450 VDCW FP444-8 (90201)	EA	REF				*	*	*		3		C104
PAHZZ	5910-805-9294	CAPACITOR, FIXED, ELECTROLYTIC C105 4 SECT 30/30/20/20 MFD 450 VDCW FP444-8 (90201)	EA	REF				*	*	*		3		C105
PAHZZ	5910-805-9294	CAPACITOR, FIXED, ELECTROLYTIC C107 4 SECT 30/30/20/20 MFD 450 VDCW FP444-8 (90201)	EA	REF				*	*	*		3		C107
PAHZZ	5910-126-9170	CAPACITOR, FIXED, PAPER DIELECTRIC C102 500,000 MMF FORM20PCT 600 V DC 305-1154 (00656)	EA	1				*	*	*		3	11	C102
PAHZZ	5910-649-0796	CAPACITOR, FIXED, PAPER DIELECTRIC C101 DYRT6100 (14655)	EA	1				*	*	*		3	11	C101
PAHZZ	5935-173-8678	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG S312CCT (71785)	EA	1				*	*	*		3		
PAOZZ	5960-503-4880	ELECTRON TUBE V104 0A2WA (81349)	EA	2				*	*	*		100	10	V104
PAOZZ	5960-503-4880	ELECTRON TUBE V106 0A2WA (81349)	EA	REF				*	*	*		100	10	V106
PAOZZ	5960-166-7648	ELECTRON TUBE V105 0B2 (81349)	EA	1				*	*	*		100	10	V105
PAOZZ	5960-642-8341	ELECTRON TUBE V101 5U4GB (81349)	EA	1				*	*	*		100	10	V101
PAOZZ	5960-166-7661	ELECTRON TUBE V102 6X4 (81349)	EA	2				*	*	*		100	10	V102
PAOZZ	5960-166-7661	ELECTRON TUBE V103 6X4 (81349)	EA	REF				*	*	*		100	10	V103
PACZZ	5920-010-6652	FUSE, CARTRIDGE F101 3AMP, 250V AGC3 (71400)	EA	1				*	*	*		5	32	F101
PAHZZ	5920-660-6705	FUSEHOLDER XF1 HKP (71400)	EA	1				*	*	*		3		XF1

SECTION II			TM11-6625-435-40P											
(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	30-DAY DS MAINT ALLOWANCE			30-DAY GS MAINT ALLOWANCE			1-YR ALW PER EQUIP CNTGCV	DEPOT ALW PER EQUIP	ILLUSTRATION	
SMR CODE		REFERENCE NUMBER & MFR. CODE	USABLE ON CODE		(A)	(B)	(C)	(A)	(B)	(C)			(A)	(B)
					1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO.
PCHZZ	5325-064-6404	GROMMET, RUBBER NO-REF-DESIG 0-325IN (99606)		EA	1			*	*	*		5		
PCHZZ	5325-276-4205	GROMMET, RUBBER NO-REF-DESIG Z2131 (76385)		EA	1			*	*	*		5		
PAHZZ	5950-648-2451	REACTOR L103 C1708 (80089)		EA	1			*	*	*		2	10	L103
PAHZZ	5950-647-6605	REACTOR L101 C1709 (80089)		EA	2			*	*	*		2	10	L101
PAHZZ	5950-647-6605	REACTOR L102 C1709 (80089)		EA	REF			*	*	*		2	11	L102
PAHZZ	5950-279-2643	RESISTOR, FIXED, COMPOSITION R103 RC32GF101K (80089)		EA	1			*	*	*		3	11	R103
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R113 RC20GF222K (81349)		EA	1			*	*	*		3	11	R113
PAHZZ	5905-279-1751	RESISTOR, FIXED, COMPOSITION R112 RC20GF302J (81349)		EA	1			*	*	*		3	11	R112
PAHZZ	5905-299-2042	RESISTOR, FIXED, COMPOSITION R107 RC32GF332K (81349)		EA	2			*	*	*		3	11	R107
PAHZZ	5905-299-2042	RESISTOR, FIXED, COMPOSITION R108 RC32GF332K (81349)		EA	REF			*	*	*		3	32	R108
PAHZZ	5905-185-6575	RESISTOR, FIXED, COMPOSITION R114 RC20GF392K (81349)		EA	1			*	*	*		3	11	R114
PAHZZ	5905-299-2033	RESISTOR, FIXED, COMPOSITION R110 RC32GF682K (81349)		EA	1			*	*	*		3	11	R110
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R104 RC20GF103K (81349)		EA	3			*	*	*		3	11	R104
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R105 RC20GF103K (81349)		EA	REF			*	*	*		3	11	R105
PAHZZ	5905-185-8518	RESISTOR, FIXED, COMPOSITION R106 RC20GF103K (81349)		EA	REF			*	*	*		3	11	R106
PAHZZ	5905-755-7885	RESISTOR, FIXED, WIRE WOUND R102 250 OHMS PORM5PCT 5 W 1521 (44655)		EA	1			*	*	*		3	11	R102
PAHZZ	5905-228-5684	RESISTOR, FIXED, WIRE WOUND R101 5,000 OHMS PORM5PCT 5 W 1545 (44655)		EA	2			*	*	*		3	11	R101
PAHZZ	5905-228-5684	RESISTOR, FIXED, WIRE WOUND R109 5,000 OHMS PORM5PCT 5 W 1545 (44655)		EA	REF			*	*	*		3	11	R109
PAHZZ	5905-739-2503	RESISTOR, VARIABLE R111 JU1031 (01121)		EA	1			*	*	*		3		R111
PAHZZ	5355-816-2456	SHAFT LOCK, ELECTRONIC COMPONENT NO-REF-DESIG 6792 (80138)		EA	1			*	*	*		3		
PAHZZ	5935-063-5789	SOCKET, ELECTRONIC TUBE XV101 77M1P8 (02660)		EA	1			*	*	*		3	11	
PAHZZ	5935-059-8721	SOCKET, ELECTRONIC TUBE XV102 S0-11M (91662)		EA	5			*	*	*		3	11	
PAHZZ	5935-059-8721	SOCKET, ELECTRONIC TUBE XV103 S0-11M (91662)		EA	REF			*	*	*		3	11	
PAHZZ	5935-059-8721	SOCKET, ELECTRONIC TUBE XV104 S0-11M (91662)		EA	REF			*	*	*		3	11	

SECTION II  
(1) (2)

(3)

TM11-6625-435-40P  
(4) (5)

SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	FIGURE NO.	ITEM NO.	
PAHZZ	5935-059-8721	SOCKET, ELECTRONIC TUBE XV105 S0-11M (91662)		EA	REF				*	*	*		3	11		
PAHZZ	5935-059-8721	SOCKET, ELECTRONIC TUBE XV106 S0-11M (91662)		EA	REF				*	*	*		3	11		
PAHZZ	5950-059-8744	TRANSFORMER, POWER, STEP-DOWN T102 P2945 (74042)		EA	1				*	*	*		3	11	T102	
PAHZZ	5950-349-1544	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP T101 PC8411 (80089)		EA	1				*	*	*		3	10	T101	

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
3895-060-2772			5905-192-3973	14	R27
3895-060-2773			5905-192-4408	13	R32
3895-064-5508			5905-192-4408	13	R36
5305-060-5745			5905-195-6451	14	R7
5325-061-9494			5905-195-6741	32	R98
5325-064-6404			5905-195-6761	13	R38
5325-276-4205			5905-195-6761	13	R39
5340-864-3336			5905-195-6761	13	R45
5355-059-9162			5905-195-6761	13	R50
5355-084-0845			5905-195-6761	14	R10
5355-284-5886			5905-195-6761	14	R12
5355-528-8223			5905-195-6761	14	R31
5355-816-2456			5905-195-6806	14	R56
5355-889-3368			5905-221-5840	4	R16
5355-889-3377			5905-228-5684	11	R101
5905-060-0447	14	R64	5905-228-5684	11	R109
5905-060-0447	14	R65	5905-228-5684	14	R21
5905-060-1944	14	R57	5905-249-5661	14	R30
5905-060-1944	14	R90	5905-252-2995	13	R46
5905-060-1945	14	R18	5905-252-2995	13	R49
5905-060-1946	14	R71	5905-256-0409	13	R42
5905-060-1946	32	R70	5905-256-0409	13	R43
5905-060-1947	14	R75	5905-256-0409	14	R13
5905-060-1948	14	R77	5905-264-9285	12	R52
5905-060-1948	32	R76	5905-264-9285	14	R93
5905-060-1949	14	R80	5905-279-1751	11	R112
5905-060-1949	14	R83	5905-279-1897	13	R43
5905-060-1949	14	R86	5905-279-1897	13	R44
5905-060-1949	14	R89	5905-279-1934	14	R1
5905-060-1949	32	R79	5905-279-1934	14	R2
5905-060-1949	32	R82	5905-279-2515	14	R4
5905-060-1949	32	R85	5905-279-2593	14	R47
5905-060-1949	32	R88	5905-279-2593	14	R48
5905-060-1950	14	R72	5905-279-2657	14	R20
5905-060-1951	14	R74	5905-279-3496	14	R99
5905-060-1951	32	R73	5905-279-3497	14	R29
5905-060-1995	32	R5A	5905-279-3499	14	R34
5905-060-1995	32	R58	5905-279-3517	14	R26
5905-060-2382	14	R60	5905-279-3833	14	R92
5905-060-2382	14	R61	5905-299-2008	14	R53
5905-060-2383	14	R62	5905-299-2033	11	R110
5905-060-2384	14	R66	5905-299-2037	13	R37
5905-060-2385	14	R68	5905-299-2042	11	R107
5905-060-2385	32	R67	5905-299-2042	32	R108
5905-060-2386	14	R69	5905-739-2503		R111
5905-060-2387	14	R78	5905-755-7885	11	R102
5905-060-2387	14	R81	5905-795-2016	14	R22
5905-060-2387	14	R84	5905-899-8780	13	R35
5905-060-2387	14	R87	5910-060-1226	13	C24
5905-080-6833	15	C10	5910-060-1226	13	C26
5905-171-2009	11	R113	5910-060-1226	13	C29
5905-171-2009	14	R14	5910-060-1226	13	C30
5905-185-6575	11	R114	5910-060-3158	15	C13
5905-185-6575	14	R51	5910-060-3158	15	C16
5905-185-6944	14	R17	5910-060-3158	15	C3
5905-185-8518	11	R104	5910-060-3645	15	C6
5905-185-8518	11	R105	5910-060-6706	32	
5905-185-8518	11	R106	5910-060-9619	15	C8
5905-185-8518	14	R28	5910-060-9999	15	C44
5905-185-8518	14	R8	5910-060-9999	32	C51
5905-185-8518	14	R9	5910-126-9170	11	C102
5905-190-8876	13	R96	5910-230-8930	15	C38
5905-190-8876	14	R23	5910-230-8930	15	C46
5905-190-8885	14	R3	5910-270-3203	15	C2
5905-190-8887	14	R15	5910-270-3203	15	C9
5905-190-8889	13	R40	5910-284-5307	15	C12
5905-190-8889	14	R19	5910-324-6191	13	C31
5905-190-8889	14	R24		13	C32
5905-190-8889	14	R58	5910-324-6191	15	C17
5905-190-8889	14	R6	5910-552-8370	15	C11
5905-192-0390	14	R33	5910-649-0796	11	C101
5905-192-0649	13	R94	5910-649-2538	15	C20
5905-192-0649	13	R95	5910-666-6789	32	C47
5905-192-0649	13	R97	5910-668-9354	12	C19
5905-192-0662	14	R11	5910-668-9354	15	C34
5905-192-3971	13	R90	5910-805-9294		C104
5905-192-3971	13	R91	5910-805-9294		C105

## SECTION IV

TML1-6625-435-40P

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5910-805-9294	10	C107	5935-201-3511	15	J4
5910-812-2092	15	C103	5940-059-9186		
5910-814-3614	13	C35	5940-642-3964		
5910-814-3614	13	C25	5950-059-8744	11	T102
5910-814-3614	13	C27	5950-279-2643	11	R103
5910-814-3614	15	C37	5950-349-1544	10	T101
5910-814-3614	15	C45	5950-472-7276	15	T1
5910-839-8197	11	C106	5950-475-1836	13	L10
5910-839-8197	13	C40	5950-475-2376	32	L1
5910-839-8197	13	C41	5950-475-2376	32	L2
5910-839-8197	15	C21	5950-475-2376	32	L3
5910-839-8197	15	C42	5950-475-2376	32	L4
5910-839-8197	15	C43	5950-475-2376	32	L5
5910-839-8197	15	C1	5950-475-2377	13	L6
5910-839-8197	15	C5	5950-475-2379	13	L9
5910-839-8197	15	C7	5950-475-2382	13	L8
5910-851-2788	15	C39	5950-475-2384	13	L7
5910-851-7853	15	C48	5950-647-6605	10	L101
5910-854-8849	13	C23	5950-647-6605	11	L102
5910-854-8849	13	C28	5950-648-2451	10	L103
5910-889-4350	13	C22	5950-863-7920	13	L11
5910-936-4804	15	C15	5950-863-7920	13	L12
5920-010-6652	32	F101	5950-863-7920	13	L15
5920-660-6705		XF1	5950-863-7920	15	L13
5930-060-0466	15	S10	5950-863-7920	15	L14
5930-060-0466	15	S11	5960-108-0261	12	V3
5930-060-0466	15	S12	5960-108-0261	12	V5
5930-060-0466	15	S13	5960-166-7648	10	V105
5930-060-0466	15	S14	5960-166-7661	10	V102
5930-060-0466	15	S3	5960-166-7661	10	V103
5930-060-0466	15	S5	5960-166-7663	12	V1
5930-060-0466	15	S6	5960-166-7667	12	V7
5930-060-0466	15	S7	5960-188-3602	12	V10
5930-060-0466	15	S8	5960-188-3602	12	V11
5930-060-0466	15	S9	5960-262-0015		
5930-509-2916	13	S4	5960-262-0347		
5930-509-2917		S2	5960-262-1357	12	V2
5930-683-2456	12	S1	5960-262-1357	12	V8
5935-059-8721	11		5960-262-1357	12	V9
5935-059-8721	13	XV8	5960-264-3004		
5935-059-8721	13	XV9	5960-295-7652		
5935-059-8721	15	XV10	5960-503-4880	10	V104
5935-059-8721	15	SV11	5960-503-4880	10	V106
5935-059-8721	15	XV2	5960-642-8341	10	V101
5935-059-8721	15	XV3	5960-669-6861	12	V6
5935-059-8721	15	XV4	5960-879-5078	12	V4
5935-059-8721	15	XV5	5961-617-4659		D1
5935-059-8721	15	XV6	5961-617-4659		D2
5935-059-8721	15	XV7	6240-057-2887		
5935-063-5789	11		6250-553-1880		XII
5935-160-1365	15	XV1	6625-060-0459	12	MI
5935-173-8678			6625-475-2176		
5935-190-3226	12	J5	6625-475-2235		
5935-201-3511	12	J2	6625-475-2245		
5935-201-3511	12	J3	6625-475-2248		
5935-201-3511	15	J1	6625-889-3374		

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
AGC3	71400	32	F101	HF15T100FS	80031	14	R77
C1708	80089	10	L103	HF15T100FS	80031	32	R76
C1709	80089	10	L101	HF15T12R430FS	80031	14	R66
C1709	80089	11	L102	HF15T1910FS	80031	14	R74
DYRT6100	14655	11	C101	HF15T1910FS	80031	32	R73
D14923-930	56289	12	C19	HF15T2640FS	80031	14	R78
D14923-930	56289	15	C34	HF15T2640FS	80031	14	R81
E35B21	00656	32		HF15T2640FS	80031	14	R84
FP444-8	90201		C104	HF15T2640FS	80031	14	R87
FP444-8	90201		C105	HF15T3130FS	80031	14	R71
FP444-8	90201		C107	HF15T3130FS	80031	32	R70
FP444-8	90201	10	C103	HF15T32R50FS	80031	14	R72
HF15-17450F	80031	14	R60	HF15T4670FS	80031	14	R68
HF15-17450F	80031	14	R61	HF15T4670FS	80031	32	R67
HF15-18R90F	80031	14	R69	HF15T65R40FS	80031	14	R80
HF15-5R740F	80031	14	R57	HF15T65R40FS	80031	14	R83
HF15-5R740F	80031	14	R90	HF15T65R40FS	80031	14	R86
HF15-6R180F	80031	14	R62	HF15T65R40FS	80031	14	R89

## SECTION IV

TM11-6625-435-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
80031		32	R79	RC20GF562K	81349	13	R36
HF15T65R40FS	80031	32	R82	RC20GF564K	81349	14	R16
HF15T65R40FS	80031	32	R85	RC20GF565K	81349	14	R20
HF15T65R40FS	80031	32	R88	RC20GF683K	81349	14	R30
HF15T76R40FS	80031	14	R75	RC32GF101K	80089	11	R103
HF15T9310FS	80031	14	R64	RC32GF332K	81349	11	R107
HF15T9310FS	80031	14	R65	RC32GF332K	81349	32	R108
HKP	71400		XF1	RC32GF472K	81349	13	R37
JJ51704	01121	32	R5A	RC32GF682K	81349	11	R110
JJ51704	01121	32	R58	RC32GF753J	81349	14	R53
JU1031	01121		R111	RC42GF204J	81349	14	R1
JU1041	01121	12	R52	RC42GF204J	81349	14	R2
JU1041	01121	14	R93	S0-11M	91662	11	
JU1541	01121	14	R18	S0-11M	91662	13	XV8
JU5031	01121	13	R35	S0-11M	91662	13	XV9
L10-3001D	80138	13	L10	S0-11M	91662	15	XV2
L6-3001D	80138	13	L6	S0-11M	91662	15	XV3
L7-3001D	80138	13	L7	S0-11M	91662	15	XV4
L8-3001D	80138	13	L8	S0-11M	91662	15	XV5
L9-3001D	80138	13	L9	S0-11M	91662	15	XV6
MCD50M	80583	13	C22	S0-11M	91662	15	XV7
MM10-450	25801	15	C20	S0-11M	91662	15	XV10
PC8411	80089	10	T101	S0-11M	91662	15	XV11
P2945	74042	11	T102	S0S3	91662		
P312AB	71785	12	J5	S0S6	91662		
RC20GF100K	81349	14	R92	S203A1	92825		
RC20GF101K	81349	13	R40	S312CCT	71785		
RC20GF101K	81349	14	R6	TSE9T101	81349	15	XV1
RC20GF101K	81349	14	R19	TS102U03	81349		
RC20GF101K	81349	14	R24	TS103U02	81349		
RC20GF101K	81349	14	R58	UG185U	81349	12	J2
RC20GF102K	81349	14	R56	UG185U	81349	12	J3
RC20GF103K	81349	11	R104	UG185U	81349	15	J1
RC20GF103K	81349	1	R105	UG185U	81349	15	J4
RC20GF103K	81349	11	R106	X5V2443-4000GMV	72983	15	C44
RC20GF103K	81349	14	R8	X5V2443-4000GMV	72983	32	C51
RC20GF103K	81349	14	R9	ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ZZZZZZ	15	C4
RC20GF103K	81349	14	R28	ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ZZZZZZ	15	C14
RC20GF104K	81349	13	R38	ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ZZZZZZ	32	R54A
RC20GF104K	81349	13	R39	ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	ZZZZZZ	32	R54B
RC20GF104K	81349	13	R45	Z2131	76385		
RC20GF104K	81349	13	R50	Z2188	76385		
RC20GF104K	81349	14	R10	0-325IN	99606		
RC20GF104K	81349	14	R12	0A2WA	81349	10	V104
RC20GF104K	81349	14	R31	0A2WA	81349	10	V106
RC20GF105K	81349	14	R33	0B2	81349	10	V105
RC20GF153K	81349	13	R96	1N294	81349		DI
RC20GF153K	81349	14	R23	1N294	81349		D2
RC20GF184K	81349	14	R11	1R5D1	14655	15	C6
RC20GF202J	81349	14	R15	1R5D39	14655	15	C15
RC20GF203J	81349	13	R94	12AU7	81349	12	V1
RC20GF203J	81349	13	R95	1426D	80138		
RC20GF203J	81349	13	R97	1521	44655	11	R102
RC20GF220K	81349	13	R46	1545	44655	11	R101
RC20GF220K	81349	13	R49	1545	44655	11	R109
RC20GF221K	81349	13	R42	1545	44655	14	R21
RC20GF221K	81349	13	R43	1611	73734		
RC20GF221K	81349	14	R13	1755	44655	14	R22
RC20GF222K	81349	11	R113	1990	71279		
RC20GF222K	81349	14	R14	2BL62-73	73559	12	S1
RC20GF225K	81349	14	R3	2D21	81349	12	V3
RC20GF241J	81349	14	R47	2D21	81349	12	V5
RC20GF241J	81349	14	R48	22R5T15	14655	15	C10
RC20GF272K	81349	32	R98	22R5T3	14655	15	C11
RC20GF273K	81349	14	R34	2300A	72512		
RC20GF302J	81349	11	R112	2408	80138		
RC20GF331K	81349	13	R90	254T	80138	15	S3
RC20GF331K	81349	13	R91	254T	80138	15	S5
RC20GF392K	81349	11	R114	254T	80138	15	S6
RC20GF392K	81349	14	R51	254T	80138	15	S7
RC20GF393K	81349	14	R29	254T	80138	15	S8
RC20GF394K	81349	14	R17	254T	80138	15	S9
RC20GF471K	81349	14	R27	254T	80138	15	S10
RC20GF472K	81349	14	R7	254T	80138	15	S11
RC20GF474K	81349	14	R4	254T	80138	15	S12
RC20GF510J	81349	14	R26	254T	80138	15	S13
RC20GF513J	81349	14	R99	254T	80138	15	S14
RC20GF560J	81349	13	R43	2927	80138		
RC20GF560J	81349	13	R44	2928	80138		
RC20GF562K	81349	13	R32	2929	80138		

SECTION IV  
REFERENCE  
NO.

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
80138				4DP3-104	72136	13	
2931	80138			4DP3-104	72136	13	
2933-1	80138			4DP5-254	72136	15	
2951	80138		S2	44	24446		
2952	80138	13	S4	4626-3	80138		
2955	80138			5R5T3	14655	15	
2960	80138	12	M1	5R5T3	14655	15	
2961	80138			5R5T5	14655	15	
2962	80138			5U4GB	81349	10	
3017	80138			50300COP010R	72983	15	
305-1154	00656	11	C102	50300D2P033R	72983	15	
315U2JROPORM10PCT	72982	13	C24	50300D2P033R	72983	15	
315U2JROPORM10PCT	72982	13	C26	50300D2P033R	72983	15	
315U2JROPORM10PCT	72982	13	C29	5726	81349	12	
315U2JROPORM10PCT	72982	13	C30	6AH6	81349	12	
315U2J200PORM10PCT	72983	13	C31	6AK5	81349	12	
315U2J200PORM10PCT	72983	13	C32	6AK5	81349	12	
315U2J200PORM10PCT	72983	15	C17	6AK5	81349	12	
315U2J500PORM10PCT	72983	32	C47	6AQ5	81349	12	
315U2M681PORM20PCT	72983	15	C38	6BH6	81349	12	
315U2M681PORM20PCT	72983	15	C46	6BH6	81349	12	
33C60	56289	15	C35	6X4	81349	10	
331H3M102PORM10PCT	72983	15	C39	6X4	81349	10	
36C142A1	56289	13	C25	6037	80138	15	
36C142A1	56289	13	C27	6394-3	80138	13	
36C142A1	56289	15	C37	6394-3	80138	13	
36C142A1	56289	15	C45	6394-3	80138	13	
36C70	56289	11	C106	6394-3	80138	15	
36C70	56289	13	C40	6394-3	80138	15	
36C70	56289	13	C41	6394-5	80138	32	
36C70	56289	15	C1	6394-5	80138	32	
36C70	56289	15	C5	6394-5	80138	32	
36C70	56289	15	C7	6394-5	80138	32	
36C70	56289	15	C21	6394-5	80138	32	
36C70	56289	15	C42	6792	80138		
36C70	56289	15	C43	7-06	72619		
39023-6201	76487			77M1P8	02660	11	

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS  
*General, United States Army*  
*Chief of Staff*

Official:

VERNE L. BOWERS

*Major General, United States Army*  
*The Adjutant General*

Distribution:

*Active Army:*

CNGB (1)  
TSG (1)  
ACSC-E (2)  
USAMB (10)  
USAARENBD (1)  
USASA (2)  
TRADOC (2)  
AMC (1)  
MICOM (1)  
TECOM (2)  
ARADCOM (2)  
ARADCOM Rgn (1)  
OS Maj Comd (2)  
USACC (2)  
HISA Ft Monmouth (18)  
Armies (1)  
USASCS (10)  
USASESS (20)  
Svc Colleges (1)  
Fort Huachuca (5)  
WSMR (1)  
Fort Carson (5)  
USAERDAA (1)

USAERDAW (1)  
Army Dep (1) except  
  LBAD (10)  
  SAAD (30)  
  TOAD (14)  
  ATAD (10)  
USA Dep (1)  
Sig Sec USA Dep (2)  
Sig Dep (2)  
Sig FLDMS (1)  
Ft Richardson (ECOM Ofc) (1)  
Units org under fol TOE  
  (1 copy each):  
  11-97  
  11-98  
  11-117  
  11-500 AA-AC  
  29-41  
  29-56  
  29-134  
  29-136  
  29-437  
  29-500

.VG: None.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974-768117/1409