

TECHNICAL MANUAL

GENERAL SUPPORT MAINTENANCE REPAIR

PARTS AND SPECIAL TOOLS LISTS

(INCLUDING DEPOT MAINTENANCE REPAIR

PARTS AND SPECIAL TOOLS)

VOLTMETER , DIGITAL AN/GSM-64

(FSN 6625-870-2264)

HEADQUARTERS, DEPARTMENT OF THE ARMY

MARCH 1975

TECHNICAL MANUAL
No. 11-6625-444-40P



HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., 28 March 1975

**GENERAL SUPPORT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS)**

VOLTMETER, DIGITAL AN / GSM-64

(FSN 6625-870-2264)

Current as of December 1974

SECTION	Paragraph	Page
I. INTRODUCTION		
Scope	1-1	1
General	1-2	1
Explanation of columns	1-3	1
Special information	1-4	3
Location of repair parts	1-5	3
Abbreviations (Nonapplicable)	1-6	3
Reporting of equipment publication improvements	1-7	3
II. REPAIR PARTS LIST		6
0001. Cable Assembly Special Purpose Electrical CX-7494/GSM-64		6
0002. Cable Assembly Special Purpose Electrical CX-7495/GSM-64		6
0003. Voltmeter Digital ME-218/GSM-64		6
0004. Amplifier assembly (trigger pulse)		9
0005. Board assembly A		13
0006. Board assembly B		17
0007. Board assembly C		22
0008. Board assembly D		26
0009. Relay board assembly ac-dc		27
0010. Relay board assembly range and polarity		27
0011. Zener supply assembly		28
III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		30

*This manual supersedes TM 11-6625-444-45P, 8 August 1962.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the AN/GSM-64. The PCCN for the AN/GSM-64 is GTEAEZ for all models.

NOTE

No parts authorized for stockage at direct support.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List-Section II*. A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment-Section III*. Not applicable.

c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV*. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list.

a. *Source, Maintenance, and Recoverability Codes (SMR)*.

(1) *Source code*. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA	Item procured and stocked for anticipated or known usage.

PB-Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.

PC-Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

PD-Support item, excluding support equipment, procured for initial issue or outfitting

<i>Code</i>	<i>Explanation</i>
	and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF	Support equipment which will not be stocked but which will be centrally procured on demand.
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition.

<i>Code</i>	<i>Explanation</i>	<i>Code</i>	<i>Application/Explanation</i>
XC	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.	H	The lowest maintenance level capable of complete repair of the support item is general support.
XD	Support items can be requisitioned with justification.	D	The lowest maintenance level capable of complete repair of the support item is the depot level.
	NOTE Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.	L	Repair restricted to designated Specialized Repair Activity.
	(2) <i>Maintenance code.</i> Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-	Z	Non-repairable. No repair is authorized.
	(a) <i>Use (third position).</i> The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.	B	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.
<i>Code</i>	<i>Application/Explanation</i>		(3) <i>Recoverability code.</i> Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-
O	O-Support item is removed, replaced, used at the organizational level of maintenance.	<i>Code</i>	<i>Explanation</i>
	NOTE A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.	Z	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
F	F-Support item is removed, replaced, used at the direct support maintenance level.	O	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
H	H-Support item is removed, replaced, used at the general support maintenance.	F	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
D	D-Support items that are removed, replaced, used at depot only.	H	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
	(b) <i>Repair (fourth position).</i> The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-	D	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
<i>Code</i>	<i>Application/Explanation</i>	L	Repairable item. Repair, condemnation, and disposal not authorized below depot/ Specialized Repair Activity level.
O	O - The lowest maintenance level capable of complete repair of the support item is the organizational level.	A	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).
F	F - The lowest maintenance level capable of complete repair of the support item is direct support.	b. <i>Federal Stock Number.</i> Indicates the Federal stock number assigned to the item.	NOTE For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-00-" after the Federal stock classification (FSC) code (first four digits). For example, FSN 6625-553-0142 converts to NSN 6625-00-553-0142.
		c. <i>Description.</i> Indicates the Federal item	

name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank.

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-444-15.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3.

Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

<i>Code</i>	<i>Used on</i>
BA1	AN/GSM-64
	<i>b. The following publication pertains to the AN/GSM-64 and its components:</i>

TM 11-6625-444-15 Operator's, Organizational, DS, GS and Depot Maintenance Manual: Digital Voltmeter AN/GSM-64.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended

Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army

Electronics Command, ATTN: AMSEL-MA-DM, Fort Monmouth, NJ 07703.

(Next Printed page is 6)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		DESCRIPTION		UNIT	30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION
SMR	FEDERAL STOCK CODE	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	OF IN MEAS	(A)	(B)	(C)	(A)	(B)
GROUP 0001 CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-7494/GSM-64									
XDHZZ		ADAPTER, CABLE TO CONNECTOR NO-REF-DESIG. AN3057-6A (81349)		EA	1	*	*	*	1-3
PAHZZ	6145-583-9268	CABLE, RADIO FREQUENCY NO-REF-DESIG 12 FEET LONG RG122U (80058)		EA	1	*	*	*	10 1-3
XDHZZ		CLIP, ELECTRICAL, RED NO-REF-DESIG 1410C2 (91802)		EA	2	*	*	*	1-3
XDHZZ		CLIP, ELECTRICAL, BLACK NO-REF-DESIG 1410C1 (91802)		EA	1	*	*	*	1-3
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG 97-3106A14S2S426 (02660)		EA	1	*	*	*	1-3
XDHZZ		PLUG, TIP, RED NO-REF-DESIG 465B (71002)		EA	2	*	*	*	1-3
PAHZZ	5935-883-8615	PLUG, TIP, BLACK NO-REF-DESIG 465B (71002)		EA	2	*	*	*	1 1-3
XDHZZ		PLUG, TIP, YELLOW NO-REF-DESIG 4658 (71002)		EA	1	*	*	*	1-3
GROUP 0002 CABLE ASSEMBLY SPECIAL PURPOSE ELECTRICAL CX-7495/GSM-64									
XDHZZ		ADAPTER, CABLE TO CONNECTOR NO-REF-DESIG. AN3057-6A (81349)		EA	1	*	*	*	1-3
PAHZZ	6145-583-9268	CABLE, RADIO FREQUECNY NO-REF-DESIG 12 FEET LONG RG122U (80058)		EA	1	*	*	*	10 1-3
XDHZZ		CLIP, ELECTRICAL, ALLIGATOR NO-REF-DESIG. 31 (71002)		EA	1	*	*	*	1-3
XDHZZ		CLIP, ELECTRICAL, RED NO-REF-DESIG 1410C2 (91802)		EA	1	*	*	*	1-3
XDHZZ		CLIP, ELECTRICAL, BLACK NO-REF-DESIG 1410C1 (91802)		EA	1	*	*	*	1-3
XDHZZ		PLUG, TIP, BLUE NO-REF-DESIG 465B (71002)		EA	1	*	*	*	1-3
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG. 97-3106A14S75426 (02660)		EA	1	*	*	*	1-3
PAHDD	6625-887-9160	AMPLIFIER ASSEMBLY NO-REF-DESIG TRIGGER PULSE 11420-600 (03626)	P201	EA	1	*	*	*	3 6-1
PAHZZ	6625-887-9153	BOARD ASSEMBLY A 11420-200 (03626)	P301	EA	1	*	*	*	3 6-1 P201
PAHZZ	6625-887-9159	BOARD ASSEMBLY B 11420-300 (03626)	P401	EA	1	*	*	*	3 6-1 P301
PAHZZ	6625-887-9158	BOARD ASSEMBLY C 11420-400 (03626)	P501	EA	2	*	*	*	3 6-1 P401
PAHZZ	6625-887-9157	BOARD ASSEMBLY D 11420-500 (03626)		EA	1	*	*	*	3 6-1 P501
PAHZZ	5995-883-2347	CALBE ASSEMBLY, POWER ELECTRICAL NO-REF-DESIG 6 FT 3 IN LG Z528 (84337)		EA	1	*	*	*	5
PAHZZ	5935-257-7581	CAP, ELECTRICAL NO-REF-DESIG MS25043-14C (81349)		EA	1	*	*	*	3

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		DESCRIPTION			30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	100 EQUIP	(A) (B) FIGURE ITEM NO. NO.
PAHZZ	5910-086-0479	CAPACITOR, FIXED, ELECTROLYTIC 25 UF, 25 VOLTS 52RM25(74861)	C1	EA	1	*	*	*	3 6-2 C1
PAHZZ	5910-817-4758	CAPACITOR, FIXED, ELECTROLYTIC 250 UF, 50V 1B1011RTK(74861)	C4	EA	2	*	*	*	3 6-2 C4
PAFZZ	5910-817-4758	CAPACITOR, FIXED, ELECTROLYTIC 250 UF, 50V 1B1011RTK(74861)	C5	EA	REF	*	*	*	6-2 C5
PAHZZ	5910-917-0110	CAPACITOR, FIXED, ELECTROLYTIC 4000 UF, 25 V DC 4000 UF, 25VDC 1B1246A(74861)	C103	EA	2	*	*	*	3 6-2 C3
PAHZZ	5910-917-0110	CAPACITOR, FIXED, ELECTROLYTIC 4000UF, 25VDC 1B1246A(74861)	C6	EA	REF	*	*	*	6-2 C6
XDHZZ		CAPACITOR, FIXED, METALIZED PAPER DIELECTRIC C7 1 UF FORM20PCT, 200 VDC M2-105 (99515)		EA	1	*	*	*	C7
PAHZZ	5910-865-7249	CAPACITOR, FIXED METALIZED, PAPER DIELECTRIC C2 6.0UF PROM20 PCT, 50V 5002-002 (03626)		EA	1	*	*	*	3 C2
PAHZZ	5935-729-0990	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG MR41SG (81312)		EA	6	*	*	*	3
PAHZZ	5935-892-8936	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG 5009-22-8-5-3-32 (91662)		EA	9	*	*	*	3
PAHZZ	5935-051-7124	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG 5009013-8-5-3-32 (91662)		EA	1	*	*	*	3
XDHZZ		CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG 500C75X2JR (14028)		EA	1	*	*	*	
XDHZZ		CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG 500C34X2JR (14028)		EA	1	*	*	*	
XDHZZ		CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG MS3102A14S7P (81349)		EA	2	*	*	*	
XDHZZ		CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG MS3102A14S2P (81349)		EA	1	*	*	*	
PAHZZ	5999-883-2346	CONTACT, ELECTRICAL NO-REF-DESIG 12110-004 (03626)		EA	60	*	*	*	3
PAHZZ	5935-888-7311	COVER, ELECTRICAL, CONNECTOR NO-REF-DESIG 325012 (02660)		EA	5	*	*	*	3
PAHZZ	6625-876-0044	DECade SWITCH ASSEMBLY NO-REF-DESIG 11420-700 (03626)		EA	5	*	*	*	3
PAHZZ	6625-887-9156	DECIMAL CHECK ASSEMBLY 11420-860 (03626)	P861	EA	1	*	*	*	3 6-1 P861
PAHZZ	5920-280-9328	FUSE LINK, ELECTRICAL NO-REF-DESIG 310315 (75915)		EA	1	*	*	*	3
PAHZZ	5920-794-3215	FUSE LINK, ELECTRICAL NO-REF-DESIG MS90078-24 (81349)		EA	1	*	*	*	3
PAHZZ	5940-636-5928	FUSEHOLDER NO-REF-DESIG 121004 (75915)		EA	1	*	*	*	3

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
		DESCRIPTION		UNIT	30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION		
SMR	FEDERAL STOCK CODE	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	INC (A)	(B)	(C)	100 EQUIP	ALW PER CNTGCY	(A) FIGURE NO.	(B) ITEM NO.
				UNIT OF IN				100 EQUIP	ALW PER CNTGCY		
XDHZZ		FUSEHOLDER NO-REF-DESIG 324004 (75915)		EA	1	*	*	*			
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG 11420-114 (03626)		EA	1	*	*	*			
PACZZ	5355-680-1357	KNOB, CONTROL NO-REF-DESIG 70-3-2G (49956)		EA	5	*	*	*		3	3-1
PACZZ	6240-851-4352	LAMP, INCANDESCENT NO-REF-DESIG MS25237-330 (96906)		EA	56	*	*	*			50
PAHZZ	5950-600-2755	REACTOR L1 11400-108 (03626)		EA	1	*	*	*		2	6-2 L1
PAHZZ	6625-887-9155	RELAY BOARD ASSEMBLY 11420-830 (03626)	P831	EA	1	*	*	*		3	6-11 P831
PAHZZ	6625-887-9149	RELAY BOARD ASSEMBLY, RANGE AND POLARITY P801 11420-800 (03626)		EA	1	*	*	*		3	6-11 P801
PAHZZ	5905-279-1727	RESISTOR, FIXED, COMPOSITION 130 OHMS PORM5PCT, 1 WATT GB1315(01121)	R12	EA	1	*	*	*		3	6-2 R12
XDHZZ		RESISTOR, FIXED, COMPOSITION 270 OHMS, PORM10PCT, 1/2 WATT EB2711(01121)		EA	1	*	*	*			6-2 R2
XDHZZ		RESISTOR, FIXED, COMPOSITION RC32GF3R9K		EA	1	*	*	*			6-2 R11
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT, IN EB1021(01121)	R15	EA	1	*	*	*		3	6-2 R15
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)		EA	1	*	*	*		3	6-2 R1
PAHZZ	5905-990-2257	RESISTOR, FIXED, FILM 50,000 OHMS, 1/4 W RW11V511(81349)	R16	EA	1	*	*	*		3	6-2 R16
XDHZZ		RESISTOR, FIXED, WIRE WOUND 0.6 OHMS 1PCT TOL 5W 5A6 (48615)	R8	EA	3	*	*	*			6-2 R8
XDHZZ		RESISTOR, FIXED, WIRE WOUND 0.6 OHMS 1PCT TOL 5W 5A6(48615)	R9	EA	REF	*	*	*			6-2 R9
XDHZZ		RESISTOR, FIXED, WIRE WOUND R10 0.6 OHMS 1PCT TOL 5W 5A6(48615)		EA	REF	*	*	*			6-2 R10
XDHZZ		RESISTOR, VARIABLE 2500 OHMS, PORM20PCT, 2W 4548-96(71450)	R3	EA	1	*	*	*			6-10 R3
PAHZZ	5961-883-6070	SEMICONDUCTOR, DEVICE, DIODE SM0491419 (80063)	CR105	EA	2	*	*	*		3	6-2
PAHZZ	5961-883-6070	SEMICONDUCTOR, DEVICE, DIODE SMC491419 (80063)	CR106	EA	REF	*	*	*			6-2
PAHZZ	5961-882-2913	SEMICONDUCTOR, DEVICE, DIODE IN2616 (04713)	CR107	EA	2	*	*	*		3	6-2
PAHZZ	5961-882-2913	SEMICONDUCTOR, DEVICE, DIODE IN2616 (04713)	CR108	EA	REF	*	*	*			6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR112	EA	8	*	*	*		3	6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR113	EA	REF	*	*	*			6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR114	EA	REF	*	*	*			6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR115	EA	REF	*	*	*			6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR116	EA	REF	*	*	*			6-2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
		DESCRIPTION			30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT	ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	INC (A)	(B)	(C)	MAINT ALW PER 100 EQUIP 100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR117	EA	REF	*	*	*		6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR118	EA	REF	*	*	*		6-2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR119	EA	REF	*	*	*		6-2
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN3018B3-4M8-225 (94990)	CR109	EA	1	*	*	*		6-2
PAHZZ	5935-752-2999	SOCKET, ELECTRON TUBE NO-REF-DESIG 101-04-11-100 (71785)		EA	1	*	*	*	3	
XDHZZ		SWITCH, ROTARY S4 11420-120 (03626)		EA	1	*	*	*		S4
XDHZZ		SWITCH, ROTARY S3 11420-121 (03626)		EA	1	*	*	*		S3
PAHZZ	5930-876-2349	SWITCH, ROTARY 11420-122 (03626)	S1	EA	1	*	*	*	5	S1
PAHZZ	5930-876-2351	SWITCH, ROTARY 11420-123 (03626)	S2	EA	1	*	*	*	5	S2
XDHZZ		TERMINAL STRIP, GROUNDING NO-REF-DESIG 12145-001-3 (03626)		EA	8	*	*	*		
PAHZZ	6625-876-0047	TRANSFER SWITCH ASSEMBLY NO-REF-DESIG 11420-730 (03626)		EA	1	*	*	*	3	6-1
PAHZZ	5950-876-0055	TRANSFORMER, POWER, STEP-DOWN 11420-109 (03626)	T1	EA	1	*	*	*	3	6-2 T1
PAHZZ	6625-887-9154	ZENER SUPPLY ASSEMBLY NO-REF-DESIG 11420-050 (03626)		EA	1	*	*	*	E	6-1
		GROUP 0004 AMPLIFIER ASSEMBLY (TRIGGER PULSET)								
PAHZZ	5910-691-1249	CAPACITOR, FIXED, ELECTROLYTIC 110 UF, 12V TE1135(56289)	C5	EA	2	*	*	*	3	6-9 C5
PAHZZ	5910-691-1249	CAPACITRO, FIXED, ELECTROLYTIC 110 UF, 12V TE1135(56289)	C7	EA	REF	*	*	*		6-9 C7
PAHZZ	5910-883-2868	CAPACITOR, FIXED, CERAMIC DIELECTRIC 390 UUF PORM10PCT, 1000V DD391(71590)	C3	EA	1	*	*	*	3	6-9 C3
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C6 1 UF PORM20PCT 100V ME1-105 (99515)		EA	1	*	*	*		6-9 C6
PAHZZ	5910-887-5978	CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C4 2.0 UF 100V 5002-001 (03626)		EA	1	*	*	*	3	6-9 C4
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C8 0.25 UP PORM10PCT, 100V ME1-254E (99515)		EA	1	*	*	*		6-9 C8
XDHZZ		CAPACITOR, FIXED, PLASTIC DIELECTRIC .0022 UF PORM20PCT 200VDC XL2-222(00515)	C2	EA	1	*	*	*		6-10 C2
PAHZZ	5910-826-7027	CAPACITOR, FIXED, PLASTIC DIELECTRIC .0068 UP PORM20PCT 200V XK2082(99515)	C1	EA	1	*	*	*	3	6-10 C1
PAHZZ	5945-831-2801	CHOPPER, ELECTRONIC K3 C1417-15 (08664)		EA	1	*	*	*	3	6-10 K3
PAHZZ	5935-883-1784	CONNECTOR, RECEPTACLE, ELECTRICAL NO-REF-DESIG HRT13M (91663)		EA	2	*	*	*	3	

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)	
					QTY	UNIT	INC	30-DAY DS MAINT	30-DAY GS MAINT	1-YR ALW PER			MAINT ALW PER	DEPOT EQUIP
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	MEAS	UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 CNTGCY	EQUIP	(A) FIGURE	(B) ITEM
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)	EA	22										3
XDHZZ		INSULATOR, FEEDTHRU NO-REF-DESIG FT400 (98291)	EA	4				*	*	*				
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG A10032 (07047)	EA	10				*	*	*				
PAHZZ	5940-666-0732	INSULATOR, STANDOFF NO-REF-DESIG RST1 (98291)	EA	1				*	*	*				3
PAHZZ	5945-823-3053	RELAY, ARMATURE 5005-003 (03626)	K1	EA	2			*	*	*				6-10K1 K1
PAHZZ	5945-823-3053	RELAY,ARMATURE 5005-003 (03626)	K2	EA	REF			*	*	*				6-10 K2
PAHZZ	5905-465-0336	RESISTOR, FIXED, COMPOSITION RC20GF130J (81349)	R20	EA	1			*	*	*				6-9 R20
PAHZZ	5905-141-0598	RESISTOR, FIXED, COMPOSITION RC20GF561J (81349)	R29	EA	1			*	*	*				6-9 R29
PAHZZ	5905-299-1965	RESISTOR, FIXED, COMPOSITION RC20GF301J (81349)	R24	EA	2			*	*	*				6-9 R24
PAHZZ	5905-299-1965	RESISTOR, FIXED, COMPOSITION RC20GF301J (81349)	R32	EA	REF			*	*	*				6-9 R32
PAHZZ	5905-279-3508	RESISTOR, FIXED, COMPOSITION RC20GF112J (81349)	R23	EA	2			*	*	*				6-9 R23
PAHZZ	5905-279-3508	RESISTOR, FIXED, COMPOSITION RC20GF112J (81349)	R27	EA	REF			*	*	*				6-9 R27
PAHZZ	5905-190-8887	RESISTOR, FIXED, COMPOSITION RC20GF202J (81349)	R22	EA	3			*	*	*				6-9 R22
PAHZZ	5905-190-8887	RESISTOR, FIXED, COMPOSIITON RC20GF202J (81349)	R34	EA	REF			*	*	*				6-9 R34
PAHZZ	5905-190-8887	RESISTOR, FIXED, COMPOSITION RC20GF202J (81349)	R37	EA	REF			*	*	*				6-9 R37
PAHZZ	5905-279-1877	RESISTOR, FIXED, COMPOSITION RC20GF242J (81349)	R19	EA	2			*	*	*				6-9 R19
PAFZZ	5905-279-1877	RESISTOR, FIXED, COMPOSITION RC20GF242J (81349)	R25	EA	REF			*	*	*				6-9 R25
PAHZZ	5905-171-2001	RESISTOR, FIXED, COMPOSIITON RC20GF362J (81349)	R15	EA	1			*	*	*				6-9 R15
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R35	EA	6			*	*	*				6-9 R35
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R38	EA	REF			*	*	*				6-9 R38
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R46	EA	REP			*	*	*				6-9 R46
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R020GF472K (81349)	R47	EA	REF			*	*	*				6-9 R47
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R48	EA	REF			*	*	*				6-9 R48
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R50	EA	REF			*	*	*				6-9 R50
PAHZZ	5905-249-4200	RESISTOR, FIXED, COMPOSITION RC20GF912J (81349)	R33	EA	1			*	*	*				6-9 R33
PAHZZ	5905-279-2667	RESISTOR, FIXED, COMPOSITION RC20GF113J (81349)	R14	EA	1			*	*	*				6-9 R14

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)					
		DESCRIPTION		UNIT	30-DAY QTY	DS MAINT ALLOWANCE	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION				
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	OF IN	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	FIGURE NO.	ITEM NO.
			MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	(A)	(B)
XDHZZ		RESISTOR, FIXED, COMPOSITION 30 OHMS PORM5PCT 1/2W EB3005(01121)	R30	EA	1			*	*	*			6-9	R30
XDHZZ		RESISTOR, FIXED, COMPOSITION 160 OHMS PORM5PCT 1/2W EB1615(01121)	R31	EA	1			*	*	*			6-9	R31
PAHZZ	5905-116-8562	RESISTOR, FIXED, COMPOSITION 360 OHMS PORM5PCT 1/2 W EB.615(01121)	R21	EA	1			*	*	*		3	6-9	R21
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R26	EA	3			*	*	*		3	6-9	R26
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021 (01121)	R42	EA	REF			*	*	*			6-9	R42
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM 10PCT 1/2 W EB1021 (01121)	R45	EA	REF			*	*	*			6-9	R45
PAHZZ	5905-111-4744	RESISTOR, FIXED, COMPOSITION 5.1K PORM5PCT 1/2W EB5125 (01121)	R53	EA	1			*	*	*		3	6-9	R53
PAHZZ	5905-249-4195	RESOSTOR, FIXED, COMPOSITION 7.5K PORM5PCT 1/2W EB7525 (01121)	R17	EA	1			*	*	*		3	6-9	R17
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITON 10K PORM10PCT 1/2W EB1031 (01121)	R40	EA	6			*	*	*		3	6-9	R40
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITON 10K PORM10PCT 1/2W EB1031 (01121)	R41	EA	REF			*	*	*			6-9	R41
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031 (01121)	R43	EA	REF			*	*	*			6-9	R43
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031 (01121)	R44	EA	REF			*	*	*			6-9	R44
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031 (01121)	R49	EA	REF			*	*	*			6-9	R49
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PROM10PCT 1/2W EB1031 (01121)	R51	EA	REF			*	*	*			6-9	R51
PAHZZ	5905-190-8876	RESISTOR, FIXED, COMPOSITION 15K PORM10PCT 1/2W EB1531(01121)	R36	EA	2			*	*	*		3	6-9	R36
PAHZZ	5905-190-8876	RESISTOR, FIXED, COMPOSITION 15K PORM10PCT 1/2W EB1531(01121)	R39	EA	REF			*	*	*			6-9	R39
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSTION 27K PORM10PCT 1/2W EB2731 (01121)	R52	EA	2			*	*	*		3	6-9	R52
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731 (01121)	R54	EA	REF			*	*	*			6-9	R54
XDHZZ		RESISTOR, FIXED, COMPOSITION 1 MEG PORM10PCT 1W GB1051 (01121)	R1	EA	1			*	*	*			6-10	R1
XDHZZ		RESISTOR, FIXED, WIRE WOUND 899K PORM.05PCT 1/2W PW1719B9902M (03626)	R9	EA	1			*	*	*			6-10	R9
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2 W PW1719B15003M (03626)	R2	EA	6			*	*	*			6-10	R2
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2W PW1719B15003M (03626)	R3	EA	REF			*	*	*			6-10	R3
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2W PW1719B15003M (03626)	R4	EA	REF			*	*	*			6-10	R4
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2W PW1719B15003M (03626)	R5	EA	REF			*	*	*			6-10	R5
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2W PW1719B15003M (03626)	R6	EA	REF			*	*	*			6-10	R6
XDHZZ		RESISTOR, FIXED, WIRE WOUND 1.5 MEG PORM.05PCT 1/2 W PW1719B15003M (03626)	R7	EA	REF			*	*	*			6-10	R7

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	
		DESCRIPTION		UNIT OF MEAS	30-DAY DS MAINT QTY INC	30-DAY GS MAINT ALLOWANCE (A) (B) (C)	1-YR ALW PER 100	DEPOT MAINT EQUIP 100	ILLUSTRATION FIGURE ITEM (A) NO. (B) NO.	
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT	1-20 (A)	21-50 (B)	51-100 (C)	1-20 (A)	21-50 (B)	51-100 CNTGCY
XDHZZ		RESISTOR, FIXED, WIRE WOUND 9.9911 OHMS, PORMO.05PCT, 1/2 WATT PW1719B9991K1M (03626)	R13	EA	1	*	*	*		6-10 R13
XDHZZ		RESISTOR, FIXED, WIRE WOUND 89.9K OHMS PORMO.05PCT, 1/2 WATT PW1719B89901M (03626)	R11	EA	1	*	*	*		6-10 R11
PAHZZ	5905-829-9097	RESISTOR, VARIABLE 025-OL1-20 (06194)	R12	EA	1	*	*	*	3	6-10 R12
XDHZZ		RESISTOR, VARIABLE 025OL1-200 (06184)	R10	EA	1	*	*	*	3	6-10 R10
PAHZZ	5905-813-1115	RESISTOR, VARIABLE 0250LL-2K (06184)	R8	EA	1	*	*	*	3	6-10 R8
PAHZZ	5905-660-6067	RESISTOR, VARIABLE 500 OHMS PORM10PCT 275-1-501 (80294)	R616	EA	1	*	*	*	3	6-9 R616
PAHZZ	5905-826-2291	RESISTOR, VARIABLE 1000 OHMS PORM10PCT 275-1-102 (80294)	R628	EA	1	*	*	*	3	6-9 R628
XDHZZ		RESISTOR, VARIABLE 2000 OHMS PORM10PCT 275-1-202 (80294)	R618	EA	1	*	*	*		6-9 R618
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE 1N622 (80131)	CR11	EA	2	*	*	*		6-9 CR11
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE IN622 (80131)	CR12	EA	REF	*	*	*		6-9 CR12
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR2	EA	10	*	*	*	3	6-9 CR2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR3	EA	REF	*	*	*		6-9 CR3
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR4	EA	REF	*	*	*		6-9 CR4
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR5	EA	REF	*	*	*		6-9 CR5
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR7	EA	REF	*	*	*		6-9 CR7
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR8	EA	REF	*	*	*		6-9 CR8
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR10	EA	REF	*	*	*		6-9 CR10
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR13	EA	REF	*	*	*		6-9 CR13
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR14	EA	REF	*	*	*		6-9 CR14
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR15	EA	REF	*	*	*		6-9 CR15
PAHZZ	5961-951-5923	SEMICONDUCTOR, DEVICE, DIODE HR4-4-INT749A (01295)	CR6	EA	1	*	*	*	3	6-9 CR6
PAHZZ	5960-852-7549	SEMICONDUCTOR, DEVICE, DIODE HR6-5-1-4M6-8Z10 (94990)	CR9	EA	1	*	*	*	3	6-9 CR9
PAHZZ	5961-882-2915	SEMICONDUCTOR, DEVICE, DIODE 5003-003 (03626)	CR1	EA	1	*	*	*	3	6-10 CR1
PAHZZ	5950-876-0057	TRANSFORMER, POWER ISOLATION 11420-607 (03626)	T1	EA	1	*	*	*	3	6-9 T1
XDHZZ		TRANSFORMER, POWER 1 ISOLATION 11420-608 (03626)	T2	EA	1	*	*	*		6-9 T2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) USABLE ON CODE MEAS	(5) UNIT OF IN UNIT	(6) 30-DAY DS MAINT QTY INC			(7) 30-DAY GS MAINT ALLOWANCE (A) (B) (C)			(8) 1-YR ALW PER 100 EQUIP 100 EQUIP	(9) DEPOT MAINT ALW PER MAINT FIGURE ITEM (A) NO.	(10) ILLUSTRATION (B) ITEM NO.			
					ALLOWANCE (A) (B) (C)			ALLOWANCE (A) (B) (C)								
					1-20	21-50	51-100	1-20	21-50	51-100						
XDHZZ		TRANSFORMER, POWER ISOLATION 11420-609 (03626)	T3	EA	1			*	*	*			6-9	T3		
PAHZZ	5950-876-0058	TRANSFORMER, POWER ISOLATION 11420-610 (03626)	T4	EA	1			*	*	*		3	6-9	T4		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q1	EA	7			*	*	*		30	6-9	Q1		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q2	EA	REF			*	*	*			6-9	Q2		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q3	EA	REF			*	*	*			6-9	Q3		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q6	EA	REF			*	*	*			6-9	Q6		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q7	EA	REF			*	*	*			6-9	Q7		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309 (81349)	Q8	EA	REF			*	*	*			6-9	Q8		
PAHZZ	5961-851-5923	TRANSISTOR 2N1309-(81349)	Q9	EA	REF			*	*	*			6-9	Q9		
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q10	EA	1			*	*	*		3	6-9	Q10		
XDHZZ		TRANSISTOR 2N4444A (10214)	Q4	EA	2			*	*	*			6-9	Q4		
XDHZZ		TRANSISTOR 2N4444A (10214)	Q5	EA	REF			*	*	*			6-9	Q5		
XDHZZ		GROUP 0005 BOARD ASSEMBLY A CAPACITOR, FIXED, CERAMIC DIELECTRIC C2 2000UU, PORM20PCT, 100V BT02 (49956)		EA	8			*	*	*			6-5	C2		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UU, PORM20PCT, 100V BT02 (49956)	C3	EA	REF			*	*	*			6-5	C3		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UU, PORM20PCT, 100V BT02 (49956)	C5	EA	REF			*	*	*			6-5	C5		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UU, PORM20PCT, 100V BT02 (49956)	C7	EA	REF			*	*	*			6-5	C7		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UU, PORM20PCT, 100V BT02 (49956)	C8	EA	REF			*	*	*			6-5	C8		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UU, PORM20PCT 100V BT02 (49956)	C9	EA	REF			*	*	*			6-5	C9		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UUUE PORM20PCT 100W BT02 (49956)	C10	EA	REF			*	*	*			6-5	C10		
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000UUUF PORM20PCT 100V BT02 (49956)	C11	EA	REF			*	*	*			6-5	C11		
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C6 1UF PORM20PCT 100V MEL-105 (99515)		EA	1			*	*	*			6-5	C6		
XDHZZ		CAPACTOR, FIXED, METALIZED, PAPER DIELECTRIC C1 UF 100VDC MEL-105D (99515)		EA	1			*	*	*			6-5	C1		
PAHZZ	5910-817-3826	CAPACITOR, FIXED, PLASTIC DIELECTRIC .047UF PORM10PCT 200V DE2-473E (99515)	C4	EA	1			*	*	*		3	6-5	C4		
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REP-DESIG 5001-1923SPGF (91662)		EA	22			*	*	*		3				
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG A10032 (07047)		EA	10			*	*	*						

(1)	(2)	(3)	DESCRIPTION	UNIT	(4)			(5)			(6)			(7)			(8)			(10)	
					QTY	30-DAY DS MAINT			30-DAY GS MAINT			1-YR			ALW PER	DEPOT			ILLUSTRATION		
						INC	(A)	(B)	(C)	(A)	(B)	(C)	100	EQUIP	100	EQUIP	MAINT	(A)	(B)	FIGURE	ITEM
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	100	EQUIP	100	EQUIP	NO.	(A)	(B)	NO.	NO.
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF101J (81349)	R41	EA	2				*	*	*								6-5	R41	
XDHZZ		RESISTOR, FIXED, COMPOSITION RC20GF101J (81349)	R51	EA	REF				*	*	*								6-5	R51	
PAHZZ		RESISTOR, FIXED, COMPOSITION 5905-141-0727 200 OHMS PORM5PCT 1/2 WATT EB2015 (01151)	R26	EA	E				*	*	*							3	6-5	R26	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R1	EA	10				*	*	*							3	6-5	R1	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R8	EA	REF				*	*	*								6-5	R8	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R10	EA	REF				*	*	*								6-5	R10	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R17	EA	REF				*	*	*								6-5	R17	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB 1021 (01121)	R19	EA	REF				*	*	*								6-5	R19	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R30	EA	REF				*	*	*								6-5	R30	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R38	EA	REF				*	*	*								6-5	R38	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R39	EA	REF				*	*	*								6-5	R39	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R43	EA	REF				*	*	*								6-5	R43	
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K OHMS PORM10PCT 1/2 WATT EB1021 (01121)	R50	EA	REF				*	*	*								6-5	R50	
PAHZZ	5905-137-0545	RESISTOR, VARIABLE 10K OHMS PORM10PCT .25W RT12024103 (80294)	R53	EA	1				*	*	*							3	6-5	R53	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (011210)	R2	EA	14				*	*	*							3	6-5	R2	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2W EB1031 (01121)	R4	EA	REF				*	*	*								6-5	R4	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2W EB1031 (01121)	R12	EA	REF				*	*	*								6-5	R12	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R15	EA	REF				*	*	*								6-5	R15	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R21	EA	REF				*	*	*								6-5	R21	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)		EA	REF				*	*	*								6-5	R22	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)		EA	REF				*	*	*								6-5	R28	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R28	EA	REF				*	*	*								6-5	R31	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R31	EA	REF				*	*	*								6-5	R33	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2W EB1031 (01121)	R33	EA	REF				*	*	*								6-5	R35	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT L/2 W EB1031 (01121)	R35	EA	REF				*	*	*								6-5	R40	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2W EB1031 (01121)	R40	EA	REF				*	*	*								6-5	R45	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R45	EA	REF				*	*	*								6-5	R45	

(1)	(2)	(3)	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
					UNIT	30-DAY DS MAINT			30-DAY GS MAINT			1-YR ALW PER	DEPOT MAINT	ILLUSTRATION		
						QTY INC	ALLOWANCE (A)	(B)	(C)	(A)	(B)	(C)		(A) FIGURE NO.	(B) ITEM NO.	
SMR	FEDERAL STOCK CODE	DESCRIPTION	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	(A)	(B)	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K OHMS, PORM10PCT 1/2W EB1031 (01121)	R46	EA	REF		*	*	*						6-5	R46
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITIN 10K OHMS PORM10PCT 1/2 W EB1031 (01121)	R47	EA	REF		*	*	*						6-5	R47
XDHZZ		RESISTOR, FIXED, COMPOSITIN 13K PORM5PCT 1/2W EB1355 (01121)	R6	EA	1		*	*	*						6-5	R6
PAHZZ	5905-190-8879	RESISTOR, FIXED, COMPOSITION 18K PORM10PCT 1/2W EB1831 (01121)	R7	EA	1		*	*	*				3		6-5	R7
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R5	EA	12		*	*	*				3		6-5	R5
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R11	EA	REF		*	*	*						6-5	R11
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSTION 27K PORM10PCT 1/2W EB2731(01121)	R13	EA	REF		*	*	*						6-5	R13
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITON 27K PORM10PCT 1/2W EB2731(01121)	R14	EA	REF		*	*	*						6-5	R14
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R16	EA	REF		*	*	*						6-5	R16
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R18	EA	REF		*	*	*						6-5	R18
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R25	EA	REF		*	*	*						6-5	R25
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R32	EA	REF		*	*	*						6-5	R32
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITIN 27K PORM10PCT 1/2W EB2731(01121)	R34	EA	REF		*	*	*						6-5	R34
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R35	EA	REF		*	*	*						6-5	R35
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R42	EA	REF		*	*	*						6-5	R42
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R49	EA	REF		*	*	*	*					6-5	R49
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221(01121)	R20	EA	4		*	*	*				3		6-5	R20
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221(01121)	R24	EA	REF		*	*	*						6-5	R24
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2 PORM10PCT 1/2W EB2221(01121)	R44	EA	REF		*	*	*						6-5	R44
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221(01121)	R48	EA	REF		*	*	*						6-5	R48
XDHZZ		RESISTOR, FIXED, COMPOSITION 2.75 PORM10PCT 1/2W EB2721(01121)	R3	EA	1		*	*	*						6-5	R3
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION 4.7K PORM10PCT 1/2W RC20GF472K (81349)	R4	EA	5		*	*	*				3		6-5	R4
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION 4.7K PORM10PCT 1/2W RC20GF472K (81349)	R23	EA	REF		*	*	*						6-5	R23
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION 4.7K PORM10PCT 1/2W RC20GF472K (81349)	R27	EA	REF		*	*	*						6-5	R27
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION 4.7K PORM10PCT 1/2W RC20GF472K (81349)	R29	EA	REF		*	*	*						6-5	R29
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION 4.7K PORM10PCT 1/2W RC20GF472K (81349)	R37	EA	REF		*	*	*						6-5	R37

(1)	(2)	(3)	(4)	(5)			(6)			(7)			(8)	(9)	(10)				
				FEDERAL SMR CODE	STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	QTY OF MEAS	30-DAY DS MAINT			30-DAY GS MAINT			1-YR ALW PER EQUIP	MAINT ALW PER EQUIP	(A) FIGURE NO.	(B) ITEM NO.	
									UNIT	INC IN	(A)	(B)	(C)	(A)	(B)	(C)	CNTGCY		
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR1			EA	33			*	*	*					3	6-5	CR1
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR2			EA	REF			*	*	*						6-5	CR2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR3			EA	REF			*	*	*						6-5	CR3
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR4			EA	REF			*	*	*						6-5	CR4
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR5			EA	REF			*	*	*						6-5	CR5
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR6			EA	REF			*	*	*						6-5	CR6
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR7			EA	REF			*	*	*						6-5	CR7
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR8			EA	REF			*	*	*						6-5	CR8
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR9			EA	REF			*	*	*						6-5	CR9
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR10			EA	REF			*	*	*						6-5	CR10
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR11			EA	REF			*	*	*						6-5	CR11
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR12			EA	REF			*	*	*						6-5	CR12
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR13			EA	REF			*	*	*						6-5	C13
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR14			EA	REF			*	*	*						6-5	CR14
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR15			EA	REF			*	*	*						6-5	CR15
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR16			EA	REF			*	*	*						6-5	CR16
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR17			EA	REF			*	*	*						6-5	CR17
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR18			EA	REF			*	*	*						6-5	CR18
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR19			EA	REF			*	*	*						6-5	CR19
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR20			EA	REF			*	*	*						6-5	CR20
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR21			EA	REF			*	*	*						6-5	CR21
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR22			EA	REF			*	*	*						6-5	CR22
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR23			EA	REF			*	*	*						6-5	CR23
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR24			EA	REF			*	*	*						6-5	CR24
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR25			EA	REF			*	*	*						6-5	CR25
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR26			EA	REF			*	*	*						6-5	CR26

(1)	(2)	(3) DESCRIPTION	(4)	(5)	(6)			(7)			(8)	(9)	(10)			
					30-DAY DS MAINT			30-DAY GS MAINT					ILLUSTRATION			
					QTY OF IN	INC (A)	ALLOWANCE (C)	(A)	(B)	ALLOWANCE (C)			EQUIP	EQUIP NO.	(A)	(B)
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	ALW PER	FIGURE	ITEM NO.	NO.
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR27	EA	REF				*	*	*			6-5	CR27	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR28	EA	REF				*	*	*			6-5	CR28	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR29	EA	REF				*	*	*			6-5	CR29	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR30	EA	REF				*	*	*			6-5	CR30	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR31	EA	REF				*	*	*			6-5	CR31	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR32	EA	REF				*	*	*			6-5	CR32	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002(03626)	CR33	EA	REF				*	*	*			6-5	CR33	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q1	EA	10				*	*	*		3	6-5	Q1	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q2	EA	REF				*	*	*			6-5	Q2	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q3	EA	REF				*	*	*			6-5	Q3	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q4	EA	REF				*	*	*			6-5	Q4	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q5	EA	REF				*	*	*			6-5	Q5	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q6	EA	REF				*	*	*			6-5	Q6	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q7	EA	REF				*	*	*			6-5	Q7	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q8	EA	REF				*	*	*			6-5	Q8	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q9	EA	REF				*	*	*			6-5	Q9	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q10	EA	REF				*	*	*			6-5	Q10	
XDHZZ		GROUP 0006 BOARD ASSEMBLY B														
XDHZZ		CAPACITOR, FIXED, DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C1	EA	10				*	*	*			6-6	C1	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C2	EA	REF				*	*	*			6-6	C2	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C3	EA	REF				*	*	*			6-6	C3	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C4	EA	REF				*	*	*			6-6	C4	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C5	EA	REF				*	*	*			6-6	C5	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C6	EA	REF				*	*	*			6-6	C6	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C7	EA	REF				*	*	*			6-6	C7	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C8	EA	REF				*	*	*			6-6	C8	
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C10	EA	REF				*	*	*			6-6	C10	

SECTION II

TM11-6625-444-40P

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	QTY OF IN	30-DAY DS MAINT ALLOWANCE	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION
		REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	(A) (B) (C)	(A) (B) (C)	100 EQUIP	100 EQUIP	(A) FIGURE NO. (B) ITEM NO.
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)	C11	EA	REF	*	*	*	6-6 C11
PAHZZ	5910-817-3826	CAPACITOR, FIXED, PLASTIC DIELECTRIC .047 UF PORM10PCT 200V DE2-473E(99515)	C9	EA	1	*	*	*	3 6-6 C9
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)		EA	22	*	*	*	
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG A10032 (07047)		EA	10	*	*	*	
XDHZZ		RESISTOR, FIXED, COMPOSITION 620 OHMS PORM5PCT 1/2W EB6215(01121)	R1	EA	2	*	*	*	6-6 R1
XDHZZ		RESISTOR, FIXED, COMPOSITION 620 OHMS PORM5PCT 1/2W EB6215(01121)	R10	EA	REF	*	*	*	6-6 R10
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R12	EA	12	*	*	*	3 6-6 R12
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R21	EA	REF	*	*	*	6-6 R21
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R23	EA	REF	*	*	*	6-6 R23
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITIN 1K PORM10PCT 1/2W EB1021(01121)	R31	EA	REF	*	*	*	6-6 R31
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R39	EA	REF	*	*	*	6-6 R39
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R40	EA	REF	*	*	*	6-6 R40
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R41	EA	REF	*	*	*	6-6 R41
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R41	EA	REF	*	*	*	6-6 R44
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R45	EA	REF	*	*	*	6-6 R45
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R46	EA	REF	*	*	*	6-6 R46
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R47	EA	REF	*	*	*	6-6 R47
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R56	EA	REF	*	*	*	6-6 E56
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R5	EA	10	*	*	*	3 6-6 R5
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R6	EA	REF	*	*	*	6-6 R6
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSTION RC20GF472K (81349)	R18	EA	REF	*	*	*	6-6 R18
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITIN RC20GF472K (81349)	R26	EA	REF	*	*	*	6-6 R26
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R29	EA	REF	*	*	*	6-6 R29
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R34	EA	REF	*	*	*	6-6 R34
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R36	EA	REF	*	*	*	6-6 R36
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITIN RC20GF472K (81349)	R43	EA	REF	*	*	*	6-6 R43

(1)	(2)	(3)	DESCRIPTION	UNIT	QTY	(6)			(7)			1-YR ALW PER	DEPOT	(10)		
						30-DAY DS MAINT			30-DAY GS MAINT					MAINT		
						IN	(A)	(B)	(C)	(A)	(B)	(C)		EQUIP	ALW PER	ITEM
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	(A)	(B)	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R51	EA	REF		*	*	*						6-6	R51
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R52	EA	REF		*	*	*						6-6	R52
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R3	EA	10		*	*	*				3		6-6	R3
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R8	EA	REF		*	*	*						6-6	R8
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2 EB1031(01121)	R13	EA	REF		*	*	*						6-6	R13
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R25	EA	REF		*	*	*						6-6	R25
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R30	EA	REF		*	*	*						6-6	R30
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R33	EA	REF		*	*	*						6-6	R33
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R37	EA	REF		*	*	*						6-6	R37
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R42	EA	REF		*	*	*						6-6	R42
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R49	EA	REF		*	*	*						6-6	R49
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R54	EA	REF		*	*	*						6-6	R54
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R2	EA	15		*	*	*				3		6-6	R2
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R4	EA	REF		*	*	*						6-6	R4
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R7	EA	REF		*	*	*						6-6	R7
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R9	EA	REF		*	*	*						6-6	R9
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R11	EA	REF		*	*	*						6-6	R11
PAHZZ	5905-195-6758	RESISTRO, FIXED, COMPOSITION 27K PORM10PCT 1/2W E2731(01121)	R15	EA	REF		*	*	*						6-6	R15
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PROM10PCT 1/2W E1721(01121)	R19	EA	REF		*	*	*						6-6	R19
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R20	EA	REF		*	*	*						6-6	R20
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R22	EA	REF		*	*	*						6-6	R22
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R27	EA	REF		*	*	*						6-6	R27
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R28	EA	REF		*	*	*						6-6	R28
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R35	EA	REF		*	*	*						6-6	R35
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R50	EA	REF		*	*	*						6-6	R50
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W E1721(01121)	R53	EA	REF		*	*	*						6-6	R53

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)			
		DESCRIPTION		UNIT	QTY	30-DAY DS MAINT	30-DAY GS MAINT	1-YR	DEPOT	ILLUSTRATION		
SMR	FEDERAL		USABLE ON CODE	OF IN	INC (A)	(B)	(C)	ALW PER	MAINT			
CODE	STOCK	NUMBER	REFERENCE NUMBER & MFR. CODE	MEAS	UNIT	1-20	21-50	51-100	100	ALW PER		
								CNTGCY	EQUIP	FIGURE		
									ITEM	ITEM		
									NO.	NO.		
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R55	EA	REF	*	*	*			6-6	R55
PAHZZ	5905-279-1757	RESISTOR, FIXED, COMPOSITION 1-5K PORM10PCT 1/2W EB1521(01121)	R16	EA	1	*	*	*		3	6-6	R16
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITON 2.2K PORM10PCT 1/2W EB2221(01121)	R14	EA	3	*	*	*		3	6-6	R14
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 212K PORM10PCT 1/2W EB2221(01121)	R17	EA	REF	*	*	*			6-6	R17
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 212K PORM10PCT 1/2W EB2221(01121)	R38	EA	REF	*	*	*			6-6	R38
XDHZZ		RESISTOR, FIXED, COMPOSITION 220K PORM10PCT 1/2W EB2241(01121)	R24	EA	3	*	*	*			6-6	R24
XDHZZ		RESISTOR, FIXED, COMPOSITION 220K PORM10PCT 1/2W EB2241(01121)	R32	EA	REF	*	*	*			6-6	R32
XDHZZ		RESISTOR, FIXED, COMPOSITION 220K PORM10PCT 1/2W EB2241(01121)	R48	EA	REF	*	*	*			6-6	R48
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR1	EA	40	*	*	*		3	6-6	CR1
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR2	EA	REF	*	*	*			6-6	CR2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR3	EA	REF	*	*	*			6-6	CR3
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR4	EA	REF	*	*	*			6-6	CR4
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR5	EA	REF	*	*	*			6-6	CR5
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR6	EA	REF	*	*	*			6-6	CR6
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR7	EA	REF	*	*	*			6-6	CR7
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR8	EA	REF	*	*	*			6-6	CR8
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR9	EA	REF	*	*	*			6-6	CR9
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR10	EA	REF	*	*	*			6-6	CR10
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR11	EA	REF	*	*	*			6-6	CR11
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR13	EA	REF	*	*	*			6-6	CR13
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR14	EA	REF	*	*	*			6-6	CR14
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR15	EA	REF	*	*	*			6-6	CR15
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR16	EA	REF	*	*	*			6-6	CR16
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR17	EA	REF	*	*	*			6-6	CR17
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR18	EA	REF	*	*	*			6-6	CR18
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR19	EA	REF	*	*	*			6-6	CR19

SECTION II

TM11-6625-444-40P

(1)	(2)	(3)	(4)	(5)			(6)			(7)			(8)	(9)	(10)				
				FEDERAL SMR CODE	STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	QTY OF MEAS	30-DAY DS MAINT			30-DAY GS MAINT			1-YR ALW PER EQUIP	MAINT ALW PER EQUIP	DEPOT FIGURE EQUIP NO.	ILLUSTRATION ITEM NO.	
									UNIT	INC IN	(A)	(B)	(C)	(A)	(B)	(C)	CNTGCY		
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR20			EA	REF			*	*	*						6-6	CR20
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR21			EA	REF			*	*	*						6-6	CR21
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR22			EA	REF			*	*	*						6-6	CR22
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR23			EA	REF			*	*	*						6-6	CR23
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR24			EA	REF			*	*	*						6-6	CR24
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR25			EA	REF			*	*	*						6-6	CR25
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR26			EA	REF			*	*	*						6-6	CR26
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR27			EA	REF			*	*	*						6-6	CR27
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR28			EA	REF			*	*	*						6-6	CR28
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR29			EA	REF			*	*	*						6-6	CR29
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR30			EA	REF			*	*	*						6-6	CR30
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR31			EA	REF			*	*	*						6-6	CR31
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR32			EA	REF			*	*	*						6-6	CR32
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR33			EA	REF			*	*	*						6-6	CR33
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR34			EA	REF			*	*	*						6-6	CR34
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR35			EA	REF			*	*	*						6-6	CR35
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR36			EA	REF			*	*	*						6-6	CR36
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR37			EA	REF			*	*	*						6-6	CR37
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR38			EA	REF			*	*	*						6-6	CR38
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR39			EA	REF			*	*	*						6-6	CR39
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR40			EA	REF			*	*	*						6-6	CR40
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR41			EA	EF			*	*	*						6-6	CR41
PAHZZ	5961-866-5475	SEMICONDUCTOR, DEVICE, DIODE 1-4M6-8Z (94990)	CR12			EA	1			*	*	*			3		6-6	CR12	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q1			EA	9			*	*	*			3		6-6	11	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q2			EA	REF			*	*	*					6-6	Q2	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)	Q3			EA	REF			*	*	*					6-6	Q3	

(1)	(2)	(3)	DESCRIPTION	UNIT OF MEAS	UNIT	QTY INC	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			1-YR ALW PER	DEPOT EQUIP	(10) ILLUSTRATION	
							(A)	(B)	(C)	(A)	(B)	(C)			(A)	(B)
FEDERAL STOCK CODE	NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	FIGURE NO.	ITEM NO.	
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q4	EA	REF				*	*	*			6-6	Q4
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q5	EA	REF				*	*	*			6-6	Q5
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q6	EA	REF				*	*	*			6-6	Q6
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q7	EA	REF				*	*	*			6-6	Q7
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q9	EA	REF				*	*	*			6-6	Q9
PAHZZ	5961-882-2906	TRANSISTOR 2N1374 (80131)		Q10	EA	REF				*	*	*			6-6	Q10
XDHZZ		TRANSISTOR 2N444A (91662)		Q8	EA	1				*	*	*			6-6	Q8
XDHZZ		GROUP 0007 BOARD ASSEMBLY C														
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C1	EA	8				*	*	*			6-7	C1
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C3	EA	REF				*	*	*			6-7	C3
XDHZZ		CAPACITOR, FIXED, DIELECTRIC 2000 UUF PORM20VBT02(49956)		C4	EA	REF				*	*	*			6-7	C4
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C5	EA	REF				*	*	*			6-7	C5
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C8	EA	REF				*	*	*			6-7	C8
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C9	EA	REF				*	*	*			6-7	C9
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C10	EA	REF				*	*	*			6-7	C10
XDHZZ		CAPACITOR, FIXED, CERAMIC DIELECTRIC 2000 UUF PORM20PCT 100V BT02(49956)		C11	EA	REF				*	*	*			6-7	C11
PAHZZ	5910-086-0479	CAPACITOR, FIXED, ELECTROKTTUC 25UF 25V 52RM25(74861)		C2	EA	1				*	*	*		3	6-7	C2
PAHZZ	5910-817-3826	CAPACITOR, FIXED, PLASTIC DIELECTRIC .047UF PORM10PCT 200V DE2-473EE(99515)		C6	EA	2				*	*	*		3	6-7	C6
PAHZZ	5910-817-3826	CAPACITOR, FIXED, PLASTIC DIELECTRIC .047UF PORM10PCT 200V DE2-473E(99515)		C7	EA	REF				*	*	*			6-7	C7
PAHZZ	5935-806-1891	CONTACT ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)			EA	22				*	*	*				
XDHZZ		INSULATOR STANDOFF NO-REF-DESIG A10032 (07047)			EA	11				*	*	*		3		
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)		R1	EA	9				*	*	*		3	6-7	R1
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)		R11	EA	REF				*	*	*			6-7	R11
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)		R15	EA	REF				*	*	*			6-7	R15
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1X FORM10PCT 1/2W EB1021(01121)		R22	EA	REF				*	*	*			6-7	R22
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)		R23	EA	REF				*	*	*			6-7	R23
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)		R24	EA	REF				*	*	*			6-7	R24

(1)	(2)	(3)	DESCRIPTION	UNIT	QTY	(6) 30-DAY DS MAINT			(7) 30-DAY GS MAINT			1-YR ALW PER	DEPOT	(10) ILLUSTRATION		
						OF IN	INC	(A)	(B)	(C)	(A)	(B)	(C)	EQUIP	ALW PER	ITEM NO.
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	ALW PER	ITEM NO.	FIGURE NO.
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(C1121)	R32	EA	REF			*	*	*					6-7	R32
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021(01121)	R35	EA	REF			*	*	*					6-7	R3
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION 1K PORM10PCT 1/2W EB1021 (01121)	R36	EA	REF			*	*	*					6-7	R36
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R2	EA	8			*	*	*			3	6-7	R2	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R6	EA	REF			*	*	*				6-7	R6	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R8	EA	REF			*	*	*				6-7	R8	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R14	EA	REF			*	*	*				6-7	R14	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R19	EA	REF			*	*	*				6-7	R19	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R29	EA	REF			*	*	*				6-7	R29	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R33	EA	REF			*	*	*				6-7	R33	
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION RC20GF472K (81349)	R40	EA	REF			*	*	*				6-7	R40	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K FORM10PCT 1/2W EB1031(01121)	R3	EA	7			*	*	*			3	6-7	R3	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R7	EA	REF			*	*	*				6-7	R7	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R9	EA	REF			*	*	*				6-7	R9	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R18	EA	REF			*	*	*				6-7	R18	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K FORM10PCT 1/2W EB1031(01121)	R28	EA	REF			*	*	*				6-7	R28	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K FORM10PCT 1/2W EB1031(01121)	R34	EA	REF			*	*	*				6-7	R34	
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION 10K PORM10PCT 1/2W EB1031(01121)	R39	EA	REF			*	*	*				6-7	R39	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R5	EA	6			*	*	*			3	6-7	R5	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R25	EA	REF			*	*	*				6-7	R25	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R27	EA	REF			*	*	*				6-7	R27	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT 1/2W EB2731(01121)	R31	EA	REF			*	*	*				6-7	R31	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT EB2731(01121)	R37	EA	REF			*	*	*				6-7	R37	
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION 27K PORM10PCT EB2731(01121)	R42	EA	REF			*	*	*				6-7	R42	
PAHZZ	5905-279-1757	RESISTOR, FIXED, COMPOSITION 1.5K PORM10PCT 1/2 EB1251(01121)	R17	EA	3			*	*	*			3	6-7	R17	
PAHZZ	5905-279-1757	RESISTOR, FIXED, COMPOSITION 1.5K PORM10CT 1/3W EB1521(01121)	R26	EA	REF			*	*	*				6-7	R26	

(1)	(2)	(3)	DESCRIPTION	UNIT	QTY	(6) 30-DAY DS MAINT			(7) 30-DAY GS MAINT			1-YR ALW PER	DEPOT	(10) ILLUSTRATION				
						OF IN	INC	(A)	(B)	(C)	(A)	(B)	(C)	100 CNTGCY	100 EQUIP	MAINT EQUIP	(A) FIGURE	(B) ITEM
SMR	FEDERAL STOCK	CODE NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE	ON	CODE	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	EQUIP	(A) FIGURE	(B) ITEM
PAHZZ	5905-279-1757	RESISTOR, FIXED, COMPOSITION 1.5K PORM10PCT 1/2W EB1521 (01121)	R38	EA	REF	*	*	*								6-7	R38	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R4	EA	7	*	*	*								3	6-7	R4
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R10	EA	REF	*	*	*								6-7	R10	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R12	EA	REF	*	*	*								6-7	R12	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2-2K PORM10PCT 1/2W EB2221 (01121)	R13	EA	REF	*	*	*								6-7	R13	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R20	EA	REF	*	*	*								6-7	R20	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R30	EA	REF	*	*	*								6-7	R30	
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION 2.2K PORM10PCT 1/2W EB2221 (01121)	R41	EA	REF	*	*	*								6-7	R41	
XDHZZ		RESISTOR, FIXED, COMPOSITION 2.20K PORM10PCT 1/2W EB2221 (01121)	R16	EA	2	*	*	*								6-7	R16	
XDHZZ		RESISTOR, FIXED, COMPOSITION 220K PORM10PCT 1/2W EB2241 (01121)	R21	EA	REF	*	*	*								6-7	R21	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR1	EA	32	*	*	*						3		6-7	CR1	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR2	EA	REF	*	*	*								6-7	CR2	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR3	EA	REF	*	*	*								6-7	CR3	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR4	EA	REF	*	*	*								6-7	CR4	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR5	EA	REF	*	*	*								6-7	CR5	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR6	EA	REF	*	*	*								6-7	CR6	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR7	EA	REF	*	*	*								6-7	CR7	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR8	EA	REF	*	*	*								6-7	CR8	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR9	EA	REF	*	*	*								6-7	CR9	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR10	EA	REF	*	*	*								6-7	CR10	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR11	EA	REF	*	*	*								6-7	CR11	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR12	EA	REF	*	*	*								6-7	CR12	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR13	EA	REF	*	*	*								6-7	CR13	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR14	EA	REF	*	*	*								6-7	CR14	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR15	EA	REF	*	*	*								6-7	CR15	
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE 5003-002 (03626)	CR16	EA	REF	*	*	*								6-7	CR16	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)		
		DESCRIPTION			30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT	ILLUSTRATION		
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT OF IN MEAS	(A) (B) (C)	(A) (B) (C)	100 EQUIP	ALW PER EQUIP	(A) FIGURE NO.	(B) ITEM NO.
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR17 5003-002 (03626)		EA	REF	* * *				6-7	CR17
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR18 5003-002 (03626)		EA	REF	* * *				6-7	CR18
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR19 5003-002 (03626)		EA	REF	* * *				6-7	CR19
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR20 5003-002 (03626)		EA	REF	* * *				6-7	CR20
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR21 5003-02 (03626)		EA	REF	* * *				6-7	CR21
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR22 5003-002 (03626)		EA	REF	* * *				6-7	CR22
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR23 5003-002 (03626)		EA	REF	* * *				6-7	CR23
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR24 5003-002 (03626)		EA	REF	* * *				6-7	CR24
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR25 5003-002 (03626)		EA	REF	* * *				6-7	CR25
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR26 5003-002 (03626)		EA	REF	* * *				6-7	C26
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR27 5003-002 (03626)		EA	REF	* * *				6-7	CR27
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR28 5003-002 (03626)		EA	REF	* * *				6-7	CR28
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR29 5003-002 (03626)		EA	REF	* * *				6-7	CR29
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR30 5003-002 (03626)		EA	REF	* * *				6-7	CR30
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR31 5003-002 (03626)		EA	REF	* * *				6-7	CR31
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR32 5003-002 (03626)		EA	REF	* * *				6-7	CR32
PAHZZ	5961-882-2906	TRANSISTOR Q1 2N1374 (80131)		EA	11	* * *		3	6-7	Q1	
PAHZZ	5961-882-2906	TRANSISTOR Q2 2N1374 (80131)		EA	REF	* * *			6-7	Q2	
PAHZZ	5961-882-2906	TRANSISTOR Q3 2N1374 (80131)		EA	REF	* * *			6-7	Q3	
PAHZZ	5961-882-2906	TRANSISTOR Q4 2N1374 (80131)		EA	REF	* * *			6-7	Q4	
PAHZZ	5961-882-2906	TRANSISTOR Q5 2N1374 (80131)		EA	REF	* * *			6-7	Q5	
PAHZZ	5961-882-2906	TRANSISTOR Q6 2N1374 (80131)		EA	REF	* * *			6-7	Q6	
PAHZZ	5961-882-2906	TRANSISTOR Q7 2N1374 980131)		EA	REF	* * *			6-7	Q7	
PAHZZ	5961-882-2906	TRANSISTOR Q8 2N1374 (80131)		EA	REF	* * *			6-7	Q8	
PAHZZ	5961-882-2906	TRANSISTOR Q9 2N1374 (80131)		EA	REF	* * *			6-7	Q9	
PAHZZ	5961-882-2906	TRANSISTOR Q10 2N1374 (80131)		EA	REF	* * *			6-7	Q10	

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		DESCRIPTION		UNIT	30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	INC (A)	(B)	(C)	100 EQUIP	ALW PER FIGURE ITEM
PAHZZ	5961-882-2906	TRANSISTOR Q11 2N1374 (80131) GROUP 0008 BOARD ASSEMBLY D CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C1 1 UF PORM20PCT 100V MEL-105 (99515)		EA	REF	*	*	*	6-7 Q11
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C2 1 UF PORM20PCT 100V MEL-105 (99515)		EA	6	*	*	*	6-8 C1
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C2 1 UF PORM20PCT 10V MEL-105 (99515)		EA	REF	*	*	*	6-8 C2
XDHZZ		CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C2 1 UF PORM20PCT 10V MEL-105 (99515)		EA	REF	*	*	*	6-8 C2
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)		EA	26	*	*	*	3
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG A10032 (07047)		EA	6	*	*	*	
PAHZZ	5905-279-2643	RESISTOR, FIXED, COMPOSITION R1 RC32GF101J (81349)		EA	6	*	*	*	3 6-8 R1
PAHZZ	5905-279-2643	RESISTOR, FIXED, COMPOSITION R5 RC32GF101J (81349)		EA	REF	*	*	*	6-8 R5
PAHZZ	5905-279-2643	RESISTOR, FIXED, COMPOSITION R9 RC32GF101J (81349)		EA	REF	*	*	*	6-8 R9
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R4 1K PROM102PCT, 1/2W EB1021 (01121)		EA	6	*	*	*	3 6-8 R4
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R8 1K PORM10PCT 1/2W EB1021 (01121)		EA	REF	*	*	*	6-8 R8
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R12 1K PORM10PCT 1/2W EB1021 (01121)		EA	REF	*	*	*	6-8 R12
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R2 RC20GF472K (81349)		EA	12	*	*	*	3 6-8 R2
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R3 RC20GF472K (81349)		EA	REF	*	*	*	6-8 R3
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R6 RC20GF472K (81349)		EA	REF	*	*	*	6-8 R6
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R7 RC20GF472K (81349)		EA	REF	*	*	*	6-8 R7
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R10 RC20GF472K (81349)		EA	REF	*	*	*	6-8 R10
PAHZZ	5905-141-0595	RESISTOR, FIXED, COMPOSITION R11 RC20GF472K (81349)		EA	REF	*	*	*	6-8 R11
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR1 5003-002 (03626)		EA	6	*	*	*	3 6-8 CR1
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR2 5003-002 (03626)		EA	REF	*	*	*	6-8 CR2
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR3 5003-002 (03626)		EA	REF	*	*	*	6-8 CR3
PAHZZ	5961-882-2906	TRANSISTOR Q1 2N1374 (80131)		EA	6	*	*	*	3 6-8 Q1
PAHZZ	5961-882-2906	TRANSISTOR Q3 2N1374 (80131)		EA	REF	*	*	*	6-8 Q3
PAHZZ	5961-882-2906	TRANSISTOR Q5 2N1374 (80131)		EA	REF	*	*	*	6-8 Q5

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		DESCRIPTION			30-DAY DS MAINT QTY	30-DAY GS MAINT ALLOWANCE	1-YR ALW PER	DEPOT MAINT	ILLUSTRATION
SMR CODE	FEDERAL STOCK NUMBER	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	MEAS	UNIT OF IN	(A) (B) (C)	(A) (B) (C)	100 EQUIP	(A) (B) FIGURE ITEM NO. NO.
PAHZZ	5961-882-2909	TRANSISTOR Q2 2N1540 (94990)		EA	6	*	*	*	3 6-8 Q2
PAHZZ	5961-882-2909	TRANSISTOR Q4 2N1540 (94990)		EA	REF	*	*	*	6-8 Q4
PAHZZ	5961-882-2909	TRANSISTOR Q6 2N1540 (91662) GROUP 0009 RELAY BOARD ASSEMBLY AC-DC CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C1 1UF PORM20PCT 100V MEI-105 (99515)		EA	REF	*	*	*	* 6-8 Q6
PAHZZ	5910-817-3826	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C2 0.047 PORM10PCT 200V DE2473E (99515)		EA	1	*	*	*	3
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)		EA	22	*	*	*	3
XDHZZ		RELAY, ARMATURE K1 BR7Y190A24A4 (09026)		EA	2	*	*	*	K1
XDHZZ		RELAY, ARMATURE K2 BR7Y190A24A4 (09026)		EA	REF	*	*	**	K2
PAHZZ	5905-435-1723	RESISTOR, FIXED, COMPOSITION R1 5.1K PORM5PCT 1W GB5125 (01121)		EA	1	*	*	*	3 6-11 R1
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION R2 27K PORM10PCT 1/2W EB2731 (01121)		EA	2	*	*	*	3 6-11 R2
PAHZZ	5905-195-6758	RESISTOR, FIXED, COMPOSITION R3 27K PORM10PCT 1/2W EB2731 (01121)		EA	REF	*	*	*	6-11 R3
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR1 5003-002 (03626)		EA	1	*	*	*	3 CR1
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR2 IN2071 (80131)		EA	4	*	*	*	CR2
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR3 IN2071 (80131)		EA	REF	*	*	*	CR3
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR4 IN2071 (80131)		EA	REF	*	*	*	CR4
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR5 IN2071 (80131) GROUP 0010 RELAY BOARD ASSEMBLY RANGE AND POLARITY		EA	REF	*	*	*	CR5
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)		EA	22	*	*	*	3
XDHZZ		INSULATOR, STANDOFF NO-REF-DESIG A10032 (07047)		EA	1	*	*	*	
XDHZZ		RELAY, ARMATURE K1 BR7Y190A24A4 (09026)		EA	4	*	*	*	K1
XDHZZ		RELAY, ARMATURE K2 BR7Y190A24A4 (09026)		EA	REF	*	*	*	K2
XDHZZ		RELAY, ARMATURE K3 BR7Y190A24A4 (09026)		EA	REF	*	*	*	K3
XDHZZ		RELAY, ARMATURE K4 BR7Y190A24A4 (09026)		EA	REF	*	*	*	K4
PAHZZ	5905-141-0591	RESISTOR, FIXED, COMPOSITION R1 10K PORM10PCT 1/2W EB1031 (01121)		EA	1	*	*	*	3 6-22 R1
PAHZZ	5905-279-1876	RESISTOR, FIXED, COMPOSITION R2 2.2K PORM10PCT 1/2W LB2221 (01121)		EA	1	*	*	*	3 6-22 R2

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION REFERENCE NUMBER & MFR. CODE	USABLE ON	UNIT OF IN MEAS	QTY UNIT	30-DAY DS MAINT (A)	30-DAY GS MAINT (B)	1-YR ALW PER 100 EQUIP CNTGCY	DEPOT MAINT ALW PER 100 EQUIP EQUIP (A) FIGURE NO. (B) ITEM NO.
					(C)	(C)	(C)		
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R3 1K PORM10PCT 1/2W EB1021 (01121)		EA	1	*	*	*	3 6-22 R3
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR1 5003-002 (03626)		EA	2	*	*	*	3 CR1
PAHZZ	5961-882-2916	SEMICONDUCTOR, DEVICE, DIODE CR2 5003-002 (03626)		EA	REF	*	*	*	CR2
PAHZZ	5961-882-2906	TRANSISTOR Q1 2N1374 (80131) GROUP 0011 ZENER SUPPLY ASSEMBLY		EA	1	*	*	*	3 6-22 Q1
PAHZZ	5955-913-7955	OVEN, CRYSTAL J1 C/O 2 ZENER DIODES PLUG-IN MFG 11420-054 (03626)		EA	1	*	*	*	3 6-4 J1
PAHZZ	5910-752-4220	CAPACITOR, FIXED, ELECTROLYTIC C2 100 UF 50V 05RM100 (74861)		EA	1	*	*	*	3 6-4 C2
PAHZZ	5910-754-9375	CAPACITOR, FIXED, ELECTROLYTIC C1 500 UF 50V 05RTK500 (74861)		EA	1	*	*	*	3 6-4 C1
PAHZZ	5935-806-1891	CONTACT, ELECTRICAL NO-REF-DESIG 5001-1923SPGF (91662)		EA	22	*	*	*	3
PAHZZ	5945-823-3053	RELAY, ARMATURE K1 5005-003 (03626)		EA	1	*	*	*	3 6-4 K1
XDHZZ		RESISTOR, FIXED, WIRE WOUND R1 0.6 OHMS PORM1PCT, 5W 5A6 (48615)		EA	1	*	*	*	R1
PAHZZ	5905-435-6397	RESISTOR, FIXED, COMPOSITION R2 5.6 OHMS PORM10PCT 1W GB56G1 (01121)		EA	1	*	*	*	3 R2
XDHZZ		RESISTOR, FIXED, WIRE WOUND R3 300 OHMS PORM0.25PCT, 1/2W PW1719-03000P (03626)		EA	1	*	*	*	6-4 R3
XDHZZ		RESISTOR, FIXED, WIRE WOUND R5 1K PORM0.25PCT 1/2W PW1719-100000 (03626)		EA	1	*	*	*	6-4 R5
PAHZZ	5905-892-6957	RESISTOR, FIXED, WIRE WOUND R7 3.2K PORM0.25PCT 1/2W PW1719-32000P (03626)		EA	2	*	*	*	3 6-4 R7
PAHZZ	5905-892-6957	RESISTOR, FIXED, WIRE WOUND R9 3.2K PORM0.25PCT 1/2W PW1719-32000P (03626)		EA	REF	*	*	*	6-4 R9
XDHZZ		RESISTOR, FIXED, WIRE WOUND R8 25K PORM10PCT 1/2W PW1719-25001S (03626)		EA	1	*	*	*	6-4 R8
XDHZZ		RESISTOR, FIXED, WIRE WOUND R11 50 OHMS PORM1PCT 1/2W PW1719-00500S (03626)		EA	1	*	*	*	6-4 R11
XBHZZ		RESISTOR, FIXED, WIRE WOUND R12		EA	1				6-4 R12
XDHZZ		RESISTOR, FIXED, WIRE WOUND R13 200 OHMS PORM0.25PCT 1/2W PW1719-02000P (03626)		EA	1	*	*	*	6-4 R13
XDHZZ		RESISTOR, FIXED, WIRE WOUND R14 400 OHMS PORM0.25PCT 1/2W PW1719-04000P (03626)		EA	1	*	*	*	6-4 R14
XDHZZ		RESISTOR, FIXED, WIRE WOUND R15 800 OHMS PORM1PCT 1/2W PW1719-0800N (03626)		EA	1	*	*	*	6-4 R15
XDHZZ		RESISTOR, FIXED, WIRE WOUND R16 1.6K PORM1PCT 1/2W PW1719-16000N (03626)		EA	1	*	*	*	6-4 R16
XDHZZ		RESISTOR, FIXED, WIRE WOUND R17 3.2K PORM0.05PCT 1/2W PW1719-32000M (03626)		EA	1	*	*	*	6-4 R17
XDHZZ		RESISTOR, FIXED, WIRE WOUND R18 7K PORM0.05PCT 1/2W PW1719-70000M (03626)		EA	1	*	*	*	6-4 R18
XDHZZ		RESISTOR, VARIABLE R4 200 OHMS PORM10PCT 2W W5P2-200 (15584)		EA	1	*	*	*	6-4 R4
XDHZZ		RESISTOR, VARIABLE R6 1 SECT 17 OHMS PORM10PCT 0420W101P1-17 (15584)		EA	1	*	*	*	R6

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REFERENCE NUMBER & MFR. CODE	(4) USABLE ON CODE	(5)			(6)			(7)			(8)			(9)		(10)		
				UNIT OF IN	QTY INC	(A)	30-DAY DS MAINT		(A)	30-DAY GS MAINT		(C)	1-YR		DEPOT	MAINT		(A)	(B)	ILLUSTRATION
							(B)	(C)		(B)	(C)		ALW PER	EQUIP		ALW PER	EQUIP			
XDHZZ		RESISTOR, VARIABLE R10 60 OHMS PORM10PCT 1/3W W101P1-60 (15584)	MEAS	UNIT	1-20	21-50	51-100	1-20	21-50	51-100	CNTGCY	100	100	ALW PER	NO.	NO.				
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR1 1N2071 (80131)		EA	5				*	*	*					6-4	R10			
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR2 1N2071 (80131)		EA	REF				*	*	*					CR2				
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR3 1N2071 (80131)		EA	REF				*	*	*					CR3				
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR4 1N2071 (80131)		EA	REF				*	*	*					CR4				
XDHZZ		SEMICONDUCTOR, DEVICE, DIODE CR6 1N2071 (80131)		EA	REF				*	*	*					CR6				
PAHZZ	5961-082-4040	SEMICONDUCTOR, DEVICE, DIODE CR5 1N429 (81349)		EA	1				*	*	*			3		CR5				
PAHZZ	5935-752-2999	SOCKET, ELECTRON TUBE NO-REF-DESIG 101-04-11-100 (71785)		EA	1				*	*	*			3						
XDHZZ		TRANSISTOR Q1 2N526 (10214)		EA	1				*	*	*					Q1				

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5355-680-1357	3-1		5905-190-8879	6-5	R7
5905-111-4744	6-9	R53	5905-190-8887	6-9	R22
5905-116-8562	6-9	R21	5905-190-8887	6-9	R34
5905-137-0545	6-5	R53	5905-190-8887	6-9	R37
5905-141-0591	6-5	R2	5905-190-8887	6-9	R5
5905-141-0591	6-5	R4	5905-195-6758	6-5	R11
5905-141-0591	6-5	R12	5905-195-6758	6-5	R13
5905-141-0591	6-5	R15	5905-195-6758	6-5	R14
5905-141-0591	6-5	R21	5905-195-6758	6-5	R16
5905-141-0591	6-5	R22	5905-195-6758	6-5	R18
5905-141-0591	6-5	R28	5905-195-6758	6-5	R25
5905-141-0591	6-5	R31	5905-195-6758	6-5	R32
5905-141-0591	6-5	R33	5905-195-6758	6-5	R34
5905-141-0591	6-5	R35	5905-195-6758	6-5	R35
5905-141-0591	6-5	R40	5905-195-6758	6-5	R42
5905-141-0591	6-5	R45	5905-195-6758	6-5	R46
5905-141-0591	6-5	R46	5905-195-6758	6-5	R49
5905-141-0591	6-5	R47	5905-195-6758	6-6	R2
5905-141-0591	6-6	R3	5905-195-6758	6-6	R4
5905-141-0591	6-6	R8	5905-195-6758	6-6	R7
5905-141-0591	6-6	R13	5905-195-6758	6-6	R9
5905-141-0591	6-6	R25	5905-195-6758	6-6	R11
5905-141-0591	6-6	R30	5905-195-6758	6-6	R15
5905-141-0591	6-6	R33	5905-195-6758	6-6	R19
5905-141-0591	6-6	R37	5905-195-6758	6-6	R20
5905-141-0591	6-6	R42	5905-195-6758	6-6	R22
5905-141-0591	6-6	R49	5905-195-6758	6-6	R27
5905-141-0591	6-6	R54	5905-195-6758	6-6	R28
5905-141-0591	6-7	R3	5905-195-6758	6-6	R35
5905-141-0591	6-7	R7	5905-195-6758	6-6	R50
5905-141-0591	6-7	R9	5905-195-6758	6-6	R53
5905-141-0591	6-7	R18	5905-195-6758	6-6	R55
5905-141-0591	6-7	R28	5905-195-6758	6-7	R5
5905-141-0591	6-7	R34	5905-195-6758	6-7	R25
5905-141-0591	6-7	R39	5905-195-6758	6-7	R27
5905-141-0591	6-9	R40	5905-195-6758	6-7	R31
5905-141-0591	6-9	R41	5905-195-6758	6-7	R37
5905-141-0591	6-9	R43	5905-195-6758	6-7	R42
5905-141-0591	6-9	R44	5905-195-6758	6-9	R52
5905-141-0591	6-9	R49	5905-195-6758	6-9	R54
5905-141-0591	6-9	R51	5905-195-6758	6-11	R2
5905-141-0591	6-22	R1	5905-195-6758	6-11	R3
5905-141-0595	6-2	R1	5905-195-6806	6-2	R15
5905-141-0595	6-5	R4	5905-195-6806	6-5	R1
5905-141-0595	6-5	R23	5905-195-6806	6-5	R8
5905-141-0595	6-5	R27	5905-195-6806	6-5	R10
5905-141-0595	6-5	R29	5905-195-6806	6-5	R17
5905-141-0595	6-5	R37	5905-195-6806	6-5	R19
5905-141-0595	6-6	R5	5905-195-6806	6-5	R30
5905-141-0595	6-6	R6	5905-195-6806	6-5	R38
5905-141-0595	6-6	R18	5905-195-6806	6-5	R39
5905-141-0595	6-6	R26	5905-195-6806	6-5	R43
5905-141-0595	6-6	R29	5905-195-6806	6-5	R50
5905-141-0595	6-6	R34	5905-195-6806	6-6	R12
5905-141-0595	6-6	R36	5905-195-6806	6-6	R21
5905-141-0595	6-6	R43	5905-195-6806	6-6	R23
5905-141-0595	6-6	R51	5905-195-6806	6-6	R31
5905-141-0595	6-6	R52	5905-195-6806	6-6	R39
5905-141-0595	6-7	R2	5905-195-6806	6-6	R40
5905-141-0595	6-7	R6	5905-195-6806	6-6	R41
5905-141-0595	6-7	R8	5905-195-6806	6-6	R44
5905-141-0595	6-7	R14	5905-195-6806	6-6	R45
5905-141-0595	6-7	R19	5905-195-6806	6-6	R46
5905-141-0595	6-7	R29	5905-195-6806	6-6	R47
5905-141-0595	6-7	R33	5905-195-6806	6-6	R56
5905-141-0595	6-7	R40	5905-195-6806	6-7	R1
5905-141-0595	6-8	R2	5905-195-6806	6-7	R11
5905-141-0595	6-8	R3	5905-195-6806	6-7	R15
5905-141-0595	6-8	R6	5905-195-6806	6-7	R22
5905-141-0595	6-8	R7	5905-195-6806	6-7	R23
5905-141-0595	6-8	R10	5905-195-6806	6-7	R24
5905-141-0595	6-8	R11	5905-195-6806	6-7	R32
5905-141-0595	6-9	R35	5905-195-6806	6-7	R35
5905-141-0595	6-9	R38	5905-195-6806	6-7	R36
5905-141-0595	6-9	R46	5905-195-6806	6-8	R2
5905-141-0595	6-9	R47	5905-195-6806	6-8	R4
5905-141-0595	6-9	R48	5905-195-6806	6-8	R8
5905-141-0595	6-9	R50	5905-195-6806	6-9	R26
5905-141-0598	6-9	R29	5905-195-6806	6-9	R42
5905-141-0723	6-6	R1	5905-195-6806	6-9	R45
5905-141-0723	6-6	R10	5905-195-6806	6-22	R3
5905-141-0727	6-5	R26	5905-249-4195	6-9	R17
5905-171-2001	6-9	R15	5905-249-4200	6-9	R33
5905-190-8876	6-9	R36	5905-279-1727	6-2	R12
5905-190-8876	6-9	R39	5935-257-7581		

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5905-279-1757	6-6	R16	5961-851-5923	6-9	Q2
5905-279-1757	6-7	R17	5961-851-5923	6-9	Q3
5905-279-1757	6-7	R26	5961-851-5923	6-9	Q6
5905-279-1757	6-7	R38	5961-851-5923	6-9	Q7
5905-279-1876	6-5	R20	5961-851-5923	6-9	Q8
5905-279-1876	6-5	R24	5961-851-5923	6-9	Q9
5905-279-1876	6-5	R44	5961-866-5475	6-6	CR12
5905-279-1876	6-5	R48	5961-882-2906	6-5	Q1
5905-279-1876	6-6	R14	5961-882-2906	6-5	Q2
5905-279-1876	6-6	R17	5961-882-2906	6-5	Q3
5905-279-1876	6-6	R38	5961-882-2906	6-5	Q4
5905-279-1876	6-7	R4	5961-882-2906	6-5	Q5
5905-279-1876	6-7	R10	5961-882-2906	6-5	Q6
5905-279-1876	6-7	R12	5961-882-2906	6-5	Q7
5905-279-1876	6-7	R13	5961-882-2906	6-5	Q8
5905-279-1876	6-7	R20	5961-882-2906	6-5	Q9
5905-279-1876	6-7	R30	5961-882-2906	6-5	Q10
5905-279-1876	6-7	R41	5961-882-2906	6-6	Q1
5905-279-1876	6-22	R2	5961-882-2906	6-6	Q2
5905-279-1877	6-9	R19	5961-882-2906	6-6	Q3
5905-279-1877	6-9	R25	5961-882-2906	6-6	Q4
5905-279-2643	6-8	R1	5961-882-2906	6-6	Q5
5905-279-2643	6-8	R5	5961-882-2906	6-6	Q6
5905-279-2643	6-8	R9	5961-882-2906	6-6	Q7
5905-279-2667	6-9	R14	5961-882-2906	6-6	Q9
5905-279-3508	6-9	R23	5961-882-2906	6-6	Q10
5905-279-3508	6-9	R27	5961-882-2906	6-7	Q1
5905-299-1965	6-9	R24	5961-882-2906	6-7	Q2
5905-299-1965	6-9	R32	5961-882-2906	6-7	Q3
5905-435-1723	6-11	R1	5961-882-2906	6-7	Q4
5905-435-6397		R2	5961-882-2906	6-7	Q5
5905-465-0336	6-9	R20	5961-882-2906	6-7	Q6
5905-660-6067	6-9	R616	5961-882-2906	6-7	Q7
5905-813-1115	6-10	R8	5961-882-2906	6-7	Q8
5905-826-2291	6-9	R628	5961-882-2906	6-7	Q9
5905-829-9097	6-10	R12	5961-882-2906	6-7	Q10
5905-892-6957	6-4	R7	5961-882-2906	6-7	Q11
5905-892-6957	6-4	R9	5961-882-2906	6-8	Q1
5905-990-2257	6-2	R16	5961-882-2906	6-8	Q3
5910-086-0479	6-2	C1	5961-882-2906	6-8	Q5
5910-086-0479	6-7	C2	5961-882-2906	6-9	Q10
5910-691-1249	6-9	C5	5961-882-2906	6-22	Q1
5910-691-1249	6-9	C7	5961-882-2909	6-8	Q2
5910-752-4220	6-4	C2	5961-882-2909	6-8	Q4
5910-754-9375	6-4	C1	5961-882-2909	6-8	Q6
5910-817-3826		C2	5961-882-2913	6-2	
5910-817-3826	6-5	C4	5961-882-2915	6-10	CR1
5910-817-3826	6-6	C9	5961-882-2916	6-2	
5910-817-3826	6-7	C6	5961-882-2916		CR1
5910-817-3826	6-7	C7	5961-882-2916		CR2
5910-817-4758	6-2	C4	5961-882-2916	6-5	CR1
5910-817-4758	6-2	C5	5961-882-2916	6-5	CR2
5910-826-7027	6-10	C1	5961-882-2916	6-5	CR3
5910-865-7249		C2	5961-882-2916	6-5	CR4
5910-883-2868	6-9	C3	5961-882-2916	6-5	CR5
5910-887-5978	6-9	C4	5961-882-2916	6-5	CR6
5910-917-0110	6-2	C3	5961-882-2916	6-5	CR7
5910-917-0110	6-2	C6	5961-882-2916	6-5	CR8
5920-280-9328			5961-882-2916	6-5	CR9
5920-794-3215			5961-882-2916	6-5	CR10
5930-876-2349		S1	5961-882-2916	6-5	CR11
5930-876-2351		S2	5961-882-2916	6-5	CR12
5935-051-7124			5961-888-2916	6-5	CR13
5935-729-0990			5961-882-2916	6-5	CR14
5935-752-2999			5961-882-2916	6-5	CR15
5935-806-1891			5961-882-2916	6-5	CR16
5935-857-0183	1-3		5961-882-2916	6-5	CR17
5935-883-1784			5961-882-2916	6-5	CR18
5935-883-8615	1-3		5961-882-2916	6-5	CR19
5935-888-7311			5961-882-2916	6-5	CR20
5935-892-8936			5961-882-2916	6-5	CR21
5940-636-5928			5961-882-2916	6-5	CR22
5940-666-0732			5961-882-2916	6-5	CR23
5945-823-3053	6-4	K1	5961-882-2916	6-5	CR24
5945-823-3053	6-10	K1	5961-882-2916	6-5	CR25
5945-823-3053	6-10	K2	5961-882-2916	6-5	CR26
5945-831-2801	6-10	K3	5961-882-2916	6-5	CR27
5950-600-2755	6-2	L1	5961-882-2916	6-5	CR28
5950-876-0055	6-2	T1	5961-882-2916	6-5	CR29
5950-876-0057	6-9	T1	5961-882-2916	6-5	CR30
5950-876-0058	6-9	T4	5961-882-2916	6-5	CR31
5955-913-7955	6-4	J1	5961-882-2916	6-5	CR32
5960-852-7549	6-9	CR9	5961-882-2916	6-5	CR33
5961-082-4040		CR5	5961-882-2916	6-6	CR1
5961-851-5923	6-9	Q1	5961-882-2916	6-6	CR2

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5961-882-2916	6-6	CR3	5961-882-2916	6-7	CR13
5961-882-2916	6-6	CR4	5961-882-2916	6-7	CR14
5961-882-2916	6-6	CR5	5961-882-2916	6-7	CR15
5961-882-2916	6-6	CR6	5961-882-2916	6-7	CR16
5961-882-2916	6-6	CR7	5961-882-2916	6-7	CR17
5961-882-2916	6-6	CR8	5961-882-2916	6-7	CR18
5961-882-2916	6-6	CR9	5961-882-2916	6-7	CR19
5961-882-2916	6-6	CR10	5961-882-2916	6-7	CR20
5961-882-2916	6-6	CR11	5961-882-2916	6-7	CR21
5961-882-2916	6-6	CR13	5961-882-2916	6-7	CR22
5961-882-2916	6-6	CR14	5961-882-2916	6-7	CR23
5961-882-2916	6-6	CR15	5961-882-2916	6-7	CR24
5961-882-2916	6-6	CR16	5961-882-2916	6-7	CR25
5961-882-2916	6-6	CR17	5961-882-2916	6-7	CR26
5961-882-2916	6-6	CR18	5961-882-2916	6-7	CR27
5961-882-2916	6-6	CR19	5961-882-2916	6-7	CR28
5961-882-2916	6-6	CR20	5961-882-2916	6-7	CR29
5961-882-2916	6-6	CR21	5961-882-2916	6-7	CR30
5961-882-2916	6-6	CR22	5961-882-2916	6-7	CR31
5961-882-2916	6-6	CR23	5961-882-2916	6-7	CR32
5961-882-2916	6-6	CR24	5961-882-2916	6-8	CR1
5961-882-2916	6-6	CR25	5961-882-2916	6-8	CR2
5961-882-2916	6-6	CR26	5961-882-2916	6-8	CR3
5961-882-2916	6-6	CR27	5961-882-2916	6-9	CR2
5961-882-2916	6-6	CR28	5961-882-2916	6-9	CR3
5961-882-2916	6-6	CR29	5961-882-2916	6-9	CR4
5961-882-2916	6-6	CR30	5961-882-2916	6-9	CR5
5961-882-2916	6-6	CR31	5961-882-2916	6-9	CR7
5961-882-2916	6-6	CR32	5961-882-2916	6-9	CR8
5961-882-2916	6-6	CR33	5961-882-2916	6-9	CR10
5961-882-2916	6-6	CR34	5961-882-2916	6-9	CR13
5961-882-2916	6-6	CR35	5961-882-2916	6-9	CR14
5961-882-2916	6-6	CR36	5961-882-2916	6-9	CR15
5961-882-2916	6-6	CR37	5961-883-6070	6-2	
5961-882-2916	6-6	CR38	5961-951-5923	6-9	CR6
5961-882-2916	6-6	CR39	5995-883-2347		
5961-882-2916	6-6	CR40	5999-883-2346		
5961-882-2916	6-6	CR41	6145-583-9268	1-3	
5961-882-2916	6-7	CR1	6240-851-4352		
5961-882-2916	6-7	CR2	6625-876-0044		
5961-882-2916	6-7	CR3	6625-876-0047	6-1	
5961-882-2916	6-7	CR4	6625-887-9149	6-11	P801
5961-882-2916	6-7	CR5	6625-887-9153	6-1	P201
5961-882-2916	6-7	CR6	6625-887-9154	6-1	
5961-882-2916	6-7	CR7	6625-887-9155	6-11	P831
5961-882-2916	6-7	CR8	6625-887-9156	6-1	P861
5961-882-2916	6-7	CR9	6625-887-9157	6-1	P501
5961-882-2916	6-7	CR10	6625-887-9158	6-1	P401
5961-882-2916	6-7	CR11	6625-887-9159	6-1	P301
5961-882-2916	6-7	CR12	6625-887-9160	6-1	

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
AN3057-6A	81349	1-3		DD391	71590	6-9	C3
A10032	07047			DE2-473E	99515	6-5	C4
BR7Y190A24A4	09026	K1		DE2-473E	99515	6-6	C9
BR7Y190A24A4	09026	K2		DE2-473E	99515	6-7	C6
BR7Y190A24A4	09026	K3		DE2-473E	99515	6-7	C7
BR7Y190A24A4	09026	K4		DE2473E	99515		C2
BT02	49956	6-5	C2	EB1021	01121	6-2	R15
BT02	49956	6-5	C3	EB1021	01121	6-5	R1
BT02	49956	6-5	C5	EB1021	01121	6-5	R8
BT02	49956	6-5	C7	EB1021	01121	6-5	R10
BT02	49956	6-5	C8	EB1021	01121	6-5	R17
BT02	49956	6-5	C9	EB1021	01121	6-5	R19
BT02	49956	6-5	C10	EB1021	01121	6-5	R30
BT02	49956	6-5	C11	EB1021	01121	6-5	R38
BT02	49956	6-6	C1	EB1021	01121	6-5	R39
BT02	49956	6-6	C2	EB1021	01121	6-5	R43
BT02	49956	6-6	C3	EB1021	01121	6-5	
BT02	49956	6-6	C4	EB1021	01121	6-6	R12
BT02	49956	6-6	C5	EB1021	01121	6-6	R21
BT02	49956	6-6	C6	EB1021	01121	6-6	R23
BT02	49956	6-6	C7	EB1021	01121	6-6	R31
BT02	49956	6-6	C8	EB1021	01121	6-6	R39
BT02	49956	6-6	C10	EB1021	01121	6-6	R40
BT02	49956	6-6	C11	EB1021	01121	6-6	R41
BT02	49956	6-7	C1	EB1021	01121	6-6	R44
BT02	49956	6-7	C3	EB1021	01121	6-6	R45
BT02	49956	6-7	C4	EB1021	01121	6-6	R46
BT02	49956	6-7	C5	EB1021	01121	6-6	R47
BT02	49956	6-7	C8	EB1021	01121	6-6	R56
BT02	49956	6-7	C9	EB1021	01121	6-7	R1
BT02	49956	6-7	C10	EB1021	01121	6-7	R11
BT02	49956	6-7	C11	EB1021	01121	6-7	R15
C1417-15	08664	6-10	K3	EB1021	01121	6-7	R22

SECTION IV

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
EB1021	01121	6-7	R23	EB2711	01121	6-2	R2
EB1021	01121	6-7	R24	EB2721	01121	6-5	R3
EB1021	01121	6-7	R32	EB2731	01121	6-5	R5
EB1021	01121	6-7	R35	EB2731	01121	6-5	R11
EB1021	01121	6-7	R36	EB2731	01121	6-5	R13
EB1021	01121	6-8	R4	EB2731	01121	6-5	R14
EB1021	01121	6-8	R8	EB2731	01121	6-5	R16
EB1021	01121	6-8	R12	EB2731	01121	6-5	R18
EB1021	01121	6-9	R26	EB2731	01121	6-5	R25
EB1021	01121	6-9	R42	EB2731	01121	6-5	R32
EB1021	01121	6-9	R45	EB2731	01121	6-5	R34
EB1021	01121	6-22	R3	EB2731	01121	6-5	R35
EB1031	01121	6-5	R2	EB2731	01121	6-5	R42
EB1031	01121	6-5	R4	EB2731	01121	6-5	R49
EB1031	01121	6-5	R12	EB2731	01121	6-6	R2
EB1031	01121	6-5	R15	EB2731	01121	6-6	R4
EB1031	01121	6-5	R21	EB2731	01121	6-6	R7
EB1031	01121	6-5	R22	EB2731	01121	6-6	R9
EB1031	01121	6-5	R28	EB2731	01121	6-6	R11
EB1031	01121	6-5	R31	EB2731	01121	6-6	R15
EB1031	01121	6-5	R33	EB2731	01121	6-6	R19
EB1031	01121	6-5	R35	EB2731	01121	6-6	R20
EB1031	01121	6-5	R40	EB2731	01121	6-6	R22
EB1031	01121	6-5	R45	EB2731	01121	6-6	R27
EB1031	01121	6-5	R46	EB2731	01121	6-6	R28
EB1031	01121	6-5	R47	EB2731	01121	6-6	R35
EB1031	01121	6-6	R3	EB2731	01121	6-6	R50
EB1031	01121	6-6	R8	EB2731	01121	6-6	R53
EB1031	01121	6-6	R13	EB2731	01121	6-6	R55
EB1031	01121	6-6	R25	EB2731	01121	6-7	R5
EB1031	01121	6-6	R30	EB2731	01121	6-7	R25
EB1031	01121	6-6	R33	EB2731	01121	6-7	R27
EB1031	01121	6-6	R37	EB2731	01121	6-7	R31
EB1031	01121	6-6	R42	EB2731	01121	6-7	R37
EB1031	01121	6-6	R49	EB2731	01121	6-7	R42
EB1031	01121	6-6	R54	EB2731	01121	6-9	R52
EB1031	01121	6-7	R3	EB2731	01121	6-9	R54
EB1031	01121	6-7	R7	EB2731	01121	6-11	R2
EB1031	01121	6-7	R9	EB2731	01121	6-11	R3
EB1031	01121	6-7	R18	EB3005	01121	6-9	R30
EB1031	01121	6-7	R28	EB3615	01121	6-9	R21
EB1031	01121	6-73	R34	EB5125	01121	6-9	R53
EB1031	01121	6-7	R39	EB6215	01121	6-6	R1
EB1031	01121	6-9	R40	EB6215	01121	6-6	R10
EB1031	01121	6-9	R41	EB7525	01121	6-9	R17
EB1031	01121	6-9	R43	FT400	98291		
EB1031	01121	6-9	R44	GB1051	01121	6-10	R1
EB1031	01121	6-9	R49	GB1315	01121	6-2	R12
EB1031	01121	6-9	R51	GB5125	01121	6-11	R1
EB1031	01121	6-22	R1	GB56G1	01121		R2
EB1335	01121	6-5	R6	HRT13M	91663		
EB1521	01121	6-6	R16	HR4-4-1N749A	01295	6-9	CR6
EB1521	01121	6-7	R17	HR6-5-1-4M6-8Z10	94990	6-9	CR9
EB1521	01121	6-7	R26	IN2071	80131		CR2
EB1521	01121	6-7	R38	IN2071	80131		CR3
EB1531	01121	6-9	R36	IN2071	80131		CR4
EB1531	01121	6-9	R39	IN2071	80131		CR5
EB1615	01121	6-9	R31	IN3018B3-4M8-225	94990	6-2	
EB1831	01121	6-5	R7	IN429	81349		CR5
EB2015	01121	6-5	R26	IN622	80131	6-9	CR11
EB2221	01121	6-5	R20	IN622	80131	6-9	CR12
EB2221	01121	6-5	R24	MEI-105	99515		C1
EB2221	01121	6-5	R44	ME1-105	99515	6-5	C6
EB2221	01121	6-5	R48	ME1-105	99515	6-8	C1
EB2221	01121	6-6	R14	ME1-105	99515	6-8	C2
EB2221	01121	6-6	R17	ME1-105	99515	6-8	C3
EB2221	01121	6-6	R38	ME1-105	99515	6-9	C6
EB2221	01121	6-7	R4	ME1-105D	99515	6-5	C1
EB2221	01121	6-7	R10	ME1-254E	99515	6-9	C8
EB2221	01121	6-7	R12	MRE41SG	81312		
EB2221	01121	6-7	R13	MS25043-14C	81349		
EB2221	01121	6-7	R20	MS25237-330	96906		
EB2221	01121	6-7	R30	MS3102A14S2P	81349		
EB2221	01121	6-7	R41	MS3102A14S7P	81349		
EB2221	01121	6-22	R2	MS90078-24	81349		
EB2241	01121	6-6	R24	M2-105	99515		C7
EB2241	01121	6-6	R32	PW1719-00500S	03626	6-4	R11
EB2241	01121	6-6	R48	PW1719-01000R	03626	6-4	R12
EB2241	01121	6-7	R16	PW1719-02000P	03626	6-4	R13
EB2241	01121	6-7	R21	PW1719-03000P	03626	6-4	R3

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
PW1719-04000P	03626	6-4	R14	W101P1-60	15584	6-4	R10
PW1719-0800N	03626	6-4	R15	W5P2-200	15584	6-4	R4
PW1719-100000P	03626	6-4	R5	XK2-682	99515	6-10	C1
PW1719-16000N	03626	6-4	R16	XL2-222	99515	6-10	C2
PW1719-2500IS	03626	6-4	R8	Z528	84337		
PW1719-32000M	03626	6-4	R17	025-0L1-20	06194	6-10	R12
PW1719-32000P	03626	6-4	R7	0250L1-2K	06184	6-10	R8
PW1719-32000P	03626	6-4	R9	0250L1-200	06184	6-10	R10
PW1719-70000M	03626	6-4	R18	0420W101P1-17	15584		R6
PW1719B15003M	03626	6-10	R2	05RM100	74861	6-4	C2
PW1719B15003M	03626	6-10	R3	05RTK500	74861	6-4	C1
PW1719B15003M	03626	6-10	R4	1-4M6-82	94990	6-6	CR12
PW1719B15003M	03626	6-10	R5	1B1011RTK	74861	6-2	C4
PW1719B15003M	03626	6-10	R6	1B1011RTK	74861	6-2	C5
PW1719B15003M	03626	6-10	R7	1B1246A	74861	6-2	C3
PW1719B89901M	03626	6-10	R11	1B1246A	74861	6-2	C6
PW1719B9902M	03626	6-10	R9	1N2071	80131		CR1
PW1719B9991R1M	03626	6-10	R13	1N2071	80131		CR2
RC20GF101J	81349	6-5	R41	1N2071	80131		CR3
RC20GF101J	81349	6-5	R51	1N2071	80131		CR4
RC20GF112J	81349	6-9	R23	1N2071	80131		CR6
RC20GF112J	81349	6-9	R27	1N2616	04713	6-2	
RC20GF113J	81349	6-9	R14	101-04-11-100	71785		
RC20GF130J	81349	6-9	R20	11400-108	03626	6-2	L1
RC20GF202J	81349	6-9	R22	11420-050	03626	6-1	
RC20GF202J	81349	6-9	R34	11420-054	03626	6-4	J1
RC20GF202J	81349	6-9	R37	11420-109	03626	6-2	T1
RC20GF242J	81349	6-9	R19	11420-114	03626		
RC20GF242J	81349	6-9	R25	11420-120	03626		S4
RC20GF301J	81349	6-9	R24	11420-121	03626		S3
RC20GF301J	81349	6-9	R32	11420-122	03626		S1
RC20GF362J	81349	6-9	R15	11420-123	03626		S2
RC20GF472K	81349	6-2	R1	11420-200	03626	6-1	P201
RC20GF472K	81349	6-5	R9	11420-300	03626	6-1	P301
RC20GF472K	81349	6-5	R23	11420-400	03626	6-1	P401
RC20GF472K	81349	6-5	R27	11420-500	03626	6-1	P501
RC20GF472K	81349	6-5	R29	11420-600	03626	6-1	
RC20GF472K	81349	6-5	R37	11420-607	03626	6-9	T1
RC20GF472K	81349	6-6	R5	11420-608	03626	6-9	T2
RC20GF472K	81349	6-6	R6	11420-609	03626	6-9	T3
RC20GF472K	81349	6-6	R18	11420-610	03626	6-9	T4
RC20GF472K	81349	6-6	R26	11420-700	03626		
RC20GF472K	81349	6-6	R29	11420-730	03626	6-1	
RC20GF472K	81349	6-6	R34	11420-800	03626	6-11	P801
RC20GF472K	81349	6-6	R36	11420-830	03626	6-11	P831
RC20GF472K	81349	6-6	R43	11420-860	03626	6-1	P861
RC20GF472K	81349	6-6	R51	121004	75915		
RC20GF472K	81349	6-6	R52	12110-004	03626		
RC20GF472K	81349	6-7	R2	12145-001-3	03626		
RC20GF472K	81349	6-7	R6	1410C1	91802	1-3	
RC20GF472K	81349	6-7	R8	1410C2	91802	1-3	
RC20GF472K	81349	6-7	R14	2N1309	81349	6-9	Q1
RC20GF472K	81349	6-7	R19	2N1309	81349	6-9	Q2
RC20GF472K	81349	6-7	R29	2N1309	81349	6-9	Q3
RC20GF472K	81349	6-7	R33	2N1309	81349	6-9	Q6
RC20GF472K	81349	6-7	R40	2N1309	81349	6-9	Q7
RC20GF472K	81349	6-8	R2	2N1309	81349	6-9	Q8
RC20GF472K	81349	6-8	R3	2N1309	81349	6-9	Q9
RC20GF472K	81349	6-8	R6	2N1374	80131	6-5	Q1
RC20GF472K	81349	6-8	R7	2N1374	80131	6-5	Q2
RC20GF472K	81349	6-8	R10	2N1374	80131	6-5	Q3
RC20GF472K	81349	6-8	R11	2N1374	80131	6-5	Q4
RC20GF472K	81349	6-9	R35	2N1374	80131	6-5	Q5
RC20GF472K	81349	6-9	R38	2N1374	80131	6-5	Q6
RC20GF472K	81349	6-9	R46	2N1374	80131	6-5	Q7
RC20GF472K	81349	6-9	R47	2N1374	80131	6-5	Q8
RC20GF472K	81349	6-9	R48	2N1374	80131	6-5	Q9
RC20GF472K	81349	6-9	R50	2N1374	80131	6-5	Q10
RC20GF561J	81349	6-9	R29	2N1374	80131	6-6	Q1
RC20GF912J	81349	6-9	R33	2N1374	80131	6-6	Q2
RC32GF101J	81349	6-8	R1	2N1374	80131	6-6	Q3
RC32GF101J	81349	6-8	R5	2N1374	80131	6-6	Q4
RC32GF101J	81349	6-8	R9	2N1374	80131	6-6	Q5
RC32GF3R9K	81349	6-2	R11	2N1374	80131	6-6	Q6
RG122U	80058	1-3		2N1374	80131	6-6	Q7
RST1	98291			2N1374	80131	6-6	Q9
RT12C2Y103	80294	6-5	R53	2N1374	80131	6-6	Q10
RW11V511	81349	6-2	R16	2N1374	80131	6-7	Q10
SMC491419	80063	6-2		2N1374	80131	6-7	Q11
TE1135	56289	6-9	C5	2N1374	80131	6-7	CRQ1

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
2N1374	80131	6-7	CRQ2	5003-002	03626	6-6	CR7
2N1374	80131	6-7	CRQ3	5003-002	03626	6-6	CR8
2N1374	80131	6-7	CRQ4	5003-002	03626	6-6	CR9
2N1374	80131	6-7	CRQ5	5003-002	03626	6-6	CR10
2N1374	80131	6-7	CRQ6	5003-002	03626	6-6	CR11
2N1374	80131	6-7	CRQ7	5003-002	03626	6-6	CR13
2N1374	80131	6-7	CRQ8	5003-002	03626	6-6	CR14
2N1374	80131	6-7	CRQ9	5003-002	03626	6-6	CR15
2N1374	80131	6-8	Q1	5003-002	03626	6-6	CR16
2N1374	80131	6-8	Q3	5003-002	03626	6-6	CR17
2N1374	80131	6-8	Q5	5003-002	03626	6-6	CR18
2N1374	80131	6-9	Q10	5003-002	03626	6-6	CR19
2N1374	80131	6-22	Q1	5003-002	03626	6-6	CR20
2N1540	91662	6-8	Q6	5003-002	03626	6-6	CR21
2N1540	94990	6-8	Q2	5003-002	03626	6-6	CR22
2N1540	94990	6-8	Q4	5003-002	03626	6-6	CR23
2N444A	10214	6-9	Q4	5003-002	03626	6-6	CR24
2N444A	10214	6-9	Q5	5003-002	03626	6-6	CR25
2N444A	91662	6-6	Q8	5003-002	03626	6-6	CR26
2N526	10214		Q1	5003-002	03626	6-6	CR27
275-1-102	80294	6-9	R628	5003-002	03626	6-6	CR28
275-1-202	80294	6-9	R618	5003-002	03626	6-6	CR29
275-1-501	80294	6-9	R616	5003-002	03626	6-6	CR30
31	71002	1-3		5003-002	03626	6-6	CR31
310315	75915			5003-002	03626	6-6	CR32
325012	02660			5003-002	03626	6-6	CR33
342004	75915			5003-002	03626	6-6	CR34
4548-96	71450	6-2	R3	5003-002	03626	6-6	CR35
465B	71002	1-3		5003-002	03626	6-6	CR36
5A6	48615		R1	5003-002	03626	6-6	CR37
5A6	48615	6-2	R8	5003-002	03626	6-6	CR38
5A6	48615	6-2	R9	5003-002	03626	6-6	CR39
5A6	48615	6-2	R10	5003-002	03626	6-6	CR40
500C34X2JR	14028			5003-002	03626	6-6	CR41
500C75X2JR	14028			5003-002	03626	6-7	CR1
5001-1923SPGF	91662			5003-002	03626	6-7	CR2
5002-001	03626	6-9	C4	5003-002	03626	6-7	CR3
5002-002	03626		C2	5003-002	03626	6-7	CR4
5003-002	03626		CR1	5003-002	03626	6-7	CR5
5003-002	03626		CR2	5003-002	03626	6-7	CR6
5003-002	03626	6-2		5003-002	03626	6-7	CR7
5003-002	03626	6-5	CR1	5003-002	03626	6-7	CR8
5003-002	03626	6-5	CR2	5003-002	03626	6-7	CR9
5003-002	03626	6-5	CR3	5003-002	03626	6-7	CR10
5003-002	03626	6-5	CR4	5003-002	03626	6-7	CR11
5003-002	03626	6-5	CR5	5003-002	03626	6-7	CR12
5003-002	03626	6-5	CR6	5003-002	03626	6-7	CR13
5003-002	03626	6-5	CR7	5003-002	03626	6-7	CR14
5003-002	03626	6-5	CR8	5003-002	03626	6-7	CR15
5003-002	03626	6-5	CR9	5003-002	03626	6-7	CR16
5003-002	03626	6-5	CR10	5003-002	03626	6-7	CR17
5003-002	03626	6-5	CR11	5003-002	03626	6-7	CR18
5003-002	03626	6-5	CR12	5003-002	03626	6-7	CR19
5003-002	03626	6-5	CR13	5003-002	03626	6-7	CR20
5003-002	03626	6-5	CR14	5003-002	03626	6-7	CR21
5003-002	03626	6-5	CR15	5003-002	03626	6-7	CR22
5003-002	03626	6-5	CR16	5003-002	03626	6-7	CR23
5003-002	03626	6-5	CR17	5003-002	03626	6-7	CR24
5003-002	03626	6-5	CR18	5003-002	03626	6-7	CR25
5003-002	03626	6-5	CR19	5003-002	03626	6-7	CR26
5003-002	03626	6-5	CR20	5003-002	03626	6-7	CR27
5003-002	03626	6-5	CR21	5003-002	03626	6-7	CR28
5003-002	03626	6-5	CR22	5003-002	03626	6-7	CR29
5003-002	03626	6-5	CR23	5003-002	03626	6-7	CR30
5003-002	03626	6-5	CR24	5003-002	03626	6-7	CR31
5003-002	03626	6-5	CR25	5003-002	03626	6-7	CR32
5003-002	03626	6-5	CR26	5003-002	03626	6-8	CR1
5003-002	03626	6-5	CR27	5003-002	03626	6-8	CR2
5003-002	03626	6-5	CR28	5003-002	03626	6-8	CR3
5003-002	03626	6-5	CR29	5003-002	03626	6-9	CR2
5003-002	03626	6-5	CR30	5003-002	03626	6-9	CR3
5003-002	03626	6-5	CR31	5003-002	03626	6-9	CR4
5003-002	03626	6-5	CR32	5003-002	03626	6-9	CR5
5003-002	03626	6-5	CR33	5003-002	03626	6-9	CR7
5003-002	03626	6-6	CR1	5003-002	03626	6-9	CR8
5003-002	03626	6-6	CR2	5003-002	03626	6-9	CR10
5003-002	03626	6-6	CR3	5003-002	03626	6-9	CR13
5003-002	03626	6-6	CR4	5003-002	03626	6-9	CR14
5003-002	03626	6-6	CR5	5003-002	03626	6-9	CR15
5003-002	03626	6-6	CR6	5003-003	03626	6-10	CR1

SECTION IV

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
5005-003	03626	6-4	K1	52RM25	74861	6-2	C1
5005-003	03626	6-10	K1	52RM25	74861	6-7	C2
5005-003	03626	6-10	K2	70-3-2G	49956	3-1	
5009-22-8-5-3-32	91662			97-3106A14S2S426	02660	1-3	
5009013-8-5-3-32	91662			97-3106A14S7S426	02660	1-3	

By Order of the Secretary of the Army:

Official:

VERNE L. BOWERS

*Major General, United States Army,
The Adjutant General.*

Distribution:

Active Army:

USASA (2)	WRAMC (1)
Dir of Trans (1)	ATS (1)
COE (1)	Fort Gordon (10)
TSG (1)	Fort Huachuca (10)
USAARENBD (1)	WSMR (1)
AMC (1)	Fort Carson (5)
TRADOC (2)	Ft Richardson (ECOM Ofc) (2)
ARADCOM (2)	Army Dep (1) except
ARADCOM Rgn (2)	LBAD (14)
OS Maj Comd (4)	SAAD (30)
LOGCOMDS (3)	TOAD (14)
MICOM (2)	ATAD (10)
TECOM (2)	USA Dep (2)
USACC (4)	Sig Sec USA Dep (2)
MDW (1)	Sig Dep (2)
Armies (2)	SigFLDMS (1)
Corps (2)	USAERDAA (1)
HISA (Ft Monmouth) (24)	USAERDAW (1)
Svc Colleges (1)	MAAG (1)
USASESS (5)	USARMIS (1)
USAADS (2)	Units org under fol TOE:
USAFFAS (2)	(1 copy each unit)
USAARMS (2)	44-445
USAIS (2)	44-545
USAES (2)	44-546
USAINTCS (3)	44-547

NG: None

USAR: None

For explanation of abbreviations used, see AR 310-50.

FRED C. WEYAND
*General, United States Army,
Chief of Staff.*

DEPARTMENT OF THE ARMY
US ARMY AG PUBLICATIONS CENTER
1655 WOODSON ROAD
ST. LOUIS, MISSOURI 63114

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD 314

