

DEPARTMENT OF THE ARMY TECHNICAL MANUAL
GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS
LISTS
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
VOLTMETER, ELECTRONIC ME-202/U
FSN 6625-709-0288

Headquarters, Department of the Army , Washington DC
28 MAY 1974

Current as of November 1973

	<i>Paragraph</i>	<i>Page</i>
SECTION I. INTRODUCTION		
Scope	1-1	2
General	1-2	2
Explanation of columns	1-3	2
Special information	1-4	4
Location of repair parts	1-6	4
Abbreviations (Not applicable)	1-8	4
Reporting of equipment publication improvements	1-7	4
II. REPAIR PARTS LIST		6
III SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
IV. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS REFERENCE TO FIGURE AND ITEM NUMBER		23

*This manual supersedes TM 11-6625-537-45P, 26 December 1973.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the ME-202/U. The PCCN for the ME-202/U is GTEAAC for all models

NOTE

No parts authorized for stockage at direct support.

1-2 General

This repair parts and special tools list is divided into the following sections:

a. *Repair Parts List - Section II*. A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.

b. *Special Tools, Test and Support Equipment - Section III*. Not applicable.

c. *Index - Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section IV*. A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphabetic sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns found in the tabular list

a. *Source, Maintenance, and Recoverability Codes (SMR)*.

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are —

Code	Explanation
PA	Item procured and stocked for anticipated or known usage.
PB	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature
PD	Support item, excluding support equipment, procured for initial issue or outfitting and

Code	Explanation
	stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities
PF	Support equipment which will not be stocked but which will be centrally procured on demand
PG	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB	Item included in both a depot overhaul/repair kit and a maintenance kit
MO	Item to be manufactured or fabricated at organizational level.
MF	Item to be manufactured or fabricated at direct support maintenance level.
MH	Item to be manufactured or fabricated at general support maintenance level.
MD	Item to be manufactured or fabricated at depot maintenance level.
AO	Item to be assembled at organizational level.
AF	Item to be assembled at direct support maintenance level.
AH	Item to be assembled at general support maintenance level.
AD	Item to be assembled at depot maintenance level.
XA	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
XB	Item is not procured or stocked. If not available through salvage, requisition

<i>Code</i>	<i>Explanation</i>	<i>Code</i>	<i>Application/Explanation</i>
XC —	Installation drawing, diagram instruction sheet field service drawing, that is identified by manufacturers' part number.		direct support
XD —	Support items can be requisitioned with justification.	H —	The lowest maintenance level capable of complete repair of the support item is general support
	NOTE	D —	The lowest maintenance level capable of complete repair of the support item is the depot level.
	Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.	L —	Repair restricted to designated Specialized Repair Activity.
		Z —	Non-repairable. No repair is authorized.
		B —	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc, at the user level. No parts or special tools are procured for the maintenance of this item.
(2) <i>Maintenance code.</i> Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows—		(3) <i>Recoverability code.</i> Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows —	
(a) <i>Use (third position).</i> The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.		<i>Code</i>	<i>Explanation</i>
O — Support item is removed, replaced, used at the organizational level of maintenance.		Z —	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
NOTE		O —	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.		F —	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
F —	Support item is removed, replaced, used at the direct support maintenance level	H —	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
H —	Support item is removed, replaced, used at the general support maintenance.	D —	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
D —	Support items that are removed, replaced, used at depot only.	L —	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
(b) <i>Repair (fourth position).</i> The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code —		A —	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar, value, critical material or hazardous material).
<i>Code</i>	<i>Application/Explanation</i>	<i>b. Federal Stock Number.</i> Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.	
O —	The lowest maintenance level capable of complete repair of the support item is the organizational level.	<i>c. Description</i> Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is	
F —	The lowest maintenance level capable of complete repair of the support item is		

used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 70842.

d. Unit of Measure (U/M). Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. Quantity Incorporated in Unit. This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. 30-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. 1-year Allowances Per 100 Equipments/Contingency Planning Purposes. Column intentionally left blank

h. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. Illustration This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-6625-537-15.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are —

<i>Code</i>	<i>Used on</i>
A9W	ME-202/U

b. *The following publications pertain to the ME-202/U and its components:*

TM 11-6625-537-15 Operator, Organizational Field, and Depot Maintenance Manual: Differential Voltmeter ME-202/U.

TM 11-6625-537-20P Organizational Maintenance Repair Parts and Special Tools Lists: Voltmeter, Electronic ME-202/U.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (see IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (see IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (see II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (see II), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-TMDE, Fort Monmouth, NJ., 07703.

(Next printed page is 6)

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))									(5)	(6) 30-DAY DS MAINT			(7) 30-DAY GS MAINT			(8) 1-YR DEPOT		(9) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	ALW PER EQUIP CNTGCY	ALW PER EQUIP 100	(A)	(B)	ITEM NO.				
PAHZZ	5910-797-3869	CAPACITOR 1505-104985 (89536)	REFERENCE NUMBER & MFR. CODE C1 1 UF 1000 EA	2	*	*	*				3	SCHNN	C1						
PAHZZ	5910-797-3869	CAPACITOR 1505-104985 (89536)	C2 1 UF 1000 EA	REF	*	*	*					SCHM	C2						
PAHZZ	5910-888-1332	CAPACITOR, FIXED, CERAMIC DIELECTRIC 20 UUF, 600 V CT14 (32684)	C9	EA	1			*	*	*		3	SCHM	C9					
PAHZZ	5910-236-4508	CAPACITOR, FIXED, CERAMIC DIELECTRIC 220 UUF, P50PCT, 500 VDCW, 0.562 IN LG, 0.250 IN DIA GP2K221K (72982)	C208	EA	1			*	*	*		3	SCHM	C208					
PAHZZ	5910-797-4887	CAPACITOR, FIXED, CERAMIC DIELECTRIC 300 UUF, 600 V CT13 (32684)	C6	EA	2			*	*	*		3	SCHM	C6					
PAHZZ	5910-797-4887	CAPACITOR, FIXED, CERAMIC DIELECTRIC 300 UUF, 600 V CT13 (32684)	C6A	EA	REF			*	*	*			SCHM	C6A					
PAHZZ	5910-851-9299	CAPACITOR, FIXED, CERAMIC DIELECTRIC 680 UUF, P50PCT, 500 VDCW, 0.460 IN LG, 0.240 IN DIA C110150522XN681K (81349)	C414	EA	1			*	*	*		3	SCHM	C414					
PAHZZ	5910-808-7097	CAPACITOR, FIXED, ELECTROLYTIC UF, 250 V CE10 (32684)	C307 8	EA	2			*	*	*		3	SCHM	C307					
PAHZZ	5910-808-7097	CAPACITOR, FIXED, ELECTROLYTIC UF, 250 V CE10 (32684)	C310 8	EA	REF			*	*	*			SCHM	C310					
PAHZZ	5910-709-3218	CAPACITOR, FIXED, ELECTROLYTIC UF MIOPCT P50PCT, 450 VDCW, 2,000 IN LG, 1000 IN DIA TL2750 (56289)	C201 10	EA	2			*	*	*		3	SCHM	C201					
PAHZZ	5910-889-4535	CAPACITOR, FIXED, ELECTROLYTIC UF FORM50PCT, 2 SECT, 500 VDCW, 2,000 IN LG, 1000 IN DIA EYD10-500 (25801)	C301 10	EA	2			*	*	*		3	SCHM	C301					
PAHZZ	5910-889-4535	CAPACITOR, FIXED, ELECTROLYTIC UF FORM50PCT, 2 SECT, 500 VDCW, 2,000 IN LG, 1000 IN DIA EYD10-500 (25801)	C304 10	EA	REF			*	*	*			SCHM	C304					
PAHZZ	5910-797-4889	CAPACITOR, FIXED, ELECTROLYTIC UF, 6 VDCW, 0.750 IN LG, 0.438 IN DIA 89D133 (56289)	C403 100.	EA	3			*	*	*		3	SCHM	C403					
PAHZZ	5910-797-4889	CAPACITOR, FIXED, ELECTROLYTIC UF, 6 VDCW, 0.750 IN LG, 0.438 IN DIA 89D133 (56289)	C408 100	EA	REF			*	*	*			SCHM	C408					
PAHZZ	5910-797-4889	CAPACITOR, FIXED, ELECTROLYTIC UF, 6 VDCW, 0.750 IN LG, 0.438 IN DIA 89D133 (56289)	C413 100	EA	REF			*	*	*			SCGN	C413					

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCY			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A)	(B)	ITEM NO.							
PAHZZ	5910-767-9097	REFERENCE NUMBER & MFR. CODE CAPACITOR, FIXED, ELECTROLYTIC UF P100PCT M10PCT, 150 VDCW, 2.500 IN LG, 1.000 IN DIA EVSI50-150 (25801)	C401	150	EA	2			*	*	*			3	SCHM	C401							
PAHZZ	5910-767-9097	CAPACITOR, FIXED, ELECTROLYTIC UF P100PCT M10PCT, 150 VDCW, 2.500 IN LG, 1.000 IN DIA EVSI50-150 (25801)	C406	150	EA	REF			*	*	*				SCHM	C406							
PAHZZ	5910-951-8624	CAPACITOR, FIXED, ELECTROLYTIC UF P100PCT M10PCT, 15 VDCW, 3.000 IN LG, 1.375 IN DIA EVSA4000-15 (25801)	C308	4000	EA	1			*	*	*			3	SCHM	C308							
PAHZZ	5910-064-2913	CAPACITOR, FIXED, ELECTROLYTIC UF M10PCT P100PCT, 3 VDCW, 0.750 IN LG, 0.500 IN DIA 89D118 (56289)	C418	290	EA	1			*	*	*			3		C418							
PAHZZ	5910-913-0226	CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C417 1UF PORM20PCT, 200 VDCW, 1.25 IN LG, 0.562 IN DIA 121P1050254 (56289)			EA	1			*	*	*			3	SCHM	C417							
PAHZZ	5910-615-4661	CAPACITOR, FIXED, METALIZED, PAPER DIELECTRIC C416 2 UF PORM20PCT, 200 VDCW, 1.875 IN LG, 0.562 IN DIA 118P2059254 (56289)			EA	1			*	*	*			3	SCHM	C416							
PAHZZ	5910-980-9346	CAPACITOR, FIXED, PAPER DIELECTRIC 2000 UUF, 400 V CT9 (32684)	C13		EA	1			*	*	*			3	SCHM	C13							
PAHZZ	5910-064-0241	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM10PCT, 400 VDCW, 1.375 IN LG, 0.375 IN DIA 89P10394 (56289)	C402		EA	4			*	*	*			3	SCHM	C402							
PAHZZ	5910-064-0241	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM10PCT, 400 VDCW, 1.375 IN LG, 0.375 IN DIA 89P10394 (56289)	C407		EA	REF			*	*	*				SCHM	C407							
PAHZZ	5910-064-0241	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM10PCT, 400 VDCW, 1.375 IN LG, 0.375 IN DIA 89P10394 (56289)	C409		EA	REF			*	*	*				SCHM	C409							
PAHZZ	5910-064-0241	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM10PCT, 400 VDCW, 1.375 IN LG, 0.375 IN DIA 89P10394 (56289)	C411		EA	REF			*	*	*				SCHM	C411							
PAHZZ	5910-840-6672	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM20PCT, 600 VDCW, 1.250 IN LG, 3/8 IN DIA CP09A1KF103K3 (81349)	C210		EA	1			*	*	*			3	SCHM	C210							
PAHZZ	5910-825-9734	CAPACITOR, FIXED, PAPER DIELECTRIC 10,000 UUF FORM20PCT, 1600 V, 0.500 IN DIA, 1.500 IN LG ST16S1 (14655)	C12		EA	1			*	*	*			3	SCHM	C12							
PAHZZ	5910-064-0240	CAPACITOR, FIXED, PAPER DIELECTRIC CONTINUED	C303		EA	2			*	*	*			3	SCHM	C303							

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN	INC (A)	ALLOWANCE (B)	(C)	(A)	(B)	(C)	100 EQUIP CNTGCY	100 EQUIP CNTGCY	(A) FIGURE NO.	(B) ITEM NO.								
		REFERENCE NUMBER & MFR. CODE CONTINUED 47,000 UUF FORM10PCT, 400 VDCW, 1.500 IN LG. 0.500 IN DIA 85947394 (56289)							*	*	*				SCHM	C405							
PAHZZ	5910-064-0240	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF FORM10PCT, 400 VDCW, 1.500 IN LG. 0.500 IN DIA 85947394 (56289)	C405	EA	REF				*	*	*				SCHM	C405							
PAHZZ	5910-280-7174	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF, 400 V CP6 (32684)	C204	EA	5				*	*	*			3	SCHM	C204							
PAHZZ	5910-280-7174	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF, 400 V CP6 (32684)	C205	EA	REF				*	*	*				SCHM	C205							
PAHZZ	5910-280-7174	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF, 400 V CP6 (32684)	C206	EA	REF				*	*	*				SCHM	C206							
PAHZZ	5910-280-7174	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF, 400 V CP6 (32684)	C207	EA	REF				*	*	*				SCHM	C207							
PAHZZ	5910-280-7174	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF, 400 V CP6 (32684)	C209	EA	REF				*	*	*				SCHM	C209							
PAHZZ	5910-819-2577	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF FORM10PCT, 400 VDCW, 0.625 IN DIA, 1.875 IN LG 160P10494PMD (56289)	C11	EA	5				*	*	*			3	SCHM	C11							
PAHZZ	5910-819-2577	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF FORM10PCT, 400 VDCW, 0.625 IN DIA, 1.875 IN LG 160P10494PMD (56289)	C302	EA	REF				*	*	*				SCHM	C302							
PAHZZ	5910-819-2577	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF FORM10PCT, 400 VDCW, 0.625 IN DIA, 1.875 IN LG 160P10494PMD (56289)	C305	EA	REF				*	*	*				SCHM	C305							
PAHZZ	5910-819-2577	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF FORM10PCT, 400 VDCW, 0.625 IN DIA, 1.875 IN LG 160P10494PMD (56289)	C306	EA	REF				*	*	*				SCHM	C306							
PAHZZ	5910-819-2577	CAPACITOR, FIXED, PAPER DIELECTRIC 100,000 UUF FORM10PCT, 400 VDCW, 0.625 IN DIA, 1.875 IN LG 160P10494PMD (56289)	C309	EA	REF				*	*	*				SCHM	C309							
PAHZZ	5910-064-0242	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF FORM10PCT, 200 VDCW, 0.875 IN LG, 0.750 IN DIA 85947492 (56289)	C404	EA	2				*	*	*			3	SCHM	C404							
PAHZZ	5910-064-0242	CAPACITOR, FIXED, PAPER DIELECTRIC 47,000 UUF FORM10PCT, 200 VDCW, 0.875 IN LG, 0.750 IN DIA 85947492 (56289)	C410	EA	REF				*	*	*			*	SCHM	C410							
PAHZZ	5910-186-9448	CAPACITOR, FIXEXP, PAPER DIELECXTRIC CONTINUED	C10	EA	2				*	*	*			*	SCHM	C10							

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCY			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.								
REFERENCE NUMBER & MFR. CODE CONTINUED																							
PAHZZ	5910-186-9448	CAPACITOR, FIXED, PAPER DIELECTRIC IMFD 600V 73P10406 (32684)	C14	EA	REF	*	*	*	*	*	*			SCHM	C14								
PAHZZ	5910-483-5609	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C202 220,000 UUF FORM20PCT, 600 VDCW, 1.187 IN LG, 0.437 IN DIA CTMI82VDJ (5149)		EA	1	*	*	*	*	*	*	3	SCHM	C203									
PAHZZ	5910-832-8972	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C211 220,000 UUF FORM10PCT, 400 VDCW, 1.625 IN LG, 0.625 IN DIA 33MO4022 (53021)		EA	2	*	*	*	*	*	*	3	SCHM	C211									
PAHZZ	5910-832-8972	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C212 220,000 UUF FORM10PCT, 400 VDCW, 1.625 IN LG, 0.625 IN DIA 33MO4022 (53021)		EA	REF	*	*	*	*	*	*		SCHM	C212									
PAHZZ	5910-797-3851	CAPACITOR, FIXED, PLASTIC DIELECTRIC 470,000 UUF FORM20PCT, 600 VDCW, 0.530 IN D, 0.680 IN H 1.170 IN W 431P47406 (56289)	C103	EA	1	*	*	*	*	*	*	3	SCHM	C103									
PAHZZ	5910-990-4253	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C7 470,000 UUF, 600V CP21 (32684)		EA	1	*	*	*	*	*	*	3	SCHM	C7									
PAHZZ	5910-807-3018	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C102 1 UF FORM10PCT, 200 VDCW, 2.000 IN D, 1.125 IN H, 2.000 IN W 111P1020 (2692)		EA	1	*	*	*	*	*	*	3	SCHM	C102									
PAHZZ	5910-064-0239	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C101 1 UF FORM20PCT, 600 VDCW, 2.375 IN LG,000 IN DIA		EA	1	*	*	*	*	*	*	3	SCHM	101									
PAHZZ	5910-797-3849	CAPACITOR, FIXED, PLASTIC, DIELECTRIC C415 5 UF FORM20PCT, 200 VDCW, 1.230 IN D, 0.980 IN H, 2.800 IN W CP22 (89536)		EA	1	*	*	*	*	*	*	3	SCHM	C415									
PAHZZ	5910-683-7114	CAPACITOR, VARIABLE, GLASS, DIELECTRIC C3 0.8 UUF - 4.5 UUF, 0.328 IN LG, 0.312 IN DIA O/A, SCREWDRIVER TYPE ADJUSTMENT VC10GW (73899)		EA	3	*	*	*	*	*	*	3	SCHM	C3									
PAHZZ	5910-683-7114	CAPACITOR, VARIABLE, GLASS, DIELECTRIC C5 0.8 UUF - 4.5 UUF, 0.328 IN LG, 0.312 IN DIA O/A, SCREWDRIVER TYPE ADJUSTMENT VC10GW (73899)		EA	REF	*	*	*	*	*	*		SCHM	C5									
PAHZZ	5910-683-7114	CAPACITOR, VARIABLE, GLASS, DIELECTRIC C8 0.8 UUF - 4.5 UUF, 0.328 IN LG, 0.312 IN DIA O/A, SCREWDRIVER TYPE ADJUSTMENT UC10GW (73899)		EA	REF	*	*	*	*	*	*		SCHM	C8									
PAHZZ	5945-556-7942	CHOPPER CH201 SPDT, 6.3 V, 60 CYC X100 (32684)		EA	1	*	*	*	*	*	*	3											
PAHZZ	5935-503-8645	CONNECTOR, PLUG, ELECTRICAL P103 4 CONTINUED		EA	1	*	*	*	*	*	*	3		P103									

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCY			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.								
REFERENCE NUMBER & MFR. CODE CONTINUED CONT'S																							
PAHZZ	5935-769-4066	CONNECTOR, PLUG, ELECTRICAL DE9PC13 (91146)	J4 9 CONT	EA	1			*	*	*				3		J4							
PAHZZ	5935-702-8856	CONNECTOR, PLUG, ELECTRICAL CONT. 2.175 IN LG, 1.668 IN W, 0.600 IN H 57-3040 (02660)	P101 24	EA	1			*	*	*				3		P101							
PAHZZ	5935-257-7579	CONNECTOR, RECEPTACLE, ELECTRICAL CONT M4SLRN (81312)	J5 4	EA	1			*	*	*				3		J5							
PAHZZ	5935-688-4145	CONNECTOR, RECEPTACLE, ELECTRICAL CONT 01251-0214 (12848)	P102 9	EA	1			*	*	*				3		P102							
PAHZZ	5935-944-0824	CONNECTOR, RECEPTACLE, ELECTRICAL 10 CONT 143-010-01 (02660)	J2	EA	1			*	*	*				3		J2							
PAHZZ	5935-685-9421	CONNECTOR, RECEPTACLE, ELECTRICAL 18 CONT, 3.660 IN LG, 0.458 IN W, 0.340 IN H 143-018-01 (02660)	J1	EA	1			*	*	*				3		J1							
PAHZZ	5935-826-0458	CONNECTOR, RECEPTACLE, ELECTRICAL 24 CONT, 2.155 IN LG, 0.700 IN W, 0.600 IN H 57-40240 (02660)	J3	EA	1			*	*	*				3		J3							
PAOZZ	5960-836-6273	ELECTRON TUBE OG-85A2 (02660)	V6	EA	4			*	*	*			100	4-1	V6								
PAOZZ	5960-836-6273	ELECTRON TUBE OG-85A2 (02660)	V7	EA	REF			*	*	*				4-1		V7							
PAOZZ	5960-836-6273	ELECTRON TUBE OG3-85A2 (02660)	V307	EA	REF			*	*	*				4-1		V307							
PAOZZ	5960-836-6273	ELECTRON TUBE OG3-85A2 (02660)	V309	EA	REF			*	*	*				4-1		V309							
PAOZZ	5960-755-0832	ELECTRON TUBE, CURRENT REGULATOR V VOLTAGE 9-7 (70563)	V201 9	EA	1			*	*	*			100	4-1	V201								
PAOZZ	5960-557-6883	ELECTRON TUBE OA2 (81349)	V4	EA	3			*	*	*			100	4-1	V4								
PAOZZ	5960-557-6883	ELECTRON TUBE OA2 (81349)	V202	EA	REF			*	*	*				4-1		V202							
PAOZZ	5960-557-6883	ELECTRON TUBE OA2 (81349)	V308	EA	REF			*	*	*				4-1		V308							
PAOZZ	5960-166-7648	ELECTRON TUBE OB2 (81349)	V203	EA	1			*	*	*			100	4-1	V203								
PAOZZ	5960-262-0218	ELECTRON TUBE 5Y3GT (81349)	V1	EA	1			*	*	*			100	4-1	V1								
PAOZZ	5960-262-0218	ELECTRON TUBE 6AQ5A (81349)	V2	EA	2			*	*	*			100	4-1	V2								
PAOZZ	5960-262-0218	ELECTRON TUBE 6AQ5A (81349)	V305	EA	REF			*	*	*				4-1		V305							
PAOZZ	5960-617-4920	ELECTRON TUBE 6AU6 (81349)	V3	EA	1			*	*	*			100	4-1	V3								

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)							(4)	(5)	(6)	(7)			(8)	(9)	(10)	
SMR FEDERAL CODE	STOCK NUMBER	DESCRIPTION	USABLE ON CODE	USABLE MEAS	UNIT OF IN	QTY UNIT	30-DAY DS MAINT (A)	30-DAY GS MAINT (A)	1-YR ALW PER EQUIP	DEPOT ALW PER EQUIP	ILLUSTRATION					
		REFERENCE NUMBER & MFR. CODE					1-20	21-50	51-100	1-20	21-50	51-100	(A)	(B)	FIGURE NO.	ITEM NO.
PAOZZ	5960-615-4745	ELECTRON TUBE 6AW8 (81349)	V303	EA	2		*	*	*				100	4-1	V303	
PAOZZ	5960-615-4745	ELECTRON TUBE 6AW8 (81349)	V306	EA	REF		*	*	*				4-1	V306		
PAOZZ	5960-557-6780	ELECTRON TUBE 6C4 (81349)	V205	EA	1		*	*	*				100	4-1	V205	
PAOZZ	5960-800-0549	ELECTRON TUBE 6DK6 (81349)	V401	EA	3		*	*	*				100	4-1	V401	
PAOZZ	5960-800-0549	ELECTRON TUBE 6DK6 (81349)	V402	EA	REF		*	*	*				4-1	V402		
PAOZZ	5960-800-0549	4-1 6DK6 (81349)	V403	EA	REF		*	*	*				4-1	V403		
PAOZZ	5960-800-0549	ELECTRON TUBE 6DK6 (81349)	V301	EA	1		*	*	*				100	4-1	V301	
PAOZZ	5960-166-7663	ELECTRON TUBE 12AU7 (81349)	V5	EA	3		*	*	*				100	4-1	V5	
PAOZZ	5960-166-7663	ELECTRON TUBE 12AU7 (81349)	V204	EA	REF		*	*	*				4-1	V204		
PAOZZ	5960-166-7663	ELECTRON TUBE 12AU7 (81349)	V404	EA	REF		*	*	*				4-1	V404		
PAOZZ	5960-166-7664	ELECTRON TUBE 12AX7 (81349)	V8	EA	3		*	*	*				100	4-1	V8	
PAOZZ	5960-166-7664	ELECTRON TUBE 12AX7 (81349)	V206	EA	REF		*	*	*				4-1	V206		
PAOZZ	5960-166-7664	ELECTRON TUBE 12AX7 (81349)	V304	EA	REF		*	*	*				4-1	V304		
PAOZZ	5960-239-3052	ELECTRON TUBE 5881 (81349)	V302	EA	1		*	*	*				100	4-1	V302	
PACZZ	5920-010-6652	FUSE, CARTRIDGE 312003 (75915)	F1	3 AM	EA	1	*	*	*				50	SCHM	F1	
PAHZZ	5920-892-9311	FUSEHOLDER, NO-REF-DESIG PH5000 (81349)		EA	1		*	*	*				3			
PAHZZ	5970-628-7701	INSULATOR, SET J101 CONICAL RD SHAPE PLASTIC, RED, 0.750 IN X 0.625 IN X 0.062 IN X 0.375		EA	1		*	*	*				3	SCHM	J101	
PAHZZ	5970-405-8221	INSULATOR, SET J102 CONICAL RD SHAPE PLASTIC, BLACK, 0.750 IN X 0.625 IN X 0.062 IN X 0.375 IN		EA	1		*	*	*				3	SCHM	J102	
PACZZ	5355-064-1035	KNOB, NO-REF-DESIG W/SHIRT, W/O MARKINGS 1.250 IN OD, 0.750 IN THK O/A S642-3BB (75376)		EA	1		*	*	*				3			
PACZZ	5355-720-5087	KNOB JXK231 RD SHAPE, SETSCREW TYPE, W/POINTER, 0.843 IN OD, 0.593 IN THK O/A S647-3BB (75376)		EA	1		*	*	*				3			
PACZZ	5355-668-9156	KNOB, NO-REF-DESIG W/POINTER S653-3LBB (75376)		EA	1		*	*	*				3			
PACZZ	6240-577-8456	LAMP, GLOW 1103 WIRE LEAD TYPE, W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)		EA	6		*	*	*				100	SCHM	I103	

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))						(5)	(6) 30-DAY DS MAINT			(7) 30-DAY GS MAINT			(8) 1-YR ALW PER	(9) DEPOT	(10) ILLUSTRATION
FEDERAL SMR CODE	STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY INC IN	UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100	ALW PER	(A)	(B)
PACZZ	6240-577-8456	REFERENCE NUMBER & MFR. CODE LAMP, GLOW 1104 WIRE LEAD TYPE, W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)	USABLE ON CODE	EA	REF	*	*	*	*	*	*	100	ALW PER	(A)	(B)
PACZZ	6240-577-8456	LAMP, GLOW 1105 WIRE LEAD TYPE, W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)		EA	REF	*	*	*	*	*	*	100	ALW PER	(A)	(B)
PACZZ	6240-577-8456	LAMP, GLOW 1106 WIRE LEAD TYPE, W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)		EA	REF	*	*	*	*	*	*	100	ALW PER	(A)	(B)
PACZZ	6240-577-8456	LAMP, GLOW 1107 WIRE LEAD TYPE, W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)		EA	REF	*	*	*	*	*	*	100	ALW PER	(A)	(B)
PACZZ	6240-577-8456	LAMP, GLOW 1 108 WIRE LEAD TYPE W/OUT INT RESISTOR, 1/10 W, 125 VAC, 125 VDC STRIKING VOLTAGE, 0.750 IN H O/A NE2E (08108)		EA	REF	*	*	*	*	*	*	100	ALW PER	(A)	(B)
PAHZZ	5940-500-8717	POST, SWING NO-REF-DESIG PLASTIC, 0.781 IN O/A H ABOVE MTG SURFACE .156 IN DIA O/A, 0.406 IN LG BELOW MTG SURFACE 938CS1 (24655)		EA	1	*	*	*	*	*	*	1			
PAHZZ	5961-799-1461	RECTIFIER, METALLIC SC303 500 MA, 600 V RE10 (89536)		EA	1	*	*	*	*	*	*	3			
PAHZZ	6130-808-2296	RECTIFIER, SELINIUM SC201 117 V, 65 MA RE1A (89536)		EA	3	*	*	*	*	*	*	3			
PAHZZ	6130-808-2296	RECTIFIER, SELINIUM SC202 117 V, 65 MA RE1A (89536)		EA	REF	*	*	*	*	*	*				
PAHZZ	6130-808-2296	RECTIFIER, SELINIUM SC203 117 V, 65 MA RE1A (89536)		EA	REF	*	*	*	*	*	*				
PAHZZ	5905-665-6051	RESISTOR, FIXED, COMPOSITION OHMS, FORMLOPCT, 1 W RC32GF100K (81349)	R428	10	EA	2	*	*	*	*	*	3	SCHM	R428	
PAHZZ	5905-665-6051	RESISTOR, FIXED, COMPOSITION OHMS, FORMLOPCT, 1 W RC32GF100K (81349)	R429	10	EA	REF	*	*	*	*	*		SCHM	R429	
PAHZZ	5905-279-1732	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC32GF560K (81349)	R201	56	EA	2	*	*	*	*	*	3	SCHM	R201	
PAHZZ	5905-279-1732	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC32GF560K (81349)	R202	56	EA	REF	*	*	*	*	*		SCHM	R202	
PAHZZ	5905-186-3008	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1/2 WATT RC20GF101K (81349)	R416	100	EA	1	*	*	*	*	*	3	SCHM	R416	
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION OHMS, FORMLOPCT, 1/2 W RC20BF221K (81349)	R403	220	EA	3	*	*	*	*	*	3	SCHM	R403	
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION OHMS, FORMLOPCT, 1/2 W RC20BF221K (81349)	R409	220	EA	REF	*	*	*	*	*		SCHM	R409	

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR MAINT ALW PER 100 EQUIP CNTGCY			(9) DEPOT MAINT ALW PER 100 EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NUMBER & MFR. CODE	USABLE ON CODE	UNIT OF MEAS	QTY IN	UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.						
PAHZZ	5905-256-0409	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1/2 W RC20BF221K (81349)	R427 220	EA	REF	*	*	*							SCHM	R427							
PAHZZ	5905-247-8722	RESISTOR, FIXED, COMPOSITION OHM, PORM10PCT, 1 W RC342G271J0 (81349)	R101 270	EA	1				*	*	*			3	SCHM	R101							
PAHZZ	5905-279-2546	RESISTOR, FIXED, COMPOSITION OHMS, 5PCT, 1 WATT RC342GP361J (81349)	R412 360	EA	1				*	*	*			3	SCHM	R412							
PAHZZ	5905-195-6799	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1/2 WATT RC20GF561K (81349)	R415 560	EA	1				*	*	*			3	SCHM	R415							
PAHZZ	5905-279-1722	RESISTOR, FIXED, COMPOSITION OHM, 10PCT, 1 WATT RC342GP102K (81349)	R182 1000	EA	2				*	*	*			3	SCHM	R182							
PAHZZ	5905-279-1722	RESISTOR, FIXED, COMPOSITION OHM, 10PCT, 1 WATT RC342GP102K (81349)	R30 1000	EA	REF				*	*	*				SCHM	R430							
PAHZZ	5905-279-2647	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1 W RC342GP152K (81349)	R402 1500	EA	1				*	*	*			3	SCHM	R402							
PAHZZ	5905-279-3837	RESISTOR, FIXED, COMPOSITION OHMS, 5PCT, 1 WATT RC342GP272J (81349)	R203 2700	EA	2				*	*	*			3	SCHM	R203							
PAHZZ	5905-279-3837	RESISTOR, FIXED, COMPOSITION OHMS, 5PCT, 1 WATT RC342GP272J (81349)	R204 2700	EA	REF				*	*	*				SCHM	R204							
PAHZZ	5905-299-2042	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1 W RC342GP322K (81349)	R401 3300	EA	3				*	*	*			3	SCHM	R401							
PAHZZ	5905-299-2042	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1 W RC342GP332K (81349)	R407 3300	EA	REF				*	*	*				SCHM	R407							
PAHZZ	5905-299-2042	RESISTOR, FIXED, COMPOSITION OHMS, PORM10PCT, 1 W RC342GP332K (81349)	R408 3300	EA	REF				*	*	*				SCHM	R408							
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC342GP472K (81349)	R205 4700	EA	5				*	*	*			3	SCHM	R205							
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPSITION OHMS, 10PCT, 1 WATT RC342GP472K (81349)	R206 4700	EA	REF				*	*	*				SCHM	R206							
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC342GP472K (81349)	R207 4700	EA	REF				*	*	*				SCHM	R207							
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC342GP472K (81349)	R208 4700	EA	REF				*	*	*				SCHM	R208							
PAHZZ	5905-299-2037	RESISTOR, FIXED, COMPOSITION OHMS, 10PCT, 1 WATT RC342GP472K (81349)	R209 4700	EA	REF				*	*	*				SCHM	R209							
PAHZZ	5905-299-2029	RESISTOR, FIXED, COMPOSITION CONTINUED		R215 10,000	EA	3			*	*	*			3	SCHM	R215							

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR MAINT ALW PER EQUIP CNTGCY		(9) DEPOT MAINT ALW PER EQUIP CNTGCY		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF USABLE ON CODE	QTY IN MEAS	UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.							
REFERENCE NUMBER & MFR. CODE CONTINUED																						
PAHZZ	5905-299-2029	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP103K (81349)	R324	10,000	EA	REF			*	*	*				SCHM	R234						
PAHZZ	5905-299-2029	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP103K (81349)	R325	10,000	EEA	REF			*	*	*				SCHM	R325						
PAHZZ	5905-299-2025	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP103K (81349)	R326	15,000	EA	1			*	*	*			3	SCHM	R326						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R12	22,000	EA	8			*	*	*			3	SCHM	R12						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R13	22,000	EA	REF			*	*	*				SCHM	R13						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R14	22,000	EA	REF			*	*	*				SCHM	R14						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R15	22,000	EA	REF			*	*	*				SCHM	R15						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R16	22,000	EA	REF			*	*	*				SCHM	R16						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R17	22,000	EA	REF			*	*	*				SCHM	R17						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R18	22,000	EA	REF			*	*	*				SCHM	R18						
PAHZZ	5905-299-2019	RESISTOR, FIXED, COMPOSITION OHMS, FORM10PC, 1 W GB2231 (89536)	R19	22,000	EA	REF			*	*	*				SCHM	R19						
PAHZZ	5905-258-6557	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP273K (81349)	R122	27,000	EA	2			*	*	*			3	SCHM	R122						
PAHZZ	5905-258-6557	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP273K (81349)	R414	27,000	EA	REF			*	*	*				SCHM	R414						
PAHZZ	5905-120-0487	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP333K (81349)	R417	33,000	EA	3			*	*	*			3	SCHM	R417						
PAHZZ	5905-120-0487	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP333K (81349)	R418	33,000	EA	REF			*	*	*				SCHM	R418						
PAHZZ	5905-120-0487	RESISTOR, FIXED, COMPOSITION OHMS, 10PC, 1 WATT RC32GP333K (81349)	R419	33,000	EA	REF			*	*	*				SCHM	R419						
PAHZZ	5905-299-2016	RESISTOR, FIXED, COMPOSITION CONTINUED	R22	39,000	EA	3			*	*	*			3	SCHM	R22						

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER EQUIP CNTGCY			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	UNIT OF USABLE ON CODE	QTY IN MEAS	UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.								
		REFERENCE NUMBER & MFR. CODE CONTINUED																					
		OHM, FORM10PCT, 1 W RC32GF393K (81349)																					
PAHZZ	5905-299-2016	RESISTOR, FIXED, COMPOSITION OHM, FORM10PCT, 1 W RC32GF393K (81349)	R216	39,000	EA	REF			*	*	*			SCHM	R216								
PAHZZ	5905-299-2016	RESISTOR, FIXED, COMPOSITION OHM, FORM10PCT, 1 W RC32GF393K (81349)	R217	39,000	EA	REF			*	*	*			SCHM	R217								
PAHZZ	5905-805-2841	RESISTOR, FIXED, FILM R317 1000,000 OHMS, FORM10CT, 1/2 W C12-100-00000HMS (00327)			EA	1			*	*	*		3	SCHM	R317								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R180	150	EA	6			*	*	*		3	SCHM	R180								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R181	150	EA	REF			*	*	*			SCHM	R181								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R303	150,	EA	REF			*	*	*			SCHM	R303								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R305	150,	EA	REF			*	*	*			SCHM	R305								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R320	150,	EA	REF			*	*	*			SCHM	R320								
PAHZZ	5905-192-9260	RESISTOR, FIXED, COMPOSITION 000 OHMS, 10PCT, 1/2 WATT RC20GF154K (81349)	R321	150,	EA	REF			*	*	*			SCHM	R321								
PAHZZ	5905-114-5393	RESISTOR, FIXED, COMPOSITION 000 OHMS FORM10PCT, 1/2 W RC20BF224K (81349)	R226	220	EA	3			*	*	*		3	SCHM	R226								
PAHZZ	5905-114-5393	RESISTOR, FIXED, COMPOSITION 000 OHMS FORM10PCT, 1/2 W RC20BF224K (81349)	R227	220	EA	REF			*	*	*			SCHM	R227								
PAHZZ	5905-114-5393	RESISTOR, FIXED, COMPOSITION 000 OHMS FORM10PCT, 1/2 W RC20BF224K (81349)	R304	220,	EA	REF			*	*	*			SCHM	R304								
PAHZZ	5905-279-2611	RESISTOR, FIXED, COMPOSITION 000 OHM, FORM10PCT, 1 W RC32GF394K (81349)	R10	390,	EA	1			*	*	*		3	SCHM	R10								
PAHZZ	5905-141-0596	RESISTOR, FIXED, COMPOSITION 000 OHM, FORM10PCT, 1/2 W RCR20G473JS (81349)	R11	470,	EA	2			*	*	*		3	SCHM	R11								
PAHZZ	5905-141-0596	RESISTOR, FIXED, COMPOSITION 000 OHM, FORM10PCT, 1/2 W RCR20G473JS (81349)	R314	470	EA	REF			*	*	*			SCHM	R314								
PAHZZ	5905-120-2043	RESISTOR, FIXED, COMPOSITION 000 OHMS, FORM10PCT, 1/2 W RC20BF684K (81349)	R309	680,	EA	2			*	*	*		3	SCHM	R309								
PAHZZ	5905-120-2043	RESISTOR, FIXED, COMPOSITION 000 OHMS, FORM10PCT, 1/2 W RC20BF684K (81349)	R310	680,	EA	REF			*	*	*			SCHM	R310								

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR MAINT ALW PER EQUIP CNTGCY			(9) DEPOT MAINT ALW PER EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	100 EQUIP	100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.								
		REFERENCE NUMBER & MFR. CODE CONTINUED 000 OHMS, PORM10PCT, 1/2 W RC20BF684K (81349)							*	*	*			3	SCHM	R23							
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R23 1	EA	13				*	*	*												
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R25 1	EA	REF				*	*	*					SCHM	R25						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R29 1	EA	REF				*	*	*					SCHM	R29						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R213 1	EA	REF				*	*	*					SCHM	R213						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R214 1	EA	REF				*	*	*					SCHM	R214						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R218 1	EA	REF				*	*	*					SCHM	R218						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R220 1	EA	REF				*	*	*					SCHM	R220						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R223 1	EA	REF				*	*	*					SCHM	R223						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R308 1	EA	REF				*	*	*					SCHM	R308						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R311 1	EA	REF				*	*	*					SCHM	R311						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R316 1	EA	REF				*	*	*					SCHM	R316						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R406 1	EA	REF				*	*	*					SCHM	R406						
PAHZZ	5905-104-5756	RESISTOR, FIXED, COMPOSITION MEGOMH, PORM10PCT, 1/2 W RCR20G105JS (81349)	R413 1	EA	REF				*	*	*					SCHM	R413						
PAHZZ	5905-702-9225	RESISTOR, FIXED, COMPOSITION MEGOMH, 10PC, 1/2 WATT RN70D2214P (81349)	R219 2.2	EA	4				*	*	*			3	SCHM	R219							
PAHZZ	5905-702-9225	RESISTOR, FIXED, COMPOSITION MEGOMH, 10PC, 1/2 WATT RN70D2214P (81349)	R228 2.2	EA	REF				*	*	*					SCHM	R228						
PAHZZ	5905-702-9225	RESISTOR, FIXED, COMPOSITION MEGOMH, 10PC, 1/2 WATT RN70D2214P (81349)	R404 2.2	EA	REF				*	*	*					SCHM	R404						
PAHZZ	5905-702-9225	RESISTOR, FIXED, COMPOSITION CONTINUED	R405 2.2	EA	REF				*	*	*					SCHM	R405						

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CONTINUED)									(4)	(5)	(6)	(7)			(8)	(9)	(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION		USABLE ON CODE	UNIT OF MEAS	QTY UNIT	30-DAY DS MAINT		30-DAY GS MAINT		1-YR ALM PER 100 EQUIP	DEPOT ALM PER 100 EQUIP	ILLUSTRATION (B)	ITEM NO.				
		REFERENCE NUMBER & MFR. CODE	CONTINUED				(A)	(B)	(C)	(A)	(B)							
PAHZZ	5905-284-3535	RESISTOR, FIXED, COMPOSITION MEGOHM, 10PCT, 1/2 WATT RC200GF14 (81349)		R427	4 EA	1	*	*	*	*	*	3		R427				
PAHZZ	5905-279-1866	RESISTOR, FIXED, COMPOSITION MEGOHM, 10PCT, 1/2 WATT RC200GF106 (81349)		R22	10 EA	3	*	*	*	*	*	3	SCHM	R22				
PAHZZ	5905-279-1866	RESISTOR, FIXED, COMPOSITION MEGOHM, 10PCT, 1/2 WATT RC200GF106K (81349)		R410	10 EA	REF	*	*	*	*	*		SCHM	R410				
PAHZZ	5905-279-1866	RESISTOR, FIXED, COMPOSITION MEGOHM, 10PCT, 1/2 WATT RC200GF106 (81349)		R11	10 EA	REF	*	*	*	*	*		SCHM	R411				
PAHZZ	5905-064-2812	RESISTOR, FIXED, FILM R422 2400 OHMS, 1PCT, 1/2 WATT DRMF51005 (81349)		EA	1		*	*	*	*	*	3	SCHM	R422				
PAHZZ	5905-814-1618	RESISTOR, FIXED, FILM R322 3890 OHMS, FORMLPICT, 1/2 W C12-3891P (00327)		EA	1		*	*	*	*	*	3	SCHM	R322				
PAHZZ	5905-889-0199	RESISTOR, FIXED, FILM R105 4.990 MEGOHM, FORMLPICT, 1/2 W C12-1994P (00327)		EA	1		*	*	*	*	*	3	SCHM	R105				
PAHZZ	5905-810-2950	RESISTOR, FIXED, FILM R225 5000 OHMS, 1PCT, 1/2 WATT C12-5001P (00327)		EA	1		*	*	*	*	*	3	SCHM	R225				
PAHZZ	5905-857-2445	RESISTOR, FIXED, FILM R211 8200 OHMS, 1PCT, 1/2 WATT C12-8201P (00327)		EA	2		*	*	*	*	*	3	SCHM	R211				
PAHZZ	5905-857-2445	RESISTOR, FIXED, FILM R212 8200 OHMS, 1PCT, 1/2 WATT C12-8201P (00327)		EA	REF		*	*	*	*	*		SCHM	R212				
PAHZZ	5905-542-8401	RESISTOR, FIXED, FILM R116 10,000 OHM FORMLPICT, 1/2 W C12-1002P (00327)		EA	1		*	*	*	*	*	3	SCHM	R116				
PAHZZ	5905-799-8338	RESISTOR, FIXED, FILM R6 10,000 OHM FORMLPICT, 1/2 W DRMF5 (89536)		EA	1		*	*	*	*	*	3	SCHM	R6				
PAHZZ	5905-556-4627	RESISTOR, FIXED, FILM R102 20,000 OHM, FORMLPICT, 1/2 W C12-2002P (00327)		EA	1		*	*	*	*	*	3		R102				
PAHZZ	5905-797-3887	RESISTOR, FIXED, FILM R420 22,000 OHMS, 1PCT, 1/2 WATT DRMF 52 (89536)		EA	2		*	*	*	*	*	3	SCHM	R420				
PAHZZ	5905-797-3887	RESISTOR, FIXED, FILM R421 22,000 OHMS, 1PCT, 1/2 WATT DRMF52 (89536)		EA	REF		*	*	*	*	*		SCHM	R421				
PAHZZ	5905-978-8545	RESISTOR, FIXED, FILM R318 40,000 OHMS, 3 FORMLPICT, 1/2W C12-4002P (00327)		EA	1		*	*	*	*	*	3	SCHM	R318				
PAHZZ	5905-064-1868	RESISTOR, FIXED, FILM R312 45,000 OHMS, CONTINUED		EA	1		*	*	*	*	*	3	SCHM	R312				

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR DEPOT MAINT ALW PER 100 EQUIP CNTGCY			(9) DEPOT MAINT ALW PER 100 EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	1-20	21-50	51-100	1-20	21-50	51-100	(A)	(B)	FIGURE NO.	ITEM NO.		
REFERENCE NUMBER & MFR. CODE CONTINUED																							
PAHZZ	5905-810-3807	RESISTOR, FIXED, FILM R323 50,000 OHMS, FORM1PCT 1 W C13-4503F (00327)		EA	3				*	*	*								3	SCHM	R323		
PAHZZ	5905-810-3807	RESISTOR, FIXED, FILM R424 50,000 OHMS, FORM1PCT, 1/2 W C12-5002F (00327)		EA	REF				*	*	*									SCHM	R424		
PAHZZ	5905-810-3807	RESISTOR, FIXED, FILM R425 50,000 OHMS, FORM1PCT, 1/2 W C12-5002F (00327)		EA	REF				*	*	*								SCHM	R425			
PAHZZ	5905-810-2953	RESISTOR, FIXED, FILM R114 90,000 OHMS, 1PCT, 1/2 WATT C12-9002F (00327)		EA	3				*	*	*							3	SCHM	R114			
PAHZZ	5905-810-2953	RESISTOR, FIXED, FILM R313 90,000 OHMS 1PCT, 1/2 WATT C12-9002F (00327)		EA	REF				*	*	*								SCHM	R313			
PAHZZ	5905-810-2953	RESISTOR, FIXED, FILM R319 90,000 OHMS, 1PCT, 1/2 WATT C12-9002F (00327)		EA	REF				*	*	*								SCHM	R319			
PAHZZ	5905-195-6761	RESISTOR, FIXED, COMPOSITION R315 100,000 OHMS, FORM1PCT, 1/2 W RC208P104K (81349)		EA	1				*	*	*							3	SCHM	R315			
PAHZZ	5905-064-2811	RESISTOR, FIXED, FILM R307 125,000 OHMS, FORM1PCT, 1/2 W C12-1253F (00327)		EA	1				*	*	*							3	SCHM	R307			
PAHZZ	5905-810-2944	RESISTOR, FIXED, FILM R21 144,000 OHM, FORM1PCT, 1 W C13-1443F (00327)		EA	1				*	*	*							3	SCHM	R21			
PAHZZ	5905-797-3934	RESISTOR, FIXED, FILM, R9 2000,000 OHM, FORM1PCT, 1/2 W DRMP62 (89516)		EA	1				*	*	*							3	SCHM	R9			
PAHZZ	5905-810-2945	RESISTOR, FIXED, FILM R28 250,000 OHM, FORM1PCT, 1 W C13-2503F (00327)		EA	2				*	*	*							3	SCHM	R28			
PAHZZ	5905-810-2945	RESISTOR, FIXED, FILM R27 300,000 OHM, FORM1PCT, 1 W C13-2503F (00327)		EA	REF				*	*	*								SCHM	R27			
PAHZZ	5905-064-2809	RESISTOR, FIXED, FILM R306 250,000 OHM, FORM1PCT, 1 W C13-2503F (00327)		EA	REF				*	*	*								SCHM	R306			
PAHZZ	5905-295-5260	RESISTOR, FIXED, FILM R26 300,000 OHM, FORM1PCT, 1 W C13-3203F (00327)		EA	1				*	*	*							3	SCHM	R107			
PAHZZ	5905-810-2941	RESISTOR, FIXED, FILM R20 500,000 OHM, CONTINUED		EA	1				*	*	*							3	SCHM	R20			

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CON (4))										(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR MAINT ALW PER 100 EQUIP CNTGCY			(9) DEPOT MAINT ALW PER 100 EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	USABLE ON CODE	UNIT OF MEAS	QTY IN UNIT	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	(A)	(B)	FIGURE NO.	ITEM NO.						
REFERENCE NUMBER & MFR. CODE CONTINUED																							
PAHZZ	5905-855-4408	RESISTOR, FIXED, FILM R108 900,000 OHM, FORM1PCT, 1/2 W C14-5003F (00327)		EA	2				*	*	*					3	SCHM	R108					
PAHZZ	3905-855-4408	RESISTOR, FIXED, FILM R112 900,000 OHM, FORM1PCT, 1/2 W C12-9003F (00327)		EA	REF				*	*	*						SCHM	R112					
PAHZZ	5905-810-2951	RESISTOR, FIXED, FILM R109 103,500 OHM, FORM1PCT, 1/2 W C12-10352F (00327)		EA	1				*	*	*					3	SCHM	R109					
PAHZZ	5905-797-3931	RESISTOR, FIXED, FILM R2 122,000 OHM, FORM1PCT, 1/2 W DRMP61 (89536)		EA	1				*	*	*					3	SCHM	R2					
PAHZZ	5905-797-3933	RESISTOR, FIXED, FILM R5 500,00 OHM, FORM1PCT, 1/2 W DRMP63 (89536)		EA	2				*	*	*					3	SCHM	R5					
PAHZZ	5905-797-3933	RESISTOR, FIXED, FILM R4 500,000 OHM, FORM1PCT, 1/2 W DRMP63 (89536)		EA	REF				*	*	*							R4					
PAHZZ	5905-797-3930	RESISTOR, FIXED, FILM R1 1 MEGOHM, FORM1PCT, 1/2 W DRMP1 (89536)		EA	2				*	*	*					3	SCHM	R1					
PAHZZ	5905-797-3930	RESISTOR, FIXED, FILM R8 1 MEGOHM, FORM1PCT, 1/2 W DRMP71 (89536)		EA	REF				*	*	*						SCHM	R8					
PAHZZ	5905-539-3654	RESISTOR, FIXED, FILM R221 2.2 MEGOHM L1-2204 (00327)		EA	1				*	*	*					3	SCHM	R221					
PAHZZ	5905-810-2949	RESISTOR, FIXED, FILM R103 4.4 MEGOHM FORM1PCT, 1/2 W C12-2204F (00327)		EA	1				*	*	*					3	SCHM	R103					
PAHZZ	5905-810-2942	RESISTOR, FIXED, FILM R104 4.5 MEGOHM FORM1PCT, 1/2 W C12-4504F (00327)		EA	2				*	*	*					3	SCHM	R104					
PAHZZ	5905-810-2942	RESISTOR, FIXED, FILM R106 4.5 MEGOHM FORM1PCT, 1/2 W C12-4504F (00327)		EA	REF				*	*	*						SCHM	R106					
PAHZZ	5905-839-7271	RESISTOR, FIXED, FILM R110 R MEGOHM FORM1PCT, 1/2 W C12-9004F (00327)		EA	2				*	*	*					3	SCHM	R110					
PAHZZ	5905-839-7271	RESISTOR, FIXED, FILM R111 9 MEGOHM, FORM1PCT, 1/2 W C12-9004F (00327)		EA	REF				*	*	*						SCHM	R111					
PAHZZ	5905-064-2808	RESISTOR, FIXED, FILM R113 9.9 MEGOHM, FORM1PCT, 1/2 W C12-9904F (00327)		EA	1				*	*	*					3	SCHM	R113					
PAHZZ	5905-064-1866	RESISTOR, FIXED, FILM R115 9.99 MEGOHM, FORM1PCT, 1/2 W C12-9994F (00327)		EA	1				*	*	*					3	SCHM	R115					
PAHZZ	5905-087-1260	RESISTOR, FIXED, WIRE WOUND R327 7.5 CONTINUED		EA	1				*	*	*					3	SCHM	R327					

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (CO (4))				(5)	(6) 30-DAY DS MAINT			(7) 30-DAY GS MAINT			(8) 1-YR ALW PER		(9) DEPOT MAINT		(10) ILLUSTRATION		
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NUMBER & MFR. CODE CONTINUED	UNIT OF USABLE ON CODE	QTY INC IN	UNIT MEAS	(A)	(B)	(C)	(A)	(B)	(C)	EQUIP CNTGCY	ALW PER 100 EQUIP	MAINT 100 EQUIP	(A) FIGURE NO.	(B) ITEM NO.
PAHZZ	5905-806-6150	RESISTOR, FIXED, WIRE WOUND R128 250.31 OHMS, .05PCT, 1/2 WATT 1141-250R31A (17870)	RESISTOR, FIXED, WIRE WOUND R128 250.31 OHMS, .05PCT, 1/2 WATT 1141-250R31A (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R128		
PAHZZ	5905-064-2793	RESISTOR, FIXED, WIRE WOUND R35 509 OHMS, .05PCT, 1/2 WATT 1112-50R0F (17870)	RESISTOR, FIXED, WIRE WOUND R35 509 OHMS, .05PCT, 1/2 WATT 1112-50R0F (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R35		
PAHZZ	5905-889-0311	RESISTOR, FIXED, WIRE WOUND R125 2521.7 OHMS, .05PCT, 1/2 WATT 1141 (17870)	RESISTOR, FIXED, WIRE WOUND R125 2521.7 OHMS, .05PCT, 1/2 WATT 1141 (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R125		
PAHZZ	5905-889-0309	RESISTOR, FIXED, WIRE WOUND R127 22,500 OHMS, .05PCT, 1/2 WATT 1141 (17870)	RESISTOR, FIXED, WIRE WOUND R127 22,500 OHMS, .05PCT, 1/2 WATT 1141 (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R127		
PAHZZ	5905-889-0308	RESISTOR, FIXED, WIRE WOUND R130 24,750 OHMS, .05PCT, 1/2 WATT 1141 (17870)	RESISTOR, FIXED, WIRE WOUND R130 24,750 OHMS, .05PCT, 1/2 WATT 1141 (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R130		
PAHZZ	5905-889-0310	RESISTOR, FIXED, WIRE WOUND R123 28,571 OHMS, .05PCT, 1/2 WATT 1141 (17870)	RESISTOR, FIXED, WIRE WOUND R123 28,571 OHMS, .05PCT, 1/2 WATT 1141 (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R123		
PAHZZ	5905-889-0268	RESISTOR, FIXED, WIRE WOUND R120 112,375 OHMS, .05PCT, 1 WATT 1181 (17870)	RESISTOR, FIXED, WIRE WOUND R120 112,375 OHMS, .05PCT, 1 WATT 1181 (17870)	EA	2		*	*	*	*	*	*	3	SCHM	R120		
PAHZZ	5905-889-0268	RESISTOR, FIXED, WIRE WOUND R121 112,375 OHMS, .05PCT, 1 WATT 1181123750J (17870)	RESISTOR, FIXED, WIRE WOUND R121 112,375 OHMS, .05PCT, 1 WATT 1181123750J (17870)	EA	REF		*	*	*	*	*	*	*	SCHM	R121		
PAHZZ	5905-064-2789	RESISTOR, FIXED, WIRE WOUND R33 125,000 OHM, .05PCT, 1 W 1180F (17870)	RESISTOR, FIXED, WIRE WOUND R33 125,000 OHM, .05PCT, 1 W 1180F (17870)	EA	2		*	*	*	*	*	*	3	SCHM	R33		
PAHZZ	5905-064-2789	RESISTOR, FIXED, WIRE WOUND R34 125,000 OHM, .05PCT, 1 W 1180F (17870)	RESISTOR, FIXED, WIRE WOUND R34 125,000 OHM, .05PCT, 1 W 1180F (17870)	EA	REF		*	*	*	*	*	*		SCHM	R34		
PAHZZ	5905-811-1649	RESISTOR, FIXED, WIRE WOUND R24 149000 OHM, .05PCT, 1 W 1180F1493D (17870)	RESISTOR, FIXED, WIRE WOUND R24 149000 OHM, .05PCT, 1 W 1180F1493D (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R24		
PAHZZ	5905-064-2790	RESISTOR, FIXED, WIRE WOUND R32 158,000 OHM, .05PCT, 1 W 1180F (17870)	RESISTOR, FIXED, WIRE WOUND R32 158,000 OHM, .05PCT, 1 W 1180F (17870)	EA	1		*	*	*	*	*	*	3	SCHM	R32		
PAHZZ	5905-064-2798	RESISTOR, VARIABLE R36 WW, 5 OHM, PORM20PCT, 2 W PSA (89536)	RESISTOR, VARIABLE R36 WW, 5 OHM, PORM20PCT, 2 W PSA (89536)	EA	1		*	*	*	*	*	*	3	SCHM	R36		
PAHZZ	5905-836-5866	RESISTOR, VARIABLE R423 100 OHM, 10PCT, 1/4 WATT 271-1-101 (80294)	RESISTOR, VARIABLE R423 100 OHM, 10PCT, 1/4 WATT 271-1-101 (80294)	EA	1		*	*	*	*	*	*	3	SCHM	R423		
PAHZZ	5905-951-2696	RESISTOR, VARIABLE, WIREWOUND R124 500 OHMS, 10PCT, 1/4 WATT 3067P1-501 (80294)	RESISTOR, VARIABLE, WIREWOUND R124 500 OHMS, 10PCT, 1/4 WATT 3067P1-501 (80294)	EA	3		*	*	*	*	*	*	3	SCHM	R124		
PAHZZ	5905-951-2696	RESISTOR, VARIABLE, WIREWOUND R126 500 OHMS, 10PCT, 1/4 WATT 3067P1-501 (80294)	RESISTOR, VARIABLE, WIREWOUND R126 500 OHMS, 10PCT, 1/4 WATT 3067P1-501 (80294)	EA	REF		*	*	*	*	*	*		SCHM	R126		
PAHZZ	5905-951-2696	RESISTOR, VARIABLE, WIREWOUND R129 500 CONTINUED	RESISTOR, VARIABLE, WIREWOUND R129 500 CONTINUED	EA	REF		*	*	*	*	*	*		SCHM	R129		

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (C (4))				(5)	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY		(9) DEPOT MAINT ALW PER 100 EQUIP		(10) ILLUSTRATION	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION	REFERENCE NUMBER & MFR. CODE CONTINUED	UNIT OF MEAS	QTY IN	INC IN	(A)	(B)	(C)	(A)	(B)	(C)	(A)	(B)	FIGURE NO.	ITEM NO.
PAHZZ	5905-951-2696	RESISTOR, VARIABLE R7 WW, 500 OHM, PORM10PC, 1/4 WATT 3067P1-501 (80294)	EA 1				*	*	*				3	SCHM	R7	
PAHZZ	5905-064-1865	RESISTOR, VARIABLE, WIREWOUND R119 2000 OHMS, 10PCCT, 2 WATT PIKA (89536)	EA 1				*	*	*				3	SCHM	R119	
PAHZZ	5905-978-8542	RESISTOR, VARIABLE R426 WW, 5000 OHM, PORM10PC, 1/2 WATT 3067P1-502 (80294)	EA 3				*	*	*				3	SCHM	R426	
PAHZZ	5905-978-8542	RESISTOR, VARIABLE R31 WW, 5000 OHM, PORM10PC, 1/2 WATT 3067P1-502 (80294)	EA REF				*	*	*					SCHM	R31	
PAHZZ	5905-978-8542	RESISTOR, VARIABLE R3 WW, 5000 OHM, PORM10PC, 1/2 WATT 3067P1-502 (80294)	EA REF				*	*	*					SCHM	R3	
PAHZZ	5905-797-3867	RESISTOR, VARIABLE, WIREWOUND R117 5000 OHMS, 10PCCT, 2 WATT PSKA (89536)	EA 2				*	*	*				3	SCHM	R117	
PAHZZ	5905-797-3867	RESISTOR, VARIABLE, WIREWOUND R210 5000 OHMS, 10PCCT, 2 WATT PSKA (89536)	EA REF				*	*	*					SCHM	R210	
PAHZZ	5905-475-4181	RESISTOR, VARIABLE R118 10,000 OHMS, 10PCCT, 2 WATT PIOKA (89536)	EA 2				*	*	*				3	SCHM	R118	
PAHZZ	5905-475-4181	RESISTOR, VARIABLE R224 10,000 OHMS, 10PCCT, 2 WATT PIOKA (89536)	EA REF				*	*	*					SCHM	R224	
PAHZZ	5961-617-8751	SEMICONDUCTOR, DEVICE, DIODE SC401 S9G (89536)	EA 2				*	*	*				3			
PAHZZ	5961-617-8751	SEMICONDUCTOR, DEVICE, DIODE SC402 S9G (89536)	EA REF				*	*	*							
PAHZZ	5961-641-7475	SEMICONDUCTOR, DEVICE, DIODE SC301 TM1 (89536)	EA 2				*	*	*				3			
PAHZZ	5961-641-7475	SEMICONDUCTOR, DEVICE, DIODE SC302 TM1 (89536)	EA REF				*	*	*							
PAHZZ	5930-022-4554	SWITCH, ROTARY S101 4 POLE, 4 POSITION SR38 (89536)	EA 1				*	*	*				5	SCHM	S101	
PAHZZ	5930-895-7466	SWITCH, ROTARY S108 2 POLE, 11 POSITION SR42 (89536)	EA 1				*	*	*				5	SCHM	S108	
PAHZZ	5930-797-3881	SWITCH, ROTARY S104 2 SECTION, 5 POSITION, 2 POLE SR40 (89536)	EA 1				*	*	*				5	SCHM	S104	
PAHZZ	5930-797-3882	SWITCH, ROTARY S105 2 SECTION, 10 POSITION, 2 POLE SR410 (89536)	EA 3				*	*	*				5	SCHM	S105	
PAHZZ	5930-797-3882	SWITCH, ROTARY S106 2 SECTION, 10 POSITION, 2 POLE SR41 (89536)	EA REF				*	*	*					SCHM	S106	
PAHZZ	5930-797-3882	SWITCH, ROTARY S107 2 SECTION, 10 CONTINUED	EA REF				*	*	*					SCHM	S107	

(1) SECTION V REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE (C 4)				(5)	(6)			(7)			(8)			(9)		(10)	
SMR CODE	FEDERAL STOCK NUMBER	DESCRIPTION		UNIT	QTY	30-DAY DS MAINT ALLOWANCE	(A)	30-DAY GS MAINT ALLOWANCE	(A)	1-YR ALW PER 100 EQUIP	DEPOT MAINT ALW PER 100 EQUIP	CNTGCY	FIGURE (A)	ITEM NO.	ILLUSTRATION (B)		
		REFERENCE NUMBER & MFR. CODE CONTINUED		UNIT OF IN	IN	UNIT	(B)	(C)	(B)	(C)	100 EQUIP	100 EQUIP					
PAHZZ	5930-797-3880	SWITCH, ROTARY S103 S SECTION, 5 POSITION, 2 POLE SR41 (89536)		EA	1			*	*	*		5	SCHM	S103			
PAHZZ	5930-888-4211	SWITCH, ROTARY S102 5 SECT, 10 POLE, 7 POSITION SR29 (89536)		EA	1			*	*	*		5	SCHM	S102			
PAHZZ	5950-951-9186	TRANSFORMER, POWER STEP-DOWN AND STEP-UP T1 T2 803-601 (89536)		EA	1			*	*	*		3	SCHM	T1			
PAHZZ	5961-834-3654	TRANSISTOR TR301 2N214 (12045)		EA	2			*	*	*		3	SCHM				
PAHZZ	5961-834-3654	TRANSISTOR TR302 2N214 (12045)		EA	REF			*	*	*			SCHM				
PAHZZ	5961-813-1907	TRANSISTOR TR1 2N301 (81349)		EA	1			*	*	*		3	SCHM	TR1			
PAHZZ	6625-778-2163	VOLTMETER M101 PANEL TYPE, AC OR DC TYPE, 4.625 IN LG, 4.187 IN WDTH OF MTH FLANGE, 2.750 IN DIA OF METER BODY, 0.843 IN DP OF MTR TO FLANGE M12B (89536)		EA	1			*	*	*		4	SCHM	M101			

SECTION IV

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER

CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5355-064-1035			5905-299-2019	SCHM	R18
5355-668-9156			5905-299-2019	SCHM	R19
5355-720-5087			5905-299-2025	SCHM	R326
5905-064-1865	SCHM	R119	5905-299-2029	SCHM	R215
5905-064-1866	SCHM	R119	5905-299-2029	SCHM	R324
5905-064-1868	SCHM	R312	5905-299-2029	SCHM	R325
5905-064-2789	SCHM	R33	5905-299-2037	SCHM	R205
5905-064-2789	SCHM	R34	5905-299-2037	SCHM	R206
5905-064-2790	SCHM	R32	5905-299-2037	SCHM	R207
5905-064-2793	SCHM	R35	5905-299-2037	SCHM	R208
5905-064-2798	SCHM	R36	5905-299-2037	SCHM	R209
5905-064-2808	SCHM	R113	5905-299-2042	SCHM	R401
5905-064-2809	SCHM	R30	5905-299-2042	SCHM	R407
5905-064-2811	SCHM	R307	5905-299-2042	SCHM	R408
5905-064-2812	SCHM	R422	5905-475-4181	SCHM	118
5905-087-1260	SCHM	R327	5905-475-4181	SCHM	R224
5905-104-5756	SCHM	R213	5905-539-3654	SCHM	R221
5905-104-5756	SCHM	R214	5905-542-8401	SCHM	R116
5905-104-5756	SCHM	R218	5905-556-4627		R102
5905-104-5756	SCHM	R220	5905-665-6051	SCHM	R428
5905-104-5756	SCHM	R223	5905-665-6051	SCHM	R429
5905-104-5756	SCHM	R308	5905-702-9225	SCHM	R219
5905-104-5756	SCHM	R311	5905-702-9225	SCHM	R228
5905-104-5756	SCHM	R316	5905-702-9225	SCHM	R404
5905-104-5756	SCHM	R406	5905-702-9225	SCHM	R405
5905-104-5756	SCHM	R413	5905-797-3867	SCHM	R117
5905-104-5756	SCHM	R23	5905-797-3867	SCHM	R210
5905-104-5756	SCHM	25	5905-797-3887	SCHM	R420
5905-104-5756	SCHM	R29	5905-797-3887	SCHM	R421
5905-114-5393	SCHM	R226	5905-797-3930	SCHM	R1
5905-114-5393	SCHM	R227	5905-797-3930	SCHM	R8
5905-114-5393	SCHM	R304	5905-797-3931	SCHM	R2
5905-120-0487	SCHM	R417	5905-797-3933		R4
5905-120-0487	SCHM	R418	5905-797-3933	SCHM	R5
5905-120-0487	SCHM	R419	5905-797-3934	SCHM	R9
5905-120-2043	SCHM	R309	5905-799-8338	SCHM	R6
5905-120-2043	SCHM	R310	5905-805-2841	SCHM	R317
5905-141-0596	SCHM	R314	5905-806-6150	SCHM	R128
5905-141-0596	SCHM	R11	5905-810-2941	SCHM	R20
5905-186-3008	SCHM	R416	5905-810-2942	SCHM	R104
5905-192-9260	SCHM	R180	5905-810-2942	SCHM	R106
5905-192-9260	SCHM	R181	5905-810-2944	SCHM	R21
5905-192-9260	SCHM	R303	5905-810-2945	SCHM	R26
5905-192-9260	SCHM	R305	5905-810-2945	SCHM	R27
5905-192-9260	SCHM	R320	5905-810-2946	SCHM	R306
5905-192-9260	SCHM	R321	5905-810-2946	SCHM	R28
5905-195-6761	SCHM	R315	5905-810-2949	SCHM	R103
5905-195-6799	SCHM	R415	5905-810-2950	SCHM	R225
5905-247-8722	SCHM	R101	5905-810-2951	SCHM	R109
5905-256-0409	SCHM	R403	5905-810-2953	SCHM	R114
5905-256-0409	SCHM	R409	5905-810-2953	SCHM	R313
5905-256-0409	SCHM	R427	5905-810-2953	SCHM	R319
5905-258-6557	SCHM	R122	5905-810-3807	SCHM	R323
5905-258-6557	SCHM	R414	5905-810-3807	SCHM	R424
5905-279-1722	SCHM	R182	5905-810-3807	SCHM	R425
5905-279-1722	SCHM	R430	5905-811-1649	SCHM	R24
5905-279-1732	SCHM	R201	5905-814-1618	SCHM	R322
5905-279-1732	SCHM	R202	5905-836-5866	SCHM	R423
5905-279-1866	SCHM	R222	5905-839-7271	SCHM	R110
5905-279-1866	SCHM	R410	5905-839-7271	SCHM	R111
5905-279-1866	SCHM	411	5905-855-4408	SCHM	R108
5905-279-2546	SCHM	R412	5905-855-4408	SCHM	R112
5905-279-2611	SCHM	R10	5905-857-2445	SCHM	R211
5905-279-2647	SCHM	R402	5905-857-2445	SCHM	R212
5905-279-3837	SCHM	R203	5905-889-0199	SCHM	R105
5905-279-3837	SCHM	R204	5905-889-0268	SCHM	R120
5905-284-3535		R427	5905-889-0268	SCHM	R121
5905-295-5260	SCHM	R107	5905-889-0308	SCHM	R130
5905-299-2016	SCHM	R216	5905-889-0309	SCHM	R127
5905-299-2016	SCHM	R217	5905-889-0310	SCHM	R123
5905-299-2016	SCHM	R22	5905-889-0311	SCHM	R125
5905-299-2019	SCHM	R12	5905-951-2696	SCHM	R124
5905-299-2019	SCHM	R13	5905-951-2696	SCHM	R126
5905-299-2019	SCHM	R14	5905-951-2696	SCHM	R129
5905-299-2019	SCHM	R15	5905-951-2696	SCHM	R7
5905-299-2019	SCHM	R16	5905-978-8542	SCHM	R426
5905-299-2019	SCHM	R17	5905-978-8542	SCHM	R31

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.		
5905-978-8542	SCHM	R3	5930-797-3880	SCHM	S103		
5905-978-8545	SCHM	R318	5930-797-3881	SCHM	S104		
5910-064-0239	SCHM	C101	5930-797-3882	SCHM	S105		
5910-064-0240	SCHM	C303	5930-797-3882	SCHM	S106		
5910-064-0240	SCHM	C405	5930-797-3882	SCHM	S107		
5910-064-0241	SCHM	C402	5930-888-4211	SCHM	S102		
5910-064-0241	SCHM	C407	5930-895-7466	SCHM	S108		
5910-064-0241	SCHM	C409	5935-257-7579		J5		
5910-064-0241	SCHM	C411	5935-503-8645		P103		
5910-064-0242	SCHM	C404	5935-685-9421		J1		
5910-064-0242	SCHM	C410	5935-688-4145		P102		
5910-064-2913		C418	5935-702-8856		P101		
5910-186-9448	SCHM	C10	5935-769-4066		J4		
5910-186-9448	SCHM	C14	5935-826-0458		J3		
5910-236-4508	SCHM	C208	5935-944-0824		J2		
5910-280-7174	SCHM	C204	5940-500-8717				
5910-280-7174	SCHM	C205	5945-556-7942				
5910-280-7174	SCHM	C206	5950-951-9186	SCHM	T1		
5910-280-7174	SCHM	C207	5960-166-7648	4-1	V203		
5910-280-7174	SCHM	C209	5960-166-7661	4-1	V301		
5910-483-5609	SCHM	C203	5960-166-7663	4-1	V204		
5910-615-4661	SCHM	C416	5960-166-7663	4-1	V404		
5910-683-7114	SCHM	C3	5960-166-7663	4-1	V5		
5910-683-7114	SCHM	C5	5960-166-7664	4-1	V206		
5910-683-7114	SCHM	C8	5960-166-7664	4-1	V304		
5910-709-3218	SCHM	C201	5960-166-7664	4-1	V8		
5910-709-3218	SCHM	C202	5960-239-3052	4-1	V302		
5910-767-9097	SCHM	C401	5960-262-0218	4-1	V305		
5910-767-9097	SCHM	C406	5960-262-0218	4-1	V1		
5910-797-3849	SCHM	C415	5960-262-0218	4-1	V2		
5910-797-3851	SCHM	C103	5960-557-6780	4-1	V205		
5910-797-3869	SCHM	C1	5960-557-6883	4-1	V202		
5910-797-3869	SCHM	C2	5960-557-6883	4-1	V308		
5910-797-4887		C6A	5960-557-6883	4-1	V4		
5910-797-4887	SCHM	C6	5960-615-4745	4-1	V303		
5910-797-4889	SCHM	C403	5960-615-4745	4-1	V306		
5910-797-4889	SCHM	C408	5960-617-4920	4-1	V3		
5910-797-4889	SCHM	C413	5960-755-0832	4-1	V201		
5910-807-3018	SCHM	C102	5960-800-0549	4-1	V402		
5910-808-7097	SCHM	C307	5960-800-0549	4-1	V401		
5910-808-7097	SCHM	C310	5960-800-0549	4-1	V403		
5910-819-2577	SCHM	C302	5960-836-6273	4-1	V307		
5910-819-2577	SCHM	C305	5960-836-6273	4-1	V309		
5910-819-2577	SCHM	C306	5960-836-6273	4-1	V6		
5910-819-2577	SCHM	C309	5960-836-6273	4-1	V7		
5910-819-2577	SCHM	C11	5961-617-8751				
5910-825-9734	SCHM	C12	5961-641-7475				
5910-832-8972	SCHM	C211	5961-799-1461				
5910-832-8972	SCHM	C212	5961-813-1907	SCHM	TR1		
5910-840-6672	SCHM	C210	5961-834-3654	SCHM			
5910-851-9299	SCHM	C414	5970-405-8221	SCHM	J102		
5910-888-1332	SCHM	C9	5970-628-7701	SCHM	J101		
5910-889-4535	SCHM	C301	6130-808-2296				
5910-889-4535	SCHM	C304	6240-577-8456	SCHM	I103		
5910-913-0226	SCHM	C417	6240-577-8456	SCHM	I104		
5910-951-8624	SCHM	C308	6240-577-8456	SCHM	I105		
5910-980-9346	SCHM	C13	6240-577-8456	SCHM	I106		
5910-990-4253	SCHM	C7	6240-577-8456	SCHM	I107		
5920-010-6652	SCHM	F1	6240-577-8456	SCHM	I108		
5920-892-9311			6625-778-2163	SCHM	M101		
5930-022-4554	SCHM	S101					
REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
CE10	32684	SCHM	C307	CT14	32684	SCHM	C9
CE10	32684	SCHM	C310	CT9	32684	SCHM	C13
CP09A1KF103K3	81349	SCHM	C210	C11015CK22AX681K	81349	SCHM	C414
CP21	32684	SCHM	C7	C12-100-0000HMS	00327	SCHM	R317
CP22	89536	SCHM	C415	C12-1002F	00327	SCHM	R116
CP6	32684	SCHM	C204	C12-10352F	00327	SCHM	R109
CP6	32684	SCHM	C205	C12-1253F	00327	SCHM	R307
CP6	32684	SCHM	C206	C12-2002F	00327		R102
CP6	32684	SCHM	C207	C12-2204F	00327	SCHM	R221
CP6	32684	SCHM	C209	C12-3891F	00327	SCHM	R322
CTM183VDJ	81349	SCHM	C203	C12-4002F	00327	SCHM	R318
CT13	32684	SCHM	C6A	C12-4404F	00327	SCHM	R103
CT13	32684	SCHM	C6	C12-4504F	00327	SCHM	R104

SECTION IV

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
00327		SCHM	R106	RCR20G105JS	81349	SCHM	R316
C12-4994F	00327	SCHM	R105	RCR20G105JS	81349	SCHM	R406
C12-5001F	00327	SCHM	R225	RCR20G105JS	81349	SCHM	R413
C12-5002F	00327	SCHM	R323	RCR20G473JS	81349	SCHM	R11
C12-5002F	00327	SCHM	R424	RCR20G473JS	81349	SCHM	R314
C12-5002F	00327	SCHM	R425	RCR32G271JS	81349	SCHM	R101
C12-5003F	00327	SCHM	R107	RC20BF104K	81349	SCHM	R315
C12-8201F	00327	SCHM	R211	RC20BF221K	81349	SCHM	R403
C12-8201F	00327	SCHM	R212	RC20BF221K	81349	SCHM	R409
C12-9002F	00327	SCHM	R114	RC20BF221K	81349	SCHM	R427
C12-9002F	00327	SCHM	R313	RC20BF224K	81349	SCHM	R226
C12-9002F	00327	SCHM	R319	RC20BF224K	81349	SCHM	R227
C12-9003F	00327	SCHM	R108	RC20BF224K	81349	SCHM	R304
C12-9003F	00327	SCHM	R112	RC20BF684K	81349	SCHM	R309
C12-9004F	00327	SCHM	R110	RC20GF684K	81349	SCHM	R310
C12-9004F	00327	SCHM	R111	RC20GF101K	81349	SCHM	R416
C12-9904F	00327	SCHM	R113	RC20GF106K	81349	SCHM	R222
C12-9994F	00327	SCHM	R115	RC20GF106K	81349	SCHM	R410
C13-1443F	00327	SCHM	R21	RC20GF106K	81349	SCHM	R411
C13-2503F	00327	SCHM	R28	RC20GF154K	81349	SCHM	R180
C13-2503F	00327	SCHM	R306	RC20GP154K	81349	SCHM	R181
C13-3003F	00327	SCHM	R26	RC20GF154K	81349	SCHM	R303
C13-3003F	00327	SCHM	R27	RC20GF154K	81349	SCHM	R305
C13-3203F	00327	SCHM	R30	RC20GF154K	81349	SCHM	R320
C13-4503F	00327	SCHM	R312	RC20GF154K	81349	SCHM	R321
C14-5003F	00327	SCHM	R20	RC20GF475K	81349		R427
DE9PC33	91146		J4	RC20GF561K	81349	SCHM	R415
DRMF51	89536	SCHM	R6	RC32GF100K	81349	SCHM	R428
DRMF52	89536	SCHM	R420	RC32GF100K	81349	SCHM	R429
DRMF52	89536	SCHM	R421	RC32GF102K	81349	SCHM	R182
DRMF61	89536	SCHM	R2	RC32GF102K	81349	SCHM	R430
DRMF62	89536	SCHM	R9	RC32GF103K	81349	SCHM	R215
DRMF63	89536	SCHM	R4	RC32GF103K	81349	SCHM	R324
DRMF63	89536	SCHM	R5	RC32GF103K	81349	SCHM	R325
DRMF71	89536	SCHM	R1	RC32GF152K	81349	SCHM	R402
DRMF71	89536	SCHM	R8	RC32GF153K	81349	SCHM	R326
EWL6-105	99515	SCHM	C101	RC32GF272J	81349	SCHM	R203
EYD10-500	25801	SCHM	C301	RC32GF272J	81349	SCHM	R204
EYD10-500	25801	SCHM	C304	RC32GF273K	81349	SCHM	R122
EYS150-150	25801	SCHM	C401	RC32GF273K	81349	SCHM	R414
EYS150-150	25801	SCHM	C406	RC32GF332K	81349	SCHM	R401
EYS4000-15	25801	SCHM	C308	RC32GF332K	81349	SCHM	R407
FHN26G1	81349			RC32GF332K	81349	SCHM	R408
GB2231	89536	SCHM	R12	RC32GF333K	81349	SCHM	R417
GB2231	89536	SCHM	R13	RC32GF333K	81349	SCHM	R418
GB2231	89536	SCHM	R14	RC32GF333K	81349	SCHM	R419
GB2231	89536	SCHM	R15	RC32GF361J	81349	SCHM	412
GB2231	89536	SCHM	R16	RC32GF393K	81349	SCHM	R22
GB2231	89536	SCHM	R17	RC32GF393K	81349	SCHM	R216
GB2231	89536	SCHM	R18	RC32GF393K	81349	SCHM	R217
GB2231	89536	SCHM	R19	RC32GF394K	81349	SCHM	R10
GP2K221K	72982	SCHM	C208	RC32GF472K	81349	SCHM	R205
M12B	89536	SCHM	M101	RC32GF472K	81349	SCHM	R206
M4SLRN	81312		J5	RC32GF472K	81349	SCHM	R207
NE2E	08108	SCHM	I103	RC32GF472K	81394	SCHM	R208
NE2E	08108	SCHM	I104	RC32GF472K	81349	SCHM	R209
NE2E	08108	SCHM	I105	RC32GF560K	81349	SCHM	R201
NE2E	08108	SCHM	I106	RC32GF560K	81349	SCHM	R202
NE2E	08108	SCHM	I107	RE1A	89536		
NE2E	08108	SCHM	I108	RE10	89536		
OA2	81349	4-1	V4	RN65D8063F	81349	SCHM	R422
OA2	81349	4-1	V202	RN70D2214F	81349	SCHM	R219
OA2	81349	4-1	V308	RN70D2214F	81349	SCHM	R228
OB2	81349	4-1	V203	RN70D2214F	81349	SCHM	R404
PIKA	89536	SCHM	R119	RN70D2214F	81349	SCHM	R405
P10KA	89536	SCHM	R118	SR29	89536	SCHM	S103
P10KA	89536	SCHM	R224	SR38	89536	SCHM	S101
P5A	89536	SCHM	R36	SR39	89536	SCHM	S102
P5KA	89536	SCHM	R117	SR40	89536	SCHM	S104
P5KA	89536	SCHM	R210	SR40	89536	SCHM	S105
RCR20G105JS	81349	SCHM	R23	SR41	89536	SCHM	S106
RCR20G105JS	81349	SCHM	R25	SR41	89536	SCHM	S107
RCR20G105JS	81349	SCHM	R29	SR42	89536	SCHM	S108
RCR20G105JS	1349	SCHM	R213	ST16S1	14655		C12
RCR20G105JS	81349	SCHM	R214	S642-3BB	75376		
RCR20G105JS	81349	SCHM	R218	S647-3L	75376		
RCR20G105JS	81349	SCHM	R220	S653-3LBB	75376		
RCR20G105JS	81349	SCHM	R223	S9G	89536		
RCR20G105JS	81349	SCHM	R308	TL2750	56289	SCHM	C201
RCR20G105JS	81349	SCHM	R311	TL2750	56289	SCHM	C202

SECTION IV

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
89536				3067P1-501	80294	SCHM	R124
VC10GW	73899	SCHM	C3	3067P1-501	80294	SCHM	R126
VC10GW	73899	SCHM	C5	3067P1-501	80294	SCHM	R129
VC10GW	73899	SCHM	C8	3067P1-502	80294	SCHM	R3
X100	32684			3067P1-502	80294	SCHM	R31
0G3-85A2	02660	4-1	V6	3067P1-502	80294	SCHM	R426
0G3-85A2	02660	4-1	V7	312003	75915	SCHM	F1
0G3-85A2	02660	4-1	V307	33M04022	53021	SCHM	C211
0G3-85A2	02660	4-1	V309	33M04022	53021	SCHM	C212
01251-0214	12848		P102	431P47406	56289	SCHM	C103
1D48F7-50HMS	44655	SCHM	R327	5Y3GT	81349	SCHM	V1
111P2K	56289	SCHM	C102	57-3040	02660	P101	
1112-50R0F	17870	SCHM	R35	57-40240	02660	J3	
1141	17870	SCHM	R123	5881	81349	4-1	V302
1141	17870	SCHM	R125	6A05A	81349	4-1	V2
1141	17870	SCHM	R127	6A05A	81349	4-1	V305
1141	17870	SCHM	R130	6AU6	81349	4-1	V3
1141-250R31A	17870	SCHM	R128	6AW8	81349	4-1	V303
118P20592S4	56289	SCHM	C416	6AW8	81349	4-1	V306
1180F	17870	SCHM	R32	6C4	81349	4-1	V205
1180F	17870	SCHM	R33	6DK6	81349	4-1	V402
1180F	17870	SCHM	R34	6DK6	81349	4-1	V401
1180F1493D	17870	SCHM	R24	6DK6	81349	4-1	V403
1181	17870	SCHM	R120	6X4	81349	4-1	V301
1181123750J	17870	SCHM	R121	73P10406	32684	SCHM	C10
12AU7	81349	4-1	V5	73P10406	32684	SCHM	C14
12AU7	81349	4-1	V204	803-601	89536	SCHM	T1
12AU7	81349	4-1	V404	827482	19203		P103
12AX7	81349	4-1	V8	89D118	89D118	56289	C418
12AX7	81349	4-1	V206	89D133	56289	SCHM	C403
12AX7	81349	4-1	V304	89D133	56289	SCHM	C408
121P10502S4	56289	SCHM	C417	89D133	56289	SCHM	C413
143-010-01	02660		J2	89P10394	56289	SCHM	C402
143-018-01	02660		J1	89P10394	56289	SCHM	C407
1505-104885	89536	SCHM	C1	89P10394	56289	SCHM	C409
1505-104885	89536	SCHM	C2	89P10394	56289	SCHM	C411
160P10494PMD	56289	SCHM	C11	89P47394	56289	SCHM	C303
160P10494PMD	56289	SCHM	C302	89P47394	56289	SCHM	C405
160P10494PMD	56289	SCHM	C305	89P47492	56289	SCHM	C404
160P10494PMD	56289	SCHM	C306	89047492	56289	SCHM	C404
160P10494PMD	56289	SCHM	C309	9-7	70563	4-1	V201
2N214	12045	SCHM		938BB	24655	SCHM	J102
2N301	81349	SCHM	TR1	938BR	24655	SCHM	J101
271-1-101	80294	SCHM	R423	938CS1	24655		
3067P1-501	80294	SCHM	R7				

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS

*General, United States Army
Chief Of Staff*

Official:

VERNE L. BOWERS

*Major General, United States Army
The Adjutant General*

Distribution:

To be distributed in accordance with DA Form 12-36, Direct and General Support maintenance requirements for AN/AKT-18, AN/APS-94, AN/ASW-12 and AN/TKQ-1.

