

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND  
SPECIAL TOOLS LISTS (INCLUDING DEPOT MAINTENANCE  
REPAIR PARTS AND SPECIAL TOOLS)  
TEST SET, RADIO RECEIVER AN/ARM-71  
FSN 6625-965-1341

Headquarter, Department of the Army, Washington, DC  
29 November 1974

*Current as 30 September 1974*

		Paragraph	Page
SECTION	I. INTRODUCTION		
	Scope .....	1-1	2
	General .....	1-2	2
	Explanation of columns .....	1-3	2
	Special information.....	1-4	4
	Location of repair parts .....	1-5	4
	Abbreviations (Not applicable) .....	1-6	5
	Reporting of equipment publication improvements.....	1-7	5
	II. REPAIR PARTS LIST		6
Group	001. Test Set, receiver, radio AN/ARM-71.....		6
	002. Simulator, receiver, radio SM-S80/ARM-71 .....		7
	003. Test Set, receiver, radio TS-2077/ARM-71 .....		12
	III. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS- REFERENCE TO FIGURE AND ITEM NUMBER .....		14

\* This manual supersedes TM 11-6625-583-45P, 7 June 1965.

**SECTION I  
INTRODUCTION**

---

**1-1. Scope**

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the AN/ARM-71. The PCCN for the AN/ARM-71 is GANABF for all models.

**NOTE**

**No parts authorized for stockage at direct support.**

**1-2. General**

This repair parts and special tools list is divided into the following sections:

*a. Repair Parts List Section II.* A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level. This repair parts list is arranged in alphabetical order.

*b. Special Tools, Test and Support Equipment - Section III.* Not applicable.

*c. Index -Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphameric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

**1-3. Explanation of Columns**

The following provides an explanation of columns found in the tabular list.

*a. Source, Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are:

<i>Code</i>	<i>Explanation</i>
PA -	Item procured and stocked for anticipated or known usage.
PB -	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC-	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.

<i>Code</i>	<i>Explanation</i>
PD -	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
PE -	Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
PF -	Support equipment which will not be stocked but which will be centrally procured on demand.
PG-	Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
KD -	An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
KF-	An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
KB -	Item included in both a depot overhaul/repair kit and a maintenance kit.
MO -	Item to be manufactured or fabricated at organizational level.
MF -	Item to be manufactured or fabricated at direct support maintenance level.
MH -	Item to be manufactured or fabricated at general support maintenance level.
MD -	Item to be manufactured or fabricated at depot maintenance level.
AO -	Item to be assembled at organizational level.
AF -	Item to be assembled at direct support maintenance level.
AH -	Item to be assembled at general support maintenance level.
AD -	Item to be assembled at depot maintenance level.
XA -	Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.

Code	Explanation
XB-	Item is not procured or stocked. If not available through salvage, requisition.
XC-	Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
XD -	Support items can be requisitioned with justification.

**NOTE**

**Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.**

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code format as follows:

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

Code	Explanation
O-	Support item is removed, replaced, used at the organizational level of maintenance.

**NOTE**

**A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.**

F -	Support item is removed, replaced, used at the direct support maintenance level.
H -	Support item is removed, replaced, used at the general support maintenance.
D -	Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multiservice equipment/systems or when a code is entered, this position will contain one of the following maintenance

codes as assigned by the service(s) that require the code:

Code	Application/Explanation
O-	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F -	The lowest maintenance level capable of complete repair of the support item is direct support.
H -	The lowest maintenance level capable of complete repair of the support item is general support.
D--	The lowest maintenance level capable of complete repair of the support item is the depot level.
L-	Repair restricted to designated Specialized Repair Activity.
Z -	Nonrepairable. No repair is authorized.
B -	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the Uniform SMR Code format as follows:

Code	Explanation
Z -	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O -	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F -	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H -	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D-	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L -	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A -	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 70&42.

**NOTE**

**For requisitioning purposes, the Federal stock number must be converted to the National stock number by adding "-W" after the Federal stock classification (FSC) code (first four digits) For example, FSN 6625-653-0142 converts to NSN 6626( 553-0142.**

d. *Unit of Measure (UIM).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/GS Maintenance Allowances.*

**NOTE**

**Allowances in GS column are for GS maintenance only.**

(1) The repair parts indicated by asterisk entries in separate allowance columns for DS and GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments Contingency Planning Purposes.* Column intenyionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 114-662812.

(2) *Item number.* Indicates the item number or' reference designation used to reference the item in the illustration.

**1-4. Special Information**

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are:

<i>Code</i>	<i>Used on</i>
A7U	AN/ARM-71

b. The following publications pertain to the AN/ARM-71 and its components:

TM 11-6625-583-12	Operator and Organizational Maintenance Manual: Test Set, Receiver, Radio AN/ARM-71.
TM 11-6625-583-20P	Organizational Maintenance Repair Parts and Special Tools Lists: Test Set, Radio Receiver AN/ARM-71, FSN 662&965B1341.

**1-5. Location of Repair Parts**

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col O10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (see II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list sec II), which is arranged in alphabetical order.

**1-6. Abbreviations**

Not applicable.

**1-7. Reporting of Equipment Publication Improvements**

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, A'ITN: AMSEL-MA-AN, Fort Monmouth, NJ, 07708.

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION  (a)      (b) FIGURE      ITEM NO.      NO/	
						(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)		
						1-20	21-50	51-100	1-20	21-50	51-100				
PAHHD	6625-965-1342	GROUP 001 TEST SET, RECEIVER, RADIO AN/ARM-71 COVER, TEST SET, RECEIVER, RADIO NO-REF-DESIG		EA	1				*	*	*		3		
AHHZZ		CW744ARM61 (800581) CABLE ASSEMBLY, POWER, ELECTRICAL CX-9727/ARM-71 NO-REF-DESIG 5 FT LG 702-022 (82050)			1										
PAHZZ	5999-204-8350	CLIP, BATTERY NO-REF-DESIG 24C (76545)		EA	2				*	*	*		3		
PAHZZ	5935-539-2650	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG MS310GAIOSL3S (81349)		EA	1				*	*	*		3		
PAHZZ	5975-814-6844	INSULATOR, BLACK NO-REF-DESIG (BATTERY CLIP) FLEXINSULATOR 23 (76545)		EA	1				*	*	*		3		
PAHZZ	5975-281-0024	INSULATOR, RED NO-REF-DESIG (BATTERY CLIP) RED 23 (76545)		EA	1				*	*	*		3		
AHHZZ		CABLE ASSEMBLY, RADIO FREQUENCY CG-2950/U (5 T) NO-REF-DESIG 702-023 (82050)			2										
PAHZZ	6145-542-6092	CABLE, RADIO FREQUENCY NO-REF-DESIG 5 FEET LONG RG5 8AU (80058)		EA	1				*	*	*		10		
PAHZZ	5940-552-4878	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG MX1684U (80058)		EA	1				*	*	*		3		
PAHZZ	5935-823-0487	CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG UG88EU 1800581		EA	1				*	*	*		3		
PAHZZ	6625-985-7862	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL CX-9725/ NO-REF-DESIG 702-020 (82050)		EA	1				*	*	*		5		
XDHZZ		CONNECTOR, PLUGT ELECTRICAL NO-REF-DESIG PT06SE16-26SSR (77820)		EA	2				*	*	*				
AHHZZ		CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL NO-REF-DESIG CX9726ARM71 (80058)			1										
PAHZZ	5935-225-9300	CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG PT865E16-26PSR (77820)		EA	1				*	*	*		3		
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG PTO1SE16-26PSR (77820)		EA	1				*	*	*				
AHHZZ		EXTENDER, MODULE MX-6363/ARM-71 NO-REF-DESIG 702-024 (82050)			1										
XDHZZ		CABLE, RADIO FREQUENCY NO-REF-DESIG RGL88U (81349)		EA	2				*	*	*				
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG DDA38C2S (71468)		EA	1				*	*	*				
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG DDA38C2P (71468)		EA	1				*	*	*				
PAHZZ	5935-961-3772	SHELL, ELECTRICAL CONNECTOR NO-REF-DESIG DD51216-1 (71468)		EA	2				*	*	*		3		
AHHZZ		EXTENDER, MODULE MX-6364/ARM-71 NO-REF-DESIG			1										

CONTINUED

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
		CONTINUED														
PAHZZ	5935-225-9300	CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG ..... 702-025 (82050)		EA	1				*	*	*		3			
XDHZZ		CABLE, RADIO FREQUENCY NO-REF-DESIG 2 ..... FEET LONG RG188U (81349)		EA	1				*	*	*					
XDHZZ		CONNECTOR, PLUG, ELECTRICAL NO-REF-DESIG ..... DBL21CIS (71468)		EA	1				*	*	*					
XDHZZ		CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG ..... DBL21CIP (71468)		EA	1				*	*	*					
XDHZZ		SHELL NO-REF-DESIG ..... OD51212-1 (71468)		EA	2				*	*	*					
AHHZZ		EXTENDER, MODULE MS-6365/ARM-71 NO-REF- DESIG 702-026 (82050)			1										1	
PAHZZ	5935-880-5441	CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG ..... DEM9P (71468)		EA	1				*	*	*		3			
XDHZZ		CONNECTOR PLUG, ELECTRICAL NO-REF-DESIG ..... DEM9S (71468)		EA	1				*	*	*					
PAHZZ	5935-590-6997	SHELL, ELECTRICAL CONNECTOR NO-REF-DESIG ..... DE51218-1 (71468)		EA	2				*	*	*		3			
PDDFL	6625-073-9357	GROUP 002 SIMULATOR, RECEIVER, RADIO SM-380/AKM-71 SIMULATOR, RECEIVER, RADIO SM-380/ARM-71 .....		EA	1								3		2-4	
XDHZZ		NO-REF-DESIG 702-004 (82050) CIRCUIT BREAKER CB1 .....		EA	1				*	*	*				2-4	CB1
PAHZZ	5935-783-5402	C501A102 (815411) CONNECTOR J4 .....		EA	1				*	*	*		3		2-4	J4
PAHZZ	5935-149-4066	PT02SE1626P (77820) CONNECTOR, RECEPTACLE, ELECTRICAL J5 .....		EA	2				*	*	*		3		5-4	J5
PAHZZ	5935-149-4066	UG88U (80058) CONNECTOR, RECEPTACLE, ELECTRICAL J6 .....		EA	REF				*	*	*				5-4	J6
PAHZZ	6625-759-2847	UG88U (80058) DIRECTIONAL COUPLER DC1 75 MC .....		EA	1				*	*	*		3		2-4	DC1
PAHZZ	6625-759-2848	702-017 (82050) DIRECTIONAL COUPLER DC2 332 MC .....		EA	1				*	*	*		3		2-4	DC2
PAOZZ	6240-155-7836	702-018 (82050) LAMP, INCANDESCENT DS1 T-1-3/4 BULB .....		EA	23				*	*	*		50		2-4	DS1
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS2 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS2
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS3 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS3
PAOZZ	6240-155-7836	MHS25237-327 (96906) LAMP, INCANDESCENT DS4 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS4
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS5 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS5
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS6 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS6
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS7 T-1-3/4 BULB .....		EA	REF				*	*	*				2-4	DS7
		MS25237-327 (969061)														

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAOZZ	6240-155-7836	LAMP, INCANDESCENT DS8 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS8	
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS9 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS9	
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS10 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS10	
PAOZZ	6240-155-7836	MS25237-327 196906) LAMP, INCANDESCENT DS11 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS11	
PAOZZ	6240-155-7836	MS25231-321 (969061) LAMP, INCANDESCENT DS12 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D512	
PAOZZ	6240-155-7836	MS25237-321 (96906) LAMP, INCANDESCENT DS13 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D513	
PAOZZ	6240-155-7836	NS25237-327 (96906) LAMP, INCANDESCENT DS14 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D514	
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS15 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS15	
PAOZZ	6240-155-7836	MS2523 1-327 (96906) LAMP, INCANDESCENT DS16 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D516	
PAOZZ	6240-155-7836	MS252A7-327 (96906) LAMP, INCANDESCENT DS17 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS17	
PAOZZ	6240-155-7836	MS25237-327 196906) LAMP, INCANDESCENT DS18 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D518	
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS19 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D519	
PAOZZ	6240-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS20 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D520	
PAOZZ	6240-155-7836	MS25237-327 (969061) LAMP INCANDESCENT DS21 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	DS21	
PAOZZ	6243-155-7836	MS25237-327 (96906) LAMP, INCANDESCENT DS22 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D522	
PAOZZ	6243-155-7836	MS25231-327 (96906) LAMP, INCANDESCENT DS23 T-1-3/4 BULB .....	EA	REF				*	*	*			2-4	D523	
PAHZZ	6210-578-6587	MS25237-327 (96906) LAMPHOLDER XDS1.....	EA	23				*	*	*		5	2-4	XDS1	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS2.....	EA	REF				*	*	*			2-4	XDS2	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS3.....	EA	REF				*	*	*			2-4	XDS3	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS4.....	EA	REF				*	*	*			2-4	XDS4	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS5.....	EA	REF				*	*	*			2-4	XDS5	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS6.....	EA	REF				*	*	*			2-4	XDS6	
PAHZZ	6210-578-6587	L11-5030 (12619) LAMPHOLDER XDS7.....	EA	REF				*	*	*			2-4	XDS7	
PAHZZ	6210-578-6587	111-5033 (72619) LAMPHOLDER XDS8.....	EA	REF				*	*	*			2-4	XDS8	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS9.....	EA	REF				*	*	*			2-4	XDS9	
PAHZZ	6210-578-6587	111-5030 (72619) LAMPHOLDER XDS10.....	EA	REF				*	*	*			2-4		
		111-5030 (72619)													



SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	6210-578-6587	LAMPHOLOER XDS11.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS21.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLOER XDS13.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLOER XDS14.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS15.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS16.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	621D-578-6587	LAMPHOLOER XDS17.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS18.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS19.....		EA	REF				*	*	*			2-4	
		1L1-5030 (172619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS20.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS21.....		EA	REF				*	*	*			2-4	
		L1-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS22.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PAHZZ	6210-578-6587	LAMPHOLDER XDS23.....		EA	REF				*	*	*			2-4	
		111-5030 (72619)													
PADZZ	6210-842-1680	LENS, INDICATOR, LIGHT DS23 COLOR-GREEN .....		EA	1				*	*	*		5	2-4	DS23
		101-932 (72619)													
PAOZZ	6210-978-1138	LENS, INDICATOR, LIGHT DS21 COLOR- .....		EA	2				*	*	*		5	2-4	DS21
		ORANGE													
		101-933 (72619)													
PAOZZ	6210-978-1138	LENS, INDICATOR, LIGHT DS22 COLOR- .....		EA	REF				*	*	*			2-4	DS22
		ORANGE													
		101-933 (72619)													
PAOZZ	6217-842-1679	LENS, INDICATOR, LIGHT DS1 COLOR-RED .....		EA	20				*	*	*		5	2-4	DS1
		101-931 (72619)													
PAOZZ	6213-842-1679	LENS, INDICATOR, LIGHT DS2 COLOR-RED .....		EA	REF				*	*	*			2-4	DS2
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS3 COLOR-RED .....		EA	REF				*	*	*			2-4	DS3
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS4 COLOR-RED .....		EA	REF				*	*	*			2-4	DS4
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS9 INDICATOR, LIGHT DS5 COLOR-RED .....		EA	REF				*	*	*			2-4	DS5
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS6 COLOR-RED .....		EA	REF				*	*	*			2-4	DS6
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS7 COLOR-RED .....		EA	REF				*	*	*			2-4	DS7
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS8 COLOR-RED .....		EA	REF				*	*	*			2-4	DS8
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS9 COLOR-RED .....		EA	REF				*	*	*			2-4	DS9
		101-931 (72619)													

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS10 COLOR-RED .....		EA	REF				*	*	*			2-4	DS10
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS11 COLOR-RED .....		EA	REF				*	*	*			2-4	DS11
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS12 COLOR-RED .....		EA	REF				*	*	*			2-4	DS12
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS13 COLOR-RED .....		EA	REF				*	*	*			2-4	DS13
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS14 COLOR-RED .....		EA	REF				*	*	*			2-4	DS14
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS15 COLOR-RED .....		EA	REF				*	*	*			2-4	DS15
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS16 COLOR-RED .....		EA	REF				*	*	*			2-4	DS16
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS17 COLOR-RED .....		EA	REF				*	*	*			2-4	DS17
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS18 COLOR-RED .....		EA	REF				*	*	*			2-4	DS18
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS19 COLOR-RED .....		EA	REF				*	*	*			2-4	DS19
		101-931 (72619)													
PAOZZ	6210-842-1679	LENS, INDICATOR, LIGHT DS20 COLOR-RED .....		EA	REF				*	*	*			2-4	DS20
		101-931 (72619)													
PAHZZ	6625-759-2845	METER M1 .....		EA	1				*	*	*		3	2-4	M1
		29-004-2 (82050)													
PAHZZ	5945-761-2038	RELAY K1 .....		EA	2				*	*	*		3	2-3	K1
		BR8S600B21 (09026)													
PAHZZ	5945-761-2038	RELAY K2 .....		EA	REF				*	*	*			2-3	K2
		BR8S600B21 (09026)													
PAHZZ	5905-279-1878	RESISTOR, FIXED, COMPOSITION R3 .....		EA	1				*	*	*		3	2-3	R3
		RC20GF243J (81349)													
XDHZZ		RESISTOR, FIXED, COMPOSITION R5 .....		EA	1				*	*	*			2-3	R5
		RC20GF563J (81349)													
XDHZZ		RESISTOR, FIXED, COMPOSITION R6 .....		EA	1				*	*	*			2-3	R6
		RN65R6003F (81349)													
XIXHZZ		RESISTOR, FIXED, COMPOSITION R7 .....		EA	1				*	*	*		*	2-3	R7
		3067S1-103 (80294)													
PAHZZ	5905-764-4896	RESISTOR, VARIABLE R1 .....		EA	2				*	*	*		3	2-3	R1
		3067S1-103 (80294)													
PAHZZ	5905-764-4896	RESISTOR, VARIABLE R2 .....		EA	REF				*	*	*			2-3	R2
		3067S1-103 (80294)													
PAHZZ	5905-766-0769	RESISTOR, VARIABLE R10 .....		EA	4				*	*	*		3	2-4	R10
		3068S1-203 (80294)													
PAHZZ	5905-766-0769	RESISTOR, VARIABLE R11 .....		EA	REF				*	*	*			2-4	R11
		3068S1-203 (80294)													
PAHZZ	5905-766-0769	RESISTOR, VARIABLE R12 .....		EA	REF				*	*	*			2-4	R12
		3068S1-203 (80294)													
PAHZZ	5905-766-0769	RESISTOR, VARIABLE R13 .....		EA	REF				*	*	*			2-4	R13
		3068S1-203 (80294)													
PAHZZ	5905-539-1559	RESISTOR, VARIABLE R8 .....		EA	2				*	*	*		3	2-4	R8
		RV4NAYSD253A (01121)													
PAHZZ	5905-539-1559	RESISTOR, VARIABLE R9 .....		EA	REF				*	*	*		2-4	R9	
		RV4NAYSD253A (01121)													

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-889-0490	RESISTOR, VARIABLE R4 .....	EA	1				*	*	*		3	2-3	R4	
PAHZZ	5961-842-9864	SC1411 (27965) SEMICONDUCTOR CR1 .....	EA	20				*	*	*		3	2-4	CR1	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR2 .....	EA	REF				*	*	*			2-4	CR2	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR3 .....	EA	REF				*	*	*			2-4	CR3	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR4 .....	EA	REF				*	*	*			2-4	CR4	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR5 .....	EA	REF				*	*	*			2-4	CR5	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR6 .....	EA	REF				*	*	*			2-4	CR6	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR7 .....	EA	REF				*	*	*			2-4	CR7	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR8 .....	EA	REF				*	*	*			2-4	CR8	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR9 .....	EA	REF				*	*	*			2-4	CR9	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR10 .....	EA	REF				*	*	*			2-4	CR10	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR11 .....	EA	REF				*	*	*			2-4	CR11	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR12 .....	EA	REF				*	*	*			2-4	CR12	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR13 .....	EA	REF				*	*	*			2-4	CR13	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR14 .....	EA	REF				*	*	*			2-4	CR14	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR15 .....	EA	REF				*	*	*			2-4	CR15	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR16 .....	EA	REF				*	*	*			2-4	CR16	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR17 .....	EA	REF				*	*	*			2-4	CR17	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR18 .....	EA	REF				*	*	*			2-4	CR18	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR19 .....	EA	REF				*	*	*			2-4	CR19	
PAHZZ	5961-842-9864	IN914 (03877) SEMICONDUCTOR CR20 .....	EA	REF				*	*	*			2-4	CR20	
XDHZZ		IN914 (03877) SEMICONDUCTOR CR21 .....	EA	1				*	*	*			2-3	CR21	
PAOZZ	5325-954-9197	IN2985 (289f9) STUD, FASTNER NO-REF-DESIG .....	EA	4				*	*	*		2			
PAHZZ	5930-055-3271	1SS1-LAC (71286) SWITCH ROTARY S4A8 .....	EA	1				*	*	*		5	2-4		
PAHZZ	5930-615-9376	PA4003 (711590) SWITCH, TOGGLE S1 .....	EA	1				*	*	*		5	2-4	S1	
PAHZZ	5930-655-1513	S23TYPEST52P (81350) SWITCH, TOGGLE S2 .....	EA	2				*	*	*		5	2-4	S2	
		S23TYPEST42E (81350)													

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5930-655-1513	SWITCH, TOGGLE S6.....		EA	REF				*	*	*			2-4	S6
PAHZZ	5930-655-1575	S23TYPEST42E (81350) SWITCH, TOGGLE S3.....		EA	1				*	*	*		5	2-4	S3
PAHZZ	5930-655-1515	S23TYPEST52K (81350) SWITCH, TOGGLE S5..... S23TYPEST42D (813501) GROUP 003 TEST SET, RECEIVERT RADIO TS-2077/ARM-71		EA	1				*	*	*		5	5-7	S5
PAHZZ	6625-759-2846	OSILITATOR ASSEMBLY Y1 1KC .....		EA	1				*	*	*		3	2-2	Y1
XDHZZ		702009 (820501) CAPACITOR, FIXED, CERAMIC Y1C3 .....		EA	1				*	*	*			2-2	Y1C3
PAHZZ	5910-764-8155	150D225X0020A2 (56289) CAPACITOR, FIXED, CERAMIC Y1C1 .....		EA	2				*	*	*		3	2-2	Y1C1
PAHZZ	5910-764-8195	155P10492 (562891) CAPACITOR, FIXED, CERAMIC Y1C2 .....		EA	REF				*	*	*			2-2	Y1C2
XDHZZ		155P10492 (562891) RESISTOR, VARIABLE Y1R12 .....		EA	1				*	*	*			2-2	
PAHZZ	5905-279-3503	35840 (71450) RESISTOR, FIXED, COMPOSITION Y1R11 .....		EA	2				*	*	*		3	2-2	
PAHZZ	5905-279-3503	RC20GF682J (81349) RESISTOR, FIXED, COMPOSITION Y1R13 .....		EA	REF				*	*	*			2-2	
PAHZZ	5905-195-6806	RC20GF682J (81349) RESISTOR, FIXED, COMPOSITION Y1R10 .....		EA	3				*	*	*		3	2-2	
PAHZZ	5905-195-6806	RC20GF102J (813491) RESISTOR, FIXED, COMPOSITION Y1R14 .....		EA	REF				*	*	*			2-2	
PAHZZ	5905-195-6806	RC20GF102J (813491) RESISTOR, FIXED, COMPOSITION Y1R15 .....		EA	REF				*	*	*			2-2	
XDHZZ		RC20GF102J 1813491 TRANSISTOR Y1Q1 .....		EA	3				*	*	*			2-2	Y1Q1
XDHZZ		2N1302 (03508) TRANSISTOR Y1Q2 .....		EA	REF				*	*	*			2-2	Y1Q2
XDHZZ		2N1302 (03508) TRANSISTOR Y1Q3 .....		EA	REF				*	*	*			2-2	Y1Q3
PAHZZ	5950-034-6264	2N1302 (035081) TRANSFORMER Y1T1 .....		EA	1				*	*	*		3	2-2	Y1T1
PAHZZ	6625-759-2850	21852 (82050) OSCILLATOR ASSEMBLY Y2 332 MC .....		EA	1				*	*	*		3	2-3	Y2
PAHZZ	6625-759-2849	702-013 (82050) OSCILLATOR ASSEMBLY Y3 75 MC .....		EA	1				*	*	*		3	2-3	Y3
PDHFD	6625-965-1340	702-010-1 (820501) TEST SET, RECEIVER, RADIO TS-2077/ARM-T1 .....		EA	1				*	*	*		3	2-1	
XDHZZ		NO-REF-DESIG 702-028 (820501) CIRCUIT BREAKER CB1 .....		EA	1				*	*	*			2-1	CB1
PAHZZ	5935-783-5402	C50A102 (815411) CONNECTOR J1 .....		EA	1				*	*	*		3	2-1	J1
PAHZZ	5935-817-3325	PT02SE1626P (77820) CONNECTOR J2 .....		EA	1				*	*	*		3	2-1	J2
PAHZZ	5935-965-9864	MS3102EIOSL3P (969061) JACK, TELEPHONE J3 .....		EA	1				*	*	*		3	2-1	J3
PAOZZ	5355-680-1357	11 (823891) KNOB NO-REF-DESIG .....		EA	2				*	*	*		3		
		MS91528-IF28 (96906)													

SECTION II

TM 11-6625-583-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAOZZ	5355-543-0789	KNOB NO-REF-DESIG .....		EA	2				*	*	*		3		
PAOZZ	6240-155-7836	MS91528-IN2B (96906) LAMP, INCANDESCENT DS1 T-1-3/4 BULB .....		EA	1				*	*	*		50	2-1	DS1
PAOZZ	6240-155-8714	MS25237-327 (96906) LAMP, INCANDESCENT DS2 .....		EA	1				*	*	*		50	2-1	DS2
PAHZZ	6210-578-6587	MS25231-313 (96906) LAMPHOLDER XDS1 .....		EA	1				*	*	*		5	2-1	XDS1
XDOZZ		101-5030-9 (72619) LENS, INDICATOR LIGHT DS1 .....		EA	1				*	*	*			2-1	DS1
PAHZZ	6625-759-2842	101-933 (72619) METER M1 .....		EA	1				*	*	*		3	2-1	M1
PAHZZ	6625-585-5288	29002-1 (82050) METER M2 .....		EA	1				*	*	*		3	2-1	M2
PAHZZ	6625-759-2843	29-002-2 (82050) METER M3 .....		EA	1				*	*	*		3	2-1	M3
PAHZZ	6625-759-2844	29003-1 (820501) METER M4 .....		EA	1				*	*	*		3	2-1	M4
PAHZZ	5905-850-4186	29-004-1 (82050) RESISTOR, FIXED, COMPOSITION R1 .....		EA	1				*	*	*		3	2-1	R1
XDHZZ		RN65BI37OF (81349) RESISTOR, FIXED, COMPOSITION R2 .....		EA	1				*	*	*			2-1	R2
PAHZZ	5905-087-5885	RN6582740F (81349) RESISTOR, FIXED, COMPOSITION R3 .....		EA	1				*	*	*		3	2-1	R3
XDHZZ		RN65DT320F (81349) RESISTOR, FIXED, COMPOSITION R4 .....		EA	4				*	*	*			2-1	R4
XDHZZ		RN65B1001F (81349) RESISTOR, FIXED, COMPOSITION R5 .....		EA	REF				*	*	*			2-1	R5
XDHZZ		RN65B1001F (81349) RESISTOR, FIXED, COMPCSION R9 .....		EA	REF				*	*	*			2-1	R9
XDHZZ		RN6581001F (81349) RESISTOR, FIXED, COMPCSION R10 .....		EA	REF				*	*	*			2-1	R10
PAHZZ	5905-687-0364	RN65B10F (81349) RESISTOR, FIXED, COMPOSITION R6 .....		EA	1				*	*	*		3	2-1	R6
PAHZZ	5905-615-7731	RN65B2150F (81349) RESISTOR, FIXED, COMPOSITION R7 .....		EA	1				*	*	*		3	2-1	R1
PAHZZ	5905-989-5587	RN65B4320F (81349) RESISTOR, FIXED, COMPOSITION R8 .....		EA	1				*	*	*		3	2-1	R8
XDHZZ		MILR10509 (81349) RESISTOR, FIXED, COMPOSITION R11 .....		EA	1				*	*	*			2-1	R11
PAHZZ	5905-171-1975	RC20GF151J (81349) RESISTOR, FIXED, COMPOSITION R12 .....		EA	1				*	*	*		3	2-1	R12
PAHZZ	5905-279-3517	RC42GF151J (81349) RESISTOR, FIXED, COMPOSITION R13 .....		EA	1				*	*	*		3	2-1	R13
PAHZZ	5933-755-5395	RC20GF510J (81349) SWITCH, ROTARY S1 .....		EA	1				*	*	*		5	2-1	S1
PAHZZ	5930-655-1515	PA2009 (71590) SWITCH, TOGGLE S2 .....		EA	2				*	*	*		5	2-1	S2
PAHZZ	5930-655-1515	S23TYPEST42D (81350) SWITCH, TOGGLE S3 .....		EA	REF				*	*	*			2-1	S3
XDHZZ		S23TYPEST42D (81350) SWITCH, TOGGLE S4 .....		EA	1				*	*	*			2-1	S4
		S23TYPEST42A (81350)													

**INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
5325-954-9197			5961-842-9864	2-4	CR4
5355-543-0789			5961-842-9864	2-4	CR5
5355-680-1357			5961-842-9864	2-4	CR6
			5961-842-9864	2-4	CR7
5005-087-5885	2-1	R3	5961-842-9864	2-4	CR8
5905-171-1975	2-1	R12	5961-842-9864	2-4	CR9
			5961-842-9864	2-4	CR10
5935-195-6806	2-2		5961-842-9864	2-4	CR11
5905-279-1878	2-3	R3	5961-842-9864	2-4	CR12
5905-279-3503	2-2		5961-842-9864	2-4	CR13
5905-279-3517	2-1	R13	5961-842-9864	2-4	CR14
			5961-842-9864	2-4	CR15
5905-539-1559	2-4	R8	5961-842-9864	2-4	CR16
5905-539-1559	2-4	R9	5961-842-9864	2-4	CR17
			5961-842-9864	2-4	CR18
			5961-842-9864	2-4	CR19
			5961-842-9864	2-4	CR20
5975-281-0024					
5905-615-7731	2-1	R7	5975-814-6844		
5999-204-8350					
5905-687-0164	2-1	R6			
5905-764-4896	2-3	R1	6145-542-6092		
5905-764-4896	2-3	R2		2-4	
5905-766-0769	2-4	R10	6210-578-6587	2-4	XDS1
5905-766-0769	2-4	R11	6210-578-6587	2-4	XDS2
5905-766-0769	2-4	R12	6210-578-6587	2-4	XDS3
5905-766-0769	2-4	R13	6210-578-6587	2-4	XDS4
			6210-578-6587	2-4	XDS5
			6210-578-6587	2-4	XDS6
5905-850-4186	2-1	R1	6213-578-6587	2-4	XDS7
5905-889-0490	2-3	R4	6210-578-6587	2-4	XDS8
5905-989-5587	2-1	R8	6210-578-6587	2-4	XDS9
5910-764-8195	2-2	Y1C1			
5910-764-8195	2-2	Y1C2	6210-842-1679	2-4	DS1
			6210-842-1679	2-4	DS2
			6210-842-1679	2-4	DS3
5930-055-3271	2-4		6210-842-1679	2-4	DS4
5930-615-9376	2-4	S1	6210-842-1679	2-4	DS5
5930-655-1513	2-4	S2	6210-842-1679	2-4	DS6
5930-655-1513	2-4	S6	6210-842-1679	2-4	DS7
5930-655-1515	2-1	S2	6210-842-1679	2-4	DS8
5930-655-1515	2-1	S3	6210-842-1679	2-4	DS9
5930-655-1515	5-7	S5	6210-842-1679	2-4	DS10
			6210-842-1679	2-4	DS11
5930-655-1575	2-4	S3	6210-842-1679	2-4	DS12
5930-755-5395	2-1	S1	6210-842-1679	2-4	DS13
5935-149-4066	5-4	J5	6210-842-1679	2-4	DS14
5935-149-4066	5-4	J6	6210-842-1679	2-4	DS15
5935-225-9300			6210-842-1679	2-4	DS16
5935-539-2650			6210-842-1679	2-4	DS17
5935-590-6997			6210-842-1679	2-4	DS18
			6211-842-1679	2-4	DS19
			6210-842-1679	2-4	DS20
			6210-842-1680	2-4	DS23
			6210-978-1138	2-4	DS21
			6210-978-1138	2-4	DS22
			6240-155-7836	2-4	DS1
5935-783-5402	2-1	J1	6240-155-7836	2-4	DS2
5935-783-5402	2-4	J4	6240-155-7836	2-4	DS3
			6240-155-7836	2-4	DS4
5935-817-3325	2-1	J2	6240-155-7836	2-4	DS5
5935-823-0487			6240-155-7836	2-4	DS6
5935-880-5441			6240-155-7836	2-4	DS7
			6240-155-7836	2-4	DS8
5935-961-3772			6240-155-7836	2-4	DS9
5935-965-9864	2-1	J3	6240-155-7836	2-4	DS10
5940-552-4878			6240-155-7836	2-4	DS11
5945-761-2038	2-3	K1	6240-155-7836	2-4	DS12
5945-761-2038	2-3	K2	6240-155-7836	2-4	DS13
5950-034-6264	2-2	Y1T1	6240-155-7836	2-4	DS14
			6240-155-7836	2-4	DS15
			6240-155-7836	2-4	DS16
			6240-155-7836	2-4	DS17
			6240-155-7836	2-4	DS18
5961-842-9864	2-4	CR1	6240-155-7836	2-4	DS19
5961-842-9864	2-4	CR2	6240-155-7836	2-4	DS20
5961-842-9864	2-4	CR3	6240-155-7836	2-4	DS20

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
6240-155-7836	2-4	DS22	6625-759-2846	2-2	Y1
6240-155-7836	2-4	DS23	6625-759-2847	2-4	DC1
6240-155-8714	2-1	DS	6625-759-2848	2-4	DC2
6675-073-9357	2-4		6625-759-2849	2-3	Y3
6625-585-5288	2-1	M2	6625-759-2850	2-3	Y2
6625-759-2842	2-1	M1	6625-965-1340	2-1	
6625-759-2843	2-1	M3	6625-965-1342		
6625-759-2844	2-1	M4	6625-985-7862		
6625-759-2845	2-4	M1			

By Order of the Secretary of the Army:

FRED C. WEYAND  
General, United States Army  
Chief of Staff

Official:

VERNE L. BOWERS  
Major General, United States Army  
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-36A, (qty rqr block no. 789) Direct General Support literature requirements for AN/ARM-71.

U.S. GOVERNMENT PRINTING OFFICE: 1974-665136/354  
826-975



RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



**SOMETHING WRONG WITH THIS PUBLICATION?**

THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2  
1 JUL 78

PREVIOUS EDITIONS  
• ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

**PIN: 017340-000**