

HAND RECEIPT

**COVERING CONTENTS OF COMPONENTS OF
END ITEM (COEI), BASIC ISSUE ITEMS (BII),
AND ADDITIONAL AUTHORIZATION LIST (AAL)**

FOR

**MOBILE SEMITRAILER-MOUNTED,
PETROLEUM LABORATORY
(NSN 6640-00-538-2736)**

H E A D Q U A R T E R S , D E P A R T M E N T O F T H E A R M Y

2 3 N O V E M B E R 1 9 8 4

**HAND RECEIPT
COVERING CONTENT OF COMPONENTS OF END ITEM (COEI),
BASIC ISSUE ITEMS (BII), AND ADDITIONAL AUTHORIZATION LIST (AAL)
FOR
MOBILE SEMITRAILER-MOUNTED, PETROLEUM LABORATORY
NSN 6640-00-538-2736**

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistake or if you know of a way to improve the procedures, please let us know. Mail your letter or DA Form 2028 (Recommended Changes to Publications and Blank Forms), to: Commander, U.S. Army Troop Support Command, ATTN: AMSTR-MPS, 4300 Goodfellow Boulevard, St. Louis, MO 63120-1798. reply will be furnished directly to you.

TABLE OF CONTENTS

	Page
Section I. Introduction	1
Section II. Hand Receipt	3

Section I. INTRODUCTION

1. Scope.

This publication provides an overprinted DA Form 2062 (Hand Receipt) which lists the contents of Components of End Item (COEI), Basic Issue Items (BII), and Additional Authorization List (AAL) items related to The Mobile Semitrailer - Mounted Petroleum Laboratory.

2. General.

a. Section II is the overprinted DA Form 2062 which lists the content of COEI, BII, and AAL extracted from TM 5-6640-212-14. The listings consist of exactly the same items and are in the same sequence as those listings in TM 5-6640-212-14.

b. The overprinted DA Form 2062 will eliminate manual preparation of the form and will assist organizations in inventorying and accounting for property as required by AR 710-2.

c. Local reproduction of the overprinted DA Form 2062 is authorized. However, organizations shall comply with local policies in the reproduction of DA Form 2062 by office copying equipment, field printing plant, or duplicating plant facilities.

d. Additional copies of this publication may be requisitioned from:

Commander
US Army AG Publications Center
ATTN: AGDL-OD
2800 Eastern Blvd.
Baltimore MD. 21220

3. Explanation of Blocks and Columns (DA Form 2062). Refer to DA PAM 710-2-1 Chapter 6. Additional information required to complete DA Form 2062 is listed below:

a. Hand receipts shall identify the accounting requirement status of Column C. One of the following Accounting Requirement Codes (ARC) will apply:

(N) for Nonexpendable: Items not consumed in use, retaining their identity during use, and requiring that accountability be maintained throughout the life of the item.

(D) for Durable: Nonconsumable components of sets, kits, outfits, and assemblages; all tools in FSC's 5110, 5120, 5130, 5133, 5136, 5140, 5180, 5210, 5220 and 5280: and any other nonconsumable with a price in excess of \$50.00 not already "N".

(X) for Expendable: Items regardless of type classification or price and which are consumed in use. Includes all class 9 repair parts. Items not consumed in use which cost \$50.00 or less and not already "N" or "D".

b. Authorization documents are as follows:

(1) Components of End Item (COEI) are authorized by the applicable Repair Parts and Special Tools List (RPSTL).

(2) Basic Issue Items (BII) are authorized by the applicable operator's manual.

(3) Additional Authorization List (AAL) items are authorized by appropriate MTOE, TDA, CTA, or JTA authorization documents.

Section II. HAND RECEIPT

TM 5-6640-212-14-HR

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-538-2736	Mobile Semitrailer-Mounted Petroleum Laboratory COMPONENTS OF END ITEMS (COEI)	N		EA	1						
6640-00-986-5033	Cabinet, Desiccating (u/o ASTM 2276-730) (96906) MS36217-3	X		EA	1						
6670-00-494-8152	Balance, Analytical w/case (u/o ASTM 2276-73) (53088) 2462SR	X		EA	1						
6670-00-494-8153	Support, Vibration Damping, Analytical Balance (80740) 78-901	X		EA	1						
6670-00-456-9853	Rod, Support, Vibration Damping (80740) 78-903	X		EA	1						
6635-01-140-1769	Ring, Tare, Analytical Balance (13487) 726005-09	X		EA	1						
6670-00-436-9860	Scoop, Balance, Laboratory (53088) 726005	D		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 1 OF 72 PAGES.
 CURRENT AS OF 30 December 1980

DA FORM 2062
 JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
4210-00-555-8837	Extinguisher, Fire 2.75 1b NPN	N		EA	4						
6630-00-251-2118	Distillation Test Apparatus, Left Hand (u/o ASTM D86) (48619) 74731	D		EA	1						
6630-00-359-9772	Distillation Test Apparatus, Right Hand (u/o ASTM D86) (48619) 74730	D		EA	1						
4820-00-957-5641	Valve, Regulating, Demineralizer Water Pressure (22527) 15-529	X		EA	1						
4610-00-729-4886	Cartridge, Water Demineralizer, 1, 300 Grain Cap of Calcium Carbonate (05852) 0802	X		EA	1						
4610-00-222-8261	Cartridge, Water Demineralizer (Organic) (05852) D8904	X		EA	1						
4610-00-522-1882	Bracket , Cartridge Water Demineralizer (21519) 30-867-10	X		EA	1						
4820-00-957-5639	Regulator, Air Pressure, Diaphragm Type (22527) 1-088	X		EA	1						
6685-00-342-4565	Manometer, 24 in., Wall mounted, w/sc 4606 duplex scale (Hg/psi) (39739) 301EA15WM	X		EA	1						
4820-00-111-1142	Valve, Check Manometer (39739) 942K50	X		EA	1						
6685-00-194-1699	Gauge, Reid Vapor Pressure Test (0-5 psi) (u/o ASTM D-323-72) (22527) 13-419-30A	X		EA	2						
6685-00-194-1683	Gauge, Reid Vapor Pressure Test_ 0=15 psi) (u/o ASTM D-323-72) (22527) 13-419-30B	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80		QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	--	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6630-00-399-2964	Bomb, Reid Vapor Pressure Test (22527) 13-418-5	D		EA	4						
6640-00-359-9814	Furnace, Muffler, 100 to 200 Deg F 120v, ac, 1500 w (u/o ASTM D-482-74 and ASTM D-2276-73) (48619) 31000TF	D		EA	1						
6640-00-359-9880	Oven, Gravity Convection 110-120v, 60HZ, 650 w (48619) 31477	N		EA	1						
6630-00-404-2763	Bath, Kinematic Viscosity (u/o ASTM D-445-74) (48619) 74944	N		EA	2						
6685-00-255-9507	Barometer, Aneriod (u/o ASTM D-86) (22527) 2-405	X		EA	1						
8125-00-174-0852	MIL-B-26701	X		EA	4						
6640-00-404-2748	Bottle, Polyethylene, Round, 1 Gal., w/cap (81349)	X		EA	2						
4110-01-093-5500	Foot, Laboratory Frame (48619) 69402	N		EA	1						
6695-00-496-9624	Icemaking Machine (90339) F4CSS-TS	X		EA	2						
6630-00-895-1259	Thief, Oil, 40 in. lg. (u/o ASTM D-270) (21519) 68-875	N		EA	1						
	Gum Bath, Bronze Block 5 Unit (u/o ASTM D-381) (48619) 74803										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 3 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6680-00-456-9611	Regulator, Air/Steam, for use with Gum Bath (u/o ASTM D-381) (48619) 74803	X		EA	1						
6630-00-063-4116	Meter, Flow Rate (u/o ASTM D-381) (91556) 3602	X		EA	1						
6685-00-401-1423	Pyrometer, Indicating, O to 600 Deg (u/o ASTM D-381) (48619) 74802	X		EA	1						
4410-00-406-8922	Boiler, Steam, High Pressure (u/o ASTM D-323-72) (65586) CES-12-208-1PH	D		EA	1						
6830-00-985-7278	Propane 100 lb., Fed. Spec. BB-G-110A, Type w/o cylinder NPN	X		EA	1						
8120-00-175-8569	Cylinder, Propane 100 lb. capacity NPN	N		EA	1						
	Regulator, Fluid Pressure (06023) 2403C-9	X		EA	1						
6830-00-292-0129	Oxygen, Technical , w/cylinder, NSN 8120-00-151-9758	N		EA							
6685-00-641-3519	Regulator, Fluid Pressure (03866) R64(03X05) Linde Type	X		EA	1						
6830-00-292-0142	Carbon Dioxide, Technical, w/cylinder, NSN B120-00-285-4723 NPN	N		EA							
6640-00-585-1801	Icemaking Machine 12 oz Carbon Dioxide Disc (73369) Model No. 2	D		EA	1						
6545-00-922-1200	First Aid Kit, MIL. Spec. C-36033A, Size 1, c/o:	D		EA	1						
6545-00-912-9920	Chest, Medical NPN	X		EA	1						
6505-00-106-0875	Ammonia, Ampoules 1/3 cc, Fed. Spec. U-A 5003	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
------------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6505-00-200-8183	Benzalkonium Chloride Tincture, 2 cc, MIL. Spec. B 37451, Size 1 NPN	X		EA	4						
6510-00-200-3075	Compress, Gauze, Fed. Spec., DDD-C-570A, Size 2 NPN	X		EA	1						
6510-00-200-3080	Compress, Gauze, Fed. Spec., DDD-C-570A, Size 4 NPN	X		EA	1						
6510-00-200-3190	Bandage, Gauze, Fed. Spec., DD-B-61E NPN	X		EA	1						
6510-00-201-1755	Bandage, Muslin, Fed. Spec., DDD-B-85, Class 2 NPN	X		EA	1						
6510-00-597-7468	Bandage, Adhesive, Fed. Spec., DD-B-35 NPN	X		EA	1						
6530-00-663-1556	Pin, Safety, Fed. Spec., FF-P-00417A NPN	X		EA	1						
6546-00-853-6309	Kit, Eye Dressing Aid, MIL. Spec., F-36043B NPN	X		EA	1						
6545-00-459-7500	Forceps, Scissors, Tourniquet Set NPN	X		EA	1						
NNSN	Instruction Card, Artificial Respiration NPN	X		EA	1						
NNSN	Instruction Sheet, First Aid NPN	X		EA	1						
6685-00-401-1422	Regulator, Water Level (u/w Utility Bath for ASTM D-94) (48619) 66966 Mdl 82	X		EA	1						
6640-00-403-9349	Cup, Grease Dropping (u/o ASTM D566-76) (48619) 73458	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

EDITION OF JAN 58 IS OBSOLETE.

PAGE 5 OF 72 PAGES.
CURRENT AS OF 30 December 1980

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
NNSN 6635-00-359-9827	Bracket, Support (Part of Dropping Apparatus, NSN	X		EA	1						
6640-00-835-0898	Ring, Laboratory Apparatus Support 4.5 in. ID. (64484) S-73045D	X		EA	3						
6640-00-290-6699	Ring, Laboratory Apparatus Support 6-1/8 in. ID. (64484) S-73045F	X		EA	3						
6640-00-403-1000	Beads, Glass, Laboratory, Fed. Spec., DD-G-541B, Type 1, Class A, 5 mm (96906) MS36259-2	X		BX	1						
6640-00-835-0896	Ring, Laboratory Apparatus Support 2-1/2 in. ID. (64484) S-73045B	X		EA	3						
6640-00-440-1325	Ring, Laboratory Apparatus Support, 3-1/2 in. ID. (96906) MS35944- 3	X		EA	3						
6630-00-359-9757	Cup Flash and Fire Point, Cleveland Open Cup (u/o ASTM D-92-72) (48619) 74604	X		EA	1						
6640-00-359-2218	Cone, Penetrometer (u/o ASTM D-217-68) (48619) 73526	X		EA	1						
6640-00-359-9995	Swab Cleaning (u/o ASTM D-86) (48619) 76018	X		EA	1						
6640-00-444-9000	Triangle, Wire (22527) 15-260B	X		EA	1						
6640-00-410-4446	Stopper, Split Cork (u/o ASTM D-566-76) (48619) 73457	X		EA	6						
6640-00-436-9921	Rod, Dropping Point Apparatus (u/o ASTM D-566-76) (21519) G18009	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
--------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
7510-00-221-0790	Ink, Blue, 2 oz. Bottle, NPN	X		EA	2						
6240-00-155-8675	Lamp Incandescent, 2.47 v, 0.3 Amp Fed. Spec W-L-MC (u/o ASTM D-270) (79500) PR6.	X		EA	2						
6240-00-797-3750	Lamp Incandescent, 3.7 v, 0.3 Amp, Fed. Spec. W-L-111C (u/o ASTM D-270) (96906) MS15611	X		EA	2						
7510-00-579-8550	Eraser, Rubber, Fed. Spec. 22-E-661F, Type 1, Grade A, Style A, (u/o ASTM D-130-75) NPN	X		EA	12						
5110-00-223-6371	Shears, Straight, 8 in. lg., Fed. Spec. GGG-S-278A, Type 1, Class 1. Style B NPN	D		EA	1						
5120-00-540-7155	Punch, Eyelet, 11/16 in. throat Depth, Fed. Spec., GGG-D-846A, Type II	D		EA	1						
7510-00-272-9662	Staples, NPN	X		BX	1						
7520-00-935-7136	Pen, Ball Point, NPN	X		DZ	1						
7520-00-281-5895	Stapler, NPN	X		EA	1						
7510-00-281-5234	Pencil, No. 2	X		DZ	1						
7510-00-174-3205	Pencil, Wax, Black, Fed. Spec. SS-P-196	X		DZ	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 7 OF 72 PAGES.

DA FORM 2062
 JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
7510-00-174-3205	Pencil , Wax, Black, Fed. Spec. SS-P-196 Black (64484) 13-3800D	X		DZ	1						
7510-00-161-6215	Ruler, 12 in. Wood NPN	X		EA	1						
7520-00-240-2411	Dispenser, Tape Fed. Spec. GG-D-45 BB, Type V, Class V (22527) 11-865	X		EA	1						
7520-00-162-6178	Sharpener, Pencil NPN	X		EA	1						
NNSN	Tags, Petroleum Sample (DA Form 1804) NPN	X		EA	98						
7490-00-813-0152	Embossing Machine, Identification Tape Fed. Spec., 00-E-491E, Type III, Class A, Style 2 NPN	X		EA	1						
6640-00-290-6717	Stand, Laboratory, Apparatus Support, Fed. Spec., NNN-S-00750A, Type I, Grade A, Size 2 (22527) 14-610B	X		EA	2						
6640-00-359-9982	Strainer, 100 mesh (64484) S-67386	X		EA	1						
6640-00-440-1300	Stand, Laboratory Apparatus Support, Fed. Spec., NNN-S-00750A, Type I, Grade B, Size 2 (u/o ASTM D-94) (96906) MS36020-1	X		EA	2						
6640-00-359-9982	Strainer, 100 mesh (64484) S-67385	X		EA	2						
6640-00-392-8643	Support Arm, Funnel ('6906j) MS3602i-1	X		EA	2						
5210-00-221-1886	Tape, Measuring, Tank Gauge, 50 ft. w/bob, MIL. Spec. T-16644, NPN	X		EA	1						
6630-00-359-9758	Cup, Flash Point, Tag Closed (u/o ASTM D-56) (22527) 13-510-10										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-846-3602	Bomb, Sampler (Bacon) (u/o ASTM D-270) (22527)	X		EA	1						
4010-00-171-4512	Chain, Sash, Fed. Spec. RR-C-271B (Part of Testing Kit, NSN 6630-00-151-5310 NPN	X		EA	1						
5340-00-847-4608	Eyebolt, Swivel , (Part of Testing Kit, NSN 6630-00-151-5310)NPN	X		EA	1						
5365-00-649-7029	Ring, Retaining, Spiral , MIL-R-27426A Type I, Class I (Part of Testing Kit, NSN 6630-00-151-5310) NPN	X		EA	3						
5999-00-263-1051	Clip, Electrical, Battery Type, (Part of Testing Kit, NSN 6630-00-151-5310) (64484) S-31115C	X		EA	10						
6695-00-359-9944	Sampler, Oil (Part of Testing Kit, NSN 6630-00-151-5310) (22527) 13-417	X		EA	3						
6630-00-359-9759	Cup, Flash Point, Pensky Martens, Closed (u/o ASTM D-93-73) (22527) 13-507	X		EA	1						
4520-00-401-3903	Heater, Faucet, Electric NPN	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 9 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6625-00-691-6605	Multimeter, Range -0 to 1200v, w/2 Test Leads (60741) Model 310	N		EA	1						
NNSN	Case Multimeter (22527) 9-522-15	X		EA	1						
5905-00-448-5326	Theostat (Tetraethyl Lead Apparatus), (u/o ASTM 526-70) (48619) 235052	X		EA	2						
6640-00-360-0067	Wrench , For Gum Stability Bomb (80740) 68-430 (u/o ASTM D-525-74) (48619) 74741	X		EA	1						
6145-00-192-1698	Wire, Resistance, No. 28 Awg, Fed. Spec., QQ-R-175A, Composition E, 1/4 lb. Spool NPN	X		EA	1						
6145-00-299-5186	Wire, Solid Conductor Uninsulated, 16 Awg. Fed. Spec., QQ-W-3430, Type S., 1 lb Spool (8'1348) QQW343	X		EA	1						
6640-00-404-2760	Hotplate, Laboratory, w/Support Rod (48619) 61 729-HP3	N		EA	1						
6640-00-522-1892	Positioner, Ionizing Unit (0781, I BF1	X		EA	1						
6630-00-359-9655	Bomb, Oxidation Stability (u/o ASTM D-525-7 and D-873-74) (48619) 74740	X		EA	1						
6810-00-051-5872	Ligroine, 1 Gal. Bottle, Fed. Spec., 0-C-265A, (u/o ASTM D-2276-73) NPN	X		EA	1						
6810-00-815-6105	Xylene, ACS, 1 Gal. Per Bottle u/o ASTM D-56 and D-95-70) (64484) BK-9490	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6810-00-543-7415	Alcohol, Denatured, 1Gal. Bottle, Fed. Spec. 0-E-760B Grade III, (u/o ASTM D-94 and F-5415) (22527) A-207	X		EA	1						
6810-00-227-0410	2-Propanol , ACS, (CH3) 2CHOH, 1 Gal. Bottle, Fed. Spec. 0-C-265A NPN	X		EA	1						
5350-00-184-6255	Carborundum Powder, 150 Grit 1 lb can, Mil. Spec., A-21380B, Type III, Mod. Grade, (u/o ASTM D-130-75) (22527) C-190	X		EA	1						
6850-00-231-1985	Solvent, Drycleaning 1 Gal. Bottle, Fed. Spec., P-D-680, Type I(u/o ASTM D-092-74) NPN	X		EA	1						
6635-00-359-9827	Dropping Point Apparatus (u/o ASTM D-566-76) (48619) 73455	D		EA	1						
NNSN	Refractory Top, 500 to 800 M1 Rd Bottom Flasks (u/with Dropping Point Apparatus) (48619) 61820			EA	3						
6640-00-980-5002	Heater, Electric (48619) 61600	D		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 11 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6810-00-146-7520	Acid, Sulfuric, ACS, H2S04, Fed. Spec., D-C-265A (u/o ASTM D-1094-72) (5PTPER 9 lb Bottle) NPN	X		EA	2						
6640-00-428-4490	Chart, Kinematic Viscosity, Per Pad, (u/o ASTM D-341-74) (80740) 69-883	X		EA	1						
6810-00-281-2002	Toluene, Technical , Fed. Spec. TT-T-548D (u/o ASTM D-1796-68) 1 Gal. Bottle NPN	X		EA	1						
6810-00-222-9675	Potassium Dichromate , ACS, Crystal Form, 1 lb. Bottle, Fed. Spec., O-C-265A (22527) P-188	X		EA	1						
6640-00-438-6881	Trap, Distilling Crankcase Dilution (u/o ASTM D-322-67) (14674) 3582	X		EA	1						
6640-00-403-9341	Pump Filter, Laboratory (75278) 38004	X		EA	1						
6640-00-445-6625	Tube, Centrifuge, Fed. Spec. NNN-T-780B, Type I, (u/o ASTM D-91-61 and D-1796-68]1½6906) MS36165-1	X		EA	1						
6635-00-025-9152	Jar, Cold Test (u/o ASTM D-97-66) (14674) 6900	X		EA	4						
6640-00-445-5000	Tube, Drying, Fed. Spec. NNN-T-792A, Tvpe I, Size 2 (96906) MS'618i-2	X		EA	2						
6640-00-081-6553	Condenser, Reflux Extract (u/o ASTM D-95-70) (22527) 7-722B	X		EA	2						
6640-00-410-4462	Receiver, Distilling (u/o ASTM D-95-70) ('14674) 3611-25	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-925-6649	Receiver, Distilling (u/o ASTM D-95-70) (14674) 3611 -25	X		EA	1						
6640-00-925-6649	Receiver, Distilling (u/o ASTM D-95-70) (14674) 3611-10	X		EA	1						
6640-00-061-8966	Test tube, Fed. Spec. DD-G-541B, Type I, Class A (22527) 14-955G	X		EA	5						
6640-00-061-8967	Test tube, Fed. Spec. DD-G-541B, Type I, Class A (22527) 14-955K	X		EA	5						
6640-00-290-6551	Crucible, Filtering, 50 MI, Cap., (u/o ASTM D-873-74) (96906) MS36089-4	X		EA	2						
6640-00-298-7258	Test tube, Fed. Spec. NNN-T-189A, Type I, Style II (22527) 14-960D	X		EA	6						
6640-00-899-8976	Crucible, Filtering, 30 MI, Cap (22527) 08-227-1B	X		EA	2						
6640-00-404-0657	Crucible, Filtering, 5 Micron, Fine Porosity (22527) 8-226-10B	X		EA	3						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 13 OF 72 PAGES.

DA FORM 2062
JAN 82

EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-290-6791	Crucible, Ignition, Fed. Spec. NNN-C-00680A, Type I, Size 5 (96906) MS35966-5	X		EA	4						
6640-00-550-6287	Crucible, Ignition, Fed. Spec. NNN-C-0068A, Type I, Size 6 (u/o ASTM D-189) (14566) 250 Size 3	X		EA	2						
6640-00-419-3050	Crucible, Filtering, Fine Porosity, 30 M1, MIL. Spec., C-3659A (22527) 8-236-1C	X		EA	3						
6640-00-404-8001	Bottle, Dropper, 60 MI, Fed. Spec., NNN-B-00194, Type II, Class II, Grade B, Size 2, (u/o ASTM D-2276-73) (22527) 2-992B	X		EA	4						
6640-00-359-9753	Holder , Filtering Crucible, Water (22527) 08-285	X		EA	6						
6640-00-410-1915	Holder, Crucible, Bordsilicate Glass (22527) 08-238B	X		EA	2						
6640-00-290-6570	Cylinder, Graduated, 10 M1 Cap, O.I M1 Graduated _ Interval, Fed. Spec. NNN-C-940B, Style I, Size 2, Type I (14674) 3042-10	X		EA	2						
6640-00-404-2757	Test tube, Flat, for Copper Strip Test, (u/o ASTM_ D-130-75) (22527) 13-420-45	X									
6640-00-290-6923	Funnel, Common, Bordsilicate Glass 50 mm (22527) 10-326A	X		EA	3						
6640-00-9128656	Cylinder, Graduted5 MI, Cap 0.1 MI Interval Graduated (807401 28-476-5	X		EA	4						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-360-0046	Test Tube, Melting Point Determination (u/o ASTM D-5666-76) (48619) 73461	X		EA	2						
6640-00-502-3550	Bottle, Dropper, Pyrex, 30 M1 Cap, Fed. Spec. NNN-B-001194, Type II, Class I, Grade A , Size 1, (u/o ASTM D-2276-73) (14674) 1340-30	X		EA	2						
6630-00-471-5301	Analine Point Apparatus, (u/o ASTM D-611-64) (48619) 73478	X		EA	2						
6640-00-899-6901	Cylinder, Graduated, 50 M1 Cap, I.Q M1 Graduated (22527) 08-549-5D	X		EA	3						
6640-00-883-8516	Cylinder, Graduated, 100 M1 Cap, (u/o ASTM D-86) (22527) 08-552E	X		EA	4						
6640-00-420-6000	Cylinder, Graduated, 100 M1 Cap, Fed. Spec., NNN-C-940B, Style II, Size 6 (96906) MS35947-6	D		EA	3						
6640-00-899-8993	Funnel, Filtering, Buchner Type, 150 M1 Cap., 600 mm Dia. (22527) 10-358M	X		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 15 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
8125-00-263-8241	Bottle, Stopper, Pyrex, Etched Label "Acetic Acid" (14674) 1420-2L105	X		EA	1						
8125-00-263-8245	Bottle, Stopper, Pyrex, Etched Label "Hydrochloric Acid" (14674) 1420-2L290	X		EA	1						
6640-00-159-4441	Bottle, Stopper, Reagent, Etched Label "Methyl Orange" (80740) 6-730-L335	X		EA	1						
8125-00-263-8262	Bottle, Stopper, Reagent, Etched Label "Nitric Acid Cond" (14674) 1420-2L345	X		EA	1						
8125-01-119-3933	Bottle, Stopper, Reagent, Etched Label "Potassium Dichromate" (14674) 6-730-L480	X		EA	1						
8125-00-263-8254	Bottle, Stopper, Reagent, Etched Label "Sulfuric Acid Oil" (14674) 1420-2L465	X		EA	1						
6640-00-290-6817	Breaker, Glass, 100 M1 Cap., Fed. Spec., NNN-B-175B, Type III, (u/o ASTM D-38) (14674) 1040-100	X		EA	10						
6640-00-890-0881	Breaker, Glass, 100 M1 Cap., Fed. Spec., NNN-B-175B, Type I (81348) NNN-B-175	X		EA	4						
6640-00-403-1500	Breaker, Glass, 50 M1 Cap., Fed. Spec., NNN-B-175B, Type I (96906) MS35992-4	X		EA	3						
6640-00-377-9383	Freezing Point Apparatus, (u/o ASTM D-2386) (65662) 5932-022	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-436-9939	Tube, Freezing Point Apparatus (u/w 80 740) 67-990 (00115)	X		Ea	1						
6640-00-494-3959	Cylinder, Graduated, 25 M1 Cap., 0.2 mm Graduated Interval, Fed. Spec., NNN-C-9048, Style I, Size 4 (u/o ASTM D-56) (96906) MS35943-4	X		EA	2						
6640-00-459-5936	Gland and Stirrer (u/o ASTM D-2386) (80740) 67-990-09	X		EA	1						
6640-00-942-4397	Breaker, Glass, 1000 M1 Cap., Fed. Spec. NNN-B-175B, Type I, Mod, 1000 M1 Cap. (14674) 1000-1L	X		EA	2						
6640-00-359-9870	Jar, Cylindrical, Glass, (u/o ASTM D-86) (14674) 6920	X		EA	1						
6640-00-899-2784	Breaker, Glass, 2000 M1 Cap., Fed. Spec., NNN-B-175B, Type 1, 2000 MI, (u/o ASTM D-322-67) (14674) 1000-2L	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 17 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-558-0651	Flask, Boiling, 1000 M1 Cap No.24/40 Std Stopper, Fed. Spec., NNN-F-2400, Type I, Class 2, Style III, Size 4, (u/o ASTM D-95-70 and F-322-67) (96906) MS36055-11	X		EA	2						
6640-00-551-9224	Flask, Erlenmeyer, (Boron-Free) Glass, 300 M1 Cap., (u/o ASTM D-94) (22527) 10-106	X		EA	2						
6640-00-942-4393	Beaker, Glass, 250 M1 Cap., Fed. Spec., NNN-B-175B, Type I, (14674) 1000-250	X		EA	3						
6640-00-942-4394	Breaker, Glass, 400 M1 Cap. , Fed. Spec., N NN-B-175B, Type I (75278) 14000	X		EA	4						
6640-00-526-8491	BreakersGlass, 500 M1 Cap., (14674 1060-500	X		EA	2						
6640-00-942-4395	Breaker, Glass, 600 M1 Cap., Fed. Spec., NNN-E-175B, Type I, Size 600 (14674) 1000-600	X		EA	3						
6640-00-425-8000	Flask, Volumetric, Gldss, 500 M1 Cap, Fed. Spec. NNN-F-289C, Type I, Class A Grade 2, Size 500 (96906) M536068-6	X		EA	2						
6640-00-425-9000	Flask, Volumetric, Glass, 1000 M1 Cap., Fed. Spec. NNN-F-289C, Type I Class A, Grade 2Size 1000 (96906) MS36068-7	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
NNSN	Boards, Distillation (u/o Distillation Units NSN6640-00-359-9772 and NSN 6640-00-257-2118) (48619) 76029	X		EA	2						
6630-00-403-0420	Bath, Utility, Constant Temperature (u/o ASTM D-94) (48619) 66643	D		EA	1						
6630-00-359-9730	Test Bath, Cloud and Pour Point, (u/o ASTM D-97-66) (93282) K460	D		EA	1						
NNSN	Stirrer: Part of Dropping Point Apparatus, NSN 6640-00-359-9827 NPN	X		EA	1						
6640-00-403-9348	Shaft, Stirrer, (u/o ASTM D-93-73) (80740) 67-948 Condenser (Part of Corrosion, NSN 6640-00-522-1886) (Fig, B-8, Item 61) NPN	X		EA	1						
6640-00-531-5022	Stirrer, Slo-Speed (u/o ASTM D-93-73) (48619) 75765	X		EA	2						
6640-00-404-2756	Holder, Polishing, 4 unit (u/o ASTM D-130-75) (22527) 13-420-40	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 19 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-403-9348	Shaft and Propeller, (Part of Dropping Point Apparatus, NSN 6640-00-359-9827) (Fig. B-7, Item 59) NPN	X		EA	1						
6640-00-522-1886	Bath Corrosion Test (u/o ASTM D-130-75) (48619) 75037	X		EA	1						
6630-00-359-9892	Viscometer, Cannonfenske Transparent type, Calibrated, Size 500 (u/o ASTM D-445-74) (22527) 13-617K	X		EA	1						
6630-00-359-9893	Viscometer, Cannonfenske Transparent Type, Calibrated, Size 600 (u/o ASTM D-445-74) (22527) 13-617L	X		EA	1						
6630-00-450-5699	Viscometer, Cannonfenske Opaque Type Reverse Flow, Calibrated, Size 600 (u/o ASTM D-445-74) (22527) 13-615-5L	X		EA	2						
6630-00-450-3479	Viscometer, Cannonfenske Opaque Type Reverse Flow, Calibrated, Size 500 (u/o ASTM D-445-74) (22527) 13-615-5K	X		EA	2						
6630-00-359-9891	Viscometer, Cannonfenske Opaque Type Reverse Flow, Calibrated, Size 400 (u/o ASTM D-445-74) (22527) 13-615-5H	X		EA	2						
6630-00-359-9890	Viscometer, Cannonfenske Opaque Type Reverse Flow, Calibrated, Size 300, (u/o ASTM D-445-74) (22527)	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6630-00-359-9889	Viscometer, Cannonfenske Opaque Type Reverse Flow. Calibrated. Size 200, (u/o ASTM D-445-74) (22527) 13-615E	X		EA	2						
6630-00-359-9888	f Viscometer, Cannonfenske Opaque Type Reverse Flow, Calibrated, Size 100 (u/o ASTM D-445-74) (22527) 13-615-5C	x		EA	2						
6630-00-359-9886	Viscometer, Cannonfenske Transparent Type, Reverse Flow, Calibrated, Size 25 (u/o ASTM D-445-74) (22527) 13-617A	X		EA	1						
6630-00-397-9293	Viscometer, Cannonfenske Transparent Type, Reverse Flow, Calibrated, Size 50, (u/o ASTM D-445-74) (22527) 13-617B	X		EA	2						
6630-00-359-9903	Viscometer, Cannonfenske Transparent Type, Calibrated. Size 100 (u/o ASTM D-445-74) (22527) 13-617C	X		EA	2						
6630-00-359-9904	Viscometer, Cannonfenske Transparent Type, Calibrated Size 200, (u/o ASTM D-445-74) (22527) 13-617E	X		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 21 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6630-00-397-9309	Viscometer, Cannonfenske Transparent Type, Calibrated E Size 400 (u/o ASTM D-445-74) (22527) 13-617H	X		EA	2						
6630-00-397-9311	Viscometer, Cannonfenske, Transparent Type, Calibrated, Size 450 (u/o ASTM D-445-74) (22527) 13-617J	X		EA	1						
6640-00-359-9985	Support, Sediment Apparatus, (u/o ASTM D-473) (80740) 68-825-06	X		EA	1						
6640-00-360-0011	Thimble, Extraction (u/o ASTM D-473) (22527) 09-661B	X		EA	2						
6640-00-494-3726	Bulb, Pressure or Suction, 6 in., (u/o ASTM D-611-64) (96906) M1S36074-1	X		EA	2						
6640-00-522-1890	Ionizer, Air (u/o ASTM D-2276-73) (07818) 2U500	X		EA	2						
6640-00-090-4469	Cup, Glass, Sediment Apparatus (u/o ASTM D-473) (58692) 36308	X		EA	2						
5210-00-619-7036	Level and Plumb, 9 in. Ig, Fed. Spec. GGG-L-211C Type I, Class I. Style A NPN	D		EA	1						
6630-00-337-6890	Liner, Bomb. with cover (u/o ASTM D-873-74) (80740) 68-442	X		EA	4						
NNSN	Tube, Suction for Syrnge, i12 in. Ig. (u/o ASTM D-322-67) (80740) 93-4700	X		EA	1						
6685-00-975-0041	Thermometer, Self Indicating, B , Metallic, O to 220 Deg. (u/o ASTM D-217-68) (48619) 73503	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6615-00-068-5022	Syringe, Luer, 100 cc Cap., (u/o ASTM D-322-67) (80740) 2307-100	X		EA	1						
6640-00-440-7000	Stopcock, Straight, 2 mm Bore, (u/o ASTM) (96906) MS35988-2	X		EA	2						
6640-00-852-3452	Stopcock, Straight, 4 mm Bore, (22527) 14-555B	X		EA	2						
6685-00-411-5489	Thermometer, Self Indicating, B, Metallic, O to 200 Deg. (48619) 31024	X		EA	1						
6640-00-310-8550	Stone, Foam Test Apparatus, (u/o ASTM D-892-74) (80740) 67-973-01	X		EA	2						
6685-00-239-4937	Thermometer, Cup and Case (Part of Testing Kit NSN 6630-00-151-5310) (80740) 80-886-02	X		EA	1						
4520-00-401-3904	Element, Infrared Heater, 375 Watts (80740) 42-706-02	X		EA	2						
6640-00-404-2759	Pipette Safety Control (u/o ASTM D-611-64) (22527) 13-681-10	X		EA	1						
6640-00-926-1313	Funnel, Separatory, 125 MI (u/o ASTM D-2276-73) (22527) 10-437B	X		EA	3						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 23 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-427-1000	Funnel , Separatory, 250 M1 (u/o ASTM D-974-64 and D-2276-73) (22527) 10-437C	X		EA	2						
4440-00-192-7595	Drying Apparatus, Air Gas (Indicating Drierete is Blue and when exhausted, turns Pink) (u/o ASTM D-892-74) (80740) 31-364	X		EA	2						
6640-00-244-4341	Cylinder, Hydrometer (21519) G6850	X		EA	2						
6640-00-290-6543	Cylinder, Graduated, Glass, Fed. Spec., NNN-C-940B, Style 1, Size 8, Type I, (u/o ASTM D-2276-73) (22527) 08-549-5G	X		EA	2						
6640-00-290-6936	Flask, Iodine, with Stopper, 250 M1, (22527) 10-094B	X		EA	2						
6640-00-424-4000	Flask, Erlenmeyer, Glass, 250 MI, Fed. Spec., NNN-F-240C, Type IV, Class I, Style I, Size 5, 1/4u/o ASTM D-974-64) (96906) MS36062-5	X		EA	3						
6640-00-290-6872	Flask, Erlenmeyer Glass, Graduated 50 to 200 M1, (u/o FTMS F-5415) p22527) 10-090B	X		EA	2						
6640-00-425-6000	Flask, , Volumetric, Glass, 100 M1I , Fed. Spec., NNN-F-289C, Type I, Class A, Grade 1 or 2, Size 100 MI (96906) MS36068-4	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-432-8500	Flask, Distilling, Glass, 125 MI, Fed. Spec., NNN-F-240C, Type III, Class I, Style I, Size 3 (u/o ASTM D-86) (96906) MS36058-3	X		EA	2						
6640-00-424-2000	Flask, Erlenmeyer, Glass 50 Mi, Fed. Spec., NNN-F-240C, Type III, lass I, Style I, Size 3 (96906) MS36062-3	X		EA	3						
6640-00-404-2750	Tetraethyl Lead Apparatus (00115) NICHROME E1039-99	X		EA	2						
6640-00-935-4270	Flask, Erlenmeyer, Glass, Graduated, 500 M1 (22527) 10-090C	X		EA	3						
6640-00-935-4270	Flask, Erlenmeyer, Glass, Ungraduated, 500 M1, Fed. Spec., NNN-F-240C, Type IV, lass I, Style I, Size 6 (96906) MS36062-7	X		EA	3						
6640-00-424-8000	Flask, Filtering, Glass, 500 M1, Fed. Spec., NNN-F-240C, Type V, Size 4 (96906) MS36062-7	X		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 25 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-424-6000	Flask, Erlenmeyer, Glass, 1000 MI, Fed. Spec., NNN-F-240C, Type IV, Class I, Style I, Size 7 (96906) MS36062-9	X		EA	2						
6640-00-522-1888	Flask, Filtering, 1000 M1 , Glass, Fed. Spec., NNN-F-240C, Type V, Size 5, (u/o ASTM D-2276-73) (22527) 10-181F	X		EA	2						
4540-00-401-3905	Heater, Infrared, II5 v.60 HZ, w/cord (22527) 11-504-50	X		EA	1						
6645-00-235-4685	Timer, Electrical (22527) 6-657	X		EA	1						
6640-00-244-9478	Kit, Detector, Water Aviation and Automotive Fuel (52218) GTP-523 MM-Series II	N		EA	1						
NNSN	Thermoregulator; Used with Bath, Foam Test Apparatus NSN 6640-00-359-9678 NPN	N		EA	1						
6670-00-436-9857	Balance, Double Beam (u/o Weights) (22527) 2-052-5D	N		EA	1						
6640-00-482-7235	Stirrer-Hot Plate, Magnetic, (u/o ASTM D-322-67) (53078) S-40990	D		EA	1						
6630-00-038-7007	Meter , PH; Chem-mat (80740) 72002 72003W587Z94KIT	X		EA	1						
6640-00-438-0000	Pipet, Volumetric, Glass 25 M1, Fed. Spec., NNN-P-395C, Type I, Class A, Grade 2 (96906) MS35985-9	X		EA	4						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
----------------------	--------------------------------------------------	--------------------------------------------------------	-----------------------------------------------	--------------------------------------	----------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-438-0250	Pipet, Volumetric, 50 M1, Fed. Spec., NNN-P-395C, Type I, Class A, Grade 2 (96906) MS35985-10	X		EA	2						
6640-00-437-9000	Pipet, Volumetric, Glass, 10 M1 , Fed. Spec., NNN-P-395C, Type I, Class A, Grade 2 (96906) MS35985-6	X		EA	3						
6640-00-558-0580	Pipet, Volumetric, Glass, 5 M1 , Fed. Spec., NNN-P-395C, Type I, Class A, Grade 2, (u/o ASTM D-611-64 and D-1012) (96906) MS35985-5	X		EA	4						
6640-00-558-0575	Pipet, Volumetric, Glass, 2 Ml, Fed. Spec., NNN-P-395C, Type I, Class A, (u/o ASTM D-611-64 and D-1012) (96906) MS35985-2										
6640-00-410-0000	Burette, Straight, Calibrated, Graduated at 0.1 M1, 50 M1 Cap., Fed. Spec., NNN-B-789, Type I, Style I, Class A, Grade 2, Size 6 (u/o ASTM D-94 and D-974-64) (96906) MS359713	X		EA	3						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 27 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-409-9000	Burette, Straight, Calibrated Graduated at 0.1 M1, 25 M1 Cap., Fed. Spec., NNN-B-789, Type I, Class A, Style I, Grade 2, Size 5, (u/o ASTM D-94) (96906) MS35971-2	X		EA	3						
6640-00-409-8500	Burette, Straight, Calibrated, Graduated at 0.005 M1, 10 M1 Cap., Fed. Spec., NNN-B-789, Type I, Class A, Grade 2, Size 4, (u/o ASTM D-94 and D-974-64) (96906) MS35971-1										
6640-00-252-5205	Paper, Filter, 12.5 Cm Dia., Fed. Spec., NNN-P-1475A, Type II, Class 8, (100 per box) (96906) MS36097-27	X		BX	1						
6640-00-985-2096	Disc, Filtering, Micro Porous, 25 mm Dia., (u/o ASTM D-2276-78) (08071) Ramp-025-00	X		EA	2						
6640-00-176-5088	Holder, Filtering Disc (u/o ASTM D-2276-73) (08071) MOOO-037-PO	X		EA	3						
NNSN	Clamp, Hose, with Allen Wrench (Part of Kit , Fuel	X		EA	2						
6640-00-488-5221	Rod, Stirring, I.Q. in. lg. (53629) S-6363	X		EA	2						
NNSN	Regulator, Foam, Test (Part of Bath, Foam Test Apparatus, NSN 6640-00-359-9628) NPN	N		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
--------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
NNSN 4720-00-640-0329	Shaft, Stirrer, Flexible (80740) 77-881-01 Tubing, Gum Rubber 3/8 in. ID, 4 ft. lg., Fed. Spec., ZZ-T-831C, Type 5, Class 2, (u/o ASTM D-2276-73) (08071) XX71-000-04	X X		EA EA	1 2						
6640-00-404-2758	Pipet, 10 M1, Graduated, (u/o ASTM D-2276-73) (08071) XX10-047-09	X		EA	1						
9150-00-965-2408 NNSN	Stopcock Lubricant (22527) 14-635-5D Stirrer, (Part of Kit, Fuel Sampling, NSN 6665-00-496-9623) NPN	X X		EA EA	1 2						
NNSN	Tubing, Plastic, (Part of Kit, Fuel Sampling, NSN 6665-00-496-9623) NPN	X		EA	1						
6640-00-055-0071	Stretcher, Rubber Tubing (22527) 14-196	X		EA	1						
6670-00-263-0249	Forceps, Analytical Balance Weights (22527) 2-354	X		EA	1						
7530-00-526-9792	Label, Gummed, Fed. Spec., UU-L-49D, Type I, Class A, Style 2 (90 Per Box) (22527) 11-850E	X		BX	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 29 OF 72 PAGES.

DA FORM 2062
 JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-290-0146	Litmus Paper, ACS, 5 cm lg, Blue, 100 Per Vial (96906) MS36253-2	X		EA	4						
6640-00-290-0147	Litmus Paper, ACS, 5 cm lg, Red.100 per Vial (96906) MS36253-1	X		EA	4						
NNSN	Test Tube, 15 MI, (Part of Fuel Sampling Kit, NSN 6665-00-496-9623) (08071) XX20-47-11	X		EA	1						
6640-00-426-0315	Forceps, Flat Bladed (u/o ASTM D-2276-73) (81348) NNNFOO1643	X		EA	1						
6850-00-270-5526	Paste, Gasoline Indicating, (Part of Petroleum Testing Kit, NSN 6630-00-151-5310) (22527) 13-634-10	X		EA	1						
6630-00-442-9005	Test Paper, Hydrion, Fed. Spec. O-P-94A Long Range, A and B, Class A (22527) A-988	X		EA	1						
6850-00-090-1361	Paste, Water Indicating (Part of Petroleum Testing Kit, NSN 6630-00-151-5310) (22527) 13-634-5	X		EA	1						
8030-00-889-3535	Tape, Antiseizing MIL. Spec., T-27930A, Size II (81349). MIIL-T-2//30	X		EA	2						
6640-00-985-2099	Disc, Filtering, 25 mm Dia., (u/o ASTM D-2276-73) 100 Each (08071) HAWP-025-00	X		EA	1						
9150-00-965-2408	Stopcock Lubricant Silicone, 2 oz. Jar (7'1984) High Vacuum Grease	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1.</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
---------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
--------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
7530-00-663-3949	Lable. Opaque, Red. Fed. Spec. L-L-0040.33 Ft. Roll 11-876-1 0A	X		EA	2						
6640-00-291-8724	Paper, Filter, Qualitative, 100 Each, Fed. Spec NNN-P-1475A, Type 2, Class 7 (96906) MS36097-27	X		EA	2						
6640-00-436-9920	Paper, Filter, 37 mm, 100 Each, (u/o ASTM D-2276-73) (08071) AAWP-037-00	X		EA	1						
NNSN	Plugs, Protective, Fuel Monitor, (Part of Kit, Fuel Sampling, NSN 6665-00-496-9623 NPN	X		EA	24						
6640-00-252-5198	Paper, Filter, Qualitative, 100 Each, Mil. Spec., P-0036551, Type I, Class 1, Grade I, Style I (22527) 09-825D	X		EA	1						
6640-00-866-1427	Paper, Filter, Qualitative, 100 Each, Fed. Spec., NNN-P-1475A; Type I, Class L, Grade I, Style I (96906) MS36097-14	X		EA	1						
6640-00-083-5308	Paper, Filter, 47 mm, (u/o ASTM D-2276-73) (08071) HAWP-047-00	X		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 31 OF 72 PAGES.

DA FORM 2062
 JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-967-0501	Disc, Filtering, Micro Porous, 47 mm, (u/o ASTMD-2276-73) (08071) AAWP-047-00	X		EA	1						
NNSN	Plugs, Protective, Fuel Monitor, (Part of Kit, Fuel Sampling, NSN 6665-00-496-9623) NPN	X		EA	24						
6640-00-252-5198	Paper, Filter, Qualitative, 100 Each, Mil . Spec., P-0036551, Type I, Class 1 .Grade I, Style I (22527) 09-825D	X		EA	1						
6640-00-866-1427	Paper, Filter, Qualitative, 100 Each, Fed. Spec., NNN-P-1475A; Type I, Class L. Grade I, Style I (96906) MS36097-14	X		EA	1						
6640-00-083-5308	Paper, Filter, 47 mm, (u/o ASTM D-2276-73) (08071) HAWP-047-00	X		EA	2						
6640-00-967-0501	Disc, Filtering, Micro Porous, 47 mm, (u/o ASTMD-2276-73) (08071) AAWP-047-00	X		EA	1						
6640-00-252-5202	Paper, Filter, Qualitative, Whatman No. 40, 12.5 cm Dia., (u/o ASTM D-482-74) (22527) 09845E	X		EA	1						
6685-00-194-1707	Thermometer Set.M36 to P761DEGF (53629) T-3790	X		EA	1						
6640-00-323-8689	Corrosion Test Strip Copper, (u/o ASTM D-130-75) (96906) MS36252-1	X		EA	24						
6645-00-126-0286	Stopwatch, 30 min. to 1/5 second, MIL. Spec. S-1L823 (81349) MIL-S-14823	N		EA	4						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
------------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6680-00-762-4057	Flowmeter, Precision (22527) 11-164-50	X		EA	1						
6640-00-074-3339	Corrosion Reference Standards for ASTM D-130-75, (13 Each Test Strips) (81346) 12-401300-00	X		EA	1						
6640-00-436-9926	Kit, Glass Tubing Repair, 5 mm to 12 mm O.D. (21519) 82-460-02	X		EA	1						
6640-00-084-5080	Paper, Bibulous (Drying) (50 Sheets per Book) (22527) 11-998	X		EA	1						
6640-00-290-2241	Wing Top, for Gas Burner (22527) 03-995B	X		EA	1						
6670-00-351-2356	Weight Set, Balance, Class S, (8 Each, Unit Weights and, 8 Each Fractional Weights) (22527) 2-214A	D		EA	1						
6630-00-522-1893	Bomb, Test, Copper Strip(u/o ASTM D-130-75) (22527) 13-420-20	X		EA	2						
6640-00-442-5100	Rack, Test Tube,Cres, 14 Tube (22527) 14-810-37	X		EA	2						
5210-00-293-3505	Tape, Measuring, 72 in. Lg., Fed. Spec., GGG-T-106D, Type V, Class B, Style 2 (81348) GGG-T-106	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).

PAGE 33 OF 72 PAGES.

DA FORM 2062
JAN 82

EDITION OF JAN 58 IS OBSOLETE.

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6670-00-803-9680	Weight Set, Balance 1 to 1000 g (13 Each per Set) (81348) AAAW200	D		EA	1						
6640-00-410-1917	Stopcock, Plastic, Tapered Ends, 3/8 in. to 1/4 in. (05618) 6070-30	X		EA	6						
NNSN	Receiver Distilling, Outer 24/40 Joint Top, Inner 24/40 Joint Side (u/o ASTM D-322-67) (14674) 3582	X		EA	2						
6640-00-244-441	Cylinder, Ungraduated Glass, w/Spout, (u/o ASTM D-287) . (14674) 2962-250	X		EA	1						
6640-00-899-6375	Flask, Dewar, Evacuated, Glass, 1900 mm Cap ., (u/o ASTM D-322-67) (14674) 3767-10	X		EA	1						
6640-00-494-3923	Tube, Connecting 3 Way, 75 Deg., (u/o ASTM D-322-67) (14674) 8980-24	X		EA	2						
6640-00-857-6877	Flask, Boiling, Glass Long Neck Joint Size 24/40, (u/o ASTM D-95-70) (14674) 4300-500	X		EA	2						
6640-00-852-3013	Adapter, Glass, Curved, 20/40 Joint (u/o ASTM D-322-67) _ .i4674 1/2 _840-2__	X		EA	2						
6640-00-069-2747	Bottle, WashingG03uthUnlversal, 500 M1 Cap (22527) 03-403-10	X		EA	2						
6640-00-494-3922	Tube Connecting, Glass, 1 05 Deg. 24/40 Joint w/suction Tube, (u/o ASTM D-322-67) (14674) 8945-24	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------------	--------------	------------	----------------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION MOBILE PETRO LABORATORY	PUBLICATION NUMBER TM 5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY
------------------------------	---------------------------------------------------------	---------------------------------------------------------------	------------------------------------------------------	---------------------------------------------	-----------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-477-3274	Tube, Centrifuge, Glass, 100 mm Cap., (u/o ASTM D-322-67, D-1796-68, D-2273) (14674) 8160-100	X		EA	2						
6640-00-899-8980	Tower, Drying, Calcium Chloride, Glass 300 mm H, (u/o ASTM D-892-74) (53629) 9320-300	X		EA	1						
NNSN	Tube, Delivery, Bent (Part of Washing, Bottle, NSN 6640-00-069-2747) NPN	X		EA	1						
6665-00-496-9623	Kit Fuel Sampling (08071) XX64-037-30	X		EA	1						
6630-00-713-2097	Tester, Aqua, with Magnifying Prism, (w/o Color Standards) (u/o ASTM) (90767) 611A	X		EA	1						
6640-00-893-3096	Hydrosol, Stainless, 47 mm, (u/o ASTM D-2276-73) (08071) XX20-047-20	D		EA	1						
6680-00-526-6889	Tachometer, Hand (22527) 5-097	X		EA	1						
6680-00-496-9612	Shaft, Extension, 300 mm, (For Hand Tachometer, NSN (22527) 5-097-5	X		EA	1						
6680-00-526-6389	Color, Disc, Blue, Green, Purple and Brown Gasoline	X		EA	1						
6630-00-789-0486	Colorants, (u/o ASTM D-2392) (90767) 611-95										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 35 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6630-00-789-0487	Color, Disc, Red Gasoline Colorants, (u/o ASTM D-2392\$ (90767) 611-96	X		EA	1						
6630-00-789-0488	Color, Disc, Red Gasoline Colorant, (For Army Spec., MIL-G-3056), (u/o ASTM D-2392) (90767) 611-97	X		EA	1						
6640-00-235-3820	Pad, Water Detector (25 Per Box) (Used with Testing Kit, 6640-00-244-9478) (32218) GTP25	X		BX	2						
6640-00-551-4082	Burner, Gas (For LP Gas) (22527) 3-902P	X		EA	1						
7510-00-821-0285	Ink, Recording,Instr., Red, (u/o ASTM D-525-74 and D-873-74) (22527) 13-940-724	X		EA	1						
7510-00-267-9249	Ink, RecordingInstr., Blue, (u/o ASTM D-525-74 and D-873-74) (22527) 13-940-725	X		EA	1						
6640-00-688-7882	Dispenser, Filtering Solvent, 25 mm, (u/o ASTM D-2276-73) (08071) XX66-025-00	X		EA	2						
6685-00-179-2534	Thermoregulator, Micro-Set (20056) 81-608-01	X		EA	3						
6685-00-179-2533	Guard, Thermoregulator (48619) 62543	X		EA	1						
NNSN	Thermoregulator, (Part of Bath, R.V.P. NSN 6630-00-353-'3629) (48u6i9 522235	X		EA	2						
NNSN	Thermoregulator, (Part of Bath, Kinematic Viscosity, NSN 6630-00-404-2753) NPN	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-410-1912	Rod, Laboratory Frame, 1/2 X 48 Ig., Aluminum (48619) 69416	X		EA	2						
6640-00-410-1911	Connector, Laboratory Frame, End-to-End Type, 1/2 in. Rods (48619) 69403	X		EA	2						
NNSN	Cup, Suction (1/2 in. Hole) (29227) I00	X		EA	2						
6810-00-282-2910	Asbestos-Sodium Hydroxide Mixture 1 lb Bottle (u/o ASTM D-974-64) (64484) SC-108	X		EA	1						
6810-00-234-8362	Barium Hydroxide Octahydrate, ACS Ba (OH) ₂ ·8H ₂ O 1 lb Bottle, (u/o ASTM D-974-64) (22527) B46	X		EA	1						
6810-00-234-8377	Sodium Sulfate Anhydrous, ACS, NA S04 Granular; 1 lb Bottle, (u/o ASTM D-86 and D-611-64) (22527) 5-421	X		EA	1						
6810-00-264-6592	Sodium Chloride, ACS NAC1, Crystal, 1 lb Bottle (u/o ASTM D-526-70) (22527) S-421	X		EA	1						
6810-00-233-0118	Sodium Nitrate, ACS NANO3, Crystal, 1 kg Bottle (u/o ASTM D-2700-70) (22527) S-343	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 DA FORM 2062
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 37 OF 72PAGES.

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6810-00-233-0118	Sodium Nitrate, ACS NAN03, Crystal, 1 Kg Bottle, (u/o ASTM D-2699-70 and D-2700-70) (22527) S343	X		EA	1						
6810-00-262-8582	Sodium Dichromate Crystal , NA2CR2072H20, 1 lb Bottle (22527) S-235	X		EA	1						
6810-00-241-1143	Sodium Bicarbonate, ACS, Powder, NAHC03, 1 lb Bottle (22527) S-233	X		EA	1						
6810-00-234-8380	Sodium Thiosulfate, ACS, Crystal, NAS2035H20, 1 lb Bottle, (u/o ASTM D-526-70) (22527) S-445	X		EA	1						
6810-00-223-7612	Phenolphthalein, ACS C6H4C00C (C6H4-4-0H) 1/4 lb Bottle, (u/o ASTM D-94 and D-974-64) (22527) P-79	X		EA	1						
6640-00-861-6215	Test Papers, Lead Acetate, 100 Strips per Vial (u/o ASTM D-526-70) (22527) 14-862	X		EA	12						
6640-00-269-8345	Grid, Wire Gauze 6 in. X 6 in., Nickelchrome (96906) MS36015-3	X		EA	2						
6640-00-427-3960	Grid, Wire Gauze 6 in. X 6 in., Carbon Steel (96906) MS3601 6-2	X		EA	4						
6640-00-840-1390	Grid, Wire Gauze 4 in. X 4 in., Steel (22527) 15-590A 2	X		EA	4						
6640-00-269-8342	Grid, Wire Gauze 4 in. X 4 in., Nickelchrome (96906) MS36015-1	X		EA	4						
6630-00-359-9706	Carbon Residue Apparatus (u/o ASTM D-189-76) (48619) 735-71	D		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
NNSN	Oil, Calibration Standard Series 75-100 1 pt, (u/o ASTM D-445-74) (94481) S-6	X		EA	1						
NNSN	Oil, Calibration Standard Series 600 1 pt., (u/o ASTM D-445-74) (94481) S600	X		EA	1						
NNSN	Oil, Calibration Standard Series 200-300, 1 pt, (u/o ASTM D-445-74) (94481) S60	X		EA	1						
6810-00-890-2052	Sodium Dichromate Solution, 6 Each 1 Fl. oz. Bottles per carton (u/o ASTM D-1094-72) (22527) C-577	X		EA	1						
6640-00-966-3614	Basket, Test Tube, 128 mm Dia. (22527) 14-797A	X		EA	1						
6640-00-936-2065	Crucible, Skidmore, 70 M1 Cap., (u/o ASTM D-189-76) (64484) S-24155	X		EA	1						
6640-00-290-6913	Funnel , Common, Glass (22527) 10-381-1D	X		EA	1						
6640-00-522-1889	Flask, Filtering, 4000 M1 Cap. (22527) 10-181-5E	X		EA	1						
NNSN	Tubulature, Plastic (02993) 27067	X		EA	1						
NNSN	Grommet, Neoprene (02993) 27066	X		EA	6						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 39 OF 72 PAGES

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6230-00-269-3034	Flashlight, 2 cell Explosion Proof, MIL. Spec. F-3747C Type I, Style I, (u/o ASTM D-270) NPN	X									
6640-00-062-4336	Centrifuge, Laboratory 120 v, 50/60 HZ, .250 w 2250 RPM, (u/o ASTM D-91-6, D-893, D-1796-68, D-2273 and FTMS E-5101.5) (48619) 67310 Consisting of:	D		EA	1						
NNSN	Shield, 15 ml. Rd. Bottom Tube (48619) 67357	X		EA	28						
NNSN	Shield, 50 ml. Taper Bottom Tube (48619) 67358	X		EA	8						
6640-00-360-1062	Shield, 100 ml., Cone Shaped Tube (48619) 67359	X		EA	4						
NNSN	Shield, 100 ml., Pear Shaped Tube (48619) 67360 Trunnion Carriers:	X		EA	4						
NNSN	2 Place, 50 ml. Tube (48619) 67312	X		EA	4						
NNSN	7 P1 ace , 15 ml. Tube (48619) 67311	X		EA	4						
6640-00-690-3269	100 ml. Cone Shaped Tube (48619) 67313 100 ml. Pear Shaped Tube	X		EA	4						
NNSN	(48619) 67314										
6640-00-179-2558	Corks, XXXX Quality, Length, Asst Sizes, 100 Each Per Bag (22527) 07-785	X		EA	1						
NNSN	Ring, Cork, Insulation, 12 Each Per Bag, (u/o ASTM D- 97-66) (22527) 07-835AA	X		EA	1						

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-403-9347	Heater, Extraction, 150 to 800 Deg. (48619) 65554	X		EA	1						
6640-00-404-0658	Bottle, Screw Cap, Amber Glass, 16 oz., (w/o No. 28 Cap) (22527) 02-883-iCC	X		EA	2						
6640-00-404-0661	Bottle, Screw Cap, Glass, 32 oz., (w/cap) (64484) S-8275H	X		EA	3						
6640-00-404-0659	Bottle, Screw Cap, Amber Glass, 32 oz., (w/o No. 33 Cap. (64484) S-8245E	X		EA	2						
6640-00-404-0660	Bottle, Screw Cap, Glass, 16 oz., (w/cap) (64484) S-8275G	X		EA	2						
6810-00-281-9825	Charcoal , Activated, 4 lb. Can , MIL-C-13724, MIL-C-10201A, (u/o ASTM D-974-64) (22527) 05-635B	X		EA	1						
5350-00-161-9033	Pumice, Powder, Fed. Spec., SS-P-82B, Grade FFF, 5 lb. Can (22527) P-363	X		EA	1						
6810-00-264-6593	Sodium Carbonate, Anhydrous, Powder, 1 lb Bottle, NA2CO3, Fed. Spec. C-265A (22527) S-263	X		EA	1						
6810-00-227-1259	Methyl Orange ACS, (Indicator) 1/4 lb. Bottle, 4-NaSO ₂ C ₆ H ₄ N: NC ₆ -H ₄ ; 4 N (CH ₃) ₂ Fed. Spec. -0-C-265A (u/o ASTM D-974-64 and FTMS F-5101.6) (22527) M-216	X		EA	1						
6810-00-236-5359	Lead Nitrate, ACS 1 lb. Per Bottle, Pb(NO ₃) ₂ , (u/n ASTM 0-526-70 (22527) L-62	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER							
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14		PUBLICATION DATE 30 Dec 80		QUANTITY 1				
STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
6810-00-237-2908	Sodium Sulfide, Non-Hydrate, $\text{Na}_2\text{S}\cdot 9\text{H}_2\text{O}$ [u/o ASTM D-526-70) (22527) S-425	X		EA	1						
6810-00-275-8134	Potassium Hydrogen Phthalate Primary Standard, ACS, $\text{HOCOC}_6\text{H}_4\text{COOK}$, Fed. Spec. 0-C265A (22527) P-245	X		EA	1						
6810-00-281-7477	Mercury , Metal , Instrument Grade, ACS, Fed. Spec. 0-C-265A, 6 lb Bottle (22527) M-141	X		EA	1						
6810-00-070-7677	P-Naptholbenzein, 25 gm Bottle, $4\text{HOCH}_6\text{C}:\text{C}_{10}\text{H}_6\text{-4:-}0(\text{C}_6\text{H}_5)$ (u/o ASTM D-974-64) (22527) 924	X		EA	1						
6810-00-243-4433	Potassium Iodide, Free Flowing, Granular, ACS, K1 1 lb Bottle, (u/o ASTM D-526-70) (22527) P-256	X		EA	1						
6810-00-271-1405	Lead, Acetate, Normal ACS, 1 lb. Bottle, $\text{Pb}(\text{C}_2\text{H}_3\text{O}_2)_2\cdot 3\text{H}_2\text{O}$, (u/o ASTM D-526-70) (22527) L-33	X		EA	1						
6810-00-233-0126	1 Silver Nitrate, Crystal, ACS AgNO_3 , 1/4 lb. Bottle, (u/o ASTM D-94) (22527) S-181	X		EA	1						
6810-00-247-0600	Mercury Iodide, Red, ACS Hg_2I_2 , 1/4 lb. bottle (22527) M-166	X		EA	1						
<p>★ WHEN USED AS A: HAND RECEIPT, enter Hand Receipt Annex Number HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC). EDITION OF JAN 58 IS OBSOLETE.</p>											

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6310-00-241-1157	Zinc-Oxide, Powder ACS, Z ₀ 1 lb. Bottle (22527) Z-52	X		EA	1						
6810-00-234-2013	P-Nitrophenol , Flake 100 qm. Bottle, (u/o ASTM D- 526-70) (22527) N-105	X		EA	1						
6810-00-2281-9827	Potassium Hydroxide, Pellets, KOH, 1 lb. Bottle, (u/o ASTM D-94 and D-974-64) (22527) P-24"	X		EA	1						
6810-00-231-7450	Mercury, Metal, Instrument Grade, ACS, Fed. Spec. O-C-265A, 6 lb. Bottle (22527) M-141	X		EA	1						
6810-00-237-2935	Calcium Chloride, Anhydrous, CaCl ₂ 5 lb. Bottle, Fed. Spec.O-C-105D, Type 2, Grade B, (u/o ASTM D-93-73: (64484) SC16063	X		EA	1						
6810-00-753-4720	Acetone, Spectranalyzed ACS, CH ₃ COCH ₃ , 1 qt Bottle (22527) A-19	X		EA	6						
6810-00-281-5265	Benzene, ACS, Liquid, 1 pt. Bottle (64484) SC10987	X		EA	4						
6810-00-222-2636	Glycerin , ACS, Liquid, 1 pt. Bottle, CH ₂ OHCHOHCH ₂ OH, (u/o FTMS-F-5340) (22527) G-33I	X		EA	1						
6810-00-264-6609	Chloroform , Spectranalyzed, ACS , CHCl ₃ , 1 qt Bottle, _ (u/o ASTM D-526-70) (22527) C-574	X		EA	1						
6810-00-264-8997	Ethylene Glycol, Mono-Methyl Ether, C ₂ H ₄ O ₂ , 1 pt. Bottle, (u/o FTMS-F-5340) (22527) E-182	X		EA	1						

STOCK NUMBER a.	ITEM DESCRIPTION b.	< c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6640-00-456-1036	Tubing, PVC.1/4 in. I.D., (u/o ASTM D-2276-73) (22527) 14-1699C	X		EA	1						
4720-00-429-6874	Tubing, Rubber, 1/4 in. I.D., 12 ft. lg. (22527) 14-1782CC	X		EA	3						
NNSN	Tubing, Plastic, 3/8 Plastic3/8 in. I.D., 25 FTL lq. (u/o)-2276-73) (22527) 14-169-15	X		EA	1						
4720-00-729-6406	Tubing, Neoprene, 3/16 in. Bore, 50 ft. lb. (22527) 14-171A	X		EA	1						
4720-00-927-5538	Tubing, Rubber, Black Pressure and Vacuum, 3/16 in. I.D., 12 ft. lq. (22527) 14-175B	X		EA	1						
4720-00-411-5450	Tubing, Medical Grade PVC, 1/2 in. I.D., 50 ft. lg., (u/o ASTM D-2276-73) (22527) 14-169J	X		EA	1						
4720-00-410-9505	Tubing, Medical Grade PVC, 3/8 in. I.D., 50 ft. lq., (u/o ASTM D-2276-73) (22527) 14-1699F	X		EA	1						
4720-00-411-5451	Tubing, Plastic, Tyqon, 1/2 in. I.D. 50 ft. 19., (u/o ASTM D-2276-73) (64484) S-73650KG	X		EA	1						
4720-00-273-1032	Tubing, Neoprene, 1/4 in. I.D., 50 ft lg. (22527) 14-171B	X		EA	1						
6810-00-174-5188	Calcium Chloride, ACS.CaCl ₂ 5 lb. Bottle (22527) C-6-14	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6810-00-275-8126	Starch, Soluble, ACS.1 lb. Bottle (u/o ASTM D-526-70) (22527) S-516	X		EA	1						
6810-00-137-5000	Potassium Phosphate, $K_2P_0_4$, 1 lb. Bottle (u/o ASTM D-1094-72) (22527) P-285	X		EA	1						
6810-00-270-3255	Potassium Phosphate Dibasic, K_2HPO_4 , 1/4 lb. Bottle (u/o ASTM D4094-72) (81348) OC-265	X		EA	1						
6810-00-240-2119	Sodium Chromate, ACS, Na_2CrO_4 , 1 lb. Bottle (u/o ASTM D-2699-70 and D-2700-70) (22527) S-272	X		EA	1						
6640-00-202-1701	Asbestos, Long Fiber (Amphibole) 1/4 lb. Can (u/o ASTM D-526-70) (35051) 70844H-81	X		EA	1						
6810-00-174-6585	Sodium Hydroxide, NaOH, 1 lb. Bottle (22527) S-318	X		EA	1						
6810-00-753-4784	Ammonium Hydroxide, ACS, NH_4OH , 1 pt. Bottle, (u/o ASTM D-526-70) (22527) A-669	X		EA	1						
6810-00-222-2634	Acetic Acid, ACS, CH_3COOH , 1 pt. Bottle (u/o ASTM D-526-70) (22527) A-38	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 47 OF 72 PAGES.

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6810-00-237-2954	Nitric Acid, ACS, HNO ₃ , 1 pt. Bottle, (u/o ASTM D-526-70) (22527) A-200	X		EA	4						
6810-00-753-4786	Hydrochloric Acid, ACS, HCl, 1 pt. Bottle, (u/o ASTM D-974-64) (22527) A-144	X		EA	1						
6850-00-281-1837	Desiccant, Anhydrous Calcium Sulfate, 5 lb. Can, (u/o ASTM D-892-72) (81348) OD2100Type-C11	X		EA	1						
6810-00-241-1150	Potassium Chlorate, ACS, KClO ₃ , 1 lb. Bottle, (u/o ASTM D-526-70) (22527) P-212	X		EA	1						
6640-00-436-9941	Tray, Half Size, Stainless Steel, 9-7/8 X 1/2 X 2 - 1/4 (22527) 13-361A	X		EA	1						
4240-00-269-7912	Goggles, Safety, Impact and Chemical Splash (22527) 11-401-01	X		EA	1						
4240-00-964-5615	Visor, Face Shield (22527) 11-409-1	X		EA	1						
6640-00-410-1919	Support Rack, Pipet (80740) 90276	X		EA	1						
6640-00-403-9343	Jar, Chromatography, 3.8 Liters (22527) 5-719-9A	X		EA	1						
6685-00-411-5488	Gauge, Vacuum, Mercury Manometer (64484) S-39745	X		EA	1						
6680-00-151-5310	Kit, Petroleum Testing, Mil. Spec. Mil-T-51028A; (u/o ASTM D-270, D-287, D-1085, D-1086-64, D-1250-56, and D-1298) (19099) SC6630-97-CL-E06	N		EA	1						
6640-00-522-1897	Computer, Oil Gravity A.P.I., (Part of Kit Petroleum Testing, NSN 6630-00-151-5310) (80740) 48-299	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1</i> <i>The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
6810-00-277-1271	Naptha, Precipitation, 1 Gal. Can, (u/o ASTM D-94) (64484) SC-13555	X		EA	1						
6810-00-281-2785	Methyl Ethyl Ketone, 1 Gal. Can, (u/o ASTM D-94) (64484) SC-13555	X		EA	1						
6810-00-865-2055	Ethylene Glycol, 1 Gal. Can, HOCH ₂ CH ₂ OH (u/o ASTM D-56, D-361) (22527) E-177	X		EA	1						
6630-00-244-9415	Tester, Flash Point Closed Cup, Electric (u/o ASTM D-56) (22527) 13-509-1	D		EA	1						
6810-00-964-3497	Calcium Sulfate, ACS, CaSO ₄ 2H ₂ O, 1 lb. Bottle, (u/o ASTM D-611-64) (22527) C-140	X		EA	1						
9150-01-045-0446	Paraffin Oil , White; 1 qt Bottle (22527) 0-119			EA	1						
6810-00-982-5125	Chromium Oxide, Powder, CR203 1 lb. Bottle (22527) C-334	X		EA	1						
6810-00-234-7209	Ammonium Acetate, ACS, CH ₃ COONH ₄ , 1 lb. Bottle (u/o ASTM D-526-70)(22527) A-637	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 49 OF 72 PAGES

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
7930-00-266-7137	Polish, Metal, 1 pt. Can, Fed. Spec., P-P-556D, Type II, C1 lass 1 NPN	X		EA	1						
NNSN	Cup, Flash Point, Part of Tester, Flashpoint, Pensky- Marten, NSN 6630-00-530-0987 (22527) 13-507	X		EA	1						
6850-00-803-6420	Carbon Removing Compound, 1 gal MIL. Spec., MIL-C-25107B (u/o ASTM D-2699-70 and D-2700-70) NPN	X		EA	1						
6640-00-410-4463	Scraper, (Polceman) Rubber (22527) 14-105A	X		EA	6						
6640-00-522-1894	Heater, Electric, Viscosimeter, (u/o ASTM D-445-74) (22527) 13-580	X		EA	1						
NNSN	Board, Asbestos (Part of Distillation Test Apparatus NSN 6630-00-359-9772 and 6630-00-251-2118) (22527) 11-455	X		EA	4						
6640-00-410-1913	Cover, Graduated, (u/o ASTM D-86) (80740) 90-006-04	X		EA	4						
NNSN	Block, Wood, Round, (Part of Distillation Test Apparatus, Petroleum, NSN 6630-00-359-9772 and 6630-00-251-2118) NPN	X		EA	2						
NNSN	Rod, Stirring, Glass (22527) 11-375A	X		EA	2						
NNSN	Rod, Stirring, Glass (22527) 11-375C	X		EA	4						
NNSN	Rod, Stirring, Glass (22527) 11-375C	X		EA	8						
NNSN	Rod, Stirring, Glass (22527) 11-375D	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-194-9728	Cap, Screw, Plastic, No. 33 (22527) 02-883-2E	X		EA	48						
8125-00-251-7529	Cap, Screw, Plastic, No. 28 (22527) 02-883-2B	X		EA	48						
6640-00-232-5991	Stopper, Bottle, Cork No. 5, 100 Each per Bag (22527)	X		EA	1						
	07-781H										
6640-00-232-6014	Stopper, Bottle, Cork No. 6, 100 Each Per Bag (22527)	X		EA	1						
	07-781J										
6640-00-232-6005	Stopper, Bottle, Solid Rubber, No. 9 (22527) 14-130N	X		EA	12						
6640-00-232-6004	Stopper, Bottle, Solid Rubber, No. 11 (22527) 14-130R	X		EA	5						
6640-00-232-6007	Stopper, Bottle, Solid Rubber, No. 7 (22527) 14-130L	X		EA	12						
6640-00-232-6012	Stopper, Bottle, Solid Rubber, No. 2 (22527) 14-130D	X		EA	5						
6640-00-232-6011	Stopper, Bottle, Solid Rubber, No. 3 (22527) 14-130E	X		EA	12						
6640-00-232-6010	Stopper, Bottle, Solid Rubber, No. 4 (22527) 14-130F	X		EA	12						
6640-00-935-1105	Stopper, Bottle, Solid Rubber, No. 6 (22527)14-130J	X		EA	12						
6640-00-232-6009	Stopper, Bottle, Solid Rubber, No. 5 (22527) 14-130G	X		EA	12						
6640-00-103-1845	Stopper, Bottle, Solid Rubber, No. 12 (22527) 14-130T	X		EA	5						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 51 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-116-2823	Stopper, Bottle, Cork, No. 4, 100 Each Per Bag (22527) 07-791 E	X		EA	1						
6640-00-232-5992	Stopper, Bottle, Cork, No. 7, 100 Each Per Bag (22527) 07-781 G	X		EA	1						
6650-00-263-3552	Refractometer, ABBE Type (u/o ASTM D-1218 and FTMS F-5340) (06175) 33-4558-01	X		EA	1						
6630-00-359-9787	Tester, Flash Point Electrically Heated (u/o ASTM D-92-72) (22527) 13-528	D		EA	1						
6635-00-359-2232	Penetrometer, Universal, (u/o ASTM D-217-68) (48619) 73510	D		EA	1						
7420-00-579-9381	Adding and Subtract Machine.8 Digit (u/o ASTM D- 2270-64) (41330) LN-160-X	X		EA	1						
6640-00-359-9642	Shield, Heat, (u/o ASTM D-86) (48619) 61834	X		EA	2						
6640-00-314-2097	Bottle, Wash, 500 ml, Polyethylene (22527) 3-409-10E			EA	1						
6640-00-422-2200	Dish, Culture, Petri (22527) 08-747E	X		EA	12						
6640-00-290-6808	Watch, Glass, 65 mm. (14674)	X		EA	3						
6640-00-290-6789	Watch Glass.90 mm (14674) 9985-90	X		EA	9						
6640-00-282-5708	Watch Glass.90 mm (22527) 02-609	X		EA	3						
6640-00-060-5717	Watch Glass, 100 mm (22527) n2-60sqC	x		EA	3						
5110-00-223-7782	Knife, Craftsman NPN	X		EA	1						
6640-00-171-5198	Spatula, Laboratory (22527) 14-365D	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	< <i>c.</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f.</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-975-0453	Spatula, Laboratory (22527) 14-371A	X	EA	2							
6640-00-439-7365	Spatula, Laboratory (96906) MS36208-4	X	EA	1							
6640-00-439-7375	Spatula, Laboratory (96906) M53620 8-4	X	EA	1							
6640-00-848-8209	Watch Glass, 150 mm (96906) MS3600 0-5	X	EA	8							
6640-00-359-9643	Shield, Heat, (u/o ASTM D-86) (48619) 61836	X	EA	2							
6640-00-359-9645	Shield, Heat, (u/o ASTM D-86) (48619) 61824	X	EA	1							
6640-00-404-2762	Cork, Drilled, Cloud and Pour Point Apparatus, (12 Each Per Pkg.) (80740) 68-785-12	X	EA	1							
6640-00-404-2761	Disc, Cork, Cloud and Pour Point Apparatus (u/o ASTM D-97-66) (21519) G-17482E	X	EA	12							
5330-00-143-8334	Gasket, R.V.P. Bomb Liquid Chamber (25 Each Per Pkg. (u/o ASTM D-323-72) (80740) 69-056	X	EA	1							
5330-00-350-9438	Gasket, Teflon, for Gum Stability Bomb (u/o ASTM D- 525-74 and D-873-74) (80740) 68-450-01	X	EA	5							
5330-00-350-9346	Gasket, D-ring, for Copper Strip Corrosion Bomb, (u/o ASTM D-130-75) (48619) 232064	X	EA	5							

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 53 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
5330-00-402-2209	Gasket, Composition, Used on Gum Stability (u/o ASTM D-525-74 and D-S73-74) (80740) 68-450	X		EA	20						
4730-00-908-3193	Clamp, Hose, 2 in. ID. (96906) MS3584 2-12	X		EA	12						
6640-00-410-1917	Stopcock, Nalgene, No. 40 (05568) C-6074-00	X		EA	6						
7920-00-023-1056	Brush, Centrifuge Tube (22527) 3-608	X		EA	1						
8020-00-260-1302	Brush, Varnish, 2 in. NPN	X		EA	1						
6640-00-918-7719	Support, Funnel, Rubber (22527) 10-331	X		EA	12						
7920-00-205-0565	Brush, Dust, Camel Hair, 5/8 in. dia. (22527) 03-661	X		EA	1						
7920-00-297-1510	Brush, Test Tube, 11 in. lg (22527) 03-572-5	X		EA	2						
7920-00-917-5843	Brush, Test Tube, 1-3/4 in. dia. (22527) 3-621A	X		EA	2						
7920-00-917-5844	Brush, Test Tube, 2-3/8 in. dia. (22527) 3-621B	X		EA	1						
7920-00-282-7784	Brush, Test Tube, 3/4 in. dia. (22527) 03-578	X		EA	4						
7920-00-409-4000	Brush, Test Tube, 2 in. dia. (22527) 3-571	X		EA	1						
7920-00-178-8315	Brush, Table Dusting, 13 in. lg. 22527) 3-680	X		EA	1						
5110-00-224-8840	Cleaner, Valve Stern Guide, (u/o ASTM D-2700-70) (07429) 37560	X		EA	1						
7920-00-240-6359	Brush, Tapered Pipet, 17 in. lg. 22527) 03-625	X		EA	2						
7920-00-494-3688	Brush, Flask, 9-1/2 in. lq. (22527) 03-570A	X		EA	1						
7920-00-402-2379	Brush, Nessler Tube. 19 in. lg. (22527) 3-622	X		EA	1						
7920-00-753-5260	Brush, Test Tube 1-3/8 in. dia. (22527) 03-590										

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
----------------------	--------------------------------------------------	--------------------------------------------------------	----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
7920-00-889-3381	Brush, Test Tube, 1 - 1/4 in. dia. (22527) 03-573	X		EA	2						
5330-00-169-0557	Gasket, Gauge Coupling, 25 Each in Pkq. (u/o ASTM D-323-72) (48619) 232068	X		EA	1						
5999-00-263-1051	Clip, Electrical, Alligator Style, No. 1 (22527)	X		EA	1						
NNSN	Gasket, for 1/4 size R.V.P. Bomb (80740) 69-075-02	X		EA	48						
6640-00-403-9344	Adapter, Crucible, Rubber (22527) 08-2393B	X		EA	12						
NNSN	Clamp, Extraction Heater Rod (48619) 572	X		EA	8						
5340-00-252-5317	Clamp, Manostat Joint (u/o ASTM D-322-67) (64484) S-402216G	X		EA	8						
6640-00-024-2279	Clamp, Tubing (96906) MS3600 3-1	X		EA	5						
6640-00-948-6393	Clamp, Laboratory, Support Rod (96906) MS3600-1-3	X		EA	3						
3030-00-478-8368	Belt, Drive, Stripper Assembly (u/o ASTM D-93-73) (48619) 503480	X		EA	5						
6640-00-551-9364	Clamp, Utility, 8 in. lg. (64484) S-19228	X		EA	2						
6640-00-962-9820	Clamp, Utility (22527) 05766	X		EA	7						
6640-00-526-7989	Clamp, Utility, 3 Prong (22527) 05-742	X		EA	2						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 55 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-264-5024	Clamp, Utility, 2 Prong, 9 in. lg. (96906) MS3601 2-4	X		EA	4						
4820-00-401-9177	Stopcock, Nickel Plated, 3/8 in. (64484) S-76905	X		EA	4						
6640-00-063-5240	Scraper, Rubber w/o Glass Rod (22527) 14-105A	X		EA	12						
8125-00-281-4107	Stopper, Bottle, Solid Rubber (22527) 21-381	X		EA	12						
5120-00-965-0603	Flint Tip, Friction Igniter, Fed. Spec. GG-I-271C	X		EA	1						
	NPN										
6640-00-410-4464	Connector, Y Shape Brass (53629)'T-9430	X		EA	6						
5120-00-965-0326	Igniter, Friction (64484) S-13095	D		EA	2						
6640-00-131-4566	Borer Set, Cork (80740) 27-084	X		EA	1						
6640-00-410-4465	Connector, Elastic Tubing, 1/4 in. I.D. (u/o ASTM D-322-67) (22527) 15-319C	X		EA	6						
5110-00-658-8101	Wheel, Cutting, Glass Tubing (for 11-340 cutter) (22527) 11-345	D		EA	6						
5935-00-081-8025	Adapter, Grounding (22527) 9-525-10	X		EA	3						
NNSN	Spout, Pouring, Polyethylene, for Gallon Jug (80740) 5-779-51	X		EA	1						
5110-00-489-8135	Cutter, Tubing, Griffin Type (22527) 11-340	D		EA	1						
6640-00-418-1000	Clamp, Test Tube, 1-1/2 in. Opening (96906) MS3600 9-1	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80
QUANTITY 1				

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
6640-00-063-3420	Tongs, Crucible, 9 in. (22527) 15-200	X		EA	1						
6640-00-360-0013	Tongs, Beaker, With Asbestos Mittens (u/o ASTM D-525-74 and D-873-74) (22527) 02-620	X		EA	1						
6640-00-494-3731	Extractor, Cork, Self Pulling (64484) S-23145	X		EA	1						
6640-00-494-3779	Tongs, Crucible, 18 in. (22527) 15-208	X		EA	1						
6640-00-444-8000	Tongs, Crucible, 9 in. lg (96906) MS3602 3-1	X		EA	1						
5110-00-263-0243	Sharpener, Cork, Borer (22527) 07-865	X		EA	1						
6640-00-986-2721	Gauge, Cork and Rubber Stopper (22527) 11-284	X		EA	2						
NNSN	Condenser, With Copper Cover and Wire (Part of Extraction Apparatus NSN 6640-00-450-5700) (22527) 9-586	X		EA	1						
6640-00-688-7881	Bottle, Polyethylene 1 Gal., (u/o ASTM D-2276-73) (08071) XX64-0-37-12	X		EA	2						
6640-00-410-4461	Bottle, Polypropylene, 1 Gal. (Takes Cap (80740) 38-450) (22527) 02-924B	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 57 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
7430-00-254-4319	Typewriter, Portable, 11 in. Carriage (83735) Lettera 22	D		EA	1						
6640-00-359-9628	Bath, Foam Test (u/o ASTM D-892-74) (35051) D-33372	X		EA	1						
NNSN	Jar, Glass, 12 X 18 in. (80740) 91-021-03	X		EA	1						
6640-00-404-6739	Cylinder, Graduated 1000 ml. (80740) 67-973-02	X		EA	1						
6630-00-530-0987	Tester, Flash Point Pensky-Martens, Closed Cup (u/o ASTM D-93-73) (22527) 13-497-5	D		EA	1						
6635-00-359-9831	Grease Working Machine, Hand Operated, (u/o ASTM D- 217-68) (48619) 73531	X		EA	1						
8135-00-541-2453	Aluminum Foil, 12 in. W., 75 ft. lg., MIL Spec., A-148; Type Grade A NPN	X		EA	1						
8135-00-043-5331	Plastic Film (Handiwrap) 12 in. W, 100 ft. lg., (u/o ASTM D-2276) NPN	X		EA	1						
7930-00-558-1111	Detergent, General Purpose, 5 lb. can (81348) P-D-1526	X		EA	1						
6640-00-441-5486	Rack, Test Tube, Plastic, 34 Pins (22527) 14-781-14	X		EA	1						
7920-00-409-2000	Brush, Burette, 36 in. lg. (22527) 3-614	X		EA	1						
6640-00-558-0292	Glass Tubing, Round, 12 mmO.D. (96906) MS36079-5	X		EA	6						
6640-00-558-0307	Glass Tubing, Round, 4 mm, O.D. (22527) 11-350B	X		EA	6						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-445-7750	Glass Tubing, Round, 6 mm, O.D. (96906) MS36079-2	X		EA	6						
6640-00-245-7129	Glass Tubing, Round, 8 mm, O.D. (96906) MS36079-3	X		EA	6						
6640-00-445-7775	Glass Tubing, Round, 10 mm, O.D. (96906) MS36079-4	X		EA	6						
6630-00-359-9629	Bath, Reid Vapor Pressure, 3 Bomb Capacity (48619) 74893	X		EA	1						
6640-00-438-2150	Press, Cork (22527) 07-880	X		EA	1						
6685-00-411-5495	Thermometer, Fahrenheit, 0 to 302 Deg. (22527)			EA	2						
6685-00-247-3744	Thermometer, Fahrenheit, +20 to +580 Deg., ASTM (22527) 15-167B	X		EA	2						
6685-00-411-5493	Thermometer, Fahrenheit, +20 to +760 Deg., ASTM No. 3F, (u/o ASTM D-381) (22527) 15-167C	X		EA	3						
6685-00-247-3737	Thermometer, Fahrenheit, -36 to +120 Deg., ASTM No. 5F, (u/o ASTM D-97-66) (02308) 80-100-05	X		EA	4						
6685-00-245-9521	Thermometer, Fahrenheit, -112 to +7(0 Deg., ASTM No. 6F, (u/o ASTM D-97-66) (02308) 80-100-06	X		EA	4						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 59 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
6685-00-242-2184	Thermometer, Fahrenheit, +200 to +700 Deg., ASTM No. 10F, (u/o ASTM D-93-73) (22527) 13-505	X		EA	2						
6685-00-242-2223	Thermometer, Fahrenheit, +20 to +760 Deg., ASTM No. 11F, (u/o ASTM D-92-72) (22527) 13-535	X		EA	3						
6685-00-242-2187	Thermometer, Fahrenheit, +30 to +580 Deg., ASTM No. 7F, (u/o ASTM D-86) (22527) 13-480	X		EA	5						
6685-00-915-5601	Thermometer, Fahrenheit, +30 to +760 Deg., ASTM No. 8F, (u/o ASTM D-86) (22527) 13-485	X		EA	5						
6685-00-242-2183	Thermometer, Fahrenheit, +20 to +230 Deg., ASTM No. 9F, (u/o ASTM D-93-73) (22527) 13-500	X		EA	4						
6685-00-242-2224	Thermometer, Fahrenheit, -5 to +215 Deg., ASTM No. 12F, (u/o ASTM D-130-75) (22527) 11-604	X		EA	4						
6685-00-242-2203	Thermometer, Fahrenheit, +94 to +108 Deg., ASTM No. 18F, (u/o ASTM D-323-72) (22527) 13-575H	X		EA	3						
6685-00-242-2205	Thermometer, Fahrenheit, +204 to +218 Deg., ASTM No. 22F, (u/o ASTM D-525-74, D-873-74 and D-942) (22527) 1/2 1 3-575M	X		EA	2						
6685-00-247-3765	Thermometer, Fahrenheit, +97.5 to 102.5 Deg., ASTM No. 28F, (u/o ASTM D-445-74) (22527) 13-618D	X		EA	2						
6685-00-247-3764	Thermometer, Fahrenheit, +127.5 to +132.5 Deg., ASTM No. 29F(u/o ASTM D-445-74) (64484) S-80800E	X		EA	2						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>	FROM:	TO:	HAND RECEIPT NUMBER
--------------------------------------------------------------------------------------------------------------------------	-------	-----	---------------------

FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1
------------------------------	--------------------------------------------------	--------------------------------------------------------	----------------------------------------------	--------------------------------------	----------------------

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g.		QUANTITY							
						A	B	C	D	E	F				
6685-00-247-3763	Thermometer, Fahrenheit, +207.5 to +212.5 Deg., ASTM No. 30F, (u/o ASTM D-445-74) (22527) 13-618J	X		EA	2										
6685-00-247-3757	Thermometer, Fahrenheit, -36.5 to +107.5 Deg., ASTM No. 33F, (u/o ASTM D-611-64) (22527) 13-3935A	X		EA	1										
6685-00-411-5496	Thermometer, Fahrenheit, +77 to +221 Deg., ASTM No. 34F, (u/o ASTM D-611-64 and D-1012) (22527) 13-394-34B	X		EA	3										
6685-00-411-5492	Thermometer, Fahrenheit, +194 to +338 Deg., ASTM No. 35F, (u/o ASTM D-611-64 and D-1012) (22527) 1 3-394-35C	X		EA	2										
6685-00-245-9519	Thermometer, Fahrenheit, -4 to +122 Deg., ASTM No. 57F, (u/o ASTM D-56) (22527) 13-510-105	X		EA	2										
6685-00-245-7696	Thermometer, Fahrenheit, -30 to +120 Deg., ASTM No. 58F, (u/o ASTM D-323-72) (22527) 15-173-14A	X		EA	3										
6685-00-247-3739	Thermometer, Fahrenheit, 0 to +180 Deg., ASTM No. 59F, (u/o ASTM D-323-72) (22527) 15-173-14B	X		EA	2										

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 59 OF 72 PAGES.
CURRENT AS OF 1 SEP 1990

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6685-00-411-5494	Thermometer, Centigrade, -80 to +20 Deg., ASTM No. 114C, (u/o ASTM D-2386) (80740) 80-001-14	X		EA	2						
6685-00-411-5487	Thermometer, Centigrade, -10 to 110 Deg., (u/o ASTM D-322-67) (22527) 15-002B	X		EA	2						
6630-00-265-7610	Hydrometer, w/thermometer, Fahrenheit, API Gravity, 9-21 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345A	X		EA	2						
6630-00-265-7611	Hydrometer, w/thermometer, API Gravity, 19-32 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345B	X		EA	2						
6630-00-265-7758	Hydrometer, w/thermometer, API Gravity, 29-41 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345C	X		EA	3						
6630-00-265-7764	Hydrometer, w/thermometer, API Gravity, 39-51 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345E	X		EA	3						
6630-00-265-7765	Hydrometer, w/thermometer, AP Gravity, 59-71 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345F	X		EA	3						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6630-00-815-2267	Hydrometer, w/thermometer, API Gravity, 69-81 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484) S-42345G	X		EA	2						
6630-00-404-2754	Hydrometer, w/thermometer, API Gravity, 79-91 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (53629) H-8100-79-91	X		EA	2						
6630-00-404-2755	Hydrometer, w/thermometer, API Gravity, 89-101 Deg., thermometer range 20-130 Deg. F (u/o ASTM D-287-67) (64484)	X		EA	2						
6640-00-290-6693	Bomb Bath, 2 Unit, 115 v, (u/o ASTM D-525-74 and 873- 74) (48619) 75042	N		EA	1						
6640-00-403-9345	Socket, Bomb, (u/o ASTM D-525-74 and 873-74) (48619) 74740	X		EA	1						
8305-00-267-3015	Cloth, Cleaning, 70 yd Per Bolt (22527) 06-665-18	X		EA	1						
8415-00-266-8679	Gloves, Rubber, Size 9 (22527) 11-394-20A	N		EA	1						
8415-00-266-8675	Gloves, Rubber, Size 11 (22527) 11-394-30B	N		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 63 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-267-1783	Cleaner, Tubing, 5mm Dia., 16 ft. lg. (22527) 03-642B	X		EA	5						
5350-00-240-2920	Steelwool Pads, 16 per box, Grade 000 (22527) 15-600	X		EA	1						
6510-00-201-4000	Cotton, Absorbent (22527) 07-891			EA	1						
6640-00-248-4492	Chart, Kinematic Viscosity, -30 to 450 Deg. F, ASTM Chart E (u/o ASTM Test D-341) 25 Shts. (64484) S-67458	X		EA	1						
8105-00-281-3924	Bag, Mailing, 100 P# Bundle NPN	X		EA	1						
7920-00-240-2559	Sponge, Cellulose (22527) 14-417	X		EA	6						
6640-00-494-3846	Cleaner, Tubing, 8 mm Dia., 50 ft. lg. (64484) S-10055C	X		EA	1						
6640-00-264-5014	Glass Wool, 1 lb. (22527) 11-388	X		EA	1						
8330-00-965-1722	Chamois, Sheep Skin (22527) 5-680A	X		EA	4						
8415-00-082-6108	Apron, Rubber (81349) MIL-A-41829	N		EA	1						
4720-00-360-0047	Bronze Tubing, Helical, 5 ft. lg. (u/o ASTM D-525-74 and 873-74) (80740)	X		EA	2						
NNSN	Hose Connection, Oxidation Stability Bath, Oxygen Supply NP	X		EA	1						
8415-00-261-7015	Gloves, Asbestos, Universal Size (22527) 11-392-15	N		EA	1						
6640-00-267-1784	Cleaner, Tubing, 3 mm Dia. 50 ft. lg. (22527) 03-642A	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
6640-00-248-4491	Chart, Kinematic Viscosity, -30 to +450 Deg. F, ASTM Chart D, (u/o ASTM D-341) 2 Shts. (64484) S-67459	X		EA	1						
6640-00-404-2749	Chart, Viscosity Temperature Index (80740) 69-889	X		EA	1						
NNSN	Military/Federal Specifications , Volume I NPN	X		EA	1						
NNSN	Military/Federal Specifications, Volume II NPN	X		EA	1						
NNSN	Military/Federal Specifications, Volume III NPN	X		EA	1						
NNSN	Methods of Testing, Federal Test Method Standard No. 791B NPN	X		EA	1						
NNSN	Index of Specifications and Standards Part I NPN	X		EA	1						
NNSN	Index of Specifications and Standards Part II NPN	X		EA	1						
NNSN	Reference List of Specifications and Standards NPN	X		EA	1						
NNSN	TM10-1101.Petroleum Handling Equipment and Operations NPN	X		EA	1						
NNSN	TM5-4120-295-25P, Air Conditioner Manual NPN	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 65 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

STOCK NUMBER a.	ITEM DESCRIPTION b.	« c	SEC d.	UI e.	QTY AUTH f	g. QUANTITY					
						A	B	C	D	E	F
NNSN	TM5-4120-295-15, Air Conditioner Manual NPN	X		EA	1						
NNSN	TM9-2330-271-14, Operator's Manual, Semi-trailer Van, 10 Ton NPN	X		EA	1						
NNSN	FM10-70, Inspecting and Testing Petroleum Products NPN	X		EA	1						
NNSN	TMI0-1166, 1972 ASTM Standards, Part 17 NPN	X		EA	1						
NNSN	TI10-1163, ASTM Manual for Rating Motor, Diesel and Aviation Fuels NPN	X		EA	1						
NNSN	TM10-1165, Significance of ASTM Tests for Petroleum Products NPN	X		EA	1						
7610-00-904-7166	ASTM Standards Index NPN	X		EA	1						
NNSN	Technical Methods of Analysis, McGraw Hill NPN	X		EA	1						
NNSN	Chemical Technology of Petroleum and It's Products, McGraw Hill NPN	X		EA	1						
NNSN	TM5-6640-212-14, Manual Trailer Mounted Laboratory NPN	X		EA	1						
NNSN	TM10-1167M , ASTM standards, Par-t 18 NPN	X		EA	1						
NNSN	Tables, Petroleum Measuring NPN	X		EA	1						
NNSN	Catalog, Precision Scientific NPN	X		EA	1						
NNSN	Catalog, Price List Precision Scientific NPN	X		EA	1						
NNSN	Charts, Foxboro Humitex NPN	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
NNSN	Catalog 1972, Chemical Reagents, Sargent-Welsh Scientific NPN	X		EA	1						
NNSN	Catalog, Greiner Scientific Corp Case NPN	X		EA	1						
NNSN	Catalog, Greiner Scientific Corp. NPN	X		EA	1						
7610-00-274-7060	Catalog, Fisher Scientific Co. NPN	X		EA	1						
NNSN	Catalog, Millipore Filters and Associated Apparatus NPN	X		EA	1						
NNSN	Binder, Loose Leaf NPN	X									
NNSN	Report, DA Form 2077, Petroleum Products Laboratory Analysis Report NPN	X		EA	1						
7610-00-233-9597	Handbook, Chemistry and Physics NPN	X		EA	1						
NNSN	Book, ASTM Viscosity Index (u/o ASTM D-445-74) NPN	X		EA	1						
7610-00-250-6633	Handbook, Chemical Engineers NPN	X		EA	1						
NNSN	Paper, White, Bond NPN	X		EA	1						
NNSN	Folder, Manila (overpack List -1-18) NPN	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

DA FORM 2062
JAN 82

PAGE 67 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
NNSN	Paper, Carbon NPN	X		EA	1						
NNSN	Log, Record Book NPN	X		EA	1						
NNSN	Binder, Loose Leaf NPN	X		EA	1						
NNSN	Binder, Loose Leaf SC6640-97-CL-E02	X		EA	1						
5180-00-541-1644	Kit, Flaring and Cutting 45 Deg. (30327) 121F	X		EA	1						
3439-00-618-6623	Gun; Soldering, 115 v (22527) 231-12	X		EA	1						
4930-00-287-8474	Oiler, Hand 5 oz. NPN	X		EA	1						
5130-00-889-3996	Drill, Electric, 1/4 in. cap. (07429) 60010D	N		EA	1						
6230-00-162-1227	Light, Extension w/50 ft. Cable NPN	X		EA	1						
6150-00-487-3037	Cable Ay, Electrical 15 ft. 1. (81348) J-C-1270	X		EA	1						
NNSN	Duct, Exhaust, Gum Bath (97403) 13219E 1993	X		EA	1						
NNSN	Blower w/7-1/2 HP Electric Motor (30190) 430	N		EA	2						
NNSN	Duct, Exhaust Fume Hood (97403) 13219E 1994	X		EA	1						
NNSN	Bracket, Blower Mounting (97403) 13219E 1604	X		EA	2						
4930-00-819-2732	Vacuum Pump, Rotary (u/o ASTM B22-67) (22527) 1405B-01	X		EA	1						
NNSN	Belt, Vacuum Pump (79250) 1405A	X		EA	1						
NNSN	Motor, Electric, 1/2 HP, 115 v, 60 Hz, Vacuum Pump (79250) 1405	N		EA	1						
4320-00-150-6201	Pump Water, 3/4 HP (90785) PE-75C	X		EA	1						

HAND RECEIPT/ANNEX NUMBER <i>For use of this form, see DA PAM 710-2-1 The proponent agency is ODCSLOG.</i>		FROM:	TO:	HAND RECEIPT NUMBER	
FOR ANNEX CR ONLY	END ITEM STOCK NUMBER 6640-00-538-2736	END ITEM DESCRIPTION Mobile Petro Laboratory	PUBLICATION NUMBER TM5-6640-212-14	PUBLICATION DATE 30 Dec 80	QUANTITY 1

STOCK NUMBER <i>a.</i>	ITEM DESCRIPTION <i>b.</i>	« <i>c</i>	SEC <i>d.</i>	UI <i>e.</i>	QTY AUTH <i>f</i>	g. QUANTITY					
						A	B	C	D	E	F
NNSN	Tank, Water (97403) 13219E1651	X		EA	1						
NNSN	Belt, Compressor Unit (65035) H41-407	X		EA	2						
4310-00-249-4199	Compressor, Assembly (35301) 2178V37	X		EA	1						
6810-00-470-4631	N-Heptane, 5 Gal. Drum (u/o ASTM D-2699-70 and D-2700-70) (46935) N-Heptane	X		EA	2						
4720-00-302-3912	Hose Assembly, 3/4 W. ID, 50 ft. lg. NPN	X		EA	3						
6810-00-290-0048	Toluene, 5Gal. (u/o ASTM D-2699-70 and D-2700-70) NPN	X		EA	1						
NNSN	Light, Dome 110 v, Explosion Proof, c/o: (97403) 13219E21 26	X		EA	2						
NNSN	Plate, Mounting (97403) 13219E-2126-10	X		EA	1						
NNSN	Gasket, Mounting Plate (97403) 13219E-2126-9	X		EA	1						
NNSN	Fixture, Mounting Bracket (97403) 13219E-2126-7	X		EA	1						
NNSN	Fixture, Socket Enclosure (97403) 13219E-2126-5	X		EA	1						
NNSN	Socket, (97403) 13219E-2126-4	X		EA	1						
NNSN	Shell, Socket (97403) 13219E-2126-3	X		EA	1						

★ WHEN USED AS A:
 HAND RECEIPT, enter Hand Receipt Annex Number
 HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
 HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).
 EDITION OF JAN 58 IS OBSOLETE.

PAGE 69 OF 72 PAGES
CURRENT AS OF 1 SEP 1990

DA FORM 2062
JAN 82

STOCK NUMBER a.	ITEM DESCRIPTION b.	c	SEC d.	UI e.	QTY AUTH f.	g. QUANTITY					
						A	B	C	D	E	F
NNSN-	Lamp (97403) 13219E-2126-16	X		EA	1						
NNSN	Gasket, Globe (97403) 13219E-2126-2	X		EA	1						
NNSN	Globe, Opal (97403) 13219E-2126-1	X		EA	1						
NNSN	Plate, Identification, (Behind Utility Compartment Door) (97403) 13219E-2023	X		EA	1						
BASIC ISSUE ITEMS (BII)											
210-00-555-8837	Extinguisher, Fire, 2.75 lb. NPN	N		EA	4						
NNSN	TM5-6640-212-14, O_perator, Organizational, Direct and General Support Maintenance Manual, Laboratory, Trailer-Mounted Petroleum, NSN 6640-00-538-2736 NPN	X		EA	4						
NNSN	TM9-2330-271-14, Operator, Organizational, Direct and General Support Maintenance Manual, Semi-Trailer Van, Electronic, 10 Ton, 4 Wheel, Model XM822, NSN 2330- 00-122-4966 NPN	X		EA	1						
NNSN	TM5-4120-295-25P, Repair Parts Manual for Air Conditioner, NSN 4120-00-963-4477 NPN	X		EA	1						
NNSN	TM5-4120-295-15, Operator, Organizational, Direct and Depot Maintenance Manual, Air Conditioner, NSN 4120- 00-963-4477 NPN	X		EA	1						

By Order of the Secretary of the Army:

JOHN A. WICKHAM, JR.
General, United States Army
Chief of Staff

Official:


ROBERT M. JOYCE
Major General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-25A, Organizational Maintenance Requirements for Petroleum Distribution.

☆U.S. GOVERNMENT PRINTING OFFICE: 1984-564-030: 1194

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

 <p style="margin: 0;"><i>THEN...JOT DOWN THE DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL.</i></p>		SOMETHING WRONG WITH PUBLICATION	
		FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)	
		DATE SENT	
PUBLICATION NUMBER		PUBLICATION DATE	PUBLICATION TITLE
BE EXACT PIN-POINT WHERE IT IS			
PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.
<div style="text-align: center; font-weight: bold; margin-bottom: 20px;"> IN THIS SPACE, TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT. </div> <div style="border: 1px dashed black; height: 400px; width: 100%;"></div>			
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER			SIGN HERE

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch
 1 decimeter = 10 centimeters = 3.94 inches
 1 meter = 10 decimeters = 39.37 inches
 1 dekameter = 10 meters = 32.8 feet
 1 hectometer = 10 dekameters = 328.08 feet
 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain
 1 decigram = 10 centigrams = 1.54 grains
 feet
 1 gram = 10 decigram = .035 ounce
 1 decagram = 10 grams = .35 ounce
 acres
 1 hectogram = 10 decagrams = 3.52 ounces
 1 kilogram = 10 hectograms = 2.2 pounds
 1 quintal = 100 kilograms = 220.46 pounds
 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliliters = .34 fl. ounce
 1 deciliter = 10 centiliters = 3.38 fl. ounces
 1 liter = 10 deciliters = 33.81 fl. ounces
 1 dekaliter = 10 liters = 2.64 gallons
 1 hectoliter = 10 dekaliters = 26.42 gallons
 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch
 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches
 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq.
 feet
 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet
 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47
 acres
 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch
 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu.
 inches
 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

<i>To change</i>	<i>To</i>	<i>Multiply by</i>	<i>To change</i>	<i>To</i>	<i>Multiply by</i>
inches	centimeters	2.540	ounce-inches	Newton-meters	.007062
feet	meters	.305	centimeters	inches	.394
yards	meters	.914	meters	feet	3.280
miles	kilometers	1.609	meters	yards	1.094
square inches	square centimeters	6.451	kilometers	miles	.621
square feet	square meters	.093	square centimeters	square inches	.155
square yards	square meters	.836	square meters	square feet	10.764
square miles	square kilometers	2.590	square meters	square yards	1.196
acres	square hectometers	.405	square kilometers	square miles	.386
cubic feet	cubic meters	.028	square hectometers	acres	2.471
cubic yards	cubic meters	.765	cubic meters	cubic feet	35.315
fluid ounces	milliliters	29,573	cubic meters	cubic yards	1.308
pints	liters	.473	milliliters	fluid ounces	.034
quarts	liters	.946	liters	pints	2.113
gallons	liters	3.785	liters	quarts	1.057
ounces	grams	28.349	liters	gallons	.264
pounds	kilograms	.454	grams	ounces	.035
short tons	metric tons	.907	kilograms	pounds	2.205
pound-feet	Newton-meters	1.356	metric tons	short tons	1.102
pound-inches	Newton-meters	.11296			

Temperature (Exact)

°F	Fahrenheit	5/9 (after	Celsius	°C
	temperature	subtracting 32)	temperature	

PIN: 056535-000