ORGANIZATIONAL MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST FOR BINOCULAR M18 W/E (6650-863-5657)

Headquarters, Department of the Army, Washington D.C. 20315 17 March 1971

This manual is current as of 12 March 1971

| | | Paragraph | Page |
|---------|---|-----------|------|
| Section | I. INTRODUCTION | | |
| | Scope | | 2 |
| | General | 2 | 2 |
| | Explanation of columns | 3 | 2 |
| | Special information | 4 | 3 |
| | How to locate repair parts | 5 | 3 |
| | Abbreviations | 6 | 4 |
| | Federal supply codes for manufacturers | | 4 |
| | Reporting of errors | 8 | 4 |
| | II. PRESCRIBED LOAD ALLOWANCE | | 5 |
| | III. REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE | | 6 |
| | Binocular, M18 W/E 8270115 | | 6 |
| | Binocular, 10514360 | | 8 |
| | IV. SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT | | 10 |
| | V. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROS | S- | |
| | REFERENCE TO FIGURE AND ITEM NUMBER | | 11 |

^{*}This manual supersedes TM 9-6650-215-20P, 20 April 1964.

Section I. INTRODUCTION

1. Scope.

This manual lists repair parts, special tools and equipment, required for the performance of organizational maintenance of the Binocular M18 W/E.

2. General.

This Repair Parts and Special Tools List is divided into the following sections:

- a. Prescribed Load Allowance (PLA) Section II. A composite listing of the repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.
- b. Repair Parts-Section III. A list of repair parts authorized for the performance of maintenance at the organizational level in figure and item number sequence.
- c. Special Tools, Test and Support Equipment-Section IV. A list of special tools, test and support equipment authorized for the performance of maintenance at the organizational level.
- d. Federal Stock Number and Reference Number Index-Section V. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns.

The following provides an explanation of columns in the tabular lists in Sections II, III, and IV:

- a. Source, Maintenance, and Recoverability Codes (SMR), Column 1:
- (1) Source code, indicates the selection status and source for the listed item. Source codes are :

Code Explanation

- P Repair parts, special tools and test equipment which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.
- P2 Repair parts, special tools and test equipment which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
- P9 Assigned to items which are NSA design controlled: Unique repair parts, special tools,

Code Explanation

test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.

- P10 Assigned to items which are NSA design controlled: Special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
- M Repair parts, special tools and test equipment which are not procured or stocked, but are to be manufactured in indicated levels.
- A Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
- X Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
- X1 Repair parts which are not procured or stocked. The requirements for such items will be filled by use of the next higher assembly or component.
- X2 Repair Parts, Special Tools, and Test Equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage, if not obtained through cannibalization or salvage, the item may be requisitioned with exception data, from the end item manager, for immediate
- G Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

Note: Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded X1 and aircraft support items as restricted by AR 700-42.

(2) Maintenance code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level code is:

Code Explanation
Organizational Maintenance

(3) Recoverability code, indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are :

Code Explanation

Applies to repair parts (assemblies and components) special tools and test equipment which are considered economically repairable at direct and general support maintenance levels. When the item is no longer economically repairable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.

S Repair parts, special tools and test equipment and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.

T Higher dollar value recoverable repair parts, special tools, and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be evacuated to the depot for overhaul or final disposition. Communications-Electronics and Missile Support Items will be repaired/overhauled only at depots.

U Repair parts, special tools and test equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value or reusable casings or castings.

Note: When no code is indicated in the recoverability column, the part will be considered non-recoverable.

- b. Federal Stock Number, Column 2. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.
- c. Description, Column 3. This column indicates the Federal item name and any additional description of the item required. The abbreviation "w/e", when used as a part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses.
- d. Unit of Measure (U/M), Column 4. A 2 character alphabetical abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.
- e. Quantity Incorporated in Unit, Column 5. This column indicates the quantity of the item used in the assembly group. A "V" appearing in this column indicates that a definite quantity cannot be indicated. (e.g., shims, spacers, gaskets, etc.).

- f. 15-Day Organizational Maintenance Allowance, Column 3, of Section II and Column 6 of Section III and IV.
- (1) The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.
- (2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units and organizations authorized additional prescribed loads will multiply the number of prescribed loads authorized by the quantity of repair parts reflected in the density column applicable to the number of items supported to obtain the total quantity of repair parts authorized.
- (3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.
- g. Illustration, Column 7. This column is divided as follows:
- (1) Figure Number, Column 7a. Indicates the figure number of the illustration in which the item is shown.
- (2) Item Number, Column 7b. Indicates the callout number used to reference the item in the illustration.

4. Special Information.

Action change codes indicated in the left hand margin of the listing page denote the following:

N-Indicates an added item not included in previous publications.

C-Indicates a change in data.

F-Indicates a change in FSN.

5. How to locate Repair Parts.

a. When Federal stock number or reference number is unknown:

- (1) First. Using the table of contents, determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups and listings are divided into the same groups.
- (2) Second. Find the illustration covering the assembly group to which the repair part belongs.
- (3) Third. Identify the repair part on the illustration and note the illustration figure and item number of the repair part.
- (4) Fourth. Using the Repair Part Listing, find the assembly group to which the repair part belongs and locate the illustration figure and item number noted on the illustration.
- b. When Federal stock number or reference number is known:
- (1) First. Using the Index of Federal Stock Numbers, find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross referenced to the illustration figure number and item number.
- (2) Second. Using the Repair Part Listing, find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations.

| Abbreviation | Explanation |
|--------------|------------------|
| al | aluminum |
| andz | anodize |
| blk | black |
| cryg | carrying |
| fnsh | finish |
| 1 | long |
| NS | national special |
| nyl | nylon |
| od | outside diameter |
| rbr | rubber |
| Synth | synthetic |
| thk | tȟick |
| tng | tongue |

7. Federal Supply Codes for Manufacturers.

| Code | Manufacturer |
|-------|--|
| 19200 | Frankford Arsenal |
| | Phila., Pa. 19137 |
| 81349 | Military Specifications promulgated by Standardization Div Directorate of Logistics Services DSA |

8. Reporting of Errors.

Report of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to DA Publications) and forwarded direct to Commanding Officer, Frankford Arsenal, ATTN: AMSWE-SMF-W3100, Philadelphia, Pa. 19137.

Section II. PRESCRIBED LOAD ALLOWANCE LIST

| (1) Federal stock | (2) Description | | 15-Day Or Maint A | 3) ganizational Ilowance | |
|-------------------------|--------------------------------|------------|----------------------|--------------------------------|---------------|
| No. | Usable on Code | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 |
| 5310-088-9171 | NUT, PLAIN ROUND | * | * | 1 | 1 |
| 6650-764-6236 | STRAP | * | * | 1 | 1 |
| 6650-824-0745 | EYESHIELD OPTICAL INSTRUMENT | * | * | 1 | 1 |
| 6650-850-3312 | CASE, BINOCULAR | * | * | * | 1 |
| 6650-953-0120 | STRAP | * | * | 1 | 1 |
| 6650-996-7300 | CABLE ASSEMBLY RADIO FREQUENCY | * | * | 1 | 1 |

Section III. ORGANIZATIONAL REPAIR PARTS LIST

| ACT ON | ACT SOURCE MAINT AND FEDERAL STOCK NO. | | (3) DESCRIPTION | | (4) U <u>NI</u> T | (5) QTY INC IN UNIT | 15 DA MA | AY ORGA INTENA | NIZATIO NCE AL | (d) FIGURE I | |) ATION |
|-----------|--|--|--|----------------|----------------------|---------------------------------|-------------|-------------------|-------------------|--------------|--------|------------|
| | (a) (b) (c) Source Maint Recov | | Reference Number & Mfr Code | Usable on code | UNIT OF MEAS | UNIT | (a) 1-6 | (b) 6-20 | (c) 21-50 | | FIGURE | ITEM |
| | | | BINOCULAR, M18 W/E 8270115 | | | | | | | | | |
| С | X 1 | | BINOCULAR, IR, M18 10514360 (19200) | | | 1 | | | | | 1 | 1 |




Figure 1. Binocular, M18 w/e

| ACT ON | SOURCE MAINT AND | (2) FEDERAL | (3) | (3) DESCRIPTION | | (5) QTY INC IN | 15 DA MA | AY ORGAI INTENAN | NIZATIO ICE AL | NAL W | (7) ILLUSTR | |
|-----------|--------------------------------|-------------------------|---|-----------------|--------------------|-------------------------|-------------|---------------------|-------------------|---------------|----------------------|-------------|
| CODE | (a) (b) (c) Source Maint Recov | FEDERAL STOCK NO. | | | UNIT OF MEAS | ÎN UNIT | (a) | (b) | (c) | (d) 51-100 | (a) FIGURE NO. | ITEM NO. |
| | Source Maint Recov | | Reference Number & Mfr Code Usab | ble on Code | | | 1-5 | 6-20 | 21-50 | 31-100 | NO. | 110. |
| | | | | | | | | | | | | |
| С | P - C - | 6650-996-7300 | CABLE ASSEMBLY, RADIO FREQUENCY 8287003 (19200) | | EA | 2 | * | * | 1 | 1 | 2 | 1 |
| N | P-O- | 5310-088-9171 | NUT, PLAIN, ROUND AL, ANDZ FNSH, 1.051-32NS-3B, 1.251 OD, 0.13 10514477 (19200) | 5 THK | EA | 2 | * | * | 1 | 1 | 2 | 2 |
| N | P-O- | 6650-824-0745 | EYESHIELD, OPTICAL INSTRUMENT SYNTH RBR, BLK, 1.812 DIA, 2.062 L 10525656 (19200) | | EA | 2 | * | * | 1 | 1 | 2 | 3 |
| | P-C- | 6135-120-1010 | BATTERY, DRY TYPE BA-42 REQUISITION IN ACCORDANCE WITH SB-1 MIL-B-18 (81349) | 1-6 | EA | 1 | | | | | | |




Figure 2. Binocular

| ACT ON CODE | SOURCE (2) T MAINT AND FEDERAL RECOV CODE STOCK | | (3) DESCRIPTION | | (4) (5) 15 DAY ORGANIZATIONAL MAINTENANCE ALW | | ONAL LW | (7) ILLUSTRATION | | | | |
|-------------------|---|---------------|--|----------------|---|------|------------|---------------------|--------------|---------------|---------------|-------------|
| CODE | (a) (b) Recov | NO. | | Usable on Code | OF MEAS | UNIT | (a) 1-5 | (b) 6-20 | (c) 21-50 | (d) 51-100 | FIGURE NO. | ITEM NO. |
| | | | TOOLS AND EQUIPMENT EQUIPMENT | | | | | | | | | |
| С | P - C - | 6650-764-6236 | STRAP NYL, OD, ¾ W, 44 L, 4 BUCKLE TNG HO 7646236 (19200) | DLES | EA | 1 | * | * | 1 | 1 | 1 | 2 |
| С | P - C - | 6650-850-3312 | CASE, BINOCULAR AL, ANDZ FNSH, HAND TYPE CRYG STR 10514520 (19200) | AP | EA | 1 | * | * | 1 | 1 | 1 | 3 |
| | | | REPAIR PARTS FOR EQUIPME CASE BINOCULAR | NT | | | | | | | | |
| С | P - O - | 6650-953-0120 | STRAP 10514522 (19200) | | EA | 1 | * | * | 1 | 1 | 1 | 4 |

Section V. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCED TO FIGURE AND ITEM NUMBER

| STOCK NUMBER | FIGURE NO. | ITEM NO. | REFERENCE NO. | MFR. CODE | FIGURE NO. | ITEM NO. |
|---------------|------------|----------|------------------|--------------|---------------|-------------|
| 5310-088-9171 | 2 | 2 | 7646236 | 19200 | 1 | 2 |
| 6650-764-6236 | 1 | 2 | 8287003 | 19200 | 2 | 1 |
| 6650-824-0745 | 2 | 3 | 10514360 | 19200 | 1 | 1 |
| 6650-850-3312 | 1 | 3 | 10514477 | 19200 | 2 | 2 |
| 6650-953-0120 | 1 | 4 | 10514520 | 19200 | 1 | 3 |
| 6650-996-7300 | 2 | 1 | 10514522 | 19200 | 1 | 4 |
| | | | 10525656 | 19200 | 2 | 3 |

By Order of the Secretary of the Army:

W. C. WESTMORELAND, General, United States Army, Chief of Staff.

Official:

VERNE L. BOWERS Major General, United States Army, The Adjutant General.

DISTRIBUTION:

To be distributed in accordance with DA Form 12-41 (qty rqr Block #7), Organizational maintenance requirements for Binocular.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

| | | | DO CA AN | | T IT ON T TEAR IT (| E HIS FORM. OUT, FOLD IT MAIL. | DATE S | |
|-----|-----------------------|----------------------|----------------|------------|------------------------|---|---------|----------------------------|
| | UBLICAT | TON NUMBE | ER | | | PUBLICATION D | ATE | PUBLICATION TITLE |
| ╏┠╌ | E EXAC PAGE NO. | T PIN-PC PARA- GRAPH | FIGURE NO. | TABLE NO. | | | | AT IS WRONG DONE ABOUT IT. |
| PF | RINTED I | NAME, GRA | DE OR TITL | E AND TELE | EPHONE NU | JMBER | SIGN HE | ERE |

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

The Metric System and Equivalents

Linear Measure

1 centimeter = 10 millimeters = .39 inch 1 decimeter = 10 centimeters = 3.94 inches 1 meter = 10 decimeters = 39.37 inches 1 dekameter = 10 meters = 32.8 feet 1 hectometer = 10 dekameters = 328.08 feet 1 kilometer = 10 hectometers = 3,280.8 feet

Weights

1 centigram = 10 milligrams = .15 grain 1 decigram = 10 centigrams = 1.54 grains 1 gram = 10 decigram = .035 ounce 1 dekagram = 10 grams = .35 ounce 1 hectogram = 10 dekagrams = 3.52 ounces 1 kilogram = 10 hectograms = 2.2 pounds 1 quintal = 100 kilograms = 220.46 pounds 1 metric ton = 10 quintals = 1.1 short tons

Liquid Measure

1 centiliter = 10 milliters = .34 fl. ounce 1 deciliter = 10 centiliters = 3.38 fl. ounces 1 liter = 10 deciliters = 33.81 fl. ounces 1 dekaliter = 10 liters = 2.64 gallons 1 hectoliter = 10 dekaliters = 26.42 gallons 1 kiloliter = 10 hectoliters = 264.18 gallons

Square Measure

1 sq. centimeter = 100 sq. millimeters = .155 sq. inch 1 sq. decimeter = 100 sq. centimeters = 15.5 sq. inches 1 sq. meter (centare) = 100 sq. decimeters = 10.76 sq. feet 1 sq. dekameter (are) = 100 sq. meters = 1,076.4 sq. feet 1 sq. hectometer (hectare) = 100 sq. dekameters = 2.47 acres 1 sq. kilometer = 100 sq. hectometers = .386 sq. mile

Cubic Measure

1 cu. centimeter = 1000 cu. millimeters = .06 cu. inch 1 cu. decimeter = 1000 cu. centimeters = 61.02 cu. inches 1 cu. meter = 1000 cu. decimeters = 35.31 cu. feet

Approximate Conversion Factors

| To change | To | Multiply by | To change | To | Multiply by |
|---------------|--------------------|----------------|--------------------|---------------|-------------|
| inches | centimeters | 2.540 | ounce-inches | newton-meters | .007062 |
| feet | meters | .305 | centimeters | inches | .394 |
| yards | meters | .914 | meters | feet | 3.280 |
| miles | kilometers | 1.609 | meters | yards | 1.094 |
| square inches | square centimeters | 6.451 | kilometers | miles | .621 |
| square feet | square meters | .093 | square centimeters | square inches | .155 |
| square yards | square meters | .836 | square meters | square feet | 10.764 |
| square miles | square kilometers | 2.590 | square meters | square yards | 1.196 |
| acres | square hectometers | .405 | square kilometers | square miles | .386 |
| cubic feet | cubic meters | .028 | square hectometers | acres | 2.471 |
| cubic yards | cubic meters | .765 | cubic meters | cubic feet | 35.315 |
| fluid ounces | milliliters | 29 ,573 | cubic meters | cubic yards | 1.308 |
| pints | liters | .473 | milliliters | fluid ounces | .034 |
| quarts | liters | .946 | liters | pints | 2.113 |
| gallons | liters | 3.785 | liters | quarts | 1.057 |
| ounces | grams | 28.349 | liters | gallons | .264 |
| pounds | kilograms | .454 | grams | ounces | .035 |
| short tons | metric tons | .907 | kilograms | pounds | 2.205 |
| pound-feet | newton-meters | 1.356 | metric tons | short tons | 1.102 |
| pound-inches | newton-meters | .11296 | | | |

Temperature (Exact)

| °F | Fahrenheit | |
|----|-------------|--|
| | temperature | |

5/9 (after subtracting 32) Celsius temperature °C

PIN: 028031-000