

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

ORGANIZATIONAL MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LISTS
PROJECTORS, STILL PICTURE PH-637A/PFP
(FSN 6730-224-7033), PH-637B/PFP, AND
PH-637C/PFP (FSN 6730-823-9716)

Headquarters, Department of the Army, Washington, D.C.
26 March 1974

Current as of September 1973

Section		Paragraph	Page
I.	INTRODUCTION		
	Scope.....	1-1	2
	General	1-2	2
	Explanation of columns.....	1-3	2
	Special information	1-4	4
	Location of repair parts	1-5	4
	Abbreviations (Not applicable).....	1-6	4
	Reporting of equipment publication improvements	1-7	4
II.	PRESCRIBED LOAD ALLOWANCE (Not applicable)		
III.	REPAIR PARTS LIST		6
IV.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
V.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER		9

*This manual supersedes TM 11-6730-207-20P, 27 January 1964.

SECTION I

INTRODUCTION

1-1. Scope

This manual lists repair parts and special tools required for the performance of organizational maintenance of the PH-637A/PFP, PH-637B/PFP, and PH-637C/PFP. The PCCN for the equipment is GRNADZ for all models.

1-2. General

This repair parts and special tools list is divided into the following sections:

a. *Prescribed Load Allowance (PLA) - Section II.*

Not applicable.

b. *Repair Parts List - Section III.* A list of repair parts authorized for the performance of maintenance at the organizational level. This repair parts list is arranged in alphabetical order.

c. *Special Tools, Test and Support Equipment - Section IV.* Not applicable.

d. *Index - Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number - Section V.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

1-3. Explanation of Columns

The following provides an explanation of columns in the tabular lists

a. *Source, Maintenance, and Recoverability Codes (SMR).*

(1) Source code. Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA--	Item procured and stocked for anticipated or known usage.
PB--	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC--	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD-	Support item, excluding support equipment, procured for initial issue or outfitting and stocked only for subsequent or additional

initial issues or outfittings. Not subject to automatic replenishment.

PE- Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.

PF- Support equipment which will not be stocked but which will be centrally procured on demand.

PG-Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.

KD- An item of depot overhaul/repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.

KF- An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.

KB-- Item included in both a depot overhaul/repair kit and a maintenance kit.

MO-Item to be manufactured or fabricated at organizational level.

MF-Item to be manufactured or fabricated at direct support maintenance level.

MH-Item to be manufactured or fabricated at general support maintenance level.

MD-Item to be manufactured or fabricated at depot maintenance level.

AO- Item to be assembled at organizational level.

AF- Item to be assembled at direct support maintenance level.

AH-Item to be assembled at general support maintenance level.

AD--Item to be assembled at depot maintenance level.

XA-Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.

XB-Item is not procured or stocked. If not available through salvage, requisition.

XC--Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.

XD-Support items can be requisitioned with justification.

<i>Code</i>	<i>Explanation</i>
-------------	--------------------

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application/Explanation</i>
O--	Support item is removed, replaced, used at the organizational level of maintenance.

NOTE

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F--Support item is removed, replaced, used at the direct support maintenance level.

H--Support item is removed, replaced, used at the general support maintenance.

D--Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash (-) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code--

<i>Code</i>	<i>Application/Explanation</i>
O--	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F--	The lowest maintenance level capable of complete repair of the support item is direct support.
H--	The lowest maintenance level capable of complete repair of the support item is general support.

Code Application/Explanation

D--The lowest maintenance level capable of complete repair of the support item is the depot level.

L--Repair restricted to designated Specialized Repair Activity.

Z--Non-repairable. No repair is authorized.

B--No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows--

<i>Code</i>	<i>Explanation</i>
Z--	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O--	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F--	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H--	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D--	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L--	Repairable item. Repair, condemnation, and disposal not authorized below depot/Specialized Repair Activity level.
A--	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material).

b. *Federal Stock Number.* Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description.* Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.

d. *Unit of Measure (U/M).* Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance func-

tion. This measure is expressed by a two-character alphabetical abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *15-Day Organizational Maintenance Allowance.*

(1) The repair parts indicated by an asterisk in the allowance column represent those authorized for use at the organizational category, and will be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Major Army commanders are authorized to approve reduction in the range of support items authorized for use in units within their commands. Recommendations for increase in range of items authorized for use will be forwarded to Commander, US Army Electronics Command, ATTN: AMSEL- MA-SNV, Fort Monmouth, N.J., 07703. Any changes approved will be reflected in a revision to the RPSTL.

(3) Allowance quantities are indicated in the special tools list section for special tools, TMDE, and other equipment.

g. *Illustration.* This column is divided as follows:

(1) *Figure number.* Not applicable.

(2) *Item number.* Indicates the item number or reference designation used to identify the item.

1-4. Special Information

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

Code	Used on
A2C.....	PH-637A/PFP
A2D.....	PH-637B/PFP
A2E.....	PH-637C/PFP

b. The following publication pertains to the equipment and its components:

TM 11-2323 Projectors PH-637/PFP and PH-637A/PFP, and Projectors, Still Picture PH-637B/PFP and PF-637C/PFP, and Spinner, Polarizer BM-34(A), Including Repair Parts and Special Tool Lists.

1-5. Location of Repair Parts

a. This manual contains one cross-reference index (sec V) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec V) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec III) and locate the figure number (col 7a) and item number or reference designation (col 7b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 7a and 7b of the repair parts list (sec III) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec III), which is arranged in alphabetical order.

1-6. Abbreviations

Not applicable.

1-7. Reporting of Equipment Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications and Blank Forms) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-SNV, Fort Monmouth, N.J., 07703.

SECTION III

TM 11-6730-207-20P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE REF NUMBER & MFR CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG NO.	ITEM NO.
PAOZZ	6760-392-8972	ARM MP19 SUPPORTS HEAD CASTING..... 3200-345 (070551)..... 2C	EA	1	*	*	*	*		MP19
PAOZZ	5306-439-8846	BOLT ASSY, POST CLAMPING NO-REF-DESIG 10697 (07055)..... A2D	EA	1	*	*	*	*		
PAOZZ	6730-319-1023	BRACKET, POST MOUNTING A3..... BS2-1-14 (07055)..... A2C,A2D	EA	1	*	*	*	*		A3
PAOZZ	6145-284-0063	CABLE POWER ELECTRICAL W1 15 FEET LONG CO-02HGF2- 16-040*..... A2C 5 (81349)	EA	1	*	*	*	*		W1
PAOZZ	6145-28-0079	CABLE POWER ELECTRICAL W1 15 FEET LONG JC90V11 (81348)..... 2D	EA	1	*	*	*	*		W1
PAOZZ	6730-953-4897	CABLE POWER ELECTRICAL W1..... C26-17 (096241)..... A2E	EA	1	*	*	*	*		W1
PAOZZ	6760-351-9042	CAP, LENS MP20..... 2200-206 (07055)..... A2C	EA	1	*	*	*	*		MP20
PAOZZ	6760-732-1638	CAP LENS MP20..... BS2-8-6-I (07055)..... A2D	EA	1	*	*	*	*		MP20
PAOZZ	6760-995-9287	CAP LENS MP20..... 638-94 (09624)..... A2E	EA	1	*	*	*	*		MP20
PAOZZ	5340-995-8711	CASTER, RIGID H4..... 1-2210-31 (07393)..... A2E	EA	4	*	*	*	*		H4
PAOZZ	8135-319-0880	CELLOPHANE ROLL MP3..... BS2-1-9 (07055) A2D	EA	1	*	*	*	*		MP3
PAOZZ	5935-518-9653	CONNECTOR, PLUG, ELECTRICAL P2 TYPE UP1201M..... MILC3767 (81349) A2C	EA	1	*	*	*	*		P2
PAOZZ	5935-549-9271	CONNECTOR, PLUG, ELECTRICAL P1 TYPE NO. 633..... WR151 (81348)..... A2C	EA	1	*	*	*	*		P1
PAOZZ	5935-636-7145	CONNECTOR, PLUG, ELECTRICAL P2 TYPE NO UP121M	EA	1	*	*	*	*		P2
PAOZZ	5935-64-7066	MILC3767 (81349) A2D, CONNECTOR, RECEPTACLE, ELECTRICAL J1..... 2291 (24446) A2C	EA	1	*	*	*	*	*	J1
PAOZZ	6730-356-7200	CRANK, HAND MP4..... 2204-2208 (07055)..... A2C	EA	2	*	*	*	*		MP4
PAOZZ	6130-356-7200	CRANK, HAND MP5..... 2204-2208 (07055)..... A2C	EA	REF	*	*	*	*		MP5
PAOZZ	6730-19-6880	FILTER, HEAT MS14 3285 (07055)..... A2C	EA	1	*	*	*	*		MS14
PAOZZ	6130-804-2187	FILTER, HEAT ABSORBING MS14 BS1-6-30 (07055)..... A2D	EA	1	*	*	*	*		MS14
PAOZZ	6730-955-2035	FILTER, HEAT ABSORBING MS14 463100 (09624) A2E	EA	1	*	*	*	*		MS14
PAOZZ	3020-288-2278	GEAR, RACK MP21..... 3200-340 (07055) A2C.....	EA	1	*	*	*	*		MP21
PAOZZ	6730-472-7280	GLIDE MP6 10700 (07055)..... A2D	EA	4	*	*	*	*		MP6
PAOZZ	5340-953-9653	GLIDE FURNITURE MP6..... 638-82 (09624)..... A2E	EA	4	*	*	*	*		MP6
PAOZZ	5975-273-0790	GROMMET NO-REF-DESIG SR7P (28520)..... A2D	EA	1	*	*	*	*	*	
PAOZZ	6730-804-2190	HOUSING PROJECTOR MP28..... 10630 (07055)..... A2D	EA	1	*	*	*	*		MP28
PAOZZ	5355-284-5167	KNOB MP11 S481-64 (75376)..... A2C	EA	1	*	*	*	*		MP11
PAOZZ	5355-284-5168	KNOB MP26 S482-64BB (75376)..... A2C	EA	1	*	*	*	*		MP26
PAOZZ	5355-284-5169	KNOB MP25 5483-64B8 (75376)..... A2C	EA	1	*	*	*	*		MP25
PAOZZ	5355-995-8708	KNOB MP9..... RB211 (86797)..... A2E	EA	2	*	*	*	*		MP9
PAOZZ	5355-995-8708	KNOB MP10 RB211 (86797)..... A2E	EA	1	REF	*	*	*	*	MP10
PAOZZ	5355-392-9867	KNOB MP9..... 81028 70499..... A2C	EA	2	*	*	*	*		MP9
PAOZZ	5355-392-9867	KNOB MP10 81028 (ZZZZZ)..... A2C	EA	REF	*	*	*	*		MP10
PAOZZ	5355-439-8850	KNOB MP8..... BS2-11-7 (07055)..... A2D	EA	1	*	*	*	*		MP8
PAOZZ	5355-508-7728	KNOB MP8..... M161A (71743)..... A2C	EA	1	*	*	*	*		MP8
PAOZZ	5355-858-5636	KNOB NO-REF-DESIG BS2-11-3 (07055)..... A2D	EA	1	*	*	*	*		
PAOZZ	5355-889-3372	KNOB MP8..... 4901BL (72512)..... A2D	EA	1	*	*	*	*		MP8
PAOZZ	5355-995-8707	KNOB MP8..... RB211 (86797)..... A2E	EA	1	*	*	*	*		MP8
PAOZZ	6250-060-0507	LAMPHOLDER X1..... 3743 (71183)..... A2D	EA	1	*	*	*	*		X1
PAOZZ	6250-299-7013	LAMPHOLDER X1..... 98-8 (02660)..... A2C,A2E	EA	1	*	*	*	*		X1

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE REF NUMBER & MFR CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a)	(b)
					1-5	6-20	21-50	51-100	FIG NO.	ITEM NO.
PAOZZ	6240-143-3044	LAMP, INCANDESCENT E1 IMTZOMP (24446) A2C,A2D	EA	1	*	*	*	*		E1
PAOZZ	2410-43-3044	LAMP, INCANDESCENT E1 ORS115V100WT20M* A2E	EA	1	*	*	*	*		E1
PAOZZ	5340-475-2010	LATCH, THUMB MP29 10880-2-3 (01055) A20	EA	2	*	*	*	*		MP29
PAOZZ	6910-099-8866	LENS ASSEMBLY, CONDENSING MS2 3200-3229 (07055) A2C	EA	1	*	*	*	*		MS2
PAOZZ	6760-351-9044	LENS, CONDENSER, PHOTO GRAPHIC MS53 BS1-2-79 (07055) A20	EA	1	*	*	*	*		MS53
PAOZZ	6760-351-9045	LENS, CONDENSER, PHOTOGRAPHIC MS4 2200-94 (07055) A2C	EA	1	*	*	*	*		MS4
PAOZZ	6760-985-6154	LENS, CONDENSER, PHOTOGRAPHIC M53 463106 (09624) A2E	EA	1	*	*	*	*		MS3
PAOZZ	6760-995-9305	LENS, PROJECTION MS11 638-96 (096241) A2E	EA	1	*	*	*	*		MS11
PAOZZ	6760-351-9046	LENS, PROJECTION, VIEWING MS11 2200-205 (07055) A2C	EA	1	*	*	*	*		MS11
PAOZZ	6730-408-5502	MASK, PHOTOGRAPHIC MP12 4X5 2200-268 (07055) A2C, A2D	EA	1	*	*	*	*		MP12
PAOZZ	6730-408-5503	MASK, PHOTOGRAPHIC MP3 5X7 2200-269 (07055) A2C,A2D	EA	1	*	*	*	*		MP13
PAOZZ	6730-408-5504	MASK, PHOTOGRAPHIC MP14 7X9 2200-270 (07055) A2C, A2D	EA	1	*	*	*	*		MP14
PAOZZ	6730-953-2251	MASK, PHOTOGRAPHIC MP30 8X10 638-50 (09624) A2E	EA	1	*	*	*	*		MP30
PAOZZ	6730-408-5505	MASK, PHOTOGRAPHIC MP16 10X10 2200-267 (07055) A2C,A2D	EA	1	*	*	*	*		MP16
PAOZZ	6730-804-2179	MASK, PHOTOGRAPHIC MP31 10X10 HOLDER 2276 (07055) A2C, A2D	EA	1	*	*	*	MP31		
PAOZZ	6730-953-2250	MASK, PHOTOGRAPHIC MS16 10X10 638-22 (09624) A2E	EA	1	*	*	*	*		M16
PAOZZ	6730-953-2294	MASK, PHOTOGRAPHIC MP12 4X5 638-51-1 (09624) A2E	EA	1	*	*	*	*		MP12
PAOZZ	6730-953-2253	MASK, PHOTOGRAPHIC MP13 5X7 638-51-2 (09624) A2E	EA	1	*	*	*	*		MP13
PAOZZ	6130-953-2252	MASK, PHOTOGRAPHIC NP14 7X9 638-51-3 (09624) A2E	EA	1	*	*	*	*		MP14
PAOZZ	6760-291-5857	MASK, PHOTOGRAPHIC MP30 8x10 2278 (07055) A2C, A2D	EA	1	*	*	*	*		MP30
PAOZZ	6730-064-5061	MIRROR, PHOTOGRAPHIC PROJECTOR MSL12 BS1-4-30 (07055) A20	EA	1	*	*	*	MS12		
PAOZZ	6730-351-8592	MIRROR, PHOTOGRAPHIC PROJECTOR MS5 2200-86 (07055) A2C,A2E	EA	1	*	*	*	*	MS5	
PAOZZ	6730-351-8593	MIRROR, PHOTOGRAPHIC PROJECTOR MS12 2200-209 (010755) A2C	EA	1	*	*	*	MS12		
PAOZZ	6730-954-7107	MIRROR, PHOTOGRAPHIC PROJECTOR MS12 638-73 (09624) A2E	EA	1	*	*	*	MS12		
PAOZZ	6105-475-2397	MOTOR, ALTERNATING CURRENT B1 L3023502G10675 (50133) O2D	EA	1	*	*	*	*		B1
PAOZZ	5340-526-3993	MOUNT, RESILIENT A1 YELLOW 275-4 (81860) A2E	EA	4	*	*	*	*		A1
PAOZZ	5340-526-3993	MOUNT, VIBRATION A1 275-4 (81860) A2C,A2D	EA	4	*	*	*	*		A1
PAOZZ	5315-542-5433	PIN, LOCATING H6 638-93 (09624) A2E	EA	1	*	*	*	*		H6
PAOZZ	8135-392-8971	PLASTIC, ROLL MS6 BS2-7-3 (07055) A2C,A2E	EA	1	*	*	*	*		MS6
PAOZZ	5620-274-6845	PLATE GLASS MS1 BS1-6-2 (07055) A2C	EA	1	*	*	*	*		MS1
PAOZZ	5620-38-25	PLATE GLASS MS1 BS1-7-68 (07055) A2D	EA	1	*	*	*	*		MS1
PAOZZ	5620-955-5552	PLATE GLASS MS1 638-13 (09624) A2E	EA	1	*	*	*	*		MS1
PAOZZ	5620-955-5553	PLATE GLASS MS1 638-30 (09624) A2E	EA	1	*	*	*	*		MS1
PAOZZ	5620-132-9671	PROCESSED GLASS MS8 3200-225 (07055) A2C	EA	1	*	*	*	*		MS8
PAOZZ	6730-804-2180	PROJECTION HEAD ASSEMBLY MP32 10615 (07055) A2D	EA	1	*	*	*	*		MP32
PAOZZ	6730-412-7279	REFLECTOR MS10 BS1-3-25 (07055) A2D	EA	1	*	*	*	*		MS10
PAOZZ	6730-392-8973	REFLECTOR ASSEMBLY MS9 3200-3228 (07055) A2C	EA	1	*	*	*	*		MS9
PAOZZ	6730-954-3239	REFLECTOR, LIGHT MS10 46399 (09624) A2E	EA	1	*	*	*	*		MS10
PAOZZ	5365-953-4898	RING, EXTERNALLY THREADED MP33 638-96-1 (09624) A2E	EA	1	*	*	*	*		MP33

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW				(7) ILLUS- TRATION	
					(a)	(b)	(c)	(d)	(a) FIG NO.	(b) ITEM NO.
					1-5	6-20	21-50	51-100		
PAOZZ	5340-995-8712	RING, RETAINING MP27 X51338 (09624) A2E		EA	1	*	*	*		MP27
PAOZZ	6730-356-5605	ROLL ATTACHMENT MP1 2204 (07055) A2C	EA	2	*	*	*	*		MP1
PAOZZ	6730-356-5605	ROLL ATTACHMENT MP2 2204 (07055) A2C	EA	REF	*	*	*	*		MP2
PAOZZ	6730-804-2194	ROLL ATTACHMENT MP1 10880 (07055) A2D	EA	2	*	*	*	*		MP1
PAOZZ	6730-804-2194	ROLL ATTACHMENT MP2 10880 (07055) A2D	EA	REF	*	*	*	*		MP2
PAOZZ	5305-030-0478	SCREW, ADJUSTMENT H3..... 3200-274 (07055) A2C	EA	1	*	*	*	*		H3
PAOZZ	5305-030-0479	SCREW, ADJUSTMENT H2..... 3200-241 (07055) A2C	EA	1	*	*	*	*		H2
PAOZZ	6730-953-4899	SCREW, CAPTIVE H7 C75-15 (09624) A2E	EA	1	*		*	*	*	H7
PAOZZ	6730-472-7281	SPOOL MP3..... 8S2-7-8 (07055) A2D	EA	1	*	*	*	*		MP3
PAOZZ	6730-955-2033	SPOOL, TAKE UP MP3..... 463110 (09624) A2E	EA	1	*	*	*	*		MP3
PAOZZ	5360-059-6854	SPRING, HELICAL, COMPRESSION NO-REF-DESIG BS2-4-29 (07055) A2D	EA	1	*	*	*			
PAOZZ	6730-597-8458	SPRING, HELICAL, COMPRESSION MP17 3200-206 (07055) A2C	EA	2	*	*	*	*		MP17
PAOZZ	6730-597-8958	SPRING, HELICAL, COMPRESSION MP18 3200-206 (07055) A2C	EA	REF	*	*	*	*		MP18
PAOZZ	6130-95-4980	SPRING, HELICAL, COMPRESSION MP17 638178 (09624) A2E	EA	2	*	*		*		MP17
PAOZZ	6730-953-4980	SPRING, HELICAL, COMPRESSION MP18 638178 (09624) A2E	EA	REF	*	*	*	*		MP18
PAOZZ	5930-059-7400	SWITCH, TOGGLE S1 5551 (75582) A2D	EA		1	*	*	*	*	S1
PAOZZ	5930-660-5584	SWITCH, SILENT, TOGGLE S1 1221 (74545) A2C	EA	1	*	*	*	*		S1
PAOZZ	5305-060-0448	THUMBSCREW H8 10880-4 (07055) A2D	EA	1	*	*	*	*		H8
PAOZZ	5355-953-2324	THUMBSCREW H8 C75-14 (09624) A2E	EA	1	*	*	*	*		H8
PAOZZ	5305-953-2325	THUMBSCREW H9 C75-13 (09624) A2E	EA	1	*	*	*	*		H9
PAOZZ	6730-392-9868	TUBE MP3..... 2-7-1 (07055) A2C	EA	1	*	*	*	*		MP3
PAOZZ	6730-356-4967	WINDOW MS13 2200-227 (0705) A2C	EA	1	*	*	*	*		MS13
PAOZZ	6730-446-4462	WINDOW, PROJECTION HEAD MS13 BS1-7-63 (07055) A2D	A	1	*	*	*	*		MS13

NATIONAL STOCK NUMBER AND PART NUMBER INDEX

STOCK NUMBER	FIGURE NO.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
3020-288-2278		MP21	6730-356-5605		MP1
5305-030-0478		H3	6730-356-5605		MP2
5305-030-0479		H2	6730-356-7200		MP4
5305-060-0448		H8	6730-356-7200		MP5
5305-953-2325		H9	6730-392-8973		MS9
5306-439-8846			6730-392-9868		MP3
5315-842-5433		H6	6730-408-5502		MP12
5340-475-2510		MP29	6730-408-5503		MP13
5340-526-3993		A1	6730-408-5504		MP14
5340-953-9153		MP6	6730-408-5505		MP16
5340-995-8711		H4	6730-446-4462		MS13
5340-995-8712		MP27	6730-472-7279		MS10
5355-284-5167		MP11	6730-472-7280		MP6
5355-284-5168		MP26	6730-472-7281		MP3
5355-284-5169		MP25	6730-597-8958		MP17
5355-392-9867		MP10	6730-597-8958		MP18
5355-392-9867		MP9	6730-719-6880		MS14
5355-439-8850		MP8	6730-804-2179		MP31
5355-508-7728		MP8	6730-804-2180		MP32
5355-858-5636			6730-804-2187		MS14
5355-889-3372		MP8	6730-804-2190		MP28
5355-953-2324		H8	6730-804-2194		MP1
5355-995-8707		MP8	6730-804-2194		MP2
5355-995-8708		MP10	6730-953-2250		MS16
5355-995-8708		MP9	6730-953-2251		MP30
5360-059-6854			6730-953-2252		MP14
5365-953-4898		MP33	6730-953-2253		MP13
5620-132-9671		MS8	6730-953-2254		MP12
5620-274-6845		MS1	6730-953-4897		W1
5620-439-8825		MS1	6730-953-4699		H7
5620-955-5552		MS1	6730-953-4980		MP17
5620-955-5553		MS1	6730-953-4980		MP18
5930-059-7400		S1	6730-954-3239		MS10
5930-660-5584		S1	6730-954-7107		MS12
5935-518-9653		P2	6730-955-2033		MP3
5935-549-9271		P1	6730-955-2035		MS14
5935-636-7145		P2	6760-291-5857		MP30
5935-644-7066		J1	6760-351-9042		MP20
5975-273-0790			6760-351-9044		MS3
6105-475-2397		B1	6760-351-9045		MS4
6145-284-0063		W1	6760-351-9046		MS11
6145-284-0079		W1	6760-392-8972		MP19
6240-143-3044		E1	6760-732-1638		MP20
6250-060-0507		X1	6760-985-6754		MS3
6250-299-7013		X1	6760-995-9287		MP20
6730-064-5067		MS12	6760-995-9305		MS11
6730-319-1023		A3	6910-099-8866		MS2
6730-351-8592		MS5	8135-319-0880		MP3
6730-351-8593		MS12	8135-392-8971		MS6
6730-356-4967		MS13			

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR. CODE	FIG. NO.	ITEM NO.
BS1-2-79	07055		MS3	C75-15	09624		H7
BS1-3-25	07055		MS10	DRS115V10WT20MPFC13	24446		E1
BS1-4-30	07055		MS12	1MT20MP	24446		E1
BS1-6-12	07055		MS1	JC90V11	81348		W1
BS1-6-30	07055		MS14	L3023502G10675	50133		B1
BS1-7-63	07055		MS13	MILC3767	81349		P2
BS1-7-68	07055		MN1	M161A	71743		MP8
BS2-1-14	07055		A3	RB211	66797		MP8
BS2-11-3	07055		RB211	86797	MP9		
BS2-11-7	07055		MP8	RB211	86797		MP10
BS2-4-29	07055		SR7P	28520			
BS2-7-3	07055		MS6	S481-64	75376		MP11
BS2-7-8	07055		MP3	S482-64BB	75376		MP26
BS2-7-9	07055		MP3	S483-64BB	75376		MP25
BS2-8-6-1	07055		MP20	WR151	81348		P1
B1028	ZZZZZ		MP10	X51338	09624		MP27
B1028	70499		MP9	1-2210-31	07393		H4
CO-02HGF2-16-0405	81349		W1	10615	07055		MP32
C26-17	09624		W1	10630	07055		MP28
C75-13	09624		H9	10697	07055		
C75-14	09624		H8	10700	07055		MP6

SECTION V

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR. CODE	FIG. NO.	ITEM NO.
10880	07055		MP1	3200-3228	07055		MS9
10880	07055		MP2	3200-3229	07055		MS2
10880-2-3	07055		MP29	3200-340	07055		MP21
10880-4	07055		H8	3200-345	07055		MP19
1221	74545		S1	3285	07055		MS14
2-7-1	07055		MP3	3743	71183		X1
2200-205	07055		MS11	463100	09624		MS14
2200-206	07055		MP20	463106	09624		MS3
2200-209	07055		MS12	463110	09624		MP3
2200-227	07055		MS13	46399	09624		MS10
2200-267	07055		MP16	4901BL	72512		MP8
2200-268	07055		MP12	5551	75582		S1
2200-269	07055		MP13	638-13	09624		MS1
2200-270	07055		MP14	638-22	09624		MS16
2200-86	07055		MS5	638-30	09624		MS1
2200-94	07055		MS4	638-50	09624		MP30
2204	07055		MP1	638-51-1	09624		MP12
2204	07055		MP2	638-51-2	09624		MP13
2204-2208	07055		MP4	638-51-3	09624		MP14
2204-2208	07055		MP5	638-73	09624		MS12
2276	07055		MP31	638-82	09624		MP6
2278	07055		MP30	638-93	09624		H6
2291	24446		J1	638-94	09624		MP20
275-4	81860		A1	638-96	09624		MS11
3200-206	07055		MP17	638-96-1	09624		MP33
3200-206	07055		MP18	638176	09624		MP17
3200-225	07055		MS8	638178	09624		MP18
3200-241	07055		H2	98-8	02660		X1
3200-274	07055		H3				

By Order of the Secretary of the Army:

CREIGHTON W. ABRAMS
General, United States Army
Chief of Staff

Official:

VERNE L. BOWERS
Major General, United States Army
The Adjutant General

Distribution:

Active Army:

USASA (2)	Ft Huachuca (10)
CNGB (1)	Ft Huachuca (10)
ACSC-E (2)	WSMR (1)
Dir Trans (1)	Ft Carson (5)
COE (1)	Ft Richardson (ECOM Ofc) (2)
TSG (1)	Army Dep (2) except
USAARENBD (11)	LBAD (14)
USAMB (10)	SAAD (30)
AMC (1)	TOAD (141)
TRADOC (2)	ATAD (10)
ARADCOM (2)	GENDEP (2)
ARADCOM Rgn (2)	Sig Sec GENDEP (2)
OS Maj Comd (4)	Sig Dep (2)
LOGCOMDS (3)	SigFLDMS (1)
MICOM (2)	USAERDAA (1)
TECOM (2)	USAERDAW (1)
USACC (4)	MAAG (1)
MDW (1)	USARMIS (1)
Armies (2)	Units org under fol TOE
Corps (2)	(1 cy each):
HISA (ECOM) (18)	9-247
Svc Colleges (1)	11-96
USASESS (5)	11-97
USAADS (2)	11-98
USAFAS (2)	11-117
USAARMS (2)	11-127
USAIS (2)	11-500(AA-AC)
USAES (2)	19-256
USAINTS (3)	19-316
WRAMC (1)	29-134
USACDCEC (10)	29-136
ATS (1)	44-102
Instl (2) except	44-112
Ft Gordon (10)	44-568

NG: State AG (3); units - same as Active Army.

USAR: None.

For explanation of abbreviations used, see AR 310-50.

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

TM 11-5825-270-10

PUBLICATION DATE

23 Jul 81

PUBLICATION TITLE

Radio Frequency R-2176/FRN

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.	PARA-GRAPH	FIGURE NO.	TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

