### DEPARTMENT OF THE ARMY TECHNICAL BULLETIN

FILTERS, GAS-PARTICULATE, 600 CFM, ABC-M14A1; 1200 CFM, ABC-M15A1; 2500 CFM, ABC-M16A1; 500CFM, ABC-M17A1; 600 CFM, ABC-M14; 1200CFM, ABC-M15; 2500 CFM, ABC-M16; 500 CFM, ABC-M17

# Headquarters, Department of the Army, Washington, D. C. 17 June 1970

	Paragraph	Page
General		1
Description	2	1
Applicable specifications	3	2
References	4	2

**1. General.** *a.* Under the provisions of the QUADRIPARTITE STANDARDIZATION AGREEMENT (QSTAG) 214 among the Armies of the United States, United Kingdom, Canada, and Australia, the Armies of the United States, Canada, and Australia have approved the gas-particulate filters listed below as standard for the three Armies:

Standard A -- 600 CFM, ABC-M14A1 1200 CFM, ABC-M15A1 2500 CFM, ABC-M16A1 5000 CFM, ABC-M17A1 Standard B -- 600 CFM, ABC-M14 1200 CFM, ABC-M15 2500 CFM, ABC-M16 5000 CFM, ABC-M17

b. It is agreed that the filters produced in the three countries will be manufactured so that the filters will be functionally and dimensionally interchangeable

<sup>2.</sup> Description. The gas-particulate filters (para 1*a*) are designed to remove chemical, biological, and radiological contamination from air which is forced through them. They are intended primarily to be used in the filter units listed in table 1. They can also be used in the air intakes to ventilating systems or air-conditioning systems. Standard A series of gas-particulate filters are improved models of the standard B series of filters. Each gas-particulate filter consists of gas filters and a particulate filter sealed in a frame. Table 1 lists the overall dimensions, uncrated weight, and the filter unit in which each gas-particulate filter is used.

<sup>\*</sup>This bulletin supersedes TB 34-9-59, 5 March 1962

Table 1.

Filter	Overall dimensions (inches)			Weight uncrated (pounds)	Use
	Н	W	L		
M14A1	25 1/2	26 1/4	34 7/8	310	M9A2 Filter Unit
M15A1	25 1/2	26 1/4	62 3/8	550	M10A2 Filter Unit
M16A1	25 7/8	48 3/4	62 1/4	1,090	M11A2 Filter Unit
M17A1	48 3/8	48 3/4	62 3/8	2,240	M12A2 Filter Unit
M14	25 1/2	25 1/2	34 3/8	310	M9 Filter Unit
M15	25 1/2	25 1/2	62	550	M10 Filter Unit
M16	25 1/2	48	62	1,090	M11 Filter Unit
M17	49 1/2	49 1/2	62	2,240	M12 Filter Unit

### 3. Applicable Specifications.

MIL-F-51224 (MU) -- Filters, Gas-Particulate, 600, 1200, 2500, and 5000 CFM; ABC-M14A1. ABC-M15A1,

ABC-M16A1 and ABC-M17A1

MIL-F-50051 (CmIC) -- Filter, Gas and Particulate, 600 CFM, M14
MIL-F-50052 (CmIC) -- Filter, Gas and Particulate, 1200 CFM, M15
MIL-F-50053 (CmIC) -- Filter, Gas and Particulate, 2500 CFM, M16
MIL-F-50054 (CmIC) -- Filter, Gas and Particulate, 5000 CFM, M17

### 4. References.

Quadripartite Standardization	
Agreement-214	Armies Standardization Program Filter, Gas-Particulate: 600 CFM, ABC-M14:1200 CFM, ABC-M15; 2500 CFM, ABC-M16; 2500 CFM, ABC-M17; 600 CFM, ABC-M14A1; 1200 CFM, ABC-M15A1; 2500 CFM, ABC-M16A1; 5000 CFM, ABC-M17A1.
TM 3-4240-203	Accessory Equipment for Protective Shelters.
TM 3-1240-208-12	Operator and Organizational Maintenance Manual: Filter Unit, Gas-Particulate, EMD, 600 CFM, M9.
TM 3-4240-208-20P	Organizational Maintenance Repair Parts and Special Tool Lists: Filter Unit, Gas-Particulate EMD, 600 CFM, M9.
TM 3-4240-208-35	Field ant Depot Maintenance Manual: Filter Unit, Gas-Particulate, EMD. 600 CFM, M9.
TM 3-4240-208-35P	Field and Depot Maintenance Repair Parts and Special Tool Lists: Filter Unit, Gas-Particulate, EMD. 600 CFM, M9.
TM 3-4240-210-12	Operator and Organizational Maintenance Manual: Filter Unit, Gas-Particulate, EMD, 2500 CFM, M11.
TM 3-4240-210-20P	Organizational Maintenance Repair Parts and Special Tool Lists: Filter Unit, Gas-Particulate, EMD, 2500 CFM, M11.
TM 3-4240-210-35	Field and Depot Maintenance Manual: Filter Unit, Gas-Particulate, EMD, 2500 CFM, M11.
TM 3-4240-210-35P	Field and Depot Maintenance Repair- Parts and Special Tool Lists: Filter Unit, Gas-Particulate, EMD, 2500 CFM, M11.
TM 3-4240-211-12	Operator and Organizational Maintenance Manual: Filter Unit, Gas-Particulate. EMD, 5000 CFM, M12.
TM 3-4240-211-20P	Organizational Maintenance Repair Parts and Special Tool Lists: Filter Unit, Gas-Particulate, EMD, 5000 CFM, M12.

TM 3-4240-211-35 TM 3-4240-211-35P Field and Depot Maintenance Manual: Filter Unit, Gas-Particulate, EMD, 5000 CFM, M12. Field and Depot Maintenance Repair Parts and Special Tool Lists: Filter Unit, Gas-

Particulate, EMD, 5000 CFM, M12.

**NAVDOCKS P92** 

Operation and Maintenance Manual; Filter Unit, Gas-Particulate, EMD, 600 CFM, M9A1; and

Filter Unit, Gas-Particulate, MED, 1200 CFM, M10A1.

By Order of the Secretary of the Army:

Official:

KENNETH G. WICKHAM, Major General, United States Army, The Adjutant General.

Distribution:

Active Army:

DCSOPS (3) DCSPER (3) DCSLOG (3) ACSI (3) ACSFOR (5) CRD (3)

OS Maj Comd (10) USCONARC (15) Armies (10) ARADCOM (5) LOGCOMD (5) USACDC (3)

MDW (1) USAMECOM (3) USAMICOM (5) USAMUCOM (5) USAWECOM (5) USATECOM (25) USAECOM (25) USAECOM (25) Svc Colleges Br Svc Sch (3)

Corps (USAREUR) (3) Corps (USAREUR) (3)

Regt/Gp/Bat Gp (USAREUR) (3)

W.C. WESTMORELAND, General, United States Army,

Chief of Staff.

Bde (USAREUR) (3) Bn (USAREUR) (3)

MAAG (3)

NG: None USAR: None

For explanation of abbreviations used, see AR 320-50.

**☆U.S.GOVERNMENT PRINTING OFFICE: 1970-390-944/2046** 

## RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

	''		-				
7				SOR		WRONG WITH PUBLICATION	
7 (	FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)						
M	DOPE ABOUT IT ON THIS FORM.  CAREFULLY TEAR IT OUT, FOLD IT  AND DROP IT IN THE MAIL  DATE SENT						
	1	P AN	D DROP II	T IN THE MAIL.		ENI	
PUBLICATION NUMBER PUBLICATION DATE PUBLICATION TITLE							
BE EXAC	T PIN-PO	INT WHEF	RE IT IS	IN THIS SPACE	TELL WHA	T IS WRONG	
PAGE PARA- FIGURE TABLE AND WHAT SHOUL							
PRINTED NAME, GRADE OR TITLE AND TELEPHONE NUMBER				PHONE NUMBER	SIGN HE	RE	

**DA** 1 FORM 2028-2

PREVIOUS EDITIONS ARE OBSOLETE. P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

PIN: 013036-000