

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

TM 11-809-20

DEPARTMENT OF THE AIR FORCE TECHNICAL ORDER

TO 31R2-2URT-124

ORGANIZATIONAL MAINTENANCE RADIO TRANSMITTERS

T-368/URT, T-368A/URT
T-368B/URT, AND T368C/URT
AND ANTENNA TUNING UNIT
BC-939-B



DEPARTMENTS OF THE ARMY AND THE AIR FORCE

JULY 1958

WASHINGTON 25, D. C., 2 July 1958

TECHNICAL MANUAL
No. 11-809-20
TECHNICAL ORDER
No. 31R2-2URT-124

RADIO TRANSMITTERS T-368/URT, T-368A/URT, T-368B/URT, AND T-368C/URT AND ANTENNA TUNING UNIT BC-939-B

	Paragraph	Page
CHAPTER 1. INTRODUCTION		
Scope.....	1	2
Forms and records.....	2	2
2. INSTALLATION		
Unpacking.....	3	3
Checking unpacked equipment.....	4	3
Shelter requirements.....	5	5
Installation of transmitter.....	6	5
Installation of antenna tuning unit.....	7	5
Connections.....	8	5
Use of modified antenna tuning unit.....	9	7
Internal connections of oscillator and multiplier subassemblies.....	10	8
Clipper gain control adjustment.....	11	10
Sidetone gain control adjustment.....	12	10
3. MAINTENANCE INSTRUCTIONS		
Section I. Maintenance.		
Scope of unit repairman's maintenance.....	13	12
Tools, materials, and test equipment required.....	14	12
Unit repairman's preventive maintenance.....	15	12
Lubrication of oscillator-multiplier assembly and power amplifier tuning drive assembly.....	16	16
Lubrication of antenna tuning unit.....	17	16
II. Troubleshooting.		
Visual inspection.....	18	16
Troubleshooting by using equipment performance check list.....	19	17
Tube testing techniques.....	20	22
Preferred-type tubes.....	21	27
CHAPTER 4. SHIPMENT AND LIMITED STORAGE		
Disassembly.....	22	28
Repackaging for shipment or limited storage.....	23	28
APPENDIX I. REFERENCES		29
II. MAINTENANCE ALLOCATION CHARTS		30

*This technical manual supersedes so much of TM 11-809, 22 April 55, including C 1, 11 December 1956, C 2, 24 January 1957, C 3, 4 April 1957, and C 4, 8 May 1957 as pertains to organizational maintenance.

CHAPTER 1

INTRODUCTION

1. Scope

a. These instructions are published for the use of personnel responsible for organizational maintenance of Radio Transmitter T-368(*)/URT and Antenna Tuning Unit BC-939-B.

b. Two appendixes are included in these instructions:

Appendix I, References.

Appendix II, Maintenance Allocation Charts.

c. The repair parts and special tool list will be published as a separate technical manual.

d. Forward comments on this publication directly to Commanding Officer, United States Army Signal Publications Agency, Fort Monmouth, New Jersey.

2. Forms and Records

a. *Unsatisfactory Equipment Reports.*

(1) Fill out and forward DA Form 468 (Unsatisfactory Equipment Report), to

Commanding Officer, United States Army Signal Equipment Support Agency, Fort Monmouth, New Jersey, as prescribed in AR 700-38.

(2) Fill out and forward AFTO Form 29 (Unsatisfactory Report), to Commander, Air Materiel Command, Wright-Patterson Air Force Base, Ohio, as prescribed in AF TO 00-35D-54.

b. *Damaged or Improper Shipment.* Fill out and forward DD Form 6 (Report of Damaged or Improper Shipment), as prescribed in AR 700-58 (Army) and AFR 71-4 (Air Force).

c. *Preventive Maintenance Form.* Prepare DA Form 11-238 (Maintenance Check List for Signal Equipment (Sound Equipment, Radio, Direction Finding, Radar, Carrier, Radiosonde and Television)) (figs. 7 and 8) in accordance with instructions on the form.

CHAPTER 2

INSTALLATION

3. Unpacking

a. Packaging Data. When packed for shipment, the transmitter components are placed in a wooden crate with a moisture-vaporproof barrier. Packing and packaging of a transmitter is shown in figure 1. The crate is 48 inches high, 39½ inches wide, and 36½ inches deep. The volume of the crate is 38 cubic feet. Running spares are packed in the crate with the transmitter. The weight of the crated equipment is 940 pounds.

b. Removing Contents. Select a location where the equipment may be unpacked without exposure to the elements, and which is convenient to the permanent or semipermanent installation of the equipment.

Caution: Be careful when uncrating, unpacking, and handling the equipment; it is easily damaged. If it is damaged or exposed, a complete overhaul may be required or the equipment may be rendered useless.

- (1) Open the top and one side of the shipping crate. Use a nail puller to remove the nails that fasten the top and side. Do not attempt to pry the top and side off; the equipment may become damaged.
- (2) Remove the equipment (still bolted to its wooden pallet) from the crate.
- (3) Remove the moisture-vaporproof barrier and the bags that contain the desiccant.
- (4) Cut the banding that holds the wadding to the equipment.
- (5) Unfasten the equipment from the pallet by removing the nut and lockwasher that secure the base of the equipment to each bolt on the pallet.
- (6) Lift the equipment off the pallet and place it near its final location.

- (7) Replace the pallet and the attaching hardware in the shipping crate.

Note. Save the original packing case, the pallet, and the attaching hardware. They can be used again when the equipment is repacked for storage or shipment.

4. Checking Unpacked Equipment

a. Check the contents of the cartons against the master packing slip.

b. Inspect the equipment for possible damage (incurred during shipment), such as bent knobs and cracked or broken glass windows of the meters and frequency indicator dials.

c. Rotate the tuning controls and turn the switches to check for smoothness of movement. Binding or jamming indicates abnormal mechanical operation. Do not force the controls because this may cause permanent damage.

d. Remove the back panel by unfastening the 24 Dzus screws that hold it to the housing. Loosen the captive bolts at the front of each deck and pull the decks part way out.

e. Inspect the chassis and subchassis for broken or loose tubes and loose tube shields; see that all connectors are seated firmly. Push in and tighten the deck bolts and replace and secure the back panel.

f. Remove the 3 AMP and 6 AMP fuses on the power supply deck and see that they are the correct value. Be sure that the fuses are seated firmly after replacing them.

g. Make sure that the jumper plug (fig. 2) is seated firmly in its socket. Inspect the coaxial receptacles on the housing and on the radio-frequency (RF) deck for bent frames. See that the cable fittings are not bent.

h. Check the running spares for damages.




Figure 1. Packing and packaging of transmitter.

TM 809-6

5. Shelter Requirements

The shelter housing for the transmitter must meet the following requirements:

a. The floor must be capable of supporting the weight of the equipment and of keeping the equipment in a level position.

b. Sufficient space must be available when repair work or withdrawal of any of the three decks is necessary. The transmitter should be so located that the power and signal cables are easily reached.

c. Adequate lighting for day and night operation must be provided. Position the transmitter so that the panel markings can be read easily by the operator.

6. Installation of Transmitter

The transmitter is shipped with all tubes and fuses in place.

a. For fixed station operation, the installation procedure consists of placing the transmitter in a suitable location (par. 5).

b. For mobile installation, the equipment must be bolted to the surface on which it is positioned. For this purpose, four holes are provided in the rectangular base. These holes are spaced 29 inches in length and 26¼ inches in width (center to center). Use hexagonal head bolts, at least 2½ inches long, and ½-inch washers to fasten the transmitter to the surface. These bolts are not furnished.

7. Installation of Antenna Tuning Unit

a. When the tuning unit is unpacked, follow the checking procedures given in paragraph 4a through c.

b. Set the tuning unit on top of the transmitter and secure it to the transmitter with the four wing nuts (fig. 1 of TM 11-809-10).

8. Connections

(fig. 6 of TM 11-809-10 and fig. 2)

After installing the transmitter and antenna tuning unit, make the following connections. In several radio sets, such as Radio Sets AN/GLQ-2 and AN/GRC-26D, these connections (except for the handkey and carbon microphone) have been made by the manufacturer.

a. *Power Input.* Connect power Cord CD-763 between power receptacle J14 and the alternating-current (ac) line (115 volts, 50-60 cycles per second (cps), single phase).

b. *CW Transmission.* Connect the handkey to the key jack at the associated control box for the radio set.

c. *AM Transmission.* Connect the carbon microphone cable to CARBON MICROPHONE receptacle J11.

d. *EXT EXC Transmission.* Connect the external exciter output cable to EXT EXC receptacle J15.

e. *FSK Transmission.*

(1) In lettered models used with Radio Modulator MD-239/GR, check the two cables from the EXT EXC (J15) and FSK (J16) connectors of the transmitter to the MO IN and FSK OUT connectors of the modulator.

(2) When Radio Modulator MD-239/GR is not used, check the connection of the frequency-shift exciter cable to the FSK receptacle (J16).

f. *FSK-AM Transmission.* Make the checks in d and e (1) or (2) above.

g. *Antenna.*

(1) Connect the doublet antenna lead-in (if used) to the RF OUTPUT receptacle (J9).

(2) When the antenna tuning unit is used, connect:

(a) The coaxial cable between the RF OUTPUT receptacle (J9) and the input terminals on the side of the tuning unit.

(b) The lead from antenna to the antenna terminal at the rear of the tuning unit.

h. *Associated Receiver.* In an installation where an associated receiver uses the same antenna, check the connection at the RECEIVER receptacle (J10).

i. *Jumper Plug.* See that the jumper plug is inserted in J13 at the rear of the transmitter.

j. *Remote Control Operation.* In radio sets, a special purpose cable is usually supplied, but for

other installations when remote control is desired, a cable must be fabricated, to connect the remote control box to remote control receptacle J12 on the transmitter. The pins of J12 have the following functions:

(1) Remove control of the push-to-talk and key relay K2 by shorting pin A to pin E (ground). In lettered models, shorting pin A to pin E produces remote control of slow release relay K9 and performs the keying function.

- (2) Remote control of high-voltage relay K6 by shorting pins B and C (115 volts ac).
- (3) Remote control modulation by connecting a telephone to pins D and E.
- (4) Remote control modulation by connecting a carbon mike to pins F and E.
- (5) Monitoring of continuous-wave (cw) keying by connecting a headset between pins H and E.
- (6) Disabling a receiver by shorting pin J to ground.




Figure 2. Transmitter cording diagram.

TM 809-10

9. Use of Modified Antenna Tuning Unit

(fig. 3)

When it is desired to transmit on frequencies from 1.5 to 2 megacycles (mc) a modified tuning unit must be used. Figure 3 shows the circuit of

a modified antenna tuning unit. In antenna tuning units so modified, it is not possible to operate with the range switch in the 10-20 M-C position. This range of frequencies can, however, be covered by use of a long-wire antenna (par. 17f(2) in TM 11-809-10).




Figure 3. Modified antenna tuning unit, practical wiring diagram.

10. Internal Connections of Oscillator and Multiplier Subassemblies

(figs. 4 and 5)

Lettered models of the transmitter can function in combination with Radio Modulator MD-239/GR (an fsk modulator) or as general utility transmitters. Special RF cable adapters have been added to the internal cabling of these sets and installing personnel must connect the internal cables according to the intended use of the transmitter.

a. Preliminary Instructions. To check the internal cabling, proceed as follows:

- (1) Use the hexagonal T-socket wrench (fig. 4, TM 11-809-10) to loosen the Allen-head bolts which hold the RF deck to the cabinet.
- (2) Carefully pull the RF deck forward until plug P1, which connects to receptacle J1

(fig. 4), is accessible, and disconnect P1 from J1.

Caution: The RF deck is quite heavy and is not equipped with stops; be careful to pull directly out so as not to smash tube V1 against the upper housing.

- (3) Place the RF deck on a bench or other flat surface.

b. Connection for Use as General Utility Transmitter (A, fig. 5). To cable the transmitter for utility operation, proceed as follows:

- (1) Connect plug P801, which terminates the cable from the oscillator subassembly, to receptacle J101 on the multiplier subassembly.
- (2) Connect Adapter UG-635/U on plug P9 (termination of the cable from EXT EXC receptacle J15) to CP2 (UG-306A/U, fig. 4) connected to J104 on the multiplier subassembly.






Figure 4. Radio Transmitter T-368C/URT, RF deck, top view.



A. INTERNAL CONNECTIONS FOR GENERAL USE



B. INTERNAL CONNECTIONS FOR USE WITH RADIO MODULATOR MD-239/GR

NOTES:

1. CONNECTOR ADAPTER UG-914/U IS NOT USED BUT LEFT CLIPPED IN PLACE.
2. CONNECTOR ADAPTER UG-306A/U IS NOT USED BUT LEFT CONNECTED TO J104.

TM809-20-2

Figure 5. Transmitter internal connections.

- (3) Connect plug P10, which terminates the cable from FSK receptacle J16, to receptacle J102 on the multiplier subassembly.
- (4) Connector-adaptor CP1 (UG-914/U, fig. 4) located in the holder mounted on the side panel is not used.

c. Connections for Use With Radio Modulator MD-239/GR (B, fig. 5). To cable the transmitter for use with Radio Modulator MD-239/GR, proceed as follows:

- (1) Connect plug P801 from the oscillator subassembly to connector-adaptor CP1 (UG-914/U).
- (2) Connect plug P9 (terminated by Adapter UG-635/U) from the EXT EXC receptacle cable to the other end of CP1 (UG-914/U). This connects the output signal from the first buffer stage to the EXT EXC jack.

- (3) Connect plug P10, which terminates the cable from FSK receptacle J16, to receptacle J101 on the multiplier sub-assembly. This connects the input from the radio modulator to the grid circuit of V101.
- (4) Right angle connector-adaptor CP2 (UG-306A/U) on J104 of the multiplier sub-assembly is not used.

d. Replacement of RF Deck. After internal connections have been properly made to operate the transmitter with Radio Modulator MD-239/GR or as a general utility transmitter, replace the RF deck. Connect P1 to J1 and fasten the RF deck in place.

11. Clipper Gain Control Adjustment

Follow the AM tuning procedures of paragraph 17b(1) through (3) in TM 11-809-10. Adjust the clipper gain control (fig. 6) on the speech amplifier chassis on the modulator deck as follows:

a. Turn the CARBON MIKE GAIN control to its OFF position (counterclockwise).

b. Turn the clipper gain control (screw-driver adjustment) to its OFF position (counterclockwise). This is done by pulling the modulator deck out until the clipper control shaft can be seen and turning the control with a screw driver.

Warning: Be sure that the deck is not pulled out too far; injury to the installer or damage to the equipment may result because there are no stops to prevent the deck from falling out of the housing.

c. Push the deck back into the housing but do not tighten the bolts at this time.

d. Hold the microphone in one hand (approximately 4 inches to 6 inches from the face) and press the mike switch. Hum or whistle a sustaining note into the mouthpiece while turning up the CARBON MIKE GAIN control until approximately 250 milliamperes (ma) is read on the EXCITATION meter. If a telephone is used over a 600-ohm line, turn the 600 OHM LINE

GAIN control instead of the CARBON MIKE GAIN control.

e. Pull the deck out again far enough to turn the clipper gain control halfway on (clockwise) and then push it in again.

f. Repeat the procedure in *d* above and check the modulator plate current reading. If it exceeds 230 ma, the clipper control must be turned on more and if it is less than 230 ma, the clipper control must then be turned back a little.

g. Repeat the procedures in *e* and *f* above until 230 ma is the maximum reading.

h. Now talk normally into the microphone and check for a maximum reading of 230 ma on the EXCITATION meter. If 230 ma is not exceeded on peaks, the transmitter is adjusted for 100 percent modulation with peak clipping control for modulation over 100 percent.

i. Tighten the modulator deck bolts.

12. Sidetone Gain Control Adjustment

In several radio sets, sidetone can be heard through headsets at remote control junction boxes. Adjust the transmitter for CW operation (par. 19 of TM 11-809-10) and then adjust sidetone gain as follows:

a. Press the handkey.

b. If the sidetone level heard in the headset is not satisfactory, pull the modulator deck out until the sidetone gain control shaft (fig. 6) can be seen.

c. With a screwdriver, turn the shaft clockwise to increase, or counterclockwise to decrease, the signal level.

Warning: Do not pull the deck out too far; there are no stops to prevent the deck from falling out. Injury to the installer or damage to the equipment may result.

d. Push the deck back into the housing, and press the handkey again to check sidetone level in the headset.

e. Repeat the procedures of *c* and *d* above until the sidetone level as heard in the headset is comfortable for the operator.




Figure 6. Speech amplifier subassembly showing clipper gain and sidetone gain controls

CHAPTER 3

MAINTENANCE INSTRUCTIONS

Section I. MAINTENANCE

13. Scope of Unit Repairman's Maintenance

a. Following is a list of maintenance duties performed by the unit repairman. The scope of these instructions has been determined by the available tools, materials, test equipment, spare parts, and the MOS of the unit repairman.

b. Unit repairman's maintenance consists of the following:

- (1) Replacement of defective fuses.
- (2) Preventive maintenance (par. 15).
- (3) Lubrication (pars. 16 and 17).
- (4) Visual inspection (par. 18).
- (5) Trouble shooting (par. 19).
- (6) Tube testing (par. 20).

14. Tools, Materials, and Test Equipment Required

The tools, materials and test equipment required for unit repairman's maintenance are listed below.

a. Tools.

- (1) Three Allen wrenches (No. 4, 6, and 8) mounted on the RF deck metal partition.
- (2) A 3/8-inch hexagonal T-socket wrench (fig. 4, TM 11-809-10).
- (3) Tool Equipment TE-41.
- (4) Test prod (stock No. 3F3705-12-19).

b. Materials.

- (1) Cleaning Compound (Federal stock No. 7930-395-9542).
- (2) Cleaning cloth.
- (3) Fine sandpaper.
- (4) Grease, aircraft and instruments (GL), MIL-G-3278.
- (5) Lubricating oil, general purpose, preservative (PL special), MIL-L-644A.

c. Test Equipment.

- (1) Multimeter ME-77/U.
- (2) Electron Tube Test Set TV-7/U.

15. Unit Repairman's Preventive Maintenance (figs. 7 and 8)

a. DA Form 11-238. DA Form 11-238 is a preventive maintenance check list to be used by the operator and the unit repairman. Figures 7 and 8 show the form as used by the unit repairman. References in the item blocks are to paragraphs that contain additional maintenance information. Items not applicable to the transmitter and antenna tuning unit are lined out. Instructions for use appear on the form.

b. Items. The information shown in this subparagraph is supplementary to DA Form 11-238. The item numbers correspond to item numbers on the form.

Item	Maintenance procedures
11----	Clean air filters as follows: <ol style="list-style-type: none"> <i>a.</i> Use the blowers to blow out dust. <i>b.</i> Pour cleaning compound over a filter. Place a large basin under the filter to catch the compound. After the dirt particles settle, the clear liquid can be used again. <i>c.</i> Use a light water spray to flush out the loosened dirt. <i>d.</i> After the filter is dry, spray light oil sparingly on the side of the filter that faces the flow of air.
19----	Inspect, tighten, and lubricate the couplings and control shafts in the antenna tuning unit. Check gears of oscillator-multiplier and power amplifier tuning drive assemblies for wear or chipping.

ADDITIONAL ITEMS FOR 2D AND 3D ECHELON INSPECTIONS 26. _____ 27. CHECK FOR NORMAL OPERATION. <input checked="" type="checkbox"/> 28. _____ IF DEFICIENCIES NOTED ARE NOT CORRECTED DURING THE INSPECTION, INDICATE ACTION TAKEN FOR CORRECTION.		MAINTENANCE CHECK LIST FOR SIGNAL EQUIPMENT SOUND EQUIPMENT, RADIO, DIRECTION FINDING RADAR, CARRIER, RADIOSONDE AND TELEVISION (AR 750-625)	
ITEM 7- CORD CD-763 (POWER CABLE) FRAYED. REPORTED TO 2D ECHELON MAINTENANCE FOR REPAIR. (REPLACED CORD 18FEB, M/SGT R. DOUGLAS)		EQUIPMENT NOMENCLATURE RADIO TRANSMITTER T-368 CURT AND ANTENNA TUNING UNIT BC-939-B EQUIPMENT SERIAL NUMBER 427 610	
INSTRUCTIONS This form may be used for a period of one month by using the correct dates and weeks of the month. It is to be used as a Preventive Maintenance check list for Signal equipment in actual use, or for a check on equipment prior to issue. 1. For detailed Preventive Maintenance instructions see: a. The Technical Manual (in TM 11 series) for the equipment. (See DA Pamphlet Number 310-4) b. The Supply Bulletin (SB 11-100 series) for the equipment. (See DA Pamphlet Number 310-4) c. The Department of the Army Lubrication Order. (See DA Pamphlet Number 310-4) 2. The following action will be taken by either the Communications Officer/Chief for 1st echelon, or the Inspector for higher echelon: a. Enter Equipment Nomenclature and Serial Number. b. Strike out items that do not apply to the equipment. 3. Operator/Inspector will enter in the columns entitled CONDITION , on the proper line, a notation regarding the condition, using symbols specified under LEGEND . 4. After operator completes each daily inspection he will initial over the appropriate dates under "Daily Condition for Month", then return form to his supervisor.		TYPE OF INSPECTION	
OPERATOR <input checked="" type="checkbox"/>		SIGNATURE <i>Cpl Roy L. Barrie</i>	
DATE 10 FEB		DATE 17 FEB	
DATE 18 FEB		DATE <i>M/SGT Rodney Douglas</i>	

DA FORM 11-238
 MAY 59
 REPLACES DA FORMS 11-238, 1 NOV 58; 11-239, 1 NOV 58; 11-240, 11-241, 11-242, 11-243, 11-244, AND 11-245, WHICH ARE OBSOLETE.

Figure 7. DA Form 11-838 as used by the unit repairman, pages 1 and 4.


NO. DAILY ITEM		DAILY CONDITION FOR MONTH OF																				CONDITION
		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31						
1. COMPLETESS AND GENERAL CONDITION OF EQUIPMENT. (Transmitter, antenna , cables, microphones, tubes, spare parts, technical manual).		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
2. CLEAN DIRT AND MOISTURE FROM MICRO-PHONES, HEADSETS, KEYS, JACKS, COMPONENT PANELS.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
3. INSPECT CONTROLS FOR NORMAL OPERATION.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
4. CHECK FOR NORMAL OPERATION OF EQUIPMENT. BE ALERT FOR UNUSUAL OPERATION OR CONDITION.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
		WEEKLY																				
5. CLEAN EXTERIORS OF CASES, RACKS, MOUNTS.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
6. INSPECT MOUNTS AND EXPOSED METAL SURFACES FOR RUST, CORROSION.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
7. INSPECT CORDS, CABLES, SHOCKMOUNTS FOR CUTS, KINKS, BREAKS, PRYING, UNDUCE STRAIN.		✗																			RD	
8.																						
9.																						
10. INSPECT ACCESSIBLE ITEMS FOR LOOSE NUTS, SWITCHES, KNOBS, JACKS, CONNECTORS, LIGHTS, ETC.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
11. CLEAN AND/OR INSPECT AIR FILTERS, BRASS NAME PLATES, DIAL AND METER WINDOWS.		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	RD	
12.																						
		ADDITIONAL ITEMS FOR 2D AND 3D ECHELON INSPECTIONS																			CONDITION	
13.																						
14.																						

GO 1937 O-47704

CONTINUED ON PAGE 4

2

Figure 8. DA Form 11-258 as used by the unit repairman, pages 2 and 3.



LUBRICANTS	INTERVAL
GL - GREASE, AIRCRAFT AND INSTRUMENT (LOW AND HIGH TEMPERATURE), PER MIL-G-3278.	6 MONTHS
PL - LUBRICATING OIL, PRESERVATIVE, PER MIL-L-644A WITH AMEND. I.	

TM809-20-16

Figure 9. Lubrication of oscillator-multiplier tuning drive assembly.

16. Lubrication of Oscillator-Multiplier Assembly and Power Amplifier Tuning Drive Assembly

(figs. 9 and 10)

a. The lubrication instructions for the oscillator-multiplier tuning drive assembly are given in figure 9. The power amplifier tuning (and loading) drive assembly lubrication instructions are given in figure 10. The type of lubricant to be used, the interval, and specific instructions for each part are given in these figures. Grease (GL), low and high temperature, per MIL-G-3278 is applied to the gear teeth; and oil (PL special), per MIL-L-644A, is applied to the bearing surfaces.

b. Do not apply excessive amounts of lubricants. Do not apply lubricants at points other than those indicated on the lubrication illustrations.

c. Be sure that the lubricants and the points to


be lubricated are clean and free from sand, grit, or dirt. These abrasives are the primary cause of bearing wear. Use cleaning compound to clean all parts. Before lubrication, clean all surfaces to be lubricated. Use a lint-free cloth dampened with cleaning compound. Keep the fluid off surrounding parts.

17. Lubrication of Antenna Tuning Unit

Use grease (GL) to lubricate the following points in the tuning unit:

- a. Loading coil contact roller shafts.
- b. Coupling adjustment coil contact roller shaft.
- c. Tuning control bevel pinions.
- d. Coupling adjustment bevel pinion.

Warning: Do not lubricate the inductors, contact shoes, or the associated rollers which make contact with them. Use a soft dry brush to remove small metallic particles from the surface of the inductors.



TM809-20-15

Figure 10. Lubrication of power amplifier tuning drive assembly.

Section II. TROUBLESHOOTING

18. Visual Inspection

Before operating the equipment, inspect it. This will save repair time and may also avoid further damage to the transmitter.

a. Complete failure of the transmitter often may be caused by one or more of the following faults:

- (1) Improperly connected power cord.
- (2) Worn, broken, or disconnected cords or plugs.

- (3) Blown fuses or tripped circuit breaker.
- (4) Switches (or other controls) set incorrectly.

b. Partial failure of the transmitter often may be caused by one or more of the following faults:

Note. The individual decks (RF, modulator, and power supply) of the transmitter may be completely removed for servicing. To prevent damage to the wiring be *sure* that no deck is pulled out of the cabinet any farther than just enough to permit removal of the interconnecting plugs. Both sides of each deck must be supported when removing it from the cabinet because mechanical stops are not supplied on this equipment.

- (1) Faulty relay contacts, caused by overloads.
- (2) Defective resistors, caused by overheating; look for blistering or discoloration of the paint.
- (3) Defective tubes (cracked envelopes or filaments not lighted).
- (4) Knobs of band switches, tuning controls, or antenna tuning unit controls loose on shaft.
- (5) Jumper plug out of receptacle at rear of transmitter (fig. 2).

19. Troubleshooting by Using Equipment Performance Check List

(figs. 11-20)

Caution: Radio Transmitter T-368(*)/URT contains extremely high voltages which are dangerous to life if contacted. The protective electrical interlock switches should not be relied upon. A red pilot lamp, labeled PLATE POWER, on the front panel of the transmitter indicates when the high-voltage power supply is turned on. Since this lamp may burn out, however, do not rely on it to show that no high voltages are present. Use the test prod provided to insure safety.

a. *General.* The equipment performance check list will assist the unit repairman to locate the trouble in the transmitter systematically. All corrective measures which the unit repairman can perform are given in the *corrective measures* column. When using the check list, start at the beginning and follow each step in order. If the corrective measures indicated do not fix the equipment, troubleshooting by a higher echelon is required. Note on the repair tag how the equipment performed and what corrective measures were taken.

b. *Procedure.* Place the set in operation. Operate the equipment as shown in the check list below.

	Item No.	Item	Action or condition	Normal indications	Corrective measures
PRELIMINARY STARTING PROCEDURE	1	FILAMENT POWER circuit breaker.	Throw to OFF.		
	2	PLATE POWER circuit breaker.	Throw to OFF.		
	3	PLATE RELAY switch.	Throw to OFF (down).		
	4	TUNE-OPERATE switch (TUNE-NORMAL switch in A and C models).	Throw to TUNE.		
	5	EXCITER PLATE POWER switch (basic model). KEYING switch (lettered models).	Throw to OFF. Set to NORMAL.		
	6	BAND SELECTOR switch.	Turn to desired band.	Proper bar exposed on dial and pointer set at desired band.	Secure knob to shaft. Check switch.
	7	TUNING CONTROL	Turn to desired operating frequency.	Proper number in mc appears.	Higher echelon repair required.
	8	P A BAND SWITCH.	Turned to desired band.	Pointer at desired band.	Secure knob to shaft. Check switch.
	9	POWER AMPLIFIER TUNING and POWER AMPLIFIER LOAD-ING controls.	Settings found from calibration charts for desired frequency.	Numbers rotate to proper settings.	Higher echelon repair required.

PRELIMINARY STARTING PROCEDURE

Item No.	Item	Action or condition	Normal indications	Corrective measures
10	SERVICE SELECTOR switch.	Turn to CW-----	Pointer at type of service selected.	Secure knob to shaft. Check switch.
11	EXCITATION METER SWITCH. <i>When using antenna Tuning Unit BC-939-B.</i>	Place at P A GRID X2 position.	Pointer at desired meter range.	Secure knob to shaft. Check switch.
12	Range switch-----	Set to desired range----	Pointer at desired range.	Secure knob shaft. Check switch.
13	FREQUENCY control	Crank to desired setting found from calibration charts.	Numbers rotate to proper setting.	Higher echelon repair required.
14	COUPLING control---	Turn to desired setting found from calibration charts.	Numbers rotate to proper setting.	Secure knob to shaft. Higher echelon repair required.
15	FILAMENT POWER circuit breaker.	Throw to ON. Adjust FILAMENT VOLTAGE control for 5-volt reading on FIL VOLTAGE meter.	Green light on. Blowers go on. A 5-volt reading on FIL VOLTAGE meter.	Check power Cord CD-763 and connectors between ac source and ac power receptacle J14. Check cables to J7 (power supply deck), J6 and J2 (modulator deck), and J1 (RFdeck) and the connectors. Check 6- and 3-ampere fuses (F1 and F2). Check FIL VOLTAGE meter M1 and FILAMENT VOLTAGE control R18. Check blowers B1 and B2 and FILAMENT POWER circuit breaker CB1. Check FILAMENT POWER lamp I 3.
16	FILAMENT POWER circuit breaker.	Throw to OFF-----	Green light and blowers go off. Reading on FIL VOLTAGE meter drops to zero.	
17	PLATE POWER circuit breaker and PLATE RELAY switch.	Throw to ON (up) positions.		
18	FILAMENT POWER circuit breaker.	Throw to ON-----	See item 15. Red light goes on approximately 25 seconds after circuit breaker goes on. Also P A PLATE METER shows a low reading.	See item 15. Check PLATE POWER circuit breaker CB2 and red lamp I 4; THERMAL RESET, PLATE RELAY and OVERLOAD RESET switches. Check relays K5, K6, K7, and K8 on power supply deck under protective cover. Check P11 for firm seating in jumper plug receptacle J13. Check high-voltage rectifier tubes V18 and V19 and see that all decks are closed. Check P A PLATE meter M3. Check clamper tube V2.

	Item No.	Item	Action or condition	Normal indications	Corrective measures
PRELIMINARY STARTING PROCEDURE	19	EXCITATION METER SWITCH.	Turn to P A GRID X2 and INT AMP PLATE X10.	No readings on EXCITATION meter.	
	20	EXCITATION METER SWITCH.	Turn to MOD PLATE X20.	Reading (approximately 50 ma) appears on EXCITATION meter.	See item 18. Check modulator tubes V9 and V10 and EXCITATION meter M2. Check bias rectifier tube V11 if reading is excessive.
	21	PLATE POWER circuit breaker and PLATE RELAY switch.	Turn to OFF (down) positions.	Red light goes off and P A PLATE meter reading drops to zero.	
	22	EXCITATION METER SWITCH.	Turn to P A GRID X2.		
	23	EXCITER PLATE POWER switch (basic model). Keying switch (lettered models).	Throw to ON (up)----- Set to CONTINUOUS.	8 ma minimum appears on EXCITATION meter.	Check low-voltage power supply rectifier tubes. Check tubes V801, V802, V101 through V104 in exciter sub-assembly. Check cable between P101 and J8 on RF deck. Check internal cabling for proper connections (par. 10). Check slow release relay K9 and KEYING switch S6 (lettered models only). See item 23.
24	EXCITATION METER SWITCH.	Turn to INT AMP PLATE X10.	20 to 70 ma reading on EXCITATION meter.		
EQUIPMENT PERFORMANCE		<i>CW operation</i>			
	25	SERVICE SELECTOR switch.	Turn to CW.		
	26	EXCITER PLATE power (basic model). KEYING switch (lettered models).	Turn to ON (up) position. Set to CONTINUOUS.		
	27	PLATE POWER circuit breaker and PLATE RELAY switch.	Turn to ON (up) position.	Readings on P A PLATE and EXCITATION meter.	
	28	POWER AMPLIFIER TUNING control.	Adjust for resonance...	Minimum reading on P A PLATE meter.	Check pa tube V1.
29	POWER AMPLIFIER LOADING and POWER AMPLIFIER TUNING controls.	Adjust loading control for 150 ma pa plate current. Readjust tuning control for minimum reading on meter. Keep reading 150 ma with loading control.	150 ma on P A PLATE meter.	See item 28.	

EQUIPMENT PERFORMANCE

Item No.	Item	Action or condition	Normal indications	Corrective measures
30	TUNE-OPERATE (TUNE-NORMAL in A and C models) switch.	Throw to OPERATE (NORMAL position in A and C models)	Reading on P A PLATE meter increases to 350 ma (approximately).	Check switch. Check OVER-LOAD RESET. Adjust COUPLING control. Adjust FREQUENCY control. Check R. F. OUTPUT receptacle J9.
31	ANTENNA CURRENT.	Key held closed	ANTENNA CURRENT meter indication.	Check control settings, tuning, coupling, and antenna range switch. Check handkey.
32	EXCITER PLATE POWER switch (basic model). KEYING switch (lettered models).	Throw to OFF	Equipment ready for cw transmission.	
	<i>AM operation</i>	Throw to NORMAL.		
33	SERVICE SELECTOR switch.	Turn to AM.		
34	EXCITATION METER switch.	Set at P A GRID X2.		
35	TUNE-OPERATE switch (TUNE-NORMAL in A and C models).	Set to TUNE position.		
36	KEYING switch (lettered models).	Set to CONTINUOUS.	Reading on EXCITATION meter (P A GRID X2 position).	See item 23.
	EXCITER PLATE POWER switch (basic model).	Turn to ON (up) position.		
37	PLATE POWER circuit breaker and PLATE RELAY switch.	Turn to ON (up) position.	Reading on P A PLATE meter.	
38	POWER AMPLIFIER TUNING control.	See item 28.		
39	POWER AMPLIFIER LOADING control.	See item 29, but adjust for 125 ma pa plate current.		
40	TUNE-OPERATE switch (TUNE-NORMAL in A and C models).	Throw to OPERATE (NORMAL in A and C models).	Reading on P A PLATE meter increases to 275 ma.	See items 30 and 31.
41	EXCITATION METER SWITCH.	Set to MOD PLATE X20.	50 ma on EXCITATION meter.	Check MODULATOR BIAS control R25 and modulator tubes V9 and V10.
42	MODULATOR BIAS control.	Adjust control for 50 ma modulator plate current.	See item 41	See item 41.
43	EXCITER PLATE POWER (KEYING switch in lettered models) and PLATE RELAY switches.	Throw to OFF (down) (KEYING switch to NORMAL in lettered models).	No readings on P A PLATE and EXCITATION meters.	Check switches.

	Item No.	Item	Action or condition	Normal indications	Corrective measures	
EQUIPMENT PERFORMANCE	44	Carbon microphone and mike switch.	Adjust for 100 percent modulation (par. 11).	230 ma (max) on EXCITATION meter.	Check mike and mike switch. Check input (J11 and P4). Test speech amplifier tubes V12, 13, 14 and 15. Inspect cable and contacts of J3. Check SERVICE SELECTOR switch.	
	45	Telephone	See item 44	See item 44	See item 44 and check also telephone and telephone input (J12 and P5).	
		<i>EXT EXC operation</i>				
	46	SERVICE SELECTOR switch.	Turn to EXT EXC.			
	47	EXCITATION METER SWITCH.	Turn to P A GRID X2.			
	48	KEYING switch (EXCITER PLATE POWER switch in basic model).	Set to CONTINUOUS (EXCITER PLATE POWER switch to ON (up) position).			
	49	PLATE POWER circuit breaker and PLATE RELAY switch.	Throw to ON (up) position.			
	50	Apply external excitation input.	Connect to EXT EXC jack.			
	51	TUNING CONTROL.	Adjust for max grid current.	Reading on EXCITATION meter between 8 and 12 ma.	Check external excitation relay and signal input. Check internal RF deck connections.	
	52	POWER AMPLIFIER LOADING and POWER AMPLIFIER TUNING controls.	See items 28 and 29	See items 28 and 29	See items 28 and 29.	
53	TUNE-OPERATE switch (TUNE-NORMAL in A and C models).	Throw to OPERATE (NORMAL in A and C models).	See item 30. Equipment ready for transmission of external excitation.	See item 30.		
	<i>FSK operation</i>					
54	SERVICE SELECTOR switch. Remainder of check performed as described under EXT EXC operation.	Turn to FSK.				
	<i>FSK-AM operation</i>					
55	SERVICE SELECTOR switch. Remainder of check performed as described under FSK and AM operation.	Turn to FSK-AM.				
STOP	56	FILAMENT POWER circuit breaker.	Throw to OFF	FILAMENT POWER and PLATE POWER lights go out. No meter readings. Blowers go off.		

20. Tube Testing Techniques


When trouble occurs, check all cabling, connections, and the general condition of the equipment before attempting removal of electron tubes. Try to isolate the trouble to a particular unit or section of the equipment (par. 19b). Tube locations for various transmitter models are shown in figures 11 through 20. Do not discard tubes merely because the tubes have been used for a specified length of time. Satisfactory operation in a circuit is the final proof of tube quality. The tube in use may work better than a new one.

a. *Use of Tube Tester.* All tubes except the modulator (type 4D21) and pa tubes (type 4-400A) can be checked in the tube tester. Remove and test only one tube at a time. Discard a tube only if its defect is obvious or if the tube tester shows it to be defective. Do not discard a tube that tests at or just above its minimum test limit on the tube tester. Replace the original

tube, or insert a new one if required, before testing the next one.


b. *Tube Substitution Method.* For the modulator and pa tubes or if a tube tester is not available, check tubes by the tube substitution method.

- (1) Replace the suspected tubes, one at a time, with new tubes. If the equipment becomes operative, discard the last tube removed.
- (2) Reinsert the remaining original tubes, one at a time, in the original sockets. If equipment failure occurs during this step, discard the last original tube. Do not leave a new tube in a socket if the equipment operates satisfactorily with the original tube.
- (3) If tube substitution does not correct the trouble, reinsert the original tubes in the original sockets before forwarding the defective equipment for higher echelon repair.




TM 809-7

Figure 11. RF deck tube location, basic model.




TM 809-C4-14

Figure 12. RF deck tube location, A model.




TM 809-C1-14

Figure 13. RF deck tube location, B model.




TM809-C2-14

Figure 14. RF deck tube location, C model.




TM 809-8

Figure 15. Modulator deck tube location, basic model.




TM809-20-18

Figure 16. Modulator deck tube location, A model.




TM 809-CI-17

Figure 17. Modulator deck tube location, B model and C model, procured on order No. 43058-Phila-56.




TM809-C2-18

Figure 18. Modulator deck tube location, C model procured on order No. 28459-Phila-55.



TM 809-C3-64

Figure 19. Modulator deck tube location, C model procured on order No. 28597-Phila-55.



TM 809-9

Figure 20. Power supply deck tube location.

21. Preferred-Type Tubes

The lettered model transmitters include preferred-type tubes instead of the type 5814, 12AT7, and 5R4WGY tubes supplied with the basic model. The chart below lists the preferred-type tube for each nonpreferred-type tube. Do not use a nonpreferred-type tube to replace a preferred-type tube.

Nonpreferred-type tube	Preferred-type tube	Where used
12AT7.....	12AT7WA..	First and second af amplifier
5814.....	5814WA....	Third and fourth af amplifier; sidetone oscillator
5R4WGY...	5R4WGA...	Exciter power supply; bias power supply

CHAPTER 4

SHIPMENT AND LIMITED STORAGE

22. Disassembly

When the transmitter and antenna tuning are part of a set, refer to the appropriate manual for specific disassembly instruction. General instructions are given below:

Disconnect and remove any antenna tuning unit that may be on top of the transmitter.

- b. Disconnect all cabling to the equipment.
- c. If the base is bolted to the floor, remove the bolts.

23. Repackaging for Shipment or Limited Storage

The transmitter and/or the antenna tuning unit may be shipped from the using organization without special packaging. If repackaging is done, the exact procedures depend on the materials available and the conditions under which they are to be shipped. The information concerning the original packaging (par. 3 and fig. 1) can be helpful.

APPENDIX I

REFERENCES

Following is a list of references applicable and available to the unit repairman of Radio Transmitter T-368(*)/URT and Antenna Tuning Unit BC-939-B.

TM 11-264B

Radio Set AN/GRC-26D.

TM 11-621

Radio Set AN/GRC-41.

TM 11-640A

Radio Set AN/GLQ-2.

APPENDIX II
MAINTENANCE ALLOCATION CHART

FOR

RADIO TRANSMITTERS T-368/URT, T-368A/URT, T-368B/URT, AND
T-368C/URT AND ANTENNA TUNING UNIT BC-939-B

Section I. PREFACE

1. General

a. The maintenance allocation portion of the Technical Manual assigns maintenance functions and repair operations to be performed by the lowest appropriate maintenance echelon.

b. The lists in Sections II and III are presented in columns titled as follows:

(1) PART OR COMPONENT. Only the nomenclature or standard item name is annotated in this column. Additional descriptive data is included only where clarification is necessary to identify the part. Components and parts comprising a major end item are listed alphabetically. Assemblies and sub-assemblies are in alphabetical sequence with their components listed alphabetically immediately below the assembly listing.

(2) RELATED OPERATION. This column indicates the various maintenance functions allocated to the echelon capable of performing the operation. These are defined as follows:

- (a) Service. To clean, to preserve, and to replenish fuel and lubricants.
- (b) Adjust. To regulate periodically to prevent malfunction.
- (c) Inspect. To verify serviceability and to detect incipient electrical or mechanical failure by scrutiny.
- (d) Test. To verify serviceability and to detect incipient electrical or mechanical failure by use of special equipment such as gages, meters, etc.
- (e) Replace. To substitute serviceable assemblies, sub-assemblies, and parts for unserviceable components.
- (f) Repair. To restore to a serviceable condition by replacing unserviceable parts or by any other action required utilizing tools, equipment and skills available, to include welding, grinding, riveting, straightening, adjusting, etc.
- (g) Align. To adjust two or more components of an electrical system so that their functions are properly synchronized.
- (h) Calibrate. To determine, check, or rectify the graduation of an instrument, weapon, or weapons system, or components of a weapons system.
- (i) Rebuild. To restore to a condition comparable to new by disassembling the item to determine the condition of each of its component parts and reassembling it using serviceable, rebuilt, or new assemblies, sub-assemblies, and parts.

(3) ECHELON ALLOCATED THE MAINTENANCE OPERATION. The symbol "X" placed in the appropriate column indicates the echelon responsible for performing that particular maintenance operation, but does not necessarily indicate that repair parts will be stocked at that level. Echelons higher than the echelon marked by "X" are authorized to perform the indicated operation.

The symbol "XX" which may be placed only in the second echelon column, indicates that second echelon may perform the particular maintenance function provided the request originates from organizational level and is specifically authorized by the direct support technical service officer. Use of the symbol will be strictly limited, and will apply only to replacement of major assemblies and time consuming operations which are within the capabilities of organizational maintenance, but over which control by the technical service is considered essential. In no case will performance of a "double percent" function be directed by the direct support technical services officer, and in no case will a "double percent" function authorize stockage of parts at organizational level.

(4) REPAIR FACILITIES CODE. Code numbers are assigned to each individual tool equipment, test equipment and maintenance equipment referenced under "Inclosure To The Maintenance Allocation Chart". The grouping of codes in the Repair Facilities Code Column of the Maintenance Allocation Chart indicates the tool, test and maintenance equipment required to perform the maintenance operation.

(5) REMARKS. Entries in this column will be utilized when necessary to clarify any of the data cited in the preceding columns.

(6) INCLOSURE TO THE MAINTENANCE ALLOCATION CHART.

(a) FACILITIES REQUIRED FOR MAINTENANCE OPERATIONS. Tools, test and maintenance equipment required to perform the maintenance functions are listed in this column and coded in the Repair Facilities Code column.

(b) ECHELON ALLOCATED THE FACILITY. The symbol "+" placed in the appropriate columns indicates the echelons allocated the facility.

2. Comments or Suggestions

Any comments concerning omissions and discrepancies in this appendix will be prepared on DA Form 2028 and forwarded directly to Commanding Officer, U. S. Army Signal Equipment Support Agency, Fort Monmouth, New Jersey, Attn: SIGFM/ES-ML.

APPENDIX II
MAINTENANCE ALLOCATION CHART, SECTION II

PART OR COMPONENT	RELATED OPERATION	EGHELON ALLOCATED THE MAINTENANCE OPERATION										REPAIR FACILITIES CODE	REFERENCE	
		OPERATOR ORGANIZATIONAL		FIELD			DEPOT			FIFTH EGHELON				
		FIRST EGHELON	TACTIONAL	FIXED	THIRD EGHELON	FOURTH EGHELON	FIFTH EGHELON							
RADIO TRANSMITTER T-368/URT; T-368A, B, C/URT	service	X												Preventative Maintenance Only. Operator
	adjust	X												
	inspect	X												
	test	X												
	replace		X											
	repair		X											
	align				X									
	calibrate													
	rebuild													
	test													
test														
test														
align														
align														
replace														
service														
inspect														
test														
replace														
repair														
rebuild														
inspect														
replace														
inspect														
replace														
ADAPTERS	replace													
AMMETERS	service	X												
	inspect													
	test													
	replace													
	repair													
	rebuild													
	inspect													
	replace													
	inspect													
	replace													
BAR, ACTUATOR	inspect													
	replace													
BEARING, SLEEVE	inspect													
	replace													

**APPENDIX II
MAINTENANCE ALLOCATION CHART, SECTION II**

PART DESCRIPTION	REFERENCE SYMBOL AND RELATED OPERATION	EGHELON ALLOCATED THE MAINTENANCE OPERATION						REPAIR FACILITIES CODE	REFERENCE/ REMARKS
		OPERATOR		ORGANIZATIONAL		FIELD			
		FIRST EGHELON	SECOND EGHELON	THIRD EGHELON	FOURTH EGHELON	FIFTH EGHELON	DEPOT		
T-368/U, T-369A, B, C/U, RT (contd)									
BEZEL	inspect replace	X						17	
BOLTS	inspect replace	X	X						T Wrench part of equipment.
BRACKETS	inspect replace	X						17	
BUMPER, RUBBER	inspect replace	X		X				17	
CABLES	inspect test replace	X	X	X				1 1,17	
CABLE ASSEMBLY	inspect test rebuild replace	X	X	X				1 1,17	
CAP, FUSE	replace		X						
CAP, LENS	replace		X						
CAPACITORS	inspect test replace		X	X				1 1,17	
CHART, CALIBRATION	replace								
CIRCUIT, BREAKERS	inspect test replace	X	X	X				1 1,17	
CLAMPS	inspect replace		X					17	
CLIPS	inspect replace		X					17	
COILS (Except LI02, LI03, LI04, LI05, LI06, LI07, LI08, LI09, LI10, LI11)	inspect test replace		X	X				1 1,17	
COLLAR, SHAFT	inspect replace		X					17	
CONNECTOR, ADAPTER UC-306/U and UC-349A/U	inspect replace	X	X						
CONNECTOR, ELECTRON TUBE: Eitel McColloch No. HR-6 and HR-8	inspect replace		X	X				17	
CONNECTORS	inspect test replace		X	X				1 1,17	

APPENDIX II

MAINTENANCE ALLOCATION CHART, SECTION II

PART OR COMPONENT	RELATED OPERATION	EGHELON ALLOCATED THE MAINTENANCE OPERATION										REPAIR FACILITIES CODE	REFERENCE			
		OPERATOR		ORGANIZATIONAL		FIELD		DEPOT		THIRD EGHELON	FOURTH EGHELON			FIFTH EGHELON		
		EGHELON	TASTIGAL	SECOND EGHELON	FIXED	EGHELON	EGHELON	EGHELON	EGHELON							
T-368/URT, T-368A, B, C/URT (cont'd) CONTACTS	service		X												Preventative Maintenance	
CORE, ADJUSTABLE	inspect		X							X					17	Bernish Relays
	repair		X							X					17	
COUNTERS	replace		X							X						
	adjust		X							X					17	
COUPLINGS	inspect		X							X						
	replace		X							X					17	
COVER, RELAY	inspect		X							X						
	replace		X							X					17	
DETENT, SWITCH	inspect		X							X						
	replace		X							X					17	
DISCHARGE ARM	inspect		X							X						
	replace		X							X					17	
DRIVE, TUNING	service		X													Preventative Maintenance
	inspect		X							X					17	
ELECTRON TUBES	replace		X							X						
	repair		X							X					17	
FAN	inspect		X													
	test		X												1,2,3	
FILTER, AIR	replace		X													Preventative Maintenance
	service		X												16	
FILTERS, HIGH AND LOW-PASS	inspect		X													Preventative Maintenance
	replace		X												1	
	inspect		X							X						
	test		X												1,17	
	replace		X													
	replace		X												16	

APPENDIX II
MAINTENANCE ALLOCATION CHART, SECTION II

PART OR COMPONENT	RELATED OPERATION	EGHELON ALLOCATED THE MAINTENANCE OPERATION							REPAIR FACILITIES CODE	REFERENCE
		OPERATOR		ORGANIZATIONAL FIELD			DEPOT			
		FIRST ECHELON	TACTICAL	SECOND ECHELON	FIXED	THIRD ECHELON	FOURTH ECHELON	FIFTH ECHELON		
T-368/UJT, T-368A, B, C/UJT (cont'd)										
FUSE	inspect replace	X								
FUSEHOLDER	inspect test replace		X X X			X			1 1,17	
GASKETS	inspect replace		X			X			17	
GEARS	inspect replace		X			X			17	
HOUSING, FAN	inspect replace					X			17	
IMPELLERS	inspect replace					X		X	17	
INSERTS	inspect replace		X						17	
INSULATORS	inspect replace		X			X			17	
KNOB	service		X			X			17	Preventative Maintenance
LAMP	replace								16	
LENS	inspect replace	X X								
LIGHT, INDICATOR	inspect replace		X X							
MOTOR	service		X							Preventative Maintenance
MOUNT, SHOCK	inspect replace		X					X	1,17	
MOUNTING, TRANSFORMER	inspect replace		X					X	17	
NUTS	inspect replace					X			17	
OSCILLATOR, RADIO FREQUENCY	inspect test replace repair rebuild		X			X X			1,4 17 X X	1,10,17 1,10,17

APPENDIX II
 MAINTENANCE ALLOCATION CHART, SECTION II

PART OR COMPONENT	RELATED OPERATION	Echelons Allocated the Maintenance Operation							REPAIR FACILITIES CODE	REFERENCE
		OPERATOR		ORGANIZATIONAL			DEPOT			
		FIRST ECHELON	SECOND ECHELON	TACTICAL	FIXED	THIRD ECHELON	FOURTH ECHELON	FIFTH ECHELON		
T-368/URT, T-368A, B, C/URT (contd)										
PANELS, MOUNTING	inspect replace					X			X	17
PINS	inspect replace		X							17
POST, BINDING	inspect replace		X							17
REACTORS	inspect test replace		X	X						1
RELAYS	service		X							1, 17
RESISTORS	inspect test service replace		X	X				X		1 17 1, 17
RETAINERS	inspect test replace		X					X		1 1, 17
RINGS, RETAINING	replace					X				17
SET SCREW	replace					X				17
SHIELD, ELECTRICAL	replace					X				17
CONNECTOR	replace					X				17
SHIELD, TUBE	replace									
SHIELD, ELECTRICAL	replace					X				17
CONNECTOR	replace									
SOCKET, TUBE	replace					X				17
SPRING, COMPRESSION	replace					X				17
										Used in "C" model only.

T-368/URT, T-368A, B, C/URT

TM 11-809-20

APPENDIX II
 MAINTENANCE ALLOCATION CHART, SECTION II

PART OR COMPONENT	RELATED OPERATION	EPOCHAL ALLOCATED THE MAINTENANCE OPERATION							REPAIR FACILITIES CODE	REFERENCE
		OPERATOR ORGANIZATIONAL		FIELD			DEPOT			
		FIRST ECHOLON	SECOND ECHOLON	TACTICAL	FIXED	THIRD ECHOLON	FOURTH ECHOLON	FIFTH ECHOLON		
T-368/URT, T-368A, B, C/URT (contd)										
STRAP	replace					X				17
STUD	replace					X				17
SWITCHES	inspect		X							
	test		X							1
TERMINAL BOARDS	replace			X						1,17
	inspect			X						
TERMINALS	replace			X						17
	inspect			X						
TRANSFORMERS	replace			X						17
	inspect			X						
TRANSMITTER, SUB-ASSEMBLIES	test			X						1
	replace			X						1,17
	repair			X						1,17
	replace			X						1,17
VOLTMETER	service	X								
	inspect		X							
	test		X							
	replace		X							
WASHERS	replace					X				1
	inspect					X				1,17
	test					X				1,17
	repair					X				1,17
SPACER, SLEEVE	replace					X				17
	inspect					X				17
WINDOW, DIAL	replace					X				17
	inspect					X				17
WRENCHES	replace					X				17
	inspect					X				17

MAINTENANCE ALLOCATION CHART, SECTION II

FACILITIES REQUIRED FOR MAINTENANCE OPERATIONS	OPERATOR		EGHELON ALLOCATED					THE FACILITY			REPAIR FACILITIES CODE	REFERENCE		
	FIRST EGHELON	EGHELON	ORGANIZATIONAL		THIRD EGHELON	FIELD	FOURTH EGHELON	FIFTH EGHELON						
			SECOND EGHELON	FIXED										
T-368/URT, T-368A, B, C/URT (continued)														
MULTIMETER ME-77/U				†				†					1	
ADAPTER MX-1471/U								†						2
ADAPTER MX-1472/U								†						3
TEST SET, ELECTRON TUBE TV-7/U				†										4
AUDIO OSCILLATOR TS-389A/U								†						5
FREQUENCY METER AN/URM-32								†						6
OSCILLOSCOPE OS-9A/U								†						7
SIGNAL GENERATOR AN/URM-260								†						8
AMMETER, RF IS-76								†						9
TEST SET, ELECTRON TUBE TV-2/U								†						10
WATTMETER AN/URM-86								†						11
FREQUENCY SHIFT EXCITER O-39/TMA-7								†						12
TELETYPEWRITER TT-4/TC								†						13
RADIO RECEIVER R-390/URR								†						14
RECEIVER-TRANSMITTER RT-260/GIQ-2								†						15
TOOL EQUIPMENT TE-41														16
TOOL EQUIPMENT TE-113								†						17
TOOL EQUIPMENT TE-114														18

APPENDIX II
 MAINTENANCE ALLOCATION CHART, SECTION III

PART OR COMPONENT	RELATED OPERATION	Echelon Allocated the Maintenance Operation							REPAIR FACILITIES CODE	REFERENCE
		Operator		Organizational			Depot			
		First Echelon	Second Echelon	Third Echelon	Field	Fourth Echelon	Fifth Echelon			
ANTENNA TUNING UNIT BC-939-A, B	service	X								
	adjust	X								
	inspect	X								
	test									
	replace		X						1	
	repair		X						1.3	
	rebuild			X					1.3.4	
	calibrate		X						2	
	service	X								Preventative Maintenance
	inspect		X						1	
test		X						1.3		
replace				X				1.3		
repair								1.3		
rebuild								1.3		
service		X							Preventative Maintenance	
BAR, ACTUATOR, ELECTRICAL SWITCH	inspect									
	replace		X						3	
	inspect	X								
	replace	X								
	inspect									
	replace		X						2	
	inspect		%							
	replace		X						2	
	inspect		%							
	replace		X						1.3	
CAPACITOR, FIXED, VACUUM DIELECTRIC	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X						2	
	inspect		%							
	replace		X						2	
	inspect		%							
	replace		X						1.3	
CLIP, RETAINING	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X						3	
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						2	
COILS, RADIO FREQUENCY	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X						1.3	
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						2	
COLLARS, SHAFT	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X							
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						3	
CONTACTS, ELECTRICAL	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X						3	
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						3	
COUNTERS, RECIPROCATING	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X						3	
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						2	
COUPLINGS, SHAFT	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X							
	inspect		%							
	replace		X						3	
	inspect		%							
	replace		X						2	
CRANKS, HAND	inspect									
	replace		X							
	inspect	X								
	replace	X								
	inspect									
	replace		X							
	inspect		%							
	replace		X						2	
	inspect		%							
	replace		X						2	

APPENDIX II

MAINTENANCE ALLOCATION CHART, SECTION III

PART OR COMPONENT	RELATED OPERATION	ECHELON ALLOCATED THE MAINTENANCE OPERATION										REPAIR FACILITIES CODE	REFERENCE			
		OPERATOR		ORGANIZATIONAL		FIELD		DEPOT		THIRD ECHELON	FOURTH ECHELON			FIFTH ECHELON		
		FIRST ECHELON	SECOND ECHELON	TACTICAL	FIXED											
BC-939-A, B (continued)																
DETENT, SWITCH	inspect replace		X							X					1,3	
HANDLE	inspect replace		X												2	
HOLDER, CONTACT	inspect replace		X							X					3	
INSULATORS	service inspect replace		X							X					3	
KNOBS	inspect replace		X							X					2	
NUTS, SELF-LOCKING	inspect replace		X							X					3	
POST, BINDING	inspect replace		X							X					3	
SHAFT	inspect replace		X							X					3	
SLEEVE, SPACER	inspect service replace		X							X					3	
SPRING	inspect replace		X							X					3	
SWITCHES, ROTARY	service inspect replace		X							X					3	

APPENDIX II

MAINTENANCE ALLOCATION CHART, SECTION III

FACILITIES REQUIRED FOR MAINTENANCE OPERATIONS	OPERATOR		Echelons Allocated to the Facility				REPAIR FACILITIES CODE	REFERENCE
	FIRST ECHELON	SECOND ECHELON	FIELD		DEPT FIFTH ECHELON			
			THIRD ECHELON	FOURTH ECHELON				
	TACTICAL	FIXED						
BC-939-A,B (continued)								
MULTIMETER ME-77/U	+			+			1	
TOOL EQUIPMENT TE-21	+						2	
TOOL EQUIPMENT TE-113				+			3	
TOOL EQUIPMENT TE-114					+		4	

By Order of *Wilber M. Brucker*, Secretary of the Army:

MAXWELL, D. TAYLOR,
General, United States Army,
Chief of Staff.

Official:

HERBERT M. JONES,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

ASA (2)	Army Pictorial Cen (2)	11-15 (2)
CNGB (1)	US Army Sp Warfare Cen (5)	11-16 (2)
Technical Stf., DA (1)	WRAMC (1)	11-17 (2)
except CSigO (30)	AFIP (1)	11-18 (2)
Technical Stf Bd (1)	AMS (1)	11-57 (2)
USA Arty Bd (1)	Port of Emb (OS) (2)	11-95 (2)
USA Armor Bd (1)	Trans Terminal Comd (2)	11-98 (2)
USA Inf Bd (1)	Army Terminals (2)	11-117 (2)
USA Air Def Bd (1)	OS Sup Agcy (2)	11-127 (2)
USA Abn & Elet Bd (1)	USA Sig Pub Agcy (8)	11-128 (2)
USA Avn Bd (1)	USA Sig Comm Engr Agcy (1)	11-500 (AA-AE) (2)
USA Armor Bd Test Sec (1)	USA Comm Agcy (2)	11-537 (2)
USA Air Def Bd Test Sec (1)	TASSA (13)	11-557 (2)
USA Arctic Test Bd (1)	USA Sig Eqp Spt Agcy (2)	11-587 (2)
USCONARC (5)	USA White Sands Sig Agcy (13)	11-592 (2)
US ARADCOM (2)	Yuma Test Sta (2)	11-597 (2)
OS Maj Comd (5)	USA Elet PG (1)	17-51 (2)
Log Comd (2)	Sig Fld Maint Shops (3)	17-55 (2)
MDW (1)	Sig Lab (5)	20-45 (2)
Armies (5)	Mil Dist (1)	20-46 (2)
Corps (2)	US Army Corps (Res) (1)	20-300 (2)
Div (2)	Sectors, US Army Corps (Res) (1)	32-51 (2)
USATC (2)	JBUSMC (2)	32-55 (2)
Ft & Camp (2)	Units organized under following	32-56 (2)
Svc Colleges (5)	TOE's:	32-500 (2)
Br Svc Sch (5) except USASCS (25)	5-348 (2)	39-51 (2)
Gen Depots (2) except	6-315 (2)	39-61 (2)
Atlanta Gen Depot (none)	6-317 (2)	44-7 (2)
Sig Sec, Gen Depots (10)	6-545 (2)	44-12 (2)
Sig Depots (17)	6-548 (2)	44-101 (2)
Fld Comd, AFSWP (5)	6-635 (2)	55-201 (2)
Engr Maint Cen (1)	11-7 (2)	

NG: State AG (6); units—same as Active Army except allowance is one copy to each unit.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

[AG 413.44 (25 Mar 58)]

☆U.S. GOVERNMENT PRINTING OFFICE: 1969-346-457/587

ORGANIZATIONAL MAINTENANCE; RADIO TRANSMITTERS T-368/URT, T-368A/URT, T-368B/URT, T-368C/URT AND T-368D/URT; ANTENNA TUNING UNIT BC-939-B; RADIO FREQUENCY TUNER TN-339/GR; AND STANDING WAVE RATIO-POWER METER ME-165G

TM 11-809-20
TO 31R2-2URT-124 }
CHANGES No. 1

DEPARTMENTS OF THE ARMY
AND THE AIR FORCE
WASHINGTON 25, D.C., 6 October 1959

TM 11-809-20/TO 31R2-2URT-124, 2 July 1958, is changed as follows:

Change the title of the manual to: **ORGANIZATIONAL MAINTENANCE; RADIO TRANSMITTERS T-368/URT, T-368A/URT, T-368B/URT, T-368C/URT AND T-368D/URT; ANTENNA TUNING UNIT BC-939-B; RADIO FREQUENCY TUNER TN-339/GR; AND STANDING WAVE RATIO-POWER METER ME-165/G.**

Page 2, paragraph 1a. Add the following after "Unit BC-939-B": Organizational maintenance of Standing Wave Ratio-Power Meter ME-165/G (matching unit) and Radio Frequency Tuner TN-339/GR (antenna tuning unit) is also covered. Information in this manual applies to both antenna tuning units.

Page 5, paragraph 8g(2). Add the following after subparagraph (2).




Figure 1.1. (Added) Standing Wave Ratio-Power Meter ME-165/G, mounted on shelter wall.

(3) When the matching unit is used in conjunction with the antenna tuning unit in a radio set such as Radio Set AN/GRC-26D or Radio Set AN/GRC-41, it is installed on the wall of the shelter as shown in figure 1.1. Connect as follows:

- (a) Coaxial Cord CG-55E/U between the R.F. OUTPUT receptacle of the transmitter and the INPUT connector of the matching unit.
- (b) Coaxial RF Cable Assembly CG-1333/U between the OUTPUT connector of the matching unit and the input terminals on the side of the antenna tuning unit.
- (c) Ground braid from wing nut on matching unit to grounding strip.

(d) Lead from the antenna to the antenna terminal at the rear of the tuning unit.

Page 18, paragraph 19, Item No. 13, "Action or condition" column.

After "charts," add the following note.

Note. Different tuning charts are provided for Antenna Tuning Unit BC-939-B and for Radio Frequency Tuner TN-339/GR. Make certain that the chart in the holder on the transmitter is the correct one for the antenna tuning unit in use. Separate charts are also included in TM 11-809-10.

Page 21. Add paragraph 19.1 after paragraph 19.

19.1. Equipment Performance Check List for Matching Unit

Use the following steps to locate trouble in the matching unit.

	Item No.	Item	Action	Normal indications	Corrective measures
PRELIMINARY STARTING PROCEDURE	1	Control switch.	Set to OPERATE.		
	2	Transmitter and tuning unit.	Tune and load to operating frequency. Refer to TM 11-809-10.	Transmitter operates normally.	Trouble shoot transmitter and antenna tuning unit as instructed in paragraph 19.
EQUIPMENT PERFORMANCE	3	Control switch.	Set to POWER.	Transmitter power output is shown on lower scale of meter.	Secure knob to shaft. Check input and output cables. Check switch.
	4	Control switch.	Set to ADJUST. Rotate ADJUST control for full-scale meter reading. <i>Note.</i> —Do not keep the switch in ADJUST position any longer than necessary.	Meter indicates full-scale reading.	Secure knob to shaft. Check switch. See that power input is at least 150 watts. Increase power by retuning.
	5	Control switch.	Turn to SWR.	Standing wave ratio is shown on upper scale of meter.	Secure knob to shaft. Check switch.
	6	Tuning unit.	Adjust COUPLING and FREQUENCY controls of antenna tuning unit for minimum reading on SWR scale of the meter. Refer to TM 11-809-10.	Minimum SWR reading (1.5 to 1 or less) in green area of meter.	Check for loose cable or antenna connections. Check tuning unit roller contacts for dirt or corrosion. <i>Note.</i> The SWR cannot be corrected by adjusting the transmitter. At frequencies above 17 mc. if an SWR of 1 to 1 cannot be obtained, remove the top section of the whip antenna and retune. For doublet or long wire antennas, check antenna length.

Caution: When the matching unit control switch is in the POWER, ADJUST, or SWR position and the transmitter is operating, full transmitter output is dissipated in the dummy load of the matching unit. Do not apply power continuously for longer than 10 minutes. The matching

unit can be damaged by the great amount of heat generated.

Page 24, figure 14. Caption. Change "C model" to: C and D models.

Page 26, figure 18. Caption. After "28459-Phila-55" add: and D model.

[AG 413.44(1 Sep 59)]

By Order of *Wilber M. Brucker*, Secretary of the Army:

L. L. LEMNITZER,
General, United States Army,
Chief of Staff.

Official:

R. V. LEE,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

USASA (2)	AFIP (1)	11-18 (2)
CNGB (1)	WRAMC (1)	11-37 (2)
Technical Stf, DA (1) except	AMS (1)	11-39 (2)
CSigO (18)	Engr Maint Cen (1)	11-55 (2)
Technical Stf Bd (1)	USA Comm Agcy (2)	11-57 (2)
USCONARC (5)	USA Sig Comm Engr Agcy (1)	11-85 (2)
USA Arty Bd (1)	USA Sig Eqp Spt Agcy (2)	11-87 (2)
USA Armor Bd (1)	USA Sig Msl Spt Agcy (13)	11-95 (2)
USA Armòr Bd Test Sec (1)	Trans Terminal Comd (1)	11-98 (2)
USA Inf Bd (1)	Army Terminals (1)	11-99 (2)
USA Air Def Bd (1)	Port of Emb (OS) (2)	11-117 (2)
USA Air Def Bd Test Sec (1)	OS Sup Agcy (2)	11-155 (2)
USA Abn & Elct Bd (1)	Sig Fld Maint Shops (3)	11-500 AA-AE (2)
USA Avn Bd (1)	Sig Lab (5)	11-537 (2)
USA Arctic Test Bd (1)	Mil Dist (1)	11-557 (2)
US ARADCOM (2)	USA Corps (Res) (1)	11-587 (2)
US ARADCOM Rgn (2)	Sectors, USA Corps (Res) (1)	11-592 (2)
OS Maj Comd (5)	USASSA (15)	11-597 (2)
OS Base Comd (5)	Midwestern Rgn Ofc (USASSA)	17-51 (2)
Log Comd (5)	(1)	17-55 (2)
MDW (1)	JBUSMC (2)	20-45 (2)
Armies (5) except	USA Sig Pubs Agcy (8)	20-46 (2)
First US Army (7)	Army Pictorial Cen (2)	20-47 (2)
Corps (2)	USA Ord Msl Comd (3)	20-300 (2)
Div (2)	Mil Msn (2)	32-51 (2)
USATC (2)	Units organized under following	32-55 (2)
USA Sp Warfare Cen (5)	TOE's:	32-56 (2)
Def Atomic Spt Agcy (5)	5-500 (2)	39-51 (2)
Yuma Test Sta (2)	6-545 (2)	39-61 (2)
USA Elct PG (1)	7-52 (2)	39-71 (2)
Svc Colleges (5)	9-22 (2)	44-7 (2)
Br Svc Sch (5) except	9-86 (2)	44-12 (2)
USASCS (25)	11-5 (2)	44-101 (2)
Gen Depot (2) except	11-7 (2)	44-536 (2)
Atlanta Gen Depot (None)	11-15 (2)	55-201 (2)
Sig Sec, Gen Depot (10)	11-16 (2)	
Sig Depots (17)	11-17 (2)	

NG: State AG (3); units—same as Active Army except allowance is one copy to each unit.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

Organizational Maintenance

**RADIO TRANSMITTERS T-368/URT, T-368A/URT, T-368B/URT, T-368C/URT,
T-368D/URT, AND T-368E/URT, ANTENNA TUNING UNIT BC-939-B; RADIO
FREQUENCY TUNER TN-339/GR; AND STANDING WAVE RATIO-POWER METER
ME-165/G**

CHANGE }
No. 4 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C., 5 November 1963


TM 11-809-20, 2 July 1958, is changed (as changed by C 2, 12 Aug 60) as indicated so that the manual also applies to transmitter T-368E/URT and Standing Wave Ratio-Power Meter ME-165/G procured on Orders Nos. 3219-PP-59 and 3241-PP-59.

Note. The parenthetical reference to previous changes (example: "page 2 of C 1") indicates that pertinent material was published in that change.

Change the title of the manual as shown above (as changed by C 2, 12 Aug 60).

The following symbol is applicable to this manual:

RADITATION HAZARDS



STD-RW-2

- Ni 63
- Co 60
- Ra 226
- Cs 137
- C 14

Tube types OA2 used in the transmitter contain radioactive material. These tubes are potentially hazardous when broken; see qualified medical personnel and the Safety Director if you are exposed to or cut by broken tubes. Use extreme care in replacing these tubes (par. 20) and follow safety procedures in their storage and disposal (par. 21.1).

This change supersedes C 2, 12 August 1960 and C 3, 26 July 1961

Never place a radioactive tube in your pocket.
Use extreme care not to break radioactive tubes while handling them.
Never remove radioactive tubes from cartons until ready to use them.
Refer to paragraph 21.1 on handling, storage, and disposal of radioactive material.

Page 2. Delete paragraph 1 (As changed by C 3, 26 Jul 61) and substitute:

1. Scope

a. These instructions are published for the use of personnel responsible for organizational maintenance of Radio Transmitter T-368(*)/URT and Antenna Tuning Unit BC-939-B. Organizational maintenance of Standing Wave Ratio-Power Meter ME-165/G (matching unit) and Radio Frequency Tuner TN-339/GR (antenna tuning unit) is also covered. Information in this manual applies to both antenna tuning units

b. A maintenance allocation chart is contained in appendix II.

c. The repair parts and special tool lists are covered in TM 11-5820-258-20P.

Add paragraph 1.1 after paragraph 1.

1.1. Index of Publications

Refer to the latest issue of DA Pam 310-4 to determine whether there are new editions, changes, or additional publications pertaining to the equipment. DA Pam 310-4 is an index of current technical manuals, technical bulletins, supply bulletins, lubrication orders, and modifications work orders available through publications supply channels. The index lists the individual parts (-10, -20, -35P, etc) and the latest changes to and revisions of each equipment publication.

Delete paragraph 2 and substitute:

2. Forms and Records

a. *Reports of Maintenance and Unsatisfactory Equipment.* Use equipment forms and records in accordance with instructions in TM 38-750.

b. *Report of Damaged or Improper Shipment.* Fill out and forward DD Form 6 (Report of Damaged or Improper Shipment) as prescribed in AR 700-58 (Army), NAVSANDA Publication 378 (Navy), and AFR 71-4 (Air Force).

c. *Reporting of Equipment Manual Improvements.* The direct reporting by the individual user of errors, omissions, and recommendations for improving this manual is authorized and encouraged. DA Form 2028 (Recommended Changes to DA Technical

Manual Parts Lists or Supply Manual 7, 8, or 9) will be used for reporting these improvements. This form will be completed in triplicate using pencil, pen, or typewriter. The original and one copy will be forwarded direct to Commanding Officer, U.S. Army Electronics Materiel Support Agency, ATTN: SELMS-MP, Fort Monmouth, N.J. 07703. One information copy will be furnished to the individual's immediate supervisor (officer, noncommissioned officer, supervisor, etc).

Page 12. Delete paragraph 13 and substitute:

13. Scope of Organizational Maintenance

a. This section contains instructions covering second echelon maintenance of the equipment. It includes instructions for performing preventive and periodic maintenance services and limited replacement procedures to be accomplished by the organizational repairman. A list of parts authorized for second echelon maintenance appears in TM 11-5820-258-20P.

b. Second echelon maintenance of the equipment includes:

- (1) Preventive maintenance (pars. 15-15.2).
- (2) Lubrication (pars. 16 and 17).
- (3) Replacement of defective tubes (par. 20).

Delete paragraph 15 and substitute:

15. Organizational Preventive Maintenance

a. Preventive maintenance is the systematic care, inspection, and servicing of equipment to maintain it in serviceable condition, prevent breakdowns, and assure maximum operational capability. Preventive maintenance is the responsibility of all echelons concerned with the equipment and includes the inspection, testing, and repair or replacement of parts, subassemblies, or units that inspection and tests indicate would probably fail before the next scheduled periodic service. Preventive maintenance checks and services of the equipment at the second echelon level are made at monthly intervals unless otherwise directed by the commanding officer. The preventive maintenance checks and services should be scheduled concurrently with the periodic service schedule of the carrying vehicle for all vehicular installations.

b. Maintenance forms and records to be used and maintained on this equipment are specified in TM 38-750.

Add paragraphs 15.1 and 15.2 after paragraph 15.

15.1. Monthly Maintenance

Perform the maintenance functions indicated in the monthly preventive maintenance checks and services chart (par. 15.2) once each month. A month is defined as approximately 30 calendar days

of 8-hour-per-day operation. If the equipment is operated 16 hours a day, the monthly preventive maintenance checks and services should be performed at 15-day intervals. Adjustment of the maintenance interval must be made to compensate for any unusual operating conditions. Equipment maintained in a standby (ready for immediate operation) condition must have monthly preventive maintenance checks and services performed on it. Equipment in limited storage (requires service before operation) does not require monthly preventive maintenance.

15.2. Monthly Preventive Maintenance Checks and Services Chart

Sequence No.	Item	Procedure	References	
1	Lubrication.....	Lubricate equipment (figs. 9 and 10).....	Pars. 16 and 17.	
2	Pluckout items.....	Inspect seating of pluckout items. Make certain that tube clamps grip tube bases tightly (figs. 11-20).		
3	Relays.....	Inspect relays for dirt, corrosion, and burned contacts. (figs. 12, 13, 14, 16, 17, 18, and 19).		
4	Jacks.....	Inspect jacks for snug fit and good contact.		
5	Transformer terminals.....	Inspect terminals on power transformer. All nuts must be tight. There should be no evidence of dirt or corrosion.		
6	Terminal boards.....	Inspect terminal boards for loose connections and cracked or broken insulation.		
7	Resistors and capacitors.....	Inspect resistors and capacitors for cracks, blistering, or other detrimental defects.		
8	Gears.....	Check the gears of oscillator-multiplier and power amplifier tuning drive assemblies for smoothness of operation and wear or chipping (figs. 9 and 10).		
9	Gaskets and insulators.....	Inspect gaskets, insulators, bushings, and sleeves for cracks, chipping, and excessive wear.		
10	Variable capacitors.....	Inspect variable capacitors for dirt, corrosion, and deformed plates.		
11	Blower motor.....	Inspect blower motor for brush wear, spring tension, and arcing.		
12	Air filter.....	Inspect air filter for cleanliness.....		Par. 21.2b.
13	Interior.....	Clean interior of chassis and cabinet.		

Page 13. Delete figure 7.

Page 14. Delete figure 8.

Page 21, paragraph 19.1 (page 2 of C 1)(As changed by C 2, 12 Aug 60), normal indications column. Make the following changes: Item 3, change "lower scale of meter" to: WATTS scale of meter. Item 5, change "upper scale of meter" to: SWR scale of meter.

Page 24, figure 14, caption (page 3 of C 1)(As changed by C 2, 12 Aug 60). Change "C and D models" to: C, D, and E models.

Page 26, figure 18, caption (page 3 of C 1). (As changed by C 2, 12 Aug 60). Change "and D model" to: D and E models.

Page 27. Add paragraphs 21.1 and 21.2 after paragraph 21.

21.1. Handling, Storage, and Disposal of Radioactive Material

Follow the procedures for safe handling, storage, and disposal of radioactive materials as directed by: TB Sig 225, AR 40-580, and AR 755-380.

21.2. Cleaning and Touchup Painting Instructions

a. Clean rust and corrosion from metal surfaces by lightly sanding them with fine sandpaper. Brush two thin coats of paint on the bare metal to protect

it from further corrosion. Refer to the applicable cleaning and refinishing practices specified in TM 9-213.

b. Clean air filters as follows:

- (1) Remove the filter and tap it lightly to remove loose dust.
- (2) Pour cleaning compound over the filter. Place a large basin under the filter to catch the cleaning compound. After the dirt

particles settle, the clear liquid can be used again.

- (3) Use a light water spray to flush out the loosened dirt.
- (4) After the filter is dry, spray light oil sparingly on the side of the filter that faces the flow of air.

Page 29. Delete appendix I and substitute:

APPENDIX I REFERENCES

Following is a list of applicable publications available to the organizational repairman of the equipment.

AR 40-580	Medical Service: Control of Hazards to Health from Radioactive Materials.
AR 755-380	Disposal of Supplies and Equipment: Disposal of Unwanted Radioactive Material.
DA Pam 310-4	Index of Technical Manuals, Technical Bulletins, Supply Bulletins, Lubrication Orders, and Modification Work Orders.
TB SIG 225	Identification and Handling of Radioactive Signal Items.
TM 9-213	Painting Instructions for Field Use.
TM 11-264B	Radio Set AN/GRC-26D
TM 11-621	Radio Set AN/GRC-41.
TM 11-640A	Radio Set AN/GLQ-2 and Antenna Assembly AS-93/MRQ-2.
TM 11-5820-258-20P	Organizational Maintenance Repair Parts and Special Tools List: Radio Transmitter T-368/URT, T-368A, B, C, D, E/URT.
TM 38-750	The Army Equipment Record System and Procedures.

T-368B/URT, T-368C/URT, T-368D/URT, and T-368E/URT; ANTENNA TUNING UNIT BC-939-B; RADIO FREQUENCY TUNER TN-339/GR AND STANDING WAVE RATIO-POWER METER ME-165/G. Paragraph 1b(2). (As changed by C 3, 26 July 1960). Add the following after subparagraph (i):

- (j) *Overhaul.* To restore an item to completely serviceable condition as prescribed by serviceability standards developed and published by heads of technical services. This is accomplished through employment of the technique of "Inspect and Repair Only as Necessary" (IROAN). Maximum utilization of diagnostic and test equipment is combined with minimum disassembly of the item during the overhaul process.

Page 31. Delete paragraph 2 (As changed by C 3, 26 Jul 61) and substitute:

2. Maintenance by Using Organizations

When this equipment is used by signal service organizations organic to theater headquarters or communication zones to provide theater communications, those maintenance functions allocated up to and including fourth echelon are authorized to the organization operating this equipment.

Add paragraph 3 (As added by C 3, 26 July 1961) after paragraph 2:

3. Mounting Hardware

The basic entries of the maintenance allocation chart do not include mounting hardware such as screws, nuts, bolts, washers, brackets, clamps, etc.

Page 32, section II. (As changed by C 3, 26 July 1961) Make the following changes:

Page 30, appendix II. Heading. (As changed by C 3, 26 Jul 61) Change the heading to: MAINTENANCE ALLOCATION CHART FOR RADIO TRANSMITTERS T-368/URT, T-368A/URT,

Page	Action	1 Part or component	2 Related operation	3		4 Organizational (2d ech) 4a Tact	5		6		7		8 Repair facilities code	9 Reference
				Operator 1st ech			Field 3d ech		4th ech		5th ech			
32	Ch col 1	RADIO TRANSMITTER T-368/ URT; T-368A, B, C, D, E/URT.	Adjust.				X						16 1 through 17.	Preventive maintenance.
	Add col 8; delete col 9.		Repair							X				
	Delete col 5; add col 6.		Calibrate	X										
	Delete rebuild, col 2; ch col 8.													
	Add item after AMMETERS, col 1.	AMPLIFIER, AUDIO FREQUENCY.	Inspect			X								
	Add item after BAR, ACTU- ATOR, col 1.	BEARING, ROLLER	Replace				X							
33	Add col 5; delete col 6.	BEARING, SLEEVE	Overhaul				X							
	Add item after BUMPER, RUBBER, col 1.	BUSHING	Rebuild							X				
	Delete item.	CONNECTOR, ADAPTER UG- 306/U and UG-394A/U.	Replace					X						
			Replace					X						
35	Add col 3; delete col 4a.	FUSE	Replace							X			Does not include sealed unit.	
	Add item after GEARS, col 1.	GROMMET, RUBBER	Replace											
	Add column 5; delete col 7.	IMPELLERS	Replace			X								
	Ch col 4a.	KNOB	Replace											
	Add col 5; delete col 6.	MOTORS	Replace						X					
	Change repair, col 2; add col 6; delete col 7.	OSCILLATOR, RADIO FREQUENCY.	Overhaul											
	Add item after OSCILLATOR, RADIO FREQUENCY, col 1.	PACKING, GASKET	Replace					X						
	Add item after PINS, col 1.	PLATE, CAUTION	Replace					X						
	Add item after REACTORS.	RECEPTACLE, TURNBUCKLE FASTENER.	Replace					X						
	Add column 4a; delete col 5.	RETAINERS	Replace			X								
	Add item after RINGS, col 1.	RIVETS	Replace								X			
Add item after RIVETS, col 1.	SCREEN	Replace									X			
Delete items.	CONNECTOR SHIELD, ELECTRICAL.													
38	Delete item.	CONNECTOR TOOL EQUIPMENT TE-114												

By Order of the Secretary of the Army:

EARLE G. WHEELER,
General, United States Army,
Chief of Staff.

Official:

J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

DASA (6)	ARMISH (2)
USASA (2)	GENMISH (2)
CNGB (1)	MAAG Korea (2)
CSigO (7)	Mil Msn, Guatemala (2)
CofT (1)	JCA (Ft Ritchie) (5)
CofEngrs (1)	USAPRDC (5)
TSG (1)	USCONARC (5)
CofSpt Svcs (1)	USATC Engr (2)
USAMC (5)	USATC Inf (2)
ARADCOM (2)	USASMCOM (1)
ARADCOM Rgn (2)	WRAMC (1)
USAECOM (7)	Army Pic Cen (2)
USAMICOM (4)	USA Mob Spt Cen (1)
OS Maj Comd (3)	MDW (1)
LOGCOMD (2)	Chicago Proc Dist (1)
Armies (2)	AMS (1)
Corps (2)	Army Dep (2) except
USA Corps (3)	Lexington (12)
Instl (2) except	Sacramento (28)
Ft Monmouth (63)	Tobyhanna (12)
Ft Hancock (4)	Ft Worth (8)
Svc Colleges (2)	GENDEP (OS) (2)
Br Svc Sch (2)	Sig Sec, GENDEP (OS) (5)
USAECDA (1)	AFIP (1)
USACBRCDA (1)	USA Elet RD Acty (Ft Huachuca) (2)
USA Comm-Elet CD Agcy (2)	USA Elet RD Acty (White Sands) (13)
USAMSCDA (1)	POE (1)
USAOCDA (1)	Sig Fld Maint Shops (3)
USAQMCDA (1)	Yuma PG (2)
USATCDA (1)	WSMR (5)
USAADCDA (1)	OS Base Comd (2)
USAARMCDA (1)	Sig Dep (OS) (12)
USAAVNCDA (1)	USARMIS: Honduras, Costa Rica, Nicaragua, Bolivia, Venezuela, Ecuador (2)
USASWCDA (1)	Units organized under following TOE: (2 copies each except as indicated)
USAOSA (1)	7
USA Elet Mat Agcy (12)	7-52
USARSOUTHCOM Sig Agcy (1)	9-12
USA Trans Tml Comd (1)	9-22
Army Tml (1)	9-86
USASCC (4)	11-5
USATC FA (2)	11-7
USATC AD (2)	11-15
USATC Armor (2)	11-16
USASCS (65)	11-17
USAAESWBD (2)	11-18
Rock Island Arsenal (2)	11-37
Redstone Arsenal (2)	11-38
1st GM Bde (2)	11-39
JUSMMAT (2)	
MAAG Iran (2)	

11-55
11-57
11-85
11-87
11-95
11-97
11-98
11-99
11-117
11-237
11-500 (AA-AE) (4)
11-557
11-587
11-592
11-597
17
17-51

17-55
29-56
30-29
30-500 (AA-AE)
32-51
32-52
32-55
32-56
32-57
32-68
37
39-51
39-401
44-12
44-101
57

NG: None.

USAR: None.

For explanation of abbreviations used, see AR 320-50.

U. S. GOVERNMENT PRINTING OFFICE: 1969-342-013/1692

820-616