

DEPARTMENT OF THE ARMY SUPPLY BULLETIN

**SOUTHWEST ASIA PETROLEUM
DISTRIBUTION SYSTEM
OPERATIONAL PROJECT (SWAPDOP)**

**FT LEE TRAINING MODULE
(NSN 3835-01-288-4629)**

**HEADQUARTERS, DEPARTMENT OF THE ARMY
25 FEBRUARY 1991**

Distribution Statement: Approved for public release; distribution is unlimited

DEPARTMENT OF THE ARMY SUPPLY BULLETIN

SOUTHWEST ASIA PETROLEUM DISTRIBUTION SYSTEM OPERATIONAL PROJECT
(SWAPDOP)
FT LEE TRAINING MODULE

Headquarters, Department of the Army, Washington, D.C.

SECTION I. INTRODUCTION

1. PURPOSE

a. The Southwest Asia Petroleum Distribution System Operational Project (SWAPDOP) is a highly complex system consisting of a multitude of major and secondary items which must interface together to form a high pressure, multiproduct, petroleum distribution system. This bulletin furnishes information for the Ft Lee training module of SWAPDOP.

b. This bulletin is intended solely as a property accountability document for use by depots, troops and supply organizations.

2. SCOPE

a. The provisions of this bulletin are applicable to any organization in CONUS or overseas which must account for components of the applicable module of the SWAPDOP.

3. EXPLANATION OF TERMS

The following information is a brief description of the layout data provided in Section II

a. NATIONAL STOCK NO. (NSN)
An identifying number assigned to items of supply.

b. CONTROL NO.
Number assigned for accounting purposes to an item in this bulletin that has no NSN assigned.

c. DESCRIPTION

The descriptions of the major components are listed in alphabetical sequence by item name with additional descriptive information required for identification. The first description shown is for the SWAPDOP module.

d. UNIT OF ISSUE (U/I)

These are established standard quantities in which an item of supply is issued.

e. QUANTITY (QTY)

Entries in this column are the actual quantitative requirement.

4. ABBREVIATIONS

AL ALY	Aluminum Alloy
ALUM	Aluminum
ANSI	American National Standards Institute
ASSY	Assembly
ASTM	American Society for Testing Materials
CAD	Cadmium
CU	Cubic
D	Depth
DBL	Double
DC	Direct Current
DED	Diesel Engine Driven
DEG	Degree
DIA	Diameter
EA	Each

Distribution Statement : Approved for public release; distribution is unlimited.

FAB	Fabricated
FNPT	Fine National Coarse Thread
FORSCOM	US Army Forces Command
FT	Feet
FT	Fort
GAL	Gallon
GPM	Gallons per Minute
GR	Grade
H	High
HD	Head
Hex	Hexagon
ID	Inside Diameter
IN.	Inch
KW	Kilowatt
L	Large
L	Length
LB	Pound
LG	Long
M	Medium
MACH	Machine
MBBL	1000 Barrels
NOM	Nominal
NPT	National Pipe Thread
O/A	Overall
OD	Outside Diameter
PL	Plated
POL	Petroleum
PSI	Pounds per Square Inch
S	Small
SAE	Society of Automotive Engineers
TBE	Threaded Both Ends
TPT	Terminal, Petroleum, Tactical
UNC	United National Coarse Thread
U.S.	United States
V	Volt
W.T.	Wall Thickness
W/	With
WOG	Water, Oil, Gas
X	By

b. If you have recommendations for equipment improvement, submit an SF 368 (See DA PAM 738-750). The above forms should be addressed to:
 Commander
 US Army Troop Support Command
 ATTN: AMCPM-PWL
 4300 Goodfellow Blvd.
 St. Louis, Mo. 63120-1798.

5. REPORTING OF ERRORS AND RECOMMENDING IMPROVEMENTS.

a. The reporting of errors, omissions, and recommendations for improving this supply bulletin by the user is encouraged. Use DA form 2028. Mail to
 Commander, US Army
 Troop Support Command,
 ATTN: AMSTR-MSSLA
 4300 Goodfellow Blvd.
 St. Louis, Mo. 63120-1798

NATIONAL STOCK NUMBER	DESCRIPTION	U/I	QTY
3835-01-288-4629	FT LEE INSTITUTIONAL TRAINING MODULE		
	CONSISTING OF:		
4210-01-210-8728	FIRE SUPPRESSION EQUIPMENT SET CONSISTING OF:	EA	4
4210-01-210-6466	EXTINGUISHER, FIRE, WHEEL MOUNTED W/REMOTE HOSE CART	EA	1
4210-00-752-9343	DRY CHEMICAL, FIRE, PURPLE K, 50LB	EA	36
4210-01-056-8343	FOAM LIQUID, FIRE (5 GAL)	EA	5
(65614)25542-1	HOOD, FIREMANS, KEVLAR	EA	3
(65614)25540-1	GLOVES, FIREMANS, KEVLAR	PR	4
(65614)25536-1	COAT, FIREMANS, KEVLAR (S)	EA	1
(65614)25536-2	COAT, FIREMANS, KEVLAR (M)	EA	1
(65614)25536-3	COAT, FIREMANS, KEVLAR (L)	EA	1
(65614)25548-1	TROUSER, FIREMANS, KEVLAR (S)	EA	1
(65614)25548-2	TROUSER, FIREMANS, KEVLAR (M)	EA	1
(65614)25548-3	TROUSER, FIREMANS, KEVLAR (L)	EA	1
(65614)25534-1	BOOTS, FIREMANS, RANGER, KNEE (SIZE 6)	PR	1
(65614)25534-2	BOOTS, FIREMANS, RANGER, KNEE (SIZE 7)	PR	1
(65614)25534-3	BOOTS, FIREMANS, RANGER, KNEE (SIZE 8)	PR	1
(65614)25534-4	BOOTS, FIREMANS, RANGER, KNEE (SIZE 9)	PR	1
(65614)25534-5	BOOTS, FIREMANS, RANGER, KNEE (SIZE 10)	PR	1
(65614)25541-1	HARNESS, SHOULDER	EA	1
3835-01-210-5594	N2 CYLINDER W/SUPERIOR VALVE, 300 CU FT	EA	8
4210-01-237-2887	EXTINGUISHER, FIRE, 20 LB CAPACITY,	EA	5

3835-01-288-4626	FUEL DISPENSING ASSEMBLY	EA	1
	CONSISTING OF:		
4730-01-210-5625	TEE, 6X6X4, DBL GROOVE, ALUMINUM	EA	14
	CAP, 6 IN, DBL GROOVE, ALUMINUM	EA	2
4730-01-237-0201	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	14
(97403)13226E8267-2	COUPLING, ADAPTER ASSY, FEMALE, QUICK DISCONNECT BY DBL GROOVE, 4 IN NOM SIZE	EA	6
4720-01-226-4826	HOSE ASSY, RUBBER, 4 IN ID, 25 FT LG, W/QUICK DISCONNECT, CAM-LOCKING FITTING (1 MALE AND 1 FEMALE)	EA	12
4820-01-210-5605	VALVE ASSY, 4 IN, GATE, QUICK DISCONNECT, CAM-LOCKING TYPE	EA	6
	CONSISTING OF:		
4820-00-766-8191	VALVE, GATE, ALUMINUM ALLOY 4 IN FLANGED ENDS, 150 PSI WORKING PRESSURE	EA	1
5305-00-269-3214	SCREW, CAP, HEX-HEAD, 3/8 IN X 1-1/2 IN LG, STEEL, CAD PL, .375-16UNC-2A X 1.50L	EA	16
5310-00-080-6004	WASHER, FLAT, STEEL, CAD PL, .406 IN ID	EA	16
5310-00-637-9541	WASHER, LOCK, HELICAL, STEEL CAD PL, .375 IN NOM SIZE	EA	16
5310-00-056-3395	NUT, HEX-HEAD, MACHINE SCREW, STEEL, CAD PL, .375- 16UNC-2B	EA	16
4730-00-640-6156	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
5330-00-899-4509	GASKET-COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
4730-00-840-5347	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
5330-00-647-2072	GASKET, FLANGE, CORK, 6.75 IN OD, 4 IN APERATURE DIA	EA	2
4730-00-640-6188	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1

VALVE ASSY: (CONTINUED)

4730-00-840-5348	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
4330-00-177-8485	FILTER-SEPARATOR, LIQUID FUEL, FRAME MOUNTED, 350 GPM CAPACITY	EA	3
4930-01-013-7590	ADAPTER ASSY FOR WATER DETECTION KIT	EA	3
4820-01-288-4636	VALVE ASSY, BALL, 6 IN, DBL GROOVE	EA	2
	CONSISTING OF:		
(65614)25521-1	VALVE, BALL, FULL PORT, 6 IN, ALUMINUM ALLOY, 6 IN FLANGED ENDS 150 PSI WORKING PRESSURE	EA	1
5340-01-210-4561	ADAPTER, FLANGE TO DOUBLE GROOVE, 6 IN NOM SIZE	EA	2
5330-01-173-8301	GASKET, FLANGE, CORK, 9 IN OD, 6 IN APERATURE DIA	EA	2
5305-00-269-3214	SCREW, CAP, HEX-HEAD, 3/8 IN X 1-1/2 IN LG, STEEL, CAD PL, .375-16UNC-2A X 1.50L	EA	24
5310-00-080-6004	WASHER, FLAT, STEEL, CAD PL, .406 IN ID	EA	24
5310-00-637-9541	WASHER, LOCK, HELICAL, STEEL CAD PL, .375 IN NOM SIZE	EA	24
5310-00-056-3395	NUT, HEX-HEAD, MACHINE SCREW, STEEL CAD PL, .375-16UNC-2B	EA	24
(19099)80000002	CAP, RUBBER, 6 IN	EA	2
(65614)25525-100	VALVE ASSY, PRESSUR CONTROL, 6 IN, DBL GROOVE, SKID MOUNTED, SET AT 30 PSI	EA	1
	CONSISTING OF:		
(65614)25526-1	VALVE, PRESSURE REGULATING, RAISED FACE FLANGED BOTH ENDS, 6 IN	EA	1
(65614)25629-100	ADAPTER, FLANGE TO DOUBLE GROOVE	EA	2
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	8
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5-1/2 IN LG, CAD PL, .750-10UNC-2A	EA	8
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	2

VALVE ASSY: (CONTINUED)

(65614)25631-1	LUG, LIFTING, PRESSURE CONTROL VALVE	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	40
(65614)25632-100	SKID WELDMENT, PRESSURE CONTROL VALVE	EA	1
(19099)80000002	CAP, RUBBER, 6 IN	EA	2
(65614)25636-100	VALVE ASSY, 4 IN, BUTTERFLY, QUICK DISCONNECT, FEMALE X FEMALE	EA	6
CONSISTING OF:			
(65614)25652-1	VALVE, BUTTERFLY ALUMINUM, 4 IN NPT BOTH ENDS, 150 PSI WORKING PRESSURE	EA	1
4730-00-649-9118	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
4730-00-640-6188	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
5330-00-899-4509	GASKET-COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
(96906) MS49000-17	REDUCER, MALE BY FEMALE AND FEMALE BY MALE, QUICK DISCONNECT, (4 IN FEMALE BY 2 IN MALE)	EA	2
(96906) MS49000-5	REDUCER, MALE BY FEMALE AND FEMALE BY MALE, QUICK DISCONNECT, (2 IN FEMALE X 1-1/2 IN MALE)	EA	2
4820-01-210-5615	VALVE ASSY, 1.5 IN, BALL, QUICK DISCONNECT, CAM-LOCKING TYPE	EA	4
CONSISTING OF:			
4730-00-203-1010	COUPLING HALF, QUICK DISCONNECT, 1-1/2 IN NOM SIZE	EA	1
4820-01-226-8224	VALVE, BALL, SCREWED, FNPT, 150 PSI WORKING PRESSURE, ALUMINUM ALLOY, 1.50 IN NOM SIZE	EA	1
4730-00-360-0589	COUPLING HALF, QUICK DISCONNECT, 1-1/2 IN NOM SIZE	EA	1
4730-00-929-0791	COUPLING HALF, QUICK DISCONNECT, 1-1/2 IN NOM SIZE	EA	1

VALVE ASSY: (CONTINUED)

5340-00-823-5316	COUPLING HALF, QUICK DISCONNECT, 1-1/2 IN NOM SIZE	EA	1
5330-00-360-0595	GASKET-COUPLING HALF, QUICK DISCONNECT, 1-1/2 IN NOM SIZE	EA	2
4720-01-226-4828	HOSE ASSY,, RUBBER, 1.5 IN ID 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	2
3835-01-210-5618	HOSE ASSY, 6 IN ID, 50 FT LG W/2 EA HOSE TO GROOVE ADAPTERS 6 IN, 50 FT LG AND 6 EA HOSE CLAMPS	EA	18
CONSISTING OF:			
(79154) F-060-048- A-2C	ADAPTER, HOSE TO DBL GROOVE, 6 IN	EA	2
(81348) WW-C-440 TYPE H	CLAMP, HOSE, 6 IN NOM SIZE, 0.750 IN BAND WIDTH, 56 IN LG CORROSION- RESISTING STEEL	EA	6
(81349) MIL-H-82127	HOSE, RUBBER FUEL, DISPENSING, COLLAPSIBLE, 6 IN, 50 FT LG	EA	1
4730-01-209-4413	COUPLING, CLAMP, 6 IN NOM SIZE	EA	2
(65614)25506-1	CAP, 6 IN, DBL GROOVE, ALUMINUM	EA	2
5330-00-391-8486	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	2
(65614)25527-1	PRESSURE CONTROL VALVE, 1.5 INCH SET AT 5 PSI	EA	2
4730-00-951-3296	REDUCER, MALE BY FEMALE AND FEMALE BY MALE, QUICK DISCONNECT, (3 IN FEMALE BY 4 IN MALE)	EA	6
4730-01-232-5298	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN DBL GROOVE	EA	2
CONSISTING OF:			
(97403)CPL-20092	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN NOM SIZE, DBL GROOVE	EA	25
CONSISTING OF:			
(97403) PD 4730-0016	COUPLING, CLAMP, PIPE, HALF BOLTLESS COUPLING CONSTRUCTION FOR DBL GROOVE, 6 IN NOM SIZE	EA	2

COUPLING, CLAMP: (CONTINUED)

4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(IU339) 01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL, DOUBLE GROOVE COUPLING	EA	2
(IU339) 01-001-03	DRIFT PIN	EA	1
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE COUPLING	EA	1
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(IU339) 01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL, DOUBLE GROOVE COUPLING	EA	1
	TOOL, ASSY, REMOVABLE, DOUBLE GROOVE COUPLING	EA	2
5330-00-899-4509	GASKET-COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	8
5310-00-612-2414	GASKET-COUPLING HALF, QUICK DISCONNECT, 2 IN NOM SIZE	EA	2
5330-00-088-9166	GASKET-COUPLING HALF, QUICK DISCONNECT, 3 IN NOM SIZE	EA	6
4730-00-873-3864	COUPLING, CLAMP, 4 IN NOM SIZE	EA	20
5330-01-226-8214	GASKET, SYNTHETIC RUBBER, 4 IN NOM SIZE	EA	20
5975-01-288-4638	GROUND ROD, SELF-DRIVING, 6 FT LG W/12 FT CABLE	EA	8
(97403) 13222E8219	COUPLING, RAIL TANK CAR	EA	2
(97403) 13222E8212	COUPLING SET, TANK TRUCK ADAPTER	EA	2
(97403)25608-101	METER SKID ASSY, 6 IN, 800 GPM	EA	7
	CONSISTING OF:		
(65614)25609-100	SKID WELDMENT, METER	EA	1
(65614)25601-1	METER, POSITIVE DISPLACEMENT, ALUMINUM, 800 GPM, 6 IN DBL GROOVED ENDS W/COUNTER AND DISPLAY IN U.S. GALLONS, 150 PSI WORKING PRESSURE	EA	1

METER SKID ASSY: (CONTINUED)

(65614)25606-1	STRAINER, VERTICAL, IN-LINE, W/40 MESH SCREEN, 6 IN DBL GROOVE ENDS, 150 PSI WORKING PRESSURE, 800 GPM	EA	1
(6Z650) RB TYPE	AIR RELEASE HEAD, 150 PSI WORKING PRESSURE, MOUNTED ON STRAINER	EA	1
(97403)CPL-20092	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN NOM SIZE, DBL GROOVE	EA	1
CONSISTING OF:			
(97403) PD 4730-0016	COUPLING, CLAMP, PIPE, HALF BOLTLESS COUPLING CONSTRUCTION FOR DBL GROOVE, 6 IN NOM SIZE	EA	2
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(IU339) 01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL, DOUBLE GROOVE COUPLING	EA	2
(80204)ANSI B16.11	ELBOW, 90 DEG, STREET, 1 IN NOM PIPE SIZE	EA	1
	NIPPLE, PIPE, 1 IN NPT X 3.00 IN LG	EA	1
(65614)31121-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1 IN NOM SIZE	EA	1
4730-00-084-7435	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	1
4720-01-226-4829	HOSE ASSY, RUBBER, 1 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	1
(65614)25529-1	FLOW INDICATOR, TACHOMETER TYPE, 0-1500 GPM	EA	1
(80204)ANSI/MSS SP69	U-BOLT, 1/2 IN FOR 6 IN PIPE	EA	2
(65614)25518-1	WASHER, BEVELED	EA	4
(81346)ASTM A194	NUT, HEX HEAD, 1/2 IN, CAD PL, .500-13UNC-2A	EA	4
(80204)ANSI B16.11	ELBOW, STREET, 90 DEG, 3/4 IN NOM PIPE SIZE, 3000 LB	EA	1
	NIPPLE, PIPE, 3/4 IN NPT X 3.00 IN LG	EA	1

COUPLING, CLAMP: (CONTINUED)

(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
3835-01-288-4613	PIPELINE PUMP STATION	EA	3
	CONSISTING OF:		
4320-01-193-3430	PUMPING ASSY, DIESEL ENGINE DRIVEN, CENTRIFUGAL, 800 GPM AT 1800 FT HD	EA	2
3835-01-288-4644	RECEIVER ASSY, 6 IN	EA	1
	CONSISTING OF:		
(65614)31087-100	SKID WELDMENT, RECEIVER ASSEMBLY	EA	1
(65614)31105-101	TEE AND ELBOW WELDMENT, RECEIVER ASSEMBLY	EA	1
(65614)31106-101	TEE AND PIPE WELDMENT, RECEIVER ASSEMBLY	EA	1
(65614)31107-101	TEE WELDMENT, RECEIVER ASSEMBLY	EA	1
(65614)31026-1	VALVE, GATE, RAISED FACE FLANGED BOTH ENDS, 6 IN, HAND WHEEL OPERATED	EA	2
(65614)31109-1	VALVE, BALL, RAISED FACE FLANGED BOTH ENDS, 4 IN	EA	1
4720-01-226-4824	HOSE ASSY, RUBBER, 2 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	1
4730-00-938-7997	COUPLING HALF, QUICK DISCONNECT, 2 IN NOM SIZE	EA	1
(80204)ANSI B16.11	TEE, REDUCING, 2 X 2 X 1	EA	1
	NIPPLE, PIPE, 2 IN NPT X 2.19 IN LG	EA	3
(65614)31119-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 2 IN NOM SIZE	EA	1
(80204)ANSI B16.11	ELBOW, 90 DEG, FEMALE X FEMALE, 2 IN NOM SIZE	EA	1
(80204)ANSI B40.1	GAGE, PRESSURE, 0 - 1500 PSI, 25 PSI INCREMENTS	EA	2
	NIPPLE, PIPE, 1 IN NPT X 6.50 IN LG	EA	1

RECEIVER ASSY: (CONTINUED)

(80204)ANSI B16.11	ELBOW, SCRD, 90 DEG, FEMALE X FEMALE, 1 IN NOM SIZE	EA	6
	NIPPLE, PIPE, 1 IN NPT X 3.00 IN LG	EA	3
(80204)ANSI B16.11	UNION, 1 IN NOM PIPE SIZE	EA	2
	NIPPLE, PIPE, 1 IN NPT X 14.81 IN LG	EA	1
(65614)31116-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1/2 IN NOM SIZE	EA	1
(80204)83688-1	U-BOLT, 1/2 IN FOR 8 IN PIPE	EA	1
(80204)ANSI/MSS SP69	U-BOLT, 1/2 IN FOR 6 IN PIPE	EA	1
(65614)31121-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1 IN NOM SIZE	EA	1
	NIPPLE, PIPE, 1 IN NPT X 3.25 IN LG	EA	1
(81346)ASTM A194	NUT, HEX HEAD, 1/2 IN, CAD PL, .500-13UNC-2A	EA	10
(65614)25518-1	WASHER, BEVELED	EA	10
	NIPPLE, PIPE, 1 IN NPT X 14.50 IN LG	EA	1
(80204)ANSI B16.11	TEE, 1 IN NOM PIPE SIZE	EA	1
	NIPPLE, PIPE, 1 IN NPT X 58.25 IN LG	EA	1
(65614)31056-2	VALVE, RELIEF, 1 IN X 1 IN	EA	1
	NIPPLE, PIPE, 1 IN NPT X 6.62 IN LG	EA	1
(80204)ANSI B16.11	ELBOW, 90 DEG, FEMALE X FEMALE, 3/4 IN NOM SIZE, 3000 PSI	EA	1
	NIPPLE, PIPE, 1 IN NPT X 2.24 IN LG	EA	1
(80204)ANSI B16.11	BUSHING, REDUCER, HEX HEAD, 1 IN X 3/4 IN	EA	1

RECEIVER ASSY: (CONTINUED)

(65614)31120-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 3/4 IN NOM SIZE	EA	1
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	44
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG, CAD PL, .750-10UNC-2A	EA	4
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	132
(80204)ANSI B16.11	BUSHING, REDUCER, HEX HEAD, 3/4 IN X 1/2 IN, NPT	EA	1
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 4 IN NOM PIPE SIZE	EA	2
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM SIZE	EA	4
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 4-1/2 IN LG CAD PL, .750-10UNC-2A	EA	16
	NIPPLE, PIPE, 1 IN NPT X 18.50 IN LG	EA	1
	NIPPLE, PIPE, 3/4 IN NPT X 4.50 IN LG	EA	1
	NIPPLE, PIPE, 3/4 IN NPT X 1.25 IN LG	EA	1
	NIPPLE, PIPE, 3/4 IN NPT X 2.50 IN LG	EA	1
(80204)ANSI B16.11	TEE, 3/4 IN NOM PIPE SIZE	EA	1
	NIPPLE, PIPE, 1/2 IN NPT X 1.38 IN LG	EA	1
	NIPPLE, PIPE, 1 IN NPT X 1.75 IN LG	EA	1
(19099)80000002	CAP, RUBBER, 6 IN	EA	2
(65614)83768-100	FUEL SAMPLING ASSY	EA	1
	CONSISTING OF:		
(65614)83769-100	WELDMENT, SAMPLING PIPE	EA	1
(81346)ASTM 312	NIPPLE, STANLESS STEEL, MALE X MALE, 1/2 IN NOM, NPT	EA	1

FUEL SAMPLING ASSY: (CONTINUED)

(65614)25594-1	VALVE, BALL, SCREWED, FNPT, 800WOG, 1/2 IN NOM PIPE SIZE	EA	1
(65614)25604-1	FITTING, TUBE, COMPRESSION, 1/2 IN, NPT TO 1/2 IN OD TUBE	EA	1
(81346)ASTM A269	TUBE, STAINLESS STEEL, 1/2 IN OD X 0.049 IN W.T.	EA	2
(80204)ANSI/MSS SP-69	U-BOLT, 5/8 IN FOR 6 IN PIPE	EA	2
(96906)MS27183-22	WASHER, FLAT, STEEL, CAD PL, .688 IN ID	EA	8
(65614)25599-100	WELDMENT, SAMPLING TABLE	EA	1
(65614)25600-1	VALVE, NEEDLE, 1/2 IN NPT, 3000 PSI	EA	1
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
6630-00-242-9258	HYDROMETER, PETROLEUM	EA	2
6630-00-245-8376	HYDROMETER, PETROLEUM	EA	3
6630-00-245-8377	HYDROMETER, PETROLEUM	EA	3
6630-00-245-8374	HYDROMETER, PETROLEUM	EA	2
6630-00-245-8375	HYDROMETER, PETROLEUM	EA	1
(96906) MS36484	HYDROMETER CYLINDER, PLASTIC, BASE MOUNTED, OIL RESISTANCE FOR PETROLEUM PRODUCTS	EA	3
(32218) 5884	HYDROMETER CASE, 30 X 18 X 8, FOAM CUSHIONED	EA	1
3835-01-288-4650	LAUNCHER ASSY, 6 IN	EA	1
	CONSISTING OF:		
(65614)31048-100	SKID WELDMENT, LAUNCHER ASSEMBLY	EA	1
(65614)31151-101	TEE AND ELBOW WELDMENT, LAUNCHER ASSEMBLY	EA	1
(65614)31150-101	TEE AND PIPE WELDMENT, LAUNCHER ASSEMBLY	EA	1
(65614)31149-101	TEE WELDMENT, LAUNCHER ASSEMBLY	EA	1

LAUNCHER ASSY: (CONTINUED)

(65614)31026-1	VALVE, GATE, RAISED FACE FLANGED BOTH ENDS, 6 IN, HAND WHEEL OPERATED	EA	2
(65614)31109-1	VALVE, BALL, RAISED FACE FLANGED BOTH ENDS, 4 IN	EA	1
4720-01-226-4824	HOSE ASSY, RUBBER, 2 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	1
4730-00-938-7997	COUPLING HALF, QUICK DISCONNECT, 2 IN NOM SIZE	EA	1
(80204)ANSI B16.11	TEE, REDUCING, 2 X 2 X 1	EA	1
	NIPPLE, PIPE, 2 IN NPT X 2.19 IN LG	EA	3
(65614)31119-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 2 IN NOM SIZE	EA	1
(80204)ANSI B16.11	ELBOW, 90 DEG, FEMALE X FEMALE, 2 IN NOM SIZE	EA	1
(80204)ANSI B40.1	GAGE, PRESSURE, 0 - 1500 PSI, 25 PSI INCREMENTS	EA	2
	NIPPLE, PIPE, 1 IN NPT X 4.88 IN LG	EA	1
(80204)ANSI B16.11	ELBOW, SCRD, 90 DEG, FEMALE X FEMALE, 1 IN NOM SIZE	EA	5
	NIPPLE, PIPE, 1 IN NPT X 3.00 IN LG	EA	4
(80204)ANSI B16.11	UNION, SCRD, 1 IN NOM PIPE SIZE	EA	2
	NIPPLE, PIPE, 1 IN NPT X 18.93 IN LG	EA	1
(65614)31116-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1/2 IN NOM SIZE	EA	2
(80204)ANSI/MSS SP69	U-BOLT, 1/2 IN FOR 8 IN PIPE	EA	2
(80204)ANSI/MSS SP69	U-BOLT, 1/2 IN FOR 6 IN PIPE	EA	3
(65614)31121-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1 IN NOM SIZE	EA	1

LAUNCHER ASSY: (CONTINUED)

(81346)ASTM A193	BOLT, STUD, 3/4 IN X 4-1/2 IN LG CAD PL, .750-10UNC-2A	EA	16
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 4 IN NOM SIZE	EA	2
	NIPPLE, PIPE, 1 IN NPT X 14.62 IN LG	EA	1
(80204)ANSI B16.11	TEE, SCRD., 1 IN NOM PIPE SIZE	EA	1
	NIPPLE, PIPE, 1 IN NPT X 4.25 IN LG	EA	1
(65614)31056-1	VALVE, RELIEF, 3/4 IN X 1 IN	EA	1
	NIPPLE, PIPE, 1 IN NPT X 15.90 IN LG	EA	1
	NIPPLE, PIPE, 1 IN NPT X 3.50 IN LG	EA	1
(81346)ASTM A194	NUT, HEX HEAD, 1/2 IN, CAD PL, .500-13UNC-2A	EA	10
(65614)25518-1	WASHER, BEVELED	EA	10
(65614)31120-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 3/4 IN NOM SIZE	EA	1
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	48
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	4
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	128
	NIPPLE, PIPE, 1/2 IN NPT X 1.38 IN LG	EA	2
	NIPPLE, PIPE, 3/4 IN NPT X 2.00 IN LG	EA	1
	NIPPLE, PIPE, 1 IN NPT X 2.24 IN LG	EA	1
(11226) 3CC-B, 01-1276-0006	PIPELINE SCRAPER, CUPPED, RUBBER 6 IN	EA	5
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2

3835-01-288-5904	STRAINER ASSEMBLY, 6 IN	EA	1
	CONSISTING OF:		
(65614)31001-100	SKID WELDMENT, STRAINER	EA	1
(65614)31003-3	STRAINER, IN-LINE, VERTICAL, BOTTOM DRAIN, 1 IN FNPT, QUICK OPENING CLOSURE, NON HAMMER TYPE, VENTED, RAISED FACE FLANGED BOTH ENDS, 6 IN, 1/2 FNPT PRESSURE TAPS BOTH INLET AND OUTLET, 40 MESH FILTER OPENING	EA	1
(65614)31003-4	STRAINER, IN-LINE, VERTICAL, BOTTOM DRAIN, 1 IN FNPT, QUICK OPENING CLOSURE, NON HAMMER TYPE, VENTED, RAISED FACE FLANGED BOTH ENDS, 6 IN, 1/2 FNPT PRESSURE TAPS BOTH INLET AND OUTLET, 40 MESH FILTER OPENING	EA	1
(65614)31026-1	VALVE, GATE, RAISED FACE FLANGED BOTH ENDS, 6 IN, HAND WHEEL OPERATED	EA	4
(65614)31004-100	ELBOW WELDMENT, STRAINER ASSEMBLY	EA	2
(65614)31006-101	TEE WELDMENT, STRAINER ASSEMBLY	EA	2
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	10
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG CAD PL, .750-10UNC-2A	EA	24
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG CAD PL, .750-10UNC-2A	EA	96
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	264
(80204)ANSI B16.11	ELBOW, 90 DEG, FEMALE X FEMALE, 1 IN NOM SIZE	EA	2
	NIPPLE, PIPE, 1 IN NPT X 6.00 IN LG	EA	2
(65614)31121-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1 IN NOM SIZE	EA	2
4730-00-084-7435	COUPLING HALF, QUICK DISCONNECT 1 IN NOM SIZE	EA	2

STRAINER ASSY: (CONTINUED)

4720-01-226-4829	HOSE ASSY, RUBBER, 1 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	2
(80204)ANSI/MSS SP69	U-BOLT, 1/2 IN FOR 6 IN PIPE	EA	2
(80204)ANSI B16.11	ELBOW, SCRDR, 90 DEG, STREET, 1/2 IN NOM SIZE	EA	2
(65614)31116-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 1/2 IN NOM SIZE	EA	2
(65614)31098-1	GAGE, DIFFERENTIAL PRESSURE STRAIGHT FLOW	EA	1
(65614)31098-2	GAGE, DIFFERENTIAL PRESSURE, REVERSE FLOW	EA	1
(65614)31042-100	TUBE AND FITTING ASSEMBLY	EA	4
(65614)31041-1	NIPPLE, HEX, STEEL, 1/2 IN NPT BOTH ENDS	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 1/2 IN, CAD PL .500-13UNC-2A	EA	4
(65614)25518-1	WASHER, BEVELED	EA	4
	NIPPLE, PIPE, 1 IN NPT X 1.75 IN LG	EA	2
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
(65614)31085-2	ELBOW, 90 DEG, LONG RADIUS, (3R) ALUMINUM, 6 IN, 740 PSI WORKING PRESSURE	EA	30
(65614)31086-2	TEE, 6 IN 740 PSI WORKING PRESSURE	EA	6
4820-01-288-4630	VALVE ASSY, 6 IN, CHECK, SKID MOUNTED	EA	3
	CONSISTING OF;		
(65614)31091-1	VALVE, CHECK, SWING, RAISED FACE FLANGED BOTH ENDS, 6 IN	EA	1
(80204)31075-101	ADAPTER, 6 IN NOM SIZE	EA	2
	CONSISTING OF:		

ADAPTER: (CONTINUED)

(80204)ANSI B16.5	FLANGE, RAISED FACE SLIP-ON, 6 IN	EA	1
(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN OD 1 12 IN LG, SEAMLESS	EA	1
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	12
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG, CAD PL, .750-10UNC-2A	EA	12
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	2
(65614)83674-100	SKID WELDMENT, CHECK VALVE	EA	1
(65614)83675-1	LUG, LISTING, CHECK VALVE	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	60
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
(65614)31092-101	VALVE ASSY, 6 IN, SINGLE GROOVE X 1 IN QUICK DISCONNECT, CAM- LOCKING TYPE, W/1 IN VALVE	EA	1
	CONSISTING OF:		
(65614)31093-1	VALVE, GATE, STEEL, 1 IN NOM PIPE SIZE	EA	1
(81346)ASTM A106	REDUCER, 6 IN X 1 IN NOM PIPE SIZE, .432 IN W.T.	EA	1
4730-00-084-7435	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	1
(96906) MS27028-5	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	1
5310-00-088-9167	GASKET-COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	1
4730-01-288-4632	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN NOM SIZE	EA	4
	CONSISTING OF:		
5340-01-274-9790	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	25
(97403) PD 4730- 0059	TOOL, ASSY, REMOVABLE, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	2

COUPLING, CLAMP: (CONTINUED)

5120-00-187-1033	HAMMER, SPARKLESS, 2#	EA	1
(97403) PD 4730-0059	DRIFT PIN	EA	1
(97403) PD 4730-0059	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(97403) PD 4730-0059	PIN, RETAINING, PLATED, COLD ROLLED STEEL, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	1
5430-00-268-8187	TANK, FABRIC, COLLAPSIBLE, 3000 GAL	EA	1
4210-01-237-2887	EXTINGUISHER, FIRE	EA	6
4820-01-288-4639	VALVE ASSY, 6 IN, GATE, SKID MOUNTED	EA	4
CONSISTING OF:			
(65614)31026-1	VALVE, GATE, RAISED FACE FLANGED BOTH ENDS, 6 IN, HAND WHEEL OPERATED	EA	1
(80204)ANSI B16.5	ADAPTER, 6 IN NOM SIZE	EA	2
CONSISTING OF:			
(80204)ANSI B16.5	FLANGE, RAISED FACE SLIP-ON, 6 IN	EA	1
(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN OD X 12 IN LG, SEAMLESS	EA	1
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG CAD PL, .750-10UNC-2A	EA	12
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG, CAD PL, .750-10UNC-2A	EA	12
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	2
(65614)31185-100	SKID WELDMENT, GATE VALVE	EA	1
(65614)31189-1	LUG, LIFTING, GATE VALVE	EA	2
(65614)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	60
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
4720-01-226-4829	HOSE ASSY, RUBBER, 1 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	8

ADAPTER: (CONTINUED)

8105-00-935-7101	BAGS, SAND: POLYPROPYLENE, PACKED 100 BAGS PER EACH UNIT	EA	10
4730-00-084-7435	COUPLING HALF, QUICK DISCONNECT 1 IN NOM SIZE	EA	4
(65614)31192-1	VALVE, BALL, SCREWED, FNPT, 150 PSI WORKING PRESSURE, 1 IN NOM SIZE	EA	2
(96906) MS27026-5	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	3
(96906) MS27028-5	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	2
4940-00-360-0715	COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	3
5310-00-088-9167	GASKET-COUPLING HALF, QUICK DISCONNECT, 1 IN NOM SIZE	EA	5
(80204)ANSI B16.11	BUSHING, REDUCER, HEX-HEAD, 3 IN X 1 IN NPT	EA	1
(96906) MS27024-15	COUPLING HALF, QUICK DISCONNECT, 3 IN NOM SIZE	EA	1
5330-00-088-9166	GASKET-COUPLING HALF, QUICK DISCONNECT, 3 IN NOM SIZE	EA	1
3835-01-288-4643	PIPELINE PUMP STATION PROTECTIVE STRUCTURE, LIGHTWEIGHT STEEL PANEL BUILDING	EA	2
(65614)83677-1	ANCHOR, 1.5 IN SQUARE SHAFT, 60 IN LG, SINGLE 6 IN DIA HELIX, FORGED STEEL, SAND COLOR 30277	EA	8
(81349) MIL-D- 43095	DISPENSING PUMP, HAND DRIVEN, LIQUID PETROLEUM FUEL, 1 IN CAM LOCK CONNECTIONS	EA	1
8115-01-288-4652	CONTAINER, CARGO, 20 FT LG	EA	1
6230-01-288-4627	FLOODLIGHT SET, 6 KW	EA	1
3835-01-288-4614	PIPELINE SET, 1000 FT	EA	2
	CONSISTING OF:		
(97403)CPL-30093	PIPELINE SET, 475 FT SINGLE GROOVE	EA	2
	CONSISTING OF:		

PIPELINE SET: (CONTINUED)

4710-01-275-5057	PIPELINE SECTION, ALUMINUM, 6 IN NOM SIZE X 19 FT LG (PACKED 25 PER BUNDLE)	EA	25
(97403) PD 4710- 0060	END PROTECTOR, 6 IN NOM SIZE	EA	50
(97403) PD 4710-0060	FRAME, UNITIZING	EA	3
4730-01-288-4632	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE, WITH INTEGRAL GASKET	EA	2
	CONSISTING OF:		
5340-01-274-9790	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	25
(97403) PD 4730- 0059	TOOL, ASSY, REMOVABLE, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	2
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(97403) PD 4730- 0059	DRIFT PIN	EA	1
(97403) PD 4730- 0059	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(97403) PD 4730- 0059	PIN, RETAINING, PLATED, COLD ROLLED STEEL, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	1
3835-01-288-4611	PIPELINE SET, 5 MILE	EA	2
	CONSISTING OF:		
4820-01-288-4633	VALVE ASSY, 6 IN, GATE, SKID MOUNTED W/ STEM PROTECTOR	EA	5
	CONSISTING OF:		
(65614)31026-1	VALVE, GATE, RAISED FACE FLANGED BOTH ENDS, 6 IN, HAND WHEEL OPERATED	EA	1
(80204)ANSI B16.5	ADAPTER, FLANGE TO IPDS SINGLE GROOVE, 6 IN NOM SIZE	EA	2
	CONSISTING OF:		
(80204)ANSI B16.5	FLANGE, RAISED FACE SLIP-ON, 6 IN	EA	1
(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN OD X 12 IN LG, SEAMLESS	EA	1

VALVE ASSY: (CONTINUED)

(65614)31076-100	STEM PROTECTOR, GATE VALVE	EA	2
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	12
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG, CAD PL, .750-10UNC-2A	EA	12
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 6 IN NOM PIPE SIZE	EA	2
(65614)31185-100	SKID WELDMENT, GATE VALVE	EA	1
(65614)31189-1	LUG, LIFTING, GATE VALVE	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	60
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
4820-01-288-4630	VALVE ASSY, 6 IN, CHECK, SKID MOUNTED	EA	3
CONSISTING OF:			
(65614)31091-1	VALVE, CHECK, SWING, RAISED FACE FLANGED BOTH ENDS, 6 IN	EA	1
(80204)ANSI B16.5	ADAPTER, FLANGE TO SINGLE GROOVE 6 IN NOM SIZE	EA	2
CONSISTING OF:			
(80204)ANSI B16.5	FLANGE, RAISED FACE SLIP-ON, 6 IN	EA	1
(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN OD X 12 IN LG, SEAMLESS	EA	1
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 5 IN LG, CAD PL, .750-10UNC-2A	EA	12
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 6 IN LG, CAD PL, .750-10UNC-2A	EA	12
(80204)ANSI B16.5	GASKET, NON-ASBISTOS, 6 IN NOM PIPE SIZE	EA	2
(65614)83674-100	SKID WELDMENT, CHECK VALVE	EA	1
(65614)83675-1	LUG, LIFTING, CHECK VALVE	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	60

VALVE ASSY: (CONTINUED)

(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
(97403)CPL-30093	PIPELINE SET, 475 FT SINGLE GROOVE	EA	56
	CONSISTING OF:		
4710-01-275-5057	PIPELINE SECTION, ALUMINUM, 6 IN NOM SIZE X 19 FT LG (PACKED 25 PER BUNDLE)	EA	25
(97403)PD 4710-0060	END PROTECTOR 6 IN NOM SIZE	EA	50
(97403)PD 4710-0060	FRAME, UNITIZING	EA	3
(81349)MIL-C-13286 /1A	CLAMP, REPAIR, PIPE: WITH GASOLINE-RESISTANT GASKET, 6 IN NOM DIA PIPE	EA	5
4730-01-288-4632	COUPLING, CLAMP, PIPE,	EA	61
	CONSISTING OF:		
5340-01-274-9790	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	25
(97403)PD 4730-0059	TOOL, ASSY, REMOVABLE, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	2
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(97403)PD 4730-0059	DRIFT PIN	EA	1
(97403)PD 4730-0059	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE, INTEGRAL FOR SINGLE GROOVE COUPLING	EA	1
(97403)PD 4730-0059	PIN, RETAINING, PLATED, COLD ROLLED STEEL, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	1
(65614)83612-1	CULVERT, NESTABLE, 24 IN DIA, COLOR CHIP 30277 (40 FT, LINEAR)	EA	4
4730-01-288-4631	ELBOW SET, 6 IN PIPELINE,	EA	1
	CONSISTING OF:		
(65614)83668-1	ELBOW, 90 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	2
(65614)83669-1	ELBOW, 45 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	7

ELBOW SET: (CONTINUED)

(65614)83670-1	ELBOW, 22.5 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	5
(65614)83671-1	ELBOW, 11.25 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	5
(65614)83672-1	ELBOW, 6 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	6
(19099)80000002	CAP, RUBBER, 6 IN	EA	50
4730-01-288-4632	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	1
	CONSISTING OF:		
5340-01-274-9790	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	25
97403)PD 4730-0059	TOOL, ASSY, REMOVABLE, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	2
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(97403)PD 4730-0059	DRIFT PIN	EA	1
(97403)PD 4730-0059	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE, INTEGRAL FOR SINGLE GROOVE COUPLING	EA	1
(97403)PD 4730-0059	PIN, RETAINING, PLATED, COLD ROLLED STEEL, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	1
5340-01-275-5058	OVERCOUPLING, PIPELINE, 6 IN NOM SIZE	EA	5
4710-01-288-4634	ANCHOR, PIPELINE, SINGLE HELIX WITH 2 PIECE CLAMP	EA	40
	CONSISTING OF:		
(65614)83677-1	ANCHOR, 1.5 IN SQUARE SHAFT, 60 IN LG, SINGLE 6 IN DIA HELIX, FORGED STEEL, SAND COLOR 30277	EA	1
(65614)83677-2	CLAMP, PIPE ANCHOR, 2 PART WITH SLIP ON SADDLE FOR 6 IN NOM DIA PIPE, SAND COLOR 30277	EA	1
4710-01-288-4635	PIPELINE VENT ASSEMBLY	EA	5

CONSISTING OF:

PIPELINE VENT: (CONTINUED)

(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN OD X 12 IN LG, SEAMLESS	EA	1
(80204)ANSI B16.11	THREDOLET, 12-6X3/4 IN, 3000 LB, NPT	EA	1
(65614)83664-1	VALVE, BALL, SCREWED, FNPT, 2000 PSI WORKING PRESSURE, 3/4 IN NOM SIZE, WITH LOCKING HANDLE	EA	1
(80204)ANSI B16.11	ELBOW, STREET, 90 DEG, 3/4 IN NOM PIPE SIZE	EA	1
	NIPPLE, PIPE, 3/4 IN NPT X 3.00 IN LG	EA	1
(80204)ANSI B16.11	ELBOW, STREET, 90 DEG, 3/4 IN NOM PIPE SIZE	EA	1
(80204)ANSI B16.11	PLUG, 3/4 IN, NPT, HEX HEAD, F.S. 3000 PSI	EA	1
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
4710-01-274-9801	PIPE NIPPLE BUNDLE, ALUMINUM, 6 IN NOMINAL SIZE X 9.5 FT LG, (PACKED 25 PIECES PER BUNDLE)	EA	2
	CONSISTING OF:		
4710-01-274-9800	PIPE NIPPLE, ALUMINUM 6 IN NOM SIZE (6.625 IN O.D.) X 9.5 FT LG (0.404 IN W.T.)	EA	25
(97403)PD 4710-0060	END PROTECTOR, 6 IN NOM SIZE	EA	50
(97403)PD 4710-0060	FRAME, UNITIZING	EA	2
4730-01-288-5902	EXPANSION/CONTRACTION SET 6 IN PIPELINE	EA	1
	CONSISTING OF:		
(65614)83668-1	ELBOW, 90 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	60
(65614)83669-1	ELBOW, 45 DEG, ALUMINUM, SINGLE GROOVE, 6 IN NOM SIZE, 740 PSI WORKING PRESSURE	EA	52
(19099) 80000002	CAP, RUBBER, 6 IN	EA	224

4730-01-288-4632	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	5
	CONSISTING OF:		
5340-01-274-9790	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	25
(97403)PD 4730-0059	TOOL, ASSY, REMOVABLE, SINGLE GROOVE COUPLING WITH INTEGRAL GASKET	EA	2
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(97403)PD 4730-0059	DRIFT PIN	EA	1
(97403)PD 4730-0059	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE,	EA	1
(97403)PD 4730-0059	PIN, RETAINING, PLATED, COLD ROLLED STEEL,	EA	1
3835-01-288-5905	PIPELINE SUPPORT ASSEMBLY, FT LEE INSTITUTIONAL TRAINING MODULE	EA	1
	CONSISTING OF:		
4320-01-194-5601	PUMPING ASSY, DIESEL ENGINE DRIVEN, SELF-PRIMING CENTRIFUGAL, 1250 GPM AT 180 FT HD	EA	9
(65614)31111-101	VALVE ASSY, GLOBE, 6 IN, SKID MOUNTED	EA	3
	CONSISTING OF:		
(65614)31112-1	VALVE, GLOBE, RAISED FACE FLANGED BOTH ENDS, 4 IN	EA	1
(65614)31104-101	ADAPTER, SWAGED, 6 IN X 4 IN, RAISED FACE FLANGE TO SINGLE GROOVE	EA	2
(81346)ASTM A193	BOLT, STUD, 3/4 IN X 4-1/2 IN LG, CAD PL, .750-10UNC-2A	EA	8
(81346)ASTM A193	BOLT, SUTD, 3/4 IN X 5-3/4 IN LG CAD PL, .750-10UNC-2A	EA	8
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 4 IN NOM PIPE SIZE	EA	2
(65614)31090-101	SKID WELDMENT, GLOBE VALVE	EA	1
(65614)31168-1	LUG, LIFTING, GLOBE VALVE	EA	2
(81346)ASTM A194	NUT, HEX HEAD, 3/4 IN, CAD PL, .750-10UNC-2A	EA	40

VALVE ASSY: (CONTINUED)

(19099)80000002	CAP, RUBBER, 6 IN	EA	2
(65614)31052-101	PRESSURE RELIEF MODULE, 6 IN, CONSISTING OF:	EA	4
(65614)83744-1	TEE, 6X6X6, W/SCRAPER BARS, CONSISTING OF:	EA	1
(80204)ANSI B16.9	TEE, WELD, 6X6X6, W/SCRAPER BARS, .0375 IN W.T.	EA	1
(81346)ASTM A106	NIPPLE, PIPE, 6.625 IN O.D X 6 IN LG, SEAMLESS	EA	3
(65614)31124-101	VALVE ASSY, 6 IN, 600# PRESSURE RELIEF, PILOT SET AT 900 PSI CONSISTING OF:	EA	1
(80204)ANSI B16.5	VALVE, PRESSURE RELIEF, RAISED FACE FLANGED BOTH ENDS, 4 IN	EA	1
(65614)31129-100	SKID WELDMENT, PRESSURE RELIEF VALVE	EA	1
(65614)31164-101	ADAPTER, SWAGED, 6 IN X 4 IN,	EA	1
(80204)ANSI B16.5	FLANGE, RAISED FACE THREADED, 4 IN	EA	1
4730-00-840-0797	COUPLING HALF, QUICK DISCONNECT 4 IN NOM SIZE	EA	1
4730-00-640-6156	COUPLING HALF, QUICK DISCONNECT 4 IN NOM SIZE	EA	1
(65614)31187-1	LUG, LIFTING, PRESSURE RELIEF VALVE	EA	2
(80204)ANSI B16.5	GASKET, NON-ASBESTOS, 4 IN NOM PIPE SIZE	EA	2
(81346)ASTM A193	BOLT, STUD, 7/8 IN X 7-1/2 IN LG, CAD PL, .875-10UNC-2A	EA	8
(81346)ASTM A193	BOLT, STUD, 7/8 IN X 5-3/4 IN LG CAD PL, .875-10UNC-2A	EA	8
(81346)ASTM A194	NUT, HEX HEAD, 7/8 IN, CAD PL, .875-9UNC-2A	EA	40
(65614)25549-1	KEY, RING	EA	1

VALVE ASSY: (CONTINUED)

5330-00-899-4509	GASKET-COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
(19099) 80000002	CAP, RUBBER, 6 IN	EA	2
4720-01-226-4826	HOSE ASSY, RUBBER, 4 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE)	EA	10
(65614)83451-100	TEE ASSY, FLANGED 4 IN, QUICK DISCONNECT, ONE MALE AND TWO FEMALE COUPLINGS	EA	1
CONSISTING OF:			
4730-00-840-5346	TEE, FLANGED, ALUMINUM ALLOY, LEG LG 4.25 IN, 4 IN DIA ALL ENDS, 8.5 IN O/A LG	EA	1
4730-00-840-5347	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
5330-00-647-2072	GASKET, FLANGE, CORK, 6.75 IN OD, 4 IN APERATURE DIA	EA	3
4730-00-840-5348	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
5330-00-899-4509	GASKET-COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	3
5305-00-269-3214	SCREW, CAP, HEX-HEAD, 3/8 IN X 1-1/2 IN LG, STEEL, CAD PL, .375-16UNC-2A X 1.50L	EA	24
5310-00-080-6004	WASHER, FLAT, STEEL, CAD PL, .406 IN ID	EA	24
5310-00-637-9541	WASHER, LOCK, HELICAL STEEL, CAD PL, .375 IN NOM SIZE	EA	24
5310-00-056-3395	NUT, HEX-HEAD, MACHINE SCREW, STEEL, CAD PL, .375-16UNC-2B	EA	24
4730-00-640-6188	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	2
4730-00-640-6156	COUPLING HALF, QUICK DISCONNECT, 4 IN NOM SIZE	EA	1
(65614)83791-100	SUPPLEMENTAL PIPELINE INSTALLATION EQUIPMENT, FT LEE INSTITUTIONAL TRAINING MODULE	EA	1

CONSISTING OF:

SUPPLEMENTAL PIPELINE: (CONTINUED)

(65614)83810-101	CUTTING AND GROOVING MACHINE FOR 4 IN THRU 8 IN NOM PIPE AIR AND ELECTRIC DRIVE	EA	1
	CONSISTING OF:		
(98198) 10-000-01	SPLIT FRAME CUTTING, GROOVING AND BEVELING MACHINE SET, 4 IN THRU 8 IN NOM PIPE WITH CARRYING CASE AND OPERATORS MANUAL	EA	1
(98198) 43-800-99	FIELD TOOL INSERT KIT, CUTTING, GROOVING AND BEVELING MACHINE	EA	1
(98198) 43-705-00	PARTING TOOL INSERTS, CUTTING, GROOVING AND BEVELING MACHINE	EA	10
(98198) 43-799-01	SINGLE GROOVING INSERTS, CUTTING, GROOVING AND BEVELING MACHINE	EA	6
(98198) 43-799-02	IPDS GROOVING INSERTS, CUTTING, GROOVING AND BEVELING MACHINE	EA	6
(98198) 43-799-03	DOUBLE GROOVING INSERTS, CUTTING, GROOVING AND BEVELING MACHINE	EA	6
(98198) 43-799-04	BEVELING BITS, 30 DEG, CUTTING GROOVING AND BEVELING MACHINE	EA	6
(98198) 10-400-01	PNEUMATIC DRIVE KIT WITH STORAGE CASE, CUTTING, GROOVING & BEVELING MACHINE	EA	1
(98198) 10-400-02	ELECTRIC DRIVE KIT WITH 25 FT CABLE AND STORAGE CASE, CUTTING, GROOVING AND BEVELING MACHINE	EA	1
(98198) 10-401-01	PIPE STAND SET, TRIPOD, WITH CHAIN VISE AND TOOL TRAY	EA	1
(98198) 10-401-02	MINI SPARE OVERPACK KIT, CUTTING, GROOVING AND BEVELING MACHINE	EA	1
(29273) MODEL ADH40	DRIVE HEAD, HYDRAULIC FOR ANCHOR INSTALLATION W/JD 410 MOUNTING	EA	3
3835-01-288-4640	TAPPING MACHINE, PIPELINE	EA	2
	CONSISTING OF:		
(11226)05-0661-0000	DRILLING MACHINE, T-18, HAND OPERATED, RATCHET CRANK WITH BLEEDER VALVE, 1440 PSI, WITH OPERATORS MANUAL	EA	1

TAPPING MACHINE: (CONTINUED)

(11226)05-0669-0000	HOLDER, 2 IN HOLE SAW	EA	1
(11226)05-0179-0002	HOLE SAW, 2 IN, (ACTUAL O.D 1-7/8 IN)	EA	1
(11226)00-0644-0029	ADAPTER, T-18 DRILLING MACHINE TO 2 IN VALVE	EA	1
(80204)ANSI B16.11	TEE, SCRD., 2 IN NOM PIPE SIZE	EA	1
(80204)ANSI B16.11	PLUG, 2 IN, NPT, HEX HEAD	EA	1
	NIPPLE, PIPE, 2 IN NPT X 3.00 IN LG	EA	2
(11226)1506	VALVE, BALL, SCREWED, FNPT, 2 IN NOM SIZE	EA	2
4730-00-649-9103	COUPLING HALF, QUICK DISCONNECT 2 IN NOM SIZE	EA	1
(11226)MJ6X2	FITTING, BOLT-ON, 2 IN NPT WITH 6 IN BOLT-ON SLEEVE FOR 6 IN NOM DIA PIPE	EA	1
(11226)CC-T-18	CARRYING CASE, TAPPING MACHINE	EA	1
4720-01-226-4824	HOSE ASSY, RUBBER, 2 IN ID, 25 FT LG, W/QUICK DISCONNECT CAM-LOCKING FITTINGS (1 MALE AND 1 FEMALE	EA	2
(08074)02-001N-B-T	DEAD WEIGHT TESTER, 50 - 3000 PSI RANGE, 1/4 IN CONNECTION	EA	1
(80204)ANSI B891 100M-1987/A-A-2348	INDICATOR, DIAL, 1.000 IN TRAVEL, 001 IN GRADUATIONS, ADJUSTABLE DIAL SETTING WITH MAGNETIC BASE	EA	2
(60998)10-0090-00	CALIPER, MICROMETER, INSIDE, 2.000 TO 12.000 IN RANGE, .001 IN GRADUATIONS	EA	2
(60998)02-0181-14	CALIPER, MICROMETER, OUTSIDE, 0.000 TO 1.000 IN, .0001 GRADUATION	EA	2
(81348)GG-L-260	LEVEL, SURVEYING, TOPOGRAPHIC ABNEY REFLECTING	EA	2
3835-01-288-4610	TANK FARM ASSEMBLY	EA	1
	CONSISTING OF:		
5430-01-160-3528	TANK, FABRIC, COLLAPSIBLE, 5000 BARREL PETROLEUM	EA	2

TANK FARM: (CONTINUED)

3835-01-210-5618	HOSE ASSY, LIQUID FUEL, 6 IN ID, 50 FT LG W/2 EA HOSE TO GROOVE ADAPTERS 6 IN, 1 EA HOSE 6 IN, 50 FT LG AND 6 EA HOSE CLAMPS	EA	10
	CONSISTING OF:		
(79154)F-060-048-A-2C	ADAPTER, HOSE TO DBL GROOVE, 6 IN	EA	2
(81348)WW-C-440 TYPE H	CLAMP, HOSE, 6 IN NOM SIZE, 0.750 IN BAND WIDTH, 56 IN LG CORROSION-RESISTING STEEL	EA	6
(81349)MIL-H-82127	HOSE, RUBBER, 6 IN, 50 FT LG	EA	1
4730-01-209-4413	COUPLING, CLAMP 6 IN NOM SIZE	EA	2
(65614)25506-1	CAP, 6 IN, DBL GROOVE, ALUMINUM	EA	2
5330-00-391-8486	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	2
4730-01-210-5628	TEE, 6 IN, DOUBLE GROOVE, ALUM	EA	3
(65614)25639-100	COUPLING HALF, QUICK DISCONNECT, 6 IN NOM SIZE	EA	2
4730-01-210-4559	COUPLING, ADAPTER ASSY, FEMALE 6 IN NOM SIZE	EA	2
(96906)MS27030-10	GASKET-COUPLING HALF, QUICK DISCONNECT, 6 IN NOM SIZE	EA	2
4720-01-210-5596	HOSE ASSY, LIQUID FUEL 6 IN ID, 12 FT LG W/2 EA HOSE TO GROOVE ADAPTERS 6 IN, 6 EA BANDS 6 IN AND 1 EA HOSE 6 IN X 12 FT LG	EA	19
	CONSISTING OF:		
(79154)F-060-048-A-2C	ADAPTER, HOSE TO DBL GROOVE, 6 IN	EA	2
(81348)WW-C-440 TYPE H	CLAMP, HOSE, 6 IN NOM SIZE 0.750 IN BAND WIDTH, 56 IN LG CORROSION-RESISTING STEEL	EA	6
(81349)MIL-H-370 TYPE II, SIZE 10	HOSE, RUBBER, 6 IN, 12 FT LG	EA	1
4730-01-209-4413	COUPLING, CLAMP, 6 IN NOM SIZE	EA	2
(65614)25506-1	CAP, 6 IN, ALUMINUM	EA	2
5330-00-391-8486	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	2

HOSE ASSY: (CONTINUED)

4320-01-193-3429	PUMPING, ASSY, DED, SELF-PRIMING CENTRIFUGAL 600 GPM AT 150 PSI	EA	1
(65614)25585-101	VALVE ASSY, GATE, ALUM, 6 IN DBL GROOVE	EA	7
	CONSISTING OF:		
4820-01-189-2809	VALVE, GATE, ALUMINUM ALLOY, 6 IN FLANGED ENDS, 150 PSI WORKING PRESSURE	EA	1
5340-01-210-4561	ADAPTER, FLANGE TO DOUBLE GROOVE, ALUMINUM, 6 IN NOM SIZE	EA	2
5330-01-173-8301	GASKET, FLANGE, CORK, 9 IN OD, 6 IN APERATURE DIA	EA	2
5305-00-269-3214	SCREW, CAP, HEX-HEAD, 3/8 IN X 1-1/2 IN LG, STEEL, CAD PL, .375-16UNC-2A X 1.50L	EA	24
5310-00-080-6004	WASHER, FLAT, STEEL, CAD PL, .406 IN ID	EA	24
5310-00-637-9541	WASHER, LOCK, HELICAL, STEEL, CAD PL, .375 IN NOM SIZE	EA	24
5310-00-056-3395	NUT, HEX-HEAD, MACHINE SCREW, STEEL, CAD PL, .375-16UNC-2B	EA	24
(19099)80000002	CAP, RUBBER, 6 IN	EA	2
4730-01-232-5298	COUPLING, CLAMP, PIPE, 6 IN DBL GROOVE	EA	2
	CONSISTING OF:		
(97403)CPL-20092	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN NOM SIZE,	EA	25
(97403)PD4730-0016	COUPLING, CLAMP, PIPE, HALF BOLTLESS COUPLING CONSTRUCTION FOR DBL GROOVE, 6 IN NOM SIZE	EA	2
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(IU339)01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL DOUBLE GROOVE COUPLING	EA	2
(U339)01-001-03	DRIFT PIN	EA	1
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1

COUPLING, CLAMP: (CONTINUED)

5120-00-187-1033	HAMMER, SPARKLESS, 2#	EA	1
(IU339)01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL	EA	1
	TOOL, ASSY, REMOVABLE, DOUBLE GROOVE COUPLING	EA	2
6685-00-514-5575	POLE, RANGE	EA	4
3835-01-288-4608	TRANSFER HOSE LINE ASSEMBLY, 6 IN	EA	1
	CONSISTING OF:		
(65614)25700-100	REEL SYSTEM, DOUBLE REEL	EA	12
(65614)25868-100	POWER PACK, 24 V DC/HYDRAULIC, HOSE REEL SYSTEM	EA	2
4730-01-210-5628	TEE, 6 IN, DOUBLE GROOVE, ALUM	EA	11
(65614)25585-101	VALVE ASSY, GATE, ALUM, 6 IN DBL GROOVE	EA	11
	CONSISTING OF:		
4820-01-189-2809	VALVE, GATE, ALUMINUM ALLOY, 6 IN FLANGED ENDS, 150 PSI WORKING PRESSURE	EA	1
5340-01-210-4561	ADAPTER, FLANGE TO DOUBLE GROOVE, ALUMINUM, 6 IN NOM SIZE	EA	2
5330-01-173-8301	GASKET, FLANGE, CORK, 9 IN OD, 6 IN APERATURE DIA	EA	2
5305-00-269-3214	SCREW, CAP, HEX-HEAD, 3/8 IN X 1-1/2 IN LG, STEEL, CAD PL, .375-16UNC-2A X 1.50L	EA	24
5310-00-080-6004	WASHER, FLAT, STEEL, CAD PL, .406 IN ID	EA	24
5310-00-637-9541	WASHER, LOCK, HELICAL, STEEL, CAD PL, .375 IN NOM SIZE	EA	24
5310-00-056-3395	NUT, HEX-HEAD, MACHINE SCREW, STEEL, CAD PL, .375-16UNC-2B	EA	24
(19099)80000002	CAP, RUBBER, 6 IN	EA	2
4730-01-232-5298	COUPLING, CLAMP, PIPE	EA	3
	CONSISTING OF:		

COUPLING, CLAMP: (CONTINUED)

(97403)CPL-20092	COUPLING, CLAMP, PIPE, BOLTLESS, 6 IN NOM SIZE, DBL GROOVE	EA	25
(97403)PD4730-0016	COUPLING, CLAMP, PIPE, 6 IN NOM SIZE	EA	2
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(IU339)01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL DOUBLE GROOVE COUPLING	EA	2
	TOOL, ASSY, REMOVABLE, DOUBLE GROOVE COUPLING	EA	2
5120-00-187-1033	HAMMER, SPARKLESS, 2 #	EA	1
(IU339)01-001-03	DRIFT PIN	EA	1
4730-01-181-4078	GASKET, SYNTHETIC RUBBER, 6 IN NOM SIZE	EA	1
(IU339)01-001-04	PIN, RETAINING, PLATED, COLD ROLLED STEEL DOUBLE GROOVE COUPLING	EA	1
(81349)MIL-D-53015	DISPLACEMENT AND EVACUATION KIT, 6 IN HOSELINE	EA	1
(81349)MIL-S-53012	SUSPENSION KIT, 6 IN HOSELINE	EA	1
(81349)MIL-H-82127	HOSE, RUBBER 6 IN, 600 FT LG	EA	24
(65614)25514-1	ADAPTER, HOSE TO DBL GROOVE, 6 IN BOLT-ON TYPE	EA	120
(65614)25513-1	ADAPTER, HOSE TO HOSE, MENDER 6 IN, BOLT ON TYPE	EA	36
(65614)25560-100	CONTAINER, SIDE OPENING, 20 FT	EA	2

By Order of the Secretary of the Army:

CARL E. VUONO
General, United States Army
Chief of Staff

Official:

THOMAS F. SIKORA
Brigadier General, United States Army
The Adjutant General

DISTRIBUTION:

To be distributed in accordance with DA Form 12-1A, block 418

☆ U.S. GOVERNMENT PRINTING OFFICE: 1991 - 554-030/40079

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

SOMETHING WRONG WITH THIS PUBLICATION?

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

