


# AIR FORCE STEALTH TECHNOLOGY REVIEW



10 - 14 JUNE 1991

\$3PP.

### STEALTH WEEK BRIEF BOOK INDEX

VALUE OF STEALTH BRIEFING TAB A

F-117 STEALTH FIGHTER TAB B

B-2 STEALTH BOMBER TAB C

F-22 STEALTH FIGHTER TAB D

ADVANCED CRUISE MISSILE TAB E


# TABA

# VALUE OF STEALTH BRIEFING





### **VALUE OF STEALTH**






# IMPACT OF TECHNOLOGY ON SURPRISE


WWI	wwii	KOREA	VIETNAM	IRAQ	?
IRCRAFT, S	UBMARINES				->
	RADAR, SI	ONAR			-
		JET ENGINE	NUCLEAR PROP	ULSION	<b>—</b>
			SMART BOMB	S, SLCMs —	-
	LOW 0	BSERVABLE P	LATFORMS/SUBO	QUIETING —	<b>-&gt;</b>

- INITIALLY, AIRCRAFT AND SUBMARINES ENJOYED THE BENEFIT OF SURPRISE
- RADAR, SONAR, AND NEW PROPULSION TECHNIQUES CHANGED WARFARE
- LOW OBSERVABLES RESTORED THE ELEMENT OF SURPRISE FOR AIRPLANES
- SURPRISE IS PERISHABLE. OTHER COUNTRIES ARE WORKING HARD TO CATCH UP. THEREFORE, WE MUST CAPITALIZE ON OUR SIGNIFICANT INVESTMENT IN LOW OBSERVABILITY TO ENSURE A LASTING U.S. ADVANTAGE



# PENETRATING BOMBER STEALTH EFFECTIVENESS








WHEN COMPARED TO CONVENTIONAL TARGETS, STEALTH GREATLY DECREASES THE EFFECTIVENESS OF OPERATIONAL RADAR SYSTEMS (e.g., SUAWACS, MIG-29)




# AIR-TO-AIR FIGHTER STEALTH EFFECTIVENESS





### STEALTH AND SURVIVABILITY

- ◆ LOW OBSERVABLE PLATFORMS, NOW COMBAT PROVEN, HAVE DRAMATICALLY CHANGED THE BATTLEFIELD—THEY CRIPPLE THE ENEMY'S EFFORTS TO DETECT, IDENTIFY, ENGAGE, AND DESTROY OUR FORCES
  - -ENEMY'S RETURN ON INVESTMENT IN AIR DEFENSES IS DENIED
- RESTORE THE ELEMENT OF SURPRISE
  - —UNITED STATES CHOOSES THE TIME AND PLACE OF ATTACK
  - **—ENEMY CANNOT REACT EFFECTIVELY**



SUCCESSFUL AIR DEFENSE IS A PROBLEM IN MULTIPLICATION:
STEALTH DRIVES THE PRODUCT TOWARDS ZERO



**Bomb** 

Air **Escort** 

### The Value of Stealth

Standard Package **Precision Weapons Precision &** B-2 Stealth **Droppers** Suppression of Enemy Air Defenses

**Procurement** Cost & 20 Year **O&S Cost** 

**Tankers** 

\$6.5B

\$5.5B

\$1.5B

\$1.3B



#### **OPTIMIZATION OF STEALTH**

- F-117 SECOND-GENERATION STEALTH
  - SIGNATURE OPTIMIZED FOR LIMITED ASPECTS
  - MEDIUM-ALTITUDE, NIGHT GROUND ATTACK
  - PENALTIES IN AERODYNAMIC AND ENGINE PERFORMANCE TO ACHIEVE A HIGH DEGREE OF STEALTH
- **ACM** THIRD-GENERATION STEALTH
  - FIRST SUCCESSFUL INTEGRATION OF AERODYNAMIC EFFICIENCY AND STEALTH IN A SMALL VEHICLE
- B-2 FOURTH-GENERATION STEALTH
  - REVOLUTIONARY BLENDING OF STEALTH TECHNOLOGY IN LARGE AIRCRAFT WITH HIGH AERODYNAMIC EFFICIENCY AND LARGE PAYLOAD
  - BALANCED SIGNATURE FOR OPERATIONS AT BOTH HIGH AND LOW ALTITUDE
- F-22 OPTIMIZED FOR AIR-TO-AIR OPERATIONS
  - SIGNATURE OPTIMIZED FOR A FIRST-LOOK/FIRST-KILL CAPABILITY

COMMON DENOMINATOR ACROSS ALL STEALTH PLATFORMS IS EFFECTIVE MISSION PLANNING, WHICH GREATLY ENHANCES MISSION SURVIVABILITY.



#### STEALTH PAYOFF HIGH

- STEALTHY AIRCRAFT CAN PENETRATE WITH FEWER SUPPORT ASSETS AND PRESERVE SURPRISE
  - **—LESS RISK TO CREW MEMBERS**
- STEALTHY AIRCRAFT PERMIT MORE RAPID SUPPRESSION OF GROUND-BASED AIR DEFENSES
  - **—ELIMINATES REQUIREMENT TO "ROLL BACK" DEFENSES**
  - **—LESS RISK TO OUR GROUND FORCES PERSONNEL**
- STEALTH PERMITS MORE ACCURATE DELIVERY OF MUNITIONS
  - -ELIMINATES NEED FOR EVASIVE ACTIONS—PERMITS CONCENTRATION ON WEAPON DELIVERY
  - **—LESS RISK TO NONCOMBATANT PERSONNEL FROM COLLATERAL DAMAGE**

STEALTH SAVES LIVES



# VALUE OF STEALTH IN COMBAT ENVIRONMENT

- STEALTH IS KEY ELEMENT
  - —SYNERGISTICALLY COMPLEMENTS OTHER SURVIVABILITY METHODS SUCH AS DEFENSE SUPPRESSION, STANDOFF, AND TACTICS
- STEALTH APPLIED WHERE NEEDED
  - —PART OF OVERALL FORCE PACKAGE OPTIMIZED TO SUIT AIRCRAFT/MISSION


STEALTH ALLOWS US TO MORE EFFECTIVELY
USE ALL COMBAT RESOURCES

# TAB B

# F-117 STEALTH FIGHTER




### F-117 STEALTH FIGHTER



**COMBAT-PROVEN STEALTH** 



#### F-117A CHARACTERISTICS



F-117A Stealth Fighter

• MAX GROSS WEIGHT: 52,500 LB


• SPEED: HIGH SUBSONIC

• CREW: ONE

• UNREFUELED RADIUS: 600 NM

ARMAMENT: TWO 2,000-LB LASER
 GUIDED/CONVENTIONAL
 BOMBS; NUCLEAR CAPABLE

• ENGINES: TWO NONAFTERBURNING GE F-404 TURBOFAN ENGINES





#### F-117 MISSION



- THE F-117A STEALTH FIGHTER IS THE FIRST OPERATIONAL AIRCRAFT CONCEIVED TO EXPLOIT LOW OBSERVABLE STEALTH TECHNOLOGY
- THIS SINGLE-SEAT FIGHTER IS DESIGNED TO PENETRATE DENSE THREAT ENVIRONMENTS AND ATTACK HIGH-VALUE TARGETS WITH PINPOINT ACCURACY



#### F-117 PROGRAM



•	FIRST FLIGHT
	(31 MONTHS AFTER FSD
	CONTRACT AWARD)

**JUN 1981** 

• FIRST AIRCRAFT DELIVERIES

1982

• INITIAL OPERATIONAL CAPABILITY

OCT 1983

• LAST AIRCRAFT DELIVERY

**JUN 1990** 

• TOTAL AIRCRAFT BUY

59

• AIRCRAFT LOST TO PEACETIME ACCIDENTS

3

• FIRST COMBAT OPERATION

**JUST CAUSE (DEC 1989)** 

• UNIT FLYAWAY COST

\$52.5 MILLION (FY 91\$)

TOTAL PROGRAM COST

\$8.2 BILLION (FY 91\$)



# F-117 FACT SHEET DESERT STORM



F-117s DEPLOYED: 42

**TOTAL COMBAT SORTIES:** OVER 1,270

TONS OF BOMBS DROPPED: OVER 2,000

NUMBER OF COMBAT HOURS: OVER 6,900

MISSION CAPABLE RATE: OVER 85%


WHILE F-117s FLEW ONLY 2% OF TOTAL COMBAT SORTIES, THEY COVERED APPROXIMATELY 40% OF THE STRATEGIC TARGETS—ONLY SYSTEM TO FLY DOWNTOWN BAGHDAD IN "TEETH" OF DEFENSES

# TABC

# **B-2 STEALTH BOMBER**



### B-2 STEALTH BOMBER



# GLOBAL REACH-GLOBAL POWER FOR THE 21<sup>ST</sup> CENTURY



#### **B-2 CHARACTERISTICS**





B-2 Stealth Bomber

- LARGE NUCLEAR OR CONVENTIONAL PAYLOAD
- PENETRATION SPEED: HIGH SUBSONIC

• ALTITUDE: UP TO 50,000 FEET

ALL FEATURES DESIGNED TO MINIMIZE OBSERVABLE, RADAR, INFRARED, VISUAL, AND ACOUSTIC SIGNATURES







# THE ORIGINAL B-2 MISSION STATEMENT



"MISSION: THE ADVANCED STRATEGIC PENETRATING AIRCRAFT (ASPA) SHALL PROVIDE THE CAPABILITY TO CONDUCT MISSIONS ACROSS THE SPECTRUM OF CONFLICT, INCLUDING GENERAL NUCLEAR WAR, CONVENTIONAL CONFLICT, AND PEACETIME/CRISIS SITUATIONS."

IN 1981 THE B-2 WAS KNOWN AS THE ASPA. THE NAME HAS CHANGED, BUT THE MISSION REMAINS THE SAME



### **Nuclear Deterrence**

### **Our Number One Priority**



- DETERRENCE HAS PROVIDED THE FOUNDATION FOR U.S. MILITARY STRATEGY FOR OVER 40 YEARS
- SOVIET UNION REMAINS THE ONLY NATION THAT CAN DESTROY THE U.S. WITHIN 30 MINUTES
  - THE POTENTIAL FOR NUCLEAR EXCHANGE IS AT ITS LOWEST POINT IN 40 YEARS, HOWEVER...
    - •• THE CONSEQUENCES OF FAILURE TO DETER ARE UNACCEPTABLE
  - SOVIETS CONTINUE MODERNIZING THEIR OFFENSIVE AND DEFENSIVE FORCES
- THE TRIAD IS A TIME-PROVEN HEDGE AGAINST SOVIET TECHNOLOGICAL BREAKTHROUGHS AND U.S. SYSTEM FAILURES

**OUR REDUNDANT FORCES ARE A HIGH-VALUE INSURANCE POLICY** 




### The Balanced Triad




**B-2 Stealth Bomber** 

#### **ICBMs**




- Use when deterrence fails
- Low O&S cost
- High day-to-day alert
- Immediate response
- No recall
- No recycle
- No conventional use

# STRATEGIC TRIAD BOMBERS



- Demonstrates e olve in crisis before deterrence fais
  - Mosi stabilizing
- Relieves aecision time ressure
- Man-in-loop
- Most afficient weapon delivery
- Surivable
- Ecallable
- Reuseable
- Rapid global conventional capability Proven in combat

#### **SLBMs**



- Use when deterrence fails
- Survivable
- Low cost/warhead
- Prompt response
- No recall
- No recycle
- No conventional use

**Each President Has Requested More Options** 



# **B-2:** The Next Generation Stealth



**B-2 Stealth Bomber** 

### IF YOU LIKE THE F-117, WAIT TILL YOU SEE THE B-2

**PRECISION & STEALTH** 

**B-2** 

BOMB DROPPERS

TANKERS
\* COST (FY91\$)

\$1.3B

- BALANCED LOW OBSERVABLE DESIGN
- HIGH AND LOW ALTITUDE OPERATION
- LONGER RANGE WITH GREATER PAYLOAD
- TERRAIN FOLLOWING RADAR
- FAR LESS TANKER SUPPORT

**GREATER OPERATIONAL UTILITY** 


<sup>\*</sup> Procurement and 20 year operations and support



# **B-2 Conventional Capability**Worldwide Force Projection Capability



• 40,000 LB PAYLOAD + ONE REFUELING COVERS GLOBAL LANDMASS



B-2 CAN HOLD VIRTUALLY EVERY TARGET IN THE WORLD AT RISK WITHIN 24 HOURS



### Cost Effective Force Multiplier



**B-2 Stealth Bomber** 

- THE VALUE OF A B-2 WILL BE ITS ENDURING CONTRIBUTION TO NATIONAL SECURITY FOR MANY YEARS
- THE B-2 LEVERAGES OUR UP-FRONT INVESTMENT IN STEALTH **TECHNOLOGY**
- IN AN AUSTERE BUDGET ENVIRONMENT, THE B-2 WILL BE THE CENTERPIECE OF A SMALLER, MORE CAPABLE FORCE

**Commitment to date** 

With Termination Cost (15 A/C - THEN STOP)

Additional Cost to go

\$30.8B (TY\$)

\$36.4B (TY\$)

\$28.4B (TY\$)

"WE HAVE INVESTED A HUGE AMOUNT IN THE B-2 ALREADY. WE ARE AT THE STAGE NOW WHERE WE CAN BEGIN TO REAP THE BENEFITS. OF THAT INVESTMENT AND WE WANT TO GO FORWARD WITH THE 75 PLANES."

SECRETARY OF DEFENSE



# **Test Reports**



**B-2 Stealth Bomber** 

#### **Block I Testing: Initial Performance Testing**

"...from the data available, nothing we have seen would conflict with the expectations that the B-2 should provide a significant capability in range and payload performance and will essentially negate the large investments the Soviets have made in air defense."

Defense Science Board, 20 Jan 1990

"...In general, the B-2 has performed equal to or better than predicted in the areas of performance and flying qualities."

OSD/DOT&E, 11 Jun 1990

#### **Block II Testing: Initial Low Observable Testing**

"Based on flight test results to date, there are no indications that basic B-2 aircraft survivability is in jeopardy."
OSD/DOT&E, 25 Feb 1991

"...we found no substantive signature surprises. Based on our review of the test results, we see nothing that would lead us to believe that the B-2 will not be the highly survivable aircraft intended at the start of this important program."

Defense Science Board, 20 Feb 1991

"The early Block 2 flight tests were responsive to the 1991 full performance matrix requirement of taking early measurements of the radar signature. The test objectives were to provide a preliminary assessment of the radar signature for the first B-2 at selected frequencies intended to be representative of threat radars."

#### General Accounting Office, 15 Apr 1991

"Flight tests for the second B-2 adequately demonstrated some basic flight characteristics beyond those accomplished in Block 1 testing. The tests also demonstrated that new flight control software corrected flight stability problems identified in Block 1 testing."

**General Accounting Office, 15 Apr 1991** 



### **B-2 PROGRAM**



B-2 Stealth Bomber


<ul><li>PROGRAM INITIATION</li></ul>	1981
• FULL SCALE DEVELOPMENT	1983
<ul> <li>LOW RATE PRODUCTION</li> </ul>	1987
• FIRST FLIGHT	1989
• FIRST SAC DELIVERY	1993
• TOTAL AIRCRAFT BUY	75 AIRCRAFT; 2 WINGS
<ul> <li>UNIT FLYAWAY COST</li> </ul>	\$437.4 MILLION (FY 91\$)
• TOTAL PROGRAM COST	\$60.8 BILLION (FY 91\$)
—COMMITMENT TO DATE	\$33.2 BILLION (FY 91\$)



# **B-2 Program Schedule**




**B-2 Stealth Bomber** 





#### **WHY B-2?**



Stealth Bomber

#### MULTIROLE CAPABILITY


- -NUCLEAR DETERRENCE-OUR NUMBER ONE PRIORITY
- -CONVENTIONAL WARFIGHTING-COMBINES F-117's SURVIVABILITY WITH RANGE/PAYLOAD OF THE B-52
- STEALTH PAYOFF HIGH
  - **—LESS RISK TO CREW MEMBERS; MORE ACCURATE DELIVERY OF MUNITIONS**
- SUCCESSFUL TEST PROGRAM DEMONSTRATES B-2 WORKS
  - -RESULTS CERTIFIED BY DEFENSE SCIENCE BOARD, INDEPENDENT TESTERS AND GAO
- TIME IS RIGHT TO CAPITALIZE ON OUR INVESTMENT AND OUR SUCCESS

# TAB D

# F-22 STEALTH FIGHTER




# F-22 STEALTH FIGHTER



AIR SUPERIORITY FOR THE 21<sup>ST</sup> CENTURY




#### F-22 CHARACTERISTICS




F-22 Stealth Fighter

- LOW OBSERVABLE/HIGHLY MANEUVERABLE AIRFRAME
- LONG RADIUS OF ACTION WITH EXCELLENT PAYLOAD
- MACH NUMBER: 1.8 MACH+
- SUPERCRUISE IN MILITARY POWER: 1.4 MACH+
- ALTITUDE: 50,000 FEET
- HIGHLY RELIABLE INTEGRATED AVIONICS
- CREW: ONE
- ENGINES: TWO F119-PW-100
- ARMAMENT: AIM-9 SIDEWINDER
   AIM-120 AMRAAM
   20MM GATLING GUN






#### F-22 MISSION



F-22 Stealth Fighter

# FIRST-LOOK FIRST-SHOT FIRST-KILL

#### AIR SUPERIORITY FIGHTERS





### F-22 DEM/VAL ACHIEVED PERFORMANCE




F-22 Stealth Fighter

- PROTOTYPE AIRCRAFT TESTED IN FOLLOWING AREAS
  - —THRUST VECTORING
  - -MANEUVERING TO 60-DEGREE ANGLE OF ATTACK
  - -AIM-9 AND AIM-120 LAUNCH
  - -MANEUVERING AT MINIMUM AIRSPEED
  - -HANDLING QUALITIES DURING TRACKING
  - **—WEAPONS BAY ENVIRONMENT**
  - -MACH 1.8+ (WITH F119 ENGINES)
  - -AIR REFUELING
  - -SUPERCRUISE
  - **—LIMITED AIR STARTS**



### F-22 DEM/VAL ACHIEVED PERFORMANCE—Continued



F-22 Stealth Fighter

#### • FLIGHT CONDITIONS

-AIR SPEED KCAS 83	3 TO	630
--------------------	------	-----

-MACH NUMBER	0.25 TO 1.8 MACH +

1.4 MACH +


O 50,000
_

-NORMAL LOAD FACTOR -1	1.0 TO 7.7	
------------------------	------------	--

-ANGLE	OF ATT	ACK (D	EGREE)	-5 TO 62
--------	--------	--------	--------	----------




#### **RM&S COMPARISONS**




F-22 Stealth Fighter


**SORTIE GENERATION RATE** 




TOTAL MANPOWER SPACES PER AIRCRAFT



C-141s TO DEPLOY A 24 PAA SQDN




**COMBAT RATE: SORTIES BETWEEN MAJOR MAINTENANCE** 





### F-22 PRATT & WHITNEY YF119 ENGINE



F-22 Stealth Fighter

TMS: YF119-PW-100

MFR: PRATT & WHITNEY

TYPE: TWIN-SPOOL AUGMENTED TURBOFAN

APPLICATION: ADVANCED TACTICAL FIGHTER

THRUST: 35,000 LB CLASS

**ENGINE CONTROL: FULL AUTHORITY DIGITAL** 

**ELECTRONIC CONTROL** 

COMPRESSION SYSTEM: TWIN-SPOOL/COUNTER-ROTATING/

**AXIAL FLOW** 

-3 STAGE FAN

-6 STAGE COMPRESSOR


**COMBUSTOR: ANNULAR** 

TURBINE: AXIAL FLOW/COUNTER-ROTATING

-1 STAGE HIGH-PRESSURE TURBINE

—1 STAGE LOW-PRESSURE TURBINE

NOZZLE: VECTORING TWO-DIMENSIONAL CONVERGENT-DIVERGENT





#### F-22 PROGRAM


The state of the s

F-22 Stealth Fighter


<ul> <li>DEMONSTRATION/VALIDATION PHASE</li> </ul>	1986 TO 1991
• REQUEST FOR PROPOSAL RELEASE	1 NOV 1990
• DOWN SELECT	23 APR 1991
• DEFENSE ACQUISITION BOARD	JUN 1991
<ul> <li>ENGINEER MANUFACTURING DEVELOPMENT</li> </ul>	JUL 1991
• 48 AIRCRAFT DELIVERED	2002
• TOTAL AIRCRAFT PROCUREMENT	648 AIRCRAFT TO SUPPORT 5.5 TACTICAL FIGHTER WINGS
• UNIT FLYAWAY	\$59.4 MILLION (FY 91\$)
• TOTAL PROGRAM	\$61.5 BILLION (FY 91\$)



### F-22 FULL-SCALE DEVELOPMENT SCHEDULE



F-22 Stealth Fighter





#### **WHY F-22?**



F-22 Stealth Fighter


- FREEDOM OF MANEUVER FOR GROUND, AIR, AND NAVAL FORCES IS A NECESSITY FOR SUCCESSFUL ACCOMPLISHMENT OF MILITARY OBJECTIVES
- AIR SUPERIORITY IS REQUIRED TO PROVIDE THIS FREEDOM OF MANEUVER FOR ALL PHASES OF MILITARY OPERATIONS
  - -- PREVENTS ENEMY AIR ATTACK ON FRIENDLY SURFACE FORCES
  - -ALLOWS INTERDICTION AND CLOSE AIR SUPPORT TO PROVIDE EFFECTIVE SUPPORT OF FRIENDLY FORCES
  - —ALLOWS SEALIFT AND AIRLIFT AIRCRAFT FREEDOM TO DEPLOY AND RESUPPLY FRIENDLY FORCES
- THREATS THAT DENY AIR SUPERIORITY?
  - **—ENEMY FIGHTER AIRCRAFT**
  - -ENEMY SURFACE-TO-AIR MISSILES (SAMs)

#### TAB E

#### ADVANCED CRUISE MISSILE




# ADVANCED CRUISE MISSILE



### DETERRENCE FOR THIS CENTURY AND THE NEXT




#### **CRUISE MISSILE EVOLUTION**



Advanced Cruise Missile

- SLOWLY, AS TECHNOLOGY HAS IMPROVED, THE PERFORMANCE OF CRUISE MISSILES HAS IMPROVED ALSO
- THE FIRST MISSILES ONLY HAD TO FLY A FEW HUNDRED MILES AND BE ABLE TO STRIKE A CITY-SIZED TARGET—AND OFTEN FAILED EVEN IN THAT
- NOW THE MISSILES CAN FLY THOUSANDS OF MILES AND STRIKE WITH GREAT ACCURACY
- THE ADVENT OF NUCLEAR WEAPONS PROVIDES A WARHEAD THAT MAKES A CRUISE MISSILE A SERIOUS DETERRENT



ALCM-B




### ADVANCED CRUISE MISSILE CHARACTERISTICS



Advanced Cruise Missile

- BETTER ACCURACY, RANGE, AND SURVIVABILITY
- HARD TARGET CAPABLE
- COMPLICATES ENEMY AIR DEFENSES
- INCREASED STANDOFF RANGE
  - —IMPROVES BOMBER SURVIVABILITY





## ADVANCED CRUISE MISSILE (AGM-129A)



Advanced Cruise Missile

#### SIGNATURE REDUCTION CHARACTERISTICS

LOW-REFLECTANCE PAINT (FOR IR AND VISUAL)

FORWARD SWEPT (LOW FRONTAL RCS) RADOME-STRUCTURED WINGS (REDUCES LOW-FREQUENCY RCS)

BODY RAM (REDUCES SPECULAR AND TRAVELING WAVE)

CHINES (REDUCES SHOULDER SIGNATURE)

SHARP NOSE CONE (FOR LOW FRONTAL RCS)

> LOW POWER, CONTROLLED EMISSION GUIDANCE SENSORS (FOR EME)

STRAIGHT FUSELAGE SIDES (PROVIDES NARROW BROADSIDE)

FLUSH INLET WITH RAM AND HIDDEN LIP (MAJOR RCS REDUCTION) BEAVERTAIL
NOZZLE SHIELD
(SHIELDS IR AND RADAR)

EXHAUST MIXER 2-D NOZZLE WITH RAM (LOW AFT END RCS ACOUSTIC AND IR)

RADOME STRUCTURED FINS (REDUCES LOW-FREQUENCY RCS)



### ADVANCED CRUISE MISSILE MISSION



- ENHANCE THE LONG-TERM EFFECTIVENESS OF THE BOMBER LEG OF THE TRIAD WITH A CRUISE MISSILE CAPABLE OF DEFEATING PROJECTED SOVIET DEFENSES. ACM HAS
  - **—GREATER RANGE**
  - -IMPROVED SURVIVABILITY
  - -INCREASED ACCURACY
  - -ENHANCED OPERATIONAL FLEXIBILITY
  - -MAXIMUM COMPATIBILITY WITH OTHER STRATEGIC SYSTEMS




### ACM UNIQUE CONTRIBUTIONS



Advanced Cruise Missile

- THE ACM SHARES AN ADVANTAGE WITH THE EARLIEST CRUISE MISSILES: IT GREATLY COMPLICATES ENEMY DEFENSE PLANNING
- CRUISE MISSILES ACT AS A FORCE MULTIPLIER: ONE BOMBER ORIGINATES A DOZEN INDEPENDENTLY FLYING THREATS
- AND THE ACM ADDS ITS OWN UNIQUE TWIST: IT IS NEARLY UNDETECTABLE EXCEPT AT THE VERY CLOSEST OF RANGES





### **ACM F-112-WR-100 TURBOFAN ENGINE**



- LOW BYPASS RATIO TURBOFAN WITH MIXED-FLOW EXHAUST, DEVELOPED ESPECIALLY FOR THE ACM
- MANUFACTURED BY WILLIAMS INTERNATIONAL COMPANY, WALLED LAKE, MICHIGAN

#### **FEATURES**

THRUST CLASS: 500-750 POUNDS

**WEIGHT: 161 POUNDS** 

**FUEL TYPE: JP-10** 

LENGTH: 31 INCHES

**DIAMETER:** 18.5 INCHES (WITH ACCESSORIES)



#### ACM GUIDANCE SYSTEM



- A HIGH-ACCURACY INERTIAL NAVIGATION SYSTEM THAT PROVIDES A SIGNIFICANT IMPROVEMENT OVER ALCM
- MANUFACTURED BY KEARFOTT GUIDANCE AND NAVIGATION CORPORATION, WAYNE, NEW JERSEY

#### **FEATURES**

- HIGH-SPEED DIRECT MEMORY ACCESS PROCESSOR WITH 128K
   OF RANDOM ACCESS MEMORY AND 64K OF ELECTRICAL
   ERASABLE PROGRAMMABLE READ-ONLY MEMORY
- LASER DOPPLER VELOCIMETER SENSOR THAT MEASURES MISSILE GROUND VELOCITY AFTER LAUNCH
- FOUR-GIMBAL TUNED ROTOR GYROSCOPE INERTIAL GUIDANCE PLATFORM THAT PROVIDES HIGHLY ACCURATE POSITION LOCATION



### ADVANCED CRUISE MISSILE PROGRAM



<ul> <li>FULL-SCALE DEVELOPMENT BEGAN</li> </ul>	APR 1983
• FIRST FLIGHT	JUL 1985
• PILOT PRODUCTION	JUL 1985
• TOTAL BUY (INCLUDING 120 SPECIAL VARIANTS)	1,000
• PRODUCTION DECISION	SUMMER 1991
• UNIT FLYAWAY COST	\$3.8 MILLION (FY 91\$)
• TOTAL PROGRAM COST	\$6.4 BILLION (FY 91\$)



### ACM TODAY AND TOMORROW



- THE ACM IS NOT JUST DESIGNED TO MEET CURRENT THREATS BUT WILL BE USEFUL WELL INTO THE NEXT CENTURY
- AS MISSILE CARRIER AIRCRAFT AGE AND ARE REMOVED FROM THE CRUISE MISSILE CARRIER OR PENETRATION ROLES, THE ACM CAN BE REDEPLOYED TO EXTEND THE USEFUL LIFE OF AIRCRAFT
- ACM FLEXIBILITY ADDRESSES AIR FORCE STRATEGIC AND BUDGETARY CHALLENGES