NAVY TRAINING SYSTEM PLAN FOR THE AGM-84H/K STANDOFF LAND ATTACK MISSILE EXPANDED RESPONSE AUTOMATIC TARGET ACQUISTION N78-NTSP-A-50-9502B/D JUNE 2002

EXECUTIVE SUMMARY

The Air-to-Ground Missile (AGM)-84H/K Standoff Land Attack Missile Expanded Response (SLAM-ER) Automatic Target Acquisition (ATA) is a carrier-based, non-nuclear, tactical weapon designed to perform day, night, or marginal weather surgical strikes. SLAM-ER is designed with sufficient standoff range to ensure high survivability of launch aircraft in attacks against surface targets.

AGM-84K SLAM-ER is an Acquisition Category II program and an improved variant of the AGM-84H SLAM-ER weapon system. The SLAM-ER ATA system incorporates hardware and software updates to the SLAM-ER All Up Round (AUR). ATA performs automatic target selection by comparing the stored reference image with the seeker image, thus reducing operator workload. ATA will autonomously perform pre-planned target selection and designation without Man-in-the-Loop (MITL) intervention, allow the operator to return to the MITL mode, and retain the performance of the baseline SLAM-ER system. SLAM-ER ATA will interface with the F/A-18 15C Operational Flight Program (OFP). Fleet release of the SLAM-ER ATA weapon system is planned for FY 02.

AGM-84H SLAM-ER program is currently in the Operations and Support phase of the Defense Acquisition System. The Milestone Decision was approved in May 2000. The SLAM-ER program has developed modification kits that are being installed as a retrofit on all baseline SLAM missiles and all AGM-84H missiles in the inventory.

The planned SLAM-ER inventory is replacing an equal number of SLAM missiles in the operational, maintenance, and training environments. Projections of SLAM-ER requirements show that current SLAM manning levels are adequate to support the SLAM-ER system, and no additional manpower requirements are identified.

The SLAM-ER maintenance concept is based on an overall objective to assure All-Up-Rounds are available to fulfill commitments of operational activities and provide the means to restore unserviceable missiles to serviceable condition with minimal downtime. Maintenance requirements are allocated to the organizational, intermediate, and depot levels of maintenance as defined in the Naval Ordnance Maintenance Management Program, OPNAVINST 8000.16 (series).

The SLAM-ER training concept is divided into organizational and intermediate level maintenance based on OPNAVINST 8000.16 (series). Operator training is provided to aviators at the appropriate Fleet Readiness Squadron. Platform weapons school organizational level training is provided to maintenance personnel at the appropriate Maintenance Training Unit (MTU) and Fleet Replacement Enlisted Skills Training activity. Intermediate level maintenance personnel are trained at the appropriate MTU.

TABLE OF CONTENTS

| Г (| | | Page |
|------|------|---|----------------|
| | | Summaryonyms | 1 iii |
| | | JII | vi |
| | | TECHNICAL PROGRAM DATA | |
| | A. | Nomenclature-Title-Program | I-1 |
| | B. | Security Classification | I-1 |
| | C. | Manpower, Personnel, and Training Principals | I-1 |
| | D. | System Description | I-2 |
| | E. | Developmental Test and Operational Test | I-2 |
| | F. | Aircraft and/or Equipment/System/Subsystem Replaced | I-2 |
| | G. | Description of New Development | I-3 |
| | H. | Concepts | I-9 |
| | | 1. Operational | I-9 |
| | | 2. Maintenance | I-9 |
| | | 3. Manning | I-11 |
| | _ | 4. Training | I-11 |
| | I. | Onboard (In-Service) Training | I-17 |
| | J. | Logistics Support | I-19 |
| | K. | Schedules | I-20 |
| | L. | Government-Furnished Equipment and Contractor-Furnished Equipment Tr Requirements | aining I-21 |
| | M. | Related NTSPs and Other Applicable Documents | I-21 |
| PART | II - | BILLET AND PERSONNEL REQUIREMENTS | II-1 |
| PART | Ш | - TRAINING REQUIREMENTS | III-1 |
| | | - TRAINING LOGISTICS SUPPORT REQUIREMENTS | IV-1 |
| PART | | - | V-1 |
| PART | VI | - DECISION ITEMS/ACTION REQUIRED | VI-1 |
| | | - POINTS OF CONTACT | VII-1 |

LIST OF ACRONYMS

AC Alternating Current
ADS Air Data System
AGM Air-to-Ground Missile

AMTCS Aviation Maintenance Training Continuum System

AO Aviation Ordnanceman

ATA Automatic Target Acquisition

AUR All-Up-Round

AWDL Advanced Weapon Data Link

BIT Built-In Test

CAI Computer Aided Instruction
CATM Captive Air Training Missile

CEST Classroom Explosive System Trainer

CINCLANTFLT Commander In Chief, United States Atlantic Fleet CINCPACFLT Commander In Chief, United States Pacific Fleet

CMI Computer Managed Instruction

CNET Chief of Naval Education and Training

CNO Chief of Naval Operations

CVW Carrier Air Wing

CWTPI Conventional Weapons Technical Proficiency Inspection

DATM Dummy Air Training Missile

DC Direct Current

DOP Designated Overhaul Point

DT Development Test

E&MD Engineering and Manufacturing Development

EOD Explosive Ordnance Disposal

FM Frequency Modulation FRS Fleet Readiness Squadron

FY Fiscal Year

GFE Government Furnished Equipment

GNU Guidance Navigation Unit GPS Global Positioning System

IIR Imaging Infrared

LIST OF ACRONYMS

ILSP Integrated Logistics Support Plan IMI Interactive Multimedia Instruction

IMU Inertial Measuring Unit

LRIP Low-Rate Initial Production

MCAS Marine Corps Air Station

MCCDC Marine Corps Combat Development Command

MGU Mid-course Guidance Unit

MITL Man-In-The-Loop

MOS Military Occupational Specialty
MPM Mission Planning Module

MPT Manpower, Personnel, and Training

MTIP Maintenance Training Improvement Program

MTU Maintenance Training Unit

MU Memory Units

NA Not Applicable

NAMTRAGRU DET Naval Air Maintenance Training Group Detachment

NAMTRAU Naval Air Maintenance Training Unit

NAMTRA MARUNIT Naval Air Maintenance Training Marine Unit
NAR Naval Ammunition Reclassification Codes

NAS Naval Air Station

NAVAIRSYSCOM
NAVPERSCOM
NAVPERSCOM
NAVSEA
Naval Air System Command
Navy Personnel Command
Naval Sea Systems Command

NOMMP Naval Ordnance Maintenance Management Program

NEC Navy Enlisted Classification NSAWC Naval Strike Air Warfare Center NTSP Navy Training System Plan

OFS Operational Flight Software OPEVAL Operational Evaluation

OPNAV Office of the Chief of Naval Operations

OPNAVINST Office of the Chief of Naval Operations Instruction

OPO OPNAV Principal Official

OT Operational Test

PDA Principal Development Activity

LIST OF ACRONYMS

PEST Practical Explosive Ordnance Disposal System Trainer

PMA Program Manager, Air PWB Printed Wiring Board

QUAL/CERT Qualification and Certification

RF Radio Frequency
RFT Ready For Training
RSP Render Safe Procedure

SFTI Strike Fighter Tactics Instructor
SFTP Strike Fighter Training Program
SFTS Strike Fighter Training System
SFWS Strike Fighter Weapons School
SFWT Strike Fighter Weapons and Tactics

SLAM Standoff Land Attack Missile

SLAM-ER Standoff Land Attack Missile Expanded Response

SMAU Stop Motion Aimpoint Update SRA Shop Replaceable Assembly

TAMPS Tactical Automated Mission Planning System

TD Training Device

TTE Technical Training Equipment

WDL Weapon Data Link

WRA Weapon Replaceable Assembly

PREFACE

This Draft Navy Training System Plan (NTSP) for the Air-to-Ground Missile (AGM)-84H/K Standoff Land Attack Missile Expanded Response (SLAM-ER), was prepared as part of the regular NTSP update process. This NTSP was developed within guidelines set forth in the Navy Training Requirements Documentation Manual, Office of the Chief of Naval Operations (OPNAV) Publication P-751-9-9-97. This NTSP reflects changes that have occurred since the approved Navy Training Plan for the Standoff Land Attack Missile Expanded Response Missile, A-50-9502/A, dated May 1996. The major changes and updates to this NTSP consist of:

- **PART I** This part shows the deletion of outdated information; incorporation of changes to formal training, and updated Training Device (TD) allocation listings.
- **PART II** This part has been recalculated to depict current billet requirements for fleet supportunits through Fiscal Year (FY) 06.
- **PART III** In addition to reflecting the changes mentioned above, this part has been recalculated to depict chargeable student billets through FY06.
- **PART IV** This part has been updated to reflect changes in training and training logistics support requirements.
- **PART V** This part has been updated to reflect current milestones.
- **PART VI** No major changes.
- **PART VII** This part has been updated to reflect current Points of Contact.

PART I - TECHNICAL PROGRAM DATA

A. NOMENCLATURE-TITLE-PROGRAM

- **1. Nomenclature-Title-Acronym.** AGM-84H/K Standoff Land Attack Missile Expanded Response (SLAM-ER) and SLAM-ER Automatic Target Acquisition (ATA) Missile System
 - **2. Program Element.** 63306N

B. SECURITY CLASSIFICATION

| 1 System Characteristics | Confidential |
|--------------------------|--------------|
| 2 Capabilities | Unclassified |
| 3 Functions | Secret |

C. MANPOWER, PERSONNEL, AND TRAINING PRINCIPALS

| OPNAV Principal Official (OPO) Program Sponsor |
|--|
| OPO Resource Sponsor |
| Developing Agency |
| Training Agency |
| CINCPACFLT |
| COMNAVAIRRESFOR |
| CNET |
| MCCDC |
| Training Support Agency |
| Manpower and Personnel Mission Sponsor |
| NAVPERSCOM (PERS-4, PERS-404) |
| Director of Naval Training |
| Marine Corps Force Structure |

D. SYSTEM DESCRIPTION

- 1. Operational Uses. Launched from an F/A-18 Aircraft, the AGM-84H/K. SLAM-ER and SLAM-ER ATA satisfies the Standoff Area Defense mission between long-range cruise missiles and short-range freefall munitions in the land attack scenario against fixed, high value above ground targets and ships located in hostile areas of the world. SLAM-ER provides the Navy with a standoff weapon capability for aircraft to attack targets in day, night, and less-than-ideal weather conditions with improved performance over the current AGM-84E Standoff Land Attack Missile (SLAM).
 - **2. Foreign Military Sales.** Not Applicable (NA)
- **E. DEVELOPMENTAL TEST AND OPERATIONAL TEST.** Development Test (DT) for the AGM-84H was initiated in January 1997, and was successfully completed in March 1998. In December 1996, factory training was provided to Aviation Ordnanceman (AO) from Aircraft Test and Evaluation Squadron Nine-Detachment (VX-9), Point Mugu, California, in support of a Maintainability Demonstration. This factory training consisted of F/A-18 Up and Downloading and Fleet Handling, and was provided by Boeing (formerly McDonnell Douglas Aerospace).

A combined DT and Operational Test (OT) phase was successfully completed in June 1998. In February 1998, factory training was provided to VX-9 Test and Evaluation Squadron Pilots by the Boeing Company Aerospace Training Division, in support of the combined DT/OT. This factory training consisted of Aircrew Procedures and Tactical Automated Mission Planning System (TAMPS) Mission Planning Module (MPM).

OT began in August 1998 and was completed in May 1999. A validation of corrected deficiencies found during OT was initiated in first quarter FY00 and was completed in second quarter FY00. Factory training was provided to VX-9 in support of Operational Evaluation (OPEVAL). Factory training consisted of Fleet Handling, F/A-18 Up and Downloading, Theory of Operations, Aircrew Procedures, and TAMPS MPM.

DT for AGM-84K was initiated in January 2001, and was successfully completed in April 2001.

A combined DT and OT phase was completed successfully in October 2001. In February 2001, aircrew training was provided to VX-9 Test and Evaluation Squadron Pilots by NAWCWD Pt. Mugu, in support of the combined DT/OT. LCDR Quinn of VX-9 attended Boeing Simulation Training in May 2001. Mission Planning Team conducted SLAM-ER ATA MPM Training for VX-9 in July 2001.

F. AIRCRAFT AND/OR EQUIPMENT/SYSTEM/SUBSYSTEM REPLACED. By the year 2010, the SLAM-ER will have completely replaced the SLAM missile system through retrofit.

G. DESCRIPTION OF NEW DEVELOPMENT

- 1. Functional Description. The AGM-84H/K SLAM-ER and SLAM-ER Automatic Target Acquisition (ATA) is a carrier-based, non-nuclear, tactical standoff weapon system designed to perform day, night, and all weather surgical strikes. Using preplanned mission profiles, the missile flies autonomously to the target area using Global Positioning System (GPS) aided inertial navigation. Near the target, the Imaging Infrared (IIR) seeker and Weapon Data Link (WDL) are activated allowing aimpoint refinement via Man-In-The-Loop (MITL) control of the IIR Seeker from the launch aircraft or a cooperative aircraft with the AN/AWW-13 data link pod. SLAM-ER ATA is an enhancement to the AGM-84H/K and provides cueing for the operator to identify small targets in cluttered scenes. The SLAM-ER ATA system incorporates hardware and software updates to the SLAM-ER All Up Round (AUR). ATA performs automatic target selection by comparing the stored reference image with the seeker image, thus reducing operator workload. ATA will autonomously perform pre-planned target selection and designation without MITL intervention, allowing the operator to return to the MITL mode, and retain the performance of the baseline SLAM-ER system. SLAM-ER ATA will interface with the F/A-18 15C Operational Flight Program (OFP). Fleet release of the SLAM-ER ATA weapon system is planned for FY 02.
- **a. Guidance Section.** The Guidance Section consists of the following functional subsystems:
- (1) Imaging Infrared Seeker. The production AGM-65F Maverick IIR Seeker is used with minor modifications. The seeker includes its own processor and tracking algorithm software for autonomous tracking of the designated target aimpoint. During flight, the seeker video is transmitted to the control aircraft where the operator views the image, recognizes the target, and selects a specific target aimpoint on the Multi-purpose Display Indicator. The seeker power supply is a modular Alternating Current (AC) Direct Current (DC) converter which receives the SLAM-ER missile avionics 28 volts DC bus power, and output \pm 33 volts DC (nominal) conditioned power required for operation of the IIR seeker. The seeker power supply also accepts on and off commands.
- (2) The Guidance Navigation Unit. The Guidance Navigation Unit (GNU) is a single chassis containing Mission Computer, Inertial Measurement Unit (IMU), GPS receiver, Air Data System (ADS) electronics, Input and Output electronics, video annotation electronics, and a power conditioning unit. This unit functionally replaces the Mid-course Guidance Unit (MGU) on SLAM. The GNU contains an easily reprogrammable memory and a processor that is significantly faster than the SLAM GPS Receiver Processor Unit and MGU. Ability to reprogram the flight computer without disassembly of the AUR reduces the cost of incorporating future software upgrades. The faster-executing processor can accommodate the additional tasks to be performed by the mission computer. The GNU includes a multi-channel GPS receiver instead of the single-channel set in SLAM. A multi-channel receiver provides the benefits of a quicker navigation solution by acquiring satellites in parallel versus serially. This simplifies prelaunch initialization of the weapon and the associated mission planning. Continuous parallel track of the satellites also increases system tolerance to the vehicle dynamics associated with bank-to-turn maneuvers in the presence of countermeasures. The IMU element also

provides enhanced performance compared to the Attitude Reference Assembly equipped SLAM by providing accurate navigation and seeker pointing at extended GPS-jamming ranges. The GNU also performs video annotation using digital and/or analog input and output.

The air data system computer is a part of the GNU and is analogous to existing pitot static systems. The information provided replaces estimated values used in navigation. This reduces missile turn radius and allows continued navigation when the GPS is jammed. The air data probe is approximately two inches long.

The GNU Mission Computer (MC) contains the missile Operational Flight Software (OFS) which includes all pre-launch and post-launch software. The OFS contains improvements in pre-launch initialization and post-launch navigation and terminal MITL data link control.

The OFS features new functions related to ATA capability and new speed control software which, unlike SLAM, allows it to control missile speed via an OFS generated signal to the turbojet engine controller.

(3) Automatic Target Acquisition. SLAM-ER incorporates new ATA capability, via the addition of an Automatic Target Recognition (ATR) processor module, including a high-speed unidirectional video link from the seeker unit and a bi-directional RS-422 command and control link from the GNU MC. The SLAM-ER ATR Unit consists for four TMS320C40 digital signal processors, 18 General Pattern Match Parallel Processing Elements, logic for the GNU interface, and a frame grabber to capture images from the Maverick seeker. The overall objective of the SLAM-ER ATR Unit is to match a real-time, sensed image of the specified target to a pre-planned, internal reference image of the specified target. The sensed image is frame grabbed from the Maverick seeker. Data that describes seeker pointing with respect to the estimate target location at the time of the frame grab is then provided by the GNU. This data is used to modify the preplanned, internal reference image to seeker line of sight. The reference image is then matched to the sensed image and the resulting match pixel location and covariance matrix are sent back to the GNU. The ATA system is an autonomous means to guide the missile to the target, requiring no MITL intervention. MITL commands are, however, capable of overriding and/or interacting with the ATA system if desired.

(4) Data Link Receiver. The Advanced Weapon Data Link (AWDL) provides a radio frequency link between the missile and the control aircraft. The missile's seeker video is transmitted via the data link to the aircraft where the operator views the target image. The operator in turn transmits commands to the missile via the AWDL. The SLAM WDL electronics package is modified by replacing one Frequency Modulation (FM) video transmitter Printed Wiring Board (PWB) with a two-phase modulation video transmitter PWB, and adding one Electronically Erasable Programmable Read Only Memory board to the command receiver. The AWDL also incorporates a two-way video system and operates with eight channels. A new AWDL antenna made of high temperature steel is added and located on the back of the control section of the missile. Although the antenna is a new production item, its design is based on a prototype antenna used during a SLAM ship launch demonstration program conducted during December 1996. The AWDL also incorporates a power converter allowing the data link to be

powered directly from the missile avionics bus power. The AWDL increases data link control range and improves resistance to jamming.

- (5) **Power Converter.** An AC to DC power converter is provided to utilize available aircraft power for SLAM-ER prelaunch operations requiring DC power. The power converter is attached to the guidance body shell, and heat generated within the unit is conducted to the missile's skin for dissipation. The power supply is disconnected automatically on battery activation.
- **b. Warhead.** The warhead assembly in the warhead section is based on the Tomahawk Block III warhead technology and will improve penetration performance against reinforced concrete land targets. The warhead assembly, the fuze (FMU-155/B), the fuze booster (BBU-60/B), the air pressure probe (FZU-56/B), and the electrical harness are all contained in the warhead section. During Engineering and Manufacturing Development (E&MD) flight testing, an exercise section (a stainless steel case containing a modified SLAM telemetry configuration with a redundant flight termination system) replaced the warhead section. The case was also redesigned to allow attachment of the SLAM-ER wings.
- **c. Sustainer.** The sustainer section is a modified SLAM sustainer consisting of a Teledyne CAE J402-CA-400 turbojet engine, cast aluminum flush inlet, a sealed fuel tank with JP-10 fuel, a silver-zinc battery, a modified wire harness, new shorting (flight) plug, a modified bolt-on launch lug, and the new wing slot covers.
- **d. Control.** The control section contains four electro-mechanical actuators that provide fin movement for flight path control. This is the same subsystem that is used in SLAM except the SLAM blade antenna, rear facing reflector, and Radio Frequency (RF) cable were removed for SLAM-ER. An additional high temperature RF connector was installed to interface with the added AWDL antenna.

The SLAM-ER incorporates new planar wings along with newly designed larger control fins to provide extended range, increased maneuverability, and higher operating envelope. The planar wings are a modified Tomahawk design. The wings are structurally attached to the warhead or exercise section, and the Wing Attach Fitting and Wing Deployment Unit is covered with segmented Wing Fairings. The planar wings unfold at launch.

2. Physical Description. The AGM-84H/K SLAM-ER is a derivative of the SLAM missile. The SLAM-ER uses sections from the Maverick, Harpoon, and Tomahawk Missile Systems as described below. The SLAM-ER is approximately the same length, but heavier than its predecessor, and can be subdivided into four major sections. The following are its dimensions and weight:

| SLAM-ER DIMENSIONS | | |
|--------------------|--------------|--|
| Length | 172.0 inches | |
| Diameter | 13.5 inches | |
| Wing span | 85.9 inches | |
| Weight | 1478 pounds | |

- **3. New Development Introduction.** The SLAM-ER ATA is being introduced as a retrofit to the SLAM and SLAM-ER systems.
- **4. Significant Interfaces.** The SLAM-ER weapon is designed to interface with the existing wiring in the F/A-18 aircraft. Electrical and data interfaces with the AN/AWW-13 data link pods are required to provide MITL terminal guidance control. Stop Motion Aimpoint Update (SMAU) has been incorporated which allows the operator to select the desired aimpoint on a single-frame fixed image, vice a moving image.

5. New Features, Configurations, or Material

- **a. Improvements.** The SLAM-ER ATA is an improved variant of the SLAM-ER weapon system. The SLAM-ER ATA program has designed and developed a modification that is being installed as a retrofit on all SLAMs and SLAM-ERs in inventory. The improvements include:
 - A planar wing, providing increased temperature, altitude, and range capabilities
 - A new nose fairing, providing improved protection against rain erosion
 - An improved warhead and fuze, providing increased penetration
 - A phased-modulated video transmitter and improved antenna, providing increased range for aircraft survivability and improved antijam capability
 - A GNU, providing improved anti-jam capability, improved flight control, elimination of the need for an initialization maneuver, and reduced costs

The SLAM-ER ATA has incorporated the following modification.

• ATA capability as a cueing aid.

- Anti Surface Warfare (AsuW) capability.
- **b. Shipping and Storage Container.** The final Insensitive Munitions Sympathetic Detonation test for the CNU-595/E double wall extruded aluminum container was completed on 17 July 1997. Containers have undergone an Engineering Change Proposal (ECP) to incorporate some minor modifications.
- c. Standoff Land Attack Missile Expanded Response Mission Planning Module for Tactical Automated Mission Planning System. The SLAM-ER MPM for the TAMPS was developed by Boeing. TAMPS, provides SLAM-ER with a completely computer-based mission planning system. The planner does not use separate Joint Operations Graphic charts, etc. Everything the planner needs is on the TAMPS computer, including charts, Digital Terrain Elevation Data, and GPS capability. This greatly reduces the amount of time needed for SLAM-ER mission planning. With the SLAM-ER MPM on TAMPS, planning time is less than 30 minutes, including mission validation.

ATA target selection occurs in the SLAM-ER ATA MPM for TAMPS. The operator has the capability to define the image selection criteria, query the Joint Service Imaging Process System-Joint Tactical Automated Mission Planning System Interface Module (JTIM) for available imagery, and select the appropriate image. Target selection is performed prior to mission validation adding an additional 5-10 minutes to the SLAM-ER Mission Planning timeline. The SLAM-ER ATA allows the operator to plan the entire mission on the TAMPS computer, including target selection.

d. Memory Unit. The TAMPS is located in the Aircraft Carrier Intelligence Center (CVIC) and is used to transfer mission planning data to the F/A-18 Memory Units (MU) via 1760 interface. Aircraft software is used for purging mission data from the missile. The MU is used to transfer data to the aircraft by inserting the MU into a receptacle in the cockpit, where mission data is read and transferred to the missile on the wing station.

e. Aircrew Interactive Multimedia Instruction

(1) Standoff Land Attack Missile Interactive Multimedia Instruction.

The SLAM Interactive Multimedia Instruction (IMI) was completed on August 2, 1996 and was distributed to fleet activities. The major tutorial modules of the SLAM IMI are SLAM Weapons System Tutorial, SLAM Mission Planning Tutorial, and SLAM Employment Tutorial. The primary users of the SLAM IMI system are the instructors at Strike Fighter Weapons School (SFWS), Atlantic, and SFWS, Pacific. The distribution of these systems to the individual F/A-18 Squadrons is left to the discretion of the SFWS. SFWS instructors have the capability to extract a standardized lecture for initial and refresher SLAM courses. SLAM and SLAM-ER IMI was developed to comply with the Naval Strike Air Warfare Center (NSAWC) style guide and is hosted on the Strike Fighter Training System (SFTS).

- (2) **Revision 1.** Revision 1 was completed in November 1997.
- (3) **Revision 2.** Revision 2 was completed in September 1998.

- (4) **SLAM-ER.** The SLAM-ER IMI was released in November 1999.
- (5) **SLAM-ER Revision 1.5.** SLAM-ER IMI version 1.5 was released in June 2000.
- (6) **SLAM-ER ATA.** SLAM-ER ATA IMI is currently in development and will be released in third quarter of FY02
- **f. Training Devices.** SLAM training devices were modified into the SLAM-ER configuration. The Dummy Air Training Missile (DATM) will remain in the SLAM-ER configuration. Captive Air Training Missile (CATM) will be converted to the SLAM-ER ATA configuration in a phased approach proportionate to the tactical conversions in order to support and train SLAM-ER ATA capable squadrons. For this conversion effort, SLAM and SLAM-ER CATMs will be drawn from the rotating pools managed by the Commander In Chief, United States Atlantic Fleet (CINCLANFLT), and Commander In Chief, United States Pacific Fleet (CINCPACFLT).
- (1) Exercise Training Missile. Exercise Training Missiles (ATM-84H/K) are identical to the tactical missiles with the exception that the warhead section is replaced with an exercise section, which provides telemetry data of training or test flights. The exercise section also receives and executes flight termination command signals, and it is used for missile identification and tracking. ATMs will be allocated to Type Commanders (TYCOM) by CINCLANFLT and CINCPACFLT Ordnance Plans and Policy, each fiscal year by the Non-Combat Expenditure Allocation (NCEA) process.
- (2) Captive Air Training Missile. CATMS simulate the SLAM-ER tactical missile for full mission rehearsal training. The SLAM-ER CATM is an altered configuration of the production missile and is suitable for use by training elements in both shore and shipboard environments. The SLAM-ER ATA CATM is used to train the launch aircrew and the control aircrew for MITL terminal guidance. The SLAM-ER ATA CATM can be carried on all SLAM-ER platforms. SLAM-ER ATA CATMs will be deployed at schoolhouses with the remainder divided into two rotating pools and placed under the cognizance of the Training Agents, CINCLANTFLT and CINCPACFLT, who will be responsible for specific CATM deployment within their area of responsibility and will fill forward deployed unit requirements.

During FY02 Full Rate Production, five SLAM CATMs were recalled from the fleet and retrofitted to the SLAM-ER ATA configuration. The SLAM-ER ATA CATMs were delivered to the fleet in fourth quarter of CY 2001. The remainder of the SLAM and SLAM-ER CATM population (30) will be retrofitted in subsequent years.

(3) **Dummy Air Training Missile.** The DATM is an inert shape that replicates the external appearance, form, fit, weight, and center of gravity of the AUR. The SLAM-ER DATM interfaces mechanically with SLAM-ER capable aircraft. DATMs are used in the classroom and Fleet training exercises to train and qualify load crews in uploading, downloading, and handling the missile. Breakout, assembly, strike up/strike down, upload/download, stowage, and organizational level maintenance for the SLAM-ER DATM are identical

to the procedures for a tactical missile. The SLAM-ER DATM is not flight worthy, and can not be used in captive carriage flight. Seven SLAM DATMs were retrofitted to the SLAM-ER configuration. One SLAM-ER DATM was delivered to support OPEVAL. The other six SLAM-ER DATMs were delivered in third quarter FY99 to the requiring activities in advance of Initial Operational Capability (IOC).

(4) Practical Explosive Ordnance Disposal System Trainer. The Practical Explosive Ordnance Disposal System Trainer (PEST) simulates all explosive components. PEST is an inert training shape that replicates the external appearance and Explosive Ordnance Disposal (EOD) related internal features of the SLAM-ER. For training realism, warhead and other motor components involved in the Render Safe Procedures (RSP) are replicated with inert or expended tactical or mechanically simulated components.

g. Upgrades. The SLAM-ER ATA system incorporates hardware and software updates to the SLAM-ER AUR. ATA performs automatic target selection by comparing the stored reference image with the seeker image, thus reducing operator workload. ATA autonomously performs pre-planned target selection and designation without MITL intervention, allow the operator to return to the MITL mode, and retain the performance of the baseline SLAM-ER system. The SLAM-ER ATA weapon system was delivered to the fleet in third quarter FY00.

H. CONCEPTS

- **1. Operational Concept.** The SLAM-ER is designed to deploy with tactical units of the Navy and Marine Corps. It is intended for use by F/A-18 Aircraft Pilots.
- 2. Maintenance Concept. The SLAM-ER maintenance concept closely follows that of the SLAM and eliminates the need for Naval Weapons Station expanded intermediate level maintenance. It conforms to the requirements of Office of The Chief of Naval Operations Instruction (OPNAVINST) 8000.16 (series), Naval Ordnance Maintenance Management Program (NOMMP), with a slight modification. The maintenance concept allocates maintenance functions to the organizational, intermediate, and depot levels of maintenance. The prime contractor at the Designated Overhaul Point (DOP) will perform depot level maintenance. The CATM maintenance concept follows the identical system in place to support the tactical AGM-84H. The DATM maintenance concept is also organizational to depot. The DOP for the DATM is Naval Sea Systems Command (NAVSEA), Indian Head Division, Indian Head, Maryland.
- a. Organizational. Organizational level maintenance consists of those functions normally performed by an operating unit on a day-to-day basis in support of its own operation. Organizational maintenance is usually accomplished by aircraft specific weapons personnel assigned to a maintenance department to support the missions and task of the performing activity. Organizational level maintenance deals with the missile only as an AUR and consists of visual inspection; upload and download; Built-In Test (BIT); install and remove fins, lanyards, and umbilicals; and compliance with Naval Ammunition Reclassification Codes (NAR) and Technical Directive Bulletins.

I-9

- Visual inspections (special, conditional, preflight, and postflight)
- Preflight on-aircraft functional test
- Attaching screw-on type wings and fins (including replacement of external hardware)
- Compliance with NARs
- Compliance with TD

b. Intermediate. Intermediate level maintenance is performed by Navy and Marine Corps Aviation Ordnancemen with Navy Enlisted Classification (NEC) 6801 or Military Occupational Specialty (MOS) 6541 at weapons departments and consists of missile canning and decanning (containerizing and decontainerizing).

- Visual inspection (special, conditional, and breakout)
- Attaching screw-on type wings and fins (including replacement of external hardware)
- Breakout, strikeup, and strikedown from/to magazines
- Corrosion control treatment and repainting
- Visual inspection of containers and cradles
- Compliance with NARs
- Compliance with TDs
- Reprogramming
- All-up-round and section testing

c. Depot. Depot level maintenance is performed by the manufacturer, Boeing and its sub-contractors (except for Government Furnished Equipment (GFE) on those parts determined to be beyond the capabilities of organizational or intermediate level maintenance). Sections are repaired by, fault-isolating to a discrepant Weapon Replaceable Assembly (WRA), removing and replacing the WRA, and retesting to verify operational performance capability. Discrepant WRAs are repaired by fault-isolating to a faulty Shop Replaceable Assembly (SRA), removing and replacing the SRA, and retesting. Discrepant SRAs will be repaired by fault-isolating to the piece part or sub-SRA, removing and replacing the defective item, and retesting. The DOP for the DATM is NAVSEA, Indian Head Division. The Packaging, Handling, Storage, and Transportation Center, Earle, New Jersey, will perform container repair. IIR seeker repair will be performed at Letterkenny Army Depot.

- Visual inspection (special, conditional, and breakout)
- All-up-round assembly and disassembly
- All-up-round and section testing
- Fault isolation to the section level (including disassembly and assembly)
- Section repair (guidance and control)
- Replacement of warhead components (fuzes and booster, safe/arm devices, firing switches, etc.)
- Replacement of rocket motor components (igniters, exit cones, nozzles, and safe/arm devices)
- Visual inspection and refurbishment of containers and cradles

- Paint touchup and cleaning
- Compliance with NARs
- Compliance with TDs
- Component X-ray

d. Life-Cycle Maintenance Plan. NA

3. Manning Concept. The introduction of the SLAM-ER into the Navy inventory does not alter manning requirements at organizational, intermediate, or depot level activities. Aircrew manpower is driven by seat factor and crew ratio. Enlisted manning for fleet squadrons, Fleet Readiness Squadrons (FRS), and intermediate level maintenance activities is based on the total assigned workload, not only on specific SLAM-ER requirements. Skills required to support the SLAM-ER are considered to be within the capability of existing NECs.

The Navy Squadron Training Matrices (COMNAVAIRPACINST 3500.67 [series]/ COMNAVAIRLANTINST 3500.63 [series]) for the F/A-18 Aircraft were used to estimate peacetime manpower requirements for the SLAM-ER. These instructions provide annual aircrew training requirements for SLAM, which include events that involve captive carry and live fire ordnance.

For Navy F/A-18 squadrons, the only training events that involve the use of AGM-84E or CATM-84E are event number 43 (Weapons Air-to-Ground 21 SLAM/Pod Captive Carry) and event number 59 (Weapons Air-to-Ground 37 SLAM Shoot). For both events, the requirement is intended to provide SLAM missile qualification. The SLAM Shoot is required once every ten years per aircrewman, while the SLAM/Pod Captive Carry is required six times per year (three flights every 180 days) per aircrewman. Using a worst case of one sortie per SLAM/Pod Captive Carry and based on 17 aircrewman per squadron, there is a possibility of 104 AGM-84E/CATM-84E loading-downloading cycles per F/A-18 squadron per year (102 SLAM/Pod Captive Carry events plus two live shot events). Loading cycles include de-containerizing, transport, assembly, upload, download, disassembly, transport, and containerizing of the AGM-84E or CATM-84E. Thus five F/A-18 AOs (NEC 8342 or 8842/MOS 6531) and three Weapons Department AOs (NEC 6801/MOS 6541) are required to support annual AGM-84E/CATM-84E loading cycles per F/A-18 squadron, even though only a portion of their workload will be driven by AGM-84E. Since the SLAM-ER ATA is a retrofit to the SLAM and SLAM-ER weapon system, SLAM-ER ATA requirements should remain the same as the analysis shown above.

4. Training Concept. Operator training is provided for F/A-18 Pilot and Weapons System Officer (WSO) personnel. The SLAM-ER training concept is divided into organizational and intermediate level maintenance based on the philosophy outlined in the NOMMP, OPNAVINST 8000.16 (Series). Organizational level training is provided to operator and maintenance personnel. Organizational level maintenance training is provided to AO personnel in the F/A-18 community with NECs 8342 and 8842 and MOS 6531. Intermediate level training is provided to Navy AO personnel with NEC 6801 and Marine Corps personnel with MOS 6541.

The established training concept for most aviation maintenance training divides "A" School courses into two or more segments called Core and Strand. The "C" School courses are

also divided into separate Initial and Career training courses. "A" School Core courses include general knowledge and skills training for the particular rating, while "A" School Strand courses focus on the more specialized training requirements for that rating and a specific aircraft or equipment, based on the student's fleet activity destination. Strand training immediately follows Core training and is part of the "A" School. Upon completion of Core and Strand "A" School, graduates attend the appropriate Initial "C" School for additional specific training. Initial "C" School training is intended for students with a paygrade of E-4 and below who are going to an organizational level activity. Career "C" School training is provided for organizational level E-5 and above personnel to enhance skills and knowledge within their field. Intermediate level training is not separated into initial and career training.

a. Initial Training. All the following initial training has been completed. No further initial training is planned. Since SLAM-ER ATA impacts aircrew training only, maintenance training was not provided. The following table lists the formal initial training for SLAM-ER ATA. The target audience for these classes were the first cadre of personnel to support SLAM-ER (i.e. DT/OT personnel), technical support personnel, IMI developers, and Navy instructors (i.e. SFWS instructors, NSAWC instructors, etc.), who are responsible for providing follow-on training to USN personnel.

| SLAM-ER INITIAL TRAINING SCHEDULE | | |
|-----------------------------------|----------------------|------------------------|
| COURSE NUMBER | SUBJECT | COURSEWARE DELIVERY |
| WS-6AH | Theory of Operations | December 2000 |
| SAO-1A | Aircrew Procedures | December 2000 |
| TMP-1 | TAMPS/MPM | December 2000 |

b. Follow-on Training. Initial Training will be incorporated into existing operator courses as follow-on training. Maintenance and EOD training will not be impacted by the introduction of SLAM-ER ATA. Training for the SLAM-ER ATA will be available in first quarter FY02. The SLAM-ER ATA causes no changes in the student throughput or chargeable student billets.

(1) **Operator Training.** Pilots are trained in SLAM-ER theory of operation, functional description, tactical performance, weapon delivery, cockpit switchology, flight training, and missile firings in post-FRS training programs and normal squadron weapons training programs. The current SLAM-ER F/A-18 training track for Inter-Deployment Training Cycle (IDTC) consists of five stages: SFWS ground school, Boeing SLAM-ER Simulator Training, squadron level Captive Air Training Missile (CATM) familiarization flights, NSAWC, Naval Air Station (NAS) Fallon detachment, and SLAM-ER Fleet Exercise Missile Firing.

During IDTC each F/A-18 squadron will designate, two to three aircrew as

the SLAM-ER Subject Matter Experts (SME). The SLAM-ER SMEs attend the SFWS for SLAM-ER training, which consists of lectures, Interactive Courseware (ICW), and Part Task Trainer (PTT). The SLAM-ER SMEs attend Boeing SLAM-ER Simulator Training, which consists of Mission Planning, Prelaunch and Launch Operations, and MITL Terminal control. After attending the Boeing SLAM-ER Simulation Training, the SLAM-ER SMEs return to their respective squadrons and fly at least three sorties with the CATM. During the Fallon detachment at NSAWC, SLAM-ER SMEs will conduct Unit Level Training and SLAM-ER strikes during the integrated Carrier Air Wing (CVW) exercise. Finally, some of the SLAM-ER SMEs from the CVW will be selected to conduct a SLAM-ER Fleet Exercise Missile Firing. The Exercise Missile Firing acts as final end-to-end system check. Once on deployment, the SLAM-ER SMEs will be responsible for providing SLAM-ER training to other aircrew in their respective squadrons on an as required basis.

Eventually, SLAM-ER training will be absorbed into the Strike Fighter Training Program (SFTP). When USMC F/A-18 squadrons are assigned to the CVW, USMC pilots will receive SLAM-ER training as required. TDs for SLAM-ER operator training include:

• Captive Air Training Missile. The CATM-84H is an inert, captive flight, training missile that permits exercise of SLAM-ER pre-launch employment procedures and MITL terminal guidance.

The following table lists the applicable operator training courses. The SLAM-ER source material has been incorporated in these courses with minimal impact. This caused no change in student throughput or chargeable student billets, and, therefore, these courses will not appear in Parts II and III. Furthermore, the source material are being incorporated into the SFWS curricula and any other training that is provided to the operator as post-FRS training. All of the following courses are currently on-line.

| COURSE NUMBER | COURSE TITLE |
|---------------|--|
| D/E-2A-0601 | F/A-18 Fleet Replacement Pilot Cat 1 |
| D/E-2A-0602 | F/A-18 Fleet Replacement Pilot (Attack) Cat 2A |
| D/E-2A-0604 | F/A-18 Fleet Replacement Pilot Cat 3A |
| D/E-2A-0606 | F/A-18 Fleet Replacement Pilot Cat 4 |

(2) Organizational Maintenance. Organizational level maintenance personnel are trained at the appropriate Maintenance Training Unit (MTU) or Naval Air Maintenance Training Marine Unit (NAMTRA MARUNIT) for specific aircraft maintenance. Weapon loading skills are further enhanced at SFWS and through onboard proficiency training. Training Devices for SLAM-ER organizational level maintenance training include:

• **Dummy Air Training Missile.** The DATM-84H is an inert replica of the AGM-84H, which adequately satisfies the organizational level training requirements. It facilitates instruction and familiarization of SLAM-ER handling, loading, and visual inspection

procedures for organizational level maintenance training purposes. The DATM is not certified for flight and is designed for ground training use only. The CATM-84H is a suitable replacement for the DATM-84H.

The following table lists the applicable organizational level maintenance training courses. The SLAM-ER source material has been incorporated in these courses with minimal impact. This caused no change in student throughput or chargeable student billets. All of the following courses are currently on-line.

| COURSE NUMBER | COURSE TITLE |
|---------------|--|
| C-646-9973 | F/A-18 Stores Management System Initial Organizational Maintenance |
| C-646-9974 | F/A-18 Stores Management System Career Organizational Maintenance |
| D/E-646-0640 | F/A-18 Conventional Weapons Loading |
| D/E-646-0647 | F/A-18 Conventional Release System Test |

(3) Intermediate Maintenance. Intermediate maintenance training is available for Navy and Marine Corps Aviation Ordnance personnel through the appropriate MTU. The TD required for intermediate maintenance training is the DATM-84H.

• **Dummy Air Training Missile.** The DATM-84H satisfies the intermediate level training requirements for the AGM-84H. It facilitates instruction and familiarization of SLAM-ER de-containerizing, handling, transporting, and visual inspection procedures for intermediate level, maintenance training purposes. The DATM is not certified for flight and is designed for ground training use only. The CATM-84H is a suitable replacement for the DATM-84H TDs.

The following courses were updated to include SLAM-ER data and course lengths were not affected.

| Title | General Shipboard/NAS Weapons Department AORD Maintenance |
|---------------|---|
| CIN | D/E-646-7007 |
| Model Manager | MTU 4030, Naval Air Maintenance Training Group Detachment (NAMTRAGRU DET), Mayport, Florida |
| Description | This course will give Aviation Ordnancemen sufficient knowledge/theory of the Sparrow, Sidewinder, Phoenix, Sidearm, Shrike, Maverick, Harpoon, SLAM, HARM, Walleye, TALD, and Air Nitrogen Purifier Units to include: |

- Basic Theory and Maintenance
- Safety Precautions
- Technical Publications

• Missile Reporting Procedures

• Container Inspection

• Weapons Breakout/Inspection

Upon completion the student will be able to perform, under close supervision in the CV/CVN, LPA/LHA, and NAS working environment.

Locations MTU 4030, NAMTRAGRU DET, Mayport, Florida

MTU 4032, Naval Air Maintenance Training Unit

(NAMTRAU), Norfolk, Virginia

MTU 4033, NAMTRAU, North Island, California MTU 4035, NAMTRAU, Whidbey Island, Washington

Length 43 days

RFT date Currently available

Skill identifier...... AO 6801

TTE/TD..... See element IV.A.1 for Technical Training Equipment (TTE).

TD is DATM-84H

Prerequisite....... C-646-2011, Aviation Ordnanceman Common Core Class A1

C-646-2012, Aviation Ordnanceman Airwing Strand A1

Title...... Aviation Ordnance Intermediate Maintenance Technician

CIN..... C-646-3105

Model Manager.... NAMTRA MARUNIT, Marine Corps Air Station (MCAS)

Cherry Point North Carolina

Description This course provides USMC ordnance personnel with

knowledge required to work on ordnance/armament equipment

to include:

Basic theory

• Safety precautions

• Technical publications

Missile/launcher reporting procedures

Upon completion, the student will have sufficient knowledge/theory to be able to perform in the MALS

environment under close supervision.

Location...... MTU 4034 NAMTRA MARUNIT, MCAS Cherry Point

Length 79 days

RFT date...... Currently available

Skill identifier...... MOS 6541 award upon completion of track M-646-7026

TTE/TD...... See element IV.A.1. for TTE. TD is DATM-84H

Prerequisites...... C-646-2011, Aviation Ordnanceman Common Core Class A1

C-646-2012, Aviation Ordnanceman Airwing Strand Class A1

(4) Explosive Ordnance Disposal Training. Explosive Ordnance Disposal Training is conducted at Naval Explosive Ordnance Disposal School, Eglin Air Force Base (AFB), Florida. The TDs required for EOD training are the PEST and the Classroom Explosive System Trainer (CEST):

- Practical Explosive Ordnance Disposal System Trainer. The PEST is a full-scale model fabricated from actual hardware, having approximately the same weight and center of gravity as the tactical missile. The PEST is used for teaching RSP.
- Classroom Explosive System Trainer. The CEST is an inert cutaway model displaying locations and types of explosive and hazardous materials, initiators, igniters, and fuze.

The following table lists the applicable EOD training courses. The SLAM-ER source material is being incorporated in these courses with minimal impact. This caused no change in student throughput or chargeable student billets. All of the following courses are currently on-line.

| COURSE NUMBER | COURSE TITLE |
|---------------|---|
| A-431-0011 | Explosive Ordnance Disposal (EOD) Phase II (Navy) |
| A-431-0012 | Explosive Ordnance Disposal (EOD) Phase II |
| G-431-0001 | EOD Pre-deployment Team Training |

c. Student Profiles

| SKILL IDENTIFIER | PREREQUISITE SKILL AND KNOWLEDGE REQUIREMENTS |
|---------------------|--|
| AO 6801 | C-646-2011, Aviation Ordnance Common Core Class A1 and C-646-2012, Aviation Ordnance Airwing Strand Class A1 or |
| | and C-646-2012, Aviation Ordnance Airwing Strand Class A1 |

| SKILL IDENTIFIER | PREREQUISITE SKILL AND KNOWLEDGE REQUIREMENTS |
|---------------------|--|
| MOS 6541 | C-646-2011, Aviation Ordnance Common Core Class A1 and C-646-2012, Aviation Ordnance Airwing Strand Class A1 or C-646-2013, Aviation Ordnance Weapons Department Strand Class A1 |

d. Training Pipelines. The following training tracks apply and are available in the OPNAV Aviation Training Management System (OATMS):

| TRACK NUMBER | TRACK TITLE |
|--------------|---|
| D/E-646-7007 | General Shipboard/NAS Weapons Department Aviation Ordnance Maintenance |
| M-646-7026 | Aviation Ordnance Technician Intermediate Maintenance |

I. ONBOARD (IN-SERVICE) TRAINING

1. Proficiency or Other Training Organic to the New Development

- **a. Maintenance Training Improvement Program.** Current planning is to adopt the Aviation Maintenance Training Continuum System (AMTCS) concepts to replace Maintenance Training Improvement Program (MTIP). AMTCS is scheduled to begin full implementation for fleet deployment in Fiscal Year (FY) 02.
- **b.** Aviation Maintenance Training Continuum System. AMTCS will provide career path training to the Sailor or Marine from their initial service entry to the end of their military career. AMTCS is planned to be an integrated system that will satisfy the training and administrative requirements of both the individual and the organization. The benefits will be manifested in the increased effectiveness of the technicians and the increased efficiencies of the management of the training business process. By capitalizing on technological advances and integrating systems and processes where appropriate, the right amount of training can be provided at the right time, thus meeting the Chief of Naval Operations (CNO) mandated "just-in-time" training approach.

Technology investments enable the development of several state-of-the-art training and administrative tools: IMI for the technicians in the Fleet in the form of Computer Managed Instruction (CMI) and Computer Aided Instruction (CAI) for the schoolhouse.

Included in the AMTCS development effort is the Aviation Maintenance Training Continuum System - Software Module (ASM) which provides testing [Test and Evaluation (TEV)], recording [Electronic Training Jacket (ETJ)], and a Feedback system. The core functionality of these

AMTCS tools are based and designed around the actual maintenance-related tasks the technicians perform, and the tasks are stored and maintained in a Master Task List (MTL) data bank. These tools are procured and fielded with appropriate COTS hardware and software, i.e. Fleet Training Devices (FTD) - Laptops, PCs, Electronic Classrooms (ECR), Learning Resource Centers (LRC), operating software, and network software and hardware.

Upon receipt of direction from OPNAV (N889H), AMTCS is to be implemented and the new tools integrated into the daily training environment of all participating, aviation activities and supporting elements. AMTCS will serve as the standard training system for aviation maintenance training within the Navy and Marine Corps, and is planned to supersede the existing MTIP and Maintenance Training Management and Evaluation Program (MATMEP) programs.

- c. Strike Fighter Training Program. NSAWC N7 (Topgun), SFWS Atlantic and SFWS Pacific are developing post-FRS training at the squadron level for Navy Strike Fighter aircraft (F/A-18). This post-FRS training continuum is known as the SFTP and is composed of three equally critical elements: the Strike Fighter Weapons and Tactics (SFWT) curricula, the Strike Fighter Tactics Instructor (SFTI), and the SFTS. The SFWT curricula will be taught by each squadron's SFTI, who will be supported by the SFTS, an IMI system that will host CMI and CAI. Aircrew weapons proficiency training will continue to be accomplished using existing methods: Academic, Simulator (e.g., Weapons Tactics Trainer (WTT)/Weapons System Trainer (WST)), CATM and/or embedded aircraft simulation, and live missile shots supported by the Non-Combat Expenditure Allowance. However, capability ratings will be based on performance rather than completion, i.e., it will not be based simply upon completing the training events, but upon how well they are completed. Training events will be measured using defined metrics, and collectively these events will be evaluated to determine actual combat readiness, quantitatively (objectively) rather than qualitatively (subjectively).
- **2. Personnel Qualification Standards.** Existing shipboard and EOD Personnel Qualification Standards are being updated.
- **3. Other Onboard and In-service Training Packages.** Squadron loading teams will maintain their proficiency by participating in frequent upload and download training exercises.

The Conventional Weapon Technical Proficiency Inspection (CWTPI) is a graded inspection administered by SFWS. The CWTPI covers all areas of conventional weapon load and release, and control systems checks. The inspection evaluates the squadron's ability to wire-check, upload and download conventional ordnance, use applicable publications, and place ordnance on its designated target. The squadron inspection is conducted annually, six months prior to deployment, or at the request of the squadron's Commanding Officer. All personnel directly involved in the inspection, including squadron Pilots require a written examination. A 72 hour time limit is granted for the completion of the entire evolution. The final grade is an average score derived from the written exams, ordnance loads, wire checks, and the Pilot's proficiency to deliver weapons on target. Pre-inspection training is provided by the appropriate SFWS followed by the CWTPI. The CWTPI determines the need for further conventional weapons load training of squadron AO and Aviation Electronics Technician personnel at the appropriate school.

a. Explosive Handling Qualification and Certification Program. The Ammunition and Explosive Handling Qualification and Certification (QUAL/CERT) Program is implemented by OPNAVINST 8020.14 and MCO P8020.11. To minimize the probability of mishap, the potential for personnel errors are controlled through training (qualification) coupled with a management process designed to prevent inadequately trained personnel from performing ammunition and explosives jobs/tasks (certification). Aviation Ordnancemen are required to perform periodic, local QUAL/CERT events in order to be authorized to handle ordnance. Results of these QUAL/CERT events are documented in a hardcopy QUAL/CERT Record and kept on file by the local activity.

J. LOGISTICS SUPPORT

1. Manufacturer and Contract Numbers

| CONTRACT NUMBERS | MANUFACTURER | ADDRESS |
|------------------------------------|--------------------|---|
| N00019-95-C-0121 (E&MD) 3/15/95 | Boeing Corporation | McDonnell Douglas Aircraft Missile Systems St. Charles, MO 63301 |
| LRIP I 97-C-0083 | | |
| LRIP II 98-C-0160 | | |

- **2. Program Documentation.** The Integrated Logistics Support Plan (ILSP) Document, MS-ILSP 380, was approved in July 1993. Revision D was approved in July 1999.
- **3. Technical Data Plan.** The Naval Air Technical Data and Engineering Service Command (NATEC) is assigned responsibility for ensuring compliance with Navy standards. Acquisition and management of Technical Manuals is the responsibility of Commander, Naval Air Systems Command. The Technical Manual Contract Requirement document specifies exact requirements in detail and sites preparation and delivery. Applicable Technical Manuals affected are listed in Part IV.

4. Test Sets, Tools, and Test Equipment

- **a. Organizational Level Maintenance.** SLAM test equipment currently in use at the organizational level will test the aircraft circuits prior to missile loading.
 - b. Intermediate Level Maintenance. NA
- **c. Depot Level Maintenance.** All depot maintenance for SLAM-ER will be performed at the Boeing manufacturer's facility (Missile and CATM), and NAVSEA Indian Head Division (DATM) using existing test equipment.
 - **5. Repair Parts.** SLAM-ER is to be returned to the manufacture (Boeing) for repair.

6. Human Systems Integration. A draft Human Systems Integration plan was submitted to Program Manager, Air (PMA) 258 and approved in April 1999.

K. SCHEDULES

- 1. Schedule of Events. The schedule of events is as follows:
- **a. Installation/Delivery Schedule.** SLAM-ER was introduced as a retrofit to the SLAM Missile System after the E&MD Milestone was successfully completed.
- **b. Ready for Operational Use Schedule.** Not currently available. Refer to PMA258 for schedule.
 - c. Time Required to Install at Operational Sites. NA
 - d. Foreign Military Sales and Other Source Delivery Schedule. NA
 - e. Training Device and Technical Training Equipment Delivery Schedule

(1) Captive Air Training Missiles. Existing SLAM CATMs are being modified to the SLAM-ER configuration. Upon completion of the retrofit, CATMs will be made available to the TYCOMs for their rotatable pool and or distribution.

| REQUIRING ACTIVITY | LOCATION | PURPOSE | QUANTITY |
|-----------------------|-------------|-------------------------------------|----------|
| SFWSLANT | NAS Oceana | Post-FRS Training | 1 |
| SFWSPAC | NAS Lemoore | Post-FRS Training | 1 |
| NSAWC | NAS Fallon | CVW Training | 1 |
| AIRLANT | As required | Atlantic Fleet CV/CVN rotating pool | 6 |
| AIRPAC | As required | Pacific Fleet CV/CVN rotating pool | 6 |

(2) **Dummy Air Training Missiles**. Existing SLAM DATMs are being modified to the SLAM-ER configuration. Upon completion of the retrofit, DATMs will be made available to the TYCOMs for their rotatable pool and or distribution.

| REQUIRING ACTIVITY | LOCATION | PURPOSE | QUANTITY |
|-----------------------|------------|---------|----------|
| SFWSLANT | NAS Oceana | CWTPI | 1 |

| REQUIRING ACTIVITY | LOCATION | PURPOSE | QUANTITY |
|-----------------------|--------------------|-------------|----------|
| SFWSPAC | NAS Lemoore | CWTPI | 1 |
| MTU 4033 | NAS North Island | C-122-3111A | 1 |
| MTU 4032 | NAS Norfolk | C-122-3111A | 1 |
| MTU 4030 | NAS Mayport | C-122-3111A | 1 |
| MTU 4035 | NAS Whidbey Island | C-122-3111A | 1 |
| Spare | NAS Fallon | | 1 |

(3) Aircrew Interactive Multimedia Instruction. PMA205 delivered Phase I (Core SLAM Curricula) to the SFWS in third quarter FY96. Phase II included a freeplay module and was delivered in fourth quarter FY96. SLAM-ER revisions to baseline curricula were accomplished in first quarter FY00.

L. GOVERNMENT FURNISHED EQUIPMENT AND CONTRACTOR FURNISHED EQUIPMENT TRAINING REQUIREMENTS. NA

M. RELATED NTSPs AND OTHER APPLICABLE DOCUMENTS

| DOCUMENT OR NTSP TITLE | DOCUMENT OR NTSP NUMBER | PDA CODE | STATUS |
|--|----------------------------|-------------|----------------------|
| Navy Training Plan for the SLAM-ER Missile | N88-NTSP-A-50-9502A/D | PMA205 | Approved May 96 |
| F/A-18 Weapon System NTSP | A-50-7703E | PMA265 | Approved Dec 01 |
| Acquisition Logistics Support Plan for Standoff Land Attack Missile (SLAM-ER) | MS-ALSP-380 | AIR 3.1.3 | Revision E Jan 99 |

PART II - BILLET AND PERSONNEL REQUIREMENTS

The following elements are not affected by the AGM-84H/K SLAM-ER ATA missile and therefore are not included in Part II of this NTSP:

- II.B. Personnel Requirements
- 11.B.3. Foreign, Other Service, and Non-Military Personnel Annual Training Input Requirement

NOTE 1: This section of the AGM-84H/K SLAM-ER ATA missile NTSP reflects maintenance billet and personnel requirements for the AGM-84H/K. It is a compilation of six organizational and two intermediate level NECs (AO 8341, 8342, and 8842 (F/A-18), and AO 6801 and organizational level MOS (6531 and 6541, respectively) with associated billets. The addition of the AGM-84H/K to the organizational and intermediate level workloads is only a small percentage of the required workload for those NECs and MOS. The NECs and MOS are not dedicated to the AGM-84H/K and, therefore, the overall training throughput for the NEC and MOS will remain the same, i.e., account for the total NEC/MOS community, and not just activities receiving AGM-84 H/K.

NOTE 2: All billets identified in this section are programmed through other NTSPs, e.g., F/A-18 NTSP, applicable CV/CVN Class Total Ship NTSP, or applicable Shore Activity Manning Documents. The activities and associated billets are listed to assist the weapons training community in identifying and managing training requirements throughout the development, production and deployment of the AGM-84H/K.

PART II - BILLET AND PERSONNEL REQUIREMENTS

DATE:

2/1/02

II.A. BILLET REQUIREMENTS

HMM CH-46E (East Coast)

VMA AV-8B (East Coast)

VMFA 321

VMFA-142

HMLA 775

VMM MV-22A

HMH 769 CH-53E

HMM 764 CH-46

MALS 41 (FW)

VMFA 112

VMFA 134

TOTAL:

ATG Norfolk

VMAQ EA-6B (East Coast)

VMFA F/A18 (East Coast)

HMH CH-53D (West Coast)

HMH CH-53E (West Coast)

HMM CH-46E (West Coast)

VMA AV-8B (West Coast)

VMFA F/A18 (West Coast)

NAMTRAGRUDET Mayport

AVORD MTT Norfolk

COMNAVAIRI ANT

CSFWLD Beaufort

NAMTRAU Norfolk

NAS Keflavik Iceland

LANTORDDET

NAF Mildenhall

VMFA (AW) F/A18 (west Coast)

FLEET SUPPORT ACTIVITIES - NAVY

AIROPS/NAVOSH PM Brunswick ME

HMLA AH-1/9 UH-1 (West Coast)

VMFA (AW) F/A 18 (East Coast)

II.A.1.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY ACTIVATION SCHEDULE

SOURCE: USN: Total Force Manpower Management System, TFMMS

USMC: Extracted from Table of Manpower Requirements, TFS MCCDC DATE: 2/1/02 ACTIVITY, UIC **PFYs** CFY02 FY03 FY04 FY05 FY06 OPERATIONAL ACTIVITIES - USMC HMH 772 CH-53E HMH CH-53E (East Coast) **HMLA 773** HMLA 773 DET HMLA 775 DET A HMLA AH-1/9 UH-1 (East Coast) HMM 774 CH-46

II.A.1.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY ACTIVATION SCHEDULE

SOURCE: USN: Total Force Manpower Management System, TFMMS
USMC: Extracted from Table of Manpower Requirements, TFS MCCDC
DATE: 2/1/02

II.A.1.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY ACTIVATION SCHEDULE

SOURCE: USN: Total Force Manpower Management System, TFMMS USMC: Extracted from Table of Manpower Requirements, TFS MCCDC DATE: 2/1/02 2/1/02

DATE:

| ACTIVITY, UIC | | PFYs | CFY02 | FY03 | FY04 | FY05 | FY06 |
|-----------------------------------|-------|------|-------|------|------|------|------|
| MALS 42 (RW) | 09513 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALS 49 (RW) | 55555 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALS-Rotary Wing (East Coast) | 00000 | 2 | 0 | 0 | 0 | 0 | 0 |
| MC Pers Dept of Navy Non-Dept | 00000 | 1 | 0 | 0 | 0 | 0 | 0 |
| VMAT 203 | 45483 | 1 | 0 | 0 | 0 | 0 | 0 |
| Ft Worth, Site Support | 00000 | 1 | 0 | 0 | 0 | 0 | 0 |
| FW MALS (West coast) | 00000 | 3 | 0 | 0 | 0 | 0 | 0 |
| H&HS Futenma Japan | 02601 | 1 | 0 | 0 | 0 | 0 | 0 |
| H&HS Iwakuni Japan | 02501 | 1 | 0 | 0 | 0 | 0 | 0 |
| H&HS MCAS Camp Pendleton CA | 02208 | 1 | 0 | 0 | 0 | 0 | 0 |
| H&HS MCAS Miramar CA | 02201 | 1 | 0 | 0 | 0 | 0 | 0 |
| H&HS MCAS Yuma AZ | 02230 | 1 | 0 | 0 | 0 | 0 | 0 |
| HMT 303 | 55176 | 1 | 0 | 0 | 0 | 0 | 0 |
| MAD China Lake | 06117 | 1 | 0 | 0 | 0 | 0 | 0 |
| MALS-Rotary Wing (West Coast) | 00000 | 3 | 0 | 0 | 0 | 0 | 0 |
| Marine Aviation Logistics Support | 02300 | 1 | 0 | 0 | 0 | 0 | 0 |
| MAWTS 1 Yuma AZ | 55167 | 1 | 0 | 0 | 0 | 0 | 0 |
| MCAF Kaneohe Bay HI | 02303 | 1 | 0 | 0 | 0 | 0 | 0 |
| MCAGCC 29 Palms | 67399 | 1 | 0 | 0 | 0 | 0 | 0 |
| VMAT 101 | 09965 | 1 | 0 | 0 | 0 | 0 | 0 |
| TOTAL: | | 31 | 0 | 0 | 0 | 0 | 0 |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|-------------|--------------------|----------------------|---------------|
| OPERATIONAL ACTIVITIES - USMC | | | | | |
| HMH 772 CH-53E , 09490 USMC | 0 | 1 1 | CPL LCPL | 6541 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMH CH-53E (East Coast), 00000 USMC | 0 | 5 1 | CPL LCPL | 6541 6541 | |
| ACTIVITY | 0 | 6 | | | |
| HMLA 773, 09431 USMC | 0 0 | 2 2 | CPL LCPL | 6541 6541 | |
| AR | 0 | 1 | SGT | 6541 | |
| SMCR | 0 0 0 | 2 4 1 | CPL LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 12 | | | |
| HMLA 773 DET, 00000 USMC | 0 | 2 2 | CPL LCPL | 6541 6541 | |
| AR | 0 | 1 | SGT | 6541 | |
| SMCR | 0 | 1 | LCPL | 6541 | |
| ACTIVITY | 0 | 6 | | | |
| HMLA 775 DET A, 09415 USMC | 0 | 2 2 | CPL LCPL | 6541 6541 | |
| AR | 0 | 1 | SGT | 6541 | |
| SMCR | 0 | 1 | LCPL | 6541 | |
| ACTIVITY | 0 | 6 | | | |

HMLA AH-1/9 UH-1(East Coast), 00000

USMC 0 6 CPL 6541

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------|------------------------------|------------------------------|---------------|
| USMC | 0 | 9 | LCPL SGT | 6541 6541 | |
| ACTIVITY | 0 | 18 | | | |
| HMM 774 CH-46, 09430 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMM CH-46E (East Coast), 00000 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| VMA AV-8B (East Coast), 00000 USMC | 0 0 0 | 3 7 2 | CPL LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 12 | | | |
| VMAQ EA-6B (East Coast), 00000 USMC | 0 | 1 | CPL | 6541 | |
| ACTIVITY | 0 | 1 | | | |
| VMFA 321, 67235 USMC | 0 0 | 2 1 | LCPL SGT | 6541 6541 | |
| AR | 0 0 | 1 1 | SGT SSGT | 6541 6541 | |
| SMCR | 0 | 1 4 | GYSGT LCPL | 6541 6541 | |
| ACTIVITY | 0 | 10 | | | |
| VMFA F/A18 (East Coast), 00000 USMC | 0 0 0 0 | 1 6 2 1 | GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 10 | | | |

VMFA (AW) F/A 18 (East Coast), 00000

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------|----------------------------|------------------------------|---------------|
| USMC | 0 0 0 0 | 1 5 3 2 | CPL LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 11 | | | |
| VMFA-142, 67243 USMC | 0 | 2 1 | LCPL SGT | 6541 6541 | |
| AR | 0 0 | 1 1 | SGT SSGT | 6541 6541 | |
| SMCR | 0 0 | 1 4 | GYSGT LCPL | 6541 6541 | |
| ACTIVITY | 0 | 10 | | | |
| VMM MV-22A, 00000 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMH 769 CH-53E , 09487 USMC | 0 | 1 | CPL | 6541 | |
| AR | 0 | 1 | LCPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMH CH-53D (West Coast), 00000 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMH CH-53E (West Coast), 00000 USMC | 0 | 5 1 | CPL LCPL | 6541 6541 | |
| ACTIVITY | 0 | 6 | | | |
| HMLA 775, 55257 USMC | 0 | 2 2 | CPL LCPL | 6541 6541 | |
| AR | 0 | 1 | SGT | 6541 | |

| II - 11 | |
|---------|--|
|---------|--|

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------------|-------------------------------------|--------------------------------------|---------------|
| SMCR | 0 0 0 | 2 4 1 | CPL LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 12 | | | |
| HMLA AH-1/9 UH-1 (West Coast), 00000 USMC | 0 0 0 | 6 9 3 | CPL LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 18 | | | |
| HMM 764 CH-46, 09402 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| HMM CH-46E (West Coast), 00000 USMC | 0 | 2 | CPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| MALS 41 (FW), 03007 USMC | 0 0 0 0 | 1 2 1 1 | CPL GYSGT LCPL SGT | 6541 6541 6541 6541 | |
| AR | 0 0 0 | 1 1 2 | GYSGT SGT SSGT | 6541 6541 6541 | |
| SMCR | 0 0 0 0 | 7 2 20 6 4 | CPL GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 48 | | | |
| VMA AV-8B (West Coast), 00000 USMC | 0 0 0 | 3 7 2 | CPL LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 12 | | | |



II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------|------------------------------|------------------------------|---------------|
| VMFA 112, 08954 USMC | 0 | 2 1 | LCPL SGT | 6541 6541 | |
| AR | 0 | 1 1 1 | SGT SSGT | 6541 6541 | |
| SMCR | 0 | 1 1 4 | GYSGT LCPL | 6541 6541 | |
| ACTIVITY | 0 | 10 | 201.2 | 3311 | |
| VMFA 134, 09365 USMC | 0 | 2 1 | LCPL SGT | 6541 6541 | |
| AR | 0 | 1 | SSGT | 6541 | |
| SMCR | 0 0 0 | 1 4 1 | GYSGT LCPL SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 10 | | | |
| VMFA F/A18 (West Coast), 00000 USMC | 0 0 0 | 1 6 2 1 | GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 10 | | | |
| VMFA (AW) F/A18 (west Coast), 00000 USMC | 0 0 0 0 | 1 5 3 2 | CPL LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 11 | | | |
| FLEET SUPPORT ACTIVITIES - NAVY | | | | | |
| AIROPS/NAVOSH PM Brunswick ME, 3193B ACDU | 0 0 0 0 | 2 1 3 2 | AO1 AO1 AO2 AO3 | 6801 6801 6801 6801 | 0812 |



II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|-------------------------------------|------------------|-------------------|--------------------------|------------------------------|---------------|
| ACTIVITY | 0 | 8 | | | |
| NAMTRAGRUDET Mayport, 66069 ACDU | 0 | 2 2 | AOC AO1 | 6801 6801 | 9502 9502 |
| ACTIVITY | 0 | 4 | | | |
| ATG Norfolk, 30733 ACDU | 0 | 2 | AOC | 6801 | |
| ACTIVITY | 0 | 2 | | | |
| AVORD MTT Norfolk, 48764 ACDU | 0 | 5 | AO1 | 6801 | |
| ACTIVITY | 0 | 5 | | | |
| COMNAVAIRLANT, 57012 ACDU | 0 | 2 | AOC | 6801 | |
| ACTIVITY | 0 | 2 | | | |
| CSFWLD Beaufort, 3006A ACDU | 0 0 0 | 1 3 3 | AO1 AO2 AO3 | 6801 6801 6801 | |
| ACTIVITY | 0 | 7 | | | |
| LANTORDDET, 31279 ACDU | 0 0 0 0 | 1 1 8 14 | AOC AO1 AO2 AO3 | 6801 6801 6801 6801 | |
| ACTIVITY | 0 | 24 | | | |
| NAF Mildenhall, 57032 ACDU | 0 | 1 | AOC | 6801 | |
| ACTIVITY | 0 | 1 | | | |
| NAMTRAU Norfolk, 66046 ACDU | 0 | 1 3 | AOC AO1 | 6801 6801 | 9502 9502 |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|---|------------------|------------------|--------------------------|------------------------------|---------------|
| ACTIVITY | 0 | 4 | | | |
| NAS Keflavik Iceland, 63032 ACDU | 0 0 0 0 | 1 1 1 1 | AOC AOC AO2 AO3 | 6801 0812 6810 6801 | 6801 6801 |
| ACTIVITY | 0 | 4 | | | |
| Naval Ordnance Center, Indian Head, MD, 68963 USMC | 0 | 1 | SSGT | 6541 | |
| ACTIVITY | 0 | 1 | | | |
| NAVSTKAIR TS, 39783 ACDU | 0 0 0 | 2 1 5 | AO1 AO2 AO3 | 6801 6801 6801 | |
| ACTIVITY | 0 | 8 | | | |
| NWS Charleston, SC, 00193 USMC | 0 0 0 | 2 1 2 | CPL GYSGT SGT | 6541 6541 6541 | |
| ACTIVITY | 0 | 5 | | | |
| USS Bataan LHD 5, 21879 ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS Eisenhower CVN 69, 03369 ACDU | 0 0 0 | 7 23 30 | AOC AO1 AO2 | 6801 6801 6801 | |
| SELRES | 0 0 0 | 4 5 4 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 73 | | | |

USS Enterprise CVN 65, 03365

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|---------------|-------------------|----------------------|---------------|
| ACDU | 0 | 1 9 | AOC AO1 | 6801 6801 | |
| ACTIVITY | 0 | 10 | | | |
| USS George Washington CVN 73, 21412 ACDU | 0 0 0 | 5 20 33 | AOC AO1 AO2 | 6801 6801 6801 | |
| SELRES | 0 0 0 | 3 4 3 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 68 | | | |
| USS Harry S. Truman CVN 75, 21853 ACDU SELRES | 0 0 0 | 5 21 29 | AOC AO1 AO2 | 6801 6801 6801 | |
| | 0 | 4 3 | AO1 AO2 | 6801 6801 | |
| USS Harry S. Truman CVN 75, 21853, FY04 Increment ACDU | 0 | 4 | AO2 | 6801 | |
| ACTIVITY | 0 | 69 | | | |
| USS Iwo Jima LHD 7, 23027 ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS John F. Kennedy CV 76, 03367 ACDU | 0 0 0 | 7 25 29 | AOC AO1 AO2 | 6801 6801 6801 | |
| SELRES | 0 0 | 2 7 | AO1 AO2 | 6801 6801 | |
| ACTIVITY | 0 | 70 | | | |

USS Kearsarge LHD 3, 21700

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|---------------|-------------------|----------------------|---------------|
| ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS Nassau LHA 4, 20725 ACDU | 0 0 0 | 2 10 1 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 13 | | | |
| USS Ronald Reagan CVN-76, 22178, FY02 Increment ACDU | 0 0 0 | 9 29 37 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 75 | | | |
| USS Roosevelt CVN 71, 21247 ACDU | 0 0 0 | 5 20 33 | AOC AO1 AO2 | 6801 6801 6801 | |
| SELRES | 0 0 0 | 3 4 3 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 68 | | | |
| USS Saipan LHA 2, 20632 ACDU | 0 0 0 | 2 10 1 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 13 | | | |
| USS Wasp LHD 1, 21560 ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| VFA 106 USMC | 0 | 1 | SGT | 6541 | |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|---|-------------|-------------------|--------------------------|------------------------------|---------------|
| ACTIVITY | 0 | 1 | | | |
| USS Constellation CV64, 03364 ACDU | 0 | 6 10 | AOC AO1 | 6801 6801 | |
| ACTIVITY | 0 | 16 | | | |
| CNATRA CAU Kingsville TX, 49149 ACDU | 0 | 1 | AO1 | 6801 | 9549 |
| ACTIVITY | 0 | 1 | | | |
| NAF El Centro, 60042 ACDU | 0 0 0 | 1 1 5 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 7 | | | |
| NAIRWPMAINTUN 1, 52821 ACDU | 0 0 0 | 1 3 12 4 | AOC AO1 AO2 AO3 | 6801 6801 6801 6801 | |
| ACTIVITY | 0 | 20 | | | |
| NAMTRAU North Island, 66065 ACDU | 0 | 3 2 | AO1 AO2 | 6801 6801 | 9502 9502 |
| ACTIVITY | 0 | 5 | | | |
| NAMTRAU Whidbey Island, 66058 ACDU | 0 0 | 2 3 | AOC AO1 | 6801 6801 | 9502 9502 |
| ACTIVITY | 0 | 5 | | | |
| NAS Lemoore, 63126 ACDU | 0 0 0 | 2 1 1 | AO1 AO2 AO2 | 6801 6801 6801 | 0812 |
| ACTIVITY | 0 | 4 | | | |

NAVBASE VC Point Mugu, 69232

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|---------------------------------------|-------------|---------------|-------------------|----------------------|---------------|
| ACDU | 0 | 4 5 | AO1 AO2 | 6801 6801 | |
| ACTIVITY | 0 | 9 | | | |
| NAWCWD (NWCF), 63126 ACDU | 0 | 1 | AO1 | 6801 | |
| ACTIVITY | 0 | 1 | | | |
| NSUPFAC Diego Garcia, 68539 ACDU | 0 0 0 | 1 2 2 | AO1 AO2 AO3 | 6801 6801 6801 | |
| ACTIVITY | 0 | 5 | | | |
| USS B Richard LHD 6, 22202 ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS Bella Wood LHA 3, 20633 ACDU | 0 0 0 | 2 9 1 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS Boxer LHD 4, 21808 ACDU | 0 0 0 | 2 8 2 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| USS Carl Vinson CVN 70, 20993 ACDU | 0 0 0 | 8 29 36 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 73 | | | |
| USS Essex LHD 2, 21533 ACDU | 0 | 2 | AOC | 6801 | |

0 7 AO1 6801

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|------------|------------------|---------------|---------------|
| ACDU | 0 | 2 | AO2 | 6801 | |
| ACTIVITY | 0 | 11 | | | |
| USS John C. Stennis CVN 74, 21847 | | | | | |
| ACDU | 0 | 9 | AOC | 6801 | |
| | 0 | 29 35 | AO1 AO2 | 6801 6801 | |
| | U | 33 | AUZ | 0001 | |
| SELRES | 0 | 2 | AO2 | 6801 | |
| ACTIVITY | 0 | 75 | | | |
| USS Kitty Hawk CV63, 03363 | | | | | |
| ACDU | 0 | 5 | AOC | 6801 | |
| | 0 | 25 22 | AO1 | 6801 | |
| | U | 22 | AO2 | 6801 | |
| SELRES | 0 | 1 | AOC | 6801 | |
| | 0 | 2 | AO1 | 6801 | |
| | 0 | 2 | AO2 | 6801 | |
| USS Kitty Hawk CV63, 03363, FY03 Increment | | | | | |
| SELRES | 0 | 1 | AOC | 6801 | |
| | 0 | 2 | AO1 | 6801 | |
| ACTIVITY | 0 | 60 | | | |
| USS Abraham Lincoln CVN 72, 21297 | | | | | |
| ACDU | 0 | 9 | AOC | 6801 | |
| | 0 | 29 | AO1 | 6801 | |
| | 0 | 37 | AO2 | 6801 | |
| ACTIVITY | 0 | 75 | | | |
| USS Nimitz CVN 68, 03368 | | | | | |
| ACDU | 0 | 9 | AOC | 6801 | |
| | 0 | 29 | AO1 | 6801 | |
| | 0 | 37 | AO2 | 6801 | |
| ACTIVITY | 0 | 75 | | | |
| USS Peleliu LHA 5, 20748 | | | | | |
| ACDU | 0 | 2 | AOC | 6801 | |
| | 0 | 9 | AO1 | 6801 | |
| | 0 | 1 | AO2 | 6801 | |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------------|-------------------------------------|--------------------------------------|---------------|
| ACTIVITY | 0 | 12 | | | |
| USS Tarawa LHA 1, 20550 ACDU | 0 0 0 | 2 9 1 | AOC AO1 AO2 | 6801 6801 6801 | |
| ACTIVITY | 0 | 12 | | | |
| VAQ 129, 83896 USMC | 0 | 1 | SGT | 6541 | |
| ACTIVITY | 0 | 1 | | | |
| VFA 125, 53971 USMC | 0 | 1 | SGT | 6541 | |
| ACTIVITY | 0 | 1 | | | |
| FLEET SUPPORT ACTIVITIES - USMC | | | | | |
| Blout Island Command, 38450 USMC | 0 | 1 1 | SGT SSGT | 6541 6541 | |
| ACTIVITY | 0 | 2 | | | |
| FW MALS (East Coast), 00000 USMC | 0 0 0 0 | 9 4 20 7 4 | CPL GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 44 | | | |
| H&HS MCAS Beaufort SC, 02031 USMC | 0 0 0 0 | 1 1 1 1 | GYSGT LCPL SGT SGT SSGT | 6541 6541 6541 6541 6541 | 9954 |
| ACTIVITY | 0 | 5 | | | |
| H&HS MCAS Cherry Point NC, 02002 USMC | 0 | 4 | CPL | 6541 | |

0 4 SGT 6541

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|------------|------------------|---------------|---------------|
| USMC | 0 | 3 | SSGT | 6541 | |
| ACTIVITY | 0 | 11 | | | |
| H&HS MCAS New River NC, 02021 | 0 | 4 | O.D.I | (5.44 | 0054 |
| USMC | 0 | 1 1 | CPL LCPL | 6541 6541 | 9954 |
| | 0 | 2 | SGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| ACTIVITY | 0 | 5 | | | |
| MALS 42 (RW), 09513 | | | | | |
| USMC | 0 | 1 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| AR | 0 | 1 | CPL | 6541 | |
| | 0 | 1 | GYSGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| SMCR | 0 | 1 | GYSGT | 6541 | |
| | 0 | 3 | LCPL | 6541 | |
| | 0 | 2 | SSGT | 6541 | |
| ACTIVITY | 0 | 11 | | | |
| MALS 49 (RW), 55555 | 0 | 1 | LCDI | / [/ 1 | |
| USMC | 0 | 1 1 | LCPL SGT | 6541 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| AD | | | | | |
| AR | 0 | 2 | SSGT | 6541 | |
| SMCR | 0 | 1 | CPL | 6541 | |
| | 0 | 2 | GYSGT | 6541 | |
| | 0 | 2 | LCPL | 6541 | |
| ACTIVITY | 0 | 10 | | | |
| MALS-Rotary Wing (East Coast), 00000 USMC | 0 | 1 | CPL | 6541 | |
| OSIVIC | 0 | 2 | GYSGT | 6541 | |
| | 0 | 5 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| | 0 | 3 | SSGT | 6541 | |
| ACTIVITY | 0 | 12 | | | |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--|------------------|------------------------|-------------------------------------|--------------------------------------|---------------|
| MC PERS Dept of Navy Non-Dept, 00000 USMC | 0 0 0 | 2 7 2 2 | CPL GYSGT SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 13 | | | |
| VMAT 203, 45483 USMC | 0 0 0 0 | 3 1 20 4 | GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 28 | | | |
| Ft Worth, Site Support, 00000 AR | 0 | 1 1 | GYSGT SGT | 6541 6541 | |
| ACTIVITY | 0 | 2 | | | |
| FW MALS (West coast), 00000 USMC | 0 0 0 0 | 9 4 20 7 4 | CPL GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 44 | | | |
| H&HS Futenma Japan, 02601 USMC | 0 0 0 0 | 2 1 4 3 2 | CPL GYSGT LCPL SGT SSGT | 6541 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 12 | | | |
| H&HS Iwakuni Japan, 02501 USMC | 0 0 0 | 1 1 3 2 | CPL LCPL SGT SSGT | 6541 6541 6541 6541 | |
| ACTIVITY | 0 | 7 | | | |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILLE OFF | TS ENL | DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS |
|--------------------------------------|--------------|-----------|------------------|---------------|---------------|
| H&HS MCAS Camp Pendelton CA, 02208 | | | | | |
| USMC | 0 | 2 | CPL | 6541 | |
| 3 53 | 0 | 1 | GYSGT | 6541 | |
| | 0 | 1 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| | 0 | 3 | SSGT | 6541 | |
| ACTIVITY | 0 | 8 | | | |
| H&HS MCAS Miramar CA, 02201 | | | | | |
| USMC | 0 | 1 | CPL | 6541 | |
| | 0 | 2 | GYSGT | 6541 | |
| | 0 | 1 | LCPL | 6541 | |
| | 0 | 2 | SGT | 6541 | |
| | 0 | 2 | SSGT | 6541 | |
| ACTIVITY | 0 | 8 | | | |
| H&HS MCAS Yuma AZ, 02230 | | | | | |
| USMC | 0 | 3 | GYSGT | 6541 | |
| | 0 | 1 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | 9954 |
| ACTIVITY | 0 | 7 | | | |
| HMT 303, 55176 | | | | | |
| USMC | 0 | 3 | LCPL | 6541 | |
| | 0 | 3 | SGT | 6541 | |
| ACTIVITY | 0 | 6 | | | |
| MAD 01: 1 1 0/447 | | | | | |
| MAD China Lake, 06117 | 0 | 1 | GYSGT | 6541 | |
| USMC | 0 0 | 1 1 | SSGT | 6541 | |
| | U | ı | 3301 | 0341 | |
| ACTIVITY | 0 | 2 | | | |
| MALS-Rotary Wing (West Coast), 00000 | | | | | |
| USMC | 0 | 1 | CPL | 6541 | |
| | 0 | 2 | GYSGT | 6541 | |
| | 0 | 5 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| | 0 | 3 | SSGT | 6541 | |
| ACTIVITY | 0 | 12 | | | |

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILL OFF | ETS ENL | DESIG/ Rating | PNEC/ PMOS | SNEC/ SMOS |
|--|-------------|------------|------------------|---------------|---------------|
| Marine Aviation Logistics Support Element Kaneohe, | 02300 | | | | |
| USMC | 0 | 2 | CPL | 6541 | |
| | 0 | 1 | GYSGT | 6541 | |
| | 0 | 1 | LCPL | 6541 | |
| | 0 | 1 | SGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| ACTIVITY | 0 | 6 | | | |
| MAWTS 1 Yuma AZ, 55167 | | | | | |
| USMC | 0 | 1 | GYSGT | 6541 | |
| | 0 | 1 | LCPL | 6541 | |
| ACTIVITY | 0 | 2 | | | |
| ACTIVITY | U | ۷ | | | |
| MCAF Kaneohe Bay HI, 02303 | | | | | |
| USMC | 0 | 4 | LCPL | 6541 | |
| | 0 | 2 | SGT | 6541 | |
| | 0 | 1 | SSGT | 6541 | |
| ACTIVITY | 0 | 7 | | | |
| M040000 D 1 (7000 | | | | | |
| MCAGCC 29 Palms, 67399 USMC | 0 | 3 | LCPL | 6541 | |
| ACTIVITY | 0 | 3 | | | |
| | | | | | |
| VMAT 101, 09965 | | | | | |
| USMC | 0 | 3 | CPL | 6541 | |
| | 0 | 6 | LCPL | 6541 | |
| ACTIVITY | 0 | 9 | | | |
| | | | | | |

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| DESIG/ RATING | PNEC/SNEC PMOS/SMOS | PFYs OFF ENL | CFY02 OFF ENL | FY03 OFF ENL | FY04 OFF ENL | FY05 OFF ENL | FY06 OFF ENL |
|--|---|---|--|--------------------------------------|--|--------------------------------------|--------------------------------------|
| USMC OPER CPL GYSGT LCPL SGT SSGT | ATIONAL ACTI 6541 6541 6541 6541 6541 | VITIES - USMC 146 10 205 71 20 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 |
| USMC OPER GYSGT LCPL SGT SSGT | ATIONAL ACTI 6541 6541 6541 6541 | VITIES - AR 1 1 8 6 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 |
| USMC OPER CPL GYSGT LCPL SGT SSGT | ATIONAL ACTI 6541 6541 6541 6541 6541 | VITIES - SMCR 11 6 46 9 4 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 |
| NAVY FLEET AOC AOC AOC AO1 AO1 AO1 AO1 AO2 AO2 AO2 AO2 AO2 AO3 | SUPPORT AC 6801 9502 0812 6801 6801 0812 6801 9502 6801 9549 6801 0812 6801 0812 6801 9502 6810 6801 6801 | TIVITIES - ACDU 109 5 1 394 1 11 1 380 1 2 1 31 | 9 0 0 29 0 0 0 37 0 0 | 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 4 0 0 | 0 0 0 0 0 0 0 0 | 0 0 0 0 0 0 0 0 |
| NAVY FLEET AOC AO1 AO2 | SUPPORT AC 6801 6801 6801 | TIVITIES - SELRES 14 21 24 | 0 0 0 | 1 2 0 | 0 0 0 | 0 0 0 | 0 0 0 |
| NAVY FLEET CPL GYSGT SGT SSGT | SUPPORT AC 6541 6541 6541 6541 | TIVITIES - USMC 2 1 5 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 |

USMC FLEET SUPPORT ACTIVITIES - USMC

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| PNEC | /SNEC | PFYs | CFY02 | FY03 | FY04 | FY05 | FY06 |
|----------|--|---|--|---|--|---|---|
| PMOS | /SMOS | OFF ENL | OFF ENL | OFF ENL | OFF ENL | OFF ENL | OFF ENL |
| 6541 | | 67 | 0 | 0 | 0 | 0 | 0 |
| 6541 | 9954 | 1 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 51 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 156 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 88 | 0 | 0 | 0 | 0 | 0 |
| 6541 | 9954 | 1 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 61 | 0 | 0 | 0 | 0 | 0 |
| 6541 | 9954 | 1 | 0 | 0 | 0 | 0 | 0 |
| EET SUPP | ORT AC | ΓΙVITIES - AR | | | | | |
| 6541 | | 1 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 2 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 1 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 3 | 0 | 0 | 0 | 0 | 0 |
| EET SUPP | ORT AC | TIVITIES - SMCR | | | | | |
| | | 1 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 0 | 0 | 0 | 0 | 0 |
| 6541 | | 2 | 0 | 0 | 0 | 0 | 0 |
| | 6541 6541 6541 6541 6541 6541 6541 6541 | 6541 6541 9954 6541 6541 6541 9954 6541 6541 9954 EET SUPPORT ACT 6541 6541 6541 6541 6541 6541 6541 6541 | PMOS/SMOS OFF ENL 6541 67 6541 9954 1 6541 51 6541 88 6541 9954 1 6541 61 6541 61 6541 1 6541 2 6541 3 SEET SUPPORT ACTIVITIES - SMCR 6541 3 SEET SUPPORT ACTIVITIES - SMCR 6541 3 6541 3 6541 3 6541 3 6541 5 | PMOS/SMOS OFF ENL OFF ENL 6541 9954 1 0 6541 9954 1 0 6541 156 0 6541 88 0 6541 9954 1 0 6541 9954 1 0 6541 61 0 0 6541 7 0 0 6541 1 0 0 6541 2 0 0 6541 3 0 6541 3 0 6541 3 0 6541 3 0 6541 3 0 6541 3 0 6541 3 0 6541 3 0 | PMOS/SMOS OFF ENL OFF ENL OFF ENL 6541 9954 1 0 0 6541 9954 1 0 0 6541 156 0 0 0 6541 88 0 0 0 6541 9954 1 0 0 0 6541 6541 61 0 0 0 6541 9954 1 0 0 0 6541 9954 1 0 0 0 6541 9954 1 0 0 0 6541 9954 1 0 0 0 6541 1 0 0 0 0 6541 3 0 0 0 6541 1 0 0 0 6541 3 0 0 0 6541 3 0 | PMOS/SMOS OFF ENL O | PMOS/SMOS OFF ENL OFF ENL OFF ENL OFF ENL OFF ENL OFF ENL OFF ENL |

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| DESIG/ RATING | PNEC/SNEC PMOS/SMOS | PFYs Off ENL | CFY02 OFF ENL | FY03 OFF ENL | FY04 OFF ENL | FY05 OFF ENL | FY06 OFF ENL |
|------------------|------------------------|------------------------|------------------|-----------------|-----------------|-----------------|-----------------|
| SUMMARY | TOTALS: | | | | | | |
| USMC OPER | RATIONAL ACTIV | ITIES - USMC 452 | 0 | 0 | 0 | 0 | 0 |
| USMC OPER | RATIONAL ACTIV | ITIES - AR 16 | 0 | 0 | 0 | 0 | 0 |
| USMC OPER | RATIONAL ACTIV | ITIES - SMCR 76 | 0 | 0 | 0 | 0 | 0 |
| NAVY FLEE | T SUPPORT ACT | IVITIES - ACDU 937 | 75 | 0 | 4 | 0 | 0 |
| NAVY FLEE | T SUPPORT ACT | IVITIES - SELRES 59 | 0 | 3 | 0 | 0 | 0 |
| NAVY FLEE | T SUPPORT ACT | IVITIES - USMC 9 | 0 | 0 | 0 | 0 | 0 |
| USMC FLEE | T SUPPORT ACT | TIVITIES - USMC 426 | 0 | 0 | 0 | 0 | 0 |
| USMC FLEE | T SUPPORT ACT | TIVITIES - AR 7 | 0 | 0 | 0 | 0 | 0 |
| USMC FLEE | T SUPPORT ACT | TIVITIES - SMCR 11 | 0 | 0 | 0 | 0 | 0 |

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| DESIG/ RATING | PNEC/SNEC PMOS/SMOS | PFYs OFF ENL | CFY02 OFF ENL | FY03 OFF ENL | FY04 OFF ENL | FY05 OFF ENL | FY06 OFF ENL |
|------------------|------------------------|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|
| GRAND TO | TALS: | | | | | | |
| NAVY - AC | DU | 937 | 75 | 0 | 4 | 0 | 0 |
| NAVY - SEI | LRES | 59 | 0 | 3 | 0 | 0 | 0 |
| NAVY - USI | MC | 9 | 0 | 0 | 0 | 0 | 0 |
| USMC - US | SMC | 878 | 0 | 0 | 0 | 0 | 0 |
| USMC - AR | | 23 | 0 | 0 | 0 | 0 | 0 |
| USMC - SM | 1CR | 87 | 0 | 0 | 0 | 0 | 0 |

II.A.2.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY DEACTIVATION SCHEDULE

| SOURCE: USN: Total Force Manpower Management System, TFMMS USMC: Extracted from Table of Manpower Requirements, TFS MCCDC I | | | | | | | | | | |
|---|-------|------|-------|------|------|------|------|--|--|--|
| ACTIVITY, UIC | | PFYs | CFY02 | FY03 | FY04 | FY05 | FY06 | | | |
| FLEET SUPPORT ACTIVITIES - NAVY USS Constellation CV64 | 03364 | 0 | 0 | 1 | 0 | 0 | 0 | | | |
| TOTAL: | | 0 | 0 | 1 | 0 | 0 | 0 | | | |

II.A.2.b. BILLETS TO BE DELETED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| ACTIVITY, UIC, PHASING INCREMENT | BILLE [*] OFF | TS ENL | DESIG/ Rating | PNEC/ PMOS | SNEC/ SMOS |
|---|---------------------------|-----------|------------------|---------------|---------------|
| FLEET SUPPORT ACTIVITIES - NAVY | | | | | |
| USS Kitty Hawk CV63, 03363, FY03 Increment ACDU | 0 0 | 1 2 | AOC AO1 | 6801 6801 | |
| ACTIVITY | 0 | 3 | | | |

II.A.2.C. TOTAL BILLETS TO BE DELETED IN OPERATIONAL AND FLEET SUPPORT ACTIVITIES

| DESIG/ | PNEC/SNEC | PFYs | CFY02 | FY03 | FY04 | FY05 | FY06 |
|------------|---------------|----------------|---------|---------|---------|---------|---------|
| RATING | PMOS/SMOS | OFF ENL | OFF ENL | OFF ENL | OFF ENL | OFF ENL | OFF ENL |
| | | | | | | | |
| NAVY FLEE | ΓSUPPORT ACT | IVITIES - ACDU | | | | | |
| AOC | 6801 | 11 | 0 | -7 | 0 | 0 | 0 |
| AO1 | 6801 | 35 | 0 | -12 | 0 | 0 | 0 |
| | | | | | | | |
| SUMMARY | TOTALS: | | | | | | |
| NAVY FLEE | Γ SUPPORT ACT | IVITIES - ACDU | | | | | |
| | | 46 | 0 | -19 | 0 | 0 | 0 |
| | | | | | | | |
| GRAND TO | ALS: | | | | | | |
| NAVY - ACI | DU | | | | | | |
| | | 46 | 0 | -19 | 0 | 0 | 0 |

II.A.3. TRAINING ACTIVITIES INSTRUCTOR AND SUPPORT BILLET REQUIREMENTS

| DESIG RATING | | C/SNEC S/SMOS (| PFYs OFF EI | NL | CFY02 OFF E | | FY0: OFF E | | FY0- OFF I | | FY0! OFF | | | 06 ENL |
|--|----------------------|--------------------|----------------|--------------|----------------|--------------|---------------------|--------------|---------------|--------------|-------------|--------------|-------------|--------------|
| TRAINING A | CTIVITY | , LOCATIOI | N, UIC: | MTL | J-4030 NA | MTRAL | J, Maypo | ort, 660 | 69 | | | | | |
| INSTRUCTO | R BILLE | ETS | | | | | | | | | | | | |
| ACDU AOC AO1 | 6801 6801 | 9502 9502 | 0 | 2 2 | 0 | 2 2 | 0 | 2 2 | 0 0 | 2 2 | 0 0 | 2 2 | 0 | 2 2 |
| TOTAL: | | | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 |
| TRAINING ACTIVITY, LOCATION, UIC: MTU-4032 NAMTRAU Norfolk, 6604 | | | | | | 66046 |) | | | | | | | |
| INSTRUCTO | R BILLE | ETS | | | | | | | | | | | | |
| ACDU AOC AO1 | 6801 6801 | 9502 9502 | 0 | 1 3 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 3 | 0 | 1 3 |
| TOTAL: | | | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 |
| TRAINING A | CTIVITY | , LOCATIOI | N, UIC: | MTL | J-4033 NA | MTRAI | J, North Is | sland, (| 66065 | | | | | |
| INSTRUCTO | R BILLE | ETS | | | | | | | | | | | | |
| ACDU AO1 AO2 | 6801 6801 | 9502 9502 | 0 | 2 2 | 0 | 2 2 | 0 | 2 2 | 0 | 2 2 | 0 | 2 2 | 0 | 2 2 |
| TOTAL: | | | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 | 0 | 4 |
| TRAINING A | CTIVITY | , LOCATIOI | N, UIC: | MTL | J-4034 NA | MTRA | MARUNI ⁻ | Γ, MCA | AS Cherry | Point, | 45483 | | | |
| INSTRUCTO | R BILLE | ETS | | | | | | | | | | | | |
| USMC GYSGT SGT SSGT | 6541 6541 6541 | | 0 0 0 | 0 19 2 | 0 0 0 | 0 19 2 | 0 0 0 | 0 19 2 | 0 0 0 | 0 19 2 | 0 0 0 | 0 19 2 | 0 0 0 | 0 19 2 |
| TOTAL: | | | 0 | 21 | 0 | 21 | 0 | 21 | 0 | 21 | 0 | 21 | 0 | 21 |

II.A.3. TRAINING ACTIVITIES INSTRUCTOR AND SUPPORT BILLET REQUIREMENTS

| DESIG RATING | | C/SNEC S/SMOS | PFYs OFF EN | NL | CFY(OFF | 02 ENL | FY(OFF | 03 ENL | FY(OFF | | FY OFF | 05 ENL | FY OFF | '06 ENL |
|---|------|------------------|----------------|----|-------------|-----------|------------|-----------|------------|---|-----------|-----------|-----------|------------|
| TRAINING ACTIVITY, LOCATION, UIC: MTU-4035 NAMTRAU, Whidbey Island, 66058 | | | | | | | | | | | | | | |
| INSTRUCTOR BILLETS | | | | | | | | | | | | | | |
| ACDU | | | | | | | | | | | | | | |
| AOC | 6801 | 9502 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| AO1 | 6801 | 9502 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 |
| TOTAL: | | | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 | 3 |

II.A.4. CHARGEABLE STUDENT BILLET REQUIREMENTS

| ACTIVITY, LOCATION, UIC | USN/ USMC | PFYs OFF ENL | CFY02 OFF ENL | FY03 OFF ENL | FY04 OFF ENL | FY05 OFF ENL | FY06 OFF ENL | | |
|----------------------------|-------------------------|-----------------------|----------------------|-----------------|-----------------|-----------------|-----------------|--|--|
| MTU-4030 NAMTF | RAU, Mayport, NAVY | 66069 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | 1.9 | | |
| MTU-4032 NAMTI | RAU Norfolk, 60 NAVY | 5046 11.4 | 19.3 | 12.1 | 12.5 | 12.1 | 12.1 | | |
| MTU-4034 NAMTE | RA MARUNIT, USMC | MCAS Cherry P 47.7 | Point, 45483 47.7 | 47.7 | 47.7 | 47.7 | 47.7 | | |
| MTU-4033 NAMTI | RAU, North Isla NAVY | nd, 66065 8.0 | 8.0 | 7.9 | 7.4 | 7.4 | 7.4 | | |
| MTU-4035 NAMTI | RAU, Whidbey NAVY | Island, 66058 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | | |
| SUMMARY TOTALS: | | | | | | | | | |
| | NAVY USMC | 24.9 47.7 | 32.8 47.7 | 25.5 47.7 | 25.4 47.7 | 25.0 47.7 | 25.0 47.7 | | |
| GRAND TOTALS: | | | | | | | | | |
| | | 72.6 | 80.5 | 73.2 | 73.1 | 73.7 | 72.7 | | |

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

| DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS | BILLET BASE | CFY +/- | 02 CUM | FY(+/- | O3 CUM | FY(+/- | 04 CUM | FY(+/- | 05 CUM | FY(+/- | 06 CUM |
|---|--|--|----------------------------------|--|--|---|---|--|--|--------------------------------------|--|---------------------------------|--|
| a. OFFICE | R - USN | | | N | A | | | | | | | | |
| h FNI ICT | ED LICA | | | | | | | | | | | | |
| b. ENLIST | ED - USIN | | | | | | | | | | | | |
| Fleet Supp AOC AOC AOC AO1 AO1 AO1 AO2 AO2 AO2 | 6801 6801 6801 0812 6801 6801 6801 6801 6801 6801 | 9502 6801 812 9502 9549 812 9502 | TAR 109 5 1 394 1 11 11 380 1 2 | 9 0 0 29 0 0 0 0 37 0 | 118 5 1 423 1 11 11 417 1 2 | -7 0 0 -12 0 0 0 0 | 111 5 1 411 1 11 1 417 1 2 | 0 0 0 0 0 0 0 0 4 0 | 111 5 1 411 1 11 1 421 1 | 0 0 0 0 0 0 0 0 | 111 5 1 411 1 11 1 421 1 | 0 0 0 0 0 0 0 | 111 5 1 411 1 11 1 421 1 |
| AO2 AO3 | 6810 6801 | 6801 | 1 31 | 0 | 1 31 | 0 | 1 31 | 0 | 1 31 | 0 | 1 31 | 0 | 1 31 |
| Staff Billet: AOC AO1 AO2 | s ACDU ai 6801 6801 6801 | nd TAR 9502 9502 9502 | 4 9 2 | 0 0 0 | 4 9 2 | 0 0 0 | 4 9 2 | 0 0 0 | 4 9 2 | 0 0 0 | 4 9 2 | 0 0 0 | 4 9 2 |
| Chargeabl | e Student | Billets ACE | OU and TAR 25 | 8 | 33 | -7 | 26 | -1 | 25 | 0 | 25 | 0 | 25 |
| SELRES E AOC AO1 AO2 | 6801 6801 6801 | | 14 21 24 | 0 0 0 | 14 21 24 | 1 2 0 | 15 23 24 | 0 0 0 | 15 23 24 | 0 0 0 | 15 23 24 | 0 0 0 | 15 23 24 |
| TOTAL US | SN ENLIS | TED BILLE | TS: | | | | | | | | | | |
| Fleet Supp | oort | | 1036 | -99 | 937 | 75 | 1012 | -19 | 993 | 4 | 997 | 0 | 997 |
| Staff | | | 15 | 0 | 15 | 0 | 15 | 0 | 15 | 0 | 15 | 0 | 15 |
| Chargeab | le Student | | 104 | -79 | 25 | 8 | 33 | -7 | 26 | -1 | 25 | 0 | 25 |
| SELRES | | | 59 | 0 | 59 | 0 | 59 | 3 | 62 | 0 | 62 | 0 | 62 |

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

| DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS | BILLET BASE | CFY(+/- | 02 CUM | FY0 +/- | 3 CUM | FY0 +/- | 4 CUM | FY0 +/- | 05 CUM | FY(+/- | 06 CUM |
|------------------|---------------|---------------|----------------|-------------|-----------|------------|----------|------------|----------|------------|-----------|------------|-----------|
| c. OFFICE | R - USMC | ; | | N. | A | | | | | | | | |
| | | | | | | | | | | | | | |
| d. ENLIST | ED - USM | С | | | | | | | | | | | |
| Operationa | l Billets U | SMC and A | ιR | | | | | | | | | | |
| CPL | 6541 | | 146 | 0 | 146 | 0 | 146 | 0 | 146 | 0 | 146 | 0 | 146 |
| GYSGT | 6541 | | 11 | 0 | 11 | 0 | 11 | 0 | 11 | 0 | 11 | 0 | 11 |
| LCPL | 6541 | | 206 | 0 | 206 | 0 | 206 | 0 | 206 | 0 | 206 | 0 | 206 |
| SGT | 6541 | | 79 | 0 | 79 | 0 | 79 | 0 | 79 | 0 | 79 | 0 | 79 |
| SSGT | 6541 | | 26 | 0 | 26 | 0 | 26 | 0 | 26 | 0 | 26 | 0 | 26 |
| Fleet Supp | ort Billets | USMC and | AR | | | | | | | | | | |
| CPL | 6541 | | 70 | 0 | 70 | 0 | 70 | 0 | 70 | 0 | 70 | 0 | 70 |
| CPL | 6541 | 9954 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| GYSGT | 6541 | | 54 | 0 | 54 | 0 | 54 | 0 | 54 | 0 | 54 | 0 | 54 |
| LCPL | 6541 | | 156 | 0 | 156 | 0 | 156 | 0 | 156 | 0 | 156 | 0 | 156 |
| SGT | 6541 | | 94 | 0 | 94 | 0 | 94 | 0 | 94 | 0 | 94 | 0 | 94 |
| SGT | 6541 | 9954 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| SSGT | 6541 | | 65 | 0 | 65 | 0 | 65 | 0 | 65 | 0 | 65 | 0 | 65 |
| SSGT | 6541 | 9954 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 1 |
| Staff Billets | : LISMC ar | nd AR | | | | | | | | | | | |
| GYSGT | 6541 | 107111 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SGT | 6541 | | 19 | 0 | 19 | 0 | 19 | 0 | 19 | 0 | 19 | 0 | 19 |
| SSGT | 6541 | | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 2 |
| Chargeable | student | Rillets LISM | MC and ∆R | | | | | | | | | | |
| Chargeabh | Siddeni | Dilicis OSIV | 48 | 0 | 48 | 0 | 48 | 0 | 48 | 0 | 48 | 0 | 48 |
| | | | | | | | | | | | | | |
| SMCR Bille | | | | | | | | | | | | | |
| CPL | 6541 | | 12 | 0 | 12 | 0 | 12 | 0 | 12 | 0 | 12 | 0 | 12 |
| GYSGT | 6541 | | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 |
| LCPL | 6541 | | 51 | 0 | 51 | 0 | 51 | 0 | 51 | 0 | 51 | 0 | 51 |
| SGT | 6541 | | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 |
| SSGT | 6541 | | 6 | 0 | 6 | 0 | 6 | 0 | 6 | 0 | 6 | 0 | 6 |
| TOTAL US | SMC ENLI | STED BILL | LETS: | | | | | | | | | | |
| Operationa | al | | 468 | 0 | 468 | 0 | 468 | 0 | 468 | 0 | 468 | 0 | 468 |
| o por anome | | | .00 | v | .50 | ŭ | .50 | J | .50 | Ü | .50 | J | .00 |
| Fleet Supp | ort | | 442 | 0 | 442 | 0 | 442 | 0 | 442 | 0 | 442 | 0 | 442 |

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

| DESIG/ RATING | PNEC/ PMOS | SNEC/ SMOS | BILLET BASE | CFY +/- | 02 CUM | FY(+/- | CUM | FY(+/- | 04 CUM | FY(+/- | 05 CUM | FY(+/- | 06 CUM |
|------------------|---------------|---------------|----------------|------------|-----------|------------|-----|------------|-----------|------------|-----------|------------|-----------|
| Staff | | | 21 | 0 | 21 | 0 | 21 | 0 | 21 | 0 | 21 | 0 | 21 |
| Chargeab | le Student | | 48 | 0 | 48 | 0 | 48 | 0 | 48 | 0 | 48 | 0 | 48 |
| SMCR | | | 87 | 0 | 87 | 0 | 87 | 0 | 87 | 0 | 87 | 0 | 87 |

II.B. PERSONNEL REQUIREMENTS

II.B.1. ANNUAL TRAINING INPUT REQUIREMENTS

CIN, COURSE TITLE:D-646-7007, General Shipboard/NAS Weapons Department AVORD MaintenanceCOURSE LENGTH:7.0 WeeksTOUR LENGTH:60 MonthsATTRITIONNavy: 10%USMC: 0%BACKOUT FACTOR:0.14

| TRAINING | | ACDU/TAR | CF | Y02 | F۱ | / 03 | F | Y04 | FY | 05 | FY | 06 |
|------------|---------------|----------|-----|-----|-----|-------------|-----|-----|-----|-----|-----|-----|
| ACTIVITY | SOURCE | SELRES | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL |
| MTU-4030 N | IAMTRAU, May | port | | | | | | | | | | |
| | NAVY | ACDU | | 15 | | 15 | | 15 | | 15 | | 15 |
| | | SELRES | | 1 | | 1 | | 1 | | 1 | | 1 |
| MTU-4032 N | IAMTRAU Norfo | olk | | | | | | | | | | |
| | NAVY | ACDU | | 151 | | 95 | | 98 | | 95 | | 95 |
| | | SELRES | | 4 | | 4 | | 4 | | 4 | | 4 |
| | | TOTAL: | | 171 | | 115 | | 118 | | 115 | | 115 |

CIN, COURSE TITLE:E-646-7007, General Shipboard /NAS Weapons Department MaintenanceCOURSE LENGTH:6.0 WeeksTOUR LENGTH:60 MonthsATTRITIONNavy: 10%USMC: 0%BACKOUT FACTOR:0.12

| TRAINING | | ACDU/TAR | CF | Y02 | F | Y03 | F | Y04 | FY | 05 | FY | 06 |
|------------|--------------|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ACTIVITY | SOURCE | SELRES | OFF | ENL |
| MTU-4033 N | IAMTRAU, Noi | th Island | | | | | | | | | | |
| | NAVY | ACDU | | 73 | | 72 | | 68 | | 68 | | 68 |
| | | SELRES | | 1 | | 1 | | 1 | | 1 | | 1 |
| MTU-4035 N | IAMTRAU, Wh | idbey Island | | | | | | | | | | |
| | NAVY | ACDU | | 33 | | 33 | | 33 | | 33 | | 33 |
| | | TOTAL: | | 107 | | 106 | | 102 | | 102 | | 102 |

CIN, COURSE TITLE: M-646-7026, Aircraft Ordnance Intermediate Maintenance

COURSE LENGTH:11.0 WeeksTOUR LENGTH:36 MonthsATTRITIONNavy: 0%USMC: 0%BACKOUT FACTOR:0.22

| TRAINING | | ACDU/TAR | CF | Y02 | F۱ | /03 | F' | Y04 | FY | 05 | FY | ′06 |
|------------|------------|-------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| ACTIVITY | SOURCE | SELRES | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL |
| MTU-4034 N | IAMTRA MAR | RUNIT, MCAS Cherr | y Point | | | | | | | | | |
| | USMC | USMC | | 220 | | 220 | | 220 | | 220 | | 220 |
| | | AR | | 6 | | 6 | | 6 | | 6 | | 6 |
| | | SMCR | | 9 | | 9 | | 9 | | 9 | | 9 |
| | | TOTAL: | | 235 | | 235 | | 235 | | 235 | | 235 |

PART III - TRAINING REQUIREMENTS

The following elements are not affected by the AGM-84H SLAM-ER Missile and, therefore, are not included in Part III of this NTSP:

III.A.1. Initial Training Requirements

III.A.2. Follow-on Training

III.A.2.b. Planned Courses

III.A.2.c. Unique Courses

III.A.3. Existing Training Phased Out

PART III - TRAINING REQUIREMENTS

III.A. TRAINING COURSE REQUIREMENTS

III.A.2. FOLLOW-ON TRAINING

III.A.2.a. EXISTING COURSES

CIN, COURSE TITLE: D-646-7007, General Shipboard/NAS Weapons Department AVORD Maintenance

TRAINING ACTIVITY: MTU-4030

LOCATION, UIC: NAMTRAGRU DET Mayport, 66069

SOURCE: NAVY **STUDENT CATEGORY**: ACDU - TAR

| CF. | Y02 | F\ | Y03 | F' | Y04 | F' | Y05 | FY06 | | |
|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------------|
| OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 15 | | 15 | | 15 | | 15 | | 15 | ATIR |
| | 14 | | 14 | | 14 | | 14 | | 14 | Output |
| | 1.9 | | 1.9 | | 1.9 | | 1.9 | | 1.9 | AOB |
| | 1.9 | | 1.9 | | 1.9 | | 1.9 | | 1.9 | Chargeable |

SOURCE: NAVY **STUDENT CATEGORY**: SELRES

| CFY02 | 2 | FY0 | 3 | F' | Y04 | F' | / 05 | FY06 | | |
|-------|------|------|-----|-----|-----|-----|-------------|------|-----|------------|
| OFF E | NL O | FF E | NL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 1 | | 1 | | 1 | | 1 | | 1 | ATIR |
| | 1 | | 1 | | 1 | | 1 | | 1 | Output |
| | 0.1 | | 0.1 | | 0.1 | | 0.1 | | 0.1 | AOB |
| | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | Chargeable |

TRAINING ACTIVITY: MTU-4032

LOCATION, UIC: NAMTRAU Norfolk, 66046

SOURCE: NAVY **STUDENT CATEGORY**: ACDU - TAR

| CF. | Y02 | F' | Y03 | F | Y04 | F' | Y05 | FY06 | | |
|-----|------|-----|------|-----|------|-----|------|------|------|------------|
| OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 89 | | 151 | | 95 | | 98 | | 95 | ATIR |
| | 136 | | 86 | | 88 | | 86 | | 86 | Output |
| | 19.3 | | 12.1 | | 12.5 | | 12.1 | | 12.1 | AOB |
| | 19.3 | | 12.1 | | 12.5 | | 12.1 | | 12.1 | Chargeable |

SOURCE: NAVY **STUDENT CATEGORY**: SELRES

| CF' | Y02 | F۱ | Y03 | F' | Y04 | F' | Y05 | FY06 | | |
|-----|-----|-----|-----|-----|-----|-----|-----|---------|-----|------------|
| OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF ENL | | |
| | 4 | | 4 | | 4 | | 4 | | 4 | ATIR |
| | 4 | | 4 | | 4 | | 4 | | 4 | Output |
| | 0.5 | | 0.5 | | 0.5 | | 0.5 | | 0.5 | AOB |
| | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | Chargeable |

III.A.2.a. EXISTING COURSES

CIN, COURSE TITLE: E-646-7007, General Shipboard /NAS Weapons Department Maintenance

TRAINING ACTIVITY: MTU-4033

LOCATION, UIC: NAMTRAU North Island, 66065

SOURCE: NAVY **STUDENT CATEGORY**: ACDU - TAR

| CF. | Y02 | F۱ | Y03 | F' | Y04 | F' | Y05 | FY06 | | |
|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------------|
| OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 73 | | 72 | | 68 | | 68 | | 68 | ATIR |
| | 66 | | 65 | | 61 | | 61 | | 61 | Output |
| | 8.0 | | 7.9 | | 7.4 | | 7.4 | | 7.4 | AOB |
| | 8.0 | | 7.9 | | 7.4 | | 7.4 | | 7.4 | Chargeable |

SOURCE: NAVY **STUDENT CATEGORY**: SELRES

| | FY06 | FY05 | FY04 | FY03 | CFY02 |
|------------|---------|---------|---------|---------|---------|
| | OFF ENL |
| ATIR | 1 | 1 | 1 | 1 | 1 |
| Output | 1 | 1 | 1 | 1 | 1 |
| AOB | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| Chargeable | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

TRAINING ACTIVITY: MTU-4035

LOCATION, UIC: NAMTRAU Whidbey Island, 66058

SOURCE: NAVY **STUDENT CATEGORY**: ACDU - TAR

| CFY02 | 2 | FY03 | | F' | Y04 | FY05 | | FY06 | | |
|-------|-----|------|-----|-----|-----|------|-----|------|-----|------------|
| OFF E | NL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 33 | | 33 | | 33 | | 33 | | 33 | ATIR |
| | 30 | | 30 | | 30 | | 30 | | 30 | Output |
| | 3.6 | | 3.6 | | 3.6 | | 3.6 | | 3.6 | AOB |
| | 3.6 | | 3.6 | | 3.6 | | 3.6 | | 3.6 | Chargeable |

CIN, COURSE TITLE: M-646-7026, Aircraft Ordnance Intermediate Maintenance

TRAINING ACTIVITY: MTU-4034 NAMTRA MARU **LOCATION, UIC:** MCAS Cherry Point, 45483

SOURCE: USMC **STUDENT CATEGORY**: USMC - AR

| CF' | Y02 | F | Y03 | F` | Y04 | F' | Y05 | FY | 06 | |
|-----|------|-----|------|-----|------|-----|------|-----|------|------------|
| OFF | ENL | |
| | 226 | | 226 | | 226 | | 226 | | 226 | ATIR |
| | 226 | | 226 | | 226 | | 226 | | 226 | Output |
| | 47.7 | | 47.7 | | 47.7 | | 47.7 | | 47.7 | AOB |
| | 47.7 | | 47.7 | | 47.7 | | 47.7 | | 47.7 | Chargeable |

III.A.2.a. EXISTING COURSES

SOURCE: USMC STUDENT CATEGORY: SMCR

| CF | Y02 | F۱ | Y03 | F' | Y04 | F' | Y05 | FY06 | | |
|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------------|
| OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | OFF | ENL | |
| | 9 | | 9 | | 9 | | 9 | | 9 | ATIR |
| | 9 | | 9 | | 9 | | 9 | | 9 | Output |
| | 1.9 | | 1.9 | | 1.9 | | 1.9 | | 1.9 | AOB |
| | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | Chargeable |

PART IV - TRAINING LOGISTICS SUPPORT REQUIREMENTS

The following elements are not affected by the AGM-84H SLAM-ER Missile and, therefore, are not included in this NTSP.

IV.B. Courseware Requirements

IV.B.1 Training Services

IV.C. Facility Requirements

- IV.C.1 Facility Requirements Summary (Space/Support) by Activity
- IV.C.2 Facility Requirements Detailed by Activity by Course
- IV.C.3 Facility Project Summary by Program

Note: This section was tailored to show all training equipment and locations required through out the fleet to train on the AGM-84H SLAM-ER Missile.

IV.A.2. TTE/GPTE/SPTE/ST/GPETE/SPETE

TRAINING ACTIVITY: NATTC

LOCATION, UIC: NAS Pensacola, 63082

CIN, COURSE TITLE: C-646-2011A, Aviation Ordnanceman Common Core Class A1

C-646-2012A, Aviation Ordnanceman Navy Difference Strand Class A1

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|-------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 001 | Container, CNU-595/E | | 1 | | GFE | On Board |
| 002 | Nose Cover Assembly, N/A | | 1 | | GFE | On Board |
| 003 | ADP Cover, N/A | | 1 | | GFE | On Board |
| 004 | Data Link Antenna Cover, TBD | | 1 | | GFE | On Board |
| 005 | Transport Adapters, ADU-801/E | | 1 | | GFE | On Board |

TRAINING ACTIVITY: SFWSP

LOCATION, UIC: NAS Lemoore, 35185

CIN, COURSE TITLE: E-646-0640, F/A-18 Conventional Weapons Loading

E-646-0647, F/A-18 Conventional Release System Test

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|-----------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 005 | Transport Adapters, ADU-801/E | | 1 | | GFE | On Board |
| 006 | TAMPS (Tactical Automated Mission | | 1 | | GFE | On Board |
| | Planning System), DTC-2 | | | | | |
| 007 | Interface Test Set, AN/AWM-96A | | 1 | | GFE | On Board |

IV.A.2. TTE/GPTE/SPTE/ST/GPETE/SPETE

TRAINING ACTIVITY: SFWSL

LOCATION, UIC: NAS Lemoore, 47084

CIN, COURSE TITLE: D-646-0640, F/A-18 Conventional Weapons Loading

D-646-0647, F/A-18 Conventional Release System Test

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|-----------------------------------|-------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 005 | Transport Adapters, ADU-801/E | | 1 | | GFE | On Board |
| 006 | TAMPS (Tactical Automated Mission | | 1 | | GFE | On Board |
| | Planning System), DTC-2 | | | | | |
| 007 | Interface Test Set, AN/AWM-96A | | 1 | | GFE | On Board |

TRAINING ACTIVITY: MTU-4030

LOCATION, UIC: NAMTRAGRU DET Mayport, 66069

CIN, COURSE TITLE: D-646-7007, General Shipboard/NAS Weapons Department AVORD Maintenance

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|--------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 001 | MK 51 MOD 1 | | 1 | | GFE | On Board |
| 002 | Adapter 405/E | | 1 | | GFE | On Board |
| 003 | Adapter AERO 58A | | 1 | | GFE | On Board |
| 004 | MHU-191, Weapon Skid | | 1 | | GFE | On Board |
| 005 | CNU-595E (with wings and fins) | | 1 | | GFE | On Board |
| 006 | ADU-801/E Adapter | | 1 | | GFE | On Board |
| 007 | Nose Cover Assembly | | 1 | | GFE | On Board |
| 800 | Aft Cover | | 1 | | GFE | On Board |
| 009 | Safety Pins | | 2 | | GFE | On Board |
| 010 | Probe Cover | | 1 | | GFE | On Board |
| 011 | Foam Cover | | 1 | | GFE | On Board |

TRAINING ACTIVITY: MTU-4032

LOCATION, UIC: NAMTRAU Norfolk, 66046

CIN, COURSE TITLE: D-646-7007, General Shipboard/NAS Weapons Department AVORD Maintenance

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|--------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 001 | MK 51 MOD 1 | | 1 | | GFE | On Board |
| 002 | Adapter 405/E | | 1 | | GFE | On Board |
| 003 | Adapter AERO 58A | | 1 | | GFE | On Board |
| 004 | MHU-191, Weapon Skid | | 1 | | GFE | On Board |
| 005 | CNU-595E (with wings and fins) | | 1 | | GFE | On Board |
| 006 | ADU-801/E Adapter | | 1 | | GFE | On Board |
| 007 | Nose Cover Assembly | | 1 | | GFE | On Board |
| 800 | Aft Cover | | 1 | | GFE | On Board |
| 009 | Safety Pins | | 2 | | GFE | On Board |
| 010 | Probe Cover | | 1 | | GFE | On Board |
| 011 | Foam Cover | | 1 | | GFE | On Board |

TRAINING ACTIVITY: MTU-4033

LOCATION, UIC: NAMTRAU North Island, 66065

CIN, COURSE TITLE: E-646-7007, General Shipboard/NAS Weapons Department AVORD Maintenance

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|--------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 001 | MK 51 MOD 1 | | 1 | | GFE | On Board |
| 002 | Adapter 405/E | | 1 | | GFE | On Board |
| 003 | Adapter AERO 58A | | 1 | | GFE | On Board |
| 004 | MHU-191, Weapon Skid | | 1 | | GFE | On Board |
| 005 | CNU-595E (with wings and fins) | | 1 | | GFE | On Board |
| 006 | ADU-801/E Adapter | | 1 | | GFE | On Board |
| 007 | Nose Cover Assembly | | 1 | | GFE | On Board |
| 800 | Aft Cover | | 1 | | GFE | On Board |
| 009 | Safety Pins | | 2 | | GFE | On Board |
| 010 | Probe Cover | | 1 | | GFE | On Board |
| 011 | Foam Cover | | 1 | | GFE | On Board |

TRAINING ACTIVITY: MTU-4035

LOCATION, UIC:

NAMTRAU Whidbey Island, 66058 E-646-7007, General Shipboard/NAS Weapons Department AVORD Maintenance CIN, COURSE TITLE:

| item <u>Number</u> | <u>EQUIPMENT</u> | TYPE OR RANGE OF REPAIR PARTS | QTY <u>REQD</u> | DATE <u>REQD</u> | GFE <u>CFE</u> | <u>STATUS</u> |
|-----------------------|--------------------------------|----------------------------------|--------------------|---------------------|-------------------|---------------|
| TTE | | | | | | |
| 001 | MK 51 MOD 1 | | 1 | | GFE | On Board |
| 002 | Adapter 405/E | | 1 | | GFE | On Board |
| 003 | Adapter AERO 58A | | 1 | | GFE | On Board |
| 004 | MHU-191, Weapon Skid | | 1 | | GFE | On Board |
| 005 | CNU-595E (with wings and fins) | | 1 | | GFE | On Board |
| 006 | ADU-801/E Adapter | | 1 | | GFE | On Board |
| 007 | Nose Cover Assembly | | 1 | | GFE | On Board |
| 800 | Aft Cover | | 1 | | GFE | On Board |
| 009 | Safety Pins | | 2 | | GFE | On Board |
| 010 | Probe Cover | | 1 | | GFE | On Board |
| 011 | Foam Cover | | 1 | | GFE | On Board |

IV.A.2. TRAINING DEVICES

DEVICE: Captive Air Training Missile, CATM-84K

DESCRIPTION OF DEVICE: The CATM-84H is an inert, captive flight training missile that permits practice of aircrew pre-launch

employment procedures.

MANUFACTURER: NA
CONTRACT NUMBER: NA
TEE STATUS: NA

| TRAINING ACTIVITY LOCATION, UIC | QTY <u>REQD</u> | DATE <u>REQD</u> | RFT <u>DATE</u> | <u>STATUS</u> | COURSES SUPPORTED |
|------------------------------------|--------------------|---------------------|--------------------|---------------|---|
| VFA-106/NAS Oceana/09679 | 1 | | | On Board | D-2A-0601, D-2A-0602 D-2A-0604, D-2A-0606 |
| VFA-125/NAS Lemoore/65559 | 1 | | | On Board | E-2A-0601, E-2A-0602 E-2A-0603, E-2A-0604 E-2A-0606 |
| NSWC IHD MD/30446 | 1 | | | On Board | Pipeline Spare |
| CV POOL LANT | 6 | | | On Board | Load/Handling and Capt. Flight |
| CV POOL PAC | 6 | | | On Board | Load/Handling and Capt. Flight |
| TOTAL · | 15 | | | | - |

IV.A.2. TRAINING DEVICES

DEVICE: Dummy Air Training Missile, DATM-84H

DESCRIPTION OF DEVICE: The DATM is physically representative of the AGM-84H. It is a training device to facilitate

instruction and familiarization for transporting, handling, loading, and visual inspection procedures for organizational- and intermediate (Fleet)-level training purposes. The DATM is not certified for flight, and is designed for ground training use only. The CATM-AGM-84H is a suitable

replacement for the DATM-84H requirement.

MANUFACTURER: NA
CONTRACT NUMBER: NA
TEE STATUS: NA

| TRAINING ACTIVITY LOCATION, UIC | QTY <u>REQD</u> | DATE <u>REQD</u> | RFT <u>DATE</u> | <u>STATUS</u> | COURSES SUPPORTED |
|---|--------------------|---------------------|--------------------|---------------|---------------------------------------|
| SFWSP/NAS Lemoore/35185 | 1 | | | On Board | E-646-0640, E-646-0647 |
| SFWSL/NAS Oceana/47084 | 1 | | | On Board | D-646-0640, D-646-0647 |
| NATTC NAS Pensacola, 63082 | 1 | | | On Board | C-122-3111A, C-646-4108 C-646-4109 |
| MTU 4030 NAMTRAGRU DET Mayport/66069 | 1 | | | On Board | C-122-3111A, C-646-4108 C-646-4109 |
| MTU 4032 NAMTRAU Norfolk/66046 | 1 | | | On Board | C-122-3111A, C-646-4108 C-646-4109 |
| MTU 4033 NAMTRAU North Island/66065 | 1 | | | On Board | C-122-3111A, C-646-4108 C-646-4109 |
| MTU-4035 NAMTRAU Whidbey Island, 66058 | 1 | | | On Board | C-122-3111A, C-646-4108 C-646-4109 |
| TOTAL: | 7 | | | | |

IV.A.2. TRAINING DEVICES

DEVICE: Practical Explosive Ordnance Disposal System Trainer (PEST)

DESCRIPTION OF DEVICE: The basic performance requirements for a PEST are: 1) to replicate the external features of

tactical missile for visual identification purposes; 2) to possess the same weight and center of gravity as the tactical missile for handling realism; 3) to contain inert explosive train components; and 4) to disassemble identically to the tactical missile (where applicable) in order to practice Render Safe Procedures (RSP). An AGM-84H PEST was never developed nor procured, however, practical training requirements for AGM-84H are currently met through the use of inert

tactical missiles and/or components.

MANUFACTURER: NA
CONTRACT NUMBER: NA
TEE STATUS: NA

| TRAINING ACTIVITY LOCATION, UIC | QTY <u>REQD</u> | DATE <u>REQD</u> | RFT <u>DATE</u> | <u>STATUS</u> | COURSES SUPPORTED |
|--|--------------------|---------------------|--------------------|---------------|--------------------------|
| NAVSCOLEOD Eglin AFB, 62640 | 1 | | | On Board | A-431-0011 A-431-0012 |
| EODTEU ONE NAS Barbers Point, 30202 | 1 | | | On Board | G-431-0001 |
| EODTEU TWO Fort Story, 43505 | 1 | | | On Board | G-431-0001 |

DEVICE: Classroom Explosive Ordnance Disposal System Trainer (CEST)

DESCRIPTION OF DEVICE: The basic performance requirements for a CEST are: 1) to replicate the external features of

tactical missile for visual identification purposes; 2) to contain inert explosive train components; and 3) to provide cut-away areas in its exterior in order to view the inert explosive train components for teaching RSPs. An AGM-84H CEST was never developed nor procured; however, classroom training requirements for AGM-84H are currently supported through the use of inert tactical missiles and/or components that have been modified (cut-away) to view internal,

inert explosive components.

MANUFACTURER: NA
CONTRACT NUMBER: NA
TEE STATUS: NA

TRAINING ACTIVITY OTY COURSES DATE RFT LOCATION, UIC REQD REQD **STATUS SUPPORTED** DATE 1 On Board A-431-0011 **NAVSCOLEOD** A-431-0012 Eglin AFB, 62640

AGM-84K data is integrated within applicable existing follow-on courses. There are no stand-alone AGM-84K courses.

TRAINING ACTIVITY: VFA-106

LOCATION, UIC: NAS Oceana, 09679

CIN, COURSE TITLE: D-2A-0601, F/A-18 Fleet Replacement Pilot Cat 1

D-2A-0602, F/A-18 Fleet Replacement Pilot Cat 2A D-2A-0604, F/A-18 Fleet Replacement Pilot Cat 3A D-2A-0606, F/A-18 Fleet Replacement Pilot Cat 4

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSSFTS AGM-84K Brief1 SetOn Board

TRAINING ACTIVITY: VFA-125

LOCATION, UIC: NAS Lemoore, 09485

CIN, COURSE TITLE: E-2A-0601, F/A-18 Fleet Replacement Pilot Cat 1

E-2A-0602, F/A-18 Fleet Replacement Pilot Cat 2A E-2A-0604, F/A-18 Fleet Replacement Pilot Cat 3A E-2A-0606, F/A-18 Fleet Replacement Pilot Cat 4

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSSFTS AGM-84K Brief1 SetOn Board

TRAINING ACTIVITY: Strike Fighter Weapons School Atlantic

LOCATION, UIC: NAS Oceana, 40784

CIN, COURSE TITLE: Strike Fighter Advanced Readiness Program (SFARP)

Strike Fighter Weapons Employment (SFWE)

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSSFTS AGM-84K Brief1 SetOn Board

TRAINING ACTIVITY: Strike Fighter Weapons School Pacific

LOCATION, UIC: NAS Lemoore, 35185

CIN, COURSE TITLE: Strike Fighter Advanced Readiness Program (SFARP)

Strike Fighter Weapons Employment (SFWE)

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSSFTS AGM-84K Brief1 SetOn Board

TRAINING ACTIVITY: Naval Strike and Air Warfare Center N7 (Topgun)

LOCATION, UIC: NAS Fallon, 69190

CIN, COURSE TITLE: Strike Fighter Training Program (SFTP)

Strike Fighter Tactics Instructor (SFTI) Strike Fighter Weapons and Tactics (SFWT)

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSSFTS AGM-84K Brief1 SetOn Board

TRAINING ACTIVITY: NATTC

LOCATION, UIC: NAS Pensacola, 63082

CIN, COURSE TITLE: C-646-2011, Aviation Ordnance Common Core Class A1

C-646-2012, Aviation Ordnance Airwing Strand Class A1

C-646-2013, Aviation Ordnance Weapons Department Strand Class A1

QTY DATE

TYPE OF MATERIAL OR AID

AGM-84H Training Package

REQD

1 Set

On Board

TRAINING ACTIVITY: Strike Fighter Weapons School Atlantic

LOCATION, UIC: NAS Oceana, 47084

CIN, COURSE TITLE: D-646-0640, F/A-18 Conventional Weapons Loading

D-646-0647, F/A-18 Conventional Release System Test

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: Strike Fighter Weapons School Pacific

LOCATION, UIC: NAS Lemoore, 35185

CIN, COURSE TITLE: E-646-0640, F/A-18 Conventional Weapons Loading

E-646-0647, F/A-18 Conventional Release System Test

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: MTU 4030

LOCATION, UIC: NAMTRAGRU DET Mayport, 66069

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missiles Intermediate Maintenance

TYPE OF MATERIAL OR AID QTY DATE

REQD REQD

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: MTU 4032

LOCATION, UIC: NAMTRAU Norfolk, 66046

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missiles Intermediate Maintenance

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: MTU 4033

LOCATION, UIC: NAMTRAU North Island, 66065

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missiles Intermediate Maintenance

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: MTU 4035

LOCATION, UIC: NAMTRAU Whidbey Island, 66058

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missiles Intermediate Maintenance

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H Training Package1 SetOn Board

TRAINING ACTIVITY: NAVSCOLEOD **LOCATION, UIC:** Eglin AFB, 62640

CIN, COURSE TITLE: A-431-0011, EOD Phase II (Navy)

A-431-0012, EOD Phase II

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H RSP Data1 SetOn Board

TRAINING ACTIVITY: EODTEU ONE

LOCATION, UIC: NAS Barbers Point, 30202

CIN, COURSE TITLE: G-431-0001, EOD Pre-deployment Team Training

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H RSP Data1 SetOn Board

TRAINING ACTIVITY: EODTEU TWO **LOCATION, UIC:** Fort Story, 43505

CIN, COURSE TITLE: G-431-0001, EOD Pre-deployment Team Training

QTY DATE

TYPE OF MATERIAL OR AIDREQDREQDSTATUSAGM-84H RSP Data1 SetOn Board

TRAINING ACTIVITY: VFA-106

LOCATION, UIC: NAS Oceana, 09679

CIN, COURSE TITLE: D-2A-0601, F/A-18 Fleet Replacement Pilot Cat 1

D-2A-0602, F/A-18 Fleet Replacement Pilot Cat 2A D-2A-0604, F/A-18 Fleet Replacement Pilot Cat 3A D-2A-0606, F/A-18 Fleet Replacement Pilot Cat 4

| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | QTY <u>REQD</u> | DATE <u>REQD</u> | <u>STATUS</u> |
|--|---------------|--------------------|---------------------|---------------|
| NATOPS Flight Manual Navy Model F/A-18A/B/C/D, A1-F18AC-NFM-000 | Hard copy | 6 | | On board |
| NATOPS Pocket Checklist, A1-F18AC-NFM-500 | Hard copy | 6 | | On board |
| Tactical Manual, A1-F18AC-TAC-000 | Hard copy | 6 | | On board |
| Tactical Manual Pocket Guide, A1-F18AC-TAC-300 | Hard copy | 6 | | On board |
| Airborne Weapons/Stores Loading Manual, A1-F18AE-LWS-000 | Hard copy | 6 | | On Board |

TRAINING ACTIVITY: VFA-125

LOCATION, UIC: NAS Lemoore, 65559

CIN, COURSE TITLE: E-2A-0601, F/A-18 Fleet Replacement Pilot Cat 1

E-2A-0602, F/A-18 Fleet Replacement Pilot Cat 2A E-2A-0603, F/A-18 Fleet Replacement Pilot Cat 2F E-2A-0604, F/A-18 Fleet Replacement Pilot Cat 3A E-2A-0605, F/A-18 Fleet Replacement Pilot Cat 2H E-2A-0606, F/A-18 Fleet Replacement Pilot Cat 4

| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | QTY <u>REQD</u> | DATE <u>REQD</u> | <u>STATUS</u> |
|--|---------------|--------------------|---------------------|---------------|
| NATOPS Flight Manual Navy Model F/A-18A/B/C/D, A1-F18AC-NFM-000 | Hard copy | 6 | | On board |
| NATOPS Pocket Checklist, A1-F18AC-NFM-500 | Hard copy | 6 | | On board |
| Tactical Manual, A1-F18AC-TAC-000 | Hard copy | 6 | | On board |
| Tactical Manual Pocket Guide, A1-F18AC-TAC-300 | Hard copy | 6 | | On board |
| Airborne Weapons/Stores Loading Manual, A1-F18AE-LWS-000 | Hard copy | 6 | | On Board |

TRAINING ACTIVITY: NATTC

LOCATION, UIC: NAS Pensacola, 63082 CIN, COURSE TITLE: C-646-2010, AO A1 School

| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | QTY <u>REQD</u> | DATE <u>REQD</u> | <u>STATUS</u> |
|--|---------------|--------------------|---------------------|---------------|
| Approved Handling Equipment for Weapons & Explosives Vol. 1, 2, NAVSEA OP-2173 | Hard copy | 8 | | On board |
| F-18 Aircraft Airborne Weapons Stores Loading Manual, A1-F18AC-LWS-000 | Hard copy | 8 | | On board |
| Airborne Weapons Packaging/Handling/Storage Shipboard Vol. 2, NA 11-120A-1.2 | Hard copy | 8 | | On board |
| Airborne Weapons/Stores Checklist Transporting and Loading Equipment Configuration (Shipboard), NA 19-95-1 | Hard copy | 8 | | On board |
| Airborne Weapons/Stores Checklist Transporting and Loading Equipment Configuration (Shore Based), NA 19-95-3 | Hard copy | 8 | | On board |
| USN Handling Equipment Afloat, NA 19-100-2 | Hard copy | 8 | | On board |
| Ammunition and Explosives - Afloat, NAVSEA OP-4 | Hard copy | 8 | | On board |
| Ammunition and Explosives - Ashore, NAVSEA OP-5 | Hard copy | 8 | | On board |

TRAINING ACTIVITY: Strike Fighter Weapons School Pacific (SFWSP)

LOCATION, UIC: NAS Lemoore, 35185

CIN, COURSE TITLE: E-646-0640, F/A-18 Weapons Release and Loading

| TECHNICAL MANUAL TITLE, NUMBER | MEDIUM | REQD | REQD | <u>STATUS</u> |
|---|-----------|------|------|---------------|
| F/A-18 Aircraft Airborne Weapons/Stores Loading Manual, | Hard copy | 8 | | On board |

A1-F18AC-LWS-000

TRAINING ACTIVITY: Strike Fighter Weapons School Atlantic (SFWSL)

LOCATION, UIC: NAS Oceana, 47084

CIN, COURSE TITLE: E-646-0647, F/A-18 Conventional Weapons Release Systems Test

| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | REQD | REQD | <u>STATUS</u> |
|---|---------------|------|------|---------------|
| F/A-18 Aircraft Airborne Weapons/Stores Loading | Hard copy | 8 | | On board |

Manual,

A1-F18AC-LWS-000

TRAINING ACTIVITY: Strike Fighter Weapons School Atlantic (SFWSL)

LOCATION, UIC: NAS Oceana, 47084

CIN, COURSE TITLE: D-646-0640, F/A-18 Weapons Release and Loading

D-646-0647, F/A-18 Conventional Weapons Release System Test

TECHNICAL MANUAL TITLE, NUMBER

MEDIUM

P/A-18 Aircraft Airborne Weapons/Stores Loading

MEDIUM

PAREQD

NEQD

STATUS

On board

Manual,

A1-F18AC-LWS-000

Frequency Hazards to Ordnance, Personnel, and Fuel

TRAINING ACTIVITY: MTU 4030

LOCATION, UIC: NAMTRAGRU DET Mayport, 66069

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missile "I" Maintenance

C-646-4108, Weapons Dept Air Launched Weapons Supervisors C-646-4109, Weapons Dept Air Launched Weapons General Ordnance

DATE OTY TECHNICAL MANUAL TITLE, NUMBER **MEDIUM** REQD REQD **STATUS** OPNAVINST 8000.16, Naval Ordnance Maintenance Hard copy 12 On board Management Program (NOMMP) NAVSEA OP 4, Ammunition Afloat On board Hard copy 12 NAVSEA OP 5 Volume 1 & 3. Hard copy 12 On board Ammunition/Explosive Ashore NAVSEA SW020-AC-SAF-010/020/030, 12 On board Hard copy Transportation and Stowage Data for Ammunition. Explosives and Related Hazardous Material AW-820HN-MIB-000, Organizational Level Hard copy 12 On board Maintenance with Illustrated Parts Breakdown (IPB), Harpoon Missile, SLAM, SLAM-ER, Air Launched Configuration NAVAIR 11-140-25, Airborne Weapon Support Hard copy 12 On board Equipment Configuration Manual, Organizational and Intermediate Maintenance Activities NAVAIR 11-120-51, Ship Weapons Installation Manual Hard copy 12 On board (SWIM) NAVAIR 11-140-6.2. Air Launched Guided Missiles Hard copy 12 On board and Selected Vehicles, Volume 2, Air to Ground Missiles, Tactical Organizational and Intermediate Level Maintenance Activities NAVAIR 11-140-6.3. Air Launched Guided Missiles Hard copy 12 On board and Selected Vehicles, Volume 3, Training Missiles Air to Ground Missiles, Tactical Organizational and Intermediate Level Maintenance Activities MIL-HDBK-236N, Index of Standards of Palletizing, Hard copy 12 On board Truck Loading, Rail Car Loading and Container Loading of Hazardous Materials TW010-AC-ORD-010, Inspection Requirements for On board Hard copy 12 Receipt, Segregation, Storage, and Issue of Navy and Marine Corps Ammunition TW010-AC-ORD-020, Navy Ammunition Stock, Hard copy 12 On board Catalog Data Supplement TW010-AC-ORD-030, Navy Ammunition Logistics Hard copy 12 On board Code NAVORD OP 3565/NAVAIR 16-1529, Radio 12 On board

Hard copy

TRAINING ACTIVITY: MTU 4032

LOCATION, UIC: NAMTRAU Norfolk, 66046

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missile "I" Maintenance

C-646-4108, Weapons Dept Air Launched Weapons Supervisors

C-646-4109, Weapons Dept Air Launched Weapons General Ordnance

| | | QTY | DATE | |
|--|---------------|-------------|-------------|---------------|
| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | <u>REQD</u> | <u>REQD</u> | <u>Status</u> |
| OPNAVINST 8000.16, Naval Ordnance Maintenance Management Program (NOMMP) | Hard copy | 12 | | On board |
| NAVSEA OP 4, Ammunitions and Explosives Afloat | Hard copy | 12 | | On board |
| NAVSEA OP 5 Volume 1 & 3, | Hard copy | 12 | | On board |
| Ammunition/Explosive Ashore | | | | |
| NAVSEA SW020-AC-SAF-010/020/030, | Hard copy | 12 | | On board |
| Transportation and Stowage Data for Ammunition, | | | | |
| Explosives and Related Hazardous Material AW-820HN-MIB-000, Organizational Level | | 40 | | 0 1 1 |
| Maintenance with Illustrated Parts Breakdown (IPB), | Hard copy | 12 | | On board |
| Harpoon Missile, SLAM, SLAM-ER, Air Launched | | | | |
| Configuration | | | | |
| NAVAIR 11-140-25, Airborne Weapon Support | Hard copy | 12 | | On board |
| Equipment Configuration Manual, Organizational and | 13 | | | |
| Intermediate Maintenance Activities | | | | |
| NAVAIR 11-120-51, Ship Weapons Installation Manual | Hard copy | 12 | | On board |
| (SWIM) NAVAIR 11-140-6.2, Air Launched Guided Missiles | | 40 | | 0 1 1 |
| and Selected Vehicles, Volume 2, Air to Ground | Hard copy | 12 | | On board |
| Missiles, Tactical Organizational and Intermediate | | | | |
| Level Maintenance Activities | | | | |
| NAVAIR 11-140-6.3, Air Launched Guided Missiles | Hard copy | 12 | | On board |
| and Selected Vehicles, Volume 3, Training Missiles Air | | | | |
| to Ground Missiles, Tactical Organizational and | | | | |
| Intermediate Level Maintenance Activities | | | | |
| MIL-HDBK-236N, Index of Standards of Palletizing, Truck Loading, Rail Car Loading and Container | Hard copy | 12 | | On board |
| Loading of Hazardous Materials | | | | |
| TW010-AC-ORD-010, Inspection Requirements for | Hard copy | 12 | | On board |
| Receipt, Segregation, Storage, and Issue of Navy and | паги сору | 12 | | On board |
| Marine Corps Ammunition | | | | |
| TW010-AC-ORD-020, Navy Ammunition Stock, | Hard copy | 12 | | On board |
| Catalog Data Supplement | . 5 | | | |
| TW010-AC-ORD-030, Navy Ammunition Logistics | Hard copy | 12 | | On board |
| Code NAVORD OP 3565/NAVAIR 16-1529, Radio | | 40 | | 0 1 |
| Frequency Hazards to Ordnance, Personnel, and Fuel | Hard copy | 12 | | On board |
| 1 10440110) Hazardo to Ordinarioo, i ordonirioi, and i dei | | | | |

TRAINING ACTIVITY: MTU 4033

LOCATION, UIC: NAMTRAU North Island, 66065

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missile "I" Maintenance

C-646-4108, Weapons Dept Air Launched Weapons Supervisors

C-646-4109, Weapons Dept Air Launched Weapons General Ordnance

| | | QTY | DATE | |
|--|---------------|-------------|-------------|---------------|
| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | <u>REQD</u> | <u>REQD</u> | <u>Status</u> |
| OPNAVINST 8000.16, Naval Ordnance Maintenance Management Program (NOMMP) | Hard copy | 12 | | On board |
| NAVSEA OP 4, Ammunitions and Explosives Afloat | Hard copy | 12 | | On board |
| NAVSEA OP 5 Volume 1 & 3, | Hard copy | 12 | | On board |
| Ammunition/Explosive Ashore | | | | |
| NAVSEA SW020-AC-SAF-010/020/030, | Hard copy | 12 | | On board |
| Transportation and Stowage Data for Ammunition, | | | | |
| Explosives and Related Hazardous Material AW-820HN-MIB-000, Organizational Level | | 40 | | 0 1 1 |
| Maintenance with Illustrated Parts Breakdown (IPB), | Hard copy | 12 | | On board |
| Harpoon Missile, SLAM, SLAM-ER, Air Launched | | | | |
| Configuration | | | | |
| NAVAIR 11-140-25, Airborne Weapon Support | Hard copy | 12 | | On board |
| Equipment Configuration Manual, Organizational and | 13 | | | |
| Intermediate Maintenance Activities | | | | |
| NAVAIR 11-120-51, Ship Weapons Installation Manual | Hard copy | 12 | | On board |
| (SWIM) NAVAIR 11-140-6.2, Air Launched Guided Missiles | | 40 | | 0 1 1 |
| and Selected Vehicles, Volume 2, Air to Ground | Hard copy | 12 | | On board |
| Missiles, Tactical Organizational and Intermediate | | | | |
| Level Maintenance Activities | | | | |
| NAVAIR 11-140-6.3, Air Launched Guided Missiles | Hard copy | 12 | | On board |
| and Selected Vehicles, Volume 3, Training Missiles Air | | | | |
| to Ground Missiles, Tactical Organizational and | | | | |
| Intermediate Level Maintenance Activities | | | | |
| MIL-HDBK-236N, Index of Standards of Palletizing, Truck Loading, Rail Car Loading and Container | Hard copy | 12 | | On board |
| Loading of Hazardous Materials | | | | |
| TW010-AC-ORD-010, Inspection Requirements for | Hard copy | 12 | | On board |
| Receipt, Segregation, Storage, and Issue of Navy and | паги сору | 12 | | On board |
| Marine Corps Ammunition | | | | |
| TW010-AC-ORD-020, Navy Ammunition Stock, | Hard copy | 12 | | On board |
| Catalog Data Supplement | . 5 | | | |
| TW010-AC-ORD-030, Navy Ammunition Logistics | Hard copy | 12 | | On board |
| Code NAVORD OP 3565/NAVAIR 16-1529, Radio | | 40 | | 0 1 |
| Frequency Hazards to Ordnance, Personnel, and Fuel | Hard copy | 12 | | On board |
| 1 10440110) Hazardo to Ordinarioo, i ordonirioi, and i dei | | | | |

TRAINING ACTIVITY: MTU 4035

LOCATION, UIC: NAMTRAU Whidbey Island, 66058

CIN, COURSE TITLE: C-122-3111A, Air Launched Guided Missile "I" Maintenance

C-646-4108, Weapons Dept Air Launched Weapons Supervisors C-646-4109, Weapons Dept Air Launched Weapons General Ordnance

DATE OTY TECHNICAL MANUAL TITLE, NUMBER **MEDIUM** REQD REQD **STATUS** OPNAVINST 8000.16, Naval Ordnance Maintenance Hard copy 12 On board Management Program (NOMMP) NAVSEA OP 4, Ammunitions and Explosives Afloat On board Hard copy 12 NAVSEA OP 5 Volume 1 & 3, Hard copy 12 On board Ammunition/Explosive Ashore NAVSEA SW020-AC-SAF-010/020/030, 12 On board Hard copy Transportation and Stowage Data for Ammunition. Explosives and Related Hazardous Material AW-820HN-MIB-000, Organizational Level Hard copy 12 On board Maintenance with Illustrated Parts Breakdown (IPB), Harpoon Missile, SLAM, SLAM-ER, Air Launched Configuration NAVAIR 11-140-25, Airborne Weapon Support Hard copy 12 On board Equipment Configuration Manual, Organizational and Intermediate Maintenance Activities NAVAIR 11-120-51, Ship Weapons Installation Manual Hard copy 12 On board (SWIM) NAVAIR 11-140-6.2. Air Launched Guided Missiles Hard copy 12 On board and Selected Vehicles, Volume 2, Air to Ground Missiles, Tactical Organizational and Intermediate Level Maintenance Activities NAVAIR 11-140-6.3. Air Launched Guided Missiles Hard copy 12 On board and Selected Vehicles, Volume 3, Training Missiles Air to Ground Missiles, Tactical Organizational and Intermediate Level Maintenance Activities MIL-HDBK-236N, Index of Standards of Palletizing, Hard copy 12 On board Truck Loading, Rail Car Loading and Container Loading of Hazardous Materials TW010-AC-ORD-010, Inspection Requirements for On board Hard copy 12 Receipt, Segregation, Storage, and Issue of Navy and Marine Corps Ammunition TW010-AC-ORD-020, Navy Ammunition Stock, Hard copy 12 On board Catalog Data Supplement TW010-AC-ORD-030, Navy Ammunition Logistics Hard copy 12 On board Code NAVORD OP 3565/NAVAIR 16-1529, Radio 12 On board Hard copy Frequency Hazards to Ordnance, Personnel, and Fuel

TRAINING ACTIVITY: NAVSCOLEOD **LOCATION, UIC:** Eglin AFB, 30446

CIN, COURSE TITLE: A-431-0011, EOD Phase II (Navy)

| TECHNICAL MANUAL TITLE, NUMBER | <u>MEDIUM</u> | QTY <u>REQD</u> | DATE <u>REQD</u> | <u>STATUS</u> |
|---|---------------|--------------------|---------------------|---------------|
| NAVSEA OP-5, Ammunitions and Explosives Ashore | Hard copy | 8 | | On board |
| Airborne Weapons/Stores, NA 19-95-3 | Hard copy | 8 | | On board |
| F/A-18 Aircraft Airborne Weapons/Stores Loading Manual, | Hard copy | 8 | | On board |

NA A1-F18AC-LWS-000

TRAINING ACTIVITY: EODTEU ONE

LOCATION, UIC: NAS Barbers Point, 30202

CIN, COURSE TITLE: G-431-0001, EOD Pre-deployment Team Training

G-431-0003, EOD Shore Detachment Training G-431-0005, EOD Mobile Team Training

| TECHNICAL MANUAL TITLE, NUMBER | MEDIUM | QTY <u>REQD</u> | DATE <u>REQD</u> | <u>STATUS</u> |
|---|-----------|--------------------|---------------------|---------------|
| NAVSEA OP-5, Ammunitions and Explosives Ashore | Hard copy | 8 | | On board |
| Airborne Weapons/Stores, NA 19-95-3 | Hard copy | 8 | | On board |
| F/A-18 Aircraft Airborne Weapons/Stores Loading Manual, NA A1-F18AC-LWS-000 | Hard copy | 8 | | On board |

TRAINING ACTIVITY: EODTEU TWO **LOCATION, UIC:** Fort Story, 43505

CIN, COURSE TITLE: G-431-0001, EOD Pre-deployment Team Training

G-431-0003, EOD Shore Detachment Training G-431-0005, EOD Mobile Team Training

QTY DATE TECHNICAL MANUAL TITLE, NUMBER **MEDIUM** REQD REQD **STATUS** NAVSEA OP-5, Ammunitions and Explosives Ashore 8 Hard copy On board 8 On board Airborne Weapons/Stores, Hard copy NA 19-95-3 F/A-18 Aircraft Airborne Weapons/Stores Loading Hard copy 8 On board Manual,

NA A1-F18AC-LWS-000

PART V - MPT MILESTONES

| COG CODE | MPT MILESTONES | DATE | STATUS |
|------------|---|----------|-----------|
| PDA | Analyzed MPT requirements | FY 94 | Completed |
| PDA | Production Contract Awarded (N00019-95-C-0121) | Mar 95 | Completed |
| PDA | Promulgated Draft NTP for Review | Jan 96 | Completed |
| ACNO (MPT) | Approved and Promulgated NTP | May 96 | Completed |
| TSA | Awarded Factory Training and Curriculum Material Contract | FY96 | Completed |
| PDA | Promulgated ILS Master Plan | FY98 | Completed |
| DA | Achieved Material Support Date | June 99 | Completed |
| TSA | Began Initial Training | July 99 | Completed |
| ACNO (MPT) | Developed Update NTSP | FY99 | Completed |
| PDA | Promulgated Draft NTSP for Review | Jan 00 | Completed |
| DA | Achieved Initial Operating Capability | April 00 | Completed |
| PDA | Submitted Proposed NTSP to OPNAV | FY00 | Completed |
| ACNO (MPT) | Approved Updated NTSP | FY00 | Completed |
| PDA | Update NTSP to Draft for Fleet Review | May 02 | Completed |

PART VI - DECISION ITEMS/ACTION REQUIRED

| DECISION ITEM OR ACTION REQUIRED | COMMAND ACTION | DUE DATE | STATUS |
|----------------------------------|----------------|----------|--------|
| No Action Items Pending | | | |

PART VII - POINTS OF CONTACT

| NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL | TELEPHONE NUMBERS | |
|---|-----------------------|--|
| CAPT Owen Fletcher Deputy Aviation Maintenance Programs CNO, N781B fletcher.owen@hq.navy.mil | COMM: DSN: FAX: | (/ |
| CAPT Terry Merritt Head, Aviation Technical Training Branch CNO, N789H merritt.terry@hq.navy.mil | COMM: DSN: FAX: | (703) 604-7730 664-7730 (703) 604-6939 |
| CDR Wanda Janus Resource Sponsor / Program Sponsor CNO, N785D1 janus.wanda@hq.navy.mil | COMM: DSN: FAX: | ` ' |
| AZCS Gary Greenlee NTSP Manager CNO, N789H7 greenlee.gary@hq.navy.mil | COMM: DSN: FAX: | ` ' |
| CDR Kevin Neary Aviation Manpower CNO, N122C1 n122c1@bupers.navy.mil | COMM: DSN: FAX: | (703) 695-3247 225-3247 (703) 614-5308 |
| Mr. Robert Zweibel Training Technology Policy CNO, N795K zweibel.robert@hq.navy.mil | COMM: DSN: FAX: | (703) 602-5151 332-5151 (703) 695-5698 |
| COL David L Barraclough, USMC Branch Head, USMC Aviation Manpower Management CMC, ASM-1 barracloughdl@hqmc.usmc.mil | COMM: DSN: FAX: | (703) 614-1244 224-1244 (703) 614-1309 |
| CAPT Anthony J. Benn Program Manager PEO (CU), PMA258 bennaj@navair.navy.mil | COMM: DSN: FAX: | (301) 757-6094 757-6094 (301) 757-6099 |
| Mr. Steve Dowling SLAM Team Leader PEO(CU), PMA258-B1 dowlings@navair.navy.mil | COMM DSN FAX | (301) 757-6078 757-6078 (301) 757-6097 |
| Mr. Laval Mallard SLAM / SLAM-ER APM PEO(CU), PMA258-B12 mallardll@navair.navy.mil | COMM DSN FAX | (301) 757 6081 757-6081 (301) 757-6097 |

PART VII - POINTS OF CONTACT

| NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL | TELEPHONE NUMBERS | |
|---|-----------------------|--|
| Ms. Cynthia Murphy SLAM / SLAM-ER Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.3.1 murphycl@navair.navy.mil | COMM DSN FAX | (301) 757-6082 757-6082 (301) 301-6099 |
| Mr. Dwight Jantzen SLAM / SLAM-ER Deputy Assistant Program Manager, Logistics NAVAIRSYSCOM, AIR 3.1.3.1.E jantzendc@navair.navy.mil | COMM DSN FAX | (301) 757 6077 757-6077 (301) 757 6097 |
| Mr. William R. Laray Assistant Program Manager, Training Systems NAVAIRSYSCOM, PMA205-3H laraywr@navair.navy.mil | COMM DSN FAX | (301) 757-8109 757-8109 (301) 757-6097 |
| CDR Joe Capstaff Class Desk NAVAIRSYSCOM, AIR 4.7.AD capstaffjg@navair.navy.mil | COMM DSN FAX | (301) 757-6089 757-6089 (301) 757-6097 |
| CAPT Pat Salsman Branch Head, Training Requirements and Assessments CINCLANTFLT, N-731 salsmancp@clf.navy.mil | COMM: DSN: FAX: | |
| Mr. Bob Long Deputy Director for Training CINCPACFLT, N70 u70@cpf.navy.mil | COMM: DSN: FAX: | (808) 471-8513 315-471-8513 (808) 471-8596 |
| LCDR G.E. Dortch Force Weapons Officer COMNAVAIRLANT, N85A dortchge@exchange.airlant.navy.mil | COMM: DSN: FAX: | (757) 444-7481 225-1841 (703) 693-8823 |
| LCDR Johnny King Weapons Officer COMNAVAIRRESFOR, N3W kingjc@cnrf.nola.navy.mil | COMM: DSN: FAX: | (504) 678-6846 678-6846 (504) 678-1442 |
| CAPT Patricia Huiatt Deputy Assistant, Chief of Military Personnel for Distribution NAVPERSCOM, PERS-4B p4b@persnet.navy.mil | COMM: DSN: FAX: | (901) 874-3529 882-3529 (901) 874-2606 |
| CDR Timothy Ferree Branch Head, Aviation Enlisted Assignments NAVPERSCOM, PERS-404 p404@persnet.navy.mil | COMM: DSN: FAX: | (901) 874-3691 882-3691 (901) 874-2642 |
| MAJ Henry Dominque Head, ACE Branch, TFS Division MCCDC, C5325A dominquehj@mccdc.usmc.mil | COMM: DSN: FAX: | (703) 784-6241 278-6241 (703) 784-6072 |

PART VII - POINTS OF CONTACT

| NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL | TELEPH | TELEPHONE NUMBERS | |
|--|-----------------------|---|--|
| CAPT Grant Ziebell CNET NTSP Coordination CNET ETS3 Capt-grant.ziebell@cnet navy.mil | COMM: DSN: FAX: | (850) 452-4330 922-4330 (850) 452-4853 | |
| AOCM William Harrison Air Launched Weapons Technical Coordinator NAMTRAGRU, N2412 aocm-william.c.harrison@smtp.cnet.navy.mil | COMM DSN FAX | (850) 452-9787 922-9787 (850) 452-9769 | |
| Mr. Avie Balekian HPN / SLAM T&E Manager NAWCWPNSDIV PM, 4KLEOE balekianaf@navair.navy.mil | COMM DSN FAX | (805) 989-0851 351- 0851 (805) 989-0814 | |
| Mr. Mike Moore Deputy CLE NAWCWPNSDIV CL, 313100D moorep@navair.navy.mil | COMM DSN FAX | (760) 939-4220 760-4220 (760) 939-3177 | |
| Mr. Dee Rochester TM/TD NAWCWPNSDIV CL, 331000D rochesterid@navair.navy.mil | COMM DSN FAX | (760) 939-4485 760-4485 (760) 939-4696 | |
| Mr. Stan Kang Training Analyst | COMM | (703) 294-6448 ext. 13 | |
| SMTI Skang7@aol.com | FAX | (703) 294-6443 | |
| Mr. Phil Szczyglowski Competency Manager NAVAIRSYSCOM, AIR 3.4.1 szczyglowspr@navair.navy.mil | COMM: DSN: FAX: | (301) 757-8280 757-8280 (301) 342-7737 | |
| Mr. Bob Kresge NTSP Manager NAVAIRSYSCOM, AIR 3.4.1 kresgerj@navair.navy.mil | COMM: DSN: FAX: | (301) 757-1854 757-1854 (301) 342-7737 | |
| ADCS Patrick Reed NTSP Coordinator NAVAIRSYSCOM, AIR 3.4.1 reedps@navair.navy.mil | COMM: DSN: FAX: | (301) 757-3107 757-3107 (301) 342-7737 | |