

SC 5180-91-R13

DEPARTMENT OF THE ARMY SUPPLY CATALOG

SETS, KITS and OUTFITS

TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

5180-00-064-5178

(LIN W37483)

(EIC N/A)

THIS PUBLICATION SUPERSEDES SC 5180-91-CL-R13 DATED 29 NOVEMBER 1984

HEADQUARTERS, DEPARTMENT OF THE ARMY

01 SEPTEMBER 2000

DISTRIBUTION STATEMENT A: APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED






END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

PUB NUMBER SC 5180-91-R13 PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

C

A	I	A	I	QTY	A	B	C	D	E	F	G	H	I	J	K	
C	R	C	C	UI	AUT	A	B	C	D	E	F	G	H	I	J	K
T	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	D	M	1											
	5140-00-315-2747	CHEST, TOOL: STEEL MATERIAL; ENAMEL SURFACE TREATMENT PER FEDERAL SPECIFICATION TT-E-527; 1 REMOVABLE TRAY; 16.0 INCH OVERALL LENGTH; 7.0 INCH OVERALL WIDTH, 7.0 INCH OVERALL HEIGHT; 1 OR 2 DRAWBOLTS CLOSING FACILITY; 1 HANDLE LOCATED TOP. TYPE 1 CLASS 2, SIZE 16	X	U	1											
	3439-00-403-5321	DESOLDERING WICK: 0.062 WIDE; 6 FEET LONG ON SPOOL	X	U	1											
	5120-00-227-8107	EXTENSION, SOCKET WRENCH: 6 INCHES, 3/8 INCH DRIVE SCIT REPLACEMENT TOOL	X	M	1											






END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

PUB NUMBER SC 5180-91-R13 PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483




C

A	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	A	I	QTY	QUANTITY ON HAND	J	K
C	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	R	I	AUT	E	F	G
T	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	C	C	UI	D	C	B
N	5120-01-428-7975	KEY, SOCKET HEAD SCREW: 9MM; L TYPE; SHORT SERIES; 105.1MM LENGTH SCIT TOOL, PART OF 5120-01-428-7913	X	M	1			
								
C	5120-00-729-6392	KEY SET, SOCKET HEAD SCREW: SOCKET HEAD SCREW; HEXAGON; SHORT SERIES; CONSISTING OF THE FOLLOWING	X	M	1			
								
	5120-00-198-5400	KEY, SOCKET HEAD SCREW: .035 (1/32) INCH; L TYPE; SHORT SERIES	X	M	1			
								

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000
 LINE ITEM NUMBER W37483

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

A C T	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	C X	M	C UI	A AUT	QTY	QUANTITY ON HAND													
								B	C	D	E	F	G	H	I	J	K				
	5120-00-198-5401	KEY, SOCKET HEAD SCREW: .050 (1/20) INCH; L TYPE; SHORT SERIES	X				1														
	5120-00-198-5398	KEY, SOCKET HEAD SCREW: .0625 (1/16) INCH; L TYPE; SHORT SERIES	X	M			1														
	5120-00-224-2504	KEY, SOCKET HEAD SCREW: .0781 (5/64) INCHES; L TYPE; SHORT SERIES	X	M			1														



END ITEM STOCK NUMBER 5180-00-064-5178

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

PUB NUMBER SC 5180-91-R13

PUB DATE 01 SEPTEMBER 2000




LINE ITEM NUMBER W37483

C

A NATIONAL STOCK NUMBER ITEM DESCRIPTION
 C 5120-00-198-5392 KEY, SOCKET HEAD SCREW: .1562 (5/32) INCH; L
 T TYPE; SHORT SERIES

A I QTY
 R I
 C C UI AUT A B C D E F G H I J K

QUANTITY ON HAND

	<p>5120-00-198-5392</p>	<p>KEY, SOCKET HEAD SCREW: .1562 (5/32) INCH; L TYPE; SHORT SERIES</p>	<p>X</p>	<p>M</p>										
	<p>5120-00-240-5300</p>	<p>KEY, SOCKET HEAD SCREW: .1875 (3/16) INCH; L TYPE; SHORT SERIES</p>	<p>X</p>	<p>M</p>		<p>1</p>								
	<p>5120-00-242-7411</p>	<p>KEY, SOCKET HEAD SCREW: .2187 (7/32) INCH; L TYPE; SHORT SERIES</p>	<p>X</p>	<p>M</p>		<p>1</p>								

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000




LINE ITEM NUMBER W37483

C

A NATIONAL STOCK
 C NUMBER
 T ITEM DESCRIPTION

A I
 R I
 C C UI AUT A B C D E F G H I J K

QUANTITY ON HAND

5120-00-224-4659	KEY, SOCKET HEAD SCREW: .25000 (1/4) INCH; L TYPE; SHORT SERIES	X	M	1																									
	<p>KEY, SOCKET HEAD SCREW: .25000 (1/4) INCH; L TYPE; SHORT SERIES</p>	X	M	1																									
<p>5120-00-087-6415</p> 	<p>KEY SET, SOCKET HEAD SCREW: SPLINE DRIVE; L TYPE; SHORT SERIES; CONSISTING OF THE FOLLOWING: NSN DISCONTINUED W/O REPLACEMENT</p>	D	M	1																									
<p>5120-00-293-0195</p> 	<p>KEY, SOCKET HEAD SCREW: .060 INCH; SPLINE DRIVE; L-STYLE HANDLE</p>	X	M	1																									

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

C




A NATIONAL STOCK NUMBER
 C 5120-00-223-6995
 T ITEM DESCRIPTION
 KEY, SOCKET HEAD SCREW: .098 INCH; SPLINE DRIVE;
 L-STYLE HANDLE

A I

R I QTY



C C UI AUT A B C D E F G H I J K

QUANTITY ON HAND

	5120-00-223-6995 KEY, SOCKET HEAD SCREW: .098 INCH; SPLINE DRIVE; L-STYLE HANDLE	X M	1										
	5120-00-224-2482 KEY, SOCKET HEAD SCREW: .115 INCH; SPLINE DRIVE; L-STYLE HANDLE	X M	1										
	5120-00-277-1724 KEY, SOCKET HEAD SCREW: .145 INCH; SPLINE DRIVE; L-STYLE HANDLE	X M	1										

END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB NUMBER SC 5180-91-R13 PUB DATE 01 SEPTEMBER 2000 LINE ITEM NUMBER W37483

A		C		M		I		A		U		I		T	
NATIONAL STOCK NUMBER	ITEM DESCRIPTION	KEY	MARK	QUANTITY	UNIT	DESCRIPTION	REMARKS	TEST	REMARKS	CODE	ILLUSTRATION	IS	NOT	AVAILABLE	ILLUSTRATED
5120-00-198-5410	KEY, SOCKET HEAD SCREW: .1875 (3/16) INCH; L-STYLE HANDLE	X	M	1											
5110-00-240-5943	KNIFE, POCKET: ELECTRICIAN'S; TWO BLADES; WITH CLEVIS	D	M	1											
6625-01-121-0510	LEAD SET, TEST: REMARKS CODE (08) ILLUSTRATION IS NOT AVAILABLE	X	U	1											
	ITEM NOT ILLUSTRATED														



END ITEM STOCK NUMBER 5180-00-064-5178

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G




PUB NUMBER SC 5180-91-R13

PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

C




A	C	T	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	X	M	UI	AUT	A	B	C	D	E	F	G	H	I	J	K
				QUANTITY ON HAND															
			5120-01-313-4097	MIRROR, INSPECTION: ALL ANGLES 8.000 INCHES MINIMUM AND 10.000 INCHES MAXIMUM, 1.000 INCHES DIAMETER MIRROR				1											
R			5110-01-398-9313	PLIERS, DIAGONAL CUTTING: REGULAR NOSE; PLAIN; 4 INCHES, WITH CUSHION GRIP HANDLES SCIT REPLACEMENT TOOL	D	M		1											
			5120-00-240-6172	PLIERS, ROUND-NOSE: SHORT, 6 INCHES LONG	D	M		1											



END ITEM STOCK NUMBER 5180-00-064-5178
 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000
 LINE ITEM NUMBER W37483

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

A NATIONAL STOCK NUMBER
 C ITEM DESCRIPTION
 T NUMBER

A	B	C	D	E	F	G	H	I	J	K
ITEM DESCRIPTION	PLIERS, SLIP JOINT: REGULAR; 6 INCHES LONG	PLIERS, SLIP JOINT: SLIP JOINT 9.00 INCHES LENGTH; KNURLED SERRATED HANDLE; INSERT TYPE JAW PAD; CONDUIT TYPE	SCREWDRIIVER SET, JEWELER'S: CONSISTING OF THE FOLLOWING:	QUANTITY ON HAND	QUANTITY ON HAND	QUANTITY ON HAND	QUANTITY ON HAND	QUANTITY ON HAND	QUANTITY ON HAND	QUANTITY ON HAND
5120-00-223-7396				1						
N 5120-00-624-8065				1						
5120-00-288-8739				1						

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

LINE ITEM NUMBER W37483

A NATIONAL STOCK NUMBER

T 5120-00-180-0728

ITEM DESCRIPTION

SCREWDRIVER, JEWELER'S: 0.070 INCH TIP; SWIVEL KNOB; 3-3/4 INCHES LONG SCIT REPLACEMENT TOOL



C A I
 R I
 C C UI AUT A B C D E F G H I J K

QUANTITY ON HAND

1

M

X

R 5120-00-180-0729

SCREWDRIVER, JEWELER'S: 0.080 INCH TIP; 3-3/4 INCHES LONG; SWIVEL KNOB SCIT REPLACEMENT TOOL



1

M

X

R 5120-00-180-0730

SCREWDRIVER, JEWELER'S: 0.100 INCH TIP; 3-3/4 INCHES LONG; SWIVEL KNOB SCIT REPLACEMENT TOOL



1

M

X

END ITEM STOCK NUMBER 5180-00-064-5178




END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

PUB NUMBER SC 5180-91-R13

PUB DATE 01 SEPTEMBER 2000




LINE ITEM NUMBER W37483

C

A	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	A R C D	I I C M	QTY	AUT	A B C D E F G H	I J K	QUANTITY ON HAND
N	5120-01-350-0991	 SOCKET, SOCKET WRENCH: 11/16 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	D	M	1				
N	5120-01-350-1004	 SOCKET, SOCKET WRENCH: 11/32 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	X	M	1				
N	5120-01-350-0993	 SOCKET, SOCKET WRENCH: 13/16 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	D	M	1				

END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G END ITEM NUMBER W37483
 PUB NUMBER SC 5180-91-R13 PUB DATE 01 SEPTEMBER 2000 LINE ITEM NUMBER

C

A	I	R	C	I	M	QTY	AUT	A	B	C	D	E	F	G	H	I	J	K
NATIONAL STOCK																		
ITEM DESCRIPTION																		
N	5120-01-350-0990		SOCKET, SOCKET WRENCH: 5/8 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	X	M	1												
N	5120-01-350-1006		SOCKET, SOCKET WRENCH: 7/16 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	X	M	1												
N	5120-01-350-0988		SOCKET, SOCKET WRENCH: 7/8 INCHES, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3603	D	M	1												

END ITEM STOCK NUMBER 5180-00-064-5178
 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB NUMBER SC 5180-91-R13
 PUB DATE 01 SEPTEMBER 2000
 LINE ITEM NUMBER W37483

C

A I

R I

C C

M

QTY

AUT

A

B

C

D

E

F

G

H

I

J

K

QUANTITY ON HAND

ITEM DESCRIPTION

N

5120-01-348-9132


SOCKET, SOCKET WRENCH: 11MM, CHROMIUM PLATED,

12 POINT SHALLOW LENGTH SCIT TOOL, PART OF

5120-01-429-3585

X

1



N 5120-01-348-9133




SOCKET, SOCKET WRENCH: 12MM, CHROMIUM PLATED,

12 POINT SHALLOW LENGTH SCIT TOOL, PART OF

5120-01-429-3585

X

1



N 5120-01-348-9134

SOCKET, SOCKET WRENCH: 13MM, CHROMIUM PLATED,

12 POINT SHALLOW LENGTH SCIT TOOL, PART OF




5120-01-429-3585

X

1

END ITEM STOCK NUMBER 5180-00-064-5178
 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000
 LINE ITEM NUMBER W37483

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

C		QUANTITY ON HAND														
A	I	A	B	C	D	E	F	G	H	I	J	K				
NATIONAL STOCK	ITEM DESCRIPTION	X	M	UI	AUT	A	B	C	D	E	F	G	H	I	J	K
T	NUMBER	C	C	C	QTY											
N	5120-01-348-9129 	X	M		1											
	SOCKET, SOCKET WRENCH: 8MM, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3585															
N	5120-01-348-9130 	X	M		1											
	SOCKET, SOCKET WRENCH: 9MM, CHROMIUM PLATED, 12 POINT SHALLOW LENGTH SCIT TOOL, PART OF 5120-01-429-3585															
	3439-00-555-4629 	X	U		1											
	SOLDER, TIN ALLOY: LEAD-TIN ALLOY; ROSIN CORE; 1 POUND SPOOL															

END ITEM STOCK NUMBER 5180-00-064-5178
PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

C

A
C NATIONAL STOCK
T NUMBER

A I
R I
C C

QTY
AUT

QUANTITY ON HAND

A B C D E F G H I J K


ITEM DESCRIPTION

TOOL: LOAD TIGHTENING REMARKS CODE (08) ILLUSTRATION IS NOT AVAILABLE

ITEM NOT ILLUSTRATED

5120-00-224-9215

UNIVERSAL JOINT, SOCKET WRENCH ATTACHMENT: 3/8 INCH SQUARE DRIVE




D M X

1

R 5120-00-228-9504

WRENCH BOX AND OPEN END: .3750 (3/8) INCHES SCIT REPLACEMENT TOOL



M X

1

END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB NUMBER SC 5180-91-R13 PUB DATE 01 SEPTEMBER 2000 LINE ITEM NUMBER W37483

C

A I

R I

C C

A NATIONAL STOCK
 C NUMBER
 T ITEM DESCRIPTION

QUANTITY ON HAND

QTY

UI

AUT

A

B

C

D

E

F

G


H

I

J

K

5120-00-542-5799




WRENCH SET, SOCKET: SCREWDRIVER TYPE; CONSISTING OF THE FOLLOWING:

D

M

1

C 5140-00-356-4503




ROLL, TOOLS AND ACCESSORIES: ROLL, TOOLS AND ACCESSORIES:

D

M

1

5120-00-224-2599



WRENCH, SOCKET: .188 (3/16) INCH, SCREWDRIVER TYPE; HEXAGONAL WRENCHING SURFACE; 6 INCHES LONG OA

X

M

1

END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

C

A NATIONAL STOCK NUMBER ITEM DESCRIPTION
 C NATIONAL STOCK NUMBER ITEM DESCRIPTION
 T NATIONAL STOCK NUMBER ITEM DESCRIPTION

QUANTITY ON HAND

QTY

A I

R I

C C

UI

AUT

A

B

C

D

E

F

G


H

I

J

K

5120-00-293-0796




WRENCH, SOCKET: .3437 (11/32) INCH, SCREWDRIVER
 TYPE; HEXAGONAL WRENCHING SURFACE, 6 INCHES
 LONG OA

1

M

X

5120-00-596-1263




WRENCH, SOCKET: .3750 (3/8) INCH, SCREWDRIVER
 TYPE; HEXAGONAL WRENCHING SURFACE; 6.5 INCHES
 LONG OA

1

M

X

5120-00-222-1499



WRENCH, SOCKET: .4375 (7/16) INCH, SCREWDRIVER
 TYPE; HEXAGONAL WRENCHING SURFACE; 7 INCHES
 LONG OA

1

M

X

END ITEM STOCK NUMBER 5180-00-064-5178 END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G

PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

END ITEM STOCK NUMBER 5180-00-064-5178

PUB NUMBER SC 5180-91-R13

C

A I

R I

C C

D M

QUANTITY ON HAND




E F G H I J K

A NATIONAL STOCK

C NUMBER

T ITEM DESCRIPTION

A	C	T	NATIONAL STOCK NUMBER	ITEM DESCRIPTION	D	M	UI	AUT	A	B	C	D	E	F	G	H	I	J	K	
R	5120-01-335-2216			WRENCH, ADJUSTABLE: OPEN END, SINGLE HEAD; STEEL CHROME OR NICKEL PLATE; 6 INCH NOMINAL SIZE SCIT REPLACEMENT TOOL				1												
N	5120-01-335-2217			WRENCH, OPEN END, ADJUSTABLE: OPEN END; SINGLE HEAD; STEEL CHROME OR NICKEL PLATE; 8 INCH NOMINAL SIZE SCIT REPLACEMENT TOOL	D	M		1												
N	5120-01-336-7768			WRENCH, PLIERS, VISE GRIP: 7 INCHES LENGTH, CURVED JAWS, 1-5/8 INCHES JAW ADJUSTMENT, WITH WIRE CUTTER SCIT REPLACEMENT TOOL	D	M		1												




END ITEM STOCK NUMBER 5180-00-064-5178
 PUB NUMBER SC 5180-91-R13

END ITEM DESCRIPTION TOOL KIT, ELECTRONIC EQUIPMENT: TK-101/G
 PUB DATE 01 SEPTEMBER 2000

LINE ITEM NUMBER W37483

A NATIONAL STOCK NUMBER 6230-00-163-1856
 C ITEM DESCRIPTION FLASHLIGHT: TWO-CELL; WATERTIGHT; CONSTRUCTION
 PREVENTS ROLLING; INCLUDES SPOT LENS, SPARE
 BULB AND FLASHING POSITION SWITCH
 T



QUANTITY ON HAND

K

J

I

H

G

F

E

D

C

B

A

QTY

AUT

UI

M

X

C

C

I

R

I

A

I

C

I

A

I

C

M

1

A	
B	
C	
D	
E	
F	
G	
H	
I	
J	
K	