
(No Model.)

C. R. EVERSON. SOLDER HOLDER.

No. 303,219.

Patented Aug. 5, 1884.



Johns Hinkel Johns Hinkel INVENTOF:
By Foster and Freeman,
ashy.

United States Patent Office

CHARLES R. EVERSON, OF MACEDON, NEW YORK, ASSIGNOR TO LEONARD L. CRAMER, OF SAME PLACE.

SOLDER-HOLDER.

SPECIFICATION forming part of Letters Patent No. 303,219, dated August 5, 1884.

Application filed December 8, 1883. (No model.)

To all whom it may concern:

Be it known that I, CHARLES R. EVERSON, a citizen of the United States, and a resident of Macedon, Wayne county, New York, have invented certain new and useful Improvements in Solder-Holders, of which the following is a specification.

My invention is a device constructed as fully described hereinafter, whereby to hold small 10 pieces of solder which cannot be manipulated in connection with the soldering-iron when held directly in the hand, thereby avoiding the loss incurred by the non-use or remelting and recasting of such pieces.

5 In the drawing is shown a perspective view of my improved solder-holder.

The implement consists of a shank, A, formed at one end into a handle, B, and having at the other end a clamp for securing the small pieces X of solder which it is desired to hold. The clamp consists of a finger, a, projecting from the shank, and a screw, b, which passes through a second finger, c, and between which and the finger a the solder is firmly clamped. It will be seen that one of the fin-

gers, c, projects beyond the other. This is important as the ends of the pieces are often rounded or beveled and could only be held between jaws of equal length by introducing a considerable portion back of the gripping-points, which portion could not be used, while by the construction described almost the entire piece can be utilized. The handle is tapered at its end and formed with a flat edge substantially like a screw-driver. By this 35 construction the workman can press down or open the seams before soldering.

I claim—

The shank A, formed at one end into a tapered flat edge and at the other having the 4e projecting fingers a c, the finger c being longer than the other and provided with a clamping-screw, as set forth.

Intestimony whereof I have signed my name to this specification in the presence of two sub- 45 scribing witnesses.

CHARLES R. EVERSON.

Witnesses:

John Murray, Martin Dean.