

A. R. PERKINS.

SHIRT.



## A. R. PERKINS.

SHIRT.



## United States Patent Office.

ALBERT ROTCH PERKINS, OF BOSTON, MASSACHUSETTS, ASSIGNOR OF ONE-HALF TO WELD & FAY, OF SAME PLACE.

## SHIRT.

SPECIFICATION forming part of Letters Patent No. 306,279, dated October 7, 1884.

Application filed January 4, 1884. (No model.)

To all whom it may concern:

Be it known that I, Albert Rotch Per-KINS, of East Boston, in the county of Suffolk, of the Commonwealth of Massachusetts, have invented a new and useful Improvement in Overshirts; and I do hereby declare the same to be described in the following specification and represented in the accompanying drawings, of which-

Figure 1 is a front view, Fig. 2 a rear view, and Figs. 3 and 4 vertical sections, of a shirt provided with my invention, the nature of which is defined in the claims hereinafter pre-

sented.

The shirt shown in the said drawings is of the kind used by wheelmen, and generally worn outside of another or inner shirt.

In carrying out my invention I have within the overshirt A a pair of suspenders, B, each 20 of the main or shoulder straps a a of which is extended through one of two loops, b, arranged within the shirt at its shoulders. The buttoning-straps of the suspenders go through openings in the front and back of the shirt,

25 (such openings being at e e and d d,) and project outwardly from the shirt a sufficient distance for them to button on the trousers of the wearer. With my improvement the suspenders can be unbuttoned from the trousers with-

30 out the necessity of first raising the shirt or removing it wholly or partially from the wearer. such being to allow of the trousers being dropped or let down as occasion or convenience may require. By means of the loops the 35 suspenders are held up in the shirt in order for

the arms of a person to be passed through

them into those of the shirt. Each buttoningstrap, just above its button-hole e, is sewed or fastened to the body of the shirt, the sewing being shown at f. Furthermore, the object of 40my invention is to save the necessity of wearing the suspenders on the outside of the shirt, or a belt to support the trousers, when no suspenders are used for such support, a belt, when so worn, being injurious in a sanitary point of 45 view, as is well known.

I am aware that a shirt has been devised which is provided with suspenders secured within the yoke of the shirt, and thus made a part of the shirt structure. In my device the 50 suspenders are loosely held in the loops b on the inside of the shoulders of the shirt. The suspenders thus have full play and can be easily removed from the shirt. The openings or slits cd are below the waist-line of the shirt, and the 55 latter puckers and falls over the suspenderends and buttons, concealing them.

What I claim is-

1. A shirt provided with loops b on the inside at the shoulders, and slits  $ar{c}$  d at front and 60 back, in combination with suspenders B, resting loosely in such loops and passing through such slits, as set forth.

2. A shirt having slits ed at front and back, below the waist-line, in combination with a 65 pair of suspenders supported within the shirt, the ends of the suspenders extending through

the slits, as set forth.

ALBERT ROTCH PERKINS.

Witnesses:

R. H. EDDY, E. B. PRATT.