
(No Model.)

A. S. UPSON & H. A. COWLES.

SQUARE.

No. 343,616.

Patented June 15, 1886.





Witnesses WMMjoerkman H.R. Milliams. Andrew & Upson and Henry a Cowles by Simondo & Burdett, attyp.

UNITED STATES PATENT OFFICE.

ANDREW S. UPSON AND HENRY A. COWLES, OF UNIONVILLE, CONN.

SQUARE.

SPECIFICATION forming part of Letters Patent No. 343,616, dated June 15, 1886.

Application filed February 19, 1885. Serial No. 156,339. (No model.)

To all whom it may concern:

Be it known that we, ANDREW S. UPSON and HENRY A. COWLES, both of Unionville, in the county of Hartford and State of Connecticut, have invented a certain new and useful Improvement in Combination-Tools, of which the following is a description, reference being had to the accompanying drawings, where—

Figure 1 is a plan view of our improved de-10 vice. Fig. 2 is a view in cross-section of one of the legs of the same on plane denoted by line x x of Fig. 1.

The object of our invention is to provide a tool for general use about a desk used by a 15 book-keeper or clerk, which tool combines in a single structure and in a new and convenient form the advantages and functions of several tools, and also possesses novel features peculiar to itself.

This improvement consists in a square having a beveled outer edge, which may be graduated, and also a beveled inner edge, forming a continuous tearing-edge with a right angle in its length.

In the accompanying drawings, the letter a denotes the body of the tool as a whole, which is made, preferably, of metal—as brass or steel—and in general outline resembles a carpenter's square, having the legs b and c aranged at right angles with each other. One of the legs, as b, is beveled along its outer edge, so that it may be used as a ruler, and this leg may also be provided with graduations b'. The inner edges of both legs are also beveled,

(both on the same face,) so that a continuous 35 edge, d, is formed of proper shape as to cross-section, and of such outline that the tool may be used in tearing a check or the like from a book or sheet of paper.

At a suitable point on the upper surface of 40 the tool a handle, *e*, is attached, and serves as a means for holding the tool while in use, or for moving it readily from place to place.

The method of using the tool as a ruler requires no description; but attention is called 45 to the fact that the shorter leg affords superior facilities for holding it while used as a ruler and preventing it from slipping. It may be used for tearing a check from a book by placing it upon a leaf in such a position that the 50 inner edge, d, conforms to the two lines along which the check is to be torn, and while the tool is firmly held the check is removed by pulling on its free corner in the usual manner.

We claim as our invention—

As an improved article of manufacture, the within described tool, consisting of the flat legs b and c, united at right angles to each other, having an outer bevel, b', along one edge, and 60 the inner and continuous bevel, d, along the inner edge of the legs, and the handle e, all substantially as described.

ANDREW S. UPSON. HENRY A. COWLES.

Witnesses:

ROBT. M. HART, C. H. BROOKS.