
## W. H. AYERS & B. W. DEMAREST. PRINTER'S TYPE CASE.

No. 457,919.

Patented Aug. 18, 1891.



## UNITED STATES PATENT OFFICE.

WILLIAM H. AYERS AND BENJAMIN W. DEMAREST, OF WEST HOBOKEN, NEW JERSEY.

## PRINTER'S TYPE-CASE.

SPECIFICATION forming part of Letters Patent No. 457,919, dated August 18, 1891.

Application filed November 17, 1890. Serial No. 371,666. (No model.)

To all whom it may concern:

Be it known that we, WILLIAM H. AYERS and BENJAMIN W. DEMAREST, both citizens of the United States, residing at West Hoboken, in the county of Hudson and State of New Jersey, have invented an Improvement in Printers' Type-Cases, of which the following is a specification.

Type-cases are usually made with station-10 ary partitions forming boxes of different sizes for the lower case and of uniform sizes for the upper case, and in some instances the boxes

have been made of metal.

The object of the present invention is to 15 provide supports for the separate boxes, so that any one box can be lifted out without any other box becoming displaced. With this object in view horizontal ledges are provided upon which the ranges of boxes rest, 20 and the boxes are preferably made of metal in the form hereinafter described.

In the drawings, Figures 1 and 2 are perspective views illustrating upper and lower type-cases. Fig. 3 is a perspective view of the upper type-case without any boxes. Fig. 4 is a similar view of the lower case with most of the boxes removed, and Fig. 5 is a section in larger size through some of the removable boxes.

Each type-case is made with end pieces 2 and side pieces 3, forming a border to the back 4, and it is preferable to employ a central partition 5 to strengthen the case. The horizontal ledges 6 are of any suitable ma-35 terial fastened in place. We prefer and have shown ledges made of folded sheet metal in the form represented in larger size in Fig. 5, which folded strips of metal are secured to

the back 4 by tacks passing through the base-40 flanges of the strips. These ledges for the top case are preferably equidistant, as shown in Fig. 3; but for the bottom case they are in positions adapted to the different sizes of type-boxes, in order that the sizes and ar-45 rangement of the type-boxes in the lower

may not be varied, and this renders it necessary to make some of the ledges full length and others to extend only part of the distance across the bottom of the case, as indi- 50

cated in Fig. 4.

The boxes a are preferably of metal, and they may be rectangular with square faces, and the angles of all or some of the boxes may be rounded, as indicated in Fig. 5, and 55 these boxes set in freely between the respective ledges and are supported by them. It is advantageous to fold the top edges of the sheet-metal boxes so that the said edges are stiffened by the double thickness of the metal, 60 and it is also advantageous to make the lower sides of the boxes wider than the upper sides of such boxes in order that the compositor may freely seize the top of the lower edge of any box to lift that box with its types out 65 from the case whenever desired, and this can be done without taking hold of the edge of the adjacent box at the same time.

It will be apparent that each type-case can be of the usual size, and the arrangement of 70 the type-boxes will not be changed, neither will the capacity of the case be diminished by the present improvements, and each box can be lifted out separately with facility, and in so doing the adjacent boxes are not dis- 75 turbed, because they are supported by the re-

spective ledges.

We claim as our invention—

1. The combination, in a type-case, of a back, edge strips, and fixed horizontal ledges, 80 and removable metal boxes resting on the

ledges, substantially as set forth.

2. The type-case having numerous boxes for types, each box being formed of sheet metal with one side of the box higher than 85 and separate from the side of the adjacent box to allow for grasping the higher side of the box for removing the same without tak-ing hold of the edge of the adjacent box, substantially as set forth.

3. The type-case having a back and edge case generally employed in printing-offices strips and horizontal ledges formed of folded sheet metal secured to the back, in combination with the removable type-boxes adapted to set between the ledges and deeper than the width of such ledges, substantially as set 5 forth.

4. In a printer's type-case, the combination, with the separate sheet-metal boxes, of the holding case having a back, border-strips, a central partition, and ledges made of folded

sheet metal secured to the back, substantially 10 as set forth.

Signed by us this 12th day of November, 1890.

W. H. AYERS. B. W. DEMAREST.

Witnesses:
GEO. T. PINCKNEY,
WILLIAM G. MOTT.