
D. VAN EVERA. STOVE ATTACHMENT.



D. VAN EVERA.

STOVE ATTACHMENT. No. 457,963. Patented Aug. 18, 1891. Fig. 7. J


Isiknesses Geo W. Loung. Jons L. Condron Fig.8.

Demitt Van Evera Sty/ H.G. Underwood CHlorwey

D. VAN EVERA. STOVE ATTACHMENT.

No. 457,963.

Patented Aug. 18, 1891.



28 Williams Gas Mylams N. E. Oliphant Suvenvor Deuitt Van Evera, By H.G. Underwood Chilorwery

UNITED STATES PATENT OFFICE.

DEWITT VAN EVERA, OF CHICAGO, ILLINOIS.

STOVE ATTACHMENT.

SPECIFICATION forming part of Letters Patent No. 457,963, dated August 18, 1891.

Application filed June 17, 1890. Serial No. 355,720. (No model.)

To all whom it may concern:

Be it known that I, DEWITT VAN EVERA, of Chicago, in the county of Cook, and in the State of Illinois, have invented certain new 5 and useful Improvements in Stove Attachments; and I do hereby declare that the following is a full, clear, and exact description thereof.

My invention relates to attachments for 10 supporting shelves and other heating or warming appliances upon stoves; and the invention consists in certain peculiar and novel features of construction and arrangement, as hereinafter described, and pointed out in the ap-15 pended claims.

In order that my invention may be fully understood, I will proceed to describe it with reference to the accompanying drawings, in

Figure 1 is a horizontal cross-section of a cylinder-stove with my improved attachments applied thereto. Fig. 2 is an inner side view of the door-frame of a stove with my improved supporting attachment applied thereto, the 25 latter being shown in section on the line 2 2 of Fig. 1. Fig. 3 is a transverse vertical section on the line 3 3 of Fig. 1, the plate being removed. Fig. 4 is a transverse vertical section on the line 44 of Fig. 1. Fig. 5 is a view 30 similar to Fig. 1, but showing certain modifications of my invention. Fig. 6 is a transverse vertical section on the line 6 6 of Fig. 5. Fig. 7 is a similar view on the line 7.7 of Fig. 5. Fig. 8 is a transverse vertical section on the 35 line 8 8 of Fig. 5. Fig. 9 is a view of my attachments applied to a complete stove, the latter being partly broken away to better illustrate the attachment of my device thereto.

The objects of my invention are to provide 40 an attachment by means of which various objects or articles shall be conveniently supported within a cylinder or similar stove, so as to be entirely concealed thereby and effectively warmed, heated, or cooked therein, as 45 desired. These objects I accomplish by virtue of the construction which I will now proceed

to describe.

Referring to the drawings, A designates the body or barrel of a cylinder-stove, and B 50 designates the door-frame casting of the same, ing in the front of the casing about midway between the base and the top of the stove.

C designates the door, which is hinged in the usual manner, as indicated at c, or otherwise suitably attached to the door-casting B. The inner sides of the casting B or stovebody are formed or provided with lugs DD', arranged in pairs one above the other, at opposite sides of the door-opening or stove-body, 60 as is best shown in Fig. 2. An inwardly-projecting flange or rib E extends entirely or partly around the inner face of the door-casting B for a purpose to be presently explained.

F F designate two horizontal arms or sup- 65 ports, the outer ends of which are each provided with a vertical enlargement f, the lower end of which forms a short pintle f', which enters the corresponding lug $\hat{\mathbf{D}},$ and the upper end of which forms a longer pintle f^2 , which 70 enters the corresponding lug D'. The arms F F thus extend horizontally into the body of the stove above the fire chamber or grate, and each being formed on its innerside with a longitudinal horizontal flange or rib f^3 . 75 The inner ends of these arms F are preferably curved toward each other, as shown at G G, and are connected together either by a horizontal transverse bolt g, as shown in Figs. 1 and 3, or by a vertical pin g', which passes 80 also into an L-shaped lug H, secured to the rear inner surface of the body or casing A, as shown in Figs. 5 and 8. It will thus be seen that the arms F are removably secured in horizontal position within the stove-body and 85 directly above the fire pot or grate. In some instances the arms F may extend independently entirely across the stove.

In Figs. 1, 2, and 4 I designates a flat elongated plate (either solid or perforated) of such 90 marginal contour as to fit upon the flanges f^3 of the arms F. This plate is designed to receive flat-irons or other articles to be heated, cooked, or warmed within the stove, and is preferably provided on its under side near its 95 margins with pendent flanges i, as best shown in Fig. 2, to which flanges, if desired, a pend-

ent oven may be secured.

In Figs. 5, 6, and 7 I show a rectangularchamber or oven J, supported by its base, re- 100 movably upon the arms F. The outer end of said casting being usually attached at an open- I this oven is preferably open, and an external

flange j surrounds the exterior of the oven adjacent to its outer end, and by contact with the flange E retains the heat therein and prevents the entrance of gases and other products 5 into the receptacle, and also prevents the escape of gas from the stove, the stove-door C serving to both close the stove and the oven. The arms F are preferably provided near their outer ends with slots \tilde{h} for receiving a 10 lifter, by means of which the arms F are removed. It will thus be seen that I have provided a supporting attachment which is entirely concealed within the stove and which does not at all interfere with the introduc-15 tion of coal into the stove or the combustion

Having thus described my invention, what I claim as new therein, and desire to secure by Letters Patent, is—

1. An improved attachment for stoves, consisting of a pair of supporting-arms con-

nected together at their inner ends and arranged to be removably connected at their outer ends to the interior of a stove, substantially as described.

2. An improved attachment for stoves, consisting of a pair of supporting-arms having pintles formed upon their outer ends and provided with longitudinal flanges on their inner sides, the said pintles being arranged to en- 30 gage sockets on the inner side of a closed stove so as to project the arms within the stove above the fire-pot thereof, substantially as set forth.

In testimony that I claim the foregoing I 35 have hereunto set my hand, at Milwaukee, in the county of Milwaukee and State of Wisconsin, in the presence of two witnesses. DEWITT VAN EVERA.

Witnesses:H. G. Underwood, WM. KLUG.