

No. 676,838.




J. D. DAWSON.
TOY.

Patented June 18, 1901.

(No Model.)

(Application filed May 23, 1900.)

Fig. 1.



WITNESSES:
L. C. Hill
Mabel M. Hazard

INVENTOR:
J. D. Dawson,
BY *Wm. Under Roberts*
Attorney

UNITED STATES PATENT OFFICE.

JEFFERSON DAVIS DAWSON, OF BEARDSTOWN, ILLINOIS, ASSIGNOR OF
ONE-HALF TO ALBERT IRENAENS KELLOGG, OF SAME PLACE.

TOY.

SPECIFICATION forming part of Letters Patent No. 676,838, dated June 18, 1901.

Application filed May 23, 1900. Serial No. 17,625. (No model.)

To all whom it may concern:

Be it known that I, JEFFERSON DAVIS DAWSON, a citizen of the United States, residing at Beardstown, in the county of Cass and State of Illinois, have invented certain new and useful Improvements in Toys; and I do hereby declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the art to which it appertains to make and use the same.

My invention has relation to parachutes; and it consists in the novel arrangement and construction of its parts, as hereinafter described.

The object of my invention is to provide a toy parachute contained within a receptacle, said receptacle consisting of two similar parts hinged and being forced apart by the force of the explosion of the firecracker, thus liberating the parachute.

In the accompanying drawings, Figure 1 is a side elevation of the parachute inflated. Fig. 2 is a side elevation of the receptacle when closed around the parachute. Fig. 3 is a sectional view of Fig. 2 cut on the line *x x*.

1 1 are the two similar parts or sides of the receptacle.

2 is the hinge which enables the receptacle to be opened and closed.

3 is the spring-catch which holds the sides temporarily in juxtaposition and liberates them by the force of the explosion.

4 is the knob over which the spring 3 fastens.

5 is a transverse compartment contained within the receptacle to hold the explosive.

6 6 are the ropes of the parachute.

7 is the canopy of the parachute.

In operation the parachute is folded and placed within the receptacle as in Fig. 3, a firecracker is placed in the compartment 5, and the catch is fastened. Then the firecracker is lighted and the receptacle thrown into the air. The cracker exploding releases the catch, the receptacle opens, and the parachute comes out and fills. Thus the toy returns to the sender.

Having described my invention, what I claim as new, and desire to secure by Letters Patent, is—

A toy consisting of a receptacle, said receptacle being composed of hinged members, a parachute attachment connected to the receptacle and adapted to be contained therein, similar parts attached to the said members opposite their point of hinging, said parts when brought together forming a compartment, an explosive located within said compartment, the members of the receptacle adapted to be forced apart by the ignition of the explosive and liberate the parachute.

In testimony whereof I affix my signature in presence of two witnesses.

JEFFERSON DAVIS DAWSON.

Witnesses:

FRANK M. FULKS,

JOHN D. GREEN.