

(12) United States Design Patent (10) Patent No.:

US D1,077,285 S

(45) Date of Patent: ** May 27, 2025

(54) LIGHT BULB

(71) Applicant: Zhenhong Li, Liuyang (CN)

Inventor: **Zhenhong Li**, Liuyang (CN)

(**) Term: 15 Years

(21) Appl. No.: 29/993,128

(22) Filed: Mar. 12, 2025

(51) LOC (15) Cl. 26-04

U.S. Cl. (52)

Field of Classification Search

(Continued)

(56)References Cited

U.S. PATENT DOCUMENTS

D581,556 S * 11/2008 To D26/2 D643,136 S * 8/2011 Li D26/2 (Continued)

FOREIGN PATENT DOCUMENTS

CN308258057 * 10/2023

OTHER PUBLICATIONS

10 Pack Rechargeable Emergency Light Bulbs, posted Apr. 14, 2023 [online], [retrieved Apr. 2, 2025]. Retrieved from internet, https://www.amazon.com/DABAOLUM-Rechargeable-Bulb-Emergency-LED/dp/B0BWRY55PQ?th=1 (Year: 2023).*

Primary Examiner — Mary Shannon Malley Assistant Examiner - Robert B Rieker

(74) Attorney, Agent, or Firm — Birchwood IP

CLAIM

The ornamental design for a light bulb, as shown and described.

DESCRIPTION

FIG. 1 is a front, right and top perspective view of a first embodiment of a light bulb, showing my new design;

FIG. 2 is a rear, left and bottom perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a perspective view of a first embodiment of the light bulb thereof, shown with a cover one;

FIG. 10 is a perspective view of a first embodiment of the light bulb thereof, shown with a cover two; and

FIG. 11 is a perspective view of a first embodiment of the light bulb thereof, shown with a cover two in a sparated

FIG. 12 is a front, right and top perspective view of a second embodiment of the light bulb;

FIG. 13 is a rear, left and bottom perspective view thereof;

FIG. 14 is a front view thereof;

FIG. 15 is a rear view thereof;

FIG. 16 is a left side view thereof;

FIG. 17 is a right side view thereof;

FIG. 18 is a top plan view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a perspective view of a second embodiment of the light bulb thereof, shown with a cover two; and

FIG. 21 is a perspective view of a second embodiment of the light bulb thereof, shown with a cover two in a sparated

FIG. 22 is a front, right and top perspective view of a third embodiment of the light bulb;

FIG. 23 is a rear, left and bottom perspective view thereof;

FIG. 24 is a front view thereof;

FIG. 25 is a rear view thereof;

FIG. 26 is a left side view thereof;


FIG. 27 is a right side view thereof;

FIG. 28 is a top plan view thereof; and,

FIG. 29 is a bottom plan view thereof.

The broken lines shown in the drawings illustrate portions of the light bulb that form no part of the claimed design.

1 Claim, 29 Drawing Sheets



US D1,077,285 S

Page 2

(58) Field of Classification Search

CPC F21K 9/232; F21K 9/23; F21V 23/0435; F21V 21/0965; F21V 23/04; F21V 23/0428; F21V 21/08; F21V 29/83; F21L 4/00; F21L 4/027

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

| D715,465 | S | * | 10/2014 | Hasuo D26/2 |
|--------------|----|-----|---------|----------------------|
| D769,475 | S | * | 10/2016 | Moon D26/2 |
| D791,365 | S | * | 7/2017 | Feit D26/2 |
| D791,366 | S | * | 7/2017 | Hsu D26/2 |
| D799,075 | S | * | 10/2017 | Harrison D26/2 |
| D854,197 | S | ajk | 7/2019 | Benner D26/2 |
| 10,415,765 | В1 | * | 9/2019 | Grandadam F21S 8/031 |
| D876,675 | S | * | 2/2020 | Grandadam D26/2 |
| D893,765 | S | ıķ: | 8/2020 | Yang D26/2 |
| D936,865 | S | * | 11/2021 | Athalye F21V 29/83 |
| | | | | D26/2 |
| D1,023,357 | S | | 4/2024 | Cao |
| D1,031,096 | S | | 6/2024 | Zhou |
| 2014/0070703 | Al | * | 3/2014 | Chen H05B 47/19 |
| | | | | 315/294 |

^{*} cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29