
S. R. RUCKEL. FRUIT-GATHERER.

No. 182,607.


Patented Sept. 26, 1876.



S. R. RUCKEL. FRUIT-GATHERER.

No. 182,607.

Patented Sept. 26, 1876.



UNITED STATES PATENT OFFICE.

SAMUEL R. RUCKEL, OF KANSAS CITY, MISSOURI.

IMPROVEMENT IN FRUIT-GATHERERS.

Specification forming part of Letters Patent No. 182,607, dated September 26, 1876; application filed June 15, 1876.

To all whom it may concern:

Be it known that I, SAMUEL R. RUCKEL, of Kansas City, county of Jackson, and State of Missouri, have invented certain new and useful Improvements in Fruit-Gatherer, of which the following is a specification:

The nature of my invention consists in the construction and arrangement of a fruit-picker, as will be hereinafter more fully set forth.

In order to enable others skilled in the art to which my invention appertains to make and use the same, I will now proceed to describe its construction and operation, referring to the annexed drawing, which forms a part of this specification, and in which-

Figure 1 is a perspective view of my fruitpicker. Fig. 2 is a section of the same immediately above the bag-holder. Fig. 3 shows a

modification of my device.

A represents the staff or handle of my fruitpicker, the upper end of which is slotted or forked, as shown, and has a hand, B, firmly secured to its extreme end. C represents a corrseponding hand, provided with a shank or arm, D, which is passed through and pivoted in the forked end of the handle A. From the end of the arm D extends a wire or cord, a, by means of which the operator can close the hand C against the hand B. The hand C

is opened by means of a spring, b, as shown. At the ends of the hands B C are formed cutters d d, so as to cut the stems instead of pulling them, the fruit falling down through the opening between the palms of the hands into the bag E underneath. This bag is held by means of a hoop, G, which is provided with a plate, h, resting against the staff or handle A, and fastened thereto by a pin, i, passing through the staff and plate and under the hoop, as shown.

Having thus fully described my invention, what I claim as new, and desire to secure by .

Letters Patent, is-

1. The combination of the staff A, cord a, spring b, and hands B C, provided with serrated cutters d d, substantially as hereinbefore set forth.

2. In combination with the hoop G and staff A, the plate h and pin i, constructed and operating substantially as and for the purposes set forth.

In testimony that I claim the foregoing as my invention I hereunto affix my signature this 7th day of June, 1876.

SAMUEL R. RUCKEL.

Witnesses:

THOS. A. RUCKER, A. W. Rucker.