
J. BOUDEMAN. BOOK SUPPORTS.

No. 190,117.


Patented May 1, 1877.



J. BOUDEMAN. BOOK SUPPORTS.

No. 190,117.

Patented May 1, 1877.



UNITED STATES PATENT OFFICE

JENNIE BOUDEMAN, OF KALAMAZOO, MICHIGAN.

IMPROVEMENT IN BOOK-SUPPORTS.

Specification forming part of Letters Patent No. 190,117, dated May 1, 1877; application filed March 24, 1877.

To all whom it may concern:

Be it known that I, JENNIE BOUDEMAN, of Kalamazoo, in the county of Kalamazoo and State of Michigan, have invented certain new and useful Improvements in Book-Holders for Tables; and I do hereby declare that the following is a full, clear, and exact description thereof, which will enable others skilled in the art to which it appertains to make and use the same.

This invention relates to an attachment for tables designed to hold a book in position for reading at various heights and angles; and the invention consists in a book-rest or a desk adjustably secured to a rod, and adapted to slide beneath a table-top when not in use, and to be brought from beneath the table-top and adjusted at various heights and angles, to suit the requirements of different users, and provided with means for securely holding a book

in an open position.

In the drawing illustrating the invention, Figure 1 is a perspective view of a table with this improved attachment in place. Fig. 2 is a plan and partly-sectional view of the desk. Fig. 3 is a side elevation of a table having my improvement attached and in position for use. Fig. 4 is a side view of the table with the holder in position when not in use. Fig. 5 is an end view of the coupling or hinge used to attach the desk to its supporting-stem.

The same letters indicate like parts in the several figures.

A represents a table-top, which may be provided with a stem, B, resting in a socket in the standard C, and held in vertical adjustment in said socket by a collar, a, and setscrew b, or other contrivance of suitable construction. Beneath this top a tube or sleeve, or a number of sleeves or collars, is arranged, which receives a rod, E, in such manner that it may be slid back and forth therein. A setscrew, c, serves to lock the rod E in its sheath or support. Upon the end of rod E is a vertical socket, d, which receives a rod or stem, F, which latter is vertically adjustable in its socket d by means of a collar, e, and a set-screw, f. To the upper end of the stem F is hinged a desk or book-holding device, G. The hinge H, employed to connect the desk and its stem, is of such nature as to permit of the adjust-

ment of the desk at various angles, and in the illustration herein shown, but to which I do not wish to be understood as limiting myself, this hinge consists of a plate, g, attached to the back of the desk, and having a tongue, h, which enters spring-jaws e on the end of the stem, and is held therein by a clamping-screw, i, so that by tightening the screw i the desk may be held at any angle desired within the compass of the movement of the hinge. The stem F being adjustable, the desk may be held at different heights, and the rod E sliding bebeath the table, the desk may be moved to different distances from the table.

The desk G is preferably made with a basepiece, k, which should resemble the edge finishing of the table-top. To one end of this base is jointed a leaf, l, which is jointed to a strip, l', and this latter to another leaf, l'', and this last leaf is adjustably secured to the base by a set-screw, m, playing in a slot in the base, and entering a screw-socket in said leaf l''. By this construction these leaves and the strip may be so adjusted upon the base as to form a double-inclined desk or holder for a book, as shown in Fig. 1, the bottom edge of the book resting on the base. This adjustment is effected by bringing the leaves l l'' toward each other to the desired extent and securing them in such position by tightening the screw m.

If desired, there may be employed, in connection with this desk, a removable device for resting upon an open book and holding it thus. Such a device is shown in Fig. 1; and it consists of a spring, n, adapted to be removably attached to the desk, and having swiveled to its free end a cross-bar, o, designed to rest upon, and hold open, a book, so as to prevent its leaves from being turned over.

When the desk is not to be used, the device just described is removed, the leaves and middle strip of the desk are brought to a level with the edge of the base k, the desk is then adjusted parallel with the rod E, and its stem F brought to its lowest adjustment in its socket, and the whole pushed under the table-top, as a drawer would be, thus being out of the way, but always convenient and accessible when desired for use.

It will be perceived from the foregoing that the desk is capable of being rotated in the socket d, and by this means the light from a burner upon the table or elsewhere can be had upon said desk in any manner desired; also, that one desiring to use the holder need not interfere with others at the table, for the desk can be drawn from the table a distance equal to the length of the rod E. By attaching the desk to a vertically-adjustable table it may be used as a reading-desk for a person standing, and by having the table to revolve upon its adjusting-rod the desk can be brought into various parts of a room without moving the whole table.

What I claim is—

1. The combination, with the table, of a sliding horizontal rod, E, vertical adjustable

stem F, and the hinged adjustable book-rest, desk, or holder, G, substantially as described.

2. A book-desk, G, having a number of leaves jointed one to another, and provided with a base-piece pivoted to one outer leaf, and adjustably connected with the other outer leaf by a pin and slot, said leaves being capable of being fixed in a given position, substantially as described.

In testimony that I claim the foregoing as my own I affix my signature in presence of two witnesses.

JENNIE BOUDEMAN.

Witnesses:

James H. Johnson, C. K. Turner.