



C. H. PERKINS.
HORSESHOE.

No. 192,127.

Patented June 19, 1877.


— FIG.2. —



— FIG.4. —



— FIG.3. —



WITNESSES.

Henry A. Knight
Walter B. Vincent

INVENTOR.

C. H. Perkins

UNITED STATES PATENT OFFICE.

CHARLES H. PERKINS, OF PROVIDENCE, RHODE ISLAND.

IMPROVEMENT IN HORSESHOES.

Specification forming part of Letters Patent No. **192,127**, dated June 19, 1877; application filed December 18, 1876.

To all whom it may concern :

Be it known that I, CHARLES H. PERKINS, of Providence, in the State of Rhode Island, have made certain new and useful Improvements in Horseshoes; and I do hereby declare that the following specification, taken in connection with the drawings making a part of the same, is a full, clear, and exact description thereof.

Figure 1 shows the under side of the shoe. Fig. 2 is a sectional elevation of the shoe. Fig. 3 is a plan of double blank. Fig. 4 is an elevation of same, showing inside of upper half of blank.

The object of my invention is to produce a shoe from the smallest possible amount of metal by rolling it in the well-known form of a double blank, in such a manner that the thickness of any particular part of the shoe will be as near as possible in proportion to the strain it is called upon to withstand.

The greatest strain and wear upon the shoe comes at the toe and decreases gradually toward the heel.

To accomplish the desired result I roll the

blank in the form shown by Figs. 3 and 4 of the drawings—that is to say, in form tapering from the toe toward the heel, and with the inner edge (or that portion which forms the inner side of the shoe when completed) beveled, the angle of the bevel decreasing from the toe toward the heel, it being almost vertical at the toe, while at the heel it presents a broad and gentle slope, as shown by the drawings.

Thus it will be seen that no more than the necessary quantity of metal is used, and that the thickness of any one part of the shoe is equal to the amount of strain and wear that it is required to sustain.

What I claim as my invention, and desire to secure by Letters Patent, is—

A horseshoe constructed from blanks, substantially as described, with inner beveled edges A—that is to say, almost perpendicular upon the inside at the toe, while at the heel it presents a broad and gentle slope, as set forth.

C. H. PERKINS.

Witnesses:

HENRY C. KNIGHT,
WALTER B. VINCENT.