
## J. C. DICKEY.

## COUPLINGS FOR OIL-WELL TUBING.

No. 192,619.

Patented July 3, 1877.

Fig. 1.



Witnesses:

Inventor: Julius le Dickey

## UNITED STATES PATENT OFFICE.

JULIUS C. DICKEY, OF FRANKLIN, PENNSYLVANIA.

## IMPROVEMENT IN COUPLINGS FOR OIL-WELL TUBING.

Specification forming part of Letters Patent No. 192,619, dated July 3, 1877; application filed December 29, 1876.

To all whom it may concern:

Be it known that I, JULIUS C. DICKEY, of Franklin, in the county of Venango and State of Pennsylvania, have invented certain new and useful Improvements in Couplings for Oil-Well Tubing; and I do hereby declare that the following is a full, clear, and exact description thereof.

This invention relates to an improvement in coupling for oil-well tubing; and consists in the construction and arrangement of parts

hereinafter specified.

In the drawing illustrating my invention, Figure 1 is a vertical longitudinal section; Fig. 2, a section on the line x x, Fig. 1. Fig. 3 is an end view of the hinged clamp. Fig. 4 is a top view of clamp.

A represents the tubing, having one end screwed into the sleeve or coupling B, which is provided with recesses a on opposite sides of each end, to receive projections b of the hinge-clamp C, by which means the coupling is prevented from turning when the tubing is being screwed up. The clamp may rest in a recess in the top of the casing- $\mathbf{T}$ , to keep it from turning.

The coupling B is turned at each end without screw-thread. Said turned end of the coupling projects beyond the screw-thread of the tubing, as shown.

The two sides of the clamp C are hinged together at one end, in order that it may be opened and closed on the tubing when lower-

ing or elevating.

The coupling may be made square or other suitable shape, and when so constructed the clamp is provided with a like recess to prevent said coupling from turning when the connections are made.

Having thus fully described my invention, what I claim as new, and desire to secure by

Letters Patent, is-

1. The coupling B, provided with recesses a, substantially in the manner and for the purpose set forth.

2. The clamp C, having a projection, b, substantially as and for the purpose set forth.

JULIUS C. DICKEY.

Witnesses:

Moses J. Colman, Geo. Allen.