
A. L. HUNSAKER. Pump Operated by Spring or Weight.

No. 197,854.

Patented Dec. 4, 1877.



Attest

Geo. H. Strong. Trank A. Brooks Inventor A. L. Hunsaker, Bij his Atty's Dewey Ho

UNITED STATES PATENT OFFICE.

ARCHIBALD L. HUNSAKER, OF HUNSAKER, CALIFORNIA.

IMPROVEMENT IN PUMPS OPERATED BY SPRINGS OR WEIGHTS.

Specification forming part of Letters Patent No. 197,854, dated December 4, 1877; application filed July 30, 1877.

To all whom it may concern:

Be it known that I, ARCHIBALD L. HUNSA-KER, of Hunsaker, county of Tulare, and State of California, have invented Improvements in Pumps; and I do hereby declare the following to be a full, clear, and exact description thereof, reference being had to the accompanying drawing.

My invention relates to the employment of a **T**-shaped lever for operating two pumps by a train of gears which receive their power

from a spring or weight.

Referring to the accompanying drawing, in which the figure is a perspective view, let A represent a frame, inside of which a train of gears is mounted. Power for driving the train of gears is furnished by a spring, B, in the usual manner of applying spring-power. One end of the shaft C, upon which the last gear-wheel of the train is secured, projects outside of the frame A, and on its extremity is secured a crank-wheel, E. F is a T-shaped lever, which is attached to the frame A, so that its fulcrum is at some point between the middle of its vertical leg or lever O and the projecting arms at its upper end. A pump, L, is located directly below the extremity of each of the arms G H, and the piston-rod of each

pump is connected with the extremity of the arm directly above by a pitman, M. The lower end of the vertical lever O is provided with a vertical slot, P, and the wrist-pin J of the crank-wheel E enters the slot, so that when the shaft C is set in motion by the train of gears the crank-wheel will impart a reciprocating motion to the T-shaped lever, and thus operate the pumps L alternately.

Having thus described my invention, what I claim, and desire to secure by Letters Pat-

 ${
m ent}, {
m is}$ –

The **T**-shaped lever attached to the frame A, as described, and having the lower end of its vertical arm O provided with a slot, P, with which the crank-pin J engages, and having the piston-rod of a pump, L, attached to each of its horizontal arms, the several parts relatively arranged with each other, and in connection with a train of gears and spring-power, substantially as above described.

In witness whereof I have hereunto set my

hand and seal.

ARCHIBALD L. HUNSAKER. [L.S.]

Witnesses:

R. K. WESTON, I. E. SHUEY.