



DESIGN.

H. F. GOODWIN.
CHAIRS AND SETTEES.

No. 9,887.

Patented April 3, 1877.



WITNESSES
Ed. S. Nottingham.
A. Wright.

INVENTOR
Howard F. Goodwin.
 By *H. A. Seymour,*
 ATTORNEY

DESIGN.

H. F. GOODWIN.
CHAIRS AND SETTEES.

No. 9,887.

Patented April 3, 1877.





Fig. 3.



WITNESSES
Ed. A. Spillingham,
A. Wright.

INVENTOR
Howard F. Goodwin,
 By *H. W. Jaymow*
 ATTORNEY

UNITED STATES PATENT OFFICE.

HOWARD F. GOODWIN, OF SHEBOYGAN, WISCONSIN.

DESIGN FOR CHAIRS AND SETTEES.

Specification forming part of Design No. **9,857**, dated April 3, 1877; application filed January 26, 1877.
[Term of Patent 14 years.]

To all whom it may concern:

Be it known that I, HOWARD F. GOODWIN, of Sheboygan, in the county of Sheboygan and State of Wisconsin, have originated and produced a Design for Chairs, of which the following is a full, clear, and exact description, reference being had to the accompanying drawing, making a part of this specification.

This design relates to the formation of sides for chairs, seats, and settees; and consists in a side formed of two independent continuous pieces of material, one of said pieces constituting the arm and rear leg of the chair, while the other piece forms the back and seat-support and front leg of the chair.

In the drawings, Figure 1 illustrates a chair, provided with sides embodying my design. Fig. 2 shows the design as applied to rocking chairs. Fig. 3 represents the design applied to a stationary double seat, and Fig. 4 is a view of a full-sized rustic settee for lawns and verandahs, the ends of the settee having my design embodied therein.

A is the chair, the back and seat of which may be of any desired form or construction. The sides of the chair are formed by the pieces B D, the former having its upper ends secured to the back of the chair, then extending downward, and curving forward to form the arms *b*, and then are bent backward in a reverse curve to a point approximately in a vertical

plane with the back of the chair, from which point they extend downward on an outwardly-curved line, and constitute the rear legs of the chair.

The upper ends of pieces D are secured to the chair-back, between the pieces B, and extend downward, and are curved forward to correspond with the desired form and location of the seat-bottom, the lower ends being bent downwardly to form the front legs of the chair.

The sides embodying my design, as above described, consist of two strips, the same having the proper curved forms imparted thereto, thereby constituting a chair of neat and tasteful appearance.

This design is applicable to chairs, seats, and settees, as illustrated in the different figures of the drawings.

Having fully described my invention, what I claim, and desire to secure by Letters Patent, is—

The design for sides for chairs and settees, the same consisting essentially in the parts B D, bent substantially in the manner described.

In testimony that I claim the foregoing I have hereunto set my hand this 19th day of January, A. D. 1877.

HOWARD F. GOODWIN.

Witnesses:

F. R. TOWNSEND,
G. L. HOLMES.