



DEPARTMENT OF THE ARMY
UNITED STATES ARMY INTELLIGENCE AND SECURITY COMMAND
FREEDOM OF INFORMATION/PRIVACY OFFICE
FORT GEORGE G. MEADE, MARYLAND 20755-5995

REPLY TO
ATTENTION OF:

November 25, 2002

Freedom of Information/
Privacy Office

Mr. John Young
CRYPTOME
251 West 89th Street
Suite 6E
New York, New York 10024

Dear Mr. Young:

References:

- a. Your Freedom of Information Act (FOIA) request of March 29, 2001, for records concerning various dossiers. Your request was received in this office on April 20, 2001.
- b. Our letter of April 20, 2001, informing you that additional time was needed to review the records and we were unable to comply with the 20-day statutory time limit.

We have conducted checks of the automated Defense Clearance and Investigations Index and a search of the Investigative Records Repository to determine the existence of Army intelligence investigative records responsive to your request.

We have located records pertaining to your request on Corps Communication Center, ZG000495W. We have completed a mandatory declassification review in accordance with Executive Order (EO) 12958. As a result of our review, information has been sanitized from the records as the information is currently and properly classified CONFIDENTIAL according to Sections 1.3(a)(3), 1.5(c) and 1.5(d) of EO 12958. This information is exempt from the public disclosure provisions of the FOIA pursuant to Title 5 U.S. Code 552(b)(1). On March 9, 1999, the President exempted the file series in which these records are maintained from the automatic declassification provisions of EO 12958, Section 3.4, pertaining to classified records more than 25 years old. The records are enclosed for your use. A brief explanation of the applicable sections follows:

Section 1.3(a)(3) of EO 12958 provides that information shall be classified CONFIDENTIAL if its unauthorized disclosure reasonably could be expected to cause damage to the national security.

Section 1.5(c) of EO 12958 provides that information pertaining to intelligence activities, intelligence sources or methods, and cryptologic information shall be considered for classification protection.

Section 1.5(d) of EO 12958 provides that information pertaining to foreign relations or foreign activities of the United States, including confidential sources shall be considered for classification protection.

Since the release of the information would result in an unwarranted invasion of the privacy rights of the individual concerned, this information is exempt from the public disclosure provisions of the FOIA per Title 5 U.S. Code 552 (b)(6).

In addition, we have sanitized information that would reveal the identity of confidential sources. This information is exempt from public disclosure pursuant to Title 5 U.S. Code 552 (b)(7)(D) of the FOIA. The significant and legitimate governmental purpose to be served by withholding is that a viable and effective intelligence investigative capability is dependent upon protection of confidential sources.

The withholding of the information described above is a partial denial of your request. This denial is made on behalf of Major General Keith B. Alexander, the Commanding General, U.S. Army Intelligence and Security Command, who is the Initial Denial Authority for Army intelligence investigative and security records under the FOIA. You have the right to appeal this decision to the Secretary of the Army. If you wish to file an appeal, you should forward it to this office. Your appeal must be postmarked no later than 60 calendar days from the date of this letter. After the 60-day period, the case may be considered closed; however, such closure does not preclude you from filing litigation in the courts.

During the processing of your request, information was disclosed which is under the purview of another government agency. This office has no authority to release these records and they are being referred, along with your request, for appropriate action under the FOIA, and direct reply to you.


We are coordinating with another government agency concerning the releasability of their information contained in the records. We will inform you as to the releasability of the information upon completion of our coordination.

The amount for professional review and reproduction of the first one hundred pages had been waived. The reproduction cost of \$30.90 remains due and a check should be forwarded by postal money order or certified check made payable to the Treasurer of the United States.

Fees for processing this request are waived.

If you have any questions concerning this action, please feel free to contact Mrs. Querry at (301) 677-4060. Refer to case #764F-01.

Sincerely,


Russell A. Nichols
Chief, Freedom of Information/
Privacy Office

Enclosure



DEPARTMENT OF THE ARMY
U. S. ARMY CRIMINAL INVESTIGATION COMMAND
6010 6TH STREET
FORT BELVOIR, VIRGINIA 22060-5506

REPLY TO
ATTENTION OF

DEC 17 2002

U.S. Army Crime Records Center
(FP02-3053)

Mr. Russell A. Nichols
251 West 89th Street, Suite 6E
New York, NY 10024

Attached
206
285 294
297-300

Dear Mr. Nichols:

This is in response to your request for release of information from the files of the U.S. Army Intelligence and Security Command. Your request was received on December 3, 2002. The attached documents were referred by the U.S. Army Intelligence and Security Command.

The marked paragraph(s) of this letter provide explanation concerning your request:

☒ The enclosed documents, Military Blotter KB# 247-72, Physical Security Survey AETS-74-039 and AESTU FY-76-002, responsive to your request are a part of a system of records exempt from the mandatory access provisions of the Privacy Act (PA) and the mandatory disclosure provisions of the Freedom of Information Act (FOIA). The names of law enforcement personnel, as well as names, social security numbers, and other personal items of information pertaining to third parties may have been withheld. The removal of this information constitutes a partial denial pursuant to Title 5, USC, Section 552a, Exemption (j)(2) of the PA and Title 5, USC, Section 552, Exemptions (b)(6) and (b)(7)(C) of the FOIA, because release could violate the personal privacy of other individuals mentioned in the report(s). Exemption (b)(2) applies to withholding of the identification numbers of special agents. (See attached appeal instructions.)

☐ Portions of the report(s) did not originate with this agency. The USACIDC is not the release authority for the documents in question. Your request and the documents have been referred to the (government agency or organization) for release determination and a direct reply to you.

☐ Portions of the report(s) originated with a civilian agency. The USACIDC is not the release authority for these documents. You may wish to write to the (civilian agency or organization) for that information.

☐ Coordination is being conducted with our field element(s) to obtain additional information responsive to your request. Upon receipt of any additional information you will be provided with a follow-up response.

☐ The documents that were enclosed with your request have been reviewed and are returned for your use in resolving the issue with the subject of your inquiry. The names of law enforcement personnel, as well as names, social security numbers, and other personal items of information pertaining to third parties have been withheld pursuant to The Privacy Act, Title 5, USC, Section 552a, Exemption (j)(2), and the Freedom of Information Act (FOIA), Title 5, USC, Section 552, Exemptions (b)(6) and (b)(7)(C). Exemption (b)(2) of the FOIA applies to withholding of the identification numbers of special agents. You may release a copy of the report(s) to the subject of your inquiry.


☐ A copy of this letter was provided to the U.S. Army Intelligence and Security Command, # P-03.

☐ Other:

Questions regarding this action should be addressed in writing to the address shown on the letterhead.

I trust this will be of assistance to you.

Sincerely,

A handwritten signature in black ink, appearing to read "P. J. McGuire", with a horizontal line extending to the right.

Phillip J. McGuire
Director, Crime Records Center

THIS MUST REMAIN T O P D O C U M E N T

DOSSIER NO. ZG000495 W
Vol 1 of 2 Vols

As of 4 Feb 85 all material included
(Date)
in this file conforms with DA policies currently
in effect.

(Signature) 4 Feb 85
(Date Signed)

Delmar Smith GS5
(Printed Name) (Grade)

REVIEWED FOR RETENTION CRITERIA
UP AR 300-3
REVIEWER [Signature] DATE 15 JAN 93

THIS MUST REMAIN T O P D O C U M E N T

TRANSMITTAL OF MATERIAL TO IRR*

1. TO:
 () Records Processing Division
 (xxx) Special Records Division
 () Supplemental Review Division

2. FROM:
CDR
SOD, INSCOM
FGGM, MD 20755

3. DATE 11 Jan 85

a. SUBJECT: VII CORPS COMMUNICATION CENTER (U) ZG000495 VOL I

b. DOB:

d. SSN:

c. POB:

e. Alias/Nee

Name/Impersonal Title	DOB	POB	SSN	Alias/Nee
-----------------------	-----	-----	-----	-----------

6. FORWARD DOSSIER TO:

(xx) Files

() Account Number:

7. AR 380-13 (Check one or both)

- () Attached material meets retention criteria of AR 380-13
- () DA Form 4312-R (Retention Control Sheet) is attached

8. DISPOSITION OF CASE (If not reflected on DA Form 2784-R

Case is closed

1008

9. REQUEST FOR CONTROL (For controlled dossier material only; enter data required by para 3-4, AR 381-45)

(1) Category III
(2) 3-2b(3), AR 381-45
(3) Cannot be determined
(4) See block 4

10.	IRR USE ONLY
-----	--------------

() AR 380-13

() AR 381-45

Dossier No:

Aging Criteria:

75

B. Chenoweth 13 Feb. 85

REGRADED FROM CLASS TO WHATEVER SEPARATED
FROM CLASS

IA (HQ) Form 2201



AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

8 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(S)~~ On 13 February 1976, files of the Counterintelligence Branch Security Division, Assistant Chief of Staff, G2, VII Corps, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107, were examined and revealed the following information pertinent to SUBJECT:

~~(S)~~ On 18 April 1974, a Security Clearance Roster (EXHIBIT _____) was published by Headquarters, 34th Signal Battalion, VII Corps, Krabbenloch Kaserne, APO New York 09154, Ludwigsburg (NV1416), FRG, pertaining to officers and enlisted personnel assigned or attached to the 35th Signal Battalion.

~~(S)~~ AGENT'S NOTES: Attention is invited to Agent Report B04132-173-76, Subject as above, dated 27 February 1976, wherein it was revealed that personnel of 34th Signal Battalion operate the Communications Center, VII Corps.

5 USC 552 (b) (6)

CLASSIFIED BY: Para 7b, AR 381-12, 18 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE C, EXECUTIVE ORDER 11652
EXEMPT FROM DECLASSIFICATION
DECLASSIFICATION AUTHORITY OF ACSI, DA

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CCA USAINSCOM/EDP

Auth Date 1 602 DoD 5200.1-P

6. SIGNATURE OF SPECIAL AGENT

1. NAME OF SPECIAL AGENT

207th MI Detachment

B04132-384-76

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 8 March 1976

Description: Security Clearance Roster published on 18 April 1974 by Headquarters, 34th Signal Battalion, Krabbenloch Kaserne, APO New York 09107, Ludwigsburg (NV1416), Federal Republic of Germany.

EXHIBIT _____

4



DEPARTMENT OF THE ARMY
HEADQUARTERS, 34TH SIGNAL BATTALION, CORPS
APO 09154

AETSSN-SB

18 APR 1974

SUBJECT: Security Clearance Roster.

SEE DISTRIBUTION

1. Attached is the current security clearance roster of officers and enlisted personnel assigned or attached to the 34th Signal Battalion, Corps.
2. Request that section chiefs and unit commanders review the roster to ensure that names are spelled correctly, grade is current, service numbers are accurate and security clearance data is correct and complete. Notify the Battalion S2, ATTN: AETSSN-SB, (telephone: LUD MIL (2726-) 405/563) of any corrections, additions or deletions to the roster.
3. Section chiefs and unit commanders are requested to notify the Battalion S2 of personnel having access to categories of information as outlined in paragraph 4b, USAREUR Regulation 380-60 (Classified). These personnel will be designated Class II personnel.
4. Security clearance actions on attached personnel are not processed by this headquarters. Inquiries concerning these individuals should be directed to their parent organization.
5. The following Clearance Legend is used on the attached roster of personnel:

US CLEARANCES

TS (TOP SECRET)
ITS (INTERIM TOP SECRET)
S (SECRET)
IS (INTERIM SECRET)
C (CONFIDENTIAL)

NATO CLEARANCES

CA (COSMIC ATOMAL)
C (COSMIC)
NSA (NATO SECRET ATOMAL)
NS (NATO SECRET)

Class II personnel are also indicated by an "II".

6. THIS ROSTER WILL BE DESTROYED AS CLASSIFIED MATERIAL.

FOR THE COMMANDER:

1 Incl
as

T.A. Wittbrodt
T.A. WITTBRODT
CPT, SigC
Adjutant

DISTRIBUTION:

4-~~ea~~ Headquarters Company
8-~~ea~~ A Company
8-~~ea~~ B Company
8-~~ea~~ C Company
2-~~ea~~ VII Corps CI
1-~~ea~~ VII Corps TSCO
1-~~ea~~ STARPAC
1-~~ea~~ 66th MI Group
3-~~ea~~ S1
3-~~ea~~ S3
6-~~ea~~ S2

5
FOR OFFICIAL USE ONLY

5 USC 552 (b) (6)

24TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

PAGE 1

AS OF 27 MAR 74

400095P

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	SSG	[REDACTED]	HQ 63R	S	NS	
[REDACTED]	SGT	[REDACTED]	C 31M	S	NS	II
[REDACTED]	PFC	[REDACTED]	A 04R	S	NS	II
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	II
[REDACTED]	PFC	[REDACTED]	C 35C	S	NS	II
[REDACTED]	SGT	[REDACTED]	A 72R	S	NS	II
[REDACTED]	SSG	[REDACTED]	R 31M	TS	NS	II
[REDACTED]	PVT	[REDACTED]	A 72R	S	NS	II
[REDACTED]	PFC	[REDACTED]	HQ 71R	S	NS	II
[REDACTED]	SFC	[REDACTED]	R 31M	S	NS	II
[REDACTED]	PFC	[REDACTED]	A 62R	S	NS	II
[REDACTED]	SGT	[REDACTED]	C 31M	S	NS	II
[REDACTED]	SSG	[REDACTED]	A 35C	S	NS	II
[REDACTED]	PVT	[REDACTED]	A 72R	S	NS	II
[REDACTED]	SFC	[REDACTED]	HQ 75Z	S	NS	II
[REDACTED]	SSG	[REDACTED]	R 31M	S	NS	II
[REDACTED]	SGT	[REDACTED]	R 35C	S	NS	II
[REDACTED]	SP4	[REDACTED]	R 31M	S	NS	II
[REDACTED]	PV2	[REDACTED]	R 31M	S	NS	II
[REDACTED]	SGT	[REDACTED]	A 05C	S	NS	II
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	II
[REDACTED]	PFC	[REDACTED]	HQ 31E	S	NS	II
[REDACTED]	PV2	[REDACTED]	R 31M	S	NS	II
[REDACTED]	SGT	[REDACTED]	R 31M	S	NS	II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	II
[REDACTED]	SSG	[REDACTED]	HQ 84R	S	NS	II
[REDACTED]	PFC	[REDACTED]	R 35C	S	NS	II
[REDACTED]	PV2	[REDACTED]	R 31M	S	NS	II
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	II
[REDACTED]	SP4	[REDACTED]	A 75R	S	NS	II
[REDACTED]	SP4	[REDACTED]	A 05C	S	NS	II
[REDACTED]	SP4	[REDACTED]	R 31M	S	NS	II

34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

R11SC 552 (b) (6)

AS OF 27 MAR 74

4097958

PAGE 2

NAME	GRADE	SSAN	SECTION	CLEARANCE	NAIC	SPECIAL CATEGORY
[REDACTED]	2LT	[REDACTED]	C	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	SFC	[REDACTED]	HQ 31E	S		
[REDACTED]	SP4	[REDACTED]	A	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 72R	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SSG	[REDACTED]	B 36C	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 36C	S	NS	CS
[REDACTED]	SGT	[REDACTED]	C 05C	S	NS	CS
[REDACTED]	1LT	[REDACTED]	KLY	IS		
[REDACTED]	SGT	[REDACTED]	A 05C	S	NS	CS
[REDACTED]	SP4	[REDACTED]	HQ	S		
[REDACTED]	SGT	[REDACTED]	C 31M	S	NS	
[REDACTED]	SP4	[REDACTED]	B 36C	S		
[REDACTED]	1SG	[REDACTED]	B 31Z	S		
[REDACTED]	SGT	[REDACTED]	R 31M	S		
[REDACTED]	1SG	[REDACTED]	HQ 31Z	TS		
[REDACTED]	PFC	[REDACTED]	HQ 31E	S		
[REDACTED]	PV2	[REDACTED]	A 72R	S		
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS
[REDACTED]	SP4	[REDACTED]	HQ 36G	S	NS	CS
[REDACTED]	PFC	[REDACTED]	B 31M	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 05B	S	NS	CS
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 76Y	S		
[REDACTED]	SFC	[REDACTED]	HQ 31N	S	NS	CS
[REDACTED]	PV2	[REDACTED]	A 36C	S		
[REDACTED]	SP5	[REDACTED]	HQ 84G	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	CH2	[REDACTED]	HQ	S	NS	CS
[REDACTED]	SP4	[REDACTED]	HQ 71B	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		

F-O-R--O-F-F-I-C-I-A-T-I-S-F--O-V-L-Y

~~F--O-P---D-E-F-I-C-I-A-L---J-S-F--G-N-L-Y~~

34TH SIGNAL BATTALION

5 USC 552 (b) (6)

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74

4090095R

PAGE 3

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	SSG	[REDACTED]	B 35C	S		
[REDACTED]	PFC	[REDACTED]	C 31M	S		
[REDACTED]	PFC	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 35C	S	NS	CS II
[REDACTED]	PVT	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	HQ 31F	S	NS	CS II
[REDACTED]	1LT	[REDACTED]	A	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 72B	TS	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 35C	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	C 31M	S	NS	CS II
[REDACTED]	SP5	[REDACTED]	HQ 72B	TS	CA	CS II
[REDACTED]	PV2	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	B 52B	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	HQ 84G	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	B 35C	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	HQ 84G	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 72B	S	NS	CS II
[REDACTED]	SP5	[REDACTED]	HQ 31F	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	HQ 31N	S	NS	CS II

~~F--O-P---D-E-F-I-C-I-A-L---J-S-F--G-N-L-Y~~

~~F--O--R--O--F--I--A--L--J--S--F--O--N--L--Y~~

34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 409095B

PAGE 4

NAME

GRADE

SSAN

SECTION

CLEARANCE

NATO

SPECIAL CATEGORY

PV2	A	36C	S			
PFC	C	36C	S			
PFC	B	36C	S			
SSG	HQ		S			
SP4	R	31M	S			
PFC	R	31M	S			
SGT	C	31M	S	NS	CS	II
SP4	C	31M	S	NS		
PFC	A	72C	S			
SSG	A	94B	S	NS	CS	II
SGT	A	72B	TS	C	CTS	II
SP5	A	36C	S			
PV2	A	72B	TS	NS		
SP4	A	72B	S	NS	CS	II
SSG	C	31M	S			
SP4	HQ	31L	S			
SGT	A	72B	S	NS	CS	II
SGT	A	05C	S	NS	CS	II
SP4	C	31M	S	NS		
SP4	C	31M	S			
SGT	A	05C	S	NS	CS	II
SGT	C	36C	S			
PFC	C	31M	S			
SP4	C	72B	S	NS	CS	II
PFC	A	72B	S			
SP4	HQ	53A	S			
SP4	B	31M	S			
SP4	B	31M	S	NS	CS	II
SP4	A	36C	S			
PFC	B	36C	S			
PFC	R	31M	S	NS	CS	II
PFC	C	31M	S			

~~F--O--R--O--F--I--A--L--J--S--F--O--N--L--Y~~

USC352 (b) (6)

SECRET

24TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 400000R PAGE 5

GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
PFC	[REDACTED]	R 31R	S	NS	CS II
PFC	[REDACTED]	C 31T	S		
PFC	[REDACTED]	B 31M	S		
SP5	[REDACTED]	B 34R	S		
SP4	[REDACTED]	C 31M	S	NS	CS II
1LT	[REDACTED]	HQ	S	NS	CS II
PFC	[REDACTED]	B 76C	S		
SGT	[REDACTED]	R 31R	S		
PVT	[REDACTED]	A 72F	S		
SP5	[REDACTED]	C 31S	TS	VS	CS II
PFC	[REDACTED]	B 31M	S		
CW4	[REDACTED]	HQ	S		
1LT	[REDACTED]	R	TS	NS	CTS II
2LT	[REDACTED]	A	S		
PV2	[REDACTED]	A 35C	S	NS	CS II
PFC	[REDACTED]	A 72R	S	NS	CS II
PVT	[REDACTED]	C 31M	S		
PFC	[REDACTED]	A 05R	S	NS	CS II
SP4	[REDACTED]	C 31M	S	NS	CS II
PFC	[REDACTED]	B 31M	S		
SGT	[REDACTED]	R 31M	S	NS	CS II
SP4	[REDACTED]	HQ 76C	S	NS	CS II
PFC	[REDACTED]	C 31M	S	NS	CS II
1LT	[REDACTED]	C	S	NS	CS II
PV2	[REDACTED]	A 34C	S		
SGT	[REDACTED]	R 31M	S	NS	CS II
PFC	[REDACTED]	R 31M	S	NS	CS II
SP4	[REDACTED]	A 72R	S	NS	CS II
PVT	[REDACTED]	A 35R	S		
CW2	[REDACTED]	A	TS	NS	CTS II
SGT	[REDACTED]	A 42L	S		
PVT	[REDACTED]	A 72R	S		
2LT	[REDACTED]	HQ	TS	CA	CTS II

SECRET

F--O--P--O--F--E--I--C--I--A--V--S--F--E--O--N--L--Y

24TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY	PAGE
[REDACTED]	SSG	[REDACTED]	C 260	S	NS		6
[REDACTED]	SP4	[REDACTED]	R 21T S	S	NS		
[REDACTED]	SP4	[REDACTED]	HQ 21F	S	VS	CS	II
[REDACTED]	SP4	[REDACTED]	C 21M	S	NS	CS	II
[REDACTED]	21T	[REDACTED]	R 21M	S	NS		
[REDACTED]	SGT	[REDACTED]	R 21M	S	NS		
[REDACTED]	PFC	[REDACTED]	R 26C	S	NS	CS	II
[REDACTED]	SSG	[REDACTED]	C 21M	S	NS		
[REDACTED]	PFC	[REDACTED]	C 21M	S	NS		
[REDACTED]	SSG	[REDACTED]	A 22B	S	NS	CS	II
[REDACTED]	SSG	[REDACTED]	C 26C	S	NS	CS	II
[REDACTED]	SP4	[REDACTED]	HQ 20A	CSN	NS	CTS	II
[REDACTED]	SP4	[REDACTED]	R 21M	S	NS		
[REDACTED]	PFC	[REDACTED]	R 21M	S	NS		
[REDACTED]	LTC	[REDACTED]	HQ	TS	NS	CS	II
[REDACTED]	WO1	[REDACTED]	HQ	TS	NS	CS	II
[REDACTED]	SP4	[REDACTED]	C 21M	S	NS		
[REDACTED]	PV7	[REDACTED]	R 21M	S	NS		
[REDACTED]	SP4	[REDACTED]	C 21M	S	NS		
[REDACTED]	PFC	[REDACTED]	R 21M	S	NS	CS	II
[REDACTED]	PFC	[REDACTED]	C 21M	S	NS	CS	II
[REDACTED]	CPT	[REDACTED]	HQ	S	NS	CS	II
[REDACTED]	PFC	[REDACTED]	R 21M	S	NS	CS	II
[REDACTED]	PFC	[REDACTED]	R 21M	S	NS	CS	II
[REDACTED]	SP6	[REDACTED]	A 24D	S	NS		
[REDACTED]	PVT	[REDACTED]	R 22A	S	NS	CS	II
[REDACTED]	PFC	[REDACTED]	R 21M	S	NS		
[REDACTED]	SP4	[REDACTED]	C 21M	S	NS		
[REDACTED]	SSG	[REDACTED]	C 21M	S	NS	CS	II
[REDACTED]	SP5	[REDACTED]	HQ 21J	S	NS	CS	II
[REDACTED]	PFC	[REDACTED]	A 21S	S	NS	CS	II
[REDACTED]	SFC	[REDACTED]	HQ 21Z	TS	NS	CTS	II

F--O--P--O--F--E--I--C--I--A--V--S--F--E--O--N--L--Y

6 USC 552 (b) (6)

F--O--R--C--F--I--A--L--J--S--F--O--N--L--Y

34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

552 (b) (6)

AS OF 27 MAR 74 400005R

PAGE 7

NAME	SSAN	SECTION	CLEARANCE	NAID	SPECIAL CATEGORY
[REDACTED]	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	[REDACTED]	R 31M	CON		II
[REDACTED]	[REDACTED]	A 72B	ITS	NS	CS
[REDACTED]	[REDACTED]	A 31S	S	NS	CS
[REDACTED]	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	[REDACTED]	HQ 31J	S		
[REDACTED]	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	[REDACTED]	B	S	NS	CS
[REDACTED]	[REDACTED]	HQ 31M	S		
[REDACTED]	[REDACTED]	R 31L	S	NS	CS
[REDACTED]	[REDACTED]	A 36C	S		
[REDACTED]	[REDACTED]	A 35C	S	NS	CS
[REDACTED]	[REDACTED]	J A72 a	S		
[REDACTED]	[REDACTED]	A 72C	S		
[REDACTED]	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	[REDACTED]	A 36C	S		
[REDACTED]	[REDACTED]	A 35F	S	NS	CS
[REDACTED]	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	[REDACTED]	HQ 34B	S		
[REDACTED]	[REDACTED]	C 31N	S		
[REDACTED]	[REDACTED]	A 35B	S		
[REDACTED]	[REDACTED]	A 36C	S		
[REDACTED]	[REDACTED]	A 35C	S	NS	CS
[REDACTED]	[REDACTED]	R 31M	S		
[REDACTED]	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	[REDACTED]	A 72B	S		
[REDACTED]	[REDACTED]	HQ	S		
[REDACTED]	[REDACTED]	A 35C	S		
[REDACTED]	[REDACTED]	R 31M	S		
[REDACTED]	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	[REDACTED]	C 34B	S		
[REDACTED]	[REDACTED]	B 32B	S		
[REDACTED]	[REDACTED]	A 35F	S	NS	CS

F--O--R--C--F--I--A--L--J--S--F--O--N--L--Y

F-O-R--O-F--C-I-A-L--J-S-F--O-N-L-Y

34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74		409095B		PAGE 8	
GRADE	SSAN	SECTION	CLEARANCE	NAID	SPECIAL CATEGORY
2LT	[REDACTED]	A	S	NS	CS
PFC	[REDACTED]	A 72B	S		II
PV2	[REDACTED]	A 31N	S		
PFC	[REDACTED]	A 35C	S		
SGT	[REDACTED]	A 72R	TS	NS	CTS
PFC	[REDACTED]	A 05C	S	NS	CS
2LT	[REDACTED]	C	S		
SP4	[REDACTED]	A 72R	S	NS	CS
SFC	[REDACTED]	A 31Z	TS	NS	CTS
PFC	[REDACTED]	B 36C	S		
PFC	[REDACTED]	B 43B	S		
PFC	[REDACTED]	A 35C	S		
SP4	[REDACTED]	D 21M	S	NS	II
SGT	[REDACTED]	A 05B	IS	NS	CS
SP4	[REDACTED]	C 31L	S	NS	CS
SP4	[REDACTED]	B 31M	S		
SP4	[REDACTED]	HQ 31J	S		
SP4	[REDACTED]	A 05B	S	NS	CS
SP4	[REDACTED]	HQ 31L	S	NS	CS
PFC	[REDACTED]	C 31M	S		
PFC	[REDACTED]	B 31T	S	NS	CS
PFC	[REDACTED]	B 31M	S		
PV2	[REDACTED]	B 31M	S		
PFC	[REDACTED]	A 05F	S	NS	CS
SSG	[REDACTED]	HQ 52D	S	NS	CS
SP4	[REDACTED]	B 52B	S		
PFC	[REDACTED]	B 21M	S		
SP4	[REDACTED]	A 72B	S	NS	CS
2LT	[REDACTED]	C	S		
SGT	[REDACTED]	C 21M	S		
PFC	[REDACTED]	A 72C	S		
SGT	[REDACTED]	B 31M	S		

6 USC 552 (b) (6)

F-O-R--O-F--C-I-A-L--J-S-F--O-N-L-Y

F-O-R--O-F--T-A-L--J-S-F--J-N-L-Y

34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 400005B PAGE 9

NAME	SSAN	SECTION	CLEARANCE	NATJ	SPECIAL CATEGORY
SP4	[REDACTED]	A 72R	S	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
PV2	[REDACTED]	A 72R	S	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
SGT	[REDACTED]	B 31M	S	NS	CS
CPT	[REDACTED]	HQ	TS	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
SGT	[REDACTED]	A 72R	S	NS	CS
SGT	[REDACTED]	B 31M	S	NS	CS
SGT	[REDACTED]	B 31M	S	NS	CS
SP4	[REDACTED]	B 31M	S	NS	CS
SFC	[REDACTED]	HQ ODE	S	NS	CS
1LT	[REDACTED]	HQ	S	NS	CS
PFC	[REDACTED]	A 72R	S	NS	CS
SFC	[REDACTED]	B 31M	S	NS	CS
SSG	[REDACTED]	C 31M	S	NS	CS
SP4	[REDACTED]	A 05C	S	NS	CS
SP4	[REDACTED]	HQ 71H	S	NS	CS
WO2	[REDACTED]	HQ	S	NS	CS
PV2	[REDACTED]	A 94G	S	NS	CS
PVT	[REDACTED]	A 36C	S	NS	CS
SP4	[REDACTED]	B 31M	S	NS	CS
PV2	[REDACTED]	B 31M	S	NS	CS
SP4	[REDACTED]	A 31M	S	NS	CS
SGT	[REDACTED]	B 31M	S	NS	CS
SP4	[REDACTED]	A 36H	S	NS	CS
1LT	[REDACTED]	HQ	S	NS	CS
PV2	[REDACTED]	B 31M	S	NS	CS
SP4	[REDACTED]	C 31M	S	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
PFC	[REDACTED]	B 31M	S	NS	CS
SSS	[REDACTED]	B 31M	S	NS	CS

EO 552 (b) (6)

F-O-R--O-F--T-A-L--J-S-F--J-N-L-Y

USCGC 552 (b) (6)

F-O-R--O-F-F--J-S-F--O-N-L-Y

24TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 400095R

PAGE 10

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	SP4	[REDACTED]	A 31N	S	NS	CS
[REDACTED]	SGT	[REDACTED]	A 05C	S	NS	CS
[REDACTED]	PV2	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SSG	[REDACTED]	R 31J T	TS	NS	
[REDACTED]	SP4	[REDACTED]	A 72B	IS	NS	CS
[REDACTED]	PVT	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SFC	[REDACTED]	HQ 31M	S	NS	CS
[REDACTED]	2LT	[REDACTED]	A	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 72B	TS	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SGT	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 72B	TS	NS	CS
[REDACTED]	PV2	[REDACTED]	A	S	NS	CS
[REDACTED]	SP4	[REDACTED]	HQ 84G	S	NS	CS
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	SGT	[REDACTED]	B 31M	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 05F	S	NS	CS
[REDACTED]	SP4	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	2LT	[REDACTED]	HQ	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	PFC	[REDACTED]	HQ 71H	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 35C	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 72B	S	NS	CS
[REDACTED]	SGT	[REDACTED]	C 31M	S	NS	CS
[REDACTED]	SP5	[REDACTED]	HQ 21L	S	NS	CS
[REDACTED]	SGT	[REDACTED]	R 31M	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 05C	S	NS	CS
[REDACTED]	SGT	[REDACTED]	A 31F	S	NS	CS
[REDACTED]	PV2	[REDACTED]	A 72B	S	NS	CS

F-O-R--O-F-F--J-S-F--O-N-L-Y

F--O--P--O--E--F--A--L--J--S--F--O--N--L--Y

24TH SIGNAL BATTALION

SECURITY CLEARANCE POSTER

PAGE 11

400005R

AS OF 27 MAR 74

NAME	GRADE	SSAN	SECTION	CLEARANCE	WATO	SPECIAL CATEGORY
[REDACTED]	SP4	[REDACTED]	C 31M	S		
[REDACTED]	SFC	[REDACTED]	R 31M	S		
[REDACTED]	SGT	[REDACTED]	C 31M	S		
[REDACTED]	CPT	[REDACTED]	HO	TS	NS	CTS II
[REDACTED]	PFC	[REDACTED]	A 35C	S		
[REDACTED]	SP4	[REDACTED]	C 31M	S		
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS II
[REDACTED]	CPT	[REDACTED]	HO	TS		
[REDACTED]	CPT	[REDACTED]	HOCHAP	S		
[REDACTED]	PV2	[REDACTED]	C 31M	S		
[REDACTED]	PFC	[REDACTED]	R 31M	S		
[REDACTED]	SP4	[REDACTED]	A 35C	S		
[REDACTED]	SGT	[REDACTED]	C 31M	S		
[REDACTED]	PVT	[REDACTED]	A	S		
[REDACTED]	SP4	[REDACTED]	A 72R	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 72R	S	NS	CS II
[REDACTED]	PVT	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 72R	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	HO 76Y	S		
[REDACTED]	SFC	[REDACTED]	HO 76Y	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 72R	S	NS	CTS II
[REDACTED]	CPT	[REDACTED]	R	TS		
[REDACTED]	2LT	[REDACTED]	HO	S		
[REDACTED]	SP4	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A 05C	S	NS	CS II
[REDACTED]	1LT	[REDACTED]	C	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS II

F--O--P--O--E--F--A--L--J--S--F--O--N--L--Y

54TH SIGNAL BATTALION

5 USC 552 (b) (6)

SECURITY CLEARANCE OFFICE

6560607 74 27 27 20 26

PAGE 12

344A

GPAD

222

ZIE OH
NLI 1135

TS
ABNCF

2000

QUAL CATEGORY
TS II

SFC
CW2
SP4
W34
SP4
SP4
SFC
PFC
MAJ
PFC
SP4
PV2
2LT
SP4
SP4
SFC
SP4
SP4
SP4
PFC
SP4
SP4
SP4
SGT
SP4
SGT
SGT
PFC
SGT
PFC
SGT
SSG

[illegible][illegible]

~~T-U-P--U-E-F-I-A-I--J-S-E--N-I-Y~~

F-O-P--O-F-F-I-C-I-A-L--J-S-E--O-N-L-Y
14TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 4090958

PAGE 13

GRADE	NAME	SSAN	SECTION	CLEARANCE	STATUS	SPECIAL CATEGORY
SSG	[REDACTED]	[REDACTED]	A	S	NS	II
PFC	[REDACTED]	[REDACTED]	B 36C	S		
PFC	[REDACTED]	[REDACTED]	B 31M	S		
SP4	[REDACTED]	[REDACTED]	HQ 31L	S	NS	II
SP4	[REDACTED]	[REDACTED]	C 31M	S	NS	
PFC	[REDACTED]	[REDACTED]	HQ 84B	S		
SGT	[REDACTED]	[REDACTED]	B 31M	S	NS	II
PV2	[REDACTED]	[REDACTED]	A 36C	S		
SGT	[REDACTED]	[REDACTED]	B 36C	S		
SP4	[REDACTED]	[REDACTED]	A 05C	S	NS	
SGT	[REDACTED]	[REDACTED]	C 31M	S		
PFC	[REDACTED]	[REDACTED]	A 63B	S		
SP4	[REDACTED]	[REDACTED]	B 31M	S		
PFC	[REDACTED]	[REDACTED]	B 31M	S	NS	II
PFC	[REDACTED]	[REDACTED]	R 31M	S		
CW4	[REDACTED]	[REDACTED]	HQ	S		
SFC	[REDACTED]	[REDACTED]	HQ 31M	S		
SP4	[REDACTED]	[REDACTED]	HQ 31L	S	NS	II
SP4	[REDACTED]	[REDACTED]	A 72B	S		
PV2	[REDACTED]	[REDACTED]	A 72B	S	NS	II
PFC	[REDACTED]	[REDACTED]	HQ 63A	S		
SGT	[REDACTED]	[REDACTED]	B 31M	S	NS	II
SSG	[REDACTED]	[REDACTED]	C 31M	S	NS	II
SP4	[REDACTED]	[REDACTED]	B 31M	S	NS	II
SP4	[REDACTED]	[REDACTED]	B 31M	S	NS	II
PFC	[REDACTED]	[REDACTED]	C 72B	S	NS	II
SP4	[REDACTED]	[REDACTED]	C 31M	S	NS	II
PFC	[REDACTED]	[REDACTED]	B 52B	S		
SFC	[REDACTED]	[REDACTED]	B 31M	S		
PV2	[REDACTED]	[REDACTED]	B 31M	S		
SP5	[REDACTED]	[REDACTED]	HQ 57M	S		
SGT	[REDACTED]	[REDACTED]	A 05C	S	NS	II
SP4	[REDACTED]	[REDACTED]	HQ 75S	S		

F-O-P--O-F-F-I-C-I-A-L--J-S-E--O-N-L-Y

USC 552 (b) (6)

F-O-P--O-F-E-I-G-I--S--J--N-L-V
34TH SIGNAL BATTALION

SECURITY CLEARANCE ROSTER

AS OF 27 MAR 74 409095B PAGE 14

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	PFC	[REDACTED]	A 31N	S		
[REDACTED]	PFC	[REDACTED]	HQ 84R	S		
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS
[REDACTED]	SSG	[REDACTED]	HQ 74Y	S		II
[REDACTED]	SP4	[REDACTED]	B 31M	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	SP4	[REDACTED]	C 31M	S		
[REDACTED]	PFC	[REDACTED]	A 05C	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	PV2	[REDACTED]	B 31M	S		
[REDACTED]	MSG	[REDACTED]	HQ 63R	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	PFC	[REDACTED]	HQ 75A	S		
[REDACTED]	SP4	[REDACTED]	C 31M	S		
[REDACTED]	SSG	[REDACTED]	B 36C	S		
[REDACTED]	SP4	[REDACTED]	HQ 71R	S		
[REDACTED]	PV2	[REDACTED]	B 31M	S		
[REDACTED]	SSG	[REDACTED]	C 05C	S	NS	CTS
[REDACTED]	SGT	[REDACTED]	A 72R	TS	NS	II
[REDACTED]	PFC	[REDACTED]	B 36C	S		
[REDACTED]	SSG	[REDACTED]	HQ 31F	S	NS	CS
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	II
[REDACTED]	SP4	[REDACTED]	C 31M	S		
[REDACTED]	PFC	[REDACTED]	B 31M	S		
[REDACTED]	PV2	[REDACTED]	B 31M	S		
[REDACTED]	SP4	[REDACTED]	A 05C	S	NS	CS
[REDACTED]	1LT	[REDACTED]	C	S	NS	CS
[REDACTED]	SP4	[REDACTED]	A 72R	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 36C	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 72R	S		
[REDACTED]	PFC	[REDACTED]	A 72R	S	NS	CS
[REDACTED]	PFC	[REDACTED]	A 36G	S	NS	CS

F-O-P--O-F-E-I-G-I--S--J--N-L-V

USC 552 (b) (6)

F-O-P--O-F-F-I--S-F--O-N-L-Y

34TH SIGNAL BATTALION

SECURITY CLEARANCE POSTER

AS OF 27 MAR 74 400095B PAGE 15

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	SP4	[REDACTED]	HQ34C	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	A 05C	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS II
[REDACTED]	CSM	[REDACTED]	HQ 00Z	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	HQ 71R	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	C 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	A	TS	CA	CTS II
[REDACTED]	WO1	[REDACTED]	A	TS	CA	CTS II
[REDACTED]	PFC	[REDACTED]	B 31M	S	NS	CS II
[REDACTED]	PVT	[REDACTED]	A 720	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	A 04R	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	R 36K	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	R 35C	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	HQ 31E	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	A 63C	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	A 72C	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	A 31N	S	NS	CS II
[REDACTED]	SSG	[REDACTED]	A 72R	TS	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SGT	[REDACTED]	HQ 67N	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	SP4	[REDACTED]	C 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	R 31M	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 72R	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	HQ 36C	S	NS	CS II
[REDACTED]	PFC	[REDACTED]	A 05F	S	NS	CS II
[REDACTED]	PV2	[REDACTED]	A 05F	S	NS	CS II



F-O-P--O-F-F-I--S-F--O-N-L-Y

515C 552 (b) (6)

F-O-P--O-F--~~SECRET~~--S-F--O-N-L-Y

24TH SIGNAL BATTALION

SECURITY CLEARANCE POSTER

AS OF 27 MAR 74		400058		PAGE 16	
NAME	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
		R 31M	S		
		R 31M	S		
		A 72R T	TS	NS	CTS II
		A 72R T	TS	NS	CTS II
		R 31M	S		
		A 72R	S	NS	CS II
		R 31M	S		
		HO	S		
		A 72B	S	NS	CS II
		C 31M	S		
		C 31M	S	NS	
		C 31M	S		
		A 72B	S	NS	CS II
		A 31N	S		
		C 31M	S		
		R 31M	S		

F-O-P--O-F-F-T-C-T-A--~~SECRET~~--O-N-L-Y

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

9 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 13 February 1976, files of the Counterintelligence (CI) Branch, Security Division, Assistant Chief of Staff, G2, VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107, were examined and revealed that seven CI surveys or inspections were conducted at the 34th Signal Battalion, Krabbenloch Kaserne, Ludwigsburg (NV1416), FRG, between 1970 and 1974. Records of those inspections are attached as EXHIBIT _____, and listed as follows:

(1) On 23 November 1970, a CI technical survey was conducted on the Crypto Facility, 34th Signal Battalion, located in the basement, building 1601, Krabbenloch Kaserne, APO New York 09154, Ludwigsburg (NV1416), FRG, by Special Agents _____ and _____ Stuttgart Station, 66th Military Intelligence (MI) Group, APO New York 09154.

(2) On 10 March 1970, a CI technical security inspection was conducted at elements of Headquarters, 34th Signal Battalion, building 1601, Krabbenloch Kaserne by Special Agents _____ and _____ Stuttgart Station, 766th MI Detachment.

(3) On 16 December 1970, an unannounced CI inspection was conducted on Headquarters, 34th Signal Battalion by Special Agents _____ and _____ Stuttgart Station, 66th MI Group, APO New York 09154.

(4) On 22 and 23 September 1971, a CI technical inspection was conducted on the 34th Signal Battalion by Special Agents _____ and _____ Stuttgart Station, 66th MI Group.

(5) On 27 March 1972, a CI inspection was conducted on the 34th Signal Battalion, by Special Agent _____ Detachment C, 66th MI Group.

(6) On 28 November 1972, a CI inspection was conducted on the 34th Signal Battalion, by Special Agent _____

(7) On 1 April 1974, a CI inspection of the 34th Signal Battalion was conducted by Special Agents _____ and _____ Detachment C, 66th MI Group.

AGENT'S NOTES: Reference Agent Report B04132-173-76, Subject as above, dated 27 February 1976, wherein it was reported the Communications Center, VII Corps, was operated by personnel of the 34th Signal Battalion.

REGRADUATED UNCLASSIFIED

ON MAR 18 1998

BY _____ FOIA

40th Para 1-019 Dec 5200 1P

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE 1, ORDER 11652

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

_____, 207th MI Detachment
B04132-385-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 APR 52, WHICH IS OBSOLETE

5 USC 552 (b) (6)

5 USC 552 (b) (6)

5 USC 552 (b) (6)

~~CONFIDENTIAL~~

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

9 March 1976

Description: Reports of Counterintelligence Technical Services provided the 34th Signal Battalion from 1970 to 1974.

23

EXHIBIT _____

~~CONFIDENTIAL~~

DEPARTMENT OF THE ARMY
STUTTGART STATION
66TH MILITARY INTELLIGENCE GROUP
APO 09154

REPORT OF COUNTERINTELLIGENCE TECHNICAL SERVICES
OF
34th SIGNAL BATTALION
APO NEW YORK 09154

DEC 10 1970

ARUTMI-0-0-I&S(CI)

Commanding Officer, 34th Signal Battalion, ATTN: S2, APO 09154
Commanding General, VII Corps, ATTN: AETSCH-CI, APO 09107
Commander-in-Chief, USAF and Seventh Army, ATTN: ASAF-CI(GS),
APO 09403
Commanding Officer, 66th Military Intelligence Group, ATTN: ARUTMI-0A-CI
APO 09108

Section I. INTRODUCTION

1. (U) A counterintelligence technical survey was conducted on 23 November 1970, on the Crypto Facility of the 34th Signal Battalion by the following representatives of Stuttgart Station, 66th MI Group, APO 09154:

[REDACTED] Special Agent

[REDACTED] Special Agent

5 USC 552 (b) (6)

2. (U) The serviced area was considered by the requester to be a secondary sensitive area as defined in AR 381-14 (Clas). A description contained in EXHIBIT I.

3. (U) An examination of the records regarding previous counterintelligence technical services in the area revealed that there is no record of a previous technical service.

Section II SCOPE

4. ~~Text~~ The scope of this technical service is outlined in EXHIBIT II.

Section III LIMITATIONS

5. ~~Text~~ The limitations of this service are outlined in EXHIBIT II,

SPECIAL HANDLING REQUIRED: NOT
RELEASABLE TO FOREIGN NATIONALS
EXCEPT NONE BY AUTHORITY OF
GOL 46 TH GP DATED DEC 10 1970

24

~~CONFIDENTIAL~~

DOWNGRADED AT 12 YEAR INTERVALS
NOT AUTOMATICALLY DECLASSIFIED

DOD DIR 5200.10
REGRADED UNCLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM EDR
Auth Para 1-603 DoD 5200 1-P

~~CONFIDENTIAL~~

DEC 10 1970

Section IV FINDINGS AND RECOMMENDATIONS

6. (C) ~~repeated~~ or uncorrected findings: None

7. (C) a. The service did not locate or indicate the presence of technical surveillance devices.

b. The serviced area does not meet the criteria for a secondary sensitive area as defined in AR 381-14 and is not considered secure for the discussion of sensitive classified information until corrective action is taken on the following technical security hazards:

(1) Finding: The walls of the following areas are passing audio and audio vibrations from the inspected area. (AR 381-14 (Clas), para 10.b.(1).

- (a) Room #1 Administration Room, East, West and North walls
- (b) Room #2 Storage Room, East and West walls
- (c) Room #3 Maintenance Shop, East, West and South walls

Recommendation: Adequate sound proofing to provide a minimum sound attenuation of 45 Noise Reduction Coefficient and Sound Transmission Class in accordance with American Society for Testing Materials (ASTM) test method C423, should be installed.

(2) Finding: The window in the west wall of Room #1 is passing audio and audio vibrations from the inspected area. (AR 381-14 (Clas), para 10.b.(1).

Recommendation: This window should be permanently sealed with a sound proofing material, such as concrete or covered with sound proofing drapes.

(3) Finding: The entrance door of Room #1 is passing audio and audio vibrations from the inspected area. (AR 381-14 (Clas), para 10.b.(1).

Recommendation: The interior of the door should be covered with a sound proofing material, such as acoustical tile, or sound proofing drapes.

(4) Finding: The radiator and pipes in room #3 are

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

DEC 10 1971

passing radio and audio vibration from the inspected area. (U) 11-14
(Class) 10.1.1.1

Recommendation: The radiator should be enclosed in a louvered cabinet constructed of sound absorbant material. The pipes should be covered with a sound absorbant material and secured at the inner wall openings to minimize acoustical leakage.

Section V COMMENTS

8. (U) The unit commander is reminded that USAREUR Regulation 380-85, Paragraph 12e, requires that this report be indorsed through command channels to CINCUSAREUR, ATTN: AHC5-01(GC), with a listing of corrective action and/or commanders comments for each recommendation made on this report.

Section VI UNIT COMMENTS

9. (U) All findings, recommendations, and limitations of the service areas were discussed during an exit briefing on 19 November 1970, for the following unit representative:

Grisham, James A. 2
Comsec Officer

Don Grissel
DONALD E. GRISSEL
CM-11
Operations Officer


~~CONFIDENTIAL~~

RECEIVED UNCLASSIFIED
ON MAR 10 1998

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10-10-98 BY 1043

~~CONFIDENTIAL~~

UNITED STATES ARMY INTELLIGENCE COMMAND



EXHIBIT

COVER SHEET

SUBJECT: Counterintelligence Technical Services of
34th Signal Battalion
APO New York 09154

FILE NUMBER: N/A

PREPARING UNIT: Stuttgart Station
66th Military Intelligence Group

AGENT REPORT DATED: 10 December 1970

DESCRIPTION: Description of Serviced Area

dated

27

~~CONFIDENTIAL~~

REGRADING UNCLASSIFIED
ON MAR 7 8 1993
BY CDR JAMES H. HOPKINS
Auth Para 1.603 UIC 4-2.1.1.1

~~CONFIDENTIAL~~

DEC 10 1970

DESCRIPTION OF THE SERVICED AREA

1. ~~(U)~~Primary use of the serviced area: The serviced area is used primarily for the storage of CHYPTO equipment and documents. It is also used for repairing CHYPTO equipment and discussions on operation and maintenance of the equipment.

2. ~~(U)~~Brief general description of the area: The serviced area consisted of three rooms constructed of concrete. These rooms are located in the basement of Building 1601, Krabbenloeh Kaserne. Rooms 1 and 2 are 15 feet by 15 feet. Room 3 is 10 feet by 15 feet. The steel entrance door is located on the East wall which is common to the corridor in the basement. Personnel wishing to gain entrance to the area must ring a bell and be recognized by personnel inside the serviced area.

3. ~~(U)~~Security controls in effect to restrict access to the serviced area both during duty and non-duty hours: During duty hours access to the serviced area is controlled by an access roster. After duty hours the door is secured with two Sargent & Greenleaf combination padlocks. However, access to the building after duty hours is not controlled other than by a change of quarters.

4. ~~(U)~~Security controls of janitorial and service personnel: The janitorial services are performed by personnel assigned to the serviced area, all of whom have TOP SECRET clearances.

5. ~~(U)~~Brief description of the heating, ventilation, electrical, and communications equipment or systems that service or penetrate the serviced area: There is only one electrical line in the serviced area. This 220 volt line passes through the entire area. There is only one telephone line in the serviced area, but this line is not in use. The heat for the area comes from the one radiator which is located in room 3.

SPECIAL HANDLING REQUIRED. NOT
RELEASABLE TO FOREIGN NATIONALS
EXCEPT NONE BY AUTHORITY OF
CO, 66TH GP DATED DEC 10 1970

REGRATED UNCLASSIFIED

ON MAR 18 1998
BY 60320 JMW/COM F01/P0
Auth Para 1 RUC DOD 5200.1-R

28


~~CONFIDENTIAL~~

DOWNGRADED AT 12 YEAR INTERVALS;
NOT AUTOMATICALLY DECLASSIFIED.
DOD DIR 5200.10

Page 1 of 1 Pages
Copy 2 of 6 Copies

~~CONFIDENTIAL~~

UNITED STATES ARMY INTELLIGENCE COMMAND



EXTRACT

COVER SHEET

SUBJECT: Counterintelligence Technical Services of
34th Signal Battalion
APO New York 09154

FILE NUMBER: N/A

PREPARING UNIT: Stuttgart Station
66th Military Intelligence Group

AGENT REPORT DATED: 10 December 1970

DESCRIPTION: Scope and Limitations of Technical Service

29

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY [illegible] COR USAINSCOM F0120
Auth Para 1-603 DOD 5400.7-R

~~CONFIDENTIAL~~

DEC 10 1970

SCOPE OF TECHNICAL SERVICE (C)

1. (C) Unless otherwise indicated, this service was conducted to detect the presence of technical surveillance equipment; to determine the existence of technical security hazards which would permit the employment of such equipment; and to recommend technical security measures designed to prevent the employment of technical surveillance monitoring systems.

2. ~~(S)~~ This service consisted of selected application of comprehensive visual, physical, audio, electronic, and radio frequency checks and included an examination of factors listed below:

- a. All exterior building surfaces, utility poles, wires, and other associated paraphernalia.
- b. Vulnerability to hostile visual surveillance.
- c. All areas adjacent to the serviced area including those also c.
- d. The interior of the room areas to include wall, floor, and ceiling mount items, furniture, artifacts and equipment.
- e. All interior and exterior surfaces and fixtures of structure including walls, floors, ceilings, and other structural objects.
- f. All electric or electronic equipment or circuits and component parts of accessories thereof, to include detailed examination of all wiring and utility channels and boxes.

Limitations of the Technical Service (C)

Counterintelligence technical services of the type conducted indicate the technical security of the area or equipment at the conclusion of the examination, within the capabilities of the equipment utilized and the operational techniques employed. Attention is invited to the fact that the security afforded by this service will be limited to the following:

- a. Admission to the serviced area of persons who do not have the proper clearance or who are not under proper escort.
- b. Failure to maintain continuous and effective surveillance and control of the serviced area.
- c. Allowing repairs or alterations to or within the serviced area without the supervision of qualified and responsible personnel.
- d. The introduction of new furniture or equipment into the serviced area prior to a thorough inspection of such items.

SPECIAL HANDLING REQUIRED. NOT
RELEASABLE TO FOREIGN NATIONALS
EXCEPT NOVA, BY AUTHORITY OF
CO, 66TH GP DATED DEC 4 1970

OR MAR 18 1998

EX-100-100000-100000
Auth Para 1.603 DoD 5200.104

DOWNGRADED AT 12 YEAR INTERVALS;
NOT AUTOMATICALLY DECLASSIFIED.
DOD DIR 5200.10

~~CONFIDENTIAL~~

Page 1 of 1 Page
Copy 3 of 6 Cop

~~CONFIDENTIAL~~

DEPARTMENT OF THE ARMY
STUTTGART STATION
766TH MILITARY INTELLIGENCE DETACHMENT
66TH MILITARY INTELLIGENCE GROUP
APO 09154

AEUTMI -O-Q(I&S)

13 March 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

Commanding Officer
34th Signal Battalion
APO 09154

5 USC 552 (b) (6)
1. (U) INTRODUCTION: On 10 March 1970, a Counterintelligence Technical Security Inspection of the following elements of Headquarters, 34th Signal Battalion, APO 09154, located in Building 1601, Krabbenloch Kaserne, Ludwigsburg, Federal Republic of Germany, was conducted by Special Agents [REDACTED] and [REDACTED] Stuttgart Station, 766th Military Intelligence Detachment:

- a. Office of the Commanding Officer
- b. Office of the Executive Officer
- c. Office of the Battalion Adjutant
- d. Office of the S2
- e. Office of the S3

A floor plan of the inspected area is attached as EXHIBIT I. The inspection was conducted to detect the presence of technical surveillance equipment and to determine the existence of hazards to technical security which would permit the employment of such equipment, and to recommend technical security measures designed to prevent the successful employment of technical surveillance equipment.

2. LIMITATIONS: Counterintelligence Technical Security Inspections of the type conducted indicate the security status of the inspected area at the conclusion of the inspection within the capabilities of equipment and operational techniques employed. Admission to the inspected area of unauthorized persons or personnel not having proper security clearances, who are not under the escort of reliable personnel; failure to maintain

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAUSCOM/FOIR
Auth Para 1-603 DOD 5200.1-R

31
~~CONFIDENTIAL~~

DOWNGRADED AT 12 YEAR INTERVALS:
NOT AUTOMATICALLY DECLASSIFIED.
DOD DIR 5200.10 2

~~CONFIDENTIAL~~

AEUTMI-O-Q(I&S)

13 March 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

continuous and effective surveillance and control of the inspected area; allowing repairs or alterations to or within the inspected area without the supervision of qualified and responsible personnel; or the introduction of new furnishings into the inspected area prior to the completion of a thorough inspection of such furnishings, will nullify the security afforded by this inspection.

3. ~~ACTU~~ FINDINGS:

a. The inspection did not locate or indicate the presence of surreptitious technical surveillance devices.

b. The inspected area is not considered secure for classified conferences or discussions until corrective action has been accomplished relative to the following hazards to technical security:

(1) Located as listed below are Western Electric Company Model 500 telephone instruments:

- (a) Office of the Commanding Officer, one.
- (b) Office of the Battalion Adjutant, one.
- (c) Office of the S2, one.
- (d) Office of the S3, five.

Although the Western Electric Model 500 telephone instrument is considered the most secure for general use, the instrument is vulnerable to alteration and modification by personnel involved in the installation and maintenance of the instrument. The modification of a telephone instrument to establish an extremely effective listening device requires only a few seconds and is impossible to detect except by qualified personnel equipped with appropriate countermeasures equipment.

(2) Located as listed below are standard US Army field telephone instruments:

- (a) Office of the Commanding Officer, one.
- (b) Office of the S3, one.

Examination of the instruments revealed that all instruments were functioning properly; however, frequent use of a field telephone instrument often results in the retainer switch becoming too weak to hold the handset in the proper position to cause the line switch to be activated to block audio. When such a

32

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED

ON MAR 18 1998
BY : x. CDR USAINCOM EDIO
Auth Para 1-603 DoD 5200.7-R

~~CONFIDENTIAL~~

A EUTMI-0-0(I&S)

13 March 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

condition exists, one hundred percent audio from the room in which the defective instrument is located is passed over the length of the telephone transmission lines. The audio passed may be taken from any point along the transmission line by attaching a small, commercial, inexpensive amplifier to the lines. Field telephone instruments constitute a constant severe hazard to technical security even when the handset retainer switches function properly, as many users are not aware that the handset must be placed in the cradle firmly to activate the line switch. Additionally, it is a common misconception that the "push to talk" switch must be depressed for audio to be passed over the line. The "push to talk" switch only activates a noise cancelling element of the instrument to aid the person listening during the conversation. It does not block audio from passing over the line via the receiver portion of the handset.

(3) Located within the Office of the Executive Officer is a multi-line telephone instrument, Model STE 120/29, constructed by Telefonbau and Normalzeit, a German electronics firm. Although a visual and limited electronic inspection of the instrument was conducted, a thorough electronic inspection, for the purpose of detecting the more sophisticated clandestine listening devices, cannot be conducted with the equipment currently available to United States Intelligence. A photograph of the instrument is attached as EXHIBIT II.

(4) Located within the Office of the Commanding Officer is an Intercom Station, Model LS 127/F1, manufactured by Webster Electric Company, which extends to a variety of speakers which serve as slave stations for the above mentioned master station. A photograph of one of the above mentioned slave station speakers, located in the Office of the S3, is attached as EXHIBIT III. The sub-stations, all of which are of the open monitor variety, were found to pass one hundred percent audio from the rooms in which they were located, even though the sub-station was not activated. Additionally, the entire intercom system utilized existing telephone lines thus causing a situation wherein each classified conversation conducted within a room containing a sub-station is passed over uncontrolled transmission lines in the clear. The audio passed may be obtained from any point along the transmission lines by attaching a small, inexpensive, commercial amplifier to the transmission lines, outside of the headquarters building.

(5) The inspected area, located on the ground floor level, is vulnerable to attack by clandestine listening devices. The placement of a very effective listening device against the windows or window frames poses no problem to a hostile intelligence agent as the outside of the building is afforded no protection.

4. ~~Letter~~ RECOMMENDATIONS: In view of the findings, the following recommendations are made for the improvement of counterintelligence technical security:

3 33

DECLASSIFIED UNCLASSIFIED
ON MAR 18 1998

~~CONFIDENTIAL~~

64th Form 1-61, OAG-3280, 1-61

~~CONFIDENTIAL~~

AEUTMI-O-Q(I&S)

13 March 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

a. Reference paragraph 3b(1), above: It is recommended that each telephone instrument be equipped with a plug and jack disconnect device situated in a position convenient for use and that the instruments remain disconnected from the lines at all times the instrument is not in use. It will be necessary to install a separate ringer for each telephone number to alert office personnel to an incoming telephone call. It is recommended that Western Electric Model R1A or Erickson Model KLG 5103-2 ringers be installed and that the ringers within each telephone instrument be disconnected and removed. Paragraph 10b(3), AR 381-14, requires all telephone instruments located in Secondary Sensitive Areas to be equipped with a disconnect device.

b. Reference paragraph 3b(2), above: It is recommended that the instrument be disconnected from the line at all times except when required by operational activities. It is further recommended that all personnel using the instrument be instructed that the handset must be replaced properly in the cradle after each use.

c. Reference paragraph 3b(3), above: It is recommended that the instrument be replaced with Western Electric Company Model 565 multi-line telephone instrument. In the event that such equipment is not available, it is recommended that the present telephone instrument be equipped with disconnect devices and that the instrument be disconnected from the line during periods of classified and/or sensitive conversations within the room.

d. Reference paragraph 3b(4), above: It is recommended that the intercom system be removed. In the event operational necessity dictates the retention of the system, it is recommended that appropriate assigned personnel be made aware of the fact that all conversations conducted within the rooms in which the sub-stations are located are being passed over uncontrolled telephone lines. The passing of audio by sub-stations is inherent with intercom systems and constitutes a constant severe hazard to technical security. While some commercial firms manufacture intercom systems with built-in safeguards to prevent the passing of audio when the system is not activated, the expense of the instruments precludes their use.

e. Reference paragraph 3b(5), above: It is recommended that an appropriate responsible individual be appointed to periodically inspect the outside walls of the inspected area to detect the placement of attachments, wiring, etc., and to determine the reason for the placement of such items.

f. It is further recommended that the hazards to technical security outlined above be included in the initial security briefing of newly assigned personnel, as appropriate, and that the hazards be made a point of emphasis in subsequent scheduled security briefings.

4 34

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY 100 USAF/SCM/FOI/EO
Auth Para 2400.100-200. 344

~~CONFIDENTIAL~~

AEUTMI-OP-1&S

13 March 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

5. (U) EXIT BRIEFING: Major Bobby R. Harris, S2/3 Officer, was informed of the findings and recommendations stated above at the conclusion of the Counterintelligence Technical Security Inspection.

THOMAS C. WILKINSON II
MAJOR, MI
Commanding

Copies Furnished:
Commander-in-Chief
United States Army, Europe
ATTN: AEACB-CI(GS)
APO 09403

Commanding General
VII US Army Corps
ATTN: AETSGB-CI
APO 09107

Commanding Officer
66th Military Intelligence Group
ATTN: AEUTMI-OP-1&S(CI)
APO 09108

~~CONFIDENTIAL~~

REMOVED UNCLASSIFIED
ON MAR 20 1998
BY CDR USA/NSC/MC/PD
DOD Form 1673 DOD 5200 1-R

EXHIBIT:

I

SUBJECT:

Counterintelligence Technical Security
Inspection (U)

REPORT DATED:

13 March 1970


PREPARING UNIT:

Stuttgart Station
766th Military Intelligence Detachment
66th Military Intelligence Group
APO 09154

DESCRIPTION:

Floor Plan, First Floor, Building 1601,
Krabbenloch Kaserne

~~CONFIDENTIAL~~



Regraded UNCLASSIFIED when separated

37

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY [redacted] COR UNCLASSIFIED

with Para 1-603 DoD 5200.1-R

EXHIBIT: II

SUBJECT: Counterintelligence Technical Security
Inspection (U)

REPORT DATED: 13 March 1970

PREPARING UNIT: Stuttgart Station
766th Military Intelligenece Detachment
66th Military Intelligence Group
APO 09154

DESCRIPTION: Photograph of Intercom Sub-station

~~CONFIDENTIAL~~



Regraded UNCLASSIFIED when separated

39

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~ UNCLASSIFIED
MAR 20 1998
BY CDR USA/NSCOM ECRD
Auth Para 1-603 DoD 5200 I.P

EXHIBIT: III


SUBJECT: Counterintelligence Technical Security
Inspection (U)

REPORT DATED: 13 March 1970

PREPARING UNIT: Stuttgart Station
766th Military Intelligence Detachment
66th Military Intelligence Group
APO 09154

DESCRIPTION: Photograph of Telefonbau and Normalzeit
Multi-line Telephone Instrument

~~CONFIDENTIAL~~



Regraded UNCLASSIFIED when separated

41

~~CONFIDENTIAL~~

RECEIVED UNCLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM FORD
With Para 1-803 DoD 5200 I P

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

DEPARTMENT OF THE ARMY
STUTTGART STATION
66TH MILITARY INTELLIGENCE GROUP
APO 09154

REPORT OF COUNTERINTELLIGENCE INSPECTION
OF
Headquarters, 34th Signal Battalion
Krabbenlosh Kaserne, Ludwigsburg (NW 1416)
Federal Republic of Germany (FRG) APO 09154

AEUTM-0-Q-123(CI)

30 December 1970

Commanding Officer, 34th Signal Battalion, ATTN: S2, APO New York 09154
Commanding General, VII Corps, ATTN: AETSGB-CI, APO New York 09107
Commander-in-Chief, USAREUR and Seventh Army, ATTN: AEAGB-CI(GS), APO 09403
Commanding Officer, 66th Military Intelligence Group, ATTN: AEUTM-CA-CI,
APO 09108

Section I. INTRODUCTION

1. An unannounced Counterintelligence Inspection was conducted on 16 December 1970, by the following representatives of Stuttgart Station, 66th Military Intelligence Group, APO 09154:

Special Agent [REDACTED]

Special Agent [REDACTED]

2. The following unit representatives accompanied the Counterintelligence Inspection Team:

1LT Charles H. Perry, S2 Officer

SFC Billy D. Graham, Intelligence NCO

3. The last Counterintelligence Inspection was conducted on 24 October 1967. There is no record of a Counterintelligence Survey having been conducted on this unit at its present location.

Section II. SCOPE

4. The following elements of Headquarters, 34th Signal Battalion, were included in the inspection:

42

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

~~TOP SECRET~~ USE ONLY
THIS DOCUMENT IS EX-
CLUDED FROM AUTOMATIC TERMINATION

a. S2 Repository, Room 113, Building 1601, Krabbenlach Kaserne, Ludwigsburg (INV 1416), FRG.

b. Administration, to include Military Field 201 Files maintained by 198th Personnel Service, Panzer Kaserne, FRG.

5. The 34th Signal Battalion maintains approximately 5 TOP SECRET, 80 SECRET, 1 NATO SECRET, 6 linear feet of CONFIDENTIAL, and 20 NATO CONFIDENTIAL documents.

Section III. FINDINGS AND RECOMMENDATIONS

6. Uncorrected or repeated findings from previous reports of counterintelligence services: NONE

7. Current findings:

a. Finding: Several SECRET documents from VII Corps were not annotated with downgrading instructions.

Recommendation: That all SECRET documents be reviewed to insure that they are properly annotated with downgrading instructions as stated in paragraph 9, AR 380-6.

b. Finding: The Standard Operating Procedures for the emergency destruction and evacuation of classified material and the procedures outlined therein could be more detailed and specific. It is the recommendation of the inspecting agents that an emergency destruction and evacuation plan be specific and detailed so that anyone could, in time of emergency, read it and understand exactly what action is required.

Recommendation: That a new Standard Operating Procedure for the emergency destruction and/or evacuation of classified material be published as described in USARMC Supplement 1 to AR 380-5.

c. Finding: The restricted area sign posted on the entrance of the Document Repository did not have the proper wording for the purpose of warning unauthorized personnel as to the restrictions placed on the Repository.

Recommendation: That a new restricted area sign be made to comply with AR 380-20, paragraph 5.

d. Finding: The CONFIDENTIAL envelopes which contain the combinations to several security containers for the 34th Signal Battalion and stored in the S2 Office were not annotated with downgrading instructions.

Recommendation: That all CONFIDENTIAL envelopes which contain classified combinations for the Battalion be reviewed to insure that they are properly annotated with downgrading instructions as stated in paragraph 9, AR 380-6.

e. Finding: Minor discrepancies not constituting a violation or hazard were corrected in the presence of the inspecting agents.

~~TOP SECRET~~ USE ONLY
THIS DOCUMENT IS EX-
CLUDED FROM AUTOMATIC TERMINATION

FOR OFFICIAL USE ONLY
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION
Section IV. COMMENTS

8. a. Internal document control procedures were examined and it is the opinion of the inspecting agents that the procedures insured continuous and complete control of accountable material.

(1) Personnel of the unit are indoctrinated relative to security regulations and are familiar with security procedures as applies to their respective area of responsibility. During the conduct of the inspection, three individuals assigned to the unit were queried in reference to safeguarding defense information and security procedures.

(2) An evaluation of the criticality of the unit, in regard to the sensitivity of the classified defense information discussed and stored, indicated the possibility of the area being a target for the introduction of clandestine surveillance and listening devices.

9. The Unit Commander is reminded that paragraph 12e, USAREUR Regulation 380-5, requires that this report be indorsed through command channels to CINUSAREUR, ATTN: ABAGE-CI(GS), with a listing of corrective action and/or Commander's comments for each recommendation made in this report.

Section V. EXIT BRIEFING

10. All findings and recommendations were discussed during an exit briefing on 16 December 1970 for the following unit representatives:

1LT Charles H. Perry, S2 Officer

SFC Billy D. Graham, Intelligence NCO

FOR THE COMMANDER:

1 Incl
External Factors Report
Inspected Unit Only

Tel: Stgt M11 (2721) 8357/GKC

Don J. Driesel
DON J. DRIESSEL
GS-11
Operations Officer

44

FOR OFFICIAL USE ONLY
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

TECH 5-10 #83

~~CONFIDENTIAL~~

AEUTHI-O-Q-IAS

the existence of technical security hazards which would permit the employment of such equipment; and to recommend technical security surveillance monitoring systems.

b. This service consisted of selected application of comprehensive visual, physical, audio, electronic, and radio frequency checks and includes an examination of the factors checked below:

- (1) All exterior building surfaces, utility poles, wires, and other associated paraphernalia.
- (2) Vulnerability to hostile visual surveillance.
- (3) All areas adjacent to the serviced area including those areas above and below.
- (4) The interior of room areas to include wall, floor, and ceiling mounted items, furniture, artifacts, and equipment.
- (5) The interior and exterior surfaces and internal structure of walls, floors, ceilings, and other structural objects.
- (6) All electric or electronic equipment or circuits and component parts of accessories thereof, to include detailed examination of all wiring and utility channels recesses.

Section III. LIMITATIONS

5. ~~(S)~~ Counterintelligence technical services of the type conducted indicate the technical security status of the area or equipment examined at the conclusion of the examination, within the capabilities of the equipment utilized and the operational techniques employed. Attention is invited to the fact that the security afforded by this service WILL BE IMMEDIATELY NULLIFIED BY:

- a. Admission to the serviced area of persons who do not have the proper security clearance or who are not under proper escort.
- b. Failure to maintain continuous and effective surveillance and control of the serviced area.
- c. Allowing repairs or alterations to or within the serviced area without the supervision of qualified and responsible personnel.
- d. The introduction of new furnishings or equipment into the serviced area prior to a thorough inspection of such items.

2 46
~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY 1 CDR USAINSCOM/CIPO

Auth Para 1-603 DoD 5200.1-R

Section IV. FINDINGS AND RECOMMENDATIONS

6. (U) Repeated or uncorrected findings: None

7. (c)Ua. The service did not locate or indicate the presence of technical surveillance devices.

b. The serviced areas do not meet the criteria for a secondary sensitive area as defined in AR 381-14(Clas) and are not considered secure for the discussion of sensitive classified information until corrective action is taken on the following technical security hazards:

(1) Finding: The windows of the inspected area are passing audio and audio vibrations from the inspected area. (AR 381-14(Clas), para 10.b.(1))

Recommendation: The windows should be permanently sealed with a sound proofing material, such as concrete or covered with sound proofing drapes.

(2) Finding: The doors of the inspected areas are passing audio and audio vibrations from the inspected area. (AR 381-14(Clas), para 10.b.(1))

Recommendation: The interior of the doors should be covered with a sound proofing material, such as acoustical tile, or sound proofing drapes.

(3) Finding: The radiators and pipes in the inspected areas are passing audio vibrations from the inspected area. (AR 381-14(Clas), para 10.b.(2))

Recommendation: The radiators should be enclosed in a louvered cabinet constructed of sound absorbant material. The pipes should be covered with sound absorbant material and secured at the inner wall openings to minimize acoustical leakage.

(4) Finding: The telephones in the inspected area were not equipped with Department of the Army approved disconnect systems. (AR 381-14(Clas), para 10.b.(3))

Recommendation: All telephones should be equipped with a Department of the Army approved disconnect system, to include plugs, jacks, and separate ringers.

3

47

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM/EDD
Auth Para 1.603 DoD 5200.2-R

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

ADUTMI-0-1-I&S

(5) Finding: The following area is not properly secured during nonduty hours. (AR 381-14(Clas), para 10.b.(5))

Conference Room

Recommendation: The inspected area should be guarded by properly cleared personnel during nonduty hours, or all doors, windows, and other exterior openings should be constructed or modified so as to prevent surreptitious entry by unauthorized personnel.

(6) Finding: The following inspected area was not designated as a restricted area. (AR 381-14(Clas), para 5.h.(2))

Conference Room

Recommendations: The inspected area should be designated as a restricted area.

Section V. COMMENTS

8. (U) The Commanding Officer is reminded that paragraph 12e, USAREUR Regulation 380-5, dated 12 March 1970, requires that this report be indorsed through command channels to CINUSAREUR, ATTN: A2ACB-CI(GS), APO 09403, with a listing of corrective action and/or Commanders comments for each recommendation made in this report.

Section VI. EXIT BRIEFING

9. (U) All findings, recommendations, and limitations of the service were discussed during an exit briefing on 23 September 1971, for the following unit representatives:

David E. Goode, LTC, Commanding
Patrick C. Teddy, CPT, S2
Edward W. Price Jr., SFC, S2, NCOIC

Richard H. Linn, Lt, MI
DAVID C. UNGERER
MAJ, MI
Commanding

Tel: Stgt M11 (2721) 6122

4

48

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAINSCOM F012

Auth Para 1 602 DoD 5200 1-B

FOR OFFICIAL USE ONLY
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

DEPARTMENT OF THE ARMY
STUTTGART STATION
66th MILITARY INTELLIGENCE GROUP
APO 09151

REPORT OF COUNTERINTELLIGENCE INSPECTION
OF
31st SIGNAL BATTALION
APO 09151

REF ID: A66000
(000000)

Commanding Officer, 31st Signal Battalion, APO 09151,
Commanding General, VII Corps, ATTN: ARVSCB-CI, APO 09107
Commander-in-Chief, USAREUR and Seventh Army, ATTN: ARAGC-CI(CS),
APO 09108
Commanding Officer, 66th Military Intelligence Group, ATTN: AEWMI-O-2-IAS,
APO 09108

Section I. INTRODUCTION

1. An announced Counterintelligence Inspection was conducted on 27 March 1972 by the following representative of Stuttgart Station, 66th Military Intelligence Group, APO 09151:

Special Agent [REDACTED]

5 USC 552 (b) (6)

2. The following unit representatives accompanied the Counterintelligence Inspection Team:

1LT Michael W. Thayer, S2 Officer
SP5 David R. Clark, S2 Clerk

3. The 1st Counterintelligence Inspection was conducted on 13 March 1972.

Section II. SCOPE

4. This inspection included the following elements of the 31st Signal Battalion:

S2 Repository

5. The 31st Signal Battalion maintains approximately 1, TOP SECRET, 100 SECRET, 3 linear feet of CONFIDENTIAL, 6 NATO SECRET and 13 NATO CONFIDENTIAL documents.

FOR OFFICIAL USE ONLY
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

AMVEX-O-Q-128
(DO256)

SUBJECT: REPORT OF COUNTERINTELLIGENCE INSPECTION OF THE
34th SIGNAL BATTALION, APO 96251

Section III.

6. Unreported or repeated findings from previous reports of counter- intelligence services:

Findings: The Emergency Evacuation and Destruction Plan found to
be inadequate.
Recommendation: A new Emergency Evacuation and Destruction Plan
be written in accordance with Para 10-12, USAREUR Supplementary.

7. Current Findings:

a. Findings: Several SECRET documents were found not to bear
appropriate downgrading instructions.
Recommendation: All classified documents bear the appropriate
downgrading instructions in accordance with Para 9-10, AR 380-6.

b. Finding: All other discrepancies not constituting a violation
or hazard were corrected in the presence of the inspecting agents.

Section IV. COMMENTS

**a. Internal document control procedures were examined and it is
the opinion of the inspecting agent that the procedures insure continuous
and complete control of accountable material.**

**b. The Unit Commander is reminded that Paragraph 12a, USAREUR
Regulation 380-5, requires that this report be forwarded through command
channels to CINCPACAF, ATTN: ARACH-01(08), with a listing of
corrective action and/or Commander's comments for each recommendation
made in this report.**

Section IV. RECOMMENDATIONS

50

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

SECRET-0-0-253
(NOFORN)

SUBJECT: REPORT OF COUNTERINTELLIGENCE INSPECTION OF THE
34th SIGNAL BATTALION, APO 9254

2. All findings and recommendations were discussed during an exit
briefing on 27 March 1972 with the following unit representatives:

Mr Michael W. Thayer, S2 Officer
Sgt David R. Clark, S2 Clerk

J. Paul D. Paine, Lt, MC
DAVID C. VIGOR
MAJ, MI
Commanding

~~FOR OFFICIAL USE ONLY~~
THIS PROTECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

DEPARTMENT OF THE ARMY
DETACHMENT C
66TH MILITARY INTELLIGENCE GROUP
APO 09154

REPORT OF COUNTERINTELLIGENCE INSPECTION
OF THE
34TH SIGNAL BATTALION
APO 09154


AEUTMI-O-Q-I&S
(B06266)

30 November 1972

Commander, 34th Signal Battalion, ATTN: S2, APO 09154
Commander, VII Corps, ATTN: AETSQB-CI, APO 09107
Commander-in-Chief, USAREUR and Seventh Army, ATTN: AEAGB-CI(GS),
APO 09403
Commander, 66th Military Intelligence Group, ATTN: AEUTMI-OA-CI,
APO 09108

Section I. INTRODUCTION

1. An announced Counterintelligence Inspection was conducted on 28 November 1972 by the following representative of Detachment C, 66th Military Intelligence Group, APO 09154:

 Special Agent

5 USC 552 (b) (6)

2. The following unit representatives accompanied the Inspecting Agent:

SFC John A. Reilly, Jr., S2 NCOIC
SP5 David R. Clark, S2 Clerk

3. The last Counterintelligence Inspection was conducted on 27 March 1972.

Section II. SCOPE

4. This inspection included the S2 Repository, 34th Signal Battalion, Krabenloeh Kaserne, Ludwigsburg (NV 1416), Federal Republic of Germany.

5. The 34th Signal Battalion maintains approximately 5 TOP SECRET, 100 SECRET, 10 NATO SECRET, 3 linear feet of CONFIDENTIAL and nine NATO CONFIDENTIAL documents.

52

~~FOR OFFICIAL USE ONLY~~

AEUTMI-O-Q-I&S
(B06266)

SUBJECT: REPORT OF COUNTERINTELLIGENCE INSPECTION OF THE
34th SIGNAL BATTALION, APO 09154

Section III. FINDINGS AND RECOMMENDATIONS

6. Uncorrected or repeated findings from previous reports of Counter-intelligence services: NONE

7. Current Findings:

Finding: The only security provided the Repository during duty hours when no one was in the Repository, was a wooden door locked with a normal commercial type built in tumbler lock. This was done in the belief that since the room was approved for open storage, it would be adequate.

Recommendation: When it is necessary for all personnel to leave the S2 Repository, it should be secured in the manner in which it meets the approval for open storage and that all classified documents that can be secured are so secured and that all security containers be locked in accordance with VII Corps Suppl to AR 380-5, para 5-1.1.

Finding: One Document Log did not describe the document in a correct manner in that seven Annexes were mentioned that were not part of the document received. Upon further investigation, it was determined that the Battalion was signed for the three that could be accounted for.

Recommendation: Upon receipt of documents, an inventory of the document be conducted and the Log Receipt corrected to meet the document received with notification being made to the sender.

Section IV. COMMENTS

8. a. Internal document control procedures were examined and it is the opinion of the inspecting agent that these procedures insure the continuous and complete control of accountable material.

b. A non-duty hours inspection was conducted during which no discrepancies were noted.

c. The Unit Commander is reminder that Paragraph 12e, USAREUR Regulation 380-85 requires that this report be indorsed through command channels to CINCUSAREUR, ATTN: AEAGB-CI(GS), with a listing of corrective action and/or Commander's comments for each recommendation made in this report.

AEUTMI-C-Q-I&S
(B06266)

SUBJECT: REPORT OF COUNTERINTELLIGENCE INSPECTION OF THE
34TH SIGNAL BATTALION, APC 0915A

Section IV. EXIT BRIEFING

9. All findings and recommendations were discussed during an exit briefing on 28 November 1972, with the following unit representatives:

SFC John A. Reilly, S2 NCOIC
SP5 David R. Clark, S2 Clerk

Richard A. Daini, Lt, MI
DAVID C. UNGERER
MAJ, MI
Commander

DEPARTMENT OF THE ARMY
DETACHMENT C
66TH MILITARY INTELLIGENCE GROUP
APO 09154

REPORT OF COUNTERINTELLIGENCE INSPECTION
OF
34TH SIGNAL BATTALION
APO 09154


AEUMI-O-Q(142)
(NO6266)

18 APR 1974

Commander, 34th Signal Battalion, ATTN: S-2, APO 09154
Commander, VII Corps, ATTN: ARTSGB-CI, APO 09107
Commander-in-Chief, USAREUR and Seventh Army, ATTN: ARAGB-CI(GS),
APO 09403
Commander, 66th Military Intelligence Group, ATTN: AEUMI-ISC,
APO 09108

Section I. INTRODUCTION

1. An announced Counterintelligence Inspection was conducted on 1 April 1974 by the following representatives of Detachment C, 66th Military Intelligence Group, APO 09154:

 Special Agent
Special Agent

5 USC 552 (b) (6)

2. The following unit representatives accompanied the inspecting agents:

John A. Reid, 1LT, S-2 Officer
John A. Bailly, SFC, TOP SECRET Control Officer
David R. Clark, SP4, Alternate TOP SECRET Control Officer

3. The last Counterintelligence Inspection was completed on 30 November 1972. There is no record of a Counterintelligence Survey ever being done for this unit.

Section II. SCOPE

4. The following elements of 34th Signal Battalion were included in

AKRUI-O-Q(I&S)
(DO6266)

SUBJECT: Report of Counterintelligence Inspection
this inspection:

S-2 Document Repository
Building 1601
Krabbenloek Kaserne
Ludrigsburg (NW 1416), FRG

5. This unit maintains approximately 3 TOP SECRET, 150 SECRET, 9 NATO SECRET, 400 CONFIDENTIAL and 5 NATO CONFIDENTIAL documents.

Section III. FINDINGS AND RECOMMENDATIONS

6. Uncorrected or repeated findings from previous reports of counter-intelligence services: N/A

7. Current Findings:

a. FINDING: A coal chute located on the south wall of the inspected area allows access to the classified repository to be gained during non-duty hours.

RECOMMENDATION: As a minimum, a steel locking bar be placed over the doors of the coal chute and secured with a three position dial changeable combination lock, approved by GSA. (AR 300-5, Chapter 2, Section V, Para 2-16).

b. FINDING: The combinations to the safes used for the storage of classified information are changed by unit personnel.

RECOMMENDATION: Only a qualified individual be allowed to change classified container combinations. (DOD 5200.1R, Chapter V, Section I, Para 5-104b5).

c. FINDING: DA Forms 727 for all co-located elements are stored in the S-2 Document Repository. The combination to the entrance door of the 29th Medical Detachment was recovered by the inspecting team by holding the sealed envelope to the over-head lights.

RECOMMENDATION: DA Forms 727 be sealed in opaque envelopes. (AR 300-5, Chapter 2, Section V, Para 2-17b7).

d. FINDING: Page four (4) of USAREUR Document, Subject: USAREUR Stationing Program FY 74 - FY 78 (U), was marked unclassified. A review

AKUMI-O-Q(I&S)
(NO6266)

SUBJECT: Report of Counterintelligence Inspection

of this page revealed that the proper marking, based on the information recorded thereon, should be Confidential.

RECOMMENDATION: Each page of a classified document be marked with the highest classification of information appearing thereon. An on the spot correction was made by 1LT Reid. (BOD 5200.1R, Chapter IV, Section II, Para 4-200).

e. **FINDING:** Pages six (6) and seven (7) of a CIRCULAR message, Subject: Submission for USHUCOM Joint Intelligence Appraisal Cable Number 12 (U), DTG 111200Z Jan 73, were marked Secret Noform. A review of the pages revealed that the proper marking, based on the information recorded thereon, is Confidential.

RECOMMENDATION: See RECOMMENDATION 7d above.

f. **FINDING:** Pages four (4), five (5), six (6), and seven (7), of a document dated 20 Feb 74, from HQ VII Corps, with Document Log Number 021-74, were marked Secret. A review of these pages revealed that the proper marking, based on the information recorded thereon, should have been Confidential.

RECOMMENDATION: Each page be marked with the highest classification of information appearing thereon. (BOD 5200.1R, Chapter IV, Section II, Para 4-200).

Section IV. COMMENTS

8. a. The internal document control procedures were examined and it is the opinion of the inspecting agents that these procedures are adequate to insure the complete and continuous control of accountable material.

b. Unit personnel are indoctrinated relative to the security procedures as applies to their individual duties. Their major weakness appears to be a lack of complete understanding of the General Declassification Schedule (GDS). It is therefore recommended that a program be established to review and train unit personnel on those aspects of the GDS that apply to their duties.

c. The unit Commander is reminded that USARMC Regulation 380-85, paragraph 12e, requires that this report be indorsed through command channels to the Commander-in-Chief, USARMC, ATTN: ARAGB-CI(GS), with a listing of corrective action and/or Commander's comments for each recommendation made in this report.

AEUMI-O-Q(165)
(806266)

SUBJECT: Report of Counterintelligence Inspection

Section V. EXIT BRIEFING

9. All findings and recommendations were discussed with the following unit representatives during an exit briefing on 1 April 1974:

1LT John A. Reid, 231-68-8707, S-2 Officer
SFC John A. Reilly, 036-26-1278, TOP SECRET Control Officer
SP5 David R. Clark, 536-90-3762, S-2 Clerk

John S. Gillen, Jr.
for PHILIP J. GILLEN, JR
MAJ, MI
Commander

Tele: SM (2721)-6122

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

17 (C) On 11 March 1976, Real Property Jacket Files of the Real Property Reports, Records and Statistics Section, Engineer Plans and Real Property, Directorate of Facilities Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

(C) There was no indication that any of the following buildings on Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, APO New York 09107, ever housed a communications center or any facility that could be construed as such:

Building 3300
Building 3303
Building 3305
Building 3307
Building 3308
Building 3309
Building 3310
Building 3311
Building 3312
Building 3316
Building 3317
Building 3318
Building 3319

Building 3320
Building 3321
Building 3322
Building 3323
Building 3325
Building 3326
Building 3328
Building 3332
Building 3335
Building 3336
Building 3337
Building 3338
Building 3344

Building 3346
Building 3349
Building 3350
Building 3351
Building 3352
Building 3353
Building 3354
Building 3355
Building 3356
Building 3357
Building 3390

(C) Engineer Form 290 (Transfer of Major Rehabilitation) dated 12 July 1951 reflected the renovation of building 3303 for use as a dental clinic.

(C) Engineer Form 290 dated 28 November 1951 reflected the alteration of the telephone exchange on the first floor, building 3304. DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 28 June 1974 reflected 1800 square feet of building 3304 being redesignated from use as enlisted barracks without mess for use as a communications center and as an administrative area based on authorization dated 16 June 1972. A letter, from the Office of the Installation Coordinator, dated 2 December 1971, subject: Request for Conversion of Troop Billeting Space, reflected "spaces for communication center have been diverted since at least 1963" and also that the space converted for administrative use had been used as an Installation Military Police desk since at least 1969.

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAIN3COM FIDES
4uth Para 1-603 DoD 5200.1-R

CLASSIFIED BY Para 1b, AR 381-12, 18 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE C, EXECUTIVE ORDER 11652
EXEMPTION CODE 25X
DECLASSIFICATION OF ACSI, DA

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-386-76

6. SIGNATURE OF SPECIAL AGENT

59

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH IS OBSOLETE.

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

(C) DD Form 200 (Report of Survey), dated 27 February 1952, indicated that building 3306 was occupied by A Company, 321st Signal Battalion, and T and T (sic) Company, 321st Signal Battalion.

(C) DD Form 1354, dated 10 February 1972, reflected the change as of that date of building 3313 from utilization as enlisted barracks without mess to administrative general purposes. DD Form 1354, dated 29 August 1972, reflected the bricking-up of the door opening between rooms 107 and 109, building 3313. DD Form 1354, dated 14 November 1973, reflected that in room 107, building 3313 two plywood doors were covered with sheet steel. The date of completion was 20 August 1973. DD Form 1354, dated 8 May 1973, reflected the construction and installation of two iron bars on each of two windows in room 107, building 3313. The date of completion was 4 December 1972.

(C) AGENT'S NOTES: Reference Agent Report B04132-172-76, Subject as above, dated 29 February 1976, wherein possible resemblance between the Dial Central Office, building 3304 and SUBJECT was revealed. Reference Agent Report B04132-173-76, Subject as above, dated 27 February 1976, wherein it was reported that the floor plans of buildings 3304, 3305, 3306, 3308, and 3309 were annotated with the description: radio maintenance. The Real Property Jacket Files reflect every supposed change in the real property value of real property owned or leased by the US Government since their acquisition; however, work performed upon a building may not be reflected in the Real Property Jacket File if it was a unit self help project or the report of construction never reached the above office. The above files examination was conducted with the assistance of [REDACTED] Special Agent, 207th Military Intelligence Detachment.

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAF/COMFIED
Auth Para 1-603 DoD 5200.2-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

6. SIGNATURE OF SPECIAL AGENT

60

DA FORM 341
1 APR 52

REPLACES WD FORM 341, 1 JUN 47, WHICH MAY BE USED.

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~SECRET~~ On 11 March 1976, Military Real Property Record Card Files of the Real Property, Reports and Statistics Section, Engineer Plans and Real Property, Directorate of Facilities Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and identified the following building numbers and their tenants:

Building 3300: Officer's Open Mess
 Building 3303: Dental Clinic
 Building 3304: Enlisted barracks without mess
 Administrative General Purpose
 Communications Center
 Building 3305: Enlisted barracks without mess
 Building 3306: Enlisted barracks without mess
 Building 3307: Enlisted personnel mess
 Heating plant
 Building 3308: Enlisted barracks without mess
 Administrative General Purpose
 Building 3309: Enlisted barracks without mess
 Building 3310: Enlisted barracks without mess
 Building 3311: Open NCO Mess
 Building 3312: Exchange special support facility
 Building 3313: Administrative General Purpose (changed on 2 February
 1972 from Enlisted barracks without mess)
 Building 3314: Army Headquarters building
 Building 3315: Army Headquarters building
 Communications Center
 Building 3316: Commissary
 Building 3317: Post Headquarters building
 Building 3318: Motor repair shop
 Building 3319: Dispensary without beds
 Building 3320: Motor repair shop
 Building 3321: Enlisted Service Club
 Theater
 Building 3322: Post chapel
 Building 3323: Exchange service station
 Building 3325: Exchange service station
 Building 3326: Gymnasium
 Building 3328: Substation (Transformer)
 Building 3332: Sentry station

RECLASSIFIED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM EDIRD

Auth Para 1-603 DoD 5200.1-R

CLASSIFIED BY [redacted] / 301-12, 13 Oct 74
 EXEMPT I
 SCHEDULE 1
 EXEMPT I
 2

5 USC 552 (b) (6)

5. SIGNATURE OF SPECIAL AGENT

5th MI Group

61

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 64

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Building 3335: Flammable Material Station
Building 3336: Dispatcher's office
Building 3337: Bowling center
Building 3338: Dispatcher's office
Building 3344: Military male BOQ
Building 3346: Boy Scout building
Building 3349: Oil house
Building 3350: Enlisted service club
Building 3351: Dependent nursery school
Building 3352: Youth center
Building 3353: Incinerator
Building 3354: General Storehouse
Building 3355: Greenhouse
Building 3356: Exchange service building
Building 3357: TV Transmitter building (constructed 18 Nov 74)
Building 3390: Lunchroom

NOTE: There were no records reflecting the existence of any buildings whose numbers do not appear in the above sequence.

AGENT'S NOTES: There are no buildings on Kelley Barracks which are not reflected in the above records. The Peterson Apartments and Roosevelt Village Housing areas, Kelley Barracks, were exempted from the above files examination since they are totally dependent housing areas. Reference Agent Report B04132-381-76, subject as above, dated 8 March 1976, wherein it is reported that a CI Technical Security Inspection, dated 26 February 1970, indicated that a CC inside building 3314 was inspected. No evidence was present in the above file to substantiate the fact that a CC was ever present in building 3314. The above files examination was conducted with the assistance of [REDACTED] 207th MI Detachment.

REGRADED UNCLASSIFIED

ON

MAR 18 1998

(6)

CDR USAINCOM FIDCO

Auth Para 1.603 DoD 5200.1-R

6. SIGNATURE OF SPECIAL AGENT

66th MI Group

62

B04132-387-76

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

5 USC 552 (b) (6)

5 USC 552 (b) (6)

SECRET AGENT REPORT

For use of this form, see FM 30-17(C); AR 38-430; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

19 ~~(C)~~ On 11 March 1976, records of the Reports, Records, and Statistics Section, Engineer Plans and Real Property, Stuttgart Support Command, Directorate of Facility Engineers (DFE), Grenadier Kaserne, Stuttgart/Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

~~(C)~~ The Real Property Jacket (RPJ) file for Building 3315, Headquarters VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), FRG, APO New York 09107, contained numerous reports concerning the Communications Center (CC). Engineer Form 20 (Transfer of Construction), dated 8 January 1960 (EXHIBIT _____), indicated that certain unlisted rooms in the basement of Building T (AKA: Building 3315) were soundproofed (nfi). The date of completion was 16 December 1959. DD Form 1354 (Transfer and Acceptance of Military Real Property), dated 17 December 1968 (EXHIBIT _____), revealed that new masonry, wall openings, a steel door, vault door, and insulation were installed in the CC. Additionally, an air conditioning unit (water cooled refrigeration system) was installed. Electrical work, including the dismantling of light fixtures, switches and wiring junction boxes, and the installation of light fixtures and new wiring, was accomplished. A grounding system including a steel conduit, couplers and bends, and junction boxes were also installed. No date of completion was indicated on this form. In a separate folder within the RPJ file for Building 3315 was literature pertaining to Trane Self Contained Cooling Units, copies of which are attached as EXHIBIT _____ and EXHIBIT _____. DD Form 1354, dated 11 September 1970 (EXHIBIT _____), indicated that the basement floor in Building 3315 was improved by the installation of vinyl-asbestos floor tiles. The date of completion was listed as 15 June 1967. DD Form 1354, dated 9 October 1970 (EXHIBIT _____), revealed that unlisted basement rooms were to be modified for the movement of USASSD. Three air conditioning systems were installed in the Special Security Detachment, Assistant Chief of Staff, G2 area in the basement. A Frigidaire model air conditioner was installed in room 34, and two Carrier International, Ltd. models were placed in rooms 18 and 32. Radiators were installed in rooms 21-24 and 27-30. Steel vault doors, steel doors, light fixtures and a poly-phase transformer were also installed (nfi). One step-down transformer was installed in room 18. In the CC, an acoustic ceiling, wall linings, heating and air conditioners and steel doors were added (nfi). The date of completion was listed as 26 August 1967. DD Form 1354, dated 7 October 1974 (EXHIBIT _____) indicated that a transformer was installed and a generator connected in the CC. The date of completion was listed as 9 July 1970. An Electric Plan done by the

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FOR

Auth Para 1-603 DoD 5206.2-4

CLASSIFIED BY: [redacted] AR 38-12, 13 Oct 74
EXEMPTED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION
SCHEDULE 1, EXECUTIVE ORDER 11652
EXEMPTION CODE: [redacted]

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[redacted] 207th MI Detachment

6. SIGNATURE OF SPECIAL AGENT

[redacted] OFFICE OF ACSI, DA

5 USC 552 (b) (6)

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Office of the Engineer, dated 24 March 1970, (EXHIBIT _____), was attached to the DD Form 1354, dated 7 October 1974. The Electric Plan shows the location of fuse panels and switch boxes in relation to the Autodin in the CC. DD Form 1354, dated 8 November 1974 (EXHIBIT _____), revealed that one KVA transformer, one distribution box, distribution panel and power receptacle were installed in the CC. The date of completion was shown to be 10 February 1972.

(C) AGENT'S NOTES: Reference Agent Report B04132-173-76, subject as above, dated 27 February 1976, wherein it was reported that a Trane air conditioner with approximately 7 or 8 louvers was located in the CC room in which TOP SECRET information was transmitted/received. The Trane air conditioners mentioned closely resemble the one present in the CC 27 February 1976, except that the louvers were located in the upper portion of the air conditioner in the CC. The RPJ file on Building 3315 was the only file for the whole of Kelley Barracks that contained any mention of Trane air conditioners. The above files examination was conducted with the assistance of [REDACTED], Special Agent, 66th Military Intelligence Group. The Real Property Jacket files reflect every supposed change in the real property value of real property owned or leased by the US Government since their acquisition; however, work performed upon a building may not be reflected in the Real Property Jacket file if it was a self help project or the report of construction never reached the above office. Attention is invited to Agent Report B04132-170-76, Subject as above, dated 2 March 1976, wherein the utilization of a portion of building 3315 as a Communications Center is reported.

6 USC 552 (b) (6)

6 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FOIR

With Para 1.603 DoD 5200.1-1

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment
B04132-388-76

6. SIGNATURE OF SPECIAL AGENT

64

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: Engineering Form 290 (Transfer of Construction)
dated 8 January 1960 pertaining to building 1,
Kelley Barracks, Stuttgart-Moehringen (NU1197),
Federal Republic of Germany, APO New York 09107.

EXHIBIT _____

65

TRANSFER OF CONSTRUCTION (SR 735-7-3)

STATION

SACOM, Stuttgart Post

SERIAL NO.

3142

JOB NO.

ST-178-59

DATE

8-1-60/60

TYPE OF BUILDING
OR FEATURE

(1)

NO.
UNITS

(2)

DRAWING NO.

(3)

BASE DATA
(Lin. Ft., Sq. Ft., Gals./Day, Etc.)

UNIT

(4)

TOTAL QUANTITY

(5)

REMARKS

(6)

Soundproofing of rooms
in basement of building

1

None

N/A

N/A

Kelley Barracks.
Mehring
In building 2315

Date of Completion:
16 December 1959

POSTED TO

DATE

1

Room 24-2-60

- OVER -

The construction listed hereon is in accordance with maps, drawings, specifications, and change orders approved by the authorized representative of the
(Insert name of using agency) except for the deficiencies listed on the back of the sheet.
Miscellaneous items to be delivered to the using service will be in accordance with SR 735-7-3 and Chapter IV, Orders and Regulations.

ACCEPTED BY:

POST ENGINEER

E.F. KELLY JR Colonel, Arty

COMMANDING OFFICER

CONSTRUCTED BY:

RESIDENT ENGINEER

PAUL A LOOP, Lt COL

Post REPAIRS ENGINEER

FEB. 4 1960

17-1349-60

Following work was done:

Construction of one brick partition, installation of one slidable window, soundproofing of walls and ceiling, installation of one security door, painting of soundproofed walls and ceiling, installation of one fan w/electric connection, installation of receptacles and switches w/electric lines. Replacement of linoleum flooring by a new one, painting of radiators and heating pipes.

Installation of:

Fan, air circulation, 40 cbm/min air capacity, w/motor electric, 220 V 1 ea

Total costs of project:

For new construction (improvements)
For replacement and painting

DM 6,836.12	or	\$ 1,627.64
DM 1,595.23	or	\$ 379.82

Total

DM 8,431.35	or	\$ 2,007.46 (US Dollar Funds)
-------------	----	-------------------------------

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 17 December 1968 pertaining to Building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

EXHIBIT _____

68

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

PAGE 1 OF 2 PAGES

1. FROM: (Installation/Activity/Service) HQ, US ARMY ENGR CORP, EUROPE APO 09757				2. OPERATING UNIT		3. DIS-TRICT CODE		4. OPER-ATING AGENCY		5. DATE 17 Dec 68		6. JOB NUMBER		7. SERIAL NUMBER USAMC0001004 DATA-27-68 69-36		8. CONTRACT NUMBER C-02009	
9. TO: (Installation/Activity/Service) Commanding Officer US Army Engr Dist, Eur, N Wuertemberg APO 09154				10. OPERATING UNIT		11. DIS-TRICT CODE		12. OPER-ATING AGENCY		13. AC-COUNTING NUMBER		14. AC-COUNT-ING OFFICE NUMBER		15. TYPE OF TRANSACTION A <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)		16. PROJECT NUMBER ILF 9667 006-68	
ITEM NO.	CATEGORY CODE	FACILITY (Category description)	NO. OF UNITS	TYPE	UNIT OF MEAS.	TOTAL QUANTITY	COST	DRAWING NUMBERS	REMARKS								
17	18	19	20	21	22	23	24	25	26								
1	131 20	(AUTODIN*) Comm Center	1	S	-	-	16,500.- (F)										
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> POSTED TO INVESTMENT SHEET DATE: 8-1-69 </div>										<div style="border: 1px solid black; padding: 5px; display: inline-block;"> POSTED TO REAL PROPERTY RECORDS DATE: 8-1-69 </div>							
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> POSTED TO MCS ENG-75 DATA </div>										<div style="border: 1px solid black; padding: 5px; display: inline-block;"> Liabe Contractor Elektro Industrie Montage 43 Essen Unterdorf Str 19/21 MC Reimb *See Column 31 </div>							
27. STATEMENT OF COMPLETION: The facilities listed hereon are in accordance with maps, drawings, and specifications and change orders approved by the authorized representative of the using agency except for the deficiencies listed on the reverse side.										28. ACCEPTED BY (Signature)		DATE					
TRANSFERRED BY (Signature)										DATE		7 Jan 69		29. PROPERTY VOUCHER NUMBER			
L. A. STYMIST, CHIEF Cons & Tech Ins Dir										DATE		10 Jan 69					

DD FORM 1354

10 Jan 69 3895

31. REMARKS

*Item # 1 denotes:

DEMOLITION: Removal of: 1 ea security steel door; 1 ea wooden door; 2 ea steel doors; 1 ea window; steel sheet duct; acoustic tiling of wall and ceiling.

Cost: \$492. - is not included in column 24 **

MODIFICATION/UPGRADING

Installation of: new masonry; wall openings; 1 ea steel door and 1 ea vault door; mineral wool insulation and acoustical tiles. Cost: \$3,098.-

AIR CONDITIONING UNIT 57N

1 ea air conditioning unit, water cooled, refrigeration system, consisting of filter dryers, thermal expansion valve, stop valve, two-row cooling coil hermetic

INSTRUCTIONS

(Continued)

This form has been designed and issued for use in connection with the transfer of military real property between the military departments and to or from other government agencies. It supersedes ENG Forms 290 and 290B (formerly used by the Army and Air Force) and NAVDOCKS Form 2317 (formerly used by the Navy).

Existing instructions issued by the military departments relative to the preparation of the three superseded forms are applicable to this form to the extent that the various items and

columns on the superseded forms have been retained. Additional instructions, as appropriate, will be promulgated by the military departments in connection with any new items appearing hereon.

With the issuance of this DD form, it is not intended that the departments shall revise and reprint manuals and directives simply to show the number of this DD form. Such action can be accomplished through the normal course of revision for other reasons.

welded-shell compressor, double inlet, multi-blade type fans, 2 ea throw-away filter, 16" x 25" x 1" and all necessary equipment as temperature controller, high pressure cut-out, low pressure cut-out; duct system and accessories.
Cost: \$3,889.- ✓

ELECTRICAL WORK

(a) Dismantling Work - Removal of: light fixture, receptacles, switches, 3 ea distrib panels, wiring junction boxes. Cost: \$162.- ***

(b) Distribution Panels -- 1 ea, LPP, RF tight, galvanized steel sheet encased. 900 x 1200 x 210 mm, 208/120 V, 50 cps, incl all necessary equipment as bus bars, cleats, clamps, etc. Cost: \$6,263.-

LIGHTING AND RECEPTACLES

Installation of light fixtures; receptacles and switches, RF tight; signal line filter and bell ringing system. Cost: \$1,522.- ✓

CABLES AND ACCESSORIES

Installation of new wiring, including wall openings, steel conduits; connection of emergency power; grounding of A.C. Cost: \$460.- ✓

GROUNDING SYSTEM

(a) Station Ground - Installation of: 21 lin m steel conduit, Pg 29, incl necessary couplers and bends. 30 lin m thermoplastic cable NYA, 95 sq mm. 2 ea junction boxes, sheet steel encased, RF tight. Cost: \$862.- ✓

(b) AC Protective Ground - 1 ea junction box, sheet steel encased, RF tight, 50 ea grounding connections, to all metal parts, incl clamps, etc. 1 ea ground connection of metal door, 1 ea connection of AC ground to existing cold water line. Cost: \$244.- ✓

** Installed w/Serial # 0464, 3836, 2402, and 3092 to be deleted

***Installed w/V# 1169-58, 2050-60, 850-61 and 1133-63 to be deleted

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696



Agent Report Dated: 15 March 1976

Description: Approval drawing of Trane vertical self
contained cooling unit dated 5 June 1968.

EXHIBIT _____

72

		FILTER		APPROX.	
		QUANT.	SIZE	NET W/T	
L SUW 3	813	570	1769	2309	333
L SUW 5	927	608	2074	2512	397
L SUW 7	1041	735	2262	2657	473
■ HEIGHT WITH ACCESSORY DISCHARGE PLENUM					
A	B	C	D	E	F
813	570	1769	2309	333	289
927	608	2074	2512	397	343
1041	735	2262	2657	473	406
G	H	I	J	K	L
240	692	254	445	81	191
266	806	286	406	119	266
284	921	343	400	119	266
M	N	O	P	Q	R
1054	227	550	718	376	476
1234	228	586	838	376	648
1361	229	573	889	478	622
S	T	U	V	W	X
160	254	1	100	500	25
198	192	2	100	500	25
225	319	4	100	500	25
325	325	4	100	500	25



ACCESSORY HEATING COIL
2 K.O. 1" (ISO R7)(1D)
SUPPLY AND RETURN
LEFT OR RIGHT

1/2" (ISO R7)(1D) DRAIN

RETURN 3/4" (ISO R7)(1D) } CONDENSER WATER
SUPPLY 3/4" (ISO R7)(1D) } LEFT OR RIGHT

K.O. 20 ELEC. CONN.

TECHNICAL
EUROPEAN PRODUCTION

APPROVAL DRAWING

VERTICAL
SELF CONTAINED COOLING UNIT
LSUV 3-5-7

RECORD		RECORD	
DATE	BY	DATE	BY
6-5-68	6-5-68	6-5-68	6-5-68

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: Operation booklet for a Trane self contained cooling unit LSUW1-D dated June 1968.

EXHIBIT _____

74




MONTAGE BETRIEB & WARTUNG

ABSCHNITT

LSUW1 - D

JUNI 1968

Vertikale Klimaschränke



INHALT

Montage	1	Betrieb	4
Montage der Zubehörteile	2	Störungsursachen	5
Wartung	6		

MONTAGE

Allgemeines

Das Gerät sofort nach Anlieferung auf Beschädigungen untersuchen. Falls Beschädigungen festgestellt werden, auf der Empfangsbestätigung vermerken; den letzten Spediteur und das zuständige Trane-Büro benachrichtigen.

Horizontaler Ventilatorausblas (Abb. 1)

Die Lüfter werden fabrikmäßig mit senkrecht nach oben gerichtetem Luftaustritt geliefert. Der


Ventilator kann nachträglich wie folgt um 90° gedreht werden (Luftaustritt horizontal nach hinten):

LSUW-3, 5, 7 und 10

1. Befestigungsschrauben des Lüftergehäuses lösen und das Gehäuse aus dem Gerät herausheben.
2. Lüfterriemenscheibe auf das entgegengesetzte Ende der Welle aufsetzen.
3. Lüftergehäuse um seine Achse um 180° drehen und mit der Austrittsöffnung nach hinten montieren.
4. Kanalanschlusstutzen und Abdeckblech gegeneinander austauschen.
5. Lüfter- und Motorriemenscheiben ausrichten, Keilriemen auflegen und Keilriemenspannung so einstellen, dass der Riemen unter leichtem Fingerdruck etwa 25 mm nachgibt.

LSUW-10 und 15

1. Befestigungsschrauben des Lüftermotors lösen und den (die) Keilriemen abnehmen.
2. Rückwand des Geräts entfernen.
3. Kopfblech des Geräts mit den daran befestigten Lüftern ausbauen.
4. Beim LSUW-10 Lüfterriemenscheibe am entgegengesetzten Ende der Lüfterwelle anbringen.
5. Kopfblech umdrehen und an der Rückseite des Geräts befestigen.



75

Abb. 1 - Umstellung des Ventilators auf horizontalen Luftaustritt

Öffnung oben im Gerät mit dem Blech von der Rückwand verschliessen. Dessen 62 mm breite Abkantung soll auf der Vorderseite des Geräts bis zur abnehmbaren Verkleidung des Gebläseteils herabreichen.

ANMERKUNG: Bei horizontaler Anordnung des Lüfters sind kürzere Keilriemen erforderlich. Passende Riemen sind durch das Trane-Büro lieferbar.

Rückluft

Die Rückluft kann durch die Vorderwand, die Rückwand, oder beide gleichzeitig angesaugt werden. Soll die gesamte Rückluft durch die Rückseite des Geräts eintreten, ist das Blech vom rückwärtigen Eintritt abzunehmen und damit die Öffnung in der Frontverkleidung zu verschliessen.

Kondensatablauf

Die Kondensatrinne unter dem Luftkühler ist an eine Abflussleitung anzuschliessen (Anschluss 3/4")

Kühlwasseranschlüsse

STADTWASSER

Der Wasserdruck vor dem Kondensator soll zwischen 1 und 6 kg/cm² liegen. Ist der Druck höher, ist ein Druckminderventil in die Wasservorlaufleitung zwischen Filter und Kühlwasserregler einzubauen.

Beim Betrieb mit Stadt-, Brunnen- oder Flusswasser ist ein Kühlwasserregler einzubauen. (Siehe « Montage der Zubehörteile »).

Um die Leitungen bei kalter Witterung vor dem Einfrieren zu schützen, ist eine Entleerungsmöglichkeit vorzusehen.

KÜHLTURM

Entleerung in die Wasservorlaufleitung einbauen, um die Entleerung der Anlage für Wartungs- und Instandsetzungsarbeiten zu erleichtern (Abb. 2).




Abb. 2 - Kühlturmverrohrung

MONTAGE DER ZUBEHÖRTEILE

Heizbatterie

LSUW-3, 5, 7

Nach Abnehmen der Vorderwand des Geräts kann die Heizbatterie von vorn in die dafür vorgesehene Halterung eingeschoben werden. Besonderes Einbaumaterial ist nicht erforderlich. Der Anschluss der Heizbatterie kann wahlweise auf der rechten oder auf der linken Seite erfolgen; auf beiden Seiten sind Durchbrüche vorgesehen.

LSUW-10 und 15 (Abb. 3)

1. Vorder- und Rückwand des Lüfterteils abnehmen.

2. Für die Rohranschlüsse die Durchbrüche rechts- oder linksseitig am Gerät herausnehmen.
3. Auf einer Seite die 2 Schrauben, die Lüfterteil und Verflüssigerteil zusammenhalten, herausdrehen, seitliches Abschliessblech einschieben und die Schrauben wieder einsetzen. Abschliessblech mit beigelegter Blechschraube am mittleren Trägerprofil befestigen. Das gleiche auf der gegenüberliegenden Seite wiederholen.
4. Die beiden mitgelieferten Z-förmigen Blechprofile mit 6 mm Schrauben, wie in der Abbildung gezeigt, an den Längsseiten der Heizbatterie befestigen.
5. Heizbatterie in den hinteren Teil des Geräts einschieben und in die richtige Lage bringen (siehe Abb.).




Abb. 3 - Montage der Heizbatterie (LSUW-10/15)

Ausblaskasten

LSUW-3, 5 und 7

1. Vorderwand abnehmen.
2. Schrauben entlang der oberen Vorderkante des Geräts entfernen.
3. Ausblaskasten auf das Gerät aufsetzen.
4. Schrauben durch den Flansch des Ausblaskastens stecken und wieder festziehen.
5. Vorderwand wieder einsetzen.

LSUW-10 und 15

1. Frontverkleidung der Lüftereinheit abnehmen.
2. Die zwei Schrauben nahe der Vorderseite des Geräts (eine auf jeder Seite), die das Kopfblech auf dem Lüfterteil halten, herausdrehen.
3. Ausblaskasten so auf das Gerät aufsetzen, dass die Gewindebolzen durch die Schraubenlöcher der entfernten Schrauben gehen. Mit Schraubenmuttern festschrauben.
4. Flansch des Ausblaskastens auf der Geräterückseite als Schablone benutzen und durch die vorgestanzten Löcher im Gehäuse des Geräts 3,5 mm Löcher bohren.
5. Flansch mit Blechschräuben am Gerät befestigen.

6. Frontverkleidung des Lüfterteils wieder einsetzen.

Kühlwasserregler

(wenn nicht serienmässig eingebaut)

LSUW-3, 5, 7

Rohrverschraubung und Rohrnippel im Kühlwasservorlauf entfernen. Nippel durch Kühlwasserregler und zwei kurze Nippel ersetzen und Schraubverbindung wieder herstellen. Kapillarleitung am Serviceventil der Druckleitung anschliessen.

LSUW-10 und 15 (Abb. 4)

1. Rohrnippel beiderseits des T-Stückes durch Kühlwasserregler ersetzen.
2. Kapillarrohre der Kühlwasserregler mit Kompressordruckseite verbinden. (Siehe Anschluss der Kapillarrohre).




Abb. 4 - Anschluss Wasservorlauf für LSUW 10/15

Anschluss der Kapillarleitung (alle Modelle)

Bei allen Modellen ist die Kapillarleitung zwischen Kühlwasserregler und Kompressor-Druckventil wie folgt anzuschliessen:

1. Kompressor-Druckventil absperren.
2. Ein Cu-Rohr 6 mm \varnothing mit dem Manometeranschluss des Kompressor-Druckventils verbinden.
3. Kapillarrohr des Kühlwasserreglers mittels T-Stück an das freie Ende des Kupferrohrs an-

schliessen. Am dritten Anschluss des T-Stückes kann der Kondensationsdruck gemessen werden.

Anmerkung: Bei LSUW 10/15 müssen die Kapillarleitungen zwischen den jeweils zusammengehörenden Teilen (Kompressor und Verflüssiger) eingebaut werden.

4. Kompressor-Druckventil öffnen und die Anlage in Betrieb nehmen.
5. Kühlwasserregler so einstellen, dass ein Kondensationsdruck von 14 bis 16 kg/cm² gehalten wird.

BETRIEB

Erste Inbetriebnahme

Zur Inbetriebnahme der Anlage, Wasservorlauf öffnen, « Lüftung-Aus-Kühlung » - Schalter auf « Kühlung » drehen und den Thermostat auf den gewünschten Sollwert einstellen. Das Gerät läuft jetzt automatisch in Abhängigkeit vom eingebauten Rückluftthermostat.

Soll der Klimaschrank abgeschaltet werden, Wahlschalter auf « Aus » stellen. Wird Stadtwasser zur Kondensatorkühlung verwendet, Vorlauf-Absperrventil schliessen.

LÜFTER-DREHRICHTUNG

Überprüfen, ob die Drehrichtung des Lüfters stimmt. Wenn das nicht der Fall ist, zwei Kabel im Motorklemmkasten vertauschen.

ÜBERPRÜFUNG DER DRUCKSICHERHEITSSCHALTER

Die Klimaschränke werden im Werk auf einwandfreies Funktionieren der Druckschalter geprüft. Eine Kontrolle an der Baustelle kann wie folgt vorgenommen werden:

HOCHDRUCKSCHALTER

Bei laufender Anlage Kühlwasserdurchfluss durch den Kondensator drosseln. Der Hochdruckschalter sollte das Gerät bei dem in Tabelle 1 angegebenen Ausschaltwert abschalten. Der Kondensationsdruck darf den Ausschaltwert höchstens um 0,5 kg/cm² überschreiten. Wenn der Hochdruckschalter die Anlage beim angegebenen Wert nicht ausschaltet, dann ist er auszuwechseln.

Abschnitt « Relaisrückstellung » durchlesen. Wasserabsperrventil des Kondensators öffnen. Wenn der Hochdruck unter den Einschaltwert gesunken ist, den Steuerkreis rückstellen, um das Gerät wieder einzuschalten.

NIEDERDRUCKSCHALTER

Luftstrom durch den Verdampfer drosseln. Bei laufendem Gerät sollte der Niederdruckschalter bei Erreichen des in Tabelle 2 angegebenen Ausschaltwertes in Funktion treten. Der Saugdruck darf höchstens 0,3 kg/cm² unter den Ausschaltwert absinken. Wenn der Regler nicht richtig funktioniert, dann ist er zu ersetzen.

Luft wieder ungehindert durch den Verdampfer passieren lassen, um den Saugdruck zu erhöhen. Hat dieser den Einschaltwert erreicht, Steuerkreis rückstellen, um das Gerät wieder einzuschalten.

Funktion der Sicherheitsorgane

HOCHDRUCKSCHALTER

Der Hochdruckschalter überwacht den Kondensationsdruck in der Anlage und verhindert eine Überlastung des Motors. Er unterbricht den Steuerkreis und schaltet so die Anlage ab, wenn der Druck den eingestellten Grenzwert überschreitet. Die Einstellwerte finden sich in Tabelle 1.

NIEDERDRUCKSCHALTER

Der Niederdruckschalter überwacht den Druck auf der Saugseite des Kompressors. Er verhindert ein Überhitzen des Motors und schaltet die Anlage ab, wenn der Druck den zur Motorkühlung erforderlichen Wert unterschreitet. Die Einstellungen sind in Tabelle 1 aufgeführt.

Tabelle 1 - Einstellungen der Druckschalter (kg/cm²)

Hochdruckschalter		Niederdruckschalter	
Ein	Aus	Aus	Ein
26	21	2	4

WICKLUNGSTHERMOSTAT

Der Wicklungsthermostat überwacht die Temperatur des Kompressormotors in der Motorwicklung. Sollte sich die Wicklungstemperatur durch unzureichende Motorkühlung übermässig erhöhen, dann öffnet der Thermostat die Kontakte des Steuerkreises und schaltet den Kompressor ab.

ÜBERSTROMAUSLÖSER

Der Kompressor und der Lüftermotor werden durch das in den Schaltkasten eingebaute thermische Überstromrelais vor zu hoher Stromaufnahme geschützt.

RÜCKSTELLRELAIS

Um ein Pendeln der Anlage durch wiederholtes Ein- und Abschalten eines Sicherheitsschalters zu verhindern, ist ein Rückstellrelais parallel zu den Sicherheitsorganen geschaltet. Nach Behebung der Störung, die die Öffnung der Sicherheitsschalterkontakte herbeiführte, wird das Rückstellrelais nachgestellt, indem der Wahlschalter von « Kühlen » auf « Aus » und wieder auf « Kühlen » gedreht wird.

Periodische Wartung

MONATLICH

1. Lüfterkeilriemen und Riemenscheiben reinigen. Die Riemenscheiben sollen genau ausgerichtet sein, und der Keilriemen soll unter leichtem Fingerdruck ca. 25 mm nachgeben.
2. Kondensatrinne und Abflussleitungen überprüfen. Gegebenenfalls reinigen.
3. Luftfilter kontrollieren; wenn nötig, Dauerfilter säubern, oder Wegwerffilter austauschen.

JÄHRLICH

1. Falls der Kühlwasser-Kreislauf am Ende der Kühlperiode entleert wurde, Entleerungsstößel wieder einschrauben und den Kreislauf neu füllen.
2. Den gesamten Kältekreislauf auf Undichtigkeiten untersuchen.
3. Mittels Wahlschalterstellung « Kühlen » und Einstellung des Thermostaten auf die gewünschte Kühlung, Gerät in Betrieb nehmen.
4. Kühlturm, falls verwendet, auf einwandfreies Funktionieren untersuchen.

BEHEBEN VON STÖRUNGEN

Die folgende Liste der Symptome und deren wahrscheinlicher Ursachen führt zur Behebung einiger häufiger auftretender Betriebsstörungen. Für diejenigen Probleme, die weitergehende Informationen erfordern, finden sich genauere Angaben im Abschnitt « Wartungsarbeiten » auf Seite 6.

Kompressor-Symptome

KOMPRESSOR LÄUFT NICHT AN

1. Wahlschalter « Lüftung-Aus-Kühlung » oder der Thermostat sind nicht richtig eingestellt.
2. Sicherungen sind durchgebrannt.
3. Kontakte des Überstromrelais sind offen.

KOMPRESSOR SUMMT, LÄUFT ABER NICHT ANSCHALTET AM ÜBERSTROMRELAIS AB

1. Zu geringe Spannung (s. « Spannung », S. 6).
2. Motorwicklung hat Massekurzschluss (s. « Motorkurzschluss », S. 6).
3. Auf einer der drei Klemmen ist keine Spannung.

KOMPRESSOR LÄUFT AN, SCHALTET ABER GLEICH WIEDER AB

1. Zu geringe Spannung (s. « Spannung », S. 6).
2. Zu hoher Kondensationsdruck (s. « Zu hoher Kondensationsdruck », S. 6).
3. Überstromauslöser falsch eingestellt (s. « Überstromauslöser », S. 6).
4. Unzureichende Motorkühlung (s. « Zu niedriger Saugdruck », S. 5).

UNGEWÖHNLICHES KOMPRESSORGERÄUSCH

1. Flüssiges Kältemittel gelangt in den Kompressor zurück (s. « Einspritzventil », S. 7).
2. Geräuschvoller Betrieb in Verbindung mit niedrigem Kondensationsdruck deutet auf beschädigte oder gebrochene Ventile hin.

Betriebsdrücke

Bei Leistungsabfall oder nicht einwandfrei arbeitendem Gerät führt eine Überprüfung der Betriebsdrücke häufig zur Störungsursache.

ZU NIEDRIGER SAUGDRUCK

1. Luftstrom durch den Verdampfer unzureichend, hervorgerufen durch verschmutzte Luftfilter, rutschende Keilriemen oder verschmutzten Verdampfer (s. « Reinigen der Wärmeaustauscher », S. 6).
2. Defektes Einspritzventil (s. « Einspritzventil », S. 7).
3. Verstopfter Filtertrockner beeinträchtigt den Durchfluss des Kältemittels (s. « Filtertrockner », S. 7).

ZU NIEDRIGER KONDENSATIONSDRUCK

1. Kältemittelmangel. Symptome dafür sind warme Saugleitung und ungewöhnlich niedriger Saugdruck. Gerät auf Leckstellen überprüfen, reparieren und Kältemittel nachfüllen (s. « Nachfüllen von Kältemittel », S. 7).
2. Kühlwassertemperatur ist zu niedrig oder die Wasserdurchflussmenge im Kondensator zu gross. Durch Nachstellen des Kühlwasserreglers Wasserdurchfluss verringern.
3. Druckventile des Kompressors beschädigt oder gebrochen.

NIEDRIGER KONDENSATIONSDRUCK IN VERBINDUNG MIT NIEDRIGEM SAUGDRUCK

1. Zu wenig Kältemittel in der Anlage (s. « Nachfüllen von Kältemittel » S. 7).

ZU HOHER SAUGDRUCK

1. Defektes Einspritzventil (s. « Einspritzventil », S. 7).
2. Kompressor pumpt das Kältemittel in die Sauggaskammer zurück. Ursache dafür sind gebrochene oder schadhafte Saug- oder Druckventile.

ANMERKUNG : s. auch S. 6 « Hoher Saugdruck verbunden mit niedrigem Kondensationsdruck ».

3. Zu hohe Temperatur der den Verdampfer durchströmenden Luft.

ZU HOHER KONDENSATIONS-DRUCK

1. Kühlwassertemperatur ist zu hoch, Durchflussmenge durch den Kondensator zu gering. Die Symptome dafür sind warmer Kondensator und sehr warmes Wasser am Kondensatoraustritt. Mit Hilfe des Kühlwasserreglers Durchflussmenge vergrössern, oder, falls verwendet, Arbeitsweise des Kühlturms und der Kühlwasserpumpe überprüfen.
2. Verschmutzung des Kondensators. Anzeichen dafür ist ein zu grosser Temperaturunterschied zwischen dem in den Kondensator eintretenden Kältemittel und dem ihn verlassenden Kühlwasser. Kühlwasserkreislauf reinigen (s. Abschnitt « Reinigen der Wärmeaustauscher », S. 6).

3. Nicht-kondensierbare Gase im Kältemittelkreislauf.

4. Zuviel Kältemittel in der Anlage (s. « Ablassen von Kältemittel », S. 7).

HOHER SAUGDRUCK VERBUNDEN MIT NIEDRIGEM KONDENSATIONS-DRUCK

Gleiche oder fast gleiche Manometeranzeigen an der Saug- und Druckseite des Kompressors lassen normalerweise darauf schliessen, dass der Kompressor das Kältemittel teilweise in die Sauggaskammer zurückpumpt. Diese Störung wird durch beschädigte oder gebrochene Kompressor- Saug- oder Druckventile hervorgerufen.

WARTUNG

Steuerkreis

Die möglichen Ursachen für den Ausfall einer Anlage lassen sich sehr schnell eingrenzen, indem man zunächst das Schaltorgan sucht, das abgeschaltet hat.

An Hand des Schaltplans alle Druck-, Temperatur und Sicherheitsschalter nachsehen, um den geöffneten Schalter und damit die wahrscheinliche Störungsursache herauszufinden.

ÜBERSTROMAUSLÖSER

Stromaufnahme des Kompressors ist zu gross (s. « Spannung » und « Zu hoher Kondensationsdruck »).

WICKLUNGSTHERMOSTAT

Kühlung des Kompressormotors ist unzureichend (s. « Zu geringer Saugdruck ») oder arbeitet bei zu hoher Spannung (s. « Spannung »).

HOCHDRUCKSCHALTER

Zu hohe Kondensationstemperatur (s. « Zu hoher Kondensationsdruck »).

NIEDERDRUCKSCHALTER

Zu niedriger Saugdruck (s. unter « Zu geringer Saugdruck »).

SICHERUNG DES STEUERKREISES

Steuerkreis ist kurzgeschlossen oder überlastet. Bei Überlastung entweder grösseren Transformator benutzen oder Zubehör mit einem zusätzlichen Transformator speisen.

Kompressormotor und Zubehör

Ergeben die folgenden Überprüfungen, dass die Motorwicklung einen Kurzschluss hat, Massschluss hat oder unterbrochen ist, dann ist der Motor vermutlich durchgebrannt.

Motorwicklungen

Trennschalter öffnen und Anschlusskabel von den Kompressorklemmen abnehmen :

Mithilfe eines Ohmmeters, der jeweils an zwei der drei Klemmen angeschlossen wird, Wicklung auf Unterbrechungen untersuchen. Alle Klemmenpaare müssen einen Widerstand anzeigen.

Motorkurzschluss

Einen Anschluss eines Isolierungsprüfgeräts oder Megaohmmeters gegen blankes Metallteil, wie Saug- oder Druckleitung, halten, den anderen mit einer der Motorklemmen verbinden. Die Ablesung sollte höher als 1 Megohm sein ; ist der Wert beträchtlich geringer, so ist die Wicklung mit dem Gehäuse kurzgeschlossen.

Überstromauslöser

Klemmzange eines Ampèremeters um eines der Motorkabel legen und den Kompressor in Betrieb nehmen. Ampérezahl ablesen, bei der der Überstromauslöser abschaltet. Ist die Ampérezahl geringer als 115 % des Kompressor-Nennstromes, Überstromauslöser nachstellen oder ersetzen.

Spannung

Bei laufender Anlage Spannung auf der Netzseite des Trennschalters prüfen. Liegt die Anzeige um 10 % unter oder über der Kompressormotor-Nennspannung, ist das Elektrizitätswerk zu benachrichtigen.

Reinigen der Wärmeaustauscher

VERDAMPFER

Verdampfer mit einem Staubsauger, einem Wasser- oder Luftstrahl reinigen ; kein Heisswasser oder Dampf dazu verwenden.

WASSERGEKÜHLTER KONDENSATOR

Mit geeignetem chemischem Reinigungsmittel Kondensatorrohre spülen. Den Rat eines Wasserfachmanns einholen.

Einspritzventil

KÄLTEMITTEL-EINSPRITZMENGE ZU GROSS

Zu einer Überfüllung des Verdampfers kommt es gewöhnlich, wenn das Fühlerelement des Einspritzventils keinen guten Kontakt mit der Sauggasleitung hat.

Diese Störung kann durch Festziehen der Fühlerhalterungen und dadurch, dass der Fühler mit seiner ganzen Länge in direkten Kontakt mit der Sauggasleitung gebracht wird, behoben werden.

KÄLTEMITTEL-EINSPRITZMENGE ZU GERING

Eine zu geringe Versorgung des Verdampfers mit Kältemittel, hervorgerufen durch den Ausfall eines Fühlerelements, führt zu ausserordentlich niedrigem Saugdruck.

Die Funktionsweise des Fühlerelements wird folgendermassen überprüft :

1. Anlage abschalten. Warten, bis sich die Saugleitung auf Raumtemperatur erwärmt hat.
2. Fühler von der Saugleitung abnehmen und in einen Behälter mit Eiswasser stellen.
3. Anlage einschalten.
4. Fühler aus dem Behälter herausnehmen und in der Hand erwärmen. Gleichzeitig die Saugleitung befühlen. Ist ein Temperaturabfall feststellbar,

so arbeitet das Fühlerelement einwandfrei ; lässt sich aber nur eine geringe Temperaturveränderung in der Saugleitung feststellen, dann ist der Fühler schadhaft und muss ersetzt werden.

Achtung : Bei Überprüfung des Einspritzventils unnötig langen Flüssigkeitseintritt in die Saugleitung vermeiden. Flüssigkeitsschläge beschädigen den Kompressor.

Nachfüllen von Kältemittel

Kältemittel kann in gasförmigem Zustand durch das Serviceventil in der Saugleitung nachgefüllt werden.

Ablassen von Kältemittel

Wenn nach Überprüfung aller möglichen Ursachen trotzdem ein ausserordentlich hoher Kondensationsdruck bestehen bleibt, etwas Kältemittel ablassen. Kappe am Serviceventil in der Saugleitung abnehmen und Ventil etwas öffnen. Kältemitteldampf in kleinen Mengen entweichen lassen, bis der Kondensationsdruck in den Normalbereich fällt.

Filtertrockner

Niedriger Saugdruck, ein Temperaturgefälle in der Flüssigkeitsleitung durch den Trockner oder im Extremfall ein Reifüberzug auf dem Trocknergehäuse, deuten auf eine Verstopfung des Trockners hin. Wenn diese Symptome auftreten, den Trockner auswechseln.

Änderungen vorbehalten.

Für weitere Auskünfte und Kundendienst wenden Sie sich bitte an :

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 11 September 1970 pertaining to the Communications Center, Building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

EXHIBIT _____

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

PAGE 1 OF 1 PAGES

1. FROM: (Installation/Activity/Service) US Army Engr District, Europe Baden Wuerttemberg (Prov) Real Property Branch		2. OPERATING UNIT		3. DISTRICT CODE	4. OPERATING AGENCY	5. DATE 11 Sep 70	6. JOB NUMBER -	7. SERIAL NUMBER 37-71	8. CONTRACT NUMBER DAJA06-67 C-0186
9. TO: (Installation/Activity/Service) Facility Engineer Stuttgart Real Property Section		10. OPERATING UNIT	11. DISTRICT CODE	12. OPERATING AGENCY	13. AC-COUNTING OFFICE NUMBER	14. AC-COUNTING OFFICE NUMBER	15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input checked="" type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)		
ITEM NO.	CATEGORY CODE	FACILITY (Category description)	NO. OF UNITS	TYPE	UNIT OF MEAS.	TOTAL QUANTITY	COST	DRAWING NUMBERS	REMARKS
17	18	19	20	21	22	23	24	25	26
1	13120	Comm Center Improvement of basement floors by installation of vinyl-asbestos floor tiles	P				\$ 1,105.- Appropriat. US funds	PP 2031	Kelley Barracks Stgt-Moehringstr In Bldg # 3315
Contractor: Albert Hoess Stuttgart-S Karl Kloss St.6 Date of Compl.: 15 June 1967									
POSTED TO REAL PROPERTY RECORDS DATE: 21-9-70									
POSTED TO INVESTMENT SHEET DATE: 21-9-70									
BASE DATA									
POSTED TO RCS ENG-78									
STATEMENT OF COMPLETION: The facilities listed hereon are in accordance with maps, drawings, and specifications and change orders approved by the authorized representative of the using agency except for the deficiencies listed on the reverse side.									
TRANSFERRER BY (Signature) Ronald D. Bentzen		DATE 11 Sep 70		28. ACCEPTED BY (Signature) Joseph J. Runquist			DATE 17 SEP 1970		
TITLE (Area Engr./Base Engr./DPWO) RONALD D. BENTZEN, DAC, Ch, EP & RP Div		TITLE (Post Engr./Base Civ. Engr./Navy Rep.) JOSEPH J. RUNQUIST, LTC, CE Facility Engineer Stuttgart			29. PROPERTY VOUCHER NUMBER 5175-71				

DD FORM 1354

18. Sep. 1970 - 1895

31. REMARKS

INSTRUCTIONS

This form has been designed and issued for use in connection with the transfer of military real property between the military departments and to or from other government agencies. It supersedes ENG Forms 290 and 290B (*formerly used by the Army and Air Force*) and NAVDOCKS Form 2317 (*formerly used by the Navy*).

Existing instructions issued by the military departments relative to the preparation of the three superseded forms are applicable to this form to the extent that the various items and

columns on the superseded forms have been retained. Additional instructions, as appropriate, will be promulgated by the military departments in connection with any new items appearing hereon.

With the issuance of this DD form, it is not intended that the departments shall revise and reprint manuals and directives simply to show the number of this DD form. Such action can be accomplished through the normal course of revision for other reasons.

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

15 March 1976

Description:

DD Form 1354 (Transfer and Acceptance of Military Real Property dated 9 October 1970 pertaining to the Communications Center, building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

EXHIBIT _____

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

PAGE 1 OF 2 PAGES

1. FROM: (Installation/Activity/Service) US Army Amer Dist, Europe Baden-Muensterberg (PROV) Real Property Branch		2. OPERATING UNIT		3. DISTRICT CODE	4. OPERATING AGENCY	5. DATE 2000 10	6. JOB NUMBER	7. SERIAL NUMBER 01-11	8. CONTRACT NUMBER WAW-00-01-00000
9. TO: (Installation/Activity/Service) Facilities Engineer Stuttgart Amer Plans and Serv Div AFU 09254		10. OPERATING UNIT	11. DISTRICT CODE	12. OPERATING AGENCY	13. AC-COUNTING NUMBER	14. AC-COUNTING OFFICE NUMBER	15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)		
ITEM NO.	CATEGORY CODE	FACILITY (Category description)	NO. OF UNITS	TYPE	UNIT OF MEAS.	TOTAL QUANTITY	COST	DRAWING NUMBERS	REMARKS
17	18	19	20	21	22	23	24	25	26
1	13120	Modification of basement rooms for move of GSASDD Comm CENTER Installation of acoustic ceiling and wall lining, heating and air conditioning, steel doors, and fluorescent light fixtures (for inst. prop. see reverse side)		P			\$ 21,076.- Sincroff \$ 10,225.- Capital impr.	FP 2026 - 2030	In blog # 3315
2	72210	LM BK W/O MESS Installation of 8 ea fluorescent lights, ceiling mtd, double type		P			\$ 304.-		In blog # 3310

98

Installed property in bldg # 3315:

2 ea steel walk doors
 3 ea steel doors
 1 ea playwood door
 3 ea room air condit. systems
 In room 34: 1ea room air cond. unit, AWT-11,
 make UNKNOWN, htg cap. 2772 kcal/h
 In room 10: 1 ea room air cond. unit 51 PQ 154705,
 make UNKNOWN INTERNATIONAL LTD, htg cap. 4000 kcal/h
 In room 32: 1 ea room air cond. unit 50 DQ 002,
 make UNKNOWN INTERNATIONAL LTD, htg cap. 3000 kcal/h
 8 ea radiators, cast iron, in rooms # 21-24 & 27-30
 1 ea fluorescent light fixtures, double type
 1 ea polyphase transf. dry type, 50 KVA
 1 ea step-down transf., sheet steel encased, 1200 KV
 in room # 16.

INSTRUCTIONS

been designed and issued for use in connection of military real property between the military and to or from other government agencies. It Forms 290 and 290B (formerly used by the ce) and NAVDOCKS Form 2317 (formerly used

actions issued by the military departments preparation of the three superseded forms are form to the extent that the various items and

columns on the superseded forms have been retained. Additional instructions, as appropriate, will be promulgated by the military departments in connection with any new items appearing hereon.

With the issuance of this DD form, it is not intended that the departments shall revise and reprint manuals and directives simply to show the number of this DD form. Such action can be accomplished through the normal course of revision for other reasons.

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

PAGE 4 OF 4 PAGES

1. FROM: (Installation/Activity/Service)		5. DATE 9 Oct 70		6. JOB NUMBER -		7. SERIAL NUMBER 61-12		8. CONTRACT NUMBER WDA00-01-0-0050	
9. TO: (Installation/Activity/Service)		13. AC. COUNTING NUMBER		14. AC. COUNT. OFFICE NUMBER		15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input checked="" type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)		16. PROJECT NUMBER WDA-202-01	
10. OPERATING UNIT		11. DISTRICT CODE		12. OPERATING AGENCY		13. DISTRICT CODE		14. OPERATING AGENCY	
17. ITEM NO.		18. CATEGORY CODE		19. FACILITY (Category description)		20. NO. OF UNITS		21. TYPE	
3		51240		DISTR SYS		480		Sketch	
				Installation of undergr. distr. line, cable WY, 4x150 sqmm leading from bldg # 3405 to 3315.		LF		P	
						22. UNIT OF MEAS.		23. TOTAL QUANTITY	
						24. COST		25. DRAWING NUMBERS	
						26. 2,400.-		27. 20	
						28. 25,100.-		29. 25	
						Appropriated US \$ funds		Remarks: Structure # ASD22	
								Contractor: M.F. WAGNER AG 00	
								Sgt-reuerbach 00	
								Kneitelsstr. 3	
								WATO INFRASTRUCTURE PREFINANCED-FRE 100	
								Date of Completion: 26 Aug 1967	

POSTED TO RCS ENG-75

PLEASE DATA

POSTED TO REAL PROPERTY RECORDS
DATE: 26-10-70

POSTED TO INVESTMENT SHEET
DATE: 26-10-70

27. STATEMENT OF COMPLETION: The facilities listed herein are in accordance with maps, drawings, and specifications and change orders approved by the authorized representative of the using agency except for the deficiencies listed on the reverse side.		28. RECEIVED BY (Signature)		DATE	
TRANSFERRED BY (Signature)		DATE		22 OCT 1970	
TITLE (Area Engr./Base Engr./DPWO)		DATE		23 OCT 1970	
WILLIAM D. BARNES, DAC, Chief EP & RP Div		DATE		23 OCT 1970	
29. PROPERTY VOUCHER NUMBER		DATE		23 OCT 1970	

DD FORM 1354

23. OCT. 1970

30.

CONSTRUCTION DEFICIENCIES

31. REMARKS

Deficiencies for item # 1 as follows:

Removal of installed property posted on AE Form 890-R
\$ 1,506.- Appr.DM Funds and \$ 3,004.- Appr. US \$ Funds

INSTRUCTIONS

This form has been designed and issued for use in connection with the transfer of military real property between the military departments and to or from other government agencies. It supersedes ENG Forms 290 and 290B (*formerly used by the Army and Air Force*) and NAVDOCKS Form 2317 (*formerly used by the Navy*).

Existing instructions issued by the military departments relative to the preparation of the three superseded forms are applicable to this form to the extent that the various items and

columns on the superseded forms have been retained. Additional instructions, as appropriate, will be promulgated by the military departments in connection with any new items appearing hereon.

With the issuance of this DD form, it is not intended that the departments shall revise and reprint manuals and directives simply to show the number of this DD form. Such action can be accomplished through the normal course of revision for other reasons.

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 7 October 1974 pertaining to the Communications Center, building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

PAGE 1 OF 1 PAGES

1. FROM: (Installation/Activity/Service) Directorate of Fac Engr, Stuttg EP & RP Div			2. OPERATING UNIT		3. DIS- TRICT CODE		4. OPER- ATING AGENCY		5. DATE 7 Oct 74		6. JOB NUMBER 492-70 9070-1500		7. SERIAL NUMBER 127-75		8. CONTRACT NUMBER DMAO- 70-1752						
9. TO: (Installation/Activity/Service) Directorate of Fac Engr, Stuttg Real Property Branch			10. OPERATING UNIT		11. DIS- TRICT CODE		12. OPER- ATING AGENCY		13. AC- COUNTING NUMBER		14. AC- COUNT- ABLE OFFICE NUMBER		15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING <input type="checkbox"/> FAC. <input checked="" type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)		16. PROJECT NUMBER 170-70(A)						
ITEM NO.			CATEGORY CODE		FACILITY (Category description)		NO. OF UNITS		TYPE		UNIT OF MEAS.		TOTAL QUANTITY		COST		DRAWING NUMBERS		REMARKS		
1			13120		COMM CENTER		1		P						\$ 1,181.- Appropriated US \$ Funds thereof: \$ 687.- capital improvement		PP 2677		Kelly Bks Moehringem CY 378 Bldg # 3315 basement Contractor; Elektro_Ziegler 7 Stuttg 1 Alexanderstr. 28 Date of completion: 9 July 70		
NOT ASSE DATA																					
27. STATEMENT OF COMPLETION: The facilities listed herein are in accordance with maps, drawings, and specifications and change orders approved by the authorized representative of the using agency except for the deficiencies listed on the reverse side.																		28. ACCEPTED BY (Signature) W. J. B... DATE OCT 14 1974 POSTED TO RGS ENG-73		29. DATE OCT 1974	
TRANSFERRED BY (Signature) DATE 7 Oct 74																		TITLE (Post Engr./Base Civ Engr./New Rep.) RICHARD J. BARRETT, JR. Director of Facilities Engineering		22. PROPERTY VOUCHER NUMBER 6065-75	

DD FORM 1354
NOV 61

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: Blue print dated 19 March 1970, Subject: Electric-Plan pertaining to building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

EXHIBIT _____

REVISION DATE

DESCRIPTION

BY

NORTH WUERTTEMBERG DISTRICT
Office of the Engineer

DRAWN BY
HANNEMANN

CHECKED BY

DRAWING NO
PP 2677

KELLEY BARRACKS, STUTTGART-MOEHRINGEN
INSTALL ADDITIONAL TRANSFORMER AND CONNECT
STANDBY GENERATOR

PROJECT NO
NWG-170-70

ELECTRIC - PLAN

SUBMITTED

SCALE
1:200

APPROVED BY

APPROVED

SHEET NO 1

USING UNIT

DATE 19.3.70

OF 1 SHEETS

DATE

KELLERGEESCHOSS



LEGEND:

USE PANEL
DISTRIBUTION PANEL

SWITCH BOX
SCHALKASTEN


TRAFIC

RISER PIPE
STEIGLEITUNG


SECOND FLOOR
OBERGESCHOSS



FIRST FLOOR
ERDGESCHOSS




BASEMENT
KELLERGESCHOSS







SECOND FLOOR
OBERGESCHOSS



FIRST FLOOR
ERDGESCHOSS





SECOND FLOOR

FIRST FLOOR

66th MI Group




EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 15 March 1976

Description: DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 8 November 1974 pertaining to the Communications Center, building 3315, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

99

EXHIBIT _____

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

Page 1 of 1 Pages

1. FROM: (Installation/Activity/Service) Directorate of Pac Engr, Stuttgart EP & RP Div			2. OPERATING UNIT		3. DISTRICT CODE		4. OPERATING AGENCY		5. DATE 8 Nov 74		6. JOB NUMBER		7. SERIAL NUMBER 259-75		8. CONTRACT NUMBER DAJAO6-72 0402			
9. TO: (Installation/Activity/Service) Directorate of Pac Engr, Stuttgart Real Property Branch			10. OPERATING UNIT		11. DISTRICT CODE		12. OPERATING AGENCY		13. AC- COUNTING NUMBER		14. AC- COUNT- ABLE OFFICE NUMBER		15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input checked="" type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)				16. PROJECT NUMBER 78-72	
ITEM NO.	CATEGORY CODE	FACILITY (Category description)	NO. OF UNITS	TYPE	UNIT OF MEAS.	TOTAL QUANTITY	COST	DRAWING NUMBERS	REMARKS									
17	18	19	20	21	22	23	24	25	26									
	13120	COM CENTER	1	P			\$ 1,659.-	PP 2910	Kelly Eks Stuttgart-Moehringen CX 378 Bldg # 3315									
2	81240	DISTRIBUTION SYSTEM	1	P	LF	150	\$ 1,500.- \$ 3,159.- Appropriated	sketch # 1	Structure # ESD11 Contractor: Elektro-Ziegler 7 Stuttgart 1 Alexanderstr. 28									
		Installation of overhead distribution line NY 4 x 120 square (on the wall installed)							Date of completion: 10 Febr 72									
27. STATEMENT OF COMPLETION: The facilities listed herein are in accordance with maps, drawings, and specifications and change orders approved by the transmitting representative of the using agency except for the deficiencies listed on the reverse side.										28. ACCEPTED BY (Signature) RICHARD J. BARRETT Director of Facilities Engineering		29. PROPERTY VOUCHER NUMBER 6409-75						
TRANSFERRED BY (Signature) R.N. SCHMIDT, 1LT, CE, CA EP & RP DIV										DATE 8 Nov 74								

DD FORM 1354
NOV 61

CONFIDENTIAL AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

15 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

2467 On 11 March 1976, Real Property Jacket Files of the Real Property, Reports, Records, and Statistics Section, Engineer Plans and Real Property, Directorate of Facilities Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

(c) UDD Form 1354 (Transfer and Acceptance of Military Real Property), dated 18 November 1966 pertaining to building 3314 (EXHIBIT _____), Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, APO New York 09107, indicated that building 3314 was altered for security requirements with the date of completion being 15 January 1966. Attached to the DD Form 1354 was a floor plan dated 8 January 1965 reflecting proposed changes to rooms 209 and 210, building 3314 (EXHIBIT _____).

(c) The file contained no other indication that building 3314 had ever housed a communications Center or any other activity that could be construed as such.

(c) AGENT'S NOTES: Reference Agent Report B04132-173-76, Subject as above, dated 8 March 1976, wherein a Report of Counterintelligence Inspection reflected a communications center in building 3314. The Real Property Jacket Files reflect every supposed change in the real property value of real property owned or leased by the US Government since its acquisition, however, work performed upon a building may not be reflected in the Real Property Jacket File if it was a self help project or the report of construction never reached the above office. The above files examination was conducted with the assistance of [REDACTED] 207th Military Intelligence Detachment.

5 USC 552 (b) (6)

CLASSIFIED BY [REDACTED] AR 381-12, 13 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY [REDACTED] USAMSCOM FOIPO

Auth Para 1.503 DoD 5200.1-P

SECTION OF SPECIAL AGENT

66th MI Group

B04132-389-76

101

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

REPLACES WD AGO FORM 341, 1 APR 52

66th MI Group




EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 11 March 1976

Description: DD Form 1354 (Transfer and Acceptance of Military Real Property) dated 18 November 1966 pertaining to building 3324, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.

102

EXHIBIT _____

TRANSFER AND ACCEPTANCE OF MILITARY REAL PROPERTY

Page 1 of 1 Pages

1. FROM: (Installation/Activity/Service) North Wuerth. District Installations Division Engr Plans & Svcs		2. OPERATING UNIT		3. DISTRICT CODE		4. OPERATING AGENCY		5. DATE 18 Nov 66		6. JOB NUMBER -		7. SERIAL NUMBER 108-67		8. CONTRACT NUMBER DA-91-514 EUG-7785 STGT			
9. TO: (Installation/Activity/Service) North Wuerth. District Installations Division Real Property Section		10. OPERATING UNIT		11. DISTRICT CODE		12. OPERATING AGENCY		13. AC. COUNTING NUMBER		14. AC. COUNTABLE OFFICE NUMBER		15. TYPE OF TRANSACTION <input type="checkbox"/> NEW CONSTR. <input checked="" type="checkbox"/> EXISTING FAC. <input checked="" type="checkbox"/> CAPITAL IMP. <input type="checkbox"/> OTHER (Specify)				16. PROJECT NUMBER ST-335-65 Part A&B	

ITEM NO.	CATEGORY CODE	FACILITY (Category description)	NO. OF UNITS	TYPE	UNIT OF MEAS.	TOTAL QUANTITY	COST	DRAWING NUMBERS	REMARKS
1	61090	CORPS HQ BLDG		P			\$ 3,048.53	MP-384 MP-385	In Bldg # 3314
2	61090	Installation of Security bars, vault type door, and map cabinet.		P			\$ 1,316.34	MP-393	In Bldg # 3315
		Installation of window bars and steel vault type door					\$ 4,364.87		
TOTAL:							\$ 8,729.74		
POSTED TO NOV ENG-75 (RU)							Appropriated US \$ Funds		
POSTED TO NOV ENG-75 (RU)							DATE: 6 Dec 66		
POSTED TO INVESTMENT SHEET							DATE: 6 Dec 66		
Date of Compl.:							15 Jan 1966		

27. STATEMENT OF COMPLETION: The facilities listed herein are in accordance with maps, drawings, and specifications and change orders approved by the authorized representative of the using agency except for the deficiencies listed on the reverse side.		28. ACCEPTED BY (Signature) <i>W. E. Mitchell</i>		DATE 22-1-67	
TRANSFERRED BY (Signature) <i>W. E. Mitchell</i>		DATE 29-11-66/ek		TITLE (Post Engr./Base Engr./Navy Rep.) W. E. MITCHELL, LTC, CE Chief, Installation Division	
TITLE (Post Engr./Base Engr./Navy Rep.) DONALD D. RICKETTS, DAC, Ch. Engr. Plans Svcs		DATE 29-11-66/ek		29. PROPERTY VOUCHER NUMBER 221-67	

DD FORM 1354

5. Dec. 1965

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)


File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 11 March 1976

Description: Floor plan of proposed changes to rooms 209 and 210, building 3314, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107.



HALL WAY

"AS-BUILT"

drawn by <i>[Signature]</i>		STUTTGART POST Office of the Engineer	
checked by	KELLEY BARRACKS STGT-MOEHR.		
Draw. No. 384	BUILDING 3314		
Proj. No.	SECURITY ROOM		
submitted	recommended <i>[Signature]</i>	scale 1:100	appr. by
date 8 - JAN - 65	Sheet No.	of sheets	using unit date

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

17 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

2) ~~(S)~~ On 16 March 1976, Special Agents [REDACTED] 207th Military Intelligence (MI) Detachment and [REDACTED] 66th MI Group, viewed Building 3313 and 3314, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107. A visual inspection of Building 3314 revealed the following information pertinent to SUBJECT:

~~(S)~~ Room 210, room 212, and room 214 had apparently been turned into a vault type area in that bars had been installed upon the windows. The doorways to room 212 and room 214 had been bricked up and a vault type door to room 210 controlled the access to room 212 and room 214. The entire second door had been recently renovated through a unit self-help project which included the reopening of the hallway doorway to room 214. There were no areas in room 210, room 212, or room 214 which reflected any possible resemblance to SUBJECT.

~~(S)~~ The hall doorway to room 110 was bricked-up and access was controlled through a vault type door from room 108. There were no other areas in room 108 or 110 that reflected any possible resemblance to SUBJECT.

~~(S)~~ Room 005 had a wooden door of the type commonly found in buildings occupied by the American Forces which were formerly used by German Forces. The door was approximately 38 inches wide by 83 inches high. The door had been inset with three wooden panels, the top one of which had been removed and replaced with glass. The glass was translucent and interlaced with thin wire. The door and glass panel seemed quite old. Room 007 had a teletype facility. There were no other indications that room 005 or room 007 resembled SUBJECT.

~~(S)~~ There were no indications other than the above that any area within building 3314 reflected any possible resemblance to SUBJECT. The floor plans of building 3314 are attached as EXHIBIT ____.

~~(S)~~ Building 3313 did not have any areas which reflected any resemblance to SUBJECT.

~~(S)~~ AGENT'S NOTES: Reference Agent Report B04132-388-76, Subject as above, dated 15 March 1976, wherein a building alteration for security arrangements in building 3314 is reported. Building 3314 was occupied until July 1974 by Headquarters, VII Corps Artillery.

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY GDR USAIN300M FOIR0

Auth Para 1-803 DoD 5200 1-0

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CODE: 2
DECLASSIFY/REMOVE/RECLASSIFICATION OF ACSI, DA

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04132-390-76

106

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47

~~CONFIDENTIAL~~

66th MI Group




EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 17 March 1976

Description: Floor Plans of building 3314, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany, APO New York 09107, dated 16 March 1953.

107


EXHIBIT _____

Ch

(70)	Fubdyg	20.54 m 2	69.8	2.74
(71)	Fubdyg	20.54 m 2	69.8	2.74
(72)	Fubdyg	20.54 m 2	69.8	2.74
(73)	Fubdyg	20.54 m 2	69.8	2.74
(74)	Fubdyg	20.54 m 2	69.8	2.74
(75)	Fubdyg	20.54 m 2	69.8	2.74
(76)	Fubdyg	20.54 m 2	69.8	2.74
(77)	Fubdyg	20.54 m 2	69.8	2.74
(78)	Fubdyg	20.54 m 2	69.8	2.74
(79)	Fubdyg	20.54 m 2	69.8	2.74
(80)	Fubdyg	20.54 m 2	69.8	2.74
(81)	Fubdyg	20.54 m 2	69.8	2.74
(82)	Fubdyg	20.54 m 2	69.8	2.74
(83)	Fubdyg	20.54 m 2	69.8	2.74
(84)	Fubdyg	20.54 m 2	69.8	2.74
(85)	Fubdyg	20.54 m 2	69.8	2.74
(86)	Fubdyg	20.54 m 2	69.8	2.74
(87)	Fubdyg	20.54 m 2	69.8	2.74
(88)	Fubdyg	20.54 m 2	69.8	2.74
(89)	Fubdyg	20.54 m 2	69.8	2.74
(90)	Fubdyg	20.54 m 2	69.8	2.74
(91)	Fubdyg	20.54 m 2	69.8	2.74
(92)	Fubdyg	20.54 m 2	69.8	2.74
(93)	Fubdyg	20.54 m 2	69.8	2.74
(94)	Fubdyg	20.54 m 2	69.8	2.74
(95)	Fubdyg	20.54 m 2	69.8	2.74
(96)	Fubdyg	20.54 m 2	69.8	2.74
(97)	Fubdyg	20.54 m 2	69.8	2.74
(98)	Fubdyg	20.54 m 2	69.8	2.74
(99)	Fubdyg	20.54 m 2	69.8	2.74
(100)	Fubdyg	20.54 m 2	69.8	2.74

Office Office

FM- 325 u. 3. 10 m



9-077 = 2.30 m
9-078 = 2.45 m, 070-076 = 2.30 m

SCALE: 1:200

SHEET NO 1 OF 1

STUTTGART

POST

OFFICE OF THE POST ENGINEER

OFFICE BUILDING

KELLEY - BARRACKS


MOEHRINGEN

DATE	ACTION	BY (SIGNATURE & TITLE)
10-3-51	SURVEYED	Remmert
11-3-51	DRAWN	Remmert
1-3-52	CHECKED	Johnson
	APPROVED	

BLDG
 3314

Polymers and
Minerals
Laboratory


108



ATTIC

WH - Rooms = 320m
WH - Hallway = 320m

FH = 320m



SECOND FLOOR

WH - Rooms = 320m

FH = 325 x 350m

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

5 USC 552 (b) (6)

~~(S)~~ On 16 March 1976, Special Agents [REDACTED] 207th Military Intelligence (MI) Detachment and [REDACTED] 66th MI Group, viewed portions of building 3305, building 3306, building 3308, and building 3309, Kelley Barracks, Stuttgart-Moehringen (NUL197), Federal Republic of Germany. That visual inspection revealed substantially the following information pertinent to SUBJECT:

~~(S)~~ Room 002, building 3305 had a dutch door at its entrance and had been used by Detachment 1, 34th Signal Battalion. There were no other aspects of building 3305 which appeared to reflect any resemblance to SUBJECT.

~~(S)~~ Building 3306 did not have any areas which reflected any resemblance to SUBJECT.

~~(S)~~ Building 3308 was occupied by the 602nd Direct Air Support Center (DASC), US Air Force, which had occupied the building since 1969 or 1970. Room 009, room 011, room 018, building 3308 did not reflect any resemblance to SUBJECT. Room 114 had been subdivided to form two offices. The new office was approximately 16 feet wide and 13 feet long. The wall between the new office and the remainder of the old office had a portion removed to form a window or glass panel approximately 5 feet long and 3 feet wide. The panel was approximately 4 feet from the floor and was in the approximate middle of the wall. In a corner of the room, adjacent to the outside wall was a table which appeared to be similar to the tables commonly found in US Army offices. On the table was a radio transmitter-receiver along with components of other electronic equipment which might have been a second transmitter. There were various cables from the electronic components on the table which lead from the table to a hole in the outside wall near the floor adjacent to the table. The cables lead to several US Air Force jeeps in the motor pool adjacent to building 3308 in which were several types of communications equipment. The equipment on the table was actually the remote control because the actual transmitters and receivers were in the vehicles. The room served as an operations center with radio communications capability when the unit was in garrison or deployed in the field. Until approximately two years ago, elements of G2 Air, Headquarters, VII Corps, and G3 Air, Headquarters, VII Corps, were co-located with 602nd DASC. There was no other resemblance to SUBJECT in either the operations area or building 3308.

CLASSIFIED BY [REDACTED] AR 381-12, 18 Oct 74
EXEMPTED FROM AUTOMATIC DECLASSIFICATION
SC 100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044-1045-1046-1047-1048-1049-1050-1051-1052-1053-1054-1055-1056-1057-1058-1059-1060-1061-1062-1063-1064-1065-1066-1067-1068-1069-1070-1071-1072-1073-1074-1075-1076-1077-1078-1079-1080-1081-1082-1083-1084-1085-1086-1087-1088-1089-1090-1091-1092-1093-1094-1095-1096-1097-1098-1099-1100-1101-1102-1103-1104-1105-1106-1107-1108-1109-1110-1111-1112-1113-1114-1115-1116-1117-1118-1119-1120-1121-1122-1123-1124-1125-1126-1127-1128-1129-1130-1131-1132-1133-1134-1135-1136-1137-1138-1139-1140-1141-1142-1143-1144-1145-1146-1147-1148-1149-1150-1151-1152-1153-1154-1155-1156-1157-1158-1159-1160-1161-1162-1163-1164-1165-1166-1167-1168-1169-1170-1171-1172-1173-1174-1175-1176-1177-1178-1179-1180-1181-1182-1183-1184-1185-1186-1187-1188-1189-1190-1191-1192-1193-1194-1195-1196-1197-1198-1199-1200-1201-1202-1203-1204-1205-1206-1207-1208-1209-1210-1211-1212-1213-1214-1215-1216-1217-1218-1219-1220-1221-1222-1223-1224-1225-1226-1227-1228-1229-1230-1231-1232-1233-1234-1235-1236-1237-1238-1239-1240-1241-1242-1243-1244-1245-1246-1247-1248-1249-1250-1251-1252-1253-1254-1255-1256-1257-1258-1259-1260-1261-1262-1263-1264-1265-1266-1267-1268-1269-1270-1271-1272-1273-1274-1275-1276-1277-1278-1279-1280-1281-1282-1283-1284-1285-1286-1287-1288-1289-1290-1291-1292-1293-1294-1295-1296-1297-1298-1299-1300-1301-1302-1303-1304-1305-1306-1307-1308-1309-1310-1311-1312-1313-1314-1315-1316-1317-1318-1319-1320-1321-1322-1323-1324-1325-1326-1327-1328-1329-1330-1331-1332-1333-1334-1335-1336-1337-1338-1339-1340-1341-1342-1343-1344-1345-1346-1347-1348-1349-1350-1351-1352-1353-1354-1355-1356-1357-1358-1359-1360-1361-1362-1363-1364-1365-1366-1367-1368-1369-1370-1371-1372-1373-1374-1375-1376-1377-1378-1379-1380-1381-1382-1383-1384-1385-1386-1387-1388-1389-1390-1391-1392-1393-1394-1395-1396-1397-1398-1399-1400-1401-1402-1403-1404-1405-1406-1407-1408-1409-1410-1411-1412-1413-1414-1415-1416-1417-1418-1419-1420-1421-1422-1423-1424-1425-1426-1427-1428-1429-1430-1431-1432-1433-1434-1435-1436-1437-1438-1439-1440-1441-1442-1443-1444-1445-1446-1447-1448-1449-1450-1451-1452-1453-1454-1455-1456-1457-1458-1459-1460-1461-1462-1463-1464-1465-1466-1467-1468-1469-1470-1471-1472-1473-1474-1475-1476-1477-1478-1479-1480-1481-1482-1483-1484-1485-1486-1487-1488-1489-1490-1491-1492-1493-1494-1495-1496-1497-1498-1499-1500-1501-1502-1503-1504-1505-1506-1507-1508-1509-1510-1511-1512-1513-1514-1515-1516-1517-1518-1519-1520-1521-1522-1523-1524-1525-1526-1527-1528-1529-1530-1531-1532-1533-1534-1535-1536-1537-1538-1539-1540-1541-1542-1543-1544-1545-1546-1547-1548-1549-1550-1551-1552-1553-1554-1555-1556-1557-1558-1559-1560-1561-1562-1563-1564-1565-1566-1567-1568-1569-1570-1571-1572-1573-1574-1575-1576-1577-1578-1579-1580-1581-1582-1583-1584-1585-1586-1587-1588-1589-1590-1591-1592-1593-1594-1595-1596-1597-1598-1599-1600-1601-1602-1603-1604-1605-1606-1607-1608-1609-1610-1611-1612-1613-1614-1615-1616-1617-1618-1619-1620-1621-1622-1623-1624-1625-1626-1627-1628-1629-1630-1631-1632-1633-1634-1635-1636-1637-1638-1639-1640-1641-1642-1643-1644-1645-1646-1647-1648-1649-1650-1651-1652-1653-1654-1655-1656-1657-1658-1659-1660-1661-1662-1663-1664-1665-1666-1667-1668-1669-1670-1671-1672-1673-1674-1675-1676-1677-1678-1679-1680-1681-1682-1683-1684-1685-1686-1687-1688-1689-1690-1691-1692-1693-1694-1695-1696-1697-1698-1699-1700-1701-1702-1703-1704-1705-1706-1707-1708-1709-1710-1711-1712-1713-1714-1715-1716-1717-1718-1719-1720-1721-1722-1723-1724-1725-1726-1727-1728-1729-1730-1731-1732-1733-1734-1735-1736-1737-1738-1739-1740-1741-1742-1743-1744-1745-1746-1747-1748-1749-1750-1751-1752-1753-1754-1755-1756-1757-1758-1759-1760-1761-1762-1763-1764-1765-1766-1767-1768-1769-1770-1771-1772-1773-1774-1775-1776-1777-1778-1779-1780-1781-1782-1783-1784-1785-1786-1787-1788-1789-1790-1791-1792-1793-1794-1795-1796-1797-1798-1799-1800-1801-1802-1803-1804-1805-1806-1807-1808-1809-1810-1811-1812-1813-1814-1815-1816-1817-1818-1819-1820-1821-1822-1823-1824-1825-1826-1827-1828-1829-1830-1831-1832-1833-1834-1835-1836-1837-1838-1839-1840-1841-1842-1843-1844-1845-1846-1847-1848-1849-1850-1851-1852-1853-1854-1855-1856-1857-1858-1859-1860-1861-1862-1863-1864-1865-1866-1867-1868-1869-1870-1871-1872-1873-1874-1875-1876-1877-1878-1879-1880-1881-1882-1883-1884-1885-1886-1887-1888-1889-1890-1891-1892-1893-1894-1895-1896-1897-1898-1899-1900-1901-1902-1903-1904-1905-1906-1907-1908-1909-1910-1911-1912-1913-1914-1915-1916-1917-1918-1919-1920-1921-1922-1923-1924-1925-1926-1927-1928-1929-1930-1931-1932-1933-1934-1935-1936-1937-1938-1939-1940-1941-1942-1943-1944-1945-1946-1947-1948-1949-1950-1951-1952-1953-1954-1955-1956-1957-1958-1959-1960-1961-1962-1963-1964-1965-1966-1967-1968-1969-1970-1971-1972-1973-1974-1975-1976-1977-1978-1979-1980-1981-1982-1983-1984-1985-1986-1987-1988-1989-1990-1991-1992-1993-1994-1995-1996-1997-1998-1999-2000-2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2097-2098-2099-2100-2101-2102-2103-2104-2105-2106-2107-2108-2109-2110-2111-2112-2113-2114-2115-2116-2117-2118-2119-2120-2121-2122-2123-2124-2125-2126-2127-2128-2129-2130-2131-2132-2133-2134-2135-2136-2137-2138-2139-2140-2141-2142-2143-2144-2145-2146-2147-2148-2149-2150-2151-2152-2153-2154-2155-2156-2157-2158-2159-2160-2161-2162-2163-2164-2165-2166-2167-2168-2169-2170-2171-2172-2173-2174-2175-2176-2177-2178-2179-2180-2181-2182-2183-2184-2185-2186-2187-2188-2189-2190-2191-2192-2193-2194-2195-2196-2197-2198-2199-2200-2201-2202-2203-2204-2205-2206-2207-2208-2209-2210-2211-2212-2213-2214-2215-2216-2217-2218-2219-2220-2221-2222-2223-2224-2225-2226-2227-2228-2229-2230-2231-2232-2233-2234-2235-2236-2237-2238-2239-2240-2241-2242-2243-2244-2245-2246-2247-2248-2249-2250-2251-2252-2253-2254-2255-2256-2257-2258-2259-2260-2261-2262-2263-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2274-2275-2276-2277-2278-2279-2280-2281-2282-2283-2284-2285-2286-2287-2288-2289-2290-2291-2292-2293-2294-2295-2296-2297-2298-2299-2300-2301-2302-2303-2304-2305-2306-2307-2308-2309-2310-2311-2312-2313-2314-2315-2316-2317-2318-2319-2320-2321-2322-2323-2324-2325-2326-2327-2328-2329-2330-2331-2332-2333-2334-2335-2336-2337-2338-2339-2340-2341-2342-2343-2344-2345-2346-2347-2348-2349-2350-2351-2352-2353-2354-2355-2356-2357-2358-2359-2360-2361-2362-2363-2364-2365-2366-2367-2368-2369-2370-2371-2372-2373-2374-2375-2376-2377-2378-2379-2380-2381-2382-2383-2384-2385-2386-2387-2388-2389-2390-2391-2392-2393-2394-2395-2396-2397-2398-2399-2400-2401-2402-2403-2404-2405-2406-2407-2408-2409-2410-2411-2412-2413-2414-2415-2416-2417-2418-2419-2420-2421-2422-2423-2424-2425-2426-2427-2428-2429-2430-2431-2432-2433-2434-2435-2436-2437-2438-2439-2440-2441-2442-2443-2444-2445-2446-2447-2448-2449-2450-2451-2452-2453-2454-2455-2456-2457-2458-2459-2460-2461-2462-2463-2464-2465-2466-2467-2468-2469-2470-2471-2472-2473-2474-2475-2476-2477-2478-2479-2480-2481-2482-2483-2484-2485-2486-2487-2488-2489-2490-2491-2492-2493-2494-2495-2496-2497-2498-2499-2500-2501-2502-2503-2504-2505-2506-2507-2508-2

~~CONFIDENTIAL~~
AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(C)~~ Building 3309 did not have any areas which resembled SUBJECT. However, a portion of room 309 had been partitioned off to form a small irregularly shaped room approximately 15 feet by 20 feet. Over the door to this room were stenciled the letters "RWI", nfi. The area in which this room was located was in poor physical condition as the tile floor was partially torn up, the walls had various holes and was in poor condition, the area was extremely dirty, and was devoid of any furnishings or of any appearance of recent use. The area was locked and had not been in use "for at least three years".

~~(C)~~ AGENT'S NOTES: Reference Agent Report B04132-171-76, Subject as above, dated 27 February 1976, wherein it was reported that the floor plan for various areas of building 3305, building 3306, building 3308, and building 3309 reflected utilization connected with radio or communications. In the opinion of the undersigned, room 309, building 3309 was in a physical condition which indicated it had not been used for years.

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAINSCOM FORD

Auth Para 1-603 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

~~REDACTED~~ 66th MI Group
B04132-391-76

6. SIGNATURE OF SPECIAL AGENT

113

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

25 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(S)~~ On 18 March 1976, records of the Work Coordination Section, Stuttgart Support Command, Directorate of Facility Engineers (DFE), Grenadier Kaserne, Stuttgart-Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following job orders pertinent to SUBJECT:

~~(S)~~ Job order 2244-72 was to construct a fenced in security area for building 3308, Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, APO New York 09107. The job order was received on 14 January 1972. Job order 360-74 was to cut a doorway in the hall, and between rooms 112 and 114, building 3308. The job order was received on 30 July 1973 and withdrawn by the requestor on 7 May 1975. Job order 1552-74 was to construct a doorway between rooms 112 and 114, building 3308. The job order was received on 6 December 1973 and disapproved on 11 December 1973. Job order 678-75 was to overhaul room 002, building 3308 for security (nfi).

~~(S)~~ Job order 2244-72 was to construct a fenced in security area for building 3308, Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, APO New York 09107. The job order was received on 14 January 1972. Job order 360-74 was to cut a doorway in the hall, and between rooms 112 and 114, building 3308. The job order was received on 30 July 1973 and withdrawn by the requestor on 7 May 1975. Job order 1552-74 was to construct a doorway between rooms 112 and 114, building 3308. The job order was received on 6 December 1973 and disapproved on 11 December 1973. Job order 678-75 was to overhaul room 002, building 3308 for security (nfi).

~~(S)~~ Job order 1123-72 was to cut a doorway between rooms 107 and 108, building 3313. The job order was received on 1 October 1971. Job order 1376-72 was to install window bars for room 109, building 3313. The job order was received on 20 October 1971. Job order 1168-73 was to install window bars for room 107, building 3313. The job order was received on 26 October 1972. Job order 3419-74 was to renovate the security room, building 3313. The job order was received on 17 June 1974.

~~(S)~~ Job order 329-72 was to construct Dutch type doors for room 212, building 3314. The job order was received on 27 July 1971 and disapproved on 3 August 1971. Job order 2221-73 was to place bars on two windows in room 111, building 3314. The job order was received on 2 February 1973. Job order 3221-73 was to relocate vault doors, bar windows, etc. (sic), building 3314. The job order was received on 21 June 1973.

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAINSCOM EDIRP

Auth Para 1-5.2.2.2.1-1.1

EXHIBIT

SCHEDULE 1

EXHIBIT 1

EXHIBIT 2

EXHIBIT 3

EXHIBIT 4

EXHIBIT 5

EXHIBIT 6

EXHIBIT 7

EXHIBIT 8

EXHIBIT 9

CLASSIFICATION

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

ORDER 11652

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

804132-392-76

6. SIGNATURE OF SPECIAL AGENT

114

114

114

114

114

114

5 USC 552 (b) (6)

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

25 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

(C) Job order 1815-72 was to modify rooms 29 and 30, Northeast basement, building 3315. The job order was received on 6 December 1971 and approved on 16 December 1971. Job order 1818-72 was to install heat in the radio room and switchboard room, building 3315. The job order was received on 6 December 1971 and approved on 18 January 1972. Job order 1820 was to furnish two metal doors for a hallway in building 3315. The job order was combined with job order 1815-72. Job order 2007-72 was to furnish paint for the signal crypto facility, building 3315. The job order was received on 17 December 1971. Job order 2111-72 was to overhaul (sic) the Communications Center, building 3315. The job order was transferred to the Engineers (nfi) on 18 January 1972. Job order 2112-72 was to repair a lock on a vault type door. An annotation stated the repair had been completed by 66th Military Intelligence Group. Job order 2114-72 was to install a steel hinge on a vault type door in building 3315. The job order was received on 25 May 1972 and disapproved on 17 June 1972. Job order 4015-72 was to modify a doorway between rooms 21 and 22, building 3315. The job order was received on 30 June 1972. Job order 1455-73 was to modify steel doors and hinges in room 21, building 3315. The work was done by a Labor Service Company (nfi).

(C) There was no further information pertaining to SUBJECT on building 3308, building 3313, building 3314 and building 3315. There was no information pertaining to SUBJECT on the other buildings on Kelley Barracks.

(C) AGENT'S NOTES: The above information was obtained from the AEUEC Form 97 (J.O.R/I.J.O.Request) maintained on each building on Kelley Barracks. The AEUEC Form 97 contains a record of all requested changes and requested support assistance for the building to which it pertains. The job order numbers given above refer to the serial numbers for each fiscal year given to each DA Form 2701 (Job Order Request - Facility Engineering) when it arrives at DFE.

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM/DIR
10th Para 1-603 DOD 5200.1-R

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group 115
B04132-392-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

25 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(S)~~ On 22 March 1976, MSG James J. Williams, Assistant Installation Coordinator, Base Support Office, Office of the Installation Coordinator, Kelley Barracks, Stuttgart-Moehringen (NU197), Federal Republic of Germany (FRG), APO New York 09107, was interviewed concerning the files maintained by his office. Williams provided substantially the following information pertinent to SUBJECT:

~~(S)~~ The Base Support Office does not maintain any files which reflect information in the time frame pertinent to SUBJECT. Source furnished a copy of a study: Analysis of Existing Facilities - GY 378 - Kelley Barracks, undated (EXHIBIT _____), which reflected that twenty billeting spaces in building 3304 were converted to a Communications Center in 1972. Two major projects involving security were to be completed in fiscal year 1975: VII Corps, Communications Center rehabilitation, and G2, Special Intelligence rehabilitation. Three teletype machines were installed in Kelley Barracks at various locations (nfi). There was one telex facility (nfi) in building 3304 under the control of the Public Information Office, VII Corps.

~~(S)~~ AGENT'S NOTES: Reference Agent Report B04132-386-76, Subject as above, dated 15 March 1976, wherein it was reported that 1800 square feet of building 3304 was redesignated from use as an enlisted barracks without mess for use as a communications center. Reference Agent Report B04132-173-76, Subject as above, dated 27 February 1976, wherein it was reported that the Communications Center, building 3315 was being renovated. Reference Agent Report B04132-170-76, Subject as above, dated 2 March 1976, wherein it was reported that the rooms housing the Special Security Detachment, building 3315 were renovated in October and November 1975. Reference Agent Report B04132-390-76, Subject as above, dated 17 March 1976, wherein it was reported that there was a teletype facility in room 007, building 3314 operated by the Public Information Office, VII Corps. Reference Agent Report B04132-172-76, Subject as above, dated 29 February 1976, in which it was reported a visual inspection of building 3304, Kelley Barracks did not reveal any teletype machines. The undersigned opines that the exhibit is in error in listing a telex facility in building 3304 and that the telex facility mentioned is located in building 3314. The above interview was conducted with the assistance of [REDACTED] 207th Military Intelligence Detachment.

CLASSIFIED BY [REDACTED] AR 301-12, 13 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

5 USC 552 (b) (6)

5. ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group 116
B04132-393-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 25 March 1976

Description: Study, Analysis of Existing Facilities:
Kelley Barracks - GY 378, undated.

EXHIBIT _____

117

ANALYSIS OF EXISTING FACILITIES

Moehringen-Degerloch
Kelley Barracks - GY 378

3.2

PREFACE

Kelley Barracks, GY 378, located at 32 UNU 133970, lies two miles south of Stuttgart near Stuttgart-Moehringen in the state of Baden-Wuerttemberg, Federal Republic of Germany.

A. History: The land for Kelley Barracks was purchased in 1937 by the German Military from the city of Moehringen for 50 Reichpfennig per square meter. Construction began in January 1938, with the first German troops (160 members) moving into temporary quarters in April 1938. The first permanent troops to occupy the Kaserne took part in official opening celebrations on 7 May 1938 with parade, dancing, fireworks and an open house. The installation was named Hellenen Kaserne. Hellenen Kaserne housed command, staff and fire companies of the 11th Air Signal Regiment, commanded by LTC Klemme. The battalion was a part of Air Force Admin Command V, headquartered in Munich. The mission of the battalion was construction and maintenance of airstrips and aircraft communications. Elements of Air Signal occupied Hellenen Kaserne throughout World War II.

The first American unit to occupy Hellenen Kaserne was the 7700th Troop Information and Education Group in August 1947. A constabulary unit took over the installation in February 1948 and remained until 1951. VII Corps moved into Hellenen Kaserne from Fort Meade, Maryland, in November 1951. The Kaserne name was changed in May 1952 from Hellenen Kaserne to Kelley Barracks, named for Congressional Medal of Honor winner SSG Jonah E. Kelley.

The installation's present age is 37 years.

B. Present Mission: 1. To operate and maintain Headquarters, VII Corps (US) which provides command, staff planning, control and supervision of operations of the Corps.

2. Additionally, the mission of Kelley Barracks is to operate and maintain the following units attached or assigned in support of Headquarters, VII Corps (US) as their respective missions require:

- (a) HQ, VII Corps, Special Troops Battalion (Prov)
 - (1) HHC, VII Corps
 - (2) 15th Transportation Company

3.2.1.

- (3) 527th Transportation Company
- (4) 82d Army Band
- (5) 110th Military Police Platoon
- (b) 602d Direct Air Support Center Squadron (USAFE)
- (c) 207th Military Intelligence Detachment
- (d) USASSG (ACSI, DA)
- (e) Detachment H, 201st ASA Security Company
- (f) VII Corps, ASA Support Element
- (g) Detachment 1, 34th Signal Battalion

C. Known Physical Plant Changes since Construction:

- 1. PX Snack Bar opened 1952 (Bldgs. 3311 & 3312).
- 2. EM Club was built over the theater in 1952 (Bldg. 3321).
- 3. Library opened in 1952 (Bldg. 3313).
- 4. Gymnasium opened in July 1953 (Bldg. 3326).
- 5. Officers' Club opened in June 1954 (Bldg. 3300).
- 6. Bowling Alley opened in July 1954 (Bldg. 3337).
- 7. BOQ was constructed in 1954 (Bldg. 3344).
- 8. BOQ/Girl Scout Shack moved from Echterdingen Army Airfield in 1954 (Bldg. 3346).
- 9. Present Chapel completed in 1954 (Bldg. 3322).
- 10. NCO Club was completed in 1954 (Bldg. 3311).
- 11. Craft and Hobby Shops opened April 1955, followed by the Service Club in February 1958 (Bldg. 3350).
- 12. Childrens' Nursery completed 1958 (Bldg. T-3351).
- 13. AY\ building completed in 1960 (Bldg. 3352).

3.2.2.

14. NCO and EM Clubs were consolidated in the old EM Club facility above the theater in March 1973 (Bldg. 3321).

15. An ACS was established in the old NCO Club in March 1973 (Bldg. 3311).

16. Stars & Stripes Bookstore was built in 1974 (Bldg. 3356).

D. Climate Conditions:

1. Precipitation: A yearly precipitation of 25.6 inches includes both rain and snow. Snowfall averages 19 inches per year, with 16 inches during December, January and February. No snowfall occurs during the May through October period. A snowfall greater than six inches in 24 hours is a very rare occurrence for Kelley Barracks. Nineteen inches of precipitation per year is in rainfall. The period of maximum rainfall is May through September with 2.5 to 3 inches per month. The maximum rainfall for a 24 hour period was 2.9 inches. There are 157 days per year when measurable (.01 inches) rainfall occurs at Kelley Barracks. Sixteen days per year have measurable snowfall of 0.1 inches or more. The maximum snowfall in 24 hours was 18 inches. Most of the rainfall is in the form of light rain and drizzle associated with the passage of cold fronts.

2. Temperature: The average frost-free period during the year is about 155 days. The first killing frost in the fall may be expected about 15 October and the last killing frost occurs in the spring about 5 May. The highest recorded temperature was 97 degrees F during July. The lowest recorded temperature was -14 degrees F in February. The average annual temperature is approximately 48 degrees F. Daily low temperatures average below freezing during December, January and February. The average daily high, from March to November is 50 to 75 degrees F. Average daily lows during the same period are 30 to 57 degrees F.

3. Wind: The prevailing wind direction in frequency at Kelley Barracks is southwest. This wind direction is most predominant from September thru February. In general, velocities tend to be higher in winter than in summer, with the strongest winds from the southwest. The average surface wind velocity is relatively low, approximately 5.5 knots or 6.5 miles per hour, with only a few instances of surface wind velocities in excess of 40 knots or 44 miles per hour, being recorded during the passage of cold fronts or thunder storms. About 40 thunderstorms occur per year, with June and July being the predominant months for this occurrence.

3.3

MISSION ORIENTED AND/OR TACTICAL FACILITIES

A. Troop Billeting: Kelley Barracks has six buildings designated as troop billets. They are concrete masonry construction with two floors, basement and attic. The attics have been partitioned and used as billets. However, there are no sanitary facilities in the attics. The average room size is 341 sq ft, serving as living space for an average of five men. Several rooms are large bays sleeping up to 12 people. Both the troop billeting capacity and qualitative factors make living conditions inadequate despite repeated attempts for improvement such as use of the attics. Day-room and/or lounge facilities are very limited. In most cases, where day-rooms exist, they are located in the attic or basement.

B. Dining Facility: The serving capacity of the dining facility (building 3307) is 252 persons at one time. Present billeted troop strength is 640. The average number of personnel dining at this facility over the last six months has been 168 for breakfast, 228 for dinner and 222 for supper. At present then, only approximately one-third of the billeted personnel are dining at Kelley facility, and this portion nearly maximizes the facility's use.

C. Maintenance and Repair Shops: Two permanent buildings (3318 and 3320) are presently being used as maintenance shops. They have 12 and 18 bays respectively, with two and four pits respectively. These are ~~in~~ adequate for the administrative and tactical vehicles of the units stationed at Kelley Barracks. The heating plants are old and provide inadequate heat in winter. Lighting is inadequate. However, extensive self-help projects on painting and lighting have improved the situation.

D. Vehicle Hardstands, Grease and Washracks: There are 32 identified hardstands, to include POV parking lots. The parking area for military vehicles is adequate in size. The surface, however, has deteriorated considerably and is in need of major repair. Temporary parking hardstands for military vehicles are inadequate, and because of their size and proximity to the already congested maintenance shops, only add to the congestion. All hardstands are in need of maintenance, repair and improvement of drainage. There is one wash point on Kelley Barracks with three ramps. There are no grease racks, causing the six maintenance pits to be used for lubrication service. POV parking space is inadequate, especially near the EES facilities. No areas on Kelley Barracks are adequate for tracked vehicles.

E. Helipad: No surfaced helipad exists on Kelley Barracks. Helicopter use is restricted to carrying General officers arriving or departing, and landings are effected on the sports field.

3.3.1.

F. Administration and Operations: Buildings 3304 thru 3306, 3308 thru 3315 and 3317, all contain administrative and/or operations space for detachment or company and higher level operations, to include VII Corps headquarters. Fifty-two billet spaces in building 3308 and 17 spaces in building 3304 were converted to administrative spaces by fourth indorsement, HQ, USAREUR letter, subject: Request for conversion of Troop Billet Spaces, dated 5 July 1972. Twenty spaces in building 3304 were also converted to a Communications Center by the same letter. There is a severe shortage of administrative space since the CHASE re-organization. This will be alleviated after MOUSF.

G. Covered and Open Storage Facilities: Three buildings are designated as covered storage, none of which are suitable for storage of ammunition. There is no available covered storage for vehicles or tactical equipment except the maintenance bays which are used as reported above. At the present time, the attics of the maintenance shops contain the Special Troops S4 and their only storage areas. There is no open storage of POL. Insufficient space available for an adequate clear area near a 1000 gallon JP-4 fuel storage tank, (rear of building 3308) constitutes a safety hazard.

H. Security Facilities: Arms room and ammunition security is generally adequate, except that arms rooms need considerable maintenance. Secured parking for expensive or sensitive vehicles and equipment belonging to the Air Force is non-existent, so the maintenance bays are used. One special operations area (adjacent to building 3308) is extremely vulnerable due to the proximity to the perimeter fence. The above mentioned JP-4 storage tank is a security hazard, as it is located next to the chain link fence perimeter. Post security, as a whole, is inadequate due to non-repair of chain link perimeter fence and forest concealment of portions of that fence. Hostility, or civil disturbance, would necessitate extensive and continuous surveillance of the perimeter by foot and vehicular patrols. Two major projects involving security should be completed in FY 75, (VII Corps, Communications Center rehabilitation and G2, Special Intelligence Rehabilitation).

I. Training Areas and Facilities: There are no unit training facilities on, or adjacent to, Kelley Barracks. The nearest maneuver and small arms ranges are located at Panzer Kaserne, Boeblingen, a distance of 20 kilometers. Individual unit training deployments are conducted on other nearby installations. Most critical is the lack of physical training facilities. There is no PCPT course available. The gymnasium and, particularly, the handball court, receive maximum utilization.

3.3.2.

3.4

COMMUNITY SUPPORT FACILITIESA. Housing:

1. BOQ: The BOQ (Building 3344) is designed to serve 17 bachelor officers with each man having two rooms and a bath. The second floor is being converted into a Senior Bachelor Enlisted Quarters. The BOQ is run-down and in need of modernization. There are ten rooms in the Officers' Club that serve as transient BOQ for a total of 20 persons. The transient quarters are also in very poor shape. The number of persons authorized to live in BOQ's, but living on the economy, is 31. The number living in BOQ's at other installations is 12.

2. Family Housing:(a) Apartments:

	<u># Bldgs</u>	<u># 2 BR</u>	<u># 3 BR</u>	<u># TOTAL FAMILIES</u>
Enlisted	5	72	40	112
Officers	<u>3</u>	<u>48</u>	<u>24</u>	<u>72</u>
TOTAL	8	120	64	184

(b). Single Houses: There are three general officers' quarters and 17 Colonel's quarters for a total of 20 families.

(c) The number of persons authorized quarters and living on the economy is 168. The number living in other housing areas is 139.

3. Civilian housing near Kelley is extremely expensive and difficult to acquire. Most housing is in excess of a 20 minute drive with rental costing from 650 to 750 DM/month.

4. There is an apparent need for additional family quarters per para 6 (3) above.

B. Officers' Field Ration Mess: There is no field ration mess. The KBOOM, a designated "essential mess" has a total seating capacity of 300.

C. European Exchange System: (All in buildings 3311-12 unless indicated).

1. Retail Store - 9,235 SF - Adequate

Sales Area - 2,870 SF

Stock Room - 4,900 SF

3.4.1.

2. Foodland - 6,218 SF - Adequate.
Sales Area - 1,200 SF
Stock Room - 1,200 SF
3. Snack Bar - 5,153 SF - Excellent facility.
Seating Capacity - 120
4. Barber/Beauty Shop - 976 SF - Considered adequate.
5. Flower Shop - None.
6. Portrait Studio - None.
7. Optical Shop - None.
8. Pick-Up Point - 1,092 SF - Space considered adequate.
9. Gas Station - 77 SF (bldg. 3325) - This building is not considered adequate. Facility must be moved so that the attendant has a clear view of the gas pumps.
10. Garage - None.
11. Auto Parts Store - None - Evaluation indicates Kaserne could not support this service.
12. Automobile Sales - None.
13. Launderette - 845 SF - This facility is considered adequate.
14. Bakery - None.
15. Warehouse - None - Store stockroom is considered adequate.
16. Maintenance Facility - None - Not required.
17. Administrative Facility - None - Not required.
18. Parking area for EES Vehicles - Number of vehicles assigned should not present major problems.

D. Health Care: Kelley Barracks has only a troop dispensary (bldg. 3319) and dental clinic (bldg. 3303) which can service 4,000 and 2,400 persons respectively. There is a CDAAC located on the second floor of bldg. 3317. The nearest essential services are as follows:

3.4.2.

1. Dependent Health Care - Patch Barracks
Kelley Barracks (emergencies only)
2. Hospital - Bad Cannstatt
3. Optical - Bad Cannstatt
4. Veterinary Clinic - Robinson Barracks
5. Medical Lab - Bad Cannstatt

E. Education:

1. There are no USDESEA facilities at Kelley Barracks. The location of the closest facilities are as follows:

- (a) Kindergarten - Boeblingen
- (b) Elementary School - Boeblingen
- (c) Jr. High School - Robinson Barracks
- (d) Sr. High School - Pattonville Housing Area

2. There is an education center located in bldg. 3312 which was renovated in FY 74. The education center can handle persons interested in PREP, GED, university and post-graduate level courses and German language training.

F. Community Services:

1. QM Laundry Pick-Up Point - 391 SF - Bldg. 3311 - Adequate.
2. AMEXCO - 526 SF - Bldg. 3312 - Adequate.
3. Credit Unions - None.
4. Class VI Store - 1,083 SF - Bldg. 3311 - Size and location of showroom are adequate. Needs additional storage space.
5. Stars & Stripes - 1,200 SF - Bldg. 3356 - Excellent facility, built in CY 74.
6. Chapel - 4,575 SF - Bldg. 3322 - Adequate.
7. AYA - 4,620 SF - Bldg. 3352 - Excellent facility.

3.4.3.

8. American Red Cross - 80 SF - Bldg. 3311 - Excellent facility, co-located with the ACS.

9. Boy & Girl Scouts - 956 SF - Bldg. 3346 - Inadequate facility; temporary wooden frame building which should be replaced immediately.

10. Nursery - 1,099 SF - Bldg. T-3351 - This temporary building can barely meet the minimal health and sanitary requirements of a nursery; needs a complete immediate rehabilitation or replacement.

11. Thrift Shop - None.

12. Army Community Services - 3,514 SF - Bldg. 3311 - Excellent facility.

13. Housing/HRO - None.

14. CPD - None.

15. TMP - None.

16. POV Inspection Point - None.

17. SJA - 4,089 SF - Bldg. 3314 - Adequate facility; includes a courtroom facility as well as a local legal assistance.

G. Recreation and Entertainment:

1. Special Service Facilities:

(a) Recreation Center - 4,022 SF - Bldg. 3350 - Adequate except for space that is lost due to craft shop operation.

(b) Craft Shop - Co-located with Recreation Center - Facility is small and interferes with operation of Recreation Center.

(c) Photo Shop - Located with Recreation Center - Facility is small and interferes with operation of the Recreation Center.

(d) Tours Office - Located with Recreation Center; is a minimal diversion of Service Club and provides excellent service.

(e) Auto Shop - None.

(f) Bowling Alley - 2,888 SF - Six Lanes - Bldg. 3337 - Adequate facility; needs considerable maintenance.

3.4.4

(g) Gymnasium - 10,675 SF - Bldg. 3326 - Gymnasium is adequate; needs renovation of locker/shower rooms and complete interior cleaning and painting.

(h) Library - 1,853 SF - Bldg. 3313 - Adequate facility, centrally located.

(i) Entertainment Center - None.

2. Other:

(a) Stock car track - None.

(b) Swimming Pool - None.

(c) Ice/Roller Skating Rink - None.

(d) Tennis Court - Two of clay surface. No lighting for evening play considerably reduces the utilization of the courts.

(e) Handball Court - One ea with gymnasium - Existing handball court is completely utilized and needs considerable repair. Two additional courts are necessary to support requirements at Kelley.

(f) Theater - Bldg. 3321 - Seating Capacity: 450 - In need of considerable maintenance; to be rehabilitated in FY 75.

(g) Camping Area - None.

(h) Hiking Area - None.

(i) Football Soccer Field - Excellent facility; needs lighting to extend the usage and permanent bleachers are required.

H. Clubs:

1. Officers' Open Mess - Bldg. 3300 - 14,668 SF - Maximum Capacity: 300. There are 175 military and ten civilian members. Facility is of adequate size. Needs considerable maintenance.

2. EM Club (includes NCO Club) - Bldg. 3321 - 4,347 SF - Maximum Capacity: 250 - Adequate facility; needs maintenance.

3. NCO Club - None - Kelley Barracks has a desperate need for an adequate NCO Club. NCO's are using a temporary bar set up in the Officers' Club.

4. Rod & Gun Club - None.

3.4.6.

5. Audio/Photo Club - None.

I. Police Protection: The 110th MP Platoon, a subordinate unit of the Special Troops Battalion, provides essential police protection to Kelley Barracks and the adjoining housing areas. There are no MP customs, vehicle or weapons registry, CID or Polizei Liaison facilities on post.

J. Fire Protection: Emergency fire protection is handled by the Stuttgart Fire Control Center located in Bad Cannstatt, which dispatches local fire departments as necessary. Fire inspections, etc., are handled by the local facilities engineer.

3.4.6.

BUILDING INFORMATION SCHEDULE

Page 1 of 4

Date 6 AUGUST 1975

KASERNE KELLEY BARRACKS

MASTER PLANNING AREA GREATER STUTTGART

COMMUNITY MOERHAGEN/DEGELOCH

GY 378

Bldg No Fac No	Type of Constr	Current Usage		Design Usage	Unit of Meas	Total Units	Other Meas	Total Other Meas Units	Rental Paid	Planned Disposit	Util Connect	Remarks
		Category Code	(d)									
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
3300	P	74048	OPEN MESS OFF	Open Mess Off	SF	21448	SE	500	-	R	M.C.E.	Own central heating.
3301	SP	87230	SENTRY STA	Sentry Sta	SF	53	-	-	-	R	E.	Rebuilt 1971. US Funds
3302	P	82390	GAS RED STA	Gas Red Sta	SF	129	-	-	-	R	G.	-
3303	P	54010	DENTAL CLINIC	Adm Gen Purp	SF	1109	-	-	-	R	M.Sw.E.St	-
3304	P	13120 M	COMMUNITY CENTER	Barracks	SF	1800	-	-	-	R	M.Sw.E.St. G.	-
	P	72111 P	EM BKS W/O MESS	Barracks	SF	35054	MN	134	-	R	M.Sw.E.St. G.	-
	P	61050	ADM GEN PURP	Barracks	SF	1530	-	-	-	R	M.Sw.E.St. G.	-
3305	P	72111	EM BKS W/O MESS	Barracks	SF	38298	WM	157	-	R	M.Sw.E.St. G.	-
3306	P	72111	EM BKS W/O MESS	Barracks	SF	38298	MN	186	-	R	M.Sw.E.St. G.	-
3307	P	72210	ENL PERS MESS	Enl Pers Mess	SF	28796	MN	150	-	R	M.Sw.E.St. G.	-
	P	82110	HEATING PLANT	Htg Plant	SF	10321	BTU	14827000	-	R	M.Sw.E.St. G.	-
3308	P	72111	EM BKS W/O MESS	Barracks	SF	33790	MN	138	-	R	M.Sw.E.St. G.	-
	P	61050	ADM GEN PURP	Barracks	SF	4600	-	-	-	R	M.Sw.E.St. G.	-
3309	P	72111	EM BKS W/O MESS	Barracks	SF	38384	MN	199	-	R	M.Sw.E.St. No Gas.	-
3310	P	72111	EM BKS W/O MESS	Barracks	SF	38600	MN	187	-	R	M.Sw.E.St. G.	-
3311	P	72111	MIL POLICE	Barracks	SF	7650	MN	68	-	R	M.Sw.E.St. G.	Converted to multi-
	P	74056	EXCH SPL SVC	Barracks	SF	9230	-	-	-	R	"	use building.
	P	74033	COMMUNITY CENTER	Barracks	SF	3750	-	-	-	R	"	"

BUILDING INFORMATION SCHEDULE

Page 2 of 4

Date 6 August 1975

KASERNE KATLEY BARBARKS

MASTER PLANNING AREA GREATER STUTTGART

COMMUNITY MOERHINGEN/DEGERLOCH

GY 378

Bldg No Fac No	Type of Constr	Category Code	Current Usage Category Description	Design Usage (e)	Unit of Meas	Total Units (g)	Other Meas (h)	Total Other Meas Units (i)	Rental Paid (j)	Planned Disposit (k)	Util Connect (l)	Remarks (m)
3312	P	74057	EXCH EP SPT FAC	Heating Plant	SF	50747	-	-	-	R	W.Sv.E.St.G.	-
	P	74057	REC FAC & HTG PL	Heating Plant	SF	6377	BTU	10200000	-	R	"	-
3313	P	61050	ADM GEN PURP	Adm Gen Purp	SF	26925	-	-	-	R	W.Sv.E.St.	-
3314	P	61018	ARMY HQ BLDG	Admin Bldg	SF	26925	-	-	-	R	W.Sv.E.St.	-
3315	P	61018	ARMY HQ BLDG	Admin Bldg	SF	52108	-	-	-	R	W.Sv.E.St.	-
3316	P	74021	COMMISSARY	Storehouse	SF	33017	-	-	-	R	W.Sv.E.St.	Refrig Pl & Cold Stor
3317	P	61011	POST HQ BLDG	Storehouse	SF	18287	-	-	-	R	W.Sv.E.St.	-
3318	P	21410	MOTOR REP SHOP	Mot Rep Shop	SF	32181	Bays	12	-	R	W.Sv.E.St.	-
3319	P	55010	DISP W/O BEDS	Storage	SF	18632	-	-	-	R	W.Sv.E.St.	-
3320	P	21410	MOTOR REP SHOP	Mot Rep Shop	SF	47954	Bays	18	-	R	W.Sv.E.St.	-
3321	P	74068	EM SERVICE CLUB	Rec Fac	SF	10065	-	-	-	R	W.Sv.E.St.	-
	P	74068	THEATRE W/STAGE	Rec Fac	SF	10000	Se	450	-	R	"	-
3322	P	74016	POST CHAPEL	Post Chapel	SF	7625	Se	250	-	R	W.Sv.E.St.	Constructed 1954. DM Man
3323	P	12311	GAS STA W/O BLDG	Gas Sta w/o bldg	SF	1238	-	-	-	R	Sw.E.	Constructed 1949. DM Man
3325	P	74052	EXCH SVC STA	Exch Svc Sta	SF	94	-	-	-	R	E.	Constructed 1949. DM Man
3326	P	74034	GYMNASIUM	Gymnasium	SF	17792	-	-	-	R	W.Sv.E.	Constructed 1953. DM Man. Own C/Htg
3328	P	81320	SUB STA	Sub Sta	SF	538	KVA	800	-	R	E.	Constructed 1949 DM Man

BUILDING INFORMATION SCHEDULE

Page 3 of 4

Date 6 August 1975

COMMUNITY MOERHINGEN/DEBENROCH

MASTER PLANNING AREA GREATER STUTTGART

KASERNE KILLEY BARRACKS

GY 378

Building Fac No	Type of Constr	Current Usage		Design Usage	Unit of Meas	Total Units	Other Meas	Total Other Meas Units	Rental Paid	Planned Disposit	Util Connect	Remarks
		Category Code	Category Description									
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)
3332	T	67230	SENTRY STA	Sentry Sta	SF	53	-	-	-	R	E.	Constructed 1953. DM Man
3335	P	44240	FLAM MAT STHS	Flam Mat Sths	SF	258	-	-	-	R	-	Constructed 1952. DM Man
3336	T	21414	DISPATCH OFFICE	Dispatch Ofc	SF	205	-	-	-	R	E.	Constructed 1952. DM Man
3337	P	74012	BOWLING CENTER	Bowling Ctr	SF	4814	Lanes	6	-	R	W.Sw.E.St	Constructed 1954. DM Man
3338	T	21414	DISPATCH OFFICE	Dispatch Ofc	SF	1066	-	-	-	R	E.	Constructed 1949. DM Man
3339	P	72410	BOQ MIL MALE	BOQ Mil Male	SF	12060	MW	34	-	R	W.Sw.E.	Constructed 1954. DM Man. Own C/Htg.
3346	T	74074	BOY SCOUT BLDG	Unknown	SF	1594	-	-	-	D	W.Sw.E.	Prefab from Echter- dingen A/F 1954.
3349	T	21412	OIL HOUSE	Tool Shed	SF	94	-	-	-	R	E.	Constructed 1956. DM Man
3350	P	74068	EM SERVICE CLUB	EM Svc Club	SF	6703	-	-	-	R	W.Sw.E.St	Constructed 1958. DM Man
3351	T	73045	DEPT NUR SCH	Dep Nur Sch	SF	1831	-	-	-	D	W.Sw.E.	Prefab. Air Heaters.
3352	P	74066	YOUTH CENTER	Youth Center	SF	7700	-	-	-	R	W.Sw.E.St	Constructed 1960. DM Man
3353	P	83310	INCINERATOR	Incinerator	SF	152	T	4.8	-	R	Sw.E.	Constructed 1958. DM Man
3354	T	44270	GEN STISE	Gen Sthse	SF	969	-	-	-	R	-	Constructed 1960. DM Man

BUILDING INFORMATION SCHEDULE

Page h of 4

Date 6 August 1975

KASERNE KELLEY BARRACKS
GY 378

MASTER PLANNING AREA GREATER STUTTGART

COMMUNITY MOHRINGEN/DEGBLOCH

Bldg No Fac No	Type of Constr	Category Code	Current Usage Category Description	Design Usage (e)	Unit of Meas (f)	Total Units (g)	Other Meas (h)	Total Other Meas Units (i)	Rental Paid (j)	Planned Disposit (k)	Util Connect (l)	Remarks (m)
3355	P	74029	GREENHOUSE	Greenhouse	SF	600	-	-	-	R	E.	Constructed 1968. US Funds.
3356	SP	74056	EXCH SVC OLS	Exch Svc Ols	SF	1458	-	-	-	R	W.Sv.E.	Constructed 1970. US Funds. Own C/Htg.

SCHEDULE OF BUILDING CONDITION

Ma = Masonry
W = Wooden
Me = Metal
Pf = Pre-Fab
C = Concrete

G = Good
F = Fair
P = Poor

Kelley Barracks
GY # 378

Building Number	Type of Construction	No of Floors	Ext Walls	Int Walls	Roof	Doors	Windows	Floors	Sanitary	Heating	Electrical	Lighting	Planned Renovation	Retain in Present Use	Remarks
3300	Ma	1	F	G	G	F	F	F	F	F	F	G			
3303	Ma	1	G	F	G	F	F	F	F	F	F	F	Yes		
3304	Ma	2	F	P	F	P	F	F	F	F	F	F	Yes		MOUSF
3305	Ma	2	F	P	F	P	F	F	F	F	F	F	Yes		MOUSF
3306	Ma	2	F	P	F	P	P	F	P	F	F	F	Yes		MOUSF
3307	Ma	2	P	P	F	P	F	F	F	F	F	F			
3308	Ma	2	F	F	F	F	F	F	P	F	F	F	Yes		MOUSF
3309	Ma	2	F	P	F	F	P	F	P	F	F	F	Yes		MOUSF
3310	Ma	2	F	P	F	P	P	F	P	F	F	F	Yes		MOUSE
3311	Ma	2	F	P	F	F	P	F	F	F	F	F	Yes		Total Renovation 76/77.
3312	Ma	1	F	F	F	F	P	F	F	F	F	F	Yes		Total Renovation 76/77.
3313	Ma	2	F	F	F	P	P	F	P	F	P	F	Yes		Total Renovation 76/77.
3314	Ma	2	F	F	F	F	F	F	P	F	P	F	Yes		Total Renovation 76/77.
3315	Ma	2	F	F	F	F	F	F	F	F	F	F	Yes		Total Renovation 76/77.
3316	Ma	1	F	F	P	F	F	G	F	F	F	G			
3317	Ma	1	F	P	F	F	F	F	P	F	F	F	Yes		Total Renovation 76/77.
3318	Ma	1	F	F	F	F	F	F	P	F	F	F	Yes		Rep/repl roof - 76.
3319	Ma	1	G	F	G	F	F	F	F	F	F	G	Yes		Rep/repl roof - 76.
3320	Ma	1	F	F	F	F	F	F	P	F	F	F	Yes		Rep/repl roof - 76.
3321	Ma	1	G	G	P	F	F	F	F	F	F	F	Yes		Rep/repl roof - 76.
3322	Ma	1	G	G	G	G	G	G	F	F	G	G			
3326	Ma	1	G	F	G	F	F	G	F	F	F	P			

SCHEDULE OF BUILDING CONDITION

Ma = Masonry
W = Wooden
Me = Metal
Pf = Pre-Fab
C = Concrete

G = Good
F = Fair
P = Poor

Kelley Barracks
GY # 378

Building Number	Type of Construction	No of Floors	Ext Walls	Int Walls	Roof	Doors	Windows	Floors	Sanitary	Heating	Electrical	Lighting	Planned Renovation	Retain in Present Use	Remarks
3337	Ma	1	G	G	P	F	F	G	F	F		G			
3344	Ma	2	F	F	F	F	F	F	F	F	F	P	Yes		Renovate 1976.
3346	W	1	F	P	P	P	P	F	F	F	F	F			
3350	Ma	1	G	F	G	P	F	F	F	F	F	F			
3351	W	1	G	G	G	F	F	G	F	F	F	G			
3352	Ma	1	G	F	G	F	G	G	F	F	F	G			
3356	Ma	1	G	G	G	G	G	G	G	G	G	G			

3.7

ENGINEERS ANALYSIS OF UTILITIES

Kelley Barracks

1. Roads & Pavements: The majority of the hardstand areas are in poor condition and No's. 6, 7, 8, 9 and 10 are due for repair by double surface treatment (approximately 36,000 sq yds), under Project # A2-2071-75, programmed for 1976.

Behind Bldg. # 3312, approximately 3,900 sq yds of surface treatment is planned for early 1976, together with the repair of sidewalk depressions and potholes and the surface treatment of approximately 3,000 sq yds of hardstands, No's. 1 and 3.

This maintenance work should be sufficient to provide a good surface area to hardstands and sidewalks at Kelley Barracks. Additional parking areas are required for POV visitors to the various EES outlets and the Moehringen Planning Board have this under consideration.

2. Water System: Supplier - TW Stuttgart

Chlorinated at Bldg. # 3430.

Water pipes are sized NW 40 to NW 200 which are adequate for known needs and in poor to fair conditions.

Fire hydrants are in fair condition.

3. Electrical System: Supplier - TW Stuttgart

Power supply is to Bldg. # 3320 with a capacity of 800 KVA.

4. Heating System: High-pressure over 3,500,000 BTU total = N/A

Low-pressure over 3,500,000 BTU total = 25,400,000

One (1) oil-fired plant - 15,200,000 BTU

One (1) coal-fired plant - 10,200,000 BTU

Plants are in fair condition.

Low-pressure 750,000 - 3,500,000 BTU = 4,057,000

One (1) oil-fired plant - 4,057,000 BTU

Plant is in fair condition.

Low-pressure, under 750,000 BTU

Four (4) oil-fired plants - 311,000 BTU

One (1) coal-fired plant - 303,000 BTU

Plants are in fair condition.

Plants are located in Bldgs. # 3300, 3309, 3312, 3326, 3344 and 3351 and are adequate for demand.

System is in fair condition.

5. Sewage & Storm Water System: The system is combined storm and sanitary of clay pipe construction. Main line sizes NW 200 to NW 400 and branch lines NW 100 to NW 150.

There is no on-base treatment plant and no lifting station is available. Sewage discharge is direct into the Moehringen community civil sewage system.

Pipe lines are in fair to average condition and sewer lines within buildings are in fair to poor condition.

6. Land & Water Areas:- No water areas exist in this community/facility.

Land use is at a maximum and no US Forces controlled land areas are available for any large expansion schemes.

3.7.2.

COMMUNICATIONS SYSTEMS
(Commercial)

The DCO system for this sub-community is operated by the USACC.

The telephone system is a 400-line, SEL system, RP-40, and has been in service for over 25 years. The equipment age is unknown and difficult to maintain.

Subscriber equipment has also been in service for over 25 years and considerable difficulties are experienced with operation and maintenance.

The Direct Distance Dial System is over 25 years old and barely adequate.

VF dial 2280 Hz system was installed seven years ago and is in good condition.

The underground cable is in unsatisfactory condition and a TELER (Telecommunications Requirements) request for expansion of the facility is pending.

Of the 400 lines installed, 114 are Class "A" and 197 are Class "C". Class "A" telephone allocation is at a maximum.

There is one telex in Bldg. # 3304 under the control of the Public Information Office.

Three teletype machines are installed in Kelley Barracks at various locations.

Television service is relayed from Kelley Barracks.

3.7.3.

FACILITY SUMMARY

FACILITY: Kelley Barracks

Area Covered	72.9	Acres
Surfaced Areas	116,288	SY
Roads Conc/Bit	31,113	SY
Roads Other	3,110	SY
Parking Areas	68,903	SY
Bldgs Area - Excl Hsg	747,640	SF
Admin & Opns - Bldgs	12	
Area Gross	121,000	SF
Billets - Bldgs	6	
Area Gross	290,205	SF
Spaces	1,001	MN
Dining Facs - Bldgs	1	
Capacity	150	Seats
Maint Facs - Bldgs	2	
Area	31,500	SF
Bays	30	
Pits	6	
Hardstands	5,424	SY
Storage - Covered	1,227	SF
Open	-	SY
Housing - Officer	-	Family
BOQ	17	Quarters
Dependent	-	Family

3.1.3

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

30 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 22 March 1976, [REDACTED] Fire Support Section, Office of the Artillery Officer, Headquarters, VII Corps, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107, was interviewed concerning the space utilization of building 3314, Kelley Barracks, when it was occupied by VII Corps Artillery. Payne revealed substantially the following information pertinent to SUBJECT:

(C) Room 210, room 212 and room 214 had been occupied by the S3, VII Corps Artillery. There had possibly been at one time a teletype in room 215 (nfi).

(C) Room 110 had been occupied by the S2, VII Corps Artillery. Classified material to the level of TOP SECRET had been stored there.

(C) Room 002 had been a storage area for COMSEC equipment. No cryptographic or communications activity other than the occasional decoding of a message occurred there. Room 012 had been occupied by the Survey Information Center and had been cleared for the storage of CONFIDENTIAL material.

(C) Source was not aware of any office or activity in building 3314 which had been used as a communications center or had a radio communications capability. VII Corps Artillery was transferred to Augsburg (PU4060), FRG, in August 1974.

(C) AGENT'S NOTES: The above information was obtained under the guise of needing historical data on the uses of building 3314 for a Target Analysis Report on Kelley Barracks. Source arrived at Headquarters, VII Corps in July 1974. Reference Agent Report B04132-389-76, Subject as above, dated 15 March 1976, wherein a review of files of the Directorate of Facilities Engineers, Stuttgart Support Command, revealed alterations for security requirements to room 209 and room 210, building 3314. Reference Agent Report B04132-390-76, Subject as above, dated 17 March 1976, wherein the results of a visual inspection of building 3314 were reported. The above interview was conducted with the assistance of [REDACTED] 207th Military Intelligence Detachment.

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY [REDACTED] CDR USAINSCOM FOIPO

Auth Para 1-6 of DoD 5200.1-R

CLASSIFIED BY [REDACTED] AR 381-12, 18 Oct 74

EXEMPT FROM AUTOMATIC DECLASSIFICATION

SCHEDULE 1, 1.2.1.3.2

DECLASSIFY ON: [REDACTED] OF ACSI, DA

5 USC 552 (b) (6)

NAME OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04132-394-76

138

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

2 April 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(S)~~ On 31 March 1976, records of the Office of the Fire Marshal, Directorate of Facility Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart/Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

~~(S)~~ Fire inspection surveys are maintained on file in the Office of the Fire Marshal for a period of one year, at which time they are destroyed. None of the surveys of Kelley Barracks for the past year contained any information pertinent to SUBJECT. Fire Reports of Kelley Barracks provided no information pertinent to SUBJECT. The Office of the Fire Marshal maintained no other records pertinent to SUBJECT.

~~(S)~~ AGENT'S NOTES: The above information was obtained under the guise of the collection of historical data for a Target Analysis of Kelley Barracks. Fire Reports, maintained for a period of five years, explain the nature and extent of damage of each fire. The above interview was conducted with the assistance of [REDACTED] 66th Military Intelligence Group.

5 USC 552 (b) (6)

CLASSIFIED BY [REDACTED] AR 381-12, 10 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAINSCOM/FOPO

With Para 1-603 DoD 5200.1-R

1. ORGANIZATION OF SPECIAL AGENT

207th MI Detachment

B04132-395-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 52

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

1 June 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

2 (S) On 1 May 1976, Source NFN 217158 (U) provided the following information concerning SUBJECT during the course of a detailed interview.

(S) Source was positive that a representative [REDACTED]

(S) AGENT'S NOTES: [REDACTED]

that [REDACTED]

[REDACTED] Reference Agent Report, B04132-410-76, dated 1 June 1976, subject as above, wherein Source's first mention of SUBJECT was recorded.

REGRADED CONFIDENTIAL

ON MAR 20 1998
BY CDR USAINSCOM FOI/PO
Auth Para 1-603 DOD 5200.1R

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI DA

5 USC 552 (b) (6)

~~CONFIDENTIAL~~

ORGANIZATION OF SPECIAL AGENT

66th MI Group

141

6. SIGNATURE OF SPECIAL AGENT

B04132-411-76

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-120; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

12 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552a (b) (7) (D) 5 USC 552 (b) (7) (D)

4. REPORT OF FINDINGS

78(c) On 5 May 1976, files of the [REDACTED]

[REDACTED], were examined and revealed the following information pertinent to SUBJECT:

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

(c) [REDACTED]

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 142
B04132-396-76

6. SIGNATURE

DECLASSIFY UPON NOTIFICATION OF ACSI, D

DA FORM 341 1 APR 52

REPLACES WD AGO FORM 341, 1 APR 52, WITH DATA FROM DD FORM 341, 1 APR 52

AR 381-12, 13 Oct 74
DECLASSIFICATION
EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

12 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(C)~~ [REDACTED]

~~(C)~~ [REDACTED]

~~(C)~~ AGENT'S NOTES: Headquarters, 589th Signal Battalion, 5th Signal Command, is located on Robinson Barracks, Stuttgart-Bad Cannstatt (NV1605), FRG, APO New York 09154. Reference Agent Report B04132-394-76, Subject as above, which revealed the possible prior existence of a teletype facility in room 215, building 3314. Reference Agent Report, Subject as above, B04132-390-76, wherein it was reported that there was a teletype facility operated by the Public Information Office in room 007, building 3314. The main switchboard, Kelley Barracks is the Dial Central Office, Kelley Barracks.

[REDACTED]

5. TYPE, NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04132-396-76

143

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH IS OBSOLETE

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

24 April 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 23 April 1976, [REDACTED] GS-11, Operations Officer, Field Office Stuttgart (FOS), 511th Military Intelligence (MI) Battalion, 66th MI Group, Grenadier Kaserne, Stuttgart/Zuffenhausen (NV1405), Federal Republic of Germany (FRG), APO New York 09154, provided the following information from his personal memory which he believed might relate to Subject investigation:

During the period of approximately 1970 to 1972, FOS, then known as Stuttgart Station, 66th MI Group, initiated an operation which included an individual named [REDACTED]

The RRS repaired all equipment of an unclassified nature belonging to 2nd Support Command, Nellingen Barracks, Nellingen (NU2195), FRG, which supported VII Corps and its Communications Center.

Drissel provided the above information in the hope it would assist in resolution of Subject investigation.

AGENT'S NOTES: Reference Agent Report B04132-398-76, dated 11 May 1976, Subject as above, wherein a visual inspection of the RRS failed to disclose a resemblance to Subject installation.

REGRADED CONFIDENTIAL

ON MAR 2 1998

BY CDR USAINSCOM FO/PO

Auth For: 1003 DOD 1000.1R

CLASSIFIED BY: Para 4b, AR 381-12, 13 Oct 74

EXEMPT FROM GENERAL DECLASSIFICATION

SCHEDULE 1, EXECUTIVE ORDER 11652

EXEMPTION CODE: 2

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04132-478-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED] 144

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

10 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

3 ~~(C)~~ (U) 6 May 1976, Real Property Jacket Files of the Real Property, Reports, Records and Statistics Section, Engineer Plans and Real Property, Directorate of Facilities Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NU1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

~~(C)~~ (U) There was no indication that any of the following buildings on Funker Kaserne, Esslingen (NU2298), FRG, APO New York 09061, ever housed any facility which resembled SUBJECT or any facility that could be construed as such:

Building T-4000
Building 4001
Building 4002
Building 4003
Building 4004
Building 4005
Building 4009
Building P-4010
Building T-4012
Building 4014

Building 4016
Building 4017
Building 4018
Building 4019
Building 4020
Building 4022
Building 4024
Building 4025
Building 4027
Building 4031

Building 4035
Building 4037
Building 4038
Building 4040
Building 4043
Building 4044
Building 4045
Building 4046

~~(C)~~ (U) AGENT'S NOTES: The Real Property Jacket Files reflect every supposed change in the real property value of real property owned or leased by the US Government since their acquisition, however, work performed upon a building may not be reflected in the Real Property Jacket File if it was a unit self help project or the report of construction never reached the above office.

CLASSIFIED BY: DAH/AR 301-12, 18 Oct 74
UNCLASSIFIED BY: DAH/AR 301-12, 18 Oct 74
SCHEDULE C, 11652
EXEMPT FROM DECLASSIFICATION OF ACSI, DA

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM/EDD

Auth Para 1-603 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-397-76

6. SIGNATURE OF SPECIAL AGENT

145

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 APR 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

11 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~Text~~ On 7 May 1976, Karl H. Kiesel, ZB-10(LTC), Commander, 6930th Civilian Labor Group, Funker Kaserne, Esslingen (NU2298), Federal Republic of Germany (FRG), and Josef Tichy, ZB-9(MAJ), Executive Officer, 6930th Civilian Labor Group, were interviewed concerning the operations of the 6930th Civilian Labor Group. In conjunction with the interview, Tichy conducted a tour of the following buildings on Funker Kaserne: Building T-4000, Building 4003, Building 4005, Building 4009, Building 4010, Building 4012, Building 4014, Building 4016, Building 4017, Building 4018, Building 4019, Building 4020, Building 4022, Building 4024, Building 4025, Building 4027, Building 4031, Building 4035, Building 4037, Building 4038, and Building 4040. The interview and visual inspection revealed the following substantive information pertaining to SUBJECT:

~~Text~~ There were four Civilian Labor Service units on Funker Kaserne. The 6930th Civilian Labor Group provided administrative and logistical support to all Civilian Labor Service units in the VII Corps area of responsibility. The 8902nd Civilian Labor Company provided direct support to the 2nd Support Command, and selected 1st Infantry Division units, and was under the operational control of the 2nd Support Command. The 8905th Civilian Labor Company provided general support to the 2nd Support Command and selected 1st Infantry Division units, and was under the operational control of the 2nd Support Command. The 8906th Civilian Labor Company provided security for Funker Kaserne and was controlled by the 6930th Civilian Labor Group. All buildings on Funker Kaserne, with the exception of Building 4001, which is occupied by the Bundesgrenzschutz (Federal Border Police), were occupied by elements of the 6930th Civilian Labor Group. There were no US Army units stationed on Funker Kaserne.

~~Text~~ The Communication Equipment Repair and Maintenance Shop, to include the Radio Repair Section, was located in the western section of Building 4035 and was operated by the 8905th Civilian Labor Company. No resemblance to SUBJECT was noticed in any building, to include the Communications Equipment and Maintenance Shop, visually inspected on Funker Kaserne.

~~Text~~ AGENT'S NOTES: Reference Agent Report B04132-397-76, Subject as above, dated 10 May 1976, wherein the utilization of buildings on Funker Kaserne was reported. The above interview and inspection was conducted with the assistance of [REDACTED] Local National Investigator, 66th Military Intelligence Group. Building 4001, Building 4002, and Building 4004 were not inspected because the administrative areas were not converted from barracks space until 11 December 1974 which was after the time frame pertinent to SUBJECT.

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USARJCSOM/FOIR

Auth Para 1.582 DTD-5250 1.1

CLASSIFIED BY [REDACTED] AR 381-12, 13 Oct 74

EXEMPTED FROM AUTOMATIC DECLASSIFICATION

SC [REDACTED] ORDER 11652

2

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group 146

B04132-397-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED] IN OF ACISI DA

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

5 USC 552 (b) (6)

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

11 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Building 4043, Building 4044, Building 4045, and Building 4046 were not inspected because their construction was not completed until 18 February 1975 which was after the time frame pertinent to SUBJECT. The Headquarters, VII Corps is located on Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, APO New York 09107. The Headquarters, 2nd Support Command is located on Nellingen Barracks, Nellingen (NU2297), FRG, APO New York 09106. The Headquarters, 1st Infantry Division (Forward) is located on Cooke Barracks, Goepingen (NV5806), FRG, APO New York 09326.

5 USC 552 (b) (6)

DECLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM EDI
Auth Para 1-603 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

B04132-398-76 36th MI Group

6. SIGNATURE OF SPECIAL AGENT

147

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 54, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

10 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

326000 On 7 May 1976, Military Real Property Record Card Files of the Real Property, Reports and Statistics Section, Engineer Plans and Real Property, Directorate of Facility Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

The following information concerning the utilization of the buildings on Funker Kaserne, Esslingen (NV2298), FRG, APO New York 09061, was obtained from the DA Form 2877 (Real Property Record) for each building on Funker Kaserne:

Building T-4000	Sentry Station
	Enlisted barracks without mess
	Heating plant
	Dispensary with beds
Building 4002	Enlisted barracks without mess
	Administrative general purpose (transferred as of 11 December 1974 from enlisted barracks without mess)
Building 4003	Enlisted personnel mess
Building 4004	Enlisted barracks without mess.
	Administrative general purpose (transferred as of 11 December 1974 from enlisted barracks without mess)
Building 4005	Enlisted barracks without mess
	Administrative general purpose (transferred as of 11 December 1974 from enlisted barracks without mess)
	Third Country Nationals (nfi) (transferred as of 11 December 1974 from enlisted barracks without mess)
Building 4009	Storage shed
Building P-4010	Motor repair shop
	Heating plant
Building T-4012	Storage shed
Building 4014	Motor repair shop
Building 4017	Supervisor service administrative building
Building 4018	Motor repair shop
Building 4019	Substation
Building 4020	Gas station with building
Building 4022	Motor repair shop

CLASSIFIED BY 78075 AR 394-12, 13 ON 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE C, EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

5 USC 552 (b) (6)

1. NAME OF SPECIAL AGENT

66th MI Group

B04132-399-76

6. SIGNATURE OF SPECIAL AGENT

REGRADED UNCLASSIFIED

MAR 18 1998

CDR USAINSCOM FPO

DA FORM 341

1 APR 52

REPLACES WD AGO

With Para 1.603 DOD 5200 1-1

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

2. DATE SUBMITTED

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

NOTE: Building 4011 was redesignated as an annex to building 4010 on 23 March 1976.
Building 4026 was redesignated as an annex to building 4027 on 9 March 1976.
Building 4028 was redesignated as an annex to building 4027 on 9 March 1976.
Building 4032 was redesignated as an annex to building 4031 on 9 March 1976.
Building 4033 was redesignated as an annex to building 4031 on 9 March 1976.
Building 4001 was transferred to the Bundesgrenzschutz (Federal Border Police) on 24 May 1974, making official the use which began 1 May 1972.
Building 4036 and building 4039 have been dismantled.
There are no records to reflect the existence of any buildings whose numbers do not appear above.

DECLASSIFIED AND UNCLASSIFIED
ON 04-18-1998
BY SP-6 BJS/BJS/KSP/STP
Auth Para 1.602 DOD 5200.1-R

3. ~~TYPED NAME AND ORGANIZATION OF SPECIAL AGENT~~

6. SIGNATURE OF SPECIAL AGENT

REPLACES WD AGO FORM 341, 1 JUN 47, WITH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

13 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(C)~~ On 11 May 1976, files of the 589th Signal Company, Robinson Barracks, Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information pertinent to SUBJECT:

~~(C)~~ On 1 September 1975, a Security Clearance Roster (EXHIBIT) was published by Headquarters, 589th Signal Company, pertaining to officers and enlisted personnel assigned or attached to the 589th Signal Company.

~~(C)~~ AGENT'S NOTES: Reference Agent Report B04132-172-76, Subject as above, wherein it was reported that there was a possible resemblance between the Dial Central Office, 589th Signal Company, Kelley Barracks, Stuttgart-Moehringen (NU1197), FRG, and SUBJECT.

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACIS, DA

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-400-76

6. SIGNATURE OF SPECIAL AGENT

REGRADED UNCLASSIFIED

MAR 18 1998

CDR USAF/AFM/AFIPD

PAR 1 602 DAD 5200 1 1

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

13 May 1976

Description:

Roster of military personnel assigned to
589th Signal Company published on 1 September
1975.

EXHIBIT _____

151

UNCLASSIFIED

UNCLASSIFIED

5 USC 552 (b) (6)

11252 01 10-03-77 11.235

cc of 1 Sep 75

549 SIGNAL COMPANY

NAME	GR	SSA	MOS	CR	DE	ET	MOI	QTRS	ADDRESS	ON	OFF	U	SECT
[REDACTED]	E	[REDACTED]	6V	C	76	87	S1U	BLDG	108	RE		S	STMW
[REDACTED]		[REDACTED]	6H	C	37	19	M2A	BLDG	306A5	GRENADIER		S	STDC
[REDACTED]		[REDACTED]	25	P	36	36	SOU	SMILEY	BARRACKS			S	KRMW
[REDACTED]	E7	[REDACTED]	6L	C	L7	L7	M3A	BLDG	181-A-2	ROBINSON	BKS	S	STMW
[REDACTED]		[REDACTED]	713	D	36	36	SOU	BLDG	108	2E 308A	S-3	S	HQTS
[REDACTED]		[REDACTED]	26V	C	96	96	SOU	BLDG	108	ROBINSON	BKS	S	KRMW
[REDACTED]	E	[REDACTED]	2E	A	47	L7	M3U	BLDG	108	ROBINSON	BKS	S	HQTS
[REDACTED]	M E7	[REDACTED]	22	A	16	J7	M3A	DOFFENGENSE	138	GRAFJZ		S	OPNS
[REDACTED]	E5	[REDACTED]	6H	C	67	18	M1A	955-B-1	PATTONVILLE			S	STDC
[REDACTED]	E5	[REDACTED]	72E	C	35	19	M0U	PRV	BLDG	9919		S	KRTC
[REDACTED]	JR E3	[REDACTED]	720	P	36	36	S1U	KELLY	BARRACKS			S	AELD
[REDACTED]	E3	[REDACTED]	44E	A	86	60	M6A	903-C-1	PIV			R	STTC
[REDACTED]	E3	[REDACTED]	72E	E	L5	26	SOU	BLDG	108	RP		S	STTC
[REDACTED]	E3	[REDACTED]	6V	C	17	17	SOU	BLDG	108	ROBINSON	BKS	S	HQTS
[REDACTED]	P E4	[REDACTED]	6V	P	18	18	SOU	BLDG	108	ROBINSON	BKS	S	STMW
[REDACTED]	E6	[REDACTED]	26V	C	87	87	M3A	712	BIEITIGHEIM			S	STMW
[REDACTED]	E3	[REDACTED]	2E	E	27	37	M3U	25-C	KANALUAS	PHV	KARLSRU	S	KRTC
[REDACTED]	E4	[REDACTED]	72E	A	95	35	SOU	STUTFENSTR	KRNWSTHM			S	STTC
[REDACTED]	E5	[REDACTED]	22E	A	K7	K7	M3A	74-T	TENN AVE	P&V		S	KTCG
[REDACTED]	E4	[REDACTED]	2E	A	36	36	SOU	BLDG	9260	SMILEY	BKS	S	KRTC
[REDACTED]	E3	[REDACTED]	2E	C	96	96	SOU	WAC	DET WHARTON	BKS	H3N	S	HBTC
[REDACTED]	E5	[REDACTED]	6H	N	K6	L6	M2A	909	B6	PIV		S	LODC
[REDACTED]	E3	[REDACTED]	2E	C	L7	L7	SOU	WAC	DET WHARTON	BKS		S	HBTC

5 USC 552 (b) (6)

UNCLASSIFIED

UNCLASSIFIED

11212 01 19-11-77 11.035

[REDACTED]	47 47 S1U 9327 FELDBERG	S FMW
[REDACTED]	J6 J6 S0U HQDTS CO	S GMDC
[REDACTED]	15 88 M2A BLDG 173 B 1 RB	S STMW
[REDACTED]	95 J6 M5A 13-C KENTUCKY AVE PHV KAP S KRAM	S KRAM
[REDACTED]	26 26 S0U WHARTON BKS HEILBRONN	S HBTC
[REDACTED]	23 10 S0U BLDG 425-3 RM 15 BAD CA	S HOTS
[REDACTED]	46 18 S0U WHARTON BKS HEILBRONN	S HBTC
[REDACTED]	L7 L7 S0U BLDG 203 ROBINSON BKS	S STCC
[REDACTED]	47 37 M2A 180-3-20 ROBINSON BKS	S STTC
[REDACTED]	37 L8 M14 20 SCHPIERHOF HESSISHEIM	S OPNS
[REDACTED]	80 78 M3A 32-9-3 ROBINSON BKS	S STMW
[REDACTED]	77 87 M3A 3 WASSERFALL STR FAKAU	S FMW
[REDACTED]	57 19 S1U KELLY BARRACKS	S AFLD
[REDACTED]	L5 L5 M7A MILOHSTR 6 ALDORF	S STDC
[REDACTED]	13 28 M2A APT HSE 23 LINDENFELD	S GMDC
[REDACTED]	47 47 M3A 3024-A GRENADIER KASERNE	S STDC
[REDACTED]	36 46 M6A 68A TENN AVE PAUL REVERE	S KRDC
[REDACTED]	K6 68 M4U BEQ PATTONVILLE RM 11	S STTC
[REDACTED]	26 29 M2A BLDG 3094 APT 52A PHV	S KRTC
[REDACTED]	86 87 M4A KAPPELLWEG 55 STGT HOFEN	S LUDC
[REDACTED]	76 49 M4A KAPPELLWEG 55 STGT HOFEN	S STTC
[REDACTED]	16 97 M3A 32 KANALWEG E KARLSRUHE	S KRTC
[REDACTED]	18 28 M4A 102F TENN PHV KARLSRUHE	S KRTC
[REDACTED]	17 17 M3U KELLY BARRACKS	S KDCO
[REDACTED]	8 29 S0U BLDG 108 RM 303 ROBINSON	S OR
[REDACTED]	5 J5 S0U BLDG 108 ROBINSON BKS	S MTRP

UNCLASSIFIED

UNCLASSIFIED

11 25 2 31 14-1-81 ISC 552 (b) (6) 11.235

[REDACTED] K5 96 SQU BLDG 289 RB S SITC
 [REDACTED] L5 15 M2U 4619 BRUCHWAG 7500 KNIEL S KRIC
 [REDACTED] 3 17 MDU MAXPLANCK STR 39 LINKENH S KRIC
 [REDACTED] 38 96 SQU MAC DET WHARTON BKS S HBIC
 [REDACTED] 5 05 M2U BILLETTS 188 3RD FLOOR S SIMW
 [REDACTED] 65 17 M1A 95-E TENN AVE PRV S KRDC
 [REDACTED] 46 46 SQU 12 HOHENSTAEFEN MOEGLING S MTRP
 [REDACTED] 66 37 SQU WAGLINGEN GAILERSSTR 22 S ORPI
 [REDACTED] 87 87 SQU BLDG 103 ROBINSON BKS S MTRP
 [REDACTED] 95 70 SQU WHARTON BKS HEILBRONN S HBIC
 [REDACTED] 17 27 M2A 307-3-4 GRENADE KASERNE S OPNS
 [REDACTED] 26 16 M2U HERMANNSTRA 3 KORNWESTHEIM S STDC
 [REDACTED] 27 43 M2A 84-2 TENN AVE PRV S KRIC
 [REDACTED] 35 36 M1A 3 WASSERFALL STR FELDBERG S EDMW
 [REDACTED] 17 98 M2A MARGACHER STR 39 LUDWIGSB S SITC
 [REDACTED] 47 47 SQU 9280 SMILEY BARRACKS S KRMW
 [REDACTED] 16 87 M3U WHARTON BKS HEILBRONN S HBIC
 [REDACTED] 16 26 M2A BLDG 183 A43 RP S SITC
 [REDACTED] 65 66 M3A 430 TENN AVE PAUL REVERE S KRDC
 [REDACTED] 17 IN M2A GRENADE KASERNE S CO
 [REDACTED] L5 L6 M2A 179-3-4 ROBINSON BARRACKS S SIMW
 [REDACTED] 63 27 M2U BLDG 108 ROBINSON BKS S SIMW
 [REDACTED] 83 38 M1A ROBINSON BARRACKS S SIMW
 [REDACTED] 17 13 M1A BLDG 184 7C R3 S SIMW
 [REDACTED] K5 05 M2A 100-E TENN AVE PRV S KPMW

11252 01 02-11-7 11.235

[REDACTED]	45 30 M5A 110533 ALDINGER STR	S SUPL
[REDACTED]	13 40 M3A 250-B-8 JFK VILLAGE	S HB0C
[REDACTED]	36 66 M2A STEFFENBERGER STR 35	S GM0C
[REDACTED]	97 J7 M3A 178-C-4 ROBINSON BKS	S STMW
[REDACTED]	K6 57 M3U SMILEY BKS KARLSRUHE	S KRTO
[REDACTED]	55 66 M1A STGT BOTNANG ASPENWALD	S ST7C
[REDACTED]	6 L6 M3U BLDG 9269 SMILEY BKS	S KRTO
[REDACTED]	5 27 S3U BLDG 209 ROBINSON BKS	S STMW
[REDACTED]	8 K7 M5A 175-C-3 ROBINSON BKS	S 1SG
[REDACTED]	46 L7 M2A PRAPPER HILLER STR 4 REC	S STMW
[REDACTED]	7 18 M2U BLDG 108 ROBINSON BKS	S LDDC
[REDACTED]	6 K8 M1U WHARTON BKS HEILBRONN	S HBTC
[REDACTED]	8 48 S0U FELDBERG	S FMW
[REDACTED]	57 J8 S0U BLDG 108 RB	S STTC
[REDACTED]	K5 45 S0U BLDG 209 ROBINSON BKS	S R3DC
[REDACTED]	6 86 S0U BLDG 9372 FELDURG	S-FDMW
[REDACTED]	7 18 S0U CO B 26TH SIG WHARTON BKS	S HB0C
[REDACTED]	6 17 M3A BLDG 3286 RB	S STTC
[REDACTED]	37 39 S0U BLDG 9260 SMILEY BKS	S KRTO
[REDACTED]	86 86 S0U CO B 26TH SIG WHARTON BKS	S HB0C
[REDACTED]	56 57 S0U BLDG 108 ROBINSON BKS	S STMW
[REDACTED]	86 51 S0U BELHEIM FROAST STR 10	S KRDC
[REDACTED]	37 37 M3A BLDG 300 J-H GRENADIER	S COSU
[REDACTED]	36 29 S0U BLDG 108 RB	S STTC
[REDACTED]	95 J5 S0U BLDG 9260 SMILEY BKS	S KRTO
[REDACTED]	95 26 M2U BLDG 9372 FELDURG	S FDMW

UNCLASSIFIED

UNCLASSIFIED

5 USC 552 (b) (6)

112-7 11 29-11-75

11.235

[REDACTED]	[REDACTED]	K7 79 M1A BLDG 103 ROBINSON BKS	S STOC
[REDACTED]	[REDACTED]	57 78 M2A 918-B-1 PATTONVILLE	S STMW
[REDACTED]	[REDACTED]	67 67 M1U BLDG 103 RM 314 R B	S STMW
[REDACTED]	[REDACTED]	26 26 SQU BLDG 209 ROBINSON BKS	S STIC
[REDACTED]	[REDACTED]	7 78 M2A 34 HALDENSTR POPPENWITLER	S STMW
[REDACTED]	[REDACTED]	35 SQU BLDG 108 RB	S SPLY
[REDACTED]	[REDACTED]	66 SQU BLD 9260 SMILEY BARRACKS	S KRMN
[REDACTED]	[REDACTED]	5 06 SQU BLDG 103 ROBINSON BKS	S STIC
[REDACTED]	[REDACTED]	15 18 SQU BLDG 9260 SMILEY BKS	S KRIC
[REDACTED]	[REDACTED]	95 08 SQU BLDG 103 ROBINSON BKS	S LDDC
[REDACTED]	[REDACTED]	66 66 SQU KELLEY BARRACKS	S AFLO
[REDACTED]	[REDACTED]	2 47 SQU BLDG 103 ROBINSON BKS	S STOC
[REDACTED]	[REDACTED]	56 16 SQU CO 2 26 SIG WHARTON BKS	S HBIC
[REDACTED]	[REDACTED]	67 67 M1U BLDG 103 RM 314 R B	S STMW
[REDACTED]	[REDACTED]	86 86 M4U BLDG 9327 FELDBERG	S FMW
[REDACTED]	[REDACTED]	66 66 M5A 252-B-7 JFK VILLAGE H3N	S HBCC
[REDACTED]	[REDACTED]	77 77 SQU BLDG 103 ROBINSON BKS	S STMW
[REDACTED]	[REDACTED]	26 68 S1U INGISHEM AUST 33	S STOC
[REDACTED]	[REDACTED]	5 40 M1A BLDG 300 GRENADIER	S STOC
[REDACTED]	[REDACTED]	7 10 M2U BLDG 9327 FELDBERG	S EDMW
[REDACTED]	[REDACTED]	77 46 M3A APT 27A6 RB	S STMW
[REDACTED]	[REDACTED]	16 86 MDA BLDG 9900 MASS STR PRV	S KRIC
[REDACTED]	[REDACTED]	77 77 M1A BLDG 9900 MASS STR PRV	S KRIC
[REDACTED]	[REDACTED]	57 M2A JFK VILLAGE HEILBRONN	S HBIC
[REDACTED]	[REDACTED]	26 26 S1U BLDG 209 RB	S HQIS


UNCLASSIFIED

11252 31 09-18-75 11.235

[REDACTED]	[REDACTED]	K5 K6 M2A EBERHARD STR 30 HEGNACH	S STTC
[REDACTED]	[REDACTED]	J7 J7 S0U BLDG 2310 RM 111 PATCH	S PMTP
[REDACTED]	[REDACTED]	37 37 M4A 1108 38 ALDINGEN STR	S LDDC
[REDACTED]	[REDACTED]	95 K5 M5U 7825 LENZKIPETT STR 10	S FDMW
[REDACTED]	[REDACTED]	75 85 S0U BLDG 108 RB	S STTC
[REDACTED]	[REDACTED]	56 37 M2A BLDG 32 15 19 RB	S STMW
[REDACTED]	[REDACTED]	19 18 M2A 921-B-2 COLEMAN DR PTV	S STTC
[REDACTED]	[REDACTED]	76 76 M3U BLDG 9260 SMILEY BARRACKS	S KRMW
[REDACTED]	[REDACTED]	J5 J6 M1A BLDG 9327 FELDBURG	S FDMW
[REDACTED]	[REDACTED]	67 67 S0U BLDG 108 ROBINSON BKS	S STMW
[REDACTED]	[REDACTED]	J6 27 M2U BEO KELLY BKS RM 6	S KYDC
[REDACTED]	[REDACTED]	15 68 M3U BLDG 108	S STTC
[REDACTED]	[REDACTED]	47 47 S0U BLDG 108 ROBINSON BKS	S STTC



P.A. MULDER
1LT, AGC
ADJUTANT



DONALD C. FRAZER
CPT, STGC
S-2 OFFICER

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

13 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-3/7
Position: Telephone Switchboard Supervisor
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/4
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-1/3
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/7
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/4
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-6/7
Position: Electronic Communication Equipment Technician
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/4
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

DECLASSIFIED UNCLASSIFIED

MAR 18 1998

CDR USAINSCOM/FOIPO

with Para 1.603 DoD 5200.1-R

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED], 66th MI Group
B04132-481-76

159

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 11

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

13 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/4
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-8/6
Position: Electronic Communication Equipment Technician
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-6/2
Position: Telephone Instrument Repairman
Duty Station: Stuttgart, FRG

Name: [REDACTED]
Grade: [REDACTED]
Position: Clerk Typist
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-6/3
Position: Telephone Instrument Repairman
Duty Station: Stuttgart, FRG

Name: [REDACTED]
Grade: C-FM-9/7
Position: Administrative Clerk
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-6/7
Position: Electronic Communication Equipment Technician
Duty Station: Stuttgart, FRG

5 USC 552 (b) (6)

RECEIVED UNCLASSIFIED
ON MAR 18 1998
BY GDS USAINSCOM FOIPO
Auth Para 1-603 DoD 5200.1-R

SECTION OF SPECIAL AGENT

66th MI Group

B04132-401-76

160

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

13 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-4/7
Position: Telephone Switchboard Supervisor
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/7
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-5/5
Position: Electronic Communication Equipment Technician
Duty Station: Stuttgart, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/6
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG

Name: [REDACTED]
Grade: C-5/7
Position: Telephone Instrument Repairman
Duty Station: Stuttgart, FRG

Name: [REDACTED]
Grade: GS-6/7
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG
NOTE: Dependent Hire

Name: [REDACTED]
Grade: GS 2/1
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG
NOTE: Dependent Hire

UNCLASSIFIED
MAR 18 1998
CDR UCASINSON/EDM
Auth Para 1-603 DoD 5200.1-R

5 USC 552 (b) (6)

[REDACTED] 66th MI Group
B04132-401-76

6. SIGNATURE OF SPECIAL AGENT

161

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JAN 47, WHICH IS OBSOLETE

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT VII Corps Communications Center (U)	2. DATE SUBMITTED 13 May 1976
	3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS	
5 USC 552 (b) (6)	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Clerk	
Duty Station: Stuttgart, FRG	
NOTE: Temporary Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	
Name: [REDACTED]	
Grade: GS 3/1	
Position: Telephone Switchboard Operator	
Duty Station: Stuttgart, FRG	
NOTE: Dependent Hire	

REGRADED UNCLASSIFIED
ON MAR 18 1993
BY OUR USAINSCONFIGRO
Auth Para 1.603 DoD 5200.1-R

ORGANIZATION OF SPECIAL AGENT [REDACTED] 66th MI Group B04132-401-76	5 USC 552 (b) (6) 162	6. SIGNATURE OF SPECIAL AGENT [REDACTED]
--	--------------------------	---

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 FEB 47, WHICH

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

13 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Name: [REDACTED]
Grade: GS3/1
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG
NOTE: Dependent Hire

Name: [REDACTED]
Grade: GS 3/1
Position: Telephone Switchboard Operator
Duty Station: Stuttgart, FRG
NOTE: Dependent Hire

Name: [REDACTED]
Grade: C-FM-5/2
Position: Electronic Communication Equipment Technician
Duty Station: Ludwigsburg (NV1416), FRG

Name: [REDACTED]
Grade: C-FM-6/4
Position: Electronic Communication Equipment Technician
Duty Station: Ludwigsburg, FRG

Name: [REDACTED]
Grade: C-FM-5/2
Position: Electronic Communication Equipment Technician
Duty Station: Echterdingen (NU1353), FRG

Name: [REDACTED]
Grade: C-FM-2/3
Position: Telephone Switchboard Supervisor
Duty Station: Echterdingen, FRG
NOTE: Terminated effective 30 April 1976

Name: [REDACTED]
Grade: C-FM-1/2
Position: Telephone Switchboard Operator
Duty Station: Echterdingen, FRG

Name: [REDACTED]
DPOB: [REDACTED]
Grade: C-FM-2/4
Position: Telephone Switchboard Operator
Duty Station: Echterdingen, FRG
NOTE: Terminated effective 30 June 1976

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group 163

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 57, WHICH MAY BE USED UNTIL 30 JUN 58

DECLASSIFIED
MAR 18 1998
BY CDR USA (NSCOM) EDE
With Para 1.603 DoD 5200.1-R

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT VII Corps Communications Center (U)	2. DATE SUBMITTED 13 May 1976
	3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Name: [REDACTED]
Grade: C-FM-5/7
Position: Electronic Communication Equipment Technician
Duty Station: Heilbronn (NV1643), FRG

Name: [REDACTED]
Grade: C-FM-6/7
Position: Electronic Communication Equipment Technician
Duty Station: Heilbronn, FRG

Name: [REDACTED]
Grade: H 2/1
Position: Food Handler
Duty Station: Feldberg (MU0125), FRG

Name: [REDACTED]
Grade: H 2/1
Position: Food Handler
Duty Station: Feldberg, FRG

Name: [REDACTED]
Grade: H 5/3
Position: Cook
Duty Station: Feldberg, FRG

Name: [REDACTED]
Grade: H 4/3
Position: Cook
Duty Station: Feldberg, FRG

Name: [REDACTED]
Grade: C-FM-8/7
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe (MV5629), FRG

Name: [REDACTED]
Grade: A 3/7
Position: Telephone Instrument Repairman
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-5/7
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe, FRG

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM EOPED
With Para 1.603 DoD 5200.1-R

5. NAME AND ORGANIZATION OF SPECIAL AGENT [REDACTED] 66th MI Group 164	6. SIGNATURE [REDACTED]
---	----------------------------

B04132-401-76

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47

5 USC 552 (b) (6)

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT	2. DATE SUBMITTED
VII Corps Communications Center (U) ^{5 USC 552 (b) (6)}	13 May 1976
	3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Name: [REDACTED]
Grade: C 4/4
Position: Administration Clerk
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-7/7
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-6/5
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-6/6
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-6/7
Position: Electronic Communication Equipment Technician
Duty Station: Karlsruhe, FRG

Name: [REDACTED]
Grade: C-FM-6/7
Position: Electronic Communication Equipment Technician
Duty Station: Germersheim (MV5454), FRG

Name: [REDACTED]
Grade: C-FM-5/7
Position: Telephone Instrument Repairman
Duty Station: Ettlingen (MV5621), FRG

Name: [REDACTED]
Grade: C-FM-5/6
Position: Telephone Instrument Repairman
Duty Station: Germersheim, FRG

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM FOIED
with Para 1-603 DoD 5200.1-R

(C) ~~U~~ AGENT'S NOTES: Reference Agent Report B04132-172-76, subject as above, wherein it was reported that the Dial Central Office, 589th Signal Company Kelley Barracks, reflected a possible resemblance to SUBJECT. ^{5 USC 552 (b) (6)}

ORGANIZATION OF SPECIAL AGENT	SIGNATURE OF SPECIAL AGENT
[REDACTED] 66th MI Group	[REDACTED] 165 [REDACTED]
B04132-401-76	

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

13 May 1976

Description: Copy of Monthly Civilian Personnel Status and
Vacancy Report published by Headquarters, 589th
Signal Company published on 22 April 1976.

EXHIBIT _____

166

DEPARTMENT OF THE ARMY
HEADQUARTERS, 589TH SIGNAL COMPANY
52ND SIGNAL BATTALION
APO 09154

CCE-Y-V-SGT-A

22 April 1976

SUBJECT: Monthly Civilian Personnel Status and Vacancy Report

Commander
52nd Signal Battalion
ATTN: CCE-Y-V-A (Mrs. Baeurle)
APO 09131

Attached is the Monthly Civilian Personnel Status and Vacancy Report
for period ending 30 April 1976.

2 Incl
as

THOMAS A. KAHLERT
CPT, SigC
Commanding

Telephone: 2721-6010

ORGANIZATION: 589TH SIGNAL COMPANY
AFD 09154

DATE PREPARED: **22 April 1976**

AS OF: **30 April 1976**

CENTARY

EMPLOYMENT CAT	L			BAC		
	AUTH	ACTUAL	VACANT	AUTH	ACTUAL	VACANT
ADMIN PERS	<u>2</u>	<u>2</u>	<u>0</u>			
TELE OPB	<u>15</u>	<u>15</u>	<u>0</u>	<u>9</u>	<u>9</u>	<u>0</u>
ELEC & COMM EQUIP TECH	<u>22</u>	<u>22</u>	<u>0</u>			
INST/RPMN	<u>2</u>	<u>2</u>	<u>0</u>			
MISC PERS	<u>6</u>	<u>6</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>0</u>
TOTAL:	<u>47</u>	<u>47</u>	<u>0</u>	<u>11</u>	<u>11</u>	<u>0</u>

REMARKS:

• Temp Hire

INCUMBENT

ASSIGNED

22 April 1976

5 USC 552 (b) (6)

DATE	NO.	POSITION	NAME	GRADE	PLUS	SALARY	NAME	GRADE	PLUS	STATION
001/09	301	Clerk Typist	[REDACTED]	C-5a/7	301	2112	same			Stuttgart
002/08	301	Admin Clerk	[REDACTED]	C-FH-9/7		3040	[REDACTED]	C-FH-9/7	853	Stuttgart
002/09	302	Tel Subd Supv	[REDACTED]	C-FH-5/7	302	2112	same			Stuttgart
002/09	302	Tel Subd Supv	[REDACTED]	C-FH-3/7	302	1803	same			Stuttgart
002/09	302	Tel Subd Supv	[REDACTED]	C-FH-3/7	302	1803	same			Stuttgart
002/09	302	Tel Subd Supv	[REDACTED]	C-FH-4/7	302	2017	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/4	302	1302	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-1/3	302	1213	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/7	302	1592	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/4	302	1302	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/4	302	1302	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/4	302	1302	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/7	302	1592	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	C-FH-2/6	302	1519	same			Stuttgart
002/09	302	Tel Subd Op	[REDACTED]	GS 3/1	302	\$7,102	same			Stuttgart Dep. Hire
002/09	302	Tel Subd Op	[REDACTED]	GS 3/1	302	\$7,102	same			Stuttgart Dep. Hire

ASSIGNED

110 PAGE 17

22 April 1976

5 USC 552 (b) (6)

DATE	NO	NAME	DESCRIPTION	GRADE	GP	PPOS	SALARY	DATE	PAID	STATION	REMARKS
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/09	382	Tel Subd Op			GS 3/1	382	\$7,102	same		Stuttgart	Dep Hire
002/10	856	Elec Comm Equip			C-PM-6/7	856	2237	same		Stuttgart	
002/10	856	Elec Comm Equip			C-PM-8/6	856	2473	same		Stuttgart	
002/10	856	Elec Comm Equip			C-PM-6/7	856	2130	same		Stuttgart	
002/10	856	Elec Comm Equip			C-PM-6/7	856	2130	same		Stuttgart	
002/11	2507	Tel Inst Rpm			A 2/3	2507	7.60 ph	same		Stuttgart	Wage 1 Apr
002/11	2507	Tel Inst Rpm			C-PM-6/7		1708		C-PM-6/7	Stuttgart	
002A/03	856	Elec Comm Equip			C-PM-6/7	856	2237	same		Kelley Bks	
002A/03	856	Elec Comm Equip			C-PM-6/7		1856		C-PM-6/7	Stuttgart	
002A/04	2507	Tel Inst Rpm					1790		C-PM-6/7	Stuttgart	Sf. Incr. 1 Mar 76

HIGHLIGHT

ASSIGNED

AUTHORIZED

22 April 1976

5 USC 552 (b) (6)

DATE	GR	TIME	DESCRIPTION	GRADE	GR	PAY	SALARY	NAME	GR	PAY	DUTY STATION
002C/04		856	Elec Comm Equip Tech	C-FM-6/4	856	1860	same				Ludwigshurg
002C/04		856	Elec Comm Equip Tech	C-FM-5/2	856	1606	same				Ludwigshurg
002C/05		2507	Tel Inst Room			2112			C-3a/7	818	Stuttgart
005/04		856	Elec Comm Equip Tech	C-FM-5/7	856	2112	2223				Heilbronn
005/04		856	Elec Comm Equip Tech	C-FM-6/7	856	2237	same				Heilbronn
007/06		301	Adm Clerk	C-4a/4	301	1491	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-8/7	856	2597	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-7/7	856	2343	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-6/7	856	2130	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-6/6	856	2030	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-6/5	856	1961	same				Karlsruhe
007/07		856	Elec Comm Equip Tech	C-FM-5/7	856	2017	same				Karlsruhe
007/08		2507	Tel Inst Room	A-3/7	2507	10,52ph	same		C-FM-5/6	856	Karlsruhe
007/08		2507	Tel Inst Room			1920			C-FM-5/7	856	Germerstheim
007/08		2507	Tel Inst Room			2112					Ettlingen
007A/03		856	Elec Comm Equip Tech	C-FM-6/7	856	2237	same				Germerstheim

GENERAL PURPOSE FORM
(Suppl 1, AF 312-1)

Replaces STRATCOM Form 522

Form 71

INCIDENT

ASSIGNED

22 April 1976

5 USC 552 (b) (6)

DATE	UIC	DESCRIPTION	GRADE	CS	PAYS	SALARY	NAME	GR	PAYS	CITY	RE
0011/06		Cook	[REDACTED]	H 3/3		1394.4 15. -OTS	same			Feldberg	
0011/06		Cook	[REDACTED]	H 4/3		1196 994.4 73. -OTS	same			Feldberg	
0011/07		Food Handler	[REDACTED]	H 2/3		same	same			Feldberg	
0011/07		Food Handler	[REDACTED]	H 2/1 C-FM		4.36ph	same			Feldberg	Term. off
		Tel Subd Supv	[REDACTED]	2/3 C-FM		1472	same			Echternlingen	30 Apr 76
		Tel Subd Op	[REDACTED]	1/2 C-FM		1151	same			Echternlingen	
		Tel Subd Op ETec Comm Equip Tech	[REDACTED]	2/4 C-FM		1382	same			Echternlingen	Term off
			[REDACTED]	5/2		1606	same			Echternlingen	30 Jun 76
		Tel Subd Op	[REDACTED]	GS 2/1		36,296				Stuttgart	Temp Hire
		Clerk	[REDACTED]	GS 3/1		\$7,102				Stuttgart	Temp Hire

STANDARD FORM 71

Replaces STANDARD FORM 522

GENERAL PURPOSE FORM
(Suppl 1. AR 312-1)

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff:

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 25 May 1976, records of the Civilian Personnel Office (CPO), Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined concerning [REDACTED] (FN), and revealed the following information:

Name:
DPOB:
Position/Grade:
Nationality:
Marital Status:
Spouse's Name:
Passport/ID Number:
Residences:

Employment:

(U) AGENT'S NOTES: CPO, RB, is the office of record for all foreign nationals employed by U.S. Forces within the Stuttgart, FRG, area. Reference Agent Report, subject as above, B04132-401-76, wherein [REDACTED] was identified as working for the 589th Signal Company.

CLASSIFIED BY: Para 4B, AR 381-12, 13 Oct 74
EXEMPT FROM GDS DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACISI, DA

5 USC 552 (b) (6)

REGRADED UNCLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM FOIRU
Auth Para 1-6.3 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-479-76

6. SIGNATURE OF SPECIAL AGENT

173

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUL 50

5 USC 552 (b) (6)

~~CONFIDENTIAL~~
AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

5 USC 28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

(b) (6) -

4. REPORT OF FINDINGS

3 ~~(C)~~ On 25 May 1976, records of the Civilian Personnel Office (CPO), Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined concerning [REDACTED] (FN), and revealed the following information:

Name:
DPOB:
Citizenship:
Residence:
POV License Number:
Employment:

[REDACTED]

Remarks:

~~(C)~~ AGENT'S NOTES: CPO, RB, is the office of record for all foreign nationals employed by U.S. Forces within the Stuttgart, FRG, area. Reference Agent Report, subject as above, B04132-401-76, wherein [REDACTED] is identified as working for the 589th Signal Company.

CLASSIFIED BY: Para 4b, AR 381-12, 13 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

UPGRADED UNCLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM EDRD
Auth Para 1-6.3 DoD 5200.2-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group
B04132-480-76

6. SIGNATURE OF SPECIAL AGENT

174

5 USC 552 (b) (6)

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 25 May 1976, records of the Civilian Personnel Office (CPO), Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined concerning [REDACTED] (FN), and revealed the following information:

Name:

DPOB:

Passport/ID:

Residence:

Marital Status:

Employment:

Remarks:

AGENT'S NOTES: CPO, RB, is the office of record for all foreign nationals employed by U.S. Forces within the Stuttgart, FRG, area. Reference Agent Report B04132-401-76, subject as above, wherein [REDACTED] was identified as working for the 589th Signal Company.

CLASSIFIED BY [REDACTED] DATE 10-13-05 BY 1305174
EXEMPT FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION
SCHEDULE 1, E.O. 13526, 2 11352
EXC. 1, 1.4
DECLASSIFY ON: 1.4
5 USC 552 (b) (6)

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM F0100

Auth Para 1-603 DoD 5200.1-R

5. NAMED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04132-481-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341 1 APR 52

REPLACES WD AGO FORM 341, 1 APR 47, WHICH MAY BE USED.

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

381600 On 25 May 1976, records of the Civilian Personnel Office (CPO), Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined concerning [REDACTED] (FN), and revealed the following information:

Name:
DPOB:
Position/Grade:
Citizenship:
Marital Status:
Residence:
Employment:

Security Clearance:

Remarks:

(C) AGENT'S NOTES: CPO, RB, is the office of record for all Foreign Nationals employed by U.S. Forces within the Stuttgart, FRG, area. Reference Agent Report B04132-401-76, subject as above, wherein [REDACTED] was identified as working [REDACTED]

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

B04132-482-76

66th MI Group

176

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, JUN 47, WHICH MAY BE USED UNTIL 1 APR 52

ON MAR 20 1998

BY CDR USAF/SCM EDIPO

1-1

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

for the 589th Signal Company.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FORD

Auth Para 1-603 DoD 5200.1-R

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-482-76

6. SIGNATURE OF SPECIAL AGENT

177

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

39 (C) On 25 May 1976, records of the Civilian Personnel Office (CPO), Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, were examined concerning [REDACTED] (FN), and revealed the following information:

Name:

DPOB:

Citizenship:

Position/Grade:

Residence:

Marital Status:

ID/Passport Number:

Employment:

Security Clearance:

[REDACTED] granted access to For Official Use Only information on January 1966 (nfi).

CLASSIFIED BY [REDACTED] AR 381-12, 18 Oct 74
EXEMPTED FROM AUTOMATIC DECLASSIFICATION
SCHEDULE 1, 101-10, 101-11, 101-12
101-13, 101-14, 101-15, 101-16, 101-17, 101-18, 101-19, 101-20, 101-21, 101-22, 101-23, 101-24, 101-25, 101-26, 101-27, 101-28, 101-29, 101-30, 101-31, 101-32, 101-33, 101-34, 101-35, 101-36, 101-37, 101-38, 101-39, 101-40, 101-41, 101-42, 101-43, 101-44, 101-45, 101-46, 101-47, 101-48, 101-49, 101-50, 101-51, 101-52, 101-53, 101-54, 101-55, 101-56, 101-57, 101-58, 101-59, 101-60, 101-61, 101-62, 101-63, 101-64, 101-65, 101-66, 101-67, 101-68, 101-69, 101-70, 101-71, 101-72, 101-73, 101-74, 101-75, 101-76, 101-77, 101-78, 101-79, 101-80, 101-81, 101-82, 101-83, 101-84, 101-85, 101-86, 101-87, 101-88, 101-89, 101-90, 101-91, 101-92, 101-93, 101-94, 101-95, 101-96, 101-97, 101-98, 101-99, 101-100

5 USC 552 (b) (6)

5. NAME AND ORGANIZATION OF SPECIAL AGENT

B04132-483-76

66th MI Group

178

6. SIGNATURE

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 APR 52, WHICH
ON MAR 20 1952
BY CDR USAINSCOM EOIR
Auth Para 1-003 DOD 6200. 1-P

CONFIDENTIAL

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

28 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

Remarks: On 9 May 1950, [REDACTED]

(C) AGENT'S NOTES: CPO, RB, is the office of record for all foreign nationals employed by U.S. Forces within the Stuttgart, FRG, area. Reference Agent Report B04132-401-76, subject as above, wherein [REDACTED] was identified as working for the 589th Signal Company.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM EDI

Auth Para 1-603 DoD 5200.1-R

5 USC 552 (b) (6)

5. ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-483-76

179

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JAN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

Yach On 9 April 1976, files of the Military Police Station, Kelley Barracks, Stuttgart-Moehringen (NV1197), Federal Republic of Germany (FRG), APO New York 09107, were examined and revealed the following information concerning personnel of the 34th Signal Battalion, Krabbenloch Kaserne, Ludwigsburg (NV1416), FRG, APO New York 09154, pertinent to SUBJECT:

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

GROUPED

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPTED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION
SCHEDULE 1, AR 381-12, 18 Oct 74
EXEMPTION AUTHORITY: AR 381-12, 18 Oct 74

DECLASSIFIED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FOIR

Auth Para 1.603 DoD 5200.8-R

5.Typed Name and Organization of Special Agent

[REDACTED], 66th MI Group
B04132-484-76

180

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

75 USC 552 (b) (6)
ACSI, DA

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH IS OBSOLETE

18 May 1976

[REDACTED]

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

18 May 1976

[REDACTED]

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

VII Corps Communications Center

18 May 1976

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

VII Corps Communications Center (U)

18 May 1976

[REDACTED]

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

184

18 May 1976

[REDACTED]

[REDACTED]

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

185

10 May 1976

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

RECEIVED

May 1976

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

10 May 1976

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

[REDACTED]

REFUSED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

REFUSED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

[REDACTED]

DEFERRED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

10 May 1976

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

[REDACTED]

[REDACTED]

REFUSED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

10 May 1976

[REDACTED]

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

May 1976

[REDACTED]

REFUSED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

196

May 1976

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

EXCLUDED

197

10 May 1976

[REDACTED]

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

18 May 1976

RECEIVED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

18 May 1976

[REDACTED]

[REDACTED]

REFERRED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

200

VII Corps Communications Center (U)

18 May 1976

[REDACTED]

[REDACTED]

DEFERRED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

201

15 May 1976

[REDACTED]

REFUSED

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

18 May 1976

147000Z

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

REFUSED

(c) AGENT'S NOTES: The above entries were extracted from the pertinent DA Forms 19-50 (Military Police Blotter) for the time frame of Subject investigation. The DA Forms 19-50 for November and December 1971 were not available. The whereabouts of the DA Forms 19-50 for 1970 and earlier were not known.

Page 25 of 25 Pages

ORGANIZATION OF SPECIAL AGENT
66th MI Group
B04132-484-76

6. SIGNATURE OF SPECIAL AGENT

204

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

5 USC 552 (b) (6)

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 18 May 1976

Description: Copy of Blotter Entry 4, on DA Form 19-50
(Military Police Blotter), dated 10 August 1972.

EXHIBIT _____

205

**Freedom of Information Act/Privacy Act
Deleted Page(s) Information Sheet**

Indicated below are one or more statements which provide a brief rationale for the deletion of this page.

☐ Information has been withheld in its entirety in accordance with the following exemption(s):

It is not reasonable to segregate meaningful portions of the record for release.

☐ Information pertains solely to another individual with no reference to you and/or the subject of your request.

☒ Information originated with another government agency. It has been referred to them for review and direct response to you.

☐ Information originated with one or more government agencies. We are coordinating to determine the releasability of information under their purview. Upon completion of our coordination, we will advise you of their decision.

**DELETED PAGE(S)
NO DUPLICATION FEE
FOR THIS PAGE**

4E	SUMMARY OF COMPLAINT, INCIDENT, POLICE INFORMATION	SUMMARY ACTION	ENTERED BY
2100	<p><u>SECURITY VIOLATION:</u>(Classified waste)</p> <p><u>COMPLAINANT:</u> [REDACTED], 1LT, HHC, VII Corp, APO 09107</p> <p><u>SUSPECTS:</u> [REDACTED], SGT, Co A, 34th Sig Bn, APO 09107 [REDACTED], PFC, Co A, 34th Sig Bn, APO 09107</p> <p><u>WITNESS:</u> [REDACTED], CPT, HHC, VII Corp, APO 09107</p> <p><u>WITNESS:</u> [REDACTED], SSG, HHC, VII Corp, APO 09107</p> <p><u>WITNESS:</u> [REDACTED], 1LT, HHC, VII Corp, APO 09107</p> <p><u>TIME/DATE:</u> 1740hrs, 10 Aug 72</p> <p><u>LOCATION:</u> Incinerator near Bldg#3314, Kelley Barracks, APO 09107</p> <p><u>SYNOPSIS:</u> At approximate 1820hrs, this date Post CD, ([REDACTED] notified this Station by phone, and stated that at approximate 1740hrs, this date([REDACTED] & [REDACTED] while they were in the process of shutting off the incinerator at the above location they observed two(2) bags of waste material on the outside of the caged area. The two bags were taken by ([REDACTED] & [REDACTED] to SP Troops Bldg#3317 for safe keeping. Both bags of waste were transported by MP Patrol([REDACTED] & [REDACTED] to Kelley Barracks, MP Station. At the MP Station investigation by MP D/SGT([REDACTED]) & ([REDACTED]) revealed that the bags contained Secret classified material. Both bags were secured until they were released to Agent MR [REDACTED] of 207th MI, APO 09107. Further investigation by this Station revealed that the classified material came from the Comm Center, VII Corp, and that ([REDACTED] was the NCOIC of the burn detail and that he had assigned([REDACTED]) to burn the waste in the incinerator. Investigation continues by Agent MR [REDACTED].</p>	<p>KB# 247-72 DA Form 19-32 & DA Form 19-31 prepared. LTC [REDACTED], CO, SP TRPS, MAJ [REDACTED] VII Corp SDO, LT [REDACTED] Post CD, LT [REDACTED] MP DO & SSG [REDACTED] MP OPNS notified. LTC [REDACTED] stated that this would not be a SIR.</p>	<p>[REDACTED]</p> <p>66 62</p> <p>[REDACTED]</p>
2400	<p><u>BLOTTER CLOSED:</u></p> <p>206</p> <p>[REDACTED]</p>	<p>ROUTINE</p>	<p>00001</p>

THIS MUST REMAIN T O P D O C U M E N T

DOSSIER NO. ZG000495 W

Vol 2 of 2 Vols

As of 4 Feb 85 all material included
(Date)

in this file conforms with DA policies currently
in effect.

[Signature] 4 Feb 85
(Signature) (Date Signed)

Delmar Smith GS5
(Printed Name) (Grade)

REVIEWED FOR RETENTION CRITERIA
UP AR 301.10
REVIEWED [Signature] DATE 15 JAN 93

THIS MUST REMAIN T O P D O C U M E N T

TRANSMITTAL OF MATERIAL TO IRR*

*NOTE: This form is not required when material is forwarded to IRR with DA Form 2784-R, but may be used as a supplement to DA Form 2784-R to provide additional instructions.

1. TO: <input type="checkbox"/> Records Processing Division <input checked="" type="checkbox"/> Special Records Division <input type="checkbox"/> Supplemental Review Division	2. FROM: CDR SOD, INSCOM FGGM, MD 20755	3. DATE 11 Jan 85
---	--	-------------------

4. PERSONAL/IMPERSONAL SUBJECT (Establish dossier or add material to existing dossier)

a. SUBJECT: VII CORPS COMMUNICATIONS CENTER (U) ZG 000495 VOL II

b. DOB: _____ d. SSN: _____

c. POB: _____ e. Alias/Nee _____

5. PERSONAL/IMPERSONAL INDEX CROSS-REFERENCES (Continue on plain bond paper if needed)

Name/Impersonal Title	DOB	POB	SSN	Alias/Nee
Any connection between SOURCE and SUBJECT is sensitive intelligence information and classified SECRET UP DA PAM 380-6				

6. FORWARD DOSSIER TO: <input checked="" type="checkbox"/> Files <input type="checkbox"/> Account Number: _____	7. AR 380-13 (Check one or both) <input type="checkbox"/> Attached material meets retention criteria of AR 380-13 <input type="checkbox"/> DA Form 4312-R (Retention Control Sheet) is attached
---	---

8. DISPOSITION OF CASE (If not reflected on DA Form 2784-R)

Case is closed

9. REQUEST FOR CONTROL (For controlled dossier material only; enter data required by para 3-4, AR 381-45) (1) Category III (2) 3-2b(3), AR 381-45 (3) Cannot be determined (4) See block 4 REGRADED UNCLASSIFIED ON MAR 20 1998 BY CDR USAINSCOM/FOI Auth Para 1-603 DoD 5200.1-R	10. <u>IRR USE ONLY</u> <input type="checkbox"/> AR 380-13 <input type="checkbox"/> AR 381-45 Dossier No: _____ Aging Criteria: _____ REGRADED UNCLASSIFIED FROM CLASS
---	--

~~CONFIDENTIAL~~
~~SECRET~~



DEPARTMENT OF THE ARMY
HEADQUARTERS, UNITED STATES ARMY, EUROPE and SEVENTH ARMY
OFFICE OF THE DEPUTY CHIEF OF STAFF, INTELLIGENCE
APO NEW YORK 09403

1 SEP 1977

AEAGB-CI(SO)

SUBJECT: VII Corps Communications Center (76-045P) (U)

Commander
United States Army Intelligence
Agency
ATTN: IAINTA-SO
Fort Meade, Maryland 20755

5 USC 552a (b) (7) (D)
5 USC 552 (b) (1)

1. (U) Reference message, AEAGB-CI(SO), USAREUR, 071940Z
May 1976, subject: [REDACTED] (BOM).

2. (U) Forwarded herewith for your information, retention
and any action deemed appropriate is one Summary of Informa-
tion, dated 10 June 1977; and two Reports of Investigation,
dated 30 June 1976 and 4 February 1977; and 46 Agent Reports
pertaining to subject investigation.

3. (U) This investigation was initiated in February 1976
when a routine review of the operational file of [REDACTED]

[REDACTED] Records of this office
and institutional memory of MI personnel presently assigned
here can offer no explanation for the failure to initiate
investigative activity in 1971.

4. (U) Exhaustive investigation did not develop any
credible information substantiating the initial allegation
of 1971. Rather, it tended to develop information at
variance in some significant details with that initially
reported by source. This was possibly due to the long
period of inactivity between the initial reporting of the
allegation in 1971 and the initiation of this investigation
[REDACTED]

SOD-2795-77

PAGE 1 OF 2 PAGES
COPY 1 OF 34 COPIES

CLASSIFIED BY (ACSI/DA)
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPT FROM DECLASSIFICATION

~~CONFIDENTIAL~~
~~SECRET~~

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY CDR USAINSCOM FOWPO
Auth Para L-603 DON 5200 1D



~~SECRET~~

5 USC 552 (b) (6)

AEAGB-CI(SO)

SUBJECT: VII Corps Communications Center (76-045P) (U)

5. (U) This investigation is considered terminated by this office.

6. (U) ODCSI, USAREUR, Action Officer is [REDACTED]
AEAGB-CI(SO), HM 6871 (AUTOSEVOCOM 6742).

FOR THE DEPUTY CHIEF OF STAFF, INTELLIGENCE:

T.C. Hughes

49 Incl
as

for

ERNEST H. FOUNTAIN, JR.
Colonel, GS
Chief, Counterintelligence
Division

CF:

Cdr, 66th MI Gp I&S(PROV),
APO 09403

210

2

PAGE 2 OF 2
COPIES 1 OF 34 COPIES

~~SECRET~~

REGRADED UNCLASSIFIED
ON MAR 20 1998
BY CDR USAINSCOM FOIPO
Auth Rev 1-88 D-55000

Pages 211 and 212 are duplicates
of Pages 209 and 210, and therefore
were not addressed

~~CONFIDENTIAL~~

SUMMARY OF INFORMATION

For use of this form, see AR 381-130 & FM 30-17; the proponent agency is Office of the Assistant Chief of Staff for Intelligence.

5 USC 552a (b) (7) (D)

5 USC 552a (b) (7) (D)

PREPARING OFFICE

511th Military Intelligence Battalion, APO New York 09696

SUBJECT

VII Corps Communication Center
Kelley Barracks, Moehringen
Federal Republic of Germany

CODE FOR USE IN INDIVIDUAL PARAGRAPH EVALUATION

OF SOURCE:

COMPLETELY RELIABLE..... A
USUALLY RELIABLE..... B
FAIRLY RELIABLE..... C
NOT USUALLY RELIABLE..... D
UNRELIABLE..... E
RELIABILITY UNKNOWN..... F

OF INFORMATION:

CONFIRMED BY OTHER SOURCES.. 1
PROBABLY TRUE 2
POSSIBLE TRUE 3
DOUBTFULLY TRUE..... 4
IMPROBABLE..... 5
TRUTH CANNOT BE JUDGED..... 6

SUMMARY OF INFORMATION

1. ~~(C)~~ In December 1975

[REDACTED]

(B-6)

2. ~~(C)~~ Systematic groundwork was initiated to build a data base for investigative leads and to eliminate all the areas that did not meet the configuration parameters of available information. Discreet inquiries were made in an attempt to locate all facilities in the Stuttgart, Federal Republic of Germany (FRG), area which could have been referred to as "VII Corps Communication Center" in about 1971, and to locate all possible facilities with present or former fixtures that resembled those described by source. This activity included extensive screening of Engineer Real Property files for any renovation work, locating old rosters, and testing memories of personnel with long service or previous duty tours in the Stuttgart area. Numerous facilities were located which were, or had previously been, communications facilities, but failed to have the configuration being sought. Only Building 3304, Kelley Barracks, Moehringen, FRG, housing the Dial Central Office, was found to have some resembling configuration. Records indicated all of the Deutsche Bundespost (German Federal Postal and Telecommunications System) telephone lines into Kelley Barracks led into Building 3304 and the Dial Central Facility had been located in that building since shortly after the end of World War II. Numerous foreign nationals had over the years worked in the Dial Central Office or had access to the building.

Page 1 of 2 Pages
Copy 2 of 4 Pages

CLASSIFIED BY: Para 4b, AR 381-12, 13 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFIED UPON NOTIFICATION OF ACSI PA

(B-2)

213

DISTRIBUTION

Cys 1,2,3: to 66th MI Group (IAINTA-GPE-TGI) Cy 4: 511th MI Bn (IAINTA-GPE-N-CE)

DA FORM 1 DEC 51

568

REF GRADED CONFIDENTIAL

USES WD AGO FORM 568, 1 JUN 47, WHICH MAY BE USED

ON MAR 2 0 1993

~~CONFIDENTIAL~~

BY CDR USAINSCOM FOI/PA

Auth Para 1-603 DOD 5200.1R

CE-S-049-7

CONFIDENTIAL

SUMMARY OF INFORMATION: VII Corps Communication Center

5 USC 552 (b) (1)
10 June 1977
5 USC 552a (b) (7) (D)

3. ~~(S)~~ In May 1976, [REDACTED]

(B-6)

4. ~~(S)~~ In December 1976 [REDACTED]

(B-6)

5. ~~(S)~~ No information could be developed to indicate locations of radio communication facilities on Robinson Barracks, Stuttgart, FRG or any facility in that area known as the "Radio Building" in November 1967 or prior thereto, except that the 31st Military Police (MP) Detachment had maintained a radio capability at Robinson Barracks since 1948. There were no records available to indicate the 31st MP Detachment had ever applied access restrictions to the area housing its radio facility and the unit maintained no visitor control logs. No facility could be located on Robinson Barracks that was similar in configuration to the description given by source.

(B-2)

CONFIDENTIAL

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY CDR USAINSCOM FOI/PO
Auth Para I-603 DOD 5200.1R


~~CONFIDENTIAL~~

5 USC 552a (b) (7) (D)
5 USC 552 (b) (1) (D)

SUMMARY OF INFORMATION: VII Corps Communication Center

10 June 1977

6. ~~(S)~~ Analysis of the investigative results showed that after several hundred man-hours of investigative time had been expended, information was received that shifted the focus of the investigation to another installation in the greater Stuttgart area.










There were no additional leads on which to base further productive investigation and the investigation has been closed.

(B-2)

~~CONFIDENTIAL~~

~~SECRET~~

REPORT OF INVESTIGATION (Background or Complaint) (SR 380-320-10)				DATE SUBMITTED 4 February 1977	
SCOPE (If background) <input type="checkbox"/> LAC <input type="checkbox"/> GAC <input type="checkbox"/> PBI <input type="checkbox"/> CBI				CASE CLASSIFICATION LIMITED	
IDENTIFYING DATA					
1. LAST NAME - FIRST NAME - MIDDLE NAME N/A		2. SVC NO. (Mil) N/A	3. RACE N/A	4. GRADE N/A	5. ARM OR SVC N/A
6. DUTY OR JOB ASSIGNMENT N/A		7. DATE OF BIRTH N/A	8. PLACE OF BIRTH N/A		
9. DUTY STATION OR BUSINESS ADDRESS N/A		10. HOME OR QUARTERS ADDRESS N/A			
11. TITLE OF INCIDENT (Fire, explosion, etc.) VII Corps Communications Center (U)		12. DATE (Incident cases only) N/A		13. TIME (Incident cases only) N/A	
14. LOCATION (Installation, unit, building) Stuttgart-Moehringen, Federal Republic of Germany		15. SERIAL NUMBERS OF EQUIPMENT, TANKS, ETC. N/A			
CONTROL DATA					
16. CONTROL SYMBOL AND FILE NO. 76-045P B03130-052-77		17. INVESTIGATION MADE BY (Organization) 511th MI Battalion		18. CONTROL OFFICE 66th MI Group	
INVESTIGATIVE DATA					
19. INVESTIGATION REQUESTED BY 66th MI Group		20. REASON FOR INVESTIGATION 			
DATE INVESTIGATION					
COMPLETED 6 February 1976		COMPLETED 3 February 1977			
22. STATUS <input checked="" type="checkbox"/> CLOSED <input type="checkbox"/> TERMINATED <input type="checkbox"/> SUSPENDED <input type="checkbox"/> PENDING					
23. SYNOPSIS 					
24. DISTRIBUTION Original + two - CDR, 66th MI Group (MIIA-GPE-TC)  One, file copy - CDR, 511th MI Battalion (MIIA-GPE-N-CE) 					
25. OPERATIONS OFFICER 					
26. SIGNATURE 					

CLASSIFIED BY , AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

Page 1 of 3 Pages
Copy 1 of 4 Copies

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY DA USAINSCOM FO/PO
Auth Para 1-603 BOD 5200 1B

DA FORM 342 1 APR 52

REPLACES WD AGO

~~CONFIDENTIAL~~

WHICH MAY BE USED

CE 5-010-79 GPO (1) H-61-10M-8562

~~CONFIDENTIAL~~
~~SECRET~~

REPORT OF INVESTIGATION

SUBJECT: VII Corps Communications Center (U)

4 February 1987

5 USC 552a (b) (7) (D)
5 USC 552 (b) (1)

[REDACTED]

(44). Records of the Directorate of Facilities Engineers, Stuttgart Support Command, were examined and revealed that floor plans of buildings located on Robinson Barracks did not specify use of individual rooms or buildings, thus negating the possibility of identifying any radio communication facilities from floor plans (45). Facilities of three units located on Robinson Barracks which presently maintain radio communication facilities were examined and personnel questioned to determine information concerning the existence of a facility which would be similar to the description given by Source. The 589th Signal Company had facilities which were erected in 1965 but the buildings underwent extensive rebuilding in 1970. The unit did not maintain access rosters pertaining to the 1967 time period. The 31st Military Police Detachment had maintained radio capability since 1948 but there was no information to indicate the Military Police had ever applied access restrictions to the room housing their radio facility. The 856th Ordnance Detachment maintained a radio facility and various other ordnance units had maintained radio facilities at the same location since 1958. The interior of this facility remained unchanged since the mid 1960s. The unit did not maintain visitor control records. Visual examinations of the areas failed to disclose similarities between the area examined and the description of the area as furnished by Source (46).

(C) COMMENTS: After expending several hundred man-hours gathering data on the VII Corps Communications Center, information was received which shifted the focus of the investigation to a different area. The same information revealed that the

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY CDR USAINSCOM FOI/PO
Auth Para 1-603 DOD 5200.1R

2
217
[REDACTED]

Page 2 of 3 Pages
Copy 1 of 4 Copies

CE-S-010-77

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

CARAFE CRYSTAL (U)

2. DATE SUBMITTED

24 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. SUMMARY OF FINDINGS

41 (S) On 23 March 1976, [REDACTED], was interviewed in his residence concerning [REDACTED] White stated substantially as follows:

(S) [REDACTED]

(S) [REDACTED]

(S) [REDACTED]

100-1001-76
CL 1 OF 2 COPIES

REGRADED CONFIDENTIAL
ON MAR 20 1998

BY CDR USAINSCOM FOI/PO

Page 1 of 2 pages
Auth Para 1-603 DOD 5200.1R

Classified by ACSI DA (AR 381-47)
EXEMPT FROM CENTRAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION ON BASIS 2
DECLASSIFY ON NND 11652 by the originator

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

SP OF DET, USAIN

~~CONFIDENTIAL~~

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.

CE-S-CE-101-76

5 USC 552 (b) (1)
5 USC 552a (b) (7) (D)

Page 1 of 2 pages
(copy 1 of 1 of 2)

5 USC 552 (b) (6)

CONFIDENTIAL

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

CARAFE CRYSTAL (U)

2. DATE SUBMITTED

24 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (1)
5 USC 552a (b) (7) (D)

3. REPORT OF FINDINGS

(S) [REDACTED]

REGRADED CONFIDENTIAL

ON MAR 20 1998

BY CDR USAINSCOM FOI/PO

Auth Para I-603 DOD 5200.1R

Page 2 of 2 pages

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

SP OP DET, USAINTA

SIGNATURE OF SPECIAL AGENT

CONFIDENTIAL

5 USC 552 (b) (6)

Copy 1 of 1

DA FORM 341 1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.

CE-5-101-76

GPO: 1970 390-907/248

~~SECRET~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

CARAFE CRYSTAL (U)

2. DATE SUBMITTED

16 April 1976

5 USC 552a (b) (7) (D) CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (7) (D)

4. REPORT OF FINDINGS

4/2 On 14 April 1976, [redacted] with residence at [redacted] interviewed at the Fort Huachuca Field Office, 525th Military Intelligence Group, Fort Huachuca concerning any knowledge of [redacted] stated substantially the following information.

[redacted]

[redacted]

[redacted] Operations Officer, Stuttgart Station, may have knowledge of the incident. To the best of [redacted] knowledge, [redacted] is still assigned in the Stuttgart area.

WARNING NOTICE

SENSITIVE INTELLIGENCE SOURCES & METHODS REMOVED

CLASSIFIED BY CDR, USAINTA

EXEMPT FROM GENERAL DECLASSIFICATION

EXEMPT FROM EXECUTIVE ORDER 11652

EXEMPT CATEGORY 2

DECLASSIFY ON 31 DEC 2006

REGRADED CONFIDENTIAL

ON MAR 20 1998

BY CDR USAINSCOM FOI/PO

Auth Para I-603 DOD 5200.1R

~~SECRET~~

221

1002-76
1 2

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

525TH MI Group (HOF)

DA FORM 1 APR 52

341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.

5 USC 552 (b)

CE-S-102-76

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

19 April 1976

3. CONTROL SYMBOL & FILE NUMBER

4. REPORT OF FINDINGS

(C) On 17 April 1976, [REDACTED] SFC, US Army retired, with residence at [REDACTED] was interviewed concerning any information he had concerning subject. [REDACTED] April 1969 to December 1970, for [REDACTED] who was the source of the allegations concerning Subject. [REDACTED] furnished substantially the following information:

(C) [REDACTED] could not recall any discussion concerning Subject or Kelley Barracks, Stuttgart-Moehringen (NU 1197), FRG, APO New York 09107, with the source of the allegations. [REDACTED] noted the source of the allegations had a habit of omitting details concerning items under discussion. [REDACTED]

(C) AGENT'S NOTES: Reference Agent Report BO4132-410-76, dated 1 June 1976, subject as above, wherein information was contained pertaining to allegations made concerning the VII Corps Communications Center, on 6 December 1975, 23 January 1976 and 11 March 1976.

CLASSIFIED BY: D. 44, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACISI, DA

222

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

BO4132-015-77

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 50

~~CONFIDENTIAL~~
~~SECRET~~
AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

20 December 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

44 (S) U On 17 December 1976, information received from records of the 66th Military Intelligence Group, Munich (PU 9135), Federal Republic of Germany, APO New York 09108, revealed the following information concerning subject incident:

5 USC 552 (b) (1)

(S) [REDACTED]

(S) [REDACTED]

(S) [REDACTED] phs

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY CDR USARV COM FOIPO
Auth Para 1.603 DoD 5200. I-R

CLASSIFIED BY [REDACTED], AR 381-12, 18 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA 223

Page 1 of 52 Pages
Copy 1 of 42 (3) (b)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

NO B04132-016-77

6. SIGNATURE OF SPECIAL AGENT

[REDACTED] (b)

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 APR 52, WHICH MAY BE USED

~~CONFIDENTIAL~~

CE-S-009-77

5 USC 552 (b) (7) (D)

CONFIDENTIAL

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (CC) (U)

2. DATE SUBMITTED

14 January 1977

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

US (C) On 14 January 1977, records of the Directorate of Facilities Engineers (DFE), Stuttgart Support Command, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV 1209), Federal Republic of Germany (FRG), APO New York 09154, were examined and revealed the following information concerning Subject:

(C) DFE floor plans of buildings located on Robinson Barracks, Stuttgart-Bad Cannstatt (NV 1303), FRG, APO New York 09154, did not specify use of individual rooms or buildings, thus negating the possibility of identifying any radio-type communication facilities from these floor plans.

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
CLASSIFICATION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

224

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 66th MI Group

B04152-027-77

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341

1 APR 52

REGRADED UNCLASSIFIED

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED

ON MAR 20 1998
BY CDR USAINSCOM FOIPO

CONFIDENTIAL

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

19 January 1977

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~11-10-77~~ On 18 January 1977, facilities of the below listed units were examined and various individuals assigned to the respective units were cursorily questioned in an effort to determine the existence of a radio facility during the 1967 time period with the following results:

(U) 589th Signal Company, with facilities located in buildings 136,139, 211,212 and 108, Robinson Barracks (RB), Stuttgart-Bad Cannstatt (NV 1209), Federal Republic of Germany (FRG), APO New York 09154. Unit personnel man a microwave tower, which was erected in August 1965 and a Army Communications Command (ACOM) message center, which has been on RB since 1970. The buildings housing both installations underwent extensive interior rebuilding in approximately 1970. Both areas are restricted areas. However, the unit did not maintain access rosters pertaining to the 1967 time period.

(U) 31st Military Police Detachment, with facilities located in building 112, RB. Various military police units have occupied this building and have maintained radio capability in this building since 1948. The interior layout of the building has remained unchanged since the mid 1960's. There were no indications that the military police have ever applied restrictions on the access to the room housing the radio facility.

(U) 856th Ordnance Detachment (Explosive Ordnance Disposal), with facilities located in building 108, RB. Various ordnance units have occupied this building since 1956. These units have maintained radio capability in this building since 1958. The interior layout of this building has remained unchanged since the mid 1960's. The unit's area was restricted to authorized personnel only. However, the unit did not maintain visitor control records.

(U) Fire Control Station, Grenadier Kaserne, Stuttgart-Zuffenhausen (NV 1209), FRG, APO New York 09154. From 1946 to 1968, the Fire Control Station was located in building 126, RB. The unit maintained no radio facilities at that location and access to the facility was in no way restricted.

(U) Further attempts to locate units that maintained radio facilities on RB during the 1967 time period met with negative results.

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

225

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

BO4152-031-77

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 57, WHICH MAY BE USED
ON MAR 20 1998
BY CDR USAINSCOMEDIP
Auth Para 1-603 DOD 5200.1-R

~~CONFIDENTIAL~~

REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

19 January 1977

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

(C) Visual examinations of the areas failed to disclose similarities between the area examined and the description of the area as contained in Agent Report B04132-410-76, dated 1 June 1976, subject as above.

(U) AGENT'S NOTES: The above checks were conducted under the guise of a routine security inspection.

226

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-031-77

6. SIGNATURE OF SPECIAL AGENT

DA

FORM 341
1 APR 52

341

MAR 20 1977

BY CDR USAINSCOM FOIR

Auth Para 1-603 DoD 5200.1-P

~~CONFIDENTIAL~~

REPORT OF INVESTIGATION
(Background or Complaint)
(AR 381-130)

DATE SUBMITTED

30 June 1976

SCOPE (If background)

☐ LAC

☐ GAC

☐ PBI

☐ CBI

CASE CLASSIFICATION

Limited

IDENTIFYING DATA

1. LAST NAME - FIRST NAME - MIDDLE NAME VII Corps Communications Center (U)	2. SERVICE NUMBER/ SSAN N/A	3. RACE N/A	4. GRADE N/A	5. ARM OR SVC N/A
6. DUTY OR JOB ASSIGNMENT N/A	7. DATE OF BIRTH N/A	8. PLACE OF BIRTH N/A	9. DUTY STATION OR BUSINESS ADDRESS N/A	
11. TITLE OF INCIDENT (Fire, explosion, etc.) N/A		12. DATE (Incident cases only) N/A	13. TIME (Incident cases only) N/A	
14. LOCATION (Installation, unit, building) Moehringen, FRG		15. SERIAL NUMBERS OF EQUIPMENT, TANKS, ETC. N/A		

CONTROL DATA

16. CONTROL SYMBOL AND FILE NO. B03130-622-76 (76-045P)	17. INVESTIGATION MADE BY (Organization) 511th MI Battalion	18. CONTROL OFFICE 66th MI Group
---	--	-------------------------------------

INVESTIGATIVE DATA

19. INVESTIGATION REQUESTED BY 66th MI Group	20. REASON FOR INVESTIGATION (C) [REDACTED]
21. DATE INVESTIGATION COMMENCED 6 February 1976	COMPLETED

22. STATUS ☐ CLOSED ☐ TERMINATED ☐ SUSPENDED ☒ PENDING

23. SYNOPSIS (C) This investigation resulted from the disclosure by [REDACTED].
[REDACTED]

Systematic ground work to build up a data base from which to draw investigative leads commenced on 18 February 1976, when [REDACTED] I Corps Communications Center (CC), assisted in a visual inspection of the CC, which was located in building 3315 at Kelley Barracks, Stuttgart/Moehringen (NV1197), FRG. [REDACTED] CC Officer, pointed out that the CC was undergoing renovation, and numerous Local National (LN)

REGRADED CONFIDENTIAL

ON MAR 20 1998

BY CDR USAINSCOM FOIPO

Auth Para 1.603 DoD 5200.1-R

CLASSIFIED BY [REDACTED] 13 OCT 74
EXEMPT FROM AUTOMATIC DOWNGRADING AND
DECLASSIFICATION SCHEDULE C
EXEMPTION CODE 25X(1) UNDER 1.6032
DECLASSIFY ON [REDACTED] OF ACRL DA

24. DISTRIBUTION 66th MI Group: Original plus two 227
511th MI Battalion: File FOS: File

25. REVIEWED BY [REDACTED]

TYPED NAME AND TITLE [REDACTED] DAC, Operations Officer

SIGNATURE [REDACTED]

DA FORM 342 1 APR 52

REPLACES WD AGO FORM 342

WHICH MAY BE USED.

~~CONFIDENTIAL~~

~~SECRET~~

5 USC 552 (b) (6)

REPORT OF INVESTIGATION
SUBJECT: VII Corps Communications Center (U)

30 June 1976

personnel were assisting in the renovation. The inspection failed to reveal any piece of equipment or door/window which resembled the items described by NFN217158 [REDACTED] explained that personnel from the 34th Signal Battalion manned the CC; that sixteen individuals had routine access to the CC; and that repair work on the CC equipment was normally completed by the 34th Signal Battalion at Kabbenloch Kaserne, Ludwigsburg (NV1507), FRG (2). On 19 February 1976, [REDACTED], 15th Transportation Company (15TC) stated the 15TC, located in Building 3304, utilized the entire building, with the exception of a portion of the first floor, which [REDACTED] believed housed a telephone exchange (3). On 19 February 1976, [REDACTED] Special Troops Battalion, Kelley Barracks, provided the information that the Dial Central Office (DCO), Kelley Barracks, was located in building 3304 and had been for a number of years (4). On 19 February 1976, offices of the US Army Special Security Detachment (USASSD), VII Corps, Kelley Barracks, was visually inspected and failed to reveal any piece of equipment or fixture which would resemble the items described by NFN 217158 (5). On 12 February 1967, inspection of a 1953 floor plan of building 3315 (VII Corps Headquarters), revealed several notations indicating rooms which might have contained communications equipment. A floor plan of building 3304, showed that six rooms were listed as housing the "US Army Communication Command" (6). On 19 February 1967, a visual inspection of the DCO, building 3304, revealed some electronic items which might resemble items described by NFN 217158 (7). An examination of Engineer Plans on 1 March 1976, revealed a notation indicating a "COMM CENTER" was also located in building 3304. The DCO was currently located in that building (8). On 1 March 1976, [REDACTED] (ACOS), G-2, VII Corps, stated the USASSD had been at Kelly Barracks for approximately three years. His knowledge of the USASSD did not indicate the existence of any equipment resembling the description of the equipment [REDACTED]. Only persons with Special Intelligence (SI) clearances were allowed access to the USASSD. LN's and Third Country Nationals (TCN's) occasionally had access for repair purposes, but they were always escorted, and were required to sign in and out (9). On 10 February 1976, [REDACTED], 589th Signal Company, Robinson Barracks, Stuttgart/Bad Cannstatt (NV1605), FRG, related that the 589th operated the DCO in building 3304, Kelley Barracks. The DCO handled all internal telephone calls within Kelley Barracks, as well as relays all calls originating or terminating outside Kelley Barracks which include one of the Kelley telephones. Derr confided the 589th and the DCO had personnel problems due to lax discipline (10). On 28 February 1976, examination of the CI Branch, Security Division, ACoS, G-2, VII Corps revealed numerous records relating to past CI technical surveys and inspections (11). On 20 February 1976, revealed a report dealing with a physical security survey of Kelley Barracks (12). On 13 February 1976, a copy of a physical security inspection of Kelley Barracks, completed in September 1975, was obtained which rated Kelley Barracks unsatisfactory (13). On 13 February 1976, a Security Clearance Roster was obtained from the CI Branch, Security Division, ACoS, G-2 (14). A similar

Page 2 of 2 Pages

228

REGRADED UNCLASSIFIED
ON MAR 23 1998
BY [REDACTED] CDR USNINSCOM/EOPO
Auth Para 1-6.0 DoD 5200.1-P

~~CONFIDENTIAL~~

REPORT OF INVESTIGATION
SUBJECT: VII Corps Communications Center (U)

30 June 1976

list for personnel of the 34th Signal Battalion was obtained from the same office on 13 February 1976 (15). On the same date, in the same office, records of several past CI technical inspections and surveys were obtained (16). On 11 March 1976, Real Property Jacket Files of Engineer Plans were examined and discounted the existence of communications equipment or installations in a large number of buildings on Kelley Barracks (17). On the same date, a list of each building on Kelley Barracks with its designated tenant was obtained from the Directorate of Facilities Engineers, Stuttgart Support Command, Grenadier Kaserne, Stuttgart/Zuffenhausen (NV1209) (18). On 11 March 1976, examination of Real Property files revealed installation of equipment in the CC which might resemble the items described by NFN217158 (19). Other Real Property files were examined on the same date and revealed other repair work or alterations for security reasons at building 3314, Kelley Barracks (20). A visual examination of building 3313 and building 3314 failed to reveal any resemblance to [REDACTED] by NFN217158 (21). A visual inspection of building 3305, on 16 March 1976, revealed some similarities, but nothing conclusive (22). On 18 March 1976, records of the Work Coordination Section, Directorate of Facility Engineers, Grenadier Kaserne, revealed numerous job orders for alteration work on various buildings on Kelley Barracks (23). On 22 March 1976, records of the Office of the Installation Coordinator, Kelley Barracks, revealed a report entitled "Analysis of existing Facilities-Kelley Barracks", which showed some alteration took place in 1972, converting twenty billeting spaces in building 3304 to a Communications Center. This probably refers to the DCO (24). On 22 March 1976, [REDACTED] Fire Support Section, Office of the Artillery Officer, VII Corps, related that portions of building 3314 were used for storage of Communications Security (COMSEC) material, but no rooms had ever been used for a communications center (25). On 31 March 1976, Fire Marshal records were examined but revealed no information pertinent to the CC (26). On 1 May 1976, NFN 217158 was interviewed at length [REDACTED]

[REDACTED] however, he was certain that the VII Corps Communications Center had been mentioned during the conversation, and the implication was that [REDACTED] the VII Corps CC (27). On 5 May 1976, files of [REDACTED]

[REDACTED] On 23 April 1976, [REDACTED] Operations Officer, Field Office Stuttgart (FOS), 511th MI Battalion, provided information from his memory [REDACTED]

[REDACTED] On 6 May 1976, Real Property Jacket Files for Funker Kaserne were examined and failed to reveal any facility on the Kaserne which resembled a communications center (30). On 7 May 1976, a tour of Funker Kaserne failed to reveal any facility on the kaserne which

~~CONFIDENTIAL~~

5 USC 552 (b) (1)

5 USC 552a (b) (7) (D)

ON MAR 20 1988
BY CIA USAINSD/MP/PO
Auth Para 1.603 DoD 5200.1-R

Page 3 of 3
Conv 2 of 3
Pages
Copies

~~CONFIDENTIAL~~

REPORT OF INVESTIGATION

30 June 1976

SUBJECT: VII Corps Communications Center (U)

5 USC 552 (b) (5)
(b) (1)
Assembled a communications center, including the RRS (31). Also on 7 May 1976, a complete list of all buildings and their respective tenants was obtained from the Directorate of Facility Engineers, Grenadier Kaserne (32). On 11 May 1976, the security clearance roster of the 589th Signal Company was obtained (33). On 13 May 1976, a copy of the Monthly Civilian Personnel Status and Vacancy Report for the 589th Signal Company was obtained. The list included five names of interest, including three persons who were originally from Czechoslovakia German Democratic Republic, or what is now Poland (34). On 25 May 1976, records of the Civilian Personnel Office, Robinson Barracks, Stuttgart, revealed three of those persons to be working as telephone operators while a fourth, a Czechoslovakian refugee, now a FRG citizen, worked as a communications supervisor, Signal Section, Robinson Barracks. A fifth CPO check was conducted on the operator born in the German Democratic Republic (35,36,37,38,39). On 9 April 1976, files of the Military Police Station, Kelley Barracks revealed numerous entries on personnel from the 34th Signal Battalion (40).

5 USC 552a (b) (7) (D)
(b) (1)
COMMENTS: Several hundred man-hours have been expended in gathering the data described. With the exception of some names, none of which have access to the CC, no new leads have been developed. The revelation made by [REDACTED] that he was not entirely certain [REDACTED] sheds a different light on the scope of the investigation. So also does the fact that [REDACTED] showed an inconclusive reaction during the polygraph exam. The fact that [REDACTED] were allegedly shown in about 1971 with no possibility of knowing when the photos were taken, would leave doubt that, if any facility was photographed, it would [REDACTED] After results of current checks on the individuals mentioned in the last few Agent Reports are examined, there may be speculation as to whether we are any closer to our goal, or if we are even looking in the right place. 66th MI Group guidance is solicited in the further definition of this investigation, as well as ancillary avenues of investigation not apparent to this Battalion.

REGRADED ~~CONFIDENTIAL~~
ON 21 NOV 02
BY USAINSCOM FOI/PA
Auth Para 4-102, DOD 5200.1R

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

1 June 1976

3. CONTROL SYMBOL OR FILE NUMBER

WARNING: THIS IS A CONFIDENTIAL
INTERVAL
METEOROLOGICAL (TEL)

4. REPORT OF FINDINGS

/ Cu on 6 December 1975, 23 January 1976 and 11 March 1976, Source NFN 217158 (U) provided the following information concerning SUBJECT:

2 In approximately 1971

5 USC 552 (b) (1)

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

REGRADED CONFIDENTIAL
ON MAR 20 1998
BY CDR USAINSCOM FOIPO
Auth Para 1.603 DoD 5200. I-R

5. TYPE NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-410-76

6. SIGNATURE OF SPECIAL AGENT

231

~~CONFIDENTIAL~~

DA FORM 341

1 APR 52

REPLACES WD AGO

5 USC 552 (b) (6)

5-091-76

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

(C) On 18 February 1976, [REDACTED] Communications Center (CC) Officer, Office of the Signal Officer (SIGO), Headquarters, VII Corps, Kelley Barracks, Stuttgart/Moehringen (NUL197), Federal Republic of Germany (FRG), APO New York 09107, was interviewed concerning the vulnerability of various SIGO sections. In conjunction with this interview, [REDACTED] conducted a tour of the following SIGO sections: CC; Communications Security (ComSec) Office; Jayhawk Switchboard; Radio-Wire Integration (RWI) unit; and tactical communications vans. The interview and visual inspections revealed the following substantive information:

(C) Military personnel from the 34th Signal Battalion manned the CC, which consisted of rooms 006, 007, 025, 026, and 027, building 3315 (Corps Headquarters), Kelley Barracks. The CC was a Restricted area. At the time of interview the CC was undergoing renovation by contracted local national (LN) and third country national (TCN) personnel. The majority of the 16 military personnel in VII Corps SIGO had routine access to the CC. In the past (nfi), LN employees of the Facilities Engineers had controlled access to the CC to effect utility-type repairs. These LN's were required to sign in and out of the CC and were escorted at all times while inside the CC. Repair of secure communications equipment was accomplished by 34th Signal Battalion or 5th Signal Command personnel. ComSec workers did not have routine access to the CC. Outdated access rosters were destroyed. Thirty days of message traffic were maintained on file in the CC. SIGO maintained some CC records such as SOP's and past investigations UP AR 15-6. Other CC records (nfi) were maintained by the S2, 34th Signal Battalion, Krabbenloch Kaserne, Ludwigsburg, FRG, APO NY 09154. During the walkthrough of the CC, room number 007, in which TOP SECRET material was transmitted and received, a Trane air conditioner was observed. The air conditioner had approximately seven or eight louvers in the upper third of its metal front. Two KW-26 secure communications devices were also present in this room. Nothing resembling a glass-topped Dutch door was observed.

(C) The ComSec office (rooms 028 and 029, building 3315) was physically inspected. In addition to ComSec personnel, the Signal Officer and his Deputy, the Signal Operations Officer, Source, and subordinate unit communications personnel had access to the ComSec office. No communications equipment, glass-topped Dutch doors or items having louvers were seen.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM/FOIR

Auth Para 1-603 DoD 5200.1-R

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

232

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment
B04132-173-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.

5 USC 552 (b) (6)

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

~~(C)~~ The Jayhawk Switchboard (rooms 004 and 005, building 3315) were physically inspected. Except for the switchboard itself and the RWI unit, no other equipment of a communications nature was observed. The RWI unit was located in the "frame room" (number 005) of Jayhawk Switchboard. This RWI consisted of an Army transmitter/receiver with a wire microphone attached. Both pieces of equipment were on top of a handmade desk/table. Source stated that the RWI equipment consisted of an RT-524 and a GSA-7. No louvers or glass-topped Dutch doors were sighted.

~~(C)~~ Due to the on-going renovation of the CC, the communications for VII Corps was performed by a communications van configuration located behind building 3315, Kelley Barracks. The vans were designated a Restricted area. Various types of secure communications devices were present in the vans. No glass-topped Dutch doors or any items having louvers were observed.

AGENT'S NOTES: The above information was collected under the guise of conducting a Target Analysis Report of Kelley Barracks and its tenant units/facilities.

REGRADED UNCLASSIFIED

ON

MAR 20 1998

BY

1. CDR USAINSCOM FOIPO

Auth Para 1-603 DoD 5200 1-12

233

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

207th MI Detachment

B04132-173-76

6. SIGNATURE OF SPECIAL AGENT

5 USC 552 (b) (6)

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, UNCHANGED

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

On 19 February 1976, [REDACTED] Acting First Sergeant, 15th Transportation Company, Special Troops Battalion (Provisional), VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO NY 09107, was interviewed in conjunction with a Target Analysis Report of Kelley Barracks. [REDACTED] stated in substance the following information pertinent to SUBJECT:

(C) The 15th Transportation Company occupied and utilized all of building 3304, Kelley Barracks, except for a portion of the first floor which was used by a communications unit Source believed to be a telephone exchange. The communications facility was reached by using the door in the basement on the west side of building 3304 to gain access to the stairwell leading to the communications facility. Source had no further knowledge concerning the communication facility's function, space utilization, equipment, personnel, or configuration. Source believed that at some time prior to October 1974, the 15th Transportation Company had moved to Kelley Barracks from Flak Kaserne, Ludwigsburg, FRG, APO NY 09154. Source believed that [REDACTED] Special Troops Battalion, VII Corps, Kelley Barracks, would have additional information concerning the past status of the 15th Transportation Company. The portion of building 3304 occupied by 15th Transportation Company was used as routine company administrative areas: Day Room; Orderly Room; First Sergeant's Office; Commander's Office; billeting areas for assigned personnel and an office which was used for administrative matters dealing with the unit mission. The 15th Transportation Company did not have any communications center or facility, did not have a radio or teletype capability, and did not have any communication capability other than regular telephones.

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM CENTRAL DECLASSIFICATION
SCHEDULE 1, EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

RECORDED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FOIPO

Auth Para 1-603 DoD 5200 1-P

NAME OF SPECIAL AGENT

66th MI Group

B04132-175-76

234

6. SIGNATURE OF SPECIAL AGENT

5 USC 552 (b) (6)

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

USC 552 (b) (6)

4. REPORT OF FINDINGS

4 (C) on 19 February 1976, [REDACTED] Special Troops Battalion (Provisional), VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO NY 09107, was interviewed in conjunction with a Target Analysis Report. [REDACTED] former First Sergeant, 15th Transportation Company, Special Troops Battalion (Provisional), Kelley Barracks, from July 1974 to May 1975, stated substantially the following information pertaining to SUBJECT:

(C) In 1970 or 1971, the 39th Transportation Company, VII Corps, Kelley Barracks, was redesignated the 15th Transportation Company. The redesignation did not affect the unit's function, mission, or capability. At the time of redesignation, the unit was in building 3304, Kelley Barracks, which it currently occupies. Source opined that the building had been tenanted for many years by transportation units and referred to a map of Kelley Barracks dated 1958 which showed a transportation unit as a tenant in building 3304. The Dial Central Office (DCO), Kelley Barracks, had been in its present location in building 3304 "for years" (nfi).

AGENT'S NOTES: Reference Agent Report B04132-175-76, subject as above, dated 27 February 1975, wherein it was reported that Source had information concerning tenant units in building 3304. The above information was collected under the guise of gathering information of historical significance for a Target Analysis Report.

REGRADED UNCLASSIFIED

ON MAR 20 1998
BY CDR USAINSCOM FOIPO
With Para 1 603 DoD 5200.1-P

CLASSIFIED BY: Para 4b, AR 381-12, 18 Oct 74
EXEMPT FROM CENTRAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment 235
B04132-176-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

USC 552 (b) (6)

4. REPORT OF FINDINGS

~~SECRET~~ On 19 February 1976, [REDACTED] Commander, United States Army Special Security Detachment (USASSD), VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO NY 09107, was interviewed in conjunction with a vulnerability survey. [REDACTED] stated in substance as follows:

~~SECRET~~ During October-November 1975, rooms 18, 18a, 19 and 28 through 34 in the eastern basement of building 3315 (Corps Headquarters) were completely renovated by contracted local nationals (LN's). Rooms 18, 18a, 33 and 34 belong to SSD, while rooms 28 through 32 are used by the G2 Production and Analysis (P and A) section and the ASA Tactical Support Element (ATSE). Room 19 is a conference room used by all of the above elements. Together, SSD, P and A, and ATSE constitute the All-Source Intelligence Center (ASIC). SSD utilizes teletypewriters and encryption devices. The 13 SSD personnel are assigned to ACSI, DA. No LN or third country nationals (TCN's) are employed by the Kelley Barracks SSD. During the above mentioned renovation, LN's worked under the direct observation of G2 personnel.

~~SECRET~~ AGENT'S NOTES: The above information was collected under the guise of conducting a Target Analysis of Kelley Barracks and its tenant units. More information was not elicited from [REDACTED] since the ACoS, G2, [REDACTED], was available for interview. The only part of the ASIC not physically inspected was the secure communications area (the western portions of rooms 34 and 18a). No glass-topped Dutch doors or louvers of any description were observed in the other portions of SSD, or in P and A/ATSE. Room numbers above were provided by Burroughs. Rooms 18, 18a, 19 and 28 through 34 correspond to rooms 008, 024, 009, and 017 through 023 respectively on the 1953 Post Engineer map of Kelley Barracks, which is attached as an exhibit to Agent Report B04132-171-76, dated 27 February 1976, subject as above.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY : CDR USAINSCOM FOIR

Auth Para 1-603 DoD 5200.1-R

CLASSIFIED BY [REDACTED] ON 10-20-74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

USC 552 (b) (6)

236

5. NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment

B04132-174-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED SIGNATURE]

DA FORM 341 1 APR 52

REPLACES WD AGO FORM 341

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

29 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

On 19 February 1976, a visual inspection of the operational and billeting area of the Dial Central Office (DCO), Building 3304, Kelley Barracks, Stuttgart/Moehringen (NUI197), Federal Republic of Germany (FRG), APO New York 09107, Room 108 and two unnumbered rooms were visually inspected which revealed substantially the following pertinent information:

The entrance to the DCO area, the adjacent offices and billet areas was reached by a stairway, the entrance to which was on the west side at the basement level of building 3304. Adjoining the first floor landing of the stairwell was the entrance to the DCO. The door was the type commonly found in buildings occupied by the American Forces which were formerly used by German Forces. The door was approximately 38 inches wide by 83 inches high. The door was inset with five wooden panels, the top two of which were removed and replaced with a glass window. It was not known when this change was made but the work did not appear recent. The window was partially covered with various signs, warning notices, instructions and access rosters. The entrance had signs designating the DCO a Restricted Area, but the notices did not appear to conform to the provisions of AR 380-20 (Restricted Areas). Room 105 appeared to be office space. The corridor was partitioned off approximately one meter north of the north wall of room 105, converting that portion of the hallway adjacent to room 105 into a combination reception-work area. Room 104 had a sign on it that read: Technician's Room. Room 102 was used as billeting space and room 101 had been subdivided to form two billeting rooms. Room 108 was the DCO. This room was not subdivided and appeared to fit the dimensions given on the floor plan (5 meters wide by 14.60 meters long). The room was filled with banks of electronic/telephone communications gear which laterally divides the room. The banks are of varying degrees of width, from 18 inches to 30 inches wide. The banks were located at varying intervals from one another, usually three to four feet apart. The banks appeared to be the type of electronics equipment, circuits, and switches that one would expect in a telephone circuit/switching center. The first bank of equipment closest to the entrance of room 108 was partially made up of grey metal boxes arranged in series and rows, each box extended through the bank. Each box was approximately 24 inches long, 14 inches wide, and 6 inches high. There was a horizontal space of less than one-half inch between each box. The bank of boxes extended across the room. Each box contained telephone circuits.

In the approximate center of the room (number 108) was a space of approximately six to seven feet in the middle of which stood a wooden desk of the type commonly found in US Army offices in USAREUR. The front portion of the desk (on the side away from the user) had been fitted with a vertical extension that resembled a pigeon hole desk top. The addition was approximately

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

BU4132-172-76

6. SIGNATURE OF SPECIAL AGENT

EXEMPTED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION SCHEDULE OF EXECUTIVE ORDER 11652

NOTIFICATION OF ACSI, DA

DA FORM 341 1 APR 52

REPLACES WD AGO FORM 341, 1 JUL 47, WHICH MAY BE USED

ON MAR 20 1998

BY CDR USAINSCOM FORPO

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

29 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

18 inches high and 12 inches deep. The right (from the user's position) side of the addition had several metal electronic components which were arranged vertically. Each component was fitted into the desk addition, so that one could see only the face of the component, each of which had several needle type dial faces, several long switches, and female jack input plus. The middle portion of the desk addition was composed of a panel in which were several needle type dial faces and several rows of female jack input plugs. The left side of the desk addition has several pigeonholes in several of which were telephones. Several pigeon holes were also used for storing pieces of paper and publications. The door to room 108 was wooden, approximately 82 inches by 35 inches without any subdivisions or panels. None of the doors, other than the entrance door to the DCO facility, were subdivided or paneled in any way. Entry into the DCO facility was gained by pressing a buzzer to bring someone to allow entry. There was difficulty in gaining entry as the on-duty personnel were absent and personnel who were off-duty had to be awakened. The door to the DCO facility was locked. A roster of personnel authorized entry was observed. This roster included names of local nationals (LN).

~~(S)~~ AGENT'S NOTES: The roster of assigned personnel was not closely observed however it is believed, based on interviews, that a minimum of 3 US Forces personnel are assigned in addition to two LNs. The desk with vertical addition in room 108 could appear to have a transmitter type function in that the various dials, switches, plugs, and the telephones in and on the desk could give that impression. The bank of boxes containing electronic gear, because of their flat surface and space between one another could appear in a photograph so that if one were searching for a word to describe their appearance, the word or concept "louvers" might be used. In the opinion of the reporting agent, discipline and control of personnel at the DCO was very lax. Entry was tightly controlled but only because it was a billeting area. The entrance to room 108 was locked with a US Army type key padlock but the access to the key appeared readily accessible. The configuration of the equipment in room 108 was such that any obvious unauthorized equipment or devices would be apparent to trained personnel unless the equipment was supposedly authorized.

DECLASSIFIED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM FOIRG

with Para 1-403 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

66th MI Group

B04132-172-76

6. SIGNATURE OF SPECIAL AGENT

238

5 USC 552 (b) (6)

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

27 February 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

7. ~~(C)~~ On 12 February 1976 [REDACTED] Base Support Office, Installation Coordinator (IC), Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO NY 09107, was contacted concerning a vulnerability study of Kelley Barracks. [REDACTED] furnished copies of a Kelley Barracks map dated April 1967 (EXHIBIT [REDACTED]) and 1953 Post Engineer floor plans of buildings 3304 through 3306, 3308 through 3309, and building 3315, Kelley Barracks, attached at EXHIBIT [REDACTED]. Analysis of the April 1967 map and the floor plans revealed the following pertinent information:

~~(C)~~ On a 1953 floor plan of building 3315 (Corps Headquarters) the current Communications Center (CC) area in the basement (rooms 006, 007, 025, 026, and 027) was not listed as a CC. However, a "VHF Room" and "Switch Board" were depicted on the floor plan in rooms 004 and 005 which now house Jayhawk Switchboard and the Radio-Wire Integration (RWI) unit respectively.

~~(C)~~ A total of six rooms (112 through 117) of building 3304 were occupied by the "U.S. Army Communication Command" according to a penned entry on the 1953 floor plan of this building. The Telephone Exchange, also known as the Dial Central Office (DCO) occupied room 117. The April 1967 Kelley Barracks map revealed that building 3304 belonged to "Co C 35 T, Co C 35th S & S Bn". The Dental Clinic, building 3303, was located immediately to the West of 3304.

~~(C)~~ Additionally, four rooms in building 3305, two rooms in building 3306, three room in building 3308, and at least one room in building 3309 were annotated with the words "radio maintenance" or something similar on the 1953 floor plans. The 1967 map indicated that "34th Signal" was in building 3308 (nfi). A detachment of 34th Signal Battalion now occupies billet space on the second floor of building 3309 which is also occupied by the 207th MI Detachment. The balance of the 34th Signal Battalion currently resides at Krabbenloch Kaserne, Ludwigsburg, FRG, APO NY 09154.

~~(C)~~ AGENT'S NOTES: The above information was collected under the guise of conducting a Target Analysis of Kelley Barracks and its tenant units/facilities. Bldg 3307 was currently a mess hall facility.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOME/ED

Auth Para 1.603 DoD 5200.1-R

CLASSIFIED BY Para 45 AR 381-12, 13 Oct 74
EXEMPT FROM COMINT DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

239

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment

B04132-171-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 MAR 52

66th MI Group



EXHIBIT COVER SHEET

VII Corps Communication Center (U)

Subject:

File Number:

Preparing Unit:

511th MI Battalion, APO 09696

Agent Report Dated:

27 February 1976

Description:

Map of Kelley Barracks, dated
April 1967

EXHIBIT _____

240

[illegible]

**KELLEY BARRACKS
STUTTGART – MÖHRINGEN**

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

27 February 1976

Description:

Post Engineer Plans of Buildings 3304, 3305, 3306, 3308, 3309, and 3315, Kelley Barracks, dated 1953.

242

EXHIBIT _____

55 Spaces

Office IC

- | | |
|--------|-------------------------|
| Fcl | Limestone |
| Fcat | Asphalt tiles |
| Fcgt | Granite () |
| Fctt | Terrazzo tiles |
| Fclatt | Limestone tiles |
| Fcct | Ceramic tiles |
| Fcast | Solnhofen tiles |
| Fpw | Wooden |
| Fpg | Granite |
| Fpo | Cinder |
| Fpb | Brick |
| Fws | Softwood |
| Fwbty | Beech tongued & grooved |
| Fwoty | Oak tongued & grooved |
| Fwpty | Pine tongued & grooved |
| Fwbp | Beech parquet |
| Fwop | Oak parquet |

HI Inside height
FH Floor height

13 SPACES

Shower

Boat Water Closet

9 Diverted to Class room (2nd Floor)

Lavatory

TOTAL DIVERTED SPACES

Uninhab. Quarter-type

Bath-tub

GROSS SPACES 120


Quartermaster Allow 5 (5.02)

NET SPACES 114

- # Commodes = 12 x 10 = 120
- # Sinks = 2 x 10 = 20
- # Urinals = 8 x 15 = 120
- # Showers = 14 x 12 = 168

Integrity Allow


DATE	NO	REVISION	DRAWN BY
<p>STUTTGART POST</p> <p>OFFICE OF THE POST ENGINEER</p> <p>BILLET S</p> <p>KELLEY - BARRACK</p> <p>243 MOEHRINGEN</p> <p>SCALE: 1:200 1/16/53 SHEET</p> <p>DATE ACTION BY (SIGNATURE)</p> <p>RENNERT</p>			



FIRST FLOOR

1H - Rooms = 3.10 m
1H - Hallway = 3.10 m

FH = 3.40 m



BASEMENT

1H-Rooms - 2.40 m

1H-Hallway - 2.40 m


BLDG # 300

FWS
 FCL
 Fcaot
 FWBP
 FFC



DATE	NO	REVISION	DRAWN BY	APPR BY	
<p align="center"> STUTTGART POST OFFICE OF THE POST ENGINEER BILLET S KELLEY - BARRACKS MOEHRINGEN </p>					
SCALE 1:200			SHEET NO 1 OF 1 SHEETS		
DATE	ACTION	BY (SIGNATURE & TITLE)			
10-3-51	SURVEYED	Remmert			
15-3-51	DRAWN	Remmert			
16-3-53	CHECKED	Klusmann			
		APPROVED			

PLG
 3305




1H - Rooms 007 - 019 = 2.35 m
 1H - Hallway = 2.35 m
 FH = 2.70 m

LEGEND



IH - Rooms 001 - 019 = 2.35 m
 IH - Hallway = 2.35 m
 FH = 2.70 m




LEGEND

- FWs Softwood
- Fcl Linoleum
- Fcaot Solnhofen tiles
- Fwbp Beech parquet
- Fca Ceramic tiles
- FPC Cement
- Shower
- Boat Water Closet
- Lavatory
- Urinals
- Temporary Partition

FWBP
FCL

DATE	NO	REVISION	DRAWN BY	API B
<p>STUTTGART . . . POST</p> <p>OFFICE OF THE POST ENGINEER</p> <p>BILLETS</p> <p>KELLEY - BARRACKS</p> <p>MOEHRINGEN</p>				
SCALE 1:200		SHEET NO 1 OF 1 SHF		
DATE	ACTION	BY (SIGNATURE & TITLE)		<p>ELD</p> <p>33C</p>
10-3-51	SURVEYED	Remmert		
15-3-51	DRAWN	Remmert		
16-3-53	CHECKED	Hawant		
		APPROVED		

249



3/11/23

251

Salmon . . . 1

BLDG
3308



2 SPACES
1 Diverted Office

Fjt
Fjc
Fcr
Fccb
Fcl
Fcat
Fcgt
Fcft
Fclatt
Fcct
Fcset

Terrazzo
Cement
Rubber
Clinker brick
Linoleum
Asphalt tiles
Granite tiles
Terrazzo tiles
Limestone tiles
Ceramic tiles
Solnhofen tiles

IC's
office

Fpw
Fpg
Fpo
Fpb
Fwa
Fwbtg
Fwoig
Fwptg
Fwbp
Fwop

Wooden
Granite
Cinder
Brick
Softwood
Beech tongued
& grooved
Oak tongued
& grooved
Pine tongued
& grooved
Beech parquet
Oak parquet

SPACES
Planted space Office
Diverted Dayroom

TOT Div Office 19
Dayroom 8
TOT 27

IH Inside height
FH Floor height

Shower
Bowl Water Closet
Urinals
Lavatory
Temporary Partition

285 SPACES = 135
Office (6.35) = 6
Diverted Space = 175


of windows 11 x 15 = 16
of doors 15 x 10 = 15
of stairs 15 x 10 = 15
of elevators 15 x 10 = 15

NO DIVERTED
OFFICES
15 SPACES
15 SPACES
11

253

DATE	NO	REVISION	DRAWN BY	APPROVED BY
<p>STUTTGART POST</p> <p>OFFICE OF THE POST ENGINEER</p> <p>BILLET</p> <p>KELLEY-BARRACKS</p> <p>MOEHRINGEN</p>				
SCALE: 1:200		SHEET NO 1 OF 1 SHEET		
10-3-51	SURVEYED	Remmert		
10-3-51	DRAWN	Remmert		
11-3-53	CHECKED	Remmert		
	APPROVED			


BLI
330




1C(34th) Sig Det + III Corps Hq - Rooms 301 = 325m, 302 = 349m, 303m FH = 346m
 Road 300m - Highway = 320m

Toilet - Wash-Rooms

Room 150 57m²
 170 45m²




255
 7 Div




Complete map stored w/Installation Coord.

Rooms are utilized as offices



50.78



3315

H-ROOMS = 046-400 = 1.00
050-070 = 1.00
075-085 = 1.00
086-096 = 1.00

1A-1A100000
FN

Kelley Barracks
BLDG # 3315

8 Dec 84		Up to date		10	
DATE	NO.	VISION		DRAWN BY	BY
<p>STUTTGART POST</p> <p>OFFICE OF THE POST ENGINEER</p> <p>CORPS Hq BUILDING</p> <p>KELLEY BARRACKS</p> <p>MOEHRINGEN</p>					
SCALE 1/200		SHEET NO. 1 OF 1			
DATE	ACTION	BY (SIGNATURE & TITLE)			
10-85	SURVEYED	Remmert			
10-85	DRAWN	Remmert			
10-85	CHECKED	plum			
APPROVED					

256


331

1H - HALLWAY
FH
3.00 M
3.40 M

FIRST FLOOR

1H - ROOM 9 - 11-00-030-032 = 2.35 M
006-027-025-029 = 2.45 M
1H - HALLWAY = 2.45 M
FH = 3.00 M

BASEMENT



Custodial Services Required

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

2 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

8. ~~Text~~ On 1 March 1976, [REDACTED], Senior DA Civilian, Chief, Administration Branch, Engineer Plans and Real Property, Stuttgart Support Command, Director of Facilities Engineers (DFE), Grenadier Kaserne, Stuttgart/Zuffenhausen, Federal Republic of Germany (FRG), APO NY 09154, furnished copies of DA Form 2877, Real Property Record, for buildings 3304 through 3310 and building 3315, Kelley Barracks, Stuttgart/Moehringen (NU1197), FRG, APO NY 09107. An analysis of two of these DA Forms 2877 (EXHIBIT [REDACTED]) revealed the following pertinent information:

~~Text~~ One DA Form 2877 for building 3315 (Corps Headquarters), Kelley Barracks indicated that a Communications Center (abbreviated COMM CENTER) was located inside this building. A DA Form 2877 for building 3304, which now houses the 15th Transportation Company and the Dial Central Office (DCO), listed a COMM CENTER in this building, also.

AGENT'S NOTES: Since the term COMM CENTER was used by DFE to describe facilities located in both building 3304 and 3315, Kelley Barracks, it would be common knowledge to local and third country nationals (LN's/TCN's) due to the number of LN's/TCN's employed at DFE. The German word for communications center is Funkzentrale.

CLASSIFIED BY: [REDACTED] AR 381-12, 13 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

5 USC 552 (b) (6)

5. NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment
B04132-170-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED]

258

DA

FORM 1 APR 52

341

UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM EOP

Auth Para 1-603 DoD 5200.1-P

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 2 March 1976

Description: DA Forms 2877, Real Property Record, for
Buildings 3315 and 3304, Kelley Barracks,
Stuttgart/Moehringen, FRG.

EXHIBIT _____

259

- '975' S

:spun 6 975' S

- '999

:spun 6 999' S

- '098' S

Best Copy Available

DA FORM 5-46 5-47 5-49 5-50 5-51 AND 5-52 WHICH ARE OBSOLETE

1. FACILITY NO.		2. DESIGNATION		3. CATEGORY C	
IN BLDG # 3604		CO. 1. CENTER		13120 M	
4. UNIT OF MEASURE		5. DRAWING NO.		6. NAME	
Floor Plan # 3224		Site Plan # 3224			
10. AIR CONDITIONING		15. FIRE PROTECTION			
a. TYPE		b. NUMBER			
c. CAPACITY		d. TYPE			
e. SO. DRAIN		17. MATERIALS			
11. HEATING		a. COMBUSTION			
b. SOURCE		c. FUEL			
d. FUEL		e. WALLS			
12. HOT WATER FACILITIES		d. ROOF			
a. CAPACITY		e. SURFACE			
b. TEMPERATURE RISE		f. CASE			
13. OTHER MEASUREMENTS		14. OTHER MEASUREMENTS			
700 cond # 1		800 cond # 1			
15. UTILITY CONNECTIONS				16. REMARKS	
				800 cond # 1	
a. WATER					
b. SEWER					
c. ELECTRICITY					
d. GAS					
e. TELEPHONE					
f. CABLE					

ORIGINAL ACQUIRED

#	Date	Description	SF	Value \$	Total \$
320-798	05-12-45				
34-75	23-06-74	Part of bldg. (transf. fr cat. 72111)	1,800	4,860.-	

[illegible]

• 72-02

SECRET

• Queen Mary's

04242

1. FACILITY NO.		2. DESIGNATION		3. CATEGORY CODE		4. DESIGNED CAPACITY		5. TOTAL AREA	
10100		COOLING CENTER		13120 M				15,614	
6. UNIT OF MEASURE		7. DRAWING NO.		8. MAP NO.		9. LEASED		10. OWNED	
SF				Site Plan # 300		LEASED		OWNED	
11. AIR CONDITIONING				16. FIRE PROTECTION				18. TYPE OF SYSTEM	
a. TYPE WATER COOLED				a. NUMBER				<input type="checkbox"/> STEAM <input type="checkbox"/> CONDENSER <input type="checkbox"/> PUMP	
b. CAPACITY 5 TON				b. TYPE				19. BUILDING CLASS	
c. CONDENSER COND.				17. MATERIALS				a. MAIN FLOOR	
12. HEATING				a. FOUNDATION				b. OFFICE	
a. SOURCE				b. FLOOR				c. KITCHEN	
b. FUEL				c. WALLS				d. BASEMENT	
2. HOT WATER FACILITIES				d. ROOF				e. BATH	
a. CAPACITY				e. SURFACE				20. TYPE OF CARD	
b. TEMPERATURE RISE				f. BASE				BLOG <input checked="" type="checkbox"/> MICROFILM	
3. RE-USEABLE FLOORS				14. OTHER MEASUREMENTS				<input type="checkbox"/> UTIL DIST SYS <input type="checkbox"/> RAILROAD	
								<input type="checkbox"/> LAND <input type="checkbox"/> SURFACE AREAS	
5. UTILITY CONNECTIONS				21. REMARKS					
NUMBER		SIZE		CAPACITY					
a. WATER									
b. SEWER									
c. ELECTRIC									
d. GAS									
e. STEAM									
f. REFRIGERANT									

REAL PROPERTY RECORDS

ORIGINAL ACQUIRED

V #	dated	Description	SF	Value \$	Total \$
19-68	03-01-68	Transfer fr. cat code 61018 (D-1320-798)	15,614	61,695.-	

Govt Cap/Availab

[illegible]

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

2 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

5 USC 552 (b) (6)

4. REPORT OF FINDINGS

9 (C) On 1 March 1976, [REDACTED] VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107, was interviewed concerning the United States Army Special Security Detachment (USASSD), Kelley Barracks. [REDACTED] from 31 June 1974 to the present, stated substantially as follows.

(C) Source, by virtue of his assignment, had daily visits to the SSD. Source opined that the SSD had probably been at Kelley Barracks for approximately three years. In approximately 1973 SSD's were attached to corps and divisions. Source had access to the SSD prior to its renovation in October-November 1975. He indicated that no glass-topped Dutch doors or items having louvers were present in SSD prior to renovation and none were currently there. No personnel other than SSD military personnel had ever worked in SSD. SSD personnel records are maintained at ACSI, DA. To Source's knowledge, no DAC's, local nationals (LN's) or third country nationals (TCN's) ever worked at the Kelley Barracks SSD. Some Facilities Engineer personnel (including LN's and TCN's) have had escorted access to SSD. During the time these people were inside SSD the transmitters were shut down. LN's/TCN's were required to sign in and out. Source opined that [REDACTED] may have these sign in rosters on file. Personnel from the VII Corps staff who have Special Intelligence (SI) access attend a weekly SI briefing, held on Friday mornings. Approximately eight SI-cleared personnel attend these briefings weekly. A technical service was performed on the SSD by a team from the 902d MI Group during Summer 1975. Currently, the G2 Production and Analysis (P and A) section, the ASA Tactical Support Element (ATSE) and SSD constitute the All Source Intelligence Center (ASIC) at Headquarters, VII Corps.

CLASSIFIED BY [REDACTED] AR 381-130, 13 OCT 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOMEDIR

Auth Para 1-603 DoD 5200.1-R

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED] 207th MI Detachment 264

B04132-169-76

6. SIGNATURE OF SPECIAL AGENT

5 USC 552 (b) (6)

DA FORM 341

REPLACES WD AGO FORM 341, 1 JUN 49, WHICH IS OBSOLETE

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

3 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

(c) On 10 February 1976, [REDACTED] in [REDACTED], Robinson Barracks, Stuttgart-Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO New York 09154, was interviewed concerning the operations, functions, and mission of the 589th Signal Company and revealed substantially the following information pertaining to SUBJECT:

(c) The 589th Signal Company operates one facility on Kelley Barracks, Stuttgart-Moehringen, FRG, APO New York 09107. The main facility is a Dial Central Office (DCO), first floor, building 3304, Kelley Barracks. Immediately adjacent to the DCO is an administrative area and billeting areas for the people that work on Kelley Barracks with the 589th. The DCO handles all internal telephone calls within Kelley Barracks. The DCO is also the transmission point for calls which originate or terminate outside Kelley Barracks. Any call which is not wholly internal within Kelley Barracks but utilizes a phone within Kelley Barracks is transmitted through the DCO where connection and transmission through Bundespost (German Post Office) telephone lines occur. DCO is the sole point for this function. There are no other Bundespost or non-US Army telephone/communication points within Kelley Barracks. The only other Bundespost facility within Kelley Barracks is a telephone office where individuals pay telephone bills and place telephone calls. The DCO is an unmanned operation although there is a technician whose function is to maintain the DCO, however he is not an operator and is not required to stay in the building. The billet areas within the DCO facility are for 589th Signal Company personnel who are stationed at Kelley Barracks. These personnel are usually telephone repairmen and installers. The number of personnel who stay in the DCO billeting areas varies with the marital status of the personnel assigned and the availability of trained personnel. The administrative area adjacent to the DCO is actually a convenience so that official visitors and inspectors have a work area and interview room. There are normally only three or four people living and working at the DCO. The person in charge is now a SSG and, at times, in the past, was even a SP5. Source implied that discipline was usually lax at the DCO and that problems with personnel did exist. Source further implied that the current problem dealt with the NCOIC's drinking habits and laxity with the troops stationed there.

(c) AGENT'S NOTES: The above information was gathered under the guise of conducting a Target Analysis Report of Robinson Barracks and tenant units.

REGRADED UNCLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOMFOIR

Auth Para 1-603 DoD 5200.1-P

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED], 66th MI Group
B04132-380-76

CLASSIFIED BY [REDACTED] AR 381-130, 13 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE C, EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

6. SIGNATURE OF SPECIAL AGENT

265

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED

5 USC 552 (b) (6)

5 USC 552 (b) (6)

~~CONFIDENTIAL~~ AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

8 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

// (C) On 13 February 1976, files of the Counterintelligence (CI) Branch, Security Division, Assistant Chief of Staff, G2, VII Corps, Kelley Barracks, Stuttgart-Moehringen (NUI197), Federal Republic of Germany, APO New York 09107, were examined and revealed the following information pertinent to SUBJECT:

(C) On 2 February 1968, a CI technical survey was conducted on the Communications Center, basement, building 1, Headquarters, VII Corps, Kelley Barracks, by Special Agents of the 6th Military Intelligence (MI) Company, 66th MI Group, APO New York 09154. The Report of CI Technical Survey, dated 6 February 1968 (EXHIBIT) revealed the survey was conducted with negative results and an exit briefing was given to , Officer in Charge, Communications Center.

(C) On 20 February 1970, a CI technical security inspection of the Communications Center, Headquarters, VII Corps, building 3313, Kelley Barracks, was conducted by Special Agents of the 766th MI Detachment, 66th MI Group, APO New York 09154. The Report of CI Technical Security Inspection, dated 26 February 1970 (EXHIBIT) revealed several discrepancies of which , Officer in Charge, Communications Center, VII Corps, was advised during an exit briefing.

(C) On 10 and 11 December 1970, a CI technical survey was conducted on the Communications Center, 34th Signal Battalion, APO New York 09107, by Special Agents of the 66th MI Group, APO New York 09154. The report of CI technical service, dated 14 January 1971 with subsequent attachments (EXHIBIT) revealed several discrepancies of which , Assistant Signal Officer, VII Corps, , Communications Center Officer, VII Corps, , Platoon Leader, 34th Signal Battalion, and , Officer in Charge, Communications Center, were advised during an exit briefing.

(C) AGENT'S NOTES: Reference Agent Report B04132-171-76, subject as above, dated 27 February 1976, wherein it was revealed that building 3315, Kelley Barracks, was referred to on a map of Kelley Barracks, dated April 1967, as buildings 1 and 2. The report of CI technical security inspection dated 26 February 1970 which is attached above as an exhibit lists the Communications Center, Headquarters, VII Corps, as being in building 3314, Kelley Barracks. This was believed to be in error and the report should have indicated the Communications Center as being located in building 3315. No other information has been developed to date which indicates a Communication Center was located in building 3314.

5. SIGNED NAME AND ORGANIZATION OF SPECIAL AGENT

, 20th MI Detachment
B04132-381-76

CLASSIFIED BY AR 381-12, 13 OCT 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE 1, ORDER 11652
EXEMPTION CODE

6. SIGNATURE OF SPECIAL AGENT

DECLASSIFY UPON NOTIFICATION OF ACSI, DA

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1

ON MAR 20 1998
BY CDR USAINSCOM EDP

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th Military Intelligence Battalion
APO New York 09696

Agent Report Dated: 8 March 1976

Description: Report of Counterintelligence Technical Survey
dated 6 February 1968 pertaining to SUBJECT.

EXHIBIT _____

267

OFFICIAL USE ONLY

DEPARTMENT OF THE ARMY
6TH MILITARY INTELLIGENCE COMPANY
66TH MILITARY INTELLIGENCE GROUP
APO 09154

ASTG12-TH

6 February 1968

SUBJECT: Counterintelligence Technical Survey

TO: Commanding General
VII Corps
ATTN: ASTG23-CI
APO 09107

5 USC 552 (b) (6)

1. Introduction. On 2 February 1968, a counterintelligence (CI) technical survey of the Communications Center, Headquarters, VII Corps, APO 09107, located in the basement, Building 1, Kelley Barracks, Stuttgart-Moehringen (NU 1197), Federal Republic of Germany, was conducted in compliance with AR 381-130 and USAREUR Regulation 380-85, by Special Agents [REDACTED] and [REDACTED], Chief, 6th MI Company, 66th MI Group. This survey was conducted to detect the existence or presence of technical surveillance equipment, to determine the existence of technical security hazards which would permit the employment of such equipment, and to recommend technical security measures designed to prevent the successful employment of technical surveillance equipment.

2. Limitations. CI technical surveys of the type conducted above indicate the security status of the searched and inspected area at the conclusion of the survey within the capabilities of equipment and operational techniques employed. Attention is invited to the fact that admission to the cleared area of unauthorized persons or personnel not having proper security clearances, who are not under the escort of reliable persons; failure to maintain continuous and effective surveillance and control of the cleared area; allowing repairs or alterations to or within the cleared area without the supervision of qualified and responsible personnel; or the introduction of new furnishings into the searched area prior to the completion of a thorough inspection of such furnishings will nullify the security afforded by this service.

268

FOR OFFICIAL USE ONLY
THIS PROJECTIVE MARKING IS EX-
CLUDED FROM AUTOMATIC TERMINATION

4

~~FOR OFFICIAL USE ONLY~~

AETC12-TH


6 February 1968

SUBJECT: Counterintelligence Technical Survey

3. Findings. The survey did not locate or indicate the presence of surreptitious technical surveillance devices or technical security hazards which require corrective action.

4. Recommendations. It is recommended that the present security measures remain in force.

5. Exit briefing. WO-1 J.H. Ballard, Officer in Charge, was advised of the findings and recommendations stated above at the conclusion of the CI technical survey.


ROBERT H. CARSON
MAJ, MI
Commanding

Tel: Lud Mil (2726) 613/LAS/ms

Copy furnished:
CO, 66th MI Group
ATTN: AETC10-SE(1S)
APO 09154

269

FOR OFFICIAL USE ONLY
THIS DOCUMENT IS EX-
CLUDED FROM AUTOMATIC TERMINATION

~~CONFIDENTIAL~~

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit: 511th MI Battalion
APO New York 09696

Agent Report Dated: 8 March 1976

Description: Report of Counterintelligence Technical
Security Inspection, dated 26 February
1970, pertaining to SUBJECT.

270

RECEIVED UNCLASSIFIED

ON MAR 23 1998

BY J. CDR USAINSCOM FOIPO

Auth Para 1-602 DoD 5200.1-R

EXHIBIT _____

~~CONFIDENTIAL~~

DEPARTMENT OF THE ARMY
STUTTGART STATION
766TH MILITARY INTELLIGENCE DETACHMENT
66TH MILITARY INTELLIGENCE GROUP
APO 09154

AEUTMI-O-Q(I&S)

26 February 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

Commanding General
VII US Corps
ATTN: AETSGB-CI
APO 09107

5 USC 552 (b) (6)

1. (U) INTRODUCTION: On 20 February 1970, a Counterintelligence Technical Security Inspection of the Communications Center, Headquarters, VII US Corps, APO 09107, located in Building 3314, Kelley Barracks, Stuttgart-Moehringen, Federal Republic of Germany, was conducted by Special Agents [REDACTED] and [REDACTED] Stuttgart Station, 766th Military Intelligence Detachment. The inspection was conducted to detect the presence of technical surveillance equipment and to determine the existence of hazards to technical security which would permit the employment of such equipment, and to recommend technical security measures designed to prevent the successful employment of technical surveillance equipment.

2. ~~(S)~~ LIMITATIONS: Counterintelligence Technical Security Inspections of the type conducted indicate the security status of the inspected area at the conclusion of the inspection within the capabilities of equipment and operational techniques employed. Admission to the inspected area of unauthorized persons or personnel not having proper security clearances, who are not under the escort of reliable personnel; failure to maintain continuous and effective surveillance and control of the inspected area; allowing repairs or alterations to or within the inspected area without the supervision of qualified and responsible personnel; or the introduction of new furnishings into the inspected area prior to the completion of a thorough inspection of such furnishings, will nullify the security afforded by this inspection.

3. ~~(S)~~ FINDINGS:

a. The inspection did not locate or indicate the presence of surreptitious technical surveillance devices.

271

~~CONFIDENTIAL~~

DOWNGRADED AT 12 YEAR INTERVAL
NOT AUTOMATICALLY DECLASSIFIED

DOD DIR 5200.10

DECLASSIFIED

ON MAR 20 1998

BY CDR USAINSCOM EDR

Auth Date 2003 Dir 5200.10-1-5

~~CONFIDENTIAL~~

AEUTMI-O-Q(I&S)

26 February 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

b. The inspected area is not considered secure for classified conferences or discussions until corrective action has been accomplished relative to the following hazards to technical security:

(1) Located within the inspected area are three Western Electric Company Model 500 telephone instruments. Although the Model 500 instrument is considered the most secure for general use, the instrument is vulnerable to alteration and modification by personnel involved in the installation and maintenance of the instrument. The modification of a telephone instrument to establish an extremely effective listening device requires only a few seconds and is impossible to detect except by qualified personnel using appropriate countermeasures equipment.

(2) Located within the inspected area is a Western Electric Company Model 300 series telephone instrument. Examination and test of the instrument revealed that the ringer circuit within the instrument is microphonic and passes a low degree of audio over the transmission lines even though the handset is in the cradled position.

(3) Situated near the top of the wall between the Methods and Results Office and the hallway are holes surrounding cables through the wall.

4. ~~(C)~~ RECOMMENDATIONS: In view of the findings, the following recommendations are made for the improvement of counterintelligence technical security:

a. Reference paragraph 3b(1), above: It is recommended that each telephone instrument be equipped with a plug and jack disconnect device situated in a position convenient for use, and that the instruments remain disconnected from the lines at all times the instruments are not in use. It will be necessary to install a separate ringer for each telephone number to alert office personnel to an incoming telephone call. It is recommended that Western Electric Model R1A or Erickson Model KLG 5103-2 ringers be installed, and that the ringers within each instrument be disconnected and removed.

b. Reference paragraph 3b(2), above: It is recommended that the instrument be replaced with a Western Electric Company Model 500 instrument and that the instrument be equipped with a disconnect device and separate ringer as discussed in paragraph 4a, above.

c. Reference paragraph 3b(3), above: It is recommended that the holes be sealed.

2

272

~~CONFIDENTIAL~~

UPGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM/PC
4th Flr 1-613 DOD 5200.1-P

~~CONFIDENTIAL~~

AEUTMI-O-Q(I&S)

26 February 1970

SUBJECT: Counterintelligence Technical Security Inspection (U)

5. (U) EXIT BRIEFING: CW2 Gary W. Betsinger, Officer-in-Charge, was advised of the findings and recommendations stated above.

THOMAS C. WILKINSON II
MAJOR, MI
Commanding

Copies furnished:

Commander-in-Chief
United States Army, Europe
ATTN: ARAGE-CI (GS)
APO 09003

Commanding Officer
66th Military Intelligence Group
ATTN: AEUTMI-OP-I&S(CI)
APO 09108

273

3

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAHNSCOM BOPD

Auth Para 1-600 Dns 5234 1-4

~~CONFIDENTIAL~~

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 8 March 1976

Description:

Report of Counterintelligence Technical Service,
dated 14 January 1971, pertaining to SUBJECT
with endorsements.

274

EXHIBIT

REGRADED UNCLASSIFIED

ON MAR 23 1998

BY CDR USAINSCOM FOIPU

Auth Para 1-603 DoD 5200 1-P

**DEPARTMENT OF THE ARMY
STUTTGART STATION
66TH MILITARY INTELLIGENCE GROUP
APO 09154**

**REPORT OF COUNTERINTELLIGENCE TECHNICAL SERVICE
OF
34TH SIGNAL BATTALION
APO 09107**

AEUTMI-O-Q-I&S(CI)

JAN 14 1971

**Commanding Officer, 34th Signal Battalion, APO 09154
Commanding Officer, VII US Corps, ATTN: AETSGB-CI, APO 09107
Commander-in-Chief, USAREUR and Seventh Army, ATTN: AEAGB-
CI(GS), APO New York 09403
Commanding Officer, 66th Military Intelligence Group, ATTN:
AEUTMI-OA-CI, APO New York 09108**

Section I. INTRODUCTION

1. (U) A counterintelligence technical inspection was conducted during the period of 10 and 11 December 1970 by the following representatives of Stuttgart Station, 66th Military Intelligence Group, APO New York 09154:

**[REDACTED] Special Agent
[REDACTED] Special Agent
[REDACTED] Special Agent**

2. (U) The Communication Center, 34th Signal Battalion was considered by the requester to be a secondary, sensitive area in accordance with AR 381-14 (Clos).

3. (U) An examination of records regarding previous counterintelligence technical services in the area revealed that a counterintelligence technical inspection was completed on 20 February 1970 by members of Stuttgart Station, 66th MI Group.

5 USC 552 (b) (6)

**REGRADED UNCLASSIFIED
ON MAR 20 1998**

BY CDR USAINSCOM FORD

Auth Para 1-603 DOD 5200.1-P

**NOT
DECLASSIFIED BY NATIONALS
EXCEPT BY AUTHORITY OF
CO, 66TH GP DATED**

275

CONFIDENTIAL

**DECLASSIFIED AT 12 YEAR INTERVAL
NOT AUTOMATICALLY DECLASSIFIED.
DOD DIR 5200.10**

~~CONFIDENTIAL~~

AEUTMI-C-Q-185(CI)

4. ~~(U)~~ a. Unless otherwise indicated, this service was conducted to detect the presence of technical surveillance equipment; to determine the existence of technical security hazards which would permit the employment of such equipment; and to recommend technical security surveillance monitoring systems.

b. This service consisted of selected application of comprehensive visual, physical, audio, electronic, and radio frequency checks and include an examination of the factors checked below:

(1) All exterior building surfaces, utility poles, wires, and other associated paraphernalia.

(2) Vulnerability to hostile visual surveillance.

(3) All areas adjacent to the serviced area including those areas above and below.

(4) The interior of room areas to include wall, floor, and ceiling mounted items, furniture, artifacts, and equipment.

(5) The interior and exterior surfaces and internal structure of walls, floors, ceilings, and other structural objects.

(6) All electric or electronic equipment or circuits and component parts of accessories thereof, to include detailed examination of all wiring and utility channels recesses.

Section III. LIMITATIONS

5. (U) Counterintelligence technical services of the type conducted indicate the technical security status of the area or equipment examined at the conclusion of the examination, within the capabilities of the equipment utilized and the operational techniques employed. Attention is invited to the fact that the security afforded by this service WILL BE IMMEDIATELY NULLIFIED BY:

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

AEUTMI-O-Q-I&S(CI)

a. Admission to the serviced area of persons who do not have the proper security clearance or who are not under proper escort.

b. Failure to maintain continuous and effective surveillance and control of the serviced area.

c. Allowing repairs or alterations to or within the serviced area without the supervision of qualified and responsible personnel.

d. The introduction of new furnishings or equipment into the serviced area prior to a thorough inspection of such items.

Section IV. FINDINGS AND RECOMMENDATIONS

6. (U) Repeated or uncorrected findings: None

7. ~~WEX~~ a. The service did not locate or indicate the presence of technical surveillance devices.

b. The serviced area does not meet the criteria for a secondary sensitive area as defined in AR 381-14 (Clas) and is not considered secure for the discussion of sensitive classified information until corrective action is taken on the following technical security hazards:

(1) Finding: The electrical wiring within the inspected area was not strictly limited to the established lighting system and electronic devices considered essential to the operation of the sensitive area. (AR 381-14 (Clas), para 10.b. (3))

Recommendation: All excess wiring should be removed. The electrical wiring in the inspected area should be limited as indicated above.

(2) Finding: The door of the inspected area is passing audio and audio vibrations from the inspected area. (AR 381-14 (Clas), para 10.b. (1))

~~CONFIDENTIAL~~

AEUTMI-O-Q-1&5(CI)

Recommendation: The interior of the door should be covered with a sound proofing material, such as acoustical tile, or sound proofing drapes. The door between the operations office and the hall door should be closed at all times.

(3) Finding: The pipes in the following areas are passing audio vibrations from the inspected area: (AR 381-14 (Cias), para 10.b.(2))

- a. Main Teletype Room
- b. Rack Room 26
- c. Room 29

Recommendation: The pipes should be covered with sound absorbant material from their point of entrance to their point of exit and secured at the inner wall openings to minimize acoustical leakage.

(4) Finding: The air condition exhaust duct located on the south wall of the Operation Office is passing audio and audio vibrations from the inspected area when the exhaust motor is not operating. (AR 381-14 (Cias), para 10.b. (2))

Recommendation: A cabinet of sound absorbant material with a series of internal baffles, or a baffled cabinet with sound absorbant material attached to the outside should be constructed around the exhaust motor.

(5) Finding: Two Western Electric Company Telephones, Model 500 which are located in the operations office are connected to a ten terminal connector block. These telephones are not equipped with Department of the Army approved disconnect systems. (AR 381-14 (Cias), para 10.b. (3))

Recommendation: All telephones in the inspected area should be equipped with a Department of the Army approved disconnect system, to include plugs, jacks, and separate ringers. The ten connector terminal block should be replaced with a single T 41 block that will accommodate the two lines that are used in the facility.

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM/FOI

~~CONFIDENTIAL~~

AEUTMI-O-Q-I&S(CI)

(6) Finding: The fifteen inch fan in Room 29 with 2 feet of duct leading to the exterior of the building is passing audio and audio vibrations from the inspected area.

Recommendation: A cabinet of sound absorbant material with a series of internal baffles should be constructed around the interior opening of the duct. Sound absorbant baffles should be constructed within the duct. Ducts with internal measurements greater than eight by ten inches should be secured by metal grates permanently affixed within the duct at a maximum distance from the inspected area and in such a location that they may be readily inspected for evidence of unauthorized tampering.

(7) Finding: The heating duct which runs from Room 29 to the unrestricted hallway is passing audio and audio vibrations from the inspected area. (AR 381-14 (C1as), para 10.b.(2))

Recommendation: This duct should be wrapped with a sound absorbant material from the point of entrance to its point of exit.

(8) Finding: The air conditioning duct which runs from the main teletype room to the exterior of the building is passing audio and audio vibrations from the inspected area. (AR 381-14 (C1as), para 10.b.(2))

Recommendation: The duct should be wrapped with a sound absorbant material from the point of entrance to its point of exit.

(9) Finding: The ductway which extends from the Communications Center to the storage closet on the first floor is passing audio and audio vibrations from the inspected area.

Recommendation: The door to this closet should be secured with a Sargent & Greenleaf Combination Padlock at all times to preclude anyone using this area to gain information from the inspected area. The combination to this door should be maintained by the Signal Officer or his designated representative.

~~CONFIDENTIAL~~

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY CDR USAINSCOM/FOI
Auth Para 1-6.2 DoD 5200.1-R

~~CONFIDENTIAL~~

AEUT/MI-C-Q-I&S(CI)

Section V. COMMENTS

8. (U) The Commanding Officer is reminded that paragraph 12e, USAREUR Regulation 380-5, dated 12 March 1970, requires that this report be indorsed through command channels to CINCUSAREUR, ATTN: AEAGB-CI(G5), APO New York 09403, with a listing of corrective action and/or Commanders comments for each recommendation made in this report.

Section VI. EXIT BRIEFING

9. (U) All findings, recommendations, and limitations of the service were discussed during an exit briefing on 11 December 1970 for the following unit representatives:

TRAINER Leonard L., Major
Ass't VII Corps Signal Officer

KECK Michael A., 1LT
VII Corps Commo Center Officer

GILLIKIN John M., 2LT
34th Signal Bn Plt Ldr

BETSINGER Gary W.
Commo Center CIC

David C. Ungerer
DAVID C. UNGERER
MAJ, MI
Commanding

Tp: Sgt MII (2721) 8357/JEW/mm

6

280

REGRADED UNCLASSIFIED
ON MAR 18 1998
BY: J. CDR USAINCOM F0120
Auth Para 1-603 DOD 5200.1-R

~~CONFIDENTIAL~~

~~CONFIDENTIAL~~

DEPARTMENT OF THE ARMY
HEADQUARTERS, 34TH SIGNAL BATTALION, COMPS
APO 09154

AETSEN-SB

17 February 1971

SUBJECT: Report of [REDACTED]

SC 552a (b) (7) (D)

THRU: Commanding General
VII Corps
ATTN: AETSCB-CI
APO 09107

TSCC Rg # 15970

TO: Commander-in-Chief
USARLUR and Seventh Army
ATTN: ASAGS-CI(GS)
APO 09403

1. All the discrepancies noted during this [REDACTED] were discussed with the Post Engineers and placed on work order 181-71. The Post Engineer section could give no expected completion date for the required work at the time of submission of the work order.

2. Action officer, C-2 Letsinger, Comcenter OLC, Kelly Hill 711.

FOR THE COMMANDER:

1 Incl
DA Form 2701

L. R. BOWMAN
1LT, SigC
Adjutant

CC CO, 66th GP, APO 09108

REGRADED UNCLASSIFIED
SEPARATED FROM CLASSIFIED
INCLOSURES

281

UNCLASSIFIED

SECTION I

TO: [illegible]

5 FEB 1971

FROM: [illegible]

WILLIAM LAMAR, TIME CENTER, basement of bldg 3013

FOR: [illegible]

1. Request all excess electrical wiring be removed from classified area and excess wiring that remains be placed in shielded shielded conduit.

2. Request all pipes and ducting be wrapped with a sound absorbent material from point of entrance to point of exit.

3. Request a ceiling of sound absorbent material with a series of internal baffles be constructed above the exhaust fan located in the operations office area.

4. Request that the wall door be covered with a sound proofing material, such as acoustical tile.

5. Request all telephones be equipped with a Department of the Army approved disconnect system, to include plugs, jacks and separate ringers. There four each telephones within the operations center area.

This work is necessary in order to meet existing requirements of counterintelligence within USAMID and the U.S. ARMY.

DATE: [illegible]

By: [illegible]

CD2 O.H. Bolinger, Commander C.I.C.

SECTION II

TO: [illegible]

FROM: [illegible]

DATE: [illegible]

BY: [illegible]

TO: [illegible]

Best Copy Available

SIGNATURE OF POST ENGINEER

SECTION III

TO: [illegible]

FROM: [illegible]

DATE: [illegible]

BY: [illegible]

TO: [illegible]

UNCLASSIFIED

DA FORM 2701

~~CONFIDENTIAL~~

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communication Center (U)

2. DATE SUBMITTED

8 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

12(C) On 20 February 1976, records of the Area Provost Marshal, Stuttgart Support Command, Robinson Barracks, Stuttgart/Bad Cannstatt (NV1605), Federal Republic of Germany (FRG), APO NY 09154, were examined and revealed the following information pertinent to SUBJECT:

(C) On 29 July 1974, a physical security survey of Kelley Barracks, Stuttgart/Moehringen (NU1197), FRG, APO NY 09107, was conducted. DA Form 2806 (Physical Security Survey), undated, which is attached with indorsements as EXHIBIT _____, rated Kelley Barracks as unsatisfactory.

(U) AGENT'S NOTES: The above interview was conducted with the assistance of _____ Special Agent, 66th Military Intelligence Group.

CLASSIFIED BY _____, AR 381-12, 13 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

283

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

_____, 207th MI Detachment
B04132-382-76

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, OBSOLETE

DECLASSIFIED
ON APR 10 1998
BY CDR USAINSCOM/FOIPO

5 USC 552 (b) (6)

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

8 March 1976

Description:

DA Form 2806 (Physical Security Survey),
undated, with indorsements.

284 EXHIBIT _____

**Freedom of Information Act/Privacy Act
Deleted Page(s) Information Sheet**

Indicated below are one or more statements which provide a brief rationale for the deletion of this page.

☐

Information has been withheld in its entirety in accordance with the following exemption(s):

It is not reasonable to segregate meaningful portions of the record for release.

☐

Information pertains solely to another individual with no reference to you and/or the subject of your request.

☒

Information originated with another government agency. It has been referred to them for review and direct response to you.

☐

Information originated with one or more government agencies. We are coordinating to determine the releasability of information under their purview. Upon completion of our coordination, we will advise you of their decision.

**DELETED PAGE(S)
NO DUPLICATION FEE
FOR THIS PAGE**

PHYSICAL SECURITY SURVEY			REPORT NUMBER AETS-74-039		DATE OF SURVEY 29 Jul 74		
For use of this form, see AR 190-13; proponent agency is Office of The Provost Marshal General.			DATE OF INITIAL SUR UNKNOWN		DATE OF PREVIOUS SURVEY 30 Jul 73		
INSTALLATION							
PART I - GENERAL							
PREPARING AGENCY Stuttgart Military Police Station Stuttgart, Germany, APO 09154			NAME AND LOCATION OF INSTALLATION OR FACILITY SURVEY (Include ZIP Code) Kelley Barracks, GY 378 Stuttgart-Moehringer, Germany				
NAME OF COMMANDER LTC [REDACTED]			NAME OF SECURITY OFFICER CPT [REDACTED]				
NAMES OF INDIVIDUALS INTERVIEWED CPT [REDACTED], Deputy Inst. Coord. [REDACTED] Tel; Kelley Mil. (2723) 614			NAMES OF SURVEY PERSONNEL (Grade, Title and organization) [REDACTED], SSG 31st MP Detachment, APO 09154 Physical Security Inspector				
STRENGTHS			INSTALLATION ACREAGE		NUMBER OF BUILDINGS		
MILITARY 33	CIVILIAN 0	SECURITY FORCE 33	69.018		64		
PART II - GUARDS			PART IV - PREVENTION OF UNAUTHORIZED ENTRY				
		YES	NO			YES	NO
1. Is there a comprehensive physical security plan?		X		1. Is there an adequate perimeter barrier?			X
2. Is there an adequate number of guards assigned -		X	Re	2. Is perimeter barrier properly posted?			X
a. During the time of normal operation?		X		3. Are all openings in the perimeter barrier guarded or secured?		X	
b. During non-operational hours?		X		4. Is protective lighting used?			X
3. Are guard assignments rotated to prevent establishment of routines?		X		5. If there is no protective lighting is it needed?			X
4. Has liaison been established with civil authorities?		X		6. Is vehicle search authority established?		X	
5. Are security supervisory personnel school trained?		X		7. Is there a positive system for the identification of employees?		X	
6. Are security personnel delegated authority commensurate to their duties?		X		8. Is there a positive package control system in effect?		N/A	
7. Are adequate records maintained on reported and/or investigated incidents?		X		9. Are visitors and non-employees escorted?		X	
8. Are all security personnel equipped with all authorized equipment?		X		10. Is a visitor register maintained?		X	
a. Are security forces armed?		X		11. Does the system establish procedures for identifying, admitting and control of visitors, contract personnel, vendors, etc.?		X	
b. Has authority for use of weapons been included in guard orders?		X		12. Is there an effective system for the control of vehicles, railroad cars and other convey access and their contents into, or out of the installation area?		X	
c. Are security forces knowledgeable on the use of weapons and understand the limits of their jurisdiction?		X		13. Is there an installation traffic control plan?		X	
9. Could sentry dog teams be properly utilized?			X	14. Has a satisfactory parking control system been established?		X	
10. Are security personnel required to meet reasonable physical, mental and loyalty standards?		X		15. Is vehicle registration required?		X	
11. Are guard orders posted, current and understood?		X					
PART III - TRAINING			PART V - COMMUNICATIONS				
1. Is there a current training program in effect?		X		1. Is there more than one type of intercommunication equipment to use?		X	
2. Are adequate records maintained on individual training?		X		2. Is adequate equipment available for spreading emergency alarms?		XX	
3. Do training schedules include emergency condition actions?		X		3. Has the communication center been provided with special security safeguards?		X	
4. Are personnel trained in the use of emergency equipment?		X		4. Are security guards familiar with communication equipment in use?		X	
5. Do guard personnel receive periodic refresher training?		X		5. Is emergency power available for communication equipment?		X	
6. Are guard personnel required to fire an annual qualification of basic weapons?		X		6. Is there a separate communication system for security personnel?		X	
7. Are augmentation guard force personnel assigned and trained?		X		7. Is there a need for a separate guard communication system?		X	
8. Do supervisory personnel monitor training sessions?		X					

DA FORM 2806
1 MAY 66

FOR OFFICIAL USE ONLY

285

670002

PART VI - CRITICAL, VULNERABLE OR RESTRICTED AREA CONTROL			YES		NO	
	YES	NO	5. Are security personnel trained for emergency operations?			
1. Is there a separate physical security plan for this area?	N/A		X			
2. Is there a barrier around this area?	N/A		6. Do security personnel have additional duties of fire prevention?			
3. Are there clear zones on both sides of the perimeter fence?	N/A		X			
4. Is protective lighting installed?	N/A		7. Is there a damage control plan in effect?			
5. Are anti-intrusion devices installed?	N/A		X			
6. Is there a need for anti-intrusion devices?	N/A		PART VIII - MATERIAL AND EQUIPMENT STORAGE			
7. Is there a system for personnel movement control?	N/A		1. Are all storage and other secured buildings provided with adequate locking devices?			
PART VII - EMERGENCY PLANNING			X			
1. Is there a mutual defense plan in existence with other military organizations stationed in the vicinity?	X		2. Are adequate protective measures afforded to open storage?			
2. Are first aid and medical facilities available?	X		X			
3. Do emergency plans provide for personnel evacuation?	X		3. Is material in open storage properly stacked, placed within, away from, and parallel to perimeter barriers, in order to provide an unobstructed view by patrol personnel?			
4. Are personnel instructed to immediately report suspicious acts that may have to do with espionage or sabotage?	X		X			
			4. Are critical items such as weapons and ammunition stored in accordance with existing Army regulations?			
			5. Does the installation have a responsibility for shipment of classified material?			
			X			
			6. Are provisions made in the physical security plan for guards to be used to escort or guard classified material?			
			X			

REMARKS AND COMMENTS

1. AUTHORITY

This Physical Security Survey was conducted upon completion of a telephonic notification to CPT [REDACTED], [REDACTED], Deputy Installation Coordinator for Kelley Barracks, informing him that an installation physical security survey of Kelley Barracks, GY 378, Stuttgart-Moehringer n, Germany, is scheduled to be surveyed at 0800 hrs 29 Jul 74.

2. MISSION

The mission of this installation is to provide billeting and office space for Headquarters VII CORPS and its supporting units. (Continued on attached sheet)

RECOMMENDATIONS

1. Corrective action should be taken on the discrepancies noted on the perimeter barrier IAW USAREUR Regulation 840-18. (See attached map for location and type of discrepancies noted)

2. The perimeter barrier should be posted with bi-lingual 'NO TRESPASSING' signs posted at least one per 100 meter interval along the boundary of the installation to indicate the extent of US Army controlled area.

OVERALL EVALUATION OF PHYSICAL SECURITY

286

~~XXXXXXXXXX~~

~~XXXXXXXXXX~~

~~XXXXXXXXXX~~

UNSATISFACTORY

TYPED NAME, GRADE AND ORGANIZATION OF SURVEY OFFICER

SIGNATURE

[REDACTED] SSG

31st MP Detachment, APO 09154

00003

REMARKS AND COMMENTS (CONTINUED FROM DA FORM 2806)

3. PREVIOUS SURVEYS, DISCREPANCIES AND CORRECTIVE ACTION TAKEN

a. The last Physical Security Survey was conducted of this installation on 30 Jul 73, reference IPSS number IPSS-AEZ(MPKD)73-031.

b. The following discrepancies were noted during the previous survey and corrective action, if any, is indicated below:

(1) The perimeter barrier is not considered to be adequate security for this installation. (NOT CORRECTED)

(2) The perimeter barrier is not properly posted with bi-lingual 'NO TRESPASSING' signs. (NOT CORRECTED)

(3) Vehicle search authority signs are posted on the entrances to this installation, however, the referenced regulation is non-existent and the proper reference should replace the reference that is there now. (CORRECTED)

(4) An emergency power source is not provided for the military police radio for use in the event of a power failure. (CORRECTED)

4. DISCREPANCIES

The following discrepancies were noted during this survey:

a. The perimeter barrier is not considered to be adequate security for this installation. (See attached map for the location and type of discrepancies noted).

b. The perimeter barrier is not properly posted with bi-lingual 'NO TRESPASSING' signs.

5. EXIT INTERVIEW

On 29 Jul 74, CPT [REDACTED], [REDACTED], Deputy Installation Coordinator for Kelley Barracks, Telephone: Kelley Military (2723)614, was apprised of the results of this survey.

6. EXHIBITS

A - DA form 2806 with attached remarks and comments.

B - General Site Plan, Kelley Barracks, Stuttgart-Moehringen, Germany.

(Continued on attached sheet)

287
FOR OFFICIAL USE ONLY

67C
00004

REMARKS AND COMMENTS (CONTINUED)

7. REFERENCED REMARKS ON CHECKLIST

Ref: R-1, Part II, Item 2. The security force for this installation is the 110th MP Platoon that is comprised of approximately 35 personnel that have a school awarded MOS of 95B.

APPROVED




MAJ, MPC
AREA PROVOST MARSHAL

DISTRIBUTION

4 - CDR, VII CORPS, APO 09107
1 - PM, North Wuerttemberg Area, APO 09154
1 - File

b7c










-  FENCE UNDER 6 FEET IN HEIGHT
-  LOOSE OR MISSING TOP GUARD
-  FENCE OBSTRUCTED BY TREES OR BUSH
-  GATE WITH HOLE UNDER IT
-  PICKET FENCE 3 FEET HIGH
-  Brown fence pole
-  Hole in fence

EXHIBIT B

15 October 1974

AETSSTG-DC (18 Sep 74 1st Ind
SUBJECT: Physical Security Survey/~~Inspection~~ Report

DA, Headquarters, Greater Stuttgart Military Community, APO 09154
23 September 1974

TO: ~~Commander~~, Moehringen/Degerloch Military Community, ATTN: Physical
Security Officer, APO 09107

1. References: a. AR 190-11 with USAREUR Supplement.
b. AR 190-13 with USAREUR Supplement.
c. AR 420-24 with USAREUR Supplement.
d. Letter, AETSSTG-DC, Greater Stuttgart Military Community, 13 August 1974, subj: Security of AYA, NAF, Commissary and Clothing Sales Store Funds.
2. IAW reference 1b above, the attached correspondence is forwarded to your command for corrective action.
3. To correct deficiencies, consider first the use of the Self-Help Program as outlined in USAREUR Supplement 1 to AR 420-24. Because of the scarcity of funds allocated to the engineers for the maintenance, repair, and improvement of real property facilities, an emphasis should be placed on the Self-Help Program to accomplish, at least, simple maintenance and repair work, without engineer assistance.
4. Job Order Requests should be promptly submitted to the Facilities Engineers for any deficiencies that are beyond your unit's/activity's capability to correct. In such cases a waiver will be requested from this headquarters pending job order completion. Follow-up action is also required, and a follow-up report will be submitted when job order requests are filled, and the deficiency eliminated.
5. A waiver/exception to deficiencies will not be approved, however, for units/activities which store weapons, ammunition and/or explosives, and whose physical security measures fall below the minimum requirements of AR 190-11 with USAREUR Supplement 1. A deficiency in these critical areas requires the unit/activity to provide continual surveillance of the area until corrective action has been accomplished.
6. Reference 1d above concerns the amount of funds authorized for overnight storage at an activity/facility. It, also, lists the minimum physical security standards required of activities which store funds overnight, in an amount greater than, or less than \$500.00. If less than \$500.00 are habitually stored overnight, an exception to physical security requirements will be requested from this headquarters. Upon requesting such an exception

FOR OFFICIAL USE ONLY
This marking is CANCELLED when separated from
the material bearing a protective marking

AETSSGTG-DC

SUBJECT: Physical Security Survey/Inspection Report

however, a report of compensatory measures will be included in the report of corrective action. Examples of compensatory measures include MP surveillance during non-duty hours, SDO/NCO checks, CQ on duty and guard personnel.


7. In activities which store funds in excess of \$500.00, key control measures will be established IAW reference d. Also, compensatory measures will be included in the report of corrective action.

8. The report of corrective action will be prepared according to the format outlined in the attached sample report. Each deficiency will be answered, individually. All original correspondence concerning the inspection will be returned with your report. The marking "FOR OFFICIAL USE ONLY- this marking is CANCELLED when separated from the protected material" will be stamped in the middle of the bottom of each page of the report.

9. Your report of corrective action will be returned to this headquarters, ATTN: AETSSUP-O, NLT 15 October 1974.

FOR THE COMMANDER:

2 Incl
Added 1 Incl
2. Sample Report


1LT, AGC
Adjutant

Tel: STG. (2721-)6453/6430

291

FOR OFFICIAL USE ONLY

This marking is CANCELLED when separated from
the material bearing a protective marking

b7c

00008

AETSSTG-MD (18 Sep 74) 2d Ind
SUBJECT: Physical Security Survey Report

DA, HQs, Office of Deputy Community Commander, Moehringen/Degerloch
Military Community, APO 09107 7 November 1974

TO: Cdr, Greater Stuttgart Military Community, ATTN: AETSSTG-DC
APO 09154

1. Ref. Recommendations, 1. (Perimeter Barrier discrepancies, exhibit B)

a. Fence under 6 feet in height. This discrepancy will be extremely difficult to correct. Submitting of a work order will not correct it. The only way that it seems feasible is to place a single roll of concertina wire on top of the fence and wire it up to make it permanent. This idea will be explored in depth, as well as any other possible solution.

b. Loose or missing top guard. This discrepancy will be corrected as soon as practicable with either repair or replacement of the guard.

c. Fence obstructed by trees or brush. A continuing program of perimeter fence maintenance is being initiated to correct all deficiencies.


d. Gate with hole in it. The hole under the gate will be filled.

e. This picket fence area is on the Cooper Field area of Kelley Bks. This area has a secure fence between it and the main portion of the installation. The gates in that fence are locked unless the facilities at Cooper Field are in use. Action will be initiated to acquire fencing and erect it.

f. Broken fence pole. This pole will be replaced as soon as replacement poles are available.

g. Hole in fence. The hole in the fence will be repaired as soon as possible.

2. Ref. Recommendations, para 2. Bilingual signs have been requested from the Engineers. In the meantime, signs are being constructed by the installation.


LTC, Infantry
Deputy Commander

b7c

AETSSUP-0 (18 Sep 74) 3d Ind
SUBJECT: Physical Security Survey Report

DA, Headquarters Greater Stuttgart Military Community, APO 09154
14 November 1974

TO: Cdr, VII Corps, AFTH: AETSPM-PB, APO 09107

1. Forwarded in compliance with the basic correspondence is the attached Physical Security Survey Report (number AETB-74-039, dated 29 July 1974).
2. Reference discrepancy 4a, DA Form 2806. Action is currently in progress to correct all deficiencies concerning the perimeter barrier (see paragraph 1, 2d Indorsement).
3. Reference discrepancy 4b, DA Form 2806. Bilingual signs have been requested from the engineers. In the meantime, signs are being constructed by installation personnel.
4. Pending correction of outstanding deficiencies, the following compensatory measures are in effect:
 - a. The military police continually patrol the installation on a 24-hour basis.
 - b. Staff duty personnel check installation activities and facilities during their tour of duty.

FOR THE COMMANDER:

1 Incl
nc


1LT, AGC
Adjutant

293

b7c

FOR OFFICIAL USE ONLY

THIS DOCUMENT IS UNCLASSIFIED
DATE 11-15-85 BY 5
11/15/85 5

00010

17 Oct 1974

18 SEP 74

////////

new basic CF

180474

Community Commander
Stuttgart Military Community
ATTN: P30
APO 09151

////////

29 Jul 74

AETS-74-039

////////

////////////////////////////////////

LT, AGC
Asst AG

294

B7C

FOR OFFICIAL USE ONLY
The marking FOR OFFICIAL USE
ONLY IS CANCELLED upon removal
drawn or used for official use

00011

~~CONFIDENTIAL~~
INCIDENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT VII Corps Communication Center (U)	2. DATE SUBMITTED 8 March 1976
	3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

1 > ~~(c)~~u On 13 February 1976, records of the Physical Security (PS) section, Provost Marshall, VII Corps, Kelley Barracks, Stuttgart/Moehringen (NU1197), Federal Republic of Germany (FRG), APO NY 09107, were examined and revealed the following information pertinent to SUBJECT:

~~(c)~~u On 16 September 1975, a physical security inspection of Kelley Barracks was conducted. DA Form 2806 (Physical Security Survey), undated, (EXHIBIT _____), rated Kelley Barracks as unsatisfactory.

CLASSIFIED BY: Para 4b, AR 381-12, 13 Oct 74
EXEMPT FROM GENERAL DECLASSIFICATION
SCHEDULE OF EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

OF SPECIAL AGENT 07th MI Detachment B04132-500-76	6. SIGNATURE OF SPECIAL AGENT 295
---	--

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH IS OBSOLETE

~~CONFIDENTIAL~~
ON APR 1 1998
BY CDR USAINSCOM/FOIP

66th MI Group



EXHIBIT COVER SHEET

Subject: VII Corps Communication Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated: 8 March 1976

Description:

DA Form 2806 (Physical Security Survey),
undated, pertaining to Kelley Barracks,
APO New York 09107.

EXHIBIT _____

296

**Freedom of Information Act/Privacy Act
Deleted Page(s) Information Sheet**

Indicated below are one or more statements which provide a brief rationale for the deletion of this page.

☐

Information has been withheld in its entirety in accordance with the following exemption(s):

It is not reasonable to segregate meaningful portions of the record for release.

☐

Information pertains solely to another individual with no reference to you and/or the subject of your request.

☒

Information originated with another government agency. It has been referred to them for review and direct response to you.

☐

Information originated with one or more government agencies. We are coordinating to determine the releasability of information under their purview. Upon completion of our coordination, we will advise you of their decision.

**DELETED PAGE(S)
NO DUPLICATION FEE
FOR THIS PAGE**

PHYSICAL SECURITY SURVEY			REPORT NUMBER	DATE OF SURVEY	
For use of this form, see AR 190-13; the proponent agency is Office of The Provost Marshal General. INSTALLATION			USS (AESTU) FY-76-002 DATE OF INITIAL SURVEY UNKNOWN	10 September 1975 DATE OF PREVIOUS SURVEY 29 July 1974	
PART I - GENERAL					
PREPARING AGENCY Stuttgart Military Police Station Stuttgart, Germany APO 09154			NAME AND LOCATION OF INSTALLATION OR FACILITY SURVEYED (Include ZIP Code) Kelley Barracks, GY 373 Stuttgart-Moehringen, Germany		
NAME OF COMMANDER COL [REDACTED]			NAME OF SECURITY OFFICER MAJ [REDACTED]		
NAMES OF INDIVIDUALS INTERVIEWED SFC [REDACTED], NCOIC IC OFFICE [REDACTED] Tel: 2723-353/834			NAMES OF SURVEY PERSONNEL (Grade, Title and organization) [REDACTED] SSG 31st MP Detachment, APO 09154 Physical Security Inspector		
STRENGTHS			INSTALLATION ACREAGE		NUMBER OF BUILDINGS
MILITARY 33	CIVILIAN 0	SECURITY FORCE 33	89,018		84
PART II - GUARDS			PART IV - PREVENTION OF UNAUTHORIZED ENTRY		
			YES NO		
1. Is there a comprehensive physical security plan?			X		
2. Is there an adequate number of guards assigned -			X		
a. During the time of normal operation?			X		
b. During non-operational hours?			X		
3. Are guard assignments rotated to prevent establishment of routines?			X		
4. Has liaison been established with civil authorities?			X		
5. Are security supervisory personnel school trained?			X		
6. Are security personnel delegated authority commensurate to their duties?			X		
7. Are adequate records maintained on reported and/or investigated incidents?			X		
8. Are all security personnel equipped with all authorized equipment?			X		
a. Are security forces armed?			X		
b. Has authority for use of weapons been included in guard orders?			X		
c. Are security forces knowledgeable on the use of weapons and understand the limits of their jurisdiction?			X		
9. Could sentry dog teams be properly utilized?			X		
10. Are security personnel required to meet reasonable physical, mental and loyalty standards?			X		
11. Are guard orders posted, current and understood?			X		
PART III - TRAINING			PART V - COMMUNICATIONS		
1. Is there a current training program in effect?			X		
2. Are adequate records maintained on individual training?			X		
3. Do training schedules include emergency condition actions?			X		
4. Are personnel trained in the use of emergency equipment?			X		
5. Do guard personnel receive periodic refresher training?			X		
6. Are guard personnel required to fire an annual qualification of basic weapons?			X		
7. Are augmentation guard force personnel assigned and trained?			X		
8. Do supervisory personnel monitor training sessions?			X		
			1. Is there more than one type of intercommunication equipment to use?		
			X		
			2. Is adequate equipment available for spreading emergency alarms?		
			X		
			3. Has the communication center been provided with special security safeguards?		
			X		
			4. Are security guards familiar with communication equipment in use?		
			X		
			5. Is emergency power available for communication equipment?		
			X		
			6. Is there a separate communication system for security personnel?		
			X		
			7. Is there a need for a separate guard communication system?		
			X		

FOY DELICIOUS OF DATA

PART VI - CRITICAL, VULNERABLE OR RESTRICTED AREA CONTROL			YES	NO
1. Is there a separate physical security plan for this area?	YES	NO		
2. Is there a barrier around this area?	N/A			
3. Are there clear zones on both sides of the perimeter fence?	N/A			
4. Is protective lighting installed?	N/A			
5. Are anti-intrusion devices installed?	N/A			
6. Is there a need for anti-intrusion devices?	N/A			
7. Is there a system for personnel movement control?	N/A			
PART VII - EMERGENCY PLANNING				
1. Is there a mutual defense plan in existence with other military organizations stationed in the vicinity?	X			
2. Are first aid and medical facilities available?	X			
3. Do emergency plans provide for personnel evacuation?	X			
4. Are personnel instructed to immediately report suspicious acts that may have to do with espionage or sabotage?	X			
PART VIII - MATERIAL AND EQUIPMENT STORAGE				
1. Are all storage and other secured buildings provided with adequate locking devices?	X			
2. Are adequate protective measures afforded to open storage?	X			
3. Is material in open storage properly stacked, placed within, away from, and parallel to perimeter barriers, in order to provide an unobstructed view by patrol personnel?	X			
4. Are critical items such as weapons and ammunition stored in accordance with existing Army regulations?	X			
5. Does the installation have a responsibility for shipment of classified material?				X
6. Are provisions made in the physical security plan for guards to be used to escort or guard classified material?	N/A			

REMARKS AND COMMENTS

1. AUTHORITY

This Physical Security Inspection was conducted upon completion of a telephonic notification to the Office of the Installation Coordinator, Kelley Barracks informing him that an installation security survey of Kelley Barracks, GY 378, Stuttgart-Moehringen, Germany is scheduled to be conducted at 0800 hrs 16 September 1975.

2. MISSION

The mission of this installation is to provide billeting and office space for Headquarters VII CORPS and its supporting units.

(Continued on attached sheet)

RECOMMENDATIONS

1. Corrective action should be taken on the discrepancies noted on the perimeter barrier LAW USAEUR Regulation 740-5. (See attached map for location and type of discrepancies noted)

REMARKS AND COMMENTS (CONTINUED FROM DA FORM 2808)

3. PREVIOUS SURVEYS

The last Installation Physical Security Survey was conducted of this installation on 29 July 1974 reference IPSS number AETIS-74-030.

4. DISCREPANCIES

The following discrepancies were noted during this survey:

The perimeter barrier is not considered to be adequate security for this installation. See the attached area site plan for the location and type of discrepancies noted.

5. EXIT INTERVIEW

On 16 September 1975, SFC [REDACTED], NCOIC Installation Coordinators Office, was apprised of the results of this survey.

6. EXHIBITS

A - Area site plan for Kelley Barracks with notation of location of discrepancies noted on the perimeter barrier.


APPROVED

[REDACTED]
LTC, MPC

Area Provost Marshal

DISTRIBUTION

- 2 - CDR, Greater Stuttgart Mil. Comm., ATTN: AETSSTG-O, APO 09154
- 2 - CDR, VII CORPS, ATTN: AETSPM-PS, APO 09107
- 1 - Suspense File, APM N-W Area, APO 09154
- 1 - FM, North Wuertemberg Area, APO 09154
- 1 - File










-  FENCE UNDER 5 FEET IN HEIGHT
-  LOOSE OR MISSING TOP GUARD
-  FENCE OBSTRUCTED BY TREES OR BRUSH
-  GATE WITH HOLE UNDER IT
-  PICKET FENCE 3 FEET HIGH
-  BROWN FENCE POLE
-  HOLE IN FENCE

EXHIBIT **A**

300

FOR OFFICIAL USE ONLY

00015

~~CONFIDENTIAL~~
AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

9 March 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

14(c) On 13 February 1976, files of the Counterintelligence Branch, Security Division, Assistant Chief of Staff, G2, VII Corps, Kelley Barracks, Stuttgart-Moehringen (NU1197), Federal Republic of Germany (FRG), APO New York 09107, were examined and revealed the following information pertinent to SUBJECT:

14(c) On 25 September 1973, Headquarters, VII Corps, Kelley Barracks, published a Security Clearance Roster (EXHIBIT _____) which included officers, civilians, and enlisted personnel assigned or attached to Headquarters, VII Corps, or VII Corps Special Troops Battalion, VII Corps, Kelley Barracks, who had Security Clearances. The roster indicated which sections the particular individual worked in, but did not indicate locations or materiel to which they had access.

CLASSIFIED BY: D-546, AR 381-12, 13 Oct 74
EXEMPT FROM AUTOMATIC DECLASSIFICATION
SCHEDULE 1, EXECUTIVE ORDER 11652
EXEMPTION CATEGORY 2
DECLASSIFY UPON NOTIFICATION OF ACSI, DA

REGRADED UNCLASSIFIED

ON MAR 18 1998

BY CDR USAINSCOM FOIRO

Auth Para 1-5.2 DoD 5200.1-R

301

5 USC 552 (b) (6)

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

[REDACTED], 207th MI Detachment

B04132-383-76

6. SIGNATURE OF SPECIAL AGENT

[REDACTED SIGNATURE]

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.

66th MI Group



EXHIBIT COVER SHEET

Subject:

VII Corps Communications Center (U)

File Number:

Preparing Unit:

511th MI Battalion
APO New York 09696

Agent Report Dated:

9 March 1976

Description:

Security Clearance Roster Published on
25 September 1973 by Headquarters, VII
Corps, Kelley Barracks, APO New York 09107,
Stuttgart-Moehringen (NU1197), Federal
Republic of Germany.

302

EXHIBIT _____

~~FOR OFFICIAL USE ONLY~~

DEPARTMENT OF THE ARMY
HEADQUARTERS VII CORPS
Officer of the Assistant Chief of Staff, G2
APO 09107

AETSGB

SUBJECT: Security Clearance Roster

25 September 1973

SEE DISTRIBUTION

1. Attached is the current security clearance roster of officers, civilians, and enlisted personnel assigned or attached to Headquarters VII Corps and VII Corps Special Troops Battalion.
2. Request that section chiefs and unit commanders review the roster to ensure that names are spelled correctly, grade is current, service numbers are accurate, and security clearance data is correct and complete. Notify the Assistant Chief of Staff, G2, ATTN: AETSGB-CI(PS), (Telephone Kelley Military 2723-729), of any corrections, additions, or deletions to the roster.
3. Section chiefs and unit commanders are requested to notify the Assistant Chief of Staff, G2, of personnel having access to categories of information as outlined in paragraph 4b, USAREUR Regulation 380-60 (classified). These personnel will be designated Class II personnel.
4. Security clearance actions on attached personnel are not processed by this headquarters. Inquiries concerning these individuals should be directed to their parent organization.
5. The following Clearance Legend is used on the attached roster of personnel:

US CLEARANCES

TS (TOP SECRET)
ITS (INTERIM TOP SECRET)
S (SECRET)
IS (INTERIM SECRET)
CON (CONFIDENTIAL)

NATO CLEARANCES

CA (COSMIC ATOMAL)
C (COSMIC)
NSA (NATO SECRET ATOMAL)
NS (NATO SECRET)

CRYPTO ACCESS

CTS (CRYPTO TOP SECRET)
CS (CRYPTO SECRET)
CC (CRYPTO CONFIDENTIAL)

Class II personnel are also indicated by an "II."

~~FOR OFFICIAL USE ONLY~~

303

~~FOR OFFICIAL USE ONLY~~

AETSGB


SUBJECT: Security Clearance Roster

6. THIS ROSTER WILL BE DESTROYED AS CLASSIFIED MATERIAL.

Incl
as

DISTRIBUTION:
X plus 90

Telephone: KLY (2723-) 729


NORMAN L. TILLER, SR
Colonel, GS
AC of S, G2

304

~~FOR OFFICIAL USE ONLY~~

HEADQUARTERS VII CORPS

SECURITY CLEARANCE POSTER

AS OF 25 SEP 74 409005N

PAGE 1

OS AFISG32 (b) (6)
BUSC 552 NAME

[REDACTED]

GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
S/A	[REDACTED]	207 WID	TS	CA	CTS	II
COT	[REDACTED]	SJA	S			
GSA	[REDACTED]	ENG	S			
SSG	[REDACTED]	LN1	TS	CA		
MAJ	[REDACTED]	AG	S			
11T	[REDACTED]	CLD HBN	S			
MAJ	[REDACTED]	G4	TS	CA		
SP4	[REDACTED]	SP TRPS	S			
CPT	[REDACTED]	SP TRPS	S			
SP5	[REDACTED]	207 WID	S	NS		
SP4	[REDACTED]	G1	S			II
DEC	[REDACTED]	G2	S			
SP4	[REDACTED]	SP TRPS	S			
GSA	[REDACTED]	G1	S			
MAC	[REDACTED]	SIGC	TS			
DEC	[REDACTED]	LINK	S			
SSG	[REDACTED]	COMPT	S			
SP5	[REDACTED]	IG	S			
SP4	[REDACTED]	IG	TS	CA		II
SP4	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	AG PM	S			
SP4	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	SP TRPS	S			
DEC	[REDACTED]	G1	S			
SP4	[REDACTED]	HHC	S			
SP4	[REDACTED]	G1	S			
SP4	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	G4	S			
SP4	[REDACTED]	COMPT	S			
SP4	[REDACTED]	G2	TS	CA		
SP4	[REDACTED]	G3	TS			
SP4	[REDACTED]	COMPT	S			
SP4	[REDACTED]	IN	S			
SP4	[REDACTED]	SP TRPS	S			

E-O-R

Y

Y-L-V-N-F-S-J-I-L-F-P-P-F-Y

SECURITY CLEARANCE ROSTER

PAGE 2

SPECIAL CATEGORY

	I I
	I I
	I I
	I I
CS	I I
CTS	I I
CTS	I I
CTS	I I
CS	I I
CS	I I

SECRET

HEADQUARTERS VII CORPS

SECURITY CLEARANCE REGISTER

AS OF 25 SEP 73 4399095R

PAGE 3

GRADE	SSAN	SECTION	CLEARANCE	DATE	SPECIAL CATEGORY
SP5	[REDACTED]	207 MID	S	NS	II
CPT	[REDACTED]	G1	TS	CA	CTS II
CM2	[REDACTED]	SP TRPS	S		
PFC	[REDACTED]	G4	S		
SFC	[REDACTED]	STG	S		
CPT	[REDACTED]	G1	TS	CA	
SFC	[REDACTED]	SP TRPS	S		
PV2	[REDACTED]	SSN	TS	CA	CTS II
SGM	[REDACTED]	G4	S	NS	
SP4	[REDACTED]	G2	S		
MAJ	[REDACTED]	G3 OPS	TS	NS	
SSG	[REDACTED]	SP TRPS	S		
SGT	[REDACTED]	SP TRPS	S		
CPT	[REDACTED]	SP TRPS	S		
MAJ	[REDACTED]	ENGR	TS	CA	
SFC	[REDACTED]	SURG	S		
SP4	[REDACTED]	HHC	S		
2LT	[REDACTED]	SP TRPS	S	NS	
SFC	[REDACTED]	G4	S	NS	
2LT	[REDACTED]	AG	TS	CA	
MAJ	[REDACTED]	G2	TS	CA	CTS II
PFC	[REDACTED]	AG TSCN	S	NS	
CPT	[REDACTED]	G1	S	NS	
PFC	[REDACTED]	SGS	S		
SGM	[REDACTED]	G3	TS	NS	
SGM	[REDACTED]	G1	TS	NS	CTS II
2LT	[REDACTED]	IN	S		
SP4	[REDACTED]	PAJ	S		
PFC	[REDACTED]	ASA	TS		
SSG	[REDACTED]	207 MID	S	NS	CTS II
MAJ	[REDACTED]	CHAP	S	NS	
PFC	[REDACTED]	G4	S	NS	
PFC	[REDACTED]	G4	S	NS	CS
PFC	[REDACTED]	110 MD	S		

SECRET

F--O--P--C-F--J--S--F--O--V--L--Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE PROFILE

AS OF 25 SEP 72

40909516

PAGE 4

NAME

[REDACTED]

GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
PFC	[REDACTED]	G2	S			
SCM	[REDACTED]	SJA	S			
LTC	[REDACTED]	G3	ITS	NS	CTS	II
DEC	[REDACTED]	G4	S			
SSG	[REDACTED]	AG	S	NS		
SP5	[REDACTED]	AG	S	NS		
LTC	[REDACTED]	SJA	TS			
SSG	[REDACTED]	G1	S			
CPT	[REDACTED]	SP TRPS	S			
SGT	[REDACTED]	PM	S			
LTC	[REDACTED]	COMPT	S			
LTC	[REDACTED]	SGS	TS	CA	CTS	II
2LT	[REDACTED]	G4	S			
SFC	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	SP TRPS	S			
PFC	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	527 TC	S			
MSG	[REDACTED]	IG	S			
CPT	[REDACTED]	G3	TS	CA	CTS	II
SSG	[REDACTED]	SP TRPS	S			
SFC	[REDACTED]	G3	TS	CA	CTS	II
CPT	[REDACTED]	HHC	S	NS		
SP4	[REDACTED]	SP TRPS	S	NS		
MSG	[REDACTED]	AG	TS	CA		
SSG	[REDACTED]	SP TRPS	S			
PV2	[REDACTED]	PAN	S			
LTC	[REDACTED]	G4	TS	CA		
CPT	[REDACTED]	G3	TS	CA		
SP5	[REDACTED]	G3	TS	NS		
MAJ	[REDACTED]	SJA	S			
SSG	[REDACTED]	11D MP	S			
SSG	[REDACTED]	SP TRPS	S			
G3	[REDACTED]	SP TRPS	S			
PFC	[REDACTED]	HHC	S	NS		

F--O--P--C-F--J--S--F--O--V--L--Y

E-D-R--O-F-E--L--J-S-F--O-V-I-Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE POSTER

AS OF 25 SEP 73 400005R

PAGE 5

CS VER 3.0 (6)
51150-552 (6)

NAME

[REDACTED]

GRADE	SSAN	SECTION	CLEARANCE	NATL	SPECIAL CATEGORY
DFC	[REDACTED]	SP TRPS	S		
2LT	[REDACTED]	SP TRPS	S	NS	
CPT	[REDACTED]	COMPT	S	NS	II
SP6	[REDACTED]	SGS	TS		
DFC	[REDACTED]	G4	S	NS	
PV2	[REDACTED]	SSN	TS	CA	CTS II
SP5	[REDACTED]	SP TRPS	CON		
SSG	[REDACTED]	G4	S	NS	
SP4	[REDACTED]	SP TRPS	S		
DFC	[REDACTED]	HHC	S	NS	
PV2	[REDACTED]	G1	S		
LTC	[REDACTED]	G2	TS	C	
LTC	[REDACTED]	G3	TS	C	
DFC	[REDACTED]	G4	S	NS	
MAJ	[REDACTED]	G1	S		
SP4	[REDACTED]	G3	TS		
SGM	[REDACTED]	110 MP	S		
LTC	[REDACTED]	CLD LJD	S		
DFC	[REDACTED]	G3	TS	CA	
SSG	[REDACTED]	207 WFO	S	NS	
CPT	[REDACTED]	G4	S		
PV2	[REDACTED]	MPA	S		
SSG	[REDACTED]	SJRG	S		
SGT	[REDACTED]	G4	S		
SP4	[REDACTED]	G3	TS	CA	CTS
SGT	[REDACTED]	COMPT	S		
SP6	[REDACTED]	SURGEON	S	NS	
DFC	[REDACTED]	PFDPc	S	NS	CS
SP4	[REDACTED]	SP TRPS	S	NS	
PVT	[REDACTED]	SP TRPS	S	NS	
SGT	[REDACTED]	G3	S		
1LT	[REDACTED]	COMPTRN	S		

E-D-R--O-F-E--L--J-S-F--O-V-I-Y

~~SECRET~~ F-O-P--C-F-E--A-L--J-S-F--O-N-L-Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE ROSTER

AS OF 25 SEP 72 409005R

PAGE 6

CS AETS (P-9) 5150 552

NAME
[REDACTED]

GRADE	SSAN	SECTION	CL	PARANCE	NATO	SPECIAL	CATEGORY
SP5	[REDACTED]	ASA		TS	NS	CTS	II
LTC	[REDACTED]	CHAP		S			
CNI	[REDACTED]	SIG		TS	CA	CTS	II
LTC	[REDACTED]	MPA		TS	NS		
SP4	[REDACTED]	SP TRPS		S			
CPT	[REDACTED]	CLD IJD		S			
SFC	[REDACTED]	G4		S	NS		
SP5	[REDACTED]	ASA		TS	NS	CTS	II
CPT	[REDACTED]	SJA		S			
PFC	[REDACTED]	WHC		S			
MSG	[REDACTED]	SJA		S			
GSA	[REDACTED]	SP TRPS		S			
DV2	[REDACTED]	G1		S			
SFC	[REDACTED]	AG		S	NS	CTS	II
CPT	[REDACTED]	ASA		TS			
SP4	[REDACTED]	G3		TS			
SP7	[REDACTED]	AG		S	NS		
PV2	[REDACTED]	SGS		TS	CA		
CPT	[REDACTED]	AG		S	NS		
SSG	[REDACTED]	JAG		S			
CPT	[REDACTED]	CLC HIL		S			
SP4	[REDACTED]	AG		S	NS		
SSG	[REDACTED]	SP TRPS		S	NS		
SMG	[REDACTED]	G3 OPS		S			
CPT	[REDACTED]	SUPG		S	NS		
LTC	[REDACTED]	SP TRPS		S	NS		
SP4	[REDACTED]	G4		S			
SSG	[REDACTED]	STIG		TS	CA	CTS	II
SP4	[REDACTED]	SP TRPX		CM			
SP4	[REDACTED]	SP TRPS		S			
CPT	[REDACTED]	TSQ		TS	CA		
CPT	[REDACTED]	G1		S	NS		
CPT	[REDACTED]	207 WID		TS			
LTC	[REDACTED]	G3		TS	CA	CTS	II

F-O-P--C-F-E--A-L--J-S-F--O-N-L-Y

21

HEADQUARTERS VII CODES

SECURITY CLEARANCE REPORT

AS OF 25 SEP 73 400000R

PAGE 7

51 USC 552 (b) (6)

[REDACTED]

GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
PFC	[REDACTED]	SGS	S			
LTC	[REDACTED]	HQIC	S			
SST	[REDACTED]	SGS	S	NS		
PFC	[REDACTED]	SP TRPS	S			
SGM	[REDACTED]	IN	TS	NS		
MAC	[REDACTED]	GI	S			
S/A	[REDACTED]	207 MFD	ITS	NS		II
SFC	[REDACTED]	G2	S	NS	CS	II
PV2	[REDACTED]	G1	S			
SSG	[REDACTED]	G2 AD	S			
M/J	[REDACTED]	AETSD	TS	CA		
MSG	[REDACTED]	STG	TS	CA	CTS	II
SP4	[REDACTED]	SURE	S	NS		
PV2	[REDACTED]	G1	S			
CPT	[REDACTED]	AG	S	NS		
SP4	[REDACTED]	SSN	TS	CA	CTS	II
SS2	[REDACTED]	G1	S			
SFC	[REDACTED]	HHC	S			
PFC	[REDACTED]	SP TRPS	S			
SP4	[REDACTED]	SP TRPS	S	CA	CTS	II
LTC	[REDACTED]	IG	TS			
GS	[REDACTED]	SP TRPS	S			
SS3	[REDACTED]	PAQ	S			
SGM	[REDACTED]	G3	ITS			
CPT	[REDACTED]	HHC	S			
SFC	[REDACTED]	SP TRPS	S			
SGS	[REDACTED]	SGS	S	NS		
SP4	[REDACTED]	SP TRPS	S			
COL	[REDACTED]	AG	TS			
SSG	[REDACTED]	S4	S			
SSG	[REDACTED]	G4	S	NS		
SFC	[REDACTED]	IG	S	NS		
MSG	[REDACTED]	G4	S	NS		
SS3	[REDACTED]	G5	S	NS		

HEADQUARTERS VII

SECURITY CLEARANCE POSTED

15 FEB 25 1973 420305R

PAGE 2

NAME _____

עמ' 10

VVS

SECTION CLEARANCE

CLIV

SPECIAL CATEGORY

GRADE	SSAN	SECTION	CLEARANCE	UNIT	SPECIAL	CATEGORY
DEC		SIG D	S			
SSG		SP TRPS	S			
SEC		SP TRPS	S			
MSG		GE INJ	TS	CA		
SPS		CLT	S			
COL		CHAP	S			
SGT		HHC	S			
MSG		G4	S	NS		
2LT		ASA	TS	NS		CTS
MSG		G2	TS	CA		CTS
DEC		SP TRPS	S			
CPT		G4	TS			CTS
PEC		SP TRPS	S			
COL		DCS	TS	CA		CTS
MAJ		IG	S			
MAJ		AG	S	NS		
S/A		207 MFD	TS	CA		CTS
MAJ		G4	S	NS		
MSG		G4	S	NS		
SEC		IG	S			
CPT		G1	S			
SSG		G4	S			
MSG		SP TRPS	S			
PEC		CHAP	S			
SFC		G4	S	NS		
COL		G5	TS	CA		
COL		11) MD	S			
PV2		HHC	S			
2LT		G1	S			
DEC		G2	S	NS		CS
SP4		SP TRPS	S			
DAC		ENGB	TS			CTS
SFC		CMPT	TS	C		
DEC		G3	S	NS		

HEADQUARTERS VIET CONGRESS

SECURITY CLEARANCE REPORT

AS CF 25 SFD 73

43995R

9 PAGE

SECRET

3A-2
100-552 (b) (6)

NAME _____

—Uvav

SSAN

SECTION CLEARANCE DATE SPECIAL CATEGORY

GRADE	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
SSM	G1	S			
G10	SP TRPS	S			
SFC	SGS	S			
PFC	CLN LJD	S			
CPT	PAN	S			
1LT	SJA	S	NS		
CW2	G4	TS	CA		
MSG	SIGD	TS	CA	CTS	II
CPT	PAN	TS			
CPT	IG	TS			
CIV	FNG	S	NS		
SSG	ASVA	TS	NS	CTS	II
SSG	SP TRPS	S			
SP4	SGS	S			
PEC	G4	S			
SP4	PAN	S			
MAJ	G4	S	CA		
CPT	G2	TS	CA	CTS	II
LTC	CMPT	TS	CA		
PV2	SP TRPS	S	NS		
SP4	FNGP	S			
SSG	SP TRPS	S			
SSG	SSN	TS	CA	CTS	II
7AJ	G2 CI	TS	CA		
CW3	G4	S	NS		
SCT	AG	S	NS		
SP4	SP TRPS	S			
2LT	G2	S			
LTC	CLN	S			
SP4	FNGP	S			
LTC	G4	TS			
2LT	SP TRPS	S	NS		
SP6	SGS	S			

8-7-7

J-S-F--H-A-I-Y

E--O--B--C--L--Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE POSTER

AS OF 26 SEP 72 409005R

PAGE 10

552 (b) (6)
SECRET-2

NAME
[REDACTED]

GRADE	SSAN	SECTION	CLEARANCE	NATL	SPECIAL CATEGORY
SGM	[REDACTED]	SP TRPS	S		
LTC	[REDACTED]	LNO	TS	CA	
PEC	[REDACTED]	SP TRPS	S		
SEC	[REDACTED]	SP TRPS	S	NS	
PEC	[REDACTED]	SP TRPS	S		
SGT	[REDACTED]	527 TC	S		
DEC	[REDACTED]	G1	S	NS	
SP4	[REDACTED]	207 MID	TS	CA	II
SSG	[REDACTED]	G2	S	NS	II
MAJ	[REDACTED]	SIG	TS	CA	CTS
SEC	[REDACTED]	SIG	S		CS
SSG	[REDACTED]	SP TRPS	S		II
2LT	[REDACTED]	SP TRPS	S		
PEC	[REDACTED]	DAI	S		
SEC	[REDACTED]	IG	S		
PV2	[REDACTED]	CLD LJO	S		
CPT	[REDACTED]	ENGF	TS	CA	II
PV2	[REDACTED]	SP TRPS	S	NS	
SGT	[REDACTED]	207 MID	S	NS	CS
SSG	[REDACTED]	G2	S		II
SSG	[REDACTED]	SP TRPS	S		
S/A	[REDACTED]	207 MID	TS	CA	CTS
CW2	[REDACTED]	HMC	S	NS	II
PV2	[REDACTED]	207 MID	S	NS	II
1LT	[REDACTED]	G1	TS		
CPT	[REDACTED]	ASA	TS	NS	CTS
SSG	[REDACTED]	CCNT AG	TS	CA	II
PV2	[REDACTED]	DAI	S		
CPT	[REDACTED]	ASA	TS	NS	CTS
SGT	[REDACTED]	ADMIN	TS		II
MAJ	[REDACTED]	COMPT	S	NS	
PEC	[REDACTED]	SP TRPS	S	NS	
SP5	[REDACTED]	COMPT	S		
PV2	[REDACTED]	SP TRPS	S	NS	

E--O--B--C--L--Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE PROCEED

AS CF 25 SEP 73 430005R

PAGE 11

GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
CN1		ENGFP	TS	CA	CTS	II
SP4		HHC	S			
SP6		SGS	S			
PV2		G2	S	NS		
LTG		G2	TS	CA		II
PV2		G4	S	NS		
PEC		SP TRPS	S			
SP4		IG	S			
SFC		G3	TS	NS		
SP4		IG	S			
1LT		15TH TC	S			
SFC		CLD	S			
PEC		STG	S		CS	II
DEC		207 MID	S	NS		II
SP5		207 MID	TS	NS		II
MSG		SGS	S		CS	II
CPT		STG OFF	S			
SSG		EM CLJR	S			
PV2		SP TRPS	S			
1LT		G5	S			
SFC		G4	S	CA		
SP4		SP TRPS	S	NS		
SFC		G4	S			
SGM		IG	TS			
PEC		SP TRPS	S			
1LT		AG	S			
PEC		527 TC	S			
SSG		SP TRPS	S			
PV2		IG	S			
SFC		G1	S			
SSG		G3	TS	CA	CTS	II
SP5		G3	S	NS		
SGT		SP TRPS	S			
LTG		G3 AVN	TS			II

~~F-U-S-S-F-U-N-L-Y~~

E-0-0
1-A-1--J-S-F--0-N-L-Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE ENTER

552 (b) (6)

CS AFTSGR-2

AS CF 25 SEP 73 409095R

PAGE 12

NAME

GRADE

SSAN

SECTION

CLEARANCE

NAID SPECIAL CATEGORY

NAME	GRADE	SSAN	SECTION	CLEARANCE	NAID	SPECIAL CATEGORY
[REDACTED]	SFC	[REDACTED]	G3	S	NS	
[REDACTED]	MSG	[REDACTED]	G4	S	NS	
[REDACTED]	2LT	[REDACTED]	PMN	S	NS	
[REDACTED]	SP5	[REDACTED]	207 MID	S	NS	
[REDACTED]	SFC	[REDACTED]	ASA	TS	NS	CTS II
[REDACTED]	TOL	[REDACTED]	SJA	TS	NS	
[REDACTED]	DEC	[REDACTED]	AG	S	CA	CTS II
[REDACTED]	SP4	[REDACTED]	SSN	TS	CA	CTS II
[REDACTED]	1LT	[REDACTED]	IG	S	CA	CTS II
[REDACTED]	S/A	[REDACTED]	207 MID	TS	CA	CTS II
[REDACTED]	SSG	[REDACTED]	G3	TS	CA	CTS II
[REDACTED]	CPT	[REDACTED]	G2	TS	NS	CS
[REDACTED]	MSG	[REDACTED]	AG	S	CA	CTS II
[REDACTED]	SP6	[REDACTED]	G2	TS	CA	CTS II
[REDACTED]	SP4	[REDACTED]	SP TRPS	S	NS	
[REDACTED]	PEC	[REDACTED]	207 MID	S	NS	CS
[REDACTED]	PEC	[REDACTED]	G2 OPS	S	NS	
[REDACTED]	DAC	[REDACTED]	SJA	S	NS	
[REDACTED]	2LT	[REDACTED]	PMN	S	NS	
[REDACTED]	SFC	[REDACTED]	ENG	TS	CA	CTS II
[REDACTED]	SGT	[REDACTED]	SP TRPS	S	NS	CTS II
[REDACTED]	SP6	[REDACTED]	ASA	TS	NS	
[REDACTED]	SP4	[REDACTED]	AG	S	NS	
[REDACTED]	SP4	[REDACTED]	SP TRPS	S	NS	
[REDACTED]	DEC	[REDACTED]	AG	S	NS	
[REDACTED]	DEC	[REDACTED]	G3	S	NS	
[REDACTED]	CPT	[REDACTED]	SP TRPS	S	CA	CTS II
[REDACTED]	2LT	[REDACTED]	G3	TS	CA	
[REDACTED]	SP4	[REDACTED]	SP TRPS	S	NS	
[REDACTED]	MSG	[REDACTED]	AG	S	NS	
[REDACTED]	CPT	[REDACTED]	ENG	TS	NS	CS II
[REDACTED]	CPT	[REDACTED]	G5	TS	CA	
[REDACTED]	DEC	[REDACTED]	G3	S	NS	
[REDACTED]	SSG	[REDACTED]	SP TRPS	S	NS	

F-0-B
C-1-A-L--J-S-F--0-N-L-Y

HEADQUARTERS VIT COMPS

ITY CLEARANCE POSSES

CS AETS38-2 552 (b) (6)

AS CE 25 SEP 72

420005R

PAGE 13

NAME	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
21T		SUBQ	S	NS	
SGG		SP TRPS	S		
COL		GR	TS	CA	II
SGT		SP TRPS	S		
SFC		IG	S		
CPT		SSN	TS	C	CTS
SSG		207 MID	TS	CA	II
DEC		ASA	TS		CTS
SAT		SP TRPS	S		II
SP4		PAO	S		
DEC		GR	S		
SP4		GS	S		
21T		207 MID	TS		II
SFC		SSN	TS	C	CTS
PV2		SGS	S		II
SP5		207 MID	S		II
MAJ		COMPT	S		
SP4		AG	S		
CPT		GI	S		
DEC		GR	TS	CA	
PV2		SSN	TS	C	CTS
SSG		SP TRPS	S	NS	II
SP6		SGS	S		
CPT		SP TRPS	S	NS	
SP5		COMPT	S	NS	
LTC		PMO	S	NS	
LTC		PAO	TS		
21T		SP TRPS	S	NS	
SFC		SP TRPS	S	NS	
PV2		CLG	S		
MAJ		SSN	TS	C	CTS
PV2		GI	S		II
DEC		STGN	TS		
MAJ		GI	S		

~~SECRET~~ F--O--P--B--T--S--C--I--A--L--J--S--F--J--N--L--Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE ROSTER

AS OF 25 SEP 73 403095R

PAGE 14

CS AET 552 (b) (6)

[REDACTED]

[REDACTED]

NAME	GRADE	SSAN	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
[REDACTED]	LTC	[REDACTED]	SURC	TS		CTS	II
[REDACTED]	COL	[REDACTED]	G1	TS			
[REDACTED]	SFC	[REDACTED]	G4	S	NS		
[REDACTED]	DAC	[REDACTED]	COMPT	ITS	NS		
[REDACTED]	PEC	[REDACTED]	G4	S			
[REDACTED]	SP5	[REDACTED]	SGS	S			
[REDACTED]	MAJ	[REDACTED]	G4	TS	CA		II
[REDACTED]	SP7	[REDACTED]	SJA	S			
[REDACTED]	PEC	[REDACTED]	SP TRPS	S			
[REDACTED]	CPT	[REDACTED]	SJA	S			
[REDACTED]	LT	[REDACTED]	TSCC	TS	CA	CTS	II
[REDACTED]	LT	[REDACTED]	LNO	TS	CA		II
[REDACTED]	LT	[REDACTED]	207 MID	TS	CA		II
[REDACTED]	COL	[REDACTED]	ENGP	TS	CA		II
[REDACTED]	SP4	[REDACTED]	G2	S			
[REDACTED]	SSG	[REDACTED]	G3	TS	CA	CTS	II
[REDACTED]	SGM	[REDACTED]	G2	TS	CA		
[REDACTED]	CPT	[REDACTED]	G2	TS	CA	CTS	
[REDACTED]	PEC	[REDACTED]	SP TRPS	S			
[REDACTED]	PEC	[REDACTED]	TSCC	TS			
[REDACTED]	SP4	[REDACTED]	SGN	TS	C	CTS	II
[REDACTED]	SP4	[REDACTED]	COMDT	S			
[REDACTED]	PEC	[REDACTED]	SP TRPS	S			
[REDACTED]	SSG	[REDACTED]	SWN	S			
[REDACTED]	SSG	[REDACTED]	SP TRPS	S			
[REDACTED]	PEC	[REDACTED]	SP TRPS	S			
[REDACTED]	PEC	[REDACTED]	SP TRPS	S			
[REDACTED]	DV2	[REDACTED]	STG	TS			II
[REDACTED]	SGM	[REDACTED]	STG	S			
[REDACTED]	SP4	[REDACTED]	ENGP	S			
[REDACTED]	DV2	[REDACTED]	SP TRPS	S			
[REDACTED]	PEC	[REDACTED]	G4	S	NS		
[REDACTED]	SGG	[REDACTED]	AG	S			
[REDACTED]	CPT	[REDACTED]	SGS	TS	CA	CTS	II
[REDACTED]	CPT	[REDACTED]	ALG SJA	S			

E--O--P--B--T--S--C--I--A--L--J--S--F--J--N--L--Y

SECURITY CLEARANCE PROJECT

25 1-75 37-20, 552 (b) (6)

AS 25 JUN 73

٥٠٠

PAGE 15

המלך

SPAN=

SSAN

SECTION

CLEARANCE

VAT 7

SPECIAL - CATEGORY

SP/AD/	SECTION	CLEARANCE	NATO	SPECIAL	CATEGORY
SEC	G4	S	NS		
LTC	G4	S	NS		
SP4	AG-PA	S	NS		
MAJ	207 MID	TS	CA		II
SSG	HHC	S	NS		
S/A	207 MID	TS			II
SP5	HHC	CON			
LTC	G3	TS	CA		
CPT	MPA	TS			
SP5	G4	S	NS		
PEC	207 MID	S	NS	CS	II
PEC	527 TC	S			
SEC	G4	S	NS		
SEC	G2 AIR	TS	CA	CTS	II
PEC	G3	S	NS		
C SM	SGS	TS	C		II
DAC	G1	S			
MSG	SGS	S	CA		
PEC	SP TRPS	S			
SSG	G1	S	NS		
SP4	SP TRPS	S			
MSG	G4	TS			
PV2	G3	S			
WD3	SP TRPS	S	NS		
PEC	SP TRPS	S			
PEC	207 MID	S			II
SP6	SGS	S			
PEC	527 TC	S			
SST	SP TRPS	S			
DEC	HHC	S			
CNL	G2	TS	CA	CTS	II
RG	G3	TS			
SP4	207 MID	TS	NS		II
MAJ	G1	S	NS		

E-O-R--O-F-F-I-(I-A-I---)-S-F--O-N-I-L-Y

SECRET

HEADQUARTERS VII CORPS

SECURITY CLEARANCE ROSTER

AS OF 25 SEP 73 409095R

PAGE 16

NAME	SSAN	SECTION	CLEARANCE	NATO	SPECIAL CATEGORY
[REDACTED]	[REDACTED]	207 MID	TS	NS	CTS II
[REDACTED]	[REDACTED]	G2	TS	C	CS
[REDACTED]	[REDACTED]	G4	TS	C	
[REDACTED]	[REDACTED]	207 MID	S	NS	CS II
[REDACTED]	[REDACTED]	AG	S		
[REDACTED]	[REDACTED]	SP TRPS	S		
[REDACTED]	[REDACTED]	G4	S	NS	
[REDACTED]	[REDACTED]	SGS	S		
[REDACTED]	[REDACTED]	SP TRPS	S	CA	
[REDACTED]	[REDACTED]	SJRG	TS	CA	
[REDACTED]	[REDACTED]	ENG	TS	CA	
[REDACTED]	[REDACTED]	G3	TS	CA	
[REDACTED]	[REDACTED]	G3	TS	CA	
[REDACTED]	[REDACTED]	207 MID	TS	CA	
[REDACTED]	[REDACTED]	MPA	S	NS	
[REDACTED]	[REDACTED]	HHC	S		
[REDACTED]	[REDACTED]	SJA	S		
[REDACTED]	[REDACTED]	207 MID	S	NS	CS II
[REDACTED]	[REDACTED]	G4	S		
[REDACTED]	[REDACTED]	HHC	S		
[REDACTED]	[REDACTED]	SP TRPS	S		
[REDACTED]	[REDACTED]	AG	S		
[REDACTED]	[REDACTED]	SP TRPS	S		
[REDACTED]	[REDACTED]	110 MP	S		
[REDACTED]	[REDACTED]	110 MP	S		
[REDACTED]	[REDACTED]	AS A	TS		CTS II
[REDACTED]	[REDACTED]	G3	S		
[REDACTED]	[REDACTED]	SP TRPS	S		
[REDACTED]	[REDACTED]	CLD	S		
[REDACTED]	[REDACTED]	G3	S		
[REDACTED]	[REDACTED]	SP TRPS	S		
[REDACTED]	[REDACTED]	527TH	S		
[REDACTED]	[REDACTED]	SGS	S		
[REDACTED]	[REDACTED]	AG	S		

SECRET

F--N--P--
--L--J--S--F--N--L--Y

HEADQUARTERS VII CORPS

SECURITY CLEARANCE PROFILE

AS OF 25 SEP 73 400005H

PAGE 17

GRADE	SSAN	SECTION	CLEARANCE	NAID	SPECIAL CATEGORY
SP5	[REDACTED]	SA-	TS	C	II
SGT	[REDACTED]	SP TRPS	S		
PV2	[REDACTED]	SP TRPS	S		
SP4	[REDACTED]	207 MFO	S		
CPT	[REDACTED]	SJA	S		II
SGT	[REDACTED]	GS	TS	NC	
SGT	[REDACTED]	SGS	S		
SP5	[REDACTED]	SP TRPS	S		
SP4	[REDACTED]	SP TRPS	S		
SSG	[REDACTED]	PAN	S		
DEC	[REDACTED]	G3 AVN	C		
CNI	[REDACTED]	G4	TS	CA	II
SSG	[REDACTED]	G3	TS		
MAJ	[REDACTED]	G4	S	NS	
LTC	[REDACTED]	G3	TS	CA	
SFC	[REDACTED]	IG	S		
LTC	[REDACTED]	IG	TS		II
LTC	[REDACTED]	SP TRPS	TS		
LTC	[REDACTED]	PM	TS		
DEC	[REDACTED]	G4	S	NS	
SFC	[REDACTED]	G1	TS		
SFC	[REDACTED]	G3	S		
CPT	[REDACTED]	SIG	TS	CA	II
DEC	[REDACTED]	SP TRPS	S		
LTC	[REDACTED]	CLN	S		
1LT	[REDACTED]	207 MFO	S		II
DEC	[REDACTED]	SUPG	S	NS	
SP4	[REDACTED]	SP TRPS	S		
DAF	[REDACTED]	COMPT	S	NS	
CPT	[REDACTED]	JAG	S		
LTC	[REDACTED]	G1	TS		
SFC	[REDACTED]	G4	S	NS	
SFC	[REDACTED]	G3	S		

F--N--P--
--L--J--S--F--N--L--Y

F--N--V--L--Y



DEPARTMENT OF THE ARMY
UNITED STATES ARMY INTELLIGENCE AND SECURITY COMMAND
FREEDOM OF INFORMATION/PRIVACY OFFICE
FORT GEORGE G. MEADE, MARYLAND 20755-5995

REPLY TO
ATTENTION OF:

January 6, 2005

Freedom of Information/
Privacy Office

Mr. John Young
251 West 89th Street
Suite 6E
New York, New York 10024

Dear Mr. Young:

References:

- a. Your Freedom of Information Act (FOIA) request of March 29, 2001, for information pertaining to various dossiers. Your request was received in this office on May 8, 2001.
- b. Our letter of October 11, 2002, requesting payment of various dossiers.
- c. Our letter dated November 25, 2002, providing Army intelligence records; and stating that we were coordinating with another government agency concerning the releasability of their records.
- d. Our letter of December 13, 2005, acknowledging payment received.

Coordination has been completed with the U.S. Army Criminal Investigation Command (USACIDC). We have been informed by the USACIDC that their information is partially releasable to you. To aid you in identifying the USACIDC information, we have bracketed it in black. A copy is enclosed for your use.


The withholding of this information by the USACIDC constitutes a partial denial of your request in accordance with Title 5 U.S.C. 552 (b)(6) and (b)(7)(C) of the FOIA and the Title U.S. C. 552a (j)(2). This denial, which is made on behalf of Brigadier General David W. Foley, the Commanding General, USAIDC, who is the Access and Amendment Refusal Authority for USACIDC records under the Privacy Act and the Initial Denial Authority for USACIDC records under the FOIA, may be appealed to the Secretary of the Army. In you decide to appeal at this time, your appeal must be submitted within 60 days of the date of this letter. If your appeal, you should state the basis for your disagreement with the denial and you should state the justification for its release. The appeal is made through the USACIDC and should be addressed to the Director, U.S. Crime Records Center, Attention: Freedom of Information/Privacy Act Division, 6010 6th Street, Building 1465, Fort Belvoir, Virginia 22060-5585, for forwarding, as appropriate, to the Office of the Secretary of the Army.

This correspondence is to advise you that you have received all available Army intelligence investigative records concerning Corps Communication Center, ZG000495W, at this headquarters.

We are continuing to review records regarding other titles you have requested and will respond to you by separate correspondence when our review is complete.

If you have any questions concerning this action, please feel free to contact this office at (301) 677-4742 and refer to case #132F-06.

Sincerely,

A handwritten signature in black ink, appearing to read "Susan J. Butterfield". The signature is fluid and cursive, with the first name "Susan" being particularly prominent.

Susan J. Butterfield
Director
Freedom of Information/Privacy Office
Investigative Records Repository

Enclosure

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

W
400X On 9 April 1976, files of the Military Police Station, Kelley Barracks, Stuttgart-Moehringen (NV1197), Federal Republic of Germany (FRG), APO New York 09107, were examined and revealed the following information concerning personnel of the 34th Signal Battalion, Krabbenloch Kaserne, Ludwigsburg (NV1416), FRG, APO New York 09154, pertinent to SUBJECT:

Blotter entry (BE) 2, 19 January 1971,

b6

SSG, b6

Detachment 1, 34th Signal Battalion

Victim (VICT), Destruction of Private Property

BE 3, 27 January 1971,

b6

SP4, b6

Headquarters and Headquarters Company (HHC),

34th Signal Battalion

Subject (SUBJ), Traffic Accident

BE 4, 31 March 1971,

b6

SP4, b6

Detachment 1, 34th Signal Battalion

Complainant (COMP), Larceny of Government Property

BE 3, 3 April 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion

Witness, Accidental Fire

BE 3, 7 April 1971

b6

SSG, b6

Detachment 1, 34th Signal Battalion

COMP, *Animal Bites* UNCLASSIFIED on

20 MAR 1998
by USAINSCOM FOI/PA

Auth para 4-102, DOD 5200-1R

CLASSIFIED BY: Para 45 AR 381-12, 13 Oct 74
EXEMPTED FROM AUTOMATIC DOWNGRADING AND DECLASSIFICATION
SCHEDULE 1, 13 Oct 74
2 OF ACS, DA

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT

JAMES S. MCCRARY, 66th MI Group
B04132-484-76

6. SIGNATURE OF SPECIAL AGENT

180

DA FORM 341

1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED

VII Corps Communications Center (U)

18 May 1976

BE 2, 25 April 1971

b6

PFC, b6

Detachment 1, 34th Signal Battalion
VICT, Simple Assault

BE 4, 3 May 1971

b6

COMP, Unlawful Entry and Vandalism

BE 3, 30 May 1971

b6

PVT, b6

HHC, 34th Signal Battalion

COMP, Larceny of Private Property

NOTE: The rental vehicle which McCollum had rented was stolen

BE 2, 2 June 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion
COMP, Lost wallet

BE 3, 19 June 1971

b6

SP5, b6

Detachment 1, 34th Signal Battalion
VICT, Larceny of Private Property

BE 2, 14 July 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion
Witness (WIT), Disorderly Conduct

BE 3, 27 July 1971

b6

SP4, b6

Company B, 34th Signal Battalion
SUBJ, AWOL Report

BE 4, 28 July 1971

b6

SUBJ, Disrespect Towards Commissioned Officer

b7c
j2
pee
ccc

18 May 1976

BE 3, 2 August 1971

[b6]
CPT, [b6]
Detachment 1, 34th Signal Battalion
WIT, Missing Government Property

BE 3, 2 August 1971

[b6]
SP5, [b6]
Detachment 1, 34th Signal Battalion
WIT, Missing Government Property

BE 2, 8 August 1971

[b6]
SP4, [b6]
Detachment 1, 34th Signal Battalion
SUBJ, Disorderly Conduct

BE 2, 2 September 1971

[b6]
PFC, [b6]
Detachment 1, 34th Signal Battalion
VICT, Stolen License Plates

BE 3, 11 September 1971

[b6]
SP5, [b6]
Detachment 1, 34th Signal Battalion
SUBJ, Traffic Accident

BE 3, 11 September 1971

[b6]
SP4, [b6]
Detachment 1, 34th Signal Battalion
Occupant (OCCP), Traffic Accident

BE 3, 28 September 1971

[b6]
PFC, [b6]
Detachment 1, 34th Signal Battalion
SUBJ, Bringing Unauthorized Persons into Troop Billets (Female)

b7c
J2
per
CRC

18 May 1976

BE 3, 4 October 1971 (Reforger Blotter)

b6

SP4, b6

B Company, 34th Signal Battalion

VICT, Traffic Accident

BE 5, 5 October 1971 (Reforger Blotter)

b6

SP4, b6

B Company, 34th Signal Battalion

SUBJ, Traffic Violation

BE 2, 10 October 1971

b6

SGT, b6

Detachment 1, 34th Signal Battalion

SUSPECT (SUSP), Armed Robbery

BE 2, 10 October 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUSP, Armed Robbery

BE 2, 10 October 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUSP, Armed Robbery

BE 2, 10 October 1971

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Armed Robbery

BE 2, 10 January 1972

b6

SP4, b6

B Company, 34th Signal Battalion

SUBJ, Traffic Accident

BE 4, 24 January 1972

b6

SP5, b6

Detachment 1, 34th Signal Battalion

SUBJ, Traffic Accident

183

b7c
J2
per
CFC

VII Corps Communications Center (U)

18 May 1976

BE 4, 24 January 1972

b6

SSG, [redacted]
Detachment 1, 34th Signal Battalion
COMP, Traffic Accident

BE 2, 30 January 1972

b6

SP4, [redacted]
B Company, 34th Signal Battalion
VICT, Simple Assault

BE 2, 30 January 1972

b6

SP4, [redacted]
Detachment 1, 34th Signal Battalion
COMP, Simple Assault

BE 2, 30 January 1972

b6

SP4, [redacted]
Detachment 1, 34th Signal Battalion
WIT, Simple Assault

BE 2, 30 January 1972

b6

PFC, [redacted]
Detachment 1, 34th Signal Battalion
WIT, Simple Assault

BE 2, 30 January 1972

b6

SP4, [redacted]
Detachment 1, 34th Signal Battalion
WIT, Simple Assault

BE 2, 2 March 1972

b6

SP5, [redacted]
HHC, 34th Signal Battalion
SUBJ, Indecent Assault

BE 3, 22 March 1972

b6

SP4, [redacted]
Detachment 1, 34th Signal Battalion
SUBJ, Entering a Posted Off-Limits Area (PDO Holding Area)

184

18 May 1976

BE 3, 22 March 1972

b6

PFC, b6

Detachment 1, 34th Signal Battalion

SUBJ, Entering a Posted Off-Limits Area (PDO Holding Area)

BE 2, 23 March 1972

b6

SSG, b6

Detachment 1, 34th Signal Battalion

SUBJ, Larceny of Private Property

BE 2, 10 April 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Disorderly Conduct

BE 2, 10 April 1972

b6

PV2, b6

Detachment 1, 34th Signal Battalion

SUBJ, Disorderly Conduct

BE 2, 26 April 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUSP, Customs Violation

BE 2, 18 May 1972

b6

2LT, b6

Detachment 1, 34th Signal Battalion

COMP, Larceny of Private Property

BE 2, 18 May 1972

b6

PFC, b6

Detachment 1, 34th Signal Battalion

VICT, Larceny of Private Property

BE 5, 30 May 1972

b6

PFC, b6

34th Signal Battalion

Request for Assistance (girl friend became ill on post)

b7C
J2
pw
CRC

185

10 May 1976

BE 2, 31 May 1972

b6

SUBJ, Expired Identification Card

BE 5, 5 June 1972

b6

SSG, b6
Detachment 1, 34th Signal Battalion
COMP, Lost Identification Card

BE 6, 5 June 1972

b6

SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Drunk and Disorderly

BE 10, 12 June 1972

b6

PV2, b6
Detachment 1, 34th Signal Battalion
SUBJ, Disorderly Conduct

BE 10, 12 June 1972

b6

SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Disorderly Conduct

BE 3, 18 June 1972

b6

SUBJ, Breaking Restriction

BE 7, 23 June 1972

b6

2LT, b6
C Company, 34th Signal Battalion
SUBJ, Traffic Violation

BE 3, 23 June 1972

b6

SP4, b6
B Company, 34th Signal Battalion
SUBJ, Disrespect Towards a Noncommissioned Officer; Operating
Mechanically Unsafe Vehicle

b7c
J2
per
CRC

May 1976

RE 2, 8 July 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Communicating a Threat

BE 2, 9 July 1972

b6

PFC, b6

Detachment 1, 34th Signal Battalion

VICT, Lost Identification Card

BE 9, 12 July 1972

C b6

SP4, b6

Detachment 1, 34th Signal Battalion

COMP, Larceny of Private Property

BE 2, 6 August 1972

b6

PV2, b6

A Company, 34th Signal Battalion

WIT, Aggravated Assault

BE 4, 10 August 1972

b6

SGT, b6

A Company, 34th Signal Battalion

SUSP, Security Violation

NOTE: Copy of DA Form 19-50 (Military Police Blotter) pertaining to above entry attached as EXHIBIT _____.

BE 4, 10 August 1972

b6

PFC, b6

A Company, 34th Signal Battalion

SUSP, Security Violation

NOTE: See attached exhibit

BE 3, 12 August 1972

b6

PVT, b6

Detachment 1, 34th Signal Battalion

SUBJ, Drunk and Disorderly

*b7c
per
CRC*

10 May 1976

BE 3, 12 August 1972

b6

SSG, b6

Detachment 1, 34th Signal Battalion
COMP, Drunk and Disorderly

BE 3, 12 August 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion
WIT, Drunk and Disorderly

BE 3, 12 August 1972

b6

SGT, b6

Detachment 1, 34th Signal Battalion
WIT, Drunk and Disorderly*b7C
J2
per
CRC*

BE 2, 10 August 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion
SUBJ, Operating a POV with Expired Registration

BE 2, 24 August 1972

b6

SUSP, Aggravated Assault

BE 2, 9 September 1972

b6

MAJ, b6

Headquarters (HQ), 34th Signal Battalion
SUBJ, Report of Fire

BE 2, 16 September 1972

b6

SUBJ, Drunk and Disorderly; Assault on a Military Policeman

BE 3, 23 September 1972

b6

VICT, Larceny of Private Property

May 1976

BE 3, 23 September 1972

b6

SP4, b6
Detachment 1, 34th Signal Battalion
COMP, Larceny of Private Property

BE 3, 23 September 1972

b6

SP5, b6
Detachment 1, 34th Signal Battalion
Roommate of VICT, Larceny of Private Property

BE 3, 23 September 1972

b6

PFC, b6
Detachment 1, 34th Signal Battalion
Roommate of VICT, Larceny of Private Property

b7C
2
per
CRC

BE 2, 24 September 1972

b6

Arrest by Military Police Investigations

BE 2, 1 October 1972

b6

SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Simple Assault

BE 2, 1 October 1972

b6

SUBJ: Simple Assault

BE 5, 24 October 1972

b6

SGT, b6
Company A, 34th Signal Battalion
SUBJ, Traffic Violation

BE 3, 4 November 1972

b6

SUBJ, Hit and Run

BE 6, 21 November 1972

b6

SUBJ, Traffic Violation

May 1976

BE 2, 28 November 1972

b6

SUBJ, Unauthorized Off-Limits

BE 2, 28 November 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Unauthorized Off-Limits

BE 3, 4 December 1972

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Traffic Violation

BE 3, 28 December 1972

b6

COMP, ~~Wrongful Possession of Marijuana~~

BE 2, 5 January 1973

b6

PFC, b6

Detachment A, 34th Signal Battalion

VICT, Larceny of Private Property

BE 2, 5 January 1973

b6

PV1, b6

Detachment A, 34th Signal Battalion

SUSP, Larceny of Private Property

BE 2, 5 January 1973

b6

~~SUSP, Larceny of Private Property~~

BE 2, 5 January 1973

b6

SP4, b6

Detachment A, 34th Signal Battalion

SUSP, Larceny of Private Property

BE 3, 29 January 1973

b6

CPT,

Detachment X 1, 34th Signal Battalion
COMP, Larceny of Private Property

b7C
J2
pw
CRC

190

May 1976

BE 2, 21 February 1973

b6

PFC, b6

Detachment 1, 34th Signal Battalion

SUBJ, Disorderly Conduct

BE 2, 21 February 1973

b6

SGT, b6

Detachment 1, 34th Signal Battalion

WIT, Disorderly Conduct

BE 3, 16 March 1973

b6

PFC, b6

Company A, 34th Signal Battalion

SUBJ, Traffic Accident

BE 4, 18 March 1973

b6

SP4, b6

Detachment 1, 34th Signal Battalion

SUBJ, Uniform Violation (Haircut)

BE 2, 24 March 1973

b6

SP5, b6

Detachment 1, 34th Signal Battalion

VICT, Aggravated Assault

BE 3, 28 March 1973

b6

SP5, b6

HHC, 34th Signal Battalion

VICT, Traffic Accident

BE 3, 8 April 1973

b6

PFC, b6

Detachment 1, 34th Signal Battalion

VICT, Attempted Armed Robbery

BE 3, 8 April 1973

b6

SP4, b6

TDY, 34th Signal Battalion

WIT, Attempted Armed Robbery

*b7c
12
pckc*

191

May 1976

BE 2, 19 April 1973

b6

SP5, b6
34th Signal Detachment (sic)
SUBJ, Disorderly Conduct

BE 3, 20 April 1973

b6

SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Expired License Plates

BE 3, 22 April 1973

b6

SUBJ, Expired License Plates

BE 5, 4 May 1973

b6

SUBJ, Traffic Violation

BE 4, 5 May 1973

b6

SGT, b6
Detachment 1, 34th Signal Battalion
COMP, Report of SMLM

BE 4, 5 May 1973

b6

SGT, b6
Detachment 1, 34th Signal Battalion
COMP, Report of SMLM

BE 4, 5 May 1973

b6

COMP, Report of SMLM

BE 4, 9 May 1973

b6

SP5, b6
34th Signal Battalion
SUBJ, Security Violation; Breaking and Entering (observed crawling
in a window in Building 3315, Kelley Barracks).

b7c
J2
per
CRC

10 May 1976

BE 2, 12 May 1973

b6

E-4, b6

B Company, 34th Signal Battalion

SUBJ, Operating a Motorcycle without a License.

BE 2, 19 May 1973

b6

PFC, b6

34th Signal Battalion

SUBJ, Disorderly Conduct

BE 3, 25 May 1973

b6

SGT, b6

Company A, 34th Signal Battalion

COMP, Lost Ration Card

BE 2, 7 June 1973

b6

E3, b6

HQ, 34th Signal Battalion

COMP, Larceny of Government Property

BE 2, 26 June 1973

b6

E3, b6

Detachment 1, 34th Signal Battalion

SUBJ, Drunk and Disorderly

BE 3, 2 July 1973

b6

PV2, b6

Detachment 1, 34th Signal Battalion

COMP, Lost Wallet

BE 4, 5 July 1973

b6

1LT, b6

Detachment 1, 34th Signal Battalion

SUBJ, Operating a Vehicle with Expired Registration

b7C
s2
pw
CRC

May 1976

BE 3, 5 August 1973

b6
PV2, b6 (WAC)
Detachment 1, 34th Signal Battalion
SUBJ, Traffic Accident

BE 3, 5 August 1973

b6
PFC, b6
Detachment 1, 34th Signal Battalion
SUBJ, Traffic Accident

BE 3, 10 August 1973

b6
SP4, b6
HHC, 34th Signal Battalion
VICT, Lost Wallet

BE 6, 11 August 1973

b6
SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Driving Without Valid Permit

BE 3, 14 August 1973

b6
E4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Possession of Suspected Dangerous Drugs

BE 3, 14 August 1973

b6
SUBJ, Possession of Suspected Dangerous Drugs

BE 3, 15 August 1973

b6
E2, b6
Detachment 1, 34th Signal Battalion
SUBJ, Drunk Driving; Driving without Permit; Driving Unregistered Vehicle; Possession of Suspected Dangerous Drugs.

BE 3, 15 August 1973

b6
E4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Drunk Driving; Driving without Permit; Driving Unregistered Vehicle; Possession of Suspected Dangerous Drugs.

194

10 May 1976

BE 2, 26 August 1973

[b6]

SP4, [b6]

Detachment 1, 34th Signal Battalion

SUBJ, Uniform Violation; Possession of Suspected Dangerous Drug

BE 2, 5 September 1973

[b6]

SGT, [b6]

Detachment 1, 34th Signal Battalion

SUBJ, Traffic Offense

BE 4, 9 September 1973

[b6]

E3, [b6]

34th Signal Battalion

SUBJ, Possession of Suspected Marijuana

BE 4, 9 September 1973

[b6]

E4, [b6]

34th Signal Battalion

SUBJ, Possession of Suspected Marijuana

BE 4, 9 September 1973

[b6]

SUBJ, Possession of Suspected Marijuana

BE 2, 13 September 1973

[b6]

COMP, Lost Wallet

BE 2, 27 September 1973

[b6]

PFC, [b6]

34th Signal Battalion

COMP, Lost Identification Card

BE 2, 9 October 1973

[b6]

SP5, [b6]

34th Signal Battalion

COMP, Lost Wallet

*b7C
is
pp
CFC*

May 1976

BE 2, 18 October 1973

b6

PFC, b6
Company A, 34th Signal Battalion
SUBJ, Traffic Accident

BE 6, 20 October 1973

b6

SP4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Driving a POV with Expired License Plates

BE 4, 27 October 1973

b6

1LT, b6
Detachment 1, 34th Signal Battalion
COMP, Traffic Accident

BE 3, 27 October 1973

b6

E4, b6
Detachment 1, 34th Signal Battalion
SUBJ, Operating a Vehicle Without a Permit; Operating an Uninsured Vehicle; Operating a Vehicle with Expired License Plates.

BE 4, 2 November 1973

b6

E3, b6
Company A, 34th Signal Battalion
COMP, Lost Identification Card.

BE 3, 3 December 1973

b6

COMP, Lost Wallet

BE 2, 13 January 1974

b6

E3, b6
Detachment 1, 34th Signal Battalion
COMP, Lost Identification Card

BE 3, 13 January 1974

b6

COMP, Breaking and Entering

196

May 1976

BE 3, 13 January 1974

b6

SUBJ, Breaking and Entering
Avery was AWOL and it was suspected he broke into the unit orderly room to obtain his clothing.

BE 3, 13 January 1974

b6

E3, b6
Detachment 1, 34th Signal Battalion
WIT, Breaking and Entering

BE 2, 25 January 1974

b6

COMP, Lost Ration Card

BE 2, 31 January 1974

b6

VICT, Lost Identification Card

BE 2, 1 February 1974

b6

E3, b6
A Company, 34th Signal Battalion
SUBJ, Failure to Produce Identification Card; Wrongfully Using Provoking Words.

BE 2, 5 February 1974

b6

SUBJ, Report of Found Contraband; Unauthorized Person in Off Limits Area

BE 3, 6 February 1974

b6

PFC, b6
Detachment 1, 34th Signal Battalion
COMP, Lost Wallet

BE 4, 7 February 1974

b6

SUBJ, Self Inflicted Injuries (Attempted Suicide)

BE 2, 7 February 1974

b6

PFC, b6
Detachment 1, 34th Signal Battalion
SUBJ, Possession of Dangerous Drugs

b7c
j2
pr
cnc

197

10 May 1976

BE 2, 7 February 1974

b6

SGT, b6
Detachment 1, 34th Signal Battalion
SUSP, Possession of Dangerous Drugs

BE 2, 9 February 1974

b6

SUBJ, Breaking Restriction

BE 2, 14 February 1974

b6

PV2, b6
C Company, 34th Signal Battalion
SUBJ, Drunk and Disorderly

BE 2, 21 February 1974

b6

PFC, b6
Aviation Section, 34th Signal Battalion
COMP, Larceny of Government Property

BE 2, 22 February 1974

b6

VICT, Traffic Accident

BE 2, 24 February 1974

b6

SP4, b6
Company C, 34th Signal Battalion
SUBJ, Operating a POV Without a Permit; Operating an
Unregistered Vehicle.

BE 2, 24 February 1974

b6

E5, b6
Company C, 34th Signal Battalion
SUBJ, Permitting Unlicensed Person to Operate POV; Operating A
POV Without a Permit; Operating an Unregistered Vehicle.

BE 5, 27 February 1974

b6

VICT, Assault

b7C
j2
pr
CRC

18 May 1976

BE 2, 4 March 1974

b6

b6

Detachment 1, 34th Signal Battalion
COMP, Lost Identification Card

BE 2, 7 March 1974

b6

E3, b6

Detachment 1, 34th Signal Battalion
WIT, Unauthorized Person in Off Limits Area

BE 2, 7 March 1974

b6

SUBJ, Allowing Unauthorized Person in Off Limits Area

BE 3, 11 March 1974

b6

VICT, Larceny of Private Property

BE 3, 14 March 1974

b6

E3, b6

Company A, 34th Signal Battalion
SUBJ, AWOL (Turned himself in)

BE 2, 25 March 1974

b6

E3, b6

34th Signal Detachment (sic)
VICT, Larceny of Private Property

BE 2, 25 March 1974

b6

E3, b6

34th Signal Detachment (sic)
WIT, Larceny of Private Property

BE 2, 7 April 1974

b6

E3,

34th Signal Battalion
WIT; Larceny of Private Property

18 May 1976

BE 2, 20 April 1974

b6

E3, b6
Company A, 34th Signal Battalion
SUBJ, Drunk and Disorderly

BE 2, 20 April 1974

b6

E4, b6
Company A, 34th Signal Battalion
WIT, Drunk and Disorderly Conduct

BE 2, 20 April 1974

b6

E4, b6
Detachment 1, 34th Signal Battalion
WIT, Drunk and Disorderly Conduct

b7c
J2
pe
cre

BE 2, 1 May 1974

b6

E3, b6
Detachment 1, 34th Signal Battalion
COMP, Lost Identification Card

BE 5, 4 May 1974

b6

PFC, b6
Company A, 34th Signal Battalion
SUBJ, Traffic Accident

BE 3, 8 May 1974

b6

E3, b6
Company A, 34th Signal Battalion
VICT, Larceny of Private Property

BE 2, 7 June 1974

b6

COMP, Lost Identification Card (lost in Athens, Greece)

BE 2, 17 June 1974

b6

E4, b6
Detachment 1, 34th Signal Battalion
COMP, Stolen USAREUR POV Registration

200

18 May 1976

BE 2, 5 July 1974

b6

E3, b6

Company A, 34th Signal Battalion

Reporter (RPT), Disorderly Conduct; Assaulting a Military
Policeman

BE 2, 12 July 1974

b6

E4, b6

Detachment 1, 34th Signal Battalion

RPT, Lost Ration Card

BE 2, 17 July 1974

b6

E2, b6

Company A, 34th Signal Battalion

COMP, Larceny of Private Property

BE 2, 27 July 1974

b6

E4, b6

Detachment 1, 34th Signal Battalion

WIT, Aggravated Assault

BE 2, 27 July 1974

b6

WIT, Aggravated Assault

BE 2, 27 July 1974

b6

E4, b6

Detachment 1, 34th Signal Battalion

VICT, Aggravated Assault

BE 2, 27 July 1974

b6

VICT, Aggravated Assault

BE 3, 29 July 1974

b6

SUBJ, Disorderly Conduct

*one
jz
pe
cnc*

13 May 1976

BE 3, 18 August 1974

b6

E5,

b6

B Company, 34th Signal Battalion
RPT, Lost Wallet

BE 4, 18 August 1974

b6

SP4,

b6

Detachment 1, 34th Signal Battalion
SUBJ, Assault on a Military Policeman; Failure to Obey a
Lawful Order; Disorderly Conduct.

BE 2, 25 August 1974

b6

E6,

b6

Company B, 34th Signal Battalion
RPT, Bomb Threat (NCO Club)

BE 3, 30 August 1974

b6

SP4,

b6

Company B, 34th Signal Battalion
SUBJ, Simple Assault; Disorderly Conduct

BE 3, 30 August 1974

b6

SP4,

b6

Company B, 34th Signal Battalion
WIT, Simple Assault; Disorderly Conduct

BE 3, 30 August 1974

b6

WIT, Simple Assault; Disorderly Conduct

BE 2, 7 September 1974

b6

E2,

b6

Company B, 34th Signal Battalion
SUBJ, Drunk Driving; Disorderly Conduct; Operating an Unregistered
Vehicle; Operating an Uninsured Vehicle; Operating POV Without a
Permit.

18 May 1976

BE 2, 21 September 1974

b6

SP5, b6

HHC, 34th Signal Battalion

SUBJ, Operating a POV with Expired USAREUR Registration

BE 3, 29 September 1974

b6

E6, b6

Company B, 34th Signal Battalion

RPT, Larceny of Government Property

BE 3, 18 October 1974

b6

O4, b6

HHC, 34th Signal Battalion

RPT, Larceny of Government Property; Operating Military Vehicle Without Permit

BE 3, 18 October 1974

b6

E8, b6

HHC, 34th Signal Battalion

WIT, Larceny of Government Property

BE 4, 19 October 1974 (Reforger)

b6

E3, b6

Company A, 34th Signal Battalion

SUBJ, Reckless Driving; Disorderly Conduct; Possession of Stolen USAREUR License Plates; Operating Uninsured Vehicle; Operating Unregistered Vehicle; Operating POV Without Operator's License.

BE 9, 23 October 1974 (Reforger)

b6

SP4, b6

Company B, 34th Signal Battalion

SUBJ, Operating Military Vehicle Without Permit

BE 3, 19 November 1974

b6

E5, b6

Detachment 1, 34th Signal Battalion

SUBJ, Larceny of Private Property

AGENT REPORT

For use of this form, see FM 30-17(C); AR 381-130; the proponent agency is the Office of the Assistant Chief of Staff for Intelligence.

1. NAME OF SUBJECT OR TITLE OF INCIDENT

VII Corps Communications Center (U)

2. DATE SUBMITTED

18 May 1976

3. CONTROL SYMBOL OR FILE NUMBER

4. REPORT OF FINDINGS

BE 2, 25 November 1974

b6

E2,

b6

Company B, 34th Signal Battalion
RPT, Larceny of Private Property

BE 3, 5 December 1974

b6

E5,

b6

Company C, 34th Signal Battalion
WIT, Traffic Accident

BE 2, 17 December 1974

b6

PFC,

b6

Company B, 34th Signal Battalion
SUBJ, Lost Wallet

BE 4, 23 December 1974

b6

E1,

b6

Company B, 34th Signal Battalion
SUBJ, Disorderly Conduct; Wrongful Possession of Marijuana

BE 2, 24 December 1974

b6

E5,

b6

34th Signal Battalion
RPT, Lost Identification Card

(C) AGENT'S NOTES: The above entries were extracted from the pertinent DA Forms 19-50 (Military Police Blotter) for the time frame of Subject investigation. The DA Forms 19-50 for November and December 1971 were not available. The whereabouts of the DA Forms 19-50 for 1970 and earlier were not known.

Regraded UNCLASSIFIED on

20 MAR 1998
by USAINSCOM FOI/PA

Auth para 4-102, DOD 5200-1R

Page 25 of 25 Pages

5. TYPED NAME AND ORGANIZATION OF SPECIAL AGENT
JAMES S. MCCRARY, 66th MI Group
B04132-484-76

204

6. SIGNATURE OF SPECIAL AGENT

DA FORM 341
1 APR 52

REPLACES WD AGO FORM 341, 1 JUN 47, WHICH MAY BE USED.