

MAIN COMPONENTS



GAS TURBINES FLANGE TO FLANGE

GENERATORS

REDUCTION GEARS

ACCESSORY GEAR BOXES



GAS TURBINES FLANGE TO FLANGE



HITACHI GAS TURBINE UNIT (EX-UNIT MAY 4-1)

MODEL SERIES 5000

SIMPLE-CYCLE, SINGLE SHAFT

F 5001, TYPE N CONVERTED TO TYPE PN/T





GAS TURBINES FLANGE TO FLANGE



HITACHI GAS TURBINE UNIT (EX-UNIT MAY 4-2)

MODEL SERIES 5000

SIMPLE-CYCLE, SINGLE SHAFT

F 5001, TYPE N CONVERTED TO TYPE PN/T





GENERATORS





HITACHI TURBINE GENERATOR (EX-UNIT MAY 4-2)

TYPE EFZB1LA
OUTPUT KVA 27687
FREQUENCY 60 HZ.
VOLTAGE 13200
EX. VOLTAGE 270
MFG. NO. 161196-1

FORM K COD JEC-114 (1964)
PHASES 3 POLES 2
POWER FACTOR 0.8
CONN. Y
ARMATURE AMPERS 1211
FIELD AMPERS 240
DATE 1973



GENERATORS



BRUSH GENERATOR (EX-UNIT MAY 3-2)

TYPE EFZB1LA
OUTPUT KVA 27687
FREQUENCY 60 HZ.
VOLTAGE 13200
EX. VOLTAGE 270
MFG. NO. 161196-1

FORM K COD JEC-114 (1964)
PHASES 3 POLES 2
POWER FACTOR 0.8
CONN. Y
ARMATURE AMPERS 1211
FIELD AMPERS 240
DATE 1973



REDUCTION GEARS



HITACHI GEAR UNIT (EX-UNIT MAY 4-2)

TYPE GNX60C

RATING 28000 KW

RATIO 1.415

MFG. NO. 94K31420-2

OPERATING HOURS:

INPUT SPEED 5094 RPM

OUTPUT SPEED 3600 RPM

DATE 1994





REDUCTION GEARS



LUFKIN GEARS (EX-UNIT MAY 3-1)

MODEL NO. NVQ2207C

SERIAL NO. 116197

ORDER NO. 200973

OPERATING HOURS:

RATIO 1.418..1

INPUT RPM 5105 (50458 KW)

CAT. RATING 67665 HP


SER. FACTOR 1.8 (28001 KW)

SERVICE RATING 37550 HP





REDUCTION GEARS



LUFKIN GEARS (EX-UNIT MAY 3-2)

MODEL NO. NVQ2207C

RATIO 1.418..1

SERIAL NO. 12718

INPUT RPM 5105 (50458 KW)

ORDER NO. 861196

CAT. RATING 67665 HP

OPERATING HOURS:


SER. FACTOR 1.8 (28001 KW)

SERVICE RATING 37550 HP





ACCESORY GEAR BOXES



GENERAL ELECTRIC GEAR UNIT (EX-UNIT MAY 3-1)



TYPE A 500 - AG 2 DM SERIAL NO. 217898
RATING 479 HP, 5100 / 3583 / 1884 / 6003 / 1415 RPM
INSTRUCTIONS GEK 25850
226A1924-1

OPERATING HOURS:





ACCESORY GEAR BOXES



•JOHN BROWN ENGINEERING GEAR UNIT (EX-UNIT MAY 3-1)

MANUFACTURED BY
JOHN BROWN ENGINEERING (CLYDEBANK) LTD
UNDER LICENCE FROM GENERAL ELECTRIC COMPANY U.S.A.
DESIGNED BY
THE GENERAL ELECTRIC COMPANY GEAR DEPARTMENT
LYNN. MASS.
U.S.A.

TYPE – A500-BG2BW

SERIAL NO. J-568

DRAWING NO. 663E201





DIESEL ENGINES



DIESEL ENGINES

MODEL 7123-7000

DWG. 185A1418P1

600 HP



AVAILABLE FOR SALE: 4



TRANSFORMERS



Westinghouse
THREE PHASE
TYPE SL
60 HERTZ
LOAD TAP CHANGING
AUTO TRANSFORMER
CLASS OA/FA/FOA

L. SPEC. 879441 SERIAL RHP-55131
INSTRUCTION BOOK RHP-3513

AVAILABLE FOR SALE: 1

