

LA-6947

c.3

GIC-14 REPORT COLLECTION  
**REPRODUCTION  
COPY**

UC-34c

Issued: November 1977

**GNASH:**

**A Preequilibrium, Statistical Nuclear-Model Code for  
Calculation of Cross Sections and Emission Spectra**

P. G. Young  
E. D. Arthur


LOS ALAMOS NATIONAL LABORATORY  
3 9338 00397 0679



**los alamos**  
**scientific laboratory**

of the University of California

LOS ALAMOS, NEW MEXICO 87545



An Affirmative Action/Equal Opportunity Employer

UNITED STATES  
DEPARTMENT OF ENERGY  
CONTRACT W-7405-ENG. 36

This work was supported by the US Department of Energy, Division of Physical Research.

Printed in the United States of America. Available from  
National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161

Microfiche	\$ 3.00	126-150	7.25	251-275	10.75	376-400	13.00	501-525	15.25
001-025	4.00	151-175	8.00	276-300	11.00	401-425	13.25	526-550	15.50
026-050	4.50	176-200	9.00	301-325	11.75	426-450	14.00	551-575	16.25
051-075	5.25	201-225	9.25	326-350	12.00	451-475	14.50	576-600	16.50
076-100	6.00	226-250	9.50	351-375	12.50	476-500	15.00	601-up	--1
101-125	6.50								

1. Add \$2.50 for each additional 100-page increment from 601 pages up.

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.

GNASH: A PREEQUILIBRIUM, STATISTICAL NUCLEAR-MODEL CODE  
FOR CALCULATION OF CROSS SECTIONS AND EMISSION SPECTRA

by

P. G. Young and E. D. Arthur

ABSTRACT

A new multistep Hauser-Feshbach code that includes corrections for preequilibrium effects is described. The code can calculate up to 60 decay reactions (cross sections and energy spectra) in one computation, thereby providing considerable flexibility for handling processes with complicated reaction chains. Input parameter setup, problem output, and subroutine descriptions are given along with a sample problem calculation. A brief theoretical description is also included.

I. INTRODUCTION

The preequilibrium, statistical nuclear-model code GNASH provides a flexible method by which reaction and level cross sections, isomer ratios, and spectra (neutron, gamma-ray, and charged-particle) resulting from particle-induced reactions can be calculated. The code uses Hauser-Feshbach<sup>1</sup> theory to calculate complicated sequences of reactions and includes a preequilibrium correction for binary channels. Gamma-ray competition is considered in detail for every decaying compound nucleus. Each calculation can handle decay sequences involving up to 10 compound nuclei, and each decaying compound nucleus can emit a maximum of 6 types of radiation (neutrons, gamma rays, protons, alphas, etc.). Angular-momentum effects and conservation of parity are included explicitly. Each residual nucleus in a calculation can contain up to 50 discrete levels, whereas its continuum region can be represented by up to 200 energy bins. The incident-particle types that are permitted are neutrons, protons, deuterons, tritons, <sup>3</sup>He, and <sup>4</sup>He. These particles and gamma rays can also be emitted from decaying compound nuclei. Angular distributions are not calculated; that is, isotropy is assumed in the center-of-mass (c.m.) system.



routines (Sec. III), input parameters and options for streamlined setup (Sec. IV), supplemental data or files needed (Sec. V), and output produced by the code (Sec. VI). Section VII contains a summary discussion, and the code listing and a sample problem are given in Appendixes A-E.

## II. THEORETICAL BACKGROUND

### A. Calculational Expressions

The statistical portion of the code includes angular-momentum and parity effects explicitly and generally follows the formalism of Uhl.<sup>9</sup> In this section, we give a brief description of the expressions used in the calculation. Reference 9 should be consulted for more detail.

For the calculations of complex reactions involving several particles and compound nuclei, we assume that the reaction proceeds in stages with only one particle emitted at each step. Each newly formed intermediate nucleus, produced by particle decay of the previous compound nucleus, then disintegrates (if energetically possible) with probabilities determined from Hauser-Feshbach theory for binary reactions.<sup>1</sup>

The composition of nuclei involved in a calculation is as follows. At low excitation energies, discrete levels of energy  $E$ , total angular momentum  $J$ , and parity  $\pi$  are included. Generally, experimentally determined values of  $E$ ,  $J^\pi$ , and branching ratios are used for these levels. For higher excitation energies where discrete-level information may be lacking, a continuum level-density expression is used. For this purpose, the continuum region is divided into energy bins of width  $\Delta E$ .

The population of continuum bins  $P^{(n+1)}(UJ\pi)$  in the  $(n+1)$ th compound nucleus, formed by particle disintegration of the  $n$ th compound nucleus, is given by

$$P^{(n+1)}(UJ\pi) = \int dU' \sum_{J'\pi'} \hat{P}^{(n)}(U'J'\pi') \frac{\Gamma_a^{(n)}(U'J'\pi', UJ\pi)}{\Gamma(U'J'\pi')} \rho^{(n+1)}(UJ\pi) \quad , \quad (1)$$

where  $\hat{P}^{(n)}(U'J'\pi')$  is the population of continuum energy bins in the  $n$ th compound nucleus after gamma-ray cascades have been considered,  $U$  is the excitation energy,  $\rho$  is the level density, and  $a$  defines the type of radiation emitted by the  $n$ th compound nucleus to form the  $(n+1)$ th nucleus. The population of the first compound nucleus is determined from its formation cross section, which can be found

from the appropriate sum over transmission coefficients taken at the c.m. energy  $\epsilon$  of the incident particles,

$$P^{(1)}(UJ\pi) = \frac{\pi}{k} \frac{(2J+1)}{(2I+1)(2i+1)} \sum_s \sum_{\ell} T_{\ell}(\epsilon) f_{\ell} \delta(U-B) \quad (2)$$

Here  $k$  is the relative-motion wave number,  $I(\pi_T)$  and  $i(\pi_p)$  are the spins (parity) of the target nucleus and projectile, and  $J(\pi)$  is the total angular momentum (parity) of the compound system. The quantity  $f_{\ell}$  is a parity operator given by  $f_{\ell} = 1/2 |\pi + (-1)^{\ell} \pi_T \pi_p|$ ,  $T_{\ell}(\epsilon)$  is the transmission coefficient having orbital angular momentum  $\ell$ ,  $s$  is the channel spin, and  $B$  is the binding energy of the incident particle in the compound nucleus. The partial decay widths used in Eq. (1) for reaction channel  $a$  have the general form

$$\Gamma_a^{(n)}(U'J'\pi', UJ\pi) = \frac{1}{2\pi\rho(U'J'\pi')} \sum_s \sum_{\ell} T_{\ell}(U' - U - B_a) f_{\ell} \quad (3)$$

for widths involving transitions from continuum bins in the compound nucleus to continuum bins in the residual nucleus. Here the parity operator  $f_{\ell}$  has the form  $f_{\ell} = 1/2 |\pi\pi' + (-1)^{\ell} \pi_a|$ , where  $\pi_a$  is the parity of the emitted particle, and  $B_a$  is the binding energy of the emitted particle.

Similar expressions hold for the population of discrete levels:

$$P^{(n+1)}(E_{\lambda} J_{\lambda} \pi_{\lambda}) = \int dU' \sum_{J'\pi'} \hat{P}^{(n)}(U'J'\pi') \frac{\Gamma_a^{(n)}(U'J'\pi', E_{\lambda} J_{\lambda} \pi_{\lambda})}{\Gamma(U'J'\pi')} \quad (4)$$

where the partial width for continuum to discrete level transitions has the form

$$\Gamma_a(U'J'\pi', E_{\lambda} J_{\lambda} \pi_{\lambda}) = \sum_s \sum_{\ell} T_{\ell}(U' - E_{\lambda} - B_a) f_{\ell} \quad (5)$$

Here the sums are taken over channel spin  $s$  and orbital angular momentum  $\ell$ . The total width appearing in the denominators of Eqs. (1) and (4) is then the sum over continuum bins ( $UJ\pi$ ) or discrete levels ( $E_{\lambda} J_{\lambda} \pi_{\lambda}$ ) of the appropriate partial width  $\Gamma_a(U'J'\pi', UJ\pi)$  or  $\Gamma_a(U'J'\pi', E_{\lambda} J_{\lambda} \pi_{\lambda})$  for each reaction channel  $a$ .

For many calculations of interest, nonstatistical or preequilibrium effects become important; therefore, a simplified preequilibrium expression formulated by Braga-Marcazzan<sup>10</sup> and based upon the exciton model of Griffin<sup>11</sup> and Blann<sup>12</sup> has

been used to correct reaction and level-excitation cross sections as well as spectra for preequilibrium effects:

$$\left(\frac{d\sigma}{d\epsilon}\right)_{\text{preq}} \propto \frac{\sigma_{\text{inv}}(\epsilon)m\epsilon\sigma_R}{|M|^2 g^4 E^3} \sum_{n=3}^{\bar{n}} (U/E)^{n-2} (n+1)^2 (n-1) \quad (6)$$

In this expression  $E$  and  $U$  are the excitation energies of the compound and residual nuclei, respectively;  $\sigma_R$  is the incident-particle reaction cross section;  $m$ ,  $\epsilon$ , and  $\sigma_{\text{inv}}(\epsilon)$  are the mass, kinetic energy, and inverse cross section for the outgoing particle;  $g$  is the average single-particle level spacing from the Fermi-gas model; and  $n$  is the number of particles and holes ( $n = p + h$ ) in the compound nucleus. The sum extends from the initial exciton number 3 to  $\bar{n}$ , the limiting value attained when equilibrium is reached.

We assumed that the absolute square of the average matrix element of residual two-body interactions had the form  $|M|^2 = KA^{-3}E^{-1}$  ( $A$  is the mass of the nucleus involved), determined by Kalbach-Cline.<sup>13</sup> The normalization constant  $K$  was obtained from fits to various sets of data, including both spectra and integrated cross sections (for example, see Refs. 14 and 15). The code evaluates the normalization factor using the expression

$$\alpha = \frac{|M|^2 g^4}{A} \quad (7)$$

We determined the value of  $\alpha$  for neutron- and proton-induced reactions to be  $0.0005 \pm 0.0001$ , in agreement with the Braga-Marcuzzan value of  $0.00045$ .<sup>10</sup> Our result corresponds to  $K = 150 \pm 30 \text{ MeV}^3$ , which can be compared to the value of  $100 \pm 35 \text{ MeV}^3$  obtained by Kalbach-Cline.<sup>13</sup> To provide flexibility in the code for calculation of preequilibrium emission, we made the normalization factor dependent on the type of particle emitted. Thus, effects such as the possible existence of preformed particles can be included. When the outgoing particles are neutrons and protons, the  $\alpha$  values are known fairly reliably, but those for outgoing alphas are less accurately known. Because of the lack of experimental data on  $d$ ,  $t$ , and  ${}^3\text{He}$  emission, even more uncertainty in  $\alpha$  exists for these.

The total preequilibrium component, obtained by summing over each outgoing particle channel involved in the decay of the first compound nucleus, then determines a fraction by which the total compound-nucleus reaction cross section is reduced. Because the preequilibrium model used in the code does not include effects of spin and parity, we assumed that the preequilibrium component had the same spin and parity distribution as the statistical population component.

## B. Supplemental Quantities: Transmission Coefficients and Level Densities

To provide particle transmission coefficients, external optical model routines or codes must be used. GNASH accepts transmission coefficients in the COMNUC<sup>16</sup> form (see Sec. V) as a function of total angular momentum J and converts them to  $T_\ell$  using the expression

$$T_\ell(\epsilon) = \frac{1}{(2\ell + 1)} \left[ (\ell + 1)T_{\ell, \ell+s} + \ell T_{\ell, \ell-s} \right] . \quad (8)$$

To provide gamma-ray transmission coefficients, either the Weisskopf approximation<sup>17</sup> or the Brink-Axel<sup>18,19</sup> giant dipole resonance form can be used. Specifically, the Weisskopf approximation for E1 transitions yields

$$T^{E1}(U, U') = C_W^{E1} E_\gamma^3 , \quad (9)$$

whereas the Brink-Axel form gives

$$T^{E1}(U, U') = C_{BA}^{E1} \frac{2}{\pi} \frac{1}{\hbar^2 c^2} E_\gamma^2 \frac{0.013A}{\Gamma} \frac{E_\gamma^2 \Gamma^2}{(E_R^2 - E_\gamma^2)^2 + E_\gamma^2 \Gamma^2} , \quad (10)$$

Here  $E_\gamma = U - U'$ ,  $\Gamma$  is the giant dipole resonance width ( $\Gamma = 5$  MeV), and  $E_R$ , the resonance energy in millions of electron volts, is given by  $E_R = 80A^{-1/3}$ . The normalization constants  $C_W^{E1}$  and  $C_{BA}^{E1}$  are obtained from the ratio of the average experimental gamma-ray width  $\langle \Gamma_\gamma \rangle$  to the observed resonance spacing  $\langle D \rangle$  for s-wave neutrons through evaluation of the expression (at the neutron binding energy  $E_B$ )

$$\left( \frac{\langle \Gamma_\gamma \rangle}{\langle D \rangle} \right)_{E_B} = \frac{1}{2\pi} \int_0^{E_B} \sum_{\ell, J'} T^{E1}(B_n, U') \rho(U' J' \pi') dU' , \quad (11)$$

where  $T^{E1}$  is computed using either the Weisskopf or Brink-Axel forms.

In the code, gamma-ray cascades through E2, E3, M1, M2, and M3 transitions are permitted also. Transmission coefficients for these are computed using the Weisskopf form ( $\propto E_\gamma^{2\ell+1}$ ), and the ratios  $C^{E2}/C^{E1}$ ,  $C^{E3}/C^{E1}$ , ...,  $C^{M3}/C^{E1}$  are determined from the Weisskopf estimate<sup>17</sup> or are input directly during setup of the calculation.



The level-density expressions are those of Gilbert and Cameron<sup>20</sup> with the pairing and shell parameters of Cook.<sup>21</sup> A Fermi-gas level-density form is used at higher excitation energies,

$$\rho(E, J\pi) = \frac{\sqrt{\pi}}{24} \frac{\exp(2\sqrt{aU})}{a^{1/4} U^{5/4}} \frac{(2J+1) \exp[-(J+1/2)^2/2\sigma^2]}{2\sqrt{2\pi} \sigma^3}, \quad (12)$$

and is matched to a constant temperature expression used for lower excitation energies

$$\rho(E, J\pi) = \frac{1}{2T} \exp[(E - E_0)/T] \frac{(2J+1) \exp[-J+1/2)^2/2\sigma^2]}{2\sqrt{2\pi} \sigma^3}. \quad (13)$$

The definitions for the quantities in Eqs. (12) and (13) are given in Ref. 20 and will not be repeated here. The experimentally determined number of levels up to a particular excitation energy are used (where possible) to determine parameters for the constant-temperature expression so that a good match is made. The level-density parameter  $a$  is either input directly into calculations or determined using the Gilbert-Cameron prescription

$$a/A = 0.00917 [S(Z) + S(N)] + C, \quad (14)$$

where  $S(Z)$  and  $S(N)$  are shell effect terms<sup>21</sup> and  $C$ , a correction term, depends on whether the nucleus is deformed ( $C = 0.120$ ) or spherical ( $C = 0.142$ ).<sup>20</sup>

### III. CODE SUBROUTINES

To explain the workings of the GNASH code and to aid in its use, a short description of its subroutines is given here. The code listing is in Appendix A.

**MAIN** - The main control routine of the program. It reads in data describing incident-particle and target types, problem and decay chains involved, etc. (see Sec. IV), and calls subroutines LEVPREP, TCPREP, and SETUP for initial problem setup. At each energy for which a calculation occurs, SETUP2 and SPECTRA are called. After the calculation, DATAOUT is called to provide a summary of the results.

**LCSPACE** - Sets up extended-core-storage (ECS) locations, zeroes extended-core locations, determines parent reactions, and creates population-storage buffers.

**CHAINS** - Called if automatic setup of chains is desired.

ENERGY - Determines masses, separation energies, and ground-state spins and parities from the GROUND2 data file (Appendix B).

XMAGIC - Determines whether a nucleus is "odd" or "even," according to the Gilbert-Cameron<sup>20</sup> level-density prescription.

LEVPREP - Prepares a binary level-data file ordered properly for the calculation from an input binary-coded decimal (BCD) level file or cards. Stores  $J\pi$  data in extended-core arrays.

TCPREP - Reads in transmission-coefficient data, eliminates J-dependence of spin 1/2 arrays, reorders spin 0 and spin 1 arrays, determines the number of nonzero coefficients, and stores transmission-coefficient data in ECS.

SETUP - Provides general setup information by determining accumulated separation energies for the decaying nuclei, identifies incident particle as well as secondary particles and photons, determines whether a residual nucleus is even or odd, sets up  $J\pi$  arrays, and initializes level densities and Gilbert-Cameron level-density parameters.

SETUP2 - Provides setup information for each incident energy in a calculation. Sets up energies, determines integration end points, and generates incident-channel transmission coefficients.

SPECTRA - The main subroutine of the program in which the widths (total and partial) and population increments used to compute the spectra are calculated for all compound nuclei and decay reactions occurring in a specified decay chain. Figure 3 illustrates the treatment of the decay sequence in which gamma rays and particles may be emitted from one or several compound nuclei. Through several nested DO loops, the entire reaction sequence is handled. The outermost loop sums over decaying compound nuclei involved in the reaction sequence. The second loop sums over energy bins in the decaying compound nucleus. The third loop provides flags that indicate whether total decay widths should be calculated (first execution) or whether populations of continuum-continuum or continuum-level transitions should be calculated (second execution). A fourth loop sums over reaction types occurring in the decay of a continuum bin in the compound nucleus. Thus, all decays (either gamma-ray or particle) are handled in the same manner. The decays to continuum bins or discrete levels in a particular residual nucleus are then obtained from sums over the fifth loop. If preequilibrium effects are to be included, PRECMP is called to modify the continuum and level populations computed above. The GRLINES subroutine is then called to compute discrete gamma-ray cross sections and to add these cross sections to the computed gamma-ray spectra.

LEVDSSET - Provides pairing and shell corrections from the tables of Cook et al.<sup>21</sup> to be used in the computation of level densities using the Gilbert-Cameron Fermi-gas level-density expression. Calls GILCAM to provide information for the Gilbert-Cameron constant-temperature level-density expression.

GILCAM - Where possible, computes energy matching parameters for the Gilbert-Cameron constant-temperature expression using input data that describe the number of levels present up to a given excitation energy.




Fig. 3.  
Schematic flow diagram for the SPECTRA subroutine.

LCMLOAD - Computes transmission coefficients, level-density values, and Yrast values on an integration energy mesh for each nucleus involved in a particular segment of the decay chain.

GAMSET - Sets up the gamma-ray cascade calculation, determines Weisskopf or Brink-Axel parameters, and computes gamma-ray transmission coefficients.

WEISSKF - Normalizes Weisskopf or Brink-Axel gamma-ray strength expressions to the input values of  $(2\pi\langle\Gamma\rangle)/\langle D\rangle$  determined from s-wave neutron resonance data.

INCHSUM - Performs sums over s and  $\ell$  of the incident channel for a given compound nucleus spin and parity.

SUMER - Adds computed population increase into spectra and level-population arrays.

GRLINES - Computes discrete gamma-ray cross sections; sums spectra to obtain integrated cross sections.

DATAOUT - Main output subroutine. Depending on which print options are selected, widths, individual and composite spectra, cross sections, discrete levels, gamma-ray data, and level-density parameters can be printed.

ISERCH - Determines the parameters necessary for the interpolation routine.

PRECMP - Determines preequilibrium contribution, renormalizes compound-nucleus cross sections, adds preequilibrium contribution into calculated particle spectra, and modifies continuum and level populations to account for preequilibrium effects.

INTERP - Main interpolation routine.

#### IV. MAIN CODE INPUT PARAMETERS

We attempted to keep the GNASH input as simple as possible. Thus all masses, separation energies, and ground-state spins and parities are taken from a data file (GROUND2, listed in Appendix B), which accompanies the program. The masses in the file are either the 1971 adjusted experimental values of Wapstra,<sup>22</sup> or interpolated or extrapolated values from fits to the measured masses using the semi-empirical relations of Garvey et al.<sup>23</sup> The ground-state spins and parities are based on experimental measurements.<sup>24</sup> If J or  $\pi$  is unknown, a value of 99. appears in the file. Unknown spins and parities are flagged during execution, and  $J^\pi = 0^+$  (even A) or  $J^\pi = 1/2^+$  (odd A) is used in the actual calculation.

The input parameters required for the main GNASH code are described in Table I, and a sample input is given in Appendix C. The following sequence of input data cards is used:

- (A) (2 cards) FORMAT (8A10): TITLE(N), N = 1, 16
- (B) (1 card) FORMAT (5I4): IPRTLEV, IPRTTC, IPRTWID, IPRTSP, IPRTGC
- (C) (1 card) FORMAT (5I4): INPOPT, KLIN, KTIN, NIBD, LMAXOPT
- (D) (1 card) FORMAT (6I4): NI, NMP, LGROPT, LPEQ, NJMAX, ICAPT
- (E) (1 card) FORMAT (4E10.3): ZAP, ZAT, DE, FSIGCN
- (F) (1 card) FORMAT (1I4): NELAB
- (G) (1-3 cards) FORMAT (8E10.3): ELABS(N), N = 1, NELAB
- (H) (0-70 cards) Reaction-chain data. The form and complexity of this segment depends on the particular input option chosen, as follows:
- (1) INPOPT = 1, 2, or 3 (0 cards)  
 Reaction chains are set up automatically.
- (2) INPOPT = -1 (1-10 cards) (DO loop I = 1, NI)  
 FORMAT (8E10.3): ZACN(I), XNIP(I), SWS(I), [ZZA1(IP),  
 IP = 2, NIP]
- (3) INPOPT = 0 (2-70 cards)
- (a) Outer DO loop I = 1, NI  
 (1 card per I) FORMAT (5E10.3): ZACN(I), XNIP(I),  
 CNPI(I), CNPIP(I), SWS(I)
- (b) Inner DO loop IP = 1, NIP  
 (1-6 cards per I) FORMAT (5E10.3): ZA1(IR), XNL(IR),  
 A(IR), XNLGC(IR), ECGC(IR), where IR is a running re-  
 action index that defines a unique I, IP for each re-  
 action sequence.
- (I) (1-6 cards) (DO loop MP = 1, NMP)  
 FORMAT (8X, A1, I1, E10.3): LMGHOL(MP), LG, RE1(MP)
- (J) (0-1 cards) Input depends on LPEQ parameter, as follows:
- (1) LPEQ = 0 (0 cards)
- (2) LPEQ = 1 (1 card)  
 FORMAT (6E10.3): [ALPHA1(IDX), IDX = 1, 6]

TABLE I

MAIN INPUT PARAMETERS FOR GNASH

<u>Parameter</u>	<u>Description</u>
TITLE	Two cards of Hollerith information to describe the problem being calculated.
IPRTLEV	Print control for discrete-level data. Set IPRTLEV = 0(1) to omit (include) print of discrete-level information.

TABLE I (cont)

<u>Parameter</u>	<u>Description</u>
IPRTTC	Print control for transmission coefficients. Set IPRTTC = 0(1) to omit (include) print of input transmission coefficients. Set IPRTTC > 1 to print input values and interpolated transmission coefficients at every (IPRTTC-1)th energy on the basic integration energy mesh.
IPRTWID	Print control for reaction decay widths. Set IPRTWID = 0(1) to omit (include) print of decay widths for each reaction channel on the basic integration energy mesh.
IPRTSP	Print control for calculated energy spectra, as follows: IPRTSP = 0 to omit print of all calculated energy spectra. = 1 to only print composite spectra for each radiation type in the calculation, that is, composite spectra for emitted gamma rays, neutrons, protons, etc. = 2 to print individual spectra from each decay process included in the calculation, omitting the composite spectra. = 3 to print both individual reaction and composite spectra.
IPRTGC	Print control for level-density information. Set IPRTGC = 0(1) to omit (include) print of level-density parameters for each residual nucleus in the calculation. Set IPRTGC > 1 to print parameters and computed level densities at every (IPRTGC-1)th energy on the basic integration energy mesh for each residual nucleus.
INPOPT	Input control for designating the input option chosen to specify the reaction chains followed in the calculation. The following options are available: INPOPT = 0 is the most general input option available for specifying the reaction chains and the various parameters associated with each chain. For example, it permits (but does not require) input of level-density parameters for each residual nucleus in a calculation. See description of card input for details of reaction-chain input. = -1 also permits general specification of reaction chains but uses automatic features to simplify input. With this option, the code uses a built-in level-density parameterization and automatically determines parentage of each decaying compound nucleus by assuming that all previous, unassigned reactions leading to a given compound nucleus contribute to its initial population of states.

TABLE I (cont)

<u>Parameter</u>	<u>Description</u>
	<p>= 1 to automatically follow the neutron chain from the initial compound nucleus. A total of NI (see card no. 5, Sec. IV-D) compound nuclei are included, and each is permitted to decay by emission of gamma rays and neutrons.</p> <p>= 2 same as INPOPT = 1 except each compound nucleus is permitted to decay by emission of gamma rays, neutrons, protons, and alpha particles.</p> <p>= 3 same as INPOPT = 2 except that the product nuclei that result from proton and alpha emission are themselves allowed to gamma decay.</p>
KLIN	Input fileset for discrete energy-level data (= 5 for card input, = blank or 8 for input on disk or tape file 8).
KTIN	Input fileset for transmission-coefficient data (= 5 for card input, = blank or 10 for input on disk or tape file 10).
NIBD	Number of large-core buffers set up for storing state populations in reaction products that will further decay. The default value for NIBD is 10, which is also the maximum dimension.
LMAXOPT	Control for limiting the number of transmission coefficients ( $T_l$ ) included in a calculation by requiring that $(2l + 1)T > T_0 * 10^{- LMAXOPT }$ . The default value is LMAXOPT = 5.
NI	Number of compound nuclei that are permitted to decay in the reaction chain (maximum of 10).
NMP	Number of gamma-ray multipolarities permitted in radiative decays (maximum of 6).
LGROPT	Control for indicating the model desired for calculating gamma-ray transition probabilities, as follows: LGROPT = 1 for the Weisskopf approximation. = 2 for the Brink-Axel approximation.
LPEQ	Preequilibrium control. Set LPEQ = 0(1) to omit (include) pre-equilibrium processes in the calculation.
NJMAX	Maximum number of values of total angular momentum permitted in the calculation (dimensioned for 40, which is also the default value). For even-A cases, $J_{\max} = NJMAX - 1$ ; for odd-A cases, $J_{\max} = (2 * NJMAX - 1)/2$ .

TABLE I (cont)

<u>Parameter</u>	<u>Description</u>
ICAPT	Gamma-ray cascade control for initial compound nucleus: ICAPT = 0 to omit full gamma-ray cascade calculation in the initial compound nucleus (all subsequent compound nuclei do include the full cascade). = 1 to include the full gamma-ray cascade in calculation in all compound nuclei.
ZAP	1000 * Z + A for the incident particle or projectile, where Z is atomic number and A is the (integer) mass number.
ZAT	1000 * Z + A for the target nucleus.
DE	Energy increment for the basic integration energy mesh (in millions of electron volts). A maximum of 200 energy steps is permitted. If the chosen value of DE is too small, the code automatically increases it to satisfy the 200-step limit.
FGSIGCN	Constant multiplier applied to all calculated quantities (default value is 1.0).
NELAB	Number of incident neutron energies included in the calculation (maximum of 20).
ELABS(N)	Incident particle energies in millions of electron volts for the calculation.
ZACN(I)	1000 * Z + A for each compound nucleus that is permitted to decay (I is the index that specifies the decaying compound nucleus.)
XNIP(I)	Number of decay channels included for compound nucleus ZACN(I). The minimum value is 1., and the maximum is 6. The fixed-point value of XNIP(I) is NIP in the code, and the decay index IP runs from IP = 1 to NIP for each compound nucleus.
SWS(I)	Value of the gamma-ray strength function for s-wave neutrons, $2\pi\langle\Gamma_\gamma\rangle/\langle D\rangle$ , that is used to normalize the gamma-ray transition probabilities. A negative value of SWS can be used to directly input a normalization factor of  SWS(I) . In the case of the Brink-Axel approximation, SWS(I) can be set equal to 0. to indicate use of a built-in, constant normalization factor.
ZZA1(IP)	1000 * Z + A for the radiation emitted from ZACN(I) by decay into channel IP. Note that ZZA1(1) = 0. (gamma ray) is assumed in all cases. Other possible values are 1., 1001., 1002., 1003., 2003., and 2004. (maximum of IP = 6).
CNPI(I)	Parentage designator that indicates the previous compound nucleus index $I_p$ whose decay leads to the formation of ZACN(I).



TABLE I (cont)

<u>Parameter</u>	<u>Description</u>
CNPIP(I)	Parentage designator that indicates the previous decay index $IP_p$ that leads to the formation of ZACN(I).
ZAI(IR)	Same as ZZAI(IP) described above. Note that the running reaction index IR defines a unique I, IP for each reaction sequence.
XNL(IR)	Number of discrete levels to be included in the calculation for the residual nucleus formed in reaction IR. If XNL(IR) = 0., then the total number of levels input in the Level-Data File (described in Sec. V) is used.
A(IR)	Level-density parameter, a, for use in the Gilbert-Cameron <sup>20</sup> formula for the residual nucleus formed by reaction IR. Set A(IR) = 0. to use built-in values [see Eq. (14)].
XNLGC(IR) and ECGC(IR)	Number of discrete levels, XNLGC(IR), at excitation energy ECGC(IR) that are matched in the code to the Gilbert-Cameron formula for the continuum level density. If both these parameters are set equal to 0., then the total number of levels input in the Level-Data File is used.
LMGHOL(MP)	Hollerith E or M to designate the MPth radiative transition as electric or magnetic.
LG	Multipole order of the MPth transition.
REL(MP)	Ratio of the strength of the MPth transition to the strength of the E1 transition. Set REL(MP) = 0. to use a built-in value.
ALPHA1(IDX)	Preequilibrium normalization constants [see Eq. (7)] for reactions involving emitted neutrons, protons, deuterons, tritons, <sup>3</sup> He, and <sup>4</sup> He for IDX = 1 through 6, respectively. Set ALPHA1(IDX) = 0. to use the built-in values.

## V. ADDITIONAL INPUT PARAMETERS

### A. Discrete-Level Data

Following the main input, a separate subroutine (LEVPREP) is called to input discrete-level data. These data can either be selected from a general data file on disk or magnetic tape (KLIN = 8) or they can be input directly on cards for the cases required (KLIN = 5). In either case, the overall ordering of the information must be for increasing ZA (1000Z + A). The discrete-level input parameters are described in Table II, and input for the sample problem of Appendix C is given in the first part of Appendix D (pp. D-1 through D-5). The following

sequence of cards (or card images) is required for each residual nucleus requiring level data:

- (A) (1 card) FORMAT (I8, I5, F12.6): ID, NL, F
- (B) Outer loop on levels (DO loop N = 1, NL)  
 FORMAT (I6, F12.6, 2F6.1, E12.5, I6): NX, EL(N), AJ(N), AT(N), TAU, NT
- (C) Inner loop for each level (DO loop K = 1, NT)  
 FORMAT (12X, I6, 2F12.6): NF, P, CP

TABLE II  
DISCRETE-LEVEL INPUT PARAMETERS

<u>Parameter</u>	<u>Description</u>
ID	1000 * Z + A of the nucleus whose levels are being input.
NL	Number of levels being input.
F	For card input, set F = -1. for the last nucleus (highest ID) for which level data is input. Otherwise, set F = 0.
NX	Level number (= N), that is, N = 1 for the ground state, N = 2 for the first excited state, etc.
EL(N)	Energy in million electron volts of the Nth level; that is, EL(1) = 0.
AJ(N)	Spin and parity of the Nth level. The sign of AJ(N) indicates the parity. For example, -0. is interpreted as a $J^\pi = 0^-$ state.
AT(N)	Isospin of the Nth level (if unknown, it is set equal to 99.0). AT(N) is not used in the calculation at present.
TAU	Half-life of the state in seconds (if unknown, it is set equal to 99.0 or 0.0). TAU is not used in the calculation.
NT	Number of gamma-ray branches from the Nth level to lower levels.
NF	Level number indicator for a level to which a gamma-ray transition is occurring.
P	Gamma-ray branching ratio for the transition defined by $N \rightarrow NF$ . For bound states, $\sum_{NF} P(N \rightarrow NF) = 1$ . For unbound states, $\sum_{NF} P(N \rightarrow NF) =$ the total probability for decays other than particle emission.
CP	Probability that the transitions characterized by $P(N \rightarrow NF)$ are gamma-ray transitions. If, for example, there is a 20% probability that electron conversion is the decay mechanism, then CP = 0.80.

TABLE III  
TRANSMISSION-COEFFICIENT INPUT PARAMETERS

<u>Parameter</u>	<u>Description</u>
NPART	Number of particles for which transmission coefficients are input.
BCDTC(8)	Seventy-five columns of Hollerith descriptive information.
XBCD	Alphanumeric particle identifiers, as follows: _NEUTRON, _PROTON, _DEUTERON, _TRITON, _HE-3, _ALPHA; that is, a blank column precedes each identifier.
NE	Number of energies included in energy grid for transmission coefficients.
NN	Number of coefficients input at each energy in the COMNUC format.
K	Optional card counter. Can be used to check ordering of cards.
ETC(J,ID)	Energy grid for transmission coefficients. The index J specifies the energy and ID is an internal identifier that specifies the particle.
TDUM(L)	Transmission-coefficient array. The index L runs from 1 to NN for each energy on the grid. The coefficients are collapsed to remove J-dependence and are stored as functions of energy for each particle.

#### B. Transmission Coefficients

Transmission coefficients for the projectile and outgoing particles are input in the subroutine TCPREP, following the discrete-level data input. Again, these data can be provided on a disk or magnetic tape file (KTIN = 10), or directly from cards (KTIN = 5). We have adopted the format used by COMNUC<sup>16</sup> for transmission coefficients, and data for the various particles can be input in any order. The input parameters are described in Table III, and transmission coefficients for the sample problem follows the level data in Appendix D (pp. D-6 through D-14). The following sequences of cards (or card images) is required:

(A) (1 card) FORMAT (I4, 1X, 7A10, A5): NPART, [BCDTC(I), I = 1, 8]

(B) Outer loop on particles (DO loop N = 1, NPART)

(1 card per N loop) FORMAT (42X, A10, 12X, 2I4, A8): XBCD, NE, NN, K

- (C) Input energy grid for particle N (internal identifier = ID). (DO loop I = 2, NE, 6)  
 (1-5 cards per N loop) FORMAT (6E12.2, A6): [ETC(J, ID), J = I, I + 5], K
- (D) Input transmission coefficients for particle N. Outer loop on energy (DO loop I = 2, NE), inner loop on NN (DO loop J = 1, NN, 6)  
 (1-7 cards per energy, depending on NN) FORMAT (6E12.2, A6): [TDUM(L), L = J, J + 5], K

## VI. CODE OUTPUT

The code output from the sample problem described in Appendixes C and D is given in Appendix E. The amount of detail included in the output depends upon the values of the parameters IPRTLEV, IPRTTC, IPRTWID, IPRTSP, and IPRTGC, described in Table I. The problem output, the result of a typical setup used at the Los Alamos Scientific Laboratory, consists essentially of six parts:

- (1) Input data (pp. E-1 and E-2), including the parentage indicators, masses (XMR), separation energies (S), and buffering information automatically determined by the code. Note that the number of discrete levels (NLEV) and the level-density parameters (A, NLGC, and ECGC) have not been determined yet unless they were input directly into the calculation. Also note in the column at the far right that the number of population-storage buffers is the minimum possible (4) for this particular calculation. Buffer No. 1 is re-used in the decay of the ZA = 27059 nucleus for storage of the ZA = 27058 level populations. The buffer numbers set to zero indicate residual nuclei that are not allowed to further decay in the calculation.
- (2) Timing information (p. E-3), printed as the code progresses through the main computer loops in subroutine SPECTRA, and normalization constants for the gamma-ray transition strengths (input directly in the example).
- (3) Binary reaction cross sections (p. E-4).
- (4) Calculated cross sections, average energies, and secondary spectra of emitted radiation from individual reactions (pp. E-5 and E-6) and composite spectra for the various species of emitted radiation (p. E-7). Cross sections for reactions to discrete states, and gamma rays from de-excitation of excited states are included in the spectral listings. Above each spectral column appear the integrated level decay, level excitation, and total production cross sections and average emitted energy for the particular reaction. Multiparticle cross sections such as  $\sigma_{n,2n}$  and  $\sigma_{n,np}$  can be deduced from the integrated cross sections. The energies associated with the emission spectra are midpoint values from the integration energy bins. Both the spectral energies and cross sections are given in the c.m. system of the recoiling nucleus plus particle or gamma ray. For medium or heavy mass nuclei, the c.m.-to-laboratory transformation factors are essentially unity.
- (5) Discrete-level excitation and gamma-ray de-excitation cross sections (pp. E-8 through E-15). The gamma-ray de-excitation cross sections only appear

for the decaying compound nuclei and in those cases the level and gamma-ray production cross sections include cascade effects.

- (6) Summary of the parameters used in the Gilbert-Cameron level-density formulas (p. E-12). The quantities  $E_0$  [ $E_0$  in Eq. (13)] and EMATCH [energy where Eqs. (12) and (13) are matched] are determined from the number of discrete levels at excitation energy ECUT and the level-density parameter  $a$ . The neutron and proton pairing corrections (PN and PZ) and shell corrections (SN and SZ) are listed, together with the neutron-separation energies (S) for each residual nucleus. The quantity SAC is the "accumulated separation energy," that is, the energy of each decaying compound nucleus relative to the first compound nucleus.

## VII. DISCUSSION

The transmission coefficients given in Appendix D, which were used for the sample problem, were calculated from the Wilmore-Hodgson<sup>25</sup> global optical parameters for neutrons, the Bechetti-Greenlees<sup>26</sup> parameters for protons, and the Igo<sup>27</sup> parameters for alphas. The gamma-ray strength normalizations, which were input directly for the sample problem, were originally determined by normalizing the calculations for each compound nucleus to values of  $2\pi\langle\Gamma_\gamma\rangle/\langle D\rangle$  of approximately  $25 \times 10^{-4}$  for the Co isotopes and  $2 \times 10^{-3}$  and  $3 \times 10^{-4}$  for  $^{56}\text{Mn}$  and  $^{59}\text{Fe}$ . Note that the sample problem results are for illustrative purposes only. A tighter integration mesh and more careful selection of model parameters would be advisable for a serious calculation. Additional examples of  $n + ^{59}\text{Co}$  reaction cross-section calculations are compared to experimental data in Figs. 4-7. These results were obtained with the global optical parameters described above, but with a tighter integration mesh in GNASH than the one in our sample problem.

Thus far the validation of the GNASH code<sup>2-8</sup> has been for incident neutrons or protons with energies mainly below 25 MeV. At energies above 25-30 MeV, the binary reactions are dominated by the preequilibrium component, and calculations become increasingly sensitive to the accuracy of that approximation. At incident energies below  $\sim 100$  keV, use of GNASH becomes inefficient because of restrictions on the integration step size. Caution should also be exercised in using global parameter sets for generating transmission coefficients; we think the discrepancy between calculated and measured values of the  $^{59}\text{Co}(n,\alpha)$  cross section in Fig. 6 resulted in part from inadequate optical parameters for alpha particles.

For complicated reaction sequences or higher energy calculations, computational times can be excessive. Because computational times are very problem dependent, the following parameters, which are most important in determining the




Fig. 4.  
Comparison of calculated nonelastic and inelastic neutron cross sections for  $^{59}\text{Co}$  with various experimental data. The solid curves represent the GNASH calculations.




Fig. 5.  
Calculated and measured values of the  $^{59}\text{Co}(n,p)$  cross section. The solid curve represents the GNASH calculations.




Fig. 6.  
Calculated and measured values of the  $^{59}\text{Co}(n,\alpha)$  cross section. The solid curve represents the GNASH calculations.

times, should be chosen carefully: energy-bin width (DE), the maximum number of total angular momentum states in the compound nucleus (NJMAX), the criteria for limiting the number of transmission coefficients (LMAXOPT), and the number of decaying nuclei (NI) in the calculation. In addition, the gamma-ray cascade calculation for the initial compound nucleus should always be turned off (ICAPT = 0) unless the spectrum of capture gamma rays is specifically required. A summary of running times for  $n + {}^{59}\text{Co}$  calculations to 40 MeV using the reaction chain of Fig. 2 is shown in Fig. 8. For these calculations, the following parameters were used: DE = 1 MeV, NJMAX = 40, NI = 5, and ICAPT = 0. When they were performed, the option for limiting the number of transmission coefficients had not yet been implemented, so in effect the results were obtained with LMAXOPT  $\approx$  15. The times given in Fig. 8 can therefore be significantly reduced ( $\sim$ 35%) without accuracy loss by using the LMAXOPT parameter.

#### ACKNOWLEDGMENT

The authors wish to thank D. G. Foster, Jr., for providing the data file that contains ground-state masses, separation energies, spins, and parities.




Fig. 7.

Calculated and measured  $(n,2n)$  and  $(n,3n)$  cross sections for  ${}^{59}\text{Co}$ . The solid curves represent the GNASH calculations; the triangles indicate the  $(n,3n)$  measurements.




Fig. 8.

CDC 7600 central-processor time for GNASH calculations of  $n + {}^{59}\text{Co}$  reactions out to 40 MeV. These times can be further reduced by careful limitation of the maximum order of transmission coefficients used in the calculation. See text for details.

## REFERENCES

1. W. Hauser and H. Feshbach, "The Inelastic Scattering of Neutrons," *Phys. Rev.* 87, 366 (1952).
2. P. G. Young and E. D. Arthur, "<sup>59</sup>Co + n Calculations Up to Neutron Energies of 40 MeV," *Trans. Am. Nucl. Soc.* 26, 503 (1977).
3. E. D. Arthur and P. G. Young, "A New Statistical Preequilibrium Nuclear Model Code," *Trans. Am. Nucl. Soc.* 23, 500 (1976).
4. P. G. Young, "Nuclear Models and Data for Gamma-Ray Production," National Bureau of Standards Special Publication 425, Vol. I, p. 149 (1975).
5. E. D. Arthur and P. G. Young, "Calculations of (n,2n) and (n,3n) Spectra and Cross Sections," *Proc. of the Int. Conf. on the Interactions of Neutrons with Nuclei*, Lowell, Mass., CONF-760715-P2, p. 1452 (1976).
6. L. R. Veesser, E. D. Arthur, and P. G. Young, "Cross Sections for (n,2n) and (n,3n) Reactions above 14 MeV," accepted for publication in *Phys. Rev.* (1977).
7. E. D. Arthur and P. G. Young, "Calculation of 15-MeV Neutron-Induced Charged-Particle Spectra on Stainless Steel Type 316," *Trans. Am. Nucl. Soc.* 26, 503 (1977).
8. E. D. Arthur and P. G. Young, "Cross Sections in the Energy Range from 10 to 40 MeV Calculated with the GNASH code," presented at the Sym. on Neutron Cross Sections 10-40 MeV, Brookhaven National Laboratory, May 3-5, 1977, Proc. to be published.
9. M. Uhl, "Calculations of Reaction Cross-Sections on the Basis of A Statistical Model with Allowance for Angular Momentum and Parity Conservation," *Acta. Phys. Austriaca* 31, 245 (1970).
10. G. M. Braga-Marcazzan, E. Gadioli-Erba, L. Milazzo-Colli, and P. G. Sona, "Analysis of Total (n,p) Cross Sections Around 14 MeV with the Pre-equilibrium Excitation Model," *Phys. Rev.* C6, 1398 (1972).
11. J. J. Griffin, "Statistical Model of Intermediate Structure," *Phys. Rev. Lett.* 17, 478 (1966).
12. M. Blann, "Extensions of Griffin's Statistical Model for Medium-Energy Nuclear Reactions," *Phys. Rev. Lett.* 21, 1357 (1968).
13. C. Kalbach-Cline, "Residual Two-Body Matrix Elements for Preequilibrium Calculations," *Nucl. Phys.* A210, 590 (1973).
14. D. Hermsdorf, A. Meister, S. Sassonoff, D. Seeliger, K. Seidel, and F. Shahin, "Differentielle Neutronenemissionsquerschnitte  $\sigma_{nM}(E_0;E,\theta)$  bei 14,6 MeV Einschubenergie für die Elemente Be, C, Na, Mg, Al, Si, P, S, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Se, Br, Zr, Nb, Cd, In, Sn, Sb, I, Ta, W, Au, Hg, Pb, und Bi," Zentralinstitut für Kernforschung Rossendorf Bie Dresden ZFK-277 (1974).



15. S. M. Grimes, R. C. Haight, and J. D. Anderson, "Measurement of Sub-Coulomb-Barrier Charged Particles Emitted from Aluminum and Titanium Bombarded by 15-MeV Neutrons," Nucl. Sci. Eng. 62, 187 (1977).
16. C. L. Dunford, "A Unified Model for Analysis of Compound Nucleus Reactions," Atomic International report AI-AEC-12931 (1970).
17. J. M. Blatt and U. F. Weisskopf, Theoretical Nuclear Physics (John Wiley & Sons, Inc., New York, 1952).
18. D. M. Brink, thesis, Oxford University (1955).
19. P. Axel, "Electric Dipole Ground State Transition Width Strength Function," Phys. Rev. 126, 671 (1962).
20. A. Gilbert and A. G. W. Cameron, "A Composite Nuclear-Level Density Formula with Shell Corrections," Can. J. Phys. 43, 1446 (1965).
21. J. L. Cook, H. Ferguson, and A. R. DeL. Musgrove, "Nuclear Level Densities in Intermediate and Heavy Nuclei," Aust. J. Phys. 20, 477 (1967).
22. A. H. Wapstra and N. B. Gove, Nucl. Data Tables 9, 265 (1971).
23. G. T. Garvey, W. J. Gerace, R. L. Jaffee, and I. Talmi, "Set of Nuclear-Mass Relations and A Resultant Mass Table," Rev. Mod. Phys. 41, S1 (1969).
24. F. Ajzenberg-Selove and C. L. Busch, University of Pennsylvania, "Nuclear Wallet Cards," distributed by the American Institute of Physics (Dec. 1971).
25. D. Wilmore and P. E. Hodgson, "The Calculation of Neutron Cross Sections from Optical Potentials," Nucl. Phys. 55, 673 (1964).
26. F. D. Bechetti, Jr., and G. W. Greenlees, "Nucleon-Nucleus Optical-Model Parameters,  $A > 40$ ,  $E < 50$  MeV," Phys. Rev. 182, 1190 (1969).
27. G. Igo, "Optical-Model Analysis of Excitation Function Data and Theoretical Reaction Cross Sections for Alpha Particles," Phys. Rev. 115, 1665 (1959).

APPENDIX A

PROGRAM LISTING

COPYSP 4 FILES FROM FSET1

LASL Identification No. LP-0778

```

PROGRAM GNASH(INP,FSET5=INP,OUT,FSET6=OUT,FSET8,FSET9,
1 FSET10,FSET11,FSET12,FSET13)
C
C GAMMA-RAY, NEUTRON, AND ASSORTED SPECTRA FROM HEAVY NUCLEI
C
C FSET8 = INPUT LEVEL DATA IF CARDS NOT USED
C FSET9 = INTERNAL BINARY LEVEL DATA FILE (KL)
C FSET10= INPUT TRANSMISSION COEFFICIENTS IF CARDS NOT USED
C FSET11= LEVEL SCRATCH FILE = AVAILABLE FOR PUNCH OR DISC O/P
C FSET13= INPUT GROUND-STATE MASS EXCESS, SPIN, AND PARITY
C
C IPRTLEV=0 TO OMIT PRINT OF DISCRETE LEVEL INFORMATION
C IPRTTC =0 TO OMIT PRINT OF ANY TRANSMISSION COEFFICIENTS
C IPRTTC =1 TO PRINT I/P TRANSMISSION COEFFICIENTS
C IPRTTC.GE.2 TO PRINT TRANSMISSION COEFFICIENTS AT EVERY (IPRTTC-1)
C TH ENERGY ON THE BASIC INTEGRATION ENERGY MESH
C
C IPRTWID=0 TO OMIT WIDTH PRINT
C IPRTSP =0 TO OMIT SPECTRA PRINT
C IPRTSP =1 TO PRINT COMPOSITE SPECTRA ONLY
C IPRTSP =2 TO PRINT INDIVIDUAL SPECTRA ONLY
C IPRTSP =3 TO PRINT COMPOSITE AND INDIVIDUAL SPECTRA
C IPRTGC =0 TO OMIT PRINT OF LEVEL DENSITY PARAMETERS
C IPRTGC =1 TO PRINT GILBERT-CAMERON LEVEL DENSITY PARAMETERS
C IPRTGC.GE.2 TO PRINT LEVEL DENSITIES AT EVERY (IPRTGC-1) TH ENERGY
C ON THE BASIC INTEGRATION ENERGY MESH
C
C INPOPT=-1 MANUALLY READ IN REACTION CHAINS BUT CODE AUTOMATICALLY
C ASSIGNS PARENTAGE, CNPI(I) AND CNPI(I) ARE ASSUMED TO
C BE ALL UNASSIGNED HIGHER REACTIONS THAT PRODUCE ZACN(I)
C
C INPOPT=0 MANUALLY I/P REACTION CHAINS AND PARENTAGE INDICATORS
C INPOPT=1 AUTOMATICALLY FOLLOW NEUTRON CHAIN WITH G,N DECAYS
C INPOPT=2 AUTOMATICALLY FOLLOW NEUTRON CHAIN WITH G,N,P,A DECAYS
C INPOPT=3 AUTOMATICALLY FOLLOW NEUTRON CHAIN WITH G,N,P,A DECAYS,
C AND PICK UP GAMMAS FROM P AND A DECAYS
C
C SWS(I) = + TO NORMALIZE S-WAVE STRENGTH TO SWS(I)
C SWS(I) = 0. TO USE UNNORMALIZED GAMMA RAY TRANSITION PROBABILITIES
C AS ADJUSTED BY RE1(1)
C
C SWS(I) = - TO MULTIPLY GAMMA TRANSITION PROBABILITIES BY
C ABS(SWS(I))
C
1 FORMAT(20I4)
2 FORMAT(1P,8E10.3)
3 FORMAT(8A10)
4 FORMAT(1H1,8A10,1H,8A10)
5 FORMAT(8X,A1,11,1P,7E10.3)
6 FORMAT(1P,E10.3,10X,6E10.3)
7 FORMAT(/ 9H IPRTLEV=I2,3X,7HIPRTTC=I2,3X, 8HIPRTWID
1=I2,3X,7HIPRTSP=I2,3X,7HIPRTGC=I2)
8 FORMAT( 8H INPOPT=I2,3X,SHKLIN=I2,3X,SHKFIN=I2,3X,SHNIBD=I2,3X,
1 8HLMAXOPT=I2,/)
9 FORMAT(/4H NI=,I3,3X,4HNMPE=,I2,3X,7HLGROPT=,I2,3X,
1 5HLEPEQ=I2,3X,6HNMJMAX=I3,3X,*ICAPT=*I2)
10 FORMAT(/ 5H ZAP=F5.0,3X,4HZAT=F6.0,3X,3HDE=F6.3,4H MEV,
1 3X,4HXMT=F10.5,4H AMU,3X,3HSP=F6.3,4H MEV,3X,
2 8HECUTOFF=F5.2,4H MEV)
11 FORMAT( 5H ACN=F7.3,5H /MEV,3X, 7HFSIGCN
1=F7.3,3X,6HDEFCON=F2.0,3X,7HSPINT =F5.1,3X,4HPIT=F3.0)
12 FORMAT(/* I ZACN NIP PARENT*,9X,*S-WAVE*,8X,*IP*,4X,*ZA1*,
1 4X*ZA2*,5X,*XMR*,8X,*S*,4X,*NLEV DEF A NLGC ECGC BUF
2FER*/ * == ***** ** I IP*,
3 * STRENGTH, ENERGY == ***** *)

```

```

4 * ---- (AMU) (MEV) ** --- (/MEV) ---- (MEV) NUMMAIN 61
SER*) MAIN 62
13 FORMAT(I3,F7.0,F4.0,F7.0,F6.0,2X,1PE10.3,0P,F7.3) MAIN 63
14 FORMAT(46X.15,F7.0,F8.0,F8.3,F10.3,2F5.0,F8.3,F5.0,F10.3,I7) MAIN 64
15 FORMAT(/ 46H INDEX L PARITY MULTIPOLARITY RATIO TO E1) MAIN 65
16 FORMAT(I4,2F6.0,9X,A1,I1,8X,G11.4) MAIN 66
17 FORMAT(/ * WEISSKOPF APPROXIMATION USED FOR GAMMA-RAY TRANSMISSIONMAIN 67
1 COEFFICIENTS*) MAIN 68
18 FORMAT(/ * AXEL APPROXIMATION USED FOR GAMMA-RAY TRANSMISSIONMAIN 69
1 COEFFICIENTS*) MAIN 70
19 FORMAT(/ 26H INCIDENT ENERGIES (MEV) =,1P,10E10.3,/26X,10E10.3) MAIN 71
25 FORMAT(/5X*COLLI=MILAZZO CLOSED FORM USED FOR ABSOLUTE CAL OF PREMAIN 72
1=EQUILIBRIUM CROSS SECTION *//,* PRE=EQUILIBRIUM NORMALIZATION CONMAIN 73
2STANTS ARE / *,6A10./39X,*(INPUT) *,1P,6E10.3,/39X,* (USED) *, MAIN 74
3 6E10.3) MAIN 75
C MAIN 76
30 FORMAT(/25X* THE LAB ENERGY IS *G11.4* MEV *//) MAIN 77
33 FORMAT(20A4) MAIN 78
34 FORMAT(1X,20A4) MAIN 79
COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40) RHO 3
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC, LCNDEX 2
1 ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM, LCNDEX 3
2 NIDIM,NIPDIM LCNDEX 4
COMMON/TCOEF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM, TCOEF 2
INPART,NFE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25), TCOEF 3
2NLE(6,200),JRAST(200,6) TCOEF 4
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM LEVEL1 2
1,EG(240),SG(240),NGRAYS(60) LEVEL1 3
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60), BASIC1 2
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60) BASIC1 3
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10), BASIC2 2
1 CNPI(10),S(60),SAC(10),IDI(60),IDP,IOE2(60),IBUF(6,10), BASIC2 3
2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60), BASIC2 4
3 NRHO(6),XJT, NPOPMA,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON, BASIC2 5
4 JPI(40,2),XMP,XJP,PIT,KLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30) BASIC2 6
5, ICAPT,PLBUF(50,10),INOPT,TKEEP BASIC2 7
COMMON/GAMMA/NMP,LGROPT,SWS(10),GML(6),GMP(6),RE1(6),LMGHOL(6), GAMMA 2
1 TGR(200,6),WKCON,CAXEL,GAXEL,ERAXEL,EXSWS(10),WKNORM GAMMA 3
COMMON/PREEQ/LPEQ,SIGR,PREQ1(6),CSIGI(6),NITT(6),ALPHA(6) PREEQ 2
COMMON/PREQ1/EP SIG(200,6),NLEV,NPIT,NIT PREQ1 2
COMMON/FITTING/ACN,FSIGCN,SIGPEQ FITTING2
COMMON/PRNTOUT/IPRTLEV,IPRTTC,IPRTMLD,IPRTWID,IPRTSP,IPRTGC PRNTOUT2
COMMON/LEV DEN/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFCN,TGC(60), LEVDEN 2
1 E0GC(60),EMATGC(60),PAIR(60),XMR3(60),XNLLN(60),SZ(100),SN(150), LEVDEN 3
2 PZ(100),PN(150) LEVDEN 4
COMMON /SPNPAR/ SPIN,PARITY,KGRD LEVDEN 5
C MAIN 92
DIMENSION ALPHA1(6) MAIN 93
DIMENSION ZZA1(6),ELABS(20) MAIN 94
DIMENSION ZINPU(20) MAIN 95
DATA BCD/10H NEUTRON ,10H PROTON ,10H DEUTERON ,10H TRITON , MAIN 96
1 ,10H HE-3 ,10H ALPHA ,10H GAMMA-RAY/ MAIN 97
DATA IZAID/1,1001,1002,1003,2003,2004,0/ MAIN 98
DATA KI,KL,K7,KGRD,IMOLF,IMOLM /5,9,7,13,1HE,1HM/ MAIN 99
DATA XMASS/1.000665,1.007825,2.014102,3.016050,3.016030,4.002603, MAIN 100
1 0./ MAIN 101
DATA XSPIN/0.5,0.5,1.0,0.5,0.5,0.0,0.0/ MAIN 102
DATA NKDIM,NJDIM,NEEDIM,NLDIM,NLEVDIM/200,40,25,30,50/ MAIN 103
DATA NIDIM,NIPDIM,NIBDIM,NGRDIM,NIDDIM/ MAIN 104
1 10, 6, 8, 7 / 240, 7 / MAIN 105
DATA ALPHA/5.0E-04,5.0E-04,3*1.0E-02,5E-03/ MAY77 1
DATA NITT/3,3,3,3,3,3/ MAIN 107

```

C		MAIN 100
	EXACTM(ZA,EXMASS) = ZA*1000.*FLOAT(IFIX(ZA/1000.))+EXMASS/931.502	MAIN 109
C		MAIN 110
C		MAIN 111
C	TAPE 12 = BUFFER INPUT	MAIN 112
C		MAIN 113
	WRITE(6,32)	MAIN 114
32	FORMAT(1M1)	MAIN 115
35	READ(KI,33) ZINPU	MAIN 116
	IF(EOF,KI) 300,301	MAIN 117
301	WRITE(6,34) ZINPU	MAIN 118
	WRITE(12,33) ZINPU	MAIN 119
	GO TO 35	MAIN 120
300	CONTINUE	MAIN 121
C		MAIN 122
C	NOW TAPE 12 = INPUT	MAIN 123
C		MAIN 124
	KI=12	MAIN 125
	ENDFILE KI	MAIN 126
	REWIND KI	MAIN 127
C		MAIN 128
C	MAIN INPUT SECTION	MAIN 129
	EXMN = ENERGY(1,0)	MAIN 130
100	READ(KI,3) TITLE	MAIN 131
	IF(EOF,KI)1000,101	MAIN 132
101	WRITE(6,4) TITLE	MAIN 133
	READ(KI,1) IPRTLEV,IPRTYC,IPRTWID,IPRTSP,IPRTGC	MAIN 134
	READ(KI,1) INPOPT,KLIN,KTIN,NIBD,LMAXOPT	JUL26773
	IF(NIBD.GT.0) NIBDIM=NIBD	MAIN 136
	IF(KLIN.LT.1) KLIN=0	MAIN 137
	IF(KTIN.LT.1) KTIN=10	MAIN 138
	IF(KLIN.NE.8) KLIN=12	APR07773
	IF(KTIN.NE.10)KTIN=12	APR07774
	WRITE(6,7) IPRTLEV,IPRTYC,IPRTWID,IPRTSP,IPRTGC	MAIN 139
	WRITE(6,8) INPOPT,KLIN,KTIN,NIBD,LMAXOPT	JUL26774
	EPSILON=1.0E+8	JUL26775
	IF(LMAXOPT.GT.0) LMAXOPT=LMAXOPT	JUL26776
	IF(LMAXOPT.NE.0) EPSILON=10.**LMAXOPT	JUL26777
	READ(KI,1) NI,NMP,LGROPT,LPEQ,NJMAX,ICAPT	MAIN 141
	IF(NJMAX.EQ.0) NJMAX=NJDIM	MAIN 142
	READ(KI,2) ZAP,ZAT,DE,FSIGCN	MAIN 143
	UCUTOFF = 0.1	MAIN 144
	READ(KI,1) NELAB	MAIN 145
	READ(KI,2) (ELABS(I),I=1,NELAB)	MAIN 146
	EXMT = ENERGY(ZAT)	MAIN 147
	XJT = SPIN	MAIN 148
	PIT = PARITY	MAIN 149
	XMT = EXACTM(ZAT,EXMT)	MAIN 150
	SIC = EXMT + ENERGY(ZAP) = ENERGY(ZAT+ZAP)	MAIN 151
	IF(FSIGCN.EQ.0.) FSIGCN=1.0	MAIN 152
	IR=0	MAIN 153
	DO 104 I=1,NI	MAIN 154
	IF(INPOPT.EQ.0) READ(KI,2)ZACN(I),XNIP(I),CNPI(I),CNPPI(I),SWS(I)	MAIN 155
	ZZA1(I)=0.	MAIN 156
	IF(INPOPT.LE.-1)READ(KI,2)ZACN(I),XNIP(I),SWS(I),(ZZA1(IP),IP=2,6)	MAIN 157
	IF(INPOPT.GE.1) CALL CHAINS(I,IR)	MAIN 158
	ZAC	= ZACN(I)
	EXMC	= ENERGY(ZAC)
	EXSWS(I) = ENERGY(ZAC=1,0) + EXMN = EXMC	MAIN 161
	NIP=XNIP(I)	MAIN 162
	DO 104 IP=1,NIP	MAIN 163
	IR=IR+1	MAIN 164
	LR(IP,I)=IR	MAIN 165

	XNL(IR)=0.	MAIN 166
	A(IR)=0.	MAIN 167
	XNLGC(IR)=0.	MAIN 168
	ECGC(IR)=0.	MAIN 169
	IF(INPOPT.EQ.0)READ(KI,2)ZA1(IR),XNL(IR),A(IR),XNLGC(IR),ECGC(IR)	MAIN 170
	IF(INPOPT.LE.-1)ZA1(IR)=ZZA1(IP)	MAIN 171
	ZA2(IR) = ZACN(I)-ZA1(IR)	MAIN 172
	DEF(IR) = XMAGIC(ZA2(IR))	MAIN 173
	ZAR = ZA2(IR)	MAIN 174
	EXMR = ENERGY(ZAR)	MAIN 175
	XM2(IR) = EXACTM(ZAR,EXMR)	MAIN 176
	S(IR) = EXMR + ENERGY(ZA1(IR)) = EXMC	MAIN 177
104	CONTINUE	MAIN 178
	NIR=IR	MAIN 179
	CALL LCSPACE	MAIN 180
	ACN=A(1)	MAIN 181
	DEFCN=DEF(1)	MAIN 182
	WRITE(6,9) NI,NMP,LGROPT,LPEQ,NJMAX,ICAPT	MAIN 183
	WRITE(6,10) ZAP,ZAT,DE,XMT,SIC,UCUTOFF	MAIN 184
	WRITE(6,11) ACN,FSIGCN,DEFCN,XJT,PIT	MAIN 185
	WRITE(6,19)(ELABS(I),I=1,NELAB)	MAIN 186
	WRITE(6,12)	MAIN 187
	DO 106 I=1,NI	MAIN 188
	WRITE(6,13)I,ZACN(I),XNIP(I),CNPI(I),CNPIP(I),SWS(I),EXSWS(I)	MAIN 189
	NIP=XNIP(I)	MAIN 190
	DO 106 IP=1,NIP	MAIN 191
	IR=LR(IP,I)	MAIN 192
	IB=IBUF(IP,I)	MAIN 193
	IF(IB.GT.NIBDIM) IB=IB-NIBDIM	MAIN 194
106	WRITE(6,14) IP,ZA1(IR) ,ZA2(IR) ,XM2(IR) ,S(IR) ,XNL(IR),	MAIN 195
	1 DEF(IR) , A(IR) ,XNLGC(IR) ,ECGC(IR),IB	MAIN 196
	IF(LGROPT.EQ.1) WRITE(6,17)	MAIN 197
	IF(LGROPT.EQ.2) WRITE(6,18)	MAIN 198
	WRITE(6,15)	MAIN 199
	DO 110 MP=1,NMP	MAIN 200
	READ(KI,5) LMGHOL(MP),LG,RE1(MP)	MAIN 201
	IF(LMGHOL(MP).EQ.IHOLE) GMP(MP)=1.0	MAIN 202
	IF(LMGHOL(MP).EQ.IHOLM) GMP(MP)=-1.0	MAIN 203
	IF((LMGHOL(MP).EQ.IHOLE).AND.(LG.EQ.1).AND.(RE1(MP).EQ.0.))	MAIN 204
	1 RE1(MP)=1.0	MAIN 205
	GML(MP)=LG	MAIN 206
110	WRITE(6,16) MP,GML(MP),GMP(MP),LMGHOL(MP),LG,RE1(MP)	MAIN 207
	IF(LPEQ.EQ.1)READ(KI,2)ALPHA1	MAIN 208
	DO 201 IDX=1,6	MAIN 209
	IF(ALPHA1(IDX).NE.0.)202,201	MAIN 210
202	ALPHA(IDX)=ALPHA1(IDX)	MAIN 211
201	CONTINUE	MAIN 212
	IF(LPEQ.EQ.1) WRITE(6,25) (BCD(IDX),IDX=1,6),ALPHA1,ALPHA	MAIN 213
C		MAIN 214
C	READ LEVEL INFORMATION	MAIN 215
	CALL LEVPREP(KLIN,KL)	MAIN 216
C		MAIN 217
C	READ TRANSMISSION COEFFICIENT DATA	MAIN 218
	CALL TCPREP(KTIN,EPSILON)	JUL26778
C		MAIN 220
C	SET UP FOR CALCULATION	MAIN 221
	CALL SETUP	MAIN 222
C		MAIN 223
C	INCIDENT ENERGY LOOP	MAIN 224
	DO 200 IELAB=1,NELAB	MAIN 225
	CALL SECOND(TKEEP)	MAIN 226
	ELAB=ELABS(IELAB)	MAIN 227
	CALL SETUP2	MAIN 228

C		MAIN 229
0	CALCULATE SPECTRA	MAIN 230
	CALL SPECTRA(ACN,PSIGCN)	MAIN 231
C		MAIN 232
0	PRINT AND WRITE OUTPUT RESULTS	MAIN 233
	CALL DATAOUT	MAIN 234
198	CONTINUE	MAIN 235
199	CONTINUE	MAIN 236
C		MAIN 237
200	CONTINUE	MAIN 238
	GO TO 100	MAIN 239
1000	STOP	MAIN 240
	END	MAIN 241
	SUBROUTINE LCSPACE	LCSPACE2
C		LCSPACE3
C	SET UP LCM STORAGE, ZERO ARRAY, AND VARIABLE STORAGE BUFFERS	LCSPACE4
C		LCSPACE5
	COMMON,RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7)	RHO 2
	1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40)	RHO 3
	COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),	BASIC1 2
	1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)	BASIC1 3
	COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,	LCNDEX 2
	1 ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,	LCNDEX 3
	2 NIDDIM,NIRDIM	LCNDEX 4
	COMMON/TCOEF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM,	TCOEF 2
	1 NPART,NEE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25),	TCOEF 3
	2 NLE(6,200),JRAST(200,6)	TCOEF 4
	COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM	LEVEL1 2
	1,EG(240),SG(240),NGRAYS(60)	LEVEL1 3
	COMMON/BASIC2/TITLE(16),ELAR,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),	BASIC2 2
	1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOE2(60),IBUF(6,10),	BASIC2 3
	2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),GMDP(40),A(60),A2(60),	BASIC2 4
	3 NRHO(6),XJT, NPOP,MAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,	BASIC2 5
	4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30)	BASIC2 6
	5,ICART,PLBUF(50,10),INPOPT,TKEEP	BASIC2 7
	DIMENSION SCBUF(4000),IJJ(10),IPJJ(10)	LCSPAC12
	EQUIVALENCE (SCBUF,RHO)	LCSPAC13
C		LCSPAC14
C	SET LCM STORAGE INDEXES	LCSPAC15
	NIRDIM=NIDIM*NIPDIM	LCSPAC16
	IPBLC=0	LCSPAC17
	IGLC=IPBLC+NJDIM*NKDIM*NIBDIM*2	LCSPAC18
	IZEROLC=IGLC+NKDIM*NIRDIM	LCSPAC19
	ISPLC=IZEROLC+8000	LCSPAC20
	IPLLC=ISPLC+NKDIM*NIRDIM	LCSPAC21
	IEGLC=IPLLC+NLEVDIM*NIRDIM	LCSPAC22
	ISGLC=IEGLC+NGRDIM*NIRDIM	LCSPAC23
	ITCLC=ISGLC+NGRDIM*NIRDIM	LCSPAC24
	IRHOLC=ITCLC+NEEDIM*NLDIM*(NIDDIM-1)	LCSPAC25
	ITLC=IRHOLC+NKDIM*NJDIM*NIPDIM	LCSPAC26
	IELLC=ITLC+NKDIM*NLDIM*NIPDIM	LCSPAC27
	IAJLC=IELLC+NLEVDIM*NIRDIM	LCSPAC28
	IATLC=IAJLC+NLEVDIM*NIRDIM	LCSPAC29
	LCMDIM=IATLC+NLEVDIM*NIRDIM	LCSPAC30
	WRITE(6,1) LCMDIM	LCSPAC31
	1 FORMAT(* LCM SPACE REQUIRED (EXCLUDING DISC BUFFERS) IS *,I7)	LCSPAC32
	WRITE(6,2) NIBDIM,NKDIM	LCSPAC33
2	FORMAT(* NUMBER OF LCM BUFFERS IS *,I2/ * MAXIMUM NUMBER OF ENERGY	LCSPAC34
	BINS IS *,I4)	LCSPAC35
C		LCSPAC36
C	SET UP LCM ZERO ARRAY	LCSPAC37
	DO 10 K=1,1000	LCSPAC38
10	SCBUF(K)=0.	LCSPAC39

	INDEX=IZEROLC	LCSPAC40
	NPTS=1000	LCSPAC41
	CALL ECWR(SCBUF,INDEX,NPTS,IERR)	LCSPAC42
	INDEX=INDEX+NPTS	LCSPAC43
	CALL ECWR(SCBUF,INDEX,NPTS,IERR)	LCSPAC44
	INDEX=INDEX+NPTS	LCSPAC45
	CALL ECWR(SCBUF,INDEX,NPTS,IERR)	LCSPAC46
	INDEX=INDEX+NPTS	LCSPAC47
	CALL ECWR(SCBUF,INDEX,NPTS,IERR)	LCSPAC48
	CALL ECRD(SCBUF,IZEROLC,4000,IERR)	LCSPAC49
	INDEX=INDEX+NPTS	LCSPAC50
	CALL ECWR(SCBUF,INDEX,4000,IERR)	LCSPAC51
	IF(INOPT.GE.0) GO TO 420	LCSPAC52
C	DETERMINE PARENT REACTIONS	LCSPAC53
C	LBUFOPT=1	LCSPAC54
	CNPI(1)=1.	LCSPAC55
	CNPIP(1)=1.	LCSPAC56
	IF(NI.LT.2) GO TO 420	LCSPAC57
	DO 410 I=2,NI	LCSPAC58
	CNPI(I)=0.	LCSPAC59
	CNPIP(I)=0.	LCSPAC60
	I1=I+1	LCSPAC61
	DO 409 IM=1,I1	LCSPAC62
	II=I1-IM+1	LCSPAC63
	IF(ZACN(I).EQ.ZACN(II)) GO TO 410	LCSPAC64
	NIP = XNIP(II)	LCSPAC65
	IF(NIP.LT.2) GO TO 409	LCSPAC66
	DO 408 IIP=2,NIP	LCSPAC67
	IR=LR(IIP,I)	LCSPAC68
	IF(ZA2(IR).NE.ZACN(I)) GO TO 408	LCSPAC69
	CNPI(I) = II + 100.*CNPI(I)	LCSPAC70
	CNPIP(I) = IIP+100.*CNPIP(I)	LCSPAC71
	IF(LBUFOPT.EQ.2) GO TO 410	LCSPAC72
408	CONTINUE	LCSPAC73
409	CONTINUE	LCSPAC74
410	CONTINUE	LCSPAC75
420	CONTINUE	LCSPAC76
C	SET UP POPULATION STORAGE BUFFERS FOR LCM	LCSPAC77
C	CALL ECRD(IBUF,IZEROLC.60,IERR)	LCSPAC78
	CNPI(1)=1.	LCSPAC79
	CNPIP(1)=1.	LCSPAC80
	IB=0	LCSPAC81
	DO 70 J=1,NI	LCSPAC82
	IB=IB+1	LCSPAC83
	II=CNPI(J)	LCSPAC84
	IIP=CNPIP(J)	LCSPAC85
	DO 62 JJ=1,10	LCSPAC86
	JJX=10**(JJ*2)	LCSPAC87
	JJX2=JJX/100	LCSPAC88
	IJJ(JJ)=MOD(II,JJX)/JJX2	LCSPAC89
	IPJJ(JJ)=MOD(IIP,JJX)/JJX2	LCSPAC90
	IF(II/JJX.LT.1) GO TO 64	LCSPAC91
62	CONTINUE	LCSPAC92
64	NJJ=JJ	LCSPAC93
	DO 68 I=1,J	LCSPAC94
	NIP=XNIP(I)	LCSPAC95
	DO 68 IP=1,NIP	LCSPAC96
	DO 66 JJ=1,NJJ	LCSPAC97
	IF((I.NE.IJJ(JJ)).OR.(IP.NE.IPJJ(JJ))) GO TO 66	LCSPAC98
	IBUF(IP,I) = IB	LCSPAC99
66	CONTINUE	LCSPA100
		LCSPA101
		LCSPA102

68	CONTINUE	LCSPA103
70	CONTINUE	LCSPA104
C		LCSPA105
C	EQUATE (N,G) REACTION BUFFERS TO PARENT NUCLEUS BUFFER	LCSPA106
	DO 72 I=1,NI	LCSPA107
	II=CNPI(I)	LCSPA108
	IIP=CNPIP(I)	LCSPA109
	II=MOD(II,100)	LCSPA110
	IIP=MOD(IIP,100)	LCSPA111
	IBUF(1,I)=IBUF(IIP,II)	LCSPA112
72	CONTINUE	LCSPA113
	RETURN	LCSPA114
	END	LCSPA115
	SUBROUTINE CHAINS(I,IRX)	CHAINS 2
C		CHAINS 3
C	CONSTRUCT OPTIONAL AUTOMATIC REACTION CHAIN SEQUENCES	CHAINS 4
C		CHAINS 5
	COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),	BASIC1 2
	1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)	BASIC1 3
	COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),	BASIC2 2
	1 CNPIP(10),S(60),SAC(10),IDI(60),IDP,IOE2(60),IBUF(6,10),	BASIC2 3
	2 ECH,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCF(30),QMDP(40),A(60),A2(60),	BASIC2 4
	3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),PCON,BASIC2 5	
	4 JPI(40,2),XMP,XJP,PIT,NLP,XNIP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30)	BASIC2 6
	5,ICAPT,PLBUF(50,10),INPOPT,TKEEP	BASIC2 7
	COMMON/LEVDE/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFCN,TGC(60),	LEVDE 2
	1 EOGC(60),FMATGC(60),PAIR(60),XMR3(60),XNLLN(60),SZ(100),SN(150),	LEVDE 3
	2 PZ(100),PN(150)	LEVDE 4
	COMMON /SPNPAR/ SPIN,PARITY,KGRD	LEVDE 5
	COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM	LEVEL1 2
	1,EG(240),SG(240),NGRAYS(60)	LEVEL1 3
	COMMON/GAMMA/NMP,LGROPT,SWS(10),GML(6),GMP(6),RE1(6),LMQHOL(6),	GAMMA 2
	1 TGR(200,6),WKCON,GAXEL,GAXEL,ERAXEL,EXSWS(10),WKNORM	GAMMA 3
	DIMENSION ZAX(4)	CHAINS11
	DATA ZAX/0.,1.,1001.,2004./	CHAINS12
	XI=1	CHAINS13
	ZATOT=ZAP+ZAT	CHAINS14
	SWS(I)=0.	CHAINS15
	IR=IRX	CHAINS16
	GO TO (11,12,13),INPOPT	CHAINS17
11	ZACN(I)=ZATOT-XI+1.0001	CHAINS18
	XNIP(I)=2.	CHAINS19
	CNPI(I)=XI-0.99999	CHAINS20
	CNPIP(I)=2.	CHAINS21
	GO TO 50	CHAINS22
12	ZACN(I)=ZATOT-XI+1.0001	CHAINS23
	XNIP(I)=4.	CHAINS24
	CNPI(I)=XI-0.99999	CHAINS25
	CNPIP(I)=2.	CHAINS26
	GO TO 50	CHAINS27
13	GO TO (21,22,23,21,22,23,21,22,23,21),I	CHAINS28
21	XII=(I-1)/3	CHAINS29
	ZACN(I)=ZATOT-XII	CHAINS30
	XNIP(I)=4.	CHAINS31
	CNPI(I)=I-3	CHAINS32
	CNPIP(I)=2.	CHAINS33
	GO TO 50	CHAINS34
22	ZACN(I)=ZACN(I-1)-ZAX(3)	CHAINS35
	CNPI(I)=I-1	CHAINS36
	CNPIP(I)=3.	CHAINS37
	XNIP(I)=1.	CHAINS38
	GO TO 50	CHAINS39
23	ZACN(I)=ZACN(I-2)-ZAX(4)	CHAINS40



```

      CNP1(I)=1+2
      CNP1P(I)=4.
      XNIP(I)=1.
50    NIP=XNIP(I)
      IZA=ZACN(I)
      ZACN(I)=IZA
      DO 54 IP=1,NIP
      IR=IR+1
      ZA1(IR)=ZAX(IP)
54    CONTINUE
      RETURN
      END
      FUNCTION ENERGY(ZA)
C
C      ***** ENERGY LOOKS UP VALUES OF GROUND-STATE MASS EXCESS (MEV), **ENERGY 4
C      ***** SPIN, AND PARITY. MISSING DATA PRODUCE A FATAL ERROR. **ENERGY 5
C
      COMMON /SPNPAR/ SPIN,PARITY,KGRD
      DIMENSION I0(11),I1(11),I2(11),J0(11),J1(12),K0(12),ENER(2055)
      DIMENSION PAR(3)
      DIMENSION SPINPAR(2055)
      DATA PAR /1H+,1H,1H+/
      DATA INPGRD/1/
1     FORMAT(28H0***** GROUND-STATE DATA FOR I6,19H NOT IN TABLE *****) ENERGY12
2     FORMAT(I2,2H/2 A1) ENERGY13
3     FORMAT(I2, A1) ENERGY14
4     FORMAT(2X, A1) ENERGY15
5     FORMAT(5X+++++ GROUND STATE OF *F6.0* IS INCOMPLETELY DESCRIBED BCDGRD 3
      X, SPIN,PARITY = *F6.2,2X,F6.2,2X+++++*) BCDGRD 4
6     FORMAT(5X+++++,28X,* ASSIGNMENTS CHANGED TO, SPIN,PARITY = BCDGRD 5
      1*F6.2,2X,F6.2,2X,+++++*/) BCDGRD 6
C
C      FIRST CALL CAUSES DATA TO BE READ IN ENERGY18
      IF(INPGRD.EQ.12345) GO TO 10 ENERGY20
      READ (KGRD,100) I0,I1,I2,J0,J1,K0 BCDGRD 7
100   FORMAT(8I10) BCDGRD 8
      READ(KGRD,101)ENER BCDGRD 9
101   FORMAT(6E13,6) BCDGRD10
      READ(KGRD,102)SPINPAR BCDGRD11
102   FORMAT(8F10,3) BCDGRD12
      REWIND KGRD BCDGRD13
      INPGRD = 12345 ENERGY22
10    IF(ZA) 40,15,20 ENERGY23
C
C      Z=0, A=0 IS CONSIDERED A PHOTON. ENERGY24
15    ENERGY = SPIN = 0, $ PARITY = -1, $ RETURN ENERGY25
C
C      FIND REQUESTED NUCLEUS IN APPROPRIATE TABLE ENERGY26
20    IZA = IFIX(ZA) $ JZ = IZA/1000 ENERGY27
      IA = IZA - 1000*JZ $ N = IA - JZ ENERGY28
      NZ = N - JZ $ NZ = NZ - JZ ENERGY29
      DO 30 K=1,11 $ IF(JZ,GE,J1(K+1)) GO TO 30 ENERGY30
      ND = I1(K) = 1 $ I = NZ - ND ENERGY31
      IF(I2(K).LT.0) I = NZ - ND ENERGY32
      IK = I0(K) $ J = JZ - J1(K) + 1 ENERGY33
      IN = K0(K) + I + (J-1)*IK ENERGY34
      IF(I.GT.0.AND.I.LE.IK) GO TO 50 $ GO TO 40 ENERGY35
30    CONTINUE ENERGY36
C
C      REQUESTED ISOTOPE IS NOT IN TABLES ENERGY37
40    PRINT 1, IZA $ STOP 7776 ENERGY38
C
50    CONTINUE ENERGY39
      BCDGRD14 ENERGY40
      ENERGY41
      ENERGY42
      BCDGRD14 ENERGY42

```

```

ENERGY=ENEP(IN)
IF(SPINPAR(IN),GE,9900,)SPIN=SPINPAR(IN)-9900.
IF(SPINPAR(IN),GE,9900,)PARITY=99.
IF(SPINPAR(IN),GE,9900,)GO TO 200
IF(SPINPAR(IN),GE,100,)PARITY=1.
IF(SPINPAR(IN),GE,100,)SPIN=SPINPAR(IN)-100.
IF(SPINPAR(IN),LT,0,)PARITY=-1.
IF(SPINPAR(IN),LT,0,)SPIN=SPINPAR(IN)+100.
200 CONTINUE
IF((PARITY,NE,99.)AND.(SPIN,NE,99.)) RETURN
PRINT 5, ZA, SPIN, PARITY
IF(PARITY,EQ,99.) PARITY=+1.
IF(SPIN,EQ,99.) SPIN=0.25*(1.-(=1.))*IA)
PRINT 6, SPIN, PARITY
RETURN
END
FUNCTION XMAGIC(ZA)
DIMENSION XMAG(10)
DATA NMAG/8/, XMAG/2.,0.,20.,28.,50.,82.,126.,186./
IZ=ZA/100, 3 Z=IZ
A=ZA-Z*1000.
AN=A-Z
IF(Z,LT,54.)GO TO 15
IF(AN,LT,86.)GO TO 15
XMAGIC=1.
DO 10 N=5,8
C1=ABS(XMAG(N)-Z)
C2=ABS(XMAG(N)-AN)
IF((C1,LT,3.5).OR.(C2,LT,3.5)) GO TO 15
10 CONTINUE
RETURN
15 XMAGIC=0.
RETURN
END
SUBROUTINE LEVPREP(K1,K2)
C
C PREPARES BINARY LEVEL DATA FILE ON K2 FROM I/P BCD FILE K1. ALSO
C STORES ENERGY AND J=PI DATA IN LCM ARRAYS ELLC(N,IP,I) AND
C AJLC(N,IP,I)
1 FORMAT(I8,I5,3F12.6,I8)
2 FORMAT(I6,F12.6,2F6.1,E12.5,I6,24X,I8)
3 FORMAT(6X,2I6,2F12.6,E12.5,2I3,12X,I8)
4 FORMAT(// * LEVEL DATA FOR IZA=*I5,* NOT FOUND, USE GROUND STATE
ONLY.*)
C
COMMON/SPNPAR/SPIN,PARITY,KGRD
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,
1 ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,
2 NIDDIM,NIRDIM
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM
1,EG(240),SG(240),NGRAYS(60)
COMMON/BASIC1/N1,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)
COMMON/PREQ1/EPSIG(200,6),NLEV,NPIT,NIT
DIMENSION ZATAB(60),DUMMY(120)
C
C DETERMINE REQUIRED ZA TABLE
K3=11
DO 17 N=1,NIR
ZATAB(N)=ZA2(N)
CALL SORT1(NIR,0,ZATAB,DUMMY)
NTAB = 1
17
BCDGRD15
BCDGRD16
BCDGRD17
BCDGRD18
BCDGRD19
BCDGRD20
BCDGRD21
BCDGRD22
BCDGRD23
BCDGRD24
BCDGRD25
BCDGRD26
BCDGRD27
BCDGRD28
BCDGRD29
ENERGY58
XMAGIC 2
XMAGIC 3
JUL29771
XMAGIC 5
XMAGIC 6
XMAGIC 7
JUL29772
JUL29773
XMAGIC 8
JUL29774
XMAGIC10
XMAGIC11
XMAGIC12
XMAGIC13
XMAGIC14
XMAGIC15
XMAGIC16
XMAGIC17
LEVPREP2
LEVPREP3
LEVPREP4
LEVPREP5
LEVPREP6
LEVPREP7
LEVPREP8
LEVPREP9
LEVPRE10
LEVPRE11
LEVPRE12
LEVPRE13
LEVPRE14
LCNDEX 2
LCNDEX 3
LCNDEX 4
LEVEL1 2
LEVEL1 3
BASIC1 2
BASIC1 3
PREQ1 2
APR07775
APR07776
APR07777
APR07778
APR07779
APR07710
APR07711
APR07712

```

	CSTOT(1) = ZATAB(1)	APR07713
	IF(NIP.EQ.1) GO TO 16	APR07714
	DO 18 N=2,NIR	APR07715
	IF(ZATAB(N).EQ.ZATAB(N-1)) GO TO 18	APR07716
	NTAB = NTAB + 1	APR07717
	CSTOT(NTAB) = ZATAB(N)	APR07718
18	CONTINUE	APR07719
16	DO 19 N=1,NTAB	APR07720
19	ZATAB(N) = CSTOT(N)	APR07721
C		APR07722
C	SELECT LEVEL DATA FOR REQUIRED ZAS	APR07723
	IF(K1.EQ.8) REWIND K1	APR07724
20	READ(K1,1) ID,NL,F,A,AE,LDATE	APR07725
	KIEOF = IOCHECK(K1,1)	APR07726
	IF(KIEOF.GT.4) GO TO 29	APR07727
	ISET = 2	APR07728
	DO 21 N=1,NTAB	APR07729
	IZA2 = ZATAB(N)	APR07730
	IF(ID.EQ.IZA2) ISET = 1	APR07731
21	CONTINUE	APR07732
	GO TO (22,23), ISET	APR07733
22	WRITE(K3,1) ID,NL,F,A,AE,LDATE	APR07734
23	DO 28 N=1,NL	APR07735
	READ(K1,2) NX,EL(N),AJ(N),AT(N),TAU,NT,IS	APR07736
	GO TO (24,25), ISET	APR07737
24	WRITE(K3,2) NX,EL(N),AJ(N),AT(N),TAU,NT,IS	APR07738
25	IF(NT.LT.1) GO TO 28	APR07739
	DO 27 K=1,NT	APR07740
	READ(K1,3) LL,NF,P,CP,AMR,L1,L2,IS	APR07741
	GO TO (26,27), ISET	APR07742
26	WRITE(K3,3) LL,NF,P,CP,AMR,L1,L2,IS	APR07743
27	CONTINUE	APR07744
28	CONTINUE	APR07745
	IF(F.GE.0.) GO TO 20	APR07746
29	K1 = K3	APR07747
	REWIND K2	APR07748
b		APR07749
C	DETERMINE BINARY FILE IN ORDER OF REACTION CHAIN	APR07750
	REWIND K2	LEVPRE20
	DO 100 IR=1,NIR	LEVPRE21
	IZA2 = ZA2(IR)	LEVPRE22
	REWIND K1	LEVPRE24
30	READ(K1,1) ID,NL,F,A,AE,LDATE	LEVPRE25
	KIEOF = IOCHECK(K1,1)	LEVPRE26
	IF(KIEOF.LE.4) GO TO 50	LEVPRE27
	WRITE(6,4) IZA2	LEVPRE28
	XNL(IR) = 1.0	LEVPRE29
	NLL = 1	LEVPRE30
	EL(1) = 0.	LEVPRE31
	AT(1) = 99.	LEVPRE32
	TAU = 99.	LEVPRE33
	NT = 0	LEVPRE34
	LDATE = 0	LEVPRE35
	EDUM = ENERGY(ZA2(IR))	LEVPRE36
	AJ(1) = PARITY*SPIN	LEVPRE37
	IF(ZA1(IR).NE.0.) GO TO 45	LEVPRE38
	WRITE(K2) IZA2,NLL,LDATE	LEVPRE39
	WRITE(K2) EL(1),AJ(1),AT(1),TAU,NT	LEVPRE40
	GO TO 45	LEVPRE41
50	ISET=2	LEVPRE42
	IF(ID.EQ.IZA2) ISET=1	LEVPRE43
	GO TO (31,32), ISET	LEVPRE44
31	IF(XNL(IR).LT.0.5) XNL(IR)=NL	LEVPRE45

	NLMAX=XNL(IR)	LEVPRE46
	NLL=MIN0(NL,NLMAX)	LEVPRE47
	XNL(IR) = NLL	LEVPRE48
	IF((ZA1(IR).NE.0.) GO TO 32	LEVPRE49
	WRITE(K2) ID,NLL,LDATE	LEVPRE50
32	DO 40 N=1,NL	LEVPRE51
	READ(K1,2) NX,EL(N),AJ(N),AT(N),TAU,NT,IS	LEVPRE52
	GO TO (35,36),ISET	LEVPRE53
35	IF((ZA1(IR).NE.0.) OR (N.GT.NLL)) GO TO 36	LEVPRE54
	WRITE(K2) FL(N),AJ(N),AT(N),TAU,NT	LEVPRE55
36	IF(NT.LT.1) GO TO 40	LEVPRE56
	DO 38 K=1,NT	LEVPRE57
	READ(K1,3) LL,NF,P,CP,AMR,L1,L2,IS	LEVPRE58
	GO TO (37,38),ISET	LEVPRE59
37	IF(N.GT.NLL) GO TO 38	LEVPRE60
	IF((ZA1(IR).EQ.0.) WRITE(K2) NF,P,CP,AMR,L1,L2	LEVPRE61
38	CONTINUE	LEVPRE62
40	CONTINUE	LEVPRE63
	GO TO (45,30),ISET	LEVPRE64
45	INDEX=IELLC+(IR-1)*NLEVDIM	LEVPRE65
	CALL ECWR(EL,INDEX,NLL,IERR)	LEVPRE66
	INDEX=IAJLC+(IR-1)*NLEVDIM	LEVPRE67
	CALL ECWR(AJ,INDEX,NLL,IERR)	LEVPRE68
	INDEX=IATLC+(IR-1)*NLEVDIM	LEVPRE69
	CALL ECWR(AT,INDEX,NLL,IERR)	LEVPRE70
	ELMAX(IR)=FL(NLL)	LEVPRE71
100	CONTINUE	LEVPRE72
	END FILE K2	LEVPRE73
	REWIND K2	LEVPRE74
	RETURN	LEVPRE75
1000	WRITE(6,4) IZA2	LEVPRE76
	STOP	LEVPRE77
	END	LEVPRE78
	SUBROUTINE TCPREP(K1,EPSILON)	JUL26779
C		TCPREP 3
1	FORMAT(42X,A10,12X,2I4,A8)	TCPREP 4
2	FORMAT(1P,6E12.5,I8)	MAY77 2
3	FORMAT(14,1X,7A10,A5)	TCPREP 6
4	FORMAT(// 1X,A10,*TRANSMISSION COEFFICIENT DATA OUT OF ORDER, CARD	TCPREP 7
	1 NO* I6,* == ABORT JOB*)	TCPREP 8
5	FORMAT(// 1X,*PARTICLE IDENTIFIER *A10,* NOT RECOGNIZED IN TRANSMIS	TCPREP 9
	SION COEFFICIENT DATA == ABORT JOB*)	TCPREP10
6	FORMAT(// * TRANSMISSION COEFFICIENT DATA * / I4,1X,7A10,A5)	TCPREP11
7	FORMAT( * ID=*I2,3X,*NE=*I3,3X,*NL=*I3,3X,*PARTICLE #*A10)	TCPREP12
8	FORMAT(/ * ENERGY == F7.3,* MEV*)	TCPREP13
9	FORMAT( * TRANS. COEFFS. *,1P,10E12.5)	TCPREP14
10	FORMAT( * SPLINE DATA *,1P,10E12.5)	TCPREP15
C		TCPREP16
	COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,	LCNDEX 2
1	ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,	LCNDEX 3
2	NIDDIM,NIRDIM	LCNDEX 4
	COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM	LEVEL 1 2
1	,EG(240),SG(240),NGRAYS(60)	LEVEL 1 3
	COMMON/TCOEF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM,	TCOEF 2
1	NPART,NFE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25),	TCOEF 3
2	NLE(6,200),JRAST(200,6)	TCOEF 4
	COMMON/PRNTOUT/IPRTLEV,IPRTTC,IPRTMLD,IPRTWID,IPRTSP,IPRTGC	PRNTOUT2
	DIMENSION TDUM(62),BCDTC(8)	TCPREP21
C		TCPREP22
	MAIN PARTICLE LOOP	TCPREP23
	IF(K1.EQ.10)REWIND K1	TCPREP24
	READ(K1,3)NPART,BCDTC	TCPREP25
	WRITE(6,6) NPART,BCDTC	TCPREP26

	DO 100 N=1, NPART	TCPREP27
	KP=2	TCPREP28
	READ(K1,1) XBCD, NE, NN, K	TCPREP29
C	IDENTIFY I/P PARTICLE	TCPREP30
	DO 20 ID=1,6	TCPREP31
20	IF(XBCD.EQ.BCD(ID)) GO TO 22	TCPREP32
	CONTINUE	TCPREP33
	WRITE(6,5) XBCD	TCPREP34
	STOP	TCPREP35
22	NEE(ID)= NE	TCPREP36
C		TCPREP37
C		TCPREP38
C	READ ENERGY ARRAY	TCPREP39
	DO 30 I=2, NE, 6	TCPREP40
	KP=KP+1	TCPREP41
	IU=I+5	TCPREP42
	READ(K1,2)(ETC(J, ID), J=I, IU), K	TCPREP43
201	FORMAT(20X, 6E12, 5, A8)	TCPREP44
30	CONTINUE	TCPREP45
C		TCPREP46
C	MAIN ENERGY LOOP	TCPREP47
	DO 80 I=2, NE	TCPREP48
C		TCPREP49
C	READ TRANSMISSION COEFFICIENT DATA	TCPREP50
	DO 35 J=1, NN, 6	TCPREP51
	KP=KP+1	TCPREP52
	JU=J+5	TCPREP53
	READ(K1,2)(TDUM(L), L=J, JU), K	TCPREP54
	DO 336 L=J, JU	TCPREP55
	IF(TDUM(L).LE.2.0E-14) TDUM(L)=0.	TCPREP56
336	CONTINUE	TCPREP57
35	CONTINUE	TCPREP58
	IF((ID.EQ.3).OR.(ID.EQ.6)) GO TO 60	TCPREP59
C		TCPREP60
C	ELIMINATE J-DEPENDENCE OF SPIN 1/2 ARRAYS	TCPREP61
	TC(I,1) = TDUM(1)	TCPREP62
	DO 50 J=2, NN, 4	TCPREP63
	XL = (J-1)/2 + MOD(J/2, 2) + 1	TCPREP64
	JJ=J-1	TCPREP65
	DO 48 JL=1, 2	TCPREP66
	JJ=JJ+1	TCPREP67
	IF(JJ.GT.NN) GO TO 70	TCPREP68
	XL=XL+1, 0	TCPREP69
	LP=XL+1, 001	TCPREP70
	IF(LP.LE.NLDIM) GO TO 40	TCPREP71
	LP=LP-1	TCPREP72
	GO TO 70	TCPREP73
40	IF((JJ+2).LE.NN) GO TO 42	TCPREP74
	TC(I,LP) = TDUM(JJ)	TCPREP75
	GO TO 48	TCPREP76
42	TC(I,LP) = ((XL+1.)*TDUM(JJ+2) + XL*TDUM(JJ))/(2.*XL+1.)	TCPREP77
48	CONTINUE	TCPREP78
50	CONTINUE	TCPREP79
	GO TO 70	TCPREP80
C		TCPREP81
C	RE-ORDER SPIN 0 AND SPIN 1 ARRAYS	TCPREP82
60	DO 66 L=1, NN	TCPREP83
	J = 2*L-MOD(L, 2)	TCPREP84
	IF(J.GT.NN) GO TO 70	TCPREP85
	LP=L	TCPREP86
66	TC(I,LP) = TDUM(J)	TCPREP87
70	CONTINUE	TCPREP88
		TCPREP89

80	CONTINUE	TCPREP90
	NO(ID)=LP	TCPREP91
C	SET TC ARRAY TO ZERO FOR ZERO INCIDENT ENERGY	TCPREP92
	ETC(I, ID)=0.	TCPREP93
	DO 25 L=1, LP	TCPREP94
25	TC(I, L)=0.	TCPREP95
C		TCPREP96
C	FIND NUMBER OF NON-ZERO COEFFICIENTS	TCPREP97
	DO 84 I=2, NE	TCPREP98
	I = NE-I+2	TCPREP99
	DO 82 LX=1, LP	TCPRE100
	L = LP-LX+1	TCPRE101
	IF(TC(I, L)) 82, 82, 83	JUL26710
83	XL=L	JUL26711
	RATIO = (2.*XL+I.)*TC(I, L)/TC(I, 1)	JUL26712
	IF(RATIO.GT.EPSILON) GO TO 84	JUL26713
82	CONTINUE	TCPRE103
84	NLEIN(ID, I=1) = L	TCPRE104
	NLEIN(ID, NE) = NLEIN(ID, NE-1)	TCPRE105
C		TCPRE106
C	STORE TRANSMISSION COEFFICIENT DATA IN LCM	TCPRE107
	NPTS=LP+NFEDIM	TCPRE108
	NTC(ID)= NPTS	TCPRE109
	INDEX=ITCLC+(ID-1)*NEEDIM+NLDIM	TCPRE110
	CALL ECHR(TC, INDEX, NPTS, IERR)	TCPRE111
C		TCPRE112
C	PRINT OPTION	TCPRE113
	IF(IPRTC.LT.1) GO TO 100	TCPRE114
	DO 90 I=1, NE	TCPRE116
	WRITE(6, 8) ETC(I, ID)	TCPRE117
	LP = NLEIN(ID, I)	TCPRE118
	WRITE(6, 9) (TC(I, L), L=I, LP)	TCPRE119
90	CONTINUE	TCPRE120
100	CONTINUE	TCPRE121
	RETURN	TCPRE122
1000	WRITE(6, 4) XBCD, KP	TCPRE123
	STOP	TCPRE124
	END	TCPRE125
	SUBROUTINE SETUP	SETUP 2
C		SETUP 3
1	FORMAT(// * PARTICLE WITH IZA=*15, * NOT FOUND. ABORT JOB,*)	SETUP 4
C		SETUP 5
	COMMON/LCINDEX/IPBLC, IGLC, IZEROLC, ISPLC, IPLL, IEGLC, ISGLC, ITCLC,	LCNDEX 2
1	ISTCLC, IRHOLC, ITLC, IELLC, IAJLC, IATLC, NIDIM, NIPDIM, NIBDIM, NGRDIM,	LCNDEX 3
2	NIDDIM, NIRDIM	LCNDEX 4
	COMMON RHO(40, 200), T(30, 200), P(80), SP(200, 6), PP(80), SPP(200, 7)	RHO 2
1	, SPNGN(200), PL(50, 6), G(200, 6), RHOFTR(40)	RHO 3
	COMMON/TCOEF/ETC(25, 6), TC(25, 30), BCD(7), XSPIN(7), NLDIM,	TCOEF 2
1	INPART, NEE(6), NO(6), NTC(6), IZAID(7), XMASS(7), NEEDIM, NLEIN(6, 25),	TCOEF 3
2	NLE(6, 200), JRAST(200, 6)	TCOEF 4
	COMMON/LEVEL1/EL(50), AJ(50), AT(50), XNL(60), ELMAX(60), NLEVDIM	LEVEL1 2
1	, EG(240), SG(240), NGRAY5(60)	LEVEL1 3
	COMMON/BASIC1/NI, XNIP(10), NIR, LR(6, 10), ZA1(60), ZA2(60), XM2(60),	BASIC1 2
1	ZACN(10), CSGR(60), CSTOT(60), CSLEV(60), CSID(8), EAVID(8), EAV(60)	BASIC1 3
	COMMON/BASIC2/TITLE(16), ELAB, DE, ZAP, ZAT, XMT, NKKM(10), CNPI(10),	BASIC2 2
1	CNPIP(10), S(60), SAC(10), ID1(60), IDP, IOE2(60), IBUF(6, 10),	BASIC2 3
2	ECH, UP, NKMAX, NJMAX, NKK(60), NKDIM, TCP(30), QMDP(40), A(60), AZ(60),	BASIC2 4
3	NRHO(6), XJT, NPOPMAX, NTC2(6), NJDIM, IOECN(10), NKKCN(10), ECON,	BASIC2 5
4	JPI(40, 2), XMP, XJP, PIT, NLP, XNLP, KL, IDSTAT(7), SIC, CSL, CSN, PILL(30)	BASIC2 6
5	, ICAPT, PLBUF(50, 10), INOPT, TKEEP	BASIC2 7
	COMMON/LEVYDEN/DEF(60), XNLGC(60), ECGC(60), UCUTOFF, DEFCN, TGC(60),	LEVYDEN 2
1	EPGC(60), EMATGC(60), PAIR(60), XMR3(60), XNLLN(60), SZ(100), SN(150),	LEVYDEN 3
2	PZ(100), PN(150)	LEVYDEN 4

	COMMON /SPNPAR/ SPIN,PARITY,KGRD	LEVDEN 5
C		SETUP 13
C	FIND ACCUMULATED SEPARATION ENERGIES FOR THE DECAYING NUCLEI	SETUP 14
	DO 15 I=1,NI	SETUP 15
15	SAC(I)=0.	SETUP 16
	DO 20 I=1,NI	SETUP 17
	II=I	SETUP 18
	DO 18 J=1,NI	SETUP 19
	IX=II	SETUP 20
	II=CNPI(IX)	SETUP 21
	IF(II,LT.1) GO TO 20	SETUP 22
	IIP=CNPIP(IX)	SETUP 23
16	IF(II,LT.100) GO TO 17	SETUP 24
	II=II/100	SETUP 25
	IIP=IIP/100	SETUP 26
	GO TO 16	SETUP 27
17	CONTINUE	SETUP 28
	IR=LR(IIP,II)	SETUP 29
18	SAC(I) = SAC(I) + S(IR)	SETUP 30
20	CONTINUE	SETUP 31
C		SETUP 32
C	IDENTIFY INCIDENT PARTICLE	SETUP 33
	DO 30 ID=1,7	SETUP 34
	IZA = ZAP	SETUP 35
	IF(IZA.EQ.IZAID(ID)) GO TO 32	SETUP 36
30	CONTINUE	SETUP 37
	GO TO 1000	SETUP 38
32	IDP=ID	SETUP 39
	XJP=XSPIN(IDP)	SETUP 40
	XMP=XMASS(IDP)	SETUP 41
	CSL = ABS(XJT-XJP)-1.0	SETUP 42
	CSH = XJT+XJP+0.001	SETUP 43
C		SETUP 44
C	IDENTIFY SECONDARY REACTION PARTICLES AND PHOTONS	SETUP 45
	DO 36 ID=1,7	SETUP 46
36	IDSTAT(ID)=0	SETUP 47
	DO 40 IR=1,NIR	SETUP 48
	IZA= ZA1(IR)	SETUP 49
	DO 38 ID=1,7	SETUP 50
	IF(IZA.EQ.IZAID(ID)) GO TO 39	SETUP 51
38	CONTINUE	SETUP 52
	GO TO 1000	SETUP 53
39	IDSTAT(ID)=1	SETUP 54
40	ID1(IR)=ID	SETUP 55
C		SETUP 56
C	IDENTIFY RESIDUAL NUCLEI AS TO ODD OR EVEN A	SETUP 57
C	IOE2=1 FOR ODD, IOE2=2 FOR EVEN=A RESIDUAL NUCLEUS	SETUP 58
C		SETUP 59
	DO 50 IR=1,NIR	SETUP 60
	IZA= ZA2(IR)	SETUP 61
	IA= MOD(IZA,1000)	SETUP 62
50	IOE2(IR)= (3+(-1)**IA)/2	SETUP 63
C		SETUP 64
C	IDENTIFY DECAYING COMPOUND NUCLEI AS TO ODD OR EVEN	SETUP 65
	DO 60 I=1,NI	SETUP 66
	IZA= ZACN(I)	SETUP 67
	IA= MOD(IZA,1000)	SETUP 68
60	IOECN(I)= (3+(-1)**IA)/2	SETUP 69
C		SETUP 70
C	SET UP J=PI ARRAYS	SETUP 71
	JJ=0	SETUP 72
	DO 82 J=1,NJMAX	SETUP 73
	DO 82 IPI=1,2	SETUP 74

	JJ=JJ+1	SETUP 75
82	JPI(J,IP1)=JJ	SETUP 76
	DO 84 L=1,NLDIM	SETUP 77
	LL=L-1	SETUP 78
84	PILLL(L)=(-1)**LL	SETUP 79
C		SETUP 80
C	INITIALIZE LEVEL DENSITIES AND GIL-CAM PARAMETERS	SETUP 81
	DO 90 IR=1,NIR	SETUP 82
	A2(IR)= A(IR)	SETUP 83
	IF(XNLGC(IR).LE.0.) XNLGC(IR)=XNL(IR)	SETUP 84
	IF(ECGC(IR).LE.0.) ECGC(IR)= ELMAX(IR)	SETUP 85
	XNLLN(IR)=ALOG(XNLGC(IR))	SETUP 86
90	XMR3(IR)= XM2(IR)**0.33333333	SETUP 87
C		SETUP 88
	RETURN	SETUP 89
1000	WRITE(6,1) IZA	SETUP 90
	STOP	SETUP 91
	END	SETUP 92
	SUBROUTINE SETUP2	SETUP2 2
C		SETUP2 3
C	SET UP INCIDENT ENERGY DEPENDENT QUANTITIES	SETUP2 4
C		SETUP2 5
	COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),	BASIC1 2
1	ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSIO(8),EAVID(8),EAV(60)	BASIC1 3
	COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),	BASIC2 2
1	CNPIP(10),S(60),SAC(10),IDI(60),IDP,IOE2(60),IRUF(6,10),	BASIC2 3
2	ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60),	BASIC2 4
3	NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,BASIC2 5	
4	JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILLL(30)	BASIC2 6
5,	ICAPT,PLBUF(50,10),INPOPT,TKEEP	BASIC2 7
	COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,	LCNDEX 2
1	ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,	LCNDEX 3
2	NIDDIM,NIRDIM	LCNDEX 4
	COMMON/TCOEF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM,	TCOEF 2
1	INPART,NFE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25),	TCOEF 3
2	NLE(6,200),JRAST(200,6)	TCOEF 4
	COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM	LEVEL1 2
1,	EG(240),SG(240),NGRAYS(60)	LEVEL1 3
C		SETUP211
C	SET UP ENERGIES AND DETERMINE INTEGRATION END POINTS	SETUP212
	FCM= (XMT/(XMT+XMP))*ELAB	SETUP213
	UP = ECM+SIC	SETUP214
	XMU = XMT*XMP/(XMT+XMP)	SETUP215
	ECON = 0.650999/(XMU*ECM*(2.*XJP+1.))*(2.*XJT+1.0)	SETUP216
75	EKMAX=0.	SETUP217
	DO 77 I=1,NI	SETUP218
	NKKM(I)=0	SETUP219
	NIP = XNIP(I)	SETUP220
	DO 77 IP=1,NIP	SETUP221
	IR=LR(IP,I)	SETUP222
	NL= XNL(IR)	SETUP223
	INDEX=IELLC+(IR-1)*NLEVDIM	SETUP224
	CALL ECRD(EL,INDEX,NL,IERR)	SETUP225
	EK = UP-SAC(I)-S(IR)	SETUP226
	EKMAX = AMAX1(EK,EKMAX)	SETUP227
	NKK(IR)= (EK-EL(NL))/DE + 0.5	SETUP228
	NKKM(I)=MAX0(NKK(IR),NKKM(I))	SETUP229
	IF(IP.EQ.1) NKKCN(I)=NKK(IR)	SETUP230
77	CONTINUE	SETUP231
	NKMAX=EKMAX/DE + 0.5	SETUP232
	IF(NKMAX.LT.NKDIM) GO TO 79	SETUP233
	XDU=NKDIM-1	SETUP234
	DE = EKMAX/XDU	SETUP235



```

79 GO TO 75
C NPOP*MAX=NK*MAX*NJDIM*2
C GENERATE TRANSMISSION COEFFICIENTS FOR INCIDENT CHANNEL
NE=NEE(IDP)
NPTS=NTC(IDP)
INDEX=ITCLC+(IDP-1)*NEEDIM*NLDIM
CALL ECRD(FC,INDEX,NPTS,IERR)
K = ISERCH(ECM,ETC(1,IDP),NE,AA,A5,A6)
NLP=NLEIN(IDP,K+1)
XNLP=NLP-1
DO 85 J=1,NLP
CALL INTERP(ETC(1,IDP),FC(1,J),NE,2,ECM,YOUT)
IF (YOUT.LT.0.) YOUT=0.
85 TCP(J)=YOUT
RETURN
END
SUBROUTINE SPECTRA(ACN,PSIGON)
C
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPIC,IPLLC,IEGLC,ISGLC,ITCLC,
1 ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,
2 NJDDIM,NIRDIM
COMMON/RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7)
1,SPHNG(200),PL(50,6),G(200,6),RHOFT(40)
COMMON/TCOEFF/ETC(25,6),YC(25,30),BCD(7),XSPIN(7),NLDIM,
1NPART,NEE(6),NQ(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25),
2NLE(6,200),JRAST(200,6)
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM
1,EG(240),SG(240),NGRAYS(60)
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),
1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOE2(60),IRUF(6,10),
2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60),
3 NRHO(6),XJT, NPOP*MAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,
4 JPI(40,2),XMP,XJP,PIY,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30)
5,ICAPT,PLBIJF(50,10),INPCPT,TKEEP
COMMON/GAMMA/NMP,LGROPT,SWS(10),GML(6),GMP(6),RE1(6),LMGHOL(6),
1 TGR(200,6),WKCON,CAXEL,GAXEL,ERAXEL,EXSWS(10),WKNORM
COMMON/PREQ/LPEQ,SIGR,PREQ1(6),CSIGI(6),NITT(6),ALPHA(6)
COMMON/SUMBLK1/KP,KD,IP,IO,KNGN,JPI2,N,DP,IK
COMMON/SUMBLK2/XJCN,PICN,JPICN,ECONJ,MP,J2,L2,TGRL,TLEV,XJ2,
1 TTOT(30)
DIMENSION SCBUF(8000), DECON(2),XJINI(2),PI(3),SCBUF2(80)
EQUIVALENCE (SCBUF,RHO)
DIMENSION IBTAG(10),IBTAG2(10)
COMMON/TOTALS/SIGTOT(10)
C
DATA PIP,PI1/1.,1./,XJINI/=0.5,=1.0/,PI/+1.0,=1.0,+1.0/
DATA OECON/1.0,3.0/
C
SPLIN (B,C,D,E) = B*A5 + C*A6 + AA*(D*A5+E*A6+D+E)
CALL SECOND(TIME)
DIME=TIME-TKEEP
WRITE(6,3) DIME,TIME
3 FORMAT(1H1, *START OF SPECTRA SUBROUTINE.*,
1* TIME FROM START OF THIS ENERGY =*F9.3,* SECONDS. TOTAL ELAPSED T
2IME =*F9.3,* SECONDS.*)
C
SET UP LEVEL DENSITY PARAMETERS
CALL LEVDSET(ACN,A,A2)
C
ZERO LARGE= AND SMALL=CORE ARRAYS

```

```

SETUP236
SETUP237
SETUP238
SETUP239
SETUP240
SETUP241
SETUP242
SETUP243
SETUP244
SETUP245
SETUP246
SETUP247
SETUP248
SETUP249
SETUP250
SETUP251
SETUP252
SPECTRA2
SPECTRA3
LCNDEX 2
LCNDEX 3
LCNDEX 4
RHO 2
RHO 3
TCOEFF 2
TCOEFF 3
TCOEFF 4
LEVEL1 2
LEVEL1 3
BASIC1 2
BASIC1 3
BASIC2 2
BASIC2 3
BASIC2 4
BASIC2 5
BASIC2 6
BASIC2 7
GAMMA 2
GAMMA 3
PREEQ 2
SUMBLK1 2
SUMBLK2 2
SUMBLK2 3
SPECTR14
SPECTR15
SPECTR16
SPECTR17
SPECTR18
SPECTR19
SPECTR20
SPECTR21
SPECTR22
SPECTR23
SPECTR24
SPECTR25
JUL19771
SPECTR27
SPECTR28
SPECTR29
SPECTR30
SPECTR31
SPECTR32
SPECTR33

```

	CALL ECRD(SCBUF, IZEROLC, 8000, IERR)	SPECTR34
	CALL ECWR(SCBUF, IPLLC, 3000, IERR)	SPECTR35
	CALL ECRD(SPP, IZEROLC, 1400, IERR)	SPECTR36
	CALL ECRD(SPNGN, IZEROLC, NKMAX, IERR)	SPECTR37
	N8000=NPOPMAX=8000	SPECTR38
	DO 51 N=1, NIDIM	SPECTR39
	NPTS=NKDIM*NIPDIM	SPECTR40
	INDEX=ISPLC+(N-1)*NPTS	SPECTR41
	CALL ECWR(SCBUF, INDEX, NPTS, IERR)	SPECTR42
	INDEX=IGLC+(N-1)*NPTS	SPECTR43
	CALL ECWR(SCBUF, INDEX, NPTS, IERR)	SPECTR44
51	CONTINUE	SPECTR45
	DO 45 IB=1, 10	SPECTR46
	IBTAG(IB)=0	SPECTR47
45	IBTAG2(IB)=0	SPECTR48
C		SPECTR49
C	MAIN LOOP TO SET UP DECAYING NUCLEI	SPECTR50
C		SPECTR51
	SIGR=0.	SPECTR52
	CALL ECRD(SIGTOT, IZEROLC, 10, IERR)	SPECTR53
	DO 500 I=1, NI	SPECTR54
	CALL SECOND(TIME)	SPECTR55
	OTIME=TIME-TKEEP	SPECTR56
	WRITE(6, 2) I, OTIME, TIME	SPECTR57
2	FORMAT(/ * START OF I=*I2, * LOOP, *	SPECTR58
	1 * TIME FROM START OF THIS ENERGY *F9.3, * SECONDS, TOTAL ELAPSED T	SPECTR59
	2IME =*F9.3, * SECONDS. *)	SPECTR60
	JOECN=IOECN(I)	SPECTR61
	NKCN=NKKCN(I)	SPECTR62
	IF(NKCN.LT.1) GO TO 60	SPECTR63
	IF((ICAPT.EQ.0).AND.(I.EQ.1)) NKCN=1	SPECTR64
60	IBCN=IBUF(1, I)	SPECTR65
	IF (IBCN.GT.NIBDIM) IBCN=IBCN-NIBDIM	SPECTR66
	NIP=XNIP(I)	SPECTR67
	NJDIM2=2*NJDIM	SPECTR68
	NJMAX2=2*NJMAX	SPECTR69
C		SPECTR70
C	ZERO ARRAYS AND CHECK BUFFERING	SPECTR71
	NPTS=NKDIM*NIP	SPECTR72
	INDEX=IZEROLC	SPECTR73
	CALL ECRD(SP, INDEX, NPTS, IERR)	SPECTR74
	CALL ECRD(G, INDEX, NPTS, IERR)	SPECTR75
	NPTS=NLEVDIM*NIPDIM	SPECTR76
	CALL ECRD(PL, INDEX, NPTS, IERR)	SPECTR77
	CALL ECRD(SCBUF, INDEX, 8000, IERR)	SPECTR78
	DO 64 IP=1, NIP	SPECTR79
	IB=IBUF(IP, I)	SPECTR80
	IF (IB.LT.1) GO TO 64	SPECTR81
	IF (IBTAG(IB).GT.0) GO TO 64	SPECTR82
	IBTAG(IB)=1	SPECTR83
	IF (IB.LE.NIBDIM) GO TO 62	SPECTR84
	IB=IB-NIBDIM	SPECTR85
	IF (IBTAG2(IB).GT.0) GO TO 62	SPECTR86
	WRITE(6, 1) I, IP, IB	SPECTR87
1	FORMAT(/ * ---THE REACTION I=*I2, *, IP=*I2, * IS ATTEMPTING TO REUS	SPECTR88
	1SE BUFFER NUMBER IB=*I2, * BEFORE THAT BUFFER HAS BEEN EMPTIED.*/	SPECTR89
	2* ---ABORT JOB. *)	SPECTR90
	STOP	SPECTR91
62	CONTINUE	SPECTR92
	INDEX=IBPLC+(IB-1)*NJDIM*2*NKDIM	SPECTR93
	CALL ECWR(SCBUF, INDEX, 8000, IERR)	SPECTR94
	IF (NR000.LT.1) GO TO 64	SPECTR95
	INDEX=INDEX+8000	SPECTR96

	CALL ECHR(8CBUF,INDEX,N0000,IERR)	SPECTR97
64	CONTINUE	SPECTR98
	IBTAG2(IBCNI)=1	SPECTR99
66	IF (NKCNI.LT.1) GO TO 500	SPECT100
C		SPECT101
C	COMPUTE TRANSMISSION COEFFICIENTS AND LEVEL DENSITIES ON	SPECT102
C	INTEGRATION ENERGY MESH AND LOAD INTO LCM	SPECT103
	CALL LCMLOAD(I)	SPECT104
C		SPECT105
C	SET UP GAMMA-RAY CASCADE CALCULATION. DETERMINE WEISSKOPF OR AXEL	SPECT106
C	PARAMETERS AND COMPUTE GAMMA RAY TRANSMISSION COEFFICIENTS	SPECT107
	CALL GAMSET(I)	SPECT108
C		SPECT109
C	MAIN LOOP OVER INITIAL ENERGY OF DECAYING COMPOUND NUCLEUS	SPECT110
C		SPECT111
	UCN= UP=SAC(I)+DE	SPECT112
	DO 400 K=1,NKCNI	SPECT113
	UCN=UCN-DE	SPECT114
	JMAXCN=JRAST(K,1)	SPECT115
	CALL ECRD(TTOT,IZEROLC,NJMAX2,IERR)	SPECT116
	IK=I+K	SPECT117
C		SPECT118
C	SET UP TRANSMISSION COEFFICIENT TO WIDTH CONVERSION FACTORS	SPECT119
	INDEX=IRHOLC+(K-1)*NJDIM	SPECT120
	CALL ECRD(RHOFR,INDEX,NJMAX,IERR)	SPECT121
	DO 101 JCN=1,JMAXCN	SPECT122
101	RHOFR(JCN)= 1./(RHOFR(JCN)*6.28318531)	SPECT123
C		SPECT124
C	INITIALIZE POPULATION OF ALL STATES	SPECT125
	INDEX=IPBLC+(K-1)*NJDIM*2+(IBCNI=1)*NJDIM*2*NKDIM	SPECT126
	CALL ECRD(PP,INDEX,NJDIM2,IERR)	SPECT127
G		SPECT128
C	WIDTH SUMMING LOOP	SPECT129
	DO 300 M=1.2	SPECT130
C		SPECT131
C	LOOP OVER REACTION TYPES FOR THE DECAYS	SPECT132
	DO 300 IP=1,NIP	SPECT133
C		SPECT134
	IR=LR(IP,1)	SPECT135
	ID=ID1(IR)	SPECT136
	KNGN=2	SPECT137
	IF((K.NE.1).AND.(ID.EQ.1).AND.(I.EQ.1).AND.(ID1(1).EQ.7)) KNGN=1	SPECT138
	JOE2= IOE2(IR)	SPECT139
	XJ1=XSPIN(ID)	SPECT140
C		SPECT141
C	TRANSFER LEVEL DENSITIES, TRANSMISSION COEFFICIENTS, LEVEL	SPECT142
C	ENERGIES, AND LEVEL SPINS TO SCH.	SPECT143
	IF(ID.EQ.7) GO TO 102	SPECT144
	NPTS= NTC(ID)	SPECT145
	INDEX=ITCLC+(ID-1)*NLDIM*NEEDIM	SPECT146
	CALL ECRD(JC,INDEX,NPTS,IERR)	SPECT147
	IF(NKK(IR).LT.1) GO TO 102	SPECT148
	NPTS=NTC2(IP)	SPECT149
	INDEX=ITLC+NKDIM*NLDIM*(IP-1)	SPECT150
	CALL ECRD(T,INDEX,NPTS,IERR)	SPECT151
102	NK2= NKK(IR)	SPECT152
	IF(NK2.LT.1) GO TO 103	SPECT153
	NPTS= NRHO(IP)	SPECT154
	INDEX=IRHOLC+NKDIM*NJDIM*(IP-1)	SPECT155
	CALL ECRD(RHO,INDEX,NPTS,IERR)	SPECT156
103	NLEV2=XNL(IR)	SPECT157
	INDEX=IFLLC+(IR-1)*NLEVDIM	SPECT158
	CALL ECRD(EL,INDEX,NLEV2,IERR)	SPECT159

	INDEX=IAJLC+(IR-1)*NLEVDIM	SPECT160
	CALL ECRD(AJ,INDEX,NLEV2,IERR)	SPECT161
C		SPECT162
C	MAIN CONTINUUM TO CONTINUUM COMPUTATION SECTION -----	SPECT163
C		SPECT164
C	RESIDUAL NUCLEUS ENERGY LOOP	SPECT165
	KLOW=K+1	SPECT166
	IF(KLOW.GT.NK2) GO TO 200	SPECT167
	KD=0	SPECT168
	DO 195 KP=KLOW,NK2	SPECT169
	KD=KD+1	SPECT170
	XNLE = NLE(IP,KD)-1	SPECT171
	JMAX2=JRAST(KP,IP)	SPECT172
	XJMAX2=JMAX2	SPECT173
	XJMAX2=XJMAX2-0.25*(OECON(JOE2)+1.)*0.01	SPECT174
	XJCN= XJINI(JOE2)	SPECT175
	INCHKEY=I+K+M+IP+KP	SPECT176
C		SPECT177
C	ZERO INITIAL POPULATIONS IN RESIDUAL NUCLEI	SPECT178
	JMAX22=2*JMAX2	SPECT179
	IF (M.EQ.2) CALL ECRD(P,IZEROLC,JMAX22,IERR)	SPECT180
C		SPECT181
C	LOOP OVER DECAYING COMPOUND NUCLEUS SPIN,PARITY	SPECT182
	DO 180 JCN=1,JMAXCN	SPECT183
	XJCN=XJCN+1.0	SPECT184
	ECONJ= ECON*(2.*XJCN+1.0)*FSIGCN	SPECT185
	DO 180 IPICN=1,2	SPECT186
	PICN= PI(IPICN)	SPECT187
	PIPI = PI1*PICN	SPECT188
	JPICN=JPI(JCN,IPICN)	SPECT189
C		SPECT190
C	SET UP INITIAL POPULATIONS FOR LG=0 CASE	SPECT191
	IF(INCHKEY.GT.6) GO TO 117	SPECT192
	CALL INCHSUM(S)	SPECT193
	PP(JPICN)=DP	SPECT194
	SIGR=SIGR+DP	SPECT195
117	IF (PP(JPICN).LT.1.E-300) GO TO 180	SPECT196
	IF (ID.NE.7) GO TO 140	SPECT197
C		SPECT198
C	GAMMA RAY TRANSITION SECTION == CONTINUUM TO CONTINUUM	SPECT199
	DO 130 MP=1,NMP	SPECT200
	LG= GML(MP)	SPECT201
	PIL=PILLL(LG+1)	SPECT202
	XJ2= ABS(XJCN-GML(MP))-1.0	SPECT203
	XJ2H=XJCN+GML(MP)+0.001	SPECT204
	XJ2H=AMIN1(XJ2H,XJMAX2)	SPECT205
	DO 128 JJ2=1,1000	SPECT206
	XJ2=XJ2+1.0	SPECT207
	PI2= PICN*GMP(MP)*PIL	SPECT208
	J2=XJ2+1.01	SPECT209
	IF(XJ2.GT.XJ2H) GO TO 130	SPECT210
	IPI2 = 1.501*PI2/2.	SPECT211
	JPI2 = JPI(J2,IPI2)	SPECT212
C		SPECT213
C	CHECK FOR 0 TO 0 TRANSITIONS	SPECT214
	IF(XJ2+XJCN.LT.0.1) GO TO 128	SPECT215
	GO TO (112,120) M	SPECT216
C		SPECT217
C	ADD CONTINUUM GAMMA WIDTH TO TOTAL WIDTH SUM	SPECT218
112	DT= TGR(KD,MP)*RHO(J2,KP)*DE	SPECT219
	TTOT(JPICN)=TTOT(JPICN)+DT	SPECT220
	G(K,IP)=G(K,IP)+DT*RHOFT(R(JCN)	SPECT221
	GO TO 128	SPECT222

C		SPECT223
C	COMPUTE CONTINUUM GAMMA POPULATION INCREMENTS FOR LOOPS OTHER	SPECT224
C	THAN THE FIRST	SPECT225
120	DP = PP(JPICN)*TGR(KD,MP)*RHO(J2,KP)*DE/TTOT(JPICN)	SPECT226
126	CALL SUMER(1,DE)	SPECT227
128	CONTINUE	SPECT228
130	CONTINUE	SPECT229
	GO TO 180	SPECT230
C		SPECT231
C	PARTICLE TRANSITION SECTION == CONTINUUM TO CONTINUUM	SPECT232
140	XJ2= XJINI(JOE2)	SPECT233
	DO 170 J2=1,JMAX2	SPECT234
	XJ2=XJ2+1.0	SPECT235
	S2= ABS(XJ2-XJ1)-1.0	SPECT236
	S2H= XJ2+XJ1+0.001	SPECT237
	DO 168 IS2=1,1000	SPECT238
	S2= S2+1.0	SPECT239
	IF(S2.GT.S2H) GO TO 170	SPECT240
	L2L=ABS(XJCN-S2)+1.01	SPECT241
	L2H=XJCN+S2+1.01	SPECT242
	L2H=MIN0(L2H,NLE(IP,KD))	SPECT243
	IF(L2L.GT.L2H) GO TO 168	SPECT244
	DO 166 L2=L2L,L2H	SPECT245
	PI2=PIPI*PILLL(L2)	SPECT246
	IP12= 1.501-PI2/2.	SPECT247
	JPI2= JPI(J2,IP12)	SPECT248
	GO TO (142,150) M	SPECT249
C		SPECT250
C	ADD CONTINUUM PARTICLE WIDTH TO TOTAL WIDTH SUM	SPECT251
142	DT= T(L2,KD)*RHO(J2,KP)*DE	SPECT252
	TTOT(JPICN)=TTOT(JPICN)+DT	SPECT253
	G(K,IP)=G(K,IP)+DT*RHOFR(JCN)	SPECT254
	GO TO 166	SPECT255
C		SPECT256
C	COMPUTE CONTINUUM PARTICLE POPULATION INCREMENTS FOR LOOPS OTHER	SPECT257
C	THAN THE FIRST	SPECT258
150	CONTINUE	MAR77 1
	IF(TTOT(JPICN).LE.0.)GO TO 166	MAR77 2
	DP=PP(JPICN)*T(L2,KD)*RHO(J2,KP)*DE/TTOT(JPICN)	MAR77 3
160	CALL SUMER(1,DE)	SPECT260
166	CONTINUE	SPECT261
168	CONTINUE	SPECT262
170	CONTINUE	SPECT263
180	CONTINUE	SPECT264
C	-----	SPECT265
C		SPECT266
C	TRANSFER ACCUMULATED POPULATION TO LCM BUFFER	SPECT267
	IF((M.EQ.1).OR.(IBUF(IP,I).EQ.0))GO TO 196	SPECT268
	IB=IBUF(IP,I)	SPECT269
	IF(IB.GT.NIBDIM)IB=IB-NIBDIM	SPECT270
	INDEX=IPBLC+(KP-1)*2*NJDIM+(IB-1)*2*NJDIM+NKDIM	SPECT271
	CALL ECRD(SCBUF2(1),INDEX,JMAX22,IERR)	SPECT272
	DO 190 J=1,JMAX22	SPECT273
190	SCBUF2(J) = SCBUF2(J) + P(J)	SPECT274
	CALL FCWR(SCBUF2(1),INDEX,JMAX22,IERR)	SPECT275
196	CONTINUE	SPECT276
195	CONTINUE	SPECT277
200	U2MAX= UCN-S(IR)	SPECT278
C		SPECT279
C	MAIN CONTINUUM-TO-LEVEL COMPUTATION SECTION -----	SPECT280
C		SPECT281
C	LOOP OVER DISCRETE STATES OF THE RESIDUAL NUCLEI	SPECT282
	DO 280 N=1,NLEV2	SPECT283

	XJ2=ABS(AJ(N))	SPECT284
	PI2= SIGN(1,0,AJ(N))	SPECT285
	EC2 = U2MAX=EL(N)	SPECT286
	IF(EC2,LE,0,0) GO TO 288	SPECT287
	KD = EC2/DE + 0.5	SPECT288
	IF(KD,LT,1) KD=1	SPECT289
C		SPECT290
C	GAMMA RAY SECTION == CONTINUUM TO LEVELS	SPECT291
	IF(ID,NE,7) GO TO 240	SPECT292
	DO 230 MP=1,NMP	SPECT293
	LG = GML(MP)	SPECT294
	PIL=PILLL(LG+1)	SPECT295
	PICN = PIL*GMP(MP)*PI2	SPECT296
	IPICN = 1.501=PICN/2.	SPECT297
	XJCN = ABS(XJ2-GML(MP))-1.0	SPECT298
	XJCNH= XJ2+GML(MP)+0.001	SPECT299
	DO 228 JJCEN=1,1000	SPECT300
	XJCN = XJCN+1.0	SPECT301
	JCN=XJCN+1.01	SPECT302
	IF((JCN,GT,JMAXCN).OR.(XJCN,GT,XJCNH)) GO TO 230	SPECT303
	ECONJ=ECON*(2.*XJCN+1.0)*FSIGCN	SPECT304
	JPICN = JPI(JCN,IPICN)	SPECT305
	IF(XJCN+XJ2,LT,0.1) GO TO 228	SPECT306
	GO TO (204,206),LGROPT	SPECT307
204	TGRL=WKCON*WKNORM*RE1(MP)*EC2**2*(2*LG+1)	SPECT308
	GO TO 210	SPECT309
206	TGRL = 1.634928E-3*CAXEL*RE1(MP)*GAXEL*EC2**4/((ERAXEL**2	SPECT310
1	=EC2**2)**2 + (EC2*GAXEL)**2)	SPECT311
	TGRL=TGRL*WKCON	SPECT312
210	IF (M,EQ,2) GO TO 220	SPECT313
C		SPECT314
C	ADD GAMMA WIDTH TO TOTAL WIDTH SUM	SPECT315
	DT=TGRL	SPECT316
	TTOT(JPICN)=TTOT(JPICN)+DT	SPECT317
	G(K,IP)=G(K,IP)+DT*RHOFTR(JCN)	SPECT318
	GO TO 228	SPECT319
C		SPECT320
C	COMPUTE LEVEL POPULATION INCREMENT FROM CONTINUUM-TO-LEVEL TRANSI-	SPECT321
C	TIONS IN OTHER THAN THE FIRST LOOP	SPECT322
220	IF(TTOT(JPICN),EQ,0.) GO TO 228	SPECT323
	DP = PP(JPICN)*TGRL/TTOT(JPICN)	SPECT324
226	CALL SUMER(2,DE)	SPECT325
228	CONTINUE	SPECT326
230	CONTINUE	SPECT327
	GO TO 280	SPECT328
C		SPECT329
C	PARTICLE TRANSITION SECTION == CONTINUUM TO LEVEL	SPECT330
240	XJCN= XJINI(JOECN)	SPECT331
	KE = ISERCH(EC2,ETC(1,1D),NEE(ID),AA,A5,A6)	SPECT332
	XNLE = NLEIN(ID,KE+1)=1	SPECT333
	DO 270 JCN=1,JMAXCN	SPECT334
	XJCN= XJCN+1.0	SPECT335
	ECONJ=ECON*(2.*XJCN+1.0)*FSIGCN	SPECT336
	S2= ABS(XJ2-XJ1)-1.0	SPECT337
	S2H= XJ1+XJ2+0.001	SPECT338
	DO 268 IS=1,1000	SPECT339
	S2=S2+1.0	SPECT340
	IF(S2,GT,S2H)GO TO 270	SPECT341
	L2L=ABS(XJCN-S2)+1.01	SPECT342
	L2H=XJCN+S2+1.01	SPECT343
	L2H=MIN0(L2H,NLEIN(ID,KE+1))	SPECT344
	IF(L2L,GT,L2H) GO TO 268	SPECT345
	DO 266 L2=L2L,L2H	SPECT346

```

PICN=PI1*PI2*PILLL(L2)
IPICN = 1.5*PI-PICN/2.
JPICN = JPI(JCN,IPICN)
CALL INTERP(ETC(1, ID), TC(1, L2), NEE(ID), 2, EC2, TLEV)
IF(TLEV.LT.0.)TLEV=0.
GO TO (242,250) M
C
C ADD PARTICLE WIDTH TO TOTAL WIDTH SUM
242 DT= TLEV
TTOT(JPICN)=TTOT(JPICN)+DT
G(K, IP)=G(K, IP)+DT*RHOFR(JCN)
GO TO 266
C
C COMPUTE POPULATION INCREMENTS FOR PARTICLE-LEVEL TRANSITIONS AFTER
C THE FIRST LOOP
250 IF(TTOT(JPICN).EQ.0.) GO TO 266
DP = PP(JPICN)*TLEV/TTOT(JPICN)
260 CALL SUMER(2, DE)
266 CONTINUE
268 CONTINUE
270 CONTINUE
280 CONTINUE
C -----
285 CONTINUE
C
C CLOSE M AND IP LOOPS.
300 CONTINUE
C
C CLOSE K LOOP. TRANSFER SP AND PL TO LCM.
400 CONTINUE
NPTS= NKDIM*NIP
IF(I.EQ.1.AND.LPEQ.EQ.1)CALL PRECMP
INDEX=ISPLC+NKDIM*NIPDIM*(I-1)
CALL ECWR(SP, INDEX, NPTS, IERR)
INDEX=IGLC+(I-1)*NKDIM*NIPDIM
CALL ECWR(G, INDEX, NPTS, IERR)
NPTS=NIP*NLEVDIM
INDEX=IPLLC+(I-1)*NLEVDIM*NIPDIM
CALL ECWR(PL, INDEX, NPTS, IERR)
C
C CLOSE I LOOP
500 CONTINUE
CALL SECOND(TIME)
DIME=TIME-TKEEP
WRITE(6,4) DIME, TIME
4 FORMAT(/* END OF I LOOP IN SUBROUTINE SPECTRA,*,
1* TIME FROM START OF THIS ENERGY **F9.3,* SECONDS. TOTAL ELAPSED T
2IME **F9.3,* SECONDS.*)
C
C COMPUTE DISCRETE GAMMA-RAY CROSS SECTIONS AND ADD TO SPECTRA.
CALL GRLINES
C
C RETURN
END
SUBROUTINE LEVDSET(ACN,A,A2)
C
COMMON/LEVDEN/DEP(60),XNLGC(60),ECGC(60),UCUTOFF,DEFEN,TGC(60),
1 EGGC(60),FMATGC(60),PAIR(60),XMR3(60),XNLLN(60),SZ(100),SN(150),
2 PZ(100),PN(150)
COMMON /SPNPAR/ SPIN,PARITY,KGRD
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZAI(60),ZAZ(60),XM2(60),
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,
SPECT347
SPECT348
SPECT349
SPECT350
SPECT351
SPECT352
SPECT353
SPECT354
SPECT355
SPECT356
SPECT357
SPECT358
SPECT359
SPECT360
SPECT361
SPECT362
SPECT363
SPECT364
SPECT365
SPECT366
SPECT367
SPECT368
SPECT369
SPECT370
SPECT371
SPECT372
SPECT373
SPECT374
SPECT375
SPECT376
SPECT377
SPECT378
SPECT379
SPECT380
SPECT381
SPECT382
SPECT383
SPECT384
SPECT385
SPECT386
SPECT387
SPECT388
SPECT389
SPECT390
SPECT391
SPECT392
SPECT393
SPECT394
SPECT395
SPECT396
SPECT397
SPECT398
SPECT399
SPECT400
LEVDSET2
LEVDSET3
LEVDEN 2
LEVDEN 3
LEVDEN 4
LEVDEN 5
BASIC1 2
BASIC1 3
LCINDEX 2

```

```

1 1STCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGROIM,LCNDEX 3
2 NIDDIM,NIROIM,                                LCNDEX 4
   DIMENSION DEFCON(2),A(1),A2(1)                LEVDSE17

```

C  
C  
C

DATA TABLES OF COOK ET. AL. AAEC/TM392

```

DATA PZ/11*0.,2.46,0.,2.09,0.,1.62,0.,1.62,0.,1.83,0.,1.73,
1 0.,1.35,0.,1.54,0.,1.28,0.26,0.88,0.19,1.35,-.05,1.52,-.09,1.17, LEVDSE11
2 .04,1.24,0.29,1.09,0.26,1.17,0.23,1.15,-.08,1.35,0.34,1.05,0.28,1.27, LEVDSE12
3 0.,1.05,0.,1.09,1.2.,2.1.4.,93,1.,-2.1.19.,09.,97,0.,.92.,11, LEVDSE13
4 .68.,05.,68.,-22.,79.,09.,69.,01.,72,0.,.4.,16.,73,0.,.46.,17, LEVDSE14
5 .89,0.,.79,0.,.59,0.,.81,-.06,.69,-.2.,71,-.12.,72,0.,.77,2*0./ LEVDSE15
DATA PN/11*0.,2.67,0.,1.8,0.,1.67,0.,1.86,0.,2.04,0.,1.64,0.,1.44, LEVDSE17
1 0.,1.54,0.,1.3,0.,1.27,0.,1.29,0.08,1.41,-.08,1.5,-.05,2.24,-.47, LEVDSE18
2 1.43,-.15,1.44,0.6,1.56,25,1.57,-.16,1.46,0.,.93,0.1,62,-.5, LEVDSE19
3 1.42,-.13,1.52,-.65,.8,-.08,1.29,-.47,1.25,-.44,.97,.08,1.65,-.11, LEVDSE20
4 1.26,-.46,1.06,0.22,1.55,-.07,1.37,0.,1.2,-.27,.92,-.35,1.19,0., LEVDSE21
5 1.05,-.25,1.6,1.1,2.1,9,-.21,74,-.38,72,-.34,.92,-.26,.94,0.1, LEVDSE22
6 .65,-.36,83,1.1,67,05,1.,.51,1.04,.33,.68,-.27,.81,.09,.75, LEVDSE23
7 .17,.86,.14,1.1,-.22,.84,-.47,.48,.02,.88,.24,.52,.27,.41,-.05/ LEVDSE24
DATA (PN(IL),IL=126,150)/
X .38,-.15,-.67,0.,.61,0.,.78,0.,.67,0.,.67,0.,.79, LEVDSE26
1 0.,.6.,04.,.64,-.06,.45,.03,.26,-.22,.39,0.0,0.,39/ LEVDSE27
DATA SZ/10*0.,-2.91,-4.17,-5.72,-7.8,-8.97,-9.7,-10.1,-10.7,-11.38, LEVDSE28
1 , -12.07,-12.55,-13.24,-13.93,-14.71,-15.53,-16.37,-17.36,-18.6, LEVDSE29
2 -18.7,-18.01,-17.87,-17.08,-16.6,-16.75,-16.5,-16.35,-16.22, LEVDSE30
3 -16.41,-16.89,-16.43,-16.68,-16.73,-17.45,-17.29,-17.44,-17.82, LEVDSE31
4 -18.62,-18.27,-19.39,-19.91,-19.14,-18.26,-17.4,-16.42,-15.77, LEVDSE32
5 -14.37,-13.91,-13.1,-13.11,-11.43,-10.89,-10.75,-10.62,-10.41, LEVDSE33
6 -10.21,-9.85,-9.47,-9.03,-8.61,-8.13,-7.46,-7.48,-7.2,-7.13,-7.06, LEVDSE34
7 , -6.78,-6.64,-6.64,-7.68,-7.89,-8.41,-8.49,-7.88,-6.3,-5.47,-4.78, LEVDSE35
8 , -4.37,-4.17,-4.13,-4.32,-4.55,5.04,5.28,6.06,6.28,-6.87, LEVDSE36
9 -7.20,-7.74,2*0./ LEVDSE37
DATA SN/10*0.,6.8,7.53,7.55,7.21,7.44,8.07,8.94,9.81,10.6,11.39, LEVDSE38
1 12.54,13.68,14.34,14.19,13.83,13.5,13.,12.13,12.6,13.26,14.13, LEVDSE39
2 14.92,15.52,16.38,17.16,17.55,18.03,17.59,19.03,18.71,18.8,18.99, LEVDSE40
3 18.46,18.25,17.76,17.38,16.72,15.62,14.38,12.88,13.23,13.81,14.9, LEVDSE41
4 14.86,15.76,16.2,17.62,17.73,18.16,18.67,19.69,19.51,20.17,19.48, LEVDSE42
5 19.98,19.83,20.2,19.72,19.87,19.24,18.44,17.61,17.1,16.16,15.9, LEVDSE43
6 15.33,14.76,13.54,12.63,10.65,10.1,8.89,10.25,9.79,11.39,11.72, LEVDSE44
7 12.43,12.96,13.43,13.37,12.96,12.11,11.92,11.,10.8,10.42,10.39, LEVDSE45
8 9.69,9.27,8.93,8.57,8.02,7.59,7.33,7.23,7.05,7.42,6.75,6.6,6.38/ LEVDSE46
DATA (SN(IL),IL=111,150)/
X 6.36,6.49,6.25,5.85,5.48,4.53,4.3,3.39,2.35,1.66,.81, LEVDSE48
1 0.46,-.96,-1.69,-2.53,-3.16,-1.87,-.41,.71,1.66,2.62,3.22,3.76, LEVDSE49
2 4.1,4.46,4.83,5.09,5.18,5.17,5.1,5.01,4.97,5.09,5.03,4.93,5.28, LEVDSE50
3 5.49,5.50,5.37,5.30/ LEVDSE51
DATA DEFCON/0.142,0.120/ LEVDSE52

```

C  
C  
C  
C

COMPUTE EACH LEVEL DENSITY RELATIVE TO ACN USING GILBERT-CAMERON FORMULAS FOR LEVEL DENSITY

```

IDEFCN= DEFCON+1.01 LEVDSE53
IZACN= ZACN(1) LEVDSE54
IACN=MOD(IZACN,1000) LEVDSE55
IZCN= IZACN/1000 LEVDSE56
INCN= IACN-IZCN LEVDSE57
XACN= IACN LEVDSE58
ACNGC= XACN*(0.00917*(SZ(IZCN)+SN(INCN)) + DEFCON(IDEFCN)) LEVDSE59
IF(ACN.EQ.0.) ACN=ACNGC LEVDSE60
A2(1)=ACN LEVDSE61
DO 60 IR=1,NIR LEVDSE62
IDEF = DEF(IR)+1.01 LEVDSE63

```



```

IZA = ZA2(IR)
IA = MOD(IZA,1000)
IZ = IZA/1000
IN = IA-IZ
XA = IA
IF((A(IR).GT.0.).OR.(IR.EQ.1)) GO TO 50
AGC = XA*(0.00917*(SZ(IZ)+SN(IN)) + DEFCON(IDEF))
DAGC = AGC-ACNGC
A2(IR) = ACN+DAGC
50 PAIR(IR) = PZ(IZ)+PN(IN)
60 CALL GILCAM(A2(IR),IR)
CONTINUE
RETURN
END
SUBROUTINE GILCAM (A,LR)
C
COMMON/LEVDE/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFCON,TGC(60),
1 E0GC(60),EMATGC(60),PAIR(60),XMR3(60),XNLLN(60),SZ(100),SN(150),
2 PZ(100),PN(150)
COMMON /SPNPAR/ SPIN,PARITY,KGRD
DIMENSION DE(4)
C
DATA NDE,DE/4,1.,0.1,0.01,0.001/
EC=ECCG(LR)
CONST = 5.0571*XMR3(LR)
E = 0.1+PAIR(LR)+2.25/A
DO 50 I=1,NDE
DO 40 J=1,500
U = E-PAIR(LR)
T = 1./((SQRT(A/U))-1.5/U)
E01 = EC-T*XNLLN(LR)
E02 = E+T*(ALOG(CONST*SQRT(A*U**3)/T)-2.*SQRT(A*U))
DEL2 = F01-F02
IF(I*J.EQ.1) SIGN0 = SIGN(1.,DEL2)
SIGN2 = SIGN(1.,DEL2)
IF(SIGN2.NE.SIGN0) GO TO 45
DEL1 = DEL2
E = E + DE(I)
40 CONTINUE
45 E = E-DE(I)
50 CONTINUE
DELA=ABS(DEL1-DEL2)
IF(DELA.GT.1.0E-300) GO TO 100
E=0.1+PAIR(LR)+2.25/A
EMATCH=E
U=E-PAIR(LR)
T=1./((SQRT(A/U))-1.5/U)
PRINT 1,LR
1 FORMAT(/* ++++ GILCAM SUBROUTINE UNABLE TO MATCH DISCRETE LEVELS WJUL19773
1ITH LEVEL DENSITY FUNCTION FOR RESIDUAL NUCLEUS IN REACTION IR **,JUL19774
2 I3,* ++++*/
GO TO 101
100 EMATCH = E + DE(NDE)*(DEL1/(DEL1-DEL2))
U = EMATCH - PAIR(LR)
T = 1./((SQRT(A/U))-1.5/U)
101 E0 = EC - T*XNLLN(LR)
EMATGC(LR)=EMATCH
TGC(LR)=T S F0GC(LR)=E0
RETURN
END
SUBROUTINE LCMLOAD(I)
C
C COMPUTE TRANSMISSION COEFFICIENTS AND LEVEL DENSITIES ON
LEV DSE68
LEV DSE69
LEV DSE70
LEV DSE71
LEV DSE72
LEV DSE73
LEV DSE74
LEV DSE75
LEV DSE76
LEV DSE77
LEV DSE78
LEV DSE79
LEV DSE80
LEV DSE81
GILCAM 2
GILCAM 3
LEV DSE 2
LEV DSE 3
LEV DSE 4
LEV DSE 5
GILCAM 5
GILCAM 6
GILCAM 7
GILCAM 8
GILCAM 9
GILCAM10
GILCAM11
GILCAM12
GILCAM13
GILCAM14
GILCAM15
GILCAM16
GILCAM17
GILCAM18
GILCAM19
GILCAM20
GILCAM21
GILCAM22
GILCAM23
GILCAM24
GILCAM25
GILCAM26
GILCAM27
GILCAM28
GILCAM29
GILCAM30
GILCAM31
JUL19772
GILCAM35
GILCAM36
GILCAM37
GILCAM38
GILCAM39
GILCAM40
GILCAM41
GILCAM42
GILCAM43
LCMLOAD2
LCMLOAD3
LCMLOAD4

```

```

C      INTEGRATION ENERGY MESH AND LOAD INTO LCM                                LCMLOAD5
C      FORMAT(// * TRANSMISSION COEFFICIENTS ON SUBSET OF INTEGRATION ENERGY MESH) LCMLOAD6
1      1GY GRID*) LCMLOAD7
2      FORMAT( / * ID=*I2,3X,*PARTICLE =*A10,3X,*I=*I2,3X,*IP=*I2,3X, LCMLOAD8
3      1 *IP=*I3,3X,*NK=*I4,3X,*NL=*I3) LCMLOAD9
4      FORMAT( / * ENERGY =* F7.3,* MEV*,5X,*JMAX INDEX =*I3) LCMLOA10
5      FORMAT(1P,10E12.5) LCMLOA11
6      FORMAT(// * LEVEL DENSITIES ON SUBSET OF INTEGRATION ENERGY GRID*) LCMLOA12
7      FORMAT( / * ID=*I2,3X,*PARTICLE =*A10,3X,*I=*I2,3X,*IP=*I2,3X, LCMLOA13
8      1 *IR=*I3,3X,*NK=*I4,3X,*NJMAX=*I3) LCMLOA14
9      FORMAT( / * ENERGY =*F7.3,* MEV*,5X,*LMAX INDEX =*I3) LCMLOA15
C      COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IFGLC,ISGLC,ITCLC, LCMLOA16
10     1 ISTECLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGROIM, LCMLOA17
11     2 NIDDIM,NIRDIM LCMLOA18
12     COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
13     1,SPNGN(200),PL(50,6),G(200,6),RHOFR(40) RHO 3
14     COMMON/TCOFF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM, TCOEF 2
15     1NPART,NEE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25), TCOEF 3
16     2NLE(6,200),JRAST(200,6) TCOEF 4
17     COMMON/LEVEL1/FL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM LEVEL1 2
18     1,EG(240),SG(240),NGRAYS(60) LEVEL1 3
19     COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60), BASIC1 2
20     1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60) BASIC1 3
21     COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10), BASIC2 2
22     1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOE2(60),IBUF(6,10), BASIC2 3
23     2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60), BASIC2 4
24     3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON, BASIC2 5
25     4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30) BASIC2 6
26     5,ICAPT,PLBUF(50,10),INPOPT,TKEEP BASIC2 7
27     COMMON/LEVDEM/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFEN,TGC(60), LEVDEN 2
28     1 EERG(60),EMATGC(60),PAIR(60),XHR3(60),XNLLN(60),SZ(100),SN(150), LEVDEN 3
29     2 PZ(100),PN(150) LEVDEN 4
30     COMMON /SPNPAR/ SPIN,PARITY,KGRD LEVDEN 5
31     COMMON/PREQ1/EPSIG(200,6),NLEV,NPIT,NIT PREQ1 2
32     COMMON/PRNTOUT/IPRTLEV,IPRTYC,IPRTMLD,IPRTWID,IPRTSP,IPRTGC PRNTOUT 2
C      SPLIN (B,C,D,E) = B*A5 + C*A6 = AA*(D*A5+E*A6+D+E) LCMLOA27
C      NIP=XNIP(I) LCMLOA28
C      DO 100 IP=1,NIP LCMLOA29
C      IR=LR(IP,I) LCMLOA30
C      IPRT=1 LCMLOA31
C      NK=NKK(IR) LCMLOA32
C      IF(NK.LT.1) GO TO 100 LCMLOA33
C      ID= ID1(IR) LCMLOA34
C      DE=0.5 LCMLOA35
C      IF(IOE2(IR).GT.1) DE=1.0 LCMLOA36
C      IF(ID.GT.6) GO TO 50 LCMLOA37
C      COMPUTE AND STORE TRANSMISSION COEFFICIENTS LCMLOA38
C      NL= NO(ID) LCMLOA39
C      NE= NEE(ID) LCMLOA40
C      NPTS= NTC(ID) LCMLOA41
C      INDEX=ITCLC+(ID-1)*NEEDIM*NLDIM LCMLOA42
C      CALL ECRD(TC,INDEX,NPTS,IERR) LCMLOA43
C      EK= 0. LCMLOA44
C      DO 44 K=1,NK LCMLOA45
C      EK= EK+DE LCMLOA46
C      KE= ISERCH(EK,ETC(1,ID),NE,AA,A5,A6) LCMLOA47
C      NL = NLEIN(ID,KE+1) LCMLOA48
C      NLE(IP,K)=NL LCMLOA49
C      LCMLOA50
C      LCMLOA51
C      LCMLOA52

```

```

DO 44 L=1,NL
CALL INTERP(ETC(1, ID), TC(1, L), NE, 2, EK, YOUT)
T(L, K)=YOUT
IF(T(L, K).GE.1.)T(L, K)=1.
IF(T(L, K).LE.0.)T(L, K)=0.
44 CONTINUE
C
IF(I.EQ.1.AND.ID.LE.6)45,55
45 KLM=(UP-SAC(1)-S(IR))/DE+0.5
EK=0.
DO 51 K=1,KLM
EPSIG(K, ID)=0.
EK=EK+DE
KE=ISERCH(EK, ETC(1, ID), NE, AA, AS, A6)
NL=NLEIN(ID, KE+1)
DO 52 L=1, NL
CALL INTERP(ETC(1, ID), TC(1, L), NE, 2, EK, YOUT)
T(L, K)=YOUT
IF(T(L, K).GE.1.)T(L, K)=1.
IF(T(L, K).LE.0.)T(L, K)=0.
EPSIG(K, ID)=EPSIG(K, ID)+(2.*(L-1)+1.)*T(L, K)
52 CONTINUE
51 CONTINUE
55 CONTINUE
C
TRANSMISSION COEFFICIENT PRINT OPTION
IF(IPRTTC.LT.2) GO TO 48
WRITE(6, 1)
WRITE(6, 2) ID, BCD(ID), I, IP, IR, NK, NL
KPRT=IPRTTC-1
DEFTR=KPRT.
EK = DE*(1.-DEFTR)
DO 46 K=1, NK, KPRT
EK=EK+DE*DEFTR
NL = NLE(IP, K)
WRITE(6, 7) EK, NL
46 WRITE(6, 4) (T(L, K), L=1, NL)
48 NPTS=NK*NLDIM
NTC2(IP)=NPTS
INDEX=ITLC+NKDIM*NLDIM*(IP-1)
CALL ECWR(T, INDEX, NPTS, IERR)
C
C
COMPUTE AND STORE LEVEL DENSITIES AND YRASTS
50 EKMAX=UP-SAC(1)-S(IR)
XIEFF=7.47656E-3*XMR3(IR)**6
EK=-DE
DO 80 K=1, NK
EK=EK+DE
EX=EKMAX-EK
U = EX-PAIR(IR)
US = AMAX1(U, UCUTOFF)
SJMAX=SQRT(2.*US*XIEFF)
JMAX2=SJMAX+DE
JMAX2=MIN0(JMAX2, NJMAX)
JRAST(K, IP)=JMAX2
SIG22 = 0.1776*SQRT(A2(IR)*US)*XMR3(IR)**2
IF(EX.LE.EMATGC(IR)) GO TO 70
AURT= SQRT(A2(IR)*U)
RHOE = EXP(2.*AURT)/(10.1142*XMR3(IR)*U*AURT)
GO TO 72
70 RHOE = EXP((EX-E0GC(IR))/TGC(IR))/(2.*TGC(IR))
72 XJJ=-1.0
IF(IOE2(IR), E0, 1) XJJ=-0.5
DO 76 J=1, JMAX2

```

```

LCMLOA33
LCMLOA54
LCMLOA55
LCMLOA56
LCMLOA57
LCMLOA58
LCMLOA59
LCMLOA60
LCMLOA61
LCMLOA62
LCMLOA63
LCMLOA64
LCMLOA65
LCMLOA66
LCMLOA67
LCMLOA68
LCMLOA69
LCMLOA70
LCMLOA71
LCMLOA72
LCMLOA73
LCMLOA74
LCMLOA75
LCMLOA76
LCMLOA77
LCMLOA78
LCMLOA79
LCMLOA80
LCMLOA81
LCMLOA82
LCMLOA83
LCMLOA84
LCMLOA85
LCMLOA86
LCMLOA87
LCMLOA88
LCMLOA89
LCMLOA90
LCMLOA91
LCMLOA92
LCMLOA93
LCMLOA94
LCMLOA95
LCMLOA96
LCMLOA97
LCMLOA98
LCMLOA99
LCMLO100
LCMLO101
LCMLO102
LCMLO103
LCMLO104
LCMLO105
LCMLO106
LCMLO107
LCMLO108
LCMLO109
LCMLO110
LCMLO111
LCMLO112
LCMLO113
LCMLO114
LCMLO115

```

```

XJJ=XJJ+1.0
76 RHO(J,K) = RHO*(2.*XJJ+1.0)*EXP(-(XJJ+0.5)**2/8IG22)/8IG22
80 CONTINUE
C
C LEVEL DENSITY PRINT OPTION
IF(IPRTGC.LT.2) GO TO 84
WRITE(6,5)
WRITE(6,6) ID,BCD(ID),I,IP,IR,NK,NJMAX
KPRT=IPRTGC-1
DEFTR=KPRT
EK=DE*DEFTR
DO 82 K=1,NK,KPRT
EK=EK+DE*DEFTR
EX=EKMAX-EK
JMAX2=JRAST(K,IP)
WRITE(6,3) EX,JMAX2
82 WRITE(6,4) (RHO(J,K),J=1,JMAX2)
84 NPTS=NK*NJDIM
NRHO(IP)=NPTS
INDEX=IRHOLC+NKDIM*NJDIM*(IP-1)
CALL ECWR(RHO,INDEX,NPTS,IERR)
100 CONTINUE
RETURN
END
SUBROUTINE GAMSET(I)
C
C SET UP GAMMA-RAY CASCADE CALCULATION. DETERMINE WEISSKOPF OR AXEL
C PARAMETERS AND COMPUTE GAMMA RAY TRANSMISSION COEFFICIENTS
C
1 FORMAT(// * GAMMA-RAY TRANSMISSION COEFFICIENTS*,10X,*I**I2,
2 1 3X,*IP**I2,3X,*IR**I3, / * ENERGY*,10(6X,A1,F1.0,4X))
C FORMAT(F8.3,1P.10(1X,E11.4))
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60),
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60)
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),
1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOF2(60),IBUF(6,10),
2 ECM,IIP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60),
3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,
4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30)
5, ICAPT,PLBUF(50,10),INOPT,TKEEP
COMMON/LEV DEN/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFEN,TGC(60),
1 EOGC(60),EMATGC(60),PAIR(60),XMR3(60),XNLLN(60),SZ(100),SN(150),
2 PZ(100),PN(150)
COMMON /SPNPAR/ SPIN,PARITY,KGRD
COMMON/GAMMA/NMP,LGROPT,SW(10),GML(6),GMP(6),RE1(6),LMGHOL(6),
1 TGR(200,6),WKCON,CAXEL,GAXEL,ERAXEL,EXSW(10),WKNORM
COMMON/PRNTOUT/IPRTLEV,IPRTTC,IPRTHLD,IPRTWID,IPRTSP,IPRTGC
DIMENSION RDOM(2)
DATA GAXEL/5.0/,R0/1.25/
C
NIP=XNIP(I)
DO 50 IP=1,NIP
IR=LR(IP,I)
ID=ID1(IR)
IF(ID.EQ.7) GO TO 52
50 CONTINUE
RETURN
52 CAXEL=0.013*XM2(IR)
ERAXEL=80.0/XMR3(IR)
WKNORM=1.0E-8
CALL WEISSKF(I,IP,IR)
WRITE(6,10) I,WKCON

```

```

LCMLO116
LCMLO117
LCMLO118
LCMLO119
LCMLO120
LCMLO121
LCMLO122
LCMLO123
LCMLO124
LCMLO125
LCMLO126
LCMLO127
LCMLO128
LCMLO129
LCMLO130
LCMLO131
LCMLO132
LCMLO133
LCMLO134
LCMLO135
LCMLO136
LCMLO137
LCMLO138
LCMLO139
GAMSET 2
GAMSET 3
GAMSET 4
GAMSET 5
GAMSET 6
GAMSET 7
GAMSET 8
GAMSET 9
GAMSET10
BASIC1 2
BASIC1 3
BASIC2 2
BASIC2 3
BASIC2 4
BASIC2 5
BASIC2 6
BASIC2 7
LEV DEN 2
LEV DEN 3
LEV DEN 4
LEV DEN 5
GAMMA 2
GAMMA 3
PRNTOUT2
GAMSET16
GAMSET17
GAMSET18
GAMSET19
GAMSET20
GAMSET21
GAMSET22
GAMSET23
GAMSET24
GAMSET25
GAMSET26
GAMSET27
GAMSET28
GAMSET29
GAMSET30

```

```

10  FORMAT(/* GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I=*,
1  I2,*, CONSTANT =*1PE12.4)
70  RATIO = 4.48758/((R0*XM2(IR)*XMR3(IR)**2)
DO 75 MP=1,NMP
L = GML(MP)
IF(GMP(MP).LT.0.) GO TO 75
IF(L.LT.2) GO TO 74
IF(RE1(MP).EQ.0.) RE1(MP)=1.0E=6
74  RDUM(L)=RE1(MP)
75  CONTINUE
DO 78 MP=1,NMP
L = GML(MP)
IF((GMP(MP).GT.0.) .OR. (RE1(MP).GT.0.)) GO TO 78
RE1(MP) = RATIO*RDUM(L)
78  CONTINUE
NK= NKK(IR)
EG=0.
DO 90 KD=1,NK
EG=EG+DF
DO 90 MP=1,NMP
L = GML(MP)
GO TO (81,82),LGROPT
81  TGR(KD,MP)=WKCON*WKNORM*RE1(MP)*EG**(2*L+1)
GO TO 90
82  TGR(KD,MP)=1.634928E=3*GAXEL*RE1(MP)*GAXEL*EG**4/
1 ((ERAXEL**2-EG**2)**2+(EG*GAXEL)**2)
TGR(KD,MP)=TGR(KD,MP)*WKCON
90  CONTINUE
C
C  TRANSMISSION COEFFICIENT PRINT OPTION
IF(IPRTTC.LT.2) GO TO 100
WRITE(6,1) I,IP,IR,(LMGHOL(MP),GML(MP),MP=1,NMP)
KPRT=IPRTTC-1
DEFTR=KPRT
EG=0.
DO 94 KD=1,NK,KPRT
EG=EG+DF*DEFTR
WRITE(6,2) EG,(TGR(KD,MP),MP=1,NMP)
94  CONTINUE
100  RETURN
END
SUBROUTINE WEISSKF(I,IP,IR)
C
C  OBTAIN NORMALIZATION FACTOR FOR WEISSKOPF APPROXIMATION FROM
C  INPUTTED STRENGTH FUNCTION
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC,
1  ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM,
2  NIDDIM,NIRDIM
COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7)
1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40)
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM
1,EG(240),SG(240),NGRAYS(60)
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10),
1  CNPIP(10),S(60),SAC(10),IDI(60),IDP,IOE2(60),IBUF(6,10),
2  ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60),
3  NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,
4  JPI(40,2),XMP,XJP,PII,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30)
5,ICAPT,PLBUF(50,10),INPORT,TKEEP
COMMON/TCOEF/ETC(25,6),TC(25,30),BCD(7),XSPIN(7),NLDIM,
1  NPART,NEE(6),NO(6),NTC(6),IZAID(7),XMASS(7),NEEDIM,NLEIN(6,25),
2  NLE(6,200),JRAST(200,6)
COMMON/GAMMA/NMP,LGROPT,SWS(10),GML(6),GMP(6),RE1(6),LMGHOL(6),
GAMSET31
GAMSET32
GAMSET33
GAMSET34
GAMSET35
GAMSET36
GAMSET37
GAMSET38
GAMSET39
GAMSET40
GAMSET41
GAMSET42
GAMSET43
GAMSET44
GAMSET45
GAMSET46
GAMSET47
GAMSET48
GAMSET49
GAMSET50
GAMSET51
GAMSET52
GAMSET53
GAMSET54
GAMSET55
GAMSET56
GAMSET57
GAMSET58
GAMSET59
GAMSET60
GAMSET61
GAMSET62
GAMSET63
GAMSET64
GAMSET65
GAMSET66
GAMSET67
GAMSET68
GAMSET69
GAMSET70
GAMSET71
WEISSKF2
WEISSKF3
WEISSKF4
WEISSKF5
WEISSKF6
LCINDEX 2
LCINDEX 3
LCINDEX 4
RHO 2
RHO 3
LEVEL1 2
LEVEL1 3
BASIC2 2
BASIC2 3
BASIC2 4
BASIC2 5
BASIC2 6
BASIC2 7
TCOEF 2
TCOEF 3
TCOEF 4
GAMMA 2

```

	1 TGR(200,61),WKCON,CAXEL,GAXFL,CRAXEL,PXSWS(10),WKNORM	GAMMA 3
C	IF(SWS(I))20,25,30	WEISSK13
20	WKCON=SWS(I)	WEISSK14
	RETURN	WEISSK15
25	WKCON=1.	WEISSK16
	RETURN	WEISSK17
30	GAMCON=1.634928E-3*CAXEL*GAXEL	WEISSK18
C		WEISSK19
C	SET WKCON=1. IF EXSWS(I) IS EQUAL TO 0.	WEISSK20
	IF((EXSWS(I).GT.0.)AND.(NKK(IR).GE.1)) GO TO 4B	WEISSK21
	WKCON=1.0	WEISSK22
	RETURN	WEISSK23
C		WEISSK24
C	READ IN LEVEL DENSITIES AND DISCRETE LEVELS	WEISSK25
40	NPTS=NRHO(IP)	WEISSK26
	INDEX=IRHOLC+(IP-1)*NKDIM*NJDIM	WEISSK27
	CALL ECRD(RHO,INDEX,NPTS,IERR)	WEISSK28
	NLEV2=XNL(IR)	WEISSK29
	INDEX=IFLLC+(IR-1)*NLEVDIM	WEISSK30
	CALL ECRD(EL,INDEX,NLEV2,IERR)	WEISSK31
	INDEX=IAJLC+(IR-1)*NLEVDIM	WEISSK32
	CALL ECRD(AJ,INDEX,NLEV2,IERR)	WEISSK33
C		WEISSK34
C	FIND INITIAL K FOR INTEGRATION	WEISSK35
	NK=NKK(IR)	WEISSK36
	EKMAX=UP-SAC(I)-S(IR)	WEISSK37
	EX=EKMAX+DE	WEISSK38
	DO 50 K=1,NK	WEISSK39
	EX=EX-DE	WEISSK40
	IF(EX.LT.EXSWS(I)) GO TO 52	WEISSK41
50	CONTINUE	WEISSK42
52	KLOW=K	WEISSK43
	EXLOW=EX	WEISSK44
C		WEISSK45
C	INTEGRATE OVER COMPOUND NUCLEUS SPINS,PARITIES	WEISSK46
	SUM=0.	WEISSK47
	IPICOMP=-PIT	WEISSK48
	XJCN=ABS(XJT-XJP)-1.0	WEISSK49
	XJCNH=XJT+XJP+0.01	WEISSK50
	DO 100 JCN=1,1000	WEISSK51
	XJCN=XJCN+1.0	WEISSK52
	JCN=XJCN+1.01	WEISSK53
	IF((XJCN.GT.XJCNH).OR.(JCN.GT.NJMAX)) GO TO 110	WEISSK54
C		WEISSK55
C	INTEGRATE OVER FINAL STATE SPINS,PARITIES	WEISSK56
	XJ2=ABS(XJCN-1.)-1.0	WEISSK57
	XJ2H=XJCN+1.01	WEISSK58
	DO 90 JJ2=1,1000	WEISSK59
	XJ2=XJ2+1.0	WEISSK60
	J2=XJ2+1.01	WEISSK61
	IF((XJ2.GT.XJ2H).OR.(J2.GT.NJMAX)) GO TO 100	WEISSK62
	J22J=2.*XJ2+0.01	WEISSK63
C		WEISSK64
C	INTEGRATE OVER CONTINUUM ENERGIES	WEISSK65
	EX=EXLOW+DE	WEISSK66
	DO 70 KP=KLOW,NK	WEISSK67
	IF(JRAST(KP,IP).LT.J2) GO TO 75	WEISSK68
	EX=EX-DE	WEISSK69
	ED=EXSWS(I)-EX	WEISSK70
	GO TO (60,62),LGROPT	WEISSK71
60	SFTR=WKNORM*ED**3	WEISSK72
	GO TO 70	WEISSK73
		WEISSK74

```

62 SFTR=GAMCON*ED**4/((ERAXEL**2-ED**2)**2+(ED*GAXEL)**2) WEISSK75
70 SUM=SUM+DE*RHO(J2,KP)*SFTR WEISSK76
75 CONTINUE WEISSK77
C WEISSK78
C INTEGRATE OVER DISCRETE STATES WEISSK79
IF(NLEV2.LT.1) GO TO 90 WEISSK80
DO 80 N=1,NLEV2 WEISSK81
IAJ2J=2,*ABS(AJ(N)) +0.01 WEISSK82
IF(J22J.NE.IAJ2J) GO TO 80 WEISSK83
PIAJ = SIGN(1.0,AJ(N)) WEISSK84
IPIAJ = PIAJ+SIGN(0.1,PIAJ) WEISSK85
IF(IPIAJ.NE.IPICOMP) GO TO 80 WEISSK86
ED = EXSHS(I) -EL(N) WEISSK87
IF(ED.LE.0.) GO TO 90 WEISSK88
GO TO (76,78),LGROPT WEISSK89
76 SFTR=WKONORM*ED**3 WEISSK90
GO TO 79 WEISSK91
78 SFTR=GAMCON*ED**4/((ERAXEL**2-ED**2)**2+(ED*GAXEL)**2) WEISSK92
79 SUM=SUM+SFTR WEISSK93
80 CONTINUE WEISSK94
90 CONTINUE WEISSK95
100 CONTINUE WEISSK96
110 WKCON = SWS(I)/SUM WEISSK97
RETURN WEISSK98
END WEISSK99
SUBROUTINE INCHSUM(MM) INCHSUM2
C INCHSUM3
C PERFORM SUMS OVER S AND L OF INCIDENT CHANNEL FOR GIVEN COMPOUND INCHSUM4
C NUCLEUS SPIN AND PARITY INCHSUM5
C INCHSUM6
COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
1,SPNGN(200),PL(50,6),G(200,6),RHOPT(40) RHO 3
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10), BASIC2 2
1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOE2(60),IBUF(6,10), BASIC2 3
2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM ,TCP(30),QMDP(40),A(60),A2(60), BASIC2
3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON,BASIC2 5
4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30) BASIC2 6
5,ICAPT,PLBUF(50,10),INPOPT,TKEEP BASIC2 7
COMMON/GAMMA/NMP,LGROPT,SWS(10),GML(6),GMP(6),REI(6),LMGHOL(6), GAMMA 2
1 TGR(200,6),WKCON,CAXEL,GAXEL,ERAXEL,EXSHS(10),WKNORM GAMMA 3
COMMON/SUMBLK1/KP,KD,IP,ID,KNGN,JPI2,N,DP,IK SUMBLK12
COMMON/SUMBLK2/XJCN,PICN,JPICN,ECONJ,MP,J2,L2,TGRL,TLEV,XJ2, SUMBLK22
1 TTOT(80) SUMBLK23
COMMON/PREQ/LPEQ,SIGR,PREQI(6),CSIGI(6),NITT(6),ALPHA(6) INCHSU12
MX=(MM-1)/2 + 1 INCHSU13
CS = CSL INCHSU14
DP=0. INCHSU15
PICOMP=PIT*PICN INCHSU16
LPICOMP=PICOMP+SIGN(0.1,PICOMP) INCHSU17
DO 60 ISP=1,1000 INCHSU18
CS=CS+1.0 INCHSU19
IF(CS=CSH)200,200,70 INCHSU20
200 LPL=ABS(XJCN-CS)+1.01 INCHSU21
LPH=XJCN+CS+1.01 INCHSU22
LPH=MIN0(LPH,NLP) INCHSU23
IF(LPL=LPH)201,201,60 INCHSU24
201 CONTINUE INCHSU25
DO 55 LP=LPL,LPH INCHSU26
LPPI=PILL(LP) INCHSU27
IF(LPPI=LPICOMP) 55,202,55 INCHSU28
202 CONTINUE INCHSU29
50 DP=ECONJ*TCP(LP) + DP INCHSU30
55 CONTINUE INCHSU31

```

```

60 CONTINUE INCHSU32
70 RETURN INCHSU33
END INCHSU34
SUBROUTINE SUMER(NN,DE) SUMER 2
C SUMER 3
C ADD POPULATION INCREMENT INTO POPULATION ARRAY AND INTO SPECTRA SUMER 4
C SUMER 5
COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40) RHO 3
COMMON/SUMBLK1/KP,KD,IP,ID,KNGN,JPI2,N,DP,IK SUMBLK12
COMMON/TOTALS/SIGTOT(10) SUMER 8
C SUMER 9
GO TO (51,52),NN SUMER 10
51 P(JPI2) = P(JPI2)+DP SUMER 11
GO TO 58 SUMER 12
52 PL(N,IP) = PL(N,IP)+DP SUMER 13
58 DS = DP/DE SUMER 14
SP(KD,IP) = SP(KD,IP)+DS SUMER 15
SPP(KD,ID) = SPP(KD,ID)+DS SUMER 16
IF(1K-2)70,70,72 SUMER 17
70 SIGTOT(IP) = SIGTOT(IP)+DP SUMER 18
72 GO TO (61,62),KNGN SUMER 19
61 SPNGN(KD) = SPNGN(KD)+DS SUMER 20
62 RETURN SUMER 21
END SUMER 22
SUBROUTINE GR LINES GR LINES2
C GR LINES3
C CALCULATE DISCRETE GAMMA-RAY CROSS SECTIONS AND SUM SPECTRA GR LINES4
C TO GET INTEGRAL CROSS SECTIONS GR LINES5
C GR LINES6
1 FORMAT(/,* LEVEL DATA OUT OF ORDER. ZA=*I5,2X,*ZA2=*I5,4X,*NL=*I3, GR LINES7
1 4X,*LDATE=*I7,* ABORT JOB.*) GR LINES8
C GR LINES9
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC, LCNDEX 2
1 ISTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM, LCNDEX 3
2 NIDDIM,NIRDIM LCNDEX 4
COMMON RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40) RHO 3
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM LEVEL 1 2
1,EG(240),SG(240),NGRAYS(60) LEVEL 1 3
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60), BASIC1 2
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),EAVID(8),EAV(60) BASIC1 3
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10), BASIC2 2
1 CNPIP(10),S(60),SAC(10),ID1(60),IDP,IOE2(60),IBUF(6,10), BASIC2 3
2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TCP(30),QMDP(40),A(60),A2(60), BASIC2 4
3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON, BASIC2 5
4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30) BASIC2 6
5,ICAPT,PLBUF(50,10),INPOPT,TKEEP BASIC2 7
DIMENSION NTT(50),IG(50,40),NFF(50,40),PR(50,40),CRR(50,40) GR LINE15
EQUIVALENCE (IG,RHO),(NFF,RHO(1,101)),(PR,T),(CPR,T(1,101)) GR LINE16
C GR LINE17
C MAIN CALCULATION LOOPS GR LINE18
CALL ECRD(PLBUF,IZEROLC,500,IERR) GR LINE19
CALL ECRD(CSGR,IZEROLC,NIR,IERR) GR LINE20
CALL ECRD(CSTOT,IZEROLC,NIR,IERR) GR LINE21
CALL ECRD(EAV,IZEROLC,NIR,IERR) GR LINE22
CALL ECRD(CSLEV,IZEROLC,NIR,IERR) GR LINE23
REWIND KL GR LINE24
DO 100 I=1,NI GR LINE25
NIP=XNIP(I) GR LINE26
NPTS=NIP*NLEVDIM GR LINE27
INDEX=IPLLC+(I-1)*NLEVDIM+NIPDIM GR LINE28
CALL ECRD(PL,INDEX,NPTS,IERR) GR LINE29

```



```

NPTS = NXD(1)*NIP
INDEX = ISPLC + (I-1)*NKDIM*NIPDIM
CALL ECRD(SP, INDEX, NPTS, IERR)
DO 100 IP=1, NIP
IR = LR(IP, I)
NLEV2 = XNL(IR)
C
C ADD PARTICLE-INDUCED POPULATIONS TO STATES THAT GAMMA DECAY
IB = IBUF(IP, I)
IF (IB, LF, 0) GO TO 90
DO 40 N=1, NLEV2
40 PLBUF(N, IB) = PLBUF(N, IB) + PL(N, IP)
ID = ID1(IR)
IF (ID, NE, 7) GO TO 90
C
C COMPUTE DISCRETE GAMMA CROSS SECTIONS
IZA2 = ZA2(IR)
READ(KL) IZA, NL, LDATE
IF (IZA, EQ, IZA2) GO TO 50
WRITE(6, 1) IZA, IZA2, NL, LDATE
STOP
50 NG = 0
DO 60 N=1, NL
PL(N, IP) = PLBUF(N, IB)
READ(KL) EL(N), AJ(N), AT(N), TAU, NTT(N)
NT = NTT(N)
IF (NT, LT, 1) GO TO 60
DO 58 KN=1, NT
NG = NG + 1
IG(N, KN) = NG
58 READ(KL) NFF(N, KN), PR(N, KN), CPR(N, KN), AMR, LL1, LL2
60 CONTINUE
NGRAYS(IR) = NG
NGR = NG
DO 70 NN=2, NL
N = NL - NN + 2
NT = NTT(N)
IF (NT, LT, 1) GO TO 70
DO 66 KN=1, NT
NG = IG(N, KN)
NF = NFF(N, KN)
EG(NG) = EL(N) - EL(NF)
DP = PL(N, IP) * PR(N, KN)
PL(NF, IP) = PL(NF, IP) + DP
DP = DP * CPR(N, KN)
SG(NG) = DP
CSGR(IR) = CSGR(IR) + DP
KD = EG(NG) / DE + 0.5
IF (KD, LT, 1) KD = 1
DS = DP / DE
66 SPP(KD, IP) = SPP(KD, IP) + DS
70 SPP(KD, ID) = SPP(KD, ID) + DS
CONTINUE
INDEX = IEGLC + (IR-1)*NGRDIM
CALL ECHR(EG, INDEX, NGR, IERR)
INDEX = ISGLC + (IR-1)*NGRDIM
CALL ECHR(SG, INDEX, NGR, IERR)
NPTS = NIP * NLEVDIM
INDEX = IPLLC + (I-1)*NLEVDIM * NIPDIM
CALL ECWR(PL, INDEX, NPTS, IERR)
NPTS = NKDIM * NIP
INDEX = ISPLC + (I-1)*NKDIM * NIPDIM
CALL ECWR(SP, INDEX, NPTS, IERR)
GRLINE 30
GRLINE 31
GRLINE 32
GRLINE 33
GRLINE 34
GRLINE 35
GRLINE 36
GRLINE 37
GRLINE 38
GRLINE 39
GRLINE 40
GRLINE 41
GRLINE 42
GRLINE 43
GRLINE 44
GRLINE 45
GRLINE 46
GRLINE 47
GRLINE 48
GRLINE 49
GRLINE 50
GRLINE 51
GRLINE 52
GRLINE 53
GRLINE 54
GRLINE 55
GRLINE 56
GRLINE 57
GRLINE 58
GRLINE 59
GRLINE 60
GRLINE 61
GRLINE 62
GRLINE 63
GRLINE 64
GRLINE 65
GRLINE 66
GRLINE 67
GRLINE 68
GRLINE 69
GRLINE 70
GRLINE 71
GRLINE 72
GRLINE 73
GRLINE 74
GRLINE 75
GRLINE 76
GRLINE 77
GRLINE 78
GRLINE 79
GRLINE 80
GRLINE 81
GRLINE 82
GRLINE 83
GRLINE 84
GRLINE 85
GRLINE 86
GRLINE 87
GRLINE 88
GRLINE 89
GRLINE 90
GRLINE 91
GRLINE 92

```

```

C
C      SUM INDIVIDUAL SPECTRA
90    ED=0.
      NK=NKK(IR)
      DO 92 K=1,NKMAX
      ED=ED+DE
      EAV(IR)=EAV(IR)+ED*SP(K,IP)
92    CSTOT(IR)= CSTOT(IR)+SP(K,IP)
      IF(CSTOT(IR).GT.0.) EAV(IR)=EAV(IR)/CSTOT(IR)
      CSTOT(IR)= CSTOT(IR)*DE
0
C      SUM LEVEL POPULATIONS FROM CONTINUUM AND LEVEL TRANSITIONS
DO 94 N=1,NLEV2
94    CSLEV(IR)= CSLEV(IR)+PL(N,IP)
100   CONTINUE
C
C      SUM COMPOSITE SPECTRA
DO 110 ID=1,7
CSID(ID)=0.
EAVID(ID)=0.
ED=0.
IF(IDSTAT(ID).LT.1) GO TO 110
DO 108 K=1,NKMAX
ED=ED+DE
EAVID(ID)=EAVID(ID)+ED*SPP(K,ID)
108  CSID(ID)= CSID(ID)+SPP(K,ID)
      IF(CSID(ID).GT.0.) EAVID(ID)=EAVID(ID)/CSID(ID)
      CSID(ID)= CSID(ID)*DE
110  CONTINUE
      CSID(8)=0.
      EAVID(8)=0.
      ED=0.
      DO 120 K=1,NKMAX
      ED=ED+DE
      EAVID(8)=EAVID(8)+ED*SPNGN(K)
120  CSID(8)=CSID(8)+SPNGN(K)
      IF(CSID(8).GT.0.) EAVID(8)=EAVID(8)/CSID(8)
      CSID(8)=CSID(8)*DE
      RETURN
      END
      SUBROUTINE DATAOUT
C
C      MAIN OUTPUT ROUTINE
C
1    FORMAT(1H1,10X,*R A D I A T I O N   W I D T H S* /)
2    FORMAT(1H1,10X,*S P E C T R A   F R O M   I N D I V I D U A L
1    R E A C T I O N S* /)
3    FORMAT(16X,10(A6,F5.0))
4    FORMAT(A6,A10,10(1X,A10))
5    FORMAT(A10,A7,1P,10(E10.3,1X))
6    FORMAT(15,F10.3,2X,1P,10(E10.3,1X))
7    FORMAT(1H1,30X,*C O M P O S I T E   S P E C T R A* /)
8    FORMAT(1H1,10X,*D I S C R E T E   L E V E L   I N F O R M A T I
10 N* )
9    FORMAT(// 3H I=12,3X,3HIP=12,3X,3HIR=12,3X,4HZA1=F4.0,3X,4HZA2=F5
1.0,3X,10HSEPARATION ENERGY =F7.3,4H MEV,3X,31HACCUMULATED SEPARATIDATAOU17
20N ENERGY =F7.3,4H MEV)
10   FORMAT( 38H NUMBER OF LEVEL IN RESIDUAL NUCLEUS =I3,3X,22HNUMBER ODATAOU19
IF GAMMA RAYS =I3,3X, *RESIDUAL NUCLEUS ID =*I5)
11   FORMAT(// * LEVEL LEVEL SPIN, PRODUCTION NUMBER OF FINDATAOU21
1AL FINAL TRANSITION CONDITIONAL GAMMA GAMMA PRODUCTION DATAOU22
2 * / * NO ENERGY PARITY CROSS SECTION TRANSITIONS LEVDATAOU23
3EL ENERGY PROBABILITY PROBABILITY NUMBER ENERGY CROSS SECTIODATAOU24

```

```

4N* / * (MEV) (BARNS) NO0ATA0U25
5 (MEV) (MEV) (BARNS)* DATA0U26
12 FORMAT(/ I4,F10.4,F7.1,3X,IPE11.4,I10) DATA0U27
13 FORMAT(45X,I10,F10.4,F11.4,F13.4,I8,F10.4,3X,IPE11.4) DATA0U28
14 FORMAT(1H1. 10X,*L E V E L D E N S I T Y P A R A M E T E R JUL19776
18* ) DATA0U30
15 FORMAT(/ * I IP IR IZA1 IZA2 A TEMP E0 EMATCH DATA0U31
1 ECUT LEVELS PN PZ SN SZ S SAC * / DATA0U32
2 * (/MEV) (MEV) (MEV) (MEV) (MEV) (MEV) (DATA0U33
3MEV) AT ECUT (MEV) (MEV) (MEV) (MEV) (MEV) (MEV)* ) DATA0U34
16 FORMAT(3I3,F5.0,F7.0,1X,2F7.3,3F8.3,F6.2,1X,4F8.2,2F9.3) DATA0U35
17 FORMAT(* NUMBER OF LEVELS IN RESIDUAL NUCLEUS ** ,I3// DATA0U36
1* LEVEL LEVEL SPIN, I90= PRODUCTION*/ DATA0U37
2* NO ENERGY PARITY SPIN CROSS SECTION*/ DATA0U38
3* (MEV) (BARNS)*// DATA0U39
18 FORMAT(I4,F10.4,2F7.1,3X,IPE11.4) DATA0U40
219 FORMAT(1H1,8A10,/1H ,8A10) DATA0U41
220 COMMON/ LAB NEUTRON ENERGY **IPE11.4,* MEV*/) DATA0U42
221 FORMAT(/* BINARY REACTION SUMMARIES (COMPOUND NUCLEUS ONLY)*,// DATA0U43
1* REACTION SIGMA *,/* PRODUCT (BARNS)*, / DATA0U44
2* -----* ) DATA0U45
222 FORMAT(1X,A10,2X,IPE11.4) DATA0U46
C DATA0U47
COMMON/LCINDEX/IPBLC,IGLC,IZEROLC,ISPLC,IPLLC,IEGLC,ISGLC,ITCLC, LCINDEX 2
1 IYSTCLC,IRHOLC,ITLC,IELLC,IAJLC,IATLC,NIDIM,NIPDIM,NIBDIM,NGRDIM, LCINDEX 3
2 NIDDIM,NIRDIM LCINDEX 4
COMMON/RHO(40,200),T(30,200),P(80),SP(200,6),PP(80),SPP(200,7) RHO 2
1,SPNGN(200),PL(50,6),G(200,6),RHOFT(40) RHO 3
COMMON/LEVEL1/EL(50),AJ(50),AT(50),XNL(60),ELMAX(60),NLEVDIM LEVEL1 2
1,EG(240),SG(240),NGRAYS(60) LEVEL1 3
COMMON/BASIC1/NI,XNIP(10),NIR,LR(6,10),ZA1(60),ZA2(60),XM2(60), BASIC1 2
1 ZACN(10),CSGR(60),CSTOT(60),CSLEV(60),CSID(8),FAVID(8),EAV(60) BASIC1 3
COMMON/BASIC2/TITLE(16),ELAB,DE,ZAP,ZAT,XMT, NKKM(10),CNPI(10), BASIC2 2
1 CNPI(10),S(60),SAC(10),ID1(60),IDP,IOF2(60),IBUF(6,10), BASIC2 3
2 ECM,UP,NKMAX,NJMAX,NKK(60),NKDIM,TC(30),QMDP(40),A(60),A2(60), BASIC2 4
3 NRHO(6),XJT, NPOPMAX,NTC2(6),NJDIM, IOECN(10),NKKCN(10),ECON, BASIC2 5
4 JPI(40,2),XMP,XJP,PIT,NLP,XNLP,KL,IDSTAT(7),SIC,CSL,CSH,PILL(30) BASIC2 6
5,ICAPT,PLBUF(50,10),INOPT,TKEEP BASIC2 7
COMMON/PRNTOUT/IPRTLEV,IPRTIC,IPRTMLD,IPRTWID,IPRTSP,IPRTGC PRNTOUT 2
COMMON/LEVLEN/DEF(60),XNLGC(60),ECGC(60),UCUTOFF,DEFCN,TGC(60), LEVDEN 2
1 EGGC(60),FMATGC(60),PATR(60),XMR3(60),XNLLN(60),SZ(100),SN(150), LEVDEN 3
2 PZ(100),PN(150) LEVDEN 4
COMMON /SPNPAR/ SPIN,PARITY,KGRD LEVDEN 5
DIMENSION SCRUF3(200,10),HK(2),HGAM(2),HLEV(2),HTOT(2),ZADUM(60), DATA0U55
1 SCRUF4(200,6,10),BLANK(2),BCD2(8),HEAV(2) DATA0U56
COMMON/PREQ/LPEQ,SIGR,PREQI(6),CSIGI(6),NITT(6),ALPHA(6) DATA0U57
COMMON/TOTALS/SIGTOT(10) DATA0U58
EQUIVALENCE (RHO,SCRUF3),(RHO(1,51),SCRUF4) DATA0U59
DIMENSION MTA(50),SPX(200),XE(200) DATA0U60
DIMENSION INT(1),NBT(1) DATA0U61
DATA MTA/18,18,17,17,16,16,4.91,102,0,0,0,0,0,0,0,0,32,28,0,0,0,0, DATA0U62
X105,33,104,22,34,0,0,103,0,0,0,107,0,106,14*0/ DATA0U63
DATA C1,L1,L2,NR,MC/0.,0,0,1,1/ DATA0U64
C DATA0U65
DATA BCD2/10H NEUTRON,10H PROTON,10H DEUTERON,10H TRITON, DATA0U66
1 10H HELIUM-3,10H HELIUM-4,10H GAMMA-RAY,10H G,NEUTRON/ DATA0U67
DATA HWID,HMEV,HSIG,HBARN,HBMEV,HDASH,HK,HGAM,HLEV,HTOT,HZACN, DATA0U68
1 HZA1,HZA2/10H WIDTH,10H (MEV),10H SIGMA,10H (BARNS) DATA0U69
2,10H (B/MEV),10H -----,6H K,10H ENERGY,10H LEVEL DECDATA0U70
3,7HAY C/S=,10H LEVEL EXC,7HIT C/S=,10H TOTAL PRO,7HD, C/S=, DATA0U71
4 6H ZACN=,6H ZA1=,6H ZA2=,BLANK/10H,10H / DATA0U72
DATA HSPEC/10H SPECTRUM/,HEAV/10H AVG.ENERG,7HY (MEV)/ DATA0U73
DATA HNON/10HNONELASTIC/ DATA0U74

```

C		ENERGY AND BINARY CROSS SECTION PRINT	DATA0U75
C		NIP=XNIP(1)	DATA0U76
		DO 250 IP=1,NIP	DATA0U77
250		SIGTOT(10)=SIGTOT(10)+SIGTOT(IP)	DATA0U78
		WRITE(6,219) TITLE	DATA0U79
		WRITE(6,220) ELAB	DATA0U80
		WRITE(6,221)	DATA0U81
		WRITE(6,222) HNON,SIGTOT(10)	DATA0U82
		DO 260 IP=1,NIP	DATA0U83
		IR=LR(IP,1)	DATA0U84
		ID=ID1(IR)	DATA0U85
260		WRITE(6,222) BCD2(ID),SIGTOT(IP)	DATA0U86
		IF(LPEQ.NE.1)GO TO 248	DATA0U87
		WRITE(6,246)	DATA0U88
		DO 249 IP=1,NIP	DATA0U89
		IR=LR(IP,1)	DATA0U90
		ID=ID1(IR)	DATA0U91
		NK=NKK(IR)	DATA0U92
		IF(NK,LT,1)GO TO 249	DATA0U93
		IF(ID.EQ.7)GO TO 249	DATA0U94
		WRITE(6,247)IP, ID,BCD2(ID),NITT(ID),ALPHA(ID),CSIGI(ID),PREQI(ID)	DATA0U95
246		FORMAT(///15X*----- PRE-EQUILIBRIUM SUMMARY -----//)	DATA0U96
247		FORMAT(/5X*IP = *I3,2X*ID = *I3,2X*OUTGOING PARTICLE = *A10/5X*	DATA0U97
		X*INITIAL EXCITON NUMBER = *I3,5X*PREQ NORMALIZATION = *E14.5/5X*	DATA0U98
		X COMPOUND X=SEC(BARNS) = *E14.5,5X* PREEQ X=SEC(BARNS) = *E14.5/	DATA0U99
		X)	DATA0100
249		CONTINUE	DATA0101
248		CONTINUE	DATA0102
C			DATA0103
C		WIDTH PRINT OPTION	DATA0104
		IF(IPRTWID.LT.1) GO TO 60	DATA0105
		NPTS=NKDIM*6*NI	DATA0106
		CALL ECRD(SCBUF4,IGLC,NPTS,IERR)	DATA0107
		ICT=0	DATA0108
		DO 50 I=1,NI	DATA0109
		NIP=XNIP(I)	DATA0110
		DO 58 IP=1,NIP	DATA0111
		IR=LR(IP,1)	DATA0112
		ZADUM(IR)=ZACN(I)	DATA0113
		ICT=ICT+1	DATA0114
		DO 52 K=1,NKMAX	DATA0115
52		SCBUF3(K,ICT) = SCBUF4(K,IP,I)	DATA0116
		IF((ICT.LT.10).AND.(IR.LT.NIR)) GO TO 50	DATA0117
		IRH=IR	DATA0118
		NICT=ICT	DATA0119
		IRL=IRH-NICT+1	DATA0120
C			DATA0121
C		PRINT WIDTHS	DATA0122
		WRITE(6,1)	DATA0123
		WRITE(6,3) (HZACN,ZADUM(II),II=IRL,IRH)	DATA0124
		WRITE(6,3) (HZA1,ZA1(I),II=IRL,IRH)	DATA0125
		WRITE(6,3) (HZA2,ZA2(I),II=IRL,IRH)	DATA0126
		WRITE(6,4) BLANK, (HDASH,II=IRL,IRH)	DATA0127
		WRITE(6,4) HK,(HWID,II=IRL,IRH)	DATA0128
		WRITE(6,4) BLANK(1),HMEV,(HMEV,II=IRL,IRH)	DATA0129
		EK=UP+DE	DATA0130
		DO 54 K=1,NKMAX	DATA0131
		EK=EK+DE	DATA0132
54		WRITE(6,6) K,EK,(SCBUF3(K,II),II=1,NICT)	DATA0133
		ICT=0	DATA0134
58		CONTINUE	DATA0135
			DATA0136
			DATA0137

C	INDIVIDUAL SPECTRA PRINT OPTION	DATA0138
60	IF(IPRTSP.LT.2) GO TO 70	DATA0139
	ICT=0	DATA0140
	DO 68 I=1,NI	DATA0141
	NIP= XNIP(I)	DATA0142
	NPTS= NKDIM*NIP	DATA0143
	INDEX=ISPLC+(I-1)*NKDIM+NIPDIM	DATA0144
	CALL ECRD(SP,INDEX,NPTS,IERR)	DATA0145
	DO 68 IP=1,NIP	DATA0146
	IR = LR(IP,I)	DATA0147
	ZADUM(IR)= ZACN(I)	DATA0148
	ICT = ICT+1	DATA0149
	DO 62 K=1,NKMAX	DATA0150
62	SCBUF3(K,ICT)= SP(K,IP)	DATA0151
	IF((ICT.LT.10).AND.(IR.LT.NIR)) GO TO 68	DATA0152
	IRH=IR	DATA0153
	NICT=ICT	DATA0154
	IRL=IRH-NICT+1	DATA0155
C	PRINT CROSS SECTIONS AND SPECTRA	DATA0156
C	WRITE(6,2)	DATA0157
	WRITE(6,3) (HZACN,ZADUM(II),II=IRL,IRH)	DATA0158
	WRITE(6,3) (HZAI, ZA1(II),II=IRL,IRH)	DATA0159
	WRITE(6,3) (HZAI, ZA2(II),II=IRL,IRH)	DATA0160
	WRITE(6,4) BLANK, (HDASH,II=IRL,IRH)	DATA0161
	WRITE(6,4) BLANK, (HSIG,II=IRL,IRH)	DATA0162
	WRITE(6,4) BLANK, (HBARN,II=IRL,IRH)	DATA0163
	WRITE(6,5) HGAM, (CSGR(II),II=IRL,IRH)	DATA0164
	WRITE(6,5) HLEV, (CSLEV(II),II=IRL,IRH)	DATA0165
	WRITE(6,5) HTOY, (CSTOT(II),II=IRL,IRH)	DATA0166
	WRITE(6,4) BLANK, (HDASH,II=IRL,IRH)	DATA0167
	WRITE(6,5) HEAV, (EAV(II),II=IRL,IRH)	DATA0168
	WRITE(6,4) BLANK, (HDASH,II=IRL,IRH)	DATA0169
	WRITE(6,4) HK, (HSIG,II=IRL,IRH)	DATA0170
	WRITE(6,4) BLANK(1),HMEV,(HBMEV,II=IRL,IRH)	DATA0171
	EK=0.	DATA0172
	DO 64 K=1,NKMAX	DATA0173
	EK=EK+DE	DATA0174
64	WRITE(6,6) K,EK,(SCBUF3(K,II),II=1,NICT)	DATA0175
	ICT=0	DATA0176
68	CONTINUE	DATA0177
70	IF((IPRTSP.NE.1).AND.(IPRTSP.NE.3)) GO TO 80	DATA0178
C	PRINT COMPOSITE SPECTRA	DATA0179
C	WRITE(6,7)	DATA0180
	WRITE(6,4) BLANK,(BCO2(ID),ID=1,8)	DATA0181
	WRITE(6,4) BLANK,(HSPEC,ID=1,8)	DATA0182
	WRITE(6,4) BLANK,(HDASH,ID=1,8)	DATA0183
	WRITE(6,4) BLANK,(HSIG ,ID=1,8)	DATA0184
	WRITE(6,4) BLANK,(HBARN,ID=1,8)	DATA0185
	WRITE(6,5) HTOY,(CSID(ID),ID=1,8)	DATA0186
	WRITE(6,4) BLANK,(HDASH,ID=1,8)	DATA0187
	WRITE(6,5) HEAV,(EAVID(ID),ID=1,8)	DATA0188
	WRITE(6,4) BLANK,(HDASH,ID=1,8)	DATA0189
	WRITE(6,4) HK, (HSIG ,ID=1,8)	DATA0190
	WRITE(6,4) BLANK(1),HMEV,(HBMEV,ID=1,8)	DATA0191
	EK=0.	DATA0192
	DO 74 K=1,NKMAX	DATA0193
	EK=EK+DE	DATA0194
74	WRITE(6,6) K,EK,(SPP(K,ID),ID=1,7),SPNGN(K)	DATA0195
80	IF(IPRTLEV.LT.1) GO TO 90	DATA0196
C	PRINT DISCRETE LEVEL AND GAMMA-RAY DATA	DATA0197
C		DATA0198
		DATA0199
		DATA0200

	WRITE(6,8)	DATA0201
	REWIND KL	DATA0202
	DO 88 I=1,NI	DATA0203
	NIP= XNIP(I)	DATA0204
	NPTS= NIP*NLEVDIM	DATA0205
	INDEX=IPLLC+(I-1)*NLEVDIM*NIPDIM	DATA0206
	CALL ECRD(PL,INDEX,NPTS,IERR)	DATA0207
	DO 88 IP=1,NIP	DATA0208
	IF((PL(I,IP).EQ.0.).AND.(NKKCN(I).LT.1)) GO TO 88	DATA0209
	IR= LR(IP,I)	DATA0210
	NLEV2= XNL(IR)	DATA0211
	WRITE(6,9) I,IP,IR,ZA1(IR),ZAZ(IR),S(IR),SAC(I)	DATA0212
	IF(ID1(IR).EQ.7) GO TO R2	DATA0213
	WRITE(6,17) NLEV2	DATA0214
	INDEX=IELLC+(IR-1)*NLEVDIM	DATA0215
	CALL ECRD(EL,INDEX,NLEV2,IERR)	DATA0216
	INDEX=IAJLC+(IR-1)*NLEVDIM	DATA0217
	CALL ECRD(AJ,INDEX,NLEV2,IERR)	DATA0218
	INDEX=IATLC+(IR-1)*NLEVDIM	DATA0219
	CALL ECRD(AT,INDEX,NLEV2,IERR)	DATA0220
	DO 81 N=1,NLEV2	DATA0221
81	WRITE(6,18) N,EL(N),AJ(N),AT(N),PL(N,IP)	DATA0222
	GO TO 88	DATA0223
82	READ(KL) IZA,NL,LDATE	DATA0224
	NGR = NGRAYS(IR)	DATA0225
	INDEX=IEGLC+(IR-1)*NGRDIM	DATA0226
	CALL ECRD(EG,INDEX,NGR,IERR)	DATA0227
	INDEX=ISGLC+(IR-1)*NGRDIM	DATA0228
	CALL ECRD(SG,INDEX,NGR,IERR)	DATA0229
	WRITE(6,10) NLEV2,NGR,IZA	DATA0230
	WRITE(6,11)	DATA0231
	NG=0	DATA0232
	DO 86 N=1,NL	DATA0233
	READ(KL)EL(N),AJJ,ATT,TAU,NT	DATA0234
	WRITE(6,12) N,EL(N),AJJ,PL(N,IP),NT	DATA0235
	IF(NT.LT.1) GO TO 86	DATA0236
	DO 84 K=1,NT	DATA0237
	NG=NG+1	DATA0238
	READ(KL) NF,PROB,CPROB,AMIX,LL1,LL2	DATA0239
84	WRITE(6,13) NF,EL(NF),PROB,CPROB,NG,EG(NG),SG(NG)	DATA0240
86	CONTINUE	DATA0241
88	CONTINUE	DATA0242
90	IF(IPRTGC.LT.1) GO TO 100	DATA0243
C		DATA0244
C	PRINT GILBERT-CAMERON PARAMETERS	DATA0245
	WRITE(6,14)	DATA0246
	WRITE(6,15)	DATA0247
	DO 98 I=1,NI	DATA0248
	NIP= XNIP(I)	DATA0249
	DO 98 IP=1,NIP	DATA0250
	IR= LR(IP,I)	DATA0251
	IZA= ZAZ(IR)	DATA0252
	IA= MOD(IZA,1000)	DATA0253
	IZ= IZA/1000	DATA0254
	IN= IA-IZ	DATA0255
98	WRITE(6,16) I,IP,IR,ZA1(IR),ZAZ(IR),A2(IR),TGC(IR),EGC(IR),EMATG	DATA0256
100	I(IR),ECGC(IR),XNLGC(IR),PN(IN),PZ(IZ),SN(IN),SZ(IZ),S(IR),SAC(I)	DATA0257
	CONTINUE	DATA0258
	RETURN	DATA0259
	END	DATA0260
	FUNCTION IBERCH (X,EE,NE,A,A1,A2)	ISERCH 2
C		ISERCH 3
C	FIND PARAMETERS NECESSARY FOR SPLINE INTERPOLATION	ISERCH 4

```

C
C      X = ENERGY AT WHICH FUNCTION IS TO BE EVALUATED
C      EE = ARRAY OF FUNCTION ENERGIES
C      NE = NUMBER OF ENERGIES STORED IN EE
C      A, A1, A2 = SPLINE INTERPOLATION PARAMETERS
C
1  FORMAT(// * SPLINE FUNCTION ISERCH OUT OF RANGE. K = *I4, 5H NEWI4)
C      DIMENSION EE(NE)
C
      K = 0
      IF((X.LT.EE(1)).OR.(X.GT.EE(NE))) GO TO 50
      K = 1
10  IF(X.LT.EE(K)) GO TO 20
      IF(X.LT.EE(K+1)) GO TO 40
      K = K + 1
      IF(K.LT.NE) GO TO 10
      K = K - 1
      GO TO 40
20  IF(K.EQ.1) GO TO 40
      K = 1
      GO TO 10
40  H = EE(K+1) - EE(K)
      H1 = X - EE(K)
      H2 = EE(K+1) - X
      A = H2 * H1 / 6.
      A1 = H1 / H
      A2 = H2 / H
      ISERCH = K
C
      RETURN
50  IF(X.GT.EE(NE)) K=999
      WRITE(6,1) K,NE
      RETURN
      END
      SUBROUTINE PRECMP
C
C
C      COMMON/LCINDEX/IPBLC, IGLC, IZEROLC, ISPLC, IPLLC, IEGLC, ISGLC, ITCLC,
1  1STCLC, IRHOLC, ITLC, IELLC, IAJLC, IATLC, NIDIM, NIPDIM, NIBDIM, NGRDIM,
2  NIDDIM, NIRDIM
      COMMON RHO(40, 200), T(30, 200), P(80), SP(200, 6), PP(80), SPP(200, 7)
1, SPNGN(200), PL(50, 6), G(200, 6), RHOFTR(40)
      COMMON/TCOEF/ETC(25, 6), TC(25, 30), BCD(7), XSPIN(7), NLDIM,
1NPART, NEE(6), NO(6), NTC(6), IZAID(7), XMASS(7), NEEDIM, NLEIN(6, 25),
2NLF(6, 200), JRAST(200, 6)
      COMMON/LEVFL1/EL(50), AJ(50), AT(50), XNL(60), ELMAX(60), NLEVDIM
1, EG(240), SG(240), NGRAYS(60)
      COMMON/BASIC1/NI, XNIP(10), NIR, LR(6, 10), ZA1(60), ZA2(60), XM2(60),
1 ZACN(10), CSGR(60), CSTOT(60), CSLEV(60), CSID(8), FAVID(8), EAV(60)
      COMMON/BASIC2/TITLE(16), ELAB, DE, ZAP, ZAT, XMT, NKKM(10), CNPI(10),
2 CNPIP(10), S(60), SAC(10), ID1(60), IDP, IOF2(60), IBUF(6, 10),
3 ECM, UP, NKMAX, NJMAX, NKK(60), NKDIM, TCP(30), QMDP(40), A(60), A2(60),
4 JPI(40, 2), XMP, XJP, PIT, NLP, XNLP, KL, IDSTAT(7), SIC, CSL, CSH, PILL(30)
5, ICAPT, PLRHF(50, 10), INOPT, TKEEP
      COMMON/PREQ/LPEQ, SIGR, PREQ1(6), CSIGI(6), NITT(6), ALPHA(6)
      COMMON/PREQ1/EP SIG(200, 6), NLEV, NPIT, NIT
      COMMON/FITTING/ACN, FSIGCN, SIGPEQ
      DIMENSION SPZ(200)
      DIMENSION PREQ(200), PREQID(6, 200) , SPZID(6, 200)
      DIMENSION PPREP(80), PREP(80)
      NIP=XNIP(1)

```

```

ISERCH 5
ISERCH 6
ISERCH 7
ISERCH 8
ISERCH 9
ISERCH10
ISERCH11
ISERCH12
ISERCH13
ISERCH14
ISERCH15
ISERCH16
ISERCH17
ISERCH18
ISERCH19
ISERCH20
ISERCH21
ISERCH22
ISERCH23
ISERCH24
ISERCH25
ISERCH26
ISERCH27
ISERCH28
ISERCH29
ISERCH30
ISERCH31
ISERCH32
ISERCH33
ISERCH34
ISERCH35
ISERCH36
ISERCH37
ISERCH38
PRECMP 2
PRECMP 3
PRECMP 4
PRECMP 5
PRECMP 6
RHO 2
RHO 3
TCOEF 2
TCOEF 3
TCOEF 4
LEVEL1 2
LEVEL1 3
BASIC1 2
BASIC1 3
BASIC2 2
BASIC2 3
BASIC2 4
BASIC2 5
BASIC2 6
BASIC2 7
PREQ 2
PREQ1 2
FITTING2
PRECMP15
PRECMP16
PRECMP17
PRECMP18

```

```

X=N, Y=N.
DO 2000 IP=1, NIP
KMAX=NKMAX
IR=LR(IP, 1)
ID=ID1(IR)
IF(ID.EQ.7)GO TO 2000
NK=NKK(IR)
IF(NK.LT.1)GO TO 2000
E=(KMAX+.5)*DE
PII=3.14159
GGG=6.*ACN/PII**2
AAA=XMT+1.
NFIN=SQRT(1.5*GGG*E)
XMO=XMASS(ID)*XMT/(XMT+XMASS(ID))
ALPH1=(14.+SIC)*ALPHA(ID)
ALPH=ALPH1/E
PCON=SIGR*(2.*XSPIN(ID)+1.)/(ALPH*12.*PII**2)
PCON=PCON/(AAA*E**3)
NIT=NIT1(ID)
KMAX=NKMAX
EGR=SAC(1)+S(IR)
KGR=EGR/DE
KLM=(UP-SAC(1)-S(IR))/DE+0.5
DO 2 I=1, KLM
U=(KLM-I+.5)*DE
PREQ(I)=0.
DO 4 N=NIT, NFIN, 2
PREQ(I)=PREQ(I)+EPSIG(I, ID)*((N-1)*(N+1)**2)*(U/E)**(N-2)
4 CONTINUE
PREQ(I)=PREQ(I)+PCON
IF(SPP(I, ID).LE.0.)PREQ(I)=0.
PREQID(ID, I)=PREQ(I)
X=X+PREQ(I)SY=Y+SPP(I, ID)
2 CONTINUE
2000 CONTINUE
IF (Y.LE.0.)PRINT 3006
FRACT1=1.
IF((X.GE.Y).AND.(X.GT.1.E-99)) FRACT1=Y/X
3006 FORMAT(///25X+ ---- SPECTRUM SUM =0. NO PRECMP *****//)
IF(Y.LE.0.)GO TO 3007
FRACT=(1.-X/Y)
IF(FRACT.LE.0.)FRACT=0.
X=X+DESY=Y+DE
DO 3000 IP=1, NIP
IR=LR(IP, 1)SID=ID1(IR)
NK=NKK(IR)
IF(ID.EQ.7.OR.NK.LT.1)GO TO 3000
U=0, SPREQ1(ID)=0, CSIG1(ID)=0.
KLM=(UP-SAC(1)-S(IR))/DE+0.5
DO 30 II=1, KLM
PREQ(II)=FRACT1+PREQID(ID, II)
PREQID(ID, II)=PREQ(II)
YY=FRACT*SPP(II, ID)
Z=YY+PREQ(II)
IF(SPP(II, ID).EQ.0.)Z=0.
U=U+DE
I30=KMAX-II
SPZ(II)=Z
SPZID(ID, II)=Z
PREQ1(ID)=PREQ(II)*DE+PREQ1(ID)
CSIG1(ID)=YY*DE+CSIG1(ID)
30 CONTINUE
3000 CONTINUE

```

```

PRECMP19
PRECMP20
PRECMP21
PRECMP22
PRECMP23
PRECMP24
PRECMP25
PRECMP26
PRECMP27
PRECMP28
JUL29775
PRECMP30
JUL29776
PRECMP32
PRECMP33
PRECMP34
PRECMP35
PRECMP36
PRECMP37
PRECMP38
PRECMP39
PRECMP40
PRECMP41
PRECMP42
PRECMP43
PRECMP44
PRECMP45
PRECMP46
PRECMP47
PRECMP48
PRECMP49
PRECMP50
PRECMP51
PRECMP52
PRECMP53
PRECMP54
PRECMP55
PRECMP56
PRECMP57
PRECMP58
PRECMP59
PRECMP60
PRECMP61
PRECMP68
PRECMP69
PRECMP70
PRECMP71
PRECMP72
PRECMP73
PRECMP74
PRECMP75
PRECMP76
PRECMP77
PRECMP78
PRECMP79
PRECMP80
PRECMP81
PRECMP82
PRECMP83
PRECMP84
PRECMP85
PRECMP86
PRECMP87

```



C		PRECMP89
C	NORMALIZATION OF PREG	PRECMP90
C		PRECMP91
	DO 1000 IP=1,NIP	PRECMP92
	IR=LR(IP,1)SID=ID1(IR)	PRECMP93
	NK=NKK(IR)	PRECMP94
	IF(ID.EQ.7.OR.NK.LT.1)GO TO 1000	PRECMP95
	KLM=(UP-SAC(1)-S(IR))/DE+0.5	PRECMP96
	DO 31 I=1,KLM	PRECMP97
31	PREG(I)=PREGID(ID,I)	PRECMP98
C		PRECMP99
	NK2=NKK(IR)	PRECM101
C	MOD OF CONTINUUM	PRECM102
C		PRECM103
C		PRECM104
	NKCEN=1	PRECM105
C		PRECM106
C		PRECM108
C		PRECM109
	IB=IBUF(IP,1)	PRECM110
	IF(IB.EQ.0)GO TO 999	PRECM111
	DO 400 K=1,NKCEN	PRECM112
	KD=0	PRECM113
	KLOW=K+1	PRECM114
	IF(KLOW-NK2)250,250,400	JUL29777
250	DO 399 KP=KLOW,NK2	JUL29778
	KD=KD+1	PRECM116
	JMAX22=2.*JRAST(KP,IP)	PRECM117
	INDEX=IPBLC+(KP-1)*2*NJDIM+(IB-1)*2*NJDIM*NKDIM	PRECM118
	CALL ECRD(PREP(1),INDEX,JMAX22,IERR)	PRECM119
	DO 300 J=1,JMAX22	PRECM120
	PPREP(J)=PREP(J)	PRECM121
	IF(SPP(KD, ID).LE.0.)299,298	PRECM122
298	CONTINUE	PRECM123
	PREQF=(FRACT+PREG(KD)/SPP(KD, ID))	PRECM124
	PREP(J)=PREP(J)*PREQF	PRECM125
299	CONTINUE	PRECM126
300	CONTINUE	PRECM127
	CALL ECWR(PREP(1),INDEX,JMAX22,IERR)	PRECM128
399	CONTINUE	PRECM129
	I=1	PRECM130
400	CONTINUE	PRECM131
999	CONTINUE	PRECM132
	NLEV=XNL(IR)	PRECM133
	INDEX=IELLC+(IR-1)*NLEVDIM	PRECM134
	CALL ECRD(EL,INDEX,NLEV,IERR)	PRECM135
	UUCN=UP-SAC(1)	PRECM136
	UU2MAX=(UUCN*S(IR)	PRECM137
	DO 80 II=1,NLEV	PRECM138
	ECC2=(UU2MAX-EL(II)	PRECM139
	KKD=ECC2/DE+0.5	PRECM140
	IF(SPP(KKD, ID).LE.0.)GO TO 110	PRECM141
	PL(II,IP)=PL(II,IP)*(FRACT+PREG(KKD)/SPP(KKD, ID))	PRECM142
110	CONTINUE	PRECM143
80	CONTINUE	PRECM144
	IF(IBUF(IP,1).EQ.0)GO TO 81	PRECM145
	I=1	PRECM146
81	CONTINUE	PRECM147
	DO 401 I=1,KLM	PRECM148
	SP(I,IR)=SPZID(ID,I)SSPP(I, ID)SPZID(ID,I)	PRECM149
401	CONTINUE	PRECM150
402	CONTINUE	PRECM151

```

1000 CONTINUE
3007 CONTINUE
RETURN
END
SUBROUTINE INTERP(X,Y,NPTS,NTERMS,XIN,YOUT)
DIMENSION X(1),Y(1),DELTA(10),A(10)

C
C SEARCH FOR X(1)
C
11 DO 19 I=1,NPTS
IF(XIN=X(I))13,17,19
13 I1=I-NTERMS/2
IF(I1.GT.0)GO TO 21
15 I1=1
GO TO 21
17 YOUT=Y(I)
18 GO TO 61
19 CONTINUE
I1=NPTS-NTERMS+1
21 I2=I1+NTERMS-1
IF(NPTS.GE.I2)GO TO 31
23 I2=NPTS
I1=I2-NTERMS+1
25 IF(I1.GT.0)GO TO 31
26 I1=1
27 NTERMS=I2-I1+1
0
C EVALUATE DEVIATIONS DATA
31 CONTINUE
DENOM=X(I1+1)-X(I1)
IF(DENOM.EQ.0.)100,101
100 YOUT=Y(I1)
GO TO 61
101 CONTINUE
DELTAX=(XIN-X(I1))/DENOM
DO 35 I=1,NTERMS
IX=I1+I-1
DELTA(I)=(X(IX)-X(I1))/DENOM
35 CONTINUE
C
C ACCUM COEF A
C
40 A(1)=Y(I1)
41 DO 50 K=2,NTERMS
PROD=1.
SUM=0.
IMAX=K-1
IXMAX=I1+IMAX
DO 49 I=1,IMAX
J=K-I
PROD=PROD*(DELTA(K)-DELTA(J))
SUM=SUM+A(J)/PROD
49 CONTINUE
A(K)=SUM+Y(IXMAX)/PROD
50 CONTINUE
C
C ACCUM SUM OF EXPANSION
C
SUM=A(1)
DO 57 J=2,NTERMS
PROD=1.
IMAX=J-1
DO 56 I=1,IMAX

```

```

PRECM152
PRECM153
PRECM154
PRECM155
INTERP 2
INTERP 3
INTERP 4
INTERP 5
INTERP 6
INTERP 6
INTERP 7
INTERP 8
INTERP 9
INTERP10
INTERP11
INTERP12
INTERP13
INTERP14
INTERP15
INTERP16
INTERP17
INTERP18
INTERP19
INTERP20
INTERP21
INTERP22
INTERP23
INTERP24
INTERP25
INTERP26
INTERP27
INTERP28
INTERP29
INTERP30
INTERP31
INTERP32
INTERP33
INTERP34
INTERP35
INTERP36
INTERP37
INTERP38
INTERP39
INTERP40
INTERP41
INTERP42
INTERP43
INTERP44
INTERP45
INTERP46
INTERP47
INTERP48
INTERP49
INTERP50
INTERP51
INTERP52
INTERP53
INTERP54
INTERP55
INTERP56
INTERP57
INTERP58
INTERP59
INTERP60

```

DO 56 I=1,IMAX

INTERP61

56        PROD=PROD\*(DELTA=DELTA(I))  
CONTINUE  
57        SUM=SUM+A(J)\*PROD  
CONTINUE  
60        YOUT=SUM  
61        CONTINUE  
RETURN  
END

INTERP62  
INTERP63  
INTERP64  
INTERP65  
INTERP66  
INTERP67  
INTERP68

APPENDIX B

GROUND2: GROUND-STATE MASS, SPIN AND PARITY DATA FILE

11	14	18	19	30	20	26	29
26	26	16	-4	-3	-34	4	3
13	13	-61	28	-59	43	6	10
-17	22	32	32	30	-33	50	-34
50	10	10	9	11	7	8	8
10	4	7	12	0	18	28	37
48	55	63	71	81	85	92	104
n	198	338	500	709	919	1079	1287
1577	1681	1863	2055				
.100000E+07	.100000E+07	.100000E+07	.100000E+07	.100000E+07	.100000E+07	.807169E+01	
.161434E+02	.242151E+02	.322868E+02	.403585E+02	.484302E+02	.565019E+02	.100000E+07	
.100000E+07	.100000E+07	.728922E+01	.131363E+02	.149504E+02	.167645E+02	.259000E+02	
.340000E+02	.460000E+02	.585000E+02	.763387E+02	.100000E+07	.100000E+07	.100000E+07	
.100000E+07	.149317E+02	.242494E+01	.113900E+02	.175973E+02	.261110E+02	.261110E+02	
.316500E+02	.540126E+02	.621931E+02	.100000E+07	.100000E+07	.100000E+07	.251300E+02	
.116800E+02	.140875E+02	.149086E+02	.209475E+02	.249660E+02	.353000E+02	.353000E+02	
.434000E+02	.672440E+02	.100000E+07	.348700E+02	.183750E+02	.157703E+02	.157703E+02	
.494180E+01	.113404E+02	.126001E+02	.201770E+02	.249500E+02	.357200E+02	.357200E+02	
.507410E+02	.475554E+02	.279400E+02	.229223E+02	.124157E+02	.120523E+02	.120523E+02	
.866795E+01	.133704E+02	.165670E+02	.242300E+02	.294100E+02	.475524E+02	.475524E+02	
.355996E+02	.289120E+02	.157027E+02	.106502E+02	.400010E+05	.315227E+01	.315227E+01	
.301995E+01	.987350E+01	.136930E+02	.175600E+02	.283093E+02	.414892E+02	.414892E+02	
.254500E+02	.173440E+02	.534570E+01	.286302E+01	.101804E+00	.568350E+01	.568350E+01	
.787100E+01	.132740E+02	.163500E+02	.250052E+02	.328972E+02	.231060E+02	.231060E+02	
.800859E+01	.286110E+01	.473668E+01	.807396E+00	.782496E+00	.333230E+01	.333230E+01	
.380000E+01	.106700E+02	.137301E+02	.342073E+02	.176600E+02	.106930E+02	.106930E+02	
.195180E+01	.872004E+00	.148610E+01	.156960E+01	.459960E+01	.282800E+01	.282800E+01	
.579432E+01	.100070E+02	.237120E+02	.164800E+02	.531900E+01	.175210E+01	.175210E+01	
.704170E+01	.573120E+01	.802510E+01	.515000E+01	.594800E+01	.193576E+01	.193576E+01	
.926066E+00	.253598E+02	.129800E+02	.684000E+01	.218300E+01	.518200E+01	.518200E+01	
.952930E+01	.841670E+01	.935600E+01	.751000E+01	.658000E+01	.337215E+01	.337215E+01	
.175100E+02	.109110E+02	.383996E+00	.547740E+01	.139313E+02	.131915E+02	.131915E+02	
.162134E+02	.145547E+02	.150170E+02	.125529E+02	.126582E+02	.180500E+02	.180500E+02	
.677000E+01	.489960E+01	.891230E+01	.122088E+02	.171950E+02	.168488E+02	.168488E+02	
.182130E+02	.158900E+02	.167240E+02	.129243E+02	.107600E+02	.382000E+01	.382000E+01	
.714700E+01	.123854E+02	.214911E+02	.218933E+02	.244313E+02	.229479E+02	.229479E+02	
.200910E+02	.210651E+02	.208304E+02	.838467E+01	.210004E+00	.715400E+01	.715400E+01	
.169500E+02	.202039E+02	.244396E+02	.243042E+02	.263370E+02	.248300E+02	.248300E+02	
.249132E+02	.208025E+02	.159162E+01	.315000E+01	.140650E+02	.189980E+02	.189980E+02	
.260143E+02	.265860E+02	.299292E+02	.288456E+02	.306659E+02	.269070E+02	.269070E+02	
.268630E+02	.375294E+00	.720000E+01	.132630E+02	.210024E+02	.244384E+02	.244384E+02	
.290130E+02	.295218E+02	.317615E+02	.298000E+02	.298020E+02	.275400E+02	.275400E+02	
.940000E+01	.183950E+02	.230494E+02	.302305E+02	.309474E+02	.347144E+02	.347144E+02	
.332400E+02	.350392E+02	.330661E+02	.344200E+02	.318900E+02	.327463E+02	.327463E+02	
.298806E+02	.304730E+02	.112500E+02	.173170E+02	.247984E+02	.287920E+02	.287920E+02	
.338053E+02	.335341E+02	.355583E+02	.350214E+02	.365820E+02	.358050E+02	.358050E+02	
.366110E+02	.354260E+02	.357040E+02	.333870E+02	.132300E+02	.220230E+02	.220230E+02	
.272830E+02	.348457E+02	.351371E+02	.385381E+02	.383990E+02	.414636E+02	.414636E+02	
.408063E+02	.431380E+02	.423430E+02	.442220E+02	.412920E+02	.395780E+02	.395780E+02	
.201185E+02	.205210E+02	.286410E+02	.321070E+02	.361790E+02	.378140E+02	.378140E+02	
.410631E+02	.417584E+02	.443289E+02	.444950E+02	.465520E+02	.445450E+02	.445450E+02	
.432270E+02	.399582E+02	.202779E+02	.251210E+02	.293200E+02	.375480E+02	.375480E+02	
.390007E+02	.441250E+02	.449292E+02	.484856E+02	.485573E+02	.514336E+02	.514336E+02	
.497390E+02	.494700E+02	.465660E+02	.456353E+02	.200612E+02	.273295E+02	.273295E+02	
.319020E+02	.370714E+02	.420048E+02	.444022E+02	.479561E+02	.4292167E+02	.4292167E+02	
.521974E+02	.514369E+02	.510610E+02	.499300E+02	.493301E+02	.460904E+02	.460904E+02	
.242100E+02	.335192E+02	.345000E+02	.428160E+02	.453880E+02	.502557E+02	.502557E+02	
.514460E+02	.554150E+02	.552838E+02	.569323E+02	.551210E+02	.552660E+02	.552660E+02	
.524991E+02	.520815E+02	.288027E+02	.334957E+02	.377200E+02	.426246E+02	.426246E+02	
.482400E+02	.507050E+02	.546865E+02	.555570E+02	.577100E+02	.569087E+02	.569087E+02	
.576200E+02	.560600E+02	.557332E+02	.529505E+02	.296617E+02	.374329E+02	.374329E+02	
.413293E+02	.483330E+02	.509420E+02	.562517E+02	.574784E+02	.606094E+02	.606094E+02	

601038E+02	621551E+02	606700E+02	614350E+02	590300E+02	593966E+02
319169E+02	373940E+02	444751E+02	480020E+02	540124E+02	560412E+02
593470E+02	598472E+02	622357E+02	616556E+02	629200E+02	615300E+02
618630E+02	601100E+02	125189E+02	190916E+02	287213E+02	348710E+02
424793E+02	479704E+02	539080E+02	561040E+02	602350E+02	611626E+02
644792E+02	642270E+02	667519E+02	655215E+02	671093E+02	651330E+02
660600E+02	632000E+02	220830E+02	280396E+02	387301E+02	438107E+02
497644E+02	516680E+02	563630E+02	583520E+02	619818E+02	628050E+02
655874E+02	654318E+02	672640E+02	662598E+02	673020E+02	654200E+02
659400E+02	632075E+02	361565E+02	410192E+02	461136E+02	498766E+02
541930E+02	565800E+02	611150E+02	622220E+02	660064E+02	639141E+02
688945E+02	678767E+02	700043E+02	684162E+02	695597E+02	673320E+02
681310E+02	651689E+02	397151E+02	428894E+02	499122E+02	512830E+02
567200E+02	589300E+02	626590E+02	637190E+02	668760E+02	670890E+02
693230E+02	689060E+02	721381E+02	685876E+02	697400E+02	679200E+02
685400E+02	665803E+02	437306E+02	467574E+02	540190E+02	563600E+02
616170E+02	624500E+02	666980E+02	670975E+02	705595E+02	699330E+02
725807E+02	712932E+02	734224E+02	718410E+02	732123E+02	711600E+02
717800E+02	693900E+02	459347E+02	504423E+02	560974E+02	584437E+02
631300E+02	643380E+02	678940E+02	682300E+02	709540E+02	708587E+02
730297E+02	722862E+02	739170E+02	727600E+02	736900E+02	717600E+02
725900E+02	705530E+02	535412E+02	562485E+02	615868E+02	628900E+02
676300E+02	682130E+02	722130E+02	721649E+02	752546E+02	746014E+02
770268E+02	759330E+02	777570E+02	763870E+02	775870E+02	754000E+02
759200E+02	726914E+02	564326E+02	589439E+02	635100E+02	652100E+02
691550E+02	701500E+02	732369E+02	734530E+02	760741E+02	758953E+02
774700E+02	775030E+02	790180E+02	777300E+02	786700E+02	759600E+02
742000E+02	709228E+02	621100E+02	640500E+02	691500E+02	702370E+02
741470E+02	744430E+02	778960E+02	776800E+02	805910E+02	799870E+02
824332E+02	814726E+02	832613E+02	807000E+02	797000E+02	765600E+02
748900E+02	715000E+02	670567E+02	709200E+02	721000E+02	754200E+02
761940E+02	789490E+02	797530E+02	821596E+02	827383E+02	845926E+02
826040E+02	817100E+02	793000E+02	780000E+02	750200E+02	730500E+02
696176E+02	677659E+02	634302E+02	703588E+02	716200E+02	755900E+02
766900E+02	806390E+02	810960E+02	845094E+02	848661E+02	879076E+02
861960E+02	859279E+02	836840E+02	829200E+02	799500E+02	787400E+02
755400E+02	741857E+02	700380E+02	683543E+02	681409E+02	722000E+02
736900E+02	778360E+02	792360E+02	829840E+02	842890E+02	876856E+02
864739E+02	863490E+02	848340E+02	842540E+02	822600E+02	812360E+02
786300E+02	768300E+02	737288E+02	718211E+02	678574E+02	711049E+02
729400E+02	779400E+02	794800E+02	836100E+02	848510E+02	887626E+02
878935E+02	884569E+02	871437E+02	872631E+02	856660E+02	854260E+02
829330E+02	812730E+02	783600E+02	770900E+02	729000E+02	726145E+02
687930E+02	742800E+02	764100E+02	809800E+02	826520E+02	866320E+02
864530E+02	872071E+02	863643E+02	867885E+02	856090E+02	856050E+02
835100E+02	828600E+02	801900E+02	794000E+02	762000E+02	753382E+02
718365E+02	718100E+02	750100E+02	801650E+02	821880E+02	868084E+02
868090E+02	884099E+02	877133E+02	887959E+02	875402E+02	881109E+02
859560E+02	861851E+02	835040E+02	836000E+02	805000E+02	801900E+02
771353E+02	763106E+02	706912E+02	765900E+02	788600E+02	836230E+02
841500E+02	860120E+02	858600E+02	871950E+02	865200E+02	873280E+02
858500E+02	863250E+02	846000E+02	849000E+02	827900E+02	825300E+02
798200E+02	787624E+02	758277E+02	746133E+02	774200E+02	825690E+02
834500E+02	860730E+02	860400E+02	882230E+02	876202E+02	892219E+02
879557E+02	891002E+02	872530E+02	880940E+02	859300E+02	863230E+02
837100E+02	837100E+02	807255E+02	800638E+02	729964E+02	784500E+02
796300E+02	825500E+02	831660E+02	855680E+02	855920E+02	874020E+02
867780E+02	880160E+02	869440E+02	878470E+02	863620E+02	868600E+02
850300E+02	851100E+02	829400E+02	819186E+02	792349E+02	766824E+02
777500E+02	813700E+02	821630E+02	851900E+02	854120E+02	879270E+02
874630E+02	894110E+02	884130E+02	899020E+02	883730E+02	895260E+02
876060E+02	883400E+02	860200E+02	862800E+02	834117E+02	832950E+02
735545E+02	761300E+02	778900E+02	810100E+02	823670E+02	847800E+02

83311E+02	8707A0F+02	A60280F+02	8040A0E+02	876090E+02	8A7219E+02
874555E+02	882240E+02	865800E+02	870350E+02	850100E+02	849100E+02
824200E+02	701753E+02	741956E+02	754A00E+02	794700E+02	803800E+02
840100E+02	842A00E+02	871302E+02	869910E+02	892480E+02	885390E+02
903464E+02	892516E+02	905769E+02	890449E+02	900142E+02	880900E+02
887150E+02	864080E+02	867040E+02	842100E+02	83A867E+02	80A251E+02
807374E+02	777437E+02	771780E+02	740533E+02	732636E+02	699719E+02
687532E+02	683704E+02	696700E+02	737A00E+02	755100E+02	791A00E+02
803900E+02	835000E+02	841000E+02	865200E+02	864200E+02	884260E+02
879890E+02	893420E+02	895840E+02	895410E+02	882480E+02	889290E+02
874500E+02	877140E+02	854900E+02	858200E+02	832400E+02	834200E+02
808300E+02	804427E+02	778720E+02	771294E+02	742997E+02	731560E+02
701173E+02	658800E+02	709100E+02	725800E+02	770900E+02	782000E+02
820000E+02	827200E+02	858240E+02	859180E+02	8864A0E+02	883170E+02
905650E+02	900270E+02	915218E+02	903926E+02	916483E+02	900616E+02
910943E+02	892027E+02	893566E+02	878090E+02	882290E+02	858900E+02
860130E+02	835100E+02	834000E+02	804644E+02	790127E+02	767561E+02
756564E+02	631A00E+02	656900E+02	701000E+02	722000E+02	760200E+02
776200E+02	810200E+02	818500E+02	844190E+02	848700E+02	869970E+02
870200E+02	886400E+02	879530E+02	894830E+02	884140E+02	895899E+02
883256E+02	892191E+02	876142E+02	802620E+02	863300E+02	867000E+02
847000E+02	845910E+02	823500E+02	820900E+02	795900E+02	790000E+02
733794E+02	600500E+02	652900E+02	674200E+02	721200E+02	736200E+02
776500E+02	785200E+02	821700E+02	824600E+02	854600E+02	851500E+02
876500E+02	871A00E+02	894020E+02	885900E+02	903038E+02	891620E+02
905141E+02	890273E+02	900649E+02	882890E+02	889889E+02	870040E+02
873454E+02	851910E+02	851930E+02	829000E+02	825700E+02	827700E+02
749845E+02	588877E+02	613890E+02	654013E+02	674926E+02	713200E+02
734700E+02	769600E+02	781600E+02	808400E+02	815500E+02	839900E+02
841000E+02	862200E+02	861600E+02	879600E+02	873540E+02	887930E+02
879140E+02	889814E+02	877351E+02	895030E+02	868880E+02	887432E+02
856980E+02	858600E+02	839700E+02	837760E+02	794200E+02	768100E+02
727766E+02	555988E+02	605741E+02	625914E+02	671987E+02	694900E+02
736600E+02	747700E+02	782500E+02	790000E+02	819000E+02	824300E+02
850600E+02	852900E+02	874500E+02	871400E+02	891650E+02	883170E+02
898601E+02	886940E+02	898801E+02	884140E+02	892784E+02	876600E+02
881230E+02	865020E+02	864230E+02	822130E+02	800700E+02	759800E+02
732400E+02	810900E+02	815500E+02	840700E+02	841600E+02	862270E+02
859530E+02	875900E+02	868570E+02	880590E+02	871790E+02	880870E+02
869040E+02	876590E+02	863560E+02	865610E+02	828700E+02	807800E+02
775400E+02	748700E+02	710700E+02	795700E+02	823600E+02	827300E+02
852500E+02	851500E+02	872970E+02	867190E+02	884510E+02	875720E+02
889650E+02	878A00E+02	889040E+02	877340E+02	882740E+02	849260E+02
832410E+02	799700E+02	777000E+02	740100E+02	718000E+02	777300E+02
784500E+02	811500E+02	816000E+02	837600E+02	837400E+02	856700E+02
852550E+02	868300E+02	860300E+02	872300E+02	864800E+02	871060E+02
842767E+02	829600E+02	799700E+02	792100E+02	749000E+02	729100E+02
694400E+02	761962E+02	793065E+02	794600E+02	823400E+02	823700E+02
847500E+02	845300E+02	864620E+02	860300E+02	865360E+02	869110E+02
880420E+02	853990E+02	844870E+02	815930E+02	804030E+02	771100E+02
757400E+02	722300E+02	706800E+02	742923E+02	750606E+02	7A1059E+02
785500E+02	809500E+02	812600E+02	832800E+02	830990E+02	847990E+02
846540E+02	859A00E+02	837527E+02	830380E+02	807190E+02	795990E+02
76A200E+02	754300E+02	724800E+02	713A00E+02	686600E+02	722634E+02
755467E+02	763070E+02	788000E+02	792A00E+02	81A000E+02	820000E+02
841800E+02	841750E+02	859160E+02	839700E+02	837160E+02	814000E+02
80A9A0E+02	781290E+02	773810E+02	743770E+02	736620E+02	708990E+02
701260E+02	703454E+02	712640E+02	744951E+02	752684E+02	775000E+02
7A2A30E+02	804500E+02	811000E+02	829010E+02	813400E+02	812340E+02
794210E+02	790230E+02	768520E+02	760460E+02	735300E+02	733650E+02
713500E+02	707400E+02	684500E+02	680765E+02	715358E+02	723531E+02
752745E+02	760500E+02	790500E+02	794220E+02	819040E+02	819040E+02
809470E+02	792480E+02	793170E+02	771180E+02	770330E+02	745530E+02

747400E+02	775440E+02	771510E+02	711290E+02	673700E+02	676620E+02
669029E+02	701692E+02	713875E+02	744200E+02	755770E+02	770760E+02
770750E+02	774860E+02	762170E+02	763600E+02	747100E+02	746290E+02
728630E+02	733470E+02	717130E+02	718100E+02	700720E+02	694610E+02
672500E+02	659200E+02	635300E+02	621724E+02	592427E+02	574750E+02
539323E+02	629867E+02	667580E+02	681373E+02	718800E+02	728800E+02
758800E+02	751580E+02	762070E+02	790720E+02	757200E+02	741650E+02
746910E+02	731060E+02	736910E+02	720650E+02	725240E+02	708210E+02
706800E+02	685530E+02	679340E+02	654910E+02	642900E+02	640074E+02
604327E+02	571640E+02	553764E+02	605478E+02	624901E+02	660294E+02
677800E+02	705600E+02	705900E+02	713750E+02	710600E+02	715570E+02
708710E+02	713100E+02	702900E+02	712200E+02	702200E+02	707570E+02
694400E+02	695030E+02	678130E+02	674450E+02	656900E+02	646700E+02
625900E+02	607045E+02	579338E+02	562081E+02	529554E+02	582119E+02
623942E+02	642165E+02	677900E+02	674800E+02	691000E+02	685520E+02
700570E+02	690900E+02	703560E+02	691210E+02	704910E+02	693940E+02
703840E+02	691380E+02	696480E+02	680270E+02	681510E+02	683510E+02
659340E+02	635770E+02	625630E+02	601486E+02	588259E+02	558282E+02
538745E+02	557699E+02	581452E+02	615800E+02	620000E+02	635000E+02
636700E+02	648320E+02	645980E+02	658200E+02	653900E+02	668900E+02
664070E+02	674400E+02	667280E+02	672100E+02	659810E+02	663420E+02
649550E+02	648730E+02	630440E+02	622980E+02	602000E+02	587500E+02
563900E+02	544163E+02	515466E+02	531970E+02	579000E+02	582000E+02
604300E+02	602500E+02	624000E+02	620100E+02	636900E+02	629900E+02
649100E+02	643400E+02	659300E+02	651610E+02	662990E+02	681340E+02
645100E+02	645010E+02	649040E+02	632680E+02	629680E+02	608990E+02
600910E+02	577000E+02	564800E+02	534200E+02	521077E+02	509000E+02
519300E+02	539000E+02	544900E+02	563100E+02	566900E+02	581900E+02
583100E+02	601400E+02	601300E+02	616400E+02	616000E+02	627170E+02
619560E+02	629360E+02	618690E+02	625210E+02	612700E+02	612510E+02
597730E+02	591900E+02	573690E+02	562150E+02	538700E+02	522800E+02
493480E+02	473000E+02	500100E+02	504200E+02	530700E+02	532100E+02
553100E+02	551400E+02	573300E+02	571400E+02	593000E+02	590200E+02
608600E+02	601840E+02	616090E+02	605660E+02	615490E+02	603440E+02
607410E+02	592870E+02	592390E+02	575350E+02	569330E+02	546810E+02
534850E+02	509750E+02	494700E+02	316633E+02	367097E+02	383730E+02
426900E+02	439300E+02	463100E+02	471100E+02	489400E+02	495300E+02
516400E+02	522000E+02	542200E+02	544600E+02	561800E+02	561100E+02
575000E+02	571900E+02	580740E+02	573010E+02	578900E+02	576400E+02
560450E+02	555620E+02	551490E+02	533700E+02	523710E+02	501700E+02
491000E+02	464700E+02	312697E+02	346710E+02	390500E+02	421800E+02
427400E+02	452300E+02	455400E+02	482000E+02	486200E+02	510600E+02
510800E+02	534100E+02	532000E+02	551900E+02	547000E+02	561000E+02
552900E+02	563400E+02	552500E+02	557600E+02	545420E+02	545590E+02
528680E+02	524220E+02	504500E+02	497660E+02	473890E+02	459000E+02
432190E+02	377361E+02	307684E+02	320957E+02	348350E+02	357814E+02
415200E+02	424600E+02	448800E+02	456100E+02	478000E+02	481900E+02
501000E+02	501200E+02	515900E+02	513400E+02	523500E+02	517600E+02
523400E+02	514600E+02	517100E+02	505100E+02	503310E+02	488400E+02
484120E+02	464030E+02	452590E+02	426370E+02	413800E+02	385800E+02
249025E+02	281628E+02	293871E+02	327844E+02	377800E+02	406100E+02
414000E+02	439900E+02	443000E+02	466000E+02	465900E+02	485400E+02
483570E+02	498600E+02	493400E+02	504600E+02	497100E+02	500200E+02
492300E+02	496500E+02	482290E+02	482000E+02	463270E+02	456670E+02
433450E+02	424750E+02	398700E+02	386340E+02	354400E+02	206629E+02
243342E+02	260315E+02	337000E+02	349900E+02	375000E+02	384000E+02
406900E+02	412400E+02	431500E+02	434600E+02	450400E+02	449600E+02
461100E+02	457600E+02	465400E+02	458600E+02	464300E+02	453480E+02
457710E+02	440600E+02	437740E+02	418810E+02	411810E+02	389830E+02
379420E+02	354900E+02	344600E+02	310085E+02	108713E+02	226026E+02
296000E+02	326000E+02	334900E+02	361400E+02	367500E+02	390600E+02
393400E+02	413600E+02	414100E+02	429600E+02	427400E+02	439600E+02
434000E+02	442500E+02	433700E+02	441580E+02	427590E+02	429580E+02

411840E+02	411810E+02	387700E+02	387740E+02	363620E+02	398500E+02
333670E+02	323970E+02	298500E+02	152037E+02	252300E+02	266200E+02
293000E+02	303700E+02	327400E+02	335800E+02	355900E+02	359600E+02
376400E+02	378600E+02	391000E+02	389500E+02	399700E+02	394000E+02
402600E+02	391270E+02	396800E+02	382680E+02	384500E+02	366200E+02
366720E+02	347990E+02	344990E+02	324940E+02	318510E+02	294600E+02
284100E+02	255100E+02	208400E+02	240000E+02	249700E+02	278500E+02
286800E+02	310700E+02	316500E+02	336800E+02	338500E+02	355900E+02
354800E+02	369400E+02	364600E+02	375000E+02	367800E+02	317200E+02
365500E+02	372930E+02	356720E+02	362560E+02	344380E+02	347330E+02
327860E+02	326350E+02	304140E+02	299060E+02	274060E+02	266100E+02
235000E+02	108105E+02	206200E+02	218900E+02	243400E+02	253800E+02
274200E+02	280900E+02	297500E+02	301400E+02	314900E+02	315000E+02
327500E+02	324300E+02	335500E+02	328900E+02	337700E+02	327420E+02
334400E+02	322240E+02	325570E+02	311530E+02	311610E+02	296020E+02
290990E+02	273100E+02	261600E+02	238500E+02	227700E+02	201900E+02
161300E+02	283000E+02	201200E+02	226600E+02	234200E+02	255900E+02
259300E+02	279600E+02	279100E+02	295200E+02	293500E+02	308900E+02
304700E+02	318400E+02	311000E+02	321740E+02	311600E+02	318370E+02
307460E+02	309750E+02	295520E+02	295090E+02	276620E+02	273460E+02
252670E+02	246860E+02	222820E+02	209370E+02	170674E+02	215100E+02
219200E+02	236500E+02	238900E+02	254700E+02	255400E+02	269000E+02
266700E+02	279600E+02	274400E+02	283500E+02	275100E+02	261500E+02
270550E+02	272500E+02	261090E+02	257580E+02	243420E+02	238110E+02
222440E+02	210140E+02	167490E+02	136320E+02	922400E+01	652614E+01
187044E+01	169500E+02	191900E+02	194700E+02	215400E+02	216000E+02
234700E+02	233600E+02	250400E+02	246500E+02	260100E+02	253500E+02
263500E+02	254500E+02	260590E+02	247760E+02	251050E+02	237680E+02
237770E+02	224460E+02	217430E+02	176090E+02	147200E+02	104630E+02
754400E+01	313000E+01	146996E+00	123700E+02	129400E+02	150000E+02
153700E+02	172600E+02	174400E+02	191500E+02	191100E+02	205500E+02
203500E+02	214500E+02	208600E+02	215900E+02	207100E+02	210640E+02
201250E+02	200410E+02	188750E+02	182570E+02	147830E+02	118390E+02
811700E+01	522600E+01	118300E+01	173000E+01	599000E+01	740000E+01
978000E+01	103000E+02	124600E+02	127600E+02	147400E+02	148600E+02
166300E+02	164200E+02	178900E+02	174300E+02	184500E+02	177000E+02
183080E+02	171320E+02	174640E+02	163640E+02	159440E+02	224290E+02
103640E+02	664700E+01	446000E+01	513996E+00	178600E+01	597000E+01
839000E+01	332000E+01	547000E+01	606000E+01	806000E+01	806000E+01
102500E+02	104300E+02	119200E+02	118600E+02	130100E+02	126200E+02
132900E+02	125400E+02	128820E+02	120690E+02	116370E+02	862400E+01
657800E+01	340900E+01	125400E+01	226000E+01	439800E+01	811700E+01
105400E+02	142200E+02	168519E+02	292019E+01	302000E+01	347000E+01
555000E+01	580000E+01	766000E+01	761000E+01	908000E+01	875000E+01
975000E+01	912000E+01	972300E+01	874100E+01	864800E+01	569600E+01
431000E+01	116500E+01	262004E+00	366600E+01	523200E+01	885600E+01
106160E+02	143900E+02	164020E+02	203998E+02	227885E+02	679480E+01
164000E+01	112000E+01	769996E+00	108000E+01	259000E+01	269000E+01
380000E+01	352000E+01	420000E+01	358000E+01	355400E+01	105600E+01
331000E+01	297600E+01	431800E+01	701300E+01	861400E+01	114830E+02
132800E+02	163640E+02	184060E+02	217300E+02	241518E+02	276424E+02
301661E+02	863641E+01	429000E+01	389000E+01	203000E+01	196000E+01
500004E+00	710004E+00	299996E+00	170004E+00	259960E+01	254700E+01
325700E+01	589000E+01	666200E+01	939200E+01	102790E+02	129740E+02
143360E+02	172570E+02	188280E+02	220110E+02	236940E+02	272010E+02
289620E+02	327000E+02	345900E+02	127550E+02	939000E+01	895000E+01
746000E+01	729000E+01	612000E+01	625000E+01	597000E+01	803000E+01
867000E+01	107460E+02	115820E+02	137480E+02	145290E+02	165690E+02
178210E+02	202310E+02	216390E+02	243270E+02	258710E+02	289070E+02
307000E+02	337900E+02	359300E+02	391700E+02	416164E+02	162856E+02
143553E+02	122200E+02	107500E+02	108000E+02	102000E+02	120200E+02
123000E+02	143700E+02	146800E+02	169430E+02	172150E+02	192710E+02
200000E+02	223190E+02	232120E+02	258270E+02	267700E+02	296040E+02



.300000E+02	.330200E+02	.354670E+02	.387520E+02	.406450E+02	.44253E+02
.469190E+02	.218812E+02	.199649E+02	.192296E+02	.178733E+02	.191150E+02
.194177E+02	.206954E+02	.207211E+02	.218700E+02	.223520E+02	.237990E+02
.243310E+02	.259800E+02	.268270E+02	.288830E+02	.298990E+02	.321900E+02
.334430E+02	.359530E+02	.375080E+02	.403820E+02	.423300E+02	.455600E+02
.477100E+02	.513000E+02	.536996E+02	.289000E+02	.292360E+02	.312160E+02
.316280E+02	.338000E+02	.346080E+02	.369370E+02	.381680E+02	.409340E+02
.424630E+02	.454070E+02	.473350E+02	.506040E+02	.527420E+02	.563610E+02
.588672E+02	.337680E+02	.352030E+02	.356500E+02	.373100E+02	.380200E+02
.399760E+02	.410570E+02	.434370E+02	.448890E+02	.474810E+02	.493260E+02
.522300E+02	.543300E+02	.575400E+02	.599200E+02	.634461E+02	.385826E+02
.383600E+02	.400570E+02	.403630E+02	.421900E+02	.429000E+02	.451130E+02
.461860E+02	.486020E+02	.501400E+02	.529720E+02	.547420E+02	.57770E+02
.598310E+02	.631800E+02	.653200E+02	.431365E+02	.444300E+02	.446700E+02
.460300E+02	.466500E+02	.484900E+02	.494060E+02	.515400E+02	.529510E+02
.554940E+02	.571890E+02	.598980E+02	.619220E+02	.649400E+02	.671600E+02
.757200E+02	.480455E+02	.479900E+02	.491800E+02	.494190E+02	.511100E+02
.517210E+02	.537230E+02	.548270E+02	.571960E+02	.584690E+02	.610200E+02
.626410E+02	.655560E+02	.674170E+02	.707760E+02	.730700E+02	.52914E+02
.542500E+02	.543000E+02	.557200E+02	.561200E+02	.578300E+02	.587020E+02
.607400E+02	.618400E+02	.642400E+02	.655000E+02	.680100E+02	.698600E+02
.729700E+02	.752000E+02	.785600E+02	.79543E+02	.581300E+02	.592100E+02
.593530E+02	.609300E+02	.614740E+02	.634030E+02	.641210E+02	.662200E+02
.672640E+02	.697420E+02	.711950E+02	.741530E+02	.760590E+02	.793370E+02
.814320E+02	.634322E+02	.644609E+02	.645576E+02	.659800E+02	.664500E+02
.679700E+02	.685780E+02	.703200E+02	.711460E+02	.732000E+02	.745170E+02
.771800E+02	.790380E+02	.820210E+02	.841100E+02	.872800E+02	.691821E+02
.689260E+02	.699975E+02	.701510E+02	.715600E+02	.719000E+02	.735300E+02
.740940E+02	.760100E+02	.768420E+02	.793700E+02	.809340E+02	.838210E+02
.855180E+02	.886200E+02	.100000E+07	.757960E+02	.761650E+02	.763916E+02
.773100E+02	.773300E+02	.786500E+02	.790500E+02	.805900E+02	.812700E+02
.834200E+02	.848900E+02	.875100E+02	.890600E+02	.100000E+07	.100000E+07
.100000E+07	.818920E+02	.813690E+02	.815832E+02	.818785E+02	.827800E+02
.828710E+02	.843500E+02	.847540E+02	.868700E+02	.878200E+02	.902490E+02
.100000E+07	.100000E+07	.100000E+07	.100000E+07	.100000E+07	.876330E+02
.889951E+02	.883430E+02	.890848E+02	.887721E+02	.896606E+02	.902077E+02
.91A200E+02	.927000E+02	.100000E+07	.100000E+07	.100000E+07	.100000E+07
.100000E+07	.100000E+07	.100000E+07	.100000E+07	.100000E+07	.100000E+07
.0.000	.0.000	.0.000	.0.000	.100.500	.0.000
.0.000	.0.000	.0.000	.0.000	.0.000	.100.500
.100.500	.9999.000	.9999.000	.9999.000	.9999.000	.9999.000
.0.000	.100.500	.100.000	.-98.500	.100.000	.9999.000
.100.000	.0.000	.0.000	.9999.000	.-98.500	.102.000
.-98.500	.9999.000	.9999.000	.9999.000	.0.000	.9999.000
.100.000	.-98.500	.100.000	.100.500	.100.000	.9999.000
.9999.000	.102.000	.-98.500	.103.000	.-98.500	.101.000
.9999.000	.9999.000	.100.000	.-98.500	.100.000	.-98.500
.100.000	.100.500	.100.000	.9999.000	.100.000	.9999.000
.-99.500	.101.000	.-99.500	.-98.000	.-99.500	.9999.000
.100.000	.9999.000	.100.000	.-99.500	.100.000	.102.500
.100.000	.9999.000	.100.000	.9999.000	.9999.000	.102.500
.100.500	.102.000	.102.500	.9999.000	.9999.000	.101.000
.100.000	.100.500	.100.000	.101.500	.100.000	.102.500
.100.000	.9999.000	.9999.000	.102.000	.101.500	.103.000
.102.500	.100.000	.9999.000	.9999.000	.100.000	.102.500
.100.000	.102.500	.100.000	.100.500	.100.000	.9999.000
.102.500	.104.000	.102.500	.105.000	.102.500	.103.000
.9999.000	.9999.000	.100.000	.102.500	.100.000	.102.500
.100.000	.101.500	.100.000	.9999.000	.100.000	.9999.000
.100.000	.101.000	.100.500	.101.000	.100.500	.9999.000
.100.000	.9999.000	.100.000	.100.500	.100.000	.101.500
.100.000	.-96.500	.100.000	.9999.000	.9999.000	.102.000
.101.500	.102.000	.101.500	.-98.000	.101.500	.-98.000

101.500	100.000	101.500	100.000	-96.500	100.000	-96.500	100.000
9999.000	100.000	9999.000	100.000	9999.000	9999.000	101.500	103.000
101.500	-96.000	101.500	-98.000	101.500	-98.000	101.500	-98.000
102.500	9999.000	101.500	100.000	101.500	100.000	-96.500	100.000
-96.500	100.000	-96.500	100.000	-96.500	100.000	-98.500	100.000
9999.000	-96.000	-96.500	100.000	-96.500	102.000	-96.500	104.000
-96.500	106.000	-96.500	105.000	-96.500	9999.000	9799.000	100.000
-96.500	100.000	-96.500	100.000	-97.500	100.000	-96.500	100.000
-98.500	100.000	9999.000	100.000	9999.000	9999.000	9999.000	100.000
-98.500	104.000	-96.500	106.000	-96.500	103.000	-96.500	105.000
9999.000	9999.000	9999.000	100.000	9999.000	100.000	-97.500	100.000
-96.500	100.000	-98.500	100.000	-98.500	100.000	9999.000	100.000
9999.000	9999.000	9999.000	100.000	-97.500	106.000	-96.500	103.000
-97.500	103.000	-97.500	9999.000	9999.000	9999.000	9999.000	100.000
9999.000	100.000	-96.500	100.000	-98.500	100.000	-99.500	100.000
-98.500	100.000	-98.500	100.000	9999.000	9999.000	9999.000	100.000
-96.500	104.000	-96.500	102.000	-96.500	105.000	-96.500	105.000
9999.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	-98.500	100.000	-98.500	100.000	-98.500	100.000	-99.500
100.000	-97.500	100.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	101.000	-98.500	102.000	-98.500	101.000	-98.500	101.000
-98.500	101.000	-98.500	101.000	9999.000	9999.000	100.000	9999.000
100.000	9999.000	100.000	-98.500	100.000	-98.500	100.000	-97.500
100.000	-97.500	100.000	-99.500	100.000	-99.500	100.000	9999.000
9999.000	9999.000	9999.000	9999.000	-98.500	100.000	-98.500	100.000
-98.500	101.000	-98.500	101.000	-98.500	-97.000	-98.500	-97.000
9999.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	-97.500	100.000	-99.500	100.000	104.500	100.000	-99.500
100.000	103.500	100.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	9999.000	-97.500	-98.000	-98.500	-98.000	-98.500	-98.000
-98.500	-98.000	-98.500	101.000	-98.500	-95.000	100.000	9999.000
100.000	-97.500	100.000	104.500	100.000	102.500	100.000	-99.500
100.000	103.500	100.000	-99.500	100.000	104.500	100.000	9999.000
9999.000	9999.000	9999.000	101.000	-98.500	9901.000	-98.500	101.000
-98.500	101.000	-98.500	-95.000	-98.500	-98.000	-98.500	9999.000
9999.000	9999.000	100.000	9999.000	100.000	103.500	100.000	-99.500
100.000	103.500	100.000	104.500	100.000	104.500	100.000	102.500
100.000	102.500	100.000	102.500	9999.000	-98.500	101.000	-98.500
101.000	-97.500	-98.000	-97.500	-98.000	-98.500	-98.000	-98.500
-99.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	100.000
9999.000	100.000	103.500	100.000	104.500	100.000	104.500	100.000
102.500	100.000	102.500	100.000	9999.000	100.000	9999.000	100.000
9999.000	100.000	9999.000	9999.000	-96.000	104.500	-96.000	-99.500
-96.000	-99.500	-98.000	-99.500	-98.000	-99.500	-98.000	-1.000
9999.000	-99.500	9999.000	9999.000	9999.000	100.000	9999.000	100.000
9999.000	100.000	104.500	100.000	102.500	100.000	102.500	100.000
102.500	100.000	100.000	100.000	9999.000	100.000	9999.000	100.000
9999.000	9999.000	108.000	104.500	108.000	104.500	107.000	104.500
106.000	104.500	105.000	104.500	101.000	104.500	9999.000	9999.000
9999.000	9999.000	9999.000	100.000	9999.000	100.000	104.500	100.000
102.500	100.000	102.500	100.000	102.500	100.000	100.500	100.000
100.500	100.000	9999.000	100.000	9999.000	100.000	9999.000	9999.000
199.000	104.500	199.000	104.500	107.000	104.500	199.000	104.500
101.000	104.500	101.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	100.000	9999.000	100.000	102.500	100.000	102.500	100.000
102.500	100.000	102.500	100.000	102.500	100.000	102.500	100.000
9999.000	100.000	9999.000	100.000	9999.000	9999.000	9999.000	104.500
102.000	-99.500	-99.000	-99.500	-99.000	-99.500	101.000	103.500
101.000	102.500	101.000	9999.000	101.000	9999.000	9999.000	100.000
9999.000	100.000	102.500	100.000	102.500	100.000	102.500	100.000
102.500	100.000	102.500	100.000	102.500	100.000	102.500	100.000
9999.000	100.000	9999.000	9999.000	105.000	104.500	105.000	103.500
105.000	-99.500	101.000	-99.500	101.000	-99.500	101.000	-99.500





100.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	=99.500
100.000	9999.000	100.000	9999.000	100.000	104.500	100.000	101.500
100.000	9999.000	100.000	9999.000	100.000	9999.000	9999.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	-99.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	9999.000	101.500	9999.000	9999.000	9999.000	9999.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	100.500	100.000	-97.500	100.000	9999.000	100.000	9999.000
100.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
-97.500	9999.000	-98.500	9999.000	-98.500	103.000	9999.000	9999.000
9999.000	9999.000	9999.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	101.500	100.000	9999.000	100.000	9999.000	100.000	9999.000
100.000	100.500	100.000	9999.000	100.000	9999.000	9999.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	9999.000	-97.500	103.000	-97.500	-98.000	-98.500	9999.000
-98.500	100.000	-98.500	-99.000	-98.500	9999.000	9999.000	9999.000
100.000	101.500	100.000	-97.500	100.000	102.500	100.000	-96.500
100.000	100.500	100.000	102.500	100.000	9999.000	100.000	9999.000
9999.000	9999.000	9999.000	9999.000	100.000	102.500	-94.000	102.500
102.000	102.500	105.000	102.500	9999.000	9999.000	9999.000	9999.000
100.000	9999.000	100.000	102.500	100.000	-96.500	100.000	100.500
100.000	102.500	100.000	103.500	100.000	-95.500	100.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	-97.500	-97.000	-97.500
-99.000	-97.500	-94.000	102.500	102.000	9999.000	9999.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	100.500	100.000	102.500
100.000	103.500	100.000	-95.500	100.000	100.500	100.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	-98.500	-96.000	-98.500
-98.000	-98.500	-92.000	103.500	-98.000	103.500	9999.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	100.500	100.000	103.500
100.000	-95.500	100.000	100.500	100.000	103.500	100.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	103.500
9999.000	-98.500	107.000	103.500	107.000	9999.000	9999.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	103.500	100.000	9999.000
100.000	100.500	100.000	103.500	100.000	104.500	0.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
9999.000	-96.500	-100.000	9999.000	0.000	0.000	0.000	9999.000
100.000	9999.000	100.000	9999.000	100.000	-95.500	100.000	100.500
100.000	9999.000	0.000	0.000	0.000	0.000	0.000	9999.000
9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000	9999.000
0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

APPENDIX C

SAMPLE PROBLEM INPUT FOR MAIN PROGRAM

```

N + CO-59 == H=1 AND HE-4 PRODUCTION == 10 TO 40 MEV RUNS
APRIL 7, 1977 == STANDARD PARAMETERS
  1  0  0  3  1
-1 12 12  4  0
  5  3  2  1
1.      27059.      1.
1
14.
27060.  4.      =0.683  1.      1001.  2004.
26059.  4.      =1.008  1.      1001.  2004.
25056.  4.      =1.003  1.      1001.  2004.
27059.  4.      =0.173  1.      1001.  2004.
27058.  4.      =0.476  1.      1001.  2004.
      E1  1.
      M1  0.
      E2  0.
0.      0.      .001  .001  .001  .003

```

APPENDIX D

SAMPLE PROBLEM SUPPLEMENTARY INPUT:  
DISCRETE-LEVEL DATA AND TRANSMISSION COEFFICIENTS

23052	7		99.	52.		99.	040676	
1	0.	3.	99.	99.		0		23052
2	.0172	2.	99.	99.		1		23052
	1	1	1.	1.		99.	99 99	23052
3	.0228	4.	99.	99.		1.		23052
	1	1	1.	1.		99.	99 99	23052
4	.1416	1.	99.	99.		1.		23052
	1	2	1.	1.		99.	99 99	23052
5	.1478	3.	99.	99.		2.		23052
	1	1	17	1.		99.	99 99	23052
	2	3	.83	1.		99.	99 99	23052
6	.4366	2.	99.	99.		3.		23052
	1	1	.48	1.		99.	99 99	23052
	2	2	.31	1.		99.	99 99	23052
	3	4	.21	1.		99.	99 99	23052
7	.7935	2.	99.	99.		2.		23052
	1	3	.80	1.		99.	99 99	23052
	2	1	.2	1.		99.	99 99	23052
24055	5		99.	99.		092976		
1	0.	=1.5	99.	99.		0		24055
2	.244	=0.5	99.	99.		1.		24055
	1	1	1.	1.		99.	99 99	24055
3	.521	=2.5	99.	99.		2.		24055
	1	1	.6	1.		99.	99 99	24055
	2	2	.4	1.		99.	99 99	24055
4	.572	=1.5	99.	99.		1.		24055
	1	3	1.	1.		99.	99 99	24055
5	.885	=2.5	99.	99.		1.		24055
	1	4	1.	1.		99.	99 99	24055
25052	3	99.000000	99.000000	=0.000000	929760			
1	0.000000	6.0	99.0	.990000E+02	0		25052	
2	.377800	2.0	99.0	.990000E+02	1		25052	
	1	1	1.000000	1.000000	.990000E+02	99 99	25052	
3	.546000	1.0	99.0	.990000E+02	1		25052	
	1	2	1.000000	1.000000	.990000E+02	99 99	25052	
25053	3	99.000000	99.000000	=0.000000	929760			
1	0.000000	=3.5	99.0	.990000E+02	0		25053	
2	.377500	=2.5	99.0	.990000E+02	1		25053	
	1	1	1.000000	1.000000	.990000E+02	99 99	25053	
3	1.288400	1.5	99.0	.990000E+02	2		25053	
	1	1	.600000	1.000000	.990000E+02	99 99	25053	
	2	2	.400000	1.000000	.990000E+02	99 99	25053	
25054	1	0.000000	53.940357	=55.557000	100975			
1	0.000000	3.0	99.0	.270000E+08	0		25054	
25055	7	99.000000	55.000000	=0.000000	=0			

1	0.000000	-2.5 99.0	.99000E+02	0	25055
2	1.126000	-3.5 99.0	.99000E+02	1	25055
	1 1	1.000000	1.000000	.99000E+02 99 99	25055
3	.984000	-4.5 99.0	.99000E+02	2	25055
	1 1	.090000	1.000000	.99000E+02 99 99	25055
	2 2	.910000	1.000000	.99000E+02 99 99	25055
4	1.292000	-5.5 99.0	.99000E+02	2	25055
	1 3	.300000	1.000000	.99000E+02 99 99	25055
	2 2	.700000	1.000000	.99000E+02 99 99	25055
5	1.528000	-1.5 99.0	.99000E+02	1	25055
	1 1	1.000000	1.000000	.99000E+02 99 99	25055
6	1.883000	-2.5 99.0	.99000E+02	2	25055
	1 1	.620000	1.000000	.99000E+02 99 99	25055
	2 2	.300000	1.000000	.99000E+02 99 99	25055
7	2.199000	-3.5 99.0	.99000E+02	1	25055
	1 3	1.000000	1.000000	.99000E+02 99 99	25055
25056	3 99.000000	56.000000	-0.000000	510760	
1	0.000000	3.0 99.0	.99000E+02	0	25056
2	.026000	2.0 99.0	.99000E+02	1	25056
	1 1	1.000000	1.000000	.99000E+02 99 99	25056
3	.110000	1.0 99.0	.99000E+02	1	25056
	1 2	1.000000	1.000000	.99000E+02 99 99	25056
25058	1 0.	-0. 99. 99.	0	051377	
26055	0 0.000000	54.938294	-57.478400	100775	
1	0.000000	-1.5 99.0	.84000E+08	0	26055
2	.411400	-.5 99.0	.99000E+02	1	26055
	1 1	1.000000	1.000000	.99000E+02 99 99	26055
3	.931200	-2.5 99.0	.99000E+02	2	26055
	1 2	.012000	1.000000	.99000E+02 99 99	26055
	2 1	.988000	1.000000	.99000E+02 99 99	26055
4	1.316400	-2.5 99.0	.99000E+02	2	26055
	1 3	.084000	1.000000	.99000E+02 99 99	26055
	2 1	.916000	1.000000	.99000E+02 99 99	26055
5	1.408400	-3.5 99.0	.99000E+02	3	26055
	1 4	.044000	1.000000	.99000E+02 99 99	26055
	2 3	.450000	1.000000	.99000E+02 99 99	26055
	3 1	.506000	1.000000	.99000E+02 99 99	26055
6	1.918000	-.5 99.0	.99000E+02	2	26055
	1 2	.324000	1.000000	.99000E+02 99 99	26055
	2 1	.676000	1.000000	.99000E+02 99 99	26055
7	2.050000	-1.5 99.0	.99000E+02	2	26055
	1 2	.421000	1.000000	.99000E+02 99 99	26055
	2 1	.579000	1.000000	.99000E+02 99 99	26055
8	2.153000	-2.5 99.0	.99000E+02	1	26055
	1 1	1.000000	1.000000	.99000E+02 99 99	26055
26056	34 99.000000	99.000000	-0.000000	929760	
1	0.000000	0.0 99.0	.99000E+02	0	26056
2	.846000	2.0 99.0	.99000E+02	1	26056
	1 1	1.000000	1.000000	.99000E+02 99 99	26056
3	2.085100	4.0 99.0	.99000E+02	1	26056
	1 2	1.000000	1.000000	.99000E+02 99 99	26056
4	2.657600	2.0 99.0	.99000E+02	2	26056
	1 2	.980000	1.000000	.99000E+02 99 99	26056
	2 1	.020000	1.000000	.99000E+02 99 99	26056
5	2.941700	0.0 99.0	.99000E+02	1	26056
	1 2	1.000000	1.000000	.99000E+02 99 99	26056
6	2.960000	2.0 99.0	.99000E+02	2	26056
	1 2	.980000	1.000000	.99000E+02 99 99	26056
	2 1	.020000	1.000000	.99000E+02 99 99	26056
7	3.120000	1.0 99.0	.99000E+02	2	26056
	1 2	.970000	1.000000	.99000E+02 99 99	26056
	2 1	.030000	1.000000	.99000E+02 99 99	26056



8	3.123400	4.0	99.0	.99000E+02	1		26056
	1	3	1.000000	1.000000	.99000E+02	99 99	26056
9	3.370200	2.0	99.0	.99000E+02	2		26056
	1	2	.840000	1.000000	.99000E+02	99 99	26056
	2	1	.160000	1.000000	.99000E+02	99 99	26056
10	3.388000	6.0	99.0	.99000E+02	1		26056
	1	3	1.000000	1.000000	.99000E+02	99 99	26056
11	3.445000	3.0	99.0	.99000E+02	3		26056
	1	4	.030000	1.000000	.99000E+02	99 99	26056
	2	3	.190000	1.000000	.99000E+02	99 99	26056
	3	2	.780000	1.000000	.99000E+02	99 99	26056
12	3.450000	1.0	99.0	.99000E+02	2		26056
	1	2	.540000	1.000000	.99000E+02	99 99	26056
	2	1	.460000	1.000000	.99000E+02	99 99	26056
13	3.601900	2.0	99.0	.99000E+02	1		26056
	1	2	1.000000	1.000000	.99000E+02	99 99	26056
14	3.607000	0.0	99.0	.99000E+02	2		26056
	1	2	.510000	1.000000	.99000E+02	99 99	26056
	2	1	.490000	1.000000	.99000E+02	99 99	26056
15	3.755000	6.0	99.0	.99000E+02	1		26056
	1	3	1.000000	1.000000	.99000E+02	99 99	26056
16	3.832000	2.0	99.0	.99000E+02	3		26056
	1	4	.280000	1.000000	.99000E+02	99 99	26056
	2	2	.640000	1.000000	.99000E+02	99 99	26056
	3	1	.080000	1.000000	.99000E+02	99 99	26056
17	3.856000	3.0	99.0	.99000E+02	3		26056
	1	8	.010000	1.000000	.99000E+02	99 99	26056
	2	3	.920000	1.000000	.99000E+02	99 99	26056
	3	2	.070000	1.000000	.99000E+02	99 99	26056
18	4.046000	3.0	99.0	.99000E+02	2		26056
	1	3	.140000	1.000000	.99000E+02	99 99	26056
	2	2	.860000	1.000000	.99000E+02	99 99	26056
19	4.099000	3.0	99.0	.99000E+02	2		26056
	1	3	.330000	1.000000	.99000E+02	99 99	26056
	2	2	.670000	1.000000	.99000E+02	99 99	26056
20	4.120000	4.0	99.0	.99000E+02	1		26056
	1	1	1.000000	1.000000	.99000E+02	99 99	26056
21	4.298000	4.0	99.0	.99000E+02	3		26056
	1	2	.250000	1.000000	.99000E+02	99 99	26056
	2	3	.090000	1.000000	.99000E+02	99 99	26056
	3	8	.660000	1.000000	.99000E+02	99 99	26056
22	4.302000	0.0	99.0	.99000E+02	1		26056
	1	2	1.000000	1.000000	.99000E+02	99 99	26056
23	4.395000	3.0	99.0	.99000E+02	1		26056
	1	2	1.000000	1.000000	.99000E+02	99 99	26056
24	4.401000	2.0	99.0	.99000E+02	3		26056
	1	2	.770000	1.000000	.99000E+02	99 99	26056
	2	5	.080000	1.000000	.99000E+02	99 99	26056
	3	11	.150000	1.000000	.99000E+02	99 99	26056
25	4.458000	3.0	99.0	.99000E+02	2		26056
	1	3	.500000	1.000000	.99000E+02	99 99	26056
	2	8	.500000	1.000000	.99000E+02	99 99	26056
26	4.510000	3.0	99.0	.99000E+02	4		26056
	1	2	.350000	1.000000	.99000E+02	99 99	26056
	2	3	.150000	1.000000	.99000E+02	99 99	26056
	3	4	.480000	1.000000	.99000E+02	99 99	26056
	4	11	.020000	1.000000	.99000E+02	99 99	26056
27	4.539500	1.0	99.0	.99000E+02	3		26056
	1	1	.080000	1.000000	.99000E+02	99 99	26056
	2	4	.130000	1.000000	.99000E+02	99 99	26056
	3	6	.790000	1.000000	.99000E+02	99 99	26056
28	4.554000	3.0	99.0	.99000E+02	3		26056
	1	3	.780000	1.000000	.99000E+02	99 99	26056

	2	8	.160000	1.000000	.99000E+02	99	99	26056
	3	11	.060000	1.000000	.99000E+02	99	99	26056
29	4.612000	2.0	99.0	.99000E+02	2		26056	
	1	2	.330000	1.000000	.99000E+02	99	99	26056
	2	6	.670000	1.000000	.99000E+02	99	99	26056
30	4.660000	3.0	99.0	.99000E+02	2		26056	
	1	2	.500000	1.000000	.99000E+02	99	99	26056
	2	8	.500000	1.000000	.99000E+02	99	99	26056
31	4.684700	3.0	99.0	.99000E+02	1		26056	
	1	6	1.000000	1.000000	.99000E+02	99	99	26056
32	4.729900	0.0	99.0	.99000E+02	1		26056	
	1	2	1.000000	1.000000	.99000E+02	99	99	26056
33	4.739600	2.0	99.0	.99000E+02	2		26056	
	1	4	.800000	1.000000	.99000E+02	99	99	26056
	2	8	.200000	1.000000	.99000E+02	99	99	26056
34	4.878000	2.0	99.0	.99000E+02	3		26056	
	1	2	.430000	1.000000	.99000E+02	99	99	26056
	2	3	.250000	1.000000	.99000E+02	99	99	26056
	3	6	.320000	1.000000	.99000E+02	99	99	26056
26057	5		.021400	56.935391	-60.183800	100975		26057
	1		.000000	.5	99.0	.10000E+99	0	26057
	2		.014400	-1.5	99.0	.97810E+07	1	26057
	1	1	1.000000	1.000000	.99000E+02	99	99	26057
3	.136460	-2.5	99.0	.87000E+08	2		26057	
	1	2	.880000	1.000000	.99000E+02	99	99	26057
	2	1	.120000	1.000000	.99000E+02	99	99	26057
4	.366800	-1.5	99.0	.99000E+02	3		26057	
	1	3	.120000	1.000000	.99000E+02	99	99	26057
	2	2	.740000	1.000000	.99000E+02	99	99	26057
	3	1	.140000	1.000000	.99000E+02	99	99	26057
5	.706600	-2.5	99.0	.33000E+11	4		26057	
	1	4	.022000	1.000000	.99000E+02	99	99	26057
	2	3	.081000	1.000000	.99000E+02	99	99	26057
	3	2	.864000	1.000000	.99000E+02	99	99	26057
	4	1	.033000	1.000000	.99000E+02	99	99	26057
26058	9	99.0	000000	58.000000	99.000000	406760		26058
	1		.000000	0.0	99.0	.99000E+02	0	26058
	2		.810600	2.0	99.0	.99000E+02	1	26058
	1	1	1.000000	1.000000	.99000E+02	99	99	26058
3	1.675000	2.0	99.0	.99000E+02	2		26058	
	1	1	.390000	1.000000	.99000E+02	99	99	26058
	2	2	.610000	1.000000	.99000E+02	99	99	26058
4	2.133400	3.0	99.0	.99000E+02	2		26058	
	1	2	.740000	1.000000	.99000E+02	99	99	26058
	2	3	.260000	1.000000	.99000E+02	99	99	26058
5	2.257000	0.0	99.0	.99000E+02	1		26058	
	1	2	1.000000	1.000000	.99000E+02	99	99	26058
6	2.596000	4.0	99.0	.99000E+02	1		26058	
	1	4	1.000000	1.000000	.99000E+02	99	99	26058
7	2.782000	1.0	99.0	.99000E+02	4		26058	
	1	1	.220000	1.000000	.99000E+02	99	99	26058
	2	2	.430000	1.000000	.99000E+02	99	99	26058
	3	3	.220000	1.000000	.99000E+02	99	99	26058
	4	5	.080000	1.000000	.99000E+02	99	99	26058
8	2.876000	1.0	99.0	.99000E+02	1		26058	
	1	2	1.000000	1.000000	.99000E+02	99	99	26058
9	3.084000	2.0	99.0	.99000E+02	1		26058	
	1	1	1.000000	1.000000	.99000E+02	99	99	26058
26059	3	99.0	000000	59.000000	99.000000	406760		26059
	1		.000000	-1.5	99.0	.99000E+02	0	26059
	2		.289000	-.5	99.0	.99000E+02	1	26059
	1	1	1.000000	1.000000	.99000E+02	99	99	26059
3	.475000	-2.5	99.0	.99000E+02	2		26059	

	1	1	.750000	1.000000	.990000E+02	99	99	26059
	2	2	.250000	1.000000	.990000E+02	99	99	26059
27053	8	99.000000	99.000000	-0.000000	929760			
	1	0.000000	-3.5	99.0	.990000E+02	0		27055
	2	2.168000	-1.5	99.0	.990000E+02	1		27055
	1	1	1.000000	1.000000	.990000E+02	99	99	27055
	3	2.564000	-1.5	99.0	.990000E+02	1		27055
	1	1	1.000000	1.000000	.990000E+02	99	99	27055
	4	2.661000	-1.5	99.0	.990000E+02	1		27055
	1	1	1.000000	1.000000	.990000E+02	99	99	27055
	5	2.932000	-1.5	99.0	.990000E+02	1		27055
	1	4	1.000000	1.000000	.990000E+02	99	99	27055
	6	3.301000	-2.5	99.0	.990000E+02	1		27055
	1	5	1.000000	1.000000	.990000E+02	99	99	27055
	7	3.321000	-1.5	99.0	.990000E+02	2		27055
	1	3	.500000	1.000000	.990000E+02	99	99	27055
	2	2	.500000	1.000000	.990000E+02	99	99	27055
	8	3.682000	-1.5	99.0	.990000E+02	1		27055
	1	1	1.000000	1.000000	.990000E+02	99	99	27055
27056	2	99.000000	56.000000	-0.000000	512760			
	1	0.000000	4.0	99.0	.990000E+02	0		27056
	2	.158300	3.0	99.0	.990000E+02	1		27056
	1	1	1.000000	1.000000	.990000E+02	99	99	27056
27057	8	0.000000	56.936289	-59.347000	100975			
	1	0.000000	-3.5	99.0	.233000E+08	0		27057
	2	1.223500	-4.5	99.0	.990000E+02	1		27057
	1	1	1.000000	1.000000	.990000E+02	99	99	27057
	3	1.377900	-1.5	99.0	.194000E+10	1		27057
	1	1	1.000000	1.000000	.990000E+02	99	99	27057
	4	1.505000	-1.5	99.0	.600000E+09	1		27057
	1	3	1.000000	1.000000	.990000E+02	99	99	27057
	5	1.757700	-1.5	99.0	.990000E+02	3		27057
	1	4	.005000	1.000000	.990000E+02	99	99	27057
	2	3	.012000	1.000000	.990000E+02	99	99	27057
	3	1	.983000	1.000000	.990000E+02	99	99	27057
	6	1.896500	-3.5	99.0	.990000E+02	2		27057
	1	2	.710000	1.000000	.990000E+02	99	99	27057
	2	1	.290000	1.000000	.990000E+02	99	99	27057
	7	1.920100	-2.5	99.0	.990000E+02	2		27057
	1	5	.001000	1.000000	.990000E+02	99	99	27057
	2	1	.999000	1.000000	.990000E+02	99	99	27057
	8	2.132900	-2.5	99.0	.990000E+02	1		27057
	1	1	1.000000	1.000000	.990000E+02	99	99	27057
27058	6	0.000000	57.935751	-59.847200	100775			
	1	0.000000	2.0	99.0	.616000E+07	0		27058
	2	.024900	5.0	99.0	.329000E+05	1		27058
	1	1	1.000000	1.000000	.990000E+02	99	99	27058
	3	.054000	3.0	99.0	.102000E+04	1		27058
	1	1	1.000000	1.000000	.990000E+02	99	99	27058
	4	.116000	4.0	99.0	.990000E+02	2		27058
	1	2	.030000	1.000000	.990000E+02	99	99	27058
	2	1	.970000	1.000000	.990000E+02	99	99	27058
	5	.367000	3.0	99.0	.990000E+02	1		27058
	1	1	1.000000	1.000000	.990000E+02	99	99	27058
	6	.432000	2.0	99.0	.990000E+02	1		27058
	1	1	1.000000	1.000000	.990000E+02	99	99	27058
27059	8	99.000000	59.000000	99.000000	406760			
	1	0.000000	-3.5	99.0	.990000E+02	0		27059
	2	1.099300	-1.5	99.0	.990000E+02	1		27059
	1	1	1.000000	1.000000	.990000E+02	99	99	27059
	3	1.190000	-4.5	99.0	.990000E+02	1		27059
	1	1	1.000000	1.000000	.990000E+02	99	99	27059
	4	1.291500	-1.5	99.0	.990000E+02	2		27059

	1	1	.940000	1.000000	.99000E+02	99 99	27059
	2	2	.060000	1.000000	.99000E+02	99 99	27059
5	1	434000	7.5 99.0	.99000E+02	2		27059
	1	2	.500000	1.000000	.99000E+02	99 99	27059
	2	4	.500000	1.000000	.99000E+02	99 99	27059
6	1	460000	5.5 99.0	.99000E+02	1		27059
	1	1	1.000000	1.000000	.99000E+02	99 99	27059
7	1	481000	2.5 99.0	.99000E+02	2		27059
	1	2	.600000	1.000000	.99000E+02	99 99	27059
	2	1	.400000	1.000000	.99000E+02	99 99	27059
8	1	744000	3.5 99.0	.99000E+02	2		27059
	1	1	.550000	1.000000	.99000E+02	99 99	27059
	2	3	.450000	1.000000	.99000E+02	99 99	27059
27060	11	1.000000	60.000000	99.000000	406760		
1	0	000000	5.0 99.0	.99000E+02	0		27060
2	1	250000	2.0 99.0	.99000E+02	1		27060
	1	1	1.000000	1.000000	.99000E+02	99 99	27060
3	1	278000	4.0 99.0	.99000E+02	1		27060
	1	1	1.000000	1.000000	.99000E+02	99 99	27060
4	1	288000	3.0 99.0	.99000E+02	1		27060
	1	2	1.000000	1.000000	.99000E+02	99 99	27060
5	1	436000	5.0 99.0	.99000E+02	2		27060
	1	1	.170000	1.000000	.99000E+02	99 99	27060
	2	3	.830000	1.000000	.99000E+02	99 99	27060
6	1	505000	3.0 99.0	.99000E+02	1		27060
	1	2	1.000000	1.000000	.99000E+02	99 99	27060
7	1	541000	2.0 99.0	.99000E+02	2		27060
	1	2	.420000	1.000000	.99000E+02	99 99	27060
	2	4	.580000	1.000000	.99000E+02	99 99	27060
8	1	614000	3.0 99.0	.99000E+02	2		27060
	1	2	.970000	1.000000	.99000E+02	99 99	27060
	2	3	.030000	1.000000	.99000E+02	99 99	27060
9	1	736000	2.0 99.0	.99000E+02	1		27060
	1	8	1.000000	1.000000	.99000E+02	99 99	27060
10	1	782000	4.0 99.0	.99000E+02	2		27060
	1	1	.460000	1.000000	.99000E+02	99 99	27060
	2	4	.540000	1.000000	.99000E+02	99 99	27060
11	1	006000	3.0 99.0	.99000E+02	5		27060
	1	8	.520000	1.000000	.99000E+02	99 99	27060
	2	7	.070000	1.000000	.99000E+02	99 99	27060
	3	4	.150000	1.000000	.99000E+02	99 99	27060
	4	3	.120000	1.000000	.99000E+02	99 99	27060
	5	2	.140000	1.000000	.99000E+02	99 99	27060

3 N + CO=59 TRAN. COEFS. FOR N, P, HE-4 --- W-H FOR N 9=28-76

ENERGIES AND PENETRABILITIES FOR THE NEUTRON CONTINUUM 25 40

.10000E+00	.30000E+00	.50000E+00	.10000E+01	.20000E+01	.30000E+01	1
.40000E+01	.50000E+01	.60000E+01	.70000E+01	.80000E+01	.90000E+01	2
.10000E+02	.12000E+02	.14000E+02	.16000E+02	.18000E+02	.21000E+02	3
.24000E+02	.28000E+02	.32000E+02	.36000E+02	.40000E+02	.44000E+02	4
.54861E+00	.25062E-01	.22374E-02	.25062E-01	.22374E-02	.21556E+05	5
.17144E+07	.21556E-05	.17144E-07	.14375E-10	0.	.14375E-10	6
0.	0.	0.	0.	0.	0.	7
0.	0.	0.	0.	0.	0.	8
0.	0.	0.	0.	0.	0.	9
0.	0.	0.	0.	0.	0.	10
0.	0.	0.	0.	0.	0.	11
0.	0.	0.	0.	0.	0.	12
0.	0.	0.	0.	0.	0.	13
.73332E+00	.10248E+00	.30858E-01	.10248E+00	.30858E-01	.96899E+04	14
.23001E-05	.96899E-04	.23001E-05	.59370E-08	.14642E+10	.59370E+08	15
.14642E+10	0.	0.	0.	0.	0.	16
0.	0.	0.	0.	0.	0.	17
0.	0.	0.	0.	0.	0.	18
0.	0.	0.	0.	0.	0.	19
0.	0.	0.	0.	0.	0.	20
.80316E+00	.17799E+00	.94165E-01	.17799E+00	.94165E-01	.56903E+03	21

.21070E-04	.36703E-03	.21070E-04	.96762E-07	.39329E-09	.96762E-07	21
.39329E-09	.19243E-11	0.	.19243E-11	0.	0.	23
0.	0.	0.	0.	0.	0.	24
0.	0.	0.	0.	0.	0.	25
0.	0.	0.	0.	0.	0.	26
0.	0.	0.	0.	0.	0.	27
.86390E+00	.32390E+00	.31692E+00	.32390E+00	.31692E+00	.59095E-02	28
.43919E-03	.59095E-02	.43919E-03	.41889E-05	.33084E-07	.41889E-05	29
.33084E-07	.31939E-09	.31795E-11	.31939E-09	.31795E-11	0.	30
0.	0.	0.	0.	0.	0.	31
0.	0.	0.	0.	0.	0.	32
0.	0.	0.	0.	0.	0.	33
0.	0.	0.	0.	0.	0.	34
.87744E+00	.48790E+00	.61151E+00	.48790E+00	.61151E+00	.56278E-01	35
.74769E-02	.56278E-01	.74769E-02	.17611E-03	.25989E-05	.17611E-03	36
.25989E-05	.48765E-07	.95632E-09	.48765E-07	.95632E-09	.18302E-10	37
.33000E-12	.18302E-10	.33000E-12	0.	0.	0.	38
0.	0.	0.	0.	0.	0.	39
0.	0.	0.	0.	0.	0.	40
0.	0.	0.	0.	0.	0.	41
.86504E+00	.57164E+00	.71428E+00	.57164E+00	.71428E+00	.18725E+00	42
.33208E-01	.18725E+00	.33208E-01	.15338E-02	.31675E-04	.15338E-02	43
.31675E-04	.86451E-06	.25016E-07	.86451E-06	.25016E-07	.71218E-09	44
.19212E-10	.71218E-09	.19212E-10	.47981E-12	0.	.47981E-12	45
0.	0.	0.	0.	0.	0.	46
0.	0.	0.	0.	0.	0.	47
0.	0.	0.	0.	0.	0.	48
.84895E+00	.61988E+00	.74931E+00	.61988E+00	.74931E+00	.38067E+00	49
.83104E-01	.38067E+00	.83104E-01	.70687E-02	.18160E-03	.70687E-02	50
.18160E-03	.63641E-05	.24124E-06	.63641E-05	.24124E-06	.90717E-08	51
.32517E-09	.90717E-08	.32517E-09	.10836E-10	.33042E-12	.10836E-10	52
.33042E-12	0.	0.	0.	0.	0.	53
0.	0.	0.	0.	0.	0.	54
0.	0.	0.	0.	0.	0.	55
.83306E+00	.64972E+00	.76016E+00	.64972E+00	.76016E+00	.57250E+00	56
.15100E+00	.57250E+00	.15100E+00	.22993E-01	.68753E-03	.22993E-01	57
.68753E-03	.29006E-04	.13486E-05	.29006E-04	.13486E-05	.62734E-07	58
.27986E-08	.62734E-07	.27986E-08	.11659E-09	.44575E-11	.11659E-09	59
.44575E-11	.15481E-12	0.	.15481E-12	0.	0.	60
0.	0.	0.	0.	0.	0.	61
0.	0.	0.	0.	0.	0.	62
.81813E+00	.66896E+00	.76112E+00	.66896E+00	.76112E+00	.71567E+00	63
.22549E+00	.71567E+00	.22549E+00	.59524E-01	.20123E-02	.59524E-01	64
.20123E-02	.97794E-04	.53471E-05	.97794E-04	.53471E-05	.29508E-06	65
.15714E-07	.29508E-06	.15714E-07	.78506E-09	.36112E-10	.78506E-09	66
.36112E-10	.15119E-11	.57272E-13	.15119E-11	.57272E-13	0.	67
0.	0.	0.	0.	0.	0.	68
0.	0.	0.	0.	0.	0.	69
.80421E+00	.68161E+00	.75756E+00	.68161E+00	.75756E+00	.80425E+00	70
.29724E+00	.80425E+00	.29724E+00	.12921E+00	.49434E-02	.12921E+00	71
.49434E-02	.26922E-03	.16744E-04	.26922E-03	.16744E-04	.10647E-05	72
.65745E-07	.10647E-05	.65745E-07	.38269E-08	.20580E-09	.38269E-08	73
.20580E-09	.10095E-10	.44860E-12	.10095E-10	.44860E-12	0.	74
0.	0.	0.	0.	0.	0.	75
0.	0.	0.	0.	0.	0.	76
.79119E+00	.68992E+00	.75176E+00	.68992E+00	.75176E+00	.85221E+00	77
.36136E+00	.85221E+00	.36136E+00	.23967E+00	.10700E-01	.23967E+00	78
.10700E-01	.63636E-03	.44163E-04	.63636E-03	.44163E-04	.31667E-05	79
.22191E-06	.31667E-05	.22191E-06	.14732E-07	.90681E-09	.14732E-07	80
.90681E-09	.51036E-10	.26055E-11	.51036E-10	.26055E-11	.12023E-12	81
0.	.12023E-12	0.	0.	0.	0.	82
0.	0.	0.	0.	0.	0.	83
.77892E+00	.69527E+00	.74480E+00	.69527E+00	.74480E+00	.87458E+00	84

.41634E+00	.87458E+00	.41634E+00	.30232E+00	.21040E-01	.38232E+00	95
.21740E-01	.13434E-02	.10249E-03	.13434E-02	.10249E-03	.81313E-05	86
.63600E-06	.81313E-05	.63600E-06	.47367E-07	.32833E-08	.47367E-07	87
.32833E-08	.20862E-09	.12042E-10	.20862E-09	.12042E-10	.62878E-12	88
0.	.62878E-12	0.	0.	0.	0.	89
0.	0.	0.	0.	0.	0.	90
.76727E+00	.69850E+00	.73722E+00	.69850E+00	.73722E+00	.88197E+00	91
.46248E+00	.88197E+00	.46248E+00	.53017E+00	.38339E-01	.53017E+00	92
.38339E-01	.25967E-02	.21443E-03	.25967E-02	.21443E-03	.18607E-04	93
.16730E-05	.18607E-04	.16730E-05	.13218E-06	.10184E-07	.13218E-06	94
.10184E-07	.72126E-09	.46481E-10	.72126E-09	.46481E-10	.27120E-11	95
.14303E-12	.27120E-11	.14303E-12	0.	0.	0.	96
0.	0.	0.	0.	0.	0.	97
.74541E+00	.79076E+00	.72122E+00	.70076E+00	.72122E+00	.87500E+00	98
.53253E+00	.87500E+00	.53253E+00	.74047E+00	.10612E+00	.74047E+00	99
.10612E+00	.79522E-02	.74571E-03	.79522E-02	.74571E-03	.75031E-04	100
.76039E-05	.75031E-04	.76039E-05	.74539E-06	.68851E-07	.74539E-06	101
.68851E-07	.58804E-08	.45874E-09	.58804E-08	.45874E-09	.32470E-10	102
.20793E-11	.32470E-10	.20793E-11	.12046E-12	0.	.12046E-12	103
0.	0.	0.	0.	0.	0.	104
.72497E+00	.69944E+00	.70494E+00	.69944E+00	.70494E+00	.85682E+00	105
.58035E+00	.85682E+00	.58035E+00	.81731E+00	.23860E+00	.81731E+00	106
.23860E+00	.20038E-01	.20715E-02	.20038E-01	.20715E-02	.23482E-03	107
.27070E-04	.23482E-03	.27070E-04	.30579E-05	.32837E-06	.30579E-05	108
.32837E-06	.30899E-08	.30899E-08	.32822E-07	.30899E-08	.25107E-09	109
.18974E-10	.25107E-09	.18974E-10	.12977E-11	.80402E-13	.12977E-11	110
.80402E-13	0.	0.	0.	0.	0.	111
.70558E+00	.69589E+00	.68883E+00	.69589E+00	.68883E+00	.83579E+00	112
.61289E+00	.83579E+00	.61289E+00	.82554E+00	.43930E+00	.82554E+00	113
.43930E+00	.43748E-01	.48968E-02	.43748E-01	.48968E-02	.61045E-03	114
.78332E-04	.61045E-03	.78332E-04	.99601E-05	.12150E-05	.99601E-05	115
.12150E-05	.13895E-06	.14652E-07	.13895E-06	.14652E-07	.14098E-08	116
.12310E-09	.14098E-08	.12310E-09	.97348E-11	.69744E-12	.97348E-11	117
.69744E-12	0.	0.	0.	0.	0.	118
.68708E+00	.69082E+00	.67315E+00	.69082E+00	.67315E+00	.81455E+00	119
.63483E+00	.81455E+00	.63483E+00	.80992E+00	.66383E+00	.80992E+00	120
.66383E+00	.85214E-01	.10252E-01	.85214E-01	.10252E-01	.13826E-02	121
.19436E-03	.13826E-02	.19436E-03	.27260E-04	.37086E-05	.27260E-04	122
.37086E-05	.47668E-06	.56813E-07	.47668E-06	.56813E-07	.62011E-08	123
.61548E-09	.62011E-08	.61548E-09	.55379E-10	.45155E-11	.55379E-10	124
.45155E-11	.33410E-12	0.	.33410E-12	0.	0.	125
.66081E+00	.68115E+00	.65082E+00	.68115E+00	.65082E+00	.78381E+00	126
.65440E+00	.78381E+00	.65440E+00	.77631E+00	.90752E+00	.77631E+00	127
.90752E+00	.19301E+00	.26126E-01	.19301E+00	.26126E-01	.38853E-02	128
.60960E-03	.38853E-02	.60960E-03	.96641E-04	.15069E-04	.96641E-04	129
.15069E-04	.22470E-05	.31366E-06	.22470E-05	.31366E-06	.40358E-07	130
.47402E-08	.40358E-07	.47402E-08	.50575E-09	.40937E-10	.50575E-09	131
.48937E-10	.42967E-11	.34295E-12	.42967E-11	0.	0.	132
.63632E+00	.66955E+00	.63023E+00	.66955E+00	.63023E+00	.75458E+00	133
.66349E+00	.75458E+00	.66349E+00	.74304E+00	.99397E+00	.74304E+00	134
.99397E+00	.35720E+00	.56662E-01	.35720E+00	.56662E-01	.91787E-02	135
.15738E-02	.91787E-02	.15738E-02	.27575E-03	.47950E-04	.27575E-03	136
.47950E-04	.80843E-05	.12894E-05	.80843E-05	.12894E-05	.19102E-06	137
.25962E-07	.19102E-06	.25962E-07	.32140E-08	.36132E-09	.32140E-08	138
.36132E-09	.36888E-10	.34190E-11	.36888E-10	0.	0.	139
.60650E+00	.65168E+00	.60573E+00	.65168E+00	.60573E+00	.71747E+00	140
.66544E+00	.71747E+00	.66544E+00	.70346E+00	.98016E+00	.70346E+00	141
.98016E+00	.60724E+00	.13007E+00	.60724E+00	.13007E+00	.23660E-01	142
.44772E-02	.23660E-01	.44772E-02	.87154E-03	.17058E-03	.87154E-03	143
.17058E-03	.32788E-04	.60575E-05	.32788E-04	.60575E-05	.10520E-05	144
.16900E-06	.10520E-05	.16900E-06	.24855E-07	.33281E-08	.24855E-07	145
.33281E-08	.40491E-09	.40491E-09	0.	0.	0.	146
.57994E+00	.63165E+00	.58446E+00	.63165E+00	.58446E+00	.68205E+00	147

.65992E+00	.68205F+00	.65992E+00	.66933F+00	.92382E+00	.66933E+00	140
.92382E+00	.79384E+00	.24471E+00	.79384E+00	.24471E+00	.51184E+01	149
.10585E+01	.51184E+01	.10585E+01	.22447E+02	.48195E+03	.22447E+02	150
.48195E+03	.10290E+03	.21384E+04	.10290E+03	.21384E+04	.42363E+05	151
.78427E+06	.42363E+05	.78427E+06	.13382E+06	.20870E+07	.13382E+06	152
.20870E+07	.29628E+08	.38748E+09	.29628E+08	0.	0.	153
.55648E+00	.60998E+00	.56588E+00	.60998E+00	.56588E+00	.64813E+00	154
.64813E+00	.64813E+00	.64936E+00	.63996E+00	.86289E+00	.63996E+00	155
.86289E+00	.88296E+00	.38562E+00	.88296E+00	.38562E+00	.96068E+01	156
.21744E+01	.96068E+01	.21744E+01	.49687E+02	.11509E+02	.49687E+02	157
.11509E+02	.26716E+03	.61077E+04	.26716E+03	.61077E+04	.13493E+04	158
.26716E+03	.13493E+04	.28179E+05	.54705E+06	.97583E+07	.54705E+06	159
.97583E+07	.15891E+07	.23561E+08	.15891E+07	0.	0.	160
.53574E+00	.58718E+00	.54929E+00	.58718E+00	.54929E+00	.61577E+00	161
.63518E+00	.61577E+00	.63518E+00	.61464E+00	.80574E+00	.61464E+00	162
.80574E+00	.90372E+00	.52268E+00	.90372E+00	.52268E+00	.15952E+00	163
.39901E+01	.15952E+00	.39901E+01	.97814E+02	.24183E+02	.97814E+02	164
.24183E+02	.60127E+03	.14865E+03	.60127E+03	.14865E+03	.35892E+04	165
.83015E+05	.35892E+04	.83015E+05	.18027E+05	.36219E+06	.18027E+05	166
.36219E+06	.66705E+07	.11208E+07	.66705E+07	0.	0.	167
.51722E+00	.56371E+00	.53397E+00	.56371E+00	.53397E+00	.58509E+00	168
.61827E+00	.58509E+00	.61827E+00	.59259E+00	.75357E+00	.59259E+00	169
.75357E+00	.88892E+00	.63070E+00	.88892E+00	.63070E+00	.23762E+00	170
.66577E+01	.23762E+00	.66577E+01	.17517E+01	.45948E+02	.17517E+01	171
.45948E+02	.12112E+02	.31917E+03	12112E+02	.31917E+03	.82961E+04	172
.20906E+04	.82961E+04	.20906E+04	.50016E+05	.11165E+05	.50016E+05	173
.11165E+05	.22969E+06	.43240E+07	.22969E+06	0.	0.	174
ENERGIES AND PENETRABILITIES FOR THE PROTON CONTINUUM					25 40	2
.30000E+00	.60000E+00	.10000E+01	.20000E+01	.30000E+01	.40000E+01	3
.50000E+01	.60000E+01	.70000E+01	.80000E+01	.90000E+01	.10000E+02	4
.12000E+02	.14000E+02	.16000E+02	.18000E+02	.21000E+02	.24000E+02	5
.28000E+02	.32000E+02	.36000E+02	.40000E+02	.44000E+02	.50000E+02	6
0.	0.	0.	0.	0.	0.	7
0.	0.	0.	0.	0.	0.	8
0.	0.	0.	0.	0.	0.	9
0.	0.	0.	0.	0.	0.	10
0.	0.	0.	0.	0.	0.	11
0.	0.	0.	0.	0.	0.	12
0.	0.	0.	0.	0.	0.	13
.29016E+08	.86600E+09	.11094E+09	.74456E+09	.13107E+09	.58323E+11	14
.17346E+12	.48812E+11	.19828E+12	0.	0.	0.	15
0.	0.	0.	0.	0.	0.	16
0.	0.	0.	0.	0.	0.	17
0.	0.	0.	0.	0.	0.	18
0.	0.	0.	0.	0.	0.	19
0.	0.	0.	0.	0.	0.	20
.46752E+05	.13688E+05	.20519E+06	.11751E+05	.24348E+06	.12252E+07	21
.46507E+09	.10378E+07	.53472E+09	.11197E+10	.23070E+12	.11973E+10	22
.23720E+12	0.	0.	0.	0.	0.	23
0.	0.	0.	0.	0.	0.	24
0.	0.	0.	0.	0.	0.	25
0.	0.	0.	0.	0.	0.	26
0.	0.	0.	0.	0.	0.	27
.64915E+02	.17568E+02	.39774E+03	.15261E+02	.47478E+03	.29618E+04	28
.18190E+05	.26263E+04	.21155E+05	.68288E+07	.23389E+08	.73941E+07	29
.24165E+08	.71833E+10	.19664E+11	.72868E+10	.19794E+11	0.	30
0.	0.	0.	0.	0.	0.	31
0.	0.	0.	0.	0.	0.	32
0.	0.	0.	0.	0.	0.	33
0.	0.	0.	0.	0.	0.	34
.11938E+00	.31382E+01	.11032E+01	.28101E+01	.13068E+01	.95543E+03	35
.86099E+04	.90776E+03	.10087E+03	.43218E+05	.20524E+06	.47487E+05	36
.21326E+06	.89460E+08	.35319E+09	.90960E+08	.35588E+09	.12520E+10	37

.39611E+12	.12566E+10	.39685E+12	0.	0.	0.	38
0.	0.	0.	0.	0.	0.	39
0.	0.	0.	0.	0.	0.	40
0.	0.	0.	0.	0.	0.	41
.43843E+00	.13253E+00	.74825E-01	.12529E+00	.85547E-01	.73938E-02	42
.9409AE-03	.76347E-02	.10875E-02	.57992E-04	.34929E-05	.64815E-04	43
.36532E-05	.19642E-06	.10121E-07	.20025E-06	.10210E-07	.47214E-09	44
.19771E-10	.47410E-09	.19A12E-10	.73952E-12	0.	.74035E-12	45
0.	0.	0.	0.	0.	0.	46
0.	0.	0.	0.	0.	0.	47
0.	0.	0.	0.	0.	0.	48
.72635E+00	.2A044E+00	.24096E+00	.27882E+00	.25727E+00	.28778E-01	49
.50293E-02	.32593E-01	.56384E-02	.36499E-03	.26329E-04	.41633E-03	50
.27746E-04	.1A859E-05	.11461E-06	.18468E-05	.11577E-06	.66321E-08	51
.34620E-09	.66634E-08	.34701E-09	.16194E-10	.67674E-12	.16215E-10	52
.67722E-12	0.	0.	0.	0.	0.	53
0.	0.	0.	0.	0.	0.	54
0.	0.	0.	0.	0.	0.	55
.87315E+00	.41909E+00	.47401E+00	.43172E+00	.46885E+00	.74963E-01	56
.17756E-01	.92948E-01	.18793E-01	.14705E-02	.12300E-03	.17161E-02	57
.13081E-03	.9A919E-05	.74432E-06	.10152E-04	.75295E-06	.51402E-07	58
.32173E-08	.51679E-07	.3225AE-08	.18101E-09	.91143E-11	.18126E-09	59
.91214E-11	.41025E-12	0.	.41044E-12	0.	0.	60
0.	0.	0.	0.	0.	0.	61
0.	0.	0.	0.	0.	0.	62
.93384E+00	.52613E+00	.67A69E+00	.55356E+00	.63458E+00	.14990E+00	63
.47609E-01	.20028E+00	.46191E-01	.44450E-02	.41917E-03	.53240E-02	64
.45037E-03	.3A531E-04	.33451E-05	.39703E-04	.33896E-05	.26825E-06	65
.19588E-07	.26989E-06	.19646E-07	.12896E-08	.76133E-10	.12916E-08	66
.76198E-10	.40216E-11	.19017E-12	.40237E-11	.19023E-12	0.	67
0.	0.	0.	0.	0.	0.	68
0.	0.	0.	0.	0.	0.	69
.95422E+00	.60388E+00	.81182E+00	.64243E+00	.73503E+00	.24861E+00	70
.10403E+00	.34817E+00	.90439E-01	.11002E-01	.11470E-02	.13564E-01	71
.12470E-02	.11A25E-03	.11585E-04	.12245E-03	.11762E-04	.10568E-05	72
.88204E-07	.10642E-05	.A8500E-07	.66590E-08	.45164E-09	.66704E-08	73
.45206E-09	.27437E-10	.1492AE-11	.27453E-10	.14933E-11	.72854E-13	74
0.	.72871E-13	0.	0.	0.	0.	75
0.	0.	0.	0.	0.	0.	76
.95567E+00	.65990E+00	.88433E+00	.70548E+00	.78787E+00	.35960E+00	77
.19213E+00	.51157E+00	.14A80E+00	.23513E-01	.26718E-02	.29901E-01	78
.29439E-02	.30360E-03	.33066E-04	.31610E-03	.33647E-04	.33765E-05	79
.31702E-06	.34033E-05	.31820E-06	.27012E-07	.20721E-08	.27064E-07	80
.20743E-08	.14254E-09	.87A55E-11	.14263E-09	.87888E-11	.48577E-12	81
0.	.48590E-12	0.	0.	0.	0.	82
0.	0.	0.	0.	0.	0.	83
.94764E+00	.70059E+00	.91A12E+00	.74984E+00	.A1200E+00	.47020E+00	84
.30655E+00	.66188E+00	.21482E+00	.44A66E-01	.55042E-02	.58879E-01	85
.61585E-02	.6A068E-03	.8133AE-04	.71305E-03	.82975E-04	.91763E-05	86
.95669E-06	.92593E-05	.96077E-06	.90853E-07	.77850E-08	.91047E-07	87
.77939E-08	.59893E-09	.41308E-10	.59932E-09	.41325E-10	.25561E-11	88
.14223E-12	.25568E-11	.14225E-12	0.	0.	0.	89
0.	0.	0.	0.	0.	0.	90
.91843E+00	.75206E+00	.92711E+00	.80199E+00	.81755E+00	.65655E+00	91
.54406E+00	.86779E+00	.34582E+00	.12604E+00	.17820E-01	.17418E+00	92
.20685E-01	.25366E-02	.35441E-03	.26970E-02	.36392E-03	.47242E-04	93
.5A916E-05	.47795E-04	.59236E-05	.67460E-06	.70056E-07	.67639E-06	94
.70154E-07	.65513E-08	.5499AE-09	.65564E-08	.55024E-09	.41441E-10	95
.28072E-11	.41453E-10	.28078E-11	.17141E-12	0.	.17144E-12	96
0.	0.	0.	0.	0.	0.	97
.89433E+00	.7990AE+00	.90990E+00	.84177E+00	.81266E+00	.79055E+00	98
.69015E+00	.95842E+00	.47188E+00	.27123E+00	.44926E-01	.37173E+00	99
.54493E-01	.71809E-02	.11361E-02	.77797E-02	.11760E-02	.17368E-03	100



.25277E-04	.17637E-03	.25250E-04	.33576E-05	.41024E-06	.33688E-05	101
.41094E-06	.49303E-07	.44995E-08	.45345E-07	.45019E-08	.40138E-09	102
.32188E-10	.40152E-09	.32195E-10	.23257E-11	.15181E-12	.23261E-11	103
.15183E-12	0.	0.	0.	0.	0.	104
.87571E+00	.83251E+00	.89014E+00	.86643E+00	.80833E+00	.87035E+00	105
.75204E+00	.98559E+00	.58218E+00	.46644E+00	.94003E+01	.58729E+00	106
.11968E+00	.16675E-01	.29233E+02	.18488E-01	.30567E-02	.49999E-03	107
.81632E-04	.51000E-03	.82351E-04	.12483E-04	.17544E-05	.12535E-04	108
.17580E-05	.22385E-06	.25752E-07	.22410E-06	.25768E-07	.26636E-08	109
.24772E-09	.26647E-08	.24779E-09	.20750E-10	.15689E-11	.20754E-10	110
.15691E-11	.10659E-12	0.	.10660E-12	0.	0.	111
.86157E+00	.85461E+00	.87296E+00	.88033E+00	.80637E+00	.91300E+00	112
.77465E+00	.98445E+00	.67127E+00	.66620E+00	.16982E+00	.73629E+00	113
.22660E+00	.33390E-01	.63925E-02	.38052E-01	.67673E-02	.12009E-02	114
.21768E-03	.12310E-02	.22020E-03	.37262E-04	.59151E-05	.37457E-04	115
.59303E-05	.85712E-06	.11233E-06	.85222E-06	.11242E-06	.13257E-07	116
.14073E-08	.13263E-07	.14078E-08	.13455E-09	.11612E-10	.13458E-09	117
.11614E-10	.90683E-12	.63779E-13	.90693E-12	0.	0.	118
.84819E+00	.87401E+00	.85511E+00	.88962E+00	.80887E+00	.93795E+00	119
.78032E+00	.96370E+00	.76645E+00	.88370E+00	.33020E+00	.81787E+00	120
.46205E+00	.76769E-01	.16514E-01	.91832E-01	.17894E-01	.34837E-02	121
.71706E-03	.36117E-02	.72894E-03	.14150E-03	.26207E-04	.14258E-03	122
.26299E-04	.44776E-05	.69619E-06	.44856E-05	.69687E-06	.97791E-07	123
.12373E-07	.97847E-07	.12377E-07	.14100E-08	.14495E-09	.14103E-08	124
.14497E-09	.13465E-10	.11214E-11	.13466E-10	0.	0.	125
.84265E+00	.88347E+00	.84650E+00	.89148E+00	.81629E+00	.93980E+00	126
.80432E+00	.93822E+00	.82458E+00	.97875E+00	.51815E+00	.82260E+00	127
.72172E+00	.14555E+00	.34940E-01	.18367E+00	.38977E-01	.81141E-02	128
.18485E-02	.85309E-02	.18916E-02	.40071E-03	.85967E-04	.41310E-03	129
.86383E-04	.16879E-04	.30400E-05	.16920E-04	.30439E-05	.49697E-06	130
.73342E-07	.49732E-06	.73374E-07	.97555E-08	.11705E-08	.97582E-08	131
.11707E-08	.12694E-09	.12465E-10	.12696E-09	0.	0.	132
.84388E+00	.88772E+00	.84573E+00	.88909E+00	.82976E+00	.92852E+00	133
.82824E+00	.90870E+00	.86417E+00	.99037E+00	.73735E+00	.81292E+00	134
.94556E+00	.27130E+00	.75568E-01	.36579E+00	.88360E-01	.19616E-01	135
.49796E-02	.21129E-01	.51566E-02	.12397E-02	.29873E-03	.12602E-02	136
.30107E-03	.68245E-04	.14506E-04	.68489E-04	.14532E-04	.28230E-05	137
.49836E-06	.28250E-05	.49865E-06	.79461E-07	.11433E-07	.79490E-07	138
.11436E-07	.14862E-08	.17494E-09	.14864E-08	0.	0.	139
.85077E+00	.87882E+00	.85192E+00	.88551E+00	.84352E+00	.91378E+00	140
.85000E+00	.88802E+00	.87894E+00	.95649E+00	.87126E+00	.81288E+00	141
.99861E+00	.41240E+00	.13406E+00	.58001E+00	.16540E+00	.38571E-01	142
.10704E-01	.42841E-01	.11261E-01	.29213E-02	.78115E-03	.29933E-02	143
.79032E-03	.20141E-03	.49019E-04	.20256E-03	.49148E-04	.11058E-04	144
.22794E-05	.11073E-04	.22811E-05	.42595E-06	.71932E-07	.42615E-06	145
.71953E-07	.10975E-07	.15155E-08	.10978E-07	0.	0.	146
.85990E+00	.88709E+00	.86068E+00	.88307E+00	.85546E+00	.90131E+00	147
.86555E+00	.87605E+00	.88143E+00	.92091E+00	.92595E+00	.82003E+00	148
.96933E+00	.53832E+00	.20375E+00	.76250E+00	.26571E+00	.64722E-01	149
.19422E-01	.74593E-01	.20850E-01	.57101E-02	.16554E-02	.59127E-02	150
.16838E-02	.46908E-03	.12754E-03	.47299E-03	.12807E-03	.32566E-04	151
.76777E-05	.32630E-04	.76859E-05	.16506E-05	.32160E-06	.16517E-05	152
.32172E-06	.56662E-07	.90323E-08	.56676E-07	0.	0.	153
.86924E+00	.88718E+00	.86950E+00	.88271E+00	.86508E+00	.89305E+00	154
.87484E+00	.87099E+00	.87881E+00	.89641E+00	.93123E+00	.82862E+00	155
.92444E+00	.62974E+00	.27365E+00	.87141E+00	.37586E+00	.95462E-01	156
.30748E-01	.11479E+00	.33836E-01	.96280E-02	.29772E-02	.10104E-01	157
.30496E-02	.90808E-03	.26963E-03	.91895E-03	.27124E-03	.76335E-04	158
.20203E-04	.76547E-04	.20233E-04	.49162E-05	.10891E-05	.49202E-05	159
.10896E-05	.21861E-06	.39718E-07	.21868E-06	0.	0.	160
.87743E+00	.88869E+00	.87731E+00	.88409E+00	.87267E+00	.88907E+00	161
.87954E+00	.87071E+00	.87505E+00	.88309E+00	.91386E+00	.83566E+00	162
.88831E+00	.68293E+00	.33273E+00	.90909E+00	.47782E+00	.12615E+00	163

.43266E-01	.15908E+00	.49048E-01	.14300E-01	.46647E-02	.15267E-01	164
.48217E-02	.15078E-02	.47980E-03	.15330E-02	.48383E-03	.14781E-03	165
.43136E-04	.14845E-03	.43223E-04	.11703E-04	.29095E-05	.11716E-04	166
.29114E-05	.65768E-06	.13473E-06	.65793E-06	0.	0.	167
.88877E+00	.89355E+00	.88680E+00	.88994E+00	.88151E+00	.88931E+00	168
.88213E+00	.87530E+00	.87141E+00	.87621E+00	.88085E+00	.84202E+00	169
.85678E+00	.70668E+00	.38584E+00	.89121E+00	.58421E+00	.15990E+00	170
.58752E-01	.21902E+00	.70469E-01	.20681E-01	.71730E-02	.22801E-01	171
.75485E-02	.24750E-02	.84994E-03	.25411E-02	.86149E-03	.28785E-03	172
.94385E-04	.28986E-03	.94702E-04	.29337E-04	.84749E-05	.29388E-04	173
.84830E-05	.22447E-05	.54103E-06	.22462E-05	0.	0.	174
ENERGIES AND PENETRABILITIES FOR THE ALPHA CONTINUUM 25 40						2
.30000E+00	.60000E+00	.10000E+01	.30000E+01	.50000E+01	.60000E+01	3
.70000E+01	.80000E+01	.90000E+01	.10000E+02	.11000E+02	.12000E+02	4
.14000E+02	.16000E+02	.18000E+02	.21000E+02	.24000E+02	.28000E+02	5
.32000E+02	.36000E+02	.40000E+02	.44000E+02	.48000E+02	.52000E+02	6
0.	0.	0.	0.	0.	0.	7
0.	0.	0.	0.	0.	0.	8
0.	0.	0.	0.	0.	0.	9
0.	0.	0.	0.	0.	0.	10
0.	0.	0.	0.	0.	0.	11
0.	0.	0.	0.	0.	0.	12
0.	0.	0.	0.	0.	0.	13
0.	0.	0.	0.	0.	0.	14
0.	0.	0.	0.	0.	0.	15
0.	0.	0.	0.	0.	0.	16
0.	0.	0.	0.	0.	0.	17
0.	0.	0.	0.	0.	0.	18
0.	0.	0.	0.	0.	0.	19
0.	0.	0.	0.	0.	0.	20
0.	0.	0.	0.	0.	0.	21
0.	0.	0.	0.	0.	0.	22
0.	0.	0.	0.	0.	0.	23
0.	0.	0.	0.	0.	0.	24
0.	0.	0.	0.	0.	0.	25
0.	0.	0.	0.	0.	0.	26
0.	0.	0.	0.	0.	0.	27
.28379E-08	0.	0.	.19483E-08	.98933E-09	0.	28
0.	.34848E-09	.94676E-10	0.	0.	.19180E-10	29
.31969E-11	0.	0.	.43587E-12	.51690E-13	0.	30
0.	0.	0.	0.	0.	0.	31
0.	0.	0.	0.	0.	0.	32
0.	0.	0.	0.	0.	0.	33
0.	0.	0.	0.	0.	0.	34
.29977E-03	0.	0.	.21721E-03	.11846E-03	0.	35
0.	.46885E-04	.14608E-04	0.	0.	.35181E-05	36
.69998E-06	0.	0.	.11758E-06	.17567E-07	0.	37
0.	.23963E-08	.30033E-09	0.	0.	.34652E-10	38
.36326E-11	0.	0.	.34523E-12	0.	0.	39
0.	0.	0.	0.	0.	0.	40
0.	0.	0.	0.	0.	0.	41
.71342E-02	0.	0.	.53904E-02	.30550E-02	0.	42
0.	.13250E-02	.44185E-03	0.	0.	.11699E-03	43
.24999E-04	0.	0.	.46131E-05	.75005E-06	0.	44
0.	.11360E-06	.15999E-07	0.	0.	.21210E-08	45
.25874E-09	0.	0.	.28917E-10	.29357E-11	0.	46
0.	.27064E-12	0.	0.	0.	0.	47
0.	0.	0.	0.	0.	0.	48
.67096E-01	0.	0.	.53736E-01	.32224E-01	0.	49
0.	.15503E-01	.56023E-02	0.	0.	.16507E-02	50
.38419E-03	0.	0.	.77118E-04	.13477E-04	0.	51
0.	.22282E-05	.34430E-06	0.	0.	.51287E-07	52
.71261E-08	0.	0.	.91781E-09	.10804E-09	0.	53

0	.11389E+10	.11122E+11	0	0	.10086E+12	54						
0	0	0	0	0	0	55						
0	.28791E+00	0	0	.25043E+00	.16869E+00	56						
0	.32973E+02	.94876E-01	0	.38740E-01	0	.12971E-01	57					
0	0	.24149E-04	0	.40116E-05	0	.13638E-03	58					
0	.10209E-06	0	0	.14896E+07	0	.27006E-08	.65761E-06	59				
0	.26394E+12	.24582E-09	0	.27559E-10	0	0	.28203E-11	60				
0	.60731E+00	0	0	0	0	0	0	61				
0	.18610E+01	.31805E+00	0	.16150E+00	0	.57041E+00	0	.45494E+00	62			
0	0	.17329E-03	0	.30273E-04	0	.45854E-02	0	.91278E-03	.64878E-01	64		
0	.91188E-06	0	0	.39599E-09	0	.14840E-06	0	.22435E-07	0	.53540E-05	66	
0	.48796E+11	.31169E-08	0	0	0	.47487E+12	0	0	0	.45960E-10	68	
0	.82058E+00	0	0	0	0	.80089E+00	0	0	0	0	69	
0	0	.60907E+00	0	.40884E+00	0	0	0	.72414E+00	0	0	.21341E+00	71
0	.74724E-01	0	0	.16733E-03	0	.20927E-01	0	.45171E-02	0	0	0	72
0	.57215E-05	.91170E-03	0	0	0	.10227E-05	0	.17194E-06	0	0	.31161E-04	73
0	0	.26713E-07	0	.38058E-08	0	0	0	0	0	0	.49581E-09	75
0	.59101E-10	0	0	0	0	.64564E-11	0	0	0	0	0	76
0	.91924E+00	0	0	0	0	.90941E+00	0	.87293E+00	0	0	0	77
0	0	.80857E+00	0	.66937E+00	0	0	0	0	0	0	.45857E+00	78
0	.21610E+00	0	0	.72787E-03	0	.72903E-01	0	.17664E-01	0	0	0	79
0	.27403E-04	.37984E-02	0	0	0	.52965E-05	0	0	0	0	.14146E-03	80
0	0	.16837E-06	0	.26662E-07	0	0	0	.97873E-06	0	0	0	81
0	.51285E-09	0	0	0	0	.62352E-10	0	0	0	0	.38652E-08	82
0	.96191E+00	0	0	0	0	.95594E+00	0	0	0	0	0	83
0	0	.90733E+00	0	.83660E+00	0	0	0	.94068E+00	0	0	0	84
0	.44336E+00	0	0	0	0	.19431E+00	0	0	0	0	.68989E+00	85
0	0	.13131E-01	0	.26452E-02	0	0	0	.56451E-01	0	0	0	86
0	.10692E-03	0	0	0	0	.21887E-04	0	0	0	0	.52758E-03	87
0	0	.82914E-06	0	.14478E-06	0	0	0	.43939E-05	0	0	0	88
0	.33995E-08	0	0	0	0	.45668E-09	0	0	0	0	.23185E-07	89
0	.99032E+00	0	0	0	0	.98670E+00	0	0	0	0	0	90
0	0	.97407E+00	0	.96105E+00	0	0	0	.98543E+00	0	0	0	91
0	.82388E+00	0	0	0	0	.60179E+00	0	0	0	0	.91337E+00	92
0	0	.97507E-01	0	.23307E-01	0	0	0	.30989E+00	0	0	0	93
0	.10312E-02	0	0	0	0	.22663E-03	0	0	0	0	.48356E-02	94
0	0	.11360E-04	0	.23603E-05	0	0	0	.51476E-04	0	0	0	95
0	.79579E-07	0	0	0	0	.12823E-07	0	0	0	0	.45247E-06	96
0	.99736E+00	0	0	0	0	.99472E+00	0	0	0	0	0	97
0	0	.99063E+00	0	.98971E+00	0	0	0	.99607E+00	0	0	0	98
0	.95272E+00	0	0	0	0	.86640E+00	0	0	0	0	.97263E+00	99
0	0	.37254E+00	0	.12803E+00	0	0	0	.69863E+00	0	0	0	100
0	.66521E-02	0	0	0	0	.14727E-02	0	0	0	0	.29854E-01	101
0	0	.88432E-04	0	.21232E-04	0	0	0	.35933E-03	0	0	0	102
0	.98508E-06	0	0	0	0	.18684E-06	0	0	0	0	.47639E-05	103
0	.99932E+00	0	0	0	0	.99745E+00	0	0	0	0	0	104
0	0	.99590E+00	0	.99703E+00	0	0	0	.99895E+00	0	0	0	105
0	.98599E+00	0	0	0	0	.95645E+00	0	0	0	0	.98980E+00	106
0	0	.71467E+00	0	.40905E+00	0	0	0	.90102E+00	0	0	0	107
0	.32646E-01	0	0	0	0	.71917E-02	0	0	0	0	.13185E+00	108
0	0	.46431E-03	0	.12418E-03	0	0	0	.17685E-02	0	0	0	109
0	.75926E-05	0	0	0	0	.16690E-05	0	0	0	0	.31791E-04	110
0	.99993E+00	0	0	0	0	.99891E+00	0	0	0	0	0	111
0	0	.99851E+00	0	.99937E+00	0	0	0	.99984E+00	0	0	0	112
0	.99677E+00	0	0	0	0	.99096E+00	0	0	0	0	.99718E+00	113
0	0	.94171E+00	0	.82170E+00	0	0	0	.97896E+00	0	0	0	114
0	.21389E+00	0	0	0	0	.55763E-01	0	.13112E-01	0	0	.54664E+00	115

0, 84190E-04	0, 34407E-02	0, 99051E-03	0, 22490E-04	0, 29507E-03	117
0, 99991E+00	0, 99939E+00	0, 99964E+00	0, 99947E+00	0, 99986E+00	118
0, 99864E+00	0, 98895E+00	0, 95420E+00	0, 99813E+00	0, 99344E+00	119
0, 61500E+00	0, 18721E-01	0, 51328E-02	0, 27764E+00	0, 73362E-01	120
0, 52804E+03	0, 99978E+00	0, 99961E+00	0, 16539E-03	0, 99975E+00	121
0, 99979E+00	0, 99919E+00	0, 99989E+00	0, 99976E+00	0, 99979E+00	122
0, 92557E+00	0, 99879E+00	0, 99089E+00	0, 76605E+00	0, 99779E+00	123
0, 33918E-02	0, 13377E+00	0, 34410E-01	0, 12170E-02	0, 41406E+00	124
0, 99972E+00	0, 99985E+00	0, 99961E+00	0, 99982E+00	0, 99969E+00	125
0, 99944E+00	0, 99957E+00	0, 99810E+00	0, 99996E+00	0, 99908E+00	126
0, 98892E+00	0, 50939E+00	0, 19066E+00	0, 94751E+00	0, 99509E+00	127
0, 15384E-01	0, 99982E+00	0, 99964E+00	0, 84214E+00	0, 99991E+00	128
0, 99970E+00	0, 99946E+00	0, 99970E+00	0, 94751E+00	0, 99991E+00	129
0, 99958E+00	0, 85735E+00	0, 58415E+00	0, 98657E+00	0, 99983E+00	130
0, 99879E+00	0, 99976E+00	0, 99966E+00	0, 19861E-01	0, 99957E+00	131
0, 63384E-01	0, 99942E+00	0, 99990E+00	0, 99977E+00	0, 99971E+00	132
0, 99969E+00	0, 97193E+00	0, 86834E+00	0, 99653E+00	0, 99138E+00	133
0, 99966E+00	0, 23235E+00	0, 70509E-01	0, 99653E+00	0, 99974E+00	134
0, 99971E+00	0, 99968E+00	0, 99971E+00	0, 99968E+00	0, 99974E+00	135
0, 23235E+00	0, 99970E+00	0, 99967E+00	0, 99959E+00	0, 99974E+00	136
0, 99968E+00	0, 99944E+00	0, 99977E+00	0, 99972E+00	0, 99967E+00	137
0, 99945E+00	0, 99944E+00	0, 99977E+00	0, 99928E+00	0, 99925E+00	138
0, 57958E+00	0, 99985E+00	0, 96214E+00	0, 99594E+00	0, 88735E+00	139
0, 99967E+00	0, 99965E+00	0, 99966E+00	0, 23557E+00	0, 88735E+00	140
0, 99966E+00	0, 99965E+00	0, 99966E+00	0, 99967E+00	0, 99966E+00	141
0, 99966E+00	0, 99948E+00	0, 99961E+00	0, 99956E+00	0, 99966E+00	142
0, 99925E+00	0, 99921E+00	0, 99987E+00	0, 99983E+00	0, 99966E+00	143
0, 86740E+00	0, 99961E+00	0, 99987E+00	0, 99773E+00	0, 99949E+00	144
0, 99964E+00	0, 99961E+00	0, 99963E+00	0, 55014E+00	0, 96700E+00	145
0, 99961E+00	0, 99951E+00	0, 99949E+00	0, 99963E+00	0, 99958E+00	146
0, 99921E+00	0, 99905E+00	0, 99798E+00	0, 99954E+00	0, 99958E+00	147
0, 97075E+00	0, 99905E+00	0, 99798E+00	0, 99973E+00	0, 99955E+00	148
			0, 81966E+00	0, 98681E+00	149
					150
					151
					152
					153
					154
					155
					156
					157
					158
					159
					160
					161
					162
					163
					164
					165
					166
					167
					168
					169
					170
					171
					172
					173
					174

APPENDIX E

SAMPLE PROBLEM OUTPUT

N + CO-59 == H=1 AND HE=4 PRODUCTION == 10 TO 40 MEV RUNS  
 APRIL 7, 1977 == STANDARD PARAMETERS

IPRTLEV= 1 IPRTYC= 0 IPRTWID= 0 IPRTSP= 3 IPRTGC= 1  
 INPOPT=1 KLIN=12 KLIN=12 NIBD= 4 LMAXOPT= 0

++++ GROUND STATE OF 25058 IS INCOMPLETELY DESCRIBED, SPIN,PARITY = 99.00 99.00 ++++  
 ++++ ASSIGNMENTS CHANGED TO, SPIN,PARITY = 0.00 1.00 ++++

LCM SPACE REQUIRED (EXCLUDING DISC BUFFERS) IS 225300  
 NUMBER OF LCM BUFFERS IS 4  
 MAXIMUM NUMBER OF ENERGY BINS IS 200

NI= 5 NMP= 3 LGROPT= 2 LREQ= 1 NJMAX= 40 ICAPT=0

ZAP= 1 ZAT= 27059 DE= 1.000 MEV XMT= 58.93319 AMU SP= 7.492 MEV ECUTOFF= .10 MEV  
 ACN= 0.000 /MEV FSIGCN= 1.000 DEFCN= 0 SPINT = 3.5 PIT= 1

INCIDENT ENERGIES (MEV) = 1.400E+01

I	ZACN	NIP	PARENT	S-WAVE	IP	ZA1	ZA2	XMR	S	NLEV	DEF	A	NLGC	ECGC	BUFFER
--	-----	---	I IP	STRENGTH, ENERGY	--	-----	-----	(AMU)	(MEV)	--	---	(/MEV)	----	(MEV)	NUMBER
1	27060	4	1 1	-6.830E+01 7.492											
					1	0	27060	59.934	0.000	0	0	0.000	0	0.000	1
					2	1	27059	58.933	7.492	0	0	0.000	0	0.000	4
					3	1001	26059	58.935	0.275	0	0	0.000	0	0.000	2
					4	2004	25056	55.939	7.172	0	0	0.000	0	0.000	3
2	26059	4	1 3	-1.008E+00 6.587											
					1	0	26059	58.935	0.000	0	0	0.000	0	0.000	2
					2	1	26058	57.933	6.587	0	0	0.000	0	0.000	0
					3	1001	25058	57.940	11.899	0	0	0.000	0	0.000	0
					4	2004	24055	54.941	7.974	0	0	0.000	0	0.000	0
3	25056	4	1 4	-1.003E+00 7.270											
					1	0	25056	55.939	0.000	0	0	0.000	0	0.000	3
					2	1	25055	54.938	7.270	0	0	0.000	0	0.000	0
					3	1001	24055	54.941	9.077	0	0	0.000	0	0.000	0
					4	2004	23052	51.945	7.897	0	0	0.000	0	0.000	0
4	27059	4	1 2	-1.730E+01 10.460											
					1	0	27059	58.933	0.000	0	0	0.000	0	0.000	4
					2	1	27058	57.936	10.460	0	0	0.000	0	0.000	1
					3	1001	26058	57.933	7.370	0	0	0.000	0	0.000	0
					4	2004	25055	54.938	6.951	0	0	0.000	0	0.000	0
5	27058	4	4 2	-4.760E+01 8.972											
					1	0	27058	57.936	0.000	0	0	0.000	0	0.000	1
					2	1	27057	56.936	8.972	0	0	0.000	0	0.000	0
					3	1001	26057	56.935	6.953	0	0	0.000	0	0.000	0
					4	2004	25054	53.940	6.715	0	0	0.000	0	0.000	0

## AXEL APPROXIMATION USED FOR GAMMA-RAY TRANSMISSION COEFFICIENTS

INDEX	L	PARITY	MULTIPOLARITY	RATIO TO E1
1	1	1	E1	1.000
2	1	-1	M1	0.
3	2	1	E2	0.

## COLLI-MILAZZO CLOSED FORM USED FOR ABSOLUTE CAL OF PRE-EQUILIBRIUM CROSS SECTION

PRE-EQUILIBRIUM NORMALIZATION CONSTANTS ARE /	NEUTRON	PROTON	DEUTERON	TRITON	HE-3	ALPHA
(INPUT)	0.	0.	1.000E-03	1.000E-03	1.000E-03	3.000E-03
(USED)	5.000E-04	5.000E-04	1.000E-03	1.000E-03	1.000E-03	3.000E-03

## TRANSMISSION COEFFICIENT DATA

3 N + CO-59 TRAN. COEFS. FOR N, P, HE-4 ---- W-M FOR N 9-28-76 1

START OF SPECTRA SUBROUTINE. TIME FROM START OF THIS ENERGY = .002 SECONDS, TOTAL ELAPSED TIME = 22,122 SECONDS,  
+++ GILCAM SUBROUTINE UNABLE TO MATCH DISCRETE LEVELS WITH LEVEL DENSITY FUNCTION FOR RESIDUAL NUCLEUS IN REACTION IR = 20 +++

START OF I= 1 LOOP. TIME FROM START OF THIS ENERGY = .002 SECONDS, TOTAL ELAPSED TIME = 22,202 SECONDS,  
GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I= 1, CONSTANT = 6.8300E-01

START OF I= 2 LOOP. TIME FROM START OF THIS ENERGY = 2.477 SECONDS, TOTAL ELAPSED TIME = 24,597 SECONDS,  
GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I= 2, CONSTANT = 1.0000E+00

START OF I= 3 LOOP. TIME FROM START OF THIS ENERGY = 3.274 SECONDS, TOTAL ELAPSED TIME = 25,395 SECONDS,  
GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I= 3, CONSTANT = 1.0030E+00

START OF I= 4 LOOP. TIME FROM START OF THIS ENERGY = 5.065 SECONDS, TOTAL ELAPSED TIME = 27,185 SECONDS,  
GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I= 4, CONSTANT = 1.7300E-01

START OF I= 5 LOOP. TIME FROM START OF THIS ENERGY = 6.366 SECONDS, TOTAL ELAPSED TIME = 28,486 SECONDS,  
GAMMA RAY STRENGTH NORMALIZATION CONSTANT / I= 5, CONSTANT = 4.7600E-01

END OF I LOOP IN SUBROUTINE SPECTRA. TIME FROM START OF THIS ENERGY = 6.387 SECONDS, TOTAL ELAPSED TIME = 28,507 SECONDS.

N + CO-59 -- H-1 AND HE-4 PRODUCTION -- 10 TO 40 MEV RUNS  
 APRIL 7, 1977 -- STANDARD PARAMETERS

LAB NEUTRON ENERGY = 1.4000E+01 MEV

BINARY REACTION SUMMARIES (COMPOUND NUCLEUS ONLY)

REACTION PRODUCT	SIGMA (BARN)
-----	-----
NONELASTIC	1.4142E+00
GAMMA-RAY	1.2395E-03
NEUTRON	1.3276E+00
PROTON	6.9175E-02
HELIUM-4	1.6112E-02

----- PRE-EQUILIBRIUM SUMMARY -----

IP = 2 ID = 1 OUTGOING PARTICLE = NEUTRON  
 INITIAL EXCITON NUMBER = 3 PREQ NORMALIZATION = .50000E-03  
 COMPOUND X=SEC(BARNS) = .93545E+00 PREEQ X=SEC(BARNS) = .34940E+00

IP = 3 ID = 2 OUTGOING PARTICLE = PROTON  
 INITIAL EXCITON NUMBER = 3 PREQ NORMALIZATION = .50000E-03  
 COMPOUND X=SEC(BARNS) = .48740E-01 PREEQ X=SEC(BARNS) = .62595E-01

IP = 4 ID = 6 OUTGOING PARTICLE = HELIUM-4  
 INITIAL EXCITON NUMBER = 3 PREQ NORMALIZATION = .30000E-02  
 COMPOUND X=SEC(BARNS) = .11352E-01 PREEQ X=SEC(BARNS) = .53801E-02



SPECTRA FROM INDIVIDUAL REACTIONS

	ZACN=27060	ZACN=27060	ZACN=27060	ZACN=27060	ZACN=26059	ZACN=26059	ZACN=26059	ZACN=26059	ZACN=25056	ZACN=25056	
	ZA1= 0	ZA1= 1	ZA1= 1001	ZA1= 2004	ZA1= 0	ZA1= 1	ZA1= 1001	ZA1= 2004	ZA1= 0	ZA1= 1	
	ZA2=27060	ZA2=27059	ZA2=26059	ZA2=25056	ZA2=26059	ZA2=26058	ZA2=25058	ZA2=24053	ZA2=25056	ZA2=25055	
	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	SIGMA	
	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	(BARN)	
LEVEL DECAY C/S=	5.753E+06	0.	0.	0.	5.783E+02	0.	0.	0.	9.571E+03	0.	
LEVEL EXCIT C/S=	9.141E+06	1.609E+02	1.339E+03	4.560E+04	1.265E+01	4.269E+02	0.	5.294E+11	2.603E+02	2.773E+04	
TOTAL PROD. C/S=	1.245E+03	1.285E+00	1.113E+01	1.673E+02	2.097E+01	4.269E+02	0.	5.294E+11	4.336E+02	2.773E+04	
AVG. ENERGY (MEV)	8.389E+00	3.252E+00	6.650E+00	9.739E+00	1.897E+00	1.321E+00	0.	2.838E+00	1.812E+00	1.126E+00	
K	ENERGY (MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	
1	1.000	7.366E+06	3.416E+01	1.118E+06	0.	1.144E+01	3.085E+02	0.	4.958E+12	2.450E+02	2.496E+04
2	2.000	1.512E+05	3.038E+01	7.676E+04	7.021E+10	2.913E+02	1.009E+02	0.	1.569E+12	9.432E+03	2.038E+05
3	3.000	4.469E+05	2.103E+01	7.324E+03	7.145E+10	5.002E+02	1.616E+03	0.	4.351E+11	4.965E+03	7.293E+06
4	4.000	8.214E+05	1.411E+01	1.624E+02	2.116E+05	9.345E+03	1.304E+04	0.	2.904E+12	2.660E+03	3.979E+10
5	5.000	1.160E+04	9.221E+02	1.879E+02	2.043E+05	3.693E+03	9.129E+08	0.	0.	1.240E+03	1.001E+10
6	6.000	1.385E+04	5.971E+02	1.672E+02	2.487E+04	2.364E+03	0.	0.	0.	4.575E+04	0.
7	7.000	1.469E+04	4.032E+02	1.380E+02	1.215E+03	7.171E+04	0.	0.	0.	1.051E+04	0.
8	8.000	1.422E+04	2.888E+02	1.116E+02	2.889E+03	1.991E+06	0.	0.	0.	1.592E+08	0.
9	9.000	1.284E+04	2.174E+02	9.095E+03	3.746E+03	5.762E+07	0.	0.	0.	1.326E+09	0.
10	10.000	1.093E+04	1.666E+02	7.221E+03	3.313E+03	1.649E+07	0.	0.	0.	6.084E+10	0.
11	11.000	8.863E+05	1.235E+02	5.391E+03	2.354E+03	1.753E+08	0.	0.	0.	2.279E+14	0.
12	12.000	6.880E+05	8.863E+03	3.484E+03	1.554E+03	1.660E+11	0.	0.	0.	1.089E+14	0.
13	13.000	5.131E+05	5.349E+03	1.339E+03	9.156E+04	0.	0.	0.	0.	0.	0.
14	14.000	3.673E+05	1.875E+03	0.	4.560E+04	0.	0.	0.	0.	0.	0.
15	15.000	2.555E+05	0.	0.	0.	0.	0.	0.	0.	0.	0.
16	16.000	1.704E+05	0.	0.	0.	0.	0.	0.	0.	0.	0.
17	17.000	1.133E+05	0.	0.	0.	0.	0.	0.	0.	0.	0.
18	18.000	7.445E+06	0.	0.	0.	0.	0.	0.	0.	0.	0.
19	19.000	4.569E+06	0.	0.	0.	0.	0.	0.	0.	0.	0.
20	20.000	6.558E+07	0.	0.	0.	0.	0.	0.	0.	0.	0.
21	21.000	2.732E+06	0.	0.	0.	0.	0.	0.	0.	0.	0.



C O M P O S I T E    S P E C T R A

	NEUTRON SPECTRUM	PROTON SPECTRUM	DEUTERON SPECTRUM	TRITON SPECTRUM	HELIUM-3 SPECTRUM	HELIUM-4 SPECTRUM	GAMMA-RAY SPECTRUM	G, NEUTRON SPECTRUM
	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)	SIGMA (BARN3)
TOTAL PROD. C/S=	2.138E+00	2.069E+01	0.	0.	0.	1.793E-02	2.067E+00	0.
AVG. ENERGY (MEV)	2.476E+00	4.714E+00	0.	0.	0.	9.402E+00	1.984E+00	0.
K	ENERGY (MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)	SIGMA (B/MEV)
1	1.000	9.338E-01	9.974E-03	0.	0.	0.	6.244E-09	1.314E+00
2	2.000	5.626E-01	5.638E-02	0.	0.	0.	1.428E-06	1.756E-01
3	3.000	2.121E-01	2.093E-02	0.	0.	0.	1.462E-06	2.597E-01
4	4.000	1.412E-01	2.600E-02	0.	0.	0.	7.181E-04	1.350E-01
5	5.000	9.221E-02	2.540E-02	0.	0.	0.	1.864E-04	8.113E-02
6	6.000	5.971E-02	1.672E-02	0.	0.	0.	5.802E-04	4.597E-02
7	7.000	4.032E-02	1.380E-02	0.	0.	0.	1.215E-03	2.493E-02
8	8.000	2.888E-02	1.116E-02	0.	0.	0.	2.889E-03	1.824E-02
9	9.000	2.174E-02	9.095E-03	0.	0.	0.	3.746E-03	9.037E-03
10	10.000	1.666E-02	7.221E-03	0.	0.	0.	3.313E-03	2.821E-03
11	11.000	1.235E-02	5.391E-03	0.	0.	0.	2.354E-03	1.031E-04
12	12.000	8.863E-03	3.484E-03	0.	0.	0.	1.554E-03	7.441E-05
13	13.000	5.349E-03	1.339E-03	0.	0.	0.	9.156E-04	5.366E-05
14	14.000	1.875E-03	0.	0.	0.	0.	4.560E-04	3.673E-05
15	15.000	0.	0.	0.	0.	0.	0.	2.555E-05
16	16.000	0.	0.	0.	0.	0.	0.	1.704E-05
17	17.000	0.	0.	0.	0.	0.	0.	1.133E-05
18	18.000	0.	0.	0.	0.	0.	0.	7.445E-06
19	19.000	0.	0.	0.	0.	0.	0.	4.569E-06
20	20.000	0.	0.	0.	0.	0.	0.	6.558E-07
21	21.000	0.	0.	0.	0.	0.	0.	2.732E-06

## DISCRETE LEVEL INFORMATION

I= 1 IP= 1 IR= 1 ZA1= 0 ZA2=27060 SEPARATION ENERGY = 0.000 MEV ACCUMULATED SEPARATION ENERGY = 0.000 MEV  
 NUMBER OF LEVEL IN RESIDUAL NUCLEUS = 11 NUMBER OF GAMMA RAYS = 18 RESIDUAL NUCLEUS ID =27060

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	PRODUCTION CROSS SECTION (BARNs)	NUMBER OF TRANSITIONS	FINAL LEVEL NO	FINAL ENERGY (MEV)	TRANSITION PROBABILITY	CONDITIONAL PROBABILITY	GAMMA NUMBER	GAMMA ENERGY (MEV)	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	5.0	3.3880E-06	0							
2	.0590	2.0	1.8459E-06	1	1	0.0000	1.0000	1.0000	1	.0590	1.8450E-06
3	.2780	4.0	8.2750E-07	1	1	0.0000	1.0000	1.0000	2	.2780	8.2750E-07
4	.2880	3.0	6.5204E-07	1	2	.0590	1.0000	1.0000	3	.2290	6.5204E-07
5	.4360	5.0	4.7466E-07	2	1	0.0000	.1700	1.0000	4	.4360	8.0693E-08
					3	.2780	.8300	1.0000	5	.1580	3.9397E-07
6	.5050	3.0	2.8702E-07	1	2	.0590	1.0000	1.0000	6	.4460	2.8702E-07
7	.5410	2.0	2.0741E-07	2	2	.0590	.4200	1.0000	7	.4820	8.7111E-08
					4	.2880	.5800	1.0000	8	.2530	1.2030E-07
8	.6140	3.0	6.1643E-07	2	2	.0590	.9700	1.0000	9	.5550	5.9794E-07
					3	.2780	.0300	1.0000	10	.3360	1.8493E-08
9	.7360	2.0	1.8657E-07	1	8	.6140	1.0000	1.0000	11	.1220	1.8657E-07
10	.7820	4.0	3.8003E-07	2	1	0.0000	.4600	1.0000	12	.7820	1.7481E-07
					4	.2880	.5400	1.0000	13	.4940	2.0521E-07
11	1.0060	3.0	2.7578E-07	5	8	.6140	.5200	1.0000	14	.3920	1.4340E-07
					7	.5410	.0700	1.0000	15	.4650	1.9304E-08
					4	.2880	.1500	1.0000	16	.7180	4.1367E-08
					3	.2780	.1200	1.0000	17	.7280	3.3093E-08
					2	.0590	.1400	1.0000	18	.9470	3.8609E-08

I= 1 IP= 2 IR= 2 ZA1= 1 ZA2=27059 SEPARATION ENERGY = 7.492 MEV ACCUMULATED SEPARATION ENERGY = 0.000 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 0

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO= SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	-3,5	99,0	1.8750E-03
2	1.0993	-1,5	99,0	1.4973E-03
3	1.1900	-4,5	99,0	3.8514E-03
4	1.2915	-1,5	99,0	1.1044E-03
5	1.4340	-,5	99,0	5.3715E-04
6	1.4600	-5,5	99,0	3.2654E-03
7	1.4810	-2,5	99,0	1.6832E-03
8	1.7440	-3,5	99,0	2.2726E-03

I= 1 IP= 3 IR= 3 ZA1=1001 ZA2=26059 SEPARATION ENERGY = 0.275 MEV ACCUMULATED SEPARATION ENERGY = 0.000 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 3

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO= SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	-1,5	99,0	4.5694E-04
2	.2890	-,5	99,0	2.1616E-04
3	.4750	-2,5	99,0	6.6594E-04

I= 1 IP= 4 IR= 4 ZA1=2004 ZA2=25056 SEPARATION ENERGY = 7.172 MEV ACCUMULATED SEPARATION ENERGY = 0.000 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 3

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO= SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	3,0	99,0	2.1185E-04
2	.0260	2,0	99,0	1.5207E-04
3	.1100	1,0	99,0	9.2096E-05

I= 2 IP= 1 IR= 5 ZA1= 0 ZA2=26059 SEPARATION ENERGY = 0.000 MEV ACCUMULATED SEPARATION ENERGY = 0.275 MEV  
 NUMBER OF LEVEL IN RESIDUAL NUCLEUS = 3 NUMBER OF GAMMA RAYS = 3 RESIDUAL NUCLEUS ID =26059

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	PRODUCTION CROSS SECTION (BARNS)	NUMBER OF TRANSITIONS	FINAL LEVEL NO	FINAL ENERGY (MEV)	TRANSITION PROBABILITY	CONDITIONAL PROBABILITY	GAMMA NUMBER	GAMMA ENERGY (MEV)	PRODUCTION CROSS SECTION (BARNS)
1	0.0000	-1.5	6.8647E-02	0							
2	.2890	-.5	1.6409E-02	1	1	0.0000	1.0000	1.0000	1	.2890	1.6409E-02
3	.4750	-2.5	4.1424E-02	2	1	0.0000	.7500	1.0000	2	.4750	3.1068E-02
					2	.2890	.2500	1.0000	3	.1860	1.0356E-02

I= 2 IP= 2 IR= 6 ZA1= 1 ZA2=26058 SEPARATION ENERGY = 6.587 MEV ACCUMULATED SEPARATION ENERGY = 8.275 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 9

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNS)
1	0.0000	0.0	99.0	0.5725E-03
2	.8106	2.0	99.0	2.2615E-02
3	1.6790	2.0	99.0	3.0559E-03
4	2.1334	3.0	99.0	5.1454E-03
5	2.2570	0.0	99.0	1.2504E-04
6	2.5960	4.0	99.0	2.7356E-03
7	2.7820	1.0	99.0	1.4346E-04
8	2.8760	1.0	99.0	1.2239E-04
9	3.0840	2.0	99.0	1.7128E-04

I= 2 IP= 3 IR= 7 ZA1=1001 ZA2=25058 SEPARATION ENERGY = 11.899 MEV ACCUMULATED SEPARATION ENERGY = 8.275 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 1

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNS)
1	0.0000	-0.0	99.0	0.

I= 2 IP= 4 IR= 8 ZA1=2004 ZA2=20055 SEPARATION ENERGY = 7.974 MEV ACCUMULATED SEPARATION ENERGY = 8.275 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 5

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	-1,5	99,0	4.0766E-11
2	.2440	=,5	99,0	9.0508E-13
3	.5710	-2,5	99,0	7.7826E-12
4	.5720	-1,5	99,0	1.4270E-12
5	.8850	-2,5	99,0	2.0583E-12

I= 3 IP= 1 IR= 9 ZA1= 0 ZA2=25056 SEPARATION ENERGY = 0.000 MEV ACCUMULATED SEPARATION ENERGY = 7.172 MEV  
 NUMBER OF LEVEL IN RESIDUAL NUCLEUS = 3 NUMBER OF GAMMA RAYS = 2 RESIDUAL NUCLEUS ID =25056

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	PRODUCTION CROSS SECTION (BARNs)	NUMBER OF TRANSITIONS	FINAL LEVEL NO	FINAL ENERGY (MEV)	TRANSITION PROBABILITY	CONDITIONAL PROBABILITY	GAMMA NUMBER	GAMMA ENERGY (MEV)	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	3,0	1.6455E-02	0							
2	.0260	2,0	7.5421E-03	1	1	0.0000	1.0000	1.0000	1	.0260	7.5421E-03
3	.1100	1,0	2.0286E-03	1	2	.0260	1.0000	1.0000	2	.0840	2.0286E-03

I= 3 IP= 2 IR=10 ZA1= 1 ZA2=25055 SEPARATION ENERGY = 7.270 MEV ACCUMULATED SEPARATION ENERGY = 7.172 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 7

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	-2,5	99,0	9.7831E-05
2	.1260	-3,5	99,0	1.5538E-04
3	.9840	-4,5	99,0	9.0089E-06
4	1.2920	-5,5	99,0	1.0037E-05
5	1.5280	-1,5	99,0	1.8085E-06
6	1.8830	-2,5	99,0	1.2467E-06
7	2.1990	-3,5	99,0	1.1196E-06

I= 3 IP= 3 IR=11 ZA1=1001 ZA2=24055 SEPARATION ENERGY = 9.077 MEV ACCUMULATED SEPARATION ENERGY = 7.172 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 5

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	-1.5	99.0	3.2107E-11
2	.2440	=.5	99.0	7.7307E-13
3	.5210	=2.5	99.0	3.5826E-13
4	.5720	=1.5	99.0	1.8115E-13
5	.8650	=2.5	99.0	1.1267E-13

I= 3 IP= 4 IR=12 ZA1=2004 ZA2=23052 SEPARATION ENERGY = 7.897 MEV ACCUMULATED SEPARATION ENERGY = 7.172 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 7

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	3.0	99.0	6.9296E-15
2	.0172	2.0	99.0	4.3148E-15
3	.0228	4.0	99.0	1.5509E-14
4	.1416	1.0	99.0	1.8203E-15
5	.1478	3.0	99.0	4.7778E-15
6	.4366	2.0	99.0	2.0365E-15
7	.7935	2.0	99.0	1.0685E-15

I= 4 IP= 1 IR=13 ZA1= 0 ZA2=27059 SEPARATION ENERGY = 0.000 MEV ACCUMULATED SEPARATION ENERGY = 7.492 MEV  
 NUMBER OF LEVEL IN RESIDUAL NUCLEUS = 0 NUMBER OF GAMMA RAYS = 11 RESIDUAL NUCLEUS ID =27059

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	PRODUCTION CROSS SECTION (BARNs)	NUMBER OF TRANSITIONS	FINAL LEVEL NO	FINAL ENERGY (MEV)	TRANSITION PROBABILITY	CONDITIONAL PROBABILITY	GAMMA NUMBER	GAMMA ENERGY (MEV)	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	-3.5	3.7819E-01	0							
2	1.0993	-1.5	4.2541E-02	1	1	0.0000	1.0000	1.0000	1	1.0993	4.2541E-02
3	1.1900	-4.5	7.9069E-02	1	1	0.0000	1.0000	1.0000	2	1.1900	7.9069E-02
4	1.2915	-1.5	2.2122E-02	2	1	0.0000	.9400	1.0000	3	1.2915	2.0795E-02
					2	1.0993	.0600	1.0000	4	.1922	1.3273E-03



5	1.4340	=.5	8.6454E=03	2	2	1.0993	.5000	1.0000	5	.3347	4.3227E=03
					4	1.2915	.5000	1.0000	6	.1425	4.3227E=03
6	1.4600	=5.5	8.7962E=02	1	1	0.0000	1.0000	1.0000	7	1.4600	8.7962E=02
7	1.4810	=2.5	1.8790E=02	2	2	1.0993	.6000	1.0000	8	.3017	1.1274E=02
					1	0.0000	.4000	1.0000	9	1.4810	7.5158E=03
8	1.7440	=3.5	1.6051E=02	2	1	0.0000	.5500	1.0000	10	1.7440	8.8201E=03
					3	1.1900	.4500	1.0000	11	.5540	7.2230E=03

I= 4 IP= 2 IR=14 ZA1= 1 ZA2=27050 SEPARATION ENERGY = 10.460 MEV ACCUMULATED SEPARATION ENERGY = 7.492 MEV  
NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 6

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO-SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	2.0	99.0	6.7070E=02
2	.0249	5.0	99.0	3.3623E=01
3	.0540	3.0	99.0	9.5163E=02
4	.1160	4.0	99.0	1.5206E=01
5	.3670	3.0	99.0	5.1398E=02
6	.4320	2.0	99.0	2.9767E=02

I= 4 IP= 3 IR=15 ZA1=1001 ZA2=26050 SEPARATION ENERGY = 7.370 MEV ACCUMULATED SEPARATION ENERGY = 7.492 MEV  
NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 9

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO-SPIN	PRODUCTION CROSS SECTION (BARNs)
1	0.0000	0.0	99.0	3.7731E=02
2	.8106	2.0	99.0	4.8844E=02
3	1.6750	2.0	99.0	3.5076E=03
4	2.1334	3.0	99.0	2.8888E=03
5	2.2570	0.0	99.0	2.1366E=04
6	2.5960	4.0	99.0	1.6681E=03
7	2.7820	1.0	99.0	2.1757E=04
8	2.8760	1.0	99.0	1.8641E=04
9	3.0040	2.0	99.0	2.1991E=04

I= 4 IP= 4 IR=16 ZA1=2004 ZA2=25055 SEPARATION ENERGY = 6.951 MEV ACCUMULATED SEPARATION ENERGY = 7.492 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 7

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	=2,5	99,0	1.5360E-04
2	.1260	=3,5	99,0	6.8662E-04
3	.9840	=4,5	99,0	5.2054E-05
4	1.2920	=5,5	99,0	2.9761E-04
5	1.5280	-1,5	99,0	2.2376E-06
6	1.8830	=2,5	99,0	1.8058E-06
7	2.1990	=3,5	99,0	3.4425E-06

I= 5 IP= 1 IR=17 ZA1= 0 ZA2=27050 SEPARATION ENERGY = 0.000 MEV ACCUMULATED SEPARATION ENERGY = 17.952 MEV  
 NUMBER OF LEVEL IN RESIDUAL NUCLEUS = 6 NUMBER OF GAMMA RAYS = 6 RESIDUAL NUCLEUS ID =27050

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	PRODUCTION CROSS SECTION (BARN)	NUMBER OF TRANSITIONS	FINAL LEVEL NO	FINAL ENERGY (MEV)	TRANSITION PROBABILITY	CONDITIONAL PROBABILITY	GAMMA NUMBER	GAMMA ENERGY (MEV)	PRODUCTION CROSS SECTION (BARN)
1	0.0000	2,0	8.0915E-01	0							
2	.0249	5,0	3.4826E-01	1	1	0.0000	1.0000	1.0000	1	.0249	3.4826E-01
3	.0540	3,0	1.1611E-01	1	1	0.0000	1.0000	1.0000	2	.0540	1.1611E-01
4	.1160	4,0	1.6295E-01	2	2	.0249	.0300	1.0000	3	.0911	4.8003E-01
					1	0.0000	.9700	1.0000	4	.1160	1.5806E-01
5	.3670	3,0	5.7994E-02	1	1	0.0000	1.0000	1.0000	5	.3670	5.7994E-02
6	.4320	2,0	3.5064E-02	1	1	0.0000	1.0000	1.0000	6	.4320	3.5064E-02

I= 5 IP= 2 IR=18 ZA1= 1 ZA2=27057 SEPARATION ENERGY = 8,572 MEV ACCUMULATED SEPARATION ENERGY = 17,952 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 8

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	-3,5	99,0	0,
2	1.2235	-4,5	99,0	0,
3	1.3779	-1,5	99,0	0,
4	1.5050	-1,5	99,0	0,
5	1.7577	-1,5	99,0	0,
6	1.8965	-3,5	99,0	0,
7	1.9201	-2,5	99,0	0,
8	2.1329	-2,5	99,0	0,

I= 5 IP= 3 IR=19 ZA1=1001 ZA2=26057 SEPARATION ENERGY = 6,953 MEV ACCUMULATED SEPARATION ENERGY = 17,952 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 5

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	-1,5	99,0	0,
2	.0144	-1,5	99,0	0,
3	.1365	-2,5	99,0	0,
4	.3668	-1,5	99,0	0,
5	.7066	-2,5	99,0	0,

I= 5 IP= 4 IR=20 ZA1=2004 ZA2=25054 SEPARATION ENERGY = 6,715 MEV ACCUMULATED SEPARATION ENERGY = 17,952 MEV  
 NUMBER OF LEVELS IN RESIDUAL NUCLEUS = 1

LEVEL NO	LEVEL ENERGY (MEV)	SPIN, PARITY	ISO- SPIN	PRODUCTION CROSS SECTION (BARN)
1	0.0000	3,0	99,0	0,

LEVEL					DENSITY		PARAMETERS									
I	IP	IR	IZA1	IZA2	A (/MEV)	TEMP (MEV)	E0 (MEV)	EMATCH (MEV)	ECUT (MEV)	LEVELS AT ECUT	PN (MEV)	PZ (MEV)	BN (MEV)	SZ (MEV)	S (MEV)	SAC (MEV)
1	1	1	0	27060	7.508	1.135	-1.714	5.837	1.006	11	.00	0.00	15.52	=17.36	0.000	0.000
1	2	2	1	27059	7.058	1.231	-.816	7.769	1.744	8	1.29	0.00	14.92	=17.36	7.492	0.000
1	3	3	1001	26059	7.918	1.162	-.802	8.375	.475	3	.00	1.54	15.52	=16.37	8.275	0.000
1	4	4	2004	25056	7.233	1.583	-1.629	.436	.110	3	0.00	0.00	14.13	=15.53	7.172	0.000
2	1	5	0	26059	7.918	1.162	-.802	8.375	.475	3	.00	1.54	15.52	=16.37	0.000	8.275
2	2	6	1	26058	7.465	1.214	-.416	9.708	3.084	9	1.29	1.54	14.92	=16.37	6.587	8.275
2	3	7	1001	25058	8.231	.758	0.000	.846	0.000	1	.00	0.00	15.52	=19.53	11.899	8.275
2	4	8	2004	24055	7.517	1.204	-1.052	8.152	.885	5	0.00	1.35	14.13	=14.71	7.974	8.275
3	1	9	0	25056	7.233	1.583	-1.629	.436	.110	3	0.00	0.00	14.13	=15.53	0.000	7.172
3	2	10	1	25055	6.665	1.181	-.099	6.410	2.199	7	1.27	0.00	13.26	=15.53	7.270	7.172
3	3	11	1001	24055	7.517	1.204	-1.052	8.152	.885	5	0.00	1.35	14.13	=14.71	9.077	7.172
3	4	12	2004	23052	6.750	1.188	-1.517	5.366	.794	7	0.00	0.00	12.60	=13.93	7.897	7.172
4	1	13	0	27059	7.058	1.231	-.816	7.769	1.744	8	1.29	0.00	14.92	=17.36	0.000	7.492
4	2	14	1	27058	6.518	1.277	-1.855	6.201	.432	6	0.00	0.00	14.13	=17.36	10.460	7.492
4	3	15	1001	26058	7.465	1.214	-.416	9.708	3.084	9	1.29	1.54	14.92	=16.37	7.370	7.492
4	4	16	2004	25055	6.665	1.181	-.099	6.410	2.199	7	1.27	0.00	13.26	=15.53	6.951	7.492
5	1	17	0	27058	6.518	1.277	-1.855	6.201	.432	6	0.00	0.00	14.13	=17.36	0.000	17.952
5	2	18	1	27057	5.951	1.399	-.776	8.073	2.133	8	1.27	0.00	13.26	=17.36	8.572	17.952
5	3	19	1001	26057	6.923	1.354	-1.473	9.664	.707	5	0.00	1.54	14.13	=16.37	6.953	17.952
5	4	20	2004	25054	6.217	2.373	0.000	.462	0.000	1	0.00	0.00	12.60	=15.53	6.715	17.952