



Product Documentation

Embarcadero® AppWave™

Administrator Guide

Version 2.0.1
Published July 15, 2011

© 2011 Embarcadero Technologies, Inc. Embarcadero, the Embarcadero Technologies logos, and all other Embarcadero Technologies product or service names are trademarks or registered trademarks of Embarcadero Technologies, Inc. All other trademarks are property of their respective owners.

Embarcadero Technologies, Inc. is a leading provider of award-winning tools for application developers and database professionals so they can design systems right, build them faster and run them better, regardless of their platform or programming language. Ninety of the Fortune 100 and an active community of more than three million users worldwide rely on Embarcadero products to increase productivity, reduce costs, simplify change management and compliance and accelerate innovation. The company's flagship tools include: Embarcadero® Change Manager™, CodeGear™ RAD Studio, DBArtisan®, Delphi®, ER/Studio®, JBuilder® and Rapid SQL®. Founded in 1993, Embarcadero is headquartered in San Francisco, with offices located around the world. Embarcadero is online at www.embarcadero.com.

July 15, 2011

Contents

- Welcome to AppWave 7
 - About This Document 7
 - Introduction to AppWave 7
- Installation Information 9
 - AppWave Requirements 9
 - Installing AppWave 11
 - Upgrading AppWave from Previous Versions 14
 - Providing Users with AppWave Browser..... 14
- AppWave Configuration and Administration 17
 - Using the Dashboard Commands..... 18
 - Download AppWave Browser 18
 - Set Up Licenses..... 19
 - Download Applications 20
 - Import LDAP Users and Groups 22
 - Change Admin Password..... 24
 - Update Application Catalog Configuration..... 24
 - Manage Disk Space 26
 - Publish Applications..... 27
 - Moderate Reviews 28
 - Configuring the AppWave Service 29
 - Configure AppWave Properties 30
 - Opening the Properties Dialog 30
 - Stopping and Starting the AppWave Service..... 31
 - Configuring Additional Login Accounts 31
 - Configuring Logging 31
 - Configuring the JRE 32
 - Configuring Server Startup..... 32
 - Configuring Server Shutdown 33
 - Logging in to the AppWave ADMIN Page..... 33
 - Logging out of AppWave 34
 - Configuring Catalog Updates..... 35
 - Handling Notifications 36
 - View Notification Messages..... 37
 - Manage Notifications 38

CONTENTS

Subscribing to the Notifications RSS NewsFeed	40
Managing AppWave	41
Set System Properties	41
System Properties > General tab	42
System Properties > Email Tab	45
System Properties > Proxy Server Tab	46
System Properties > App Repository Tab	47
System Properties > Streaming Tab	48
Manage Streaming Services	51
Create Usage History Reports	55
Application Usage Frequency by User Report	57
Application Usage Duration Report	58
Application Usage Duration by User Report	59
License Denial Report	60
License Denials by Application Report	61
Application Usage and Denial Usage Report	62
Denied Users Report	63
Application Usage Over Time Report	64
High Watermark Report	65
Hourly Application Usage Report	66
Reporting Data Export	66
AppWave Backup and Restore	67
Backing up Products	67
Backing up and Restoring Users, Groups, Folders, Reviews, and System Properties Settings	68
Backing up and Restoring Licenses	69
Backing up and Restoring License Permissions	69
Backing up and Restoring Reports	70
AppWave Browser Backup and Restore	71
License Management	73
Understanding All-Access and AppWave Licenses	73
License Levels	73
License Types	73
Network Named User License	74
Concurrent License	74
Workstation License	74
A-la-Carte Licenses	74
Trial Licenses	75

AppWave for Premium Products License (AW4X)	75
AppWave for Custom Apps License (AW4CA)	75
Premium or Custom App Product Licenses	76
Managing Licenses	76
View Licenses	77
Import New Licenses	79
Retrieve Licenses	81
Update Licenses	88
Reload Licenses	89
Delete Licenses	91
License 3rd Party Applications	92
Control License Usage	94
Assigning Licenses to Concurrent Users	95
Assigning Licenses to Network Named Users	99
Assigning Licenses to Workstation Users	102
Configuring Licenses for Offline Usage	105
Restricting Usage by IP Address	106
Reserving Concurrent Licenses	108
Reserving Workstation Licenses	110
View Connected Users and Licenses Usage	114
Manage Licenses of 3rd Party Apps	114
Setting up 3rd Party Licenses	115
Configuring License Automation	116
Manage Trial Licenses	118
Provide Licenses to AppWave Browser Users	119
Folder, User, and Group Management	129
Managing Folders	129
Create Folders	130
Use Existing Folders to Create a New Folder	135
Edit Folders	137
Delete Folders	138
Managing Users	138
Create a User Manually	139
Create a User from an AppWave Browser Log In	141
Create Users Using a CSV File	141
View Users	143
Change the Applications Available to a User or Group	143

CONTENTS

Delete Users	144
Monitor User Activity	144
Managing Groups.....	144
Use the Preconfigured Groups	145
Create Groups	145
View, Edit, and Delete Groups	148
Managing Applications	149
Understanding AppWave Apps	149
Caching Applications on AppWave	150
Monitoring Download Progress	153
Importing Applications to the Product Repository	154
Obtaining Products Manually	155
Obtaining Apps Via the AppWave Media Kit	157
Understanding App Inventory.....	159
Automatically Updating the Application Catalog	161
Manually Updating the Application Catalog	163
Moderating Product Reviews	163
Downloading Applications to Users	166
Index.....	167

WELCOME TO APPWAVE

This section has the following topics:

- [About This Document](#) on page 7
- [Introduction to AppWave](#) on page 7

ABOUT THIS DOCUMENT

This *Embarcadero AppWave Administrator Guide* is the primary reference for AppWave administrators. It provides an introduction to the product, installation information, and detailed instructions for common administrative tasks.

For more information, including user guides for the AppWave Browser, see the Embarcadero Website at www.embarcadero.com.

INTRODUCTION TO APPWAVE

With Embarcadero AppWave you get:

- **AppWave**, which lets you centrally provision, manage and update products and licenses inside your own firewall. AppWave is lightweight software that centrally manages applications and licenses. You control what product versions are available to end users from their AppWave Browser. With network licensing, you can use AppWave to centrally control the list of authorized users. AppWave also supports you in managing many third-party applications that can be mastered as Apps in AppWave Studio. Using AppWave Studio, you can also broadcast in-house developed applications.

AppWave lets you simplify licensing, reduce costs, and control access by consolidating, centralizing, and standardizing on how you deliver applications. Database professionals and application developers have on-demand access to Embarcadero applications when they need them. You can run multiple versions side-by-side, and adapt tool sets by project and platform to respond faster to changing business demands.

- **AppWave Browser**, a lightweight client that is the primary entry point for the various products used with AppWave. It allows users to launch, install, update, and review, and select product versions, all from a single interface. It also provides access to AppWave Studio and to AppWave Administrative functions. The same administrative functionality that is available in the Admin console application is available on the AppWave Admin tab. For more information, see the *AppWave Browser Apps User Guide* and the *AppWave Studio User Guide*.

- **AppWave Apps** for instant access to your products without installation. AppWave save valuable time by allowing quick access to products, even in locked-down desktop environments where installing software is problematic. For more information about AppWave Apps, see [Understanding AppWave Apps](#) on page 149.
- **AppWave Studio** is used to create an App file for a customer product. This product can be an Embarcadero product or a generic application. The creation process walks you through a series of steps where you author and then broadcast the App for your selected product. This can then be run on the local machine and be launched using AppWave Browser. Once broadcasted to AppWave, the App can be broadcasted to AppWave Browser users over the network. You need a special license to use AppWave Studio, either AppWave for X, AppWave for Custom, or AppWave for Vendor. For more information, see the *AppWave Studio User Guide*
- **All-Access:** Embarcadero All-Access licenses that are managed by AppWave provide you with industry-leading database tools, including DBArtisan®, Rapid SQL®, ER/Studio® family of products, and many more. It also provides powerful application development tools, including Delphi®, JBuilder®, C++Builder®, the InterBase® SMP database, and more.

Supported database platforms, programming languages, frameworks, and roles include:

- **Databases:** Oracle, IBM® DB2, Sybase®, Microsoft® SQL Server, InterBase® SMP, MySQL®.
- **Languages and Frameworks:** C++, Delphi®, Java™, PHP, Ruby™, ANSI SQL, Procedural SQL, UML®, HTML, XML, BPMN, Data Lineage, ERD.
- **Application and Database Roles:** Developers, Architects, Performance Testers, and DBAs.

The benefits of Embarcadero All-Access include:

- **Convenience:** You have instant access to the right application when you need it.
- **Flexibility:** A single All-Access license serves the needs of developers, architects, performance testers, and DBAs, supporting multiple platforms, programming languages, and frameworks.
- **Simplicity:** It is much easier to buy, provision, and manage your applications.
- **Predictability:** A comprehensive set of applications provides year-over-year predictability and cost savings.

When you purchase Embarcadero All-Access, you get AppWave and AppWave Browser with:

- **All-Access Membership** provides support, updates, upgrades, new products, and access to premium content on the Embarcadero Developer Network (EDN).
- **All-Access Pass** is the license key that unlocks all applications for a given All-Access level. For more information about levels, see

www.embarcadero.com/products/all-access/membership-levels.

INSTALLATION INFORMATION

AppWave provides product and licensing control from a single Web-based browser interface. It manages a repository directory that contains downloaded Embarcadero products. Application users get access to the products from AppWave Browser.

The AppWave installer sets up the components and directories used by All-Access. This section describes general installation information. See the `ReadMe.htm` file for any issues that could affect your installation of the product. AppWave documentation is available at docs.embarcadero.com.

This section includes these topics:

- [AppWave Requirements](#) on page 9
- [Installing AppWave](#) on page 11
- [Upgrading AppWave from Previous Versions](#) on page 14
- [Providing Users with AppWave Browser](#) on page 14

APPWAVE REQUIREMENTS

The minimum requirements for AppWave are:

- Intel Pentium III 1.2 GHz processor or higher
- 2 GB of RAM
- Basic install of 100 MB with an additional 8GB for the repository of initial and future product downloads
- High resolution monitor (1024 x 768), 16-bit display or greater
- AppWave is supported on the following operating systems:
 - Windows XP SP3, 32 and 64-bit
 - Windows 2003, 32 and 64-bit
 - Vista SP2, 32-bit
 - Windows 2008 R2, 64-bit
 - Windows 7, 32 and 64-bit
- Mozilla Firefox or Internet Explorer 7 or later

- AppWave uses the following ports by default, which are set by the installer
 - Tomcat and other internal processes: 8009
 - AppWave server port: 80
 - Shutdown port: 8082
 - Database port: 3052
 - Licenses port: 5567
- All products that you share through AppWave reside in the repository. Ensure that you have enough hard disk space to accommodate all of the products prior to defining the location of the repository directory. Individual space requirements can be found in the individual product documentation at docs.embarcadero.com.
- AppWave ships with JVM 1.6 embedded.

Technical requirements for AppWave Browser:

- AppWave Browser is a Windows application that is supported on the following 32-bit and 64-bit operating systems:
 - Vista SP2
 - Windows 7
 - Windows 2008 R2
- AppWave is supported on 32-bit Windows XP SP 2 and higher.
- AppWave Browser does not support 64-bit applications.
- AppWave Browser is 41 MB in size and requires a minimum of 70 MB of memory to start. More memory will be consumed based on usage.
- Default cache size for AppWave Browser varies on the operating system used and the amount of memory available.
- Products available in the AppWave Browser have the same approximate memory and disk size requirements as they do independent of AppWave. For the requirements of individual Embarcadero products, consult the product documentation at docs.embarcadero.com.
- AppWave Browser supports 32-bit applications on 32-bit and 64-bit operating systems. 64-bit applications are not supported.

Technical requirements for AppWave Studio:

- Mastering is supported currently only on 32-bit operating systems.
- Mastering 64-bit applications is not supported.

INSTALLING APPWAVE

The wizard-based installer guides you through the installation process. This section describes the Installation Wizard and provides information about decisions you must make during installation.

You must have administrative privileges to run the install. To complete the installation, you need to complete each panel of the Installation Wizard.

NOTE: If you are installing using the AppWave Media Kit, in addition to this document, see the *Appwave Quick Start Guide*.

Installation Wizard - Introduction

To start the installation process:

- 1 Double-click `setup.exe` and the **Introduction** dialog is displayed.
- 2 Click **Next** and the **License Agreement** appears.

Installation Wizard - License Agreement

- 1 Click **I accept the terms of the License Agreement**.
- 2 Click **Next** and the **Choose Install Folder** panel appears.

NOTE: If a previous version of Embarcadero AppWave or ToolCloud is detected during installation you will be prompted to backup your server and remove the installation. For more information, see the AppWave Read Me at docs.embarcadero.com.

Installation Wizard - Choose Install Folder

- 1 Enter the location where you want to install AppWave.
- 2 Click **Next** and the **Application Repository** panel appears.

Installation Wizard - Application Repository

AppWave distributes Embarcadero products through a repository created during installation. The repository is a directory local to AppWave or on a network drive that has read privileges for all users and read and write privileges for the AppWave administrator.

- 1 Choose the location where you want AppWave to store the products cached for AppWave Browser users.

Folder: This folder can be located on a local or network drive.

Use an existing share (UNC format): This allows you to connect to an existing repository. Specify the repository file location in UNC format, such as `\\server\share\file_path`.

- 2 Click **Next** and the **AppWave Ports** panel appears.

Installation Wizard - AppWave Ports

- 1 In the **Communication Port** field, enter the port number AppWave will use to communicate with AppWave Browser and AppWave Studio users. The default port number is 80.

AppWave uses the following ports by default, which are set by the installer

- Tomcat and other internal processes: 8009
- AppWave server port: 80 and 443
- Shutdown port: 8082
- Database port: 3052
- Licenses port: 5567

So do not use these ports as the communication port or for other applications.

NOTE: During normal operations, AppWave contacts and interacts with the following Embarcadero hosts: appwave.embarcadero.com, AppWave Store; license.codegear.com, All-Access license hosting; reg.codegear.com, AppWave registration; cc.codegear.com, auto update; and altd.embarcadero.com, product binaries and pades. In a restricted environment, add these URLs to your trusted list.

- 2 In the **Shutdown Port** field, enter the port number Windows will use to shutdown the service when the Administrator commands the AppWave service to stop. The default port number is 8082.

AppWave is automatically registered as a Windows service, therefore it will start when your machine starts. By default, the service is named Embarcadero AppWave.

- 3 In the **InterBase Port** field, enter the port number AppWave uses to communicate with the InterBase database. The default port number is 3052.

AppWave uses an InterBase database to store all its information.

- 4 Click **Next** and the **Pre-Installation Summary** panel appears.

Installation Wizard - Pre-Installation Summary

- 1 Review the installation details.
- 2 *If the details are not correct*, click **Previous** to return to previous panels and make the necessary changes.

If the details are correct, click **Print Summary** and store the installation details in a safe location for future reference.
- 3 Click **Install**.

Installation Wizard - Installing Embarcadero AppWave

The installation proceeds. The AppWave services are automatically started when the installation is complete.

Installation Wizard - Install Complete

- 1 Click **Done**.

The AppWave console opens in your default browser.

- 2 The host name and port number of AppWave display on the main page. Record this information for future reference.

NOTE: The host name will be needed in order to host your All-Access license if you need to host the license through Embarcadero's license site at <http://reg.codegear.com/srs6/e1>. When licensing through the AppWave Admin console, the host address is automatically filled in on the Retrieve License page.

Installation Notes

- **Restricted Mode:** In its default configuration, anyone inside your firewall can access your AppWave and run the applications broadcasted by it. Also, Apps broadcast from AppWave Studio to AppWave will immediately be added to the All Apps folder and will be available to the All Users group. To secure your AppWave, set **Allow client to register user** to **off**. You should also edit the **All Users** group and the **All Apps** folder, and the user to limit the licenses available for that user. For more information, see [Managing AppWave](#), [Managing Folders](#), [Managing Groups](#), [Managing Users](#) and [Publish Applications](#).

- **Embarcadero License Center:** Embarcadero License Center (ELC) is integrated with AppWave and installs automatically when you install AppWave.

- **License Hosting:** You use the Embarcadero License Hosting web site at

members.embarcadero.com/login.aspx

to create configuration files that let Embarcadero License Center track and control license distribution on AppWave. The site requires login and host server information. During AppWave installation, record the AppWave host name and IP address for later use on the License Hosting Website.

- **Windows Services Registration:** AppWave is automatically registered as a Windows service, therefore it will start when your machine starts. By default, the service is named Embarcadero AppWave.

If you do not want AppWave to start as a Windows service, you can reset or otherwise change the service by selecting **Start > Embarcadero AppWave X.X > Configure AppWave**. In the **Embarcadero AppWave Properties** dialog, select the **General** tab and change the service parameters.

For instructions on providing AppWave Browser to users, see [Providing Users with AppWave Browser](#) on page 14.

- **Installing on Amazon EC2:** When AppWave is installed on an Amazon EC2 instance you must manually configure its IP address in the AppWave configuration file, `aaserver.properties` and then restart AppWave.

UPGRADING APPWAVE FROM PREVIOUS VERSIONS

The AppWave installer includes upgrade functionality. For information on upgrading, see the AppWave Read Me at docs.embarcadero.com.


PROVIDING USERS WITH APPWAVE BROWSER

In order for users to use AppWave, they must download AppWave Browser. In order for them to use applications, you must assign applications to the user or to the group to which the user belongs.

- 1 Instruct AppWave users to download the client from AppWave.
- 2 Provide them with the AppWave host name and port number.

- 3 Provide the users with the following instructions:
 - a In the Browser address field, enter `http://hostname:port_number/aaserver`.

The AppWave Home page appears.



- b Click **Download**.

The AppWave Browser executable is downloaded to the default download folder specified in the Browser.

- c Double-click the **AppWave Browser** executable to launch the Client.

AppWave Browser preferences, and logs will be kept in the following directory:

Windows XP: `C:\Documents and Settings\user\Local Settings\Application Data\Embarcadero\`

Vista/Windows 7/Windows Server 2008:
`C:\Users\user\AppData\Local\Embarcadero\`

For information on running and using AppWave Browser, see the *AppWave Browser Apps User Guide* and *AppWave Studio User Guide*.

APPWAVE CONFIGURATION AND ADMINISTRATION

In most cases, the standard configuration of the AppWave service will meet your needs, but in some circumstances you may want to customize the Windows service configuration. For more information, see [Configuring the AppWave Service](#) on page 29.

AppWave has seven administrative components that you manage through its interface; AppWave, Manage Users & Groups, Manage Folders, Manage Apps, Manage Licenses, System Management and Reporting.

- **AppWave** contains the Dashboard which serves as a starting point for most administrative functions, including initial configuration applications and day-to-day management utilities. For more information, see [Using the Dashboard Commands](#) on page 18.
- **Manage Users & Groups:** Users access the product repository using AppWave Browser, to cache, run and upgrade products. You control the levels of access that users have to products on an individual or group basis. For more information, see [Managing Users](#) on page 138 and [Managing Groups](#) on page 144.
- **Manage Folders:** Folders allow you to restrict users and groups to a certain set of products available on AppWave. For more information, see [Managing Folders](#) on page 129.
- **Manage Apps:** Applications from Embarcadero are stored in the AppWave repository; the set of products is called the product catalog. The product catalog helps you manage product caching and versions. For more information, see [Managing Applications](#) on page 149.
- **Manage Licenses:** AppWave stores product licenses and shares them with users who cache the products using AppWave Browser. For more information, see the *AppWave Quick Start Guide* and [Managing Licenses](#) on page 76.
- **System Management:** Through the AppWave system management panes you can configure system properties such as what users can see when they connect, how applications are cached and streamed, proxy server details, along with streaming server details. For more information, see [Managing AppWave](#) on page 41.
- **Reporting:** Once you have the server setup and running you can gather statistics to help you manage users, groups, and licenses through the Reports. For more information, see [Create Usage History Reports](#) on page 55.

Additional management topics are included in this section:

- [Configuring the AppWave Service](#) on page 29
- [Logging in to the AppWave ADMIN Page](#) on page 33
- [Logging out of AppWave](#) on page 34
- [Configuring Catalog Updates](#) on page 35
- [Handling Notifications](#) on page 36
- [Subscribing to the Notifications RSS NewsFeed](#) on page 40

- [Managing AppWave](#) on page 41
- [Create Usage History Reports](#) on page 55

USING THE DASHBOARD COMMANDS

This section describes the commands found on the AppWave Dashboard, including the following:

- [Download AppWave Browser](#) on page 18
- [Set Up Licenses](#) on page 19
- [Download Applications](#) on page 20
- [Import LDAP Users and Groups](#) on page 22
- [Change Admin Password](#) on page 24
- [Update Application Catalog Configuration](#) on page 24
- [Manage Disk Space](#) on page 26
- [Moderate Reviews](#) on page 28

DOWNLOAD APPWAVE BROWSER

AppWave Browser is the client application that users run to manage and execute applications. When AppWave Studio is licensed and the user is a member of the Authors group, AppWave Browser also includes AppWave Studio, which can be used to master Apps of third-party products or in-house tools.

On the **AppWave Dashboard**, click **Download AppWave Browser**.



Download AppWave Browser

Use AppWave Browser to launch applications.

During startup you may be required to provide the following AppWave address:

Host: ETTOTC20.embarcadero.com

Port: 80

AppWave Browser is downloaded to the location specified in the Browser. For information on using AppWave Browser, see *AppWave Quick Start Guide*, *AppWave Browser Apps User Guide*, and *AppWave Studio User Guide*.

SET UP LICENSES

Managing licensing is a major component of AppWave's functionality. The licensing portion of the application ensures compliance and allows you to manage and report on license usage. Before you can use AppWave you must add a license to its configuration.

- 1 On the **AppWave Dashboard**, click **Set up licenses**.



Set up licenses

License is configured. You can add more licenses.

*Setting up licenses is a **mandatory** step to complete configuring your AppWave.*

The **Set Up Licenses** page appears.



Set Up Licenses

Choose one of the following options to configure the license/licensing.



Retrieve licenses

Retrieve licenses that you have purchased from Embarcadero.



Set Trial Owner

Enable concurrent trial licenses, allowing you to try all of Embarcadero's award-winning applications.



Manually import licenses

*Manually import license files that you have received from Embarcadero. If this machine cannot access the internet directly, licenses can be generated here via **web registration**. Or you can contact **Support**.*

Cancel

- 2 Choose from the following options:

- **Retrieve licenses:** Choose to download your licenses from the Embarcadero Developer Networks. For more information, see [Retrieve Licenses](#) on page 81.
- **Set Trial Owner:** Your users can try out Embarcadero products for 30 days. Use this option to associate an Embarcadero Developer Network (EDN) account with this AppWave for the purpose of obtaining trial licenses. For more information, see [Manage Trial Licenses](#) on page 118.

- **Manually import licenses:** If you have received from Embarcadero a license zip file, you can import that license using this option. For more information, see [Import New Licenses](#) on page 79.

DOWNLOAD APPLICATIONS

Applications will run faster for the AppWave Browser user if the product doesn't have to be first downloaded to AppWave from the Internet. This gives you the opportunity to charge the AppWave with applications you know your users want.

Downloading applications is required before users can run the applications if the System Properties, User-initiated caching is set to Off. If User-initiated cached is set to on, an application that is only available on the internet will be first downloaded to AppWave before it is streamed to the AppWave user.



Download applications

Applications can be launched quicker if they are downloaded.

*This is an **optional** step to complete configuring your AppWave.*

- 1 On the **Dashboard**, click **Download applications**.

The **Download Latest Streamed Application** pane appears.

Download Latest Streamable Applications

Only the latest version can be downloaded here. More versions can be found in [App Inventory](#) page.

Folders

All Apps

All-Access

- 3rdRail™ 2.0.1** (Size 225.10M)
- DBArtisan® 8.7.6** (Already cached) ✓
- Embarcadero® DB Change Manager™ 5.6** (Size 256.45M)
- Embarcadero® DB Optimizer™ 2.5.1** (Size 154.85M)
- Embarcadero® DB Performance Center™ 2.7.3** (Size 49.43M)
- Embarcadero® J Optimizer™ 2009** (Size 292.49M)
- ER/Studio® Business Architect 1.7** (Size 92.59M)
- ER/Studio® Data Architect 9.0.1** (Already cached) ✓
- ER/Studio® Data Architect Viewer 9.0.0** (Size 35.41M)
- ER/Studio® Software Architect 1.10** (Size 113.42M)
- InterBase® SMP 2009_Update3** (Size 15.92M)
- JBuilder® 2008 R2** (Size 878.67M)

Popular

Database Tools

IDEs

Developer Tools

Estimated total size: 2.20G

[Download Selected Apps](#)

- 2 Click the plus sign [] to expand the folders as shown above.
- 3 Select the applications you want to cache on AppWave and then click **Download Selected Apps**.

The latest version of the application is downloaded to AppWave. For information on downloading other versions of applications, see [Caching Applications on AppWave](#) on page 150.

IMPORT LDAP USERS AND GROUPS

Using the LDAP import facility, you import AppWave users and groups from your LDAP server and synchronize AppWave with the LDAP server at a frequency you specify.

- 1 From the Dashboard menu, click **Import LDAP users and groups**.

The **LDAP Users & Groups** pane appears.

LDAP Users & Groups

* Server URL:	<input type="text"/>	URL of the server running LDAP. e.g. ldap://127.0.0.1:389 or ldaps://127.0.0.1:636.
* Login:	<input type="text"/>	The user required to authenticate when searching for users. e.g. domain\username.
* Password:	<input type="password"/>	The user's password required to authenticate when searching for users.
Search Base:	<input type="text"/>	Name of the root node in LDAP, from which to search for users. e.g. DC=domain,DC=com. Leave blank to search the whole LDAP tree.
Users Filter:	<input type="text"/>	LDAP filter to search for users. e.g. sAMAccountName=*. Leave blank to import all users from LDAP.
Groups Filter:	<input type="text"/>	LDAP filter to search for groups. e.g. sAMAccountName=*. Leave blank to import all groups from LDAP.
* Interval:	<input type="text" value="0"/> days <input type="text" value="0"/> hours <input type="text" value="15"/> minutes	

The fields indicated with an asterisk (*) are required to complete your request.

- 2 Complete the **LDAP Users & Groups** pane as required, following the onscreen instructions.
- 3 To update AppWave users and groups now, click **Save and Update Now**.


To save changes and update at the specified interval, click **Save**.

Users imported through LDAP integration are assigned to the All Users group and the All Apps folder, which is preconfigured to provide access to all applications available on AppWave. The All Apps folder can be edited to provide access to only specific applications.

The following describes options that require further explanation:

Search Base

You can synchronize LDAP Users and Groups with a specific organizational unit.



For example, to import all users in Group_Level3, you would use the following Search Base entry:

```
OU=Group_Level3,OU=Group_Level2,OU=Group_Level1,OU=All Access,DC=labdomain,DC=com
```

When the Search Base is not specified, as may be the case if you are specifying a group or user filter, the default Search Base would be used. In this example, the default would be

```
DC=labdomain, DC=com
```

Group Filter

To import all the users in a group, you can specify the group in the Group Filter field and when synchronized, that group will be added to AppWave. To include the users of that group, you need to specify a filter in the **User Filter** field.

For example, you can add two groups by entering a filter such as the following:

```
sAMAccountName=group_name and sAMAccountName=another_group_name
```

User Filter

To import only the immediate users of a specific LDAP group, without importing the users in any subgroups of that group, you can specify a user filter such as the following:

Another option would be to specify user/group filters like:

```
memberOf=CN=testgroup2,OU=Group_Level3,OU=Group_Level2,OU=Group_Level1,OU=All Access,DC=labdomain,DC=com
```

CHANGE ADMIN PASSWORD

The default administrator user name is `admin` and the default password is `admin`. Change this password immediately to protect the server.

- 1 From the **Dashboard**, click **Change admin password**.

The **Change Password for admin** pane displays.

Change Password for User *admin*

* *Type the current password:*

* *Type new password:*

* *Retype new password:*

The fields indicated with an asterisk (*) are required to complete your request.

Change Password

- 2 Enter the current password.
- 3 Enter the new password and then re-enter it.
- 4 Click **Change Password**.

NOTE: If you are running the Change Password command from a console opened on the machine where AppWave is running, then you only need to enter the new password.

UPDATE APPLICATION CATALOG CONFIGURATION

The application catalog contains a list of all the applications available from Embarcadero. As new versions and new applications become available you can synchronize the AppWave catalog, and the applications cached on your AppWave, with the Embarcadero AppWave Store.

Updating the application catalog and downloading the applications to your AppWave are considered to be optional first steps when configuring AppWave. The application catalog is synchronized with the Embarcadero AppWave Store catalog when the AppWave service runs for the first time. You don't need to download all the applications your license gives you access to all at once. If you have enabled the System Property, User-initiated caching, when the AppWave Browser user launches an application that is not already cached on AppWave, the download from the Embarcadero AppWave Store to your AppWave automatically starts and when the download is finished the AppWave Browser user can immediately run the application. However, if the applications are cached on AppWave, then the applications launch much quicker. This is especially true for large applications such as RAD Studio.

- 1 From the **Dashboard**, click **Update application catalog configuration**.

The **Version Updates** pane appears.

Version Updates

The Public AppWave Host regularly releases new versions of All-Access subscription applications. Please choose how to update them:

- Update application catalog but don't download applications (recommended)**
- Update application catalog and download new versions of applications already available on your AppWave host
- Approve application catalog updates (approval requests are sent via notifications)
- Turn off automatic updates

Do this at

Customize the applications included in version updates 

Last Updated: Jan 12, 2011 2:40:00 PM

 Test connection to 207.211.86.244 is successful.

 [Manually update your applications](#)

- 2 Choose the manner in which to update your catalog and application list.

Follow the onscreen prompts to select your update method.

*To immediately update the catalog, click **Update now**.*


*To manually update the catalog and the applications stored on AppWave, click **Manually update your applications**, enter the path to the Media Kit, and then click **Submit**. The Media Kit is a DVD or set of DVDs available from Embarcadero that contains all the products and product versions that your All-Access license grants you access to.*

MANAGE DISK SPACE

The Manage disk space area of the Dashboard displays the total amount of free space on the disk where AppWave is installed and the total required space.



Manage disk space

 Total free space 47.52G on disk. Necessary disk space 26.78G.

The necessary disk space displayed is the current amount of disk space required by AppWave for the application repository.

- 1 From the **Dashboard**, click **Manage disk space**.

The **Manage Disk Space** pane appears.



Manage Disk Space

 Total free space 47.52G on disk. Necessary disk space 26.78G.



Suggested solutions to solve the disk space problem:



Disk cleanup

 Clear unnecessary files from your disk.



Delete application

 Remove some applications from App Inventory.



Relocate application repository

 Change the location of the Application Repository to a different disk.

Cancel

- To remove some applications or out-of-date versions from the application inventory, click **Delete application**. The **App Inventory** appears. Applications which have been cached on AppWave have an **Available** status where you can click the name of the application and then on the application page you can choose the versions to delete and click **Delete Apps** to delete them.

To change the location of the Application Repository to a different disk, click **Relocate application repository**. By default, the application repository is located at

Windows XP: C:\Documents and Settings\All Users\Application Data\Embarcadero AppWave\Products

Windows Vista/Windows 7/Windows Server 2008: C:\ProgramData\Embarcadero AppWave\Products

You can choose to locate the application repository at a different location on the machine where the AppWave is installed which has read/write privileges for the AppWave administrator and read privileges for all AppWave users.


To clear unnecessary files from your disk, from Windows Explorer delete any files unrelated to AppWave. This is just a suggested way to free up more disk space for AppWave usage.

PUBLISH APPLICATIONS

If AppWave is run in Restricted mode, when AppWave Studio users deploy applications to AppWave, the application appears in the Pending applications list until the administrator approves the application for use by AppWave Browser users. Once the application is published it appears in the All Apps folder.



Pending applications

 One application pending for approval. Once approved, you can make it available to your users.

- From the **Dashboard**, click **Pending applications**.

The **Pending applications** pane appears.



Pending applications

Applications

Notepad++
Streamed Application in English for Windows

 Click to publish

Publish Selected applications

- To publish an individual application, next to the application click **Click to publish**.

To publish multiple applications simultaneously, click the checkboxes next to the applications you want to publish and then click **Publish Selected applications**.

MODERATE REVIEWS

If you have configured AppWave to restrict the unauthorized publishing of application reviews (See [System Properties > General tab](#) on page 42), the Moderate reviews area of the Dashboard displays the number of reviews pending for approval.



Moderate reviews

There are 2 reviews pending for approval. Once approved, they will be available to all users.

You must approve pending reviews before they will become available to AppWave Browser users. If the system properties have been set so that the administrator approval is not required, reviews will automatically become available as soon as they have been published. AppWave has a default list of questionable words, which if included in the review, will prevent the review from being published.

- 1 From the **Dashboard**, click **Moderate reviews**.

The **Moderate Reviews** pane appears.



Moderate Reviews

Search reviews for:

All reviews
 Active reviews
 Pending reviews
 Inactive reviews

Lorem ipsum dolor sit amet by *Lorem* On February 20, 2010 (👍 0 👎 0) ✔
 ★★★★★ *Delios* ✘

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent non elit eros, dapibus dictum sapien. Morbi volutpat suscipit lacinia. Suspendisse rhoncus, nulla eget feugiat mattis, ipsum velit dictum sapien, quis malesuada enim mauris at elit. Proin nec tellus ut purus lacinia gravida. Vestibulum commodo enim quis massa porta facilisis sit amet ...

Lorem ipsum dolor sit amet by *Lorem* On February 20, 2010 (👍 0 👎 0) ✔
 ★★★★★ *Delios* ✘

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent non elit eros, dapibus dictum sapien. Morbi volutpat suscipit lacinia. Suspendisse rhoncus, nulla eget feugiat mattis, ipsum velit dictum sapien, quis malesuada enim mauris at elit. Proin nec tellus ut purus lacinia gravida. Vestibulum commodo enim quis massa porta facilisis sit amet ...

AppWave displays the reviews, those requiring approval.

- 2 To search for a specific review, in the **Search reviews for** area, click the list to search by **Application** or by **User**, enter the search criteria, choose which reviews to search through, and then click **Search**.
- 3 To approve a review, click the approval icon [✔]. The approved review is now listed amongst the **Active reviews**.

To reject a review, click the reject icon [✘]. You can reject pending and previously approved reviews. The rejected review is now listed amongst the **Inactive reviews**.

To delete a review forever, click the delete icon [✕]. You can delete pending and active reviews. The deleted review is no longer available.

CONFIGURING THE APPWAVE SERVICE


In most cases, the standard configuration of the AppWave service will meet your needs, but in some circumstances you may want to customize the Windows service configuration.

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 On the **General** tab of **Embarcadero AppWave Properties**, configure the server properties to suit your environment. Server service properties include:
 - **Service Name:** The name under which AppWave runs in Windows services.
 - **Display name:** The name of the AppWave Windows service that is displayed on the Services interface and other dialogs.
 - **Description:** The description of the AppWave Windows service that is displayed on the Services interface and other dialogs.
 - **Path to executable:** The location where the AppWave executable resides. Running this executable launches the AppWave.
 - **Startup type:** Specifies how the AppWave Windows service behaves when you start the computer; either **Automatic**, **Manual**, or **Disabled**.
 - **Start, Stop, Pause, Restart:** These service status and control buttons indicate the current status of the Server Windows service. You can select one to change the status.
- 3 Click **Apply**.
The new settings will take effect after AppWave has been restarted.
- 4 On the **General** tab of **Embarcadero AppWave Properties**, click **Stop**.
- 5 Click **Start**.

For more detail on the AppWave Properties, see [Configure AppWave Properties](#) on page 30.

CONFIGURE APPWAVE PROPERTIES

In addition to Windows service settings, you can configure login accounts, logging, Java Runtime Environment (JRE), startup, and shutdown properties.



This section contains these topics:

- [Opening the Properties Dialog](#) on page 30
- [Configuring Additional Login Accounts](#) on page 31
- [Configuring Logging](#) on page 31
- [Configuring the JRE](#) on page 32
- [Configuring Server Startup](#) on page 32
- [Configuring Server Shutdown](#) on page 33

OPENING THE PROPERTIES DIALOG

From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.

STOPPING AND STARTING THE APPWAVE SERVICE

AppWave is installed as a Windows service and automatically starts when the computer starts. If you have trouble accessing AppWave, check to see if it is running. You may need to stop the AppWave service to perform maintenance on the system. You will need to restart the AppWave service to implement system property changes, such as the configuration of a proxy server.

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 On the **General** tab, click **Start** to start the service or **Stop** to stop the service.

CONFIGURING ADDITIONAL LOGIN ACCOUNTS

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 Click the **Log On** tab.
- 3 You can choose to log on to AppWave under your local system account or under another account.
 - *To log on as another account*, specify the credentials of the alternate account in the fields provided.
 - *To log on as the local system account*, specify if the service will interact with the desktop.
- 4 Click **OK**.

CONFIGURING LOGGING

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 Click the **Logging** tab.
- 3 Set the parameters that control server logs.
 - **Level**: Indicates at what severity level server logging should occur. Choose **Error**, **Info**, **Warning** or **Debug**.
 - **Log Path**: Specifies the location where log files will be stored.
 - **Log Prefix**: Specifies a file name prefix to be used for the log files.
 - **Redirect Stdout**: Indicates the full path of the file to which stdout messages are redirected.
 - **Redirect Stderror**: Indicates the full path of the file to which stderr messages are redirected.
- 4 Click **OK**.

CONFIGURING THE JRE

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 Click the **Java** tab.
- 3 Set the parameters that control the JRE within which AppWave runs.
 - **Use default:** Indicates that AppWave should use the default Java settings as defined during the installation process.
 - **Java Virtual Machine:** Indicates the directory path of the Java Virtual Machine (JVM) used for the Server.
 - **Java Classpath:** Indicates the directory path of the Java classpath used for the Server.
 - **Java Options:** Displays the Java options used for the Server.
 - **Initial memory pool:** Specifies the initial memory pool size (in MB) for the JVM.
 - **Maximum memory pool:** Specifies the maximum memory Pool size (in MB) for the JVM.
 - **Thread stack size:** Specifies the thread stack size (in MB) for the JVM.
- 4 Click **OK**.

CONFIGURING SERVER STARTUP

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 Click the **Startup** tab.
- 3 Set the parameters that control how AppWave starts.
 - **Class:** Indicates the classpath of AppWave.
 - **Image:** Specifies a directory location for the AppWave image.
 - **Working Path:** Specifies the working path directory location for AppWave.
 - **Method:** Specifies the method.
 - **Arguments:** Specifies the arguments used when executing the server class and working path.
 - **Timeout:** Specifies the timeout settings on Server communication in seconds.
 - **Mode:** Specifies the mode, JVM or Java.
- 4 Click **OK**.

CONFIGURING SERVER SHUTDOWN

- 1 From the **Start** menu, click **Embarcadero AppWave X.X > Configure AppWave**.
- 2 Click the **Startup** tab.

Set the parameters that control how AppWave shuts down.

- **Class:** Indicates the classpath of AppWave.
 - **Image:** Specifies a directory location for the AppWave image.
 - **Working Path:** Specifies the working path directory location for AppWave.
 - **Method:** Specifies the method.
 - **Arguments:** Indicates the arguments used when executing the AppWave class and working path.
 - **Timeout:** Specifies the timeout settings on AppWave communication in seconds.
 - **Mode:** Specifies the mode, JVM or Java.
- 3 Click **OK**.

LOGGING IN TO THE APPWAVE ADMIN PAGE

You manage products, licenses, and users from the AppWave **ADMIN** page.

- 1 In a browser, go to `http://hostname:port_number` or `http://hostIPaddress:port_number`.

For example, to access AppWave on port 8080, enter an address such as:

`http://localhost:8080` (use when the browser is on the Server machine)

`http://TUBETTIJ01:8080`

`http://10.28.65.900:8080`

The above can be specified

If during installation you used the default server port number, 80, then you do not need to specify the port number (*:port_number*) in the browser address. For example:

`http://localhost/aaserver`

- 2 At the top of the AppWave **HOME** page, click **ADMIN**.

- 3 In the **Login** dialog box, enter the administrator user name and password.

The default administrator user name is *admin* and the default password is *admin*. You should change the password. For more information, see [Change Admin Password](#) on page 24.

If you get a message indicating that an error occurred while starting the server, try restarting the Embarcadero AppWave service. Right-click **My Computer**, select **Manage > Services and Applications > Services**.

LOGGING OUT OF APPWAVE

At the top of the AppWave **HOME** page, click **WELCOME**, *<admin name>*, and then select **LOGOUT**.

CONFIGURING CATALOG UPDATES

The Product Catalog helps you manage caching, licenses, and versions. You can customize the way AppWave receives and updates the product catalog and the applications available.

- 1 From the **Dashboard**, select **Update application catalog configuration**.

The **Version Updates** pane appears.

Version Updates

The AppWave Store regularly releases new versions of All-Access subscription applications. Please choose how to update them:

- Update application catalog but don't download applications (recommended)**
- Update application catalog and download new versions of applications already available on your AppWave
- Approve application catalog updates (approval requests are sent via notifications)
- Turn off automatic updates

Do this at

Customize the applications included in version updates 

Last Updated: May 25, 2011 1:00:00 PM

 Test connection to **ettotc20p.embarcadero.com** is successful.

 [Manually update your applications](#)

NOTE: You should automatically download product catalog updates and new versions of products as they become available; which is the second option. However, before you choose to automatically update your applications consider the performance hit on your network this may cause. It may be better in your environment to update AppWave during off-peak hours.

TIP: You can also access the **Version Updates** pane from the **MANAGE APPS** menu.

- 2 Select how you want AppWave to be updated and then click **Save**.

NOTE: The option to **Manually update your applications** allows you to update applications from a Media Kit, a DVD available from Embarcadero that contains all the applications your All-Access license entitles you to.


HANDLING NOTIFICATIONS

When you open the AppWave **NOTIFICATIONS** page and while logged in to the administrative pages, AppWave provides notifications of significant events such as errors, licensing problems, caching updates, product catalog update status, and the availability of new versions. The following topics help you to specify how notifications are sent to you and what types of events you should be notified about.

- [System Properties > Email Tab](#) on page 45
- [View Notification Messages](#) on page 37
- [Manage Notifications](#) on page 38
- [Subscribing to the Notifications RSS NewsFeed](#) on page 40

VIEW NOTIFICATION MESSAGES

- 1 At the top of the AppWave **HOME** page, click **NOTIFICATIONS**.



NOTE: If there are any new messages, the number of new messages displays in parenthesis next to the **NOTIFICATIONS** option.

The **Notifications** pane appears.

Notifications

- Download Complete!**
DBArtisan@8.7.4 English Streamed Application for Windows is now available on the AppWave Host.
9 minutes ago from web
- Download Complete!**
Mozilla Firefox 3.6.9 English Streamed Application for Windows is now available on the AppWave Host.
11 minutes ago from web
- License Requests Denied**
5 denied attempts for All Access Platinum
23 minutes ago from web
- New Application Available**
Yahoo Messenger AppWave Template English Instant Packaging Template for Windows has been released.
25 minutes ago from web
- Existing application was updated**
Embarcadero@Performance Center™ AppWave Template English Instant Packaging Template for Windows has been updated.
31 minutes ago from web
- Existing application was updated**
ER/Studio@Business Architect AppWave Template English Instant Packaging Template for Windows has been updated.
31 minutes ago from web

Number of notifications to keep:

At the bottom of the page you can change the number of messages that should be kept. When the limit specified is reached, older messages are dropped from the **Notifications** page and are no longer available.

MANAGE NOTIFICATIONS

- 1 At the top of the AppWave **HOME** page, click **NOTIFICATIONS**.

The **Notifications** pane appears.

Notifications

Download Complete!
DBArtisan@8.7.4 English Streamed Application for Windows is now available on the AppWave Host.
9 minutes ago from web

Download Complete!
Mozilla Firefox 3.6.9 English Streamed Application for Windows is now available on the AppWave Host.
11 minutes ago from web

License Requests Denied
5 denied attempts for All Access Platinum
23 minutes ago from web

New Application Available
Yahoo Messenger AppWave Template English Instant Packaging Template for Windows has been released.
25 minutes ago from web



Existing application was updated
Embarcadero@Performance Center™ AppWave Template English Instant Packaging Template for Windows has been updated.
31 minutes ago from web

Existing application was updated
ER/Studio@Business Architect AppWave Template English Instant Packaging Template for Windows has been updated.
31 minutes ago from web

Number of notifications to keep:

- 2 Set the notification options.

- To mark a notification as having been read, click the **Mark as read** icon [] to the right of the message.
- To delete a notification, click the **Delete notification** icon [] to the right of the message.
- To mark all notifications as having been read, click the **Mark all as read** icon [] at the top of the **Notifications** page.
- To delete all notifications, click the **Delete all** icon [] at the top of the **Notifications** pane. Deleted notifications no longer display on the notifications page, but are archived by the system and can still be retrieved until the AppWave is restarted, at which time the archive is cleared.
- To view deleted notifications, click the **View deleted** icon [] at the top of the **Notifications** pane.

- To add a new application to a folder and make it available to users, click the **Publish** icon [] and then on the **Publish Applications** pane, choose which folders to update with the new application and then click **Publish Applications**. The application will appear in the user's list of available applications but will still need to be downloaded to AppWave before the application can be launched.
 - To download a new application to the AppWave repository, click the **Download** icon [].
 - To change the number of notifications to save, at the bottom of the pane enter a new number in the **Number of notifications to keep** box. This number includes notifications that display on the notification pane and those that have been archived and deleted. Once AppWave is restarted, archived and deleted notifications are no longer available.
 - To view deleted notifications that have been archived, click **View deleted**. Deleted notifications do not display on the **Notifications** pane by default, but they are archived so you can still retrieve them until AppWave has been restarted, at which time the archive is cleared.
- 3 Click **Save**.

NOTE: AppWave saves messages up to the specified amount. Once the maximum number is reached, AppWave deletes the oldest messages first to make room for new messages.


SUBSCRIBING TO THE NOTIFICATIONS RSS NEWSFEED

You can view AppWave notifications, such as product update messages, by adding the News Feed to your Browser or other RSS News reader.

NOTE: This procedure is for use with Microsoft Internet Explorer. RSS feeds are not supported by Mozilla Firefox.

- 1 From the AppWave home page click the **AppWave notifications** icon [] at the bottom right of the **Home** page.

The RSS feed opens in your default browser and displays notifications.



- 2 Click **Subscribe to this feed**.



- 3 In the **Name** field, enter the name of the RSS feed you want to use to identify this feed.
- 4 In the **Create in** field, enter the location where the RSS feed should appear in the browser and then click **Subscribe**.
- 5 On the Browser toolbar, click **Favorites** to see the news feed. The Browser will monitor this feed for news even when the browser is not open.

MANAGING APPWAVE

Through the AppWave system management panes you can configure system properties such as the full-path name of the product repository, proxy server details, along with streaming server details and reporting configuration. This section is comprised of the following topics:

- [Set System Properties](#) on page 41
- [Manage Streaming Services](#) on page 51
- [Create Usage History Reports](#) on page 55

SET SYSTEM PROPERTIES

From the **System Properties** pages you can configure AppWave behavior.

This section is comprised of the following topics:

- [System Properties > General tab](#) on page 42
- [System Properties > Email Tab](#) on page 45
- [System Properties > Proxy Server Tab](#) on page 46
- [System Properties > App Repository Tab](#) on page 47
- [System Properties > Streaming Tab](#) on page 48

SYSTEM PROPERTIES > GENERAL TAB

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties**.

The **System Properties** pane appears.

System Properties

General | Email | Proxy Server | App Repository | Streaming

General Properties

* AppWave name:

Restricted mode: On Off
 Restrict the applications and reviews that users can see, profiles contributed to AppWave, and how applications are streamed. If disabled, all applications, reviews, profiles are automatically available to every user.

User-initiated download: On Off
 Allows user to initiate download of applications.

Auto deploy applications: On Off
 Automatically deploy new applications to all streaming service.

Auto stream applications: On Off
 Automatically stream new applications on all streaming service.

Auto assign country group: On Off
 Automatically assign country group to the new users if the information is available.

Allow reviews update: On Off
 Allow reviews to also be updated when updating the applications catalog from the AppWave Store.

Allow AppWave accounts: On Off
 Allow AppWave accounts can be set on OFF only if LDAP is enabled and at least one LDAP account is in Administrator Group which means at least one user is necessary to login from Web UI.

Allow client to register user: On Off
 Allow registering of local user from AppWave Browser.

Allow blank password: On Off
 Allow blank password when creating local user

Create user as packager: On Off
 Automatically add the new user to Packagers group.

Download pool size:

Increase/decrease the number of simultaneous downloads. There should not be more than 100 simultaneous downloads, neither less than 1.

License Notifications

*High usage: %

*Critical usage: %

*Activation License High usage: %

Specify thresholds for license usage level. When usage level grows above specified threshold, notification will be generated.

The fields indicated with an asterisk (*) are required to complete your request.

- 2 Make the changes required on this page and then click **Save**.

NOTE: The AppWave process must be restarted before changes to the Proxy Server take effect.

The following describes the fields on the **General** page:

General Properties

AppWave name: This is the name of AppWave as it appears to your AppWave Browser users.

Restricted mode: Restrict the reviews that users can see, also restricts availability of custom Apps broadcasted to AppWave and affects how Apps are streamed. When run in Restricted mode, Apps broadcasted will require Admin approval before release and will be in a Pending state. For information on publishing pending applications, see [Publish Applications](#) on page 27. If disabled, all newly broadcasted Apps are automatically available to all users; they are published to the All Apps folder which is assigned to the All Users groups. If you want to monitor product reviews submitted by users and approve or reject their comments, select **On**. Reviews that contain questionable or inappropriate wording are automatically rejected.

User-initiated download: If set to **On**, when an AppWave Browser user runs an application that is internet available but not downloaded onto AppWave, downloading will be initiated. The application will be ready to run once it is downloaded to AppWave.

Auto deploy applications: If set to **On**, once applications have been cached to AppWave they are automatically copied to all streaming servers in order for the applications to be available when requested by the AppWave Browser user.

Auto stream applications: Once an application has been cached to AppWave, it is not automatically streamed. Setting this option to **On** automatically streams the application when it is added to AppWave.

Auto assign country group: If set to **On**, this creates groups automatically based on the AppWave Browser user's location. This enables AppWave to restrict access to streamed applications based on the country, which is useful when export regulations dictate that certain applications cannot be used in specific countries.

Allow reviews update: If set to **On**, when updating the catalog, also allows reviews originating on the AppWave Store to be copied to AppWave.

Allow AppWave accounts: In environments where LDAP is integrated with AppWave, you can disallow local accounts, thus requiring all users to use their domain credentials to access AppWave. When this property is set to **Off** a local user cannot connect from the AppWave Browser or the AppWave console; the user needs to connect with a domain user name.

Allow client to register user: Allows a new user account to be created when the AppWave Browser user attempting to connect to AppWave does not already have a user account.

Allow blank password: Allows new user accounts to be created that do not require a password.

Create user as author: Automatically assigns all new users to the Authors group which

enables them to use AppWave Studio and master and broadcast applications through AppWave Studio.

Download pool size: Specify the maximum number of simultaneous downloads that can be initiated by AppWave users.

License Notifications: Specify thresholds for license pool usage levels. When usage levels grow above specified levels, notifications will be generated. When usage levels reach high or critical, the chance of users being denied licenses increases and you should consider adding more licenses.

SYSTEM PROPERTIES > EMAIL TAB

You can configure AppWave to send you an email when there are new or upgraded applications available; when a download has started, finished successfully or not; when the Embarcadero AppWave Store was checked for catalog updates and whether the catalog update was successful or not. If AppWave is configured to moderate reviewers comments you can also receive email notifications when new reviews have been submitted for your approval.

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties**, and then click the **Email** tab.

The **Email** tab appears.

System Properties

General | **Email** | Proxy Server | App Repository | Streaming

Email Server Configuration

Enable sending email

SMTP server host/port: 25

From address:

Use authenticated SMTP

User:

Password:



Subscribed Users

Message Types

<input checked="" type="checkbox"/> Application updated and cached	<input checked="" type="checkbox"/> Applications catalog updated
<input checked="" type="checkbox"/> Applications catalog available	<input checked="" type="checkbox"/> Version updated
<input checked="" type="checkbox"/> Download Completed	<input checked="" type="checkbox"/> Not enough disk space
<input checked="" type="checkbox"/> License updated	<input checked="" type="checkbox"/> Pending reviews
<input checked="" type="checkbox"/> Flagged reviews	<input checked="" type="checkbox"/> Activation license high usage level
<input checked="" type="checkbox"/> High license pool usage level	<input checked="" type="checkbox"/> Critical license pool usage level
<input checked="" type="checkbox"/> License denials	<input checked="" type="checkbox"/> LDAP updated
<input checked="" type="checkbox"/> No new applications available	<input checked="" type="checkbox"/> Error

Save

NOTE: The full list of notifications that you can receive by email is listed in the **Message Types** area of the **System Properties > Email** tab.

- 2 Select **Enable sending email** and then provide the particulars of your email server.
- 3 In the **Subscribed Users** area, click the expand icon [] and then enter the email address of the user to receive email notifications and then click the add icon []. Enter more addresses in the same manner if required.
- 4 In the **Message Types** area, select the types of messages for which AppWave should send out email notifications. By default, all message types are selected. Deselect the message types for which you do not want email notifications. You will still see all types of messages on the **Notifications** page but for only those selected will email notifications be sent.
- 5 Click **Save**.


NOTE: You can also configure AppWave to send out notifications when license usage has reached certain levels by specifying the high usage and critical usage levels on the **General** tab of the **System Properties** page. For more information, see [System Properties > General tab](#) on page 42.

SYSTEM PROPERTIES > PROXY SERVER TAB

Security in some environments requires the use of internet proxies. You can configure AppWave to use a proxy instead of connecting to the internet directly for catalog updates and product downloads, and communications with AppWave Browser users.

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties** and then click the **Proxy Server** tab.

The **Proxy Server** tab appears.



The screenshot shows the 'System Properties' window with the 'Proxy Server' tab selected. The window has a title bar with a gear icon and the text 'System Properties'. Below the title bar is a navigation bar with tabs for 'General', 'Email', 'Proxy Server', 'App Repository', and 'Streaming'. The 'Proxy Server' tab is active and shows the following fields:

- * Host:
- * Port:
- User name:
- Password:

Below the fields is a note: "AppWave needs Internet access to update the applications catalog and to download new applications. Enter the proxy server which will be used for these updates. The new proxy settings will be applied only after restarting the server."

At the bottom left, there is a note: "The fields indicated with an asterisk (*) are required to complete your request."

At the bottom right, there is a 'Save' button.

- 2 Complete the proxy server properties as follows:

Host: The URL of the proxy server.

Port: The port of proxy server used for communications between AppWave and the proxy server.

User name/Password: The name and password of the user with permissions to connect to the proxy server for internet usage.

- 3 Click **Save**.

The changes will take effect only when AppWave has been restarted.

- 4 Restart the AppWave service. For more information, see [Configuring Catalog Updates](#) on page 35.

SYSTEM PROPERTIES > APP REPOSITORY TAB

Use the App Repository tab to specify the location of the repository where cached applications are stored on AppWave. The location of the Embarcadero Product Repository, where products are cached, is specified during installation; however, if you want you can change the product repository to a different location here. The repository can be a local directory or a network shared directory.

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties**, and then click the **App Repository** tab.

The **App Repository** tab appears.

System Properties

General | Email | Proxy Server | **App Repository** | Streaming

* Application Repository:

The application repository is used to store all cached applications available on AppWave™.

The fields indicated with an asterisk (*) are required to complete your request.

- 2 In the **Application Repository** field, enter the location where you want the cached applications on AppWave to reside.
- 3 *To save the changes and later move the files to the new location, click **Save**. This may be useful where there are several GBs of data to move which could cause network congestion or if you want to temporarily use another repository for testing.*

*To save the new location of the repository and move the cached applications from the old location to the new locations, click **Save and Move Apps**.*

SYSTEM PROPERTIES > STREAMING TAB

The Streaming Server is responsible for streaming an application requested by the AppWave Browser user.

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties**, and then click the **Streaming** tab.

The **Streaming** tab appears.

System Properties

General | Email | Proxy Server | App Repository | **Streaming**

General

* Repository cache:

* HeartBeat period: minutes

* HeartBeat grace period: minutes

Web Caching

Allow web caching: On Off

Cache period:

Offline Use

Allow to download streamed applications: On Off

Allow to stream and launch streamed applications: On Off

The fields indicated with an asterisk (*) are required to complete your request.

[Switch to standalone streaming service mode](#)

- 2 Make the required changes and then click **Save**.

The following describes the options available on the **Streaming** tab.

General

Repository cache: This is the directory where the applications that will be streamed are saved on the AppWave Browser user's local machine. The primary purpose for the cache is to allow partial downloading of an application before showing the application to the user. This is especially important when working with large applications because caching the application allows the user to begin using the application sooner, before the entire application has been cached.

HeartBeat period: Number of minutes between keep alive pings to the streaming server. The heartbeat maintains streaming server connectivity and alerts AppWave when the streaming server does not respond.

HeartBeat grace period: The number of minutes to wait for the streaming server to respond to a heartbeat. If the streaming server does not respond within this period the streaming server is considered to be offline and a notification is generated.

Web Caching: Web Caching configures a transparent proxy set up between AppWave and AppWave Browser. If this proxy is configured, AppWave would add special headers to streaming data sent to AppWave Browser. This allows the streamed data to be cached on the proxy server so that the next time an AppWave Browser user asks for the relevant application, the streamed data will be sent directly to AppWave Browser from the proxy. This ability may be useful when the communication channel between AppWave and AppWave Browser is poor.

Allow web caching: Turn on or off the special header in streamed data blocks.

Cache period: The time period the data block could be stored on the proxy server before it expires and is deleted.

Offline Use


Allow to download streamed applications: When enabled, allows the AppWave Browser user to download Applications (.app) to their desktop.

Allow to stream and launch streamed applications: If disabled, allows you to restrict specific groups from downloading and streaming applications. Select the **Off** button to grant only select groups the permission to download and stream applications.

When enabled, all users can download and stream applications.

Switch to standalone streaming service mode

Click to convert an AppWave to a streaming server, which will work in conjunction with another AppWave to share streaming of applications to users. When you click this option, the following dialog appears where you can specify the properties of the master AppWave.



System Properties

General | Email | Proxy Server | App Repository | **Streaming**

Streaming Mode

*AppWave Address:

*AppWave Port:

*AppWave admin user name:

AppWave admin password:

*Control Service Port:


The changes will be activated after manually restarting AppWave.

The fields indicated with an asterisk (*) are required to complete your request.

When you restart the streaming server, it will be visible to the master AppWave server and can be controlled from the master server. The streaming server will have a limited dashboard that will only present the option to reconvert it to a fully-functional AppWave.



After converting an AppWave to a streaming server, AppWave displays the streaming server on the Streaming Servers page of the master to which it was connected.



MANAGE STREAMING SERVICES

The streaming service handles disk intensive product caching from AppWave. From the Streaming Services pane you can stop and start the streaming service.

This section covers the following topics:

- [Accessing Streaming Services pane](#) on page 52
- [Stopping and starting a Streaming Service](#) on page 52

- [Changing the settings of a Streaming Service](#) on page 53
- [Monitoring the Streaming Service](#) on page 54

Accessing Streaming Services pane

- 1 From the **SYSTEM MANAGEMENT** menu, click **Streaming Service**.

The **Streaming Service** pane appears..

Streaming Service

Monitor and configure your streaming service, publish applications.

Host Name	Streaming App	Users	Bandwidth	Status	Stop and Start
[Blurred]	1	1	2048 Kbps	started	⏹

Publishing progress

Stopping and starting a Streaming Service

- 1 From the **SYSTEM MANAGEMENT** menu, click **Streaming Service**.
- 2 If the *Status* column of the server indicates that it is started, you can stop the streaming service by clicking the stop icon [⏹] to the right of the **Status** column.

If the *Status* column of the server indicates that it is Stopped, you can start the streaming service by clicking the start icon [▶] to the right of the **Status** column.

To view the progress of application publishing you have started, click **Publishing Progress**.

Changing the settings of a Streaming Service

- 1 From the **SYSTEM MANAGEMENT** menu, click **System Properties** and then click the **Streaming** tab.

The screenshot shows the 'System Properties' configuration page with the 'Streaming' tab selected. The page is divided into several sections: General, Web Caching, and Offline Use. The 'General' section contains three required fields: 'Repository cache' (set to 'C:\Embarcadero\Products\Cache\'), 'HeartBeat period' (set to '5' minutes), and 'HeartBeat grace period' (set to '43200' minutes). The 'Web Caching' section has 'Allow web caching' set to 'Off' and 'Cache period' set to '0' minutes. The 'Offline Use' section has 'Allow to download streamed applications' set to 'Off' and 'Allow to stream and launch streamed applications' set to 'On'. A 'Save' button is located at the bottom right. A note at the bottom indicates that fields with an asterisk (*) are required. A link at the bottom left suggests switching to standalone streaming service mode.

System Properties

General | Email | Proxy Server | App Repository | **Streaming**

General

* Repository cache: C:\Embarcadero\Products\Cache\
 * HeartBeat period: 5 minutes
 * HeartBeat grace period: 43200 minutes

Web Caching

Allow web caching: On Off
 Cache period: 0 Minutes

Offline Use

Allow to download streamed applications: On Off
 Allow to stream and launch streamed applications: On Off

The fields indicated with an asterisk (*) are required to complete your request.

[Switch to standalone streaming service mode](#)

- 2 Make your change and then click **Save**. For information on the options available, see [Set System Properties](#) on page 41.

Monitoring the Streaming Service

- 1 From the **SYSTEM MANAGEMENT** menu, click **Streaming Service**.
- 2 Click the name of the streaming server.

The **Streaming Live Statistics** pane appears where you can see which applications are currently being streamed and which users are receiving streamed applications.

Streaming Live Statistics

EMBARCADERO (28) embarcadero.com

<input type="checkbox"/>	Streamed applications
	Yahoo Messenger (v. 10.0.0.1270) Yahoo_Messenger10_0_0_1270.jon
<input type="checkbox"/>	Users
	Administrator












CREATE USAGE HISTORY REPORTS

- 1 From the **REPORTING** menu, select **Reports**.

The **Reports** pane appears.

Reports

Reporting capability allows you to generate reports about the real usage of the AppWave resources.

Cumulative Reports	
Application and license pool usage aggregated over a defined time range	
	<u>Application Usage Frequency by User Report</u> Number of times each application was used by a specified user or group of users during the specified time range.
	<u>Application Usage Duration Report</u> Total number of hours each application was used for the specified period. Applications that were not used are excluded.
	<u>Application Usage Duration by User Report</u> Total number of hours an application was used by each user and group for the specified period.
	<u>License Denial Report</u> Number of license denials for every license pool during the specified period. License pools with zero denials are not shown.
	<u>License Denials by Application Report</u> Number of license denials by application for the specified period and license pool. Applications with zero denials are not shown.
	<u>Application Usage and Denial Usage Report</u> Number of NATs (successful attempts to acquire license) and NDTs (denied attempts to acquire license) for a given application.
	<u>Denied Users Report</u> Users who had their attempts to launch applications denied.
Time Series Reports	
Application and license pool usage statistics plotted over time	
	<u>Application Usage Over Time Report</u> Number of times applications on AppWave were used over a specified time period.
	<u>High Watermark Report</u> The highest number of simultaneous users of a given license pool as well as the number of denied license requests.
	<u>Hourly Application Usage Report</u> Average and total number of licenses used by application over the course of the day over a given time range.
	<u>Reporting Data Export</u> Export raw reporting data for a given time period.

Some reports display as graphs by default and can be viewed in tabular format. Other reports are available in tabular format only. You can export all reports in CSV format for use in applications such as Microsoft Excel.

The following Cumulative Reports are available:

- [Application Usage Frequency by User Report](#) on page 57
- [Application Usage Duration Report](#) on page 58
- [Application Usage Duration by User Report](#) on page 59
- [License Denial Report](#) on page 60
- [License Denials by Application Report](#) on page 61
- [Application Usage and Denial Usage Report](#) on page 62
- [Denied Users Report](#) on page 63

The following Time Series Reports are available:

- [Application Usage Over Time Report](#) on page 64
- [High Watermark Report](#) on page 65
- [Hourly Application Usage Report](#) on page 66

You can also export the reporting data to be used in other applications for analysis. For more information, see [Reporting Data Export](#) on page 66.

APPLICATION USAGE FREQUENCY BY USER REPORT

Shows the number of times each application was used by a specified user or group of users during the specified time period.

Application Usage Frequency by User Report

Number of times each application was used by a specified user or group of users during the specified time range.

Start Date:
End Date:
User/Group:


Type existing user or group name.

Time zone:

Statistic:
Include weekends:

Percentage:

Application usage count



View report in a tabular form and export it in CSV format

APPLICATION USAGE DURATION REPORT

Shows the total number of hours each application was used for a specified time period. You can change the start and end date of the reporting period and choose to see only information related to a specific user or group.

Application Usage Duration Report

Total number of hours each application was used for the specified period. Applications that were not used are excluded.


Start Date:
End Date:
User/Group: 


Type existing user or group name.

Time zone: (GMT-05:00) Indiana, Bogota, Lima, Quito, Rio Branco

Statistic:
Include weekends:

Percentage:



View report in a tabular form and export it in CSV format 

APPLICATION USAGE DURATION BY USER REPORT

Shows the total number of hours each user or group was using AppWave services. Click the User/Group name to view which applications were used by that User/Group as shown in the Application Usage Duration Report.

Application Usage Duration by User Report

Total number of hours an application was used by each user and group for the specified period.

Start Date:
End Date:

Time zone:

Application:

User/Group	Total Hours Used	Percent Hourly Usage	Online Hours Used	Offline Hours Used
All Users	0h 36m	0.00%	0h 34m 44s	0h 1m 58s
aatech	0h 12m	0.00%	0h 11m 37s	0h 0m 59s
administrator	0h 5m	0.00%	0h 5m 30s	0h 0m 0s
confluence-users	0h 12m	0.00%	0h 11m 37s	0h 0m 59s
development toronto	0h 12m	0.00%	0h 11m 37s	0h 0m 59s
dl-appwave champions	0h 12m	0.00%	0h 11m 37s	0h 0m 59s
dl-appwave sos	0h 12m	0.00%	0h 11m 37s	0h 0m 59s

LICENSE DENIAL REPORT

Shows the number of license denials for every license pool for a specified period.

License Denial Report

Number of license denials for every license pool during the specified period. License pools with zero denials are not shown.


Start Date: **End Date:**

Time zone:

Statistic: **Include weekends:**

Percentage:

Number of Denied License Attempts



View report in a tabular form and export it in CSV format

LICENSE DENIALS BY APPLICATION REPORT

Shows a number of license denials in a specific license pool for every application for a specified period and license period.

License Denials by Application Report

Number of license denials by application for the specified period and license pool. Applications with zero denials are not shown.


Start Date:
End Date:

Time zone:

License Pool:

Statistic:
Include weekends:

Percentage:



View report in a tabular form and export it in CSV format

APPLICATION USAGE AND DENIAL USAGE REPORT

Shows number of successful and unsuccessful attempts to acquire a license for a given application.

Application Usage and Denial Usage Report

Number of NATs (successful attempts to acquire license) and NDTs (denied attempts to acquire license) for a given application.

Start Date:
End Date:

Time zone:

Application:

User/Group	NAT	NDT	Percent of use	Percent denials
Administra..	1	0	100.00%	0.00%
All Users	1	0	100.00%	0.00%
Packagers	1	0	100.00%	0.00%
brucem	1	0	100.00%	0.00%

DENIED USERS REPORT

Shows the users who had their attempts to launch applications denied. The information in this report can help you decide when you should purchase additional licenses.

Denied Users Report

Users who had their attempts to launch applications denied.

Start Date:
End Date:

Time zone:


User	Application	Date
client1-63	DB Optimizer 1.5 Standard Base	12-10-2010 15:42
client1-282	RAD Studio 2010 Professional	12-10-2010 15:42
client1-199	Delphi 2007 IDE Professional	12-10-2010 15:42
client1-280	ER/Studio 8.0 Developer	12-10-2010 15:42
client1-165	Delphi Prism 2010 Language Integration	12-10-2010 15:42


APPLICATION USAGE OVER TIME REPORT


Shows application license checkouts over a specified time period.


Application Usage Over Time Report

Application Usage Over Time Report shows checkouts of applications on the AppWave Host over a time period.

Start Date:
End Date: 
Summary by:

Application: 
Show weekends:



View report in a tabular form and export it in CSV format 

HIGH WATERMARK REPORT


Shows highest simultaneous license usage count and number of denied licence requests.

High Watermark Report

Highest simultaneous license usage count and number of denied license requests.

Start Date:
End Date:
↕
Summary by:

Select Pool:
▼
Show weekends:



View report in a tabular form and export it in CSV format ↕

HOURLY APPLICATION USAGE REPORT

Shows the average and total number of licenses used per application on an hourly basis during a specific time period.


Hourly Application Usage Report

Average and total number of licenses used by application over the course of the day over a given time range.

Start Date:
End Date:

Time zone:

Application:
 Show Average:



View report in a tabular form and export it in CSV format

REPORTING DATA EXPORT

Lets you export all raw reporting data over a specified time period. You can export the data in database, CSV or XML format.

Reporting Data Export

Export raw reporting data over a time period in database, CSV or XML formats.

Start Date:
End Date:

DB:
CSV:
XML:

APPWAVE BACKUP AND RESTORE

Backup on AppWave can be done for the following categories:

- [Products](#)
- [Users and Groups](#)
- [Folders](#)
- [Reviews](#)
- [System Properties Settings](#)
- [Licenses](#)
- [Licenses Permissions](#)
- [Reports](#)

BACKING UP PRODUCTS

Backing up

In order to backup Products, make a backup of your database, because this is where AppWave saves the product information, the binary files, and the streaming cache.

- *Database*, `Toolcloud.ib` is located in
`C:\Program Files\Embarcadero\AppWave\2.0\InterBase\`

Toolcloud.ib contains data related to users/groups/folders/products/system properties. Also here is the saved information related to application Usage from Third Party Licenses and Auto Activation Licenses.
- *Binary files* are located in:
 - XP/Windows Server 2003
`C:\Documents and Settings\All Users\Application Data\Embarcadero AppWave\Products`
 - Windows 7/Windows Server 2008
`C:\ProgramData\Embarcadero AppWave\Products` You can find the application repository location on the **System Properties** page, **App Repository** tab.

- *Streaming cache* is located in:
 - XP/Windows Server 2003
C:\Documents and Settings\All Users\Application Data\Embarcadero AppWave\Products\Cache
 - Windows 7/Windows Server 2008
C:\ProgramData\Embarcadero AppWave\Products\Cache

You can find the cache repository location on the **System Properties** page, **Streaming** tab.

Restoring

To restore the products:

- 1 Stop AppWave.
- 2 Replace the old database with the backed up one.
- 3 Copy the binary files (only if you don't have them already).
- 4 Copy the cache folder (only if you don't have it already).
- 5 Start AppWave.

BACKING UP AND RESTORING USERS, GROUPS, FOLDERS, REVIEWS, AND SYSTEM PROPERTIES SETTINGS

Backing up

In order to backup Users, Groups, Folders, Reviews and System Properties, make a backup of your database, because that is where AppWave saves all the information related to these categories.

The database is located in C:\Program Files\Embarcadero\AppWave\2.0\InterBase\
(Toolcloud.ib)

If you already backed up the database for products there is no need to make a different backup for the rest of categories.

Restoring

To restore the setting follow the steps:

- 1 Stop AppWave.
- 2 Replace the old database with the backed up one.
- 3 Start AppWave.

BACKING UP AND RESTORING LICENSES

Backing up

In order to backup license, make a backup of all your license files.

The license files, license .zip file: `embarcadero_certID.zip` and client license slip file: `concurrent/named_certID.slip` are located in `C:\Program Files\Embarcadero\AppWave\2.0\elc\conf`

Restoring

To restore the licenses follow the steps:

- 1 Copy all license files in the correct location.
- 2 Reload AppWave.

From the **MANAGE LICENSE** menu, select **License Inventory, License Files, Reload License Files**).

OR

- 1 Import the license zip files.

From the **MANAGE LICENSE** menu, select **License Inventory, License Files, Import License**.

BACKING UP AND RESTORING LICENSE PERMISSIONS

Backing up

In order to backup license permissions, make a backup of all your license permissions files.

License permissions files, `userlist.txt`, `concurrent_userlist.txt`, `group.xml` and `iplist.txt` are located in `C:\Program Files\Embarcadero\AppWave\2.0\elc\conf`

Restoring

To restore the license permissions follow the steps:

- 1 Copy all license permissions files in the correct location.
- 2 Reload AppWave.

From the **MANAGE LICENSE** menu, select **License Inventory, License Files, Reload License Files**.

BACKING UP AND RESTORING REPORTS

Backing up

In order to backup reports, make a backup of your report database, because there is where AppWave saves the report data.

Report database, `LM_reporting.ib` is located in
`C:\Program Files\Embarcadero\AppWave\2.0\elc\db\`

Restoring

To restore the reports follow the steps:

- 1 Stop AppWave.
- 2 Replace the old database with the backed up one.
- 3 Start AppWave.

APPWAVE BROWSER BACKUP AND RESTORE

The following describes the steps to be performed in case of AppWave Browser data corruption, in order to ensure that the existing data is preserved.

NOTE: If the two AppWave Browser installations are not using the same version, consult Embarcadero support to make sure that the old and new data are still compatible.

- 1 Backup the following folders and files in a separate location:
 - The database folder from the AppWave Browser installation folder
 - Windows 7:** C:\Users\ - Windows XP:** C:\Documents and Settings\
 - The ToolBox.ini file from the AppWave Browser installation folder
 - Windows 7:** C:\Users\ - Windows XP:** C:\Documents and Settings\
 - The Product Repository folder which is set up in the **Tools and Options > Options > Cache Folder** (by default, on
 - Windows 7:** C:\Users\ - Windows XP:** C:\Documents and Settings\
 If there is a StreamingCore folder in Product Repository, it should not be copied along with the other folders from the cache folder content.
 - Workstation Licenses: If the AppWave Browser user has AppWave for Custom Apps (AW4CA) or AppWave for Premium Product (AW4X) workstation licenses, then back those up as well. The workstation licenses are saved in C:\Users\All Users\Embarcadero and shouldn't be affected by AppWave Browser corruption, but only by a system data corruption. The backup/restore procedure is the same as for the other folders.

NOTE: These folders/files should be backed up again if the user changes connection data, bookmarks and folders, downloads apps or modifies options.
- 2 If the AppWave Browser data becomes corrupted, AppWave Browser should be uninstalled and reinstalled.
- 3 With the new AppWave Browser closed, use the backup made in step 1 to overwrite the corresponding files and folders.
- 4 Launch AppWave Browser and all data should be the same as before making the backup.

LICENSE MANAGEMENT

This section addresses management issues of licenses for Embarcadero products and Apps mastered with AppWave Studio.

This section includes these topics:

- [Understanding All-Access and AppWave Licenses](#) on page 73
- [Managing Licenses](#) on page 76
- [Provide Licenses to AppWave Browser Users](#) on page 119

UNDERSTANDING ALL-ACCESS AND APPWAVE LICENSES

All-Access licenses have three dimensions: platforms supported (operating system and database), license level, and license type.

- [License Levels](#) on page 73
- [License Types](#) on page 73

LICENSE LEVELS

The membership level or license level you purchase from Embarcadero determines which products your users can access. Each successive level provides access to a wider and more capable range of application development and database applications from the Embarcadero AppWave Store. In addition to application installers, streamed Apps for the Embarcadero products you have licensed are included with every All-Access membership, at no extra cost to active members. For more information, see

[Embarcadero All-Access - Membership Levels](#)

on the Embarcadero Web site

http://www.embarcadero.com/products/all_access/membership_levels.php.

LICENSE TYPES

Embarcadero licenses grant you access to Embarcadero application, and database development and management tools. There are also licenses required to use AppWave Browser and Apps mastered with AppWave Studio. The following describe the various licenses:

- [Network Named User License](#) on page 74
- [Concurrent License](#) on page 74

- [Workstation License](#) on page 74
- [A-la-Carte Licenses](#) on page 74
- [Trial Licenses](#) on page 75
- [AppWave for Premium Products License \(AW4X\)](#) on page 75
- [AppWave for Custom Apps License \(AW4CA\)](#) on page 75
- [Premium or Custom App Product Licenses](#) on page 76

NETWORK NAMED USER LICENSE

This floating user license provides an All-Access license assigned to a named user. It can also be used on any machine on the network by the named user. This type of license lets you manage your licenses easily with AppWave. The named license file name format is: `named_XXXX.slip`. For more information, see [Assigning Licenses to Network Named Users](#) on page 99.

CONCURRENT LICENSE

This type of shared license can float to any authorized user on the network. The All-Access license provides for a certain number of seats. AppWave provides users with a license on a first-come, first-served basis. However, you can reserve a number of licenses for a group of users. For more information, see [Assigning Licenses to Concurrent Users](#) on page 95, [Reserving Concurrent Licenses](#) on page 108 and [View Connected Users and Licenses Usage](#) on page 114. The concurrent license file name format is: `concurrent_XXXX.slip`.

WORKSTATION LICENSE

The workstation license is a license for the 3rd party App mastered with AppWave Studio. Workstation licenses are supported for AppWave for Custom Apps (AW4CA) and AppWave for Premium Products (AW4X) only. The Workstation license is managed by AppWave License Automation. You can assign or deny workstation licenses to specific machines, users or groups. You can also reserve workstation licenses to ensure certain users or groups always have access to a license when they need one. For more information, see [Configuring License Automation](#) on page 116, [Assigning Licenses to Workstation Users](#) on page 102 and [Reserving Workstation Licenses](#) on page 110.

A-LA-CARTE LICENSES

An a-la-carte license can be a named or concurrent license that can be recognized by AppWave. It is a network license that requires AppWave. An a-la-carte license can be purchased separately from an All-Access license.

TRIAL LICENSES

A trial license allows a user to have full access to a product's functionality for a limited period of time, usually 30 days. Products with trial licenses can be downloaded directly from the AppWave Store. In the License column of the AppWave Browser Apps Window, the license will show as Trial. Users can launch or install the application as normal but will have 30 days only to use the application, after which the license will expire and they won't be able to run the application until a license is purchased.

APPWAVE FOR PREMIUM PRODUCTS LICENSE (AW4X)

This license, also known as AW4X, is required in order for an AppWave Studio user to master and broadcast a premium application to AppWave. This license is purchased separately for each application and gives the AppWave Studio author access to an Embarcadero created template that guides the Studio user easily through the mastering process of premium applications. AW4X grants use of the application but does not guarantee that the contained application will not require a license from the vendor.

The AW4X license has the following characteristics:

- Supports concurrent and network named licenses.
- Permissions: Admin can deny a license for users/groups
 Denied users/groups list will be saved in `userlist-concurrent.txt` file
- Reservations: Admin can reserve X seats for users or groups
 The number of reserved seats must to be equal to or less than the total number of units bought
 Reservation list will be saved in `groups.xml` file
- Apps are mastered by customer based on the template provided by Embarcadero

Example Usage

Company A owns 100 licenses of Toad XYZ. They purchase 100 AppWave for Toad XYZ from Embarcadero, master the application using the template provided by Embarcadero, and then have their users connect to their internal AppWave and run the AppWave for Toad XYZ APP.

APPWAVE FOR CUSTOM APPS LICENSE (AW4CA)

This license, also known as an AW4CA is required to use AppWave Studio to master and broadcast applications, such as in-house applications, for which Embarcadero does not provide a mastering template.

The AW4CA license has the following characteristics

- Supports concurrent licenses only

- Permissions: Admin can deny a license for users/group
Denied users/groups list will be saved in `userlist-concurrent.txt` file
- Reservations: Admin can reserve X seats for users/groups
The number of reserved seats must to be equal to or less than the total number of units bought
Reservation list will be saved in `groups.xml` file

PREMIUM OR CUSTOM APP PRODUCT LICENSES

Through License Automation, AppWave can manage the licenses of custom 3rd party Apps you have mastered. This provides the license key and displays information on how to use the license when the AppWave Browser user launches a 3rd party App. Depending on the App, in the AppWave License Automation pages, you need to provide the license as either a serial key or as a .csv file containing multiple serial keys. For more information, see [License 3rd Party Applications](#) on page 92.

MANAGING LICENSES

This section contains these topics:

- [View Licenses](#) on page 77
- [Import New Licenses](#) on page 79
- [Retrieve Licenses](#) on page 81
- [Update Licenses](#) on page 88
- [Reload Licenses](#) on page 89
- [Delete Licenses](#) on page 91
- [License 3rd Party Applications](#) on page 92
- [Control License Usage](#) on page 94
- [View Connected Users and Licenses Usage](#) on page 114

VIEW LICENSES

- 1 From the **MANAGE LICENSES** menu, select **License Inventory**.

The **License Inventory** pane appears.

License Inventory

License Title	License Type	Usage	Expiry Date	Certificate(s)
All-Access Platinum IBM DB2 LUW Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum IBM DB2 zOS Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum InterBase/Firebird Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Microsoft SQL Server Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum MySQL Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Oracle Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Sybase Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Trial Base	Concurrent	0/5	Jun 15, 2011 (5)	120759
AppWave Universal - 30 Days Trial	Concurrent	0/500	Jun 1, 2011 (500)	127145

[License Files](#)
[Import License](#)
[Retrieve License](#)
[Set Trial Owner](#)
[Setup 3rd Party License](#)

The **License Inventory** pane lists all licenses available. From this pane you can import or retrieve new licenses and view license details. You can also setup 3rd Party Licenses necessary for AppWave for Custom Apps or AppWave for Premium Apps. You can also request a trial license if you have not already purchased an All-Access license. Use the **Set Trial Owner** button, to associate an Embarcadero Developer Network (EDN) account with trial licenses that are made available to users when they try to run an Embarcadero App you have not already purchased.

Viewing License Files

2 To view details of the license, click **License Files**.

The **License Files** pane appears.

License Files

License Title	Certificate	Expire Date		
All-Access Platinum Concurrent Trial embarcadero_120759.zip/server_120759.slp concurrent_120759.slp	120759	Apr 5, 2011		
AppWave Universal Suite - 30 Days Trial embarcadero_127145.zip/server_127145.slp concurrent_127145.slp	127145	Apr 5, 2011		

[License Inventory](#)

[Reload License Files](#)


[Update All Licenses](#)

[Import License](#)

IMPORT NEW LICENSES

If you already have license files sent to you from Embarcadero, then you need to import these licenses.

- 1 On the **Dashboard**, click **Set up licenses**.




Set up licenses
License is configured. You can add more licenses.
*Setting up licenses is a **mandatory** step to complete configuring your AppWave.*

The **Set Up Licenses** pane appears.




Set Up Licenses


Choose one of the following options to configure the license/licensing.



Retrieve licenses
Retrieve licenses that you have purchased from Embarcadero.



Set Trial Owner
Enable concurrent trial licenses, allowing you to try all of Embarcadero's award-winning applications.




Manually import licenses
Manually import license files that you have received from Embarcadero. If this machine cannot access the internet directly, licenses can be generated here via [web registration](#). Or you can contact [Support](#).

Cancel

- 2 On the **Set Up Licenses** pane, click **Manually import licenses**.

The **Import Licenses** pane appears.



Import Licenses

* Zip file:

Please select a license zip file to import.
The zip file contains both client and server licenses.

The fields indicated with an asterisk (*) are required to complete your request.

- 3 On the **Import Licenses** pane, click **Browse** and navigate to the zip file containing the client and server license.
- 4 Click **Import Licenses**.
- 5 On the **MANAGE LICENSES** page, click **License Inventory**.
The **License Inventory** pane appears.

License Inventory

License Title	License Type	Usage	Expiry Date	Certificate(s)
All-Access Platinum IBM DB2 LUW Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum IBM DB2 zOS Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum InterBase/Firebird Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Microsoft SQL Server Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum MySQL Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Oracle Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Sybase Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Trial Base	Concurrent	0/5	Jun 15, 2011 (5)	120759
AppWave Universal - 30 Days Trial	Concurrent	0/500	Jun 1, 2011 (500)	127145

License Files
Import License
Retrieve License
Set Trial Owner
Setup 3rd Party License

- 6 To view details of the license, click **License Files**.
The **License Files** pane appears.

License Files

License Title	Certificate	Expire Date		
All-Access Platinum Concurrent Trial embarcadero_120759.zip/server_120759.slp concurrent_120759.slp	120759	Apr 5, 2011		
AppWave Universal Suite - 30 Days Trial embarcadero_127145.zip/server_127145.slp concurrent_127145.slp	127145	Apr 5, 2011		

License Inventory
Reload License Files
Update All Licenses
Import License

RETRIEVE LICENSES

When you purchase a license, Embarcadero sends you an email containing license certificate information. If you have a pre-existing license that you want to start managing with AppWave, you can also register it with the AppWave server using this procedure. You will need your license certificate number.

NOTE: If you are using, or plan to use, a port other than 5567 as the Embarcadero License Center Communication Port, proceed to [step 9](#).

- 1 From the **Dashboard**, click **Set up Licenses**.



Set up licenses

License is configured. You can add more licenses.

*Setting up licenses is a **mandatory** step to complete configuring your AppWave.*

The **Set Up Licenses** pane appears.



Set Up Licenses

Choose one of the following options to configure the license/licensing.



Retrieve licenses

Retrieve licenses that you have purchased from Embarcadero.



Set Trial Owner

Enable concurrent trial licenses, allowing you to try all of Embarcadero's award-winning applications.



Manually import licenses

Manually import license files that you have received from Embarcadero. If this machine cannot access the internet directly, licenses can be generated here via [web registration](#). Or you can contact [Support](#).

Cancel

- 2 On the **Set Up Licenses** pane, click **Retrieve License**.

The **Retrieve License** pane appears.

Retrieve License

* Login name:

* Password:

Certificate number(s):

Enter one or more comma-separated Certificate numbers, to retrieve just those licenses you specified.

Host address:

This is the AppWave address used by clients for license requests. Ensure that it is correct. If not, specify the correct address as either a host name (hostname.hostdomain.com) or an IP address (123.123.12.1).

The fields indicated with an asterisk (*) are required to complete your request.

‣ All hosted licenses are automatically downloaded under conf directory.
‣ You will need to reload server licenses manually if reload is not done during hosting

Alternative Setup

Please use Embarcadero's License Hosting site to retrieve your licenses if any of the following are true:

- 1) 'Retrieve License' returns an error.
- 2) You are using, or plan to use, a port other than 5567 as the ELC Communication Port.

[Embarcadero License Hosting](#)

NOTE: If you are using, or plan to use, a port other than 5567 as the Embarcadero License Center Communication Port, proceed to [step 9](#).

- 3 Enter the **Login name** and **Password** provided to you in the email Embarcadero sent to you with your license certificate number when you purchased the license.
- 4 Enter the license certificate number you received from Embarcadero in the email sent to you when you purchased the license. You may have more than one license certificate if you have previously purchased licensed products from Embarcadero. You can add these license certificates one at a time.
- 5 Verify that the AppWave **Host address** name or IP number is correct. Enter the correct value if necessary.
- 6 Click **Retrieve** and the **Retrieve Licenses** pane appears

Retrieve Licenses

Embarcadero All-Access XE Platinum Concurrent ELC

Certificate ID: 58269


License units: 1

Expiration date: UNLIMITED

Select licenses: All None

Host Selected Licenses

Cancel

 Duplicated files will be overwritten.

- Click **Host Selected Licenses**.

The licenses will be registered with AppWave and Embarcadero License Center. The **License Retrieved** pane appears and AppWave is now licensed.

License Retrieved

All-Access XE Platinum Client

Certificate ID: 58269

License Type: Concurrent

Expiration date: UNLIMITED

File: concurrent_58269.slip

- Click **Finish**.

NOTE: If there is an error in the license retrieval, please proceed as follows:

- In the **Alternative Setup** portion of the **Retrieve License** pane, click **Embarcadero License Hosting**.

Alternative Setup

Please use Embarcadero's License Hosting site to retrieve your licenses if any of the following are true:

- 1) 'Retrieve License' returns an error.
- 2) You are using, or plan to use, a port other than 5567 as the ELC Communication Port.

[Embarcadero License Hosting](#)

The **License Hosting** pane appears.

License Hosting

Login

This page is used to receive license server configuration files. If you have reached this page in an attempt to register a product, please go here.

[Register](#).

Please refer to your *Embarcadero License Certificate* for the auto-generated login name and password.

Login Name:

Password:

Login

- 10 Enter your auto-generated **Login Name** and **Password** included in the License Hosting section of the License Certificate email sent to you by Embarcadero. Click **Login**.

The **License Hosting** page appears and resembles the following.

License Hosting

License Certificates

[Update your network license account profile](#)

Listed below are license certificates that have been issued to your account.

A license may be hosted on one server only. After hosting is complete, configuration files and setup instructions may be downloaded.

License Certificate Number: 58269

Order Number: AA-2.0
Item Number: 1

SKU: AAP000EXECWBM
Product Description: Embarcadero All-Access XE Platinum Concurrent ELC
Selected Platforms:

- Oracle
- Sybase ASE
- IBM DB2 UDB LUW
- Microsoft SQL Server
- MySQL

License Count: 1
First hosted: Thu, July 16, 2009
All-Access Subscription Expiration Date: Thu, June 30, 2011 [Host](#)

- 11 At the bottom of the page, click **Host**.

The **License creation for Embarcadero License Center (Master Server)** page appears and resembles the following:

License creation for Embarcadero License Center (Master Server).

A license may be hosted on one master-backup server configuration only. After hosting is complete, configuration files and setup instructions can be downloaded.

From the `(ELC_install_dir)/LicenseCenter4.03/bin` directory, run the host utility: `elise.bat host` (on Windows) or `elise.sh host` (on UNIX). The `JAVA_HOME` environment variable needs to be set in order to run the utility. Make a note of the server host name.

Note to existing customers using the Borland License Server (BLS) with Embarcadero products (JBuilder, Delphi, C++ Builder, and RAD Studio): if you are going to run a single license server (ELC recommended) and want to mix existing and new licenses, make sure that both existing and new licenses are set to the same port number. Default port number for BLS is **4467** and default port number for ELC is **5567**. Licenses with different port numbers cannot be mixed on the same server. Existing user lists can be transferred from one server to another without modifications.

Host Name: *JacqueVittualXP*

The Host Name is obtained by running a utility program supplied with the Embarcadero License Center package. This information is included in the resulting Embarcadero License Center configuration file (`server_*.slip`) which can be used only with supplied host name.

Port (optional): 5567

Host Address (optional):

In case the server Host Name cannot be resolved to an IP address on your company network, enter either a fully qualified address (e.g. `hostname.hostdomain.com`) or an IP address (e.g. `123.123.12.21`). This address will be used by clients to send licensing requests to the server.

Description:

[Next](#)

[Home](#)

12 Click **Next**.

The **License creation for Embarcadero License Center (Backup Server)** page appears.

License creation for Embarcadero License Center (Backup Server).

Please note the following before creating a ELC redundant server configuration file.

- Only ELC versions 4 and above support redundancy.
- Not all Embarcadero products support ELC redundancy, however ELC redundant configuration files can be used with non-redundant Embarcadero products. If you create redundant configuration files for products that do not support redundancy, ELC backup server will not be contacted in the case of ELC master server outage. See [ELC redundancy support matrix](#) for more information.
- Redundant server configuration files cannot be intermixed with Non-redundant server configuration files on the same Embarcadero License Center. By clicking the following checkbox you acknowledge that you are creating a redundant server configuration file.

Click here to enable backup server support.

Host Name:

The Host Name is obtained by running a utility program supplied with the Embarcadero License Center package. This information is included in the resulting Embarcadero License Center configuration file (server_*.slip) which can be used only with supplied host name.

Port (optional): 5567

Backup port number cannot be changed and is set to the same value as the master port number.

Host Address (optional):

In case the server Host Name cannot be resolved to an IP address on your company network, enter either a fully qualified address (e.g. hostname.hostdomain.com) or an IP address (e.g. 123.123.12.21). This address will be used by clients to send licensing requests to the server.

UPDATE LICENSES

When you renew your licenses or upgrade your license, you need to update the license in AppWave.

- 1 From the **MANAGE LICENSES** menu, click **License Inventory**.

The **License Inventory** pane appears.

License Inventory

License Title	License Type	Usage	Expiry Date	Certificate(s)
All-Access Platinum IBM DB2 LUW Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum IBM DB2 zOS Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum InterBase/Firebird Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Microsoft SQL Server Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum MySQL Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Oracle Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Sybase Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Trial Base	Concurrent	0/5	Jun 15, 2011 (5)	120759
AppWave Universal - 30 Days Trial	Concurrent	0/500	Jun 1, 2011 (500)	127145

[License Files](#)
[Import License](#)
[Retrieve License](#)
[Set Trial Owner](#)
[Setup 3rd Party License](#)


- 2 To view details of the license, click **License Files**.

The **License Files** pane appears.

License Files

License Title	Certificate	Expire Date		
All-Access Platinum Concurrent Trial embarcadero_120759.zip/server_120759.slp concurrent_120759.slp	120759	Apr 5, 2011		
AppWave Universal Suite - 30 Days Trial embarcadero_127145.zip/server_127145.slp concurrent_127145.slp	127145	Apr 5, 2011		

[License Inventory](#)
[Reload License Files](#)
[Update All Licenses](#)
[Import License](#)

3 To update one license, click the down arrow [] in the license row.


To update all licenses, click **Update All Licenses**.

RELOAD LICENSES

You need to reload the licenses your license particulars change, such as you've upgraded the number of users.

1 From the **MANAGE LICENSES** menu, click **License Inventory**.

The **License Inventory** pane appears.




License Inventory

License Title	License Type	Usage	Expiry Date	Certificate(s)
All-Access Platinum IBM DB2 LUW Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum IBM DB2 zOS Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum InterBase/Firebird Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Microsoft SQL Server Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum MySQL Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Oracle Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Sybase Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Trial Base	Concurrent	0/5	Jun 15, 2011 (5)	120759
AppWave Universal - 30 Days Trial	Concurrent	0/500	Jun 1, 2011 (500)	127145





License Files
Import License
Retrieve License
Set Trial Owner
Setup 3rd Party License

- To view details of the license, click **License Files**.

The **License Files** pane appears.



License Files

License Title	Certificate	Expire Date		
All-Access Platinum Concurrent Trial embarcadero_120759.zip/server_120759.slp concurrent_120759.slp	120759	Apr 5, 2011		
AppWave Universal Suite - 30 Days Trial embarcadero_127145.zip/server_127145.slp concurrent_127145.slp	127145	Apr 5, 2011		

[License Inventory](#)
[Reload License Files](#)
[Update All Licenses](#)
[Import License](#)

- Click **Reload License Files**.

DELETE LICENSES

If a license expires or is upgraded to another level, you need to delete the license.

- 1 In the **MANAGE LICENSES** menu of the **ADMIN** page, click **License Inventory**.

The **License Inventory** pane appears.

License Inventory

License Title	License Type	Usage	Expiry Date	Certificate(s)
All-Access Platinum IBM DB2 LUW Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum IBM DB2 zOS Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum InterBase/Firebird Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Microsoft SQL Server Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum MySQL Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Oracle Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Sybase Trial	Concurrent	0/5	Jun 15, 2011 (5)	120759
All-Access Platinum Trial Base	Concurrent	0/5	Jun 15, 2011 (5)	120759
AppWave Universal - 30 Days Trial	Concurrent	0/500	Jun 1, 2011 (500)	127145

[License Files](#)
[Import License](#)
[Retrieve License](#)
[Set Trial Owner](#)
[Setup 3rd Party License](#)

- 2 To view details of the license, click **License Files**.

The **License Files** pane appears.

License Files

License Title	Certificate	Expire Date		
All-Access Platinum Concurrent Trial embarcadero_120759.zip/server_120759.slp concurrent_120759.slp	120759	Apr 5, 2011		
AppWave Universal Suite - 30 Days Trial embarcadero_127145.zip/server_127145.slp concurrent_127145.slp	127145	Apr 5, 2011		

[License Inventory](#)
[Reload License Files](#)
[Update All Licenses](#)
[Import License](#)

To delete a license, click the delete icon [] in the license row.

LICENSE 3RD PARTY APPLICATIONS

When the AppWave Studio user masters a premium application, an application for which Embarcadero provides a mastering template, and then adds the application to AppWave, licenses for the mastered application can be managed by AppWave. AppWave can ensure license compliance by limiting the number of concurrent users to the maximum number of licenses available. Licensing 3rd party applications is accomplished through the License Automation pages of AppWave.


- 1 From the **MANAGE LICENSES** menu, choose **License Automation**.

The **Auto Activation License** page is populated with mastered 3rd party applications that support license management.

Auto Activation Licenses

Search AppWave Universal Apps:

App Title	Usage
 Scooter Software Beyond Compare 3.1.11.12204 [16395 :0] Streamed Application in English for Windows	unlimited 

- 2 Locate the application to manage and in the **Usage** column, click the edit icon [].


Licensing information for the application appears.

Third Party License Activation Information

App Name: Scooter Software Beyond Compare 3.1.11.12204
Total Count: unlimited

Activation License	Activation Value	Usage
		 Add Activation Value

- 3 To add new licenses, in the **Usage** column, click **Add Activation Value**.

To change the usage information for an existing license, in the **Usage** column for the relevant license, click the edit icon [].

Add Activation Group Value for EN All License Description string

*Total Count:	<input type="text"/>
*SerialId:	<input type="text"/>

The fields indicated with an asterisk (*) are required to complete your request.

The license count can be -1 which means unlimited.

Depending on the application, the fields on the **Add Activation Group Value** page may differ. For example, you may have to provide information similar to the following.

Add Activation Group Value for License Araxis Merge 7

*Total Count:	<input type="text"/>
*CompanyId:	<input type="text"/>
*SerialId:	<input type="text"/>
*UserId:	<input type="text"/>
*EmailId:	<input type="text"/>

The fields indicated with an asterisk (*) are required to complete your request.

The license count can be -1 which means unlimited.

- 4 To add one license, in the **Total Count** field, enter **1** and in the **Serial ID** field, enter a valid license number.


To add more than one license, click **Bulk Import**, point to the .zip file containing the licensing slip files, and then click **Import**.

5 Click **Save**.

The **Usage** column is updated to show the number of licenses used and available. It will be updated as licenses are used.



When the AppWave Browser user launches a licensed 3rd party application managed by AppWave, if there are licenses available the user will receive the following informational dialog which provides them with a serial number they can use.



CONTROL LICENSE USAGE

In AppWave you can centrally provision, manage, and update your All-Access and third-party software and licenses inside your own firewall.

This section is comprised of the following topics:

- [Assigning Licenses to Concurrent Users](#) on page 95
- [Assigning Licenses to Network Named Users](#) on page 99
- [Assigning Licenses to Workstation Users](#) on page 102

- [Configuring Licenses for Offline Usage](#) on page 105
- [Restricting Usage by IP Address](#) on page 106
- [Reserving Concurrent Licenses](#) on page 108
- [Reserving Workstation Licenses](#) on page 110

NOTE: If a user has more than one license for a specific App available to them, such as would be the case if the user was granted a named network user license and is also a member of a group with concurrent licenses to the same application, then the user would see two profiles in AppWave Browser, one for each license in the Channel View of the App when they click View All.


ASSIGNING LICENSES TO CONCURRENT USERS

Concurrent licenses are a pool of licenses that can be shared by users on a first-come, first-serve basis. A concurrent license can be borrowed from the license pool and when the user quits the application, the license is returned to the shared pool and made available for another user to use. This procedure helps you define which users can or cannot use the concurrent licenses.

- 1 From the **MANAGE LICENSES** menu, select **License Assignments**.

The **License Assignments** pane appears.

License Assignments




- 2 In the **Concurrent** area, click **Permissions** and then on the **Concurrent Users** pane, click **Add Entry**.



Add Concurrent Users


* *Machine name:*



* *Permissions:* Deny Allow

Offline usage: days hours

* *Licenses:*  ANY

 [Add Licenses](#)  [Remove All](#)

* *Users and Groups:*  ANY

 [Add Users & Groups](#)  [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.

- 3 In the **Machine Name** field, enter the name of the system running the AppWave Browser to which you want to grant or deny license privileges.
- 4 To deny users or groups from using specific licenses, in the **Permissions** area, click **Deny**.
To authorize users or groups to use specific licenses, in the **Permissions** area, click **Allow**.

- 5 To enable the user to use the license while not connected to the AppWave network, from the **Offline usage** list, select the maximum number of days and hours the user can use the license offline. When this time expires the user will not be able to use the application until he reconnects to the network from the AppWave Browser and checks out the application again. In some applications, such as ER/Studio Data Architect, there is an option in the user interface to check out a license, Help > Checkout License/Checkin License.


NOTE: The maximum checkout period for an application is 30 days and 23 hours.

NOTE: Offline license usage is only supported for Embarcadero applications.

- 6 To select all licenses the users and groups can or cannot use, leave the licenses selected set to **ANY**, which is the default setting.

To select specific licenses the users and groups can or cannot use, in the **Licenses** area click the **Add Licenses** icon [🔑].

The **Licenses** pane appears.



Licenses


Search by:

- Licenses
- 🔑 All-Access Platinum Base (500:64)
- 🔑 All-Access Platinum IBM DB2 LUW (500:67)
- 🔑 All-Access Platinum InterBase/Firebird (500:71)
- 🔑 All-Access Platinum Microsoft SQL Server (500:68)
- 🔑 All-Access Platinum MySQL (500:69)
- 🔑 All-Access Platinum Oracle (500:65)
- 🔑 All-Access Platinum Sybase (500:66)


In the **Licenses** pane, select the licenses to apply and then click **Select**. Since here we are assigning users to concurrent licenses, this **Licenses** window shows only the concurrent licenses.

TIP: You can search for the license by entering the search text in the **Search by** area and then clicking **Filter**.

- To select all users and groups who can or cannot use the specified licenses, leave the users and groups selected set to **ANY**, which is the default setting.

To select specific users and groups who can or cannot use the specified licenses, in the **Users and Groups** area, click the **Add Users & Groups** icon [].

The **Users and Groups** pane appears.



- From the list of users and groups that appears, select the users and groups, and then click **Select**.

TIP: You can search for the user or group by entering the search text in the **Search by** area and then clicking **Filter**.

- Click **Save**.

ASSIGNING LICENSES TO NETWORK NAMED USERS

A network named license is a license assigned to a specified user for their use only anywhere on the network, from any IP address.

- 1 From the **MANAGE LICENSES** menu, select **License Assignments**.

The **License Assignments** pane appears.

License Assignments



Concurrent

Concurrent licenses management



Permissions

Permissions for concurrent licenses



IP Restrictions

IP restrictions for concurrent licenses



Reservations

Reservations for concurrent licenses



Named

Named licenses management

- 2 On the **License Assignments** pane, click **Named** and then click **Add Entry**.

The **Add Named Users** pane appears if you have already imported a named network license.



Add Named Users

Machine name: ANY

Offline usage: 0 days

* Licenses:

[Add Licenses](#) [Remove All](#)

* Users and Groups:

[Add Users & Groups](#) [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.


[Save](#) [Cancel](#)

- 3 To enable the user to use the license when the user gets disconnected from the AppWave network, from the **Offline usage** list, select the maximum number of days and hours the user can use the license offline. When this time expires the user will not be able to use the application until he reconnects to the network from the AppWave Browser and checks out the application again.

NOTE: Offline license usage is only supported for Embarcadero applications.

- 4 In the **Licenses** area, click **Add Licenses**.


The **Licenses** window appears. Since we are assigning network named licenses to users and groups, only network named licenses appear in the **Licenses** window.



TIP: You can search for the license by entering the search text in the **Search by** area and then clicking **Filter**.

- 5 Select the licenses and then click **Select**.
- 6 In the **Users and Groups** area, click **Add Users & Groups**.

The **Users and Groups** window appears.



TIP: You can search for the users by entering the search text in the **Search for** area and then clicking **Filter**.


- 7 On the **Add Named Users** pane, click **Save**.

ASSIGNING LICENSES TO WORKSTATION USERS

The workstation license is a license for the 3rd party App mastered with AppWave Studio. Workstation licenses are supported for AppWave for Custom Apps (AW4CA) and AppWave for Premium Products (AW4X) only. The Workstation license is managed by AppWave License Automation. You can assign or deny workstation licenses to specific machines, users or groups. You can also reserve workstation licenses to ensure certain users or groups always have access to a license when they need one.

- 1 From the **MANAGE LICENSES** menu, select **License Assignments**.

The **License Assignments** pane appears.



- 2 In the **Workstation** area, click **Permissions** and then on the **Workstation Permissions** pane, click **Add Entry**.



Add Workstation Permission

* *Machine name:*


* *Permissions:* Deny
 Allow



Offline usage: days hours

* *Licenses:*

 [Add Licenses](#)  [Remove All](#)

* *Users and Groups:*

 ANY

 [Add Users & Groups](#)  [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.

- 3 In the **Machine Name** field, enter the name of the system running the AppWave Browser to which you want to grant or deny license privileges.
- 4 To deny users or groups from using specific licenses when not connected to AppWave, in the **Permissions** area, click **Deny**.

To authorize users or groups to use specific licenses when not connected to AppWave, in the **Permissions** area, click **Allow**.

NOTE: Offline usage is currently only supported for Embarcadero products but will be supported in a future release.

- 5 To enable users to use specific licenses and to checkout licenses for offline usage when not connected to AppWave, in the **Offline usage** area, enter the maximum number of days and hours the users can have a license checked out before the system automatically checks in the license making it available to other users.


When the offline usage period has expired, the user will no longer be able to use the application, until he reconnects to the network and uses the license pool or checks out the license again.

NOTE: The maximum checkout period for an application is 30 days and 23 hours.

- 6 To select all licenses the users and groups can or cannot use, leave the licenses selected set to **ANY**, which is the default setting.

To select specific licenses the users and groups can or cannot use, in the **Licenses** area click the **Add Licenses** icon [🔑].


The **Licenses** pane appears




In the **Licenses** pane, select the licenses to apply and then click **Select**. Since here we are assigning users to workstation licenses, this **Licenses** window shows only the workstation licenses.

TIP: You can search for the license by entering the search text in the **Search by** area and then clicking **Filter**.

- 7 To select all users and groups who can or cannot use the specified licenses, leave the users and groups selected set to **ANY**, which is the default setting.

To select specific users and groups who can or cannot use the specified licenses, in the **Users and Groups** area, click the **Add Users & Groups** icon [].

The **Users and Groups** pane appears.



- 8 From the list of users and groups that appears, select the users and groups, and then click **Select**.

TIP: You can search for the user or group by entering the search text in the **Search by** area and then clicking **Filter**.

- 9 Click **Save**.

CONFIGURING LICENSES FOR OFFLINE USAGE

You can configure AppWave to allow a user to use an application with a concurrent or network named license when the user is not connected to AppWave.

Configure offline use for Embarcadero and AW4X Apps

For Concurrent licenses: Follow the procedure described in [Assigning Licenses to Concurrent Users](#) on page 95, ensuring that on the **Add Concurrent Users** page, **Permissions** is set to **Allow** and the **Offline Usage duration** is specified.

For Network Named licenses: Follow the procedure described in [Assigning Licenses to Network Named Users](#) on page 99, ensuring that the **Offline Usage duration** is greater than zero (0) days.

The user must download the application using AppWave Browser to their local repository. The Embarcadero application must be launched and then set for offline usage by selecting the license from the option available in the Help menu of the Embarcadero application, such as Checkin License/Checkout License. The user can continue to use the license for the specified period of time. They will be able to quit and relaunch the application without needing to connect to AppWave for a license for the **Offline Usage duration** period specified.

RESTRICTING USAGE BY IP ADDRESS

By default a user at any IP addresses can connect to AppWave providing they have a valid user name and password. On the **IP Restrictions** page you can restrict AppWave access to only certain IP addresses or to ranges of IP Adresses.

- 1 From the **MANAGE LICENSES** menu, select **License Assignments**.

The **License Assignments** pane appears.

License Assignments



Concurrent

Concurrent licenses management



Permissions

Permissions for concurrent licenses



IP Restrictions

IP restrictions for concurrent licenses



Reservations

Reservations for concurrent licenses

- In the **Concurrent** area of the **License Assignments** pane, click **IP Restrictions**.

The **IP Restrictions** pane appears.

Server will deny all license requests if all entries are deleted.
IP addresses/ranges should have the following formats:

- ****
- 192.*.*
- 192.43.*
- 192.43.18.*
- 192.43.18.12
- *****
- *:.* equivalent to *:0:0:0:0:0:*
- 2002:c023:9c17:51a:bc51:*.*
- 2002:c023:9c17:51a:bc51:a8:*.a8df
- *:*:bc51:a8:*.a8df

- In the **Please input new IP to add:** field, enter the IP address you want to add and then click the add icon [+]. The acceptable formats for the IP address are listed onscreen.

After clicking the add icon, the added IP address displays in the list of IP addresses.

- Click the checkbox next to the IP address you want to ban. No users at this IP address will be able to access the AppWave.

TIP: You can search for the IP address by entering the search text in the **Search IP** area and then clicking **Search**.

Notes

- You can select all the IP addresses in the list by clicking the **All** button [].
- You can deselect all the IP addresses in the list by clicking the **None** button [].
- You can delete IP addresses from the list by first selecting them and then clicking **Delete Selected IPs**.


RESERVING CONCURRENT LICENSES

Using the Reservations system in AppWave you can reserve concurrent license seats to ensure that a certain number of licenses are available for the specified users and groups. Once reserved these licenses are no longer available to users and groups not specified in the reservation.

You can use the reservation option to ensure that a specified number of licenses are always available for a certain group, such as when one department buys 20 licenses of a product and another department buys 30 licenses.

- 1 From the **MANAGE LICENSES** menu, click **License Assignments**.

License Assignments



- 2 In the **Concurrent** area of the **License Assignments** pane, click **Reservations**.

- 3 On the **Reservations** pane, click **Add Entry**.

The **Add Reservation** pane appears.

Add Reservation

Description:

* *Users and Groups:*

[Add Users & Groups](#) [Remove All](#)

* *Licenses:*


<input type="checkbox"/> License	Available Count	Assigned Count
<input type="checkbox"/> All-Access Platinum Base [500:64]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum IBM DB2 LUW [500:67]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum InterBase/Firebird [500:71]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum Microsoft SQL Server [500:68]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum MySQL [500:69]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum Oracle [500:65]	50	<input type="text" value="50"/>
<input type="checkbox"/> All-Access Platinum Sybase [500:66]	50	<input type="text" value="50"/>

The fields indicated with an asterisk (*) are required to complete your request.

- 4 Optional. In the **Description** field, enter a description of the reservation.

- In the **Users and Groups** area, click **Add Users & Groups**.

The **Users and Groups** window appears.




- In the **Users and Groups** window, select the users and groups you want to reserve the licenses for and then click **Select**.
 - TIP:** You can search for a user by entering the search text in the **Search for** area and then clicking **Filter**. You can search through all users and groups, all users or all groups.
- In the **Licenses** area, click the licenses you want to reserve and in the **Assigned Count** column, enter the number of licenses to reserve. The number of licenses reserved cannot exceed the **Available Count**.
- Click **Save**.

RESERVING WORKSTATION LICENSES

A workstation license is a license for 3rd party Apps mastered by AppWave Studio. The workstation license is managed by License Automation. Using the reservation pages you can ensure there are always licenses available for certain users or groups when they are required. Workstation reservations can be added only for products with limited workstation licenses.

- 1 From the **MANAGE LICENSES** menu, select **License Assignments**.

The **License Assignments** pane appears.



- 2 In the **Workstation** area, click **Reservations** and then on the **Workstation Reservations** pane, click **Add Entry**.

Add Workstation Reservation

Machine name

* *Licenses:*

 [Add Licenses](#)  [Remove All](#)


* *Users and Groups:*

 [Add Users & Groups](#)  [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.

- 3 In the **Machine Name** field, enter the name of the system running the AppWave Browser to which you want to grant license privileges.
- 4 To select specific licenses the users and groups can use, in the **Licenses** area click the **Add Licenses** icon [🔑].

The **Licenses** pane appears. It displays only products with limited workstation licenses.



In the **Licenses** pane, select the licenses to apply and then click **Select**. Since here we are assigning users to workstation licenses, this **Licenses** window shows only the workstation licenses.

TIP: You can search for the license by entering the search text in the **Search by** area and then clicking **Filter**.

- To select specific users and groups who can use the specified licenses, in the **Users and Groups** area, click the **Add Users & Groups** icon [👥].

The **Users and Groups** pane appears.

Users and Groups

Search for: All Filter

<input type="checkbox"/>	Name
<input type="checkbox"/>	admin
<input type="checkbox"/>	Administrators
<input type="checkbox"/>	All Users
<input type="checkbox"/>	Authors
<input type="checkbox"/>	jacquelinef

- From the list of users and groups that appears, select the users and groups, and then click **Select**.

TIP: You can search for the user or group by entering the search text in the **Search by** area and then clicking **Filter**.

- Click **Save**.

VIEW CONNECTED USERS AND LICENSES USAGE

Using the **Connected Users** function, you can discover who is currently connected to AppWave, which system they are connected from, the licenses they are using and for users working offline, how long until their offline license expires.

- 1 In the **MANAGE LICENSES** menu, click **Connected Users**.

The **Connected Users** pane appears.

Connected Users

Search users:

Name	Machine name	Licenses	Status	Time Remaining
serged	towsdorna01	All-Access Platinum Base - concurrent	online	

Time remaining for borrowing/offline usage (days:hours:minutes).

- 2 Search for a user by entering the search text in the **Search users** area and then clicking **Search**.

MANAGE LICENSES OF 3RD PARTY APPS

In order to use AppWave Studio to master premium or custom Apps and for your users to use these Apps you need to do the following:

- Purchase and then import the AppWave for Custom Apps (AW4CA) or AppWave for Premium Products license (AW4X). For information on importing licenses, see [Import New Licenses](#) on page 79.
- Setup the number of users permitted to use the 3rd Party App, which can be either mastered in AppWave Studio under the license for either an AppWave for Custom Apps (AW4CA) or AppWave for Premium Apps (AW4X). For more information, see [Setting up 3rd Party Licenses](#) on page 115.
- Purchase and then setup the licenses for the 3rd Party Apps. This is only required for applications that require a license. In-house or public domain apps do not usually require licenses. For more information, see [Configuring License Automation](#) on page 116.

This section is comprised of the following topics:

- [Setting up 3rd Party Licenses](#) on page 115
- [Configuring License Automation](#) on page 116

SETTING UP 3RD PARTY LICENSES

Once you have setup licenses for 3rd party Apps you have broadcasted to AppWave, AppWave can limit the number of simultaneous users of the App.

- 1 From the **MANAGE LICENSES** menu, click **License Inventory**.
- 2 At the bottom of the **License Inventory** pane, click **Setup 3rd Party License**.

The **Third Party Licenses** pane appears.

Third Party Licenses

Search AppWave Universal Apps:

App Title	Usage (Used/Total)
aaaa 1.0 [16392 :0] Streamed Application in English for Windows	unlimited
aaaaaaaaBBBBBB 1.2 aaaaBBBBB [16393 :0] Streamed Application in English for Windows	unlimited
OpenOffice 2.4.3 [16409 :0] Streamed Application in English for Windows	unlimited
Oracle SQL Developer 2.1.1 [16406 :0] Streamed Application in English for Windows	unlimited
Oracle SQLPlus 10.2.0.1 [16407 :0] Streamed Application in English for Windows	unlimited
PuTTY 0.60 [16389 :0] Streamed Application in English for Windows	unlimited
Rapid SQL&reg; 2.1.3 [16412 :0] Streamed Application in English for Windows	unlimited

< Previous | 1 2

When you first broadcast an App to AppWave, the **Usage** column displays **unlimited**.

- 3 Locate the App you want to setup the license for and then click the **Edit entry** button [] on the right.

Oracle SQLPlus 10.2.0.1

* Total Count:

The fields indicated with an asterisk (*) are required to complete your request.
The license count can be -1 which means unlimited.

- 4 In the **Total Count** box, enter the total number of licenses you have, which is also the number of permitted simultaneous users, and then click **Save**.

CONFIGURING LICENSE AUTOMATION


The License Automation option is used to license 3rd party Apps that require a license or license key to run. To ensure license compliance, AppWave can manage the licenses of 3rd Party Apps mastered in AppWave Studio. If the App requires a license, once you have broadcasted the App to AppWave, you need to set up licenses for the App. AppWave can allocate licenses through license automation and can ensure the number of simultaneous users of that App does not exceed the licensing requirements.


- 1 From the **MANAGE LICENSES** menu, click **License Automation**.

The **Auto Activation Licenses** pane appears.

Auto Activation Licenses

Search AppWave Universal Apps:



App Title	Usage
 Filezilla no-passcode-in-zip [16397 :0] Streamed Application in English for WINDOWS	0/2 


- 2 Locate the App you want to configure the license for and then click the **Edit entry** button [] on the right.

The **Third Party License Activation Information** pane appears.

Third Party License Activation Information

App Name: Filezilla no-passcode-in-zip
Total Count: 2

Activation License	Activation Value	Usage
<i>License Araxis Merge 6</i>	SDFG-DDDD-QWEEW-SAS <u>concurrent 120759 slip</u>	0/2  

 Add Activation Value

Here we can either change the license information or add new licenses.

- 3 To add new licenses, click **Add Activation Value**. If there is more than one version of the software, choose it on the next page and then click **Select**.

The **Add Activation Group Value for...** pane appears.



Add Activation Group Value for License Araxis Merge 6.0.1

*Total Count:	<input type="text"/>
*SerialId2:	<input type="text"/>

The fields indicated with an asterisk (*) are required to complete your request.
The license count can be -1 which means unlimited.

- To add one new license, in the **Total Count** field, enter the number of users permitted to use this license simultaneously. In the **SerialID** field, enter the serial number of the license and then click **Save**.
- To add more than one license, click **Bulk Import**. Browse to the CSV or ZIP file containing the serial numbers and counts and then click **Import**. The **Import Activation License Value** pane describes the required format of the license file.



Import Activation License Value

Import the serial key string values from a comma separated CSV file.

The expected format for a line in the file is:

SerialKeyValue,Count

where:

SerialKeyValue- the value for serial key(mandatory)

Count- the count for this serial key value. Use 1 if this value is missing.(optional)

To change the number of users permitted to simultaneously use the product under an existing license, click the **Edit entry** button [] to the right.

Enter the new **Total Count** value, and then click **Save**.

Edit Activation Group Value for License Araxis Merge 6

*Total Count:	<input type="text" value="2"/>
SerialId:	SDFG-DDDD-QWEEW-SAS
fileId1:	concurrent_120759.slp

The fields indicated with an asterisk (*) are required to complete your request.
The license count can be -1 which means unlimited.

MANAGE TRIAL LICENSES

When AppWave Browser users attempt to run an Embarcadero application for which you are not licensed to use, a trial license can be generated using an account created on the Embarcadero Developer Network (EDN). The trial license associates one EDN account with one AppWave.


The following describes how to assign an EDN account to AppWave, which the AppWave users will use for requesting trial licenses.

Assign Trial License Owner in AppWave

- 1 From the Dashboard, click **Set up licenses**.
- 2 On the **Set Up Licenses** pane, click **Set Trial Owner**.
- 1 If you have an EDN account, enter your EDN credentials and then click **Save**.

If you do not have an EDN account, click **Create EDN account**, create an account, and then enter your EDN credentials and click **Save**.

Assign Trial License Owner in AppWave Browser

- 1 Start AppWave Browser using an account with administrator privileges.
- 3 At the top of AppWave Browser **Apps** tab, click the **Tools and Options** icon [] and then select **Licensing > Change Trial Owner**.
- 2 If you have an EDN account, enter your EDN credentials and then click **OK**.

If you do not have an EDN account, click **Create new EDN account**, create an account, and then enter your EDN credentials and click **OK**.

PROVIDE LICENSES TO APPWAVE BROWSER USERS

By default the Embarcadero applications are available to all users. However, if you want tighter control over who uses your AppWave, you need to configure Folders, Groups, and Users. These are the steps involved in providing a new user access to AppWave.

- [Create an individual user](#) on page 119 or [Import users and groups from an LDAP server](#) on page 120
- [Create a group of users that share application requirements](#) on page 122
- [Assign users to a group that shares application requirements](#) on page 123
- [Create a folder authorizing users and groups to use specific products](#) on page 124
- [Assign groups and users to folders](#) on page 126

Create an individual user

- 1 On the **MANAGE USERS & GROUPS** menu, click **Users**.

The **Users** pane appears.



- 2 Click **Create User**.

The **Create User** pane appears.

Create User

*Username:

Password:

Email:

Display Name:

Member of:

[Add Groups](#) [Remove All](#)

Owned Folders:

[Add Folders](#) [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.

[Create User](#) [Cancel](#)

NOTE: The only field required on the **Create User** form is the **Username**.

- 3 Enter a **Username** for the user and then click **Create User**.

We will create Groups and Folders and assign the user to them in subsequent steps.

Import users and groups from an LDAP server

If you have an LDAP server that controls user access to your network devices you can import the LDAP user list to AppWave.

- 4 On the **MANAGE USERS & GROUPS** menu, select **LDAP**.

The **LDAP Users & Groups** pane appears.

LDAP Users & Groups

* **Server URL:**
 URL of the server running LDAP. e.g. ldap://127.0.0.1:389 or ldaps://127.0.0.1:636.

* **Login:**
 The user required to authenticate when searching for users. e.g. domain\username.

* **Password:**
 The user's password required to authenticate when searching for users.

Search Base:
 Name of the root node in LDAP, from which to search for users. e.g. DC=domain,DC=com.
 Leave blank to search the whole LDAP tree.

Users Filter:
 LDAP filter to search for users. e.g. sAMAccountName=*.
 Leave blank to import all users from LDAP.

Groups Filter:
 LDAP filter to search for groups. e.g. sAMAccountName=*.
 Leave blank to import all groups from LDAP.

* **Interval:** days hours minutes

The fields indicated with an asterisk (*) are required to complete your request.

- 5 Complete the **LDAP Users & Groups** pane as required.

NOTE: AppWave will sync its user list with the LDAP server at the specified **Interval**.

- 6 Click **Save and Update Now**.

AppWave will connect to the LDAP server and create new users and groups based on those found on the LDAP server.

Create a group of users that share application requirements

7 On the **MANAGE USERS & GROUPS** menu, click **Groups**.

The **Manage Groups** pane appears.

Manage Groups

Search for:

Group Name	
Administrators Administrators have complete and unrestricted access to App/Wave.	
All Users Contains all App/Wave users.	
Authors Authors can broadcast apps to App/Wave.	

8 Click **Create Group**.



The **Create Group** pane appears.

Create Group



* Group name:

Group description:



Members:

 [Add Members](#)  [Remove All](#)

Member of:

 [Add Groups](#)  [Remove All](#)

Owned Folders:

 [Add Folders](#)  [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.




9 In the fields provided, enter a **Group name** and optionally a **Group description**.

Assign users to a group that shares application requirements

10 To the right of the **Members** area, click the **Add Members**, choose the user from the list of **Users and Groups** that appears, and then click **Select**.

Users and Groups

Search for:

<input type="checkbox"/>	Name
<input type="checkbox"/>	 admin
<input type="checkbox"/>	 Administrators
<input type="checkbox"/>	 All Users
<input type="checkbox"/>	 Authors
<input type="checkbox"/>	 jacquelinef

The **Create Group** dialog reappears with the selected user added to the **Members** area.

- Click **Create Group**.











Create a folder authorizing users and groups to use specific products

- On the **MANAGE FOLDERS** menu, click **App Folders**.

App Folders


Search by:

Search for: Names Descriptions Notes

<input type="checkbox"/>	Folders	Status
<input type="checkbox"/>	All Apps Applications available for all users in the App/Wave Host.	 Warnings 
<input type="checkbox"/>	All-Access Embarcadero Applications available for all users in the App/Wave Host.	 Warnings 
<input type="checkbox"/>	StudioUser's Folder StudioUser's private folder	 Warnings 
<input type="checkbox"/>	Test Folder Testing	 Ok 
<input type="checkbox"/>	labs's Folder labs's private folder	 Warnings 

13 Click **Create Folder**.

The **Create Folder** pane appears.



Create Folder

* Folder name: [Copy from existing folder](#)

Properties: Read Only
 Push all applications to the specified users and groups

Description:

Users and Groups:

[Add Users & Groups](#) [Remove All](#)

* Applications:

[Add Apps](#) [Remove All](#)

Warnings:

Notes:

14 In the fields provided enter a **Folder Name** and a **Description** for the Folder.


- 15 Optional. To make the applications in this folder automatically available to the selected users and groups, select **Push all applications to the specified users and groups**. When the user starts AppWave Browser or connects to AppWave, the application-populated folder will appear in the Private AppWave. The applications are broadcasted from AppWave to AppWave Browser users.

Assign groups and users to folders

- 16 Below and to the right of the **Users and Groups** area, click **Add Users & Groups**.
- 17 From the **User and Groups** window that appears, select the users or groups you want to share the privileges assigned to this folder and then click **Select**.

- 18 To the right of the **Applications** area of the **Create Folder** pane, click the **Add Apps**.

The **Applications** window appears and shows all available applications.



Applications

Search by application name:

- Applications**
- 3rdRail™ 2.0**
Streamed Application in English for Windows
- 3rdRail™ AppWave Template**
Instant Packaging Template in English for Windows
- 7Zip 9.20**
Streamed Application in English for Windows
- C++Builder® AppWave Template**
Instant Packaging Template in English for Windows
- C++Builder® XE (November 2010)**
Installer in multiple languages for Windows
- DBArtisan® 8.7.4**
Streamed Application in English for Windows
- DBArtisan® 8.7.5**
Streamed Application in English for Windows
- DBArtisan® 8.7.6**
Streamed Application in English for Windows
- DBArtisan® AppWave Template**
Instant Packaging Template in English for Windows
- Delphi® AppWave Template**
Instant Packaging Template in English for Windows
- Delphi® XE (November 2010)**
Installer in multiple languages for Windows

1 2 ... 6 | [Next >](#)

- 19 Select the applications to add to this folder and then click **Select**.
- 20 At the bottom of the **Create Folder** pane, click **Create Folder**.

Download the AppWave Browser from the main page of AppWave console and then login to the AppWave Browser using the user name just created and you will see that this user now has access to the applications specified here.

FOLDER, USER, AND GROUP MANAGEMENT

Folders allow you to restrict users and groups to a certain set of products and licenses available on AppWave.

Grouping users enables you to grant or deny access to applications to the whole group at once, making the user administration more efficient in an environment where there are many users.

If local users are permitted in the System Properties, users running AppWave Browser for the first time without an account will automatically have individual accounts created for them. This is related to the *System Properties > Allow client to register user* option. The AppWave administrator can also add users individually or in a batch using the AppWave MANAGE USERS & GROUPS, Users pane. Users can also be added dynamically through the LDAP facility.

This section describes folders, user, and group administration and contains these topics:

- [Managing Folders](#) on page 129
- [Managing Users](#) on page 138
- [Managing Groups](#) on page 144

MANAGING FOLDERS

Creating and assigning folders allows you to restrict users and groups to a certain set of products and licenses available on AppWave. By default, AppWave is configured with the following folders:

- **All Apps:** Provides access to specified applications to all AppWave Browser users. The All Apps folder can be edited to provide access to only specific applications, but this folder cannot be deleted and properties other than applications and notes cannot be changed.
- **All-Access:** Provides access to all Embarcadero applications to all AppWave Browser users. The properties of this folder are fully editable and it can be deleted.

Folders you create appear in the **MANAGE FOLDERS** menu.

This section covers the following topics:

- [Create Folders](#) on page 130
- [Use Existing Folders to Create a New Folder](#) on page 135
- [Edit Folders](#) on page 137
- [Delete Folders](#) on page 138

CREATE FOLDERS

- 1 From the **MANAGE FOLDERS** menu, click **App Folders**.
- 2 At the bottom of the **App Folders** pane, click **Create Folder**.

The **Create Folder** pane appears.

Create Folder

* Folder name: Copy from existing folder

Properties: Read Only
 Push all applications to the specified users and groups

Description:

Users and Groups:

Add Users & Groups Remove All

* Applications:

Add Apps Remove All

Warnings:

Notes:

The fields indicated with an asterisk (*) are required to complete your request.


Create Folder Cancel

- 3 In the **Folder name** field, enter a folder name of up to 20 characters.
- 4 To create a folder that can be used to create other template, click **Read Only** so that it cannot be inadvertently changed after creation. You can deselect **Read Only** at a later time if you want to change the folder.

TIP: A read-only Folder cannot be changed until **Read Only** is deselected in the **Edit Folder** dialog. When you deselect **Read Only** the system prompts you to confirm the action.
- 5 To create a folder that is based on another folder, click **Copy from existing folder** and then choose the parent folder from the **Folders** dialog that appears. The Users and Groups and Applications in the new folder will be synchronized with those of the existing folder.
- 6 To make the applications in this folder automatically available to the selected users and groups, select **Push all applications to the specified users and groups**. When the user starts AppWave Browser the apps will be downloaded to the users local disk.
- 7 In the **Description** field, enter a description of the folder of up to 1024 characters.

Assign groups and users to folders

- 8 Below and to the right of the **Users and Groups** area, click **Add Users & Groups**.
The **Users and Groups** window appears.



- From the **User and Groups** window that appears, select the users and group you want to share the privileges assigned to this folder and then click **Select**.

TIP: If you have a long list of users and groups, you can browse through the pages of names or you can use the **Search for** and **Filter** options to reduce the names that appear. You can click the **Search for** list and choose to display **All** users and groups, only **Users** or only **Groups**. You can enter one or more letters in the **Filter** text box and then click **Filter**. To revert to viewing all the users and groups, enter * in the **Filter** field and click **Filter**.


The users and groups selected display in the **Users and Groups** area. Groups and users are identified with recognizable icons.



TIP: You can remove all users and groups from the folder by clicking **Remove All** below and to the right of the **Users and Groups** area. You can remove an individual user or group from the folder by hovering over its name and clicking the **x** that appears next to the user or group name.

- 10 To the right of the **Applications** area, click **Add Apps**.

The **Applications** window appears.




- 11 In the **Applications** window that appears, select the applications to add to this folder and then click **Select**.
- 12 In the **Notes** field you can enter additional information about the folder you want to retain. You can enter up to 1024 characters.

13 Click **Create Folder**.


The folder summary page appears similar to the following.

 **3rd Rail Authors**


Users and Groups:



Administrators
Administrators have comp...




Authors
Authors can broadcast




jacquelinef

Applications:




3rdRail™ 2.0.1
Streamed Application in English for Windows




3rdRail™ AppWave Template
Streamed Application in English for Windows


Any system warnings are posted to the **Warnings** area of App Folders for your information. You can check for warnings by selecting **MANAGE FOLDERS > App Folders** and then editing the folder you want to verify. Warnings appear similar to the following



Not all the users from the group Administrators have licenses for 3rdRail™ 2.0.1



Not all the users from the group Authors have licenses for 3rdRail™ 2.0.1




The user jacquelinef has no licenses for 3rdRail™ 2.0.1

NOTE: Folders created appear in the **MANAGE FOLDERS** menu, in alphabetical order.











USE EXISTING FOLDERS TO CREATE A NEW FOLDER

- 1 From the **MANAGE FOLDERS** menu, choose **App Folders**.

 **App Folders**

Search by:

Search for: Names Descriptions Notes

<input type="checkbox"/> Folders	Status
<p>All Apps Applications available for all users in the AppWave Host.</p>	<p> Warnings </p>
<p><input type="checkbox"/> All-Access Embarcadero Applications available for all users in the AppWave Host.</p>	<p> Warnings </p>
<p><input type="checkbox"/> StudioUser's Folder StudioUser's private folder</p>	<p> Warnings </p>
<p><input type="checkbox"/> Test Folder Testing</p>	<p> Ok </p>
<p><input type="checkbox"/> labs's Folder labs's private folder</p>	<p> Warnings </p>

2 Click **Create Folder**.

The **Create Folder** pane appears.

Create Folder

* *Folder name:* Copy from existing folder

Properties: Read Only
 Push all applications to the specified users and groups

Description:

Users and Groups:

Add Users & Groups Remove All

* *Applications:*

Add Apps Remove All

Warnings:

Notes:

The fields indicated with an asterisk (*) are required to complete your request.

Create Folder Cancel

- 3 Click **Copy from existing folder** and then from the **Folders** window, choose a folder and then click **Select**.

The **Users and Groups** and the **Applications** areas of the new folder are populated with all the users and groups, and all the applications of the folder selected.

- 4 Complete defining the folder as described in [Create Folders](#) on page 130.

NOTE: Folders created appear in the **MANAGE FOLDERS** menu, in alphabetical order.

EDIT FOLDERS

- 1 From the **MANAGE FOLDERS** menu, choose **App Folders**.

The **App Folders** pane appears.

App Folders

Search by:

Search for: Names Descriptions Notes

<input type="checkbox"/> Folders	Status
<p>All Apps Applications available for all users in the AppWave Host.</p>	<p> Warnings </p>
<p><input type="checkbox"/> All-Access Embarcadero Applications available for all users in the AppWave Host.</p>	<p> Warnings </p>
<p><input type="checkbox"/> StudioUser's Folder StudioUser's private folder</p>	<p> Warnings </p>
<p><input type="checkbox"/> Test Folder Testing</p>	<p> Ok </p>
<p><input type="checkbox"/> labs's Folder labs's private folder</p>	<p> Warnings </p>

- 2 Next to the folder you want to change, click the edit icon []

The **Edit Folder** window appears where you can make the changes desired and then click **Save Folder** to effect the changes.

DELETE FOLDERS

- 1 From the **MANAGE FOLDERS** menu, choose **App Folders**.

The **App Folders** pane appears.

App Folders

Search by: **Folders**

Search for: Names Descriptions Notes

<input type="checkbox"/> Folders	Status
All Apps Applications available for all users in the AppWave Host.	Warnings
<input type="checkbox"/> All-Access Embarcadero Applications available for all users in the AppWave Host.	Warnings
<input type="checkbox"/> StudioUser's Folder StudioUser's private folder	Warnings
<input type="checkbox"/> Test Folder Testing	Ok
<input type="checkbox"/> labs's Folder labs's private folder	Warnings

- 2 Select one or more folders and click **Delete Selected Folders**.

MANAGING USERS

An Administrator can manage users from AppWave. This section contains the following topics that relate to managing users from AppWave:


- [Create a User Manually](#) on page 139
- [Create a User from an AppWave Browser Log In](#) on page 141
- [Create Users Using a CSV File](#) on page 141
- [View Users](#) on page 143
- [Change the Applications Available to a User or Group](#) on page 143
- [Delete Users](#) on page 144
- [Monitor User Activity](#) on page 144

For information on integrating an LDAP server with AppWave and automating user and group creation, see [Import LDAP Users and Groups](#) on page 22.

CREATE A USER MANUALLY

- 1 From the **MANAGE USERS & GROUPS** menu, click **Users**.

The **Users** pane appears.



- 2 Click **Create User**.

The **Create User** pane appears.

Create User

*Username:

Password:

Email:

Display Name:

Member of:

[Add Groups](#) [Remove All](#)

Owned Folders:

[Add Folders](#) [Remove All](#)

[Create User](#) [Cancel](#)

The fields indicated with an asterisk (*) are required to complete your request.

- 3 Enter the name of the user, and optionally a password and the user's email address.

NOTE: Entering a password is optional only if the system property, **Allow blank password** has been set to **On**. For more information, see [System Properties > General tab](#) on page 42.

- 4 In the **Member of** area, click **Add Groups** and then from the **Groups** window, choose the groups the user should belong to, and then click **Select**.

- 5 To grant the user access to applications on AppWave, in the **Owned Folders** area, click **Add Folders** and then on the **Folders** window, select the folders containing the applications the user should have access to, and then click **Select**.
- 6 Click **Create User**.

Notes

The following user groups are preconfigured with the AppWave and should be used as follows:

- **All Users:** Use to provide access to applications all users will want or need to use.
- **Administrators** have complete and unrestricted access to AppWave.
- **Authors** have access to AppWave Studio and using AppWave Studio, they can master applications and then broadcast them to AppWave.

CREATE A USER FROM AN APPWAVE BROWSER LOG IN

If the System Property, **Allow client to register user** has been set to **On**, and if the user does not already have a user ID, a user account is automatically created when the user starts AppWave Browser and connects to AppWave. The account created uses the user's Windows domain and user name when LDAP is enabled on AppWave. If LDAP is not enabled, the account created uses the user's Windows user name. The account created has access to all the applications specified by the All Apps folder.

CREATE USERS USING A CSV FILE

You can create users using a comma separated text file. This is an efficient way to create many users.

- 1 In a text editor create and save a CSV file.

Entries in the CSV should be of the form: `username [password, groups, certificates]` where:

- **password** is optional only if the System Property, **Allow blank password** is set to **On**. Otherwise, a blank password field invalidates the user entry. For more information, see [System Properties > General tab](#) on page 42.
- **groups** and **certificates** are optional
 - **groups** is formatted as: `g1:g2:...:gN`
 - **certificates** for licenses is formatted as: `c1:c2:...:cN`

For example, importing "FK,g1:g2,c1:c2" will create a user FK in groups g1 and g2 with license certificates c1 and c2 assigned to the new user.


- 2 On the **MANAGE USERS & GROUPS** menu, click **Users**.

The **Users** pane appears.



- 3 Click **Import users**.

The **Import Users** pane appears.



- 4 Click **Browse** and then browse to the CSV file, select it, and then click **Open**.
- 5 Click **Import**.

Notes

- The imported users will be assigned to the All Users folder which has assigned to it the All Apps folder.
- There are two ways to automate user creation, from a .csv text file or from an LDAP server. For information on creating users by integrating with an LDAP server, see [Import LDAP Users and Groups](#) on page 22.

VIEW USERS

- 1 From the **MANAGE USERS & GROUPS** menu, select **Users**.

The **Users** pane appears.



AppWave lists all users alphabetically by user name.

- 2 To view a select user, in the **Search for** field, enter the first few letters of the user name and then click **Search**.

CHANGE THE APPLICATIONS AVAILABLE TO A USER OR GROUP

The applications users have access to are dependent upon the which group they are assigned to and which folders are assigned to that group. All users are assigned the All Users group, which has assigned to it the All Apps folder.. The All Apps folder by default grants access to all applications. This folder can be modified to include a subset of the applications available and then other folders can be created to grant access to specific applications required by specific users. For more information, see [Managing Users](#) on page 138, [Create Folders](#) on page 130, and [Edit Folders](#) on page 137.

DELETE USERS

You can delete only users locally created; users created via LDAP integration cannot be deleted from the list of AppWave users. If a user is deleted from the LDAP server, the user will also be deleted from the list of AppWave users when the next LDAP synchronization occurs.

- 1 From the **MANAGE USERS & GROUPS** menu, select **Users**.

The **Users** pane appears.



AppWave lists all users alphabetically by user name.

- 2 To select all users for deletion, select the checkbox next to **User Name**.

To select one or more individual users for deletion, select the checkbox next to the name of each user you want to delete.

- 3 Click **Delete**.

MONITOR USER ACTIVITY

From the REPORTING menu, there are a variety of reports that you can generate which measure user activity. For more information, see [Create Usage History Reports](#) on page 55.

MANAGING GROUPS

Creating a group and then associating users to that group enables you to manage users as a group, allowing you to grant or deny access to applications to the whole group at once, making the process more efficient in an environment where there are many users.

This section is comprised of the following topics:

- [Use the Preconfigured Groups](#) on page 145
- [Create Groups](#) on page 145
- [View, Edit, and Delete Groups](#) on page 148

USE THE PRECONFIGURED GROUPS

The following are the preconfigured groups:

- **Administrators** have complete and unrestricted access to AppWave.
- **All Users** contains all AppWave users. By default, this group provides access to all applications available on AppWave.
- **Authors** have access to AppWave Studio and can master applications and broadcast them with AppWave Studio.

These groups cannot be deleted, but you can add to or remove users from these groups.

CREATE GROUPS







Grouping users allows you to efficiently manage users who share the same application requirements. Once a group is created, you can include that group in the list of users and groups who have access to a specific folder. (For information on folders, see [Managing Folders](#) on page 129.) Groups can be manually created, or automatically created via LDAP integration. LDAP groups on AppWave cannot be changed or deleted. Changes required to these groups must be applied at the LDAP server and affect AppWave groups when the next synchronization is performed.

- 1 From the **MANAGE USERS & GROUPS** menu, click **Groups**.

The **Manage Groups** pane appears.

Manage Groups

Search for:

Group Name	
 Administrators Administrators have complete and unrestricted access to AppWave.	
 All Users Contains all AppWave users.	
 Authors Authors can broadcast apps to AppWave.	

- 2 On the **Manage Groups** pane, click **Create Group**.



The **Create Group** pane appears.

Create Group



* Group name:

Group description:



Members:

 [Add Members](#)  [Remove All](#)

Member of:

 [Add Groups](#)  [Remove All](#)

Owned Folders:

 [Add Folders](#)  [Remove All](#)

The fields indicated with an asterisk (*) are required to complete your request.

- 3 Enter a **Group name** and then enter a **Group description** if desired.
- 4 To the right of the **Members** area, click **Add Members**, and in the **Users and Groups** window that appears, choose the users and groups you want to belong to this group, and then click **Select**.

- 5 To the right of the **Member of** area, click **Add Groups** and in the **Groups** window that appears, choose the groups you want this group to belong to, and then click **Select**.
- 6 To the right of **Owned Folders**, click **Add Folders** and in the **Folders** window that appears, choose the folders you want this group to have access to.
- 7 Click **Create Group**.


Notes

- Once you create a group, you can apply a folder to all users in that group, granting or denying them access to certain applications as a group. For more information, see [Managing Folders](#) on page 129.
- If you have an LDAP server, you can import the users and groups from that server. For more information, see [Import LDAP Users and Groups](#) on page 22.


VIEW, EDIT, AND DELETE GROUPS

- 1 From the **MANAGE USERS & GROUPS** menu, click **Groups**.

The **Manage Groups** page appears.



To view details of the group, such as the members of the group, including users and groups, and the licenses this group has access to, click the group name. From the group details pane that appears, you can click **Edit Group** to change any of the group details.

To edit the group, click the edit icon () to the right of the group name. From the group details pane that appears, you can change any of the group details.

To delete a group that was created locally, click the checkbox to the left of the name of the group and then click **Delete**.

NOTE: The following groups are system generated and cannot be deleted: All Users, Administrators, and Authors.

NOTE: You can create groups to manage your organization. A group can contain zero or more users and can also encompass other groups or subgroups. Once a group has been created, you can later edit the group by adding or removing users and groups or deleting the group from AppWave.

MANAGING APPLICATIONS

This section includes these topics:

- [Understanding AppWave Apps](#) on page 149
- [Caching Applications on AppWave](#) on page 150
- [Monitoring Download Progress](#) on page 153
- [Importing Applications to the Product Repository](#) on page 154
- [Obtaining Products Manually](#) on page 155
- [Understanding App Inventory](#) on page 159
- [Automatically Updating the Application Catalog](#) on page 161
- [Manually Updating the Application Catalog](#) on page 163
- [Moderating Product Reviews](#) on page 163
- [Downloading Applications to Users](#) on page 166

UNDERSTANDING APPWAVE APPS

In addition to standard installation executable for all Embarcadero products, Embarcadero also provides AppWave App versions for many of our products.

AppWave App executables (Apps) provide click-and-run functionality for each product, to simplify deployment and enable side-by-side versioning of products. Apps are also ideal in locked-down desktop environments because they do not affect system files or system registry settings.

AppWave Apps run within their own space without sharing DLLs or system-wide settings that could conflict with other applications. Application data, including configuration and license information, is stored locally on the hard disk, separate from the executable itself.

AppWave Apps run on the local machine and are launched from either the local hard drive or over the network using AppWave Browser.

- In a server-centered environment, Apps are provisioned and licensed by AppWave and then accessed using AppWave Browser. In this scenario, AppWave obtains software updates from Embarcadero servers and makes them available to the AppWave Browser user.
- In a client-centered environment, the AppWave Browser user downloads products from Embarcadero. Users license the products using the Embarcadero Developer Network (EDN). See the *Embarcadero AppWave Browser User 's Guide* for more information.

Using AppWave Apps on a shared server avoids the need to keep multiple machines updated with new versions. By keeping the AppWave version up to date, you will automatically gain access to the latest versions of the products.

AppWave Apps benefit from AppWave application streaming, because the application will begin to open before the App has been fully downloaded. However, users who need frequent access to an application should run the file locally, because that is typically faster than running it from AppWave.

CACHING APPLICATIONS ON APPWAVE

AppWave manages Embarcadero product installers, streamed Apps, and third-party Apps that you master with AppWave Studio and lets you make them available to users of AppWave Browser. To obtain your licensed installers and executables, you download them from Embarcadero to your AppWave. This process is called “caching” or “charging AppWave”.

The product catalog is the list of products you have licensed and can manage with AppWave.

You can keep AppWave up-to-date by automatically downloading new product versions or by choosing to download updated applications from the notifications.

If this is not the first time you charge AppWave, first update your product catalog. This ensures you are aware of the most up-to-date product versions and allows you to cache new versions. For more information, see [Configuring Catalog Updates](#) on page 35.

- 1 On the **MANAGE APPS** menu, click **App Inventory**.

The **App Inventory** pane appears where you can see which applications have been cached on AppWave, applications available on the Embarcadero AppWave Store, and which applications are missing some versions.

App Inventory

Search Apps:

68 applications available on the AppWave Host

App Title	Status
3rdRail™ ★★★★★	⚠ Internet Available
AccessEnum	⚠ Internet Available
Active Directory Explorer	⚠ Internet Available
Adobe Reader 9	⚠ Internet Available
AppWave Browser Help	⚠ Internet Available
Araxis Merge	⚠ Internet Available
Autologon for Windows	⚠ Internet Available
Autoruns for Windows	⚠ Internet Available
BgInfo	⚠ Internet Available
C++Builder@ ★★★★★	⚠ Internet Available
CCleaner	✅ Available
CacheSet	⚠ Internet Available
DBArtisan@ ★★★★★	⚠ Not all versions available
DebugView for Windows	⚠ Internet Available
Deimos	⚠ Internet Available


1 2 ... 5 | [Next >](#)

TIP: Applications that have been reviewed appear with their star ratings beside their names. You can see the review contents by choosing **MANAGE APPS > Moderate Reviews** and then clicking **Search**. For more information, see [Moderating Product Reviews](#) on page 163.

The following describes the possible entries in the **Status** column:






- **Available** indicates that all versions of the application have been cached.
 - **Not all versions available** indicates that some versions of the application have been cached.
 - **Internet Available** indicates that you have not yet downloaded any versions of the application but they are available on the Embarcadero AppWave Store.
- 2 Click the title of any application for which the status is either **Not all versions available** or **Internet Available**.

The product page appears. The most recent release of the application appears at the top of the page.






DBArtisan®

9.0.0

<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> DBArtisan@ 9.0.0 Streamed Application in English for Windows Created by: <i>Embarcadero</i>	Jun 9, 2011	! Not streamed on any service.  
<input type="checkbox"/> DBArtisan@ 9.0.0 Installer in English for Windows Created by: <i>Embarcadero</i>	Jun 10, 2011	 Internet Available  

[Show Older Versions](#)

AppWave Template

<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> DBArtisan@ AppWave Template Instant Packaging Template in English for Windows Created by: <i>Embarcadero</i>	Jan 1, 2010	 Internet Available  

Depending on availability, there may be an **AppWave Template** available for the application. The AppWave Template is used in AppWave Studio to master an application as an App for broadcasting onto AppWave, where AppWave can manage and monitor application usage. For more information, see the *AppWave Studio User Guide*.

- 3 To cache all available versions of the application and template, click **Cache All Versions**.

Note: Caching may take hours to complete depending on your network connection. You can alternatively purchase the All-Access Media Kit from Embarcadero, which is a set of DVDs that have all the software your license entitles you to. You can then update and cache all your applications from **MANAGE APPS > Version Updates**, where you can choose **Manually update your applications**.

To cache a specific version, click the download icon [Status column.

MONITORING DOWNLOAD PROGRESS

- 1 To view the product update progress, on the **MANAGE APPS** menu, click **Download Progress**.

The overall progress of all the caching instances initiated displays at the top of the **Download Progress** page.

The **Download Progress** page appears where you can **Cancel**, **Pause** or **Resume** caching of any listed application whose status is **In progress**.

Download Progress Total: 43%

Application	Progress	Status
<input type="checkbox"/> 3rdRail™ 2.0 Streamed Application in English for Windows	43% (107.9M of 250.6M)	In progress

Actions for selected applications: Required 153.97M, free 18.32G

Download History

Application	Application Size	Caching Date
DBArtisan@ 8.7.4 Installer in English for Windows	112.95M	Oct 30, 2010 4:37:10 PM
Helloworld JSharp Test Streamed Application in English for Windows	332.04M	Oct 29, 2010 5:27:45 PM
Helloworldtest Streamed Application in English for Windows	332.04M	Oct 29, 2010 5:10:38 PM
Helloworldtest Streamed Application in English for Windows	332.04M	Oct 29, 2010 4:54:17 PM

The Download page also displays **Download History**, which displays the name and size of the application cached and when the product was cached.

- 2 To pause downloading of an application, select the checkbox next to the application and then click **Pause**. The caching is paused until you click **Resume** or **Cancel**.

To cancel downloading of an application, select the checkbox next to the application and then click **Cancel**. The product is removed from the list of caching products.

To resume downloading of an application, select the checkbox next to the application and then click **Resume**.

IMPORTING APPLICATIONS TO THE PRODUCT REPOSITORY

If you are upgrading from a previous version of AppWave (previously known as ToolCloud), you can import the applications in your previous repository to the new 2.0 repository.

- 1 On the **MANAGE APPS** menu, select **App Inventory**.

The **App Inventory** pane appears.

App Inventory

Search Apps:

68 applications available on the AppWave Host

App Title	Status
3rdRail™ ★★★★★	⚠ Internet Available
AccessEnum	⚠ Internet Available
Active Directory Explorer	⚠ Internet Available
Adobe Reader 9	⚠ Internet Available
AppWave Browser Help	⚠ Internet Available
Araxis Merge	⚠ Internet Available
Autologon for Windows	⚠ Internet Available
Autoruns for Windows	⚠ Internet Available
BgInfo	⚠ Internet Available
C++Builder@ ★★★★★	⚠ Internet Available
CCleaner	✅ Available
CacheSet	⚠ Internet Available
DBArtisan@ ★★★★★	⚠ Not all versions available
DebugView for Windows	⚠ Internet Available
Deimos	⚠ Internet Available





1 2 ... 5 | [Next >](#)

- To import all the application binaries for applications that already exist on AppWave in another repository, click **Import All Apps**, and then in the **Import Apps** dialog, enter the location of the repository, and then click **Submit**.

To import an individual application, click the name of the application you want to add to the AppWave repository.



The product details pane appears.


DBArtisan®
9.0.0

<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> DBArtisan® 9.0.0 Streamed Application in English for Windows Created by: <i>Embarcadero</i>	Jun 9, 2011	! Not streamed on any service.  
<input type="checkbox"/> DBArtisan® 9.0.0 Installer in English for Windows Created by: <i>Embarcadero</i>	Jun 10, 2011	! Internet Available  

[Show Older Versions](#)

AppWave Template


<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> DBArtisan® AppWave Template Instant Packaging Template in English for Windows Created by: <i>Embarcadero</i>	Jan 1, 2010	! Internet Available  

Select the version you want to import and then in the **Status** column, click the import icon []. On the **Import applications** pane that appears, enter the location of the binary of the product version selected and then click **Submit**.

OBTAINING PRODUCTS MANUALLY

In some cases, you may need to add products to the product catalog manually. For example, your security policies may not permit applications to download other applications from the internet, or you may have installed AppWave from a DVD. In these cases, you can download applications directly from the Embarcadero Developer Network (EDN) and then make them available to AppWave.

- Navigate to <https://members.embarcadero.com/Allaccess.aspx> on the EDN.






Welcome to Embarcadero® All-Access™.

Please login or create your account.

<p>[*] Your Login: <input type="text"/></p> <p>[*] Password: <input type="password"/></p> <p>[*] Remember me for: <input type="text" value="90"/> days. (Choose the number of days for your USER cookie to last. Set to 0 for a temporary cookie.)</p> <p><input type="button" value="Login"/> <input type="button" value="Email my password"/></p>	<p> Login using your OpenID credentials</p> <p>Not a Developer Network member? Join Today!</p>
--	---

Server Response from: MEM2

- 2 Login using the your developer network credentials.
- 3 On the developer network **Member Services** page that appears, on the left side of the page, click **My Member Services** and then click **Embarcadero All-Access**.
- 4 In the **Enter your passcode** box, enter the license certificate number. A list of available products appears.
- 5 To download App (.app) files, in the **OPTIONS** column, click the download icon [].

To download application installers, click the downloads list icon []. A list of downloads available displays. Click the name of the version you want to download. EDN downloads the products to your machine to the folder specified in your browser.
- 6 Place the application executables in a shared location accessible by AppWave.
- 7 From the **MANAGE APPS** menu, click **App Inventory**.
- 8 In the **App Inventory** list, locate the name of the application executable you downloaded from the EDN and click it.
- 9 In the application details page, find the name of the specific application file you downloaded from the EDN, click the checkbox next to its name and then click the **Import Apps** icon [].
- 10 Enter the location of the application executable downloaded from the EDN and then click **Submit**.

The application executable is imported into AppWave and will show as available as soon as the caching has completed.

OBTAINING APPS VIA THE APPWAVE MEDIA KIT

The AppWave Media Kit is used to install AppWave when you do not have access to the Internet from the machine designated to be the AppWave server or when you want to install the Apps Embarcadero provides, without having to download them from the AppWave Store. This section helps you install AppWave Apps.

NOTE: For information on upgrading an existing ToolCloud 1.x installation using the AppWave Media Kit, see the upgrade instructions in ReadMe.htm.

- 1 Log in to the AppWave console using admin credentials.
- 2 From the **MANAGE APPS** menu, click **Version Updates**.
- 3 At the bottom of the page, click **Manually update your applications**.
- 4 If you have purchased AppWave for Custom Apps licenses and want to be able to use the templates you must perform steps 5 and 6 in order. Otherwise, proceed to step 7.
- 5 Import Pade Plugins as follows:
 - a In the **Media Kit location** field, enter the location of the directory on the setup disk containing the Pade Plugins, such as E:\PADE.
 - b Click **Submit**.
 - c Once the list is populated, at the bottom of the page, click **Import**.

CAUTION: Import Pade Plugins first, Template configuration requires that the Pade plugins be already present.

- 6 Import Templates
 - a At the bottom of the **Version Updates** page, click **Manually update your applications**.
 - a In the **Media Kit location** field, enter the location of the directory on the setup disk containing the Templates, such as E:\Templates.
 - b Click **Submit**.
 - c Once the list is populated, at the bottom of the page, click **Import**.
- 4 Import Apps
 - a At the bottom of the **Version Updates** page, click **Manually update your applications**.
 - b In the **Media Kit location** field, enter the location of the directory on the setup disk containing the Apps, such as E:\Apps.
 - c Click **Submit**.
 - d Once the list is populated, at the bottom of the page, click **Import**.


This will update the App Inventory with Apps that once cached on AppWave can be broadcasted to AppWave Browser users.

5 Import Installers

There are two ways to import installers. Choose one of the following methods:

- [Import installers one at a time](#) on page 158
- [Import all installers at once](#) on page 158

Import installers one at a time

- a From the **MANAGE APPS** menu, click **App Inventory**.
- b On the **App Inventory** page, locate the App with an installer and click the **App Title** entry.
- c On the App page that appears, locate the installer and at the far right of the page, click the Import Apps icon [].
- d On the **Import Apps...** page, in the **Import location** field, enter the location of the directory on the product disk containing the installer file, such as E:\Install_Files.
- e Click **Submit**.

This will update the App Inventory with application installers that an AppWave Browser user can download and then install on their system and run the application locally.

Import all installers at once

- a At the bottom of the **Version Updates** page, click **Manually update your applications**.
- b In the **Media Kit location** field, enter the location of the directory on the setup disk containing the all_products.tc file, such as E:\.
- c Click **Submit**.
- d Once the list is populated, at the bottom of the page, click **Import**.

UNDERSTANDING APP INVENTORY

The Status column on the App Inventory pane indicates whether all versions of a product are cached or some versions are missing or no versions are cached. When you click a product name, the product details page appears which indicates exactly which versions are downloaded and which are missing.

- 1 From the **MANAGE APPS** menu, click **App Inventory**.

A listing of all the products available displays.

App Inventory

Search Apps: Search

68 applications available on the AppWave Host

App Title	Status
3rdRail™ ★★★★★	⚠ Internet Available
AccessEnum	⚠ Internet Available
Active Directory Explorer	⚠ Internet Available
Adobe Reader 9	⚠ Internet Available
AppWave Browser Help	⚠ Internet Available
Araxis Merge	⚠ Internet Available
Autologon for Windows	⚠ Internet Available
Autoruns for Windows	⚠ Internet Available
BgInfo	⚠ Internet Available
C++Builder@ ★★★★★	⚠ Internet Available
CCleaner	✔ Available
CacheSet	⚠ Internet Available
DBArtisan@ ★★★★★	⚠ Not all versions available
DebugView for Windows	⚠ Internet Available
Deimos	⚠ Internet Available

1 2 ... 5 | Next >

Cache All Apps Cache Latest Version Import All Apps

- 2 To obtain more details on application availability, click the name of an application.



2.36.0.1233

<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> CCleaner CCleaner is the number-one tool for cleaning your Windows PC. It protects your privacy online and makes your computer faster and more secure.	Oct 1, 2010	

AppWave Template

<input type="checkbox"/> Applications	Release Date	Status
<input type="checkbox"/> CCleaner CCleaner is the number-one tool for cleaning your Windows PC. It protects your privacy online and makes your computer faster and more secure.	Sep 28, 2010	<input checked="" type="checkbox"/> Available

Delete Apps

Cache All Versions

Import All Versions

AUTOMATICALLY UPDATING THE APPLICATION CATALOG

Automatically updating the application catalog ensures you obtain all new product versions. On the **MANAGE APPS** menu, click **Version Updates**.


The **Version Updates** pane appears.

Version Updates

The AppWave Store regularly releases new versions of All-Access subscription applications. Please choose how to update them:

- Update application catalog but don't download applications (recommended)**
- Update application catalog and download new versions of applications already available on your AppWave
- Approve application catalog updates (approval requests are sent via notifications)
- Turn off automatic updates

Do this at

Customize the applications included in version updates 

Save

Last Updated: Jun 9, 2011 3:21:55 PM

 Test connection to aapublichost.embarcadero.com is successful.

 [Manually update your applications](#)

- 3 Choose an update option.

Update application catalog but don't download applications: Checks the Embarcadero AppWave Store at the frequency defined in the **Do this** area but does not automatically download the product updates. The product catalog will display **Missing some versions** for applications for which there are updates available.

Update application catalog and download new versions...: Checks the Embarcadero AppWave Store at the frequency defined in the **Do this** area and automatically downloads any available updates for applications already available on your AppWave.

Approve application catalog updates: Checks the Embarcadero AppWave Store at the frequency defined in the **Do this** area and sends a notification when an update is available. Check NOTIFICATIONS for available updates.

Turn off automatic updates: Does not check for downloads and available updates from the Embarcadero AppWave Store.

- 4 Set the frequency at which AppWave connects to the Embarcadero AppWave Store to receive updates or a list of updates.

- 5 If you chose any of the options except **Turn off automatic updates**, you can choose which applications you want to be automatically updated. Click the arrows [↕] next to **Customize the applications included in version updates** and the list of products available to you on the Embarcadero AppWave Store displays.

Customize the applications included in version updates ↕

	InstantOn	Installer	AW Studio		InstantOn	Installer	AW Studio
3rdRail™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AppWave Browser Help	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
C++Builder®	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DBArtisan®	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Deimos	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Delphi®	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Delphi Prism™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Delphi® for PHP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ER/Studio® Business Architect	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ER/Studio® Data Architect	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ER/Studio® Data Architect Viewer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ER/Studio® Portal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ER/Studio® Software Architect	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Embarcadero® Change Manager™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Embarcadero® DB Optimizer™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Embarcadero® J Optimizer™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Embarcadero® Performance Center™	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	InterBase® SMP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
JBuilder®	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Rapid SQL®	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rapid SQL® Developer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				

InstantOn All None Installer All None AW Studio All None

To choose all applications, click **All**.

To deselect all applications, click **None**.

To select specific applications, deselect the applications you don't want to automatically update and select the applications you want to automatically update.

- 6 Click **Save**.

You will receive a notification whenever the application catalog has been updated with new applications or when a new version of an application is available. For more information on notifications, see [Handling Notifications](#) on page 36.

MANUALLY UPDATING THE APPLICATION CATALOG

Embarcadero makes available a Media Kit which contains the Apps and installers of all the products your license entitles you to. Instead of downloading these applications from the Embarcadero AppWave Store to your own AppWave, you can buy and install the Media Kit and then update the application catalog with the Media Kit.

- 1 From the **MANAGE APPS** menu, select **Version Updates**.
- 2 At the bottom of the **Version Updates** page, click **Manually update your applications**.
- 3 On the **Manually Update Applications** page, enter the path to the Media Kit and then click **Submit**.

This will update the application catalog and the applications available on AppWave.

MODERATING PRODUCT REVIEWS

To approve or disapprove product reviews or otherwise moderate user review comments, set your review preferences to Restricted mode in the System Properties. For more information, see [System Properties > General tab](#) on page 42.

When moderation is enabled, reviews added to AppWave are not immediately published. Their initial status is set to pending. A notification is added to the **Notifications** and if email is setup on the **System Properties** pane then an email is sent to notify the administrator that there are reviews pending approval. There is also a **Moderate Reviews** option on the Dashboard that indicates how many reviews are pending and which is a launch point for the **Moderate Reviews** management page. The **Moderate Reviews** option on the Dashboard appears only if there is at least one review pending.

- 1 From the **MANAGE APPS** menu, click **Moderate Reviews**.
The **Moderate Reviews** page appears and initially displays no reviews.
- 2 To view all pending reviews, select **Pending reviews** and then click **Search**.

Moderate Reviews

Search reviews for:

All reviews
 Active reviews
 Pending reviews
 Inactive reviews

Lorem ipsum dolor sit amet by *Loresit* On February 20, 2010 (👍0 👎0) ✔
 ★★★★★ Delios ✘

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent non elit eros, dapibus dictum sapien. Morbi volutpat suscipit lacinia. Suspendisse rhoncus, nulla eget feugiat mattis, ipsum velit dictum sapien, quis malesuada enim mauris at elit. Proin nec tellus ut purus lacinia gravida. Vestibulum commodo enim quis massa porta facilisis sit amet ...

Lorem ipsum dolor sit amet by *Loresit* On February 20, 2010 (👍0 👎0) ✔
 ★★★★★ Delios ✘

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent non elit eros, dapibus dictum sapien. Morbi volutpat suscipit lacinia. Suspendisse rhoncus, nulla eget feugiat mattis, ipsum velit dictum sapien, quis malesuada enim mauris at elit. Proin nec tellus ut purus lacinia gravida. Vestibulum commodo enim quis massa porta facilisis sit amet ...

The list of product reviews displays, in descending order of creation.

TIP: When **All Reviews** is selected, this list contains all the reviews, including those that are active, pending, and inactive (rejected).

The product review shows the product name, name of the review creator, the review rating, and the review status. Initially, the reviews are sorted by application name.

The review comments display in condensed format. Only the first 250 characters of the review are displayed initially. To view the entire text of the review, click....

Great product by *admin* On March 7, 2010 (👍3 👎3) ✔
 ★★★★★ Delphi® ✘

Delphi is one of the most respected and widely used Rapid Application Development (RAD) environments today. Over 1.7 million developers worldwide choose Delphi over other tools because Delphi radically speeds desktop, workstation, touch, kiosk, and Web application development without sacrificing an ounce of programming power or control. Application

Great product by *admin* On March 6, 2010 (👍5 👎1) ✔
 ★★★★★ ER/Studio® Data Architect ✘

Review details also include a star rating for that product. Thumbs up/ thumbs down details indicate the number of users who gave the review a thumbs up, and the number of users who gave the review a thumbs down.

Filtering reviews

- 3 To view all reviews, ensure there is no text entered in the **Search reviews for** text box, click **All reviews** and then click **Search**.

To view only reviews that have been approved, click **Active reviews** and then click **Search**. Only approved reviews are viewable by AppWave Browser users.

To view only reviews that have not yet been approved or rejected, click **Pending reviews** and then click **Search**.

To view only reviews that have been rejected, click **Inactive reviews** and then click **Search**.

To view reviews submitted by a specific user, select **User** from the **Search reviews for** list and then click **Search**.

To view reviews pertaining to a specific tool, select **Application** from the **Search reviews for** list and then click **Search**.

Processing reviews

- 4 To accept a review and publish it, click the check mark [] next to the review.

To reject a review, click the red cross-out circle [] next to the review.

To restore a review, click the green restore icon [] next to the review.

To delete a review forever, click the x [] next to the review.

Importing Reviews from Previous Repository or from an Archive

This may be useful in the case where you've removed an application from the system and then, months later, decide to make the application available again and want to bring back the reviews saved.

- 5 On the **Moderate Reviews** pane, click **Import reviews**.
- 6 On the **Import Reviews** pane, enter the path to the xml file containing the reviews, and then click **Import**.

DOWNLOADING APPLICATIONS TO USERS

If you want certain applications to be automatically downloaded to a user's local repository, you can select the **Push all applications to the specified Users and Groups** option on the **Create Folder** or **Edit Folder** dialogs. Then when the user starts AppWave Browser, the applications in this folder will be automatically downloaded to their repository. You might want the applications to be downloaded to the user for the following reasons:

The user may want to download an application for the following reasons:

- To run the application on a machine that does not have access to AppWave. In this case, you can download the installer on a machine that has access to AppWave, copy the installer to the machine with no AppWave access, and then run it on the other machine. You may need a license key to run the application.
- To install the application at another time. In this case you can download the installer and then run it later. For large applications, the installation will be much faster if the installer is first copied locally.
- Your environment includes a backup AppWave license server and the user want to be able to run your applications when AppWave is unavailable but you can access the backup license server.
- To run an Embarcadero application when are not connected to AppWave, that is for offline usage.

For more information, see [Managing Folders](#) on page 129.

Index

A

- Admin 145
- a-la-carte license 74
- All Apps folder 22, 129
- All-Access licenses 74
- Allow AppWave accounts 43
- Allow blank password 43
- Allow client to register user 43
- Allow reviews update 43
- Application Repository 47
- Application Usage Over Time Report 64
- Applications 17
 - Downloading 166
 - Running standalone 166
- Apps 149
- AppWave
 - Backup License Server 166
 - Running Applications 166
- AppWave Host name 43
- AppWave Service 31
- AppWave Windows Service 29
- Authorizing concurrent licenses 96, 103
- Auto assign country group 43
- Auto deploy applications 43
- Auto stream applications 43
- Automatic Updates 35

C

- caching 150
- caching updates 36
- catalog updates 45
- charging the Server 150
- checkout period 97, 104
- Concurrent License 74
- Concurrent licenses
 - allow 96, 103
 - deny 96, 103
- concurrent licenses 95
- Concurrent Users 95
- configure system properties 41
- Connected Users 114
- Create Group 146
- Create user as packager 43
- CSV File 141
- Cumulative Reports 56

D

- default password 34
- Denying concurrent licenses 96, 103
- Download Applications 166
- Downloading Applications 166

E

- Email Notifications 45
- Embarcadero Developer Network (EDN) 149
- Embarcadero License Center (ELC) 13

- Embarcadero License Center Account 44
- errors 36

F

- Folders 129

H

- HeartBeat grace period 49
- HeartBeat period 49
- High Watermark Report 65

I

- Importing Applications 154
- Importing New Licenses 79
- Importing Reviews 165
- individual user 119

J

- Java Runtime Environment (JRE) 30
- JRE configuration 32

L

- LDAP 121
- LDAP server 120, 147
- LDAP sync 121
- license denials 60
- License Files 90
- License Hosting web site 13
- License Pool Notifications 44
- license usage notifications 46
- licenses
 - offline usage 104
- Licenses Usage 114
- licensing problems 36
- Logging 31
- Logging in to AppWave 33

M

- Manage Groups 146
- MANAGE USERS & GROUPS 119

N

- Named User License 74
- Notification management 38
- Notification Messages 37
- Notifications 36

O

- offline usage 104

P

- password 24
- password default 34
- Preconfigured Groups 145
- Processing reviews 165
- product catalog 150
 - manually updating 155
- product catalog update 36

INDEX

- product catalog updates 35
- Product Repository 154
- Product review moderation 163
- Providing Licenses 119
- Provisioning Admin 145
- Proxies 46
- Publish Applications 39
- Publishing Progress 52
- Push all applications 166
- Push all applications to the specified users and groups 126
- Pushing Applications 166

R

- reload licenses 89
- Reporting Data Export 66
- Repository cache 49
- Restricted mode 43
- Retrieve License 82

S

- Server Shutdown 33
- Server Startup 32
- star ratings 151
- Streaming 48
- Streaming Servers 51
- subgroups 148
- system generated groups 148
- System Properties 45
- system properties 17

T

- ToolPacks 17
- Tools and Options
 - Import Apps 118
- Tools Update 35
- trial license 75

U

- Update All Licenses 89
- Usage History Reports 55
- User-initiated caching 43
- Users 17

V

- Version Updates 161

W

- Windows service 31
- Windows service settings 30
- Windows Services 13