

Product Documentation

Embarcadero® DBArtisan™

New Features Guide

Version 9.7/XE6 Published Sept., 2014 © 2014 Embarcadero Technologies, Inc. Embarcadero, the Embarcadero Technologies logos, and all other Embarcadero Technologies product or service names are trademarks or registered trademarks of Embarcadero Technologies, Inc. All other trademarks are property of their respective owners.

This software/documentation contains proprietary information of Embarcadero Technologies, Inc.; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

Embarcadero Technologies, Inc. is a leading provider of award-winning tools for application developers and database professionals so they can design systems right, build them faster and run them better, regardless of their platform or programming language. Ninety of the Fortune 100 and an active community of more than three million users worldwide rely on Embarcadero products to increase productivity, reduce costs, simplify change management and compliance, and accelerate innovation. Founded in 1993, Embarcadero is headquartered in San Francisco, with offices located around the world. To learn more, please visit http://www.embarcadero.com.

August 26, 2014

Contents

PostgreSQL Support	 4
Backup Analyst Discontinued	 6

NEW FEATURES

Changes for this release fall into the following categories:

- PostgreSQL Support
- <u>Backup Analyst Discontinued</u>

POSTGRESQL SUPPORT

As of this release, Rapid SQL provides support for PostgreSQL datasources. The following topics provide a summary of the new functionality:

PostgreSQL Version Support and Connectivity Options

Rapid SQL supports Postrgres version 9.3 and higher. Connectivity is available with the PostgreSQL ODBC Driver (latest version recommended) or with the pre-packaged PostgreSQL JDBC Driver.

Command Line Startup Against PostgreSQL Datasources

As with other platforms, command line startup of Rapid SQL is available against PostgreSQL datasources. The following syntax options are available:

dbart.exe -D datasource -U username [-P password]

dbart.exe -R 'connectionstring' -D datasource -U username [-P password]

The connectionstring can take the following form:

postgresql://HOST postgresql://HOST/DB postgresql://HOST:PORT postgresql://HOST:PORT/DB

NOTE: Using **postrgesqlp** will make the datasource created permanent.

If the PostgreSQL ODBC driver is installed, the connection will be established using that driver. If not, the PostgreSQL JDBC driver will be used.

Standard PostgreSQL Datasource Registration and Connectivity

Currently, you can manually register a PostgreSQL datasource, identifying a host and database name and optionally provide a port number. Basic **User ID** and **Password** credentials can be provided on the **Security Parameters** page.

Database Type Connection Information		Host:						
		HOSE:		L				
Security Parameters Custom Driver Properties		Port (optional):						
Datasource Properties Datasource Group		Database:						
Datasource	Group	Datasource	Name:					
Database Ty								
	Connection	Information	User ID					
	Security Para							_
Custom Drive Datasource P Datasource C		r Properties Passwor		rd:				
		Properties						
		Group						
		Auto connect? (Saves and encrypts password)						
				Connect using Windows Authentication				

Similarly, a login dialog prompting for a user name and password lets you connect to a PostgreSQL datasource.

Datasource Explorer/Navigator Object Node Availability

In DBArtisan, primary Explorer/Navigator nodes and key secondary nodes for the new platform are as follows:



Common object actions **Drop**, and **Extract**, are available for all supported object types. Object type-specific actions **Rename** and **Select * From** are available, as appropriate. Two new object actions are available:

- Change Owner lets you generate and submit an ALTER objecttype objectowner objectname OWNER TO newobjectowner statement.
- Change Schema lets you generate and submit an ALTER objecttype objectschema objectname SET SCHEMA newobjectschema statement.

The following table shows object type availability for the two new object actions:

	Domains	Functions	Schema	Tables	Tablespaces	Types	Views
Change Owner	✓	✓	✓	✓	✓	✓	✓
Change Schema	✓	✓		✓		✓	✓

SQL Editor

Execution against PostgreSQL sources is available. Also available are related, common SQL Editor tools such as **Query Options**.

BACKUP ANALYST DISCONTINUED

As of this release, the Backup Analyst feature is no longer available.