



I N D E X

Symbols

.sat file format, 19

A-B

ABAQUS

- 5.7 support, 65
- input file reader, 65
- shell elements, 65

ABAQUS Preference

- corrected defects, 68

ACIS

- access improvements, 19

ADVANCED FEA, 68

- corrected defects, 68

analysis integration enhancements, 45

ANALYSIS MANAGER

- corrected defects, 69

ANSYS Preference

- corrected defects, 69

arbitrary beam, 46

assembly preview and access, 16

attribute automation, 16

Auto Center function, 62

Auto Fit function, 62

automatic hard points, 34

- Neck Points, 36

- T Points, 34

C

CAD access, 8

- ACIS, 19

CAD access enhancements, 7

CAD systems

- access, 20
- supported, 20

CADDS, 20

CADDS5

- corrected defects, 69

CATIA, 20

- access improvements, 17
- model filtering, 17

CATIA Access

- corrected defects, 69

CATXPRES, 20

Center of Rotation icon, 63

Client Service Requests (CSR)

- corrected, 68
- outstanding, 87

compacting databases, 57

Contact Table

- MARC, 65

convection-coupled advection, 62

corrected defects, 67, 68

- ABAQUS Preference, 68

ANALYSIS MANAGER, 69

ANSYS Preference, 69

CADDS5 Access, 69

CATIA Access, 69

DYTRAN Preference, 69

FATIGUE, 69

FLEXlm, 69

IGES Access, 70

LAMINATE MODELER, 70

LS-DYNA3D Preference, 70

MARC Preference, 70

MSC/NASTRAN Preference, 71

Neutral Access, 73

PAMCRASH Preference, 73

PATRAN, 73

Pro/Engineer Access, 87

SAMCEF Preference, 87

THERMAL, 86

Unigraphics Access, 87

Create/Curve/Fillet form, 43

Create/Mesh Control/Auto Hard Points form, 38

Create/Surface/Mesh form, 25

CSRs

- corrected, 67

curvature based tetrahedral meshing, 39

D

database

- access from external programs, 59
- conversion, 56

dbaccess.a archive file, 60



I N D E X

- dbxs_link script, 60
- defects
 - corrected, 67, 68
 - outstanding, 87
- Digital
 - supported OS levels, 3
- direct access
 - CAD systems, 20
- direct results access, 48
 - limitations, 49
- documentation
 - PATRAN, 4
- DYTRAN Preference
 - corrected defects, 69

E

- enhancements
 - analysis integration, 45
 - CAD access, 7
 - minor, 61
 - modeling and meshing, 21
- errors
 - corrected, 67
- EUCLID 3, 20

F

- FATIGUE
 - corrected defects, 69
- feature overview, 2
- features and parameters, 8
- FEM utilities, 2
- fillet curve, 43
- Finite Elements
 - Create/Mesh Control/Auto Hard Points, 38
- FLEXlm
 - corrected defects, 69

G

- GBAK utility, 57

- Geometry
 - Create/Curve/Fillet form, 43
 - Create/Surface/Mesh form, 25
- graphics
 - Open GL, 65
- graphics preferences, 62

H

- hard points
 - creating, 34
- hardware
 - HP, 65
 - supported OS levels, 3, 20
- help, 4
- HP
 - supported OS levels, 3
- hybrid tetmesher, 2

I-K

- IBM
 - supported OS levels, 3
- IGES Access
 - corrected defects, 70
- input file reader
 - ABAQUS, 65
- iterative solver
 - support for MSC/NASTRAN, 62

L

- LAMINATE MODELER, 41
 - corrected defects, 70
- LinkCAccess script, 60
- LinkFAccess script, 60
- Load Case form, 64
- LS-DYNA3D Preference
 - corrected defects, 70

M

- MARC Contact, 65



I N D E X

MARC Preference
 corrected defects, 70
 meshing
 automatic hard points, 34
 curvature based, 39
 rapid surface, 22
 rapid surface procedure, 26
 tetrahedral element modification, 40
 meshing enhancements, 21
 metadata, 48
 minor enhancements, 2
 model filtering, 17
 modeling
 fillet curve, 43
 modeling enhancements, 21
 LAMINATE MODELER, 41
 MSC
 training seminars, 6
 MSC Corporate Web URL, 6
 MSC/ABAQUS rebar support, 65
 MSC/NASTRAN
 convection-coupled advection, 62
 iterative solver, 62
 MSC/NASTRAN Preference
 corrected defects, 71
 MSC/WORLD newsletter, 6

N

Neck Points
 creating, 36
 Neutral Access
 corrected defects, 73
 NFS mounted disks, 57

O

on-line help
 context-sensitive help, S-2
 navigational menu, S-4
 topical help, S-3
 online help, 4
 Open GL, 65
 operating systems
 supported, 3, 20

outstanding CSRs, 87
 overview of features, 2

P

PAMCRASH Preference
 corrected defects, 73
 PATRAN
 corrected defects, 73
 platforms
 supported, 3, 20
 Plot/Erase form, 63
 porting databases, 56
 preference guides, 4
 Pro/ENGINEER, 20
 Pro/Engineer Access
 corrected defects, 87

Q

QLI, 57

R

rapid surface meshing, 22
 tips and limitations, 32
 rapid surface meshing procedure, 26
 RBANG, 65
 RBFOR, 65
 RBROT, 65
 reclaiming database space, 57
 RSSCON support, 62

S

SAMCEF Preference
 corrected defects, 87
 seminars, 6
 settings.pcl file, 65
 SGI
 supported OS levels, 3
 shell elements
 ABAQUS S3 and S4, 65



I N D E X

software defects
 corrected, 67, 68
 outstanding, 87
Starbase, 65
SUN
 supported OS levels, 3
supported platforms, 3, 20, 65
surface
 tessellated, 22

T

T Points
 creating, 34
Technical Application Notes (TANs), 6
tessellated surface, 22
tetmesher, 2
tetrahedral element modification, 40
THERMAL
 corrected defects, 86
toolbar enhancements, 63
training seminars, 6

U

Unigraphics, 8, 20
 assembly preview and access, 16
 attribute automation, 16
 features and parameters, 8
Unigraphics Access
 corrected defects, 87
Unigraphics interoperability, 8
URL
 MSC, 6

V

Visualize FX, 65

W

world wide web URL, 6

X-Z

XDB file, 48