

Stateflow[®] and Stateflow[®] Coder

For Use with Simulink[®]

- Modeling
- Simulation
- Implementation

Reference

Version 6



How to Contact The MathWorks:



www.mathworks.com
comp.soft-sys.matlab
www.mathworks.com/contact_TS.html

Web
Newsgroup
Technical Support



suggest@mathworks.com
bugs@mathworks.com
doc@mathworks.com
service@mathworks.com
info@mathworks.com

Product enhancement suggestions
Bug reports
Documentation error reports
Order status, license renewals, passcodes
Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Stateflow and Stateflow Coder Reference

© COPYRIGHT 2006 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB, Simulink, Stateflow, Handle Graphics, Real-Time Workshop, and xPC TargetBox are registered trademarks of The MathWorks, Inc.

Other product or brand names are trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

March 2006 Online only New for Version 6.4 (Release 2006a)

Functions — By Category

1

Object Retrieval	1-2
Chart Creation	1-2
Chart Input/Output	1-2
Graphical User Interface	1-3
Help	1-3

Functions — Alphabetical List

2

Index

Functions — By Category

Object Retrieval (p. 1-2)

Chart Creation (p. 1-2)

Chart Input/Output (p. 1-2)

Graphical User Interface (p. 1-3)

Help (p. 1-3)

Getting Stateflow® objects

Creating Stateflow charts and truth tables

Reading and writing Stateflow charts

Launching tools for defining and debugging Stateflow objects

Getting help on using Stateflow

Object Retrieval

<code>sfclipboard</code>	Get Stateflow clipboard object
<code>sfgco</code>	Get most recently selected objects in Stateflow chart
<code>sfroot</code>	Get Stateflow root object

Chart Creation

<code>sfnew</code>	Create Simulink® model containing empty Stateflow block
<code>stateflow</code>	Create Simulink model containing empty Stateflow chart, and open Stateflow library window

Chart Input/Output

<code>sfclose</code>	Close Stateflow chart
<code>sfopen</code>	Open Stateflow machine
<code>sfprint</code>	Print graphical view of Stateflow charts
<code>sfsave</code>	Save Stateflow machine in current directory

Graphical User Interface

sfdebugger

Open Stateflow debugger

sfexplr

Start Model Explorer

sflib

Open Stateflow library window

Help

sfhelp

Open Stateflow online help

Functions — Alphabetical List

sfclipboard

Purpose Get Stateflow clipboard object

Syntax `object = sfclipboard`

Description `object = sfclipboard` returns a handle to the Stateflow clipboard object. Use the clipboard object to copy objects from one container object to another, as described in “Copying Objects” in the online Stateflow API Reference.

See Also `sfgco`, `sfnew`, `sfrout`, `stateflow`

Purpose Close Stateflow chart

Syntax

```
sfclose  
sfclose( 'Chart_Name' )  
sfclose( Chart_Handle )  
sfclose( 'All' )
```

Arguments

<i>'Chart_Name'</i>	Name of a Stateflow chart.
<i>Chart_Handle</i>	Handle to a Stateflow chart.
<i>'All'</i>	Literal string that directs Stateflow to close all open or minimized Stateflow charts.

Description

sfclose closes the current Stateflow chart.

sfclose('Chart_Name') closes the Stateflow chart named **Chart_Name**.

sfclose(*Chart_Handle*) closes the Stateflow chart whose handle is *Chart_Handle*.

sfclose('All') closes all open or minimized Stateflow charts.

See Also

sfopen, sfnew, stateflow

sfdebugger

Purpose Open Stateflow debugger

Syntax

```
sfdebugger  
sfdebugger( 'Machine_Name' )  
sfdebugger( Machine_Handle )  
sfdebugger( Machine_Id )
```

Arguments

<i>'Model_Name'</i>	String name of a Stateflow machine.
<i>Machine_Handle</i>	Handle to a Stateflow machine.
<i>Machine_Id</i>	ID of a Stateflow machine.

Description

sfdebugger opens the Stateflow debugger for the currently selected Stateflow machine.

sfdebugger('Machine_Name') opens the Stateflow debugger for the Stateflow machine called **Machine_Name**.

sfdebugger(Machine_Handle) opens the Stateflow debugger for the Stateflow machine whose handle is *Model_Handle*.

sfdebugger(Machine_Id) opens the Stateflow debugger for the Stateflow machine whose Id is *Machine_Id*.

See Also

sfexplr, sfhelp, sflib

Purpose Start Model Explorer

Syntax sfexplr

Description sfexplr starts the Model Explorer. For more information, see “The Model Explorer” in the online Simulink documentation.

See Also sfdebugger, sfhelp, sflib

Purpose Get most recently selected objects in Stateflow chart

Syntax `object = sfgco`

Description `object = sfgco` returns a handle or vector of handles to the most recently selected objects in a Stateflow chart, as follows:

If ...	sfgco returns ...
No Stateflow charts are open, or no open charts were edited or otherwise manipulated	Empty matrix
There is no selection list	Handle to the Stateflow chart most recently clicked
You select one object in a Stateflow chart	Handle to the selected object
You select multiple objects in a Stateflow chart	Vector of handles to the selected objects
You select multiple objects in multiple Stateflow charts	Vector of handles to the most recently selected objects in the most recently selected chart

See Also `sfnew`, `stateflow`


Purpose	Open Stateflow online help
Syntax	<i>sfhelp</i>
Description	<i>sfhelp</i> opens Stateflow online help in the Help browser.
See Also	sfexplr, sfnew, sfprint, sfsave, stateflow

sflib

Purpose Open Stateflow library window

Syntax sflib

Description sflib opens the Stateflow library window:



From this window, you can drag Stateflow charts and truth tables into Simulink models, and access the Stateflow Examples Library.

See Also sfdebugger, sfexplr, sfhelp

Purpose Create Simulink® model containing empty Stateflow block

Syntax `Model_Handle = sfnew('-Chart_Type''Machine_Name')`

Arguments

<i>Model_Handle</i>	Handle to the new Simulink model that will contain the Stateflow block.
<i>Chart_Type</i>	Type of Stateflow block to add to the Simulink model. Enter '-Classic' for Stateflow chart or '-TT' for truth table. Optional.
<i>'Machine_Name'</i>	Name of the Stateflow machine (also becomes the model name). Optional.

Description


`Model_Handle = sfnew('-Chart_Type''Machine_Name')` returns the handle to a new model named **Machine_Name** that contains an empty Stateflow block of type *Chart_Type*, and opens the new model on your desktop. If *Chart_Type* is not specified, the default block is `Classic`. If *Machine_Name* is not specified, the default name is **untitled**.

Examples

Create a Simulink model called **MyModel** that contains an empty Stateflow truth table.

```
m = sfnew('-TT', 'MyModel')
```


The new model looks like this:



Create an untitled Simulink model that contains an empty Stateflow chart.

```
m = sfnew
```

The new model looks like this:



See Also

[sfhelp](#), [sfprint](#), [sfroot](#), [sfsave](#), [stateflow](#)

Purpose	Open Stateflow machine
Syntax	sfopen
Description	sfopen prompts you for an .mdl file and opens the one that you select from your file system.
See Also	sfclose, sfdebugger, sfexplr, sflib, sfnew, stateflow

sfprint

Purpose Print graphical view of Stateflow charts

Syntax
sfprint
sfprint(*objects*, *format*, *outputOption*, *printEntireChart*)

Arguments

- | | |
|----------------|--|
| <i>objects</i> | Any of the following object identifiers: <ul style="list-style-type: none">• String name of a Stateflow chart, or Simulink model, system, or block• Handle to a Stateflow chart, or Simulink model, system, or block• Cell array of names of and/or handles to a Stateflow chart, or Simulink model, system, or block• Vector of handles to a Stateflow chart, or Simulink model, system, or block• Simulink model construction commands gcb, gcbh, or gcs |
| <i>format</i> | Optional literal string that specifies the print destination: <ul style="list-style-type: none">• 'default' prints to default printer• 'ps' generates PostScript file• 'psc' generates color PostScript file• 'eps' generates Encapsulated PostScript file• 'epsc' generates color Encapsulated PostScript file• 'tif' generates TIFF file• 'jpg' generates JPEG file• 'png' generates PNG file |

- 'meta' saves Stateflow image to clipboard as a metafile (Windows only)
 - 'bitmap' saves Stateflow image to clipboard as a bitmap (Windows only)
- outputOption* Optional string that specifies an output file or printer:
- String that specifies the name of a file to write to (file will be overwritten if more than one chart is printed)
 - 'promptForFile' prompts for file name interactively
 - 'printer' sends output to default printer (use only with 'default', 'ps', or 'eps' formats)
 - 'file' sends output to a default file, specified as *<path to object>.<device extension>*
 - 'clipboard' copies output to clipboard
- printEntireChart* Optional Boolean argument:
- 1 (default) prints complete charts
 - 0 prints current view of charts

Description

sfprint prints the current Stateflow chart to a default printer.

sfprint(*objects*, *format*, *outputOption*, *printEntireChart*) prints all Stateflow charts identified in *objects* in the specified *format* to the file or printer specified in *outputOption*. Prints complete or current view of charts as specified in *printEntireChart*. If *format* argument is absent, the format defaults to 'ps' and output is sent to the

default printer. If *outputOption* argument is absent, the name of the Stateflow chart in the current directory is used as the output file name.

Examples

Print the complete chart whose handle is *id* to a TIFF file called **myFilename**.

```
sfprint(id, 'tif', 'myFilename')
```

Print all Stateflow charts in the current system as a PostScript file to the default printer.

```
sfprint(gcs)
```

Print the current Stateflow block to a JPEG file whose name is specified by the user interactively.

```
sfprint(gcb, 'jpg', 'promptForFile')
```

Print the current view of all Stateflow charts in the current system in PNG format using default file names.

```
sfprint(gcs, 'png', 'file', 0)
```

Assume that you loaded into MATLAB® a Simulink model named **myModel** that has two charts named **Chart1** and **Chart2**. Further, both **Chart1** and **Chart2** are represented by the Stateflow chart objects **ch1** and **ch2**, respectively.

Command	Result
<code>sfprint('myModel')</code>	Prints the graphical view of both Chart1 and Chart2 to the default printer.
<code>sfprint('myModel','ps')</code>	Prints the graphical view of both Chart1 and Chart2 to a PostScript file.

Command	Result
<code>sfprint(ch1.Id,'psc')</code>	Prints the graphical view of Chart1 to a color PostScript file.
<code>sfprint([ch1.Id, ch2.Id])</code>	Prints the graphical views of both Chart1 and Chart2 to the default printer.

See Also

`sfhelp`, `sfnew`, `sfsave`, `stateflow`

sfroot

Purpose Get Stateflow root object

Syntax `object = sfroot`

Description `object = sfroot` returns the handle to the top-level object in the Stateflow machine hierarchy of objects. Use the root object to access all other objects in Stateflow charts, as described in “Access the Model Object” in the online Stateflow API Reference.

See Also Stateflow functions `stateflow`, `sfnew`, `sfgco`, `sfclipboard`

Purpose Save Stateflow machine in current directory

Syntax

```
sfsave  
sfsave( Model_Handle )  
sfsave( Model_Handle, 'New_Model_Name' )  
sfsave( Machine_Handle )  
sfsave( 'Model_Name' )  
sfsave( 'Defaults' )
```

Arguments

<i>Model_Handle</i>	Handle to a Simulink model that contains a Stateflow block.
' <i>New_Model_Name</i> '	Name to assign to the model being saved.
<i>Machine_Handle</i>	Handle to a Stateflow machine.
' <i>Model_Name</i> '	Name of a Simulink model that contains a Stateflow block.
' <i>Defaults</i> '	Literal string that directs Stateflow to save current settings as defaults.

Description

sfsave saves the current Stateflow machine in the current directory.

sfsave(*Model_Handle*) saves the Simulink model specified by *Model_Handle* in the current directory.

sfsave(*Model_Handle*, '*New_Model_Name*') saves Simulink model specified by *Model_Handle* as **New_Model_Name** in the current directory.

sfsave(*Machine_Handle*) saves the Simulink model that contains the Stateflow machine specified by *Machine_Handle* in the current directory.

sfsave('*Model_Name*') saves the Simulink model called **Model_Name** in the current directory.

sfsave('*Defaults*') saves the settings of the current Stateflow machine as defaults.

sfsave

Examples

Save the model whose handle is `m` as **MyModel** in the current directory.

```
sfsave(m, 'MyModel')
```

Save the model that contains a Stateflow machine whose handle is `sf` in the current directory.

```
sfsave(sf)
```


See Also

`sfclose`, `sfnew`, `sfoopen`, `sfprint`

Purpose Create Simulink model containing empty Stateflow chart, and open Stateflow library window


Syntax `stateflow`

Description `stateflow` creates a new Simulink model that is preconfigured with an empty Stateflow chart:



The function also opens the Stateflow library window:

stateflow



From this window, you can drag other Stateflow blocks into your Simulink model and access the Stateflow Examples Library.

See Also

sflib, sfnew, sfroot,

F

functions

- sfclipboard 2-2
- sfclose 2-3
- sfdebugger 2-4
- sfexplr 2-5
- sfgco 2-6
- sfhelp 2-7
- sflib 2-8
- sfnew 2-9
- sfopen 2-11
- sfprint 2-12
- sfroot 2-16
- sfsave 2-17
- stateflow 2-19

S

- sfclipboard function
 - reference 2-2
- sfclose function
 - reference 2-3

- sfdebugger function
 - reference 2-4
- sfexplr function
 - reference 2-5
- sfgco function
 - reference 2-6
- sfhelp function
 - reference 2-7
- sflib function
 - reference 2-8
- sfnew function
 - reference 2-9
- sfopen function
 - reference 2-11
- sfprint function
 - reference 2-12
- sfroot function
 - reference 2-16
- sfsave function
 - reference 2-17
- stateflow function
 - reference 2-19