

Bioinformatics Toolbox Release Notes

Summary by Version	1
About Release Notes	2
Version 2.4 (Release 2006b) Bioinformatics Toolbox ...	4
Data Formats and Database Functions	4
Sequence Utilities Functions	5
Sequence Visualization Functions	5
Multiple Sequence Alignment Functions	5
Microarray File Formats	5
Microarray Data Analysis and Visualization Functions ...	6
Graph Theory Functions	6
Graph Visualization Methods	7
Phylogenetic Tree Methods	7
Version 2.3 (Release 2006a+) Bioinformatics Toolbox ..	8
Data Formats and Databases Functions	8
Sequence Utilities Functions	9
Sequence Visualization Functions	9
Statistical Learning Functions	9
Microarray Functions	9
Demo for Microarray Functions	10
Version 2.2.1 (Release 2006a) Bioinformatics Toolbox ..	11
Version 2.2 (Release 14SP3+) Bioinformatics Toolbox ..	12
Multiple Sequence Alignment Viewer	12
Microarray Functions for Agilent Software	12
Gene Ontology Database Functions	12
Demo for Gene Ontology Functions	13
Version 2.1.1 (Release 14SP3) Bioinformatics Toolbox	14
Version 2.1 (Release 14SP2+) Bioinformatics Toolbox ..	15
Sequence Alignment Functions	15
Sequence Statistics Functions	16
Sequence Utilities Functions	16

Phylogenetic Tree Functions	16
Phylogenetic Tree Methods	16
Microarray Functions	16
Statistics Functions	16
Version 2.0.1 (Release 14SP2) Bioinformatics	
Toolbox	17
Updated RBASE Table	17
Expanded Bioperl Demonstration	17
Version 2.0 (Release 14SP1+) Bioinformatics Toolbox ..	18
Mass Spectrometry Data Analysis	18
Graph Visualization Object and Methods	19
Statistical Learning	19
Sequence Analysis	19
Protein Analysis	20
Microarray Analysis	20
Updated Web Connectivity Function	21
Version 1.1.1 (Release 14SP1) Bioinformatics	
Toolbox	22
Version 1.1 (Release 14) Bioinformatics Toolbox	23
Phylogenetic Analysis Functions	23
Phylogenetic Tree Object and Methods	24
Hidden Markov Model (HMM) Profiles	24
BLAST Functions	25
Microarray Functions	25
Protein Analysis Function	25
Sequence Alignment Functions	25
New Demos	25
Version 1.0 (Release 13+) Bioinformatics Toolbox	27
Introduction to the Bioinformatics Toolbox	27
Databases and Data Formats	28
Sequence Alignment	28
Sequence Utilities and Statistics	28
Microarray Normalization and Visualization	28
Protein Structure Analysis	29
Compatibility Summary for Bioinformatics Toolbox ..	30

Summary by Version

This table provides quick access to what's new in each version. For clarification, see "About Release Notes" on page 2.

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Latest Version V2.4 (R2006b)	Yes Details	Yes Summary	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation
V2.3 (R2006a+)	Yes Details	No	Bug Reports Includes fixes	No
V2.2.1 (R2006a)	No	No	Bug Reports Includes fixes	No
V2.2 (R14SP3+)	Yes Details	No	Bug Reports Includes fixes	No
V2.1.1 (R14SP3)	No	No	Bug Reports Includes fixes	No
V2.1 (R14SP2+)	Yes Details	No	Bug Reports Includes fixes	No
V2.0.1 (R14SP2)	Yes Details	No	Bug Reports Includes fixes	No
V2.0 (R14SP1+)	Yes Details	No	No bug fixes	No
V1.1.1 (R14SP1)	No	No	No bug fixes	No
V1.1 (R14)	Yes Details	No	No bug fixes	No
V1.0 (R13+)	Yes Details	No	No bug fixes	V1.0 product documentation

About Release Notes

Use release notes when upgrading to a newer version to learn about new features and changes, and the potential impact on your existing files and practices. Release notes are also beneficial if you use or support multiple versions.

If you are not upgrading from the most recent previous version, review release notes for all interim versions, not just for the version you are installing. For example, when upgrading from V1.0 to V1.2, review the New Features and Changes, Version Compatibility Considerations, and Bug Reports for V1.1 and V1.2.

New Features and Changes

These include

- New functionality
- Changes to existing functionality
- Changes to system requirements (complete system requirements for the current version are at the MathWorks Web site)
- Any version compatibility considerations associated with each new feature or change

Version Compatibility Considerations

When a new feature or change introduces a known incompatibility between versions, its description includes a **Compatibility Considerations** subsection that details the impact. For a list of all new features and changes that have compatibility impact, see the “Compatibility Summary for Bioinformatics Toolbox” on page 30.

Compatibility issues that become known after the product has been released are added to Bug Reports at the MathWorks Web site. Because bug fixes can sometimes result in incompatibilities, also review fixed bugs in Bug Reports for any compatibility impact.

Fixed Bugs and Known Problems

MathWorks Bug Reports is a user-searchable database of known problems, workarounds, and fixes. The MathWorks updates the Bug Reports database as new problems and resolutions become known, so check it as needed for the latest information.

Access Bug Reports at the MathWorks Web site using your MathWorks Account. If you are not logged in to your MathWorks Account when you link to Bug Reports, you are prompted to log in or create an account. You then can view bug fixes and known problems for R14SP2 and more recent releases.

The Bug Reports database was introduced for R14SP2 and does not include information for prior releases. You can access a list of bug fixes made in prior versions via the links in the summary table.

Related Documentation at Web Site

Printable Release Notes (PDF). You can print release notes from the PDF version, located at the MathWorks Web site. The PDF version does not support links to other documents or to the Web site, such as to Bug Reports. Use the browser-based version of release notes for access to all information.

Product Documentation. At the MathWorks Web site, you can access complete product documentation for the current version and some previous versions, as noted in the summary table.

Version 2.4 (Release 2006b) Bioinformatics Toolbox

This table summarizes what's new in Version 2.4 (Release 2006b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes Summary	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation

New functions, obsoleted functions, and changes introduced in this version are

- “Data Formats and Database Functions” on page 4
- “Sequence Utilities Functions” on page 5
- “Sequence Visualization Functions” on page 5
- “Multiple Sequence Alignment Functions” on page 5
- “Microarray File Formats” on page 5
- “Microarray Data Analysis and Visualization Functions” on page 6
- “Graph Theory Functions” on page 6
- “Graph Visualization Methods” on page 7
- “Phylogenetic Tree Methods” on page 7

Data Formats and Database Functions

Following is a new function for getting data into MATLAB:

- `mzxmlread` — Read mzXML file into MATLAB as structure.

The following functions were updated:

- `celintensityread` — Read probe intensities from Affymetrix CEL files (Windows 32). Updated to include a new property, `Verbose`, which controls

the display of a progress report showing the name of each CEL file as it is read.

- `fastaread` — Read data from FASTA file. Updated to include a new property, `Blockread`, which controls reading a single entry or block of entries from a file.
- `geosoftread` — Read Gene Expression Omnibus (GEO) SOFT format data. Updated to read Data Set (GDS) files as well as Sample (GSM) files.
- `getblast` — BLAST report from NCBI Web site. Updated to include a new property, `WaitTilReady`, which pauses MATLAB and waits a specified time (minutes) for a report from the NCBI Web site.
- `scfread` — Read trace data from SCF file. Updated to include more output options.

Sequence Utilities Functions

Following is a new function for parsing sequence data:

- `featuresparse` — Parse features from GenBank, GenPept, or EMBL data.

Sequence Visualization Functions

The following function was updated:

- `seqtool` — Open tool to interactively explore biological sequences. Updated to download sequences from the EMBL database, interactively move the viewing frame in the Sequence Viewer by pressing and holding **Ctrl** while click-dragging, and export an amino acid translation as a FASTA file or to the MATLAB Workspace.

Multiple Sequence Alignment Functions

The following function was updated:

- `multialignviewer` — Open viewer for multiple sequence alignments. Updated to export consensus sequences.

Microarray File Formats

The following function was updated:

- `celintensityread` — Read probe intensities from Affymetrix CEL files (Windows 32). Updated to include a new property, `Verbose`, which controls the display of a progress report showing the name of each CEL file as it is read.

Microarray Data Analysis and Visualization Functions

The following functions were updated:

- `clustergram` — Create dendrogram and heat map. Updated to include a new property, `OptimalLeafOrder`, which enables or disables the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves.
- `mairplot` — Create intensity versus ratio scatter plot for microarray signals. Updated to include a new property, `Type`, which creates either an IR plot or MA plot, changing the plot axes to log scale, and adding plot interactive features such as displaying gene labels, changing factor lines, normalizing data, and exporting data.
- `mapcaplot` — Create Principal Component plot of expression profile data. Updated by adding an export feature.
- `redgreenmap` — Create red and green colormap. Updated to include a new property, `Interpolation`, which sets the method for color interpolation.

Graph Theory Functions

Following are new functions for applying basic graph theory algorithms to sparse matrices:

- `graphallshortestpaths` — Find all shortest paths in graph.
- `graphconncomp` — Find strongly or weakly connected components in graph.
- `graphisdag` — Test for cycles in directed graph.
- `graphisomorphism` — Find isomorphism between two graphs.
- `graphisspantree` — Determine if tree is spanning tree.
- `graphmaxflow` — Calculate maximum flow and minimum cut in directed graph.
- `graphminspantree` — Find minimal spanning tree in graph.

- `graphpred2path` — Convert predecessor indices to paths.
- `graphshortestpath` — Solve shortest path problem in graph.
- `graphtopoorder` — Perform topological sort of directed acyclic graph.
- `graphtraverse` — Traverse graph by following adjacent nodes.

Graph Visualization Methods

Following are new methods for applying basic graph theory algorithms to a `biograph` object:

- `allshortestpaths` — Find all shortest paths in `biograph` object.
- `conncomp` — Find strongly or weakly connected components in `biograph` object.
- `getmatrix` — Get connection matrix from `biograph` object.
- `isdag` — Test for cycles in `biograph` object.
- `isomorphism` — Find isomorphism between two `biograph` objects.
- `isspantree` — Determine if tree created from `biograph` object is spanning tree.
- `maxflow` — Calculate maximum flow and minimum cut in `biograph` object.
- `minspantree` — Find minimal spanning tree in `biograph` object.
- `shortestpath` — Solve shortest path problem in `biograph` object.
- `topoorder` — Perform topological sort of directed acyclic graph extracted from `biograph` object.
- `traverse` — Traverse `biograph` object by following adjacent nodes.

Phylogenetic Tree Methods

Following is a new method for the `phytree` object:

- `getmatrix` — Convert `phytree` object into a relationship matrix.

Version 2.3 (Release 2006a+) Bioinformatics Toolbox

This table summarizes what's new in Version 2.3 (Release 2006a+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports at Web site	No

New functions, obsoleted functions, and changes introduced in this version are

- “Data Formats and Databases Functions” on page 8
- “Sequence Utilities Functions” on page 9
- “Sequence Visualization Functions” on page 9
- “Statistical Learning Functions” on page 9
- “Microarray Functions” on page 9
- “Demo for Microarray Functions” on page 10

Data Formats and Databases Functions

The following functions are obsolete:

- `getpir` — Sequence data from PIR-PSD database. This function retrieved data from the PIR-PSD database. This database has been discontinued and this function no longer retrieves data. See <http://pir.georgetown.edu/pirwww/dbinfo/nref.shtml> for more details.
- `pirread` — Read data from Protein Information Resource (PIR) file. This function supported the data format of the PIR-PSD database. This database has been discontinued. See <http://pir.georgetown.edu/pirwww/dbinfo/nref.shtml> for more details.

Sequence Utilities Functions

The following function was updated to include five new databases, including `refseq_rna`, `refseq_genomic`, `env_nt`, `refseq_protein`, and `env_nr`:

- `blastncbi` — Generate remote BLAST request.

Sequence Visualization Functions

Following is a new function for visualizing sequence data:

- `featuresmap` — Draw linear or circular map of features from GenBank structure.

Statistical Learning Functions

The following function was updated to include three new properties, including `RBF_Sigma`, `BoxConstraint`, and `Autoscale`:

- `svmtrain` — Train support vector machine classifier.

Microarray Functions

The following function is supported on the Windows 32 platform only:

- `affyread` — Read microarray data from Affymetrix GeneChip file (Windows 32).

Following are new functions for preprocessing Affymetrix probe-level microarray data:

- `celintensityread` — Read probe intensities from Affymetrix CEL files (Windows 32).
- `rmabackadj` — Perform background adjustment on Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure.
- `rmasummary` — Calculate gene (probe set) expression values from Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure.
- `affyinvsetnorm` — Perform rank invariant set normalization on probe intensities from multiple Affymetrix CEL or DAT files.

Following is a new function for two-color microarray normalization:

- `mainvarsetnorm` — Perform rank invariant set normalization on gene expression values from two experimental conditions or phenotypes.

Following are new functions for microarray differential expression analysis:

- `mattest` — Perform two-sample, two-tailed t-test to evaluate differential expression of genes from two experimental conditions or phenotypes.
- `mavolcanoplot` — Create significance versus gene expression ratio (fold change) scatter plot of microarray data.

Demo for Microarray Functions

New demo of the new microarray functions (Analyzing Affymetrix Microarray Gene Expression Data).

Version 2.2.1 (Release 2006a) Bioinformatics Toolbox

This table summarizes what's new in Version 2.2.1 (Release 2006a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports at Web site	No

Version 2.2 (Release 14SP3+) Bioinformatics Toolbox

This table summarizes what's new in Version 2.2 (Release 14SP3+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports at Web site	No

New features and changes introduced in this version are

- “Multiple Sequence Alignment Viewer” on page 12
- “Microarray Functions for Agilent Software” on page 12
- “Gene Ontology Database Functions” on page 12
- “Demo for Gene Ontology Functions” on page 13

Multiple Sequence Alignment Viewer

- `multialignviewer` — Interactively view, explore alignments, and make manual modifications.

Microarray Functions for Agilent Software

- `agferead` — Read an Agilent Feature Extraction Software file.
- `magetfield` — Utility function to extract data from a microarray.

Gene Ontology Database Functions

- `geneont` — Import the Gene Ontology database from the Web.
- `getancestors`, `getdescendants`, `getrelatives` — Get a subset of the ontology.
- `goannotread` — Parse Gene Ontology Annotated files.
- `num2goid` — Convert numbers to Gene Ontology IDs.

Demo for Gene Ontology Functions

New demo for the new Gene Ontology functions (`geneontologydemo`) and working with whole genomes (`biomemorymapdemo`).

Version 2.1.1 (Release 14SP3) Bioinformatics Toolbox

This table summarizes what's new in Version 2.1.1 (Release 14SP3):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports at Web site	No

Version 2.1 (Release 14SP2+) Bioinformatics Toolbox

This table summarizes what's new in Version 2.1 (Release 14SP2+)

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports at Web site	No

New features and changes introduced in this version are:

- “Sequence Alignment Functions” on page 15
- “Sequence Statistics Functions” on page 16
- “Sequence Utilities Functions” on page 16
- “Phylogenetic Tree Functions” on page 16
- “Phylogenetic Tree Methods” on page 16
- “Microarray Functions” on page 16
- “Statistics Functions” on page 16

Sequence Alignment Functions

- `multialign` — Align multiple sequences using a progressive method with Distributed Computing Toolbox support.
- `multialignread` — Read multiple sequence alignment file.
- `profalign` — Align two profiles using Needleman-Wunsch global alignment.
- `showalignment` — Updated to show multiply aligned sequences.
- `seqpdist` — Updated to calculate pair-wise distances between observations with Distributed Computing Toolbox support.

Sequence Statistics Functions

- `codonbias` — Calculate codon frequency for each amino acid in a DNA sequence.
- `cpgisland` — Locate CpG islands in a DNA sequence.

Sequence Utilities Functions

- `rebasecuts` — Find restriction enzymes that cut a protein sequence.
- `seqtool` — Graphical User Interface (GUI) for single sequence analysis.

Phylogenetic Tree Functions

- `dnds`, `dndsm1` — Estimate synonymous and nonsynonymous substitutions rates.
- `seqneighjoin` — Reconstruct a phylogenetic tree with a Neighbor-joining method.

Phylogenetic Tree Methods

- `getcanonical` — Calculate the canonical form of a phylogenetic tree.
- `getnewickstr` — Create a Newick formatted string.
- `reroot` — Change the root of a phylogenetic tree.
- `subtree` — Extract a subtree.
- `weights` — Calculate weights for a phylogenetic tree.

Microarray Functions

`probesetplot` — Plot values for an Affymetrix CHP file probe set.

Statistics Functions

`rankfeatures` — Renamed function. The previous name was `sqt1features`.

Version 2.0.1 (Release 14SP2) Bioinformatics Toolbox

This table summarizes what's new in Version 2.0.1 (Release 14SP2):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports at Web site	No

New features and changes introduced in this version are

- “Updated RBASE Table” on page 17
- “Expanded Bioperl Demonstration” on page 17

Updated RBASE Table

RBASE is the enzyme table that the function `restrict` uses to locate sequence patterns.

Expanded Bioperl Demonstration

Example of calling MATLAB from Perl scripts now includes several examples of passing various types of data (both directly and by variant variable) back and forth between Perl and a MATLAB Automation Server. To view the demo, type `bioperldemo`.

Version 2.0 (Release 14SP1+) Bioinformatics Toolbox

This table summarizes what's new in Version 2.0 (Release 14SP1+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports at Web site	No

New features and changes introduced in this version are

- “Mass Spectrometry Data Analysis” on page 18
- “Graph Visualization Object and Methods” on page 19
- “Statistical Learning” on page 19
- “Sequence Analysis” on page 19
- “Protein Analysis” on page 20
- “Microarray Analysis” on page 20
- “Updated Web Connectivity Function” on page 21

Mass Spectrometry Data Analysis

Following are new functions designed for preprocessing and classification of raw mass spectrometry data from SELDI-TOF and MALDI-TOF spectrometers.

- `msresample` — Resample with antialias filtering.
- `msbackadj` — Correct a baseline by estimation.
- `msalign` — Align a spectrum to a set of candidate peaks.
- `msheatmap` — Draw a heat map image for a set of spectra and check alignments.
- `msnorm` — Normalize a set of spectra.
- `mslowess` — Nonparametric smoothing using the Lowess method.

- `mssgolay` — Least-squares polynomial smoothing.
- `msviewer` — Plot a spectrum or a set of spectra.

Graph Visualization Object and Methods

New object and set of methods to view relationships between data with interactive maps.

- `biograph` — Function to create a biograph object.
- `dolayout` — Calculate node and edge positions.
- `getnodesbyid` — Get handles to nodes.
- `getedgesbynodeid` — Get handles to edges.
- `view` — Render a graph in its viewer.
- `getancestors` — Find ancestors.
- `getdescendants` — Find descendants.
- `getrelatives` — Find neighbors.

Statistical Learning

New set of functions to classify data and identify features in the data.

- `classperf` — Evaluate the performance of a classifier.
- `crossvalind` — Cross-validation index generation.
- `knnclassify` — K-Nearest neighbor classifier.
- `knnimpute` — Impute missing data using the nearest neighbor method.
- `randfeatures` — Randomized subset feature selection.
- `sqt1features` — Sequential forward feature selection. This function will be renamed to `rankfeatures` in Version 2.1.
- `svmclassify` — Classify using a support vector machine classifier.
- `svmtrain` — Train a support vector machine classifier.

Sequence Analysis

New functions for analysis and visualization of multiple sequences.

- `seqconsensus` — Computes the consensus sequence for a set of sequences.
- `seqlogo` — Displays sequence logos for DNA and protein sequences.
- `seqprofile` — Computes the sequence profile of a multiple alignment.

Updated functions.

- `palindromes` — Updated to allow for gaps in the palindrome.
- `seqshoworfs`, `seqshowwords`, `showalignment` — Updated to display the results in a Figure window. (This may cause problems on the Mac.)

In Bioinformatics Toolbox 2.0 the functions `seqlogo`, `seqshowwords`, `seqshoworfs`, and `showalignment` use Java based figures. Currently on the Macintosh, Java figures are not enabled by default. If you use these functions on a Macintosh, you should start MATLAB with

```
matlab -useJavaFigures
```

Protein Analysis

- `pdbplot` — Plots 3-D backbone structure of proteins in a PDB file.

Microarray Analysis

- `quantilenorm` — Quantile normalization.

New set of functions for working with Affymetrix GeneChip data sets.

- `probelibraryinfo` — Get library information for a probe.
- `probesetlink` — Show probe set information from NetAffx.
- `probesetlookup` — Get gene information for a probe set.
- `probesetplot` — Plot probe set values.
- `probesetvalues` — Get probe set values from CEL and CDF information.
- `manorm` — Normalization by scaling and centering replaces the functions `mamadnorm` and `mameannorm`.

- `affyread` — Updated with output structures that have changed slightly. Some redundant fields have been removed from CDF and CHP structure. GIN database files are now supported. Version 4 of the Affymetrix GDAC File Access Runtime Libraries is provided.

Note If you use `mamadnorm` or `mameannorm` in any of your personal M-files, please update your files with the new function `manorm`. These functions are now obsolete and may be removed from future releases of the Bioinformatics Toolbox.

- `geosoftread` — Updated with supports Gene Expression Omnibus Database records (GDS files).
- `maimage` — Updated with supports Affymetrix CEL data.
- `maboxplot` — Now supports Affymetrix CHP data.

Affymetrix and Gene Chip are registered trademarks of Affymetrix Inc.

Updated Web Connectivity Function

`getgenbank` — Now returns CDS information for a gene in a structure allowing direct access to the transcribed sequence.

Version 1.1.1 (Release 14SP1) Bioinformatics Toolbox

This table summarizes what's new in Version 1.1.1 (Release 14SP1):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	No bug fixes	No

Version 1.1 (Release 14) Bioinformatics Toolbox

This table summarizes what's new in Version 1.1 (Release 14)

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	No bug fixes	No

New features and changes introduced in this version are

- “Phylogenetic Analysis Functions” on page 23
- “Phylogenetic Tree Object and Methods” on page 24
- “Hidden Markov Model (HMM) Profiles” on page 24
- “BLAST Functions” on page 25
- “Microarray Functions” on page 25
- “Protein Analysis Function” on page 25
- “Sequence Alignment Functions” on page 25
- “New Demos” on page 25

Phylogenetic Analysis Functions

New functions for phylogenetic tree creation and analysis.

- `phytreeread` — Read a Newick-formatted tree file into the MATLAB workspace and return a `phytree` object with data from the file. Data in the file uses the Newick (New Hampshire) format for describing trees.
- `phytreewrite` — Copy the contents of a `phytree` object from the MATLAB workspace to a file.
- `phytreetool` — Interactive GUI that allows you to view, edit, and explore phylogenetic tree data. This GUI allows branch pruning, reordering, renaming, and distance exploring. It can also open or save Newick-formatted files.

- `seqlinkage` — Construct a phylogenetic tree from pair-wise distances.
- `seqpdist` — Calculate the pair-wise distance between biological sequences.

Phylogenetic Tree Object and Methods

New object for manipulating phylogenetic tree data.

- `phytree` — Function to create a `phytree` object.
- `get` — Get property values from a `phytree` object
- `getbyname` — Get node names from a `phytree` object.
- `pdist` — Calculate the patristic distances between pairs of leaf nodes.
- `plot` — Draw a phylogenetic tree object in a MATLAB figure window as a phylogram, cladogram, or radial tree.
- `prune` — Remove nodes from a phylogenetic tree.
- `select` — Select branches and leaves from a phylogenetic tree using a specified criteria.
- `view` — Open a phylogenetic tree in a `phytreetool` window.

Hidden Markov Model (HMM) Profiles

Updated Hidden Markov Model profile functions.

- The model structure that HMM functions use now includes loop and null transition probabilities. You can read null and loop probabilities from PFAM files using `pfamhmmread`, and, from PFAM Web databases, using `gethmmprof`.
- When the function `hmmprofstruct` builds an HMM model, the loop and null transition probabilities default to predefined values. If necessary, you can later modify the probabilities using the same function.
- `hmmprofalign` includes two new properties to control the scoring of flanking states and null transition probabilities. In addition, a third output argument with indices pointing to the respective symbols of the query sequence was added.

BLAST Functions

`blastncbi`, `blastread`, `getblast` — BLAST sequences and view results from within MATLAB.

Microarray Functions

- `imageneread` — Read microarray data from an ImGene Results file.
- `affyread` — Read microarray data from Affymetrix GeneChip files.
- `gprread` — Read microarray data from GenePix Results (GPR) files.
- `mapcaplot` — Create a Principal Component plot of expression profile data.
- `clustergram` — Updated function to do two way bi-clustering.

Protein Analysis Function

`isoelectric` — Estimate the isoelectric point (the pH at which the protein has a net charge of zero) for an amino acid sequence and estimate the charge for a given pH.

Sequence Alignment Functions

- `seqdisp` — Formats sequence output for easy viewing.
- `seqmatch` — Find matches for every string in a library.
- `seqdotplot` — Updated function now returns a second output (the matrix of matches as a sparse matrix).
- `aminolookup` , `baselookup` — Updated functions to get IUB/UPAC character codes, integer codes, and names for nucleotides and amino acids.

New Demos

- **Bicluster demo** — Demonstrates some of the options of the `clustergram` function.
- **Bioperl demo** — Illustrates the interoperability between MATLAB and Bioperl, passing arguments from MATLAB to Perl scripts and pulling BLAST search data back to MATLAB.

- **Phytree demo for Hominidae species**— A phylogenetic tree is constructed from mtDNA sequences for the Hominidae taxa (also known as pongidae). This family embraces the gorillas, chimpanzees, orangutans and the humans.
- **Phytree demo for HIV/SIV** — Analyzes the reconstruction of phylogenetic trees from infected HIV/SIV organisms.

Version 1.0 (Release 13+) Bioinformatics Toolbox

This table summarizes what's new in Version 1.0 (Release 13+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	No bug fixes	V1.0 product documentation

New features and changes introduced in this version are

- “Introduction to the Bioinformatics Toolbox” on page 27
- “Databases and Data Formats” on page 28
- “Sequence Alignment” on page 28
- “Sequence Utilities and Statistics” on page 28
- “Microarray Normalization and Visualization” on page 28
- “Protein Structure Analysis” on page 29

Introduction to the Bioinformatics Toolbox

The Bioinformatics Toolbox Version 1.0 (Web Release R13 SP1+) extends MATLAB with basic sequence analysis and gene expression analysis functions. The Bioinformatics Toolbox is a collection of tools built on the MATLAB numeric computing environment. The toolbox supports a wide range of common sequence analysis and expression analysis tasks, from accessing Web-based databases, to sequence alignment, to microarray normalization and visualization.

The Bioinformatics Toolbox is dependent upon many functions from the Statistics Toolbox including some functions available only in the latest version of the Statistics Toolbox 4.1. We recommend that you install the latest version of the Statistics Toolbox before running the Bioinformatics Toolbox.

The Bioinformatics Toolbox 1.0 has more than 100 functions implemented using M-files. For a complete list of functions, in the MATLAB Command Window, type

help bioinfo

Databases and Data Formats

The toolbox provides functions to directly access many standard Web-based databases such as GenBank, EMBL, PIR, and PDB. There are also functions to read many standard file formats, including FASTA and PDB. For microarray data, there are functions to read Affymetrix, GenePix, SPOT format data, and a function to access data directly from the NCBI Gene Expression Omnibus Web site.

Sequence Alignment

The toolbox has functions for pairwise sequence alignment and for hidden Markov model sequence profile alignment, including efficient MATLAB implementations of the Needleman-Wunsch and Smith-Waterman algorithms. In addition to the alignment functions there are several tools for visualizing sequence alignments. The toolbox provides many standard scoring matrices, including the PAM and BLOSUM families.

Sequence Utilities and Statistics

The toolbox contains many functions for working with sequences. There are functions for converting DNA sequences to RNA or amino acid sequences; there are functions that report various statistics about sequences, and functions to search for patterns within the sequence; there are functions for creating random sequences, and there are functions to perform in-silico digestion of sequences with restriction enzymes and proteases.

Microarray Normalization and Visualization

The toolbox contains a number of functions for normalizing microarray data including lowess normalization, global mean normalization, and MAD normalization. The toolbox provides several functions for visualizing microarray data, including spatial heat maps, box plots, loglog, and I-R plots. The toolbox also uses functions from the Statistics Toolbox to perform cluster analysis and to visualize the results.

Protein Structure Analysis

In addition to standard sequence analysis functions, there is also a graphical user interface (GUI), `proteinplot`, for visualizing properties of protein sequences.

Compatibility Summary for Bioinformatics Toolbox

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

Version (Release)	New Features and Changes with Version Compatibility Impact
Latest Version V2.4 (R2006b)	See the Compatibility Considerations subheading for this change: <ul style="list-style-type: none"> • “Microarray Data Analysis and Visualization Functions” on page 6
V2.3 (R2006a+)	None
V2.2.1 (R2006a)	None
V2.2 (R14SP3+)	None
V2.1.1 (R14SP3)	None
V2.1 (R14SP2+)	None
V2.0.1 (R14SP2)	None
V2.0 (R14SP1+)	None
V1.1.1 (R14SP1)	None
V1.1 (R14)	None
V1.0 (R13+)	None