


Model-Based Calibration Toolbox 3

Reference



MATLAB[®]
& **SIMULINK[®]**

How to Contact The MathWorks



www.mathworks.com
comp.soft-sys.matlab
www.mathworks.com/contact_TS.html

Web
Newsgroup
Technical Support



suggest@mathworks.com
bugs@mathworks.com
doc@mathworks.com
service@mathworks.com
info@mathworks.com

Product enhancement suggestions
Bug reports
Documentation error reports
Order status, license renewals, passcodes
Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Model-Based Calibration Toolbox Reference

© COPYRIGHT 2005–2007 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB, Simulink, Stateflow, Handle Graphics, Real-Time Workshop, and xPC TargetBox are registered trademarks, and SimBiology, SimEvents, and SimHydraulics are trademarks of The MathWorks, Inc.

Other product or brand names are trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

November 2005 Online only
September 2006 Online only
March 2007 Online only

New for Version 3.0 (Release 14SP3+)
Version 3.1 (Release 2006b)
Version 3.2 (Release 2007a)

Commands – By Category

1

Functions	1-2
Handling Data	1-3
mbcmodel.data — Properties	1-3
mbcmodel.data — Methods	1-4
Handling Projects	1-5
mbcmodel.project — Properties	1-5
mbcmodel.project — Methods	1-5
Handling Test Plans	1-6
mbcmodel.testplan — Properties	1-6
mbcmodel.testplan — Methods	1-6
Handling Models	1-7
Hierarchical Models	1-7
Local Models	1-8
Response Models	1-10
Models	1-11
Model Parameters	1-14
Model Properties	1-15

Commands — Alphabetical List

2

Commands – By Category

Functions (p. 1-2)

Functions to construct data, model and project objects; load projects; and find data file types.

Handling Data (p. 1-3)

Properties and methods for data objects

Handling Projects (p. 1-5)

Properties and methods for project objects

Handling Test Plans (p. 1-6)

Properties and methods for test plan objects

Handling Models (p. 1-7)

Properties and methods for model objects

Functions

CreateData

Create data object

CreateModel

Create new model

CreateProject

Create project object

DataFileTypes

Data file types

LoadProject

Load a mbcmodel.project

Handling Data

- mbcmodel.data — Properties (p. 1-3) Examine data objects
- mbcmodel.data — Methods (p. 1-4) Work with data objects

mbcmodel.data – Properties

Filters	Structure array holding user-defined filters
IsBeingEdited	Boolean signaling if data or model is being edited
IsEditable	Boolean signaling whether data is editable
Name	Name of project, data, test plan, or model
NumberOfRecords	Total number of records in data object
NumberOfTests	Total number of tests being used in model
Owner	Object from which data was received
RecordsPerTest	Number of records in each test
SignalNames	Names of signals held by data
SignalUnits	Names of units in data
TestFilters	Structure array holding user-defined test filters
UserVariables	Structure array holding user-defined variables

mbcmodel.data – Methods

AddFilter	Add user-defined filter to data set
AddTestFilter	Add user-defined test filter to data set
AddVariable	Add user-defined variable to data set
Append	Append data to data set
BeginEdit	Begin editing session on data object
CommitEdit	Update temporary changes in data
DefineNumberOfRecordsPerTest	Define exact number of records per test
DefineTestGroups	Define rule-based test groupings
ExportToMBCDataStructure	Export data to MBC data structure
ImportFromFile	Load data from file
ImportFromMBCDataStructure	Load data from MBC data structure
ModifyFilter	Modify user-defined filter in data set
ModifyTestFilter	Modify user-defined test filter in data set
ModifyVariable	Modify user-defined variable in data set
RemoveFilter	Remove user-defined filter from data set
RemoveTestFilter	Remove user-defined test filter from data set
RemoveVariable	Remove user-defined variable from data set
RollbackEdit	Undo most recent changes to data
Value	Double data from data object

Handling Projects

<code>mbcmodel.project</code> — Properties (p. 1-5)	Examine project objects
<code>mbcmodel.project</code> — Methods (p. 1-5)	Work with project objects

`mbcmodel.project` — Properties

Data	Array of data objects in project or test plan
Filename	Full path to project file
Modified	Boolean signaling whether project has been modified
Name	Name of project, data, test plan, or model
TestPlans	Array of test plan objects in project

`mbcmodel.project` — Methods

CopyData	Create data object from copy of existing object
CreateData	Create data object
CreateTestplan	Create new test plan
Load	Load existing project file
New	Create new project file
Remove	Remove project, test plan, or model
RemoveData	Remove data from project
Save	Save project to currently selected filename
SaveAs	Save project to new file

Handling Test Plans

<code>mbcmodel.testplan</code> — Properties (p. 1-6)	Examine test plan objects
<code>mbcmodel.testplan</code> — Methods (p. 1-6)	Work with test plan objects

`mbcmodel.testplan` – Properties

Data	Array of data objects in project or test plan
InputSignalNames	Names of signals in data that are being modeled
InputsPerLevel	Number of inputs at each level in model
Levels	Number of levels in hierarchical model
Name	Name of project, data, test plan, or model
Responses	Array of available responses for test plan

`mbcmodel.testplan` – Methods

AttachData	Attach data from project to test plan
CreateResponse	Create new response model for test plan
DetachData	Detach data from test plan
GetDesignMatrix	Design points from test plan
InputSetupDialog	Open Input Setup dialog box to edit inputs
Remove	Remove project, test plan, or model

Handling Models

Hierarchical Models (p. 1-7)	Working with hierarchical models
Local Models (p. 1-8)	Working with local models
Response Models (p. 1-10)	Working with response models
Models (p. 1-11)	Working with model objects
Model Parameters (p. 1-14)	Examine model parameter objects
Model Properties (p. 1-15)	Set model properties

Hierarchical Models

mbcmodel.hierarchicalresponse – Properties

InputSignalNames	Names of signals in data that are being modeled
Level	Level in test plan of response
LocalResponses	Array of local responses for response
Name	Name of project, data, test plan, or model
NumberOfTests	Total number of tests being used in model
ResponseSignalName	Name of signal or response feature being modeled

mbcmodel.hierarchicalresponse – Methods

AlternativeModelStatistics	Summary statistics for alternative models
CreateAlternativeModels	Create alternative models from model template
DoubleInputData	Data being used as input to model

DoubleResponseData	Data being used as output to model for fitting
Export	Make command-line or Simulink export model
OutlierIndices	Indices of DoubleInputData marked as outliers
PEV	Predicted error variance of model at specified inputs
PredictedValue	Predicted value of model at specified inputs
Remove	Remove project, test plan, or model
SummaryStatistics	Summary statistics for response

Local Models

mbcmodel.localresponse – Properties

InputSignalNames	Names of signals in data that are being modeled
Level	Level in test plan of response
Name	Name of project, data, test plan, or model
NumberOfTests	Total number of tests being used in model
ResponseFeatures	Array of response features for response
ResponseSignalName	Name of signal or response feature being modeled

mbcmodel.localresponse – Methods

AlternativeModelStatistics	Summary statistics for alternative models
CreateAlternativeModels	Create alternative models from model template
DiagnosticStatistics	Diagnostic statistics for response
DoubleInputData	Data being used as input to model
DoubleResponseData	Data being used as output to model for fitting
Export	Make command-line or Simulink export model
MakeHierarchicalResponse	Build two-stage model from response feature models
OutlierIndices	Indices of DoubleInputData marked as outliers
OutlierIndicesForTest	Indices marked as outliers for test
PEV	Predicted error variance of model at specified inputs
PEVForTest	Local model predicted error variance for test
PredictedValue	Predicted value of model at specified inputs
PredictedValueForTest	Predicted local model response for test
Remove	Remove project, test plan, or model
RemoveOutliers	Remove outliers in input data by index or rule, and refit models
RemoveOutliersForTest	Remove outliers on test by index or rule and refit models
RestoreData	Restore removed outliers
RestoreDataForTest	Restore removed outliers for test

SummaryStatistics	Summary statistics for response
UpdateResponseFeatures	Refit response feature models

Response Models

mbcmodel.response – Properties

AlternativeResponses	Array of alternative responses for this response
InputSignalNames	Names of signals in data that are being modeled
Level	Level in test plan of response
Model	Model object within response object
Name	Name of project, data, test plan, or model
NumberOfTests	Total number of tests being used in model
ResponseSignalName	Name of signal or response feature being modeled

mbcmodel.response – Methods

AlternativeModelStatistics	Summary statistics for alternative models
ChooseAsBest	Choose best model from alternative responses
CreateAlternativeModels	Create alternative models from model template
DiagnosticStatistics	Diagnostic statistics for response
DoubleInputData	Data being used as input to model

DoubleResponseData	Data being used as output to model for fitting
Export	Make command-line or Simulink export model
OutlierIndices	Indices of DoubleInputData marked as outliers
PEV	Predicted error variance of model at specified inputs
PredictedValue	Predicted value of model at specified inputs
Remove	Remove project, test plan, or model
RemoveOutliers	Remove outliers in input data by index or rule, and refit models
RestoreData	Restore removed outliers
SummaryStatistics	Summary statistics for response

Models

Response objects contain an `mbcmodel.model` object with the following properties and methods.

mbcmodel.model – Properties

FitAlgorithm	Fit algorithm for model
InputData	Input data for model
IsBeingEdited	Boolean signaling if data or model is being edited
NumberOfInputs	Number of model inputs
OutputData	Output (or response) data for model
Parameters	Model parameters
Properties	View and edit model properties

Response	Response for model object
Status	Model status: fitted, not fitted or best
Type	Valid model types
XData	X (or input) data for model
XDataNames	X data (or input) variable names for model
YData	Y (or response) data for model

mbcmodel.linearmodel – Linear Model Methods

AliasMatrix	Alias matrix for linear model parameters
BoxCoxSSE	SSE and confidence interval for Box-Cox transformations
Correlation	Correlation matrix for linear model parameters
Covariance	Covariance matrix for linear model parameters
MultipleVIF	Multiple VIF matrix for linear model parameters
ParameterStatistics	Calculate parameter statistics for linear model
PartialVIF	Partial VIF matrix for linear model parameters
SingleVIF	Single VIF matrix for linear model parameters
StepwiseRegression	Change stepwise selection status for specified terms

mbcmodel.model – Methods

Evaluate	Evaluate model
Export	Make command-line or Simulink export model
Fit	Fit model to new or existing data, and provide summary statistics
getAlternativeTypes	Alternative model types
InputSetupDialog	Open Input Setup dialog box to edit inputs
Jacobian	Calculate Jacobian matrix for model at existing or new X points
ModelSetup	Open Model Setup dialog box where you can alter model type
PEV	Predicted error variance of model at specified inputs
PredictedValue	Predicted value of model at specified inputs
StatisticsDialog	Open summary statistics dialog box
SummaryStatistics	Summary statistics for response
UpdateResponse	Replace model in response

mbcmodel.fitalgorithm – Methods

An `mbcmodel.fitalgorithm` object is contained within the Properties property of an `mbcmodel.model` object.

CreateAlgorithm	Create algorithm
getAlternativeNames	List alternative algorithm names
IsAlternative	Test alternative fit algorithm
SetupDialog	Open fit algorithm setup dialog box

Model Parameters

These properties of the `mbcmodel.modelparameters` object are all read-only. An `mbcmodel.modelparameters` object is contained within the `Parameters` property of an `mbcmodel.model` object.

`mbcmodel.modelparameters` – Properties

<code>Names</code>	Model parameter names
<code>NumberOfParameters</code>	Number of included model parameters
<code>Values</code>	Values of model parameters

`mbcmodel.linearmodelparameters` – Linear Model Properties

A `mbcmodel.linearmodelparameters` object is a `mbcmodel.modelparameters` object plus the following properties.

<code>SizeOfParameterSet</code>	Number of model parameters
<code>StepwiseSelection</code>	Model parameters currently included and excluded
<code>StepwiseStatus</code>	Stepwise status of parameters in model

`mbcmodel.rbffmodelparameters` – RBF Model Properties

A `mbcmodel.rbffmodelparameters` object is a `mbcmodel.linearmodelparameters` object plus the following properties.

<code>Centers</code>	Centers of RBF model
<code>Widths</code>	Width data from RBF model

Model Properties

mbcmodel.linearmodelproperties – Methods

GetAllTerms	List all model terms
GetIncludedTerms	List included model terms
SetTermStatus	Set status of model terms

Commands — Alphabetical List

AddFilter

Purpose Add user-defined filter to data set

Syntax `D = AddFilter(D, expr)`

Description This is a method of `mbcmodel.data`.

A filter is a constraint on the data set used to exclude some records. You define the filter using logical operators or a logical function on the existing variables.

`D` is the `mbcmodel.data` object you want to filter.

`expr` is an input string holding the expression that defines the filter.

Examples `AddFilter(D, 'AFR < AFR_CALC + 10');`

The effect of this filter is to keep all records where `AFR < AFR_CALC + 10`.

`AddFilter(D, 'MyFilterFunction(AFR, RPM, TQ, SPK)');`

The effect of this filter is to apply the function `MyFilterFunction` using the variables `AFR`, `RPM`, `TQ`, `SPK`.

All filter functions receive an `nx1` vector for each variable and must return an `nx1` logical array out. In that array, true (or 1) indicates a record to keep, and false (or 0) indicates a record to discard.

See Also `ModifyFilter`, `RemoveFilter`, `Filters`, `AddTestFilter`, `ModifyTestFilter`

Purpose Add user-defined test filter to data set

Syntax `D = AddTestFilter(D, expr)`

Description This is a method of `mbcmodel.data`.

A test filter is a constraint on the data set used to exclude some entire tests. You define the test filter using logical operators or functions on the existing variables.

D is your data object

expr is the input string holding the definition of the new test filter.

Examples `AddTestFilter(d1, 'any(n>1000)');`

The effect of this filter is to include all tests in which all records have speed (n) greater than 1000.

Similar to filters, test filter functions are iteratively evaluated on each test, receiving an `nx1` vector for each variable input in a test, and must return an `1x1` logical array out. In that array, true (or 1) indicates a record to keep, and false (or 0) indicates a test to discard.

```
AddTestFilter(data, 'length(LOGNO) > 6');
```

The effect of this filter is to include all tests with more than 6 records.

See Also `ModifyTestFilter`, `RemoveTestFilter`, `TestFilters`, `AddFilter`

AddVariable

Purpose Add user-defined variable to data set

Syntax `D = AddVariable(D, expr, units)`

Description This is a method of `mbcmodel.data`.

You can define new variables in terms of existing variables. Note that variable names are case sensitive.

`D` is your data object

`expr` is the input string holding the definition of the new variable

`units` is an optional input string holding the units of the variable

Examples

```
AddVariable(D, 'MY_NEW_VARIABLE = TQ*AFR/2');  
AddVariable(D, 'funcVar = MyVariableFunction(TQ, AFR, RPM)',  
'lb');  
AddVariable(D, 'TQ=tq');
```

The last example could be useful if the signal names in the data do not match the model input factor names in the test plan template file.

See Also `ModifyVariable`, `RemoveVariable`, `UserVariables`

Purpose	Alias matrix for linear model parameters
Syntax	<code>A = M.AliasMatrix</code>
Description	<p>This is a method of <code>mbcmodel.linearmodel</code>.</p> <p><code>A = M.AliasMatrix</code> calculates the alias matrix for the linear model parameters (where <code>M</code> is a linear model).</p>
Examples	<pre>A = AliasMatrix(knot_model)</pre>
See Also	<code>ParameterStatistics</code>

AlternativeModelStatistics

Purpose Summary statistics for alternative models

Syntax
S = AlternativeModelStatistics(R)
S = AlternativeModelStatistics(R, Name)

Description This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

This returns an array (S) of summary statistics of all the alternative model fits, to be used to select the best model. These are the summary statistics seen in the list view at the bottom of the Model Browser GUI in any model view.

You must use `CreateAlternativeModels` before you can compare the alternative responses using `AlternativeModelStatistics`. Then use `ChooseAsBest`.

R is the model object whose alternative response models you want to compare. R could be a local (L), response feature (R) or hierarchical response (HR) model.

S is a structure containing `Statistics` and `Names` fields.

- `S.Statistics` is a matrix of size (number alternative responses x number of statistics)
- `S.Names` is a cell array containing the names of all the statistics

The available statistics vary according to what kind of parent model (two-stage, local, response feature or response) produced the alternative models, and include `PRESS RMSE`, `RMSE`, and `Two-Stage RMSE`.

All the available statistics are calculated unless you specify which you want. You can specify only the statistics you require using the following form:

```
S = AlternativeModelStatistics(R, Name)
```

This returns a double matrix containing only the statistics specified in `Name`.

Note that you use `SummaryStatistics` to examine the fit of the current model, and `AlternativeModelStatistics` to examine the fit of several alternative child models.

Examples

```
S = AlternativeModelStatistics(R);
```

See Also

`CreateAlternativeModels`, `SummaryStatistics`, `ChooseAsBest`

AlternativeResponses

Purpose Array of alternative responses for this response

Syntax `altR = get(R, 'AlternativeResponses')`

Description This is a property of the response model object, `mbcmodel.response(R)`.
It returns a list of alternative responses used for one-stage or response feature models.

Examples `R = get(testplan, 'Responses');`
 `TQ = R(1);`
 `AR = get(TQ, 'AlternativeResponses');`

See Also `LocalResponses`, `ResponseFeatures`

Purpose Append data to data set

Syntax `D = Append(D, otherData)`

Description This is a method of `mbcmodel.data`.

You can use this to add new data to your existing data set, `D`.

`otherData` is the input argument holding the extra data to add below the existing data. This argument can either be an `mbcmodel.data` object or a double array. The behavior is different depending on the type.

If `otherData` is an `mbcmodel.data` object then `Append` will look for common `SignalNames` between the two sets of data. If no common `SignalNames` are found then a error will be thrown. Any common signals will be Appended to the existing data and other signals will be filled with `NaN`.

If `otherData` is a double array then it must have exactly the same number of columns as there are `SignalNames` in the data, and a simple `vertcat` (vertical concatenation) is applied between the existing data and `otherData`.

Examples

```
Append(D, CreateData('aDataFile.xls'));
Append(D, rand(10,100));
```

See Also `CreateData`

AttachData

Purpose Attach data from project to test plan

Syntax `newD = AttachData(T, D, Property1, Value, Property2, Value...)`

Description This is a method of `mbcmodel.testplan`.
Use it to attach the data you want to model to the test plan.
T is the test plan object, D is the data object.

The following table shows the valid properties and their corresponding possible values. These are the settings shown in the last page of the Data Wizard (if there is a design) in the Model Browser. For more information on the meaning of these settings, refer to the Data Wizard section (under Data) in the Model Browser User's Guide. Note that if the testplan has responses set up the models will be fitted when you attach data.

Property	Value	Default
unmatcheddata	{'all', 'none'}	'all'
moredata	{'all', 'closest'}	'all'
moredesign	{'none', 'closest'}	'none'
tolerances	[1xNumInputs double]	ModelRange/20

Examples

```
newD = AttachData(T1, D1, 'more data', 'all');

tol = [0.075, 100, 1, 2];
unmatch = 'all';
moredata = 'all';
moredes = 'none';
AttachData(testplan, data, ...
    'tolerances', tol, ...
    'unmatcheddata', unmatch, ...
    'moredata', moredata, ...
    'moredesign', moredes);
```


See Also

Data, DetachData

BeginEdit

Purpose Begin editing session on data object

Syntax `D = BeginEdit(D)`

Description This is a method of `mbcmodel.data`.
You must call this method before you can make any changes to a data object.

There are no input arguments. You must call `BeginEdit` before attempting to modify your data object (`D` in the example below) in any way. An error will be thrown if this condition is not satisfied. Data which cannot be edited (see `IsEditable`) will throw an error if `BeginEdit` is called.

Examples `BeginEdit(D);`

See Also `CommitEdit, RollbackEdit, IsEditable, IsBeingEdited`

Purpose	SSE and confidence interval for Box-Cox transformations
Syntax	<pre>[sse, ci, lambda] = BoxCoxSSE(Model, lambda) [sse, ci, lambda] = BoxCoxSSE(Model) BoxCoxSSE(Model, ...)</pre>
Description	<p>This is a method of <code>mbcmodel.linearmodel</code>.</p> <p><code>[sse, ci, lambda] = BoxCoxSSE(Model, lambda)</code> computes the sum of squares error (<code>sse</code>) and confidence interval (<code>ci</code>) for values of the model under different Box-Cox transforms (as given by the parameter <code>lambda</code>). The data used is that which was used to fit the model. <code>sse</code> is a vector the same size as <code>lambda</code> and <code>ci</code> is a scalar. There is no statistical difference between the Box-Cox transforms where <code>sse</code> less than <code>ci</code>.</p> <p><code>[sse, ci, lambda] = BoxCoxSSE(Model)</code> If <code>lambda</code> is not specified, then default values for are used and these are returned in third output argument.</p> <p><code>BoxCoxSSE(Model, ...)</code> If no output arguments are requested then a plot of SSE versus <code>lambda</code> is displayed. The confidence intervals are also displayed on this plot.</p>
Examples	<p>To try several different values, of the Box-Cox parameter and plot the results:</p> <pre>lambda = -3:0.5:3; [sse, ci] = BoxCoxSSE(M, lambda); semilogy(lambda, sse, 'bo-', lambda([1,end]), [ci, ci], 'r--'); xlabel('Box-Cox parameter, \lambda'); ylabel('SSE');</pre> <p>Note that <code>BoxCoxSSE</code> does not set a Box-Cox transform in the model. To do this use:</p> <pre>M.Properties.BoxCox = 0; [S,M] = M.Fit;</pre>
See Also	<code>ParameterStatistics</code>

Centers

Purpose	Centers of RBF model
Syntax	<code>centers = get(params, 'Centers')</code>
Description	This is a property of <code>mbcmodel.rbfmodelparameters</code> , for Radial Basis Function (RBF) models only. This returns an array of size <code>number_of_centers</code> by <code>number_of_variables</code> .
Examples	<pre>centers = get(params, 'Centers');</pre>
See Also	Widths

Purpose Choose best model from alternative responses

Syntax `ChooseAsBest(R, Index)`

Description This is a method of the response model object, `mbcmodel.response`. This is the same function as selecting the best model in the Model Selection window of the Model Browser GUI. For a local model `MakeHierarchicalResponse` performs a similar function.

`R` is the object containing the response model

`Index` is the number of the response model you want to choose as best. Use `AlternativeResponses` to find the index for each response model, and use `AlternativeModelStatistics` to choose the best fit.

Examples

```
ChooseAsBest(R, AlternativeModel)
RMSE = AlternativeModelStatistics(R, 'RMSE');
[mr, Best] = min(RMSE);
ChooseAsBest(R, Best);
```

See Also `AlternativeResponses`, `AlternativeModelStatistics`, `DiagnosticStatistics`, `MakeHierarchicalResponse`

CommitEdit

Purpose Update temporary changes in data

Syntax `D = CommitEdit(D)`

Description This is a method of `mbcmodel.data`.

Use this to apply changes you have made to the data, such as creating new variables and applying filters to remove unwanted records.

There are no input arguments. Once you have finished editing your data object `D` you must commit your changes back to the project. Data can only be committed if both `IsEditable` and `IsBeingEdited` are true. `CommitEdit` will throw an error if these conditions are not met.

Examples

```
D = get(P, 'Data');
BeginEdit(D);
AddVariable(D, 'TQ = tq', 'lbft');
AddFilter(D, 'TQ < 200');
DefineTestGroups(D, {'RPM' 'AFR'}, [50 10], 'MyLogNo');
CommitEdit(D);
```

For an example situation which results in `CommitEdit` failing:

```
D = get(p, 'Data');
D1 = get(p, 'Data');
BeginEdit(D1);
tp = get(p, 'Testplan');
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `IsEditable(D1)` becomes false because it is now Attached to the test plan and hence can only be modified from the test plan. If you now enter:

```
OK = get(D1, 'IsEditable')
```

the answer is false.

If you now enter:

```
CommitEdit(D1);
```

An error is thrown because the data is no longer editable. The error message informs you that the data may have been attached to a test plan and can only be edited from there.

See Also

BeginEdit, RollbackEdit, IsEditable, IsBeingEdited

CopyData

Purpose Create data object from copy of existing object

Syntax
`newD = CopyData(P, D)`
`newD = CopyData(P, Index)`

Description This is a method of `mbcmodel.project`.

Use this to duplicate data, for example if you want to make changes for further modeling but want to retain the existing data set. You can refer to the data object either by name or index.

P is the project object.

D is the data object you want to copy.

Index is the index of the data object you want to copy.

Examples `D2 = CopyData(P1, D1);`

See Also `Data`, `CreateData`, `RemoveData`

Purpose	Correlation matrix for linear model parameters
Syntax	<code>STATS = Correlation(LINEARMODEL)</code>
Description	<p>This is a method of <code>mbcmodel.linearmodel</code>.</p> <p><code>STATS = Correlation(LINEARMODEL)</code> calculates the correlation matrix for the linear model parameters.</p>
Examples	<pre>Stats = Correlation(knot_model)</pre>
See Also	<code>ParameterStatistics</code>

Covariance

Purpose Covariance matrix for linear model parameters

Syntax `STATS = Covariance(LINEARMODEL)`

Description This is a method of `mbcmodel.linearmodel`.

`STATS = Covariance(LINEARMODEL)` calculates the covariance matrix for the linear model parameters.

Examples `Stats = Covariance(knot_model)`

See Also `ParameterStatistics`

Purpose Create algorithm

Syntax `newalg = alg.CreateAlgorithm(AlgorithmName)`

Description This is a method of `mbcmodel.fitalgorithm`.

`newalg = alg.CreateAlgorithm(AlgorithmName)` creates an algorithm of the specified type. `alg` is a `mbcmodel.fitalgorithm` object. `AlgorithmName` must be in the list of alternative algorithms given by `alg.getAlternativeNames`.

To change the fit algorithm for a model:

```
>> mdl = mbcmodel.CreateModel('Polynomial', 2);
>> minpress = mdl.FitAlgorithm.CreateAlgorithm('Minimize PRESS');
>> mdl.FitAlgorithm = minpress;
```

The `AlgorithmName` determines what properties you can set. You can display the properties for an algorithm as follows:

```
>> mdl.FitAlgorithm.properties

Algorithm: Minimize PRESS
Alternatives: 'Least Squares','Forward Selection','Backward
Selection','Prune'
MaxIter: Maximum Iterations (int: [1,1000])
```

The following sections list the properties available for each algorithm type.

Linear Model Algorithm Properties

Linear Models Algorithms

Used by polynomials, hybrid splines and as the `StepAlgorithm` for RBF algorithms.

Algorithm: Least Squares

Alternatives: 'Minimize PRESS', 'Forward Selection', 'Backward Selection', 'Prune'

Algorithm: Minimize PRESS

Alternatives: 'Least Squares', 'Forward Selection', 'Backward Selection', 'Prune'

- MaxIter: Maximum Iterations (int: [1,1000])

Algorithm: Forward Selection

Alternatives: 'Least Squares', 'Minimize PRESS', 'Backward Selection', 'Prune'

- ConfidenceLevel: Confidence level (%) (numeric: [70,100])
- MaxIter: Maximum Iterations (int: [1,1000])
- RemoveAll: Remove all terms first (Boolean)

Algorithm: Backward Selection

Alternatives: 'Least Squares', 'Minimize PRESS', 'Forward Selection', 'Prune'

- ConfidenceLevel: Alpha (%) (numeric: [70,100])
- MaxIter: Maximum Iterations (int: [1,1000])
- IncludeAll: Include all terms first (Boolean)

Algorithm: Prune

Alternatives: 'Least Squares', 'Minimize PRESS', 'Forward Selection', 'Backward Selection'

- Criteria (PRESS | RMSE | GCV | Weighted PRESS | $-2\log L$ | AIC | AICc | BIC | R^2 | R^2_{adj} | PRESS R^2 | DW | C_p | $\text{cond}(J)$)
- MinTerms: Minimum number of terms (int: [0,Inf])
- Tolerance (numeric: [0,1000])

- IncludeAll: Include all terms before prune (Boolean)
- Display (Boolean)

RBF Algorithm Properties

For information about any of the RBF and Hybrid RBF algorithm properties, see “Radial Basis Functions”, and especially “Fitting Routines” in the Model Browser User’s Guide.

Algorithm: RBF Fit

- WidthAlgorithm: Width selection algorithm (mbcmodel.fitalgorithm)
- StepAlgorithm: Stepwise (mbcmodel.fitalgorithm)

Width Selection Algorithms

Alternatives: 'WidPerDim', 'Tree Regression'

Algorithm: TrialWidths

- NestedFitAlgorithm: Lambda selection algorithm (mbcmodel.fitalgorithm)
- Trials: Number of trial widths in each zoom (int: [2,100])
- Zooms: Number of zooms (int: [1,100])
- MinWidth: Initial lower bound on width (numeric: [2.22045e-016,1000])
- MaxWidth: Initial upper bound on width (numeric: [2.22045e-016,100])
- PlotFlag: Display plots (Boolean)
- PlotProgress: Display fit progress (Boolean)

Algorithm: WidPerDim

Alternatives: 'TrialWidths', 'Tree Regression'

CreateAlgorithm

- **NestedFitAlgorithm:** Lambda selection algorithm (mbcmodel.fitalgorithm)
- **DisplayFlag:** Display (Boolean)
- **MaxFunEvals:** Maximum number of test widths (int: [1,1e+006])
- **PlotProgress:** Display fit progress (Boolean)

Algorithm: Tree Regression

Alternatives: 'TrialWidths', 'WidPerDim'

- **MaxNumRectangles:** Maximum number of panels (int: [1,Inf])
- **MinPerRectangle:** Minimum data points per panel (int: [2,Inf])
- **RectangleSize:** Shrink panel to data (Boolean)
- **AlphaSelectAlg:** Alpha selection algorithm (mbcmodel.fitalgorithm)

Lambda Selection Algorithms

Algorithm: IterateRidge

Alternatives: 'IterateRols', 'StepItRols'

- **CenterSelectionAlg:** Center selection algorithm (mbcmodel.fitalgorithm)
- **MaxNumIter:** Maximum number of updates (int: [1,100])
- **Tolerance:** Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- **NumberOfLambdaValues:** Number of initial test values for lambda (int: [0,100])
- **CheapMode:** Do not reselect centers for new width (Boolean)
- **PlotFlag:** Display (Boolean)

Algorithm: IterateRols

Alternatives: 'IterateRidge', 'StepItRols'

- **CenterSelectionAlg**: Center selection algorithm (mbcmodel.fitalgorithm)
- **MaxNumIter**: Maximum number of iterations (int: [1,100])
- **Tolerance**: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- **NumberOfLambdaValues**: Number of initial test values for lambda (int: [0,100])
- **CheapMode**: Do not reselect centers for new width (Boolean)
- **PlotFlag**: Display (Boolean)

Algorithm: StepItRols

Alternatives: 'IterateRidge', 'IterateRols'

- **MaxCenters**: Maximum number of centers (evalstr)
- **PercentCandidates**: Percentage of data to be candidate centers (evalstr)
- **StartLambdaUpdate**: Number of centers to add before updating (int: [1,Inf])
- **Tolerance**: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- **MaxRep**: Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])

Center Selection Algorithms

Algorithm: Rols

Alternatives: 'RedErr', 'WiggleCenters', 'CenterExchange'

- **MaxCenters**: Maximum number of centers (evalstr)
- **PercentCandidates**: Percentage of data to be candidate centers (evalstr)

CreateAlgorithm

- Tolerance: Regularized error tolerance (numeric: [2.22045e-016,1])

Algorithm: RedErr

Alternatives: 'Rols', 'WiggleCenters', 'CenterExchange'

- MaxCenters: Number of centers (evalstr)

Algorithm: WiggleCenters

Alternatives: 'Rols', 'RedErr', 'CenterExchange'

- MaxCenters: Number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)

Algorithm: CenterExchange

Alternatives: 'Rols', 'RedErr', 'WiggleCenters'

- MaxCenters: Number of centers (evalstr)
- NumLoops: Number of augment/reduce cycles (int: [1,Inf])
- NumAugment: Number of centers to augment by (int: [1,Inf])

Tree Regression Algorithms

Algorithm: Trial Alpha

Alternatives: 'Specify Alpha'

- AlphaLowerBound: Initial lower bound on alpha (numeric: [2.22045e-016,Inf])
- AlphaUpperBound: Initial upper bound on alpha (numeric: [2.22045e-016,Inf])
- Zooms: Number of zooms (int: [1,Inf])
- Trials: Trial alphas per zoom (int: [2,Inf])

- Spacing: Spacing (Linear | Logarithmic)
- CenterSelectAlg: Center selection algorithm (mbcmodel.fitalgorithm)

Algorithm: Specify Alpha

Alternatives: 'Trial Alpha'

- Alpha: Width scale parameter, alpha (numeric: [2.22045e-016,Inf])
- NestedFitAlgorithm: Center selection algorithm (mbcmodel.fitalgorithm)

Algorithm: Tree-based Center Selection

Alternatives: 'Generic Center Selection'

- ModelSelectionCriteria: Model selection criteria (BIC | GCV)
- MaxNumberCenters: Maximum number of centers (evalstr)

Algorithm: Generic Center Selection

Alternatives: 'Tree-based Center Selection'

- CenterSelectAlg: Center selection algorithm (mbcmodel.fitalgorithm)

Hybrid RBF Algorithms

Algorithm: RBF Fit

- WidthAlgorithm: Width selection algorithm (mbcmodel.fitalgorithm)
- StepAlgorithm: Stepwise (mbcmodel.fitalgorithm)

Width Selection Algorithms

Algorithm: TrialWidths

- NestedFitAlgorithm: Lambda and term selection algorithm (mbcmodel.fitalgorithm)
- Trials: Number of trial widths in each zoom (int: [2,100])

CreateAlgorithm

- Zooms: Number of zooms (int: [1,100])
- MinWidth: Initial lower bound on width (numeric: [2.22045e-016,1000])
- MaxWidth: Initial upper bound on width (numeric: [2.22045e-016,100])
- PlotFlag: Display plots (Boolean)
- PlotProgress: Display fit progress (Boolean)

Nested Fit Algorithms

Algorithm: Twostep

Alternatives: 'Interlace'

- MaxCenters: Maximum number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)
- StartLambdaUpdate: Number of terms to add before updating (int: [1,Inf])
- Tolerance: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- MaxRep: Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])
- PlotFlag: Display (Boolean)

Algorithm: Interlace

Alternatives: 'Twostep'

- MaxParameters: Maximum number of terms (evalstr)
- MaxCenters: Maximum number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)

- StartLambdaUpdate: Number of terms to add before updating (int: [1,Inf])
- Tolerance: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- MaxRep: Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])

Examples

First get a fitalgorithm object, F, from a model:

```
M = mbcmodel.CreateModel('Polynomial', 4);
F = M.FitAlgorithm

F =
Algorithm: Least Squares
Alternatives: 'Minimize PRESS','Forward Selection','Backward
Selection','Prune'
1x1 struct array with no fields.
```

Then, to create a new algorithm type:

```
Alg = CreateAlgorithm(F, 'Minimize PRESS')

Alg =
Algorithm: Minimize PRESS
Alternatives: 'Least Squares','Forward Selection','Backward
Selection','Prune'
MaxIter: 50
```

See Also

getAlternativeNames, SetupDialog

CreateAlternativeModels

Purpose

Create alternative models from model template

Syntax

```
R = CreateAlternativeModels(R, modeltemplate, criteria)
R = CreateAlternativeModels(R, modellist, criteria
R = CreateAlternativeModels(R,
LocalModels,LocalCriteria,GlobalModels,GlobalCriteria)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

This is the same as the Build Models function in the Model Browser GUI. A selection of child node models are built. The results depend on where you call this method from. Note that the hierarchical model is automatically constructed when `CreateAlternativeModels` is called for a local model.

- This option makes alternative response feature models for each response feature.

```
R = CreateAlternativeModels(R, models, criteria)
```

- `Models` is the list of models. You can use a model template file (`.mbm`) created in the Model Browser, or a cell array of `mbcmodel.model` objects.
- `Criteria` is the selection criteria for best model (from the statistics available from `AlternativeModelStatistics`).
- This option makes alternative local models as well as alternative response feature models

```
R = CreateAlternativeModels(R,
LocalModels,LocalCriteria,GlobalModels,GlobalCriteria)
```

- `LocalModels` is the list of local models - you must pass in an empty matrix)
- `LocalCriteria` is 'Two-Stage RMSE'

- GlobalModels is the list of global models (from the model template)
- GlobalCriteria is the selection criteria for best model

You construct a model template file (such as 'mymodels.mbm') in the Model Browser. From any response (global or one-stage model) with alternative responses (child nodes), select **Model > Make Template**. You can save the child node model types of your currently selected modeling node as a model template. Alternatively from any response click **Build Models** in the toolbar and create a series of alternative response models in the dialog.

Examples

```
mymodels = 'mymodels.mbm';  
mlist = {};  
load('-mat', mymodels);  
criteria = 'PRESS RMSE';  
CreateAlternativeModels(R, [], 'Two-Stage RMSE', mlist,  
criteria);
```

Note that the model template contains the variable mlist.

```
CreateAlternativeModels( RESPONSE, 'alternative_models.mbm', 'Weighted PRESS' )
```

creates alternative response feature models based upon the model template file alternative_models.mbt, and chooses the best model based upon each model's Weighted PRESS statistic.

See Also

AlternativeModelStatistics

CreateData

Purpose Create data object

Syntax
`D = CreateData(P, filename, filetype)`
`D = mbcmodel.CreateData(filename, filetype)`

Description The first syntax is a method of `mbcmodel.project`. Use this to create a new data object in an existing project. `P` is the project object.

`filename` and `filetype` are optional arguments that are used to load data from a file into the new data object at creation time.

`filename` is a string specifying the full path to the file.

`filetype` is a string specifying the file type. See `DataFileTypes` for the specification of allowed file types (and `mbccheckindataloadingfcn` to specify your own data loading function). If `filetype` is not provided, then MBC will attempt to infer the file type from the file extension, i.e. if the file extension is `.xls` then MBC will try the Excel File Loader.

If `filename` is not provided then no data will be loaded into the new data object. Data can be loaded subsequently using `ImportFromFile`, provided that editing of the data object has been enabled via a call to `BeginEdit`. Call `CommitEdit` to apply edits.

The second syntax is a function. Use this to create a new data object independent of any project.

Examples

```
data = CreateData(P, 'D:\MBCWork\data1.xls');  
D = mbcmodel.CreateData;  
D = mbcmodel.CreateData('D:\MBCWork\data.xls');
```

Where `P` is an `mbcmodel.project` object.

See Also

`DataFileTypes`, `BeginEdit`, `CopyData`, `RemoveData`, `Data`, `ImportFromFile`, `CommitEdit`

Purpose

Create new model

Syntax

```
M = mbcmodel.CreateModel(Type, NUMINPUTS)
NewModel = CreateModel(model, Type)
M = mbcmodel.CreateModel(Type, FACTORINFO)
```

Description

`M = mbcmodel.CreateModel(Type, NUMINPUTS)` This syntax is a function that creates an `mbcmodel.model` object of the specified `Type`.

`NewModel = CreateModel(model, Type)` This syntax is a function that creates a new model with the same inputs as an existing model. Use this to create a new model object independent of any project. `model` is an `mbcmodel.model` object.

You can use `getAlternativeTypes` to get a list of valid model types or see `Type`. Spaces and case in `Type` are ignored.

```
M = mbcmodel.CreateModel(Type, FACTORINFO)
```

`NUMINPUTS` can be the number of inputs or a cell array `FACTORINFO` specifying factor names, symbols, ranges and nonlinear transforms as follows.

The columns of `FACTORINFO` should be:

- 1** Factor symbol (string)
- 2** Minimum (double)
- 3** Maximum (double)
- 4** Transform (string) — empty for none
- 5** Signal name

These are the same as the columns in the Model Factor Setup dialog box that can be launched from the test plan in the model browser.

CreateModel

Examples

To create a hybrid spline with four input factors:

```
M = mbcmodel.CreateModel('Hybrid Spline', 4)
```

To create an RBF with four input factors:

```
RBFFModel = mbcmodel.CreateModel( 'RBF', {...  
    'N', 800, 5000, '', 'ENGSPEED'  
    'L', 0.1, 1, '', 'LOAD'  
    'EXH', -5, 50, '', 'EXHCAM'  
    'INT', -5, 50, '', 'INTCAM'  
} ),
```

To create a polynomial with the same input factors as the previously created RBF:

```
PolyModel = CreateModel(RBFFModel, 'Polynomial')
```

See Also

`getAlternativeTypes`, `CreateProject`, `CreateData`

Purpose Create project object

Syntax `P = mbcmodel.CreateProject`

Description This is a function that creates an `mbcmodel.project` object.
P is the project object.
P = `mbcmodel.CreateProject` creates an `mbcmodel.project` called `Untitled`. P = `mbcmodel.CreateProject(NAME)` creates an `mbcmodel.project` called `NAME`.

Examples `P = mbcmodel.CreateProject;`

Create a project called `MBT_Project`:

```
P = mbcmodel.CreateProject( 'MBT_Project' );
```

CreateResponse

Purpose Create new response model for test plan

Syntax `R = CreateResponse(T, name)`

Description This is a method of `mbcmodel.testplan`.
T is the test plan object, R is the new response model.
name is the variable name for the new response.

Examples

```
R = CreateResponse(T, 'torque');  
TQ_response = CreateResponse(testplan, 'TQ');
```

See Also Responses

Purpose

Create new test plan

Syntax

```
T = CreateTestplan(P, TestPlanTemplate)
T = CreateTestplan(P, TestPlanTemplate, newtestplanname)
T = CreateTestplan(P, InputsPerLevel)
T = CreateTestplan(P, InputsPerLevel, newtestplanname)
T = CreateTestplan(P, Inputs)
T = CreateTestplan(P, Inputs, newtestplanname)
```

Description

This is a method of the `mbcmodel.project` object.

You need a test plan template to use this method from the command line. You set these up in the Model Browser GUI. This set up includes number of stages, inputs, base models, and designs. If the test plan is used as part of a previous project it is also possible to save response models in the test plan.

Once you have created a new test plan (using a template) you can add data to model, and new responses. Note that the model input signal names specified in the template *must* match the signal names in the data.

```
T = CreateTestplan(P, TestPlanTemplate)
```

```
T = CreateTestplan(P, TestPlanTemplate, newtestplanname)
```

```
T = CreateTestplan(P, InputsPerLevel)
```

```
T = CreateTestplan(P, InputsPerLevel, newtestplanname)
```

```
T = CreateTestplan(P, Inputs)
```

```
T = CreateTestplan(P, Inputs, newtestplanname)
```

`P` is the project object.

`TestPlanTemplate` is the full name and path to the test plan template file created in the Model Browser.

`newtestplanname` is the optional name for the new test plan object.

CreateTestplan

InputsPerLevel is a row vector with number of inputs for each stage.

Inputs is a cell array with input information for each level.

Examples

```
T = CreateTestplan(P1, 'd:\MBCwork\TQtemplate1', 'newtestplan')  
  
testplan = CreateTestplan(P, 'example_testplan')
```

To specify the input information in a cell array:

```
localInputs = {'S',0,50,'','SPARK'};  
globalInputs = {'N', 800, 5000, '', 'ENGSPEED'  
               'L', 0.1, 1, '', 'LOAD'  
               'EXH', -5, 50, '', 'EXHCAM'  
               'INT', -5, 50, '', 'INTCAM'};  
  
T = CreateTestplan(P,{localInputs,globalInputs});
```

See Also

AttachData, CreateResponse, Responses, Data, Levels,
InputSignalNames, InputsPerLevel

Purpose Array of data objects in project or test plan

Syntax
`allD = get(p, 'Data')`
`allD = get(T, 'Data')`

Description This is a property of `mbcmodel.project` and `mbcmodel.testplan`.
It returns an array of `mbcmodel.data` objects. There may be many data objects in a project, but a test plan can only have one or none.

Examples
`allD = get(p, 'Data');`

For a project object `p`, this example returns an `nx1` array of all the data objects.

`allD = get(T, 'Data');`

For the test plan object `T`, this example returns a `1x1` array if the test plan has a data object attached, and `0x1` otherwise.

See Also `CreateData`, `RemoveData`, `CopyData`

DataFileTypes

Purpose

Data file types

Syntax

```
f = mbcmodel.DataFileTypes
```

Description

This is a function to return a list of data file types for mbcmodel.

Examples

```
f = mbcmodel.DataFileTypes
```

```
f =
```

```
Columns 1 through 4
```

```
    'Excel file'    'FT/DB data files'    'Delimited Text File'
```

```
[1x25 char]
```

```
Column 5
```

```
    'MATLAB Data File'
```

See Also

ImportFromFile, CreateData

DefineNumberOfRecordsPerTest

Purpose Define exact number of records per test

Syntax `D = DefineNumberOfRecordsPerTest(D, number, testnumAlias)`

Description This is a method of `mbcmodel.data`.

You can use this to set one test per record for one-stage modeling.

`number` is the input specifying the number of records to include in each test. Most usually this will be used to specify one test per record.

`testnumAlias` is an optional string input to define the `SignalName` that should be used as the testnumber within MBC. Defaults to the index of the test.

Note `testnumAlias` uses the first record in the test as the testnumber, and testnumbers *are* unique so any duplicates will be modified.

Examples

```
DefineNumberOfRecordsPerTest(D, 1);  
DefineNumberOfRecordsPerTest(D, 10, 'MYLOGNO');
```

See Also `DefineTestGroups`

DefineTestGroups

Purpose Define rule-based test groupings

Syntax `D = DefineTestGroups(D, variables, tolerances, testnumAlias, reorder)`

Description This is a method of `mbcmodel.data`.

You can impose rules to collect records of the current data set (D) into groups; these groups are referred to as **tests**. Test groupings are used to define hierarchical structure in the data for two-stage modeling.

Select a variable or variables to group by and set tolerances. The tolerance is used to define groups: on reading through the data, when the value of any specified variable changes by more than the tolerance, a new group is defined.

`variables` is the input cell array of strings holding the `SignalNames` on which to define the test groupings

`tolerances` is the input double array of the same length as `variables` holding the required tolerances for the test grouping definition

`testnumAlias` is an optional string input to define the `SignalName` that should be used as the testnumber within MBC. Defaults to the index of the test.

Note `testnumAlias` uses the first record in the test as the testnumber, and testnumbers *are* unique so any duplicates will be modified.

`reorder` is an optional Boolean indicating that the data should be reordered within the data set. Defaults to `false`.

See the section on Test Groupings (under Data) in the Model Browser User's Guide for more information on these inputs.

Examples `DefineTestGroups(D, {'AFR' 'RPM'}, [0.1 30], 'MYLOGNO', false);`

See Also

DefineNumberOfRecordsPerTest, NumberOfTests

DetachData

Purpose Detach data from test plan

Syntax `T = DetachData(T)`

Description This is a method of `mbcmodel.testplan`.
T is the test plan object. A test plan can only use a single data set, so you do not need to specify the data object.

Examples `DetachData(T1);`

See Also `AttachData`

Purpose Diagnostic statistics for response

Syntax `S = DiagnosticStatistics(R, TestNumbers, Stats)`

Description This is a method of the local and response model objects, `mbcmodel.localresponse` and `mbcmodel.response`.

The options available are model-specific and are the same options shown in the drop-down menus of the scatter plots (the top plots) in the local and global (response feature) model views of the toolbox GUI.

`S` is a structural array containing `Statistics` and `Names` fields.

`R` is the response model object.

`Testnumbers` specifies the index into tests for local or hierarchical models.

`Stats` is an optional input that defines which diagnostic statistics you want from the available list. If you don't specify `Stats`, you get all available statistics.

A row is set to NaN if that point is removed.

Examples

```
studentRes = DiagnosticStatistics(local, tn, 'Studentized residuals');
```

See Also `SummaryStatistics`, `AlternativeModelStatistics`

DoubleInputData

Purpose Data being used as input to model

Syntax `X = DoubleInputData(R, TestNumber)`

Description This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`. It returns an array (`X`) containing the input data used for fitting the model.

`R` is the response model object

`TestNumber` is an optional input to specify the tests you want.

Examples

```
X = DoubleInputData(R);  
x = DoubleInputData(local, tn);
```

See Also `DoubleResponseData`

Purpose	Data being used as output to model for fitting
Syntax	<code>Y = DoubleResponseData(R, TestNumber)</code>
Description	<p>This is a method of all model objects: <code>mbcmodel.hierarchicalresponse</code>, <code>mbcmodel.localresponse</code> and <code>mbcmodel.response</code>. It returns an array (Y) containing the response data used for fitting the model.</p> <p>R is the response model object.</p> <p>TestNumber is an optional input to specify the tests you want.</p>
Examples	<pre>Y = DoubleResponseData(R); y = DoubleResponseData(local, tn);</pre>
See Also	<code>DoubleInputData</code>

Evaluate

Purpose	Evaluate model
Syntax	$Y = \text{Evaluate}(M, X)$
Description	<p>This is a method of <code>mbcmodel.model</code>.</p> <p>$Y = \text{Evaluate}(M, X)$ evaluates the model at X.</p> <p>X is a (<i>numpoints-by-nfactors</i>) array.</p> <p>Y is a (<i>numpoints-by-1</i>) array.</p>
See Also	PredictedValue, PEV

Purpose

Make command-line or Simulink export model

Syntax

```
ExportedModel = Export(MODEL)  
ExportedModel = Export(MODEL, Format)
```

Description

This is a method of these model objects:
`mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse`,
`mbcmodel.response` and `mbcmodel.model`.

`ExportedModel = Export(MODEL)` exports the model to MATLAB.

`ExportedModel = Export(MODEL, Format)` exports the model in the specified format, which can be 'MATLAB' or 'Simulink'.

Format must be 'MATLAB' or 'Simulink'; an error will be thrown if this is incorrect.

You can evaluate models exported to the MATLAB workspace in the same way as when exported from the Model Browser. You can save these models as a *.mat file and load them into CAGE.

Model is the object containing the response models from the node you are exporting from.

Examples

```
M = Export(R2, 'MATLAB');  
mbt_model = Export(maxTQ, 'MATLAB');
```

ExportToMBCDataStructure

Purpose Export data to MBC data structure

Syntax `mbcStruct = ExportToMBCDataStructure (D)`

Description This is a method of `mbcmodel.data`.

It converts the specified data object (D) to the MBC Data Structure format.

An MBC Data Structure is a structure array that contains the following fields:

- `varNames` is a cell array of strings that hold the names of the variables in the data (1xn or nx1)
- `varUnits` is a cell array of strings that hold the units associated with the variables in `varNames` (1xn or nx1). This array can be empty, in which case no units are defined
- `data` is an array that holds the values of the variables (m x n)
- `comment` is an optional string holding comment information about the data.

For more information see the Data Loading Function section (under Data) in the Model Browser User's Guide ("Data Loading Application Programming Interface"). See also `mbccheckindataloadingfcn` to specify your own data loading function.

Examples `X = ExportToMBCDataStructure(D1);`

See Also `ImportFromMBCDataStructure`

- Purpose** Full path to project file
- Syntax** `Name = get(P, 'Filename')`
- Description** This is a property of `mbcmodel.project`.
- Examples** `Name = get(P, 'Filename');`

Filters

Purpose Structure array holding user-defined filters

Syntax `filt = get(D, 'Filters')`

Description This is a property of `mbcmodel.data`.

It returns a structure array holding information about the currently defined filters. The array will be the same length as the number of currently defined filters, with the following fields for each filter:

- **Expression** — The string expression as defined in `AddFilter` or `ModifyFilter`
- **AppliedOK** — Boolean indicating that the filter was successfully applied
- **RemovedRecords** — Boolean vector indicating which records the filter removed. Note that many filters could remove the same record
- **Message** — String holding information on the success or otherwise of the filter

Examples `filters = get(D1, 'Filters');`

See Also `AddFilter`, `ModifyFilter`, `RemoveFilter`

Purpose Fit algorithm for model

Syntax `F = M.FitAlgorithm`

Description This is a property of `mbcmodel.model`.
An `mbcmodel.model.FitAlgorithm` object is contained within the `FitAlgorithm` property of an `mbcmodel.model` object. This object has a `Name` property, and the following methods: `CreateAlgorithm`, `getAlternativeNames`, `IsAlternative`, `SetupDialog`, properties.

Examples To get a `fitalgorithm` object, `F`, from a model:

```
M = mbcmodel.CreateModel('Polynomial', 4);
F = M.FitAlgorithm

F =
Algorithm: Least Squares
Alternatives: 'Minimize PRESS','Forward Selection','Backward
Selection','Prune'
1x1 struct array with no fields.
```

See Also `CreateAlgorithm`, `getAlternativeNames`, `IsAlternative`, `SetupDialog`.

Fit

Purpose	Fit model to new or existing data, and provide summary statistics
Syntax	<code>[statistics, model] = Fit(model, optional X, optional Y)</code>
Description	<p>This is a method of <code>mbcmodel.model</code>.</p> <pre>[statistics, model] = Fit(model, optional X, optional Y)</pre> <p>This fits the model to new data or its existing data. If X and Y are not specified then the existing model XData and YData are used, otherwise X and Y are placed in XData and YData and the model fitted.</p> <p>The statistics returned are defined by the summary statistics for the response object the model came from. To see these call <code>SummaryStatistics</code>. These are the statistics that appear in the Summary Statistics pane of the Model Browser GUI. The statistics returned depend on the model type.</p> <p>For a linear model, the statistics are:</p> <pre>'Observations','Parameters','Box-Cox','PRESS RMSE','RMSE'</pre> <p>For a neural net model:</p> <pre>'Observations','Parameters', 'Box-Cox','RMSE', 'R^2'</pre>
Examples	<pre>statistics = Fit(knot) statistics = 27.0000 7.0000 1.0000 3.0184 2.6584</pre>
See Also	<code>SummaryStatistics</code> , <code>UpdateResponse</code>

Purpose	List all model terms
Syntax	<code>Terms = M.Properties.GetAllTerms</code>
Description	<p>This is a method of <code>mbcmodel.linearmodelproperties</code>.</p> <p><code>Terms = M.Properties.GetAllTerms</code> returns a list of all terms in this model. <code>M</code> is an <code>mbcmodel.linearmodel</code> object.</p> <p><code>Terms</code> is a (<i>numterms-by-nfactors</i>) array. The $(m,n)^{\text{th}}$ element is the power of the n^{th} factor in the m^{th} term.</p>
Examples	<p>The following example creates a model, and finds which terms are quadratic in the first input factor (X1):</p> <pre>mdl = mbcmodel.CreateModel('Polynomial', 2) mdl = 1 + 2*X1 + 8*X2 + 3*X1^2 + 6*X1*X2 + 9*X2^2 + 4*X1^3 + 5*X1^2*X2 + 7*X1*X2^2 + 10*X2^3 InputData: [0x2 double] OutputData: [0x1 double] Status: Not fitted Linked to Response: <not linked> >>terms = mdl.Properties.GetAllTerms; >>x1quadraticterms = find(terms(:,1)==2) x1quadraticterms = 4 8</pre>
See Also	<code>GetIncludedTerms</code>

getAlternativeNames

Purpose List alternative algorithm names

Syntax F.getAlternativeNames
AltList = getAlternativeNames(F)

Description This is a method of `mbcmodel.fitalgorithm`.
F.getAlternativeNames or AltList = getAlternativeNames(F)
return a cell array of alternative algorithm names. F is a
`mbcmodel.fitalgorithm` object.

Examples

```
mdl = mbcmodel.CreateModel('Polynomial', 2);  
F = mdl.FitAlgorithm;  
altAlgs = F.getAlternativeNames  
  
altAlgs =  
  
    'Least Squares'    'Minimize PRESS'    'Forward Selection'  
    'Backward Selection'    'Prune'
```

See Also CreateAlgorithm, IsAlternative

Purpose Alternative model types

Syntax `list = getAlternativeTypes mdl`

Description This is a method of `mbcmodel.model`.

`list = getAlternativeTypes mdl` returns a cell array of alternative model types with the same number of inputs as `mdl`.

Examples

```
mdl = mbcmodel.CreateModel('RBF', 2);  
altmodels = getAlternativeTypes(mdl)
```

This produces the output:

```
altmodels =
```

```
Columns 1 through 6
```

```
'Polynomial'      'Hybrid Spline'    'RBF'      'Polynomial-RBF'  
'Multiple Linear'
```

```
Columns 7 through 8
```

```
'Neural Network'  'Transient'
```

See Also `Type`, `CreateModel`

GetDesignMatrix

Purpose Design points from test plan

Syntax `design = GetDesignMatrix(T)`

Description This is a method of `mbcmodel.testplan`.
It returns a double array holding the values of the design points.

Examples `design = GetDesignMatrix(T);`

Purpose

List included model terms

Syntax

```
Terms = M.Properties.GetIncludedTerms
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`Terms = M.Properties.GetIncludedTerms` returns a list of those terms that will be used to fit the model. `M` is an `mbcmodel.linearmodel` object.

`Terms` is a (*numincludedterms-by-nfactors*) array. The $(m,n)^{\text{th}}$ element is the power of the n^{th} factor in the m^{th} included term.

Examples

```
>>mdl = mbcmodel.CreateModel('Polynomial', 2);

>>includedterms = mdl.Properties.GetIncludedTerms;
>>x1quadraticterms = find(includedterms(:,1)==2)

x1quadraticterms =

     4
     8
```

See Also

`GetAllTerms`, `SetTermStatus`

GetTermLabel

Purpose List labels for model terms

Syntax

```
Labels = M.Properties.GetTermLabel
Labels = M.Properties.GetTermLabel( Terms )
Labels = M.Properties.GetTermLabel( Terms, 'Format',
    OutputFormat )
```

Description This is a method of `mbcmodel.linearmodelproperties`, which returns a user-friendly label for one or more specified terms.

```
Labels = M.Properties.GetTermLabel
Labels = M.Properties.GetTermLabel( Terms )
Labels = M.Properties.GetTermLabel( Terms, 'Format',
    OutputFormat )
```

`M` is an `mbcmodel.linearmodel` object.

The specified terms form a row where each value gives the power of that parameter. `OutputFormat` can be 'List' or 'Formula'.

Examples

```
mdl = mbcmodel.CreateModel('Polynomial', 2);
mdl.Properties.GetTermLabel([1 2; 1 0] )
```

produces {'X1*X2^2'; 'X1'} and

```
mdl.Properties.GetTermLabel([1 2; 1 0], 'Format', 'Formula' )
```

produces 'X1*X2^2 + X1'.

See Also

`GetAllTerms`, `GetIncludedTerms`

Purpose

List status of some or all model terms

Syntax

```
Status = M.Properties.GetTermStatus
Status = M.Properties.GetTermStatus(Terms)
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`Status = M.Properties.GetTermStatus` returns the status of all of the terms in this model. `Status` is a cell array of status strings. `M` is an `mbcmodel.linearmodel` object.

`Status = M.Properties.GetTermStatus(Terms)` returns the status of the specified terms in this model.

The stepwise status for each term can be 'Always', 'Never' or 'Step'. The status determines whether you can use the `StepwiseRegression` function to throw away terms in order to try to improve the predictive power of the model.

Examples

```
mdl = mbcmodel.CreateModel('Polynomial', 2);
```

Get status of X_2^3 term:

```
status = mdl.Properties.GetTermStatus([0 3])
```

```
status =
```

```
    'Step'
```

Get status of all terms linear in X_1 :

```
status = mdl.Properties.GetTermStatus([1 0; 1 1; 1 2])
```

```
status =
```

```
    'Step'
```

```
    'Step'
```

```
    'Step'
```

GetTermStatus

See Also

SetTermStatus, StepwiseStatus

Purpose Load data from file

Syntax `D = ImportFromFile(D, filename, filetype)`

Description This is a method of the `mbcmodel.data` object.

First you must use `CreateData`, than `BeginEdit` before you can call `ImportFromFile` to bring data into your new data object, `D`.

Note that you can specify `filename` and `filetype` when you call `CreateData` as a shortcut for loading data from a file. You still need to call `BeginEdit` before you can make changes to the data.

`filename` is a string holding the full path to the file to load.

`filetype` is an optional file type to load. See `DataFileTypes` for the specification of the allowed file types (and `mbccheckindataloadingfcn` to specify your own data loading function).

Filetype defaults to 'auto' which will attempt to guess the filetype based on the extension of the file being loaded. i.e. if the file extension is `.xls` then MBC will try the Excel File Loader.

Examples `ImportFromFile(D, 'D:\MBCData\Raw Data\testdata.xls');`

See Also `CreateData`, `DataFileTypes`, `BeginEdit`,
`ImportFromMBCDataStructure`, `RemoveData`, `Append`

ImportFromMBCDataStructure

Purpose Load data from MBC data structure

Syntax `D = ImportFromMBCDataStructure(D, mbcStruct)`

Description This is a method of `mbcmodel.data`.

First you must use `CreateData`, than `BeginEdit` before you can bring data into your new data object.

An MBC Data Structure is a structure array that contains the following fields:

- `varNames` is a cell array of strings that hold the names of the variables in the data (1xn or nx1)
- `varUnits` is a cell array of strings that hold the units associated with the variables in `varNames` (1xn or nx1). This array can be empty, in which case no units are defined
- `data` is an array that holds the values of the variables (m x n)
- `comment` is an optional string holding comment information about the data.

For more information see the Data Loading Function section (under Data) in the *Model Browser User's Guide* ("Data Loading Application Programming Interface"), and see also `mbccheckindataloadingfcn` to specify your own data loading function.

Examples `ImportFromMBCDataStructure(D, mbcStruct);`

See Also `ImportFromFile`, `CreateData`, `BeginEdit`, `RemoveData`, `Append`, `ExportToMBCDataStructure`

Purpose Input data for model

Syntax `D = M.InputData`

Description This is a property of `mbcmodel1.model`. It returns an array of the input variable data currently in the model.

Examples `D = knot.InputData;`

See Also `OutputData`

InputSetupDialog

Purpose	Open Input Setup dialog box to edit inputs
Syntax	<pre>[NEWMODEL, OK] = InputSetupDialog(OLDMODEL) [NEWTTESTPLAN, OK] = InputSetupDialog(OLDTESTPLAN)</pre>
Description	<p>This is a method of <code>mbcmodel.model</code> and <code>mbcmodel.testplan</code>.</p> <p><code>[NEWMODEL, OK] = InputSetupDialog(OLDMODEL)</code> opens the Input Setup dialog box, where you can edit the model inputs (names, symbols, and ranges).</p> <p><code>[NEWTTESTPLAN, OK] = InputSetupDialog(OLDTESTPLAN)</code> opens the Input Setup dialog box, where you can edit the test plan inputs (names, symbols, and ranges).</p> <p>If you click Cancel to dismiss the dialog box, <code>OK = false</code> and <code>NEWMODEL = OLDMODEL</code>. If you click OK to close the dialog box, then <code>OK = true</code> and <code>NEWMODEL</code> is your new chosen model setup. The new model is refitted when you click OK.</p>

Purpose Names of signals in data that are being modeled

Syntax `inputs = get(A, 'InputSignalNames')`

Description This is a property of `mbcmodel.testplan` and the modeling objects `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

A can be a test plan (T) or model (L, R, HR) object.

Examples

```
inputs = get(T, 'InputSignalNames');
InputFactors = get(thisRF, 'InputSignalNames');
```

See Also `SignalNames`

InputsPerLevel

Purpose Number of inputs at each level in model

Syntax `L = get(T, 'InputsPerLevel')`

Description This is a property of `mbcmodel.testplan`.

This is a vector of length `Levels`. Each element defines the number of inputs at that level. See “Understanding Model Structure” for an explanation of the levels in a test plan.

Examples `L = get(T, 'InputsPerLevel')`
 `L =`
 2 4

This answer means the test plan `T` has 2 local inputs and 4 global inputs.

See Also `Levels`, `Level`

Purpose	Test alternative fit algorithm
Syntax	<code>OK = IsAlternative(F1, F2)</code>
Description	<p>This is a method of <code>mbcmodel.fitalgorithm</code>.</p> <p><code>OK = IsAlternative(F1, F2)</code> tests whether <code>F</code> is an alternative <code>mbcmodel.fitalgorithm</code> for <code>F1</code>.</p>
See Also	<code>CreateAlgorithm</code> , <code>getAlternativeNames</code>

IsBeingEdited

Purpose Boolean signaling if data or model is being edited

Syntax `OK = get(D, 'IsBeingEdited')`

Description This is a property of `mbcmodel.data` and `mbcmodel.model`.

This Boolean property indicates that the data or model is currently being edited.

For data, it also indicates that previously there was a successful call to `BeginEdit` and hence that whatever changes have been applied can be undone by calling `RollbackEdit`. It does not indicate that a call to `CommitEdit` will necessarily succeed. See `CommitEdit` for an example of this case.

Examples `OK = get(D, 'IsBeingEdited');`

`OK = get(knot, 'IsBeingEdited');`

See Also `BeginEdit`, `IsEditable`, `CommitEdit`, `RollbackEdit`

Purpose Boolean signaling whether data is editable

Syntax `OK = get(d, 'IsEditable')`

Description This is a property of `mbcmodel.data`.
This Boolean property indicates if a particular piece of data is editable.
The following rules apply

- If the data was created using `mbcmodel.CreateData` and was not Attached to a test plan it is editable.
- If the data was created or retrieved from the project and was not Attached to a test plan it is editable.
- If the data was Attached to a test plan and was subsequently retrieved from that test plan it is editable.

Examples

```
D = get(p, `Data`);  
D1 = get(p, `Data`);  
BeginEdit(D1);  
tp = get(p, `Testplan`);  
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `get(D1, 'IsEditable')` becomes false because `D1` is now Attached to the test plan and hence can only be modified from the test plan. If you now enter:

```
OK = get(D1, 'IsEditable')
```

the answer is false.

See Also `BeginEdit`, `IsBeingEdited`, `CommitEdit`, `RollbackEdit`

Jacobian

Purpose Calculate Jacobian matrix for model at existing or new X points

Syntax `J = Jacobian(model, optional X)`

Description This is a method of `mbcmodel.model`.

This calculates the Jacobian matrix for the model at existing or new X points. If X is not specified then the existing XData is used. The Jacobian is the regression matrix for linear models and RBF models.

The Jacobian matrix (for linear and RBF models) is the same as the Regression Matrix in the Design Evaluation Tool GUI. These matrices only include the terms currently selected in the model.

If all terms are included (none removed by Stepwise) then the Jacobian (for linear and RBF models) is the same as the Full FX matrix found in the Design Evaluation Tool GUI. The Jacobian matrix only includes the currently selected model terms.

To determine the condition number, use the MATLAB command `cond(J)`.

Examples `J = Jacobian(knot),`

See Also XData

Purpose Level in test plan of response

Syntax `level = get(R, 'Level')`

Description This is a property for all model objects:
`mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

R is the response for which you want the level.

The level is usually 0 for hierarchical models, usually 1 for local models, and usually 2 or 1 for response models. See “Understanding Model Structure” for an explanation of what `Level` indicates about a response.

Examples `level = get(R, 'Level');`

See Also Levels

Levels

Purpose	Number of levels in hierarchical model
Syntax	<code>levels = get(T, 'Levels')</code>
Description	This is a property of <code>mbcmodel.testplan</code> . See “Understanding Model Structure” for an explanation of what Levels mean.
Examples	<code>levels = get(T, 'Levels');</code>
See Also	Level

Purpose Load existing project file

Syntax `P = Load(P, Filename)`

Description This is a method of `mbcmodel.project`.
P is a project object, and `Filename` is the full path to the project you want to load.

Examples `P2 = Load(P2, 'D:/MBCwork/TQproject2.mat');`

See Also `New`

LoadProject

Purpose Load a mbcmodel.project

Syntax P = MBCMODEL.LOADPROJECT(FILENAME)

Description P = mbcmodel.LoadProject(FILENAME) loads a mbcmodel.project from the file FILENAME.

Examples

See Also CreateProject, Load

Purpose	Array of local responses for response
Syntax	<code>local = get(R, 'LocalResponses')</code>
Description	<p>This is a property of the <code>mbcmodel.hierarchicalresponse</code> object.</p> <p>It returns the local model response objects that belong to the hierarchical response R.</p> <p>See “Understanding Model Structure” for an explanation of the relationship between the different response types.</p>
Examples	<code>local = get(TQ_response, 'LocalResponses');</code>

MakeHierarchicalResponse

Purpose Build two-stage model from response feature models

Syntax `OK = MakeHierarchicalResponse(L,MLE)`

Description This is a method of `mbcmodel.localresponse`, that builds a two-stage model from the response feature models and optionally runs MLE (Maximum Likelihood Estimation).

This performs a similar function to `ChooseAsBest` for response models. You can call `MakeHierarchicalResponse` directly, or indirectly by calling `CreateAlternativeModels` for a local model. If you call `CreateAlternativeModels` for a local model, `MakeHierarchicalResponse` will be called automatically.

An error will be thrown if the local and response models are not ready to calculate a two-stage model. This can be the case if you have created alternative models and not chosen the best. A sufficient number of response features models to calculate the two-stage model must be selected.

L is the local model object

MLE can be true or false. If true, MLE will be calculated.

Examples `OK = MakeHierarchicalResponse(L, true)`

See Also `ChooseAsBest`

Purpose Model object within response object

Syntax `M = get(R, 'Model')`

Description This is a property of all `mbcmodel.response` objects.

Each response contains a model object (`mbcmodel.model`) that can be extracted and manipulated independently of the project.

Extract a model object from any response object (see `Response`), and then:

- Fit to new data (`Fit`).
- Change model type, properties, and fit algorithm settings (`ModelSetup`, `Type`; `Properties`, `CreateAlgorithm`).
- Create a copy of the model with the same inputs (`CreateModel`).
- Include and exclude terms to improve the model (`StepwiseRegression`).
- Examine coefficient values, predicted values, and regression matrices (`ParameterStatistics`; `PredictedValue`; `Jacobian`).
- If you change the model you need to use `UpdateResponse` to replace the new model back into the response object in the project. When you use `UpdateResponse` the new model is fitted to the response data.

Examples `knot = get(AlternativeResponses(1), 'Model')`

ModelSetup

Purpose Open Model Setup dialog box where you can alter model type

Syntax `[newModel, OK] = ModelSetup(oldModel)`

Description This is a method of `mbcmodel.model` objects.

This method opens the **Model Setup** dialog box where you can choose new model types and settings. If you click **Cancel** to dismiss the dialog, `OK = false` and `newModel = oldModel`. If you click **OK** to close the dialog box, then `OK = true` and `newModel` is your new chosen model setup. Data and response remain the same as `oldModel`. The new model is refitted when you click **OK**.

Call `UpdateResponse` to put the new model type back into the response.

Examples `[RBF, OK] = ModelSetup(Cubic);`

See Also `UpdateResponse`, `Fit`

Purpose Boolean signaling whether project has been modified

Syntax `Name = get(P, 'Modified')`

Description This is a property of `mbcmodel.project`.

Examples `Name = get(Project, 'Modified');`

ModifyFilter

Purpose Modify user-defined filter in data set

Syntax `D = ModifyFilter(D, Index, expr)`

Description This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing filters.

`D` is a data object.

`Index` is the input index to indicate which of the available filters you wish to modify. Use the property `Filters` to find the index for each filter.

`expr` is the input string holding the expression that defines the filter, as for `AddFilter`.

Examples `ModifyFilter(D, 3, 'AFR < AFR_CALC + 20');`

The effect of this filter is to modify filter number 3 to keep all records where `AFR < AFR_CALC + 20`.

```
ModifyFilter(D, 2, 'MyNewFilterFunction(AFR, RPM, TQ, SPK)');
```

This modifies filter number 2 to apply the function `MyNewFilterFunction`.

See Also `AddFilter`, `RemoveFilter`, `Filters`

Purpose Modify user-defined test filter in data set

Syntax `D = ModifyTestFilter(D, Index, expr)`

Description This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing filters.

`D` is a data object.

`Index` is the input index to indicate which of the available test filters you wish to modify. Use the property `TestFilters` to find the index for each test filter.

`expr` is the input string holding the expression that defines the test filter, as for `AddTestFilter`.

Examples `ModifyTestFilter(d1, 2, 'any(n>2000)');`

The effect of this is to modify test filter number 2 to include all tests in which any records have speed (`n`) greater than 1000.

See Also `AddTestFilter`, `RemoveTestFilter`, `TestFilters`

ModifyVariable

Purpose Modify user-defined variable in data set

Syntax `D = ModifyVariable(D, Index, expr, units)`

Description This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing variables.

`D` is a data object.

`Index` is the input index to indicate which of the available variables you wish to modify. Use the property `UserVariables` to find the index for each variable.

`expr` is the input string holding the expression that defines the variable, as for `AddVariable`

`units` is an optional input string holding the units of the variable

Examples `ModifyVariable(D, 2, 'MY_NEW_VARIABLE = TQ*AFR/2');`

See Also `AddVariable`, `RemoveVariable`, `UserVariables`

Purpose Multiple VIF matrix for linear model parameters

Syntax `VIF = MultipleVIF(LINEARMODEL)`

Description This is a method of `mbcmodel.linearmodel`.
`VIF = MultipleVIF(LINEARMODEL)` calculates the multiple Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples `VIF = MultipleVIF(knot_model)`

See Also `ParameterStatistics`

Name

Purpose Name of project, data, test plan, or model

Syntax `name = get(A, 'Name')`

Description This is a property of project, data, test plan, and response objects. 'A' can be any test plan (T), data (D), project (P) or model (L, R, HR) object. You can change the names of these objects (except data objects) as follows:

```
set(A, `Name`, newName)
```

For response (output or Y data) signal names, see `ResponseSignalName`.

For model parameter names, see `Names`, and for model object input names, see `XDataNames`.

For testplan and response object input names, see `InputSignalNames`, and for data objects, see `SignalNames`.

Examples `ResponseFeatureName = get(thisRF, 'Name');`

See Also `Names`, `InputSignalNames`, `SignalNames`, `XDataNames`, `ResponseSignalName`

Purpose Model parameter names

Syntax `N = get (params, 'Names')`

Description This is a property of `mbcmodel.modelparameters`. It returns the names of all the parameters in the model. These are read-only.

Examples

```
N = get(paramsknot, 'Names')
N =
'1'
'N'
'N^2'
'N*L'
'N*A'
'L'
'L^2'
'L*A'
'A'
'A^2';
```

See Also `NumberOfParameters`, `Values`, `Name`

New

Purpose Create new project file

Syntax P = New(P)

Description This is a method of `mbcmodel.project`. Use this to modify a project object to make a new project from scratch. Note the current project gets removed from memory when you open a new one.

P is the new project object.

Examples `New(P) ;`

See Also `Load`

Purpose Number of model inputs

Syntax `N = get(model, 'NumberOfInputs')`

Description This is a property of `mbcmodel.model`. It returns the number of inputs to the model.

Examples `N = get(knot, 'NumberOfInputs');`

See Also `XData`

NumberOfParameters

Purpose

Number of included model parameters

Syntax

```
N = get (knotparams, 'NumberOfParameters')
```

Description

This is a read-only property of `mbcmodel.linearmodelparameters`, for linear models only.

The number returned is the number of parameters currently in the model (you can remove some parameters by using `StepwiseRegression`). To see which parameters are currently in the model, use `StepwiseSelection`. Only parameters listed as 'in' are currently included.

To see the the total possible number of parameters in a linear model, use `SizeOfParameterSet`.

Use `Names` and `Values` to get the parameter names and values.

Examples

```
N = get(knotparams, 'NumberOfParameters');
```

See Also

`SizeOfParameterSet`, `StepwiseSelection`, `StepwiseRegression`, `Names`, `Values`

Purpose Total number of records in data object

Syntax `get(D, 'NumberOfRecords')`

Description This is a property of data objects: `mbcmodel.data`.

Examples `numRecords = get(Data, 'NumberOfRecords');`

NumberOfTests

Purpose Total number of tests being used in model

Syntax `numtests = get(A, 'NumberOfTests')`

Description This is a property of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`, and data objects `mbcmodel.data`. 'A' can be any model or data object.

Examples `numTests = get(TQ_response, 'NumberOfTests');`

See Also `DefineTestGroups`

Purpose	Indices of DoubleInputData marked as outliers
Syntax	<code>indices = OutlierIndices(R)</code>
Description	This is a method of all model objects: <code>mbcmodel.hierarchicalresponse</code> , <code>mbcmodel.localresponse</code> and <code>mbcmodel.response</code> .
Examples	<pre>ind = OutlierIndices(R); bad = OutlierIndices(thisRF);</pre>
See Also	<code>DoubleInputData</code>

OutlierIndicesForTest

Purpose	Indices marked as outliers for test
Syntax	<code>indices = OutlierIndicesForTest(R, TestNumber)</code>
Description	This is a method of the local model object, <code>mbcmodel.localresponse</code> . This shows the current records discarded as outliers. You can use '?' to use all tests.
Examples	<pre>ind = OutlierIndicesForTest(R, ':'); bad = OutlierIndicesForTest(local, tn);</pre>
See Also	<code>OutlierIndices</code>

Purpose	Output (or response) data for model
Syntax	<code>D = M.OutputData</code>
Description	This is a property of <code>mbcmodel1.model</code> . It returns an array of the response data currently in the model.
Examples	<code>D = knot.OutputData;</code>
See Also	<code>InputData</code>

Owner

Purpose Object from which data was received

Syntax `0 = get(D1, 'Owner')`

Description This is a property of `mbcmodel.data`.

- This is empty if the data was created using `mbcmodel.CreateData`
- This is an `mbcmodel.project` object if the data was extracted from a project
- This is an `mbcmodel.testplan` object if the data was extracted from a test plan

Examples `0 = get(D1, 'Owner');`

Purpose Model parameters

Syntax `P = get(model, 'Parameters')`

Description This is a property of `mbcmodel.model.`, that contains an object `mbcmodel.model.parameters`. This object contains a number of read-only parameters that describe the model.

All models have these properties:

- `SizeOfParameterSet`
- `Names`
- `Values`

Linear models also have these properties:

- `StepwiseStatus`
- `NumberOfParameters`
- `StepwiseSelection`

Radial Basis Function (RBF) models have all the above properties and these additional properties:

- `Centers`
- `Widths`

Examples `P = get(knot, 'Parameters');`

See Also `SizeOfParameterSet`, `Names`, `Values`, `StepwiseStatus`, `NumberOfParameters`, `StepwiseSelection`, `Centers`, `Widths`

ParameterStatistics

Purpose Calculate parameter statistics for linear model

Syntax `values = ParameterStatistics(linearmodel, optional statType)`

Description This is a method of `mbcmodel.model`, for linear models only. This calculates parameter statistics for the linear model. If you don't specify `statType`, then a structure with all valid types is output. `statType` may be a string specifying a particular statistic or a cell array of string specifying a number of statistics to output. If `statType` is a string, then `values` is an array of doubles. If `statType` is a cell array of strings, then `values` is a cell array of array of doubles.

The valid types are:

'Alias'

'Covariance'

'Correlation'

'VIFsingle'

'VIFmultiple'

'VIFpartial'

'Stepwise'

These types (except Stepwise) appear in the Design Evaluation tool; see the documentation for this tool for details of these matrices.

The Stepwise field contains the values found in the Stepwise table. In this array (and in the Stepwise GUI) you can see for each parameter in the model: the value of the coefficient, the standard error of the coefficient, the t value and Next PRESS (the value of PRESS if the status of this term is changed at the next iteration). See the documentation for the Stepwise table. You can also see these Stepwise values when you use StepwiseRegression.

Examples `values = ParameterStatistics(knot)`
`values =`


```
Alias: [7x3 double]
Covariance: [7x7 double]
Correlation: [7x7 double]
VIFsingle: [5x5 double]
VIFmultiple: [7x1 double]
VIFpartial: [5x5 double]
Stepwise: [10x4 double]
```

```
values.Stepwise
```

```
ans =
```

```
1.0e+003 *
    0.0190    0.0079    0.0210         NaN
    0.0000    0.0000    0.0210    1.9801
    0.0000    0.0000    0.0200    0.2984
   -0.0000    0.0000    0.0200    0.2768
    0.0000    0.0000    0.0200    0.2890
   -0.0526    0.0367    0.0210    0.2679
    0.0911    0.0279    0.0210    0.3837
   -0.0041    0.0024    0.0210    0.2728
   -0.0178    0.0095    0.0200    0.2460
    0.0001    0.0000    0.0210    0.3246
```

See Also

StepwiseRegression

PartialVIF

Purpose Partial VIF matrix for linear model parameters

Syntax `STATS = PartialVIF(LINEARMODEL)`

Description This is a method of `mbcmodel.linearmodel`.

`STATS = PartialVIF(LINEARMODEL)` calculates the partial Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples `VIF = PartialVIF(knot_model)`

See Also `ParameterStatistics`

Purpose Predicted error variance of model at specified inputs

Syntax `pev = PEV(R, X)`

Description This is a method of the hierarchical, local response, response, and model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.response`, and `mbcmodel.model`.

R is the model object, and X is the array of input values where you want to evaluate the PEV of the model. For a local response, the predicted value uses the hierarchical model.

Note that for an `mbcmodel.model` and `mbcmodel.response` objects only, the X is optional. That is, the syntax is:

```
PEV = PEV(model, optional X)
```

This calculates the Predicated Error Variance at X. If X is not specified, then X is the existing input values. An array is returned of PEV values evaluated at each data point.

Examples `pev = PEV(R, X);`

See Also `PEVForTest`

PEVforTest

Purpose Local model predicted error variance for test

Syntax `pev = PEVforTest(L, TestNumber, X)`

Description This is a method of the local model object, `mbcmodel.localresponse`.
L is the local model object.
TestNumber is the test for which you want to evaluate the model PEV.
X is the array of inputs where you want to evaluate the PEV of the model.

Examples `pev = PEVforTest(L, TestNumber, X);`

See Also PEV

Purpose	Predicted value of model at specified inputs
Syntax	<pre>y = PredictedValue(R,X) y = PredictedValue(R)</pre>
Description	<p>This is a method of the hierarchical, response, local response, and model objects: <code>mbcmodel.hierarchicalresponse</code>, <code>mbcmodel.response</code>, <code>mbcmodel.localresponse</code>, and <code>mbcmodel.model</code>.</p> <p><code>y = PredictedValue(R,X)</code> evaluates the model at the specified inputs, where <code>R</code> is the model object, and <code>X</code> is the array of inputs where you want to evaluate the output of the model.</p> <p>Note that for an <code>mbcmodel.model</code>, <code>mbcmodel.localresponse</code> and <code>mbcmodel.response</code> objects, the <code>X</code> is optional. If <code>X</code> is not specified then the <code>X</code> is the existing input values. That is, the syntax is:</p> <pre>y = PredictedValue(model, optional X)</pre> <p><code>y = PredictedValue(R)</code> calculates the predicted value at the fit data. An array is returned of predicted values evaluated at each data point. For local models, this is equivalent to <code>y= PredictedValue(L, L.InputData)</code></p> <p>Note that you cannot evaluate model output for a local response or hierarchical response until you have constructed it using <code>MakeHierarchicalResponse</code> (or <code>CreateAlternativeModels</code>). If you have created alternative response feature models then a best model must be selected. If you have made changes such as removing outliers since choosing a model as best, you may need to choose a new best model. For a local response, the predicted value uses the hierarchical model. If no data is specified then the data from all tests is used.</p>
Examples	<pre>y = PredictedValue(R, X); modelPred = PredictedValue(thisRF, x);</pre>
See Also	<code>PredictedValueForTest</code> , <code>ChooseAsBest</code> , <code>PEV</code> , <code>Evaluate</code>

PredictedValueForTest

Purpose Predicted local model response for test

Syntax `y = PredictedValueForTest(L, TestNumber, X)`

Description This is a method of the local model object, `mbcmodel.localresponse`.
L is a local model object.
TestNumber is the test for which you want to evaluate the model
X is the array of inputs where you want to evaluate the output of the model.

Examples `y = PredictedValueForTest(L, TestNumber, X);`

See Also `PredictedValue`

Purpose View and edit model properties

Syntax

```
properties=M.Properties  
M.Properties.PropertyName = NewValue  
M.Properties.properties  
f=M.Properties.properties
```

Description “Properties” is a property of `mbcmodel.model`

`properties=M.Properties` returns a `mbcmodel.modelproperties` object.

To edit a property, use the syntax `M.Properties.PropertyName = NewValue`

“properties” is a method of `mbcmodel.fitalgorithm` and `mbcmodel.modelproperties` which returns a list of properties.

`M.Properties.properties` lists the property names, types and allowed values.

`f=M.Properties.properties` returns the property names as a cell array.

The model Type determines which properties you can set (see).

To get a `mbcmodel.modelproperties` object from a model:

```
>> M = mbcmodel.CreateModel('Polynomial', 4);  
>> disp(M)  
mbcmodel.linearmodel:Polynomial  
  
>>modelproperties=M.Properties  
  
modelproperties =  
Polynomial Properties  
          Order: [3 3 3 3]  
InteractionOrder: 3  
TransformInputRange: 1  
          ParameterNames: {35x1 cell}
```

Properties

```
StepwiseStatus: {35x1 cell}
BoxCox: 1
```

To create a model and list the properties:

```
>> M = mbcmodel.CreateModel('RBF',2)
```

```
M =
```

```
A radial basis function network using a multiquadric kernel
with 0 centers
and a global width of 2.
The regularization parameter, lambda, is 0.0001.
InputData: [0x2 double]
OutputData: [0x1 double]
Status: Not fitted
Linked to Response: <not linked>
```

```
>> M.Properties.properties
```

```
RBF Properties
```

```
Kernel: RBF kernel (enum: {'multiquadric','recmultiquadric',
'gaussian','thinplate','logisticrbf','wendland',
'linearrbf','cubicrbf'})
Continuity: Continuity for Wendland kernel (0,2,4,6,8) (int: [0,8
ParameterNames: List of parameter names (read-only)
StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)
BoxCox: Box-Cox transform (power) (numeric: [-3,3])
```

The following syntax returns the properties as a cell array:

```
>> f=M.Properties.properties
```

```
f =
```

```
'Kernel'
'Continuity'
'ParameterNames'
'StepwiseStatus'
```


'BoxCox'

Change a property as follows:

```
>>M.Properties.Kernel = 'thinplate';
```

The model changes state to 'Being Edited'. The settings are not applied until you call Fit on the model object.

The following sections list the properties available for each model type.

Linear Models – Polynomial Properties

mbcmodel.linearmodel:Polynomial

Order: Polynomial order (vector int: {[0,Inf],2})

InteractionOrder: Maximum order of interaction terms (int: [0,Inf])

TransformInputRange: Transform inputs (Boolean)

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models – Hybrid Spline Properties

mbcmodel.linearmodel:Hybrid Spline

Order: Spline and polynomial order (vector int: {[0,3],2})

SplineVariable: Spline variable

SplineInteraction: Order of interaction between spline and polynomial (int: [0,3])

Knots: Position of knots (vector real)

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models – RBF Properties

`mbcmodel.linearmodel:RBF`

Kernel: RBF kernel (enum: {'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland','linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6,8) (int: [0,8])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models – Polynomial-RBF Properties

`mbcmodel.linearmodel:Polynomial-RBF`

Order: Polynomial order (vector int: {[0,Inf],2})

InteractionOrder: Maximum order of interaction terms (int: [0,Inf])

Kernel: RBF kernel (enum: {'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland','linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6,8) (int: [0,8])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models – Hybrid Spline-RBF Properties

`mbcmodel.linearmodel:Hybrid Spline-RBF`

Order: Spline and polynomial order (vector int: {[0,3],2})

SplineVariable: Spline variable

SplineInteraction: Order of interaction between spline and polynomial (int: [0,3])

Knots: Position of knots (vector real)

Kernel: RBF kernel (enum: {'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland','linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6,8) (int: [0,8])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Nonlinear Models – Free Knot Spline Properties

mbcmodel.model:Free Knot Spline

Order: Spline order (int: [0,3])

NumKnots: Number of knots (int: 'Positive')

Nonlinear Models – Neural Network Properties

mbcmodel.model:Neural Network

HiddenLayers: Number of hidden layers (int: [1,2])

Neurons: Number of Neurons in each hidden layer (vector int: 'Positive')

Examples

```
>> properties=M.Properties

properties =
Polynomial Properties
      Order: [3 3 3 3]
InteractionOrder: 3
TransformInputRange: 1
ParameterNames: {35x1 cell}
StepwiseStatus: {35x1 cell}
      BoxCox: 1
```

Properties

```
>> M.Properties.Order = [3 2 2 3]
```

```
M =
```

```
    1 + 2*X1 + 10*X4 + 15*X2 + 18*X3 + 3*X1^2 + 6*X1*X4  
...+ 8*X1*X2 + 9*X1*X3 +  
    11*X4^2 + 13*X4*X2 + 14*X4*X3 + 16*X2^2 + 17*X2*X3  
...+ 19*X3^2 + 4*X1^3 +  
    5*X1^2*X4 + 7*X1*X4^2 + 12*X4^3  
    InputData: [0x4 double]  
    OutputData: [0x1 double]  
    Status: Being Edited  
    Linked to Response: <not linked>
```

See Also

Type

Purpose Number of records in each test

Syntax `get(D, 'RecordsPerTest')`

Description This is a property of data objects: `mbcmodel.data`. It returns an array, of length `NumberOfTests`, containing the number of records in each test.

Examples `numRecords = get(Data, 'RecordsPerTest');`

Remove

Purpose Remove project, test plan, or model

Syntax OK = Remove(A)

Description This is a method of all the non-data objects: projects, test plans and all models.

A can be any project, test plan or model object.

Datum models cannot be removed if they are in use by other models.

Examples OK = Remove(R3);

Purpose Remove data from project

Syntax P = RemoveData(P, D)
P = RemoveData(P, Index)

Description This is a method of `mbcmodel.project`.
You can refer to the data object either by name or index.
P is the project object.
D is the data object you want to remove.
Index is the index of the data object you want to remove.

Examples `RemoveData(P, D);`

See Also `CreateData`, `Data`, `CopyData`

RemoveFilter

Purpose Remove user-defined filter from data set

Syntax `D = RemoveFilter(D, Index)`

Description This is a method of the `mbcmodel.data` object.
Index is the input index indicating the filter to remove. Use the property `Filters` to find out which filters are present.

Examples `RemoveFilter(D1, 3);`

See Also `AddFilter`, `Filters`

Purpose Remove outliers in input data by index or rule, and refit models

Syntax `R = RemoveOutliers(R, Selection);`
`R = RemoveOutliers(L, LocalSelection, GlobalSelection)`

Description This is a method of the local model object, `mbcmodel.localresponse` and the response feature model object `mbcmodel.response`.

All the response feature models are refitted after the local models are refitted. Outlier selection is applied to all tests.

For a response model:

- R is a response object
- Selection specifies either a set of indices or the name of an outlier selection function, of the following form:

```
Indices = myMfile(model, data, factorName)
```

The factors are the same as defined in `DiagnosticStatistics`

- data contains the factors as columns of a matrix
- factorNames is a cell array of the names for each factor

For a local model:

- LocalSelection is the local outlier selection indices or function
 - GlobalSelection is the global outlier selection indices or function
- Outlier selection functions must conform to this prototype:

```
Indices = myMfile(model, data, factorName)
```

The factors are the same as appear in the scatter plot in the Model Browser.

- data contains the factors as columns of a matrix

RemoveOutliers

- factorNames is a cell array of the names for each factor

Examples

```
outlierind = [1 4 6 7];  
RemoveOutliers(thisRF, outlierind);
```

See Also

RemoveOutliersForTest

Purpose	Remove outliers on test by index or rule and refit models
Syntax	<pre>L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION) L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION, doUpdate)</pre>
Description	<p>This is a method of <code>mbcmodel.localresponse</code>.</p> <p><code>L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION)</code> removes outliers, refits the local model, and refits the response feature models.</p> <p><code>L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION, doUpdate)</code> removes outliers and if <code>doUpdate</code> is true, refits all response features after the local model is refitted.</p> <p><code>TESTNUMBER</code> is the single test number to refit.</p> <p><code>LOCALSELECTION</code> can either be a set of indices or a function name.</p> <p>An outlier selection function must take the following form:</p> <pre>INDICES = MYMFILE(MODEL, DATA, FACTORNAME);</pre> <p>The factors are the same as defined in <code>DiagnosticStatistics</code>.</p> <p><code>DATA</code> contains the factors as columns of a matrix, and <code>FACTORNAME</code> is a cell array of the names for each factor.</p>
Examples	<p>For a local response <code>LOCALRESPONSE</code>, to remove first two data points and do not update response features:</p> <pre>RemoveOutliersForTest(LOCALRESPONSE, 1, 1:2, false);</pre> <p>To find list of indices of removed data points:</p> <pre>indices = OutliersForTest(LOCALRESPONSE, 1);</pre> <p>To restore first data point:</p>

RemoveOutliersForTest

```
RestoreDataForTest(LOCALRESPONSE,1,1,false);
```

To restore all data:

```
RestoreDataForTest(LOCALRESPONSE,1,':',false);
```

To update response features:

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also

UpdateResponseFeatures, RestoreDataForTest,
OutlierIndicesForTest, RemoveOutliers

Purpose Remove user-defined test filter from data set

Syntax `D = RemoveTestFilter(D, Index)`

Description This is a method of `mbcmodel.data`.
D is the data object.
Index is the input index indicating the filter to remove.
Use the property `TestFilters` to find the index of the test filter you want to remove.

Examples `RemoveTestFilter(D1, 2);`

See Also `AddTestFilter`, `TestFilters`

RemoveVariable

Purpose Remove user-defined variable from data set

Syntax `D = RemoveVariable(D, Index)`

Description This is a method of `mbcmodel.data`.

D is the data object.

Index is the input index indicating the variable to remove.

Use `UserVariables` to find the index of the variable you want to remove.

Examples `RemoveVariable(D1, 2);`

See Also `AddVariable`, `UserVariables`

Purpose Response for model object

Syntax `R = get(model, 'Response')`

Description This is a property of `mbcmodel.model`. It returns the response the model object came from (e.g. a response object).

If you make changes to the model object (for example by changing the model type using `ModelSetup`, or using `StepwiseRegression`) you must use `UpdateResponse` to return the new model object to the response in the project.

Examples `R = get(knot, 'Response');`

See Also `UpdateResponse`, `ModelSetup`

ResponseFeatures

Purpose Array of response features for response

Syntax `RFs = get(L, 'ResponseFeatures')`

Description This is a property of the local model object, `mbcmodel.localresponse`.
L is the local response.

See “Understanding Model Structure” in the Getting Started documentation for an explanation of the relationships between local responses and other responses.

Examples `RFs = get(local, 'ResponseFeatures');`

Purpose	Name of signal or response feature being modeled
Syntax	<code>ysignal = get(R, 'ResponseSignalName')</code>
Description	<p>This is a property of all model objects: <code>mbcmodel.hierarchicalresponse</code>, <code>mbcmodel.localresponse</code> and <code>mbcmodel.response</code>.</p> <p>R can be a hierarchical response, local response or response.</p>
Examples	<pre>yName = get(local, 'ResponseSignalName');</pre>
See Also	<code>InputSignalNames</code>

Responses

Purpose Array of available responses for test plan

Syntax `R = get(T, 'Responses')`

Description This is a property of `mbcmodel.testplan`.
T is the test plan object.

See “Understanding Model Structure” for an explanation of the relationship between test plans and responses.

Examples `R = get(T, 'Responses');`

Purpose

Restore removed outliers

Syntax

```
R = RestoreData(RESPONSE)
R = RestoreData(RESPONSE, OUTLIERINDICES)
```

Description

This is a method of `mbcmodel.localresponse` and `mbcmodel.response`.

`R = RestoreData(RESPONSE)` restores all data previously removed as outliers.

`R = RestoreData(RESPONSE, OUTLIERINDICES)` restores all removed data specified in `OutlierIndices`. For a local response, the indices refer to record numbers for all tests.

Examples

```
RemoveOutliers(R, 1:5)
RestoreData(R, 1:2)
```

See Also

`RemoveOutliersForTest`, `RemoveOutliers`, `OutlierIndices`

RestoreDataForTest

Purpose	Restore removed outliers for test
Syntax	<pre>L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices) L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices, doUpdate)</pre>
Description	<p>This is a method of <code>mbcmodel.localresponse</code>.</p> <pre>L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices)</pre> restores all removed data for <code>TESTNUMBER</code> specified in <code>Indices</code> .
	<pre>L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices, doUpdate)</pre> restores all specified removed data and if <code>doUpdate</code> is true, refits all response features. By default, all response feature models will be updated. If a number of tests are being screened it is more efficient to set <code>doUpdate</code> to false and call <code>UpdateResponseFeatures</code> when all the tests have been screened.
	<code>Indices</code> must be numbers and must belong to the set of outliers in <code>OutliersForTest</code> .
Examples	<p>For a local response <code>LOCALRESPONSE</code>, to remove first two data points without updating response features:</p> <pre>RemoveOutliersForTest(LOCALRESPONSE, 1, 1:2, false);</pre> <p>To find list of indices of removed data points:</p> <pre>indices = OutliersForTest(LOCALRESPONSE, 1);</pre> <p>To restore first data point:</p> <pre>RestoreDataForTest(LOCALRESPONSE, 1, 1, false);</pre> <p>To restore all data:</p> <pre>RestoreDataForTest(LOCALRESPONSE, 1, ':', false);</pre> <p>To update response features:</p>

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also

UpdateResponseFeatures, RemoveOutliersForTest,
OutlierIndicesForTest

RollbackEdit

Purpose Undo most recent changes to data

Syntax `D = RollbackEdit(D)`

Description This is a method of `mbcmodel.data`. Use this if you change your mind about changes you have made to the data since you called `BeginEdit`, such as importing or appending data, applying filters or creating new user variables.

There are no input arguments. If for your data object `D`, `IsBeingEdited` is true, then `RollbackEdit` will return it to the same state as it was when `BeginEdit` was called. If `IsEditable(D)` is true then you can still modify it, if not it will revert to being read-only. See the example below.

Examples

```
D = get(P, 'Data');
BeginEdit(D);
AddVariable(D, 'TQ = tq', 'lbft');
AddFilter(D, 'TQ < 200');
DefineTestGroups(D, {'RPM' 'AFR'}, [50 10], 'MyLogNo');
RollbackEdit(D);
```

This returns the data object `D` to the same state as when `BeginEdit` was called. If the data object `IsEditable` then the returned object will still return true for `IsBeingEdited`, else it will not be editable.

For an example case where `IsEditable` is false and `IsBeingEdited` is true:

```
D = get(p, 'Data');
D1 = get(p, 'Data');
BeginEdit(D1);
tp = get(p, 'Testplan');
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `IsEditable` for `D1` becomes false because it is now Attached to the test plan and hence can only be modified from the test plan. However

```
OK = get(D1, 'IsBeingEdited')
```

will still be true at this point, and trying to call `CommitEdit` will fail.

See Also

`BeginEdit`, `CommitEdit`, `IsBeingEdited`

Save

Purpose Save project to currently selected filename

Syntax `OK = Save(P, Name)`

Description This is a method of `mbcmodel.project`.

Examples `OK = Save(proj, 'Example.mat');`

See Also `SaveAs`

Purpose	Save project to new file
Syntax	<code>OK = SaveAs(P, Name)</code>
Description	This is a method of <code>mbcmodel.project</code> .
Examples	<code>OK = SaveAs(proj, 'Example.mat');</code>
See Also	Save

SetTermStatus

Purpose	Set status of model terms
Syntax	<code>M.Properties = M.Properties.SetTermStatus(Terms, Status)</code>
Description	<p>This is a method of <code>mbcmodel.linearmodelproperties</code>.</p> <p><code>M.Properties = M.Properties.SetTermStatus(Terms, Status)</code> sets the status of the specified terms in this model. Status must be a cell array of status strings.</p> <p>The stepwise status for each term can be Always, Never or Step. The status determines whether you can use the <code>StepwiseRegression</code> function to throw away terms in order to try to improve the predictive power of the model.</p> <p>M is an <code>mbcmodel.linearmodel</code> object.</p>
Examples	<pre>M = mbcmodel.CreateModel('Polynomial', 2); M.Properties = M.Properties.SetTermStatus([1 2; 1 0], {'Never', 'Always'});</pre> <p>This example sets the status of the $X1 \cdot X2^2$ term to Never and the $X1$ term to Always.</p>
See Also	<code>GetTermStatus</code> , <code>StepwiseStatus</code>

Purpose Open fit algorithm setup dialog box

Syntax [OPT,OK]= SetupDialog(F)

Description This is a method of `mbcmodel.fitalgorithm`.

[OPT,OK]= SetupDialog(F) opens the fit algorithm setup dialog box, where you can edit the algorithm parameters. F is a `mbcmodel.fitalgorithm` object.

If you click **Cancel** to dismiss the dialog, `OK = false` and no changes are made. If you click **OK** to close the dialog box, then `OK = true` and your new chosen algorithm parameters are set up.

Examples

See Also `CreateAlgorithm`, `getAlternativeNames`

SignalNames

Purpose Names of signals held by data

Syntax `names = get (D, 'SignalNames')`

Description This is a property of `mbcmodel.data`.
This is a cell array of strings that hold the names of the signals within the data. These names can be used to reference the appropriate signals in the `Value` method. The subset of these names that are being used for modeling may also be found in the test plan and responses `InputSignalNames` properties.

Examples `names = get(D, 'SignalNames');`

See Also `SignalUnits`, `InputSignalNames`, `Value`

Purpose Names of units in data

Syntax `units = get(D, 'SignalUnits')`

Description This is a property of `mbcmodel.data`.
D is the data object.
It returns a cell array of strings holding the units of the signals.

Examples `units = get(D, 'SignalUnits');`

See Also `SignalNames`

SingleVIF

Purpose Single VIF matrix for linear model parameters

Syntax `VIF = SingleVIF(LINEARMODEL)`

Description This is a method of `mbcmodel.linearmodel`.

`VIF = SingleVIF(LINEARMODEL)` calculates the single Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples `VIF = SingleVIF(knot_model)`

See Also `ParameterStatistics`

Purpose Number of model parameters

Syntax `N = get (params, 'SizeOfParameterSet')`

Description This is a property of `mbcmodel.linearmodelparameters`, for linear models only. It returns the total possible number of parameters in the model. Note that not all of these terms are necessarily currently included in the model, as you may remove some using `StepwiseRegression`.

Call `NumberOfParameters` to see how many terms are currently included in the model. Call `StepwiseSelection` to see which terms are included and excluded.

Use `Names` and `Values` to get the parameter names and values.

Examples `N = get(knotparams, 'SizeOfParameterSet')`

See Also `NumberOfParameters`, `StepwiseSelection`, `Names`, `Values`

StatisticsDialog

Purpose Open summary statistics dialog box

Syntax [mdl,OK]= StatisticsDialog(mdl)

Description This is a method of `mbcmodel.model`.
[mdl,OK]= StatisticsDialog(mdl) opens the Summary Statistics dialog box, where you can select the summary statistics you want to use.

If you click **Cancel** to dismiss the dialog, `OK = false` and no changes are made. If you click **OK** to close the dialog box, then `OK = true` and your new chosen summary statistics are set up.

See Also SummaryStatistics

Purpose Model status: fitted, not fitted or best

Syntax `S = get(model, 'Status')`

Description This is a property of `mbcmodel.model`. It returns a string: 'Fitted' if the model is fitted, 'Not fitted' if the model is not fitted (for example there is not enough data to fit the model), or 'Best' if the model has been selected as best from some alternative models. A model must be Fitted before it can be selected as Best.

Examples

```
S = get(knot, 'Status')
S =
    `Fitted`
```

See Also `ChooseAsBest`

StepwiseRegression

Purpose Change stepwise selection status for specified terms

Syntax `[S, model] = StepwiseRegression(model, optional toggleTerms)`

Description This is a method of `mbcmodel.model`, for linear models only. This method returns the Stepwise table (as in the Stepwise values for `ParameterStatistics`). Leave out `toggleTerms` to get the current Stepwise values. You can choose to remove or include parameters using `StepwiseRegression`, as long as their `StepwiseStatus` is `Step`.

The Stepwise values returned are the same as those found in the table in the Stepwise GUI. For each parameter, the columns are: the value of the coefficient, the standard error of the coefficient, the t value and Next PRESS (the value of PRESS if the status of this term is changed at the next iteration). Look for the lowest Next PRESS to indicate which terms to toggle in order to improve the predictive power of the model.

Call `StepwiseRegression` to toggle between in and out for particular parameters. `toggleTerms` can be either an index that specifies which parameters to toggle, or an array or logical where a true value indicates that a toggle should occur. The example shown toggles parameter 4, after inspection of the Next PRESS column indicates changing the status of this term will result in the lowest PRESS. `StepwiseRegression` returns the new Stepwise values after toggling a parameter.

After making changes to the model using `StepwiseRegression` you must call `UpdateResponse`.

Use `StepwiseStatus` (on the child `modelparameters` object) to see which parameters have a status of `Step`; these can be toggled between in and out using `StepwiseRegression` (on the parent model object).

Use `StepwiseSelection` (on the child `modelparameters` object) to view which terms are in and out, as shown in the example.

Examples

```
[S, knot] = StepwiseRegression(knot)
S =

    1.0e+003 *
```

```
0.1316    0.0606    0.0200    NaN
0.0000    0.0000    0.0200    2.0919
0.0000    0.0000    0.0190    0.2828
-0.0000   0.0000    0.0190    0.2531
0.0000    0.0000    0.0190    0.2680
-0.0551   0.0347    0.0200    0.2566
0.0919    0.0264    0.0200    0.3672
-0.0040   0.0023    0.0200    0.2564
-0.0178   0.0095    0.0200    0.2644
0.0008    0.0004    0.0200    0.2787
```

```
[S, knot] = StepwiseRegression(knot, 4)
```

```
S =
```

```
129.8406   60.1899   19.0000    NaN
  0.0048    0.0008   19.0000  662.3830
  0.0000    0.0000   18.0000  290.8862
 -0.0021    0.0019   19.0000  245.9833
  0.0001    0.0002   18.0000  281.4104
-50.4091   34.7401   19.0000  262.8346
 94.9675   26.3690   19.0000  400.6572
  -4.0887    2.2488   19.0000  262.6588
-17.9412    9.4611   19.0000  276.7535
  0.8229    0.3734   19.0000  292.0827
```

```
params = get(knot, 'Parameters');
N = get(params, 'StepwiseSelection')
```

```
N =
```

```
'in'
'in'
'out'
'in'
'out'
'in'
```

StepwiseRegression

```
'in'
'in'
'in'
'in'

>> StepwiseRegression(knot, 4);
params = get(knot, 'Parameters');
N = get(params, 'StepwiseSelection')

N =
'in'
'in'
'out'
'out'
'out'
'in'
'in'
'in'
'in'
'in'
```

See Also

StepwiseSelection, StepwiseStatus, UpdateResponse

Purpose Model parameters currently included and excluded

Syntax `N = get (paramsknot, 'StepwiseSelection')`

Description This is a read-only property of `mbcmodel.linearmodelparameters`, for linear models only. It returns a status for each parameter in the model, in or out, depending on whether the term is included or excluded. You can choose to remove or include parameters using `StepwiseRegression`, as long as their `StepwiseStatus` is `Step`. Call `StepwiseRegression` (on the parent model object) to toggle between in and out for particular parameters. You must then call `UpdateResponse` before calling `StepwiseSelection`.

Examples

```
N = get(paramsknot, 'StepwiseSelection')
N =
    'in'
    'in'
    'out'
    'out'
    'out'
    'in'
    'in'
    'in'
    'in'
    'in'
```

See Also `StepwiseRegression`, `StepwiseStatus`, `NumberOfParameters`, `UpdateResponse`

StepwiseStatus

Purpose Stepwise status of parameters in model

Syntax `N = get (paramsknot, 'StepwiseStatus')`

Description This is a method of `mbcmodel.linearmodelparameters`, for linear models only. It returns the stepwise status of each parameter in the model.

The stepwise status for each term can be Always, Never or Step. The status determines whether you can use the `StepwiseRegression` function to throw away terms in order to try to improve the predictive power of the model.

- Always - Always included in the model
- Never - Never included in the model
- Step - You can choose whether to include or exclude this term. Do this by using `StepwiseRegression` to toggle between in and out for particular parameters.

Use `StepwiseSelection` to find out which terms are currently included and excluded.

Examples

```
N = get(paramsknot, 'StepwiseStatus')
N =
    'Always'
    'Step'
    'Step'
    'Step'
    'Step'
    'Step'
    'Step'
    'Step'
    'Step'
    'Step'
```

See Also `StepwiseRegression`, `StepwiseSelection`

Purpose Summary statistics for response

Syntax `S = SummaryStatistics(R, Name)`

Description This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse`, `mbcmodel.response`, and `mbcmodel.model`.

These are the statistics that appear in the Summary Statistics pane of the Model Browser GUI.

R is the response object.

S is a structure array containing `Statistics` and `Names` fields for the response R.

Name is an optional input where you can specify which statistics you want. If you do not use Name all statistics are calculated.

Examples `S = SummaryStatistics(R2);`

See Also `DiagnosticStatistics`, `AlternativeModelStatistics`

TestFilters

Purpose Structure array holding user-defined test filters

Syntax `testf = get (D, 'TestFilters')`

Description This is a property of `mbcmodel.data`.

It returns a structure array holding information about the currently defined test filters for the data object `D`. The array will be the same length as the number of currently defined test filters, with the following fields for each filter:

- **Expression** — The string expression as defined in `AddTestFilter` or `ModifyTestFilter`.
- **AppliedOK** — Boolean indicating that the filter was successfully applied.
- **RemovedTests** — Boolean vector indicating which tests the filter removed. Note that many filters could remove the same test.
- **Message** — String holding information on the success or otherwise of the filter.

Examples `testf = get(D, 'TestFilters');`

See Also `AddTestFilter`, `ModifyTestFilter`, `RemoveTestFilter`

Purpose	Array of test plan objects in project
Syntax	<code>tps = get (P, 'TestPlans')</code>
Description	This is a property of <code>mbcmodel.project</code> . P is the project object.
Examples	<code>tps = get(P, 'TestPlans');</code>

Type

Purpose Valid model types

Syntax `M = mbcmodel.CreateModel(Type, NUMINPUTS)`
`M2 = CreateModel(M, Type)`

Description This is a property of `mbcmodel.model`.
The model type must be one of the following:

- Polynomial
- Hybrid Spline
- RBF
- Hybrid RBF
- Polynomial-RBF
- Hybrid Spline-RBF
- Multiple Linear
- Free Knot Spline
- Transient
- User-Defined
- Neural Network

Note Spaces and case in model Type are ignored.

Get a list of types, using `getAlternativeTypes`, by entering the following syntax:

```
Mlist = getAlternativeTypes(M)
```

where `M` is an `mbcmodel.model` object.

Create an alternative model as follows: M =
mbcmodel.CreateModel(Type, NUMINPUTS) or M2 =
CreateModel(M, Type)

The model Type determines which properties you can set. To set properties, see Properties.

See Also

Properties, getAlternativeTypes, CreateModel

UpdateResponse

Purpose	Replace model in response
Syntax	<pre>UpdateResponse(model) M = UpdateResponse(M , R); updates the response specified by R</pre>
Description	<p>This is a method of <code>mbcmodel.model</code>. This takes the model and places it back into the response it came from. Appropriate action is taken if a refit is necessary because you have modified either the model, response data or model data in the interim. For example, if you have changed the model type, the new model is fitted to the response data. If you have changed the response data (e.g. removed an outlier), the model is fitted to the new response data.</p> <p>Note that when changing the model type or settings (using the <code>ModelSetup</code> command) the response is not refitted until you call <code>UpdateResponse</code>. If you have changed the model by using <code>StepwiseRegression</code> you must call <code>UpdateResponse</code>.</p> <pre>UpdateResponse(M)</pre> <p>updates the model in the response associated with the model.</p> <pre>M = UpdateResponse(M , R);</pre> <p>updates the response specified by R.</p>
Examples	<pre>UpdateResponse(knot);</pre>
See Also	<code>ModelSetup</code>

Purpose Refit response feature models

Syntax UpdateResponseFeatures(L)

Description This is a method of `mbcmodel.localresponse`.
UpdateResponseFeatures(L) refits all response feature models. You need to call this if you used RemoveOutliersForTest without specifying refitting the response features (`doUpdate` set to false).

Examples For a local response LOCALRESPONSE, to remove first two data points without updating response features:

```
RemoveOutliersForTest(LOCALRESPONSE, 1, 1:2, false);
```

To update response features:

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also RemoveOutliersForTest, RestoreDataForTest

UserVariables

Purpose Structure array holding user-defined variables

Syntax `userV = get(D, 'UserVariables')`

Description This is a property of `mbcmodel.data`.

This returns a structure array holding information about the currently defined filters. The array will be the same length as the number of currently defined variables, with fields

- **Variable** — variable name
 - **Expression** — The string expression as defined in `AddVariable` or `ModifyVariable`
 - **Units** — The string defining the units
 - **AppliedOK** — Boolean indicating that the variable expression was successfully applied
 - **Message** — String holding information on the success or otherwise of the variable

Examples `myvars = get(D1, 'UserVariables')`

This returns the following information about the user-defined variable in the example data object `D1`:

```
Variable: 'BSFC'  
Expression: 'BSFC = FUELFLO./(BTQ.*(ENGSPEED*2*pi/60))'  
Units: 'kg/Nm'  
AppliedOK: 1  
Message: 'Variable successfully added'
```

`Variable` is the parsed name of the variable being added. Note that this might differ from the string used in `AddVariable` because the `SignalName` must be a valid MATLAB variable name, and hence MBC will parse and modify the input string appropriately.

See Also

AddVariable, ModifyVariable, RemoveVariable

Value

Purpose Double data from data object

Syntax `val = Value(D, varNames, testNumbers)`

Description This is a method of `mbcmodel.data`.

Use this to extract particular data values.

`varNames` is an optional input that specifies either the name of the signal that you want to extract (such as 'SPK') or an array of names ({'SPK' 'AFR' 'TQ'}) the indices of the signals ([1 4 5]). Defaults to ':' meaning all.

`testNumbers` is an optional input that specifies which test indices you want. Defaults to ':' meaning all.

`val` outputs the double values held in the data.

Examples

```
dblValues = Value(D, 'SPK', 1);  
dblValues = Value(D, {'SPK' 'AFR'}, ':');  
dblValues = Value(D, [1 3 4 5]);  
dblValues = Value(D, ':', [1 4 6 8]);
```

See Also `SignalNames`

Purpose Values of model parameters

Syntax `vals = get (paramsknot, 'Values')`

Description This is a read-only property of `mbcmodel.modelparameters`. It returns the value of each parameter in the model. Use `Names` to find out the names of these terms.

Examples `vals = get(paramsknot, 'Values');`

See Also `Names`

Widths

Purpose

Width data from RBF model

Syntax

```
Width = get(params, 'Widths')
```

Description

This is a property of `mbcmodel.rbfmodelparameters`, for Radial Basis Function (RBF) models only.

Width is usually a single value, but can also be of size 1 by number of variables in the case of the width per dimension algorithm, or number of centers by number of variables in the case of tree regression.

Examples

```
Width = get(params, 'Widths');
```

See Also

Centers

Purpose X (or input) data for model

Syntax `D = get (model, 'XData')`

Description This has been replaced by `InputData`, use this instead.
This is a property of `mbcmodel.model`. It returns an array of the input variable data currently in the model.

Examples `D = get(knot, 'XData');`

See Also `InputData`, `XDataNames`, `YData`

XDataNames

Purpose X data (or input) variable names for model

Syntax `D = get (model, 'XDataNames')`

Description This is a property of `mbcmodel.model`. It returns the names of the input variables in the data.

Examples `D = get(knot, 'XDataNames');`

See Also XData

Purpose	Y (or response) data for model
Syntax	<code>D = get (model, 'YData')</code>
Description	<p>This has been replaced by <code>OutputData</code>, use this instead.</p> <p>This is a property of <code>mbcmodel.model</code>.</p> <p>It returns an array of the response data currently in the model.</p>
Examples	<pre>D = get(knot, 'YData');</pre>
See Also	<code>OutputData</code> , <code>XData</code>