


Fixed-Point Toolbox 2

Reference



MATLAB®

How to Contact The MathWorks



www.mathworks.com
comp.soft-sys.matlab
www.mathworks.com/contact_TS.html

Web
Newsgroup
Technical Support



suggest@mathworks.com
bugs@mathworks.com
doc@mathworks.com
service@mathworks.com
info@mathworks.com

Product enhancement suggestions
Bug reports
Documentation error reports
Order status, license renewals, passcodes
Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Fixed-Point Toolbox Reference

© COPYRIGHT 2004–2007 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB, Simulink, Stateflow, Handle Graphics, Real-Time Workshop, SimBiology, SimHydraulics, SimEvents, and xPC TargetBox are registered trademarks and The MathWorks, the L-shaped membrane logo, Embedded MATLAB, and PolySpace are trademarks of The MathWorks, Inc.

Other product or brand names are trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

June 2004	First printing	New for Version 1.0 (Release 14)
October 2004	Online only	Version 1.1 (Release 14SP1)
March 2005	Online only	Version 1.2 (Release 14SP2)
September 2005	Online only	Version 1.3 (Release 14SP3)
October 2005	Second printing	Version 1.3
March 2006	Online only	Version 1.4 (R2006a)
September 2006	Online only	Version 1.5 (R2006b)
March 2007	Online only	Version 2.0 (R2007a)
September 2007	Online only	Version 2.1 (R2007b)

Property Reference

1

fi Object Properties	1-2
bin	1-2
data	1-2
dec	1-2
double	1-2
fimath	1-2
hex	1-3
int	1-3
NumericType	1-3
oct	1-5
fimath Object Properties	1-6
CastBeforeSum	1-6
MaxProductWordLength	1-6
MaxSumWordLength	1-6
OverflowMode	1-6
ProductBias	1-7
ProductFixedExponent	1-7
ProductFractionLength	1-7
ProductMode	1-7
ProductSlope	1-9
ProductSlopeAdjustmentFactor	1-9
ProductWordLength	1-9
RoundMode	1-10
SumBias	1-10
SumFixedExponent	1-10
SumFractionLength	1-11
SumMode	1-11
SumSlope	1-12
SumSlopeAdjustmentFactor	1-13
SumWordLength	1-13
fipref Object Properties	1-14
DataTypeOverride	1-14
FimathDisplay	1-14

LoggingMode	1-14
NumericTypeDisplay	1-15
NumberDisplay	1-15
numerictype Object Properties	1-17
Bias	1-17
DataType	1-17
DataTypeMode	1-17
FixedExponent	1-18
FractionLength	1-19
Scaling	1-19
Signed	1-19
Slope	1-20
SlopeAdjustmentFactor	1-20
WordLength	1-20
quantizer Object Properties	1-21
DataMode	1-21
Format	1-21
OverflowMode	1-22
RoundMode	1-23

Functions — By Category

2

Bitwise Functions	2-2
Constructor and Property Functions	2-3
Data Manipulation Functions	2-4
Data Type Functions	2-5
Data Quantizing Functions	2-6
Element-Wise Logical Operator Functions	2-6

Math Operation Functions	2-7
Matrix Manipulation Functions	2-8
Plotting Functions	2-10
Radix Conversion Functions	2-13
Relational Operator Functions	2-14
Statistics Functions	2-14
Subscripted Assignment and Reference Functions	2-15
fi Object Functions	2-16
fimath Object Functions	2-26
fipref Object Functions	2-27
numerictype Object Functions	2-28
quantizer Object Functions	2-29

Functions — Alphabetical List

3

Glossary

Index

Property Reference

<code>fi</code> Object Properties (p. 1-2)	Defines the <code>fi</code> object properties
<code>fimath</code> Object Properties (p. 1-6)	Defines the <code>fimath</code> object properties
<code>fipref</code> Object Properties (p. 1-14)	Defines the <code>fipref</code> object properties
<code>numericType</code> Object Properties (p. 1-17)	Defines the <code>numericType</code> object properties
<code>quantizer</code> Object Properties (p. 1-21)	Defines the <code>quantizer</code> object properties

fi Object Properties

The properties associated with `fi` objects are described in the following sections in alphabetical order.

Note The `fimath` properties and `numericType` properties are also properties of the `fi` object. Refer to “`fimath` Object Properties” on page 1-6 and “`numericType` Object Properties” on page 1-17 for more information.

bin

Stored integer value of a `fi` object in binary.

data

Numerical real-world value of a `fi` object.

dec

Stored integer value of a `fi` object in decimal.

double

Real-world value of a `fi` object stored as a MATLAB® double.

fimath

`fimath` object associated with a `fi` object. The default `fimath` object has the following settings:

```
RoundMode: nearest
OverflowMode: saturate
ProductMode: FullPrecision
MaxProductWordLength: 128
SumMode: FullPrecision
MaxSumWordLength: 128
CastBeforeSum: true
```

To learn more about fimath properties, refer to “fimath Object Properties” on page 1-6.

hex

Stored integer value of a `fi` object in hexadecimal.

int

Stored integer value of a `fi` object, stored in a built-in MATLAB integer data type. You can also use `int8`, `int16`, `int32`, `uint8`, `uint16`, and `uint32` to get the stored integer value of a `fi` object in these formats.

NumericType

Structure containing all the data type and scaling attributes of a `fi` object. The `numericType` object acts the same way as any MATLAB structure, except that it only lets you set valid values for defined fields. The following table shows the possible settings of each field of the structure that are valid for `fi` objects.

DataTypeMode	Data-Type	Scaling	Signed	Word-Length	Fraction-Length	Slope	Bias
<i>Fully specified fixed-point data types</i>							
Fixed-point: binary point scaling	Fixed	BinaryPoint	1/0 true/ false	positive integer from 1 to 65,536	positive or negative integer	1	0
Fixed-point: slope and bias scaling	Fixed	SlopeBias	1/0 true/ false	positive integer from 1 to 65,536	N/A	any floating- point number	any floating- point number
<i>Partially specified fixed-point data type</i>							

DataTypeMode	Data-Type	Scaling	Signed	Word-Length	Fraction-Length	Slope	Bias
Fixed-point: unspecified scaling	Fixed	Unspecified	1/0 true/ false	positive integer from 1 to 65,536	N/A	N/A	N/A
<i>Fully specified scaled double data types</i>							
Scaled double: binary point scaling	ScaledDouble	BinaryPoint	1/0 true/ false	positive integer from 1 to 65,536	positive or negative integer	1	0
Scaled double: slope and bias scaling	ScaledDouble	SlopeBias	1/0 true/ false	positive integer from 1 to 65,536	N/A	any floating- point number	any floating- point number
<i>Partially specified scaled double data type</i>							
Scaled double: unspecified scaling	ScaledDouble	Unspecified	1/0 true/ false	positive integer from 1 to 65,536	N/A	N/A	N/A
<i>Built-in data types</i>							
double	double	N/A	1 true	64	0	1	0
single	single	N/A	1 true	32	0	1	0
boolean	boolean	N/A	0 false	1	0	1	0

You cannot change the numeric type properties of a fi object after fi object creation.

oct

Stored integer value of a fi object in octal.

fimath Object Properties

The properties associated with `fimath` objects are described in the following sections in alphabetical order.

CastBeforeSum

Whether both operands are cast to the sum data type before addition. Possible values of this property are 1 (cast before sum) and 0 (do not cast before sum).

The default value of this property is 1 (true).

MaxProductWordLength

Maximum allowable word length for the product data type.

The default value of this property is 128.

MaxSumWordLength

Maximum allowable word length for the sum data type.

The default value of this property is 128.

OverflowMode

Overflow-handling mode. The value of the `OverflowMode` property can be one of the following strings:

- `saturate` — Saturate to maximum or minimum value of the fixed-point range on overflow.
- `wrap` — Wrap on overflow. This mode is also known as two's complement overflow.

The default value of this property is `saturate`.

ProductBias

Bias of the product data type. This value can be any floating-point number. The product data type defines the data type of the result of a multiplication of two `fi` objects.

The default value of this property is 0.

ProductFixedExponent

Fixed exponent of the product data type. This value can be any positive or negative integer. The product data type defines the data type of the result of a multiplication of two `fi` objects.

$ProductSlope = ProductSlopeAdjustmentFactor \times 2^{ProductFixedExponent}$
Changing one of these properties changes the others.

The `ProductFixedExponent` is the negative of the `ProductFractionLength`. Changing one property changes the other.

The default value of this property is -30.

ProductFractionLength

Fraction length, in bits, of the product data type. This value can be any positive or negative integer. The product data type defines the data type of the result of a multiplication of two `fi` objects.

The `ProductFractionLength` is the negative of the `ProductFixedExponent`. Changing one property changes the other.

The default value of this property is 30.

ProductMode

Defines how the product data type is determined. In the following descriptions, let A and B be real operands, with [word length, fraction length] pairs $[W_a F_a]$ and $[W_b F_b]$, respectively. W_p is the product data type word length and F_p is the product data type fraction length.

- **FullPrecision** — The full precision of the result is kept. An error is generated if the calculated word length is greater than `MaxProductWordLength`.

$$W_p = W_a + W_b$$

$$F_p = F_a + F_b$$

- **KeepLSB** — Keep least significant bits. You specify the product data type word length, while the fraction length is set to maintain the least significant bits of the product. In this mode, full precision is kept, but overflow is possible. This behavior models the C language integer operations.

$$W_p = \text{specified in the ProductWordLength property}$$

$$F_p = F_a + F_b$$

- **KeepMSB** — Keep most significant bits. You specify the product data type word length, while the fraction length is set to maintain the most significant bits of the product. In this mode, overflow is prevented, but precision may be lost.

$$W_p = \text{specified in the ProductWordLength property}$$

$$F_p = W_p - \text{integer length}$$

where

$$\text{integer length} = (W_a + W_b) - (F_a - F_b)$$

- **SpecifyPrecision** — You specify both the word length and fraction length of the product data type.

$$W_p = \text{specified in the ProductWordLength property}$$

$$F_p = \text{specified in the ProductFractionLength Property}$$

For [Slope Bias] math, you specify both the slope and bias of the product data type.

$$S_p = \text{specified in the ProductSlope property}$$

$$B_p = \text{specified in the ProductBias property}$$

[Slope Bias] math is only defined for products when `ProductMode` is set to `SpecifyPrecision`.

The default value of this property is `FullPrecision`.

ProductSlope

Slope of the product data type. This value can be any floating-point number. The product data type defines the data type of the result of a multiplication of two `fi` objects.

$$ProductSlope = ProductSlopeAdjustmentFactor \times 2^{ProductFixedExponent}$$

Changing one of these properties changes the others.

The default value of this property is `9.3132e-010`.

ProductSlopeAdjustmentFactor

Slope adjustment factor of the product data type. This value can be any floating-point number greater than or equal to 1 and less than 2. The product data type defines the data type of the result of a multiplication of two `fi` objects.

$$ProductSlope = ProductSlopeAdjustmentFactor \times 2^{ProductFixedExponent}$$

Changing one of these properties changes the others.

The default value of this property is `1`.

ProductWordLength

Word length, in bits, of the product data type. This value must be a positive integer. The product data type defines the data type of the result of a multiplication of two `fi` objects.

The default value of this property is `32`.

RoundMode

The rounding mode. The value of the RoundMode property can be one of the following strings:

- `ceil` — Round toward positive infinity.
- `convergent` — Round to the closest representable integer. Ties round to the nearest even stored integer. This is the least biased rounding method provided by Fixed-Point Toolbox.
- `fix` — Round toward zero.
- `floor` — Round toward negative infinity.
- `nearest` — Round toward nearest. Ties round toward positive infinity.
- `round` — Round toward nearest. Ties round toward negative infinity for negative numbers, and toward positive infinity for positive numbers.

The default value of this property is `nearest`.

SumBias

The bias of the sum data type. This value can be any floating-point number. The sum data type defines the data type of the result of a sum of two `fi` objects.

The default value of this property is 0.

SumFixedExponent

The fixed exponent of the sum data type. This value can be any positive or negative integer. The sum data type defines the data type of the result of a sum of two `fi` objects

$SumSlope = SumSlopeAdjustmentFactor \times 2^{SumFixedExponent}$. Changing one of these properties changes the others.

The SumFixedExponent is the negative of the SumFractionLength. Changing one property changes the other.

The default value of this property is -30.

SumFractionLength

The fraction length, in bits, of the sum data type. This value can be any positive or negative integer. The sum data type defines the data type of the result of a sum of two `fi` objects.

The `SumFractionLength` is the negative of the `SumFixedExponent`. Changing one property changes the other.

The default value of this property is 30 .

SumMode

Defines how the sum data type is determined. In the following descriptions, let A and B be real operands, with [word length, fraction length] pairs $[W_a, F_a]$ and $[W_b, F_b]$, respectively. W_s is the sum data type word length and F_s is the sum data type fraction length.

Note In the case where there are two operands, as in $A + B$, `NumberOfSummands` is 2, and $\text{ceil}(\log_2(\text{NumberOfSummands})) = 1$. In `sum(A)` where A is a matrix, the `NumberOfSummands` is `size(A,1)`. In `sum(A)` where A is a vector, the `NumberOfSummands` is `length(A)`.

- `FullPrecision` — The full precision of the result is kept. An error is generated if the calculated word length is greater than `MaxSumWordLength`.

$$W_s = \text{integer length} + F_s$$

where

$$\text{integer length} = \max(W_a - F_a, W_b - F_b) + \text{ceil}(\log_2(\text{NumberOfSummands}))$$

$$F_s = \max(F_a, F_b)$$

- `KeepLSB` — Keep least significant bits. You specify the sum data type word length, while the fraction length is set to maintain the least significant bits of the sum. In this mode, full precision is kept, but overflow is possible. This behavior models the C language integer operations.

W_s = specified in the `SumWordLength` property

$F_s = \max(F_a, F_b)$

- `KeepMSB` — Keep most significant bits. You specify the sum data type word length, while the fraction length is set to maintain the most significant bits of the sum and no more fractional bits than necessary. In this mode, overflow is prevented, but precision may be lost.

W_s = specified in the `SumWordLength` property

$F_s = W_s - \text{integer length}$

where

$\text{integer length} = \max(W_a - F_a, W_b - F_b) + \text{ceil}(\log_2(\text{NumberOfSummands}))$

- `SpecifyPrecision` — You specify both the word length and fraction length of the sum data type.

W_s = specified in the `SumWordLength` property

F_s = specified in the `SumFractionLength` property

For [Slope Bias] math, you specify both the slope and bias of the sum data type.

S_s = specified in the `SumSlope` property

B_s = specified in the `SumBias` property

[Slope Bias] math is only defined for sums when `SumMode` is set to `SpecifyPrecision`.

The default value of this property is `FullPrecision`.

SumSlope

The slope of the sum data type. This value can be any floating-point number. The sum data type defines the data type of the result of a sum of two `fi` objects.

$\text{SumSlope} = \text{SumSlopeAdjustmentFactor} \times 2^{\text{SumFixedExponent}}$. Changing one of these properties changes the others.

The default value of this property is 9.3132e-010.

SumSlopeAdjustmentFactor

The slope adjustment factor of the sum data type. This value can be any floating-point number greater than or equal to 1 and less than 2. The sum data type defines the data type of the result of a sum of two `fi` objects.

$SumSlope = SumSlopeAdjustmentFactor \times 2^{SumFixedExponent}$. Changing one of these properties changes the others.

The default value of this property is 1.

SumWordLength

The word length, in bits, of the sum data type. This value must be a positive integer. The sum data type defines the data type of the result of a sum of two `fi` objects.

The default value of this property is 32.

fipref Object Properties

The properties associated with `fipref` objects are described in the following sections in alphabetical order.

DataTypeOverride

Data type override options for `fi` objects

- `ForceOff` — No data type override
- `ScaledDoubles` — Override with scaled doubles
- `TrueDoubles` — Override with doubles
- `True Singles` — Override with singles

Data type override only occurs when the `fi` constructor function is called.

The default value of this property is `ForceOff`.

FimathDisplay

Display options for the `fimath` attributes of a `fi` object

- `full` — Displays all of the `fimath` attributes of a fixed-point object
- `none` — None of the `fimath` attributes are displayed

The default value of this property is `full`.

LoggingMode

Logging options for operations performed on `fi` objects

- `off` — No logging
- `on` — Information is logged for future operations

Overflows and underflows for assignment, plus, minus, and multiplication operations are logged as warnings when `LoggingMode` is set to `on`.

When `LoggingMode` is on, you can also use the following functions to return logged information about assignment and creation operations to the MATLAB command line:

- `maxlog` — Returns the maximum real-world value
- `minlog` — Returns the minimum value
- `noverflows` — Returns the number of overflows
- `nunderflows` — Returns the number of underflows

`LoggingMode` must be set to on before you perform any operation in order to log information about it. To clear the log, use the function `resetlog`.

The default value of this property is `off`.

NumericTypeDisplay

Display options for the `numericType` attributes of a `fi` object

- `full` — Displays all the `numericType` attributes of a fixed-point object
- `none` — None of the `numericType` attributes are displayed.
- `short` — Displays an abbreviated notation of the fixed-point data type and scaling of a fixed-point object in the format `xWL,FL` where
 - `x` is `s` for signed and `u` for unsigned.
 - `WL` is the word length.
 - `FL` is the fraction length.

The default value of this property is `full`.

NumberDisplay

Display options for the value of a `fi` object

- `bin` — Displays the stored integer value in binary format
- `dec` — Displays the stored integer value in unsigned decimal format

- `RealWorldValue` — Displays the stored integer value in the format specified by the MATLAB format function
- `hex` — Displays the stored integer value in hexadecimal format
- `int` — Displays the stored integer value in signed decimal format
- `none` — No value is displayed.

The default value of this property is `RealWorldValue`. In this mode, the value of a `fi` object is displayed in the format specified by the MATLAB format function: `+`, `bank`, `compact`, `hex`, `long`, `long e`, `long g`, `loose`, `rat`, `short`, `short e`, or `short g`. `fi` objects in `rat` format are displayed according to

$$\frac{1}{(2^{\text{fixed-point exponent}})} \times \text{stored integer}$$

numericType Object Properties

The properties associated with numericType objects are described in the following sections in alphabetical order.

Bias

Bias associated with a `fi` object. The bias is part of the numerical representation used to interpret a fixed-point number. Along with the slope, the bias forms the scaling of the number. Fixed-point numbers can be represented as

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{fixed exponent}}$$

DataType

Data type associated with a `fi` object. The possible values of this property are

- `boolean` — Built-in MATLAB boolean data type
- `double` — Built-in MATLAB double data type
- `Fixed` — Fixed-point or integer data type
- `ScaledDouble` — Scaled double data type
- `single` — Built-in MATLAB single data type

The default value of this property is `fixed`.

DataTypeMode

Data type and scaling associated with a `fi` object. The possible values of this property are

- `boolean` — Built-in boolean

- `double` — Built-in double
- Fixed-point: `binary point scaling` — Fixed-point data type and scaling defined by the word length and fraction length
- Fixed-point: `slope and bias scaling` — Fixed-point data type and scaling defined by the slope and bias
- Fixed-point: `unspecified scaling` — Fixed-point data type with unspecified scaling
- Scaled double: `binary point scaling` — Double data type with fixed-point word length and fraction length information retained
- Scaled double: `slope and bias scaling` — Double data type with fixed-point slope and bias information retained
- Scaled double: `unspecified scaling` — Double data type with unspecified fixed-point scaling
- `single` — Built-in single

The default value of this property is `Fixed-point: binary point scaling`.

FixedExponent

Fixed-point exponent associated with a `fi` object. The exponent is part of the numerical representation used to express a fixed-point number. Fixed-point numbers can be represented as

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

where the slope can be expressed as

$$\textit{slope} = \textit{fractional slope} \times 2^{\textit{fixed exponent}}$$

The exponent of a fixed-point number is equal to the negative of the fraction length:

$$\textit{fixed exponent} = -\textit{fraction length}$$

FractionLength

Value of the `FractionLength` property is the fraction length of the stored integer value of a `fi` object, in bits. The fraction length can be any integer value. If you do not specify the fraction length of a `fi` object, it is set to the best possible precision.

This property is automatically set by default to the best precision possible based on the value of the word length.

Scaling

Fixed-point scaling mode of a `fi` object. The possible values of this property are

- `BinaryPoint` — Scaling for the `fi` object is defined by the fraction length.
- `SlopeBias` — Scaling for the `fi` object is defined by the slope and bias.
- `Unspecified` — A temporary setting that is only allowed at `fi` object creation, in order to allow for the automatic assignment of a binary point best precision scaling.
- `Integer` — The `fi` object is an integer; the binary point is understood to be at the far right of the word, making the fraction length zero.

The default value of this property is `BinaryPoint`.

Signed

Whether a `fi` object is signed. The possible values of this property are

- `1` — signed
- `0` — unsigned
- `true` — signed
- `false` — unsigned

The default value of this property is `true`.

Slope

Slope associated with a `fi` object. The slope is part of the numerical representation used to express a fixed-point number. Along with the bias, the slope forms the scaling of a fixed-point number. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{fixed exponent}}$$

SlopeAdjustmentFactor

Slope adjustment associated with a `fi` object. The slope adjustment is equivalent to the fractional slope of a fixed-point number. The fractional slope is part of the numerical representation used to express a fixed-point number. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{fixed exponent}}$$

WordLength

Value of the `WordLength` property is the word length of the stored integer value of a fixed-point object, in bits. The word length can be any positive integer value.

The default value of this property is 16.

quantizer Object Properties

The properties associated with `quantizer` objects are described in the following sections in alphabetical order.

DataMode

Type of arithmetic used in quantization. This property can have the following values:

- `fixed` — Signed fixed-point calculations
- `float` — User-specified floating-point calculations
- `double` — Double-precision floating-point calculations
- `single` — Single-precision floating-point calculations
- `ufixed` — Unsigned fixed-point calculations

The default value of this property is `fixed`.

When you set the `DataMode` property value to `double` or `single`, the `Format` property value becomes read only.

Format

Data format of a `quantizer` object. The interpretation of this property value depends on the value of the `DataMode` property.

For example, whether you specify the `DataMode` property with `fixed`- or `floating-point` arithmetic affects the interpretation of the `data format` property. For some `DataMode` property values, the `data format` property is read only.

The following table shows you how to interpret the values for the `Format` property value when you specify it, or how it is specified in read-only cases.

DataMode Property Value	Interpreting the Format Property Values
fixed or ufixed	<p>You specify the Format property value as a vector. The number of bits for the quantizer object word length is the first entry of this vector, and the number of bits for the quantizer object fraction length is the second entry.</p> <p>The word length can range from 2 to the limits of memory on your PC. The fraction length can range from 0 to one less than the word length.</p>
float	<p>You specify the Format property value as a vector. The number of bits you want for the quantizer object word length is the first entry of this vector, and the number of bits you want for the quantizer object exponent length is the second entry.</p> <p>The word length can range from 2 to the limits of memory on your PC. The exponent length can range from 0 to 11.</p>
double	<p>The Format property value is specified automatically (is read only) when you set the DataMode property to double. The value is [64 11], specifying the word length and exponent length, respectively.</p>
single	<p>The Format property value is specified automatically (is read only) when you set the DataMode property to single. The value is [32 8], specifying the word length and exponent length, respectively.</p>

OverflowMode

Overflow-handling mode. The value of the OverflowMode property can be one of the following strings:

- saturate — Overflows saturate.

When the values of data to be quantized lie outside the range of the largest and smallest representable numbers (as specified by the data format properties), these values are quantized to the value of either the largest or smallest representable value, depending on which is closest.

- wrap — Overflows wrap to the range of representable values.

When the values of data to be quantized lie outside the range of the largest and smallest representable numbers (as specified by the data format

properties), these values are wrapped back into that range using modular arithmetic relative to the smallest representable number.

The default value of this property is `saturate`.

Note Floating-point numbers that extend beyond the dynamic range overflow to `±inf`.

The `OverflowMode` property value is set to `saturate` and becomes a read-only property when you set the value of the `DataMode` property to `float`, `double`, or `single`.

RoundMode

Rounding mode. The value of the `RoundMode` property can be one of the following strings:

- `ceil` — Round up to the next allowable quantized value.
- `convergent` — Round to the nearest allowable quantized value. Numbers that are exactly halfway between the two nearest allowable quantized values are rounded up only if the least significant bit (after rounding) would be set to 0.
- `fix` — Round negative numbers up and positive numbers down to the next allowable quantized value.
- `floor` — Round down to the next allowable quantized value.
- `nearest` — Round to the nearest allowable quantized value. Numbers that are halfway between the two nearest allowable quantized values are rounded up.

The default value of this property is `floor`.

Functions — By Category

Bitwise Functions (p. 2-2)	Operate on and manipulate bits
Constructor and Property Functions (p. 2-3)	Create and manipulate objects and properties
Data Manipulation Functions (p. 2-4)	Manipulate and get information about objects
Data Type Functions (p. 2-5)	Convert objects or values to different data types
Data Quantizing Functions (p. 2-6)	Quantize data
Element-Wise Logical Operator Functions (p. 2-6)	Get information about array elements
Math Operation Functions (p. 2-7)	Operate on objects
Matrix Manipulation Functions (p. 2-8)	Manipulate and get information about arrays
Plotting Functions (p. 2-10)	Create plots
Radix Conversion Functions (p. 2-13)	Binary point representations and conversions
Relational Operator Functions (p. 2-14)	Compare real-world values of objects
Statistics Functions (p. 2-14)	Get statistical information about objects
Subscripted Assignment and Reference Functions (p. 2-15)	Get and set array elements
fi Object Functions (p. 2-16)	All functions that operate directly on fi objects

fimath Object Functions (p. 2-26)	All functions that operate directly on fimath objects
fipref Object Functions (p. 2-27)	All functions that operate directly on fipref objects
numericity Object Functions (p. 2-28)	All functions that operate directly on numericity objects
quantizer Object Functions (p. 2-29)	All functions that operate directly on quantizer objects

Bitwise Functions

bitand	Bitwise AND of two <code>fi</code> objects
bitandreduce	Bitwise AND of consecutive range of bits
bitcmp	Bitwise complement of <code>fi</code> object
bitconcat	Concatenate bits of two <code>fi</code> objects
bitget	Bit at certain position
bitor	Bitwise OR of two <code>fi</code> objects
bitorreduce	Bitwise OR of consecutive range of bits
bitrol	Bitwise rotate left
bitror	Bitwise rotate right
bitset	Set bit at certain position
bitshift	Shift bits specified number of places
bitsliceget	Consecutive slice of bits
bitsll	Bit shift left logical
bitsra	Bit shift right arithmetic
bitsrl	Bit shift right logical

<code>bitxor</code>	Bitwise exclusive OR of two <code>fi</code> objects
<code>bitxorreduce</code>	Bitwise exclusive OR of consecutive range of bits
<code>getlsb</code>	Least significant bit
<code>getmsb</code>	Most significant bit

Constructor and Property Functions

<code>copyobj</code>	Make independent copy of quantizer object
<code>fi</code>	Construct <code>fi</code> object
<code>fimath</code>	Construct <code>fimath</code> object
<code>fipref</code>	Construct <code>fipref</code> object
<code>get</code>	Property values of object
<code>numericity</code>	Construct <code>numericity</code> object
<code>quantizer</code>	Construct quantizer object
<code>reset</code>	Reset objects to initial conditions
<code>savefipref</code>	Save <code>fi</code> preferences for next MATLAB session
<code>set</code>	Set or display property values for quantizer objects
<code>stripscaling</code>	Stored integer of <code>fi</code> object
<code>tostring</code>	Convert quantizer object to string

Data Manipulation Functions

<code>denormalmax</code>	Largest denormalized quantized number for quantizer object
<code>denormalmin</code>	Smallest denormalized quantized number for quantizer object
<code>eps</code>	Quantized relative accuracy for <code>fi</code> or quantizer objects
<code>exponentbias</code>	Exponent bias for quantizer object
<code>exponentlength</code>	Exponent length of quantizer object
<code>exponentmax</code>	Maximum exponent for quantizer object
<code>exponentmin</code>	Minimum exponent for quantizer object
<code>fractionlength</code>	Fraction length of quantizer object
<code>intmax</code>	Largest positive stored integer value representable by <code>numerictype</code> of <code>fi</code> object
<code>intmin</code>	Smallest stored integer value representable by <code>numerictype</code> of <code>fi</code> object
<code>isequal</code>	Determine whether real-world values of two <code>fi</code> objects are equal, or determine whether properties of two <code>fimath</code> , <code>numerictype</code> , or quantizer objects are equal
<code>isfi</code>	Determine whether variable is <code>fi</code> object
<code>isfimath</code>	Determine whether variable is <code>fimath</code> object
<code>isnumerictype</code>	Determine whether variable is <code>numerictype</code> object

<code>ispropequal</code>	Determine whether properties of two <code>fi</code> objects are equal
<code>issigned</code>	Determine whether <code>fi</code> object is signed
<code>lowerbound</code>	Lower bound of range of <code>fi</code> object
<code>lsb</code>	Scaling of least significant bit of <code>fi</code> object
<code>range</code>	Numerical range of <code>fi</code> or quantizer object
<code>realmax</code>	Largest positive fixed-point value or quantized number
<code>realmin</code>	Smallest positive normalized fixed-point value or quantized number
<code>rescale</code>	Change scaling of <code>fi</code> object
<code>upperbound</code>	Upper bound of range of <code>fi</code> object
<code>wordlength</code>	Word length of quantizer object

Data Type Functions

<code>double</code>	Double-precision floating-point real-world value of <code>fi</code> object
<code>int</code>	Smallest built-in integer in which stored integer value of <code>fi</code> object will fit
<code>int16</code>	Stored integer value of <code>fi</code> object as built-in <code>int16</code>
<code>int32</code>	Stored integer value of <code>fi</code> object as built-in <code>int32</code>
<code>int8</code>	Stored integer value of <code>fi</code> object as built-in <code>int8</code>

<code>logical</code>	Convert numeric values to logical
<code>single</code>	Single-precision floating-point real-world value of <code>fi</code> object
<code>uint16</code>	Stored integer value of <code>fi</code> object as built-in <code>uint16</code>
<code>uint32</code>	Stored integer value of <code>fi</code> object as built-in <code>uint32</code>
<code>uint8</code>	Stored integer value of <code>fi</code> object as built-in <code>uint8</code>

Data Quantizing Functions

<code>convergent</code>	Apply convergent rounding
<code>quantize</code>	Apply quantizer object to data
<code>randquant</code>	Generate uniformly distributed, quantized random number using quantizer object
<code>round</code>	Round input data using quantizer object without checking for overflow

Element-Wise Logical Operator Functions

<code>all</code>	Determine whether all array elements are nonzero
<code>and</code>	Find logical AND of array or scalar inputs
<code>any</code>	Determine whether any array elements are nonzero

not	Find logical NOT of array or scalar input
or	Find logical OR of array or scalar inputs

Math Operation Functions

abs	Absolute value of <i>fi</i> object
add	Add two objects using <i>fimath</i> object
complex	Construct complex <i>fi</i> object from real and imaginary parts
conj	Complex conjugate of <i>fi</i> object
divide	Divide two objects
imag	Imaginary part of complex number
innerprodinbits	Number of integer bits needed for fixed-point inner product
minus	Matrix difference between <i>fi</i> objects
mpy	Multiply two objects using <i>fimath</i> object
mtimes	Matrix product of <i>fi</i> objects
plus	Matrix sum of <i>fi</i> objects
pow2	Multiply by 2^K
real	Real part of complex number
sign	Perform signum function on array
sqrt	Square root of <i>fi</i> object
sub	Subtract two objects using <i>fimath</i> object
sum	Sum of array elements

<code>times</code>	Element-by-element multiplication of <code>fi</code> objects
<code>uminus</code>	Negate elements of <code>fi</code> object array
<code>uplus</code>	Unary plus

Matrix Manipulation Functions

<code>buffer</code>	Buffer signal vector into matrix of data frames
<code>ctranspose</code>	Complex conjugate transpose of <code>fi</code> object
<code>diag</code>	Diagonal matrices or diagonals of matrix
<code>disp</code>	Display object
<code>end</code>	Last index of array
<code>flipdim</code>	Flip array along specified dimension
<code>fliplr</code>	Flip matrix left to right
<code>flipud</code>	Flip matrix up to down
<code>hankel</code>	Hankel matrix
<code>horzcat</code>	Horizontally concatenate multiple <code>fi</code> objects
<code>ipermute</code>	Inverse permute dimensions of multidimensional array
<code>iscolumn</code>	Determine whether <code>fi</code> object is column vector
<code>isempty</code>	Determine whether array is empty
<code>isfinite</code>	Determine whether array elements are finite

<code>isinf</code>	Determine whether array elements are infinite
<code>isnan</code>	Determine whether array elements are NaN
<code>isnumeric</code>	Determine whether input is numeric array
<code>isobject</code>	Determine whether input is MATLAB OOPS object
<code>isreal</code>	Determine whether array elements are real
<code>isrow</code>	Determine whether <code>f i</code> object is row vector
<code>isscalar</code>	Determine whether input is scalar
<code>isvector</code>	Determine whether input is vector
<code>length</code>	Vector length
<code>ndims</code>	Number of array dimensions
<code>permute</code>	Rearrange dimensions of multidimensional array
<code>repmat</code>	Replicate and tile array
<code>reshape</code>	Reshape array
<code>shiftdim</code>	Shift dimensions
<code>size</code>	Array dimensions
<code>squeeze</code>	Remove singleton dimensions
<code>toeplitz</code>	Create Toeplitz matrix
<code>transpose</code>	Transpose operation
<code>tril</code>	Lower triangular part of matrix
<code>vertcat</code>	Vertically concatenate multiple <code>f i</code> objects

Plotting Functions

<code>area</code>	Create filled area 2-D plot
<code>bar</code>	Create vertical bar graph
<code>barh</code>	Create horizontal bar graph
<code>clabel</code>	Create contour plot elevation labels
<code>comet</code>	Create 2-D comet plot
<code>comet3</code>	Create 3-D comet plot
<code>compass</code>	Plot arrows emanating from origin
<code>coneplot</code>	Plot velocity vectors as cones in 3-D vector field
<code>contour</code>	Create contour graph of matrix
<code>contour3</code>	Create 3-D contour plot
<code>contourc</code>	Create two-level contour plot computation
<code>contourf</code>	Create filled 2-D contour plot
<code>errorbar</code>	Plot error bars along curve
<code>etreeplot</code>	Plot elimination tree
<code>ezcontour</code>	Easy-to-use contour plotter
<code>ezcontourf</code>	Easy-to-use filled contour plotter
<code>ezmesh</code>	Easy-to-use 3-D mesh plotter
<code>ezplot</code>	Easy-to-use function plotter
<code>ezplot3</code>	Easy-to-use 3-D parametric curve plotter
<code>ezpolar</code>	Easy-to-use polar coordinate plotter
<code>ezsurf</code>	Easy-to-use 3-D colored surface plotter
<code>ezsurfc</code>	Easy-to-use combination surface/contour plotter

<code>feather</code>	Plot velocity vectors
<code>fplot</code>	Plot function between specified limits
<code>gplot</code>	Plot set of nodes using adjacency matrix
<code>hist</code>	Create histogram plot
<code>histc</code>	Histogram count
<code>line</code>	Create line object
<code>loglog</code>	Create log-log scale plot
<code>mesh</code>	Create mesh plot
<code>meshc</code>	Create mesh plot with contour plot
<code>meshz</code>	Create mesh plot with curtain plot
<code>patch</code>	Create patch graphics object
<code>pcolor</code>	Create pseudocolor plot
<code>plot</code>	Create linear 2-D plot
<code>plot3</code>	Create 3-D line plot
<code>plotmatrix</code>	Draw scatter plots
<code>plotyy</code>	Create graph with y-axes on right and left sides
<code>polar</code>	Plot polar coordinates
<code>quiver</code>	Create quiver or velocity plot
<code>quiver3</code>	Create 3-D quiver or velocity plot
<code>rgbplot</code>	Plot colormap
<code>ribbon</code>	Create ribbon plot
<code>rose</code>	Create angle histogram
<code>scatter</code>	Create scatter or bubble plot
<code>scatter3</code>	Create 3-D scatter or bubble plot

<code>semilogx</code>	Create semilogarithmic plot with logarithmic x-axis
<code>semilogy</code>	Create semilogarithmic plot with logarithmic y-axis
<code>slice</code>	Create volumetric slice plot
<code>spy</code>	Visualize sparsity pattern
<code>stairs</code>	Create staircase graph
<code>stem</code>	Plot discrete sequence data
<code>stem3</code>	Plot 3-D discrete sequence data
<code>streamribbon</code>	Create 3-D stream ribbon plot
<code>streamslice</code>	Draw streamlines in slice planes
<code>streamtube</code>	Create 3-D stream tube plot
<code>surf</code>	Create 3-D shaded surface plot
<code>surfc</code>	Create 3-D shaded surface plot with contour plot
<code>surf1</code>	Create surface plot with colormap-based lighting
<code>surfnorm</code>	Compute and display 3-D surface normals
<code>text</code>	Create text object in current axes
<code>treeplot</code>	Plot picture of tree
<code>trimesh</code>	Create triangular mesh plot
<code>triplot</code>	Create 2-D triangular plot
<code>trisurf</code>	Create triangular surface plot
<code>triu</code>	Upper triangular part of matrix
<code>voronoi</code>	Create Voronoi diagram
<code>voronoin</code>	Create n-D Voronoi diagram
<code>waterfall</code>	Create waterfall plot
<code>xlim</code>	Set or query x-axis limits

<code>ylim</code>	Set or query y-axis limits
<code>zlim</code>	Set or query z-axis limits

Radix Conversion Functions

<code>bin</code>	Binary representation of stored integer of <code>fi</code> object
<code>bin2num</code>	Convert two's complement binary string to number using quantizer object
<code>dec</code>	Unsigned decimal representation of stored integer of <code>fi</code> object
<code>hex</code>	Hexadecimal representation of stored integer of <code>fi</code> object
<code>hex2num</code>	Convert hexadecimal string to number using quantizer object
<code>num2bin</code>	Convert number to binary string using quantizer object
<code>num2hex</code>	Convert number to hexadecimal equivalent using quantizer object
<code>num2int</code>	Convert number to signed integer
<code>oct</code>	Octal representation of stored integer of <code>fi</code> object
<code>sdec</code>	Signed decimal representation of stored integer of <code>fi</code> object

Relational Operator Functions

<code>eq</code>	Determine whether real-world values of two <code>fi</code> objects are equal
<code>ge</code>	Determine whether real-world value of one <code>fi</code> object is greater than or equal to another
<code>gt</code>	Determine whether real-world value of one <code>fi</code> object is greater than another
<code>le</code>	Determine whether real-world value of <code>fi</code> object is less than or equal to another
<code>lt</code>	Determine whether real-world value of one <code>fi</code> object is less than another
<code>ne</code>	Determine whether real-world values of two <code>fi</code> objects are not equal

Statistics Functions

<code>max</code>	Largest element in array of <code>fi</code> objects
<code>maxlog</code>	Largest real-world value of <code>fi</code> object or maximum value of quantizer object before quantization
<code>min</code>	Smallest element in array of <code>fi</code> objects
<code>minlog</code>	Smallest real-world value of <code>fi</code> object or minimum value of quantizer object before quantization
<code>noperations</code>	Number of operations
<code>noverflows</code>	Number of overflows

numberofelements	Number of data elements in <code>fi</code> array
nunderflows	Number of underflows
resetlog	Clear log for <code>fi</code> or quantizer object

Subscripted Assignment and Reference Functions

subsasgn	Subscripted assignment
subsref	Subscripted reference

fi Object Functions

<code>abs</code>	Absolute value of <code>fi</code> object
<code>all</code>	Determine whether all array elements are nonzero
<code>and</code>	Find logical AND of array or scalar inputs
<code>any</code>	Determine whether any array elements are nonzero
<code>area</code>	Create filled area 2-D plot
<code>bar</code>	Create vertical bar graph
<code>barh</code>	Create horizontal bar graph
<code>bin</code>	Binary representation of stored integer of <code>fi</code> object
<code>bitand</code>	Bitwise AND of two <code>fi</code> objects
<code>bitandreduce</code>	Bitwise AND of consecutive range of bits
<code>bitcmp</code>	Bitwise complement of <code>fi</code> object
<code>bitconcat</code>	Concatenate bits of two <code>fi</code> objects
<code>bitget</code>	Bit at certain position
<code>bitor</code>	Bitwise OR of two <code>fi</code> objects
<code>bitorreduce</code>	Bitwise OR of consecutive range of bits
<code>bitrol</code>	Bitwise rotate left
<code>bitror</code>	Bitwise rotate right
<code>bitshift</code>	Shift bits specified number of places
<code>bitsliceget</code>	Consecutive slice of bits
<code>bitsll</code>	Bit shift left logical
<code>bitsra</code>	Bit shift right arithmetic
<code>bitsrl</code>	Bit shift right logical

<code>bitxor</code>	Bitwise exclusive OR of two <code>fi</code> objects
<code>bitxorreduce</code>	Bitwise exclusive OR of consecutive range of bits
<code>buffer</code>	Buffer signal vector into matrix of data frames
<code>clabel</code>	Create contour plot elevation labels
<code>comet</code>	Create 2-D comet plot
<code>comet3</code>	Create 3-D comet plot
<code>compass</code>	Plot arrows emanating from origin
<code>complex</code>	Construct complex <code>fi</code> object from real and imaginary parts
<code>coneplot</code>	Plot velocity vectors as cones in 3-D vector field
<code>conj</code>	Complex conjugate of <code>fi</code> object
<code>contour</code>	Create contour graph of matrix
<code>contour3</code>	Create 3-D contour plot
<code>contourc</code>	Create two-level contour plot computation
<code>contourf</code>	Create filled 2-D contour plot
<code>ctranspose</code>	Complex conjugate transpose of <code>fi</code> object
<code>dec</code>	Unsigned decimal representation of stored integer of <code>fi</code> object
<code>diag</code>	Diagonal matrices or diagonals of matrix
<code>disp</code>	Display object
<code>double</code>	Double-precision floating-point real-world value of <code>fi</code> object
<code>end</code>	Last index of array

<code>eps</code>	Quantized relative accuracy for <code>fi</code> or quantizer objects
<code>eq</code>	Determine whether real-world values of two <code>fi</code> objects are equal
<code>errorbar</code>	Plot error bars along curve
<code>etreeplot</code>	Plot elimination tree
<code>ezcontour</code>	Easy-to-use contour plotter
<code>ezcontourf</code>	Easy-to-use filled contour plotter
<code>ezmesh</code>	Easy-to-use 3-D mesh plotter
<code>ezplot</code>	Easy-to-use function plotter
<code>ezplot3</code>	Easy-to-use 3-D parametric curve plotter
<code>ezpolar</code>	Easy-to-use polar coordinate plotter
<code>ezsurf</code>	Easy-to-use 3-D colored surface plotter
<code>ezsurfz</code>	Easy-to-use combination surface/contour plotter
<code>feather</code>	Plot velocity vectors
<code>fi</code>	Construct <code>fi</code> object
<code>fimath</code>	Construct <code>fimath</code> object
<code>flipdim</code>	Flip array along specified dimension
<code>fliplr</code>	Flip matrix left to right
<code>flipud</code>	Flip matrix up to down
<code>fplot</code>	Plot function between specified limits
<code>ge</code>	Determine whether real-world value of one <code>fi</code> object is greater than or equal to another
<code>get</code>	Property values of object
<code>getlsb</code>	Least significant bit

<code>getmsb</code>	Most significant bit
<code>gplot</code>	Plot set of nodes using adjacency matrix
<code>gt</code>	Determine whether real-world value of one <code>fi</code> object is greater than another
<code>hankel</code>	Hankel matrix
<code>hex</code>	Hexadecimal representation of stored integer of <code>fi</code> object
<code>hist</code>	Create histogram plot
<code>histc</code>	Histogram count
<code>horzcat</code>	Horizontally concatenate multiple <code>fi</code> objects
<code>imag</code>	Imaginary part of complex number
<code>innerprodintbits</code>	Number of integer bits needed for fixed-point inner product
<code>int</code>	Smallest built-in integer in which stored integer value of <code>fi</code> object will fit
<code>int16</code>	Stored integer value of <code>fi</code> object as built-in <code>int16</code>
<code>int32</code>	Stored integer value of <code>fi</code> object as built-in <code>int32</code>
<code>int8</code>	Stored integer value of <code>fi</code> object as built-in <code>int8</code>
<code>intmax</code>	Largest positive stored integer value representable by <code>numerictype</code> of <code>fi</code> object
<code>intmin</code>	Smallest stored integer value representable by <code>numerictype</code> of <code>fi</code> object

<code>ipermute</code>	Inverse permute dimensions of multidimensional array
<code>iscolumn</code>	Determine whether <code>fi</code> object is column vector
<code>isempty</code>	Determine whether array is empty
<code>isequal</code>	Determine whether real-world values of two <code>fi</code> objects are equal, or determine whether properties of two <code>fi</code> objects are equal
<code>isfi</code>	Determine whether variable is <code>fi</code> object
<code>isfinite</code>	Determine whether array elements are finite
<code>isinf</code>	Determine whether array elements are infinite
<code>isnan</code>	Determine whether array elements are NaN
<code>isnumeric</code>	Determine whether input is numeric array
<code>isobject</code>	Determine whether input is MATLAB OOPS object
<code>ispropequal</code>	Determine whether properties of two <code>fi</code> objects are equal
<code>isreal</code>	Determine whether array elements are real
<code>isrow</code>	Determine whether <code>fi</code> object is row vector
<code>isscalar</code>	Determine whether input is scalar
<code>issigned</code>	Determine whether <code>fi</code> object is signed
<code>isvector</code>	Determine whether input is vector

<code>le</code>	Determine whether real-world value of <code>fi</code> object is less than or equal to another
<code>length</code>	Vector length
<code>line</code>	Create line object
<code>logical</code>	Convert numeric values to logical
<code>lowerbound</code>	Lower bound of range of <code>fi</code> object
<code>lsb</code>	Scaling of least significant bit of <code>fi</code> object
<code>lt</code>	Determine whether real-world value of one <code>fi</code> object is less than another
<code>max</code>	Largest element in array of <code>fi</code> objects
<code>mesh</code>	Create mesh plot
<code>meshc</code>	Create mesh plot with contour plot
<code>meshz</code>	Create mesh plot with curtain plot
<code>min</code>	Smallest element in array of <code>fi</code> objects
<code>minus</code>	Matrix difference between <code>fi</code> objects
<code>mtimes</code>	Matrix product of <code>fi</code> objects
<code>ndims</code>	Number of array dimensions
<code>ne</code>	Determine whether real-world values of two <code>fi</code> objects are not equal
<code>not</code>	Find logical NOT of array or scalar input
<code>numberofelements</code>	Number of data elements in <code>fi</code> array
<code>numerictype</code>	Construct <code>numerictype</code> object
<code>oct</code>	Octal representation of stored integer of <code>fi</code> object

<code>or</code>	Find logical OR of array or scalar inputs
<code>patch</code>	Create patch graphics object
<code>pcolor</code>	Create pseudocolor plot
<code>permute</code>	Rearrange dimensions of multidimensional array
<code>plot</code>	Create linear 2-D plot
<code>plot3</code>	Create 3-D line plot
<code>plotmatrix</code>	Draw scatter plots
<code>plotyy</code>	Create graph with y-axes on right and left sides
<code>plus</code>	Matrix sum of <code>fi</code> objects
<code>polar</code>	Plot polar coordinates
<code>pow2</code>	Multiply by 2^K
<code>quantizer</code>	Construct quantizer object
<code>quiver</code>	Create quiver or velocity plot
<code>quiver3</code>	Create 3-D quiver or velocity plot
<code>range</code>	Numerical range of <code>fi</code> or quantizer object
<code>real</code>	Real part of complex number
<code>realmax</code>	Largest positive fixed-point value or quantized number
<code>realmin</code>	Smallest positive normalized fixed-point value or quantized number
<code>repmat</code>	Replicate and tile array
<code>rescale</code>	Change scaling of <code>fi</code> object
<code>reshape</code>	Reshape array
<code>rgbplot</code>	Plot colormap

<code>ribbon</code>	Create ribbon plot
<code>rose</code>	Create angle histogram
<code>scatter</code>	Create scatter or bubble plot
<code>scatter3</code>	Create 3-D scatter or bubble plot
<code>sdec</code>	Signed decimal representation of stored integer of <code>fi</code> object
<code>shiftdim</code>	Shift dimensions
<code>sign</code>	Perform signum function on array
<code>single</code>	Single-precision floating-point real-world value of <code>fi</code> object
<code>size</code>	Array dimensions
<code>slice</code>	Create volumetric slice plot
<code>spy</code>	Visualize sparsity pattern
<code>stairs</code>	Create staircase graph
<code>stem</code>	Plot discrete sequence data
<code>stem3</code>	Plot 3-D discrete sequence data
<code>streamribbon</code>	Create 3-D stream ribbon plot
<code>streamslice</code>	Draw streamlines in slice planes
<code>streamtube</code>	Create 3-D stream tube plot
<code>stripscaling</code>	Stored integer of <code>fi</code> object
<code>subsasgn</code>	Subscripted assignment
<code>subsref</code>	Subscripted reference
<code>sum</code>	Sum of array elements
<code>surf</code>	Create 3-D shaded surface plot
<code>surfz</code>	Create 3-D shaded surface plot with contour plot
<code>surf1</code>	Create surface plot with colormap-based lighting

<code>surfnorm</code>	Compute and display 3-D surface normals
<code>text</code>	Create text object in current axes
<code>times</code>	Element-by-element multiplication of <code>fi</code> objects
<code>toeplitz</code>	Create Toeplitz matrix
<code>transpose</code>	Transpose operation
<code>treeplot</code>	Plot picture of tree
<code>tril</code>	Lower triangular part of matrix
<code>trimesh</code>	Create triangular mesh plot
<code>triplot</code>	Create 2-D triangular plot
<code>trisurf</code>	Create triangular surface plot
<code>triu</code>	Upper triangular part of matrix
<code>uint16</code>	Stored integer value of <code>fi</code> object as built-in <code>uint16</code>
<code>uint32</code>	Stored integer value of <code>fi</code> object as built-in <code>uint32</code>
<code>uint8</code>	Stored integer value of <code>fi</code> object as built-in <code>uint8</code>
<code>uminus</code>	Negate elements of <code>fi</code> object array
<code>uplus</code>	Unary plus
<code>upperbound</code>	Upper bound of range of <code>fi</code> object
<code>vertcat</code>	Vertically concatenate multiple <code>fi</code> objects
<code>voronoi</code>	Create Voronoi diagram
<code>voronoin</code>	Create n-D Voronoi diagram
<code>waterfall</code>	Create waterfall plot
<code>xlim</code>	Set or query x-axis limits

`ylim`

Set or query y-axis limits

`zlim`

Set or query z-axis limits

fimath Object Functions

<code>add</code>	Add two objects using <code>fimath</code> object
<code>disp</code>	Display object
<code>fimath</code>	Construct <code>fimath</code> object
<code>isequal</code>	Determine whether real-world values of two <code>fi</code> objects are equal, or determine whether properties of two <code>fimath</code> , <code>numeric</code> , or quantizer objects are equal
<code>isfimath</code>	Determine whether variable is <code>fimath</code> object
<code>mpy</code>	Multiply two objects using <code>fimath</code> object
<code>sub</code>	Subtract two objects using <code>fimath</code> object

fipref Object Functions

<code>disp</code>	Display object
<code>fipref</code>	Construct fipref object
<code>reset</code>	Reset objects to initial conditions
<code>savefipref</code>	Save <code>fi</code> preferences for next MATLAB session

numerictype Object Functions

`disp`

Display object

`divide`

Divide two objects

`isequal`

Determine whether real-world values of two `fi` objects are equal, or determine whether properties of two `fimath`, `numerictype`, or `quantizer` objects are equal

`isnumeric`

Determine whether input is numeric array

quantizer Object Functions

<code>bin2num</code>	Convert two's complement binary string to number using quantizer object
<code>copyobj</code>	Make independent copy of quantizer object
<code>denormalmax</code>	Largest denormalized quantized number for quantizer object
<code>denormalmin</code>	Smallest denormalized quantized number for quantizer object
<code>disp</code>	Display object
<code>eps</code>	Quantized relative accuracy for <code>fi</code> or quantizer objects
<code>exponentbias</code>	Exponent bias for quantizer object
<code>exponentlength</code>	Exponent length of quantizer object
<code>exponentmax</code>	Maximum exponent for quantizer object
<code>exponentmin</code>	Minimum exponent for quantizer object
<code>fractionlength</code>	Fraction length of quantizer object
<code>get</code>	Property values of object
<code>hex2num</code>	Convert hexadecimal string to number using quantizer object
<code>isequal</code>	Determine whether real-world values of two <code>fi</code> objects are equal, or determine whether properties of two <code>fimath</code> , <code>numericType</code> , or quantizer objects are equal
<code>length</code>	Vector length
<code>max</code>	Largest element in array of <code>fi</code> objects

<code>min</code>	Smallest element in array of <code>fi</code> objects
<code>noperations</code>	Number of operations
<code>noverflows</code>	Number of overflows
<code>num2bin</code>	Convert number to binary string using quantizer object
<code>num2hex</code>	Convert number to hexadecimal equivalent using quantizer object
<code>num2int</code>	Convert number to signed integer
<code>nunderflows</code>	Number of underflows
<code>quantize</code>	Apply quantizer object to data
<code>quantizer</code>	Construct quantizer object
<code>randquant</code>	Generate uniformly distributed, quantized random number using quantizer object
<code>range</code>	Numerical range of <code>fi</code> or quantizer object
<code>realmax</code>	Largest positive fixed-point value or quantized number
<code>realmin</code>	Smallest positive normalized fixed-point value or quantized number
<code>reset</code>	Reset objects to initial conditions
<code>round</code>	Round input data using quantizer object without checking for overflow
<code>set</code>	Set or display property values for quantizer objects
<code>tostring</code>	Convert quantizer object to string
<code>wordlength</code>	Word length of quantizer object

Functions — Alphabetical List

abs

Purpose Absolute value of `fi` object

Syntax

```
c = abs(a)
c = abs(a,T)
c = abs(a,F)
c = abs(a,T,F)
```

Description

`c = abs(a)` returns the absolute value of `fi` object `a` with the same `numericType` and `fiMath` objects as `a`. Intermediate quantities are calculated using the `fiMath` object of `a`.

`c = abs(a,T)` returns a `fi` object with a value equal to the absolute value of `a`, `numericType` object `T`, and the same `fiMath` object as `a`. Intermediate quantities are calculated using the `fiMath` object of `a`. See “Data Type Propagation Rules” on page 3-3.

`c = abs(a,F)` returns a `fi` object with a value equal to the absolute value of `a`, `fiMath` object `F`, and the same `numericType` object as `a`. Intermediate quantities are calculated using `fiMath` object `F`.

`c = abs(a,T,F)` returns a `fi` object with a value equal to the absolute value of `a`, `numericType` object `T`, and `fiMath` object `F`. Intermediate quantities are calculated using `fiMath` object `F`. See “Data Type Propagation Rules” on page 3-3.

`abs` only supports `fi` objects with [Slope Bias] scaling when the bias is zero and the fractional slope is one. `abs` does not support complex `fi` objects of data type `Boolean`.

When the object `a` is real and has a signed data type, the absolute value of the most negative value is problematic since it is not representable. In this case, the absolute value saturates to the most positive value representable by the data type if the `OverflowMode` property is set to `saturate`. If `OverflowMode` is `wrap`, the absolute value of the most negative value has no effect.

Data Type Propagation Rules

For syntaxes for which you specify a `numericType` object `T`, the `abs` function follows the data type propagation rules listed in the following table. In general, these rules can be summarized as “floating-point data types are propagated.” This allows you to write code that can be used with both fixed-point and floating-point inputs.

Data Type of Input <code>fi</code> Object <code>a</code>	Data Type of <code>numericType</code> object <code>T</code>	Data Type of Output <code>c</code>
<code>fi Fixed</code>	<code>fi Fixed</code>	Data type of <code>numericType</code> object <code>T</code>
<code>fi ScaledDouble</code>	<code>fi Fixed</code>	<code>ScaledDouble</code> with properties of <code>numericType</code> object <code>T</code>
<code>fi double</code>	<code>fi Fixed</code>	<code>fi double</code>
<code>fi single</code>	<code>fi Fixed</code>	<code>fi single</code>
Any <code>fi</code> data type	<code>fi double</code>	<code>fi double</code>
Any <code>fi</code> data type	<code>fi single</code>	<code>fi single</code>

Examples

Example 1

The following example shows the difference between the absolute value results for the most negative value representable by a signed data type when `OverflowMode` is `saturate` or `wrap`.

```
P = fipref('NumericTypeDisplay','full',...
          'FimathDisplay','full');
a = fi(-128)

a =

-128
```

DataTypeMode: Fixed-point: binary point scaling

```
Signed: true
WordLength: 16
FractionLength: 8
```

```
RoundMode: nearest
OverflowMode: saturate
ProductMode: FullPrecision
MaxProductWordLength: 128
SumMode: FullPrecision
MaxSumWordLength: 128
CastBeforeSum: true
```

```
abs(a)
```

```
ans =
```

```
127.9961
```

```
DataTypeMode: Fixed-point: binary point scaling
Signed: true
WordLength: 16
FractionLength: 8
```

```
RoundMode: nearest
OverflowMode: saturate
ProductMode: FullPrecision
MaxProductWordLength: 128
SumMode: FullPrecision
MaxSumWordLength: 128
CastBeforeSum: true
```

```
a.OverflowMode = 'wrap'
```

```
a =
```

```
-128
```

```
    DataTypeMode: Fixed-point: binary point scaling
      Signed: true
      WordLength: 16
    FractionLength: 8
```

```
      RoundMode: nearest
      OverflowMode: wrap
      ProductMode: FullPrecision
    MaxProductWordLength: 128
      SumMode: FullPrecision
    MaxSumWordLength: 128
    CastBeforeSum: true
```

abs(a)

ans =

-128

```
    DataTypeMode: Fixed-point: binary point scaling
      Signed: true
      WordLength: 16
    FractionLength: 8
```

```
      RoundMode: nearest
      OverflowMode: wrap
      ProductMode: FullPrecision
    MaxProductWordLength: 128
      SumMode: FullPrecision
    MaxSumWordLength: 128
    CastBeforeSum: true
```

Example 2

The following example shows the difference between the absolute value results for complex and real `fi` inputs that have the most negative value representable by a signed data type when `OverflowMode` is `wrap`.

```
re = fi(-1,1,16,15)
```

```
re =
```

```
-1
```

```
    DataTypeMode: Fixed-point: binary point scaling  
        Signed: true  
        WordLength: 16  
    FractionLength: 15
```

```
        RoundMode: nearest  
        OverflowMode: saturate  
        ProductMode: FullPrecision  
    MaxProductWordLength: 128  
        SumMode: FullPrecision  
    MaxSumWordLength: 128  
        CastBeforeSum: true
```

```
im = fi(0,1,16,15)
```

```
im =
```

```
0
```

```
    DataTypeMode: Fixed-point: binary point scaling  
        Signed: true  
        WordLength: 16  
    FractionLength: 15
```

```
        RoundMode: nearest  
        OverflowMode: saturate
```

```
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true

a = complex(re,im)

a =

    -1

        DataTypeMode: Fixed-point: binary point scaling
        Signed: true
        WordLength: 16
        FractionLength: 15

        RoundMode: nearest
        OverflowMode: saturate
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true

abs(a,re.numericitytype,fimath('overflowmode','wrap'))

ans =

    1.0000

        DataTypeMode: Fixed-point: binary point scaling
        Signed: true
        WordLength: 16
        FractionLength: 15

        RoundMode: nearest
```

```
        OverflowMode: wrap
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true

abs(re, re.numericity, fimath('overflowmode', 'wrap'))
ans =

    -1

        DataTypeMode: Fixed-point: binary point scaling
        Signed: true
        WordLength: 16
        FractionLength: 15

        RoundMode: nearest
        OverflowMode: wrap
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true
```

Example 3

The following example shows how to specify `numericity` and `fimath` objects as optional arguments to control the result of the `abs` function for real inputs.

```
a = fi(-1,1,6,5,'overflowmode','wrap')

a =

    -1

        DataTypeMode: Fixed-point: binary point scaling
```

```
        Signed: true
        WordLength: 6
        FractionLength: 5

        RoundMode: nearest
        OverflowMode: wrap
        ProductMode: FullPrecision
    MaxProductWordLength: 128
        SumMode: FullPrecision
    MaxSumWordLength: 128
    CastBeforeSum: true

abs(a)

ans =

    -1

        DataTypeMode: Fixed-point: binary point scaling
        Signed: true
        WordLength: 6
        FractionLength: 5

        RoundMode: nearest
        OverflowMode: wrap
        ProductMode: FullPrecision
    MaxProductWordLength: 128
        SumMode: FullPrecision
    MaxSumWordLength: 128
    CastBeforeSum: true

f = fimath('overflowmode','saturate')

f =

        RoundMode: nearest
```

```
        OverflowMode: saturate
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true
```

```
abs(a,f)
```

```
ans =
```

```
    0.9688
```

```
        DataTypeMode: Fixed-point: binary point scaling
        Signed: true
        WordLength: 6
        FractionLength: 5
```

```
        RoundMode: nearest
        OverflowMode: saturate
        ProductMode: FullPrecision
MaxProductWordLength: 128
        SumMode: FullPrecision
MaxSumWordLength: 128
        CastBeforeSum: true
```

```
t = numerictype(a.numerictype, 'signed', false)
```

```
t =
```

```
        DataTypeMode: Fixed-point: binary point scaling
        Signed: false
        WordLength: 6
        FractionLength: 5
```

```
abs(a,t,f)
```



```
ans =  
    1  
  
    DataTypeMode: Fixed-point: binary point scaling  
        Signed: false  
        WordLength: 6  
    FractionLength: 5  
  
        RoundMode: nearest  
    OverflowMode: saturate  
        ProductMode: FullPrecision  
MaxProductWordLength: 128  
        SumMode: FullPrecision  
MaxSumWordLength: 128  
    CastBeforeSum: true
```

Example 4

The following example shows how to specify `numerictype` and `fimath` objects as optional arguments to control the result of the `abs` function for complex inputs.

```
a = fi(-1-i,1,16,15,'overflowmode','wrap')  
  
a =  
  
-1.0000 - 1.0000i  
  
    DataTypeMode: Fixed-point: binary point scaling  
        Signed: true  
        WordLength: 16  
    FractionLength: 15  
  
        RoundMode: nearest  
    OverflowMode: wrap  
        ProductMode: FullPrecision
```

```
MaxProductWordLength: 128
    SumMode: FullPrecision
MaxSumWordLength: 128
    CastBeforeSum: true

t = numerictype(a.numerictype,'signed',false)

t =

    DataTypeMode: Fixed-point: binary point scaling
    Signed: false
    WordLength: 16
    FractionLength: 15

abs(a,t)

ans =

    1.4142

    DataTypeMode: Fixed-point: binary point scaling
    Signed: false
    WordLength: 16
    FractionLength: 15

    RoundMode: nearest
    OverflowMode: wrap
    ProductMode: FullPrecision
MaxProductWordLength: 128
    SumMode: FullPrecision
MaxSumWordLength: 128
    CastBeforeSum: true

f = fimath('overflowmode','saturate','summode',...
    'keepLSB','sumwordlength',a.wordlength,...
    'productmode','specifyprecision',...)
```

```
'productwordlength',a.wordlength,...
'productfractionlength',a.fractionlength)

f =

    RoundMode: nearest
    OverflowMode: saturate
    ProductMode: SpecifyPrecision
    ProductWordLength: 16
    ProductFractionLength: 15
    SumMode: KeepLSB
    SumWordLength: 16
    CastBeforeSum: true

abs(a,t,f)

ans =

    1.4142

    DataTypeMode: Fixed-point: binary point scaling
    Signed: false
    WordLength: 16
    FractionLength: 15

    RoundMode: nearest
    OverflowMode: saturate
    ProductMode: SpecifyPrecision
    ProductWordLength: 16
    ProductFractionLength: 15
    SumMode: KeepLSB
    SumWordLength: 16
    CastBeforeSum: true
```

Algorithm

The absolute value y of a real input a is defined as follows:

$$y = a \text{ if } a \geq 0$$

$$y = -a \text{ if } a < 0$$

The absolute value y of a complex input a is related to its real and imaginary parts as follows:

$$y = \sqrt{\text{real}(a)^2 + \text{imag}(a)^2}$$

The `abs` function computes the absolute value of complex inputs as follows:

- 1 Calculate the real and imaginary parts of a using the following equations:

$$\text{re} = \text{real}(a)$$

$$\text{im} = \text{imag}(a)$$

- 2 Compute the squares of `re` and `im` using one of the following objects:
 - The `fimath` object `F` if `F` is specified as an argument.
 - The `fimath` object of `a` if `F` is not specified as an argument.
- 3 Cast the squares of `re` and `im` to unsigned types if the input is signed.
- 4 Add the squares of `re` and `im` using one of the following objects:
 - The `fimath` object `F` if `F` is specified as an argument.
 - The `fimath` object of `a` if `F` is not specified as an argument.
- 5 Compute the square root of the sum computed in step four using the `sqrt` function with the following additional arguments:
 - The `numericType` object `T` if `T` is specified, or the `numericType` object of `a` otherwise.

-
- The fimath object F if F is specified, or the fimath object of a otherwise.

Note Step three prevents the sum of the squares of the real and imaginary components from being negative. This is important because if either `re` or `im` has the maximum negative value and the `OverflowMode` property is set to `wrap` then an error will occur when taking the square root in step five.

add

Purpose Add two objects using `fimath` object

Syntax `c = F.add(a,b)`

Description `c = F.add(a,b)` adds objects `a` and `b` using `fimath` object `F`. This is helpful in cases when you want to override the `fimath` objects of `a` and `b`, or if the `fimath` objects of `a` and `b` are different.

`a` and `b` must have the same dimensions unless one is a scalar. If either `a` or `b` is scalar, then `c` has the dimensions of the nonscalar object.

If either `a` or `b` is a `fi` object, and the other is a MATLAB built-in numeric type, then the built-in object is cast to the word length of the `fi` object, preserving best-precision fraction length.

Examples In this example, `c` is the 32-bit sum of `a` and `b` with fraction length 16:

```
a = fi(pi);
b = fi(exp(1));
F = fimath('SumMode','SpecifyPrecision','SumWordLength',
          32,'SumFractionLength',16);
c = F.add(a,b)
```

```
c =
```

```
5.8599
```

```
          DataTypeMode: Fixed-point: binary point scaling
              Signed: true
           WordLength: 32
        FractionLength: 16
```

```
          RoundMode: nearest
        OverflowMode: saturate
          ProductMode: FullPrecision
MaxProductWordLength: 128
              SumMode: SpecifyPrecision
```

```
SumWordLength: 32
SumFractionLength: 16
CastBeforeSum: true
```

Algorithm

`c = F.add(a,b)` is equivalent to

```
a.fimath = F;
b.fimath = F;
c = a + b;
```

except that the `fimath` properties of `a` and `b` are not modified when you use the functional form.

See Also

`divide`, `fi`, `fimath`, `mpy`, `numerictype`, `sub`, `sum`

all

Purpose Determine whether all array elements are nonzero

Description Refer to the MATLAB `all` reference page for more information.

Purpose Find logical AND of array or scalar inputs

Description Refer to the MATLAB and reference page for more information.

any

Purpose Determine whether any array elements are nonzero

Description Refer to the MATLAB any reference page for more information.

Purpose Create filled area 2-D plot

Description Refer to the MATLAB area reference page for more information.

bar

Purpose Create vertical bar graph

Description Refer to the MATLAB bar reference page for more information.

Purpose Create horizontal bar graph

Description Refer to the MATLAB `barh` reference page for more information.

bin

Purpose Binary representation of stored integer of `fi` object

Syntax `bin(a)`

Description Fixed-point numbers can be represented as

$$\text{real-world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`bin(a)` returns the stored integer of `fi` object `a` in unsigned binary format as a string.

Examples The following code

```
a = fi([-1 1],1,8,7);  
bin(a)
```

returns

```
10000000 01111111
```

See Also `dec`, `hex`, `int`, `oct`

- Purpose** Convert two's complement binary string to number using quantizer object
- Syntax** `y = bin2num(q,b)`
- Description** `y = bin2num(q,b)` uses the properties of quantizer object `q` to convert binary string `b` to numeric array `y`. When `b` is a cell array containing binary strings, `y` is a cell array of the same dimension containing numeric arrays. The fixed-point binary representation is two's complement. The floating-point binary representation is in IEEE Standard 754 style.
- `bin2num` and `num2bin` are inverses of one another. Note that `num2bin` always returns the strings in a column.
- Examples** Create a quantizer object and an array of numeric strings. Convert the numeric strings to binary strings, then use `bin2num` to convert them back to numeric strings.

```
q=quantizer([4 3]);  
[a,b]=range(q);  
x=(b:-eps(q):a)';  
b = num2bin(q,x)
```

```
b =
```

```
0111  
0110  
0101  
0100  
0011  
0010  
0001  
0000  
1111  
1110  
1101
```

bin2num

```
1100
1011
1010
1001
1000
```

bin2num performs the inverse operation of num2bin.

```
y=bin2num(q,b)
```

```
y =
```

```
0.8750
0.7500
0.6250
0.5000
0.3750
0.2500
0.1250
0
-0.1250
-0.2500
-0.3750
-0.5000
-0.6250
-0.7500
-0.8750
-1.0000
```

See Also

hex2num, num2bin, num2hex, num2int

Purpose Bitwise AND of two `fi` objects

Syntax `c = bitand(a, b)`

Description `c = bitand(a, b)` returns the bitwise AND of `fi` objects `a` and `b`.

The `fi`math and the `numericType` objects of `a` and `b` must be identical. If the `numericType` is signed, then the bit representation of the stored integer is in two's complement representation.

`a` and `b` must have the same dimensions unless one is a scalar.

`bitand` only supports `fi` objects with fixed-point data types.

See Also `bitcmp`, `bitget`, `bitor`, `bitset`, `bitxor`

bitandreduce

Purpose Bitwise AND of consecutive range of bits

Syntax

```
c = bitandreduce(a)
c = bitandreduce(a, lidx)
c = bitandreduce(a, lidx, ridx)
```

Description `c = bitandreduce(a)` performs a bitwise AND operation on the entire set of bits in the `fi` object `a` and returns the result as a `u1,0` (unsigned integer of word length 1).

`c = bitandreduce(a, lidx)` performs a bitwise AND operation on a consecutive range of bits starting at position `lidx` and ending at the LSB (the bit at position 1). `lidx` is a constant that represents the position in the range closest to the MSB.

`c = bitandreduce(a, lidx, ridx)` performs a bitwise AND operation on a consecutive range of bits starting at position `lidx` and ending at position `ridx`. `ridx` is a constant that represents the position in the range closest to the LSB.

The `bitandreduce` arguments must satisfy the following condition:

```
a.WordLength >= lidx >= ridx >= 1
```

`a` can be a scalar `fi` object or a vector `fi` object.

`bitandreduce` only supports `fi` objects with fixed-point data types; it does not support inputs with complex data types.

`bitandreduce` supports both signed and unsigned inputs with arbitrary scaling. The sign and scaling properties do not affect the result type and value. `bitandreduce` performs the operation on a two's complement bit representation of the stored integer.

Example This example shows how to perform a bitwise AND operation on a range of bits of a `fi` object. Consider the following unsigned fixed-point `fi` object with a value 5, word length 4, and fraction length 0:

```
a = fi(5,0,4,0);
```

```
disp(bin(a))
```

```
0101
```

Get the bitwise AND of the consecutive set of bits starting at position 2 and ending at position 1:

```
disp(bin(bitandreduce(a,2,1)))
```

```
0
```

See Also

bitconcat, bitorreduce, bitsliceget, bitxorreduce

bitcmp

Purpose Bitwise complement of `fi` object

Syntax `c = bitcmp(a)`

Description `c = bitcmp(a)` returns the bitwise complement of `fi` object `a`. If `a` has a signed numeric type, the bit representation of the stored integer is in two's complement representation.

`bitcmp` only supports `fi` objects with fixed-point data types. `a` can be a scalar `fi` object or a vector `fi` object.

Example This example shows how to get the bitwise complement of a `fi` object. Consider the following unsigned fixed-point `fi` object with a value of 10, word length 4, and fraction length 0:

```
a = fi(10,0,4,0);  
disp(bin(a))
```

```
1010
```

Complement the values of the bits in `a`:

```
c = bitcmp(a);  
disp(bin(c))
```

```
0101
```

See Also `bitand`, `bitget`, `bitor`, `bitset`, `bitxor`

Purpose	Concatenate bits of two <code>fi</code> objects
Syntax	<code>c = bitconcat(a, b)</code>
Description	<p><code>c = bitconcat(a, b)</code> concatenates the bits in the <code>fi</code> objects <code>a</code> and <code>b</code> and returns an unsigned fixed value with a word length equal to the sum of the word lengths of the input objects and a fraction length of zero. The bit representation of the stored integer is in two's complement representation.</p> <p><code>a</code> and <code>b</code> can both be vectors if the vectors are the same size. If <code>a</code> and <code>b</code> are vectors, <code>bitconcat</code> performs element-wise concatenation. <code>bitconcat</code> only supports vector input when both <code>a</code> and <code>b</code> are vectors.</p> <p><code>a</code> and <code>b</code> can be signed or unsigned. <code>bitconcat</code> concatenates signed and unsigned bits the same way.</p> <p><code>bitconcat</code> only supports <code>fi</code> objects with fixed-point data types. <code>bitconcat</code> does not support inputs with complex data types. Scaling does not affect the result type and value.</p>
Example	<p>This example shows how to get the binary representation of the concatenated bits of two <code>fi</code> objects. Consider the following unsigned fixed-point <code>fi</code> objects. The first has a value of 5, word length 4, and fraction length 0. The second has a value of 10, word length 4, and fraction length 0:</p> <pre>a = fi(5,0,4,0); disp(bin(a)) 0101 b = fi(10,0,4,0); disp(bin(b)) 1010</pre> <p>Concatenate the objects:</p>

bitconcat

```
c = bitconcat(a,b);  
disp(bin(c))
```

```
01011010
```

See Also

bitand, bitcmp, bitor, bitset, bitsliceget, bitxor

Purpose	Bit at certain position
Syntax	<code>c = bitget(a, bit)</code>
Description	<p><code>c = bitget(a, bit)</code> returns the value of the bit at position <code>bit</code> in <code>a</code> as a <code>u1,0</code> (unsigned integer of word length 1). <code>bit</code> must be an integer between 1 and the word length of <code>a</code>, inclusive. If <code>a</code> has a signed <code>numericType</code>, the bit representation of the stored integer is in two's complement representation.</p> <p><code>bitget</code> only supports <code>fi</code> objects with fixed-point data types. <code>bitget</code> does not support inputs with complex data types.</p> <p><code>bitget</code> supports variable indexing. This means that <code>bit</code> can be a variable instead of a constant.</p> <p><code>a</code> and <code>bit</code> can be vectors or scalars. <code>a</code> and <code>bit</code> must be the same size unless one is a scalar. If <code>a</code> is a vector and <code>bit</code> is a scalar, <code>c</code> is a vector of <code>u1,0</code> values of the bits at position <code>bit</code> in each <code>fi</code> object in <code>a</code>. If <code>a</code> is a scalar and <code>bit</code> is a vector, <code>c</code> is a vector of <code>u1,0</code> values of the bits in <code>a</code> at the positions specified in <code>bit</code>.</p> <p><code>bit</code> does not need to be a vector of sequential bit positions.</p>

Examples

Example 1

This example shows how to get the binary representation of the bit at a specific position in a `fi` object. Consider the following unsigned fixed-point `fi` object with a value of 85, word length 8, and fraction length 0:

```
a = fi(85,0,8,0);  
disp(bin(a))
```

```
01010101
```

Get the binary representation of the bit at position 4:

```
bit4 = bitget(a,4);  
disp(bin(bit4))
```

0

Example 2

This example shows how to get the binary representation of the bits at a vector of positions in a `fi` object. Consider the following signed fixed-point `fi` object with a value of 55, word length 16, and best-precision fraction length 9:

```
a = fi(55);  
disp(bin(a))
```

```
0110111000000000
```

Get the binary representation of the bits at positions 16, 14, 12, 10, 8, 6, 4, and 2:

```
bitvec = bitget(a,[16:-2:1]);  
disp(bin(bitvec))
```

```
0 1 1 1 0 0 0 0
```

See Also

`bitand`, `bitcmp`, `bitor`, `bitset`, `bitxor`

Purpose Bitwise OR of two `fi` objects

Syntax `c = bitor(a, b)`

Description `c = bitor(a, b)` returns the bitwise OR of `fi` objects `a` and `b`.
The `fi`math and the `numericType` objects of `a` and `b` must be identical. If the `numericType` is signed, then the bit representation of the stored integer is in two's complement representation.
`a` and `b` must have the same dimensions unless one is a scalar.
`bitor` only supports `fi` objects with fixed-point data types.

See Also `bitand`, `bitcmp`, `bitget`, `bitset`, `bitxor`

bitorreduce

Purpose Bitwise OR of consecutive range of bits

Syntax

```
c = bitorreduce(a)
c = bitorreduce(a, lidx)
c = bitorreduce(a, lidx, ridx)
```

Description `c = bitorreduce(a)` performs a bitwise OR operation on the entire set of bits in the `fi` object `a` and returns the result as a `u1,0` (unsigned integer of word length 1).

`c = bitorreduce(a, lidx)` performs a bitwise OR operation on a consecutive range of bits starting at position `lidx` and ending at the LSB (the bit at position 1). `lidx` is a constant that represents the position in the range closest to the MSB.

`c = bitorreduce(a, lidx, ridx)` performs a bitwise OR operation on a consecutive range of bits starting at position `lidx` and ending at position `ridx`. `ridx` is a constant that represents the position in the range closest to the LSB.

The `bitorreduce` arguments must satisfy the following condition:

```
a.WordLength >= lidx >= ridx >= 1
```

`a` can be a scalar `fi` object or a vector `fi` object.

`bitorreduce` only supports `fi` objects with fixed-point data types; it does not support inputs with complex data types.

`bitorreduce` supports both signed and unsigned inputs with arbitrary scaling. The sign and scaling properties do not affect the result type and value. `bitorreduce` performs the operation on a two's complement bit representation of the stored integer.

Example This example shows how to perform a bitwise OR operation on a range of bits of a `fi` object. Consider the following unsigned fixed-point `fi` object with a value 5, word length 4, and fraction length 0:

```
a = fi(5,0,4,0);
```

```
disp(bin(a))
```

```
0101
```

Get the bitwise OR of the consecutive set of bits starting at position 4 and ending at position 3:

```
disp(bin(bitreduce(a,4,3)))
```

```
1
```

See Also

bitandreduce, bitconcat, bitsliceget, bitxorreduce

bitrol

Purpose Bitwise rotate left

Syntax `c = bitrol(a, k)`

Description `c = bitrol(a, k)` returns the value of the `fi` object `a` rotated left by `k` bits.

`a` can be a scalar `fi` object or a vector `fi` object. It can be any fixed-point numeric type. The `OverflowMode` and `RoundMode` properties are ignored. `bitrol` operates on both signed and unsigned fixed point inputs and does not check overflow or underflow. `bitrol` rotates bits from the MSB side into the LSB side.

`k` is an integer constant that must be greater than zero. `k` can be greater than the word length of `a`. It is always normalized to `mod(a.WordLength,k)`.

`a` and `c` have the same `fimath` and the `numericType` objects.

Example

This example shows how to rotate the bits of a `fi` object left. Consider the following unsigned fixed-point `fi` object with a value of 10, word length 4, and fraction length 0:

```
a = fi(10,0,4,0);  
disp(bin(a))
```

```
1010
```

Rotate a left one bit:

```
disp(bin(bitrol(a,1)))
```

```
0101
```

Rotate a left two bits:

```
disp(bin(bitrol(a,2)))
```

```
1010
```

See Also

`bitconcat`, `bitror`, `bitshift`, `bitsliceget`, `bitsll`, `bitsra`, `bitsrl`

bitror

Purpose Bitwise rotate right

Syntax `c = bitror(a, k)`

Description `c = bitror(a, k)` returns the value of the `fi` object `a` rotated right by `k` bits.

`a` can be a scalar `fi` object or a vector `fi` object. It can be any fixed-point numeric type. The `OverflowMode` and `RoundMode` properties are ignored. `bitror` operates on both signed and unsigned fixed point inputs and does not check overflow or underflow. `bitror` rotates bits from the LSB side into the MSB side.

`k` is an integer constant that must be greater than zero. `k` can be greater than the word length of `a`. It is always normalized to `mod(a.WordLength,k)`.

`a` and `c` have the same `fimath` and the `numericType` objects.

Example

This example shows how to rotate the bits of a `fi` object right. Consider the following unsigned fixed-point `fi` object with a value 5, word length 4, and fraction length 0:

```
a = fi(5,0,4,0);  
disp(bin(a))
```

```
0101
```

Rotate a right one bit:

```
disp(bin(bitror(a,1)))
```

```
1010
```

Rotate a right two bits:

```
disp(bin(bitror(a,2)))
```

```
0101
```

See Also

`bitconcat`, `bitrol`, `bitshift`, `bitsliceget`, `bitsll`, `bitsra`, `bitsrl`

bitset

Purpose Set bit at certain position

Syntax
`c = bitset(a, bit)`
`c = bitset(a, bit, v)`

Description `c = bitset(a, bit)` sets bit position `bit` in `a` to 1 (on).
`c = bitset(a, bit, v)` sets bit position `bit` in `a` to `v`. `v` must have a value 0 (off) or 1 (on). Any value `v` other than 0 is automatically set to 1.
`bit` must be a number between 1 and the word length of `a`, inclusive. If `a` has a signed `numericType`, the bit representation of the stored integer is in two's complement representation.
`bitset` only supports `fi` objects with fixed-point data types. `a` can be a scalar `fi` object or a vector `fi` object. `bit` and `v` can be scalars or vectors.

Example This example shows how to set a bit of a `fi` object. Consider the following unsigned fixed-point `fi` object with a value of 5, word length 4, and fraction length 0:

```
a = fi(5,0,4,0);  
disp(bin(a))
```

```
0101
```

Set the bit at position 2 to 1:

```
c = bitset(a,2,1);  
disp(bin(c))
```

```
0111
```

See Also `bitand`, `bitcmp`, `bitget`, `bitor`, `bitxor`

Purpose

Shift bits specified number of places

Syntax

```
c = bitshift(a, k)
```

Description

`c = bitshift(a, k)` returns the value of `a` shifted by `k` bits.

`fi` object `a` can be any fixed-point numeric type. The `OverflowMode` and `RoundMode` properties are obeyed.

`bitshift` only supports `fi` objects with fixed-point data types. `a` can be a scalar `fi` object or a vector `fi` object. `k` must be a scalar.

Example

This example highlights how changing the `OverflowMode` property of the `fimath` object can change the results returned by the `bitshift` function. Consider the following signed fixed-point `fi` object with a value of 3, word length 16, and fraction length 0:

```
a = fi(3,1,16,0);
```

By default, the `OverflowMode` `fimath` property is `saturate`. When `a` is shifted such that it overflows, it is saturated to the maximum possible value:

```
for k=0:16,b=bitshift(a,k);...
    disp([num2str(k,'%02d'),' ',bin(b)]);end

00. 0000000000000011
01. 0000000000000110
02. 0000000000001100
03. 0000000000011000
04. 0000000000110000
05. 0000000001100000
06. 0000000011000000
07. 0000000110000000
08. 0000001100000000
09. 0000011000000000
10. 0000110000000000
11. 0001100000000000
```

bitshift

```
12. 0011000000000000
13. 0110000000000000
14. 0111111111111111
15. 0111111111111111
16. 0111111111111111
```

Now change `OverflowMode` to `wrap`. In this case, most significant bits shift off the “top” of `a` until the value is zero:

```
a = fi(3,1,16,0,'OverflowMode','wrap');
for k=0:16,b=bitshift(a,k);...
disp([num2str(k,'%02d'),' . ',bin(b)]);end
```

```
00. 0000000000000011
01. 0000000000000110
02. 0000000000001100
03. 0000000000011000
04. 000000000110000
05. 000000001100000
06. 000000011000000
07. 000000110000000
08. 000001100000000
09. 000011000000000
10. 000110000000000
11. 001100000000000
12. 001100000000000
13. 011000000000000
14. 110000000000000
15. 100000000000000
16. 000000000000000
```

See Also

`bitand`, `bitcmp`, `bitget`, `bitor`, `bitset`, `bitxor`

Purpose	Consecutive slice of bits
Syntax	<pre>c = bitsliceget(a) c = bitsliceget(a, lidx) c = bitsliceget(a, lidx, ridx)</pre>
Description	<p><code>c = bitsliceget(a)</code> returns the entire set of bits in the <code>fi</code> object <code>a</code>. If <code>a</code> has a signed <code>numericType</code>, the bit representation of the stored integer is in two's complement representation.</p> <p><code>c = bitsliceget(a, lidx)</code> returns a consecutive slice of bits from <code>a</code> starting at position <code>lidx</code> and ending at the LSB (the bit at position 1). <code>lidx</code> is a constant that represents the position in the slice that is closest to the MSB.</p> <p><code>c = bitsliceget(a, lidx, ridx)</code> returns a consecutive slice of bits from <code>a</code> starting at position <code>lidx</code> and ending at position <code>ridx</code>. <code>ridx</code> is a constant that represents the position in the slice that is closest to the LSB.</p> <p>The <code>bitsliceget</code> arguments must satisfy the following condition:</p> $a.\text{WordLength} \geq \text{lidx} \geq \text{ridx} \geq 1$ <p>If <code>lidx</code> and <code>ridx</code> are equal, <code>bitsliceget</code> only slices one bit, and <code>bitsliceget(a, lidx, ridx)</code> is the same as <code>bitget(a, lidx)</code>.</p> <p><code>bitsliceget</code> only supports <code>fi</code> objects with fixed-point data types. <code>bitsliceget</code> always returns a fixed point number with no scaling and with word length equal to slice length, <code>lidx-ridx+1</code>.</p>
Example	<p>This example shows how to get the binary representation of a specified set of consecutive bits in a <code>fi</code> object. Consider the following unsigned fixed-point <code>fi</code> object with a value of 85, word length 8, and fraction length 0:</p> <pre>a = fi(85,0,8,0); disp(bin(a))</pre>

bitsliceget

```
01010101
```

Get the binary representation of the consecutive set of bits starting at position 8 and ending at position 3:

```
bits8to3 = bitsliceget(a,8,3);  
disp(bin(bits8to3))
```

```
010101
```

See Also

bitand, bitcmp, bitget, bitor, bitset, bitxor

Purpose Bit shift left logical

Syntax `c = bitsll(a, k)`

Description `c = bitsll(a, k)` returns the value of the `fi` object `a` shifted left logical by `k` bits.

`a` can be a scalar `fi` object or a vector `fi` object. It can be any fixed-point numeric type. The `OverflowMode` and `RoundMode` properties are ignored. `bitsll` operates on both signed and unsigned fixed point inputs and does not check overflow or underflow. `bitsll` shifts zeros into the positions of bits that it shifts left.

`k` is an integer constant in the following range:

$$a.\text{WordLength} > k \geq 0$$

`a` and `c` have the same `fimath` and the `numericType` objects.

Example

This example shows how to shift bits using the `bitsll` function. Consider the following unsigned fixed-point `fi` object with a value of 10, word length 4, and fraction length 0:

```
a = fi(10,0,4,0);  
disp(bin(a))
```

```
1010
```

Shift `a` left by one bit:

```
disp(bin(bitsll(a,1)))
```

```
0100
```

Shift `a` left by one more bit:

```
disp(bin(bitsll(a,2)))
```

bitssl

1000

Unlike the `bitshift` function, the output value does not saturate.

See Also

`bitconcat`, `bitrol`, `bitror`, `bitshift`, `bitsliceget`, `bitsra`, `bitsrl`

Purpose Bit shift right arithmetic

Syntax `c = bitsra(a, k)`

Description `c = bitsra(a, k)` returns the value of the `fi` object `a` shifted right arithmetic by `k` bits.

`a` can be a scalar `fi` object or a vector `fi` object. It can be any fixed-point numeric type. The `OverflowMode` and `RoundMode` properties are ignored. `bitsra` operates on both signed and unsigned fixed point inputs and does not check overflow or underflow. `bitsra` shifts zeros into the positions of bits that it shifts right if the input is unsigned. `bitsra` shifts the MSB into the positions of bits that it shifts right if the input is signed.

`k` is an integer constant in the following range:

$$a.\text{WordLength} > k \geq 0$$

`a` and `c` have the same `fimath` and the `numericType` objects.

Example

This example shows how to shift bits using the `bitsra` function. Consider the following signed fixed-point `fi` object with a value of -8, word length 4, and fraction length 0:

```
a = fi(-8,1,4,0);  
disp(bin(a))
```

```
1000
```

Shift `a` right by one bit:

```
disp(bin(bitsra(a,1)))
```

```
1100
```

`bitsra` shifts the MSB into the position of the bit that it shifts right.

bitsra

See Also

bitconcat, bitshift, bitsliceget, bitsll, bitsr1

Purpose	Bit shift right logical
Syntax	<code>c = bitsrl(a, k)</code>
Description	<p><code>c = bitsrl(a, k)</code> returns the value of <code>a</code> shifted right logical by <code>k</code> bits. <code>a</code> can be a scalar <code>fi</code> object or a vector <code>fi</code> object. It can be any fixed-point numeric type. The <code>OverflowMode</code> and <code>RoundMode</code> properties are ignored. <code>bitsrl</code> operates on both signed and unsigned fixed point inputs and does not check overflow or underflow. <code>bitsrl</code> shifts zeros into the positions of bits that it shifts right.</p> <p><code>k</code> is an integer constant in the following range:</p> $a.\text{WordLength} > k \geq 0$ <p><code>a</code> and <code>c</code> have the same <code>fimath</code> and the <code>numericType</code> objects.</p>
Example	<p>This example shows how to shift bits using the <code>bitsrl</code> function. Consider the following signed fixed-point <code>fi</code> object with a value of -8, word length 4, and fraction length 0:</p> <pre>a = fi(-8,1,4,0); disp(bin(a))</pre> <p>1000</p> <p>Shift <code>a</code> right by one bit:</p> <pre>disp(bin(bitsrl(a,1)))</pre> <p>0100</p> <p><code>bitsrl</code> shifts a zero into the position of the bit that it shifts right.</p>
See Also	<code>bitconcat</code> , <code>bitrol</code> , <code>bitror</code> , <code>bitshift</code> , <code>bitsliceget</code> , <code>bitsll</code> , <code>bitsra</code>

bitxor

Purpose Bitwise exclusive OR of two `fi` objects

Syntax `c = bitxor(a, b)`

Description `c = bitxor(a, b)` returns the bitwise exclusive OR of `fi` objects `a` and `b`. The `fimath` and the `numericType` objects of `a` and `b` must be identical. If the `numericType` is signed, then the bit representation of the stored integer is in two's complement representation.

`a` and `b` must have the same dimensions unless one is a scalar.

`bitxor` only supports `fi` objects with fixed-point data types.

See Also `bitand`, `bitcmp`, `bitget`, `bitor`, `bitset`

Purpose

Bitwise exclusive OR of consecutive range of bits

Syntax

```
c = bitxorreduce(a)
c = bitxorreduce(a, lidx)
c = bitxorreduce(a, lidx, ridx)
```

Description

`c = bitxorreduce(a)` performs a bitwise exclusive OR operation on the entire set of bits in the `fi` object `a` and returns the result as a `u1,0` (unsigned integer of word length 1).

`c = bitxorreduce(a, lidx)` performs a bitwise exclusive OR operation on a consecutive range of bits starting at position `lidx` and ending at the LSB (the bit at position 1). `lidx` is a constant that represents the position in the range closest to the MSB.

`c = bitxorreduce(a, lidx, ridx)` performs a bitwise exclusive OR operation on a consecutive range of bits starting at position `lidx` and ending at position `ridx`. `ridx` is a constant that represents the position in the range closest to the LSB.

The `bitxorreduce` arguments must satisfy the following condition:

```
a.WordLength >= lidx >= ridx >= 1
```

`a` can be a scalar `fi` object or a vector `fi` object.

`bitxorreduce` only supports `fi` objects with fixed-point data types; it does not support inputs with complex data types.

`bitxorreduce` supports both signed and unsigned inputs with arbitrary scaling. The sign and scaling properties do not affect the result type and value. `bitxorreduce` performs the operation on a two's complement bit representation of the stored integer.

Example

This example shows how to perform a bitwise exclusive OR operation on a range of bits of a `fi` object. Consider the following unsigned fixed-point `fi` object with a value 5, word length 4, and fraction length 0:

```
a = fi(5,0,4,0);
```

bitxorreduce

```
disp(bin(a))
```

```
0101
```

Get the bitwise exclusive OR of the consecutive set of bits starting at position 4 and ending at position 2:

```
disp(bin(bitxorreduce(a,4,2)))
```

```
1
```

See Also

bitandreduce, bitconcat, bitorreduce, bitsliceget

Purpose

Buffer signal vector into matrix of data frames

Description

Refer to Signal Processing Toolbox `buffer` reference page for more information.

clabel

Purpose Create contour plot elevation labels

Description Refer to the MATLAB `clabel` reference page for more information.

Purpose Create 2-D comet plot

Description Refer to the MATLAB comet reference page for more information.

comet3

Purpose Create 3-D comet plot

Description Refer to the MATLAB comet3 reference page for more information.

Purpose Plot arrows emanating from origin

Description Refer to the MATLAB compass reference page for more information.

complex

Purpose Construct complex `fi` object from real and imaginary parts

Syntax
`c = complex(a,b)`
`c = complex(a)`

Description The `complex` function constructs a complex `fi` object from real and imaginary parts.

`c = complex(a,b)` returns the complex result $a + bi$, where a and b are identically sized real N-D arrays, matrices, or scalars of the same data type. When b is all zero, c is complex with an all-zero imaginary part. This is in contrast to the addition of $a + 0i$, which returns a strictly real result.

`c = complex(a)` for a real `fi` object a returns the complex result $a + bi$ with real part a and an all-zero imaginary part. Even though its imaginary part is all zero, c is complex.

The `numericType` and `fiMath` objects of the leftmost input that is a `fi` object are applied to the output c .

See Also `imag`, `real`

Purpose Plot velocity vectors as cones in 3-D vector field

Description Refer to the MATLAB coneplot reference page for more information.

conj

Purpose Complex conjugate of fi object

Syntax `conj(a)`

Description `conj(a)` is the complex conjugate of fi object `a`.
When `a` is complex,

$$\text{conj}(a) = \text{real}(a) - i \times \text{imag}(a)$$

The `numericType` and `fiMath` objects of the input `a` are applied to the output.

See Also `complex`, `imag`, `real`

Purpose Create contour graph of matrix

Description Refer to the MATLAB contour reference page for more information.

contour3

Purpose Create 3-D contour plot

Description Refer to the MATLAB contour3 reference page for more information.

Purpose Create two-level contour plot computation

Description Refer to the MATLAB `contourc` reference page for more information.

contourf

Purpose Create filled 2-D contour plot

Description Refer to the MATLAB `contourf` reference page for more information.

Purpose Apply convergent rounding

Syntax `convergent(x)`

Description `convergent(x)` rounds the elements of `x` to the nearest integer, except in a tie, then rounds to the nearest even integer.

Examples MATLAB `round` and `convergent` differ in the way they treat values whose fractional part is 0.5. In `round`, every tie is rounded up in absolute value. `convergent` rounds ties to the nearest even integer.

```
x=[-3.5:3.5]';  
[x convergent(x) round(x)]  
ans =  
  
-3.5000 -4.0000 -4.0000  
-2.5000 -2.0000 -3.0000  
-1.5000 -2.0000 -2.0000  
-0.5000 0 -1.0000  
0.5000 0 1.0000  
1.5000 2.0000 2.0000  
2.5000 2.0000 3.0000  
3.5000 4.0000 4.0000
```

copyobj

Purpose Make independent copy of quantizer object

Syntax `q1 = copyobj(q)`
 `[q1,q2,...] = copyobj(obja,objb,...)`

Description `q1 = copyobj(q)` makes a copy of quantizer object `q` and returns it in `q1`.

`[q1,q2,...] = copyobj(obja,objb,...)` copies `obja` into `q1`, `objb` into `q2`, and so on.

Using `copyobj` to copy a quantizer object is not the same as using the command syntax `q1 = q` to copy a quantizer object. quantizer objects have memory (their read-only properties). When you use `copyobj`, the resulting copy is independent of the original item; it does not share the original object's memory, such as the values of the properties `min`, `max`, `noverflows`, or `noperations`. Using `q1 = q` creates a new object that is an alias for the original and shares the original object's memory, and thus its property values.

Examples `q = quantizer('CoefficientFormat',[8 7]);`
 `q1 = copyobj(q);`

See Also `quantizer`, `get`, `set`

Purpose	Complex conjugate transpose of <code>fi</code> object
Syntax	<code>ctranspose(a)</code>
Description	<code>ctranspose(a)</code> returns the complex conjugate transpose of <code>fi</code> object <code>a</code> . It is also called for the syntax <code>a'</code> .
See Also	<code>transpose</code>

dec

Purpose Unsigned decimal representation of stored integer of `fi` object

Syntax `dec(a)`

Description Fixed-point numbers can be represented as

$$\textit{real-world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real-world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`dec(a)` returns the stored integer of `fi` object `a` in unsigned decimal format as a string.

Examples

The code

```
a = fi([-1 1],1,8,7);  
dec(a)
```

returns

```
128    127
```

See Also

`bin`, `hex`, `int`, `oct`, `sdec`

Purpose Largest denormalized quantized number for quantizer object

Syntax `x = denormalmax(q)`

Description `x = denormalmax(q)` is the largest positive denormalized quantized number where `q` is a quantizer object. Anything larger than `x` is a normalized number. Denormalized numbers apply only to floating-point format. When `q` represents fixed-point numbers, this function returns `eps(q)`.

Examples

```
q = quantizer('float',[6 3]);
x = denormalmax(q)

x =

    0.1875
```

Algorithm When `q` is a floating-point quantizer object,

$$\text{denormalmax}(q) = \text{realmin}(q) - \text{denormalmin}(q)$$

When `q` is a fixed-point quantizer object,

$$\text{denormalmax}(q) = \text{eps}(q)$$

See Also `denormalmin`, `eps`, `quantizer`

denormalmin

Purpose Smallest denormalized quantized number for quantizer object

Syntax `x = denormalmin(q)`

Description `x = denormalmin(q)` is the smallest positive denormalized quantized number where `q` is a quantizer object. Anything smaller than `x` underflows to zero with respect to the quantizer object `q`. Denormalized numbers apply only to floating-point format. When `q` represents a fixed-point number, `denormalmin` returns `eps(q)`.

Examples

```
q = quantizer('float',[6 3]);
denormalmin(q)

ans =

    0.0625
```

Algorithm When `q` is a floating-point quantizer object,

$$x = 2^{E_{min} - f}$$

where E_{min} is equal to `exponentmin(q)`.

When `q` is a fixed-point quantizer object,

$$x = \text{eps}(q) = 2^{-f}$$

where f is equal to `fractionlength(q)`.

See Also `denormalmax`, `eps`, `quantizer`

Purpose Diagonal matrices or diagonals of matrix

Description Refer to the MATLAB `diag` reference page for more information.

disp

Purpose Display object

Description Refer to the MATLAB disp reference page for more information.

Purpose

Divide two objects

Syntax

```
c = divide(T,a,b)
c = T.divide(a,b)
```

Description

`c = divide(T,a,b)` and `c = T.divide(a,b)` perform division on the elements of `a` by the elements of `b`. The result `c` has the `numericType` object `T`.

If `a` and `b` are both `fi` objects, `c` has the same `fi` object as `a`. If `c` has a `fi` Fixed data type, and any one of the inputs have `fi` floating point data types, then the `fi` floating point is converted into a fixed-point value. Intermediate quantities are calculated using the `fi` object of `a`. See “Data Type Propagation Rules” on page 3-75.

`a` and `b` must have the same dimensions unless one is a scalar. If either `a` or `b` is scalar, then `c` has the dimensions of the nonscalar object.

If either `a` or `b` is a `fi` object, and the other is a MATLAB built-in numeric type, then the built-in object is cast to the word length of the `fi` object, preserving best-precision fraction length. Intermediate quantities are calculated using the `fi` object of the input `fi` object. See “Data Type Propagation Rules” on page 3-75.

If `a` and `b` are both MATLAB built-in doubles, then `c` is the floating-point quotient `a./b`, and `numericType T` is ignored.

Note The `divide` function is not currently supported for [Slope Bias] signals.

Data Type Propagation Rules

For syntaxes for which Fixed-Point Toolbox uses the `numericType` object `T`, the `divide` function follows the data type propagation rules listed in the following table. In general, these rules can be summarized as “floating-point data types are propagated.” This allows you to write code that can be used with both fixed-point and floating-point inputs.

divide

Data Type of Input <code>fi</code> Objects <code>a</code> and <code>b</code>		Data Type of numeric type object <code>T</code>	Data Type of Output <code>c</code>
Built-in double	Built-in double	Any	Built-in double
<code>fi</code> Fixed	<code>fi</code> Fixed	<code>fi</code> Fixed	Data type of numeric type object <code>T</code>
<code>fi</code> Fixed	<code>fi</code> Fixed	<code>fi</code> double	<code>fi</code> double
<code>fi</code> Fixed	<code>fi</code> Fixed	<code>fi</code> single	<code>fi</code> single
<code>fi</code> Fixed	<code>fi</code> Fixed	<code>fi</code> ScaledDouble	<code>fi</code> ScaledDouble with properties of numeric type object <code>T</code>
<code>fi</code> double	<code>fi</code> double	<code>fi</code> Fixed	<code>fi</code> double
<code>fi</code> double	<code>fi</code> double	<code>fi</code> double	<code>fi</code> double
<code>fi</code> double	<code>fi</code> double	<code>fi</code> single	<code>fi</code> single
<code>fi</code> double	<code>fi</code> double	<code>fi</code> ScaledDouble	<code>fi</code> double
<code>fi</code> single	<code>fi</code> single	<code>fi</code> Fixed	<code>fi</code> single
<code>fi</code> single	<code>fi</code> single	<code>fi</code> double	<code>fi</code> double
<code>fi</code> single	<code>fi</code> single	<code>fi</code> single	<code>fi</code> single
<code>fi</code> single	<code>fi</code> single	<code>fi</code> ScaledDouble	<code>fi</code> single
<code>fi</code> ScaledDouble	<code>fi</code> ScaledDouble	<code>fi</code> Fixed	<code>fi</code> ScaledDouble with properties of numeric type object <code>T</code>

Data Type of Input fi Objects a and b		Data Type of numerictype object T	Data Type of Output c
fi ScaledDouble	fi ScaledDouble	fi double	fi double
fi ScaledDouble	fi ScaledDouble	fi single	fi single
fi ScaledDouble	fi ScaledDouble	fi ScaledDouble	fi ScaledDouble with properties of numerictype object T

Examples

This example highlights the precision of the `fi divide` function.

First, create an unsigned `fi` object with an 80-bit word length and 2^{83} scaling, which puts the leading 1 of the representation into the most significant bit. Initialize the object with double-precision floating-point value 0.1, and examine the binary representation:

```
P =
  fipref('NumberDisplay','bin',...
        'NumericTypeDisplay','short',...
        'FimathDisplay','none');
a = fi(0.1, false, 80, 83)

a =

1100110011001100110011001100110011001100110011001100110011001101010000
00000000000000000000000000000000
(bin)
      u80,83
11001100110011001100110011001100110011001100110011001100110011001100
110011001100110011001100
```

divide

Notice that the infinite repeating representation is truncated after 52 bits, because the mantissa of an IEEE standard double-precision floating-point number has 52 bits.

Contrast the above to calculating 1/10 in fixed-point arithmetic with the quotient set to the same numeric type as before:

```
T = numerictype('Signed',false,'WordLength',80,...
               'FractionLength',83);
a = fi(1);
b = fi(10);
c = T.divide(a,b);
c.bin

ans =

11001100110011001100110011001100110011001100110011001100110011001100
110011001100110011001100
```

Notice that when you use the divide function, the quotient is calculated to the full 80 bits, regardless of the precision of a and b. Thus, the fi object c represents 1/10 more precisely than IEEE standard double-precision floating-point number can.

With 1000 bits of precision,

```
T = numerictype('Signed',false,'WordLength',1000,...
               'FractionLength',1003);
a = fi(1);
b = fi(10);
c = T.divide(a,b);
```


double

Purpose Double-precision floating-point real-world value of `fi` object

Syntax `double(a)`

Description Fixed-point numbers can be represented as

$$\textit{real - world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

`double(a)` returns the real-world value of a `fi` object in double-precision floating point.

See Also `single`

Purpose Last index of array

Description Refer to the MATLAB end reference page for more information.

Purpose Quantized relative accuracy for `fi` or quantizer objects

Syntax `eps(obj)`

Description `eps(obj)` returns the value of the least significant bit of the value of the `fi` object or quantizer object `obj`. The result of this function is equivalent to that given by the Fixed-Point Toolbox `lsb` function.

See Also `intmax`, `intmin`, `lowerbound`, `lsb`, `range`, `realmax`, `realmin`, `upperbound`

Purpose	Determine whether real-world values of two <code>fi</code> objects are equal
Syntax	<code>c = eq(a,b)</code> <code>a == b</code>
Description	<code>c = eq(a,b)</code> is called for the syntax <code>a == b</code> when <code>a</code> or <code>b</code> is a <code>fi</code> object. <code>a</code> and <code>b</code> must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size. <code>a == b</code> does an element-by-element comparison between <code>a</code> and <code>b</code> and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.
See Also	<code>ge</code> , <code>gt</code> , <code>isequal</code> , <code>le</code> , <code>lt</code> , <code>ne</code>

errorbar

Purpose Plot error bars along curve

Description Refer to the MATLAB errorbar reference page for more information.

Purpose Plot elimination tree

Description Refer to the MATLAB `etreeplot` reference page for more information.

exponentbias

Purpose Exponent bias for quantizer object

Syntax `b = exponentbias(q)`

Description `b = exponentbias(q)` returns the exponent bias of the quantizer object `q`. For fixed-point quantizer objects, `exponentbias(q)` returns 0.

Examples

```
q = quantizer('double');
b = exponentbias(q)

b =

    1023
```

Algorithm For floating-point quantizer objects,

$$b = 2^{e-1} - 1$$

where $e = \text{eps}(q)$, and `exponentbias` is the same as the exponent maximum.

For fixed-point quantizer objects, $b = 0$ by definition.

See Also `eps`, `exponentlength`, `exponentmax`, `exponentmin`

Purpose Exponent length of quantizer object

Syntax `e = exponentlength(q)`

Description `e = exponentlength(q)` returns the exponent length of quantizer object `q`. When `q` is a fixed-point quantizer object, `exponentlength(q)` returns 0. This is useful because exponent length is valid whether the quantizer object mode is floating point or fixed point.

Examples

```
q = quantizer('double');  
e = exponentlength(q)  
  
e =  
  
    11
```

Algorithm The exponent length is part of the format of a floating-point quantizer object `[w e]`. For fixed-point quantizer objects, $e = 0$ by definition.

See Also `eps`, `exponentbias`, `exponentmax`, `exponentmin`

exponentmax

Purpose Maximum exponent for quantizer object

Syntax `exponentmax(q)`

Description `exponentmax(q)` returns the maximum exponent for quantizer object `q`. When `q` is a fixed-point quantizer object, it returns 0.

Examples

```
q = quantizer('double');
exponentmax(q)

ans =

    1023
```

Algorithm For floating-point quantizer objects,

$$E_{max} = 2^{e-1} - 1$$

For fixed-point quantizer objects, $E_{max} = 0$ by definition.

See Also `eps`, `exponentbias`, `exponentlength`, `exponentmin`

Purpose Minimum exponent for quantizer object

Syntax `emin = exponentmin(q)`

Description `emin = exponentmin(q)` returns the minimum exponent for quantizer object `q`. If `q` is a fixed-point quantizer object, `exponentmin` returns 0.

Examples

```
q = quantizer('double');
emin = exponentmin(q)

emin =

    -1022
```

Algorithm For floating-point quantizer objects,

$$E_{min} = -2^{e-1} + 2$$

For fixed-point quantizer objects, $E_{min} = 0$.

See Also `eps`, `exponentbias`, `exponentlength`, `exponentmax`

ezcontour

Purpose Easy-to-use contour plotter

Description Refer to the MATLAB ezcontour reference page for more information.

Purpose Easy-to-use filled contour plotter

Description Refer to the MATLAB ezcontourf reference page for more information.

ezmesh

Purpose Easy-to-use 3-D mesh plotter

Description Refer to the MATLAB ezmesh reference page for more information.

Purpose Easy-to-use function plotter

Description Refer to the MATLAB ezplot reference page for more information.

ezplot3

Purpose Easy-to-use 3-D parametric curve plotter

Description Refer to the MATLAB `ezplot3` reference page for more information.

Purpose Easy-to-use polar coordinate plotter

Description Refer to the MATLAB `ezpolar` reference page for more information.

ezsurf

Purpose Easy-to-use 3-D colored surface plotter

Description Refer to the MATLAB ezsurf reference page for more information.

Purpose Easy-to-use combination surface/contour plotter

Description Refer to the MATLAB `ezsurf` reference page for more information.

feather

Purpose Plot velocity vectors

Description Refer to the MATLAB `feather` reference page for more information.

Purpose

Construct fi object

Syntax

```
a = fi
a = fi(v)
a = fi(v,s)
a = fi(v,s,w)
a = fi(v,s,w,f)
a = fi(v,s,w,slope,bias)
a = fi(v,s,w,slopeadjustmentfactor,fixedexponent,bias)
a = fi(v,T)
a = fi(v,F)
b = fi(a,F)
a = fi(v,T,F)
a = fi(v,s,F)
a = fi(v,s,w,F)
a = fi(v,s,w,f,F)
a = fi(v,s,w,slope,bias,F)
a = fi(v,s,w,slopeadjustmentfactor,fixedexponent,bias,F)
a = fi(... 'PropertyName',PropertyValue...)
a = fi('PropertyName',PropertyValue...)
```

Description

You can use the `fi` constructor function in the following ways:

- `a = fi` is the default constructor and returns a `fi` object with no value, 16-bit word length, and 15-bit fraction length.
- `a = fi(v)` returns a signed fixed-point object with value `v`, 16-bit word length, and best-precision fraction length.
- `a = fi(v,s)` returns a fixed-point object with value `v`, signedness `s`, 16-bit word length, and best-precision fraction length. `s` can be 0 (false) for unsigned or 1 (true) for signed.
- `a = fi(v,s,w)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, and best-precision fraction length.
- `a = fi(v,s,w,f)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, and fraction length `f`.

- `a = fi(v,s,w,slope,bias)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, slope, and bias.
- `a = fi(v,s,w,slopeadjustmentfactor,fixedexponent,bias)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, `slopeadjustmentfactor`, `fixedexponent`, and bias.
- `a = fi(v,T)` returns a fixed-point object with value `v` and `embedded.numericitytype T`. Refer to “Working with numericitytype Objects” for more information on numericitytype objects.
- `a = fi(v,F)` returns a fixed-point object with value `v`, `embedded.fimath F`, 16-bit word length, and best-precision fraction length. Refer to “Working with fimath Objects” for more information on fimath objects.
- `b = fi(a,F)` allows you to maintain the value and numericitytype object of fi object `a`, while changing its fimath object to `F`.
- `a = fi(v,T,F)` returns a fixed-point object with value `v`, `embedded.numericitytype T`, and `embedded.fimath F`.
- `a = fi(v,s,F)` returns a fixed-point object with value `v`, signedness `s`, 16-bit word length, best-precision fraction length, and `embedded.fimath F`.
- `a = fi(v,s,w,F)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, best-precision fraction length, and `embedded.fimath F`.
- `a = fi(v,s,w,f,F)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, fraction length `f`, and `embedded.fimath F`.
- `a = fi(v,s,w,slope,bias,F)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, slope, bias, and `embedded.fimath F`.
- `a = fi(v,s,w,slopeadjustmentfactor,fixedexponent,bias,F)` returns a fixed-point object with value `v`, signedness `s`, word length `w`, `slopeadjustmentfactor`, `fixedexponent`, bias, and `embedded.fimath F`.

-
- `a = fi(...'PropertyName',PropertyValue...)` and `a = fi('PropertyName',PropertyValue...)` allow you to set fixed-point objects for a `fi` object by property name/property value pairs.

The `fi` object has the following three general types of properties:

- “Data Properties” on page 3-101
- “`fimath` Properties” on page 3-102
- “`numerictype` Properties” on page 3-103

Note These properties are described in detail in “`fi` Object Properties” on page 1-2 in the Properties Reference.

Data Properties

The data properties of a `fi` object are always writable.

- `bin` — Stored integer value of a `fi` object in binary
- `data` — Numerical real-world value of a `fi` object
- `dec` — Stored integer value of a `fi` object in decimal
- `double` — Real-world value of a `fi` object, stored as a MATLAB `double`
- `hex` — Stored integer value of a `fi` object in hexadecimal
- `int` — Stored integer value of a `fi` object, stored in a built-in MATLAB integer data type. You can also use `int8`, `int16`, `int32`, `uint8`, `uint16`, and `uint32` to get the stored integer value of a `fi` object in these formats
- `oct` — Stored integer value of a `fi` object in octal

These properties are described in detail in “`fi` Object Properties” on page 1-2.

fimath Properties

When you create a `fi` object, a `fimath` object is also automatically created as a property of the `fi` object.

- `fimath` — `fimath` object associated with a `fi` object

The following `fimath` properties are, by transitivity, also properties of a `fi` object. The properties of the `fimath` object listed below are always writable.

- `CastBeforeSum` — Whether both operands are cast to the sum data type before addition
- `MaxProductWordLength` — Maximum allowable word length for the product data type
- `MaxSumWordLength` — Maximum allowable word length for the sum data type
- `OverflowMode` — Overflow mode
- `ProductBias` — Bias of the product data type
- `ProductFixedExponent` — Fixed exponent of the product data type
- `ProductFractionLength` — Fraction length, in bits, of the product data type
- `ProductMode` — Defines how the product data type is determined
- `ProductSlope` — Slope of the product data type
- `ProductSlopeAdjustmentFactor` — Slope adjustment factor of the product data type
- `ProductWordLength` — Word length, in bits, of the product data type
- `RoundMode` — Rounding mode
- `SumBias` — Bias of the sum data type
- `SumFixedExponent` — Fixed exponent of the sum data type

- `SumFractionLength` — Fraction length, in bits, of the sum data type
- `SumMode` — Defines how the sum data type is determined
- `SumSlope` — Slope of the sum data type
- `SumSlopeAdjustmentFactor` — Slope adjustment factor of the sum data type
- `SumWordLength` — The word length, in bits, of the sum data type

These properties are described in detail in “`fimath` Object Properties” on page 1-6.

numericType Properties

When you create a `fi` object, a `numericType` object is also automatically created as a property of the `fi` object.

- `numericType` — Object containing all the numeric type attributes of a `fi` object

The following `numericType` properties are, by transitivity, also properties of a `fi` object. The properties of the `numericType` object listed below are not writable once the `fi` object has been created. However, you can create a copy of a `fi` object with new values specified for the `numericType` properties.

- `Bias` — Bias of a `fi` object
- `DataType` — Data type category associated with a `fi` object
- `DataTypeMode` — Data type and scaling mode of a `fi` object
- `FixedExponent` — Fixed-point exponent associated with a `fi` object
- `SlopeAdjustmentFactor` — Slope adjustment associated with a `fi` object
- `FractionLength` — Fraction length of the stored integer value of a `fi` object in bits
- `Scaling` — Fixed-point scaling mode of a `fi` object

- Signed — Whether a `fi` object is signed or unsigned
- Slope — Slope associated with a `fi` object
- `WordLength` — Word length of the stored integer value of a `fi` object in bits

These properties are described in detail in “numerictype Object Properties” on page 1-17.

Examples

Note For information about the display format of `fi` objects, refer to Display Settings.

Example 1

For example, the following creates a `fi` object with a value of `pi`, a word length of 8 bits, and a fraction length of 3 bits:

```
a = fi(pi, 1, 8, 3)
```

```
a =
```

```
3.1250
```

```
      DataTypeMode: Fixed-point: binary point scaling  
             Signed: true  
           WordLength: 8  
        FractionLength: 3
```

Example 2

The value `v` can also be an array:

```
a = fi((magic(3)/10), 1, 16, 12)
```

```
a =
```

```

0.8000    0.1001    0.6001
0.3000    0.5000    0.7000
0.3999    0.8999    0.2000

```

```

        DataTypeMode: Fixed-point: binary point scaling
            Signed: true
            WordLength: 16
            FractionLength: 12

```

Example 3

If you omit the argument `f`, it is set automatically to the best precision possible:

```
a = fi(pi, 1, 8)
```

```
a =
```

```
3.1563
```

```

        DataTypeMode: Fixed-point: binary point scaling
            Signed: true
            WordLength: 8
            FractionLength: 5

```

Example 4

If you omit `w` and `f`, they are set automatically to 16 bits and the best precision possible, respectively:

```
a = fi(pi, 1)
```

```
a =
```

```
3.1416
```

```
        DataTypeMode: Fixed-point: binary point scaling
```

```
Signed: true
WordLength: 16
FractionLength: 13
```

Example 5

You can use property name/property value pairs to set `fi` properties when you create the object:

```
a = fi(pi, 'roundmode', 'floor', 'overflowmode', 'wrap')
```

```
a =
```

```
3.1415
```

```
DataTypeMode: Fixed-point: binary point scaling
Signed: true
WordLength: 16
FractionLength: 13
```

See Also

`fimath`, `fipref`, `numericType`, `quantizer`

Purpose Construct fimath object

Syntax
`F = fimath`
`F = fimath(...'PropertyName',PropertyValue...)`

Description You can use the `fimath` constructor function in the following ways:

- `F = fimath` creates a default `fimath` object.
- `F = fimath(...'PropertyName',PropertyValue...)` allows you to set the attributes of a `fimath` object using property name/property value pairs.

The properties of the `fimath` object are listed below. These properties are described in detail in “`fimath` Object Properties” on page 1-6 in the Properties Reference.

- `CastBeforeSum` — Whether both operands are cast to the sum data type before addition
- `MaxProductWordLength` — Maximum allowable word length for the product data type
- `MaxSumWordLength` — Maximum allowable word length for the sum data type
- `OverflowMode` — Overflow-handling mode
- `ProductBias` — Bias of the product data type
- `ProductFixedExponent` — Fixed exponent of the product data type
- `ProductFractionLength` — Fraction length, in bits, of the product data type
- `ProductMode` — Defines how the product data type is determined
- `ProductSlope` — Slope of the product data type
- `ProductSlopeAdjustmentFactor` — Slope adjustment factor of the product data type

- ProductWordLength — Word length, in bits, of the product data type
- RoundMode — Rounding mode
- SumBias — Bias of the sum data type
- SumFixedExponent — Fixed exponent of the sum data type
- SumFractionLength — Fraction length, in bits, of the sum data type
- SumMode — Defines how the sum data type is determined
- SumSlope — Slope of the sum data type
- SumSlopeAdjustmentFactor — Slope adjustment factor of the sum data type
- SumWordLength — Word length, in bits, of the sum data type

Examples

Example 1

Type

```
F = fimath
```

to create a default fimath object.

```
F = fimath
```

```
F =
```

```
          RoundMode: nearest
          OverflowMode: saturate
          ProductMode: FullPrecision
MaxProductWordLength: 128
          SumMode: FullPrecision
MaxSumWordLength: 128
          CastBeforeSum: true
```

Example 2

You can set properties of `fimath` objects at the time of object creation by including properties after the arguments of the `fimath` constructor function. For example, to set the overflow mode to saturate and the rounding mode to convergent,

```
F = fimath('OverflowMode','saturate',...  
         'RoundMode','convergent')
```

```
F =
```

```
          RoundMode: convergent  
          OverflowMode: saturate  
          ProductMode: FullPrecision  
MaxProductWordLength: 128  
          SumMode: FullPrecision  
MaxSumWordLength: 128  
          CastBeforeSum: true
```

See Also

`fi`, `fipref`, `numericity`, `quantizer`

fipref

Purpose Construct fipref object

Syntax
P = fipref
P = fipref(...'PropertyName',PropertyValue...)

Description You can use the fipref constructor function in the following ways:

- P = fipref creates a default fipref object.
- P = fipref(...'PropertyName',PropertyValue...) allows you to set the attributes of a object using property name/property value pairs.

The properties of the fipref object are listed below. These properties are described in detail in “fipref Object Properties” on page 1-14.

- FimathDisplay — Display options for the fimath attributes of a fi object
- DataTypeOverride — Data type override options
- LoggingMode — Logging options for operations performed on fi objects
- NumericTypeDisplay — Display options for the numeric type attributes of a fi object
- NumberDisplay — Display options for the value of a fi object

Your fipref settings persist throughout your MATLAB session. Use `reset(fipref)` to return to the default settings during your session. Use `savefipref` to save your display preferences for subsequent MATLAB sessions.

Examples

Example 1

Type

```
P = fipref
```

to create a default fipref object.

```
P =  
  
    NumberDisplay: 'RealWorldValue'  
    NumericTypeDisplay: 'full'  
    FimathDisplay: 'full'  
    LoggingMode: 'Off'  
    DataTypeOverride: 'ForceOff'
```

Example 2

You can set properties of fipref objects at the time of object creation by including properties after the arguments of the fipref constructor function. For example, to set NumberDisplay to bin and AttributesDisplay to short,

```
P =  
  
    NumberDisplay: 'bin'  
    NumericTypeDisplay: 'short'  
    FimathDisplay: 'full'  
    LoggingMode: 'Off'  
    DataTypeOverride: 'ForceOff'
```

See Also

fi, fimath, numerictype, quantizer, savefipref

flipdim

Purpose Flip array along specified dimension

Description Refer to the MATLAB `flipdim` reference page for more information.

Purpose Flip matrix left to right

Description Refer to the MATLAB `fliplr` reference page for more information.

flipud

Purpose Flip matrix up to down

Description Refer to the MATLAB `flipud` reference page for more information.

Purpose Plot function between specified limits

Description Refer to the MATLAB `fplot` reference page for more information.

fractionlength

Purpose	Fraction length of quantizer object
Syntax	<code>fractionlength(q)</code>
Description	<code>fractionlength(q)</code> returns the fraction length of quantizer object <code>q</code> .
Algorithm	For floating-point quantizer objects, $f = w - e - 1$, where w is the word length and e is the exponent length. For fixed-point quantizer objects, f is part of the format <code>[w f]</code> .
See Also	<code>fi</code> , <code>numerictype</code> , <code>quantizer</code> , <code>wordlength</code>

Purpose	Determine whether real-world value of one <code>fi</code> object is greater than or equal to another
Syntax	<code>c = ge(a,b)</code> <code>a >= b</code>
Description	<code>c = ge(a,b)</code> is called for the syntax <code>a >= b</code> when <code>a</code> or <code>b</code> is a <code>fi</code> object. <code>a</code> and <code>b</code> must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size. <code>a >= b</code> does an element-by-element comparison between <code>a</code> and <code>b</code> and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.
See Also	<code>eq</code> , <code>gt</code> , <code>le</code> , <code>lt</code> , <code>ne</code>

get

Purpose Property values of object

Syntax `value = get(o, 'propertyname')`
`structure = get(o)`

Description `value = get(o, 'propertyname')` returns the property value of the property 'propertyname' for the object `o`. If you replace the string 'propertyname' by a cell array of a vector of strings containing property names, `get` returns a cell array of a vector of corresponding values.

`structure = get(o)` returns a structure containing the properties and states of object `o`.

`o` can be a `fi`, `fimath`, `fipref`, `numericType`, or `quantizer` object.

See Also `set`

Purpose Least significant bit

Syntax `c = getlsb(a)`

Description `c = getlsb(a)` returns the value of the least significant bit in `a` as a `u1,0`.

`a` can be a scalar `fi` object or a vector `fi` object.

`getlsb` only supports `fi` objects with fixed-point data types.

See Also `bitand`, `bitandreduce`, `bitconcat`, `bitget`, `bitor`, `bitorreduce`, `bitset`, `bitxor`, `bitxorreduce`, `getmsb`

getmsb

Purpose Most significant bit

Syntax `c = getmsb(a)`

Description `c = getmsb(a)` returns the value of the most significant bit in `a` as a `u1,0`.

`a` can be a scalar `fi` object or a vector `fi` object.

`getmsb` only supports `fi` objects with fixed-point data types.

See Also `bitand`, `bitandreduce`, `bitconcat`, `bitget`, `bitor`, `bitorreduce`, `bitset`, `bitxor`, `bitxorreduce`, `getlsb`

Purpose Plot set of nodes using adjacency matrix

Description Refer to the MATLAB `gplot` reference page for more information.

Purpose Determine whether real-world value of one `fi` object is greater than another

Syntax `c = gt(a,b)`
`a > b`

Description `c = gt(a,b)` is called for the syntax `a > b` when `a` or `b` is a `fi` object. `a` and `b` must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size.

`a > b` does an element-by-element comparison between `a` and `b` and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.

See Also `eq`, `ge`, `le`, `lt`, `ne`

Purpose Hankel matrix

Description Refer to the MATLAB `hankel` reference page for more information.

hex

Purpose Hexadecimal representation of stored integer of `fi` object

Syntax `hex(a)`

Description Fixed-point numbers can be represented as

$$\text{real-world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`hex(a)` returns the stored integer of `fi` object `a` in hexadecimal format as a string.

Examples The following code

```
a = fi([-1 1],1,8,7);  
hex(a)
```

returns

```
80    7f
```

See Also `bin`, `dec`, `int`, `oct`

Purpose Convert hexadecimal string to number using quantizer object

Syntax `x = hex2num(q,h)`
`[x1,x2,...] = hex2num(q,h1,h2,...)`

Description `x = hex2num(q,h)` converts hexadecimal string `h` to numeric matrix `x`. The attributes of the numbers in `x` are specified by quantizer object `q`. When `h` is a cell array containing hexadecimal strings, `hex2num` returns `x` as a cell array of the same dimension containing numbers. For fixed-point hexadecimal strings, `hex2num` uses two's complement representation. For floating-point strings, the representation is IEEE Standard 754 style.

When there are fewer hexadecimal digits than needed to represent the number, the fixed-point conversion zero-fills on the left. Floating-point conversion zero-fills on the right.

`[x1,x2,...] = hex2num(q,h1,h2,...)` converts hexadecimal strings `h1, h2,...` to numeric matrices `x1, x2,...`

`hex2num` and `num2hex` are inverses of one another, with the distinction that `num2hex` returns the hexadecimal strings in a column.

Examples To create all the 4-bit fixed-point two's complement numbers in fractional form, use the following code.

```
q = quantizer([4 3]);
h = ['7 3 F B'; '6 2 E A'; '5 1 D 9'; '4 0 C 8'];
x = hex2num(q,h)
```

`x =`

```
    0.8750    0.3750   -0.1250   -0.6250
    0.7500    0.2500   -0.2500   -0.7500
    0.6250    0.1250   -0.3750   -0.8750
    0.5000         0   -0.5000   -1.0000
```

See Also `bin2num`, `num2bin`, `num2hex`, `num2int`

hist

Purpose Create histogram plot

Description Refer to the MATLAB `hist` reference page for more information.

Purpose Histogram count

Description Refer to the MATLAB `histc` reference page for more information.

horzcat

Purpose Horizontally concatenate multiple `fi` objects

Syntax `c = horzcat(a,b,...)`
`[a, b, ...]`

Description `c = horzcat(a,b,...)` is called for the syntax `[a, b, ...]` when any of `a, b, ...`, is a `fi` object.

`[a b, ...]` or `[a,b, ...]` is the horizontal concatenation of matrices `a` and `b`. `a` and `b` must have the same number of rows. Any number of matrices can be concatenated within one pair of brackets. N-D arrays are horizontally concatenated along the second dimension. The first and remaining dimensions must match.

Horizontal and vertical concatenation can be combined together as in `[1 2;3 4]`.

`[a b; c]` is allowed if the number of rows of `a` equals the number of rows of `b`, and if the number of columns of `a` plus the number of columns of `b` equals the number of columns of `c`.

The matrices in a concatenation expression can themselves be formed via a concatenation as in `[a b;[c d]]`.

Note The `fi`math and `numeric`type objects of a concatenated matrix of `fi` objects `c` are taken from the leftmost `fi` object in the list `(a,b,...)`.

See Also `vertcat`

Purpose Imaginary part of complex number

Description Refer to the MATLAB `imag` reference page for more information.

innerprodintbits

Purpose Number of integer bits needed for fixed-point inner product

Syntax `innerprodintbits(a,b)`

Description `innerprodintbits(a,b)` computes the minimum number of integer bits necessary in the inner product of $a' * b$ to guarantee that no overflows occur and to preserve best precision.

- a and b are `fi` vectors.
- The values of a are known.
- Only the numeric type of b is relevant. The values of b are ignored.

Examples The primary use of this function is to determine the number of integer bits necessary in the output Y of an FIR filter that computes the inner product between constant coefficient row vector B and state column vector Z . For example,

```
for k=1:length(X);
    Z = [X(k);Z(1:end-1)];
    Y(k) = B * Z;
end
```

Algorithm In general, an inner product grows $\log_2(n)$ bits for vectors of length n . However, in the case of this function the vector a is known and its values do not change. This knowledge is used to compute the smallest number of integer bits that are necessary in the output to guarantee that no overflow will occur.

The largest gain occurs when the vector b has the same sign as the constant vector a . Therefore, the largest gain due to the vector a is $a * \text{sign}(a')$, which is equal to $\text{sum}(\text{abs}(a))$.

The overall number of integer bits necessary to guarantee that no overflow occurs in the inner product is computed by:

$$\log_2(\text{sum}(\text{abs}(a))) + \text{number of integer bits in } b + 1 \text{ sign bit}$$

Purpose Smallest built-in integer in which stored integer value of `fi` object will fit

Syntax `int(a)`

Description Fixed-point numbers can be represented as

$$\text{real-world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`int(a)` returns the smallest built-in integer of the data type in which the stored integer value of `fi` object `a` will fit.

The following table gives the return type of the `int` function.

Word Length	Return Type for Signed <code>fi</code>	Return Type for Unsigned <code>fi</code>
word length <= 8 bits	<code>int8</code>	<code>uint8</code>
8 bits < word length <= 16 bits	<code>int16</code>	<code>uint16</code>
16 bits < word length <= 32 bits	<code>int32</code>	<code>uint32</code>
32 < word length	<code>double</code>	<code>double</code>

Note When the word length is greater than 52 bits, the return value can have quantization error. For bit-true integer representation of very large word lengths, use `bin`, `oct`, `dec`, `hex`, or `sdec`.

int

See Also

`int8`, `int16`, `int32`, `uint8`, `uint16`, `uint32`

Purpose Stored integer value of `fi` object as built-in `int8`

Syntax `int8(a)`

Description Fixed-point numbers can be represented as

$$\text{real - world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`int8(a)` returns the stored integer value of `fi` object `a` as a built-in `int8`. If the stored integer word length is too big for an `int8`, or if the stored integer is unsigned, the returned value saturates to an `int8`.

See Also `int`, `int16`, `int32`, `uint8`, `uint16`, `uint32`

int16

Purpose Stored integer value of `fi` object as built-in `int16`

Syntax `int16(a)`

Description Fixed-point numbers can be represented as

$$\textit{real - world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`int16(a)` returns the stored integer value of `fi` object `a` as a built-in `int16`. If the stored integer word length is too big for an `int16`, or if the stored integer is unsigned, the returned value saturates to an `int16`.

See Also `int`, `int8`, `int32`, `uint8`, `uint16`, `uint32`

Purpose Stored integer value of `fi` object as built-in `int32`

Syntax `int32(a)`

Description Fixed-point numbers can be represented as

$$\textit{real - world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`int32(a)` returns the stored integer value of `fi` object `a` as a built-in `int32`. If the stored integer word length is too big for an `int32`, or if the stored integer is unsigned, the returned value saturates to an `int32`.

See Also `int`, `int8`, `int16`, `uint8`, `uint16`, `uint32`

intmax

Purpose Largest positive stored integer value representable by numeric type of `fi` object

Syntax `x = intmax(a)`

Description `x = intmax(a)` returns the largest positive stored integer value representable by the numeric type of `a`.

See Also `eps`, `intmin`, `lowerbound`, `lsb`, `range`, `realmax`, `realmin`, `stripScaling`, `upperbound`

Purpose Smallest stored integer value representable by numeric type of fi object

Syntax `x = intmin(a)`

Description `x = intmin(a)` returns the smallest stored integer value representable by the numeric type of `a`.

Examples

```
a = fi(pi, true, 16, 12);  
x = intmin(a)
```

```
x =
```

```
-32768
```

```
      DataTypeMode: Fixed-point: binary point scaling  
      Signed: true  
      WordLength: 16  
      FractionLength: 0
```

See Also `eps`, `intmax`, `lowerbound`, `lsb`, `range`, `realmax`, `realmin`, `stripScaling`, `upperbound`

ipermute

Purpose Inverse permute dimensions of multidimensional array

Description Refer to the MATLAB `ipermute` reference page for more information.

Purpose Determine whether `fi` object is column vector

Syntax `iscolumn(a)`

Description `iscolumn(a)` returns 1 if the `fi` object `a` is a column vector, and 0 otherwise.

See Also `isrow`

isempty

Purpose Determine whether array is empty

Description Refer to the MATLAB isempty reference page for more information.

Purpose Determine whether real-world values of two `fi` objects are equal, or determine whether properties of two `fimath`, `numerictype`, or `quantizer` objects are equal

Syntax

```
isequal(a,b,...)  
isequal(F,G,...)  
isequal(T,U,...)  
isequal(q,r,...)
```

Description `isequal(a,b,...)` returns 1 if all the `fi` object inputs have the same real-world value. Otherwise, the function returns 0.

`isequal(F,G,...)` returns 1 if all the `fimath` object inputs have the same properties. Otherwise, the function returns 0.

`isequal(T,U,...)` returns 1 if all the `numerictype` object inputs have the same properties. Otherwise, the function returns 0.

`isequal(q,r,...)` returns 1 if all the `quantizer` object inputs have the same properties. Otherwise, the function returns 0.

See Also `eq`, `ispropequal`

isfi

Purpose	Determine whether variable is <code>fi</code> object
Syntax	<code>isfi(a)</code>
Description	<code>isfi(a)</code> returns 1 if <code>a</code> is a <code>fi</code> object, and 0 otherwise.
See Also	<code>fi</code> , <code>isfimath</code> , <code>isnumericitype</code>

Purpose	Determine whether variable is <code>fimath</code> object
Syntax	<code>isfimath(F)</code>
Description	<code>isfimath(F)</code> returns 1 if <code>F</code> is a <code>fimath</code> object, and 0 otherwise.
See Also	<code>fimath</code> , <code>isfi</code> , <code>isnumericitype</code>

isfinite

Purpose Determine whether array elements are finite

Description Refer to the MATLAB `isfinite` reference page for more information.

Purpose Determine whether array elements are infinite

Description Refer to the MATLAB `isinf` reference page for more information.

isnan

Purpose Determine whether array elements are NaN

Description Refer to the MATLAB `isnan` reference page for more information.

Purpose Determine whether input is numeric array

Description Refer to the MATLAB `isnumeric` reference page for more information.

isnumerictype

Purpose	Determine whether variable is numerictype object
Syntax	<code>isnumerictype(T)</code>
Description	<code>isnumerictype(T)</code> returns 1 if a is a numerictype object, and 0 otherwise.
See Also	<code>isfi</code> , <code>isfimath</code> , <code>numerictype</code>

Purpose Determine whether input is MATLAB OOPS object

Description Refer to the MATLAB `isobject` reference page for more information.

ispropequal

Purpose Determine whether properties of two `fi` objects are equal

Syntax `ispropequal(a,b,...)`

Description `ispropequal(a,b,...)` returns 1 if all the inputs are `fi` objects and all the inputs have the same properties. Otherwise, the function returns 0.

To compare the real-world values of two `fi` objects `a` and `b`, use `a == b` or `isequal(a,b)`.

See Also `fi`, `isequal`

Purpose Determine whether array elements are real

Description Refer to the MATLAB `isreal` reference page for more information.

isrow

Purpose Determine whether fi object is row vector

Syntax `isrow(a)`

Description `isrow(a)` returns 1 if the fi object a is a row vector, and 0 otherwise.

See Also `iscolumn`

Purpose Determine whether input is scalar

Description Refer to the MATLAB `isscalar` reference page for more information.

issigned

Purpose Determine whether `fi` object is signed

Syntax `issigned(a)`

Description `issigned(a)` returns 1 if the `fi` object `a` is signed, and 0 if it is unsigned.

Purpose Determine whether input is vector

Description Refer to the MATLAB `isvector` reference page for more information.

le

Purpose Determine whether real-world value of `fi` object is less than or equal to another

Syntax
`c = le(a,b)`
`a <= b`

Description `c = le(a,b)` is called for the syntax `a <= b` when `a` or `b` is a `fi` object. `a` and `b` must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size.

`a <= b` does an element-by-element comparison between `a` and `b` and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.

See Also `eq`, `ge`, `gt`, `lt`, `ne`

Purpose Vector length

Description Refer to the MATLAB `length` reference page for more information.

line

Purpose Create line object

Description Refer to the MATLAB `line` reference page for more information.

Purpose Convert numeric values to logical

Description Refer to the MATLAB `logical` reference page for more information.

loglog

Purpose Create log-log scale plot

Description Refer to the MATLAB loglog reference page for more information.

Purpose Lower bound of range of fi object

Syntax lowerbound(a)

Description lowerbound(a) returns the lower bound of the range of fi object a. If $L = \text{lowerbound}(a)$ and $U = \text{upperbound}(a)$, then $[L, U] = \text{range}(a)$.

See Also eps, intmax, intmin, lsb, range, realmax, realmin, upperbound

lsb

Purpose Scaling of least significant bit of `fi` object

Syntax `lsb(a)`

Description `lsb(a)` returns the scaling of the least significant bit of `fi` object `a`. The result is equivalent to the result given by the `eps` function.

See Also `eps`, `intmax`, `intmin`, `lowerbound`, `range`, `realmax`, `realmin`, `upperbound`

Purpose	Determine whether real-world value of one <code>fi</code> object is less than another
Syntax	<code>c = lt(a,b)</code> <code>a < b</code>
Description	<code>c = lt(a,b)</code> is called for the syntax <code>a < b</code> when <code>a</code> or <code>b</code> is a <code>fi</code> object. <code>a</code> and <code>b</code> must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size. <code>a < b</code> does an element-by-element comparison between <code>a</code> and <code>b</code> and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.
See Also	<code>eq</code> , <code>ge</code> , <code>gt</code> , <code>le</code> , <code>ne</code>

max

Purpose Largest element in array of `fi` objects

Syntax

```
max(a)
max(a,b)
[y,v] = max(a)
[y,v] = max(a,[],dim)
```

Description

- For vectors, `max(a)` is the largest element in `a`.
- For matrices, `max(a)` is a row vector containing the maximum element from each column.
- For N-D arrays, `max(a)` operates along the first nonsingleton dimension.

`max(a,b)` returns an array the same size as `a` and `b` with the largest elements taken from `a` or `b`. Either one can be a scalar.

`[y,v] = max(a)` returns the indices of the maximum values in vector `v`. If the values along the first nonsingleton dimension contain more than one maximal element, the index of the first one is returned.

`[y,v] = max(a,[],dim)` operates along the dimension `dim`.

When complex, the magnitude `max(abs(a))` is used, and the angle `angle(a)` is ignored. NaNs are ignored when computing the maximum.

See Also `min`

Purpose Largest real-world value of `fi` object or maximum value of quantizer object before quantization

Syntax `maxlog(a)`
`maxlog(q)`

Description `maxlog(a)` returns the largest real-world value of `fi` object `a` since logging was turned on or since the last time the log was reset for the object.

Turn on logging by setting the `fipref` property `LoggingMode` to `on`. Reset logging for a `fi` object using the `resetlog` function.

`maxlog(q)` is the maximum value before quantization during a call to `quantize(q, ...)` for quantizer object `q`. This value is the maximum value encountered over successive calls to `quantize` and is reset with `resetlog(q)`. `maxlog(q)` is equivalent to `get(q, 'maxlog')` and `q.maxlog`.

Examples

```
P = fipref('LoggingMode','on');
x = fi([-1.5 eps 0.5], true, 16, 15);
x(1) = 3.0;
maxlog(x)
```

```
ans =
```

```
3
```

See Also `fipref`, `minlog`, `noverflows`, `nunderflows`, `resetlog`

mesh

Purpose Create mesh plot

Description Refer to the MATLAB mesh reference page for more information.

Purpose Create mesh plot with contour plot

Description Refer to the MATLAB meshc reference page for more information.

meshz

Purpose Create mesh plot with curtain plot

Description Refer to the MATLAB meshz reference page for more information.

Purpose

Smallest element in array of fi objects

Syntax

```
min(a)
min(a,b)
[y,v] = min(a)
[y,v] = min(a,[],dim)
```

Description

- For vectors, `min(a)` is the smallest element in `a`.
- For matrices, `min(a)` is a row vector containing the minimum element from each column.
- For N-D arrays, `min(a)` operates along the first nonsingleton dimension.

`min(a,b)` returns an array the same size as `a` and `b` with the smallest elements taken from `a` or `b`. Either one can be a scalar.

`[y,v] = min(a)` returns the indices of the minimum values in vector `v`. If the values along the first nonsingleton dimension contain more than one minimal element, the index of the first one is returned.

`[y,v] = min(a,[],dim)` operates along the dimension `dim`.

When complex, the magnitude `min(abs(a))` is used, and the angle `angle(a)` is ignored. NaNs are ignored when computing the minimum.

See Also

`max`

minlog

Purpose Smallest real-world value of `fi` object or minimum value of quantizer object before quantization

Syntax `minlog(a)`
`minlog(q)`

Description `minlog(a)` returns the smallest real-world value of `fi` object `a` since logging was turned on or since the last time the log was reset for the object.

Turn on logging by setting the `fipref` property `LoggingMode` to `on`.
Reset logging for a `fi` object using the `resetlog` function.

`minlog(q)` is the minimum value before quantization during a call to `quantize(q, ...)` for quantizer object `q`. This value is the minimum value encountered over successive calls to `quantize` and is reset with `resetlog(q)`. `minlog(q)` is equivalent to `get(q, 'minlog')` and `q.minlog`.

Examples

```
P = fipref('LoggingMode','on');
x = fi([-1.5 eps 0.5], true, 16, 15);
x(1) = 3.0;
minlog(x)

ans =

    -1.5
```

See Also `fipref`, `maxlog`, `noverflows`, `nunderflows`, `resetlog`

Purpose Matrix difference between `fi` objects

Syntax `minus(a,b)`

Description `minus(a,b)` is called for the syntax `a - b` when `a` or `b` is an object. `a - b` subtracts matrix `b` from matrix `a`. `a` and `b` must have the same dimensions unless one is a scalar (a 1-by-1 matrix). A scalar can be subtracted from anything.

`minus` does not support `fi` objects of data type `Boolean`.

See Also `mtimes`, `plus`, `times`, `uminus`

Purpose Multiply two objects using `fimath` object

Syntax `c = F.mpy(a,b)`

Description `c = F.mpy(a,b)` performs elementwise multiplication on `a` and `b` using `fimath` object `F`. This is helpful in cases when you want to override the `fimath` objects of `a` and `b`, or if the `fimath` objects of `a` and `b` are different.

`a` and `b` must have the same dimensions unless one is a scalar. If either `a` or `b` is scalar, then `c` has the dimensions of the nonscalar object.

If either `a` or `b` is a `fi` object, and the other is a MATLAB built-in numeric type, then the built-in object is cast to the word length of the `fi` object, preserving best-precision fraction length.

Examples In this example, `c` is the 40-bit product of `a` and `b` with fraction length 30.

```
a = fi(pi);
b = fi(exp(1));
F = fimath('ProductMode','SpecifyPrecision',...
    'ProductWordLength',40,'ProductFractionLength',30);
c = F.mpy(a, b)
```

```
c =
```

```
8.5397
```

```
        DataTypeMode: Fixed-point: binary point scaling
           Signed: true
        WordLength: 40
    FractionLength: 30
```

```
        RoundMode: nearest
    OverflowMode: saturate
        ProductMode: SpecifyPrecision
    ProductWordLength: 40
    ProductFractionLength: 30
```

```
SumMode: FullPrecision
MaxSumWordLength: 128
CastBeforeSum: true
```

Algorithm

`c = F.mpy(a,b)` is equivalent to

```
a.fimath = F;
b.fimath = F;
c = a .* b;
```

except that the `fimath` properties of `a` and `b` are not modified when you use the functional form.

See Also

`add`, `divide`, `fi`, `fimath`, `numerictype`, `sub`, `sum`

mtimes

Purpose Matrix product of `fi` objects

Syntax `mtimes(a,b)`

Description `mtimes(a,b)` is called for the syntax `a * b` when `a` or `b` is an object. `a * b` is the matrix product of `a` and `b`. Any scalar (a 1-by-1 matrix) can multiply anything. Otherwise, the number of columns of `a` must equal the number of rows of `b`. `mtimes` does not support `fi` objects of data type `Boolean`.

See Also `plus`, `minus`, `times`, `uminus`

Purpose Number of array dimensions

Description Refer to the MATLAB `ndims` reference page for more information.

Purpose Determine whether real-world values of two `fi` objects are not equal

Syntax `c = ne(a,b)`
`a ~= b`

Description `c = ne(a,b)` is called for the syntax `a ~= b` when `a` or `b` is a `fi` object. `a` and `b` must have the same dimensions unless one is a scalar. A scalar can be compared with another object of any size.

`a ~= b` does an element-by-element comparison between `a` and `b` and returns a matrix of the same size with elements set to 1 where the relation is true, and 0 where the relation is false.

See Also `eq`, `ge`, `gt`, `le`, `lt`

Purpose	Number of operations
Syntax	<code>noperations(q)</code>
Description	<p><code>noperations(q)</code> is the number of quantization operations during a call to <code>quantize(q, ...)</code> for quantizer object <code>q</code>. This value accumulates over successive calls to <code>quantize</code>. You reset the value of <code>noperations</code> to zero by issuing the command <code>resetlog(q)</code>.</p> <p>Each time any data element is quantized, <code>noperations</code> is incremented by one. The real and complex parts are counted separately. For example, <code>(complex * complex)</code> counts four quantization operations for products and two for sum, because $(a+bi)*(c+di) = (a*c - b*d) + (a*d + b*c)$. In contrast, <code>(real*real)</code> counts one quantization operation.</p> <p>In addition, the real and complex parts of the inputs are quantized individually. As a result, for a complex input of length 204 elements, <code>noperations</code> counts 408 quantizations: 204 for the real part of the input and 204 for the complex part.</p> <p>If any inputs, states, or coefficients are complex-valued, they are all expanded from real values to complex values, with a corresponding increase in the number of quantization operations recorded by <code>noperations</code>. In concrete terms, <code>(real*real)</code> requires fewer quantizations than <code>(real*complex)</code> and <code>(complex*complex)</code>. Changing all the values to complex because one is complex, such as the coefficient, makes the <code>(real*real)</code> into <code>(real*complex)</code>, raising <code>noperations</code> count.</p>
See Also	<code>maxlog</code> , <code>minlog</code>

not

Purpose Find logical NOT of array or scalar input

Description Refer to the MATLAB not reference page for more information.

Purpose Number of overflows

Syntax `noverflows(a)`
 `noverflows(q)`

Description `noverflows(a)` returns the number of overflows of `fi` object `a` since logging was turned on or since the last time the log was reset for the object.

Turn on logging by setting the `fipref` property `LoggingMode` to `on`.
Reset logging for a `fi` object using the `resetlog` function.

`noverflows(q)` returns the accumulated number of overflows resulting from quantization operations performed by a quantizer object `q`.

See Also `maxlog`, `minlog`, `nunderflows`, `resetlog`

num2bin

Purpose Convert number to binary string using quantizer object

Syntax `y = num2bin(q,x)`

Description `y = num2bin(q,x)` converts numeric array `x` into binary strings returned in `y`. When `x` is a cell array, each numeric element of `x` is converted to binary. If `x` is a structure, each numeric field of `x` is converted to binary.

`num2bin` and `bin2num` are inverses of one another, differing in that `num2bin` returns the binary strings in a column.

Examples

```
x = magic(3)/9;
q = quantizer([4,3]);
y = num2bin(q,x)
Warning: 1 overflow.
y =
```

```
0111
0010
0011
0000
0100
0111
0101
0110
0001
```

See Also `bin2num`, `hex2num`, `num2hex`, `num2int`

Purpose Convert number to hexadecimal equivalent using quantizer object

Syntax `y = num2hex(q,x)`

Description `y = num2hex(q,x)` converts numeric array `x` into hexadecimal strings returned in `y`. When `x` is a cell array, each numeric element of `x` is converted to hexadecimal. If `x` is a structure, each numeric field of `x` is converted to hexadecimal.

For fixed-point quantizer objects, the representation is two's complement. For floating-point quantizer objects, the representation is IEEE Standard 754 style.

For example, for `q = quantizer('double')`

```
num2hex(q,nan)
ans =
fff8000000000000
```

The leading fraction bit is 1, all other fraction bits are 0. Sign bit is 1, exponent bits are all 1.

```
num2hex(q,inf)
ans =
7ff0000000000000
```

Sign bit is 0, exponent bits are all 1, all fraction bits are 0.

```
num2hex(q,-inf)
ans =
fff0000000000000
```

num2hex

Sign bit is 1, exponent bits are all 1, all fraction bits are 0.

num2hex and hex2num are inverses of each other, except that num2hex returns the hexadecimal strings in a column.

Examples

This is a floating-point example using a quantizer object `q` that has 6-bit word length and 3-bit exponent length.

```
x = magic(3);  
q = quantizer('float',[6 3]);  
y = num2hex(q,x)
```

```
y =
```

```
18
```

```
12
```

```
14
```

```
0c
```

```
15
```

```
18
```

```
16
```

```
17
```

```
10
```

See Also

bin2num, hex2num, num2bin, num2int

Purpose

Convert number to signed integer

Syntax

```
y = num2int(q,x)
[y1,y,...] = num2int(q,x1,x,...)
```

Description

`y = num2int(q,x)` uses `q.format` to convert numeric `x` to an integer.

`[y1,y,...] = num2int(q,x1,x,...)` uses `q.format` to convert numeric values `x1, x2, ...` to integers `y1,y2,...`

Examples

All the two's complement 4-bit numbers in fractional form are given by

```
x = [0.875 0.375 -0.125 -0.625
      0.750 0.250 -0.250 -0.750
      0.625 0.125 -0.375 -0.875
      0.500 0.000 -0.500 -1.000];
```

```
q=quantizer([4 3]);
```

```
y = num2int(q,x)
y =
```

```
 7     3    -1    -5
 6     2    -2    -6
 5     1    -3    -7
 4     0    -4    -8
```

Algorithm

When `q` is a fixed-point quantizer object, f is equal to `fractionlength(q)`, and x is numeric

$$y = x \times 2^f$$

When `q` is a floating-point quantizer object, $y = x$. `num2int` is meaningful only for fixed-point quantizer objects.

See Also

`bin2num`, `hex2num`, `num2bin`, `num2hex`

numberofelements

Purpose Number of data elements in `fi` array

Syntax `numberofelements(a)`

Description `numberofelements(a)` returns the number of data elements in a `fi` array. `numberofelements(a) == prod(size(a))`.

Note that `fi` is a MATLAB object, and therefore `numel(a)` returns 1 when `a` is a `fi` object. Refer to the information about classes in the MATLAB `numel` reference page.

See Also `max`, `min`, `numel`

Purpose Construct numerictype object

Syntax

```
T = numerictype
T = numerictype(s)
T = numerictype(s,w)
T = numerictype(s,w,f)
T = numerictype(s,w,slope,bias)
T = numerictype(s,w,slopeadjustmentfactor,fixedexponent,bias)
T = numerictype(property1,value1, ...)
T = numerictype(T1, property1, value1, ...)
T = numerictype('double')
T = numerictype('single')
T = numerictype('boolean')
```

Description You can use the numerictype constructor function in the following ways:

- `T = numerictype` creates a default numerictype object.
- `T = numerictype(s)` creates a numerictype object with Fixed-point: unspecified scaling, signedness `s`, and 16-bit word length.
- `T = numerictype(s,w)` creates a numerictype object with Fixed-point: unspecified scaling, signedness `s`, and word length `w`.
- `T = numerictype(s,w,f)` creates a numerictype object with Fixed-point: binary point scaling, signedness `s`, word length `w` and fraction length `f`.
- `T = numerictype(s,w,slope,bias)` creates a numerictype object with Fixed-point: slope and bias scaling, signedness `s`, word length `w`, slope, and bias.
- `T = numerictype(s,w,slopeadjustmentfactor,fixedexponent,bias)` creates a numerictype object with Fixed-point: slope and bias scaling, signedness `s`, word length `w`, slopeadjustmentfactor, fixedexponent, and bias.

numerictype

- `T = numerictype(property1,value1, ...)` allows you to set properties for a numerictype object using property name/property value pairs.
- `T = numerictype(T1, property1, value1, ...)` allows you to make a copy of an existing numerictype object, while modifying any or all of the property values.
- `T = numerictype('double')` creates a double numerictype.
- `T = numerictype('single')` creates a single numerictype.
- `T = numerictype('boolean')` creates a Boolean numerictype.

The properties of the numerictype object are listed below. These properties are described in detail in “numerictype Object Properties” on page 1-17.

- Bias — Bias
- DataType — Data type category
- DataTypeMode — Data type and scaling mode
- FixedExponent — Fixed-point exponent
- SlopeAdjustmentFactor — Slope adjustment
- FractionLength — Fraction length of the stored integer value, in bits
- Scaling — Fixed-point scaling mode
- Signed — Signed or unsigned
- Slope — Slope
- WordLength — Word length of the stored integer value, in bits

Examples

Example 1

Type

```
T = numerictype
```


to create a default numerictype object.

```
T =
    DataType: Fixed
    Scaling: BinaryPoint
    Signed: true
    WordLength: 16
    FractionLength: 15
```

Example 2

The following creates a signed numerictype object with a 32-bit word length and 30-bit fraction length.

```
T = numerictype(1, 32, 30)

T =
    DataTypeMode: Fixed-point: binary point scaling
    Signed: true
    WordLength: 32
    FractionLength: 30
```

Example 3

If you omit the argument *f*, the scaling is unspecified.

```
T = numerictype(1, 32)

T =
    DataTypeMode: Fixed-point: unspecified scaling
    Signed: true
    WordLength: 32
```

numerictype

Example 4

If you omit the arguments `w` and `f`, the word length is automatically set to 16 bits and the scaling is unspecified.

```
T = numerictype(1)

T =

        DataTypeMode: Fixed-point: unspecified scaling
             Signed: true
        WordLength: 16
```

Example 5

You can use property name/property value pairs to set `numerictype` properties when you create the object.

```
T = numerictype('Signed', true, ...
    'DataTypeMode', 'Fixed-point: slope and bias', ...
    'WordLength', 32, 'Slope', 2^-2, 'Bias', 4)

T =

        DataTypeMode: Fixed-point: slope and bias scaling
             Signed: true
        WordLength: 32
             Slope: 0.25
             Bias: 4
```

See Also

`fi`, `fimath`, `fipref`, `quantizer`

Purpose Number of underflows

Syntax `nunderflows(a)`
 `nunderflows(q)`

Description `nunderflows(a)` returns the number of underflows of `fi` object `a` since logging was turned on or since the last time the log was reset for the object.

Turn on logging by setting the `fipref` property `LoggingMode` to `on`.
Reset logging for a `fi` object using the `resetlog` function.

`nunderflows(q)` returns the accumulated number of underflows resulting from quantization operations performed by a quantizer object `q`.

See Also `maxlog`, `minlog`, `noverflows`, `resetlog`

oct

Purpose Octal representation of stored integer of fi object

Syntax `oct(a)`

Description Fixed-point numbers can be represented as

$$\text{real-world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`oct(a)` returns the stored integer of fi object `a` in octal format as a string.

Examples The following code

```
a = fi([-1 1],1,8,7);  
oct(a)
```

returns

```
200    177
```

See Also `bin`, `dec`, `hex`, `int`

Purpose Find logical OR of array or scalar inputs

Description Refer to the MATLAB or reference page for more information.

patch

Purpose Create patch graphics object

Description Refer to the MATLAB patch reference page for more information.

Purpose Create pseudocolor plot

Description Refer to the MATLAB `pcolor` reference page for more information.

permute

Purpose Rearrange dimensions of multidimensional array

Description Refer to the MATLAB permute reference page for more information.

Purpose Create linear 2-D plot

Description Refer to the MATLAB `plot` reference page for more information.

plot3

Purpose Create 3-D line plot

Description Refer to the MATLAB `plot3` reference page for more information.

Purpose Draw scatter plots

Description Refer to the MATLAB `plotmatrix` reference page for more information.

plotyy

Purpose Create graph with y-axes on right and left sides

Description Refer to the MATLAB `plotyy` reference page for more information.

Purpose Matrix sum of `fi` objects

Syntax `plus(a,b)`

Description `plus(a,b)` is called for the syntax `a + b` when `a` or `b` is an object. `a + b` adds matrices `a` and `b`. `a` and `b` must have the same dimensions unless one is a scalar (a 1-by-1 matrix). A scalar can be added to anything.

`plus` does not support `fi` objects of data type `Boolean`.

See Also `minus`, `mtimes`, `times`, `uminus`

polar

Purpose Plot polar coordinates

Description Refer to the MATLAB polar reference page for more information.

Purpose Multiply by 2^K

Syntax `b = pow2(a, K)`

Description `b = pow2(a, K)` returns

$$b = a \times 2^K$$

where K is an integer and a and b are `fi` objects. If K is a non-integer, it will be rounded to `floor` before the calculation is performed. The scaling of a must be equivalent to binary point-only scaling; in other words, it must have a fractional slope of 1 and a bias of 0.

The syntax `b = pow2(a)` is not supported when a is a `fi` object.

a can be real or complex. If a is complex, `pow2` operates on both the real and complex portions of a .

`pow2` does not support `fi` objects of data type `Boolean`.

Examples The following example shows the use of `pow2` with a complex `fi` object:

```
format long g
P = fipref('NumericTypeDisplay', 'short', ...
          'FimathDisplay', 'none');
a = fi(57 - 2i, 1, 16, 8)

a =
           57 -           2i
      s16,8

pow2(a, 2)

ans =
    127.99609375 -           8i
      s16,8
```

See Also `bitshift`

quantize

Purpose Apply quantizer object to data

Syntax
`y = quantize(q, x)`
`[y1,y2,...] = quantize(q,x1,x2,...)`

Description `y = quantize(q, x)` uses the quantizer object `q` to quantize `x`. When `x` is a numeric array, each element of `x` is quantized. When `x` is a cell array, each numeric element of the cell array is quantized. When `x` is a structure, each numeric field of `x` is quantized. Nonnumeric elements or fields of `x` are left unchanged and `quantize` does not issue warnings for nonnumeric values.

`[y1,y2,...] = quantize(q,x1,x2,...)` is equivalent to

`y1 = quantize(q,x1), y2 = quantize(q,x2),...`

The quantizer object states

- `max` — Maximum value before quantizing
- `min` — Minimum value before quantizing
- `noverflows` — Number of overflows
- `nunderflows` — Number of underflows
- `noperations` — Number of quantization operations

are updated during the call to `quantize`, and running totals are kept until a call to `resetlog` is made.

Examples The following examples demonstrate using `quantize` to quantize data.


Example 1 - Custom Precision Floating-Point

The code listed here produces the plot shown in the following figure.

```
u=linspace(-15,15,1000);  
q=quantizer([6 3],'float');  
range(q)
```


ans =

```
-14    14
y=quantize(q,u);
plot(u,y);title(tostring(q))
Warning: 68 overflows.
```



Example 2 - Fixed-Point

The code listed here produces the plot shown in the following figure.


```
u=linspace(-15,15,1000);
q=quantizer([6 2], 'wrap');
```

quantize

```
range(q)

ans =

    -8.0000    7.7500
y=quantize(q,u);
plot(u,y);title(tostring(q))
Warning: 468 overflows.
```



See Also quantizer, set

Purpose Construct quantizer object

Syntax

```

q = quantizer
q = quantizer('PropertyName1',PropertyValue1,...)
q = quantizer(PropertyValue1,PropertyValue2,...)
q = quantizer(struct)
q = quantizer(pn,pv)

```

Description q = quantizer creates a quantizer object with properties set to their default values.

q = quantizer('PropertyName1',PropertyValue1,...) uses property name/ property value pairs.

q = quantizer(PropertyValue1,PropertyValue2,...) creates a quantizer object with the listed property values. When two values conflict, quantizer sets the last property value in the list. Property values are unique; you can set the property names by specifying just the property values in the command.

q = quantizer(struct), where struct is a structure whose field names are property names, sets the properties named in each field name with the values contained in the structure.

q = quantizer(pn,pv) sets the named properties specified in the cell array of strings pn to the corresponding values in the cell array pv.

The quantizer object property values are listed below. These properties are described in detail in “quantizer Object Properties” on page 1-21.

Property Name	Property Value	Description
mode	'double'	Double-precision mode. Override all other parameters.
	'float'	Custom-precision floating-point mode.

quantizer

Property Name	Property Value	Description
	'fixed'	Signed fixed-point mode.
	'single'	Single-precision mode. Override all other parameters.
	'ufixed'	Unsigned fixed-point mode.
roundmode	'ceil'	Round toward positive infinity.
	'convergent'	Convergent rounding.
	'fix'	Round toward zero.
	'floor'	Round toward negative infinity.
	'nearest'	Round toward nearest.
overflowmode (fixed-point only)	'saturate'	Saturate on overflow.
	'wrap'	Wrap on overflow.
format	[wordlength fractionlength]	Format for fixed or ufixed mode.
	[wordlength exponentlength]	Format for float mode.

The default property values for a quantizer object are

```
mode = 'fixed';  
roundmode = 'floor';  
overflowmode = 'saturate';  
format = [16 15];
```

Along with the preceding properties, quantizer objects have read-only states: `max`, `min`, `noverflows`, `nunderflows`, and `noperations`. They can be accessed through `quantizer/get` or `q.maxlog`, `q.minlog`, `q.noverflows`, `q.nunderflows`, and `q.noperations`, but they cannot be set. They are updated during the `quantizer/quantize` method, and are reset by the `resetlog` function.

The following table lists the read-only quantizer object states:

Property Name	Description
<code>max</code>	Maximum value before quantizing
<code>min</code>	Minimum value before quantizing
<code>noverflows</code>	Number of overflows
<code>nunderflows</code>	Number of underflows
<code>noperations</code>	Number of data points quantized

Examples

The following example operations are equivalent.

Setting quantizer object properties by listing property values only in the command,

```
q = quantizer('fixed', 'ceil', 'saturate', [5 4])
```

Using a structure struct to set quantizer object properties,

```
struct.mode = 'fixed';
struct.roundmode = 'ceil';
struct.overflowmode = 'saturate';
struct.format = [5 4];
q = quantizer(struct);
```

quantizer

Using property name and property value cell arrays `pn` and `pv` to set quantizer object properties,

```
pn = {'mode', 'roundmode', 'overflowmode', 'format'};  
pv = {'fixed', 'ceil', 'saturate', [5 4]};  
q = quantizer(pn, pv)
```

Using property name/property value pairs to configure a quantizer object,

```
q = quantizer('mode', 'fixed', 'roundmode', 'ceil', ...  
             'overflowmode', 'saturate', 'format', [5 4]);
```

See Also

`fi`, `fimath`, `fipref`, `numerictype`, `quantize`, `set`

Purpose Create quiver or velocity plot

Description Refer to the MATLAB `quiver` reference page for more information.

quiver3

Purpose Create 3-D quiver or velocity plot

Description Refer to the MATLAB `quiver3` reference page for more information.

Purpose

Generate uniformly distributed, quantized random number using quantizer object

Syntax

```
randquant(q,n)
randquant(q,m,n)
randquant(q,m,n,p,...)
randquant(q,[m,n])
randquant(q,[m,n,p,...])
```

Description

`randquant(q,n)` uses quantizer object `q` to generate an `n`-by-`n` matrix with random entries whose values cover the range of `q` when `q` is a fixed-point quantizer object. When `q` is a floating-point quantizer object, `randquant` populates the `n`-by-`n` array with values covering the range

-[square root of `realmax(q)`] to [square root of `realmax(q)`]

`randquant(q,m,n)` uses quantizer object `q` to generate an `m`-by-`n` matrix with random entries whose values cover the range of `q` when `q` is a fixed-point quantizer object. When `q` is a floating-point quantizer object, `randquant` populates the `m`-by-`n` array with values covering the range

-[square root of `realmax(q)`] to [square root of `realmax(q)`]

`randquant(q,m,n,p,...)` uses quantizer object `q` to generate an `m`-by-`n`-by-`p`-by ... matrix with random entries whose values cover the range of `q` when `q` is fixed-point quantizer object. When `q` is a floating-point quantizer object, `randquant` populates the matrix with values covering the range

-[square root of `realmax(q)`] to [square root of `realmax(q)`]

`randquant(q,[m,n])` uses quantizer object `q` to generate an `m`-by-`n` matrix with random entries whose values cover the range of `q` when `q` is a fixed-point quantizer object. When `q` is a floating-point quantizer object, `randquant` populates the `m`-by-`n` array with values covering the range

randquant

-[square root of realmax(q)] to [square root of realmax(q)]

`randquant(q,[m,n,p,...])` uses quantizer object `q` to generate `p` `m`-by-`n` matrices containing random entries whose values cover the range of `q` when `q` is a fixed-point quantizer object. When `q` is a floating-point quantizer object, `randquant` populates the `m`-by-`n` arrays with values covering the range

-[square root of realmax(q)] to [square root of realmax(q)]

`randquant` produces pseudorandom numbers. The number sequence `randquant` generates during each call is determined by the state of the generator. Because MATLAB resets the random number generator state at startup, the sequence of random numbers generated by the function remains the same unless you change the state.

`randquant` works like `rand` in most respects, including the generator used, but it does not support the 'state' and 'seed' options available in `rand`.

Examples

```
q=quantizer([4 3]);  
rand('state',0)  
randquant(q,3)
```

ans =

```
    0.7500   -0.1250   -0.2500  
   -0.6250    0.6250   -1.0000  
    0.1250    0.3750    0.5000
```

See Also

`quantizer`, `rand`, `range`, `realmax`

Purpose Numerical range of fi or quantizer object

Syntax

```
range(a)
[min, max] = range(a)
r = range(q)
[min, max] = range(q)
```

Description range(a) returns a fi object with the minimum and maximum possible values of fi object a. All possible quantized real-world values of a are in the range returned. If a is a complex number, then all possible values of real(a) and imag(a) are in the range returned.

[*min*, *max*] = range(a) returns the minimum and maximum values of fi object a in separate output variables.

r = range(q) returns the two-element row vector $r = [a \ b]$ such that for all real x , $y = \text{quantize}(q, x)$ returns y in the range $a \leq y \leq b$.

[*min*, *max*] = range(q) returns the minimum and maximum values of the range in separate output variables.

Examples

```
q = quantizer('float',[6 3]);
r = range(q)

r =

    -14     14
q = quantizer('fixed',[4 2],'floor');
[min,max] = range(q)

min =

    -2

max =

    1.7500
```

Algorithm

If q is a floating-point quantizer object, $a = -\text{realmax}(q)$, $b = \text{realmax}(q)$.

If q is a signed fixed-point quantizer object (`datamode = 'fixed'`),

$$a = -\text{realmax}(q) - \text{eps}(q) = \frac{-2^{w-1}}{2^f}$$

$$b = \text{realmax}(q) = \frac{2^{w-1} - 1}{2^f}$$

If q is an unsigned fixed-point quantizer object (`datamode = 'ufixed'`),

$$a = 0$$

$$b = \text{realmax}(q) = \frac{2^w - 1}{2^f}$$

See `realmax` for more information.

See Also

`eps`, `exponentmax`, `exponentmin`, `fractionlength`, `intmax`, `intmin`, `lowerbound`, `lsb`, `max`, `min`, `realmax`, `realmin`, `upperbound`

Purpose Real part of complex number

Description Refer to the MATLAB real reference page for more information.

realmax

Purpose Largest positive fixed-point value or quantized number

Syntax `realmax(a)`
`realmax(q)`

Description `realmax(a)` is the largest real-world value that can be represented in the data type of fi object `a`. Anything larger overflows.
`realmax(q)` is the largest quantized number that can be represented where `q` is a quantizer object. Anything larger overflows.

Examples

```
q = quantizer('float',[6 3]);  
x = realmax(q)  
  
x =  
  
14
```

Algorithm If `q` is a floating-point quantizer object, the largest positive number, x , is

$$x = 2^{E_{max}} \cdot (2 - eps(q))$$

If `q` is a signed fixed-point quantizer object, the largest positive number, x , is

$$x = \frac{2^{w-1} - 1}{2^f}$$

If `q` is an unsigned fixed-point quantizer object (`datamode = 'ufixed'`), the largest positive number, x , is

$$x = \frac{2^w - 1}{2^f}$$

See Also

eps, exponentmax, exponentmin, fractionlength, intmax, intmin, lowerbound, lsb, quantizer, range, realmin, upperbound

realmin

Purpose Smallest positive normalized fixed-point value or quantized number

Syntax `realmin(a)`
`realmin(q)`

Description `realmin(a)` is the smallest real-world value that can be represented in the data type of fi object `a`. Anything smaller underflows.

`realmin(q)` is the smallest positive normal quantized number where `q` is a quantizer object. Anything smaller than `x` underflows or is an IEEE “denormal” number.

Examples

```
q = quantizer('float',[6 3]);
realmin(q)

ans =

    0.2500
```

Algorithm If `q` is a floating-point quantizer object, $x = 2^{E_{min}}$ where $E_{min} = \text{exponentmin}(q)$ is the minimum exponent.

If `q` is a signed or unsigned fixed-point quantizer object, $x = 2^{-f} = \epsilon$ where f is the fraction length.

See Also `eps`, `exponentmax`, `exponentmin`, `fractionlength`, `intmax`, `intmin`, `lowerbound`, `lsb`, `range`, `realmax`, `upperbound`

Purpose Replicate and tile array

Description Refer to the MATLAB repmat reference page for more information.

rescale

Purpose Change scaling of `fi` object

Syntax

```
b = rescale(a, fractionlength)
b = rescale(a, slope, bias)
b = rescale(a, slopeadjustmentfactor, fixedexponent, bias)
b = rescale(a, ..., PropertyName, PropertyValue, ...)
```

Description The `rescale` function acts similarly to the `fi` copy function with the following exceptions:

- The `fi` copy constructor preserves the real-world value, while `rescale` preserves the stored integer value.
- `rescale` does not allow the `Signed` and `WordLength` properties to be changed.

Examples In the following example, `fi` object `a` is rescaled to create `fi` object `b`. The real-world values of `a` and `b` are different, while their stored integer values are the same:

```
p = fipref('FimathDisplay','none',...
'NumericTypeDisplay','short');
a = fi(10, 1, 8, 3)

a =

    10
    s8,3

b = rescale(a, 1)

b =

    40
    s8,1
```

```
stored_integer_a = a.int;  
stored_integer_b = b.int;  
isequal(stored_integer_a, stored_integer_b)
```

```
ans =
```

```
1
```

See Also[fi](#)

reset

Purpose Reset objects to initial conditions

Syntax `reset(P)`
 `reset(q)`

Description `reset(P)` resets the `fipref` object `P` to its initial conditions.
`reset(q)` resets the following quantizer object properties to their initial conditions:

- `minlog`
- `maxlog`
- `noverflows`
- `nunderflows`
- `noperations`

See Also `resetlog`

Purpose	Clear log for fi or quantizer object
Syntax	resetlog(a) resetlog(q)
Description	resetlog(a) clears the log for fi object a. resetlog(q) clears the log for quantizer object q. Turn logging on or off by setting the fipref property LoggingMode.
See Also	fipref, maxlog, minlog, noperations, noverflows, nunderflows, reset

reshape

Purpose Reshape array

Description Refer to the MATLAB reshape reference page for more information.

Purpose Plot colormap

Description Refer to the MATLAB `rgbplot` reference page for more information.

ribbon

Purpose Create ribbon plot

Description Refer to the MATLAB ribbon reference page for more information.

Purpose Create angle histogram

Description Refer to the MATLAB rose reference page for more information.

round

Purpose Round input data using quantizer object without checking for overflow


Syntax `round(q,x)`

Description `round(q,x)` uses the `RoundMode` and `FractionLength` settings of `q` to round the numeric data `x`, but does not check for overflows during the operation. Compare to `quantize`.

Examples Create a quantizer object and use it to quantize input data. The quantizer object applies its properties to the input data to return quantized output.

```
q = quantizer('fixed', 'convergent', 'wrap', [3 2]);  
x = (-2:eps(q)/4:2)';  
y = round(q,x);  
plot(x,[x,y],'.-'); axis square;
```

Applying quantizer object `q` to the data results in the staircase shape output plot shown here. Where the input data is linear, output `y` shows distinct quantization levels.



See Also `quantize`, `quantizer`

savefipref

Purpose	Save fi preferences for next MATLAB session
Syntax	savefipref
Description	savefipref saves the settings of the current fipref object for the next MATLAB session.
See Also	fipref

Purpose Create scatter or bubble plot

Description Refer to the MATLAB scatter reference page for more information.

scatter3

Purpose Create 3-D scatter or bubble plot

Description Refer to the MATLAB `scatter3` reference page for more information.

Purpose Signed decimal representation of stored integer of `fi` object

Syntax `sdec(a)`

Description Fixed-point numbers can be represented as

$$\text{real-world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real-world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`sdec(a)` returns the stored integer of `fi` object `a` in signed decimal format as a string.

Examples The code

```
a = fi([-1 1],1,8,7);  
sdec(a)
```

returns

```
-128    127
```

See Also `bin`, `dec`, `hex`, `int`, `oct`

semilogx

Purpose Create semilogarithmic plot with logarithmic x-axis

Description Refer to the MATLAB `semilogx` reference page for more information.

Purpose Create semilogarithmic plot with logarithmic y-axis

Description Refer to the MATLAB `semilogy` reference page for more information.

set

Purpose Set or display property values for quantizer objects

Syntax

```
set(q, PropertyValue1, PropertyValue2,...)
set(q,s)
set(q,pn,pv)
set(q,'PropertyName1',PropertyValue1,'PropertyName2',
    PropertyValue2,...)
q.PropertyName = Value
s = set(q)
```

Description

`set(q, PropertyValue1, PropertyValue2,...)` sets the properties of quantizer object `q`. If two property values conflict, the last value in the list is the one that is set.

`set(q,s)`, where `s` is a structure whose field names are object property names, sets the properties named in each field name with the values contained in the structure.

`set(q,pn,pv)` sets the named properties specified in the cell array of strings `pn` to the corresponding values in the cell array `pv`.

`set(q,'PropertyName1',PropertyValue1,'PropertyName2',PropertyValue2,...)` sets multiple property values with a single statement. Note that you can use property name/property value string pairs, structures, and property name/property value cell array pairs in the same call to `set`.

`q.PropertyName = Value` uses dot notation to set property `PropertyName` to `Value`.

`set(q)` displays the possible values for all properties of quantizer object `q`.

`s = set(q)` returns a structure containing the possible values for the properties of quantizer object `q`.

See Also `get`

Purpose Shift dimensions

Description Refer to the MATLAB `shiftdim` reference page for more information.

sign

Purpose Perform signum function on array

Syntax `c = sign(a)`

Description `c = sign(a)` returns an array `c` the same size as `a`, where each element of `c` is

- 1 if the corresponding element of `a` is greater than zero
- 0 if the corresponding element of `a` is zero
- -1 if the corresponding element of `a` is less than zero

The elements of `c` are of data type `int8`.

`sign` does not support complex `fi` inputs.

Purpose Single-precision floating-point real-world value of `fi` object

Syntax `single(a)`

Description Fixed-point numbers can be represented as

$$\text{real - world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

`single(a)` returns the real-world value of a `fi` object in single-precision floating point.

See Also `double`

size

Purpose Array dimensions

Description Refer to the MATLAB size reference page for more information.

Purpose Create volumetric slice plot

Description Refer to the MATLAB `slice` reference page for more information.

spy

Purpose Visualize sparsity pattern

Description Refer to the MATLAB spy reference page for more information.

Purpose

Square root of *fi* object

Syntax

```
c = sqrt(a)
c = sqrt(a,T)
c = sqrt(a,F)
c = sqrt(a,T,F)
```

Description

This function computes the square root of a *fi* object using a bisection algorithm.

`c = sqrt(a)` returns the square root of *fi* object *a* with the same *fimath* object as *a*. Intermediate quantities are also calculated using the *fimath* object of *a*. The *numericType* object of *c* is determined automatically for you using an internal rule.

`c = sqrt(a,T)` returns the square root of *fi* object *a* with *numericType* object *T* and the same *fimath* object as *a*. Intermediate quantities are calculated using the *fimath* object of *a*. See “Data Type Propagation Rules” on page 3-244.

`c = sqrt(a,F)` returns the square root of *fi* object *a* with *fimath* object *F*. Intermediate quantities are also calculated using *fimath* object *F*. The *numericType* object of *c* is determined automatically for you using an internal rule. When *a* is a built-in double or single data type, this syntax is equivalent to `c = sqrt(a)` and the *fimath* object *F* is ignored.

`c = sqrt(a,T,F)` returns the square root *fi* object *a* with *numericType* object *T* and *fimath* object *F*. Intermediate quantities are also calculated using *fimath* object *F*. See “Data Type Propagation Rules” on page 3-244.

`sqrt` does not support complex, negative-valued, or [Slope Bias] inputs.

Internal Rule

For syntaxes where the *numericType* object of the output is not specified as an input to the `sqrt` function, it is automatically calculated according to the following internal rule:

$$\text{sign}_c = \text{sign}_a$$

$$WL_c = \text{ceil}\left(\frac{WL_a}{2}\right)$$

$$FL_c = WL_c - \text{ceil}\left(\frac{WL_a - FL_a}{2}\right)$$

Data Type Propagation Rules

For syntaxes for which you specify a numerictype object T, the sqrt function follows the data type propagation rules listed in the following table. In general, these rules can be summarized as “floating-point data types are propagated.” This allows you to write code that can be used with both fixed-point and floating-point inputs.

Data Type of Input fi Object a	Data Type of numerictype object T	Data Type of Output c
Built-in double	Any	Built-in double
Built-in single	Any	Built-in single
fi Fixed	fi Fixed	Data type of numerictype object T
fi ScaledDouble	fi Fixed	ScaledDouble with properties of numerictype object T
fi double	fi Fixed	fi double
fi single	fi Fixed	fi single
Any fi data type	fi double	fi double
Any fi data type	fi single	fi single

Purpose Remove singleton dimensions

Description Refer to the MATLAB `squeeze` reference page for more information.

stairs

Purpose Create staircase graph

Description Refer to the MATLAB stairs reference page for more information.

Purpose Plot discrete sequence data

Description Refer to the MATLAB stem reference page for more information.

stem3

Purpose Plot 3-D discrete sequence data

Description Refer to the MATLAB `stem3` reference page for more information.

Purpose Create 3-D stream ribbon plot

Description Refer to the MATLAB streamribbon reference page for more information.

streamslice

Purpose Draw streamlines in slice planes

Description Refer to the MATLAB `streamslice` reference page for more information.

Purpose Create 3-D stream tube plot

Description Refer to the MATLAB streamtube reference page for more information.

stripscaling

Purpose Stored integer of fi object

Syntax I = stripscaling(a)

Description I = stripscaling(a) returns the stored integer of a as a fi object with zero bias and the same word length and sign as a.

Examples Stripscaling is useful for converting the value of a fi object to its stored integer value without changing any other parameters.

```
fipref('NumericTypeDisplay','short', ...
       'FimathDisplay','none');
format long g
a = fi(0.1,true,48,47)

a =

           0.1000000000000001
           s48,47
b = stripscaling(a)

b =

           14073748835533
           s48,0
bin(a)

ans =

000011001100110011001100110011001100110011001100110011001101

bin(b)

ans =

000011001100110011001100110011001100110011001100110011001101
```

Notice that the stored integer values of `a` and `b` are identical, while their real-world values are different.

sub

Purpose Subtract two objects using `fimath` object

Syntax `c = F.sub(a,b)`

Description `c = F.sub(a,b)` subtracts objects `a` and `b` using `fimath` object `F`. This is helpful in cases when you want to override the `fimath` objects of `a` and `b`, or if the `fimath` objects of `a` and `b` are different.

`a` and `b` must have the same dimensions unless one is a scalar. If either `a` or `b` is scalar, then `c` has the dimensions of the nonscalar object.

If either `a` or `b` is a `fi` object, and the other is a MATLAB built-in numeric type, then the built-in object is cast to the word length of the `fi` object, preserving best-precision fraction length.

Examples In this example, `c` is the 32-bit difference of `a` and `b` with fraction length 16.

```
a = fi(pi);
b = fi(exp(1));
F = fimath('SumMode','SpecifyPrecision',...
    'SumWordLength',32,'SumFractionLength',16);
c = F.sub(a, b)
```

```
c =
```

```
0.4233
```

```
DataTypeMode: Fixed-point: binary point scaling
Signed: true
WordLength: 32
FractionLength: 16
```

```
RoundMode: nearest
OverflowMode: saturate
ProductMode: FullPrecision
MaxProductWordLength: 128
```

```
SumMode: SpecifyPrecision
SumWordLength: 32
SumFractionLength: 16
CastBeforeSum: true
```

Algorithm

`c = F.sub(a,b)` is equivalent to

```
a.fimath = F;
b.fimath = F;
c = a - b;
```

except that the `fimath` properties of `a` and `b` are not modified when you use the functional form.

See Also

`add`, `divide`, `fi`, `fimath`, `mpy`, `numericType`

Purpose Subscripted assignment

Syntax

```
a(I) = b
a(I,J) = b
a(I,:) = b
a(:,I) = b
a(I,J,K,...) = b
a = subsasgn(a,S,b)
```

Description `a(I) = b` assigns the values of `b` into the elements of `a` specified by the subscript vector `I`. `b` must have the same number of elements as `I` or be a scalar.

`a(I,J) = b` assigns the values of `b` into the elements of the rectangular submatrix of `a` specified by the subscript vectors `I` and `J`. `b` must have `LENGTH(I)` rows and `LENGTH(J)` columns.

A colon used as a subscript, as in `a(I,:) = b` or `a(:,I) = b` indicates the entire column or row.

For multidimensional arrays, `a(I,J,K,...) = b` assigns `b` to the specified elements of `a`. `b` must be `length(I)-by-length(J)-by-length(K)-...` or be shiftable to that size by adding or removing singleton dimensions.

`a = subsasgn(a,S,b)` is called for the syntax `a(i)=b`, `a{ i}=b`, or `a.i=b` when `a` is an object. `S` is a structure array with the fields

- `type` — String containing `'()'`, `'{}'`, or `'.'` specifying the subscript type
- `subs` — Cell array or string containing the actual subscripts

For instance, the syntax `a(1:2,:) = b` calls `a=subsasgn(a,S,b)` where `S` is a 1-by-1 structure with `S.type='()'` and `S.subs = {1:2, ':'}`. A colon used as a subscript is passed as the string `':'`.

Examples

For `fi` objects `a` and `b`, there is a difference between

```
a = b
```

and

```
a(:) = b
```

In the first case, `a = b` replaces `a` with `b`, and `a` assumes the value, `numericType` object, and `fi`math object of `b`.

In the second case, `a(:) = b` assigns the value of `b` into `a` while keeping the `numericType` object of `a`. You can use this to cast a value with one `numericType` object into another `numericType` object.

For example, cast a 16-bit number into an 8-bit number:

```
a = fi(0, 1, 8, 7)
```

```
a =
```

```
0
```

```
          DataTypeMode: Fixed-point: binary point scaling  
            Signed: true  
          WordLength: 8  
        FractionLength: 7
```

```
b = fi(pi/4, 1, 16, 15)
```

```
b =
```

```
0.7854
```

```
          DataTypeMode: Fixed-point: binary point scaling  
            Signed: true  
          WordLength: 16  
        FractionLength: 15
```

subsasgn

```
a(:) = b
```

```
a =
```

```
0.7891
```

```
      DataTypeMode: Fixed-point: binary point scaling  
      Signed: true  
      WordLength: 8  
      FractionLength: 7
```

In this kind of assignment operation, the `fimath` objects of `a` and `b` can be different. A common use for this is when casting the result of an accumulation to an output data type, where the two have different rounding and overflow modes. Another common use is in a series of multiply/accumulate operations. For example,

```
for k = 1:n  
    acc(1) = acc + b * x(k)  
end
```

See Also

[subsref](#)

Purpose Subscripted reference

Description Refer to the MATLAB `subsref` reference page for more information.

sum

Purpose Sum of array elements

Syntax
`b = sum(a)`
`b = sum(a, dim)`

Description `b = sum(a)` returns the sum along different dimensions of the `fi` array `a`.

If `a` is a vector, `sum(a)` returns the sum of the elements.

If `a` is a matrix, `sum(a)` treats the columns of `a` as vectors, returning a row vector of the sums of each column.

If `a` is a multidimensional array, `sum(a)` treats the values along the first nonsingleton dimension as vectors, returning an array of row vectors.

`b = sum(a, dim)` sums along the dimension `dim` of `a`.

The `fimath` object is used in the calculation of the sum. If `SumMode` is `FullPrecision`, `KeepLSB`, or `KeepMSB`, then the number of integer bits of growth for `sum(a)` is `ceil(log2(length(a)))`.

`sum` does not support `fi` objects of data type `Boolean`.

See Also `add`, `divide`, `fi`, `fimath`, `mpy`, `numericType`, `sub`

Purpose Create 3-D shaded surface plot

Description Refer to the MATLAB surf reference page for more information.

surf

Purpose Create 3-D shaded surface plot with contour plot

Description Refer to the MATLAB `surf` reference page for more information.

Purpose Create surface plot with colormap-based lighting

Description Refer to the MATLAB `surf1` reference page for more information.

surfnorm

Purpose Compute and display 3-D surface normals

Description Refer to the MATLAB `surfnorm` reference page for more information.

Purpose Create text object in current axes

Description Refer to the MATLAB text reference page for more information.

times

Purpose Element-by-element multiplication of `fi` objects

Syntax `times(a,b)`

Description `times(a,b)` is called for the syntax `a .* b` when `a` or `b` is an object. `a .* b` denotes element-by-element multiplication. `a` and `b` must have the same dimensions unless one is a scalar. A scalar can be multiplied into anything.

`times` does not support `fi` objects of data type `Boolean`.

See Also `plus`, `minus`, `mtimes`, `uminus`

Purpose

Create Toeplitz matrix

Syntax

```
t = toeplitz(a,b)
t = toeplitz(b)
```

Description

`t = toeplitz(a,b)` returns a nonsymmetric Toeplitz matrix having `a` as its first column and `b` as its first row. `b` is cast to the `numericType` of `a`.

`t = toeplitz(b)` returns the symmetric or Hermitian Toeplitz matrix formed from vector `b`, where `b` is the first row of the matrix.

The `numericType` and `fimath` objects of the leftmost input that is a `fi` object are applied to the output `t`.

Examples

`toeplitz(a,b)` casts `b` into the data type of `a`. In this example, overflow occurs:

```
fipref('NumericTypeDisplay','short', ...
      'FimathDisplay','none');
```

```
format short g
```

```
a = fi([1 2 3],true,8,5)
```

```
a =
```

```
    1     2     3
    s8,5
```

```
b = fi([1 4 8],true,16,10)
```

```
b =
```

```
    1     4     8
    s16,10
```

toeplitz

```
toeplitz(a,b)
```

```
ans =
```

```
      1      3.9688      3.9688
      2      1      3.9688
      3      2      1
s8,5
```

toeplitz(b,a) casts a into the data type of b. In this example, overflow does not occur:

```
toeplitz(b,a)
```

```
ans =
```

```
      1      2      3
      4      1      2
      8      4      1
s16,10
```

If one of the arguments of `toeplitz` is a built-in data type, it is cast to the data type of the `fi` object.

```
x = [1 exp(1) pi]
```

```
x =
```

```
      1      2.7183      3.1416
```

```
toeplitz(a,x)
```

```
ans =
```

```
      1      2.7188      3.1563
      2      1      2.7188
      3      2      1
s8,5
```

```
toeplitz(x,a)
```

```
ans =
```

```
          1          2          3  
    2.7188          1          2  
    3.1563    2.7188          1  
    s8,5
```

tostring

Purpose Convert quantizer object to string

Syntax `s = tostring(q)`

Description `s = tostring(q)` converts quantizer object `q` to a string `s`. After converting `q` to a string, the function `eval(s)` can use `s` to create a quantizer object with the same properties as `q`.

See Also `quantizer`

Purpose Transpose operation

Description Refer to the MATLAB arithmetic operators reference page for more information.

treeplot

Purpose Plot picture of tree

Description Refer to the MATLAB `treeplot` reference page for more information.

Purpose Lower triangular part of matrix

Description Refer to the MATLAB `tril` reference page for more information.

trimesh

Purpose Create triangular mesh plot

Description Refer to the MATLAB `trimesh` reference page for more information.

Purpose Create 2-D triangular plot

Description Refer to the MATLAB `triplot` reference page for more information.

trisurf

Purpose Create triangular surface plot

Description Refer to the MATLAB `trisurf` reference page for more information.

Purpose Upper triangular part of matrix

Description Refer to the MATLAB `triu` reference page for more information.

uint8

Purpose Stored integer value of `fi` object as built-in `uint8`

Syntax `uint8(a)`

Description Fixed-point numbers can be represented as

$$\textit{real - world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`uint8(a)` returns the stored integer value of `fi` object `a` as a built-in `uint8`. If the stored integer word length is too big for a `uint8`, or if the stored integer is signed, the returned value saturates to a `uint8`.

See Also `int`, `int8`, `int16`, `int32`, `uint16`, `uint32`

Purpose Stored integer value of `fi` object as built-in `uint16`

Syntax `uint16(a)`

Description Fixed-point numbers can be represented as

$$\text{real - world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or, equivalently,

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

`uint16(a)` returns the stored integer value of `fi` object `a` as a built-in `uint16`. If the stored integer word length is too big for a `uint16`, or if the stored integer is signed, the returned value saturates to a `uint16`.

See Also `int`, `int8`, `int16`, `int32`, `uint8`, `uint32`

uint32

Purpose Stored integer value of fi object as built-in uint32

Syntax uint32(a)

Description Fixed-point numbers can be represented as

$$\textit{real - world value} = 2^{-\textit{fraction length}} \times \textit{stored integer}$$

or, equivalently,

$$\textit{real - world value} = (\textit{slope} \times \textit{stored integer}) + \textit{bias}$$

The stored integer is the raw binary number, in which the binary point is assumed to be at the far right of the word.

uint32(a) returns the stored integer value of fi object a as a built-in uint32. If the stored integer word length is too big for a uint32, or if the stored integer is signed, the returned value saturates to a uint32.

See Also int, int8, int16, int32, uint8, uint16

Purpose Negate elements of fi object array

Syntax `uminus(a)`

Description `uminus(a)` is called for the syntax `-a` when `a` is an object. `-a` negates the elements of `a`.

`uminus` does not support fi objects of data type Boolean.

Examples When wrap occurs, $-(-1) = -1$:

```
fipref('NumericTypeDisplay','short', ...
      'fimathDisplay','none');
format short g
a = fi(-1,true,8,7,'overflowmode','wrap')

a =

    -1
    s8,7
-a

ans =

    -1
    s8,7
b = fi([-1-i -1-i],true,8,7,'overflowmode','wrap')

b =

    -1 -      1i      -1 -      1i
    s8,7
-b

ans =

    -1 -      1i      -1 -      1i
```

```

      s8,7
b'
ans =
      -1 -      1i
      -1 -      1i
      s8,7

```

When saturation occurs, $-(-1) = 0.99\dots$:

```

c = fi(-1,true,8,7,'overflowmode','saturate')
c =
      -1
      s8,7
-c
ans =
      0.99219
      s8,7
d = fi([-1-i -1-i],true,8,7,'overflowmode','saturate')
d =
      -1 -      1i      -1 -      1i
      s8,7
-d
ans =
      0.99219 +      0.99219i      0.99219 +      0.99219i
      s8,7
d'

```


ans =

```

-1 + 0.99219i
-1 + 0.99219i
s8,7

```

See Also

plus, minus, mtimes, times

uplus

Purpose

Unary plus

Description

Refer to the MATLAB arithmetic operators reference page for more information.

- Purpose** Upper bound of range of `fi` object
- Syntax** `upperbound(a)`
- Description** `upperbound(a)` returns the upper bound of the range of `fi` object `a`. If `L = lowerbound(a)` and `U = upperbound(a)`, then `[L,U] = range(a)`.
- See Also** `eps`, `intmax`, `intmin`, `lowerbound`, `lsb`, `range`, `realmax`, `realmin`

vertcat

Purpose Vertically concatenate multiple `fi` objects

Syntax `c = vertcat(a,b,...)`
`[a; b; ...]`
`[a;b]`

Description `c = vertcat(a,b,...)` is called for the syntax `[a; b; ...]` when any of `a`, `b`, `...`, is a `fi` object.

`[a;b]` is the vertical concatenation of matrices `a` and `b`. `a` and `b` must have the same number of columns. Any number of matrices can be concatenated within one pair of brackets. N-D arrays are vertically concatenated along the first dimension. The remaining dimensions must match.

Horizontal and vertical concatenation can be combined, as in `[1 2;3 4]`.

`[a b; c]` is allowed if the number of rows of `a` equals the number of rows of `b`, and if the number of columns of `a` plus the number of columns of `b` equals the number of columns of `c`.

The matrices in a concatenation expression can themselves be formed via a concatenation, as in `[a b;[c d]]`.

Note The `fi`math and `numeric`type objects of a concatenated matrix of `fi` objects `c` are taken from the leftmost `fi` object in the list `(a,b,...)`.

See Also `horzcat`

Purpose Create Voronoi diagram

Description Refer to the MATLAB `voronoi` reference page for more information.

voronoin

Purpose Create n-D Voronoi diagram

Description Refer to the MATLAB voronoin reference page for more information.

Purpose Create waterfall plot

Description Refer to the MATLAB waterfall reference page for more information.

wordlength

Purpose Word length of quantizer object

Syntax `wordlength(q)`

Description `wordlength(q)` returns the word length of the quantizer object `q`.

Examples

```
q = quantizer([16 15]);  
wordlength(q)
```

```
ans =
```

```
16
```

See Also `fi`, `fractionlength`, `exponentlength`, `numerictype`, `quantizer`

Purpose Set or query x-axis limits

Description Refer to the MATLAB `xlim` reference page for more information.

ylim

Purpose Set or query y-axis limits

Description Refer to the MATLAB `ylim` reference page for more information.

Purpose Set or query z-axis limits

Description Refer to the MATLAB `zlim` reference page for more information.

This glossary defines terms related to fixed-point data types and numbers. These terms may appear in some or all of the documents that describe products from The MathWorks that have fixed-point support.

arithmetic shift

Shift of the bits of a binary word for which the sign bit is recycled for each bit shift to the right. A zero is incorporated into the least significant bit of the word for each bit shift to the left. In the absence of overflows, each arithmetic shift to the right is equivalent to a division by 2, and each arithmetic shift to the left is equivalent to a multiplication by 2.

See also binary point, binary word, bit, logical shift, most significant bit

bias

Part of the numerical representation used to interpret a fixed-point number. Along with the slope, the bias forms the scaling of the number. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

See also fixed-point representation, fractional slope, integer, scaling, slope, [Slope Bias]

binary number

Value represented in a system of numbers that has two as its base and that uses 1's and 0's (bits) for its notation.

See also bit

binary point

Symbol in the shape of a period that separates the integer and fractional parts of a binary number. Bits to the left of the binary point are integer bits and/or sign bits, and bits to the right of the binary point are fractional bits.

See also binary number, bit, fraction, integer, radix point

binary point-only scaling

Scaling of a binary number that results from shifting the binary point of the number right or left, and which therefore can only occur by powers of two.

See also binary number, binary point, scaling

binary word

Fixed-length sequence of bits (1's and 0's). In digital hardware, numbers are stored in binary words. The way in which hardware components or software functions interpret this sequence of 1's and 0's is described by a data type.

See also bit, data type, word

bit

Smallest unit of information in computer software or hardware. A bit can have the value 0 or 1.

ceiling (round toward)

Rounding mode that rounds to the closest representable number in the direction of positive infinity. This is equivalent to the `ceil` mode in Fixed-Point Toolbox.

See also convergent rounding, floor (round toward), nearest (round toward), rounding, truncation, zero (round toward)

contiguous binary point

Binary point that occurs within the word length of a data type. For example, if a data type has four bits, its contiguous binary point must be understood to occur at one of the following five positions:

.0000

0.000

00.00

000.0

0000.

See also data type, noncontiguous binary point, word length

convergent rounding

Rounding mode that rounds to the nearest allowable quantized value. Numbers that are exactly halfway between the two nearest allowable quantized values are rounded up only if the least significant bit (after rounding) would be set to 0.

See also ceiling (round toward), floor (round toward), nearest (round toward), rounding, truncation, zero (round toward)

data type

Set of characteristics that define a group of values. A fixed-point data type is defined by its word length, its fraction length, and whether it is signed or unsigned. A floating-point data type is defined by its word length and whether it is signed or unsigned.

See also fixed-point representation, floating-point representation, fraction length, word length

data type override

Parameter in the Fixed-Point Tool that allows you to set the output data type and scaling of fixed-point blocks on a system or subsystem level.

See also data type, scaling

exponent

Part of the numerical representation used to express a floating-point or fixed-point number.

1. Floating-point numbers are typically represented as

$$\text{real - world value} = \text{mantissa} \times 2^{\text{exponent}}$$

2. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

The exponent of a fixed-point number is equal to the negative of the fraction length:

$$\text{exponent} = -1 \times \text{fraction length}$$

See also bias, fixed-point representation, floating-point representation, fraction length, fractional slope, integer, mantissa, slope

fixed-point representation

Method for representing numerical values and data types that have a set range and precision.

1. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

The slope and the bias together represent the scaling of the fixed-point number.

2. Fixed-point data types can be defined by their word length, their fraction length, and whether they are signed or unsigned.

See also bias, data type, exponent, fraction length, fractional slope, integer, precision, range, scaling, slope, word length

floating-point representation

Method for representing numerical values and data types that can have changing range and precision.

1. Floating-point numbers can be represented as

$$\text{real-world value} = \text{mantissa} \times 2^{\text{exponent}}$$

2. Floating-point data types are defined by their word length.

See also data type, exponent, mantissa, precision, range, word length

floor (round toward)

Rounding mode that rounds to the closest representable number in the direction of negative infinity.

See also ceiling (round toward), convergent rounding, nearest (round toward), rounding, truncation, zero (round toward)

fraction

Part of a fixed-point number represented by the bits to the right of the binary point. The fraction represents numbers that are less than one.

See also binary point, bit, fixed-point representation

fraction length

Number of bits to the right of the binary point in a fixed-point representation of a number.

See also binary point, bit, fixed-point representation, fraction

fractional slope

Part of the numerical representation used to express a fixed-point number. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

The term *slope adjustment* is sometimes used as a synonym for fractional slope.

See also bias, exponent, fixed-point representation, integer, slope

guard bits

Extra bits in either a hardware register or software simulation that are added to the high end of a binary word to ensure that no information is lost in case of overflow.

See also binary word, bit, overflow

integer

1. Part of a fixed-point number represented by the bits to the left of the binary point. The integer represents numbers that are greater than or equal to one.

2. Also called the "stored integer." The raw binary number, in which the binary point is assumed to be at the far right of the word. The integer is part of the numerical representation used to express a fixed-point number. Fixed-point numbers can be represented as

$$\text{real - world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

See also bias, fixed-point representation, fractional slope, integer, real-world value, slope

integer length

Number of bits to the left of the binary point in a fixed-point representation of a number.

See also binary point, bit, fixed-point representation, fraction length, integer

least significant bit (LSB)

Bit in a binary word that can represent the smallest value. The LSB is the rightmost bit in a big-endian-ordered binary word. The weight of the LSB is related to the fraction length according to

$$\text{weight of LSB} = 2^{-\text{fraction length}}$$

See also big-endian, binary word, bit, most significant bit

logical shift

Shift of the bits of a binary word, for which a zero is incorporated into the most significant bit for each bit shift to the right and into the least significant bit for each bit shift to the left.

See also arithmetic shift, binary point, binary word, bit, most significant bit

mantissa

Part of the numerical representation used to express a floating-point number. Floating-point numbers are typically represented as

$$\text{real-world value} = \text{mantissa} \times 2^{\text{exponent}}$$

See also exponent, floating-point representation

most significant bit (MSB)

Bit in a binary word that can represent the largest value. The MSB is the leftmost bit in a big-endian-ordered binary word.

See also binary word, bit, least significant bit

nearest (round toward)

Rounding mode that rounds to the closest representable number, with the exact midpoint rounded to the closest representable number in the direction of positive infinity. This is equivalent to the nearest mode in Fixed-Point Toolbox.

See also ceiling (round toward), convergent rounding, floor (round toward), rounding, truncation, zero (round toward)

noncontiguous binary point

Binary point that is understood to fall outside the word length of a data type. For example, the binary point for the following 4-bit word is understood to occur two bits to the right of the word length,

0000_._

thereby giving the bits of the word the following potential values:

$2^5 2^4 2^3 2^2$ _._

See also binary point, data type, word length

one's complement representation

Representation of signed fixed-point numbers. Negating a binary number in one's complement requires a bitwise complement. That is, all 0's are flipped to 1's and all 1's are flipped to 0's. In one's complement notation there are two ways to represent zero. A binary word of all 0's represents "positive" zero, while a binary word of all 1's represents "negative" zero.

See also binary number, binary word, sign/magnitude representation, signed fixed-point, two's complement representation

overflow

Situation that occurs when the magnitude of a calculation result is too large for the range of the data type being used. In many cases you can choose to either saturate or wrap overflows.

See also saturation, wrapping

padding

Extending the least significant bit of a binary word with one or more zeros.

See also least significant bit

precision

1. Measure of the smallest numerical interval that a fixed-point data type and scaling can represent, determined by the value of the number's least significant bit. The precision is given by the slope, or the number of fractional bits. The term *resolution* is sometimes used as a synonym for this definition.

2. Measure of the difference between a real-world numerical value and the value of its quantized representation. This is sometimes called quantization error or quantization noise.

See also data type, fraction, least significant bit, quantization, quantization error, range, slope

Q format

Representation used by Texas Instruments to encode signed two's complement fixed-point data types. This fixed-point notation takes the form

$$Q_{m.n}$$

where

- Q indicates that the number is in Q format.
- m is the number of bits used to designate the two's complement integer part of the number.

- n is the number of bits used to designate the two's complement fractional part of the number, or the number of bits to the right of the binary point.

In Q format notation, the most significant bit is assumed to be the sign bit.

See also binary point, bit, data type, fixed-point representation, fraction, integer, two's complement

quantization

Representation of a value by a data type that has too few bits to represent it exactly.

See also bit, data type, quantization error

quantization error

Error introduced when a value is represented by a data type that has too few bits to represent it exactly, or when a value is converted from one data type to a shorter data type. Quantization error is also called quantization noise.

See also bit, data type, quantization

radix point

Symbol in the shape of a period that separates the integer and fractional parts of a number in any base system. Bits to the left of the radix point are integer and/or sign bits, and bits to the right of the radix point are fraction bits.

See also binary point, bit, fraction, integer, sign bit

range

Span of numbers that a certain data type can represent.

See also data type, precision

real-world value

Stored integer value with fixed-point scaling applied. Fixed-point numbers can be represented as

$$\text{real - world value} = 2^{-\text{fraction length}} \times \text{stored integer}$$

or

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

See also integer

resolution

See **precision**

rounding

Limiting the number of bits required to express a number. One or more least significant bits are dropped, resulting in a loss of precision. Rounding is necessary when a value cannot be expressed exactly by the number of bits designated to represent it.

See also bit, ceiling (round toward), convergent rounding, floor (round toward), least significant bit, nearest (round toward), precision, truncation, zero (round toward)

saturation

Method of handling numeric overflow that represents positive overflows as the largest positive number in the range of the data type being used, and negative overflows as the largest negative number in the range.

See also overflow, wrapping

scaled double

A double data type that retains fixed-point scaling information. For example, in Simulink® and Fixed-Point Toolbox you can use data type override to convert your fixed-point data types to scaled doubles. You can then simulate to determine the ideal floating-point behavior of your system. After you gather that information you can turn data type override off to return to fixed-point data types, and your quantities still have their original scaling information because it was held in the scaled double data types.

scaling

1. Format used for a fixed-point number of a given word length and signedness. The slope and bias together form the scaling of a fixed-point number.
2. Changing the slope and/or bias of a fixed-point number without changing the stored integer.

See also bias, fixed-point representation, integer, slope

shift

Movement of the bits of a binary word either toward the most significant bit ("to the left") or toward the least significant bit ("to the right"). Shifts to the right can be either logical, where the spaces emptied at the front of the word with each shift are filled in with zeros, or arithmetic, where the word is sign extended as it is shifted to the right.

See also arithmetic shift, logical shift, sign extension

sign bit

Bit (or bits) in a signed binary number that indicates whether the number is positive or negative.

See also binary number, bit

sign extension

Addition of bits that have the value of the most significant bit to the high end of a two's complement number. Sign extension does not change the value of the binary number.

See also binary number, guard bits, most significant bit, two's complement representation, word

sign/magnitude representation

Representation of signed fixed-point or floating-point numbers. In sign/magnitude representation, one bit of a binary word is always the dedicated sign bit, while the remaining bits of the word encode the magnitude of the number. Negation using sign/magnitude representation consists of flipping the sign bit from 0 (positive) to 1 (negative), or from 1 to 0.

See also binary word, bit, fixed-point representation, floating-point representation, one's complement representation, sign bit, signed fixed-point, two's complement representation

signed fixed-point

Fixed-point number or data type that can represent both positive and negative numbers.

See also data type, fixed-point representation, unsigned fixed-point

slope

Part of the numerical representation used to express a fixed-point number. Along with the bias, the slope forms the scaling of a fixed-point number. Fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

where the slope can be expressed as

$$\text{slope} = \text{fractional slope} \times 2^{\text{exponent}}$$

See also bias, fixed-point representation, fractional slope, integer, scaling, [Slope Bias]

slope adjustment

See **fractional slope**

[Slope Bias]

Representation used to define the scaling of a fixed-point number.

See also bias, scaling, slope

stored integer

See **integer**

trivial scaling

Scaling that results in the real-world value of a number being simply equal to its stored integer value:

$$\text{real - world value} = \text{stored integer}$$

In [Slope Bias] representation, fixed-point numbers can be represented as

$$\text{real - world value} = (\text{slope} \times \text{stored integer}) + \text{bias}$$

In the trivial case, slope = 1 and bias = 0.

In terms of binary point-only scaling, the binary point is to the right of the least significant bit for trivial scaling, meaning that the fraction length is zero:

$$\text{real - world value} = \text{stored integer} \times 2^{-\text{fraction length}} = \text{stored integer} \times 2^0$$

Scaling is always trivial for pure integers, such as `int8`, and also for the true floating-point types `single` and `double`.

See also bias, binary point, binary point-only scaling, fixed-point representation, fraction length, integer, least significant bit, scaling, slope, [Slope Bias]

truncation

Rounding mode that drops one or more least significant bits from a number.

See also ceiling (round toward), convergent rounding, floor (round toward), nearest (round toward), rounding, zero (round toward)

two's complement representation

Common representation of signed fixed-point numbers. Negation using signed two's complement representation consists of a translation into one's complement followed by the binary addition of a one.

See also binary word, one's complement representation, sign/magnitude representation, signed fixed-point

unsigned fixed-point

Fixed-point number or data type that can only represent numbers greater than or equal to zero.

See also data type, fixed-point representation, signed fixed-point

word

Fixed-length sequence of binary digits (1's and 0's). In digital hardware, numbers are stored in words. The way hardware components or software functions interpret this sequence of 1's and 0's is described by a data type.

See also binary word, data type

word length

Number of bits in a binary word or data type.

See also binary word, bit, data type

wrapping

Method of handling overflow. Wrapping uses modulo arithmetic to cast a number that falls outside of the representable range the data type being used back into the representable range.

See also data type, overflow, range, saturation

zero (round toward)

Rounding mode that rounds to the closest representable number in the direction of zero. This is equivalent to the `fix` mode in Fixed-Point Toolbox.

See also ceiling (round toward), convergent rounding, floor (round toward), nearest (round toward), rounding, truncation

A

abs function 3-2
add function 3-16
all function 3-18
and function 3-19
any function 3-20
area function 3-21

B

bar function 3-22
barh function 3-23
Bias property 1-17
bin function 3-24
bin property 1-2
bin2num function 3-25
bitand function 3-27
bitandreduce function 3-28
bitcmp function 3-30
bitconcat function 3-31
bitget function 3-33
bitor function 3-35
bitorreduce function 3-36
bitrol function 3-38
bitror function 3-40
bitset function 3-42
bitshift function 3-43
bitsliceget function 3-45
bitsll function 3-47
bitsra function 3-49
bitsrl function 3-51
bitxor function 3-52
bitxorreduce function 3-53
buffer function 3-55

C

CastBeforeSum property 1-6
clabel function 3-56
comet function 3-57

comet3 function 3-58
compass function 3-59
complex function 3-60
coneplot function 3-61
conj function 3-62
contour function 3-63
contour3 function 3-64
contourc function 3-65
contourf function 3-66
convergent function 3-67
copyobj function 3-68
ctranspose function 3-69

D

data property 1-2
DataType property 1-17
DataTypeMode property 1-17
DataTypeOverride property 1-14
dec function 3-70
dec property 1-2
denormalmax function 3-71
denormalmin function 3-72
diag function 3-73
disp function 3-74
div function 3-75
double function 3-80
double property 1-2

E

end function 3-81
eps function 3-82
eq function 3-83
errorbar function 3-84
etreeplot function 3-85
exponentbias function 3-86
exponentlength function 3-87
exponentmax function 3-88
exponentmin function 3-89

- ezcontour function 3-90
- ezcontourf function 3-91
- ezmesh function 3-92
- ezplot function 3-93
- ezplot3 function 3-94
- ezpolar function 3-95
- ezsurf function 3-96
- ezsurf function 3-97

F

- feather function 3-98
- fi function 3-99
- fi objects
 - properties
 - bin 1-2
 - data 1-2
 - dec 1-2
 - double 1-2
 - fimath 1-2
 - hex 1-3
 - int 1-3
 - NumericType 1-3
 - oct 1-5
- fimath function 3-107
- fimath objects

properties

- CastBeforeSum 1-6
- MaxProductWordLength 1-6
- MaxSumWordLength 1-6
- OverflowMode 1-6
- ProductBias 1-7
- ProductFixedExponent 1-7
- ProductFractionLength 1-7
- ProductMode 1-7
- ProductSlope 1-9
- ProductSlopeAdjustmentFactor 1-9
- ProductWordLength 1-9
- RoundMode 1-10
- SumBias 1-10
- SumFixedExponent 1-10
- SumFractionLength 1-11
- SumMode 1-11
- SumSlope 1-12
- SumSlopeAdjustmentFactor 1-13
- SumWordLength 1-13

- fimath property 1-2
- FimathDisplay property 1-14

- fipref function 3-110
- fipref objects
 - properties
 - DataTypeOverride 1-14
 - FimathDisplay 1-14
 - LoggingMode 1-14
 - NumberDisplay 1-15
 - NumericTypeDisplay 1-15

- FixedExponent property 1-18

- flipdim function 3-112
- fliplr function 3-113
- flipud function 3-114

- format
 - rat 1-16

- Format property 1-21

- fplot function 3-115
- fractionlength function 3-116
- FractionLength property 1-19

function
 line 3-158

functions

- abs 3-2
- add 3-16
- all 3-18
- and 3-19
- any 3-20
- area 3-21
- bar 3-22
- barh 3-23
- bin 3-24
- bin2num 3-25
- bitand 3-27
- bitandreduce 3-28
- bitcmp 3-30
- bitconcat 3-31
- bitget 3-33
- bitor 3-35
- bitorreduce 3-36
- bitrol 3-38
- bitror 3-40
- bitset 3-42
- bitshift 3-43
- bitsliceget 3-45
- bitsll 3-47
- bitsra 3-49
- bitsrl 3-51
- bitxor 3-52
- bitxorreduce 3-53
- buffer 3-55
- clabel 3-56
- comet 3-57
- comet3 3-58
- compass 3-59
- complex 3-60
- coneplot 3-61
- conj 3-62
- contour 3-63
- contour3 3-64
- contourc 3-65
- contourf 3-66
- convergent 3-67
- copyobj 3-68
- ctranspose 3-69
- dec 3-70
- denormalmax 3-71
- denormalmin 3-72
- diag 3-73
- disp 3-74
- div 3-75
- double 3-80
- end 3-81
- eps 3-82
- eq 3-83
- errorbar 3-84
- etreeplot 3-85
- exponentbias 3-86
- exponentlength 3-87
- exponentmax 3-88
- exponentmin 3-89
- ezcontour 3-90
- ezcontourf 3-91
- ezmesh 3-92
- ezplot 3-93
- ezplot3 3-94
- ezpolar 3-95
- ezsurf 3-96
- ezsurf 3-97
- feather 3-98
- fi 3-99
- fimath 3-107
- fipref 3-110
- flipdim 3-112
- fliplr 3-113
- flipud 3-114
- fplot 3-115
- fractionlength 3-116
- ge 3-117
- get 3-118

getlsb 3-119
getmsb 3-120
gplot 3-121
gt 3-122
hankel 3-123
hex 3-124
hex2num 3-125
hist 3-126
histc 3-127
horzcat 3-128
imag 3-129
int 3-131
int16 3-134
int32 3-135
int8 3-133
intmax 3-136
intmin 3-137
ipermute 3-138
iscolumn 3-139
isempty 3-140
isequal 3-141
isfi 3-142
isfinite 3-144
isinf 3-145
isnan 3-146
isnumeric 3-147
isobject 3-149
isreal 3-151
isrow 3-152
isscalar 3-153
assigned 3-154
isvector 3-155
le 3-156
length 3-157
logical 3-159
loglog 3-160
lowerbound 3-161
lsb 3-162
lt 3-163
max 3-164
maxlog 3-165
mesh 3-166
meshc 3-167
meshz 3-168
min 3-169
minlog 3-170
minus 3-171
mpy 3-172
mtimes 3-174
ndims 3-175
ne 3-176
noperations 3-177
not 3-178
noverflows 3-179
num2bin 3-180
num2hex 3-181
num2int 3-183
numberofelements 3-184
numerictype 3-185
nunderflows 3-189
oct 3-190
or 3-191
patch 3-192
pcolor 3-193
permute 3-194
plot 3-195
plot3 3-196
plotmatrix 3-197
plotyy 3-198
plus 3-199
polar 3-200
pow2 3-201
quantize 3-202
quantizer 3-205
quiver 3-209
quiver3 3-210
randquant 3-211
range 3-213
real 3-215
realmax 3-216

realmin 3-218
repmat 3-219
reset 3-222
resetlog 3-223
reshape 3-224
rgbplot 3-225
ribbon 3-226
rose 3-227
round 3-228
savefipref 3-230
scatter 3-231
scatter3 3-232
sdec 3-233
semilogx 3-234
semilogy 3-235
set 3-236
shiftdim 3-237
sign 3-238
single 3-239
size 3-240
slice 3-241
spy 3-242
sqrt 3-243
squeeze 3-245
stairs 3-246
stem 3-247
stem3 3-248
streamribbon 3-249
streamslice 3-250
streamtube 3-251
stripscaling 3-252
sub 3-254
subsasgn 3-256
subsref 3-259
sum 3-260
surf 3-261
surfc 3-262
surf1 3-263
surfnorm 3-264
text 3-265
times 3-266
toeplitz 3-267
tostring 3-270
transpose 3-271
treemap 3-272
tril 3-273
trimesh 3-274
triplot 3-275
trisurf 3-276
triu 3-277
uint16 3-279
uint32 3-280
uint8 3-278
uminus 3-281
uplus 3-284
upperbound 3-285
vertcat 3-286
voronoi 3-287
voronoin 3-288
waterfall 3-289
wordlength 3-290
xlim 3-291
ylim 3-292
zlim 3-293

G

ge function 3-117
get function 3-118
getlsb function 3-119
getmsb function 3-120
gplot function 3-121
gt function 3-122

H

hankel function 3-123
hex function 3-124
hex property 1-3
hex2num function 3-125

hist function 3-126
histc function 3-127
horzcat function 3-128

I

imag function 3-129
int function 3-131
int property 1-3
int16 function 3-134
int32 function 3-135
int8 function 3-133
intmax function 3-136
intmin function 3-137
ipermute function 3-138
iscolumn function 3-139
isempty function 3-140
isequal function 3-141
isfi function 3-142
isfinite function 3-144
isinf function 3-145
isnan function 3-146
isnumeric function 3-147
isobject function 3-149
isreal function 3-151
isrow function 3-152
isscalar function 3-153
assigned function 3-154
isvector function 3-155

L

le function 3-156
length function 3-157
line function 3-158
LoggingMode property 1-14

logical function 3-159
loglog function 3-160
lowerbound function 3-161
lsb function 3-162
lt function 3-163

M

max function 3-164
maxlog function 3-165
MaxProductWordLength property 1-6
MaxSumWordLength property 1-6
mesh function 3-166
meshc function 3-167
meshz function 3-168
min function 3-169
minlog function 3-170
minus function 3-171
Mode property 1-21
mpy function 3-172
mtimes function 3-174

N

ndims function 3-175
ne function 3-176
nopnerations function 3-177
not function 3-178
noverflows function 3-179
num2bin function 3-180
num2hex function 3-181
num2int function 3-183
NumberDisplay property 1-15
numberofelements function 3-184
numerictype function 3-185
numerictype objects

- properties
 - Bias 1-17
 - DataType 1-17
 - DataTypeMode 1-17
 - FixedExponent 1-18
 - FractionLength 1-19
 - Scaling 1-19
 - Signed 1-19
 - Slope 1-20
 - SlopeAdjustmentFactor 1-20
 - WordLength 1-20
- NumericType property 1-3
- NumericTypeDisplay property 1-15
- nunderflows function 3-189

O

- oct function 3-190
- oct property 1-5
- or function 3-191
- OverflowMode property
 - fimath objects 1-6
 - quantizers 1-22

P

- patch function 3-192
- pcolor function 3-193
- permute function 3-194
- plot function 3-195
- plot3 function 3-196
- plotmatrix function 3-197
- plotyy function 3-198
- plus function 3-199
- polar function 3-200
- pow2 function 3-201
- ProductBias property 1-7
- ProductFixedExponent property 1-7
- ProductFractionLength property 1-7
- ProductMode property 1-7

- ProductSlope property 1-9
- ProductSlopeAdjustmentFactor property 1-9
- ProductWordLength property 1-9
- properties
 - Bias, numerictype objects 1-17
 - bin, fi objects 1-2
 - CastBeforeSum, fimath objects 1-6
 - data, fi objects 1-2
 - DataType, numerictype objects 1-17
 - DataTypeMode, numerictype objects 1-17
 - DataTypeOverride, fipref objects 1-14
 - dec, fi objects 1-2
 - double, fi objects 1-2
 - fimath, fi objects 1-2
 - FimathDisplay, fipref objects 1-14
 - FixedExponent, numerictype objects 1-18
 - Format, quantizers 1-21
 - FractionLength, numerictype objects 1-19
 - hex, fi objects 1-3
 - int, fi objects 1-3
 - LoggingMode, fipref objects 1-14
 - MaxProductWordLength, fimath objects 1-6
 - MaxSumWordLength, fimath objects 1-6
 - Mode, quantizers 1-21
 - NumberDisplay, fipref objects 1-15
 - NumericType, fi objects 1-3
 - NumericTypeDisplay, fipref objects 1-15
 - oct, fi objects 1-5
 - OverflowMode, fimath objects 1-6
 - OverflowMode, quantizers 1-22
 - ProductBias, fimath objects 1-7
 - ProductFixedExponent, fimath objects 1-7
 - ProductFractionLength, fimath objects 1-7
 - ProductMode, fimath objects 1-7
 - ProductSlope, fimath objects 1-9
 - ProductSlopeAdjustmentFactor, fimath objects 1-9
 - ProductWordLength, fimath objects 1-9
 - RoundMode, fimath objects 1-10
 - RoundMode, quantizers 1-23

- Scaling, numeric type objects 1-19
- Signed, numeric type objects 1-19
- Slope, numeric type objects 1-20
- SlopeAdjustmentFactor, numeric type objects 1-20
- SumBias, fimath objects 1-10
- SumFixedExponent, fimath objects 1-10
- SumFractionLength, fimath objects 1-11
- SumMode, fimath objects 1-11
- SumSlope, fimath objects 1-12
- SumSlopeAdjustmentFactor, fimath objects 1-13
- SumWordLength, fimath objects 1-13
- WordLength, numeric type objects 1-20

Q

- quantize function 3-202
- quantizer function 3-205
- quantizers
 - properties
 - Format 1-21
 - Mode 1-21
 - OverflowMode 1-22
 - RoundMode 1-23
- quiver function 3-209
- quiver3 function 3-210

R

- randquant function 3-211
- range function 3-213
- rat format 1-16
- real function 3-215
- realmax function 3-216
- realmin function 3-218
- repmat function 3-219
- reset function 3-222
- resetlog function 3-223
- reshape function 3-224

- rgbplot function 3-225
- ribbon function 3-226
- rose function 3-227
- round function 3-228
- RoundMode property
 - fimath objects 1-10
 - quantizers 1-23

S

- savefipref function 3-230
- Scaling property 1-19
- scatter function 3-231
- scatter3 function 3-232
- sdec function 3-233
- semilogx function 3-234
- semilogy function 3-235
- set function 3-236
- shftdim function 3-237
- sign function 3-238
- Signed property 1-19
- single function 3-239
- size function 3-240
- slice function 3-241
- Slope property 1-20
- SlopeAdjustmentFactor property 1-20
- spy function 3-242
- sqrt function 3-243
- squeeze function 3-245
- stairs function 3-246
- stem function 3-247
- stem3 function 3-248
- streamribbon function 3-249
- streamslice function 3-250
- streamtube function 3-251
- stripscaling function 3-252
- sub function 3-254
- subsasgn function 3-256
- subsref function 3-259
- sum function 3-260

SumBias property 1-10
SumFixedExponent property 1-10
SumFractionLength property 1-11
SumMode property 1-11
SumSlope property 1-12
SumSlopeAdjustmentFactor property 1-13
SumWordLength property 1-13
surf function 3-261
surfc function 3-262
surf1 function 3-263
surfnorm function 3-264

T

text function 3-265
times function 3-266
toeplitz function 3-267
tostring function 3-270
transpose function 3-271
treemap function 3-272
tril function 3-273
trimesh function 3-274
triplot function 3-275
trisurf function 3-276
triu function 3-277

U

uint16 function 3-279

uint32 function 3-280
uint8 function 3-278
uminus function 3-281
uplus function 3-284
upperbound function 3-285

V

vertcat function 3-286
voronoi function 3-287
voronoin function 3-288

W

waterfall function 3-289
wordlength function 3-290
WordLength property 1-20

X

xlim function 3-291

Y

ylim function 3-292

Z

zlim function 3-293