


Statistics Toolbox™ 6

User's Guide



MATLAB®

How to Contact The MathWorks



www.mathworks.com
comp.soft-sys.matlab
www.mathworks.com/contact_TS.html

Web
Newsgroup
Technical Support



suggest@mathworks.com
bugs@mathworks.com
doc@mathworks.com
service@mathworks.com
info@mathworks.com

Product enhancement suggestions
Bug reports
Documentation error reports
Order status, license renewals, passcodes
Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Statistics Toolbox™ User's Guide

© COPYRIGHT 1993–2008 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

September 1993	First printing	Version 1.0
March 1996	Second printing	Version 2.0
January 1997	Third printing	Version 2.11
November 2000	Fourth printing	Revised for Version 3.0 (Release 12)
May 2001	Fifth printing	Minor revisions
July 2002	Sixth printing	Revised for Version 4.0 (Release 13)
February 2003	Online only	Revised for Version 4.1 (Release 13.0.1)
June 2004	Seventh printing	Revised for Version 5.0 (Release 14)
October 2004	Online only	Revised for Version 5.0.1 (Release 14SP1)
March 2005	Online only	Revised for Version 5.0.2 (Release 14SP2)
September 2005	Online only	Revised for Version 5.1 (Release 14SP3)
March 2006	Online only	Revised for Version 5.2 (Release 2006a)
September 2006	Online only	Revised for Version 5.3 (Release 2006b)
March 2007	Eighth printing	Revised for Version 6.0 (Release 2007a)
September 2007	Ninth printing	Revised for Version 6.1 (Release 2007b)
March 2008	Online only	Revised for Version 6.2 (Release 2008a)

Getting Started

1

Product Overview	1-2
-------------------------------	------------

Organizing Data

2

Introduction	2-2
---------------------------	------------

MATLAB® Arrays	2-4
-----------------------------	------------

Numerical Data	2-4
----------------------	------------

Heterogeneous Data	2-7
--------------------------	------------

Statistical Functions	2-9
-----------------------------	------------

Statistical Arrays	2-11
---------------------------------	-------------

Introduction	2-11
--------------------	-------------

Categorical Arrays	2-13
--------------------------	-------------

Dataset Arrays	2-23
----------------------	-------------

Grouped Data	2-33
---------------------------	-------------

Grouping Variables	2-33
--------------------------	-------------

Functions for Grouped Data	2-34
----------------------------------	-------------

Using Grouping Variables	2-35
--------------------------------	-------------

Descriptive Statistics

3

Introduction	3-2
---------------------------	------------

Measures of Central Tendency	3-3
Measures of Dispersion	3-5
Measures of Shape	3-7
Resampling Statistics	3-9
The Bootstrap	3-9
The Jackknife	3-12
Data with Missing Values	3-13

Statistical Visualization

4	<table> <tr> <td>Introduction</td> <td>4-2</td> </tr> <tr> <td>Scatter Plots</td> <td>4-3</td> </tr> <tr> <td>Box Plots</td> <td>4-6</td> </tr> <tr> <td>Distribution Plots</td> <td>4-8</td> </tr> <tr> <td> Normal Probability Plots</td> <td>4-8</td> </tr> <tr> <td> Quantile-Quantile Plots</td> <td>4-10</td> </tr> <tr> <td> Cumulative Distribution Plots</td> <td>4-13</td> </tr> <tr> <td> Other Probability Plots</td> <td>4-14</td> </tr> </table>	Introduction	4-2	Scatter Plots	4-3	Box Plots	4-6	Distribution Plots	4-8	Normal Probability Plots	4-8	Quantile-Quantile Plots	4-10	Cumulative Distribution Plots	4-13	Other Probability Plots	4-14
Introduction	4-2																
Scatter Plots	4-3																
Box Plots	4-6																
Distribution Plots	4-8																
Normal Probability Plots	4-8																
Quantile-Quantile Plots	4-10																
Cumulative Distribution Plots	4-13																
Other Probability Plots	4-14																

Probability Distributions

5	<table> <tr> <td>Introduction</td> <td>5-2</td> </tr> <tr> <td>Supported Distributions</td> <td>5-3</td> </tr> <tr> <td> Tables of Supported Distributions</td> <td>5-3</td> </tr> </table>	Introduction	5-2	Supported Distributions	5-3	Tables of Supported Distributions	5-3
Introduction	5-2						
Supported Distributions	5-3						
Tables of Supported Distributions	5-3						

Continuous Distributions (Data)	5-4
Continuous Distributions (Statistics)	5-6
Discrete Distributions	5-7
Multivariate Distributions	5-8
Distribution Functions	5-9
Introduction	5-10
Probability Density Functions	5-10
Cumulative Distribution Functions	5-20
Inverse Cumulative Distribution Functions	5-24
Distribution Statistics Functions	5-26
Distribution Fitting Functions	5-28
Negative Log-Likelihood Functions	5-35
Random Number Generators	5-39
Distribution GUIs	5-43
Introduction	5-43
Distribution Function Tool	5-43
Distribution Fitting Tool	5-45
Random Number Generation Tool	5-82
Pearson and Johnson Systems	5-85
Introduction	5-85
Pearson Systems	5-86
Johnson Systems	5-88
Multivariate Modeling	5-92
Gaussian Mixture Models	5-92
Copulas	5-100
Random Number Generation	5-133
Introduction	5-133
Common Generation Methods	5-133
Markov Chain Samplers	5-142
Quasi-Random Numbers	5-144

Hypothesis Tests

6

Introduction	6-2
Hypothesis Test Terminology	6-3
Hypothesis Test Assumptions	6-5
Example: Hypothesis Testing	6-7
Available Hypothesis Tests	6-12

Analysis of Variance

7

Introduction	7-2
ANOVA	7-3
One-Way ANOVA	7-3
Two-Way ANOVA	7-8
N-Way ANOVA	7-12
Other ANOVA Models	7-26
Analysis of Covariance	7-27
Nonparametric Methods	7-35
MANOVA	7-39
Introduction	7-39
ANOVA with Multiple Responses	7-39

8

Introduction	8-2
Linear Regression	8-3
Linear Regression Models	8-3
Multiple Linear Regression	8-8
Robust Regression	8-14
Stepwise Regression	8-19
Ridge Regression	8-29
Partial Least Squares	8-32
Polynomial Models	8-37
Response Surface Models	8-45
Generalized Linear Models	8-52
Multivariate Regression	8-57
Nonlinear Regression	8-58
Nonlinear Regression Models	8-58
Parametric Models	8-58
Regression Trees	8-64

Multivariate Methods

9

Introduction	9-2
Multidimensional Scaling	9-3
Introduction	9-3
Classical Multidimensional Scaling	9-3
Nonclassical Multidimensional Scaling	9-8
Nonmetric Multidimensional Scaling	9-10
Procrustes Analysis	9-14
Feature Selection	9-15
Introduction	9-15
Sequential Feature Selection	9-15

Feature Transformation	9-20
Introduction	9-20
Nonnegative Matrix Factorization	9-20
Principal Component Analysis	9-23
Factor Analysis	9-37

Cluster Analysis

10

Introduction	10-2
Hierarchical Clustering	10-3
Introduction	10-3
Algorithm Description	10-3
Similarity Measures	10-4
Linkages	10-6
Dendrograms	10-8
Verifying the Cluster Tree	10-10
Creating Clusters	10-16
K-Means Clustering	10-21
Introduction	10-21
Creating Clusters and Determining Separation	10-22
Determining the Correct Number of Clusters	10-23
Avoiding Local Minima	10-26
Gaussian Mixture Models	10-28
Introduction	10-28
Clustering with Gaussian Mixtures	10-28

Classification

11

Introduction	11-2
Discriminant Analysis	11-3

Introduction	11-3
Example: Discriminant Analysis	11-3
Classification Trees	11-6
Introduction	11-6
Example: Classification Trees	11-6

Markov Models

12

Introduction	12-2
Markov Chains	12-3
Hidden Markov Models	12-5
Introduction	12-5
Analyzing Hidden Markov Models	12-7

Design of Experiments

13

Introduction	13-2
Full Factorial Designs	13-3
Multilevel Designs	13-3
Two-Level Designs	13-4
Fractional Factorial Designs	13-5
Introduction	13-5
Plackett-Burman Designs	13-5
General Fractional Designs	13-6
Response Surface Designs	13-9
Introduction	13-9
Central Composite Designs	13-9

Box-Behnken Designs	13-13
D-Optimal Designs	13-15
Introduction	13-15
Generating D-Optimal Designs	13-16
Augmenting D-Optimal Designs	13-19
Specifying Fixed Covariate Factors	13-20
Specifying Categorical Factors	13-21
Specifying Candidate Sets	13-21

Statistical Process Control

14

Introduction	14-2
Control Charts	14-3
Capability Studies	14-6

Function Reference

15

File I/O	15-2
Organizing Data	15-3
Categorical Arrays	15-3
Dataset Arrays	15-4
Grouped Data	15-4
Descriptive Statistics	15-5
Summaries	15-5
Measures of Central Tendency	15-5
Measures of Dispersion	15-6
Measures of Shape	15-6
Resampling Statistics	15-6

Data with Missing Values	15-6
Data Correlation	15-7
Statistical Visualization	15-8
Distribution Plots	15-8
Scatter Plots	15-9
ANOVA Plots	15-9
Regression Plots	15-10
Multivariate Plots	15-10
Cluster Plots	15-11
Classification Plots	15-11
DOE Plots	15-11
SPC Plots	15-11
Probability Distributions	15-12
Distribution Plots	15-12
Probability Density Functions	15-13
Cumulative Distribution Functions	15-15
Inverse Cumulative Distribution Functions	15-17
Distribution Statistics Functions	15-19
Distribution Fitting Functions	15-20
Negative Log-Likelihood Functions	15-22
Random Number Generators	15-22
Quasi-Random Numbers	15-24
Piecewise Distributions	15-24
Hypothesis Tests	15-26
Analysis of Variance	15-27
ANOVA Plots	15-27
ANOVA Functions	15-27
Regression Analysis	15-28
Regression Plots	15-28
Linear Regression	15-29
Nonlinear Regression	15-30
Regression Trees	15-31
Multivariate Methods	15-32
Multivariate Plots	15-32
Multidimensional Scaling	15-32

Procrustes Analysis	15-32
Feature Selection	15-33
Feature Transformation	15-33
Cluster Analysis	15-34
Cluster Plots	15-34
Hierarchical Clustering	15-34
K-Means Clustering	15-35
Gaussian Mixture Models	15-35
Classification	15-36
Classification Plots	15-36
Discriminant Analysis	15-36
Classification Trees	15-36
Markov Models	15-38
Hidden Markov Models	15-38
Design of Experiments	15-39
DOE Plots	15-39
Full Factorial Designs	15-39
Fractional Factorial Designs	15-40
Response Surface Designs	15-40
D-Optimal Designs	15-40
Latin Hypercube Designs	15-40
Quasi-Random Designs	15-41
Statistical Process Control	15-42
SPC Plots	15-42
SPC Functions	15-42
Graphical User Interfaces	15-43
Utility Functions	15-44

16

Class Reference

17

@categorical	17-2
Hierarchy	17-2
Constructor	17-2
Properties	17-2
Methods	17-2
@classregtree	17-6
Hierarchy	17-6
Constructor	17-6
Properties	17-6
Methods	17-6
@cvpartition	17-8
Hierarchy	17-8
Constructor	17-8
Properties	17-8
Methods	17-9
@dataset	17-11
Hierarchy	17-11
Constructor	17-11
Properties	17-11
Methods	17-12
@gmdistribution	17-14
Hierarchy	17-14
Constructors	17-14
Properties	17-14
Methods	17-15
@haltonset	17-17
Hierarchy	17-17

Constructor	17-17
Properties	17-17
Methods	17-18
@nominal	17-19
Hierarchy	17-19
Constructor	17-19
Properties	17-19
Methods	17-19
@ordinal	17-23
Hierarchy	17-23
Constructor	17-23
Properties	17-23
Methods	17-23
@paretotails	17-28
Hierarchy	17-28
Constructor	17-28
Properties	17-28
Methods	17-28
@piecewisedistribution	17-30
Hierarchy	17-30
Constructor	17-30
Properties	17-30
Methods	17-30
@grandset	17-32
Hierarchy	17-32
Constructor	17-32
Properties	17-32
Methods	17-33
@grandstream	17-34
Hierarchy	17-34
Constructor	17-34
Properties	17-34
Methods	17-34
@sobolset	17-36

Hierarchy	17-36
Constructor	17-36
Properties	17-36
Methods	17-37

Distribution Reference

18

Bernoulli Distribution	18-3
Definition of the Bernoulli Distribution	18-3
 Beta Distribution	18-4
Definition	18-4
Background	18-4
Parameters	18-5
Example	18-6
 Binomial Distribution	18-7
Definition	18-7
Background	18-7
Parameters	18-8
Example	18-9
 Birnbaum-Saunders Distribution	18-10
Definition	18-10
Background	18-10
Parameters	18-10
 Chi-Square Distribution	18-11
Definition	18-11
Background	18-11
Example	18-12
 Copulas	18-13
 Custom Distributions	18-14
 Exponential Distribution	18-15

Definition	18-15
Background	18-15
Parameters	18-15
Example	18-16
Extreme Value Distribution	18-18
Definition	18-18
Background	18-18
Parameters	18-19
Example	18-20
F Distribution	18-22
Definition	18-22
Background	18-22
Example	18-23
Gamma Distribution	18-24
Definition	18-24
Background	18-24
Parameters	18-25
Example	18-26
Gaussian Distribution	18-27
Gaussian Mixture Distributions	18-28
Generalized Extreme Value Distribution	18-29
Definition	18-29
Background	18-29
Parameters	18-30
Example	18-31
Generalized Pareto Distribution	18-34
Definition	18-34
Background	18-34
Parameters	18-35
Example	18-36
Geometric Distribution	18-38
Definition	18-38

Background	18-38
Example	18-38
Hypergeometric Distribution	18-40
Definition	18-40
Background	18-40
Example	18-41
Inverse Gaussian Distribution	18-42
Definition	18-42
Background	18-42
Parameters	18-42
Inverse Wishart Distribution	18-43
Definition	18-43
Johnson System	18-44
Logistic Distribution	18-45
Definition	18-45
Background	18-45
Parameters	18-45
Loglogistic Distribution	18-46
Definition	18-46
Parameters	18-46
Lognormal Distribution	18-47
Definition	18-47
Background	18-47
Example	18-48
Multinomial Distribution	18-49
Definition	18-49
Background	18-49
Example	18-49
Multivariate Gaussian Distribution	18-51

Multivariate Normal Distribution	18-52
Definition	18-52
Background	18-52
Example	18-53
Multivariate t Distribution	18-57
Definition	18-57
Background	18-57
Example	18-58
Nakagami Distribution	18-62
Definition	18-62
Background	18-62
Parameters	18-62
Negative Binomial Distribution	18-63
Definition	18-63
Background	18-63
Parameters	18-64
Example	18-65
Noncentral Chi-Square Distribution	18-67
Definition	18-67
Background	18-67
Example	18-68
Noncentral F Distribution	18-69
Definition	18-69
Background	18-69
Example	18-69
Noncentral t Distribution	18-71
Definition	18-71
Background	18-71
Example	18-72
Nonparametric Distributions	18-73
Normal Distribution	18-74
Definition	18-74

Background	18-74
Parameters	18-75
Example	18-76
Pareto Distribution	18-77
Pearson System	18-78
Piecewise Distributions	18-79
Poisson Distribution	18-80
Definition	18-80
Background	18-80
Parameters	18-81
Example	18-81
Rayleigh Distribution	18-82
Definition	18-82
Background	18-82
Parameters	18-83
Example	18-83
Rician Distribution	18-84
Definition	18-84
Background	18-84
Parameters	18-84
Student's t Distribution	18-85
Definition	18-85
Background	18-85
Example	18-86
t Location-Scale Distribution	18-87
Definition	18-87
Background	18-87
Parameters	18-87
Uniform Distribution (Continuous)	18-88
Definition	18-88
Background	18-88

Parameters	18-88
Example	18-88
Uniform Distribution (Discrete)	18-90
Definition	18-90
Background	18-90
Example	18-90
Weibull Distribution	18-92
Definition	18-92
Background	18-92
Parameters	18-92
Example	18-93
Wishart Distribution	18-94
Definition	18-94
Background	18-94
Example	18-95

Data Sets

A

Bibliography

B

Index

Getting Started

Product Overview (p. 1-2)

Toolbox functions and GUIs

Product Overview

Statistics Toolbox™ software extends MATLAB® to support a wide range of common statistical tasks. The toolbox contains two categories of tools:

- Building-block statistical functions for use in MATLAB programming
- Graphical user interfaces (GUIs) for interactive data analysis

Code for the building-block functions is open and extensible. Use the MATLAB Editor to review, copy, and edit M-file code for any function. Extend the toolbox by copying code to new M-files or by writing M-files that call toolbox functions.

Toolbox GUIs allow you to perform statistical visualization and analysis without writing code. You interact with the GUIs through sliders, input fields, push buttons, etc. and the GUIs automatically call building-block functions.

Organizing Data

Introduction (p. 2-2)

MATLAB® Arrays (p. 2-4)

Statistical Arrays (p. 2-11)

Grouped Data (p. 2-33)

MATLAB® and Statistics Toolbox™
data containers

Numerical, cell, and structure arrays

Categorical and dataset arrays

Grouping variables and their uses

Introduction

MATLAB® data is placed into “data containers” in the form of workspace variables. All workspace variables organize data into some form of array. For statistical purposes, arrays are viewed as tables of values.

MATLAB variables use different structures to organize data:

- 2-D numerical arrays (matrices) organize observations and measured variables by rows and columns, respectively. (See “Matrices and Arrays” in the MATLAB documentation.)
- Multidimensional arrays organize multidimensional observations or experimental designs. (See “Multidimensional Arrays” in the MATLAB documentation.)
- Cell and structure arrays organize heterogeneous data of different types, sizes, units, etc. (See “Cell Arrays” and “Structures” in the MATLAB documentation.)

Data types determine the kind of data variables contain. (See “Built-In Classes (Data Types)” in the MATLAB documentation.)

These basic MATLAB container variables are reviewed, in a statistical context, in the section on “MATLAB® Arrays” on page 2-4.

These variables are not specifically designed for statistical data, however. Statistical data generally involves observations of multiple variables, with measurements of heterogeneous type and size. Data may be numerical, categorical, or in the form of descriptive metadata. Fitting statistical data into basic MATLAB variables, and accessing it efficiently, can be cumbersome.

Statistics Toolbox™ software offers two additional types of container variables specifically designed for statistical data:

- “Categorical Arrays” on page 2-13 accommodate data in the form of discrete levels, together with its descriptive metadata.
- “Dataset Arrays” on page 2-23 encapsulate heterogeneous data and metadata, including categorical data, which is accessed and manipulated using familiar methods analogous to those for numerical matrices.

These statistical container variables are discussed in the section on “Statistical Arrays” on page 2-11.

MATLAB® Arrays

In this section...

“Numerical Data” on page 2-4

“Heterogeneous Data” on page 2-7


“Statistical Functions” on page 2-9

Numerical Data

MATLAB® two-dimensional numerical arrays (matrices) containing statistical data use rows to represent observations and columns to represent measured variables. For example,

```
load fisheriris % Fisher's iris data (1936)
```

loads the variables `meas` and `species` into the MATLAB workspace. The `meas` variable is a 150-by-4 numerical matrix, representing 150 observations of 4 different measured variables (by column: sepal length, sepal width, petal length, and petal width, respectively).



The observations in `meas` are of three different species of iris (*setosa*, *versicolor*, and *virginica*), which can be separated from one another using the 150-by-1 cell array of strings `species`:

```
setosa_indices = strcmp('setosa',species);
setosa = meas(setosa_indices,:);
```

The resulting `setosa` variable is 50-by-4, representing 50 observations of the 4 measured variables for iris setosa.

To access and display the first five observations in the `setosa` data, use row, column parenthesis indexing:

```
SetosaObs = setosa(1:5,:);
SetosaObs =
    5.1000    3.5000    1.4000    0.2000
    4.9000    3.0000    1.4000    0.2000
    4.7000    3.2000    1.3000    0.2000
    4.6000    3.1000    1.5000    0.2000
    5.0000    3.6000    1.4000    0.2000
```

The data are organized into a table with implicit column headers “Sepal Length,” “Sepal Width,” “Petal Length,” and “Petal Width.” Implicit row headers are “Observation 1,” “Observation 2,” “Observation 3,” etc.

Similarly, 50 observations for iris versicolor and iris virginica can be extracted from the `meas` container variable:

```
versicolor_indices = strcmp('versicolor',species);
versicolor = meas(versicolor_indices,:);

virginica_indices = strcmp('virginica',species);
virginica = meas(virginica_indices,:);
```

Because the data sets for the three species happen to be of the same size, they can be reorganized into a single 50-by-4-by-3 multidimensional array:

```
iris = cat(3,setosa,versicolor,virginica);
```

The `iris` array is a three-layer table with the same implicit row and column headers as the `setosa`, `versicolor`, and `virginica` arrays. The implicit layer names, along the third dimension, are “Setosa,” “Versicolor,” and “Virginica.” The utility of such a multidimensional organization depends on assigning meaningful properties of the data to each dimension.

To access and display data in a multidimensional array, use parenthesis indexing, as for 2-D arrays. The following gives the first five observations of sepal lengths in the setosa data:

```
SetosaSL = iris(1:5,1,1)
SetosaSL =
    5.1000
    4.9000
    4.7000
    4.6000
    5.0000
```

Multidimensional arrays provide a natural way to organize numerical data for which the observations, or experimental designs, have many dimensions. If, for example, data with the structure of `iris` are collected by multiple observers, in multiple locations, over multiple dates, the entirety of the data can be organized into a single higher dimensional array with dimensions for “Observer,” “Location,” and “Date.” Likewise, an experimental design calling for m observations of n p -dimensional variables could be stored in an m -by- n -by- p array.

Numerical arrays have limitations when organizing more general statistical data. One limitation is the implicit nature of the metadata. Another is the requirement that multidimensional data be of commensurate size across all dimensions. If variables have different lengths, or the number of variables differs by layer, then multidimensional arrays must be artificially padded with NaNs to indicate “missing values.” These limitations are addressed by dataset arrays (see “Dataset Arrays” on page 2-23), which are specifically designed for statistical data.

Heterogeneous Data

MATLAB data types include two container variables—cell arrays and structure arrays—that allow you to combine metadata with variables of different types and sizes.

The data in the variables `setosa`, `versicolor`, and `virginica` created in “Numerical Data” on page 2-4 can be organized in a cell array, as follows:

```
iris1 = cell(51,5,3); % Container variable

obsnames = strcat({'Obs'},num2str((1:50)', '%d'));
iris1(2:end,1,:) = repmat(obsnames,[1 1 3]);

varnames = {'SepalLength', 'SepalWidth', ...
            'PetalLength', 'PetalWidth'};
iris1(1,2:end,:) = repmat(varnames,[1 1 3]);

iris1(2:end,2:end,1) = num2cell(setosa);
iris1(2:end,2:end,2) = num2cell(versicolor);
iris1(2:end,2:end,3) = num2cell(virginica);

iris1{1,1,1} = 'Setosa';
iris1{1,1,2} = 'Versicolor';
iris1{1,1,3} = 'Virginica';
```

To access and display the cells, use parenthesis indexing. The following displays the first five observations in the `setosa` sepal data:

```
SetosaSLSW = iris1(1:6,1:3,1)
SetosaSLSW =
    'Setosa'    'SepalLength'    'SepalWidth'
    'Obs1'     [    5.1000]     [    3.5000]
    'Obs2'     [    4.9000]     [         3]
    'Obs3'     [    4.7000]     [    3.2000]
    'Obs4'     [    4.6000]     [    3.1000]
    'Obs5'     [         5]     [    3.6000]
```

Here, the row and column headers have been explicitly labeled with metadata.

To extract the data subset, use row, column curly brace indexing:

```
subset = reshape([iris1{2:6,2:3,1}],5,2)
subset =
    5.1000    3.5000
    4.9000    3.0000
    4.7000    3.2000
    4.6000    3.1000
    5.0000    3.6000
```

While cell arrays are useful for organizing heterogeneous data, they may be cumbersome when it comes to manipulating and analyzing the data. MATLAB and Statistics Toolbox™ statistical functions do not accept data in the form of cell arrays. For processing, data must be extracted from the cell array to a numerical container variable, as in the preceding example. The indexing can become complicated for large, heterogeneous data sets. This limitation of cell arrays is addressed by dataset arrays (see “Dataset Arrays” on page 2-23), which are designed to store general statistical data and provide easy access.

The data in the preceding example can also be organized in a structure array, as follows:

```
iris2.data = cat(3,setosa,versicolor,virginica);
iris2.varnames = {'SepalLength','SepalWidth',...
                'PetalLength','PetalWidth'};
iris2.obsnames = strcat({'Obs'},num2str((1:50)','%d'));
iris2.species = {'setosa','versicolor','virginica'};
```

The data subset is then returned using a combination of dot and parenthesis indexing:

```
subset = iris2.data(1:5,1:2,1)
subset =
    5.1000    3.5000
    4.9000    3.0000
    4.7000    3.2000
    4.6000    3.1000
    5.0000    3.6000
```

For statistical data, structure arrays have many of the same limitations as cell arrays. Once again, dataset arrays (see “Dataset Arrays” on page 2-23), designed specifically for general statistical data, address these limitations.

Statistical Functions

One of the advantages of working in the MATLAB language is that functions operate on entire arrays of data, not just on single scalar values. The functions are said to be *vectorized*. Vectorization allows for both efficient problem formulation, using array-based data, and efficient computation, using vectorized statistical functions.

When MATLAB and Statistics Toolbox statistical functions operate on a vector of numerical data (either a row vector or a column vector), they return a single computed statistic:

```
% Fisher's setosa data:
load fisheriris
setosa_indices = strcmp('setosa',species);
setosa = meas(setosa_indices,:);

% Single variable from the data:
setosa_sepal_length = setosa(:,1);

% Standard deviation of the variable:
std(setosa_sepal_length)
ans =
    0.3525
```

When statistical functions operate on a matrix of numerical data, they treat the columns independently, as separate measured variables, and return a vector of statistics—one for each variable:

```
std(setosa)
ans =
    0.3525    0.3791    0.1737    0.1054
```

The four standard deviations are for measurements of sepal length, sepal width, petal length, and petal width, respectively.

Compare this to

```
std(setosa(:))
ans =
    1.8483
```

which gives the standard deviation across the entire array (all measurements).

Compare the preceding statistical calculations to the more generic mathematical operation

```
sin(setosa)
```

This operation returns a 50-by-4 array the same size as `setosa`. The `sin` function is vectorized in a different way than the `std` function, computing one scalar value for each element in the array.

MATLAB and Statistics Toolbox statistical functions, like `std`, must be distinguished from general mathematical functions like `sin`. Both are vectorized, and both are useful for working with array-based data, but only statistical functions summarize data across observations (rows) while preserving variables (columns). This property of statistical functions may be explicit, as with `std`, or implicit, as with `regress`. To see how a particular function handles array-based data, consult its reference page.

MATLAB statistical functions expect data input arguments to be in the form of numerical arrays. If data is stored in a cell or structure array, it must be extracted to a numerical array, via indexing, for processing. Statistics Toolbox functions are more flexible. Many toolbox functions accept data input arguments in the form of both numerical arrays and dataset arrays (see “Dataset Arrays” on page 2-23), which are specifically designed for storing general statistical data.

Statistical Arrays

In this section...
“Introduction” on page 2-11
“Categorical Arrays” on page 2-13
“Dataset Arrays” on page 2-23

Introduction

As discussed in “MATLAB® Arrays” on page 2-4, MATLAB® data types include arrays for numerical, logical, and character data, as well as cell and structure arrays for heterogeneous collections of data.

Statistics Toolbox™ software offers two additional types of arrays specifically designed for statistical data:

- “Categorical Arrays” on page 2-13
- “Dataset Arrays” on page 2-23

Categorical arrays store data with values in a discrete set of levels. Each level is meant to capture a single, defining characteristic of an observation. If no ordering is encoded in the levels, the data and the array are *nominal*. If an ordering is encoded, the data and the array are *ordinal*.

Categorical arrays also store labels for the levels. Nominal labels typically suggest the type of an observation, while ordinal labels suggest the position or rank.

Dataset arrays collect heterogeneous statistical data and metadata, including categorical data, into a single container variable. Like the numerical matrices discussed in “Numerical Data” on page 2-4, dataset arrays can be viewed as tables of values, with rows representing different observations and columns representing different measured variables. Like the cell and structure arrays discussed in “Heterogeneous Data” on page 2-7, dataset arrays can accommodate variables of different types, sizes, units, etc.

Dataset arrays combine the organizational advantages of these basic MATLAB data types while addressing their shortcomings with respect to storing complex statistical data.

Both categorical and dataset arrays have associated methods for assembling, accessing, manipulating, and processing the collected data. Basic array operations parallel those for numerical, cell, and structure arrays.

Categorical Arrays

- “Categorical Data” on page 2-13
- “Categorical Arrays” on page 2-14
- “Using Categorical Arrays” on page 2-16

Categorical Data

Categorical data take on values from only a finite, discrete set of categories or *levels*. Levels may be determined before the data are collected, based on the application, or they may be determined by the distinct values in the data when converting them to categorical form. Predetermined levels, such as a set of states or numerical intervals, are independent of the data they contain. Any number of values in the data may attain a given level, or no data at all. Categorical data show which measured values share common levels, and which do not.

Levels may have associated *labels*. Labels typically express a defining characteristic of an observation, captured by its level.

If no ordering is encoded in the levels, the data are *nominal*. Nominal labels typically indicate the type of an observation. Examples of nominal labels are {false, true}, {male, female}, and {Afghanistan, ... , Zimbabwe}. For nominal data, the numeric or lexicographic order of the labels is irrelevant—Afghanistan is not considered to be less than, equal to, or greater than Zimbabwe.

If an ordering is encoded in the levels—for example, if levels labeled “red”, “green”, and “blue” represent wavelengths—the data are *ordinal*. Labels for ordinal levels typically indicate the position or rank of an observation. Examples of ordinal labels are {0, 1}, {mm, cm, m, km}, and {poor, satisfactory, outstanding}. The ordering of the levels may or may not correspond to the numeric or lexicographic order of the labels.

Categorical Arrays

Categorical data can be represented using MATLAB integer arrays, but this method has a number of drawbacks. First, it removes all of the useful metadata that might be captured in labels for the levels. Labels must be stored separately, in character arrays or cell arrays of strings. Secondly, this method suggests that values stored in the integer array have their usual numeric meaning, which, for categorical data, they may not. Finally, integer types have a fixed set of levels (for example, -128:127 for all int8 arrays), which cannot be changed.

Categorical arrays, available in Statistics Toolbox software, are specifically designed for storing, manipulating, and processing categorical data and metadata. Unlike integer arrays, each categorical array has its own set of levels, which can be changed. Categorical arrays also accommodate labels for levels in a natural way. Like numerical arrays, categorical arrays take on different shapes and sizes, from scalars to N -D arrays.

Organizing data in a categorical array can be an end in itself. Often, however, categorical arrays are used for further statistical processing. They can be used to index into other variables, creating subsets of data based on the category of observation, or they can be used with statistical functions that accept categorical inputs. For examples, see “Grouped Data” on page 2-33.

Categorical arrays come in two types, depending on whether the collected data is understood to be nominal or ordinal. Nominal arrays are constructed with `nominal`; ordinal arrays are constructed with `ordinal`. For example,

```
load fisheriris
ndata = nominal(species,{'A','B','C'});
```

creates a nominal array with levels A, B, and C from the species data in `fisheriris.mat`, while

```
odata = ordinal(ndata,{},{'C','A','B'});
```

encodes an ordering of the levels with $C < A < B$. See “Using Categorical Arrays” on page 2-16, and the reference pages for `nominal` and `ordinal`, for further examples.

Categorical arrays are implemented as objects of the “@categorical” on page 17-2 class. The class is abstract, defining properties and methods common

to both the “@nominal” on page 17-19 and “@ordinal” on page 17-23 classes. Use the corresponding constructors, `nominal` or `ordinal`, to create categorical arrays. Methods of the classes are used to display, summarize, convert, concatenate, and access the collected data. Many of these methods are invoked using operations analogous to those for numerical arrays, and do not need to be called directly (for example, `[]` invokes `horzcat`). Other methods, such as `reorderlevels`, must be called directly.

Using Categorical Arrays

This section provides an extended tutorial example demonstrating the use of categorical arrays with methods of the “@nominal” on page 17-19 and “@ordinal” on page 17-23 classes.

- “Constructing Categorical Arrays” on page 2-16
- “Accessing Categorical Arrays” on page 2-18
- “Combining Categorical Arrays” on page 2-19
- “Computing with Categorical Arrays” on page 2-20

Constructing Categorical Arrays. Load the 150-by-4 numerical array `meas` and the 150-by-1 cell array of strings `species`:

```
load fisheriris % Fisher's iris data (1936)
```

The data are 150 observations of four measured variables (by column number: sepal length, sepal width, petal length, and petal width, respectively) over three species of iris (setosa, versicolor, and virginica).

Use `nominal` to create a nominal array from `species`:

```
n1 = nominal(species);
```

Open `species` and `n1` side by side in the Variable Editor (see “Viewing and Editing Workspace Variables with the Variable Editor”). Note that the string information in `species` has been converted to categorical form, leaving only information on which data share the same values, indicated by the labels for the levels.

By default, levels are labeled with the distinct values in the data (in this case, the strings in `species`). Alternate labels are given with additional input arguments to the `nominal` constructor:

```
n2 = nominal(species,{'species1','species2','species3'});
```

Open `n2` in the Variable Editor, and compare it with `species` and `n1`. The levels have been relabeled.

Suppose that the data are considered to be ordinal. A characteristic of the data that is not reflected in the labels is the diploid chromosome count, which orders the levels corresponding to the three species as follows:

```
species1 < species3 < species2
```

Use `ordinal` to cast `n2` as an ordinal array:

```
o1 = ordinal(n2, {}, {'species1', 'species3', 'species2'});
```

The second input argument to `ordinal` is the same as for `nominal`—a list of labels for the levels in the data. If it is unspecified, as above, the labels are inherited from the data, in this case `n2`. The third input argument of `ordinal` indicates the ordering of the levels, in ascending order.

When displayed side by side in the Variable Editor, `o1` does not appear any different than `n2`. This is because the data in `o1` have not been sorted. It is important to recognize the difference between the ordering of the levels in an ordinal array and sorting the actual data according to that ordering. Use `sort` to sort ordinal data in ascending order:

```
o2 = sort(o1);
```

When displayed in the Variable Editor, `o2` shows the data sorted by diploid chromosome count.

To find which elements moved up in the sort, use the `<` operator for ordinal arrays:

```
moved_up = (o1 < o2);
```

The operation returns a logical array `moved_up`, indicating which elements have moved up (the data for `species3`).

Use `getlabels` to display the labels for the levels in ascending order:

```
labels2 = getlabels(o2)
labels2 =
    'species1'    'species3'    'species2'
```

The `sort` function reorders the display of the data, but not the order of the levels. To reorder the levels, use `reorderlevels`:

```
o3 = reorderlevels(o2,labels2([1 3 2]));
labels3 = getlabels(o3)
labels3 =
    'species1'    'species2'    'species3'
o4 = sort(o3);
```

These operations return the levels in the data to their original ordering, by species number, and then sort the data for display purposes.

Accessing Categorical Arrays. Categorical arrays are accessed using parenthesis indexing, with syntax that parallels similar operations for numerical arrays (see “Numerical Data” on page 2-4).

Parenthesis indexing on the right-hand side of an assignment is used to extract the lowest 50 elements from the ordinal array o4:

```
low50 = o4(1:50);
```

Suppose you want to categorize the data in o4 with only two levels: low (the data in low50) and high (the rest of the data). One way to do this is to use an assignment with parenthesis indexing on the left-hand side:

```
o5 = o4; % Copy o4
o5(1:50) = 'low';
Warning: Categorical level 'low' being added.
o5(51:end) = 'high';
Warning: Categorical level 'high' being added.
```

Note the warnings: the assignments move data to new levels. The old levels, though empty, remain:

```
getlabels(o5)
ans =
    'species1' 'species2' 'species3' 'low' 'high'
```

The old levels are removed using droplevels:

```
o5 = droplevels(o5,{'species1','species2','species3'});
```

Another approach to creating two categories in o5 from the three categories in o4 is to merge levels, using mergelevels:

```

o5 = mergelevels(o4,{'species1'},'low');
o5 = mergelevels(o5,{'species2','species3'},'high');

getlabels(o5)
ans =
    'low'    'high'

```

The merged levels are removed and replaced with the new levels.

Combining Categorical Arrays. Categorical arrays are concatenated using square brackets. Again, the syntax parallels similar operations for numerical arrays (see “Numerical Data” on page 2-4). There are, however, restrictions:

- Only categorical arrays of the same type can be combined. You cannot concatenate a nominal array with an ordinal array.
- Only ordinal arrays with the same levels, in the same order, can be combined.
- Nominal arrays with different levels can be combined to produce a nominal array whose levels are the union of the levels in the component arrays.

First use `ordinal` to create ordinal arrays from the variables for sepal length and sepal width in `meas`. Categorize the data as `short` or `long` depending on whether they are below or above the median of the variable, respectively:

```

s1 = meas(:,1); % Sepal length data
sw = meas(:,2); % Sepal width data
SL1 = ordinal(s1,{'short','long'},[],...
             [min(s1),median(s1),max(s1)]);
SW1 = ordinal(sw,{'short','long'},[],...
             [min(sw),median(sw),max(sw)]);

```

Because `SL1` and `SW1` are ordinal arrays with the same levels, in the same order, they can be concatenated:

```

S1 = [SL1,SW1];
S1(1:10,:)
ans =
    short    long
    short    long
    short    long

```

```
short    long
short    long
short    long
short    long
short    long
short    short
short    long
```

The result is an ordinal array S1 with two columns.

If, on the other hand, the measurements are cast as nominal, different levels can be used for the different variables, and the two nominal arrays can still be combined:

```
SL2 = nominal(sl,{'short','long'},[],...
             [min(sl),median(sl),max(sl)]);
SW2 = nominal(sw,{'skinny','wide'},[],...
             [min(sw),median(sw),max(sw)]);
S2 = [SL2,SW2];
getlabels(S2)
ans =
    'short' 'long' 'skinny' 'wide'
S2(1:10,:)
ans =
    short    wide
    short    wide
    short    wide
    short    wide
    short    wide
    short    wide
    short    wide
    short    wide
    short    wide
    short    skinny
    short    wide
```

Computing with Categorical Arrays. Categorical arrays are used to index into other variables, creating subsets of data based on the category of observation, and they are used with statistical functions that accept categorical inputs, such as those described in “Grouped Data” on page 2-33.

Use `ismember` to create logical variables based on the category of observation. For example, the following creates a logical index the same size as `species` that is true for observations of iris setosa and false elsewhere. Recall that `n1 = nominal(species)`:

```
SetosaObs = ismember(n1, 'setosa');
```

Since the code above compares elements of `n1` to a single value, the same operation is carried out by the equality operator:


```
SetosaObs = (n1 == 'setosa');
```

The `SetosaObs` variable is used to index into `meas` to extract only the setosa data:

```
SetosaData = meas(SetosaObs, :);
```

Categorical arrays are also used as grouping variables. The following plot summarizes the sepal length data in `meas` by category:

```
boxplot(s1, n1)
```



Dataset Arrays

- “Statistical Data” on page 2-23
- “Dataset Arrays” on page 2-24
- “Using Dataset Arrays” on page 2-25

Statistical Data

MATLAB data containers (variables) are suitable for completely homogeneous data (numeric, character, and logical arrays) and for completely heterogeneous data (cell and structure arrays). Statistical data, however, are often a mixture of homogeneous variables of heterogeneous types and sizes. Dataset arrays are suitable containers for this kind of data.

Dataset arrays can be viewed as tables of values, with rows representing different observations or cases and columns representing different measured variables. In this sense, dataset arrays are analogous to the numerical arrays for statistical data discussed in “Numerical Data” on page 2-4. Basic methods for creating and manipulating dataset arrays parallel the syntax of corresponding methods for numerical arrays.

While each column of a dataset array must be a variable of a single type, each row may contain an observation consisting of measurements of different types. In this sense, dataset arrays lie somewhere between variables that enforce complete homogeneity on the data and those that enforce nothing. Because of the potentially heterogeneous nature of the data, dataset arrays have indexing methods with syntax that parallels corresponding methods for cell and structure arrays (see “Heterogeneous Data” on page 2-7).

Dataset Arrays

Dataset arrays are variables created with `dataset`. For example, the following creates a dataset array from observations that are a combination of categorical and numerical measurements:

```
load fisheriris
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);

iris(1:5,:)
ans =
```

	species	SL	SW	PL	PW
Obs1	setosa	5.1	3.5	1.4	0.2
Obs2	setosa	4.9	3	1.4	0.2
Obs3	setosa	4.7	3.2	1.3	0.2
Obs4	setosa	4.6	3.1	1.5	0.2
Obs5	setosa	5	3.6	1.4	0.2

When creating a dataset array, variable names and observation names can be assigned together with the data. Other metadata associated with the array can be assigned with `set` and accessed with `get`:

```
iris = set(iris,'Description','Fisher's Iris Data');
get(iris)
Description: 'Fisher's Iris Data'
Units: {}
DimNames: {'Observations' 'Variables'}
UserData: []
ObsNames: {150x1 cell}
VarNames: {'species' 'SL' 'SW' 'PL' 'PW'}
```

Dataset arrays are implemented as objects of the “@dataset” on page 17-11 class. Methods of the class are used to display, summarize, convert, concatenate, and access the collected data. Many of these methods are invoked using operations analogous to those for numerical arrays, and do not need to be called directly (for example, `[]` invokes `horzcat`). Other methods, such as `sortrows`, must be called directly.

Using Dataset Arrays

This section provides an extended tutorial example demonstrating the use of dataset arrays with methods of the “@dataset” on page 17-11 class.

- “Constructing Dataset Arrays” on page 2-25
- “Accessing Dataset Arrays” on page 2-27
- “Combining Dataset Arrays” on page 2-29
- “Computing with Dataset Arrays” on page 2-31

Constructing Dataset Arrays. Load the 150-by-4 numerical array `meas` and the 150-by-1 cell array of strings `species`:

```
load fisheriris % Fisher's iris data (1936)
```

The data are 150 observations of four measured variables (by column number: sepal length, sepal width, petal length, and petal width, respectively) over three species of iris (setosa, versicolor, and virginica).

Use `dataset` to create a dataset array `iris` from the data, assigning variable names `species`, `SL`, `SW`, `PL`, and `PW` and observation names `Obs1`, `Obs2`, `Obs3`, etc.:

```
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);
```

```
iris(1:5,:)
ans =
```

	species	SL	SW	PL	PW
Obs1	setosa	5.1	3.5	1.4	0.2
Obs2	setosa	4.9	3	1.4	0.2
Obs3	setosa	4.7	3.2	1.3	0.2
Obs4	setosa	4.6	3.1	1.5	0.2
Obs5	setosa	5	3.6	1.4	0.2

The cell array of strings `species` is first converted to a categorical array of type `nominal` before inclusion in the dataset array. For further information on categorical arrays, see “Categorical Arrays” on page 2-13.

Use `set` to set properties of the array:

```
desc = 'Fisher''s iris data (1936)';
units = [{} repmat({'cm'},1,4)];
info = 'http://en.wikipedia.org/wiki/R.A._Fisher';

iris = set(iris,'Description',desc,...
          'Units',units,...
          'UserData',info);
```

Use `get` to view properties of the array:

```
get(iris)
Description: 'Fisher's iris data (1936)'
Units: {' ' 'cm' 'cm' 'cm' 'cm'}
DimNames: {'Observations' 'Variables'}
UserData: 'http://en.wikipedia.org/wiki/R.A._Fisher'
ObsNames: {150x1 cell}
VarNames: {'species' 'SL' 'SW' 'PL' 'PW'}

get(iris(1:5,:), 'ObsNames')
ans =
    'Obs1'
    'Obs2'
    'Obs3'
    'Obs4'
    'Obs5'
```

For a table of accessible properties of dataset arrays, with descriptions, see “@dataset” on page 17-11.

Accessing Dataset Arrays. Dataset arrays support multiple types of indexing. Like the numerical matrices described in “Numerical Data” on page 2-4, parenthesis () indexing is used to access data subsets. Like the cell and structure arrays described in “Heterogeneous Data” on page 2-7, dot . indexing is used to access data variables and curly brace {} indexing is used to access data elements.

Use parenthesis indexing to assign a subset of the data in `iris` to a new dataset array `iris1`:

```
iris1 = iris(1:5,2:3)
iris1 =
```

	SL	SW
Obs1	5.1	3.5
Obs2	4.9	3
Obs3	4.7	3.2
Obs4	4.6	3.1
Obs5	5	3.6

Similarly, use parenthesis indexing to assign new data to the first variable in `iris1`:

```
iris1(:,1) = dataset([5.2;4.9;4.6;4.6;5])
iris1 =
```

	SL	SW
Obs1	5.2	3.5
Obs2	4.9	3
Obs3	4.6	3.2
Obs4	4.6	3.1
Obs5	5	3.6

Variable and observation names can also be used to access data:

```
SepalObs = iris1({'Obs1','Obs3','Obs5'},'SL')
SepalObs =
```

	SL
Obs1	5.1
Obs3	4.7
Obs5	5

Dot indexing is used to access variables in a dataset array, and can be combined with other indexing methods. For example, apply `zscore` to the data in `SepalObs` as follows:

```
ScaledSepalObs = zscore(iris1.SL([1 3 5]))
ScaledSepalObs =
    0.8006
   -1.1209
    0.3203
```

The following code extracts the sepal lengths in `iris1` corresponding to sepal widths greater than 3:

```
BigSWLengths = iris1.SL(iris1.SW > 3)
BigSWLengths =
    5.2000
    4.6000
    4.6000
    5.0000
```

Dot indexing also allows entire variables to be deleted from a dataset array:

```
iris1.SL = []
iris1 =
           SW
Obs1      3.5
Obs2       3
Obs3      3.2
Obs4      3.1
Obs5      3.6
```

Dynamic variable naming works for dataset arrays just as it does for structure arrays. For example, the units of the `SW` variable are changed in `iris1` as follows:

```
varname = 'SW';
iris1.(varname) = iris1.(varname)*10
iris1 =
           SW
Obs1      35
Obs2      30
```

```

Obs3    32
Obs4    31
Obs5    36
iris1 = set(iris1,'Units',{'mm'});

```

Curly brace indexing is used to access individual data elements. The following are equivalent:

```

iris1{1,1}
ans =
    35

iris1{'Obs1','SW'}
ans =
    35

```

Combining Dataset Arrays. Combine two dataset arrays into a single dataset array using square brackets:

```

SepalData = iris(:,{'SL','SW'});
PetalData = iris(:,{'PL','PW'});
newiris = [SepalData,PetalData];
size(newiris)
ans =
    150    4

```

For horizontal concatenation, as in the preceding example, the number of observations in the two dataset arrays must agree. Observations are matched up by name (if given), regardless of their order in the two data sets.

The following concatenates variables within a dataset array and then deletes the component variables:

```

newiris.SepalData = [newiris.SL,newiris.SW];
newiris.PetalData = [newiris.PL,newiris.PW];
newiris(:,{'SL','SW','PL','PW'}) = [];
size(newiris)
ans =
    150    2
size(newiris.SepalData)
ans =

```

150 2

`newiris` is now a 150-by-2 dataset array containing two 150-by-2 numerical arrays as variables.

Vertical concatenation is also handled in a manner analogous to numerical arrays:

```
newobs = dataset({[5.3 4.2; 5.0 4.1], 'PetalData'}, ...
                {[5.5 2; 4.8 2.1], 'SepalData'});
newiris = [newiris; newobs];
size(newiris)
ans =
    152     2
```

For vertical concatenation, as in the preceding example, the names of the variables in the two dataset arrays must agree. Variables are matched up by name, regardless of their order in the two data sets.

Expansion of variables is also accomplished using direct assignment to new rows:

```
newiris(153,:) = dataset({[5.1 4.0], 'PetalData'}, ...
                        {[5.1 4.2], 'SepalData'});
```

A different type of concatenation is performed by `join`, which takes the data in one dataset array and assigns it to the rows of another dataset array, based on matching values in a common key variable. For example, the following creates a dataset array with diploid chromosome counts for each species of iris:

```
snames = nominal({'setosa'; 'versicolor'; 'virginica'});
CC = dataset({snames, 'species'}, {[38; 108; 70], 'cc'});
CC =
    species      cc
    setosa       38
    versicolor   108
    virginica    70
```

This data is broadcast to the rows of `iris` using `join`:

```
iris2 = join(iris, CC);
```

```
iris2([1 2 51 52 101 102],:)
ans =
```

	species	SL	SW	PL	PW	cc
Obs1	setosa	5.1	3.5	1.4	0.2	38
Obs2	setosa	4.9	3	1.4	0.2	38
Obs51	versicolor	7	3.2	4.7	1.4	108
Obs52	versicolor	6.4	3.2	4.5	1.5	108
Obs101	virginica	6.3	3.3	6	2.5	70
Obs102	virginica	5.8	2.7	5.1	1.9	70

Computing with Dataset Arrays. Use `summary` to provide summary statistics for the component variables of a dataset array:

```
summary(newiris)
Fisher's iris data (1936)
SepalData: [153x2 double]
    min         4.3000         2
    1st Q       5.1000         2.8000
    median     5.8000         3
    3rd Q       6.4000         3.3250
    max         7.9000         4.4000
PetalData: [153x2 double]
    min         1         0.1000
    1st Q       1.6000         0.3000
    median     4.4000         1.3000
    3rd Q       5.1000         1.8000
    max         6.9000         4.2000
```

To apply other statistical functions, use dot indexing to access relevant variables:

```
SepalMeans = mean(newiris.SepalData)
SepalMeans =
    5.8294    3.0503
```

The same result is obtained with `datasetfun`, which applies functions to dataset array variables:

```
means = datasetfun(@mean,newiris,'UniformOutput',false)
means =
    [1x2 double]    [1x2 double]
```

```
SepalMeans = means{1}
SepalMeans =
    5.8294    3.0503
```

An alternative approach is to cast data in a dataset array as double and apply statistical functions directly. Compare the following two methods for computing the covariance of the length and width of the SepalData in newiris:

```
covs = datasetfun(@cov,newiris,'UniformOutput',false)
covs =
    [2x2 double]    [2x2 double]
SepalCovs = covs{1}
SepalCovs =
    0.6835   -0.0373
   -0.0373    0.2054

SepalCovs = cov(double(newiris(:,1)))
SepalCovs =
    0.6835   -0.0373
   -0.0373    0.2054
```


Grouped Data

In this section...

“Grouping Variables” on page 2-33

“Functions for Grouped Data” on page 2-34

“Using Grouping Variables” on page 2-35

Grouping Variables

Grouping variables are utility variables used to indicate which elements in a data set are to be considered together when computing statistics and creating visualizations. They may be numeric vectors, string arrays, cell arrays of strings, or categorical arrays.

Grouping variables have the same length as the variables (columns) in a data set. Observations (rows) i and j are considered to be in the same group if the values of the corresponding grouping variable are identical at those indices. Grouping variables with multiple columns are used to specify different groups within multiple variables.

For example, the following loads the 150-by-4 numerical array `meas` and the 150-by-1 cell array of strings `species` into the workspace:

```
load fisheriris % Fisher's iris data (1936)
```

The data are 150 observations of four measured variables (by column number: sepal length, sepal width, petal length, and petal width, respectively) over three species of iris (`setosa`, `versicolor`, and `virginica`). To group the observations by species, the following are all acceptable (and equivalent) grouping variables:

```
group1 = species;           % Cell array of strings
group2 = grp2idx(species) % Numeric vector
group3 = char(species);    % Character array
group4 = nominal(species); % Categorical array
```

These grouping variables can be supplied as input arguments to any of the functions described in “Functions for Grouped Data” on page 2-34. Examples are given in “Using Grouping Variables” on page 2-35.

Functions for Grouped Data

The following table lists Statistics Toolbox™ functions that accept a grouping variable group as an input argument. The grouping variable may be in the form of a vector, string array, cell array of strings, or categorical array, as described in “Grouping Variables” on page 2-33.

For a full description of the syntax of any particular function, and examples of its use, consult its reference page, linked from the table. “Using Grouping Variables” on page 2-35 also includes examples.

Function	Basic Syntax for Grouped Data
andrewsplot	andrewsplot(X, ..., 'Group',group)
anova1	p = anova1(X,group)
anovan	p = anovan(x,group)
aoctool	aoctool(x,y,group)
boxplot	boxplot(x,group)
classify	class = classify(sample,training,group)
controlchart	controlchart(x,group)
crosstab	crosstab(group1,group2)
cvpartition	c = cvpartition(group, 'Kfold',k) or c = cvpartition(group, 'Holdout',p)
dummyvar	D = dummyvar(group)
gagerr	gagerr(x,group)
gplotmatrix	gplotmatrix(x,y,group)
grp2idx	[G,GN] = grp2idx(group)
grpstats	means = grpstats(X,group)
gscatter	gscatter(x,y,group)
interactionplot	interactionplot(X,group)
kruskalwallis	p = kruskalwallis(X,group)
maineffectsplot	maineffectsplot(X,group)
manova1	d = manova1(X,group)

Function	Basic Syntax for Grouped Data
multivarichart	multivarichart(x,group)
parallelcoords	parallelcoords(X, ... , 'Group',group)
silhouette	silhouette(X,group)
tabulate	tabulate(group)
treefit	T = treefit(X,y,'cost',S) or T = treefit(X,y,'priorprob',S), where S.group = group
vartestn	vartestn(X,group)

Using Grouping Variables

This section provides an example demonstrating the use of grouping variables and associated functions. Grouping variables are introduced in “Grouping Variables” on page 2-33. A list of functions accepting grouping variables as input arguments is given in “Functions for Grouped Data” on page 2-34.

Load the 150-by-4 numerical array `meas` and the 150-by-1 cell array of strings `species`:

```
load fisheriris % Fisher's iris data (1936)
```

The data are 150 observations of four measured variables (by column number: sepal length, sepal width, petal length, and petal width, respectively) over three species of iris (*setosa*, *versicolor*, and *virginica*).

Create a categorical array (see “Categorical Arrays” on page 2-13) from `species` to use as a grouping variable:

```
group = nominal(species);
```

While `species`, as a cell array of strings, is itself a grouping variable, the categorical array has the advantage that it can be easily manipulated with methods of the “@categorical” on page 17-2 class.

Compute some basic statistics for the data (median and interquartile range), by group, using the `grpstats` function:

```
[order,number,group_median,group_iqr] = ...
grpstats(meas,group,{'gname','numel',@median,@iqr})
order =
    'setosa'
    'versicolor'
    'virginica'
number =
    50    50    50    50
    50    50    50    50
    50    50    50    50
group_median =
    5.0000    3.4000    1.5000    0.2000
    5.9000    2.8000    4.3500    1.3000
    6.5000    3.0000    5.5500    2.0000
group_iqr =
    0.4000    0.5000    0.2000    0.1000
    0.7000    0.5000    0.6000    0.3000
    0.7000    0.4000    0.8000    0.5000
```

The statistics appear in 3-by-4 arrays, corresponding to the 3 groups (categories) and 4 variables in the data. The order of the groups (not encoded in the nominal array group) is indicated by the group names in order.

To improve the labeling of the data, create a dataset array (see “Dataset Arrays” on page 2-23) from meas:

```
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({'group','species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);
```


When you call `grpstats` with a dataset array as an argument, you invoke the `grpstats` method of the “@dataset” on page 17-11 class, rather than the `grpstats` function. The method has a slightly different syntax than the function, but it returns the same results, with better labeling:

```
stats = grpstats(iris,'species',{'@median,@iqr})
stats =
           species      GroupCount
```

setosa	setosa	50
versicolor	versicolor	50
virginica	virginica	50
	median_SL	iqr_SL
setosa	5	0.4
versicolor	5.9	0.7
virginica	6.5	0.7
	median_SW	iqr_SW
setosa	3.4	0.5
versicolor	2.8	0.5
virginica	3	0.4
	median_PL	iqr_PL
setosa	1.5	0.2
versicolor	4.35	0.6
virginica	5.55	0.8
	median_PW	iqr_PW
setosa	0.2	0.1
versicolor	1.3	0.3
virginica	2	0.5

Grouping variables are also used to create visualizations based on categories of observations. The following scatter plot, created with the `gscatter` function, shows the correlation between sepal length and sepal width in two species of iris. Use `ismember` to subset the two species from group:

```
subset = ismember(group,{'setosa','versicolor'});
scattergroup = group(subset);
gscatter(iris.SL(subset),...
        iris.SW(subset),...
        scattergroup)
xlabel('Sepal Length')
ylabel('Sepal Width')
```



Descriptive Statistics

Introduction (p. 3-2)

Measures of Central Tendency
(p. 3-3)

Measures of Dispersion (p. 3-5)

Measures of Shape (p. 3-7)

Resampling Statistics (p. 3-9)

Data with Missing Values (p. 3-13)

Summarizing data

Data location

Data scale

Data shape

Estimator variance

Robust estimation

Introduction

Large, complex data sets need to be summarized—both numerically and visually—to convey their essence to the data analyst and to allow for further processing. This chapter focuses on numerical summaries; Chapter 4, “Statistical Visualization” focuses on visual summaries.

Measures of Central Tendency

Measures of central tendency locate a distribution of data along an appropriate scale.

The following table lists the functions that calculate the measures of central tendency.

Function Name	Description
geomean	Geometric mean
harmmean	Harmonic mean
mean	Arithmetic average
median	50th percentile
mode	Most frequent value
trimmean	Trimmed mean

The average is a simple and popular estimate of location. If the data sample comes from a normal distribution, then the sample mean is also optimal (MVUE of μ).

Unfortunately, outliers, data entry errors, or glitches exist in almost all real data. The sample mean is sensitive to these problems. One bad data value can move the average away from the center of the rest of the data by an arbitrarily large distance.

The median and trimmed mean are two measures that are resistant (robust) to outliers. The median is the 50th percentile of the sample, which will only change slightly if you add a large perturbation to any value. The idea behind the trimmed mean is to ignore a small percentage of the highest and lowest values of a sample when determining the center of the sample.

The geometric mean and harmonic mean, like the average, are not robust to outliers. They are useful when the sample is distributed lognormal or heavily skewed.

The following example shows the behavior of the measures of location for a sample with one outlier.

```
x = [ones(1,6) 100]

x =
     1     1     1     1     1     1    100

locate = [geomean(x) harmmean(x) mean(x) median(x)...
          trimmean(x,25)]

locate =
     1.9307     1.1647    15.1429     1.0000     1.0000
```

You can see that the mean is far from any data value because of the influence of the outlier. The median and trimmed mean ignore the outlying value and describe the location of the rest of the data values.

Measures of Dispersion

The purpose of measures of dispersion is to find out how spread out the data values are on the number line. Another term for these statistics is measures of spread.

The table gives the function names and descriptions.

Function Name	Description
iqr	Interquartile range
mad	Mean absolute deviation
moment	Central moment of all orders
range	Range
std	Standard deviation
var	Variance

The range (the difference between the maximum and minimum values) is the simplest measure of spread. But if there is an outlier in the data, it will be the minimum or maximum value. Thus, the range is not robust to outliers.

The standard deviation and the variance are popular measures of spread that are optimal for normally distributed samples. The sample variance is the MVUE of the normal parameter σ^2 . The standard deviation is the square root of the variance and has the desirable property of being in the same units as the data. That is, if the data is in meters, the standard deviation is in meters as well. The variance is in meters², which is more difficult to interpret.

Neither the standard deviation nor the variance is robust to outliers. A data value that is separate from the body of the data can increase the value of the statistics by an arbitrarily large amount.

The mean absolute deviation (MAD) is also sensitive to outliers. But the MAD does not move quite as much as the standard deviation or variance in response to bad data.

The interquartile range (IQR) is the difference between the 75th and 25th percentile of the data. Since only the middle 50% of the data affects this measure, it is robust to outliers.

The following example shows the behavior of the measures of dispersion for a sample with one outlier.

```
x = [ones(1,6) 100]
x =
     1     1     1     1     1     1    100
stats = [iqr(x) mad(x) range(x) std(x)]
stats =
     0    24.2449    99.0000    37.4185
```

Measures of Shape

Quantiles and percentiles provide information about the shape of data as well as its location and spread.

The *quantile* of order p ($0 \leq p \leq 1$) is the smallest x value where the cumulative distribution function equals or exceeds p . The function `quantile` computes quantiles as follows:

- 1 n sorted data points are the $0.5/n, 1.5/n, \dots, (n-0.5)/n$ quantiles.
- 2 Linear interpolation is used to compute intermediate quantiles.
- 3 The data min or max are assigned to quantiles outside the range.
- 4 Missing values are treated as NaN, and removed from the data.

Percentiles, computed by the `prctile` function, are quantiles for a certain percentage of the data, specified for $0 \leq p \leq 100$.


The following example shows the result of looking at every quartile (quantiles with orders that are multiples of 0.25) of a sample containing a mixture of two distributions.

```
x = [normrnd(4,1,1,100) normrnd(6,0.5,1,200)];
p = 100*(0:0.25:1);
y = prctile(x,p);
z = [p;y]
z =
```

	0	25.0000	50.0000	75.0000	100.0000
	1.8293	4.6728	5.6459	6.0766	7.1546

A box plot helps to visualize the statistics:

```
boxplot(x)
```



The long lower tail and plus signs show the lack of symmetry in the sample values. For more information on box plots, see “Box Plots” on page 4-6.

The shape of a data distribution is also measured by the Statistics Toolbox™ functions skewness, kurtosis, and, more generally, moment.

Resampling Statistics


In this section...
“The Bootstrap” on page 3-9
“The Jackknife” on page 3-12

The Bootstrap

The *bootstrap* is a procedure that involves choosing random samples with replacement from a data set and analyzing each sample the same way. Sampling with replacement means that every sample is returned to the data set after sampling. So a particular data point from the original data set could appear multiple times in a given bootstrap sample. The number of elements in each bootstrap sample equals the number of elements in the original data set. The range of sample estimates you obtain enables you to establish the uncertainty of the quantity you are estimating.

Here is an example taken from Efron and Tibshirani [24] comparing Law School Admission Test (LSAT) scores and subsequent law school grade point average (GPA) for a sample of 15 law schools.

```
load lawdata
plot(lsat,gpa, '+')
lsline
```



The least-squares fit line indicates that higher LSAT scores go with higher law school GPAs. But how certain is this conclusion? The plot provides some intuition, but nothing quantitative.

You can calculate the correlation coefficient of the variables using the `corr` function.

```
rho_hat = corr(lsat, gpa)
rho_hat =
    0.7764
```

Now you have a number describing the positive connection between LSAT and GPA; though it may seem large, you still do not know if it is statistically significant.


Using the `bootstrp` function you can resample the `lsat` and `gpa` vectors as many times as you like and consider the variation in the resulting correlation coefficients.

Here is an example.

```
rhos1000 = bootstrp(1000, 'corr', lsat, gpa);
```

This command resamples the `lsat` and `gpa` vectors 1000 times and computes the `corr` function on each sample. Here is a histogram of the result.

```
hist(rhos1000, 30)  
set(get(gca, 'Children'), 'FaceColor', [.8 .8 1])
```



Nearly all the estimates lie on the interval [0.4 1.0].

It is often desirable to construct a confidence interval for a parameter estimate in statistical inferences. Using the `bootci` function, you can use bootstrapping to obtain a confidence interval. The confidence interval for the `lsat` and `gpa` data is computed as:

```
ci = bootci(5000,@corr,lsat,gpa)
```

```
ci =
```

```
0.3265
```

```
0.9389
```

Therefore, a 95% confidence interval for the correlation coefficient between LSAT and GPA is [0.33 0.94]. This is strong quantitative evidence that LSAT and subsequent GPA are positively correlated. Moreover, this evidence does not require any strong assumptions about the probability distribution of the correlation coefficient.

Although the `bootci` function computes the Bias Corrected and accelerated (BCa) interval as the default type, it is also able to compute various other types of bootstrap confidence intervals, such as the studentized bootstrap confidence interval.

The Jackknife

Similar to the bootstrap is the *jackknife*, which uses resampling to estimate the bias and variance of sample statistics. The jackknife is implemented by the Statistics Toolbox™ function `jackknife`.

Data with Missing Values

Many data sets have one or more missing values. It is convenient to code missing values as NaN (Not a Number) to preserve the structure of data sets across multiple variables and observations.

For example:

```
m = magic(3);
m([1 5]) = [NaN NaN]
m =
    NaN     1     6
     3    NaN     7
     4     9     2
```

Arithmetic operations with missing values yield NaN values:

```
S1 = sum(m)
S1 =
    NaN    NaN    15
```

Removing the NaN values destroys the matrix structure. Removing the rows containing the NaN values discards data. Statistics Toolbox™ functions in the following table treat NaN values as missing and therefore ignore them in the calculations.

Function	Description
nancov	Covariance matrix, ignoring NaN values
nanmax	Maximum, ignoring NaN values
nanmean	Mean, ignoring NaN values
nanmedian	Median, ignoring NaN values
nanmin	Minimum, ignoring NaN values
nanstd	Standard deviation, ignoring NaN values
nansum	Sum, ignoring NaN values
nanvar	Variance, ignoring NaN values

For example:

```
S2 = nansum(m)
S2 =
     7     10     15
```

Other Statistics Toolbox functions also ignore NaN values values. These include `iqr`, `kurtosis`, `mad`, `prctile`, `range`, `skewness`, and `trimmean`.

Statistical Visualization

Introduction (p. 4-2)

Scatter Plots (p. 4-3)

Box Plots (p. 4-6)

Distribution Plots (p. 4-8)

Basic plots and advanced
visualization

Visualizing relationships among
variables

Comparing data distributions

Determining data distributions

Introduction

Statistics Toolbox™ data visualization functions add to the extensive graphics capabilities already in MATLAB®. Of general use are:

- Scatter plots are a basic visualization tool for multivariate data. They are used to identify relationships among variables. Grouped versions of these plots use different plotting symbols to indicate group membership. The `gname` function is used to label points on these plots with a text label or an observation number.
- Box plots display a five number summary of a set of data: the median, the two ends of the interquartile range (the box), and two extreme values (the whiskers) above and below the box. Because they show less detail than histograms, box plots are most useful for side-by-side comparisons of two distributions.
- Distribution plots help you identify an appropriate distribution family for your data. They include normal and Weibull probability plots, quantile-quantile plots, and empirical cumulative distribution plots.

Advanced Statistics Toolbox visualization functions are available for specialized statistical analyses.

Note For information on creating visualizations of data by group, see “Grouped Data” on page 2-33.


Scatter Plots

A scatter plot is a simple plot of one variable against another. The MATLAB® functions `plot` and `scatter` produce scatter plots. The MATLAB function `plotmatrix` can produce a matrix of such plots showing the relationship between several pairs of variables.

Statistics Toolbox™ functions `gscatter` and `gplotmatrix` produce grouped versions of these plots. These are useful for determining whether the values of two variables or the relationship between those variables is the same in each group.

Suppose you want to examine the weight and mileage of cars from three different model years.

```
load carsmall
gscatter(Weight,MPG,Model_Year,'','xos')
```



This shows that not only is there a strong relationship between the weight of a car and its mileage, but also that newer cars tend to be lighter and have better gas mileage than older cars.


The default arguments for `gscatter` produce a scatter plot with the different groups shown with the same symbol but different colors. The last two arguments above request that all groups be shown in default colors and with different symbols.

The `carsmall` data set contains other variables that describe different aspects of cars. You can examine several of them in a single display by creating a grouped plot matrix.

```
xvars = [Weight Displacement Horsepower];
yvars = [MPG Acceleration];
```



```
gplotmatrix(xvars,yvars,Model_Year,',' , 'xos')
```




The upper right subplot displays MPG against Horsepower, and shows that over the years the horsepower of the cars has decreased but the gas mileage has improved.

The `gplotmatrix` function can also graph all pairs from a single list of variables, along with histograms for each variable. See “MANOVA” on page 7-39.

Box Plots

The graph below, created with the `boxplot` command, compares petal lengths in samples from two species of iris.

```
load fisheriris
s1 = meas(51:100,3);
s2 = meas(101:150,3);
boxplot([s1 s2], 'notch', 'on', ...
        'labels',{'versicolor','virginica'})
```



This plot has the following features:

- The tops and bottoms of each “box” are the 25th and 75th percentiles of the samples, respectively. The distances between the tops and bottoms are the interquartile ranges.

- The line in the middle of each box is the sample median. If the median is not centered in the box, it shows sample skewness.
- The whiskers are lines extending above and below each box. Whiskers are drawn from the ends of the interquartile ranges to the furthest observations within the whisker length (the *adjacent values*).
- Observations beyond the whisker length are marked as outliers. By default, an outlier is a value that is more than 1.5 times the interquartile range away from the top or bottom of the box, but this value can be adjusted with additional input arguments. Outliers are displayed with a red + sign.
- Notches display the variability of the median between samples. The width of a notch is computed so that box plots whose notches do not overlap (as above) have different medians at the 5% significance level. The significance level is based on a normal distribution assumption, but comparisons of medians are reasonably robust for other distributions. Comparing box-plot medians is like a visual hypothesis test, analogous to the t test used for means.

Distribution Plots


In this section...
“Normal Probability Plots” on page 4-8
“Quantile-Quantile Plots” on page 4-10
“Cumulative Distribution Plots” on page 4-13
“Other Probability Plots” on page 4-14

Normal Probability Plots

Normal probability plots are used to assess whether data comes from a normal distribution. Many statistical procedures make the assumption that an underlying distribution is normal, so normal probability plots can provide some assurance that the assumption is justified, or else provide a warning of problems with the assumption. An analysis of normality typically combines normal probability plots with hypothesis tests for normality, as described in Chapter 6, “Hypothesis Tests”.

The following example shows a normal probability plot created with the `normplot` function.

```
x = normrnd(10,1,25,1);  
normplot(x)
```




The plus signs plot the empirical probability versus the data value for each point in the data. A solid line connects the 25th and 75th percentiles in the data, and a dashed line extends it to the ends of the data. The y-axis values are probabilities from zero to one, but the scale is not linear. The distance between tick marks on the y-axis matches the distance between the quantiles of a normal distribution. The quantiles are close together near the median (probability = 0.5) and stretch out symmetrically as you move away from the median.

In a normal probability plot, if all the data points fall near the line, an assumption of normality is reasonable. Otherwise, the points will curve away from the line, and an assumption of normality is not justified.

For example:

```
x = exprnd(10,100,1);  
normplot(x)
```



The plot is strong evidence that the underlying distribution is not normal.


Quantile-Quantile Plots

Quantile-quantile plots are used to determine whether two samples come from the same distribution family. They are scatter plots of quantiles computed from each sample, with a line drawn between the first and third quartiles. If the data falls near the line, it is reasonable to assume that the two samples come from the same distribution. The method is robust with respect to changes in the location and scale of either distribution.

To create a quantile-quantile plot, use the `qqplot` function.

The following example shows a quantile-quantile plot of two samples from Poisson distributions.

```
x = poissrnd(10,50,1);  
y = poissrnd(5,100,1);  
qqplot(x,y);
```




Even though the parameters and sample sizes are different, the approximate linear relationship suggests that the two samples may come from the same distribution family. As with normal probability plots, hypothesis tests, as described in Chapter 6, “Hypothesis Tests”, can provide additional justification for such an assumption. For statistical procedures that depend

on the two samples coming from the same distribution, however, a linear quantile-quantile plot is often sufficient.

The following example shows what happens when the underlying distributions are not the same.

```
x = normrnd(5,1,100,1);  
y = wblrnd(2,0.5,100,1);  
qqplot(x,y);
```



These samples clearly are not from the same distribution family.


Cumulative Distribution Plots

An empirical cumulative distribution function (cdf) plot shows the proportion of data less than each x value, as a function of x . The scale on the y -axis is linear; in particular, it is not scaled to any particular distribution. Empirical cdf plots are used to compare data cdfs to cdfs for particular distributions.

To create an empirical cdf plot, use the `cdfplot` function (or `ecdf` and `stairs`).

The following example compares the empirical cdf for a sample from an extreme value distribution with a plot of the cdf for the sampling distribution. In practice, the sampling distribution would be unknown, and would be chosen to match the empirical cdf.

```
y = evrnd(0,3,100,1);
cdfplot(y)
hold on
x = -20:0.1:10;
f = evcdf(x,0,3);
plot(x,f,'m')
legend('Empirical','Theoretical','Location','NW')
```




Other Probability Plots

A probability plot, like the normal probability plot, is just an empirical cdf plot scaled to a particular distribution. The y-axis values are probabilities from zero to one, but the scale is not linear. The distance between tick marks is the distance between quantiles of the distribution. In the plot, a line is drawn between the first and third quartiles in the data. If the data falls near the line, it is reasonable to choose the distribution as a model for the data.

To create probability plots for different distributions, use the `probplot` function.

For example, the following plot assesses two samples, one from a Weibull distribution and one from a Rayleigh distribution, to see if they may have come from a Weibull population.

```
x1 = wblrnd(3,3,100,1);  
x2 = raylrnd(3,100,1);  
probplot('weibull',[x1 x2])  
legend('Weibull Sample','Rayleigh Sample','Location','NW')
```



The plot gives justification for modeling the first sample with a Weibull distribution; much less so for the second sample.

A distribution analysis typically combines probability plots with hypothesis tests for a particular distribution, as described in Chapter 6, “Hypothesis Tests”.

Probability Distributions

Introduction (p. 5-2)

Supported Distributions (p. 5-3)

Distribution Functions (p. 5-9)

Distribution GUIs (p. 5-43)

Pearson and Johnson Systems
(p. 5-85)

Multivariate Modeling (p. 5-92)

Random Number Generation
(p. 5-133)

Distribution modeling

Tables of supported distributions
and functions

Descriptions of supported
distribution functions

Interactive distribution modeling

Distributions defined by moments

Methods for multivariate models

Topics in random number generation

Introduction

A typical data sample is distributed over a range of values, with some values occurring more frequently than others. Some of the variability may be the result of measurement error or sampling effects. For large random samples, however, the distribution of the data typically reflects the variability of the source population and can be used to model the data-producing process.

Statistics computed from data samples also vary from sample to sample. Modeling distributions of statistics is important for drawing inferences from statistical summaries of data.

Probability distributions are theoretical distributions, based on assumptions about a source population. They assign probability to the event that a random variable, such as a data value or a statistic, takes on a specific, discrete value, or falls within a specified range of continuous values.

Choosing a model often means choosing a parametric family of probability distributions and then adjusting the parameters to fit the data. The choice of an appropriate distribution family may be based on *a priori* knowledge, such as matching the mechanism of a data-producing process to the theoretical assumptions underlying a particular family, or *a posteriori* knowledge, such as information provided by probability plots and distribution tests. Parameters can then be found that achieve the *maximum likelihood* of producing the data.

When data or statistics do not follow any standard probability distribution (as, for example, with multimodal data), *nonparametric models*, such as those produced by `ksdensity`, may be appropriate. These models make no assumptions about the mechanism producing the data or the form of the underlying distribution, so no parameter estimates are made.

Once a model is chosen, *random number generators* produce random values with the specified probability distribution. Random number generators are used in *Monte Carlo simulations* of the original data-producing process.

Supported Distributions

In this section...
“Tables of Supported Distributions” on page 5-3
“Continuous Distributions (Data)” on page 5-4
“Continuous Distributions (Statistics)” on page 5-6
“Discrete Distributions” on page 5-7
“Multivariate Distributions” on page 5-8

Tables of Supported Distributions

Probability distributions supported by Statistics Toolbox™ software are cross-referenced with their supporting functions and GUIs in the following tables. The tables use the following abbreviations for distribution functions:

- **pdf** — Probability density functions
- **cdf** — Cumulative distribution functions
- **inv** — Inverse cumulative distribution functions
- **stat** — Distribution statistics functions
- **fit** — Distribution fitting functions
- **like** — Negative log-likelihood functions
- **rnd** — Random number generators

Note Supported distributions are described more fully in the Chapter 18, “Distribution Reference”.

Continuous Distributions (Data)

Name	pdf	cdf	inv	stat	fit	like	rnd
Beta	betapdf, pdf	betacdf, cdf	betainv, icdf	betastat	betafit, mle	betalike	betarnd, random, randtool
Birnbaum-Saunders					dfittool		
Exponential	exppdf, pdf	expcdf, cdf	expinv, icdf	expstat	expfit, mle, dfittool	explike	exprnd, random, randtool
Extreme value	evpdf, pdf	evcdf, cdf	evinv, icdf	evstat	evfit, mle, dfittool	evlike	evrnd, random, randtool
Gamma	gampdf, pdf	gamcdf, cdf	gaminv, icdf	gamstat	gamfit, mle, dfittool	gamlike	gamrnd, randg, random, randtool
Generalized extreme value	gevpdf, pdf	gevcdf, cdf	gevinv, icdf	gevstat	gevfit, mle,dfittool	gevlike	gevrnd, random, randtool
Generalized Pareto	gppdf, pdf	gpcdf, cdf	gpinv, icdf	gpstat	gpfit, mle,dfittool	gplike	gprnd, random, randtool
Inverse Gaussian					dfittool		
Johnson system					johnsrnd		johnsrnd
Logistic					dfittool		
Loglogistic					dfittool		
Lognormal	lognpdf, pdf	logncdf, cdf	logninv, icdf	lognstat	lognfit, mle, dfittool	lognlike	lognrnd, random, randtool

Name	pdf	cdf	inv	stat	fit	like	rnd
Nakagami					dffitool		
Non-parametric	ksdensity	ksdensity	ksdensity		ksdensity, dffitool		
Normal (Gaussian)	normpdf, pdf	normcdf, cdf	norminv, icdf	normstat	normfit, mle, dffitool	normlike	normrnd, randn, random, randtool
Pearson system					pearsrnd		pearsrnd
Piecewise	pdf	cdf	icdf		paretotails		random
Rayleigh	raylpdf, pdf	raylcdf, cdf	raylinv, icdf	raylstat	raylfit, mle, dffitool		raylrnd, random, randtool
Rician					dffitool		
Uniform (continuous)	unifpdf, pdf	unifcdf, cdf	unifinv, icdf	unifstat	unifit, mle		unifrnd, rand, random
Weibull	wblpdf, pdf	wblcdf, cdf	wblinv, icdf	wblstat	wblfit, mle, dffitool	wbllike	wblrnd, random

Continuous Distributions (Statistics)

Name	pdf	cdf	inv	stat	fit	like	rnd
Chi-square	chi2pdf, pdf	chi2cdf, cdf	chi2inv, icdf	chi2stat			chi2rnd, random, randtool
<i>F</i>	fpdf, pdf	fcdf, cdf	finv, icdf	fstat			frnd, random, randtool
Noncentral chi-square	ncx2pdf, pdf	ncx2cdf, cdf	ncx2inv, icdf	ncx2stat			ncx2rnd, random, randtool
Noncentral <i>F</i>	ncfpdf, pdf	ncfcdf, cdf	ncfinv, icdf	ncfstat			ncfrnd, random, randtool
Noncentral <i>t</i>	nctpdf, pdf	nctcdf, cdf	nctinv, icdf	nctstat			nctrnd, random, randtool
Student's <i>t</i>	tpdf, pdf	tcdf, cdf	tinu, icdf	tstat			trnd, random, randtool
<i>t</i> location- scale					dfittool		

Discrete Distributions

Name	pdf	cdf	inv	stat	fit	like	rnd
Binomial	binopdf, pdf	binocdf, cdf	binoinv, icdf	binostat	binofit, mle, dfittool		binornd, random, randtool
Bernoulli					mle		
Geometric	geopdf, pdf	geocdf, cdf	geoinv, icdf	geostat	mle		geornd, random, randtool
Hyper- geometric	hygepdf, pdf	hygecdf, cdf	hygeinv, icdf	hygestat			hygernd, random
Multinomial	mnpdf						mnrnd
Negative binomial	nbinpdf, pdf	nbincdf, cdf	nbininv, icdf	nbinstat	nbinfit, mle, dfittool		nbinrnd, random, randtool
Poisson	poisspdf, pdf	poisscdf, cdf	poissinv, icdf	poisstat	poissfit, mle, dfittool		poissrnd, random, randtool
Uniform (discrete)	unidpdf, pdf	unidcdf, cdf	unidinv, icdf	unidstat	mle		unidrnd, random, randtool

Multivariate Distributions

Name	pdf	cdf	inv	stat	fit	like	rnd
Gaussian copula	copulapdf	copulacdf		copulastat	copulafit		copularnd
Gaussian mixture	pdf	cdf			fit		random
t copula	copulapdf	copulacdf		copulastat	copulafit		copularnd
Clayton copula	copulapdf	copulacdf		copulastat	copulafit		copularnd
Frank copula	copulapdf	copulacdf		copulastat	copulafit		copularnd
Gumbel copula	copulapdf	copulacdf		copulastat	copulafit		copularnd
Inverse Wishart							iwishrnd
Multivariate normal	mvnpdf	mvncdf					mvnrnd
Multivariate t	mvtpdf	mvtcdf					mvtrnd
Wishart							wishrnd

Distribution Functions

In this section...

“Introduction” on page 5-10

“Probability Density Functions” on page 5-10

“Cumulative Distribution Functions” on page 5-20

“Inverse Cumulative Distribution Functions” on page 5-24

“Distribution Statistics Functions” on page 5-26

“Distribution Fitting Functions” on page 5-28

“Negative Log-Likelihood Functions” on page 5-35

“Random Number Generators” on page 5-39

Introduction

For each distribution supported by Statistics Toolbox™ software, a selection of the distribution functions described in this section is available for statistical programming. This section gives a general overview of the use of each type of function, independent of the particular distribution. For specific functions available for specific distributions, see “Supported Distributions” on page 5-3.

Probability Density Functions

- “Parametric Estimation” on page 5-10
- “Nonparametric Estimation” on page 5-13

Parametric Estimation

Probability density functions (pdfs) for supported Statistics Toolbox distributions all end with pdf, as in `binopdf` or `exp_pdf`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are arrays of outcomes followed by a list of parameter values specifying a particular member of the distribution family.

For discrete distributions, the pdf assigns a probability to each outcome. In this context, the pdf is often called a *probability mass function (pmf)*.

For example, the discrete binomial pdf

$$f(k) = \binom{n}{k} p^k (1-p)^{n-k}$$


assigns probability to the event of k successes in n trials of a Bernoulli process (such as coin flipping) with probability p of success at each trial. Each of the integers $k = 0, 1, 2, \dots, n$ is assigned a positive probability, with the sum of the probabilities equal to 1. The probabilities are computed with the `binopdf` function:

```
p = 0.2; % Probability of success for each trial
```

```

n = 10; % Number of trials
k = 0:n; % Outcomes
m = binopdf(k,n,p); % Probability mass vector
bar(k,m) % Visualize the probability distribution
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
grid on

```




For continuous distributions, the pdf assigns a probability *density* to each outcome. The probability of any single outcome is zero. The pdf must be integrated over a set of outcomes to compute the probability that an outcome falls within that set. The integral over the entire set of outcomes is 1.

For example, the continuous exponential pdf

$$f(t) = \lambda e^{-\lambda t}$$

is used to model the probability that a process with constant failure rate λ will have a failure within time t . Each time $t > 0$ is assigned a positive probability density. Densities are computed with the `expdf` function:

```
lambda = 2; % Failure rate
t = 0:0.01:3; % Outcomes
f = expdf(t,1/lambda); % Probability density vector
plot(t,f) % Visualize the probability distribution
grid on
```



Probabilities for continuous pdfs can be computed with the `quad` function. In the example above, the probability of failure in the time interval $[0, 1]$ is computed as follows:

```
f_lambda = @(t)expdf(t,1/lambda); % Pdf with fixed lambda
P = quad(f_lambda,0,1) % Integrate from 0 to 1
P =
    0.8647
```


Alternatively, the cumulative distribution function (cdf) for the exponential function, `expcdf`, can be used:


```
P = expcdf(1,1/lambda) % Cumulative probability from 0 to 1
P =
    0.8647
```

Nonparametric Estimation

- “Introduction” on page 5-13
- “Kernel Bandwidth” on page 5-15
- “Kernel Smoothing” on page 5-17
- “Using Density Estimates” on page 5-18


Introduction. A distribution of data can be described graphically with a histogram:

```
cars = load('carsmall','MPG','Origin');
MPG = cars.MPG;
hist(MPG)
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```



You can also describe a data distribution by estimating its density. The `kdensity` function does this using a kernel smoothing method. A nonparametric density estimate of the data above, using the default kernel and bandwidth, is given by:

```
[f,x] = kdensity(MPG);  
plot(x,f);  
title('Density estimate for MPG')
```




Kernel Bandwidth. The choice of kernel bandwidth controls the smoothness of the probability density curve. The following graph shows the density estimate for the same mileage data using different bandwidths. The default bandwidth is in blue and looks like the preceding graph. Estimates for smaller and larger bandwidths are in red and green.

The first call to `ksdensity` returns the default bandwidth, `u`, of the kernel smoothing function. Subsequent calls modify this bandwidth.

```
[f,x,u] = ksdensity(MPG);  
plot(x,f)  
title('Density estimate for MPG')  
hold on  
  
[f,x] = ksdensity(MPG,'width',u/3);  
plot(x,f,'r');
```

```
[f,x] = ksdensity(MPG,'width',u*3);  
plot(x,f,'g');  
  
legend('default width','1/3 default','3*default')  
hold off
```



The default bandwidth seems to be doing a good job—reasonably smooth, but not so smooth as to obscure features of the data. This bandwidth is the one that is theoretically optimal for estimating densities for the normal distribution.


The green curve shows a density with the kernel bandwidth set too high. This curve smooths out the data so much that the end result looks just like the kernel function. The red curve has a smaller bandwidth and is rougher looking than the blue curve. It may be too rough, but it does provide an

indication that there might be two major peaks rather than the single peak of the blue curve. A reasonable choice of width might lead to a curve that is intermediate between the red and blue curves.

Kernel Smoothing. You can also specify a kernel function by supplying either the function name or a function handle. The four preselected functions, 'normal', 'epanechnikov', 'box', and 'triangle', are all scaled to have standard deviation equal to 1, so they perform a comparable degree of smoothing.

Using default bandwidths, you can now plot the same mileage data, using each of the available kernel functions.

```
hname = {'normal' 'epanechnikov' 'box' 'triangle'};
hold on;
colors = {'r' 'b' 'g' 'm'};
for j=1:4
    [f,x] = ksdensity(MPG,'kernel',hname{j});
    plot(x,f,colors{j});
end
legend(hname{:});
hold off
```




The density estimates are roughly comparable, but the box kernel produces a density that is rougher than the others.

Using Density Estimates. While it is difficult to overlay two histograms to compare them, you can easily overlay smooth density estimates. For example, the following graph shows the MPG distributions for cars from different countries of origin:

```
Origin = cellstr(cars.Origin);
I = strcmp('USA',Origin);
J = strcmp('Japan',Origin);
K = ~(I|J);
MPG_USA = MPG(I);
MPG_Japan = MPG(J);
MPG_Europe = MPG(K);
```

```
[fI,xI] = ksdensity(MPG_USA);  
plot(xI,fI,'b')  
hold on  
  
[fJ,xJ] = ksdensity(MPG_Japan);  
plot(xJ,fJ,'r')  
  
[fK,xK] = ksdensity(MPG_Europe);  
plot(xK,fK,'g')  
  
legend('USA','Japan','Europe')  
hold off
```



For piecewise probability density estimation, using kernel smoothing in the center of the distribution and Pareto distributions in the tails, see “Fitting Piecewise Distributions” on page 5-30.

Cumulative Distribution Functions

- “Parametric Estimation” on page 5-20
- “Nonparametric Estimation” on page 5-21

Parametric Estimation

Cumulative distribution functions (cdf) for supported Statistics Toolbox distributions all end with `cdf`, as in `binocdf` or `expcdf`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are arrays of outcomes followed by a list of parameter values specifying a particular member of the distribution family.

For discrete distributions, the cdf F is related to the pdf f by

$$F(x) = \sum_{y \leq x} f(y)$$

For continuous distributions, the cdf F is related to the pdf f by

$$F(x) = \int_{-\infty}^x f(y) dy$$

Cdfs are used to compute probabilities of events. In particular, if F is a cdf and x and y are outcomes, then

- $P(y \leq x) = F(x)$
- $P(y \geq x) = 1 - F(x)$
- $P(x_1 \leq y \leq x_2) = F(x_2) - F(x_1)$

For example, the t -statistic

$$t = \frac{\bar{x} - \mu}{s/\sqrt{n}}$$

follows a Student's t distribution with $n - 1$ degrees of freedom when computed from repeated random samples from a normal population with mean μ . Here \bar{x} is the sample mean, s is the sample standard deviation, and n is the sample size. The probability of observing a t -statistic greater than or equal to the value computed from a sample can be found with the `tcdf` function:

```
mu = 1; % Population mean
sigma = 2; % Population standard deviation
n = 100; % Sample size
x = normrnd(mu,sigma,n,1); % Random sample from population
xbar = mean(x); % Sample mean
s = std(x); % Sample standard deviation
t = (xbar-mu)/(s/sqrt(n)) % t-statistic
t =
    0.2489
p = 1-tcdf(t,n-1) % Probability of larger t-statistic
p =
    0.4020
```

This probability is the same as the p -value returned by a t -test of the null hypothesis that the sample comes from a normal population with mean μ :

```
[h,ptest] = ttest(x,mu,0.05,'right')
h =
    0
ptest =
    0.4020
```

Nonparametric Estimation

The `ksdensity` function produces an empirical version of a probability density function (pdf). That is, instead of selecting a density with a particular parametric form and estimating the parameters, it produces a nonparametric density estimate that adapts itself to the data.

Similarly, it is possible to produce an empirical version of the cumulative distribution function (cdf). The `ecdf` function computes this empirical cdf. It


returns the values of a function F such that $F(x)$ represents the proportion of observations in a sample less than or equal to x .

The idea behind the empirical cdf is simple. It is a function that assigns probability $1/n$ to each of n observations in a sample. Its graph has a stair-step appearance. If a sample comes from a distribution in a parametric family (such as a normal distribution), its empirical cdf is likely to resemble the parametric distribution. If not, its empirical distribution still gives an estimate of the cdf for the distribution that generated the data.

The following example generates 20 observations from a normal distribution with mean 10 and standard deviation 2. You can use `ecdf` to calculate the empirical cdf and `stairs` to plot it. Then you overlay the normal distribution curve on the empirical function.

```
x = normrnd(10,2,20,1);
[f,xf] = ecdf(x);

stairs(xf,f)
hold on
xx=linspace(5,15,100);
yy = normcdf(xx,10,2);
plot(xx,yy,'r:')
hold off
legend('Empirical cdf','Normal cdf',2)
```



The empirical cdf is especially useful in survival analysis applications. In such applications the data may be censored, that is, not observed exactly. Some individuals may fail during a study, and you can observe their failure time exactly. Other individuals may drop out of the study, or may not fail until after the study is complete. The `ecdf` function has arguments for dealing with censored data. In addition, you can use the `coxphfit` function with individuals that have predictors that are not the same.

For piecewise probability density estimation, using the empirical cdf in the center of the distribution and Pareto distributions in the tails, see “Fitting Piecewise Distributions” on page 5-30.

Inverse Cumulative Distribution Functions

Inverse cumulative distribution functions for supported Statistics Toolbox distributions all end with `inv`, as in `binoinv` or `expinv`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are arrays of cumulative probabilities between 0 and 1 followed by a list of parameter values specifying a particular member of the distribution family.

For continuous distributions, the inverse cdf returns the unique outcome whose cdf value is the input cumulative probability.

For example, the `expinv` function can be used to compute inverses of exponential cumulative probabilities:

```
x = 0.5:0.2:1.5 % Outcomes
x =
    0.5000    0.7000    0.9000    1.1000    1.3000    1.5000
p = expcdf(x,1) % Cumulative probabilities
p =
    0.3935    0.5034    0.5934    0.6671    0.7275    0.7769
expinv(p,1) % Return original outcomes
ans =
    0.5000    0.7000    0.9000    1.1000    1.3000    1.5000
```

For discrete distributions, there may be no outcome whose cdf value is the input cumulative probability. In these cases, the inverse cdf returns the first outcome whose cdf value equals or exceeds the input cumulative probability.

For example, the `binoinv` function can be used to compute inverses of binomial cumulative probabilities:

```
x = 0.5:0.2:1.5 % Outcomes
x =
    0.5000    0.7000    0.9000    1.1000    1.3000    1.5000
p = binocdf(x,10,0.2) % Cumulative probabilities
p =
    0.1074    0.1074    0.1074    0.3758    0.3758    0.3758
```

```
>> binoinv(p,10,0.2) % Return binomial outcomes
ans =
    0    0    0    1    1    1
```

The inverse cdf is useful in hypothesis testing, where critical outcomes of a test statistic are computed from cumulative significance probabilities. For example, `norminv` can be used to compute a 95% confidence interval under the assumption of normal variability:

```
p = [0.025 0.975]; % Interval containing 95% of [0,1]
x = norminv(p,0,1) % Assume standard normal variability
x =
   -1.9600    1.9600 % 95% confidence interval

n = 20; % Sample size
y = normrnd(8,1,n,1); % Random sample (assume mean is unknown)
ybar = mean(y);
ci = ybar + (1/sqrt(n))*x % Confidence interval for mean
ci =
    7.6779    8.5544
```


Distribution Statistics Functions

Distribution statistics functions for supported Statistics Toolbox distributions all end with `stat`, as in `binostat` or `expstat`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are lists of parameter values specifying a particular member of the distribution family. Functions return the mean and variance of the distribution, as a function of the parameters.

For example, the `wblstat` function can be used to visualize the mean of the Weibull distribution as a function of its two distribution parameters:

```
a = 0.5:0.1:3;  
b = 0.5:0.1:3;  
[A,B] = meshgrid(a,b);  
M = wblstat(A,B);  
surf(A,B,M)
```



Distribution Fitting Functions

- “Fitting Supported Distributions” on page 5-28
- “Fitting Piecewise Distributions” on page 5-30

Fitting Supported Distributions

Distribution fitting functions for supported Statistics Toolbox distributions all end with `fit`, as in `binofit` or `expfit`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are arrays of data, presumed to be samples from some member of the selected distribution family. Functions return maximum likelihood estimates (MLEs) of distribution parameters, that is, parameters for the distribution family member with the maximum likelihood of producing the data as a random sample.

The Statistics Toolbox function `mle` is a convenient front end to the individual distribution fitting functions, and more. The function computes MLEs for distributions beyond those for which Statistics Toolbox software provides specific pdf functions.

For some pdfs, MLEs can be given in closed form and computed directly. For other pdfs, a search for the maximum likelihood must be employed. The search can be controlled with an `options` input argument, created using the `statset` function. For efficient searches, it is important to choose a reasonable distribution model and set appropriate convergence tolerances.

MLEs can be heavily biased, especially for small samples. As sample size increases, however, MLEs become unbiased minimum variance estimators with approximate normal distributions. This is used to compute confidence bounds for the estimates.

For example, consider the following distribution of means from repeated random samples of an exponential distribution:

```
mu = 1; % Population parameter
n = 1e3; % Sample size
ns = 1e4; % Number of samples
```



```

samples = exprnd(mu,n,ns); % Population samples
means = mean(samples); % Sample means

```

The Central Limit Theorem says that the means will be approximately normally distributed, regardless of the distribution of the data in the samples. The `normfit` function can be used to find the normal distribution that best fits the means:

```

[muhat,sigmahat,muci,sigmaci] = normfit(means)
muhat =
    1.0003
sigmahat =
    0.0319
muci =
    0.9997
    1.0010
sigmaci =
    0.0314
    0.0323

```


The function returns MLEs for the mean and standard deviation and their 95% confidence intervals.

To visualize the distribution of sample means together with the fitted normal distribution, you must scale the fitted pdf, with area = 1, to the area of the histogram being used to display the means:

```

numbins = 50;
hist(means,numbins)
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
hold on
[bincounts,binpositions] = hist(means,numbins);
binwidth = binpositions(2) - binpositions(1);
histarea = binwidth*sum(bincounts);
x = binpositions(1):0.001:binpositions(end);
y = normpdf(x,muhat,sigmahat);
plot(x,histarea*y,'r','LineWidth',2)

```



Fitting Piecewise Distributions

The parametric methods discussed in “Fitting Supported Distributions” on page 5-28 fit data samples with smooth distributions that have a relatively low-dimensional set of parameters controlling their shape. These methods work well in many cases, but there is no guarantee that a given sample will be described accurately by any of the supported Statistics Toolbox distributions.

The empirical distributions computed by `ecdf` and discussed in “Nonparametric Estimation” on page 5-21 assign equal probability to each observation in a sample, providing an exact match of the sample distribution. However, the distributions are not smooth, especially in the tails where data may be sparse.

The `paretotails` function fits a distribution by piecing together the empirical distribution in the center of the sample with smooth generalized Pareto distributions (GPDs) in the tails. The output is an object of the “@paretotails”


on page 17-28 class, with associated methods to evaluate the cdf, inverse cdf, and other functions of the fitted distribution.

As an example, consider the following data, with about 20% outliers:

```
left_tail = -exprnd(1,10,1);
right_tail = exprnd(5,10,1);
center = randn(80,1);
data = [left_tail;center;right_tail];
```


Neither a normal distribution nor a t distribution fits the tails very well:

```
probplot(data);
p = mle(data,'dist','tlo');
t = @(data,mu,sig,df)cdf('tlocationscale',data,mu,sig,df);
h = probplot(gca,t,p);
set(h,'color','r','linestyle','-');
title('\bf Probability Plot')
legend('Data','Normal','t','Location','NW')
```



On the other hand, the empirical distribution provides a perfect fit, but the outliers make the tails very discrete:

`ecdf(data)`



Random samples generated from this distribution by inversion might include, for example, values around 4.33 and 9.25, but nothing in-between.

The `paretotails` function provides a single, well-fit model for the entire sample. The following uses generalized Pareto distributions (GPDs) for the lower and upper 10% of the data:


```
pfit = paretotails(data,0.1,0.9)
pfit =
Piecewise distribution with 3 segments
  -Inf < x < -1.30726 (0 < p < 0.1)
      lower tail, GPD(-1.10167,1.12395)

  -1.30726 < x < 1.27213 (0.1 < p < 0.9)
      interpolated empirical cdf

  1.27213 < x < Inf (0.9 < p < 1)
```

upper tail, GPD(1.03844,0.726038)

```
x = -4:0.01:10;  
plot(x,cdf(pfit,x))
```



Access information about the fit using the methods of the “@paretotails” on page 17-28 class. Options allow for nonparametric estimation of the center of the cdf.

Negative Log-Likelihood Functions

Negative log-likelihood functions for supported Statistics Toolbox distributions all end with `like`, as in `explike`. Specific function names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each function represents a parametric family of distributions. Input arguments are lists of parameter values specifying a particular member of the distribution family followed by an array of data. Functions return the negative log-likelihood of the parameters, given the data.

Negative log-likelihood functions are used as objective functions in search algorithms such as the one implemented by the MATLAB® function `fminsearch`. Additional search algorithms are implemented by Optimization Toolbox™ functions and Genetic Algorithm and Direct Search Toolbox™ functions.

When used to compute maximum likelihood estimates (MLEs), negative log-likelihood functions allow you to choose a search algorithm and exercise low-level control over algorithm execution. By contrast, the functions discussed in “Distribution Fitting Functions” on page 5-28 use preset algorithms with options limited to those set by the `statset` function.

Likelihoods are conditional probability densities. A parametric family of distributions is specified by its pdf $f(x,a)$, where x and a represent the variables and parameters, respectively. When a is fixed, the pdf is used to compute the density at x , $f(x|a)$. When x is fixed, the pdf is used to compute the *likelihood* of the parameters a , $f(a|x)$. The joint likelihood of the parameters over an independent random sample X is

$$L(a) = \prod_{x \in X} f(a|x)$$

Given X , MLEs maximize $L(a)$ over all possible a .

In numerical algorithms, the log-likelihood function, $\log(L(a))$, is (equivalently) optimized. The logarithm transforms the product of potentially small likelihoods into a sum of logs, which is easier to distinguish from 0 in computation. For convenience, Statistics Toolbox negative log-likelihood


functions return the *negative* of this sum, since the optimization algorithms to which the values are passed typically search for minima rather than maxima.

For example, use `gamrnd` to generate a random sample from a specific gamma distribution:

```
a = [1,2];  
X = gamrnd(a(1),a(2),1e3,1);
```

Given `X`, the `gamlike` function can be used to visualize the likelihood surface in the neighborhood of `a`:

```
mesh = 50;  
delta = 0.5;  
a1 = linspace(a(1)-delta,a(1)+delta,mesh);  
a2 = linspace(a(2)-delta,a(2)+delta,mesh);  
logL = zeros(mesh); % Preallocate memory  
for i = 1:mesh  
    for j = 1:mesh  
        logL(i,j) = gamlike([a1(i),a2(j)],X);  
    end  
end  
  
[A1,A2] = meshgrid(a1,a2);  
surf(A1,A2,logL)
```

The MATLAB function `fminsearch` is used to search for the minimum of the likelihood surface:


```
LL = @(u)gamlike([u(1),u(2)],X); % Likelihood given X
MLES = fminsearch(LL,[1,2])
MLES =
    1.0231    1.9729
```

These can be compared to the MLEs returned by the `gamfit` function, which uses a combination search and solve algorithm:

```
ahat = gamfit(X)
ahat =
    1.0231    1.9728
```

The MLEs can be added to the surface plot (rotated to show the minimum):

```
hold on
plot3(MLES(1),MLES(2),LL(MLES),...
      'ro','MarkerSize',5,...
      'MarkerFaceColor','r')
```



Random Number Generators

Random number generators (RNGs) for supported Statistics Toolbox distributions all end with `rnd`, as in `binornd` or `exprnd`. Specific RNG names for specific distributions can be found in “Supported Distributions” on page 5-3.

Each RNG represents a parametric family of distributions. Input arguments are lists of parameter values specifying a particular member of the distribution family followed by the dimensions of an array. RNGs return random numbers from the specified distribution in an array of the specified dimensions.

RNGs in Statistics Toolbox software depend on the MATLAB base generators `rand` and/or `randn`, using the techniques discussed in “Common Generation Methods” on page 5-133 to generate random numbers from particular distributions. Dependencies of specific RNGs are listed in the table below.

MATLAB resets the state of the base RNGs each time it is started. Thus, by default, dependent RNGs in Statistics Toolbox software will generate the same sequence of values with each MATLAB session. To change this behavior, the state of the base RNGs must be set explicitly in `startup.m` or in the relevant program code. States can be set to fixed values, for reproducibility, or to time-dependent values, to assure new random sequences. For details on setting the state and the method used by the base RNGs, see `rand` and `randn`.

For example, to simulate flips of a biased coin:

```
p = 0.55; % Probability of heads
n = 100; % Number of flips per trial
N = 1e3; % Number of trials
rand('state',sum(100*clock)) % Set base generator
sims = unifrnd(0,1,n,N) < p; % 1 for heads; 0 for tails
```

The empirical probability of heads for each trial is given by:


```
phat = sum(sims)/n;
```

The probability of heads for each trial can also be simulated by:

```
prand = binornd(n,p,1,N)/n;
```

You can compare the two simulations with a histogram:

```
hist([phat' prand'])  
h = get(gca,'Children');  
set(h(1),'FaceColor',[.8 .8 1])  
legend('UNIFRND','BINORND')
```



Dependencies of the Random Number Generators

The following table lists the dependencies of Statistics Toolbox RNGs on the MATLAB base RNGs `rand` and/or `randn`. Set the states and methods of the RNGs in the right-hand column to assure reproducibility/variability of the outputs of the RNGs in the left-hand column.

RNG	MATLAB Base RNG
<code>betarnd</code>	<code>rand, randn</code>
<code>binornd</code>	<code>rand</code>
<code>chi2rnd</code>	<code>rand, randn</code>
<code>evrnd</code>	<code>rand</code>
<code>exprnd</code>	<code>rand</code>
<code>frnd</code>	<code>rand, randn</code>
<code>gamrnd</code>	<code>rand, randn</code>
<code>geornd</code>	<code>rand</code>
<code>gevrnd</code>	<code>rand</code>
<code>gprnd</code>	<code>rand</code>
<code>hygernd</code>	<code>rand</code>
<code>iwishrnd</code>	<code>rand, randn</code>
<code>johnsrnd</code>	<code>randn</code>
<code>lhsdesign</code>	<code>rand</code>
<code>lhsnorm</code>	<code>rand</code>
<code>lognrnd</code>	<code>randn</code>
<code>mhsample</code>	<code>rand</code> or <code>randn</code> , depending on the RNG given for the proposal distribution
<code>mvnrnd</code>	<code>randn</code>
<code>mvtrnd</code>	<code>rand, randn</code>
<code>nbinrnd</code>	<code>rand, randn</code>
<code>ncfrnd</code>	<code>rand, randn</code>

RNG	MATLAB Base RNG
nctrnd	rand, randn
ncx2rnd	randn
normrnd	randn
pearsrnd	rand or randn, depending on the distribution type
poissrnd	rand, randn
random	rand or randn, depending on the specified distribution
randsample	rand
raylrnd	randn
slicesample	rand
trnd	rand, randn
unidrnd	rand
unifrnd	rand
wblrnd	rand
wishrnd	rand, randn

Distribution GUIs

In this section...
“Introduction” on page 5-43
“Distribution Function Tool” on page 5-43
“Distribution Fitting Tool” on page 5-45
“Random Number Generation Tool” on page 5-82


Introduction

This section describes Statistics Toolbox™ GUIs that provide convenient, interactive access to the distribution functions described in “Distribution Functions” on page 5-9.

Distribution Function Tool

To interactively see the influence of parameter changes on the shapes of the pdfs and cdfs of supported Statistics Toolbox distributions, use the Probability Distribution Function Tool.

Run the tool by typing `disttool` at the command line. You can also run it from the Demos tab in the Help browser.



Start by selecting a distribution. Then choose the function type: probability density function (pdf) or cumulative distribution function (cdf).

Once the plot displays, you can

- Calculate a new function value by typing a new x value in the text box on the x -axis, dragging the vertical reference line, or clicking in the figure where you want the line to be. The new function value displays in the text box to the left of the plot.
- For cdf plots, find critical values corresponding to a specific probability by typing the desired probability in the text box on the y -axis or by dragging the horizontal reference line.
- Use the controls at the bottom of the window to set parameter values for the distribution and to change their upper and lower bounds.

Distribution Fitting Tool

The Distribution Fitting Tool is a GUI for fitting univariate distributions to data. This section describes how to use the Distribution Fitting Tool and covers the following topics:


- “Main Window of the Distribution Fitting Tool” on page 5-46
- “Example: Fitting a Distribution” on page 5-48
- “Creating and Managing Data Sets” on page 5-55
- “Creating a New Fit” on page 5-60
- “Displaying Results” on page 5-65
- “Managing Fits” on page 5-67
- “Evaluating Fits” on page 5-69
- “Excluding Data” on page 5-72
- “Saving and Loading Sessions” on page 5-78
- “Generating an M-File to Fit and Plot Distributions” on page 5-79
- “Using Custom Distributions” on page 5-81
- “Additional Distributions Available in the Distribution Fitting Tool” on page 5-82

Main Window of the Distribution Fitting Tool




To open the Distribution Fitting Tool, enter the command

```
dfittool
```

The following figure shows the main window of the Distribution Fitting Tool.



Plot Buttons. Buttons at the top of the tool allow you to adjust the plot displayed in the main window:

-  — Toggle the legend on (default) or off.
-  — Toggle grid lines on or off (default).
-  — Restore default axes limits.

Display Type. The **Display Type** field specifies the type of plot displayed in the main window. Each type corresponds to a probability function, for example, a probability density function. The following display types are available:

- Density (PDF) — Displays a probability density function (PDF) plot for the fitted distribution.
- Cumulative probability (CDF) — Displays a cumulative probability plot of the data.
- Quantile (inverse CDF) — Displays a quantile (inverse CDF) plot.
- Probability plot — Displays a probability plot.
- Survivor function — Displays a survivor function plot of the data.
- Cumulative hazard — Displays a cumulative hazard plot of the data.

Task Buttons. The task buttons enable you to perform the tasks necessary to fit distributions to data. Each button opens a new window in which you perform the task. The buttons include

- **Data** — Import and manage data sets. See “Creating and Managing Data Sets” on page 5-55.
- **New Fit** — Create new fits. See “Creating a New Fit” on page 5-60.
- **Manage Fits** — Manage existing fits. See “Managing Fits” on page 5-67.
- **Evaluate** — Evaluate fits at any points you choose. See “Evaluating Fits” on page 5-69.
- **Exclude** — Create rules specifying which values to exclude when fitting a distribution. See “Excluding Data” on page 5-72.

Display Pane. The display pane displays plots of the data sets and fits you create. Whenever you make changes in one of the task windows, the results are updated in the display pane.

Menu Options. The Distribution Fitting Tool menus contain items that enable you to do the following:

- Save and load sessions. See “Saving and Loading Sessions” on page 5-78.
- Generate an M-file with which you can fit distributions to data and plot the results independently of the Distribution Fitting Tool. See “Generating an M-File to Fit and Plot Distributions” on page 5-79.
- Define and import custom distributions. See “Using Custom Distributions” on page 5-81.

Example: Fitting a Distribution


This section presents an example that illustrates how to use the Distribution Fitting Tool. The example involves the following steps:

- “Create Random Data for the Example” on page 5-48
- “Import Data into the Distribution Fitting Tool” on page 5-48
- “Create a New Fit” on page 5-51


Create Random Data for the Example. To try the example, first generate some random data to which you will fit a distribution. The following command generates a vector data, of length 100, whose entries are random numbers from a normal distribution with mean .36 and standard deviation 1.4.

```
data = normrnd(.36, 1.4, 100, 1);
```

Import Data into the Distribution Fitting Tool. To import the vector data into the Distribution Fitting Tool, click the **Data** button in main window. This opens the window shown in the following figure.




The **Data** field displays all numeric arrays in the MATLAB® workspace. Select data from the drop-down list, as shown in the following figure.




This displays a histogram of the data in the **Data preview** pane.

In the **Data set name** field, type a name for the data set, such as My data, and click **Create Data Set** to create the data set. The main window of the Distribution Fitting Tool now displays a larger version of the histogram in the **Data preview** pane, as shown in the following figure.



Note Because the example uses random data, you might see a slightly different histogram if you try this example for yourself.

Create a New Fit. To fit a distribution to the data, click **New Fit** in the main window of the Distribution Fitting Tool. This opens the window shown in the following figure.




To fit a normal distribution, the default entry of the **Distribution** field, to My data:


- 1 Enter a name for the fit, such as My fit, in the **Fit name** field.
- 2 Select My data from the drop-down list in the **Data** field.

3 Click **Apply**.

The **Results** pane displays the mean and standard deviation of the normal distribution that best fits My data, as shown in the following figure.




The main window of the Distribution Fitting Tool displays a plot of the normal distribution with this mean and standard deviation, as shown in the following figure.



Creating and Managing Data Sets

This section describes how create and manage data sets.

To begin, click the **Data** button in the main window of the Distribution Fitting Tool to open the Data window shown in the following figure.



Importing Data. The **Import workspace vectors** pane enables you to create a data set by importing a vector from the MATLAB workspace. The following sections describe the fields of the **Import workspace vectors** pane and give appropriate values for vectors imported from the MATLAB workspace.

Data

The drop-down list in the **Data** field contains the names of all matrices and vectors, other than 1-by-1 matrices (scalars) in the MATLAB workspace. Select the array containing the data you want to fit. The actual data you import must be a vector. If you select a matrix in the **Data** field, the first column of the matrix is imported by default. To select a different column or row of the matrix, click **Select Column or Row**. This displays the matrix in the Variable Editor, where you can select a row or column by highlighting it with the mouse.

Alternatively, you can enter any valid MATLAB expression in the **Data** field.

When you select a vector in the **Data** field, a histogram of the data is displayed in the **Data preview** pane.

Censoring

If some of the points in the data set are censored, enter a Boolean vector, of the same size as the data vector, specifying the censored entries of the data. A 1 in the censoring vector specifies that the corresponding entry of the data vector is censored, while a 0 specifies that the entry is not censored. If you enter a matrix, you can select a column or row by clicking **Select Column or Row**. If you do not want to censor any data, leave the **Censoring** field blank.

Frequency

Enter a vector of positive integers of the same size as the data vector to specify the frequency of the corresponding entries of the data vector. For example, a value of 7 in the 15th entry of frequency vector specifies that there are 7 data points corresponding to the value in the 15th entry of the data vector. If all entries of the data vector have frequency 1, leave the **Frequency** field blank.

Data name

Enter a name for the data set you import from the workspace, such as My data.

As an example, if you create the vector data described in “Example: Fitting a Distribution” on page 5-48, and select it in the **Data** field, the upper half of the Data window appears as in the following figure.

Import workspace vectors:

Data:

Censoring:

Frequency:

Data set name:

After you have entered the information in the preceding fields, click **Create Data Set** to create the data set My data.

Managing Data Sets. The **Manage data sets** pane enables you to view and manage the data sets you create. When you create a data set, its name appears in the **Data sets** list. The following figure shows the **Manage data sets** pane after creating the data set My data.

Plot	Bounds	Data
<input checked="" type="checkbox"/>	<input type="checkbox"/>	My data

For each data set in the **Data sets** list, you can


- Select the **Plot** check box to display a plot of the data in the main Distribution Fitting Tool window. When you create a new data set, **Plot** is selected by default. Clearing the **Plot** check box removes the data from the plot in the main window. You can specify the type of plot displayed in the **Display Type** field in the main window.
- If **Plot** is selected, you can also select **Bounds** to display confidence interval bounds for the plot in the main window. These bounds are pointwise confidence bounds around the empirical estimates of these functions. The bounds are only displayed when you set **Display Type** in the main window to one of the following:
 - Cumulative probability (CDF)
 - Survivor function
 - Cumulative hazard

The Distribution Fitting Tool cannot display confidence bounds on density (PDF), quantile (inverse CDF), or probability plots. Clearing the **Bounds** check box removes the confidence bounds from the plot in the main window.

When you select a data set from the list, the following buttons are enabled:

- **View** — Displays the data in a table in a new window.
- **Set Bin Rules** — Defines the histogram bins used in a density (PDF) plot.
- **Rename** — Renames the data set.
- **Delete** — Deletes the data set.

Setting Bin Rules. To set bin rules for the histogram of a data set, click **Set Bin Rules**. This opens the dialog box shown in the following figure.



You can select from the following rules:

- **Freedman-Diaconis** rule — Algorithm that chooses bin widths and locations automatically, based on the sample size and the spread of the data. This rule, which is the default, is suitable for many kinds of data.
- **Scott rule** — Algorithm intended for data that are approximately normal. The algorithm chooses bin widths and locations automatically.
- **Number of bins** — Enter the number of bins. All bins have equal widths.
- **Bins centered on integers** — Specifies bins centered on integers.
- **Bin width** — Enter the width of each bin. If you select this option, you can make the following choices:
 - **Automatic bin placement** — Places the edges of the bins at integer multiples of the **Bin width**.

- **Bin boundary at** — Enter a scalar to specify the boundaries of the bins. The boundary of each bin is equal to this scalar plus an integer multiple of the **Bin width**.

The Set Bin Width Rules dialog box also provides the following options:

- **Apply to all existing data sets** — When selected, the rule is applied to all data sets. Otherwise, the rule is only applied to the data set currently selected in the Data window.
- **Save as default** — When selected, the current rule is applied to any new data sets that you create. You can also set default bin width rules by selecting Set Default Bin Rules from the **Tools** menu in the main window.

Creating a New Fit

This section describes how to create a new fit. To begin, click the **New Fit** button at the top of the main window to open a New Fit window. If you created the data set `My data`, as described in “Example: Fitting a Distribution” on page 5-48, `My data` appears in the **Data** field, as shown in the following figure.

New Fit

Fit Name: fit 1

Data: My data

Distribution: Normal

Exclusion rule: (none)

Normal

Distribution parameters:

- mu (location)
- sigma (scale)

Apply

Results:

Manage Fits Close Help

Fit Name. Enter a name for the fit in the **Fit Name** field.

Data. The **Data** field contains a drop-down list of the data sets you have created. Select the data set to which you want to fit a distribution.

Distribution. Select the type of distribution you want to fit from the **Distribution** drop-down list. See “Available Distributions” on page 5-63 for a list of distributions supported by the Distribution Fitting Tool.

Note Only the distributions that apply to the values of the selected data set are displayed in the **Distribution** field. For example, positive distributions are not displayed when the data include values that are zero or negative.

You can specify either a parametric or a nonparametric distribution. When you select a parametric distribution from the drop-down list, a description of its parameters is displayed in the pane below the **Exclusion rule** field. The Distribution Fitting Tool estimates these parameters to fit the distribution to the data set. When you select **Nonparametric fit**, options for the fit appear in the pane, as described in “Options for Nonparametric Fits” on page 5-64.

Exclusion Rule. You can specify a rule to exclude some the data in the **Exclusion rule** field. You can create an exclusion rule by clicking **Exclude** in the main window of the Distribution Fitting Tool. For more information, see “Excluding Data” on page 5-72.

Apply the New Fit. Click **Apply** to fit the distribution. For a parametric fit, the **Results** pane displays the values of the estimated parameters. For a nonparametric fit, the **Results** pane displays information about the fit.

When you click **Apply**, the main window of Distribution Fitting Tool displays a plot of the distribution, along with the corresponding data.

Note When you click **Apply**, the title of the window changes to **Edit Fit**. You can now make changes to the fit you just created and click **Apply** again to save them. After closing the **Edit Fit** window, you can reopen it from the **Fit Manager** window at any time to edit the fit.

Available Distributions. This section lists the distributions available in the Distribution Fitting Tool.

Most, but not all, of the distributions available in the Distribution Fitting Tool are supported elsewhere in Statistics Toolbox software (see “Supported Distributions” on page 5-3), and have dedicated distribution fitting functions. These functions are used to compute the majority of the fits in the Distribution Fitting Tool, and are referenced in the list below.


Other fits are computed using functions internal to the Distribution Fitting Tool. Distributions that do not have corresponding Statistics Toolbox fitting functions are described in “Additional Distributions Available in the Distribution Fitting Tool” on page 5-82.

Not all of the distributions listed below are available for all data sets. The Distribution Fitting Tool determines the extent of the data (nonnegative, unit interval, etc.) and displays appropriate distributions in the **Distribution** drop-down list. Distribution data ranges are given parenthetically in the list below.

- Beta (unit interval values) distribution, fit using the function `betafit`.
- Binomial (nonnegative values) distribution, fit using the function `binopdf`.
- Birnbaum-Saunders (positive values) distribution.
- Exponential (nonnegative values) distribution, fit using the function `expfit`.
- Extreme value (all values) distribution, fit using the function `evfit`.
- Gamma (positive values) distribution, fit using the function `gamfit`.
- Generalized extreme value (all values) distribution, fit using the function `gevfit`.
- Generalized Pareto (all values) distribution, fit using the function `gpdfit`.
- Inverse Gaussian (positive values) distribution.
- Logistic (all values) distribution.
- Loglogistic (positive values) distribution.
- Lognormal (positive values) distribution, fit using the function `lognfit`.

- Nakagami (positive values) distribution.
- Negative binomial (nonnegative values) distribution, fit using the function `nbinpdf`.
- Nonparametric (all values) distribution, fit using the function `ksdensity`. See “Options for Nonparametric Fits” on page 5-64 for a description of available options.
- Normal (all values) distribution, fit using the function `normfit`.
- Poisson (nonnegative integer values) distribution, fit using the function `poisspdf`.
- Rayleigh (positive values) distribution using the function `raylfit`.
- Rician (positive values) distribution.
- t location-scale (all values) distribution.
- Weibull (positive values) distribution using the function `wblfit`.

Options for Nonparametric Fits. When you select Non-parametric in the **Distribution** field, a set of options appears in the pane below **Exclusion rule**, as shown in the following figure.



The options for nonparametric distributions are

- **Kernel** — Type of kernel function to use. The options are
 - Normal

- Box
- Triangle
- Epanechnikov
- **Bandwidth** — The bandwidth of the kernel smoothing window. Select **auto** for a default value that is optimal for estimating normal densities. This value is displayed in the **Fit results** pane after you click **Apply**. Select **specify** and enter a smaller value to reveal features such as multiple modes or a larger value to make the fit smoother.
- **Domain** — The allowed x -values for the density. The options are
 - **unbounded** — The density extends over the whole real line.
 - **positive** — The density is restricted to positive values.
 - **specify** — Enter lower and upper bounds for the domain of the density.

When you select **positive** or **specify**, the nonparametric fit has zero probability outside the specified domain.

Displaying Results

This section explains the different ways to display results in the main window of the Distribution Fitting Tool. The main window displays plots of

- The data sets for which you select **Plot** in the Data window.
- The fits for which you select **Plot** in the Fit Manager window.
- Confidence bounds for
 - Data sets for which you select **Bounds** in the Data window.
 - Fits for which you select **Bounds** in the Fit Manager.

Display Type. The **Display Type** field in the main window specifies the type of plot displayed. Each type corresponds to a probability function, for example, a probability density function. The following display types are available:

- **Density (PDF)** — Displays a probability density function (PDF) plot for the fitted distribution. The main window displays data sets using a probability histogram, in which the height of each rectangle is the fraction

of data points that lie in the bin divided by the width of the bin. This makes the sum of the areas of the rectangles equal to 1.

- **Cumulative probability (CDF)** — Displays a cumulative probability plot of the data. The main window displays data sets using a cumulative probability step function. The height of each step is the cumulative sum of the heights of the rectangles in the probability histogram.
- **Quantile (inverse CDF)** — Displays a quantile (inverse CDF) plot.
- **Probability plot** — Displays a probability plot of the data. You can specify the type of distribution used to construct the probability plot in the **Distribution** field, which is only available when you select Probability plot. The choices for the distribution are
 - Exponential
 - Extreme value
 - Logistic
 - Log-Logistic
 - Lognormal
 - Normal
 - Rayleigh
 - Weibull

In addition to these choices, you can create a probability plot against a parametric fit that you create in the New Fit panel. These fits are added at the bottom of the Distribution drop-down list when you create them.

- **Survivor function** — Displays a survivor function plot of the data.
- **Cumulative hazard** — Displays a cumulative hazard plot of the data.

Note Some of these distributions are not available if the plotted data includes 0 or negative values.


Confidence Bounds. You can display confidence bounds for data sets and fits, provided that you set **Display Type** to Cumulative probability (CDF), Survivor function, Cumulative hazard, or Quantile for fits only.

- To display bounds for a data set, select **Bounds** next to the data set in the **Data sets** pane of the Data window.
- To display bounds for a fit, select **Bounds** next to the fit in the **Fit Manager** window. Confidence bounds are not available for all fit types.

To set the confidence level for the bounds, select **Confidence Level** from the **View** menu in the main window and choose from the options.

Managing Fits

This section describes how to manage fits that you have created. To begin, click the **Manage Fits** button in the main window of the Distribution Fitting Tool. This opens the Fit Manager window as shown in the following figure.



The **Table of fits** displays a list of the fits you create.

Plot. Select **Plot** to display a plot of the fit in the main window of the Distribution Fitting Tool. When you create a new fit, **Plot** is selected by default. Clearing the **Plot** check box removes the fit from the plot in the main window.

Bounds. If **Plot** is selected, you can also select **Bounds** to display confidence bounds in the plot. The bounds are displayed when you set **Display Type** in the main window to one of the following:

- Cumulative probability (CDF)
- Quantile (inverse CDF)
- Survivor function
- Cumulative hazard

The Distribution Fitting Tool cannot display confidence bounds on density (PDF) or probability plots. In addition, bounds are not supported for nonparametric fits and some parametric fits.

Clearing the **Bounds** check box removes the confidence intervals from the plot in the main window.

When you select a fit in the **Table of fits**, the following buttons are enabled below the table:


- **New Fit** — Opens a New Fit window.
- **Copy** — Creates a copy of the selected fit.
- **Edit** — Opens an Edit Fit window, where you can edit the fit.

Note You can only edit the currently selected fit in the Edit Fit window. To edit a different fit, select it in the **Table of fits** and click **Edit** to open another Edit Fit window.

- **Delete** — Deletes the selected fit.

Evaluating Fits

The Evaluate window enables you to evaluate any fit at whatever points you choose. To open the window, click the **Evaluate** button in the main window of the Distribution Fitting Tool. The following figure shows the Evaluate window.




The Evaluate window contains the following items:

- **Fit** pane — Displays the names of existing fits. Select one or more fits that you want to evaluate. Using your platform specific functionality, you can select multiple fits.
- **Function** — Select the type of probability function you want to evaluate for the fit. The available functions are
 - Density (PDF) — Computes a probability density function.
 - Cumulative probability (CDF) — Computes a cumulative probability function.
 - Quantile (inverse CDF) — Computes a quantile (inverse CDF) function.
 - Survivor function — Computes a survivor function.
 - Cumulative hazard — Computes a cumulative hazard function.
 - Hazard rate — Computes the hazard rate.
- **At $x =$** — Enter a vector of points at which you want to evaluate the distribution function. If you change **Function** to Quantile (inverse CDF), the field name changes to **At $p =$** and you enter a vector of probability values.
- **Compute confidence bounds** — Select this box to compute confidence bounds for the selected fits. The check box is only enabled if you set **Function** to one of the following:
 - Cumulative probability (CDF)
 - Quantile (inverse CDF)
 - Survivor function
 - Cumulative hazard

The Distribution Fitting Tool cannot compute confidence bounds for nonparametric fits and for some parametric fits. In these cases, the tool returns NaN for the bounds.
- **Level** — Set the level for the confidence bounds.
- **Plot function** — Select this box to display a plot of the distribution function, evaluated at the points you enter in the **At $x =$** field, in a new window.

Note The settings for **Compute confidence bounds**, **Level**, and **Plot function** do not affect the plots that are displayed in the main window of the Distribution Fitting Tool. The settings only apply to plots you create by clicking **Plot function** in the Evaluate window.

Click **Apply** to apply these settings to the selected fit. The following figure shows the results of evaluating the cumulative density function for the fit **My fit**, created in “Example: Fitting a Distribution” on page 5-48, at the points in the vector `-3:0.5:3`.




The window displays the following values in the columns of the table to the right of the **Fit** pane:

- X — The entries of the vector you enter in **At $x =$** field
- Y — The corresponding values of the CDF at the entries of X
- LB — The lower bounds for the confidence interval, if you select **Compute confidence bounds**
- UB — The upper bounds for the confidence interval, if you select **Compute confidence bounds**

To save the data displayed in the Evaluate window, click **Export to Workspace**. This saves the values in the table to a matrix in the MATLAB workspace.

Excluding Data

To exclude values from fit, click the **Exclude** button in the main window of the Distribution Fitting Tool. This opens the Exclude window, in which you can create rules for excluding specified values. You can use these rules to exclude data when you create a new fit in the New Fit window. The following figure shows the Exclude window.




The following sections describe how to create an exclusion rule.

Exclusion Rule Name. Enter a name for the exclusion rule in the **Exclusion rule name** field.


Exclude Sections. In the **Exclude sections** pane, you can specify bounds for the excluded data:

- In the **Lower limit: exclude Y** drop-down list, select \leq or $<$ from the drop-down list and enter a scalar in the field to the right. This excludes values that are either less than or equal to or less than that scalar, respectively.
- In the **Upper limit: exclude Y** drop-down list, select \geq or $>$ from the drop-down list and enter a scalar in the field to the right to exclude values that are either greater than or equal to or greater than the scalar, respectively.


Exclude Graphically. The **Exclude Graphically** button enables you to define the exclusion rule by displaying a plot of the values in a data set and selecting the bounds for the excluded data with the mouse. For example, if you created the data set My data, described in “Creating and Managing Data Sets” on page 5-55, select it from the drop-down list next to **Exclude graphically** and then click the **Exclude graphically** button. This displays the values in My data in a new window as shown in the following figure.



To set a lower limit for the boundary of the excluded region, click **Add Lower Limit**. This displays a vertical line on the left side of the plot window. Move the line with the mouse to the point you where you want the lower limit, as shown in the following figure.



Moving the vertical line changes the value displayed in the **Lower limit: exclude data** field in the Exclude window, as shown in the following figure.



Exclude sections

Lower limit: exclude data \leq -2.4589

Upper limit: exclude data \geq


The value displayed corresponds to the x -coordinate of the vertical line.

Similarly, you can set the upper limit for the boundary of the excluded region by clicking **Add Upper Limit** and moving the vertical line that appears at the right side of the plot window. After setting the lower and upper limits, click **Close** and return to the Exclude window.

Create Exclusion Rule. Once you have set the lower and upper limits for the boundary of the excluded data, click **Create Exclusion Rule** to create the new rule. The name of the new rule now appears in the **Existing exclusion rules** pane.

When you select an exclusion rule in the **Existing exclusion rules** pane, the following buttons are enabled:

- **Copy** — Creates a copy of the rule, which you can then modify. To save the modified rule under a different name, click **Create Exclusion Rule**.
- **View** — Opens a new window in which you can see which data points are excluded by the rule. The following figure shows a typical example.



The shaded areas in the plot graphically display which data points are excluded. The table to the right lists all data points. The shaded rows indicate excluded points:

- **Rename** — Renames the rule
- **Delete** — Deletes the rule

Once you define an exclusion rule, you can use it when you fit a distribution to your data. The rule does not exclude points from the display of the data set.

Saving and Loading Sessions

This section explains how to save your work in the current Distribution Fitting Tool session and then load it in a subsequent session, so that you can continue working where you left off.

Saving a Session. To save the current session, select **Save Session** from the **File** menu in the main window. This opens a dialog box that prompts you to enter a filename, such as `my_session.dfit`, for the session. Clicking **Save** saves the following items created in the current session:

- Data sets
- Fits
- Exclusion rules
- Plot settings
- Bin width rules

Loading a Session. To load a previously saved session, select **Load Session** from the **File** menu in the main window and enter the name of a previously saved session. Clicking **Open** restores the information from the saved session to the current session of the Distribution Fitting Tool.

Generating an M-File to Fit and Plot Distributions

The Generate M-file option in the **File** menu enables you to create an M-file that

- Fits the distributions used in the current session to any data vector in the MATLAB workspace.
- Plots the data and the fits.

After you end the current session, you can use the M-file to create plots in a standard MATLAB figure window, without having to reopen the Distribution Fitting Tool.


As an example, assuming you created the fit described in “Creating a New Fit” on page 5-60, do the following steps:

- 1** Select Generate M-file from the **File** menu.
- 2** Save the M-file as `normal_fit.m` in a directory on the MATLAB path.

You can then apply the function `normal_fit` to any vector of data in the MATLAB workspace. For example, the following commands

```
new_data = normrnd(4.1, 12.5, 100, 1);  
normal_fit(new_data)  
legend('New Data', 'My fit')
```

fit a normal distribution to a data set and generate a plot of the data and the fit.



Note By default, the M-file labels the data in the legend using the same name as the data set in the Distribution Fitting Tool. You can change the label using the legend command, as illustrated by the preceding example.

Using Custom Distributions

This section explains how to use custom distributions with the Distribution Fitting Tool.

Defining Custom Distributions. To define a custom distribution, select **Define Custom Distribution** from the **File** menu. This opens an M-file template in the MATLAB editor. You then edit this M-file so that it computes the distribution you want.

The template includes example code that computes the Laplace distribution, beginning at the lines

```
%           -  
%   Remove the following return statement to define the  
%   Laplace distributon  
%           -  
return
```

To use this example, simply delete the command `return` and save the M-file. If you save the template in a directory on the MATLAB path, under its default name `dfittool_dists.m`, the Distribution Fitting Tool reads it in automatically when you start the tool. You can also save the template under a different name, such as `laplace.m`, and then import the custom distribution as described in the following section.

Importing Custom Distributions. To import a custom distribution, select **Import Custom Distributions** from the **File** menu. This opens a dialog box in which you can select the M-file that defines the distribution. For example, if you created the file `laplace.m`, as described in the preceding section, you can enter `laplace.m` and select **Open** in the dialog box. The **Distribution** field of the New Fit window now contains the option `Laplace`.

Additional Distributions Available in the Distribution Fitting Tool

The following distributions are available in the Distribution Fitting Tool, but do not have dedicated distribution functions as described in “Distribution Functions” on page 5-9. The distributions can be used with the functions `pdf`, `cdf`, `icdf`, and `mle` in a limited capacity. See the reference pages for these functions for details on the limitations.


- “Birnbaum-Saunders Distribution” on page 18-10
- “Inverse Gaussian Distribution” on page 18-42
- “Loglogistic Distribution” on page 18-46
- “Logistic Distribution” on page 18-45
- “Nakagami Distribution” on page 18-62
- “Rician Distribution” on page 18-84
- “t Location-Scale Distribution” on page 18-87

For a complete list of the distributions available for use with the Distribution Fitting Tool, see “Supported Distributions” on page 5-3. Distributions listing `dfittool` in the **fit** column of the tables in that section can be used with the Distribution Fitting Tool.

Random Number Generation Tool

The Random Number Generation Tool is a graphical user interface that generates random samples from specified probability distributions and displays the samples as histograms. Use the tool to explore the effects of changing parameters and sample size on the distributions.

Run the tool by typing `randtool` at the command line. You can also run it from the Demos tab in the Help browser.



Start by selecting a distribution, then enter the desired sample size.

You can also

- Use the controls at the bottom of the window to set parameter values for the distribution and to change their upper and lower bounds.
- Draw another sample from the same distribution, with the same size and parameters.
- Export the current sample to your workspace. A dialog box enables you to provide a name for the sample.

Pearson and Johnson Systems

In this section...
“Introduction” on page 5-85
“Pearson Systems” on page 5-86
“Johnson Systems” on page 5-88

Introduction

As described in the “Introduction” on page 5-2 to this chapter, choosing an appropriate parametric family of distributions to model your data can be based on *a priori* or *a posteriori* knowledge of the data-producing process, but the choice is often difficult. The *Pearson and Johnson systems* can make such a choice unnecessary. Each system is a flexible parametric family of distributions that includes a wide range of distribution shapes, and it is often possible to find a distribution within one of these two systems that provides a good match to your data.

Each member of the Pearson and Johnson systems is defined by the following four parameters:


- Mean — estimated by mean
- Standard deviation — estimated by std
- Skewness — estimated by skewness
- Kurtosis — estimated by kurtosis

These statistics can also be computed with the moment function. The Johnson system, while based on these four parameters, is more naturally described using quantiles, estimated by the quantiles function.

The Statistics Toolbox™ functions `pearsrnd` and `johnsrnd` take input arguments defining a distribution (parameters or quantiles, respectively) and return the type and the coefficients of the distribution in the corresponding system. Both functions also generate random numbers from the specified distribution.

As an example, load the data in `carbig.mat`, which includes a variable `MPG` containing measurements of the gas mileage for each car.

```
load carbig
MPG = MPG(~isnan(MPG));
[n,x] = hist(MPG,15);
bar(x,n)
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```



The following two sections model the distribution with members of the Pearson and Johnson systems, respectively.

Pearson Systems

The statistician Karl Pearson devised a system, or family, of distributions that includes a unique distribution corresponding to every valid combination of mean, standard deviation, skewness, and kurtosis. If you compute sample

values for each of these moments from data, it is easy to find the distribution in the Pearson system that matches these four moments and to generate a random sample.

The Pearson system embeds seven basic types of distribution together in a single parametric framework. It includes common distributions such as the normal and t distributions, simple transformations of standard distributions such as a shifted and scaled beta distribution and the inverse gamma distribution, and one distribution—the Type IV—that is not a simple transformation of any standard distribution.

For a given set of moments, there are distributions that are not in the system that also have those same first four moments, and the distribution in the Pearson system may not be a good match to your data, particularly if the data are multimodal. But the system does cover a wide range of distribution shapes, including both symmetric and skewed distributions.

To generate a sample from the Pearson distribution that closely matches the MPG data, simply compute the four sample moments and treat those as distribution parameters.

```
moments = {mean(MPG), std(MPG), skewness(MPG), kurtosis(MPG)};
[r, type] = pearsrnd(moments{:}, 10000, 1);
```


The optional second output from `pearsrnd` indicates which type of distribution within the Pearson system matches the combination of moments.

```
type
type =
    1
```

In this case, `pearsrnd` has determined that the data are best described with a Type I Pearson distribution, which is a shifted, scaled beta distribution.

Verify that the sample resembles the original data by overlaying the empirical cumulative distribution functions.

```
ecdf(MPG);
[Fi, xi] = ecdf(r);
hold on, stairs(xi, Fi, 'r'); hold off
```



Johnson Systems

Statistician Norman Johnson devised a different system of distributions that also includes a unique distribution for every valid combination of mean, standard deviation, skewness, and kurtosis. However, since it is more natural to describe distributions in the Johnson system using quantiles, working with this system is different than working with the Pearson system.

The Johnson system is based on three possible transformations of a normal random variable, plus the identity transformation. The three nontrivial cases are known as SL, SU, and SB, corresponding to exponential, logistic, and hyperbolic sine transformations. All three can be written as

$$X = \gamma + \delta \cdot \Gamma\left(\frac{Z-\xi}{\lambda}\right)$$

where Z is a standard normal random variable, Γ is the transformation, and γ , δ , ξ , and λ are scale and location parameters. The fourth case, SN, is the identity transformation.

To generate a sample from the Johnson distribution that matches the MPG data, first define the four quantiles to which the four evenly spaced standard normal quantiles of -1.5, -0.5, 0.5, and 1.5 should be transformed. That is, you compute the sample quantiles of the data for the cumulative probabilities of 0.067, 0.309, 0.691, and 0.933.

```
probs = normcdf([-1.5 -0.5 0.5 1.5])
probs =
    0.066807    0.30854    0.69146    0.93319

quantiles = quantile(MPG,probs)
quantiles =
    13.0000    18.0000    27.2000    36.0000
```

Then treat those quantiles as distribution parameters.


```
[r1,type] = johnsrnd(quantiles,10000,1);
```

The optional second output from `johnsrnd` indicates which type of distribution within the Johnson system matches the quantiles.

```
type
type =
SB
```

You can verify that the sample resembles the original data by overlaying the empirical cumulative distribution functions.

```
ecdf(MPG);
[Fi,xi] = ecdf(r1);
hold on, stairs(xi,Fi,'r'); hold off
```




In some applications, it may be important to match the quantiles better in some regions of the data than in others. To do that, specify four evenly spaced standard normal quantiles at which you want to match the data, instead of the default -1.5, -0.5, 0.5, and 1.5. For example, you might care more about matching the data in the right tail than in the left, and so you specify standard normal quantiles that emphasizes the right tail.

```
qnorm = [-.5 .25 1 1.75];
probs = normcdf(qnorm);
qemp = quantile(MPG,probs);
r2 = johnsrnd([qnorm; qemp],10000,1);
```

However, while the new sample matches the original data better in the right tail, it matches much worse in the left tail.

```
[Fj,xj] = ecdf(r2);
hold on, stairs(xj,Fj,'g'); hold off
```



Multivariate Modeling

In this section...
“Gaussian Mixture Models” on page 5-92
“Copulas” on page 5-100

Gaussian Mixture Models

- “Introduction” on page 5-92
- “Creating Gaussian Mixture Models” on page 5-92
- “Simulating Gaussian Mixtures” on page 5-98

Introduction

Gaussian mixture models are formed by combining multivariate normal density components. For information on individual multivariate normal densities, see “Multivariate Normal Distribution” on page 18-52 and related distribution functions listed under “Multivariate Distributions” on page 5-8.

In Statistics Toolbox™ software, mixture models of the “@gmdistribution” on page 17-14 class are fit to data using an expectation maximization (EM) algorithm, which assigns posterior probabilities to each component density with respect to each observation. The fitting method uses an iterative algorithm that converges to a local optimum.

Clustering with Gaussian mixture models is described in the “Gaussian Mixture Models” on page 10-28 section of Chapter 10, “Cluster Analysis”. This section describes their creation.

Creating Gaussian Mixture Models

- “Specifying a Model” on page 5-93
- “Fitting a Model to Data” on page 5-95

Specifying a Model. Use the `gmdistribution` constructor to create Gaussian mixture models with specified means, covariances, and mixture proportions. The following creates an object of the “`@gmdistribution`” on page 17-14 class defining a two-component mixture of bivariate Gaussian distributions:

```
MU = [1 2;-3 -5]; % Means
SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]); % Covariances
p = ones(1,2)/2; % Mixing proportions

obj = gmdistribution(MU,SIGMA,p);
```

Display properties of the object with the MATLAB[®] function `fieldnames`:

```
properties = fieldnames(obj)
properties =
    'NDimensions'
    'DistName'
    'NComponents'
    'PComponents'
    'mu'
    'Sigma'
    'NlogL'
    'AIC'
    'BIC'
    'Converged'
    'Iters'
    'SharedCov'
    'CovType'
    'RegV'
```


The `gmdistribution` reference page describes these properties. To access the value of a property, use dot indexing:

```
dimension = obj.NDimensions
dimension =
    2


name = obj.DistName
name =
    gaussian mixture distribution
```

Use the methods pdf and cdf to compute values and visualize the object:

```
ezsurf(@(x,y)pdf(obj,[x y]),[-10 10],[-10 10])
```



```
ezsurf(@(x,y)cdf(obj,[x y]),[-10 10],[-10 10])
```




Fitting a Model to Data. You can also create Gaussian mixture models by fitting a parametric model with a specified number of components to data. The `fit` method of the “`@gmdistribution`” on page 17-14 class uses the syntax `obj = gmdistribution.fit(X,k)`, where `X` is a data matrix and `k` is the specified number of components. Choosing a suitable number of components `k` is essential for creating a useful model of the data—too few components will fail to model the data accurately; too many components will lead to an over-fit model with singular covariance matrices.

The following example illustrates this approach.

First, create some data from a mixture of two bivariate Gaussian distributions using the `mvnrnd` function:


```
MU1 = [1 2];  
SIGMA1 = [2 0; 0 .5];
```

```
MU2 = [-3 -5];  
SIGMA2 = [1 0; 0 1];  
X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)];  
  
scatter(X(:,1),X(:,2),10,'.')  
hold on
```



Next, fit a two-component Gaussian mixture model:

```
options = statset('Display','final');  
obj = gmdistribution.fit(X,2,'Options',options);  
10 iterations, log-likelihood = -7046.78  
  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```



Among the properties of the fit are the parameter estimates:

```
ComponentMeans = obj.mu
ComponentMeans =
    0.9391    2.0322
   -2.9823   -4.9737

ComponentCovariances = obj.Sigma
ComponentCovariances(:,:,1) =
    1.7786   -0.0528
   -0.0528    0.5312
ComponentCovariances(:,:,2) =
    1.0491   -0.0150
   -0.0150    0.9816

MixtureProportions = obj.PComponents
MixtureProportions =
```

0.5000 0.5000

The Akaike information is minimized by the two-component model:

```
AIC = zeros(1,4);
obj = cell(1,4);
for k = 1:4
    obj{k} = gmdistribution.fit(X,k);
    AIC(k) = obj{k}.AIC;
end

[minAIC,numComponents] = min(AIC);
numComponents
numComponents =
    2

model = obj{2}
model =
Gaussian mixture distribution
with 2 components in 2 dimensions
Component 1:
Mixing proportion: 0.500000
Mean:      0.9391    2.0322
Component 2:
Mixing proportion: 0.500000
Mean:     -2.9823   -4.9737
```


Both the Akaike and Bayes information are negative log-likelihoods for the data with penalty terms for the number of estimated parameters. They are often used to determine an appropriate number of components for a model when the number of components is unspecified.

Simulating Gaussian Mixtures

Use the method `random` of the “@gmdistribution” on page 17-14 class to generate random data from a Gaussian mixture model created with `gmdistribution` or `fit`.


For example, the following specifies a `gmdistribution` object consisting of a two-component mixture of bivariate Gaussian distributions:

```
MU = [1 2;-3 -5];  
SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]);  
p = ones(1,2)/2;  
obj = gmdistribution(MU,SIGMA,p);  
  
ezcontour(@(x,y)pdf(obj,[x y]),[-10 10],[-10 10])  
hold on
```



Use random (gmdistribution) to generate 1000 random values:

```
Y = random(obj,1000);  
  
scatter(Y(:,1),Y(:,2),10,'.')
```



Copulas

- “Introduction” on page 5-101
- “Dependence Between Simulation Inputs” on page 5-101
- “Constructing Dependent Bivariate Distributions” on page 5-105
- “Rank Correlation Coefficients” on page 5-109
- “Bivariate Copulas” on page 5-112
- “Copulas in Higher Dimensions” on page 5-119
- “Archimedean Copulas” on page 5-121
- “Copulas and Nonparametric Marginal Distributions” on page 5-123
- “Fitting Copulas to Data” on page 5-128

Introduction

Copulas are functions that describe dependencies among variables, and provide a way to create distributions that model correlated multivariate data. Using a copula, you can construct a multivariate distribution by specifying marginal univariate distributions, and then choose a copula to provide a correlation structure between variables. Bivariate distributions, as well as distributions in higher dimensions, are possible.

Dependence Between Simulation Inputs


One of the design decisions for a Monte-Carlo simulation is a choice of probability distributions for the random inputs. Selecting a distribution for each individual variable is often straightforward, but deciding what dependencies should exist between the inputs may not be. Ideally, input data to a simulation should reflect what is known about dependence among the real quantities being modeled. However, there may be little or no information on which to base any dependence in the simulation. In such cases, it is useful to experiment with different possibilities in order to determine the model's sensitivity.

It can be difficult to actually generate random inputs with dependence when they have distributions that are not from a standard multivariate distribution. Further, some of the standard multivariate distributions can model only limited types of dependence. It is always possible to make the inputs independent, and while that is a simple choice, it is not always sensible and can lead to the wrong conclusions.

For example, a Monte-Carlo simulation of financial risk might have two random inputs that represent different sources of insurance losses. These inputs might be modeled as lognormal random variables. A reasonable question to ask is how dependence between these two inputs affects the results of the simulation. Indeed, you might know from real data that the same random conditions affect both sources; ignoring that in the simulation could lead to the wrong conclusions.

The `lognrnd` function simulates independent lognormal random variables. In the following example, the `mvnrnd` function generates n pairs of independent normal random variables, and then exponentiates them. Notice that the covariance matrix used here is diagonal:

```
n = 1000;  
  
sigma = .5;  
SigmaInd = sigma.^2 .* [1 0; 0 1]  
SigmaInd =  
    0.25    0  
    0    0.25  
ZInd = mvnrnd([0 0],SigmaInd,n);  
XInd = exp(ZInd);  
  
plot(XInd(:,1),XInd(:,2),'.')  
axis([0 5 0 5])  
axis equal  
xlabel('X1')  
ylabel('X2')
```



Dependent bivariate lognormal random variables are also easy to generate using a covariance matrix with nonzero off-diagonal terms:


```
rho = .7;

SigmaDep = sigma.^2 .* [1 rho; rho 1]
SigmaDep =
    0.25    0.175
    0.175    0.25

ZDep = mvnrnd([0 0],SigmaDep,n);
XDep = exp(ZDep);
```

A second scatter plot demonstrates the difference between these two bivariate distributions:

```
plot(XDep(:,1),XDep(:,2),'.')
axis([0 5 0 5])
axis equal
xlabel('X1')
ylabel('X2')
```



It is clear that there is a tendency in the second data set for large values of X_1 to be associated with large values of X_2 , and similarly for small values. This dependence is determined by the correlation parameter, ρ , of the underlying bivariate normal. The conclusions drawn from the simulation could well depend on whether or not X_1 and X_2 were generated with dependence. The bivariate lognormal distribution is a simple solution in this case; it easily generalizes to higher dimensions in cases where the marginal distributions are different lognormals.

Other multivariate distributions also exist. For example, the multivariate t and the Dirichlet distributions simulate dependent t and beta random variables, respectively. But the list of simple multivariate distributions is not long, and they only apply in cases where the marginals are all in the same family (or even the exact same distributions). This can be a serious limitation in many situations.

Constructing Dependent Bivariate Distributions

Although the construction discussed in the previous section creates a bivariate lognormal that is simple, it serves to illustrate a method that is more generally applicable.

First, generate pairs of values from a bivariate normal distribution. There is statistical dependence between these two variables, and each has a normal marginal distribution.

Next, apply a transformation (the exponential function) separately to each variable, changing the marginal distributions into lognormals. The transformed variables still have a statistical dependence.

If a suitable transformation can be found, this method can be generalized to create dependent bivariate random vectors with other marginal distributions. In fact, a general method of constructing such a transformation does exist, although it is not as simple as exponentiation alone.


By definition, applying the normal cumulative distribution function (cdf), denoted here by Φ , to a standard normal random variable results in a random variable that is uniform on the interval $[0, 1]$. To see this, if Z has a standard normal distribution, then the cdf of $U = \Phi(Z)$ is

$$\Pr\{U \leq u\} = \Pr\{\Phi(Z) \leq u\} = \Pr\{Z \leq \Phi^{-1}(u)\} = u$$


and that is the cdf of a $\text{Unif}(0,1)$ random variable. Histograms of some simulated normal and transformed values demonstrate that fact:

```
n = 1000;
z = normrnd(0,1,n,1);

hist(z,-3.75:.5:3.75)
xlim([-4 4])
title('1000 Simulated N(0,1) Random Values')
xlabel('Z')
ylabel('Frequency')
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```




```
u = normcdf(z);  
  
hist(u, .05:.1:.95)  
title('1000 Simulated N(0,1) Values Transformed to Unif(0,1)')  
xlabel('U')  
ylabel('Frequency')  
set(get(gca, 'Children'), 'FaceColor', [.8 .8 1])
```



Borrowing from the theory of univariate random number generation, applying the inverse cdf of any distribution, F , to a $\text{Unif}(0,1)$ random variable results in a random variable whose distribution is exactly F (see “Inversion Methods” on page 5-136). The proof is essentially the opposite of the preceding proof for the forward case. Another histogram illustrates the transformation to a gamma distribution:

```
x = gaminv(u,2,1);

hist(x,.25:.5:9.75)
title('1000 Simulated N(0,1) Values Transformed to Gamma(2,1)')
xlabel('X')
ylabel('Frequency')
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```



This two-step transformation can be applied to each variable of a standard bivariate normal, creating dependent random variables with arbitrary marginal distributions. Because the transformation works on each component separately, the two resulting random variables need not even have the same marginal distributions. The transformation is defined as

$$Z = [Z_1, Z_2] \sim N([0,0], \begin{bmatrix} 1 & \rho \\ \rho & 1 \end{bmatrix})$$


$$U = [\Phi(Z_1), \Phi(Z_2)]$$

$$X = [G_1(U_1), G_2(U_2)]$$

where G_1 and G_2 are inverse cdfs of two possibly different distributions. For example, the following generates random vectors from a bivariate distribution with t_5 and Gamma(2,1) marginals:

```
n = 1000; rho = .7;
Z = mvnrnd([0 0],[1 rho; rho 1],n);
U = normcdf(Z);
X = [gaminv(U(:,1),2,1) tinvs(U(:,2),5)];

scatterhist(X(:,1),X(:,2))
```



This plot has histograms alongside a scatter plot to show both the marginal distributions, and the dependence.

Rank Correlation Coefficients

Dependence between X_1 and X_2 in this construction is determined by the correlation parameter, ρ , of the underlying bivariate normal. However, the linear correlation of X_1 and X_2 is not ρ . For example, in the original lognormal case, a closed form for that correlation is:

$$\text{cor}(X1, X2) = \frac{e^{\rho\sigma^2} - 1}{e^{\sigma^2} - 1}$$

which is strictly less than ρ , unless ρ is exactly 1. In more general cases such as the Gamma/ t construction, the linear correlation between $X1$ and $X2$ is difficult or impossible to express in terms of ρ , but simulations show that the same effect happens.

That is because the linear correlation coefficient expresses the linear dependence between random variables, and when nonlinear transformations are applied to those random variables, linear correlation is not preserved. Instead, a rank correlation coefficient, such as Kendall's τ or Spearman's ρ , is more appropriate.

Roughly speaking, these rank correlations measure the degree to which large or small values of one random variable associate with large or small values of another. However, unlike the linear correlation coefficient, they measure the association only in terms of ranks. As a consequence, the rank correlation is preserved under any monotonic transformation. In particular, the transformation method just described preserves the rank correlation. Therefore, knowing the rank correlation of the bivariate normal Z exactly determines the rank correlation of the final transformed random variables, X . While the linear correlation coefficient, ρ , is still needed to parameterize the underlying bivariate normal, Kendall's τ or Spearman's ρ are more useful in describing the dependence between random variables, because they are invariant to the choice of marginal distribution.

For the bivariate normal, there is a simple one-to-one mapping between Kendall's τ or Spearman's ρ , and the linear correlation coefficient ρ :

$$\tau = \frac{2}{\pi} \arcsin(\rho) \quad \text{or} \quad \rho = \sin\left(\tau \frac{\pi}{2}\right)$$

$$\rho_s = \frac{6}{\pi} \arcsin\left(\frac{\rho}{2}\right) \quad \text{or} \quad \rho = 2\sin\left(\rho_s \frac{\pi}{6}\right)$$

The following plot shows the relationship:


```
rho = -1:.01:1;
tau = 2.*asin(rho)./pi;
```

```

rho_s = 6.*asin(rho./2)./pi;

plot(rho,tau,'b-','LineWidth',2)
hold on
plot(rho,rho_s,'g-','LineWidth',2)
plot([-1 1],[-1 1],'k:','LineWidth',2)
axis([-1 1 -1 1])
xlabel('rho')
ylabel('Rank correlation coefficient')
legend('Kendall''s  $\tau$ ', ...
      'Spearman''s  $\rho_s$ ', ...
      'location','NW')

```



Thus, it is easy to create the desired rank correlation between X_1 and X_2 , regardless of their marginal distributions, by choosing the correct ρ parameter value for the linear correlation between Z_1 and Z_2 .

For the multivariate normal distribution, Spearman's rank correlation is almost identical to the linear correlation. However, this is not true once you transform to the final random variables.

Bivariate Copulas

The first step of the construction described in the previous section defines what is known as a bivariate Gaussian copula. A copula is a multivariate probability distribution, where each random variable has a uniform marginal distribution on the unit interval $[0,1]$. These variables may be completely independent, deterministically related (e.g., $U_2 = U_1$), or anything in between. Because of the possibility for dependence among variables, you can use a copula to construct a new multivariate distribution for dependent variables. By transforming each of the variables in the copula separately using the inversion method, possibly using different cdfs, the resulting distribution can have arbitrary marginal distributions. Such multivariate distributions are often useful in simulations, when you know that the different random inputs are not independent of each other.

Statistics Toolbox functions compute:

- Probability density functions (`copulapdf`) and the cumulative distribution functions (`copulacdf`) for Gaussian copulas
- Rank correlations from linear correlations (`copulastat`) and vice versa (`copulaparam`)
- Random vectors (`copularnd`)
- Parameters for copulas fit to data (`copulafit`)

For example, use the `copularnd` function to create scatter plots of random values from a bivariate Gaussian copula for various levels of ρ , to illustrate the range of different dependence structures. The family of bivariate Gaussian copulas is parameterized by the linear correlation matrix:

$$P = \begin{pmatrix} 1 & \rho \\ \rho & 1 \end{pmatrix}$$

U1 and U2 approach linear dependence as ρ approaches ± 1 , and approach complete independence as ρ approaches zero:


```
n = 500;
```

```
U = copularnd('Gaussian',[1 .8; .8 1],n);
subplot(2,2,1)
plot(U(:,1),U(:,2),'.')
title('\it\rho = 0.8')
xlabel('U1')
ylabel('U2')
```

```
U = copularnd('Gaussian',[1 .1; .1 1],n);
subplot(2,2,2)
plot(U(:,1),U(:,2),'.')
title('\it\rho = 0.1')
xlabel('U1')
ylabel('U2')
```

```
U = copularnd('Gaussian',[1 -.1; -.1 1],n);
subplot(2,2,3)
plot(U(:,1),U(:,2),'.')
title('\it\rho = -0.1')
xlabel('U1')
ylabel('U2')
```

```
U = copularnd('Gaussian',[1 -.8; -.8 1],n);
subplot(2,2,4)
plot(U(:,1),U(:,2),'.')
title('\it\rho = -0.8')
xlabel('U1')
ylabel('U2')
```



The dependence between U_1 and U_2 is completely separate from the marginal distributions of $X_1 = G(U_1)$ and $X_2 = G(U_2)$. X_1 and X_2 can be given any marginal distributions, and still have the same rank correlation. This is one of the main appeals of copulas—they allow this separate specification of dependence and marginal distribution. You can also compute the pdf (`copulapdf`) and the cdf (`copulacdf`) for a copula. For example, these plots show the pdf and cdf for $\rho = .8$:

```

u1 = linspace(1e-3,1-1e-3,50);
u2 = linspace(1e-3,1-1e-3,50);
[U1,U2] = meshgrid(u1,u2);
Rho = [1 .8; .8 1];
f = copulapdf('t',[U1(:) U2(:)],Rho,5);
f = reshape(f,size(U1));


surf(u1,u2,log(f),'FaceColor','interp','EdgeColor','none')

```

```

view([-15,20])
xlabel('U1')
ylabel('U2')
zlabel('Probability Density')

```




```

u1 = linspace(1e-3,1-1e-3,50);
u2 = linspace(1e-3,1-1e-3,50);
[U1,U2] = meshgrid(u1,u2);
F = copulacdf('t',[U1(:) U2(:)],Rho,5);
F = reshape(F,size(U1));

surf(u1,u2,F,'FaceColor','interp','EdgeColor','none')
view([-15,20])
xlabel('U1')
ylabel('U2')
zlabel('Cumulative Probability')

```



A different family of copulas can be constructed by starting from a bivariate t distribution and transforming using the corresponding t cdf. The bivariate t distribution is parameterized with P , the linear correlation matrix, and ν , the degrees of freedom. Thus, for example, you can speak of a t_1 or a t_5 copula, based on the multivariate t with one and five degrees of freedom, respectively.

Just as for Gaussian copulas, Statistics Toolbox functions for t copulas compute:

- Probability density functions (`copulapdf`) and the cumulative distribution functions (`copulacdf`) for Gaussian copulas
- Rank correlations from linear correlations (`copulastat`) and vice versa (`copulaparam`)
- Random vectors (`copularnd`)
- Parameters for copulas fit to data (`copulafit`)

For example, use the `copularnd` function to create scatter plots of random values from a bivariate t_1 copula for various levels of ρ , to illustrate the range of different dependence structures:


```
n = 500;
nu = 1;

U = copularnd('t',[1 .8; .8 1],nu,n);
subplot(2,2,1)
plot(U(:,1),U(:,2),'.')
title('\it\rho = 0.8')
xlabel('U1')
ylabel('U2')

U = copularnd('t',[1 .1; .1 1],nu,n);
subplot(2,2,2)
plot(U(:,1),U(:,2),'.')
title('\it\rho = 0.1')
xlabel('U1')
ylabel('U2')

U = copularnd('t',[1 -.1; -.1 1],nu,n);
subplot(2,2,3)
plot(U(:,1),U(:,2),'.')
title('\it\rho = -0.1')
xlabel('U1')
ylabel('U2')

U = copularnd('t',[1 -.8; -.8 1],nu, n);
subplot(2,2,4)
plot(U(:,1),U(:,2),'.')
title('\it\rho = -0.8')
xlabel('U1')
ylabel('U2')
```



A t copula has uniform marginal distributions for U_1 and U_2 , just as a Gaussian copula does. The rank correlation τ or ρ_s between components in a t copula is also the same function of ρ as for a Gaussian. However, as these plots demonstrate, a t_1 copula differs quite a bit from a Gaussian copula, even when their components have the same rank correlation. The difference is in their dependence structure. Not surprisingly, as the degrees of freedom parameter ν is made larger, a t_ν copula approaches the corresponding Gaussian copula.

As with a Gaussian copula, any marginal distributions can be imposed over a t copula. For example, using a t copula with 1 degree of freedom, you can again generate random vectors from a bivariate distribution with $\text{Gamma}(2,1)$ and t_5 marginals using `copularnd`:


```
n = 1000;
rho = .7;
nu = 1;
```

```

U = copularnd('t',[1 rho; rho 1],nu,n);
X = [gaminv(U(:,1),2,1) tinv(U(:,2),5)];

scatterhist(X(:,1),X(:,2))

```



Compared to the bivariate Gamma/ t distribution constructed earlier, which was based on a Gaussian copula, the distribution constructed here, based on a t_1 copula, has the same marginal distributions and the same rank correlation between variables but a very different dependence structure. This illustrates the fact that multivariate distributions are not uniquely defined by their marginal distributions, or by their correlations. The choice of a particular copula in an application may be based on actual observed data, or different copulas may be used as a way of determining the sensitivity of simulation results to the input distribution.

Copulas in Higher Dimensions


The Gaussian and t copulas are known as elliptical copulas. It is easy to generalize elliptical copulas to a higher number of dimensions. For example, simulate data from a trivariate distribution with Gamma(2,1), Beta(2,2), and t_5 marginals using a Gaussian copula and `copularnd`, as follows:

```

n = 1000;
Rho = [1 .4 .2; .4 1 -.8; .2 -.8 1];
U = copularnd('Gaussian',Rho,n);
X = [gaminv(U(:,1),2,1) betainv(U(:,2),2,2) tinvs(U(:,3),5)];

subplot(1,1,1)
plot3(X(:,1),X(:,2),X(:,3),'b*')
grid on
view([-55, 15])
xlabel('X1')
ylabel('X2')
zlabel('X3')

```



Notice that the relationship between the linear correlation parameter ρ and, for example, Kendall's τ , holds for each entry in the correlation matrix P used here. You can verify that the sample rank correlations of the data are approximately equal to the theoretical values:

```

tauTheoretical = 2.*asin(Rho)./pi
tauTheoretical =

```

```

          1      0.26198      0.12819
0.26198          1      -0.59033
0.12819     -0.59033          1

```

```
tauSample = corr(X,'type','Kendall')
```

```
tauSample =
          1      0.27254      0.12701
0.27254          1      -0.58182
0.12701     -0.58182          1

```

Archimedean Copulas

Statistics Toolbox functions are available for three bivariate Archimedean copula families:

- Clayton copulas
- Frank copulas
- Gumbel copulas

These are one-parameter families that are defined directly in terms of their cdfs, rather than being defined constructively using a standard multivariate distribution.

To compare these three Archimedean copulas to the Gaussian and t bivariate copulas, first use the `copulastat` function to find the rank correlation for a Gaussian or t copula with linear correlation parameter of 0.8, and then use the `copulaparam` function to find the Clayton copula parameter that corresponds to that rank correlation:

```
tau = copulastat('Gaussian',.8,'type','kendall')
tau =
    0.59033

```

```
alpha = copulaparam('Clayton',tau,'type','kendall')
alpha =
    2.882

```


Finally, plot a random sample from the Clayton copula with `copularnd`. Repeat the same procedure for the Frank and Gumbel copulas:

```
n = 500;

U = copularnd('Clayton',alpha,n);
subplot(3,1,1)
plot(U(:,1),U(:,2),'.');
title(['Clayton Copula, {\it\alpha} = ',sprintf('%0.2f',alpha)])
xlabel('U1')
ylabel('U2')

alpha = copulaparam('Frank',tau,'type','kendall');
U = copularnd('Frank',alpha,n);
subplot(3,1,2)
plot(U(:,1),U(:,2),'.');
title(['Frank Copula, {\it\alpha} = ',sprintf('%0.2f',alpha)])
xlabel('U1')
ylabel('U2')

alpha = copulaparam('Gumbel',tau,'type','kendall');
U = copularnd('Gumbel',alpha,n);
subplot(3,1,3)
plot(U(:,1),U(:,2),'.');
title(['Gumbel Copula, {\it\alpha} = ',sprintf('%0.2f',alpha)])
xlabel('U1')
ylabel('U2')
```



Copulas and Nonparametric Marginal Distributions

To simulate dependent multivariate data using a copula, you must specify each of the following:


- The copula family (and any shape parameters)
- The rank correlations among variables
- Marginal distributions for each variable

Suppose you have return data for two stocks and want to run a Monte Carlo simulation with inputs that follow the same distributions as the data:

```
load stockreturns
nobs = size(stocks,1);

subplot(2,1,1)
hist(stocks(:,1),10)
xlim([-3.5 3.5])
xlabel('X1')
ylabel('Frequency')
set(get(gca,'Children'),'FaceColor',[.8 .8 1])

subplot(2,1,2)
hist(stocks(:,2),10)
xlim([-3.5 3.5])
xlabel('X2')
ylabel('Frequency')
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```

You could fit a parametric model separately to each dataset, and use those estimates as the marginal distributions. However, a parametric model may not be sufficiently flexible. Instead, you can use a nonparametric model to transform to the marginal distributions. All that is needed is a way to compute the inverse cdf for the nonparametric model.

The simplest nonparametric model is the empirical cdf, as computed by the `ecdf` function. For a discrete marginal distribution, this is appropriate. However, for a continuous distribution, use a model that is smoother than the step function computed by `ecdf`. One way to do that is to estimate the empirical cdf and interpolate between the midpoints of the steps with a piecewise linear function. Another way is to use kernel smoothing with `ksdensity`. For example, compare the empirical cdf to a kernel smoothed cdf estimate for the first variable:

```


[Fi,xi] = ecdf(stocks(:,1));

stairs(xi,Fi,'b','LineWidth',2)
hold on

Fi_sm = ksdensity(stocks(:,1),xi,'function','cdf','width',.15);

plot(xi,Fi_sm,'r-','LineWidth',1.5)
xlabel('X1')
ylabel('Cumulative Probability')
legend('Empirical','Smoothed','Location','NW')
grid on

```



For the simulation, experiment with different copulas and correlations. Here, you will use a bivariate t copula with a fairly small degrees of freedom

parameter. For the correlation parameter, you can compute the rank correlation of the data, and then find the corresponding linear correlation parameter for the t copula using `copulaparam`:

```
nu = 5;

tau = corr(stocks(:,1),stocks(:,2),'type','kendall')
tau =
    0.51798

rho = copulaparam('t', tau, nu, 'type','kendall')
rho =
    0.72679
```

Next, use `copularnd` to generate random values from the t copula and transform using the nonparametric inverse cdfs. The `ksdensity` function allows you to make a kernel estimate of distribution and evaluate the inverse cdf at the copula points all in one step:


```
n = 1000;

U = copularnd('t',[1 rho; rho 1],nu,n);
X1 = ksdensity(stocks(:,1),U(:,1),...
    'function','icdf','width',.15);
X2 = ksdensity(stocks(:,2),U(:,2),...
    'function','icdf','width',.15);
```

Alternatively, when you have a large amount of data or need to simulate more than one set of values, it may be more efficient to compute the inverse cdf over a grid of values in the interval (0,1) and use interpolation to evaluate it at the copula points:

```
p = linspace(0.00001,0.99999,1000);
G1 = ksdensity(stocks(:,1),p,'function','icdf','width',0.15);
X1 = interp1(p,G1,U(:,1),'spline');
G2 = ksdensity(stocks(:,2),p,'function','icdf','width',0.15);
X2 = interp1(p,G2,U(:,2),'spline');

scatterhist(X1,X2)
```



The marginal histograms of the simulated data are a smoothed version of the histograms for the original data. The amount of smoothing is controlled by the bandwidth input to `ksdensity`.

Fitting Copulas to Data

The `copulafit` function is used to calibrate copulas with data. To generate data X_{sim} with a distribution “just like” (in terms of marginal distributions and correlations) the distribution of data in the matrix X :

- 1 Fit marginal distributions to the columns of X .
- 2 Use appropriate cdf functions to transform X to U , so that U has values between 0 and 1.
- 3 Use `copulafit` to fit a copula to U .
- 4 Generate new data U_{sim} from the copula.


5 Use appropriate inverse cdf functions to transform U_{sim} to X_{sim} .

The following example illustrates the procedure.

Load and plot simulated stock return data:

```
load stockreturns
x = stocks(:,1);
y = stocks(:,2);


scatterhist(x,y)
```



Transform the data to the copula scale (unit square) using a kernel estimator of the cumulative distribution function:

```
u = ksdensity(x,x,'function','cdf');
v = ksdensity(y,y,'function','cdf');
```

```
scatterhist(u,v)
xlabel('u')
ylabel('v')
```




Fit a t copula:

```
[Rho,nu] = copulafit('t',[u v],'Method','ApproximateML')
Rho =
    1.0000    0.7220
    0.7220    1.0000
nu =
    2.8934e+006
```

Generate a random sample from the t copula:

```
r = copularnd('t',Rho,nu,1000);
u1 = r(:,1);
v1 = r(:,2);


scatterhist(u1,v1)
xlabel('u')
ylabel('v')
set(get(gca,'children'),'marker','.')
```



Transform the random sample back to the original scale of the data:

```
x1 = ksdensity(u,u1,'function','icdf');
```

```
y1 = ksdensity(v,v1,'function','icdf');  
  
scatterhist(x1,y1)  
set(get(gca,'children'),'marker','.')
```



As the example illustrates, copulas integrate naturally with other distribution fitting functions.

Random Number Generation

In this section...
“Introduction” on page 5-133
“Common Generation Methods” on page 5-133
“Markov Chain Samplers” on page 5-142
“Quasi-Random Numbers” on page 5-144

Introduction

Random number generators for supported distributions are discussed in “Random Number Generators” on page 5-39.

A GUI for generating random numbers from supported distributions is discussed in “Random Number Generation Tool” on page 5-82.

This section discusses additional topics in random number generation.

Common Generation Methods

- “Introduction” on page 5-133
- “Direct Methods” on page 5-134
- “Inversion Methods” on page 5-136
- “Acceptance-Rejection Methods” on page 5-138

Introduction

In statistics, *randomness* is a notion commonly associated with groups of, rather than individual, samples. More accurately, it is a notion associated with a process that produces samples. D. H. Lehmer, an early pioneer in computing, said:

“A random sequence is a vague notion... in which each term is unpredictable to the uninitiated and whose digits pass a certain number of tests traditional with statisticians... ”

The notion of randomness is formalized by the Central Limit Theorem, which says that sample averages from a random process always approximate a normal distribution. This formalization is central to the theory of statistical estimation.

Pseudo-random numbers are generated by deterministic algorithms. They are “random” in the sense that, on average, they pass statistical tests regarding their distribution and correlation. *Random number generators* (RNGs), like those in MATLAB® and Statistics Toolbox™ software, are algorithms for generating pseudo-random numbers with a specified distribution.

Methods for generating pseudo-random numbers usually start with uniform random numbers, like those produced by the MATLAB `rand` function. Random numbers from other distributions are produced using the methods described in this section.

Direct Methods

Direct methods make direct use of the definition of the distribution.

For example, consider binomial random numbers. A binomial random number is the number of heads in N tosses of a coin with probability p of a heads on any single toss. If you generate N uniform random numbers on the interval $(0,1)$ and count the number less than p , then the count is a binomial random number with parameters N and p .

The following function is a simple implementation of a binomial RNG using this direct approach:


```
function X = directbinornd(N,p,m,n)

X = zeros(m,n); % Preallocate memory
for i = 1:m*n
    u = rand(N,1);
    X(i) = sum(u < p);
end
```

For example,

```
X = directbinornd(100,0.3,1e4,1);
hist(X,101)
```

```
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```



The Statistics Toolbox function `binornd` uses a modified direct method, based on the definition of a binomial random variable as the sum of Bernoulli random variables.

The method above is easily converted to a random number generator for the Poisson distribution with parameter λ . The Poisson distribution is the limiting case of the binomial distribution as N approaches infinity, p approaches zero, and Np is held fixed at λ . To generate Poisson random numbers, create a version of the above generator that inputs λ rather than N and p , and internally sets N to some large number and p to λ / N .

The Statistics Toolbox function `poissrnd` actually uses two direct methods: a waiting time method for small values of λ , and a method due to Ahrens and Dieter for larger values of λ .

Inversion Methods


Inversion methods are based on the observation that continuous cumulative distribution functions (cdfs) range uniformly over the interval (0,1). If u is a uniform random number on (0,1), then a random number X from a continuous distribution with specified cdf F is obtained using $X = F^{-1}(U)$.

For example, the following code generates random numbers from a specific exponential distribution using the inverse cdf and the MATLAB uniform random number generator `rand`:

```
mu = 1;  
X = expinv(rand(1e4,1),mu);
```

To compare the distribution of the generated random numbers to the pdf of the specified exponential distribution, the pdf, with area = 1, must be scaled to the area of the histogram used to display the distribution:

```
numbins = 50;  
hist(X,numbins)  
set(get(gca,'Children'),'FaceColor',[.8 .8 1])  
hold on  
  
[bincounts,binpositions] = hist(X,numbins);  
binwidth = binpositions(2) - binpositions(1);  
histarea = binwidth*sum(bincounts);  
  
x = binpositions(1):0.001:binpositions(end);  
y = exppdf(x,mu);  
plot(x,histarea*y,'r','LineWidth',2)
```



Inversion methods also work for discrete distributions. To generate a random number X from a discrete distribution with probability mass vector $P(X = x_i) = p_i$ where $x_0 < x_1 < x_2 < \dots$, generate a uniform random number u on $(0,1)$ and then set $X = x_i$ if $F(x_{i-1}) < u < F(x_i)$.


For example, the following function implements an inversion method for a discrete distribution with probability mass vector p :

```
function X = discreteinvrnd(p,m,n)

X = zeros(m,n); % Preallocate memory
for i = 1:m*n
    u = rand;
    I = find(u < cumsum(p));
    X(i) = min(I);
end
```

Use the function to generate random numbers from any discrete distribution:

```
p = [0.1 0.2 0.3 0.2 0.1 0.1]; % Probability mass vector
X = discreteinvrnd(p,1e4,1);
[n,x] = hist(X,length(p));
bar(1:length(p),n)
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
```




Acceptance-Rejection Methods

The functional form of some distributions makes it difficult or time-consuming to generate random numbers using direct or inversion methods.

Acceptance-rejection methods provide an alternative in these cases.

Acceptance-rejection methods begin with uniform random numbers, but require an additional random number generator. If the goal is to generate a random number from a continuous distribution with pdf f , acceptance-rejection methods first generate a random number from a continuous distribution with pdf g satisfying $f(x) \leq cg(x)$ for some c and all x .



A continuous acceptance-rejection RNG proceeds as follows:

- 1** Choose a density g .
- 2** Find a constant c such that $f(x) / g(x) \leq c$ for all x .
- 3** Generate a uniform random number u .
- 4** Generate a random number v from g .
- 5** If $c*u \leq f(v) / g(v)$, accept and return v .
- 6** Otherwise, reject v and go to 3.

For efficiency, a “cheap” method is required for generating random numbers from g , and the scalar c should be small. The expected number of iterations to produce a single random number is c .

The following function implements an acceptance-rejection method for generating random numbers from pdf f , given f, g , the RNG `grnd` for g , and the constant c :

```
function X = accrejrnd(f,g,grnd,c,m,n)


X = zeros(m,n); % Preallocate memory
for i = 1:m*n
    accept = false;
    while accept == false
        u = rand();
        v = grnd();
        if c*u <= f(v)/g(v)
            X(i) = v;
            accept = true;
        end
    end
end
end
```

For example, the function $f(x) = xe^{-x^2/2}$ satisfies the conditions for a pdf on $[0, \infty)$ (nonnegative and integrates to 1). The exponential pdf with mean 1, $f(x) = e^{-x}$, dominates g for c greater than about 2.2. Thus, you can use `rand` and `exprnd` to generate random numbers from f :

```
f = @(x)x.*exp(-(x.^2)/2);
g = @(x)exp(-x);
grnd = @()exprnd(1);
X = accrejrnd(f,g,grnd,2.2,1e4,1);
```

The pdf f is actually a Rayleigh distribution with shape parameter 1. The following compares the distribution of random numbers generated by the acceptance-rejection method with those generated by `raylrnd`:

```
Y = raylrnd(1,1e4,1);
hist([X Y])
h = get(gca,'Children');
set(h(1),'FaceColor',[.8 .8 1])
legend('A-R RNG','Rayleigh RNG')
```

The Statistics Toolbox function `ray1rnd` uses a transformation method, expressing a Rayleigh random variable in terms of a chi-square random variable, which can be computed using `randn`.

Acceptance-rejection methods also work for discrete distributions. In this case, the goal is to generate random numbers from a distribution with probability mass $P_p(X = i) = p_i$, assuming you have a method for generating random numbers from a distribution with probability mass $P_q(X = i) = q_i$. The RNG proceeds as follows:

- 1** Choose a density P_q .
- 2** Find a constant c such that $p_i / q_i \leq c$ for all i .
- 3** Generate a uniform random number u .
- 4** Generate a random number v from P_q .
- 5** If $c \cdot u \leq p_v / q_v$, accept and return v .
- 6** Otherwise, reject v and go to 3.

Markov Chain Samplers

- “Introduction” on page 5-142
- “Metropolis-Hastings Sampler” on page 5-142
- “Slice Sampler” on page 5-143

Introduction

The methods discussed in “Common Generation Methods” on page 5-133 may be inadequate when sampling distributions are difficult to represent in computations. Such distributions arise, for example, in Bayesian data analysis and in the large combinatorial problems of Markov chain Monte Carlo (MCMC) simulations. An alternative is to construct a Markov chain with a stationary distribution equal to the target sampling distribution, using the states of the chain to generate random numbers after an initial burn-in period in which the state distribution converges to the target.

Metropolis-Hastings Sampler

The Metropolis-Hastings algorithm draws samples from a distribution that is only known up to a constant. Random numbers are generated from a distribution with a probability density function that is equal to or proportional to a proposal function.

The following steps are used to generate random numbers:

- 1 Assume a initial value $x(t)$.
- 2 Draw a sample, $y(t)$, from a proposal distribution $q(y | x(t))$.
- 3 Accept $y(t)$ as the next sample $x(t+1)$ with probability $r(x(t),y(t))$, and keep $x(t)$ as the next sample $x(t+1)$ with probability $1-r(x(t),y(t))$, where

$$r(x,y)=\min\left\{\frac{f(y)q(x|y)}{f(x)q(y|x)},1\right\}$$

- 4 Increment $t \rightarrow t+1$, and repeat steps 2 and 3 until the desired number of samples are obtained.

You can generate random numbers using the Metropolis-Hastings method with the `mhsample` function. To produce quality samples efficiently with Metropolis-Hastings algorithm, it is crucial to select a good proposal distribution. If it is difficult to find an efficient proposal distribution, you can use the slice sampling algorithm without explicitly specifying a proposal distribution.

Slice Sampler

In instances where it is difficult to find an efficient Metropolis-Hastings proposal distribution, there are a few algorithms, such as the slice sampling algorithm, that do not require an explicit specification for the proposal distribution. The slice sampling algorithm draws samples from the region under the density function using a sequence of vertical and horizontal steps. First, it selects a height at random between 0 and the density function $f(x)$. Then, it selects a new x value at random by sampling from the horizontal “slice” of the density above the selected height. A similar slice sampling algorithm is used for a multivariate distribution.

If a function $f(x)$ proportional to the density function is given, the following steps are used to generate random numbers:

- 1 Assume a initial value $x(t)$ within the domain of $f(x)$.
- 2 Draw a real value y uniformly from $(0, f(x(t)))$, thereby defining a horizontal “slice” as $S = \{x: y < f(x)\}$.
- 3 Find an interval $I = (L, R)$ around $x(t)$ that contains all, or much of the “slice” S .
- 4 Draw the new point $x(t+1)$ within this interval.
- 5 Increment $t \rightarrow t+1$ and repeat steps 2 through 4 until the desired number of samples are obtained.

Slice sampling can generate random numbers from a distribution with an arbitrary form of the density function, provided that an efficient numerical procedure is available to find the interval $I = (L, R)$, which is the “slice” of the density.

You can generate random numbers using the slice sampling method with the `slicesample` function.

Quasi-Random Numbers

- “Quasi-Random Sequences” on page 5-144
- “Quasi-Random Point Sets” on page 5-145
- “Quasi-Random Streams” on page 5-151

Quasi-Random Sequences

Quasi-random number generators (QRNGs) produce highly uniform samples of the unit hypercube. They are designed to minimize the *discrepancy* between the distribution of generated points and a distribution with equal proportions of points in each sub-cube of a uniform partition of the hypercube. As a result, QRNGs systematically fill the “holes” in any initial segment of the generated quasi-random sequence.

Unlike the pseudo-random sequences described in the Introduction to common generation methods, quasi-random sequences fail many statistical tests for randomness. Approximating true randomness, however, is not their goal. Quasi-random sequences seek to fill space uniformly, and to do so in such a way that initial segments approximate this behavior up to a specified density.

Applications of QRNGs include:

- **Quasi-Monte Carlo (QMC) integration.** Monte Carlo techniques are often used to evaluate difficult, multi-dimensional integrals without a closed-form solution. QMC uses quasi-random sequences to improve the convergence properties of these techniques.
- **Space-filling experimental designs.** In many experimental settings, taking measurements at every factor setting is expensive or infeasible. Quasi-random sequences provide efficient, uniform sampling of the design space.
- **Global optimization.** Optimization algorithms typically find a local optimum in the neighborhood of an initial value. By using a quasi-random

sequence of initial values, searches for global optima uniformly sample the basins of attraction of all local minima.

Quasi-Random Point Sets

- “Introduction” on page 5-145
- “Example: Quasi-Random Point Sets” on page 5-146

Introduction. Statistics Toolbox functions support quasi-random sequences of the following types:

- **Halton sequences.** Produced by the `haltonset` function. These sequences use different prime bases to form successively finer uniform partitions of the unit interval in each dimension.
- **Sobol sequences.** Produced by the `sobolset` function. These sequences use a base of 2 to form successively finer uniform partitions of the unit interval, and then reorder the coordinates in each dimension.
- **Latin hypercube sequences.** Produced by the `lhsdesign` function. Though not quasi-random in the sense of minimizing discrepancy, these sequences nevertheless produce sparse uniform samples useful in experimental designs.

Quasi-random sequences are functions from the positive integers to the unit hypercube. To be useful in application, an initial *point set* of a sequence must be generated. Point sets are matrices of size n -by- d , where n is the number of points and d is the dimension of the hypercube being sampled. The functions `haltonset` and `sobolset` construct point sets with properties of a specified quasi-random sequence. Initial segments of the point sets are generated by the `net` method of the `@qrandset` class (parent class of the `@haltonset` and `@sobolset` classes), but points can be generated and accessed more generally using parenthesis indexing.

Because of the way in which quasi-random sequences are generated, they may contain undesirable correlations, especially in their initial segments, and especially in higher dimensions. To address this issue, quasi-random point sets often *skip*, *leap* over, or *scramble* values in a sequence. The `haltonset` and `sobolset` functions allow you to specify both a `Skip` and a `Leap` property of a quasi-random sequence, and the `scramble` method of the `@qrandset` class

allows you apply a variety of scrambling techniques. Scrambling reduces correlations while also improving uniformity.

Example: Quasi-Random Point Sets. For example, the following uses `haltonset` to construct a 2-dimensional Halton point set—an object `p` of the `@haltonset` class—that skips the first 1000 values of the sequence and then retains every 101st point:

```
p = haltonset(2, 'Skip', 1e3, 'Leap', 1e2)
p =
    Halton point set in 2 dimensions (8.918019e+013 points)
    Properties:
        Skip : 1000
        Leap : 100
    ScrambleMethod : none
```

The object `p` encapsulates properties of the specified quasi-random sequence. The point set is finite, with a length determined by the `Skip` and `Leap` properties and by limits on the size of point set indices (maximum value of 2^{53}).

Use `scramble` to apply reverse-radix scrambling:

```
p = scramble(p, 'RR2')
p =
    Halton point set in 2 dimensions (8.918019e+013 points)
    Properties:
        Skip : 1000
        Leap : 100
    ScrambleMethod : RR2
```

Use `net` to generate the first 500 points:

```
X0 = net(p, 500);
```


This is equivalent to:

```
X0 = p(1:500, :);
```

Values of the point set `X0` are not generated and stored in memory until you access `p` using `net` or parenthesis indexing.

To appreciate the nature of quasi-random numbers, create a scatter of the two dimensions in X_0 :


```
scatter(X0(:,1),X0(:,2),5,'r')
axis square
title('\bf Quasi-Random Scatter')
```



Compare this to a scatter of uniform pseudo-random numbers generated by the MATLAB `rand` function:

```
X = rand(500,2);

scatter(X(:,1),X(:,2),5,'b')
axis square
title('\bf Uniform Random Scatter')
```



The quasi-random scatter appears more uniform, avoiding the clumping in the pseudo-random scatter.

In a statistical sense, quasi-random numbers are too uniform to pass traditional tests of randomness. For example, a Kolmogorov-Smirnov test, performed by `kstest`, is used to assess whether or not a point set has a uniform random distribution. When performed repeatedly on uniform pseudo-random samples, such as those generated by `rand`, the test produces a uniform distribution of p -values:

```
nTests = 1e5;
sampSize = 50;
PVALS = zeros(nTests,1);
for test = 1:nTests
    x = rand(sampSize,1);
    [h,pval] = kstest(x,[x,x]);
```




```

        PVALS(test) = pval;
    end

    hist(PVALS,100)
    set(get(gca,'Children'),'FaceColor',[.8 .8 1])
    xlabel('\it p}-values')
    ylabel('Number of Tests')

```



The results are quite different when the test is performed repeatedly on uniform quasi-random samples:

```

p = haltonset(1,'Skip',1e3,'Leap',1e2);
p = scramble(p,'RR2');

nTests = 1e5;
sampSize = 50;
PVALS = zeros(nTests,1);
for test = 1:nTests


```

```

        x = p(test:test+(sampSize-1),:);
        [h,pval] = kstest(x,[x,x]);
        PVALS(test) = pval;
    end

    hist(PVALS,100)
    set(get(gca,'Children'),'FaceColor',[.8 .8 1])
    xlabel('\it p}-values')
    ylabel('Number of Tests')

```



Small p -values call into question the null hypothesis that the data are uniformly distributed. If the hypothesis is true, about 5% of the p -values are expected to fall below 0.05. The results are remarkably consistent in their failure to challenge the hypothesis.

Quasi-Random Streams

- “Introduction” on page 5-151
- “Example: Quasi-Random Streams” on page 5-151

Introduction. Quasi-random *streams*, produced by the `grandstream` function, are used to generate sequential quasi-random outputs, rather than point sets of a specific size. Streams are used like pseudo-RNGS, such as `rand`, when client applications require a source of quasi-random numbers of indefinite size that can be accessed intermittently. Properties of a quasi-random stream, such as its type (Halton or Sobol), dimension, skip, leap, and scramble, are set when the stream is constructed.

In implementation, quasi-random streams are essentially very large quasi-random point sets, though they are accessed differently. The *state* of a quasi-random stream is the scalar index of the next point to be taken from the stream. Use the `grand` method of the `@grandstream` class to generate points from the stream, starting from the current state. Use the `reset` method to reset the state to 1. Unlike point sets, streams do not support parenthesis indexing.

Example: Quasi-Random Streams. For example, the following code, taken from the example at the end of “Quasi-Random Point Sets” on page 5-145, uses `haltonset` to create a quasi-random point set `p`, and then repeatedly increments the index into the point set, `test`, to generate different samples:

```
p = haltonset(1, 'Skip', 1e3, 'Leap', 1e2);
p = scramble(p, 'RR2');

nTests = 1e5;
sampSize = 50;
PVALS = zeros(nTests,1);
for test = 1:nTests
    x = p(test:test+(sampSize-1),:);
    [h,pval] = kstest(x,[x,x]);
    PVALS(test) = pval;
end
```

The same results are obtained by using `grandstream` to construct a quasi-random stream `q` based on the point set `p` and letting the stream take care of increments to the index:

```
p = haltonset(1, 'Skip', 1e3, 'Leap', 1e2);
p = scramble(p, 'RR2');
q = grandstream(p)

nTests = 1e5;
sampSize = 50;
PVALS = zeros(nTests,1);
for test = 1:nTests
    X = grand(q, sampSize);
    [h, pval] = kstest(X, [X, X]);
    PVALS(test) = pval;
end
```

Hypothesis Tests

Introduction (p. 6-2)	Inference and decision
Hypothesis Test Terminology (p. 6-3)	Terminology and structure
Hypothesis Test Assumptions (p. 6-5)	Underlying assumptions
Example: Hypothesis Testing (p. 6-7)	Comparing distributions
Available Hypothesis Tests (p. 6-12)	Tests of distributions and statistics

Introduction

Hypothesis testing is a common method of drawing inferences about a population based on statistical evidence from a sample.

As an example, suppose someone says that at a certain time in the state of Massachusetts the average price of a gallon of regular unleaded gas was \$1.15. How could you determine the truth of the statement? You could try to find prices at every gas station in the state at the time. That approach would be definitive, but it could be time-consuming, costly, or even impossible.

A simpler approach would be to find prices at a small number of randomly selected gas stations around the state, and then compute the sample average.

Sample averages differ from one another due to chance variability in the selection process. Suppose your sample average comes out to be \$1.18. Is the \$0.03 difference an artifact of random sampling or significant evidence that the average price of a gallon of gas was in fact greater than \$1.15? Hypothesis testing is a statistical method for making such decisions.

Hypothesis Test Terminology

All hypothesis tests share the same basic terminology and structure.

- A *null hypothesis* is an assertion about a population that you would like to test. It is “null” in the sense that it often represents a status quo belief, such as the absence of a characteristic or the lack of an effect. It may be formalized by asserting that a population parameter, or a combination of population parameters, has a certain value. In the example given in the “Introduction” on page 6-2, the null hypothesis would be that the average price of gas across the state was \$1.15. This is written $H_0: \mu = 1.15$.
- An *alternative hypothesis* is a contrasting assertion about the population that can be tested against the null hypothesis. In the example given in the “Introduction” on page 6-2, possible alternative hypotheses are:

$H_1: \mu \neq 1.15$ — State average was different from \$1.15 (two-tailed test)

$H_1: \mu > 1.15$ — State average was greater than \$1.15 (right-tail test)

$H_1: \mu < 1.15$ — State average was less than \$1.15 (left-tail test)

- To conduct a hypothesis test, a random sample from the population is collected and a relevant *test statistic* is computed to summarize the sample. This statistic varies with the type of test, but its distribution under the null hypothesis must be known (or assumed).
- The *p-value* of a test is the probability, under the null hypothesis, of obtaining a value of the test statistic as extreme or more extreme than the value computed from the sample.
- The *significance level* of a test is a threshold of probability α agreed to before the test is conducted. A typical value of α is 0.05. If the *p-value* of a test is less than α , the test rejects the null hypothesis. If the *p-value* is greater than α , there is insufficient evidence to reject the null hypothesis. Note that lack of evidence for rejecting the null hypothesis is not evidence for accepting the null hypothesis. Also note that substantive “significance” of an alternative cannot be inferred from the statistical significance of a test.
- The significance level α can be interpreted as the probability of rejecting the null hypothesis when it is actually true—a *type I error*. The distribution of the test statistic under the null hypothesis determines the probability α of a type I error. Even if the null hypothesis is not rejected, it may still be false—a *type II error*. The distribution of the test statistic under the

alternative hypothesis determines the probability β of a type II error. Type II errors are often due to small sample sizes. The *power* of a test, $1 - \beta$, is the probability of correctly rejecting a false null hypothesis.

- Results of hypothesis tests are often communicated with a *confidence interval*. A confidence interval is an estimated range of values with a specified probability of containing the true population value of a parameter. Upper and lower bounds for confidence intervals are computed from the sample estimate of the parameter and the known (or assumed) sampling distribution of the estimator. A typical assumption is that estimates will be normally distributed with repeated sampling (as dictated by the Central Limit Theorem). Wider confidence intervals correspond to poor estimates (smaller samples); narrow intervals correspond to better estimates (larger samples). If the null hypothesis asserts the value of a population parameter, the test rejects the null hypothesis when the hypothesized value lies outside the computed confidence interval for the parameter.

Hypothesis Test Assumptions

Different hypothesis tests make different assumptions about the distribution of the random variable being sampled in the data. These assumptions must be considered when choosing a test and when interpreting the results.

For example, the z -test (`ztest`) and the t -test (`ttest`) both assume that the data are independently sampled from a normal distribution. Statistics Toolbox™ functions are available for testing this assumption, such as `chi2gof`, `jbtest`, `lillietest`, and `normplot`.

Both the z -test and the t -test are relatively robust with respect to departures from this assumption, so long as the sample size n is large enough. Both tests compute a sample mean \bar{x} , which, by the Central Limit Theorem, has an approximately normal sampling distribution with mean equal to the population mean μ , regardless of the population distribution being sampled.

The difference between the z -test and the t -test is in the assumption of the standard deviation σ of the underlying normal distribution. A z -test assumes that σ is known; a t -test does not. As a result, a t -test must compute an estimate s of the standard deviation from the sample.

Test statistics for the z -test and the t -test are, respectively,

$$z = \frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$$
$$t = \frac{\bar{x} - \mu}{s / \sqrt{n}}$$

Under the null hypothesis that the population is distributed with mean μ , the z -statistic has a standard normal distribution, $N(0,1)$. Under the same null hypothesis, the t -statistic has Student's t distribution with $n - 1$ degrees of freedom. For small sample sizes, Student's t distribution is flatter and wider than $N(0,1)$, compensating for the decreased confidence in the estimate s . As sample size increases, however, Student's t distribution approaches the standard normal distribution, and the two tests become essentially equivalent.

Knowing the distribution of the test statistic under the null hypothesis allows for accurate calculation of p -values. Interpreting p -values in the context of the test assumptions allows for critical analysis of test results.

Assumptions underlying Statistics Toolbox hypothesis tests are given in the reference pages for implementing functions.

Example: Hypothesis Testing


This example uses the gas price data in the file `gas.mat`. The file contains two random samples of prices for a gallon of gas around the state of Massachusetts in 1993. The first sample, `price1`, contains 20 random observations around the state on a single day in January. The second sample, `price2`, contains 20 random observations around the state one month later.

```
load gas
prices = [price1 price2];
```

As a first step, you might want to test the assumption that the samples come from normal distributions.

A normal probability plot gives a quick idea.

```
normplot(prices)
```



Both scatters approximately follow straight lines through the first and third quartiles of the samples, indicating approximate normal distributions. The February sample (the right-hand line) shows a slight departure from normality in the lower tail. A shift in the mean from January to February is evident.

A hypothesis test is used to quantify the test of normality. Since each sample is relatively small, a Lilliefors test is recommended.

```
lillietest(price1)
ans =
    0
lillietest(price2)
ans =
    0
```

The default significance level of `lillietest` is 5%. The logical 0 returned by each test indicates a failure to reject the null hypothesis that the samples are normally distributed. This failure may reflect normality in the population or it may reflect a lack of strong evidence against the null hypothesis due to the small sample size.

Now compute the sample means:

```
sample_means = mean(prices)
sample_means =
    115.1500    118.5000
```

You might want to test the null hypothesis that the mean price across the state on the day of the January sample was \$1.15. If you know that the standard deviation in prices across the state has historically, and consistently, been \$0.04, then a *z*-test is appropriate.

```
[h,pvalue,ci] = ztest(price1/100,1.15,0.04)
h =
    0
pvalue =
    0.8668
ci =
    1.1340    1.1690
```

The logical output $h = 0$ indicates a failure to reject the null hypothesis at the default significance level of 5%. This is a consequence of the high probability under the null hypothesis, indicated by the p -value, of observing a value as extreme or more extreme of the z -statistic computed from the sample. The 95% confidence interval on the mean [1.1340 1.1690] includes the hypothesized population mean of \$1.15.

Does the later sample offer stronger evidence for rejecting a null hypothesis of a state-wide average price of \$1.15 in February? The shift shown in the probability plot and the difference in the computed sample means suggest this. The shift might indicate a significant fluctuation in the market, raising questions about the validity of using the historical standard deviation. If a known standard deviation cannot be assumed, a t -test is more appropriate.

```
[h,pvalue,ci] = ttest(price2/100,1.15)
h =
     1
pvalue =
    4.9517e-04
ci =
    1.1675    1.2025
```

The logical output $h = 1$ indicates a rejection of the null hypothesis at the default significance level of 5%. In this case, the 95% confidence interval on the mean does not include the hypothesized population mean of \$1.15.


You might want to investigate the shift in prices a little more closely. The function `ttest2` tests if two independent samples come from normal distributions with equal but unknown standard deviations and the same mean, against the alternative that the means are unequal.

```
[h,sig,ci] = ttest2(price1,price2)
h =
     1
sig =
    0.0083
ci =
   -5.7845   -0.9155
```

The null hypothesis is rejected at the default 5% significance level, and the confidence interval on the difference of means does not include the hypothesized value of 0.

A notched box plot is another way to visualize the shift.

```
boxplot(prices,1)
set(gca,'XtickLabel',str2mat('January','February'))
xlabel('Month')
ylabel('Prices ($0.01)')
```



The plot displays the distribution of the samples around their medians. The heights of the notches in each box are computed so that the side-by-side boxes have nonoverlapping notches when their medians are different at a default 5% significance level. The computation is based on an assumption of normality in the data, but the comparison is reasonably robust for other distributions. The side-by-side plots provide a kind of visual hypothesis test, comparing medians rather than means. The plot above appears to barely reject the null hypothesis of equal medians.

The nonparametric Wilcoxon rank sum test, implemented by the function `ranksum`, can be used to quantify the test of equal medians. It tests if two independent samples come from identical continuous (not necessarily normal) distributions with equal medians, against the alternative that they do not have equal medians.

```
[p,h] = ranksum(price1,price2)
p =
    0.0095
h =
    1
```

The test rejects the null hypothesis of equal medians at the default 5% significance level.

Available Hypothesis Tests

Function	Description
ansaribradley	Ansari-Bradley test. Tests if two independent samples come from the same distribution, against the alternative that they come from distributions that have the same median and shape but different variances.
chi2gof	Chi-square goodness-of-fit test. Tests if a sample comes from a specified distribution, against the alternative that it does not come from that distribution.
dwtest	Durbin-Watson test. Tests if the residuals from a linear regression are independent, against the alternative that there is autocorrelation among them.
jbtest	Jarque-Bera test. Tests if a sample comes from a normal distribution with unknown mean and variance, against the alternative that it does not come from a normal distribution.
linhypptest	Linear hypothesis test. Tests if $H*b = c$ for parameter estimates b with estimated covariance H and specified c , against the alternative that $H*b \neq c$.
kstest	One-sample Kolmogorov-Smirnov test. Tests if a sample comes from a continuous distribution with specified parameters, against the alternative that it does not come from that distribution.
kstest2	Two-sample Kolmogorov-Smirnov test. Tests if two samples come from the same continuous distribution, against the alternative that they do not come from the same distribution.
lillietest	Lilliefors test. Tests if a sample comes from a distribution in the normal family, against the alternative that it does not come from a normal distribution.

Function	Description
ranksum	Wilcoxon rank sum test. Tests if two independent samples come from identical continuous distributions with equal medians, against the alternative that they do not have equal medians.
runstest	Runs test. Tests if a sequence of values comes in random order, against the alternative that the ordering is not random.
signrank	One-sample or paired-sample Wilcoxon signed rank test. Tests if a sample comes from a continuous distribution symmetric about a specified median, against the alternative that it does not have that median.
signtest	One-sample or paired-sample sign test. Tests if a sample comes from an arbitrary continuous distribution with a specified median, against the alternative that it does not have that median.
ttest	One-sample or paired-sample t -test. Tests if a sample comes from a normal distribution with unknown variance and a specified mean, against the alternative that it does not have that mean.
ttest2	Two-sample t -test. Tests if two independent samples come from normal distributions with unknown but equal (or, optionally, unequal) variances and the same mean, against the alternative that the means are unequal.
vartest	One-sample chi-square variance test. Tests if a sample comes from a normal distribution with specified variance, against the alternative that it comes from a normal distribution with a different variance.
vartest2	Two-sample F -test for equal variances. Tests if two independent samples come from normal distributions with the same variance, against the alternative that they come from normal distributions with different variances.

Function	Description
<code>vartestn</code>	Bartlett multiple-sample test for equal variances. Tests if multiple samples come from normal distributions with the same variance, against the alternative that they come from normal distributions with different variances.
<code>ztest</code>	One-sample z -test. Tests if a sample comes from a normal distribution with known variance and specified mean, against the alternative that it does not have that mean.

Note In addition to the functions listed above, Statistics Toolbox™ functions are available for analysis of variance (ANOVA), which perform hypothesis tests in the context of linear modeling. These functions are discussed in the Chapter 7, “Analysis of Variance” chapter of the documentation.

Analysis of Variance

Introduction (p. 7-2)

ANOVA (p. 7-3)

MANOVA (p. 7-39)

Variance by population group

ANOVA with a single response

ANOVA with multiple responses

Introduction

Analysis of variance (ANOVA) is a procedure for assigning sample variance to different sources and deciding whether the variation arises within or among different population groups. Samples are described in terms of variation around group means and variation of group means around an overall mean. If variations within groups are small relative to variations between groups, a difference in group means may be inferred. Chapter 6, “Hypothesis Tests” are used to quantify decisions.

This chapter treats ANOVA among groups, that is, among categorical predictors. ANOVA for regression, with continuous predictors, is discussed in “Tabulating Diagnostic Statistics” on page 8-13.

Multivariate analysis of variance (MANOVA), for data with multiple measured responses, is also discussed in this chapter.

ANOVA

In this section...

- “One-Way ANOVA” on page 7-3
- “Two-Way ANOVA” on page 7-8
- “N-Way ANOVA” on page 7-12
- “Other ANOVA Models” on page 7-26
- “Analysis of Covariance” on page 7-27
- “Nonparametric Methods” on page 7-35

One-Way ANOVA

- “Introduction” on page 7-3
- “Example: One-Way ANOVA” on page 7-4
- “Multiple Comparisons” on page 7-6
- “Example: Multiple Comparisons” on page 7-6

Introduction

The purpose of one-way ANOVA is to find out whether data from several groups have a common mean. That is, to determine whether the groups are actually different in the measured characteristic.

One-way ANOVA is a simple special case of the linear model. The one-way ANOVA form of the model is

$$y_{ij} = \alpha_{.j} + \varepsilon_{ij}$$

where:

- y_{ij} is a matrix of observations in which each column represents a different group.

- α_j is a matrix whose columns are the group means. (The “dot j ” notation means that α applies to all rows of column j . That is, the value α_{ij} is the same for all i .)
- ε_{ij} is a matrix of random disturbances.

The model assumes that the columns of y are a constant plus a random disturbance. You want to know if the constants are all the same.

Example: One-Way ANOVA


The data below comes from a study by Hogg and Ledolter [34] of bacteria counts in shipments of milk. The columns of the matrix hogg represent different shipments. The rows are bacteria counts from cartons of milk chosen randomly from each shipment. Do some shipments have higher counts than others?

```
load hogg
hogg
hogg =

    24    14    11    7    19
    15     7     9    7    24
    21    12     7    4    19
    27    17    13    7    15
    33    14    12   12   10
    23    16    18   18   20
```

```
[p,tbl,stats] = anova1(hogg);
p
p =
    1.1971e-04
```

The standard ANOVA table has columns for the sums of squares, degrees of freedom, mean squares (SS/df), F statistic, and p -value.




Source	SS	df	MS	F	Prob>F
Columns	803	4	200.75	9.01	0.0001
Error	557.17	25	22.287		
Total	1360.17	29			

You can use the F statistic to do a hypothesis test to find out if the bacteria counts are the same. `anova1` returns the p -value from this hypothesis test.

In this case the p -value is about 0.0001, a very small value. This is a strong indication that the bacteria counts from the different shipments are not the same. An F statistic as extreme as the observed F would occur by chance only once in 10,000 times if the counts were truly equal.

The p -value returned by `anova1` depends on assumptions about the random disturbances ε_{ij} in the model equation. For the p -value to be correct, these disturbances need to be independent, normally distributed, and have constant variance.

You can get some graphical assurance that the means are different by looking at the box plots in the second figure window displayed by `anova1`. Note, however, that the notches are used for a comparison of medians, not a comparison of means. For more information on this display, see “Box Plots” on page 4-6.



Multiple Comparisons

Sometimes you need to determine not just whether there are any differences among the means, but specifically which pairs of means are significantly different. It is tempting to perform a series of t tests, one for each pair of means, but this procedure has a pitfall.

In a t test, you compute a t statistic and compare it to a critical value. The critical value is chosen so that when the means are really the same (any apparent difference is due to random chance), the probability that the t statistic will exceed the critical value is small, say 5%. When the means are different, the probability that the statistic will exceed the critical value is larger.

In this example there are five means, so there are 10 pairs of means to compare. It stands to reason that if all the means are the same, and if there is a 5% chance of incorrectly concluding that there is a difference in one pair, then the probability of making at least one incorrect conclusion among all 10 pairs is much larger than 5%.

Fortunately, there are procedures known as *multiple comparison procedures* that are designed to compensate for multiple tests.

Example: Multiple Comparisons

You can perform a multiple comparison test using the `multcompare` function and supplying it with the `stats` output from `anova1`.

```
load hogg
[p,tbl,stats] = anova1(hogg);
[c,m] = multcompare(stats)
c =
    1.0000    2.0000    2.4953   10.5000   18.5047
    1.0000    3.0000    4.1619   12.1667   20.1714
    1.0000    4.0000    6.6619   14.6667   22.6714
    1.0000    5.0000   -2.0047    6.0000   14.0047
    2.0000    3.0000   -6.3381    1.6667    9.6714
    2.0000    4.0000   -3.8381    4.1667   12.1714
    2.0000    5.0000  -12.5047   -4.5000    3.5047
    3.0000    4.0000   -5.5047    2.5000   10.5047
    3.0000    5.0000  -14.1714   -6.1667    1.8381
```



```

      4.0000    5.0000  -16.6714   -8.6667   -0.6619
m =
      23.8333    1.9273
      13.3333    1.9273
      11.6667    1.9273
       9.1667    1.9273
      17.8333    1.9273

```

The first output from `multcompare` has one row for each pair of groups, with an estimate of the difference in group means and a confidence interval for that group. For example, the second row has the values

```

      1.0000    3.0000    4.1619    12.1667    20.1714


```

indicating that the mean of group 1 minus the mean of group 3 is estimated to be 12.1667, and a 95% confidence interval for this difference is [4.1619, 20.1714]. This interval does not contain 0, so you can conclude that the means of groups 1 and 3 are different.

The second output contains the mean and its standard error for each group.

It is easier to visualize the difference between group means by looking at the graph that `multcompare` produces.

There are five groups. The graph instructs you to **Click on the group you want to test**. Three groups have slopes significantly different from group one.



The graph shows that group 1 is significantly different from groups 2, 3, and 4. By using the mouse to select group 4, you can determine that it is also significantly different from group 5. Other pairs are not significantly different.

Two-Way ANOVA

- “Introduction” on page 7-8
- “Example: Two-Way ANOVA” on page 7-10

Introduction

The purpose of two-way ANOVA is to find out whether data from several groups have a common mean. One-way ANOVA and two-way ANOVA differ in that the groups in two-way ANOVA have two categories of defining characteristics instead of one.

Suppose an automobile company has two factories, and each factory makes the same three models of car. It is reasonable to ask if the gas mileage in the cars varies from factory to factory as well as from model to model. There are two predictors, factory and model, to explain differences in mileage.

There could be an overall difference in mileage due to a difference in the production methods between factories. There is probably a difference in the mileage of the different models (irrespective of the factory) due to differences in design specifications. These effects are called *additive*.

Finally, a factory might make high mileage cars in one model (perhaps because of a superior production line), but not be different from the other factory for other models. This effect is called an *interaction*. It is impossible to detect an interaction unless there are duplicate observations for some combination of factory and car model.

Two-way ANOVA is a special case of the linear model. The two-way ANOVA form of the model is

$$y_{ijk} = \mu + \alpha_{.j} + \beta_{i.} + \gamma_{ij} + \varepsilon_{ijk}$$

where, with respect to the automobile example above:

- y_{ijk} is a matrix of gas mileage observations (with row index i , column index j , and repetition index k).
- μ is a constant matrix of the overall mean gas mileage.
- $\alpha_{.j}$ is a matrix whose columns are the deviations of each car's gas mileage (from the mean gas mileage μ) that are attributable to the car's *model*. All values in a given column of $\alpha_{.j}$ are identical, and the values in each row of $\alpha_{.j}$ sum to 0.
- $\beta_{i.}$ is a matrix whose rows are the deviations of each car's gas mileage (from the mean gas mileage μ) that are attributable to the car's *factory*. All values in a given row of $\beta_{i.}$ are identical, and the values in each column of $\beta_{i.}$ sum to 0.
- γ_{ij} is a matrix of interactions. The values in each row of γ_{ij} sum to 0, and the values in each column of γ_{ij} sum to 0.
- ε_{ijk} is a matrix of random disturbances.

Example: Two-Way ANOVA

The purpose of the example is to determine the effect of car model and factory on the mileage rating of cars.

```
load mileage
mileage

mileage =


    33.3000    34.5000    37.4000
    33.4000    34.8000    36.8000
    32.9000    33.8000    37.6000
    32.6000    33.4000    36.6000
    32.5000    33.7000    37.0000
    33.0000    33.9000    36.7000

cars = 3;
[p,tbl,stats] = anova2(mileage,cars);
p

p =
    0.0000    0.0039    0.8411
```

There are three models of cars (columns) and two factories (rows). The reason there are six rows in mileage instead of two is that each factory provides three cars of each model for the study. The data from the first factory is in the first three rows, and the data from the second factory is in the last three rows.

The standard ANOVA table has columns for the sums of squares, degrees-of-freedom, mean squares (SS/df), *F* statistics, and *p*-values.



Source	SS	df	MS	F	Prob>F
Columns	53.3511	2	26.6756	234.22	0
Rows	1.445	1	1.445	12.69	0.0039
Interaction	0.04	2	0.02	0.18	0.8411
Error	1.3667	12	0.1139		
Total	56.2028	17			

You can use the F statistics to do hypotheses tests to find out if the mileage is the same across models, factories, and model-factory pairs (after adjusting for the additive effects). `anova2` returns the p -value from these tests.

The p -value for the model effect is zero to four decimal places. This is a strong indication that the mileage varies from one model to another. An F statistic as extreme as the observed F would occur by chance less than once in 10,000 times if the gas mileage were truly equal from model to model. If you used the `multcompare` function to perform a multiple comparison test, you would find that each pair of the three models is significantly different.

The p -value for the factory effect is 0.0039, which is also highly significant. This indicates that one factory is out-performing the other in the gas mileage of the cars it produces. The observed p -value indicates that an F statistic as extreme as the observed F would occur by chance about four out of 1000 times if the gas mileage were truly equal from factory to factory.

There does not appear to be any interaction between factories and models. The p -value, 0.8411, means that the observed result is quite likely (84 out of 100 times) given that there is no interaction.

The p -values returned by `anova2` depend on assumptions about the random disturbances ε_{ijk} in the model equation. For the p -values to be correct these disturbances need to be independent, normally distributed, and have constant variance.

In addition, `anova2` requires that data be *balanced*, which in this case means there must be the same number of cars for each combination of model and

factory. The next section discusses a function that supports unbalanced data with any number of predictors.

N-Way ANOVA

- “Introduction” on page 7-12
- “N-Way ANOVA with a Small Data Set” on page 7-13
- “N-Way ANOVA with a Large Data Set” on page 7-14
- “ANOVA with Random Effects” on page 7-19

Introduction

You can use N-way ANOVA to determine if the means in a set of data differ when grouped by multiple factors. If they do differ, you can determine which factors or combinations of factors are associated with the difference.

N-way ANOVA is a generalization of two-way ANOVA. For three factors, the model can be written

$$y_{ijkl} = \mu + \alpha_{.j} + \beta_{i.} + \gamma_{..k} + (\alpha\beta)_{ij.} + (\alpha\gamma)_{i.k} + (\beta\gamma)_{.jk} + (\alpha\beta\gamma)_{ijk} + \varepsilon_{ijkl}$$

In this notation parameters with two subscripts, such as $(\alpha\beta)_{ij.}$, represent the interaction effect of two factors. The parameter $(\alpha\beta\gamma)_{ijk}$ represents the three-way interaction. An ANOVA model can have the full set of parameters or any subset, but conventionally it does not include complex interaction terms unless it also includes all simpler terms for those factors. For example, one would generally not include the three-way interaction without also including all two-way interactions.

The `anovan` function performs N-way ANOVA. Unlike the `anova1` and `anova2` functions, `anovan` does not expect data in a tabular form. Instead, it expects a vector of response measurements and a separate vector (or text array) containing the values corresponding to each factor. This input data format is more convenient than matrices when there are more than two factors or when the number of measurements per factor combination is not constant.

N-Way ANOVA with a Small Data Set

Consider the following two-way example using `anova2`.

```
m = [23 15 20;27 17 63;43 3 55;41 9 90]
```

```
m =
```

```
    23    15    20
    27    17    63
    43     3    55
    41     9    90
```

```
anova2(m,2)
```

```
ans =
```

```
    0.0197    0.2234    0.2663
```

The factor information is implied by the shape of the matrix `m` and the number of measurements at each factor combination (2). Although `anova2` does not actually require arrays of factor values, for illustrative purposes you could create them as follows.

```
cfactor = repmat(1:3,4,1)
```

```
cfactor =
```

```
     1     2     3
     1     2     3
     1     2     3
     1     2     3
```

```
rfactor = [ones(2,3); 2*ones(2,3)]
```

```
rfactor =
```

```
     1     1     1
     1     1     1
     2     2     2
     2     2     2
```

The `cfactor` matrix shows that each column of `m` represents a different level of the column factor. The `rfactor` matrix shows that the top two rows of `m` represent one level of the row factor, and bottom two rows of `m` represent a second level of the row factor. In other words, each value `m(i, j)` represents

an observation at column factor level `cfactor(i, j)` and row factor level `rfactor(i, j)`.

To solve the above problem with `anovan`, you need to reshape the matrices `m`, `cfactor`, and `rfactor` to be vectors.

```
m = m(:);  
cfactor = cfactor(:);  
rfactor = rfactor(:);
```

```
[m cfactor rfactor]
```

```
ans =
```

```
23    1    1  
27    1    1  
43    1    2  
41    1    2  
15    2    1  
17    2    1  
3     2    2  
9     2    2  
20    3    1  
63    3    1  
55    3    2  
90    3    2
```

```
anovan(m, {cfactor rfactor}, 2)
```

```
ans =
```

```
0.0197  
0.2234  
0.2663
```

N-Way ANOVA with a Large Data Set

The previous example used `anova2` to study a small data set measuring car mileage. This example illustrates how to analyze a larger set of car data with

mileage and other information on 406 cars made between 1970 and 1982. First, load the data set and look at the variable names.


```
load carbig
whos
```

Name	Size	Bytes	Class
Acceleration	406x1	3248	double array
Cylinders	406x1	3248	double array
Displacement	406x1	3248	double array
Horsepower	406x1	3248	double array
MPG	406x1	3248	double array
Model	406x36	29232	char array
Model_Year	406x1	3248	double array
Origin	406x7	5684	char array
Weight	406x1	3248	double array
cyl4	406x5	4060	char array
org	406x7	5684	char array
when	406x5	4060	char array

The example focusses on four variables. MPG is the number of miles per gallon for each of 406 cars (though some have missing values coded as NaN). The other three variables are factors: cyl4 (four-cylinder car or not), org (car originated in Europe, Japan, or the USA), and when (car was built early in the period, in the middle of the period, or late in the period).

First, fit the full model, requesting up to three-way interactions and Type 3 sums-of-squares.

```
varnames = {'Origin';'4Cyl';'MfgDate'};
anovan(MPG,{org cyl4 when},3,3,varnames)
ans =
    0.0000
         NaN
         0
    0.7032
    0.0001
    0.2072
    0.6990
```



Note that many terms are marked by a # symbol as not having full rank, and one of them has zero degrees of freedom and is missing a p -value. This can happen when there are missing factor combinations and the model has higher-order terms. In this case, the cross-tabulation below shows that there are no cars made in Europe during the early part of the period with other than four cylinders, as indicated by the 0 in table(2,1,1).

```
[table, chi2, p, factorvals] = crosstab(org,when,cyl4)
```

```
table(:, :, 1) =
```

```

82   75   25
 0    4    3
 3    3    4
```

```
table(:, :, 2) =
```

```

12   22   38
23   26   17
12   25   32
```

```
chi2 =
```

```

207.7689

p =

0

factorvals =

    'USA'      'Early'    'Other'
    'Europe'   'Mid'      'Four'
    'Japan'    'Late'     []

```

Consequently it is impossible to estimate the three-way interaction effects, and including the three-way interaction term in the model makes the fit singular.

Using even the limited information available in the ANOVA table, you can see that the three-way interaction has a p -value of 0.699, so it is not significant. So this time you examine only two-way interactions.


```

[p,tbl,stats,terms] = anovan(MPG,{org cyl4 when},2,3,varnames);
terms

terms =

    1     0     0
    0     1     0
    0     0     1
    1     1     0
    1     0     1
    0     1     1

```



Source	Sum Sq.	d.f.	Mean Sq.	F	Prob>F
Origin	532.6	2	266.29	18.82	0
4Cyl	1769.8	1	1769.85	125.11	0
MfgDate	2887.1	2	1443.55	102.05	0
Origin*4Cyl	12.5	2	6.27	0.44	0.6422
Origin*MfgDate	350.4	4	87.59	6.19	0.0001
4Cyl*MfgDate	31	2	15.52	1.1	0.3348
Error	5432.1	384	14.15		
Total	24252.6	397			

Constrained (Type III) sums of squares.

Now all terms are estimable. The p -values for interaction term 4 (Origin*4Cyl) and interaction term 6 (4Cyl*MfgDate) are much larger than a typical cutoff value of 0.05, indicating these terms are not significant. You could choose to omit these terms and pool their effects into the error term. The output terms variable returns a matrix of codes, each of which is a bit pattern representing a term. You can omit terms from the model by deleting their entries from terms and running anovan again, this time supplying the resulting vector as the model argument.

```
terms([4 6],:) = []
```

```
terms =
```

```


1    0    0
0    1    0
0    0    1
1    0    1
```

```
anovan(MPG,{org cyl4 when},terms,3,varnames)
```

```
ans =
```

```
1.0e-003 *
```

0.0000
0
0
0.1140



Now you have a more parsimonious model indicating that the mileage of these cars seems to be related to all three factors, and that the effect of the manufacturing date depends on where the car was made.

ANOVA with Random Effects

- “Introduction” on page 7-19
- “Setting Up the Model” on page 7-20
- “Fitting a Random Effects Model” on page 7-21
- “F Statistics for Models with Random Effects” on page 7-22
- “Variance Components” on page 7-24

Introduction. In an ordinary ANOVA model, each grouping variable represents a fixed factor. The levels of that factor are a fixed set of values. Your goal is to determine whether different factor levels lead to different response values. This section presents an example that shows how to use anovan to fit models where a factor’s levels represent a random selection from a larger (infinite) set of possible levels.

Setting Up the Model. To set up the example, first load the data, which is stored in a 6-by-3 matrix, `mileage`.

```
load mileage
```

The `anova2` function works only with balanced data, and it infers the values of the grouping variables from the row and column numbers of the input matrix. The `anovan` function, on the other hand, requires you to explicitly create vectors of grouping variable values. To create these vectors, do the following steps:

- 1** Create an array indicating the factory for each value in `mileage`. This array is 1 for the first column, 2 for the second, and 3 for the third.

```
factory = repmat(1:3,6,1);
```

- 2** Create an array indicating the car model for each mileage value. This array is 1 for the first three rows of `mileage`, and 2 for the remaining three rows.

```
carmod = [ones(3,3); 2*ones(3,3)];
```

- 3** Turn these matrices into vectors and display them.

```
mileage = mileage(:);  
factory = factory(:);  
carmod = carmod(:);  
[mileage factory carmod]
```

```
ans =
```

```
33.3000    1.0000    1.0000  
33.4000    1.0000    1.0000  
32.9000    1.0000    1.0000  
32.6000    1.0000    2.0000  
32.5000    1.0000    2.0000  
33.0000    1.0000    2.0000  
34.5000    2.0000    1.0000  
34.8000    2.0000    1.0000  
33.8000    2.0000    1.0000  
33.4000    2.0000    2.0000  
33.7000    2.0000    2.0000
```

33.9000	2.0000	2.0000
37.4000	3.0000	1.0000
36.8000	3.0000	1.0000
37.6000	3.0000	1.0000
36.6000	3.0000	2.0000
37.0000	3.0000	2.0000
36.7000	3.0000	2.0000

Fitting a Random Effects Model. Continuing the example from the preceding section, suppose you are studying a few factories but you want information about what would happen if you build these same car models in a different factory—either one that you already have or another that you might construct. To get this information, fit the analysis of variance model, specifying a model that includes an interaction term and that the factory factor is random.

```
[pvals,tbl,stats] = anovan(mileage, {factory carmod}, ...
    'model',2, 'random',1,'varnames',{'Factory' 'Car Model'});
```

Source	Sum Sq.	d.f.	Mean Sq.	F	Prob>F
Factory	53.3511	2	26.6756	1333.78	0.0007
Car Model	1.445	1	1.445	72.25	0.0136
Factory*Car Model	0.04	2	0.02	0.18	0.8411
Error	1.3667	12	0.1139		
Total	56.2028	17			

Constrained (Type III) sums of squares.

In the fixed effects version of this fit, which you get by omitting the inputs 'random', 1 in the preceding code, the effect of car model is significant, with a p -value of 0.0039. But in this example, which takes into account the random variation of the effect of the variable 'Car Model' from one factory to another, the effect is still significant, but with a higher p -value of 0.0136.

F Statistics for Models with Random Effects. The F statistic in a model having random effects is defined differently than in a model having all fixed effects. In the fixed effects model, you compute the F statistic for any term by taking the ratio of the mean square for that term with the mean square for error. In a random effects model, however, some F statistics use a different mean square in the denominator.

In the example described in “Setting Up the Model” on page 7-20, the effect of the variable 'Factory' could vary across car models. In this case, the interaction mean square takes the place of the error mean square in the F statistic. The F statistic for factory is:

$$F = 1.445 / 0.02$$

$$F =$$

$$72.2500$$

The degrees of freedom for the statistic are the degrees of freedom for the numerator (1) and denominator (2) mean squares. Therefore the p -value for the statistic is:

$$pval = 1 - fcdf(F,1,2)$$

$$pval =$$

$$0.0136$$

With random effects, the expected value of each mean square depends not only on the variance of the error term, but also on the variances contributed by the random effects. You can see these dependencies by writing the expected values as linear combinations of contributions from the various model terms. To find the coefficients of these linear combinations, enter `stats.ems`, which returns the `ems` field of the `stats` structure:

```
stats.ems
```

```
ans =
```

```
6.0000    0.0000    3.0000    1.0000
0.0000    9.0000    3.0000    1.0000
```



```

0.0000    0.0000    3.0000    1.0000
      0         0         0         1.0000

```

To see text representations of the linear combinations, enter

```
stats.txtems
```

```
ans =
```

```

'6*V(Factory)+3*V(Factory*Car Model)+V(Error) '
'9*Q(Car Model)+3*V(Factory*Car Model)+V(Error) '
'3*V(Factory*Car Model)+V(Error) '
'V(Error) '

```

The expected value for the mean square due to car model (second term) includes contributions from a quadratic function of the car model effects, plus three times the variance of the interaction term's effect, plus the variance of the error term. Notice that if the car model effects were all zero, the expression would reduce to the expected mean square for the third term (the interaction term). That is why the F statistic for the car model effect uses the interaction mean square in the denominator.

In some cases there is no single term whose expected value matches the one required for the denominator of the F statistic. In that case, the denominator is a linear combination of mean squares. The stats structure contains fields giving the definitions of the denominators for each F statistic. The txtdenom field, stats.txtdenom, gives a text representation, and the denom field gives a matrix that defines a linear combination of the variances of terms in the model. For balanced models like this one, the denom matrix, stats.denom, contains zeros and ones, because the denominator is just a single term's mean square:

```
stats.txtdenom
```

```
ans =
```

```

'MS(Factory*Car Model) '
'MS(Factory*Car Model) '
'MS(Error) '

```

```
stats.denom
```

```
ans =  
  
-0.0000    1.0000    0.0000  
 0.0000    1.0000   -0.0000  
 0.0000         0    1.0000
```

Variance Components. For the model described in “Setting Up the Model” on page 7-20, consider the mileage for a particular car of a particular model made at a random factory. The variance of that car is the sum of components, or contributions, one from each of the random terms.

```
stats.rtnames  
  
ans =  
  
  'Factory'  
  'Factory*Car Model'  
  'Error'
```


You do not know those variances, but you can estimate them from the data. Recall that the `ems` field of the `stats` structure expresses the expected value of each term’s mean square as a linear combination of unknown variances for random terms, and unknown quadratic forms for fixed terms. If you take the expected mean square expressions for the random terms, and equate those expected values to the computed mean squares, you get a system of equations that you can solve for the unknown variances. These solutions are the variance component estimates. The `varest` field contains a variance component estimate for each term. The `rtnames` field contains the names of the random terms.

```
stats.varest  
  
ans =  
  
  4.4426  
 -0.0313  
  0.1139
```

Under some conditions, the variability attributed to a term is unusually low, and that term’s variance component estimate is negative. In those cases it

is common to set the estimate to zero, which you might do, for example, to create a bar graph of the components.

```
bar(max(0,stats.varest))
set(gca,'xtick',1:3,'xticklabel',stats.rtnames)
```



You can also compute confidence bounds for the variance estimate. The `anovan` function does this by computing confidence bounds for the variance expected mean squares, and finding lower and upper limits on each variance component containing all of these bounds. This procedure leads to a set of bounds that is conservative for balanced data. (That is, 95% confidence bounds will have a probability of at least 95% of containing the true variances if the number of observations for each combination of grouping variables is the same.) For unbalanced data, these are approximations that are not guaranteed to be conservative.

```
[{'Term' 'Estimate' 'Lower' 'Upper'};
 stats.rtnames, num2cell([stats.varest stats.varci])]
```

```
ans =
```

```
    'Term'                'Estimate'    'Lower'    'Upper'
```

```
'Factory'          [  4.4426]    [1.0736]    [175.6038]
'Factory*Car Model' [ -0.0313]    [   NaN]    [   NaN]
'Error'           [  0.1139]    [0.0586]    [  0.3103]
```

Other ANOVA Models

The `anovan` function also has arguments that enable you to specify two other types of model terms. First, the `'nested'` argument specifies a matrix that indicates which factors are nested within other factors. A nested factor is one that takes different values within each level its nested factor.

For example, the mileage data from the previous section assumed that the two car models produced in each factory were the same. Suppose instead, each factory produced two distinct car models for a total of six car models, and we numbered them 1 and 2 for each factory for convenience. Then, the car model is nested in factory. A more accurate and less ambiguous numbering of car model would be as follows:

Factory	Car Model
1	1
1	2
2	3
2	4
3	5
3	6

However, it is common with nested models to number the nested factor the same way in each nested factor.

Second, the `'continuous'` argument specifies that some factors are to be treated as continuous variables. The remaining factors are categorical variables. Although the `anovan` function can fit models with multiple continuous and categorical predictors, the simplest model that combines one predictor of each type is known as an *analysis of covariance* model. The next section describes a specialized tool for fitting this model.

Analysis of Covariance

- “Introduction” on page 7-27
- “Analysis of Covariance Tool” on page 7-27
- “Confidence Bounds” on page 7-32
- “Multiple Comparisons” on page 7-34

Introduction

Analysis of covariance is a technique for analyzing grouped data having a response (y , the variable to be predicted) and a predictor (x , the variable used to do the prediction). Using analysis of covariance, you can model y as a linear function of x , with the coefficients of the line possibly varying from group to group.

Analysis of Covariance Tool

The `aocool` function opens an interactive graphical environment for fitting and prediction with analysis of covariance (ANOCOVA) models. It fits the following models for the i th group:

Same mean	$y = \alpha + \varepsilon$
Separate means	$y = (\alpha + \alpha_i) + \varepsilon$
Same line	$y = \alpha + \beta x + \varepsilon$
Parallel lines	$y = (\alpha + \alpha_i) + \beta x + \varepsilon$
Separate lines	$y = (\alpha + \alpha_i) + (\beta + \beta_i)x + \varepsilon$

For example, in the parallel lines model the intercept varies from one group to the next, but the slope is the same for each group. In the same mean model, there is a common intercept and no slope. In order to make the group coefficients well determined, the tool imposes the constraints


$$\sum \alpha_j = \sum \beta_j = 0$$

The following steps describe the use of `aocool`.

- 1 Load the data.** The Statistics Toolbox™ data set `carsmall.mat` contains information on cars from the years 1970, 1976, and 1982. This example studies the relationship between the weight of a car and its mileage, and whether this relationship has changed over the years. To start the demonstration, load the data set.

```
load carsmall
```

The Workspace Browser shows the variables in the data set.



The screenshot shows the MATLAB Workspace Browser window. The title bar reads "Workspace". The menu bar includes "File", "Edit", "View", "Web", "Window", and "Help". Below the menu bar is a toolbar with icons for "Open", "Save", "Print", and "Stack". The "Stack" dropdown menu is set to "Base". The main area of the window displays a table of variables in the workspace.

Name	Size	Bytes	Class
MPG	100x1	800	double array
Model_Year	100x1	800	double array
Weight	100x1	800	double array
Horsepower	100x1	800	double array
Cylinders	100x1	800	double array
Acceleration	100x1	800	double array
Displacement	100x1	800	double array
Model	100x36	7200	char array
Origin	100x7	1400	char array


You can also use `aoctool` with your own data.

- 2 Start the tool.** The following command calls `aoctool` to fit a separate line to the column vectors `Weight` and `MPG` for each of the three model group defined in `Model_Year`. The initial fit models the y variable, `MPG`, as a linear function of the x variable, `Weight`.

```
[h,atab,ctab,stats] = aoctool(Weight,MPG,Model_Year);
```

See the `aoctool` function reference page for detailed information about calling `aoctool`.

- 3 Examine the output.** The graphical output consists of a main window with a plot, a table of coefficient estimates, and an analysis of variance table. In the plot, each `Model_Year` group has a separate line. The data points for each group are coded with the same color and symbol, and the fit for each group has the same color as the data points.



The coefficients of the three lines appear in the figure titled ANOCOVA Coefficients. You can see that the slopes are roughly -0.0078, with a small deviation for each group:


- Model year 1970: $y = (45.9798 - 8.5805) + (-0.0078 + 0.002)x + \varepsilon$
- Model year 1976: $y = (45.9798 - 3.8902) + (-0.0078 + 0.0011)x + \varepsilon$
- Model year 1982: $y = (45.9798 + 12.4707) + (-0.0078 - 0.0031)x + \varepsilon$

Term	Estimate	Std. Err.	T	Prob> T
Intercept	45.9798	1.52085	30.23	0
70	-8.5805	1.96186	-4.37	0
76	-3.8902	1.86864	-2.08	0.0403
82	12.4707	2.5568	4.88	0
Slope	-0.0078	0.00056	-14	0
70	0.002	0.00066	2.96	0.0039
76	0.0011	0.00065	1.74	0.0849
82	-0.0031	0.001	-3.1	0.0026

Because the three fitted lines have slopes that are roughly similar, you may wonder if they really are the same. The Model_Year*Weight interaction expresses the difference in slopes, and the ANOVA table shows a test for the significance of this term. With an F statistic of 5.23 and a p -value of 0.0072, the slopes are significantly different.

Source	d.f	Sum Sq	Mean Sq	F	Prob>F
Model_Year	2	807.69	403.84	51.98	0
Weight	1	2050.2	2050.2	263.87	0
Model_Year*Weigh	2	81.22	40.61	5.23	0.0072
Error	88	683.74	7.77		

- 4 Constrain the slopes to be the same.** To examine the fits when the slopes are constrained to be the same, return to the ANOCOVA Prediction Plot window and use the **Model** pop-up menu to select a Parallel Lines model. The window updates to show the following graph.




Though this fit looks reasonable, it is significantly worse than the Separate Lines model. Use the **Model** pop-up menu again to return to the original model.

Confidence Bounds


The example in “Analysis of Covariance Tool” on page 7-27 provides estimates of the relationship between MPG and Weight for each Model_Year, but how accurate are these estimates? To find out, you can superimpose confidence bounds on the fits by examining them one group at a time.

- 1 In the **Model_Year** menu at the lower right of the figure, change the setting from All Groups to 82. The data and fits for the other groups are dimmed, and confidence bounds appear around the 82 fit.



The dashed lines form an envelope around the fitted line for model year 82. Under the assumption that the true relationship is linear, these bounds provide a 95% confidence region for the true line. Note that the fits for the other model years are well outside these confidence bounds for Weight values between 2000 and 3000.

- Sometimes it is more valuable to be able to predict the response value for a new observation, not just estimate the average response value. Use the aocool function **Bounds** menu to change the definition of the confidence bounds from Line to Observation. The resulting wider intervals reflect the uncertainty in the parameter estimates as well as the randomness of a new observation.



Like the `polytool` function, the `aocool` function has cross hairs that you can use to manipulate the Weight and watch the estimate and confidence bounds along the y -axis update. These values appear only when a single group is selected, not when All Groups is selected.


Multiple Comparisons

You can perform a multiple comparison test by using the stats output structure from `aocool` as input to the `multcompare` function. The `multcompare` function can test either slopes, intercepts, or population marginal means (the predicted MPG of the mean weight for each group). The example in “Analysis of Covariance Tool” on page 7-27 shows that the slopes are not all the same, but could it be that two are the same and only the other one is different? You can test that hypothesis.

```
multcompare(stats,0.05,'on',' ','s')
```

```
ans =  
 1.0000    2.0000   -0.0012    0.0008    0.0029  
 1.0000    3.0000    0.0013    0.0051    0.0088  
 2.0000    3.0000    0.0005    0.0042    0.0079
```

This matrix shows that the estimated difference between the intercepts of groups 1 and 2 (1970 and 1976) is 0.0008, and a confidence interval for the difference is [-0.0012, 0.0029]. There is no significant difference between the two. There are significant differences, however, between the intercept for 1982 and each of the other two. The graph shows the same information.



Note that the stats structure was created in the initial call to the `aocool` function, so it is based on the initial model fit (typically a separate-lines model). If you change the model interactively and want to base your multiple comparisons on the new model, you need to run `aocool` again to get another stats structure, this time specifying your new model as the initial model.

Nonparametric Methods

- “Introduction” on page 7-36

- “Kruskal-Wallis Test” on page 7-36
- “Friedman’s Test” on page 7-37

Introduction

Statistics Toolbox functions include nonparametric versions of one-way and two-way analysis of variance. Unlike classical tests, nonparametric tests make only mild assumptions about the data, and are appropriate when the distribution of the data is non-normal. On the other hand, they are less powerful than classical methods for normally distributed data.

Both of the nonparametric functions described here will return a `stats` structure that can be used as an input to the `multcompare` function for multiple comparisons.

Kruskal-Wallis Test

The example “Example: One-Way ANOVA” on page 7-4 uses one-way analysis of variance to determine if the bacteria counts of milk varied from shipment to shipment. The one-way analysis rests on the assumption that the measurements are independent, and that each has a normal distribution with a common variance and with a mean that was constant in each column. You can conclude that the column means were not all the same. The following example repeats that analysis using a nonparametric procedure.

The Kruskal-Wallis test is a nonparametric version of one-way analysis of variance. The assumption behind this test is that the measurements come from a continuous distribution, but not necessarily a normal distribution. The test is based on an analysis of variance using the ranks of the data values, not the data values themselves. Output includes a table similar to an ANOVA table, and a box plot.

You can run this test as follows:

```
load hogg

p = kruskalwallis(hogg)
p =
    0.0020
```

The low p -value means the Kruskal-Wallis test results agree with the one-way analysis of variance results.

Friedman's Test

The example “Example: Two-Way ANOVA” on page 7-10 uses two-way analysis of variance to study the effect of car model and factory on car mileage. The example tests whether either of these factors has a significant effect on mileage, and whether there is an interaction between these factors. The conclusion of the example is there is no interaction, but that each individual factor has a significant effect. The next example examines whether a nonparametric analysis leads to the same conclusion.

Friedman's test is a nonparametric test for data having a two-way layout (data grouped by two categorical factors). Unlike two-way analysis of variance, Friedman's test does not treat the two factors symmetrically and it does not test for an interaction between them. Instead, it is a test for whether the columns are different after adjusting for possible row differences. The test is based on an analysis of variance using the ranks of the data across categories of the row factor. Output includes a table similar to an ANOVA table.

You can run Friedman's test as follows.

```
load mileage
p = friedman(mileage,3)
p =
    7.4659e-004
```

Recall the classical analysis of variance gave a p -value to test column effects, row effects, and interaction effects. This p -value is for column effects. Using either this p -value or the p -value from ANOVA ($p < 0.0001$), you conclude that there are significant column effects.

In order to test for row effects, you need to rearrange the data to swap the roles of the rows in columns. For a data matrix x with no replications, you could simply transpose the data and type

```
p = friedman(x')
```

With replicated data it is slightly more complicated. A simple way is to transform the matrix into a three-dimensional array with the first dimension

representing the replicates, swapping the other two dimensions, and restoring the two-dimensional shape.

```
x = reshape(mileage, [3 2 3]);
x = permute(x,[1 3 2]);
x = reshape(x,[9 2])
x =
    33.3000    32.6000
    33.4000    32.5000
    32.9000    33.0000
    34.5000    33.4000
    34.8000    33.7000
    33.8000    33.9000
    37.4000    36.6000
    36.8000    37.0000
    37.6000    36.7000

friedman(x,3)
ans =
    0.0082
```

Again, the conclusion is similar to that of the classical analysis of variance. Both this p -value and the one from ANOVA ($p = 0.0039$) lead you to conclude that there are significant row effects.

You cannot use Friedman's test to test for interactions between the row and column factors.

MANOVA

In this section...

“Introduction” on page 7-39

“ANOVA with Multiple Responses” on page 7-39

Introduction

The analysis of variance technique in “Example: One-Way ANOVA” on page 7-4 takes a set of grouped data and determine whether the mean of a variable differs significantly among groups. Often there are multiple response variables, and you are interested in determining whether the entire set of means is different from one group to the next. There is a multivariate version of analysis of variance that can address the problem.

ANOVA with Multiple Responses

The carsmall data set has measurements on a variety of car models from the years 1970, 1976, and 1982. Suppose you are interested in whether the characteristics of the cars have changed over time.


First, load the data.

```
load carsmall
whos
  Name          Size          Bytes  Class
Acceleration   100x1           800    double array
Cylinders       100x1           800    double array
Displacement    100x1           800    double array
Horsepower      100x1           800    double array
MPG             100x1           800    double array
Model           100x36          7200   char array
Model_Year      100x1           800    double array
Origin          100x7           1400   char array
Weight          100x1           800    double array
```

Four of these variables (Acceleration, Displacement, Horsepower, and MPG) are continuous measurements on individual car models. The variable

Model_Year indicates the year in which the car was made. You can create a grouped plot matrix of these variables using the `gplotmatrix` function.

```
x = [MPG Horsepower Displacement Weight];
gplotmatrix(x,[],Model_Year,[],'+xo')
```



(When the second argument of `gplotmatrix` is empty, the function graphs the columns of the `x` argument against each other, and places histograms along the diagonals. The empty fourth argument produces a graph with the default colors. The fifth argument controls the symbols used to distinguish between groups.)

It appears the cars do differ from year to year. The upper right plot, for example, is a graph of MPG versus Weight. The 1982 cars appear to have higher mileage than the older cars, and they appear to weigh less on average. But as a group, are the three years significantly different from one another? The `manova1` function can answer that question.

```
[d,p,stats] = manova1(x,Model_Year)
```

```

d =
    2
p =
    1.0e-006 *
    0
    0.1141
stats =
    W: [4x4 double]
    B: [4x4 double]
    T: [4x4 double]
    dfW: 90
    dfB: 2
    dfT: 92
    lambda: [2x1 double]
    chisq: [2x1 double]
    chisqdf: [2x1 double]
    eigenval: [4x1 double]
    eigenv: [4x4 double]
    canon: [100x4 double]
    mdist: [100x1 double]
    gmdist: [3x3 double]

```

The `manova1` function produces three outputs:

- The first output, `d`, is an estimate of the dimension of the group means. If the means were all the same, the dimension would be 0, indicating that the means are at the same point. If the means differed but fell along a line, the dimension would be 1. In the example the dimension is 2, indicating that the group means fall in a plane but not along a line. This is the largest possible dimension for the means of three groups.
- The second output, `p`, is a vector of p -values for a sequence of tests. The first p -value tests whether the dimension is 0, the next whether the dimension is 1, and so on. In this case both p -values are small. That's why the estimated dimension is 2.
- The third output, `stats`, is a structure containing several fields, described in the following section.

The Fields of the stats Structure


The W, B, and T fields are matrix analogs to the within, between, and total sums of squares in ordinary one-way analysis of variance. The next three fields are the degrees of freedom for these matrices. Fields `lambda`, `chisq`, and `chisqdf` are the ingredients of the test for the dimensionality of the group means. (The p -values for these tests are the first output argument of `manova1`.)

The next three fields are used to do a canonical analysis. Recall that in principal components analysis (“Principal Component Analysis” on page 9-23) you look for the combination of the original variables that has the largest possible variation. In multivariate analysis of variance, you instead look for the linear combination of the original variables that has the largest separation between groups. It is the single variable that would give the most significant result in a univariate one-way analysis of variance. Having found that combination, you next look for the combination with the second highest separation, and so on.

The `eigenvec` field is a matrix that defines the coefficients of the linear combinations of the original variables. The `eigenval` field is a vector measuring the ratio of the between-group variance to the within-group variance for the corresponding linear combination. The `canon` field is a matrix of the canonical variable values. Each column is a linear combination of the mean-centered original variables, using coefficients from the `eigenvec` matrix.

A grouped scatter plot of the first two canonical variables shows more separation between groups than a grouped scatter plot of any pair of original variables. In this example it shows three clouds of points, overlapping but with distinct centers. One point in the bottom right sits apart from the others. By using the `gname` function, you can see that this is the 20th point.

```
c1 = stats.canon(:,1);
c2 = stats.canon(:,2);
gscatter(c2,c1,Model_Year,[],'oxs')
gname
```



Roughly speaking, the first canonical variable, c_1 , separates the 1982 cars (which have high values of c_1) from the older cars. The second canonical variable, c_2 , reveals some separation between the 1970 and 1976 cars.

The final two fields of the `stats` structure are Mahalanobis distances. The `mdist` field measures the distance from each point to its group mean. Points with large values may be outliers. In this data set, the largest outlier is the one in the scatter plot, the Buick Estate station wagon. (Note that you could have supplied the model name to the `gname` function above if you wanted to label the point with its model name rather than its row number.)

```
max(stats.mdist)
ans =
    31.5273
find(stats.mdist == ans)
ans =
```

```
20
Model(20,:)
ans =
    buick_estate_wagon_(sw)
```

The `gmdist` field measures the distances between each pair of group means. The following commands examine the group means and their distances:

```
grpstats(x, Model_Year)
ans =
    1.0e+003 *
         0.0177    0.1489    0.2869    3.4413
         0.0216    0.1011    0.1978    3.0787
         0.0317    0.0815    0.1289    2.4535
stats.gmdist
ans =
         0    3.8277    11.1106
    3.8277    0    6.1374
    11.1106    6.1374    0
```

As might be expected, the multivariate distance between the extreme years 1970 and 1982 (11.1) is larger than the difference between more closely spaced years (3.8 and 6.1). This is consistent with the scatter plots, where the points seem to follow a progression as the year changes from 1970 through 1976 to 1982. If you had more groups, you might find it instructive to use the `manovacluster` function to draw a diagram that presents clusters of the groups, formed using the distances between their means.

Regression Analysis

Introduction (p. 8-2)

Linear Regression (p. 8-3)

Nonlinear Regression (p. 8-58)

Regression modeling

Linear models

Nonlinear models

Introduction

Regression is the process of fitting models to data. The process depends on the model. If a model is parametric, regression estimates the parameters from the data. If a model is linear in the parameters, estimation is based on methods from linear algebra that minimize the norm of a residual vector. If a model is nonlinear in the parameters, estimation is based on search methods from optimization that minimize the norm of a residual vector. Nonparametric models, like “Regression Trees” on page 8-64, use methods all their own.

This chapter considers data and models with continuous predictors and responses. Categorical predictors are the subject of Chapter 7, “Analysis of Variance”. Categorical responses are the subject of Chapter 11, “Classification”.

Linear Regression

In this section...

“Linear Regression Models” on page 8-3
 “Multiple Linear Regression” on page 8-8
 “Robust Regression” on page 8-14
 “Stepwise Regression” on page 8-19
 “Ridge Regression” on page 8-29
 “Partial Least Squares” on page 8-32
 “Polynomial Models” on page 8-37
 “Response Surface Models” on page 8-45
 “Generalized Linear Models” on page 8-52
 “Multivariate Regression” on page 8-57

Linear Regression Models

In statistics, linear regression models often take the form of something like this:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_1 x_2 + \beta_4 x_1^2 + \beta_5 x_2^2 + \varepsilon$$

Here a response variable y is modeled as a combination of constant, linear, interaction, and quadratic terms formed from two predictor variables x_1 and x_2 . Uncontrolled factors and experimental errors are modeled by ε . Given data on x_1 , x_2 , and y , *regression* estimates the model parameters β_j ($j = 1, \dots, 5$).

More general linear regression models represent the relationship between a continuous response y and a continuous or categorical predictor \mathbf{x} in the form:

$$y = \beta_1 f_1(\mathbf{x}) + \dots + \beta_p f_p(\mathbf{x}) + \varepsilon$$

The response is modeled as a linear combination of (not necessarily linear) functions of the predictor, plus a random error ε . The expressions $f_j(\mathbf{x})$ ($j = 1, \dots, p$) are the *terms* of the model. The β_j ($j = 1, \dots, p$) are the *coefficients*. Errors

ε are assumed to be uncorrelated and distributed with mean 0 and constant (but unknown) variance.

Examples of linear regression models with a scalar predictor variable x include:

- Linear additive (straight-line) models — Terms are $f_1(x) = 1$ and $f_2(x) = x$.
- Polynomial models — Terms are $f_1(x) = 1, f_2(x) = x, \dots, f_p(x) = x^{p-1}$.
- Chebyshev orthogonal polynomial models — Terms are $f_1(x) = 1, f_2(x) = x, \dots, f_p(x) = 2xf_{p-1}(x) - f_{p-2}(x)$.
- Fourier trigonometric polynomial models — Terms are $f_1(x) = 1/2$ and sines and cosines of different frequencies.

Examples of linear regression models with a vector of predictor variables $\mathbf{x} = (x_1, \dots, x_N)$ include:

- Linear additive (hyperplane) models — Terms are $f_1(\mathbf{x}) = 1$ and $f_k(\mathbf{x}) = x_k$ ($k = 1, \dots, N$).
- Pairwise interaction models — Terms are linear additive terms plus $g_{k_1k_2}(\mathbf{x}) = x_{k_1}x_{k_2}$ ($k_1, k_2 = 1, \dots, N, k_1 \neq k_2$).
- Quadratic models — Terms are pairwise interaction terms plus $h_k(\mathbf{x}) = x_k^2$ ($k = 1, \dots, N$).
- Pure quadratic models — Terms are quadratic terms minus the $g_{k_1k_2}(\mathbf{x})$ terms.

Whether or not the predictor \mathbf{x} is a vector of predictor variables, *multivariate regression* refers to the case where the response $\mathbf{y} = (y_1, \dots, y_M)$ is a vector of M response variables. See “Multivariate Regression” on page 8-57 for more on multivariate regression models.

Given n independent observations $(\mathbf{x}_1, y_1), \dots, (\mathbf{x}_n, y_n)$ of the predictor \mathbf{x} and the response y , the linear regression model becomes an n -by- p system of equations:

$$\underbrace{\begin{pmatrix} y_1 \\ \vdots \\ y_n \end{pmatrix}}_y = \underbrace{\begin{pmatrix} f_1(\mathbf{x}_1) & \cdots & f_p(\mathbf{x}_1) \\ \vdots & \ddots & \vdots \\ f_1(\mathbf{x}_n) & \cdots & f_p(\mathbf{x}_n) \end{pmatrix}}_X \underbrace{\begin{pmatrix} \beta_1 \\ \vdots \\ \beta_p \end{pmatrix}}_\beta + \underbrace{\begin{pmatrix} \varepsilon_1 \\ \vdots \\ \varepsilon_n \end{pmatrix}}_\varepsilon$$

X is the *design matrix* of the system. The columns of X are the terms of the model evaluated at the predictors. To fit the model to the data, the system must be solved for the p coefficient values in $\beta = (\beta_1, \dots, \beta_p)^T$.


The MATLAB® backslash operator `\` (`mldivide`) solves systems of linear equations. Ignoring the unknown error ε , MATLAB estimates model coefficients in $y = X\beta$ using

$$\text{betahat} = X \backslash y$$

where X is the design matrix and y is the vector of observed responses. MATLAB returns the least-squares solution to the system; `betahat` minimizes the norm of the *residual* vector $y - X * \text{beta}$ over all beta . If the system is consistent, the norm is 0 and the solution is exact. In this case, the regression model interpolates the data. In more typical regression cases where $n > p$ and the system is overdetermined, the least-squares solution estimates model coefficients obscured by the error ε .

The least-squares estimator `betahat` has several important statistical properties. First, it is unbiased, with expected value β . Second, by the Gauss-Markov theorem, it has minimum variance among all unbiased estimators formed from linear combinations of the response data. Under the additional assumption that ε is normally distributed, `betahat` is a maximum likelihood estimator. The assumption also implies that the estimates themselves are normally distributed, which is useful for computing confidence intervals. Even without the assumption, by the Central Limit theorem, the estimates have an approximate normal distribution if the sample size is large enough.

Visualize the least-squares estimator as follows.



For $\hat{\beta}$ to minimize $\text{norm}(y - X\hat{\beta})$, $y - X\hat{\beta}$ must be perpendicular to the column space of X , which contains all linear combinations of the model terms. This requirement is summarized in the *normal equations*, which express vanishing inner products between $y - X\hat{\beta}$ and the columns of X :

$$X^T (y - X\hat{\beta}) = 0$$

or

$$X^T X \hat{\beta} = X^T y$$

If X is n -by- p , the normal equations are a p -by- p square system with solution $\hat{\beta} = \text{inv}(X' * X) * X' * y$, where inv is the MATLAB inverse operator. The matrix $\text{inv}(X' * X) * X'$ is the *pseudoinverse* of X , computed by the MATLAB function `pinv`.

The normal equations are often badly conditioned relative to the original system $y = X\beta$ (the coefficient estimates are much more sensitive to the model error ε), so the MATLAB backslash operator avoids solving them directly.

Instead, a QR (orthogonal, triangular) decomposition of X is used to create a simpler, more stable triangular system:

$$\begin{aligned} X^T X \hat{\beta} &= X^T y \\ (QR)^T (QR) \hat{\beta} &= (QR)^T y \\ R^T Q^T QR \hat{\beta} &= R^T Q^T y \\ R^T R \hat{\beta} &= R^T Q^T y \\ R \hat{\beta} &= Q^T y \end{aligned}$$

Statistics Toolbox™ functions like `regress` and `regstats` call the MATLAB backslash operator to perform linear regression. The QR decomposition is also used for efficient computation of confidence intervals.

Once `betahat` is computed, the model can be evaluated at the predictor data:

$$\text{yhat} = X * \text{betahat}$$

or

$$\text{yhat} = X * \text{inv}(X' * X) * X' * y$$

$H = X * \text{inv}(X' * X) * X'$ is the *hat matrix*. It is a square, symmetric n -by- n matrix determined by the predictor data. The diagonal elements $H(i, i)$ ($i = 1, \dots, n$) give the *leverage* of the i th observation. Since $\text{yhat} = H * y$, leverage values determine the influence of the observed response $y(i)$ on the predicted response $\text{yhat}(i)$. For leverage values near 1, the predicted response approximates the observed response. The Statistics Toolbox function `leverage` computes leverage values from a QR decomposition of X .

Component residual values in $y - \text{yhat}$ are useful for detecting failures in model assumptions. Like the errors in ε , residuals have an expected value of 0. Unlike the errors, however, residuals are correlated, with nonconstant variance. Residuals may be “Studentized” (scaled by an estimate of their standard deviation) for comparison. Studentized residuals are used by Statistics Toolbox functions like `regress` and `robustfit` to identify outliers in the data.

Multiple Linear Regression

- “Introduction” on page 8-8
- “Programmatic Multiple Linear Regression” on page 8-9
- “Interactive Multiple Linear Regression” on page 8-11
- “Tabulating Diagnostic Statistics” on page 8-13

Introduction

The system of linear equations

$$\underbrace{\begin{pmatrix} y_1 \\ \vdots \\ y_n \end{pmatrix}}_y = \underbrace{\begin{pmatrix} f_1(\mathbf{x}_1) & \cdots & f_p(\mathbf{x}_1) \\ \vdots & \ddots & \vdots \\ f_1(\mathbf{x}_n) & \cdots & f_p(\mathbf{x}_n) \end{pmatrix}}_X \underbrace{\begin{pmatrix} \beta_1 \\ \vdots \\ \beta_p \end{pmatrix}}_\beta + \underbrace{\begin{pmatrix} \varepsilon_1 \\ \vdots \\ \varepsilon_n \end{pmatrix}}_\varepsilon$$

in “Linear Regression Models” on page 8-3 expresses a response y as a linear combination of model terms $f_j(\mathbf{x})$ ($j = 1, \dots, p$) at each of the observations $(\mathbf{x}_1, y_1), \dots, (\mathbf{x}_n, y_n)$.

If the predictor \mathbf{x} is multidimensional, so are the functions f_j that form the terms of the model. For example, if the predictor is $\mathbf{x} = (x_1, x_2)$, terms for the model might include $f_1(\mathbf{x}) = x_1$ (a linear term), $f_2(\mathbf{x}) = x_1^2$ (a quadratic term), and $f_3(\mathbf{x}) = x_1 x_2$ (a pairwise interaction term). Typically, the function $f(\mathbf{x}) = 1$ is included among the f_j , so that the design matrix X contains a column of 1s and the model contains a constant (y -intercept) term.

Multiple linear regression models are useful for:

- Understanding which terms $f_j(\mathbf{x})$ have greatest effect on the response (coefficients β_j with greatest magnitude)
- Finding the direction of the effects (signs of the β_j)
- Predicting unobserved values of the response ($y(\mathbf{x})$ for new \mathbf{x})

The Statistics Toolbox functions `regress` and `regstats` are used for multiple linear regression analysis.

Programmatic Multiple Linear Regression

For example, the file `moore.mat` contains the 20-by-6 data matrix `moore`. The first five columns are measurements of five predictor variables. The final column contains the observed responses. Coefficient estimates `betahat` for a linear additive model are found with `regress` as follows:

```
load moore
X1 = [ones(size(moore,1),1) moore(:,1:5)];
y = moore(:,6);
betahat = regress(y,X1)
betahat =
    -2.1561
    -0.0000
     0.0013
     0.0001
     0.0079
     0.0001
```

Before using `regress` give the design matrix `X1` a first column of 1s to include a constant term in the model, `betahat(1)`.

The MATLAB backslash (`mldivide`) operator, which `regress` calls, obtains the same result:

```
betahat = X1\y
betahat =
    -2.1561
    -0.0000
     0.0013
     0.0001
     0.0079
     0.0001
```

The advantage of working with `regress` is that it allows for additional inputs and outputs relevant to statistical analysis of the regression. For example:


```
alpha = 0.05;
[betahat,Ibeta,res,Ires,stats] = regress(y,X1,alpha);
```

returns not only the coefficient estimates in `betahat`, but also

- `Ibeta` — A p -by-2 matrix of 95% confidence intervals for the coefficient estimates, using a $100 * (1 - \alpha)\%$ confidence level. The first column contains lower confidence bounds for each of the p coefficient estimates; the second column contains upper confidence bounds.
- `res` — An n -by-1 vector of residuals.
- `Ires` — An n -by-2 matrix of intervals that can be used to diagnose outliers. If the interval `Ires(i, :)` for observation i does not contain zero, the corresponding residual is larger than expected in $100 * (1 - \alpha)\%$ of new observations, suggesting an outlier.
- `stats` — A 1-by-4 vector that contains, in order, the R^2 statistic, the F statistic and its p -value, and an estimate of the error variance. The statistics are computed assuming the model contains a constant term, and are incorrect otherwise.

Visualize the residuals, in case (row number) order, with the `rcoplot` function:

```
rcoplot(res, Ires)
```



The interval around the first residual, shown in red when plotted, does not contain zero. This indicates that the residual is larger than expected in 95% of new observations, and suggests the data point is an outlier.

Outliers in regression appear for a variety of reasons:

- 1 If there is sufficient data, 5% of the residuals, by the definition of `rint`, are too big.
- 2 If there is a systematic error in the model (that is, if the model is not appropriate for generating the data under model assumptions), the mean of the residuals is not zero.
- 3 If the errors in the model are not normally distributed, the distributions of the residuals may be skewed or leptokurtic (with heavy tails and more outliers).

When errors are normally distributed, `Ires(i, :)` is a confidence interval for the mean of `res(i)` and checking if the interval contains zero is a test of the null hypothesis that the residual has zero mean.

Interactive Multiple Linear Regression

The function `regstats` also performs multiple linear regression, but computes more statistics than `regress`. By default, `regstats` automatically adds a first column of 1s to the design matrix (necessary for computing the F statistic and its p -value), so a constant term should not be included explicitly as for `regress`. For example:

```
X2 = moore(:, 1:5);
stats = regstats(y, X2);
```

creates a structure `stats` with fields containing regression statistics. An optional input argument allows you to specify which statistics are computed.

To interactively specify the computed statistics, call `regstats` without an output argument. For example:

```
regstats(y, X2)
```

opens the following interface.

The screenshot shows the 'Regstats Export to Workspace' dialog box. It contains a list of 21 regression statistics, each with a checkbox and a text box for the variable name. The 'OK' button is highlighted.

Statistic	Variable Name
<input type="checkbox"/> Q from QR Decomposition	Q
<input type="checkbox"/> R from QR Decomposition	R
<input type="checkbox"/> Coefficients	beta
<input type="checkbox"/> Coefficient Covariance	covb
<input type="checkbox"/> Fitted Values	yhat
<input type="checkbox"/> Residuals	r
<input type="checkbox"/> Mean Square Error	mse
<input type="checkbox"/> R-square Statistic	rsquare
<input type="checkbox"/> Adjusted R-square Statistic	adjrsquare
<input type="checkbox"/> Leverage	leverage
<input type="checkbox"/> Hat Matrix	hatmat
<input type="checkbox"/> Delete-1 Variance	s2_i
<input type="checkbox"/> Delete-1 Coefficients	beta_i
<input type="checkbox"/> Standardized Residuals	standres
<input type="checkbox"/> Studentized Residuals	studres
<input type="checkbox"/> Change in Beta	dfbetas
<input type="checkbox"/> Change in Fitted Value	dffit
<input type="checkbox"/> Scaled Change in Fit	dffits
<input type="checkbox"/> Change in Covariance	covratio
<input type="checkbox"/> Cook's Distance	cookd
<input type="checkbox"/> t Statistics	tstat
<input type="checkbox"/> F Statistic	fstat
<input type="checkbox"/> DW Statistic	dwstat

Buttons: **OK** | Cancel | Help

Select the check boxes corresponding to the statistics you want to compute and click **OK**. Selected statistics are returned to the MATLAB workspace. Names

of container variables for the statistics appear on the right-hand side of the interface, where they can be changed to any valid MATLAB variable name.

Tabulating Diagnostic Statistics

The `regstats` function computes statistics that are typically used in regression diagnostics. Statistics can be formatted into standard tabular displays in a variety of ways. For example, the `tstat` field of the `stats` output structure of `regstats` is itself a structure containing statistics related to the estimated coefficients of the regression. Dataset arrays (see “Dataset Arrays” on page 2-23) provide a natural tabular format for the information:

```
t = stats.tstat;
CoeffTable = dataset({t.beta, 'Coef'}, {t.se, 'StdErr'}, ...
                    {t.t, 'tStat'}, {t.pval, 'pVal'})
CoeffTable =
```

Coef	StdErr	tStat	pVal
-2.1561	0.91349	-2.3603	0.0333
-9.0116e-006	0.00051835	-0.017385	0.98637
0.0013159	0.0012635	1.0415	0.31531
0.0001278	7.6902e-005	1.6618	0.11876
0.0078989	0.014	0.56421	0.58154
0.00014165	7.3749e-005	1.9208	0.075365

The MATLAB function `fprntf` gives you control over tabular formatting. For example, the `fstat` field of the `stats` output structure of `regstats` is a structure with statistics related to the analysis of variance (ANOVA) of the regression. The following commands produce a standard regression ANOVA table:

```
f = stats.fstat;

fprntf('\n')
fprntf('Regression ANOVA');
fprntf('\n\n')

fprntf('%6s', 'Source');
fprntf('%10s', 'df', 'SS', 'MS', 'F', 'P');
fprntf('\n')

fprntf('%6s', 'Regr');
```

```

fprintf('%10.4f',f.dfr,f.ssr,f.ssr/f.dfr,f.f,f.pval);
fprintf('\n')

fprintf('%6s','Resid');
fprintf('%10.4f',f.dfe,f.sse,f.sse/f.dfe);
fprintf('\n')

fprintf('%6s','Total');
fprintf('%10.4f',f.dfe+f.dfr,f.sse+f.ssr);
fprintf('\n')

```

The result looks like this:

Regression ANOVA

Source	df	SS	MS	F	P
Regr	5.0000	4.1084	0.8217	11.9886	0.0001
Resid	14.0000	0.9595	0.0685		
Total	19.0000	5.0679			

Robust Regression

- “Introduction” on page 8-14
- “Programmatic Robust Regression” on page 8-15
- “Interactive Robust Regression” on page 8-16

Introduction

The models described in “Linear Regression Models” on page 8-3 are based on certain assumptions, such as a normal distribution of errors in the observed responses. If the distribution of errors is asymmetric or prone to outliers, model assumptions are invalidated, and parameter estimates, confidence intervals, and other computed statistics become unreliable. The Statistics Toolbox function `robustfit` is useful in these cases. The function implements a robust fitting method that is less sensitive than ordinary least squares to large changes in small parts of the data.

Robust regression works by assigning a weight to each data point. Weighting is done automatically and iteratively using a process called *iteratively*

reweighted least squares. In the first iteration, each point is assigned equal weight and model coefficients are estimated using ordinary least squares. At subsequent iterations, weights are recomputed so that points farther from model predictions in the previous iteration are given lower weight. Model coefficients are then recomputed using weighted least squares. The process continues until the values of the coefficient estimates converge within a specified tolerance.

Programmatic Robust Regression

The example in “Multiple Linear Regression” on page 8-8 shows an outlier when ordinary least squares is used to model the response variable as a linear combination of the five predictor variables. To determine the influence of the outlier, compare the coefficient estimates computed by regress:

```
load moore
X1 = [ones(size(moore,1),1) moore(:,1:5)];
y = moore(:,6);
betahat = regress(y,X1)
betahat =
    -2.1561
    -0.0000
     0.0013
     0.0001
     0.0079
     0.0001
```

to those computed by robustfit:

```
X2 = moore(:,1:5);
robustbeta = robustfit(X2,y)
robustbeta =
    -1.7516
     0.0000
     0.0009
     0.0002
     0.0060
     0.0001
```

By default, `robustfit` automatically adds a first column of 1s to the design matrix, so a constant term does not have to be included explicitly as for

regress. In addition, the order of inputs is reversed for robustfit and regress.

To understand the difference in the coefficient estimates, look at the final weights given to the data points in the robust fit:

```
[robustbeta,stats] = robustfit(X2,y);
stats.w'
ans =
Columns 1 through 5
    0.0246    0.9986    0.9763    0.9323    0.9704
Columns 6 through 10
    0.8597    0.9180    0.9992    0.9590    0.9649
Columns 11 through 15
    0.9769    0.9868    0.9999    0.9976    0.8122
Columns 16 through 20
    0.9733    0.9892    0.9988    0.8974    0.6774
```


The first data point has a very low weight compared to the other data points, and so is effectively ignored in the robust regression.

Interactive Robust Regression

The robustdemo function shows the difference between ordinary least squares and robust fitting for data with a single predictor. You can use data provided with the demo, or you can supply your own data. The following steps show you how to use robustdemo.

1 Start the demo. To begin using robustdemo with the built-in data, simply type the function name:

```
robustdemo
```




Least squares: $Y = -0.188327 + 1.10351 \cdot X$ RMS error = 2.21375

Robust: $Y = -1.77278 + 1.50415 \cdot X$ RMS error = 1.43663

The resulting figure shows a scatter plot with two fitted lines. The red line is the fit using ordinary least-squares regression. The green line is the fit using robust regression. At the bottom of the figure are the equations for the fitted lines, together with the estimated root mean squared errors for each fit.

- 2 View leverages and robust weights.** Right-click on any data point to see its least-squares leverage and robust weight.




Least squares: $Y = -0.188327 + 1.10351 * X$ RMS error = 2.21375

Robust: $Y = -1.77278 + 1.50415 * X$ RMS error = 1.43663

In the built-in data, the right-most point has a relatively high leverage of 0.35. The point exerts a large influence on the least-squares fit, but its small robust weight shows that it is effectively excluded from the robust fit.

- 3 See how changes in the data affect the fits.** With the left mouse button, click and hold on any data point and drag it to a new location. When you release the mouse button, the displays update.



Least squares: $Y = -0.928677 + 1.30648 * X$ RMS error = 1.28809

Robust: $Y = -1.07823 + 1.34094 * X$ RMS error = 1.34891

Bringing the right-most data point closer to the least-squares line makes the two fitted lines nearly identical. The adjusted right-most data point has significant weight in the robust fit.

Stepwise Regression

- “Introduction” on page 8-19
- “Programmatic Stepwise Regression” on page 8-21
- “Interactive Stepwise Regression” on page 8-27

Introduction

Multiple linear regression models, as described in “Multiple Linear Regression” on page 8-8, are built from a potentially large number of predictive terms. The number of interaction terms, for example, increases exponentially with the number of predictor variables. If there is no theoretical

basis for choosing the form of a model, and no assessment of correlations among terms, it is possible to include redundant terms in a model that confuse the identification of significant effects.

Stepwise regression is a systematic method for adding and removing terms from a multilinear model based on their statistical significance in a regression. The method begins with an initial model and then compares the explanatory power of incrementally larger and smaller models. At each step, the p -value of an F -statistic is computed to test models with and without a potential term. If a term is not currently in the model, the null hypothesis is that the term would have a zero coefficient if added to the model. If there is sufficient evidence to reject the null hypothesis, the term is added to the model. Conversely, if a term is currently in the model, the null hypothesis is that the term has a zero coefficient. If there is insufficient evidence to reject the null hypothesis, the term is removed from the model. The method proceeds as follows:

- 1** Fit the initial model.
- 2** If any terms not in the model have p -values less than an entrance tolerance (that is, if it is unlikely that they would have zero coefficient if added to the model), add the one with the smallest p -value and repeat this step; otherwise, go to step 3.
- 3** If any terms in the model have p -values greater than an exit tolerance (that is, if it is unlikely that the hypothesis of a zero coefficient can be rejected), remove the one with the largest p -value and go to step 2; otherwise, end.

Depending on the terms included in the initial model and the order in which terms are moved in and out, the method may build different models from the same set of potential terms. The method terminates when no single step improves the model. There is no guarantee, however, that a different initial model or a different sequence of steps will not lead to a better fit. In this sense, stepwise models are locally optimal, but may not be globally optimal.

Statistics Toolbox functions for stepwise regression are:

- `stepwisefit` — A function that proceeds automatically from a specified initial model and entrance/exit tolerances
- `stepwise` — An interactive tool that allows you to explore individual steps in the regression

Programmatic Stepwise Regression

For example, load the data in `hald.mat`, which contains observations of the heat of reaction of various cement mixtures:

```
load hald
whos
```

Name	Size	Bytes	Class	Attributes
Description	22x58	2552	char	
hald	13x5	520	double	
heat	13x1	104	double	
ingredients	13x4	416	double	

The response (heat) depends on the quantities of the four predictors (the columns of ingredients).

Use `stepwisefit` to carry out the stepwise regression algorithm, beginning with no terms in the model and using entrance/exit tolerances of 0.05/0.10 on the p -values:

```
stepwisefit(ingredients,heat,...
            'penter',0.05,'premove',0.10);
Initial columns included: none
Step 1, added column 4, p=0.000576232
Step 2, added column 1, p=1.10528e-006
Final columns included: 1 4
```

'Coeff'	'Std.Err.'	'Status'	'P'
[1.4400]	[0.1384]	'In'	[1.1053e-006]
[0.4161]	[0.1856]	'Out'	[0.0517]
[-0.4100]	[0.1992]	'Out'	[0.0697]
[-0.6140]	[0.0486]	'In'	[1.8149e-007]

`stepwisefit` automatically includes an intercept term in the model, so you do not add it explicitly to ingredients as you would for `regress`. For terms not in the model, coefficient estimates and their standard errors are those that result if the term is added.

The `inmodel` parameter is used to specify terms in an initial model:

```
initialModel = ...
    [false true false false]; % Force in 2nd term
```

```

stepwisefit(ingredients,heat,...
            'inmodel',initialModel,...
            'penter',.05,'premove',0.10);
Initial columns included: 2
Step 1, added column 1, p=2.69221e-007
Final columns included: 1 2
      'Coeff'      'Std.Err.'      'Status'      'P'
      [ 1.4683]    [ 0.1213]      'In'          [2.6922e-007]
      [ 0.6623]    [ 0.0459]      'In'          [5.0290e-008]
      [ 0.2500]    [ 0.1847]      'Out'         [ 0.2089]
      [-0.2365]    [ 0.1733]      'Out'         [ 0.2054]

```

The preceding two models, built from different initial models, use different subsets of the predictive terms. Terms 2 and 4, swapped in the two models, are highly correlated:

```

term2 = ingredients(:,2);
term4 = ingredients(:,4);
R = corrcoef(term2,term4)
R =
    1.0000    -0.9730
   -0.9730     1.0000

```

To compare the models, use the stats output of stepwisefit:

```

[betahat1,se1,pval1,inmodel1,stats1] = ...
    stepwisefit(ingredients,heat,...
                'penter',.05,'premove',0.10,...
                'display','off');
[betahat2,se2,pval2,inmodel2,stats2] = ...
    stepwisefit(ingredients,heat,...
                'inmodel',initialModel,...
                'penter',.05,'premove',0.10,...
                'display','off');

RMSE1 = stats1.rmse
RMSE1 =
    2.7343
RMSE2 = stats2.rmse
RMSE2 =
    2.4063

```

The second model has a lower Root Mean Square Error (RMSE).


An *added variable plot* is used to determine the unique effect of adding a new term to a model. The plot shows the relationship between the part of the response unexplained by terms already in the model and the part of the new term unexplained by terms already in the model. The “unexplained” parts are measured by the residuals of the respective regressions. A scatter of the residuals from the two regressions forms the added variable plot.

For example, suppose you want to add `term2` to a model that already contains the single term `term1`. First, consider the ability of `term2` alone to explain the response:

```
load hald
term2 = ingredients(:,2);

[b2,Ib2,res2] = regress(heat,[ones(size(term2)) term2]);

scatter(term2,heat)
xlabel('Term 2')
ylabel('Heat')
hold on
x2 = 20:80;
y2 = b2(1) + b2(2)*x2;
plot(x2,y2,'r')
title('\bf Response Explained by Term 2: Ignoring Term 1')
```




Next, consider the following regressions involving the model term term1:

```
term1 = ingredients(:,1);
[b1,Ib1,res1] = regress(heat,[ones(size(term1)) term1]);
[b21,Ib21,res21] = regress(term2,[ones(size(term1)) term1]);
bres = regress(res1,[ones(size(res21)) res21]);
```

A scatter of the residuals res1 vs. the residuals res21 forms the added variable plot:

```
figure
scatter(res21,res1)
xlabel('Residuals: Term 2 on Term 1')
ylabel('Residuals: Heat on Term 1')
hold on
```

```
xres = -30:30;
yres = bres(1) + bres(2)*xres;
plot(xres,yres,'r')
title('\bf Response Explained by Term 2: Adjusted for Term 1')
```




Since the plot adjusted for term1 shows a stronger relationship (less variation along the fitted line) than the plot ignoring term1, the two terms act jointly to explain extra variation. In this case, adding term2 to a model consisting of term1 would reduce the RMSE.

The Statistics Toolbox function `addedvarplot` produces added variable plots. The previous plot is essentially the one produced by the following:

```
figure
```

```
inmodel = [true false false false];  
addevarplot(ingredients,heat,2,inmodel)
```




In addition to the scatter of residuals, the plot shows 95% confidence intervals on predictions from the fitted line. The fitted line has intercept zero because, under the assumptions outlined in “Linear Regression Models” on page 8-3, both of the plotted variables have mean zero. The slope of the fitted line is the coefficient that term2 would have if it was added to the model with term1.

The `addevarplot` function is useful for considering the unique effect of adding a new term to an existing model with any number of terms.

Interactive Stepwise Regression

The stepwise interface provides interactive features that allow you to investigate individual steps in a stepwise regression, and to build models from arbitrary subsets of the predictive terms. To open the interface with data from `hald.mat`:

```
load hald
stepwise(ingredients,heat)
```



The upper left of the interface displays estimates of the coefficients for all potential terms, with horizontal bars indicating 90% (colored) and 95% (grey) confidence intervals. The red color indicates that, initially, the terms are not in the model. Values displayed in the table are those that would result if the terms were added to the model.

The middle portion of the interface displays summary statistics for the entire model. These statistics are updated with each step.

The lower portion of the interface, **Model History**, displays the RMSE for the model. The plot tracks the RMSE from step to step, so you can compare the optimality of different models. Hover over the blue dots in the history to see which terms were in the model at a particular step. Click on a blue dot in the history to open a copy of the interface initialized with the terms in the model at that step.

Initial models, as well as entrance/exit tolerances for the p -values of F -statistics, are specified using additional input arguments to `stepwise`. Defaults are an initial model with no terms, an entrance tolerance of 0.05, and an exit tolerance of 0.10.

To center and scale the input data (compute z -scores) to improve conditioning of the underlying least-squares problem, select `Scale Inputs` from the **Stepwise** menu.

You proceed through a stepwise regression in one of two ways:

- 1 Click **Next Step** to select the recommended next step. The recommended next step either adds the most significant term or removes the least significant term. When the regression reaches a local minimum of RMSE, the recommended next step is “Move no terms.” You can perform all of the recommended steps at once by clicking **All Steps**.
- 2 Click a line in the plot or in the table to toggle the state of the corresponding term. Clicking a red line, corresponding to a term not currently in the model, adds the term to the model and changes the line to blue. Clicking a blue line, corresponding to a term currently in the model, removes the term from the model and changes the line to red.

To call `addedvarplot` and produce an added variable plot from the stepwise interface, select **Added Variable Plot** from the **Stepwise** menu. A list of terms is displayed. Select the term you want to add, and then click **OK**.

Click **Export** to display a dialog box that allows you to select information from the interface to save to the MATLAB workspace. Check the information you want to export and, optionally, change the names of the workspace variables to be created. Click **OK** to export the information.

Ridge Regression

- “Introduction” on page 8-29
- “Example: Ridge Regression” on page 8-30

Introduction

Coefficient estimates for the models described in “Multiple Linear Regression” on page 8-8 rely on the independence of the model terms. When terms are correlated and the columns of the design matrix X have an approximate linear dependence, the matrix $(X^T X)^{-1}$ becomes close to singular. As a result, the least-squares estimate

$$\hat{\beta} = (X^T X)^{-1} X^T y$$

becomes highly sensitive to random errors in the observed response y , producing a large variance. This situation of *multicollinearity* can arise, for example, when data are collected without an experimental design.

Ridge regression addresses the problem by estimating regression coefficients using

$$\hat{\beta} = (X^T X + kI)^{-1} X^T y$$

where k is the *ridge parameter* and I is the identity matrix. Small positive values of k improve the conditioning of the problem and reduce the variance of the estimates. While biased, the reduced variance of ridge estimates often result in a smaller mean square error when compared to least-squares estimates.

The Statistics Toolbox function `ridge` carries out ridge regression.

Example: Ridge Regression

For example, load the data in `acetylene.mat`, with observations of the predictor variables `x1`, `x2`, `x3`, and the response variable `y`:


```
load acetylene
```

Plot the predictor variables against each other:

```
subplot(1,3,1)
plot(x1,x2,'.')
xlabel('x1'); ylabel('x2'); grid on; axis square
```

```
subplot(1,3,2)
plot(x1,x3,'.')
xlabel('x1'); ylabel('x3'); grid on; axis square
```

```
subplot(1,3,3)
plot(x2,x3,'.')
xlabel('x2'); ylabel('x3'); grid on; axis square
```



Note the correlation between `x1` and the other two predictor variables.


Use `ridge` and `x2fx` to compute coefficient estimates for a multilinear model with interaction terms, for a range of ridge parameters:

```
X = [x1 x2 x3];
D = x2fx(X,'interaction');
```

```
D(:,1) = []; % No constant term
k = 0:1e-5:5e-3;
betahat = ridge(y,D,k);
```

Plot the ridge trace:

```
figure
plot(k,betahat,'LineWidth',2)
ylim([-100 100])
grid on
xlabel('Ridge Parameter')
ylabel('Standardized Coefficient')
title('\bf Ridge Trace')
legend('x1','x2','x3','x1x2','x1x3','x2x3')
```



The estimates stabilize to the right of the plot. Note that the coefficient of the x_2x_3 interaction term changes sign at a value of the ridge parameter $\approx 5 \times 10^{-4}$.

Partial Least Squares

- “Introduction” on page 8-33

- “Example: Partial Least Squares” on page 8-33

Introduction

Partial least-squares (PLS) regression is a technique used with data that contain correlated predictor variables. This technique constructs new predictor variables, known as *components*, as linear combinations of the original predictor variables. PLS constructs these components while considering the observed response values, leading to a parsimonious model with reliable predictive power.

The technique is something of a cross between multiple linear regression and principal component analysis:

- Multiple linear regression finds a combination of the predictors that best fit a response.
- Principal component analysis finds combinations of the predictors with large variance, reducing correlations. The technique makes no use of response values.
- PLS finds combinations of the predictors that have a large covariance with the response values.

PLS therefore combines information about the variances of both the predictors and the responses, while also considering the correlations among them.

PLS shares characteristics with other regression and feature transformation techniques. It is similar to ridge regression in that it is used in situations with correlated predictors. It is similar to stepwise regression (or the more general technique of feature selection) in that it can be used to select a smaller set of model terms. PLS differs from these methods, however, by transforming the original predictor space into the new component space.

The Statistics Toolbox function `plsregress` carries out PLS regression.

Example: Partial Least Squares

For example, consider the data on biochemical oxygen demand in `moore.mat`, padded with noisy versions of the predictors to introduce correlations:

```
load moore
```

```

y = moore(:,6);           % Response
X0 = moore(:,1:5);       % Original predictors
X1 = X0+10*randn(size(X0)); % Correlated predictors
X = [X0,X1];

```


Use `plsregress` to perform PLS regression with the same number of components as predictors, then plot the percentage variance explained in the response as a function of the number of components:

```
[XL,y1,XS,YS,beta,PCTVAR] = plsregress(X,y,10);
```

```

plot(1:10,cumsum(100*PCTVAR(2,:)),'-bo');
xlabel('Number of PLS components');
ylabel('Percent Variance Explained in y');

```




Choosing the number of components in a PLS model is a critical step. The plot gives a rough indication, showing nearly 80% of the variance in y explained

by the first component, with as many as five additional components making significant contributions.

The following computes the six-component model:

```
[XL,y1,XS,YS,beta,PCTVAR,MSE,stats] = plsregress(X,y,6);
yfit = [ones(size(X,1),1) X]*beta;

plot(y,yfit,'o')
```




The scatter shows a reasonable correlation between fitted and observed responses, and this is confirmed by the R^2 statistic:

```
TSS = sum((y-mean(y)).^2);
RSS = sum((y-yfit).^2);
Rsquared = 1 - RSS/TSS
Rsquared =
    0.8421
```


A plot of the weights of the ten predictors in each of the six components shows that two of the components (the last two computed) explain the majority of the variance in X:

```
plot(1:10,stats.W,'o-');
legend({'c1','c2','c3','c4','c5','c6'},'Location','NW');
xlabel('Predictor');
ylabel('Weight');
```



A plot of the mean-squared errors suggests that as few as two components may provide an adequate model:

```
[axes,h1,h2] = plotyy(0:6,MSE(1,:),0:6,MSE(2,:));
set(h1,'LineWidth',2)
set(h2,'LineWidth',2)
legend('MSE Predictors','MSE Response')
xlabel('Number of Components')
```



The calculation of mean-squared errors by `plsregress` is controlled by optional parameter name/value pairs specifying cross-validation type and the number of Monte Carlo repetitions.

Polynomial Models

- “Introduction” on page 8-37
- “Programmatic Polynomial Regression” on page 8-38
- “Interactive Polynomial Regression” on page 8-43

Introduction

Polynomial models are a special case of the linear models discussed in “Linear Regression Models” on page 8-3. Polynomial models have the advantages of being simple, familiar in their properties, and reasonably flexible for following

data trends. They are also robust with respect to changes in the location and scale of the data (see “Conditioning Polynomial Fits” on page 8-41). However, polynomial models may be poor predictors of new values. They oscillate between data points, especially as the degree is increased to improve the fit. Asymptotically, they follow power functions, leading to inaccuracies when extrapolating other long-term trends. Choosing a polynomial model is often a trade-off between a simple description of overall data trends and the accuracy of predictions made from the model.

Programmatic Polynomial Regression

- “Functions for Polynomial Fitting” on page 8-38
- “Displaying Polynomial Fits” on page 8-40
- “Conditioning Polynomial Fits” on page 8-41

Functions for Polynomial Fitting. To fit polynomials to data, MATLAB and Statistics Toolbox software offer a number of dedicated functions. The MATLAB function `polyfit` computes least-squares coefficient estimates for polynomials of arbitrary degree. For example:

```
x = 0:5; % x data
y = [2 1 4 4 3 2]; % y data
p = polyfit(x,y,3) % Degree 3 fit
p =
    -0.1296    0.6865   -0.1759    1.6746
```

Polynomial coefficients in `p` are listed from highest to lowest degree, so $p(x) \approx -0.13x^3 + 0.69x^2 - 0.18x + 1.67$. For convenience, `polyfit` sets up the Vandermonde design matrix (`vander`) and calls backslash (`mldivide`) to perform the fit.


Once the coefficients of a polynomial are collected in a vector `p`, use the MATLAB function `polyval` to evaluate the polynomial at arbitrary inputs. For example, the following plots the data and the fit over a range of inputs:

```
plot(x,y,'ro','LineWidth',2) % Plot data
hold on
xfit = -1:0.01:6;
yfit = polyval(p,xfit);
```

```

plot(xfit,yfit,'LineWidth',2) % Plot fit
ylim([0,5])
grid on

```



Use the MATLAB function `roots` to find the roots of `p`:

```

r = roots(p)
r =
    5.4786
   -0.0913 + 1.5328i
   -0.0913 - 1.5328i

```

The MATLAB function `poly` solves the inverse problem, finding a polynomial with specified roots. `poly` is the inverse of `roots` up to ordering, scaling, and round-off error.

An optional output from `polyfit` is passed to `polyval` or to the Statistics Toolbox function `polyconf` to compute prediction intervals for the fit. For example, the following computes 95% prediction intervals for new observations at each value of the predictor `x`:

```
[p,S] = polyfit(x,y,3);
[yhat,delta] = polyconf(p,x,S);
PI = [yhat-delta;yhat+delta]';
PI =
    -5.3022     8.6514
    -4.2068     8.3179
    -2.9899     9.0534
    -2.1963     9.8471
    -2.6036     9.9211
    -5.2229     8.7308
```


Optional input arguments to `polyconf` allow you to compute prediction intervals for estimated values (`yhat`) as well as new observations, and to compute the bounds simultaneously for all `x` instead of nonsimultaneously (the default). The confidence level for the intervals can also be set.

Displaying Polynomial Fits. The documentation example function `polydemo` combines the functions `polyfit`, `polyval`, `roots`, and `polyconf` to produce a formatted display of data with a polynomial fit.

Note Statistics Toolbox documentation example files are located in the `\help\toolbox\stats\examples` subdirectory of your MATLAB root directory (`matlabroot`). This subdirectory is not on the MATLAB path at installation. To use the M-files in this subdirectory, either add the subdirectory to the MATLAB path (`addpath`) or make the subdirectory your current working directory (`cd`).

For example, the following uses `polydemo` to produce a display of simulated data with a quadratic trend, a fitted polynomial, and 95% prediction intervals for new observations:

```
x = -5:5;
y = x.^2 - 5*x - 3 + 5*randn(size(x));
p = polydemo(x,y,2,0.05)
```



`polydemo` calls the documentation example function `polystr` to convert the coefficient vector `p` into a string for the polynomial expression displayed in the figure title.

Conditioning Polynomial Fits. If x and y data are on very different scales, polynomial fits may be badly conditioned, in the sense that coefficient estimates are very sensitive to random errors in the data. For example, using `polyfit` to estimate coefficients of a cubic fit to the U.S. census data in `census.mat` produces the following warning:

```
load census
x = cdate;
```


```
y = pop;
p = polyfit(x,y,3);
Warning: Polynomial is badly conditioned.
       Add points with distinct X values,
       reduce the degree of the polynomial,
       or try centering and scaling as
       described in HELP POLYFIT.
```

The following implements the suggested centering and scaling, and demonstrates the robustness of polynomial fits under these transformations:

```
plot(x,y,'ro') % Plot data
hold on

z = zscore(x); % Compute z-scores of x data
zfit = linspace(z(1),z(end),100);
pz = polyfit(z,y,3); % Compute conditioned fit
yfit = polyval(pz,zfit);

xfit = linspace(x(1),x(end),100);
plot(xfit,yfit,'b-') % Plot conditioned fit vs. x data
grid on
```

Interactive Polynomial Regression

The functions `polyfit`, `polyval`, and `polyconf` are interactively applied to data using two graphical interfaces for polynomial fitting:

- “The Basic Fitting Tool” on page 8-43
- “The Polynomial Fitting Tool” on page 8-44


The Basic Fitting Tool. The Basic Fitting Tool is a MATLAB interface, discussed in “Interactive Fitting” in the MATLAB documentation. The tool allows you to:

- Fit interpolants and polynomials of degree ≤ 10
- Plot residuals and compute their norm
- Interpolate or extrapolate values from the fit

- Save results to the MATLAB workspace

The Polynomial Fitting Tool. The Statistics Toolbox function `polytool` opens the Polynomial Fitting Tool. For example, the following opens the interface using simulated data with a quadratic trend and displays a fitted polynomial with 95% prediction intervals for new observations:

```
x = -5:5;
y = x.^2 - 5*x - 3 + 5*randn(size(x));
polytool(x,y,2,0.05)
```



The tool allows you to:

- Interactively change the degree of the fit. Change the value in the **Degree** text box at the top of the figure.
- Evaluate the fit and the bounds using a movable crosshair. Click, hold, and drag the crosshair to change its position.
- Export estimated coefficients, predicted values, prediction intervals, and residuals to the MATLAB workspace. Click **Export** to open a dialog box with choices for exporting the data.

Options for the displayed bounds and the fitting method are available through menu options at the top of the figure:

- The **Bounds** menu lets you choose between bounds on new observations (the default) and bounds on estimated values. It also lets you choose between nonsimultaneous (the default) and simultaneous bounds. See `polyconf` for a description of these options.
- The **Method** menu lets you choose between ordinary least-squares regression and robust regression, as described in “Robust Regression” on page 8-14.

Response Surface Models

- “Introduction” on page 8-45
- “Programmatic Response Surface Methodology” on page 8-46
- “Interactive Response Surface Methodology” on page 8-51

Introduction

Polynomial models are generalized to any number of predictor variables x_i ($i = 1, \dots, N$) as follows:

$$y(x) = a_0 + \sum_{i=0}^N a_i x_i + \sum_{i < j} a_{ij} x_i x_j + \sum_{i=0}^N a_{ii} x_i^2 + \dots$$

The model includes, from left to right, an intercept, linear terms, quadratic interaction terms, and squared terms. Higher order terms would follow, as necessary.

Response surface models are multivariate polynomial models. They typically arise in the design of experiments (see Chapter 13, “Design of Experiments”), where they are used to determine a set of design variables that optimize a response. Linear terms alone produce models with response surfaces that are hyperplanes. The addition of interaction terms allows for warping of the hyperplane. Squared terms produce the simplest models in which the response surface has a maximum or minimum, and so an optimal response.

Response surface methodology (RSM) is the process of adjusting predictor variables to move the response in a desired direction and, iteratively, to an optimum. The method generally involves a combination of both computation and visualization. The use of quadratic response surface models makes the method much simpler than standard nonlinear techniques for determining optimal designs.

Programmatic Response Surface Methodology

The file `reaction.mat` contains simulated data on the rate of a chemical reaction:

```
load reaction
```

The variables include:

- `rate` — A 13-by-1 vector of observed reaction rates
- `reactants` — A 13-by-3 matrix of reactant concentrations
- `xn` — The names of the three reactants
- `yn` — The name of the response

In “Nonlinear Regression” on page 8-58, the nonlinear Hougen-Watson model is fit to the data using `nlinfit`. However, there may be no theoretical basis for choosing a particular model to fit the data. A quadratic response surface model provides a simple way to determine combinations of reactants that lead to high reaction rates.

As described in “Multiple Linear Regression” on page 8-8, the `regress` and `regstats` functions fit linear models—including response surface models—to data using a design matrix of model terms evaluated at predictor data. The

x2fx function converts predictor data to design matrices for quadratic models. The regstats function calls x2fx when instructed to do so.

For example, the following fits a quadratic response surface model to the data in reaction.mat:

```
stats = regstats(rate,reactants,'quadratic','beta');
b = stats.beta; % Model coefficients
```

The 10-by-1 vector b contains, in order, a constant term and then the coefficients for the model terms x_1 , x_2 , x_3 , x_1x_2 , x_1x_3 , x_2x_3 , x_1^2 , x_2^2 , and x_3^2 , where x_1 , x_2 , and x_3 are the three columns of reactants. The order of coefficients for quadratic models is described in the reference page for x2fx.

Since the model involves only three predictors, it is possible to visualize the entire response surface using a color dimension for the reaction rate:

```
x1 = reactants(:,1);
x2 = reactants(:,2);
x3 = reactants(:,3);


xx1 = linspace(min(x1),max(x1),25);
xx2 = linspace(min(x2),max(x2),25);
xx3 = linspace(min(x3),max(x3),25);

[X1,X2,X3] = meshgrid(xx1,xx2,xx3);

RATE = b(1) + b(2)*X1 + b(3)*X2 + b(4)*X3 + ...
       b(5)*X1.*X2 + b(6)*X1.*X3 + b(7)*X2.*X3 + ...
       b(8)*X1.^2 + b(9)*X2.^2 + b(10)*X3.^2;

hmodel = scatter3(X1(:),X2(:),X3(:),5,RATE(:),'filled');
hold on
hdata = scatter3(x1,x2,x3,'ko','filled');
axis tight
xlabel(xn(1,:))
ylabel(xn(2,:))
zlabel(xn(3,:))
hbar = colorbar;
ylabel(hbar,yn);
title('\bf Quadratic Response Surface Model')
```

```
legend(hdata, 'Data', 'Location', 'NE')
```




The plot shows a general increase in model response, within the space of the observed data, as the concentration of *n*-pentane increases and the concentrations of hydrogen and isopentane decrease.

Before trying to determine optimal values of the predictors, perhaps by collecting more data in the direction of increased reaction rate indicated by the plot, it is helpful to evaluate the geometry of the response surface. If $x = (x_1, x_2, x_3)^T$ is the vector of predictors, and H is the matrix such that $x^T H x$ gives the quadratic terms of the model, the model has a unique optimum if and only if H is positive definite. For the data in this example, the model does not have a unique optimum:


```
H = [b(8),b(5)/2,b(6)/2; ...  
      b(5)/2,b(9),b(7)/2; ...  
      b(6)/2,b(7)/2,b(10)];  
lambda = eig(H)  
lambda =  
    1.0e-003 *  
    -0.1303  
     0.0412  
     0.4292
```

The negative eigenvalue shows a lack of positive definiteness. The saddle in the model is visible if the range of the predictors in the plot (xx1, xx2, and xx3) is expanded:



When the number of predictors makes it impossible to visualize the entire response surface, 3-, 2-, and 1-dimensional slices provide local views. The MATLAB function `slice` displays 2-dimensional contours of the data at fixed values of the predictors:

```
delete(hmodel)
X2slice = 200; % Fix n-Pentane concentration
slice(X1,X2,X3,RATE,[],X2slice,[])
```




One-dimensional contours are displayed by the Response Surface Tool, `rstool`, described in the next section.

Interactive Response Surface Methodology

The Statistics Toolbox function `rstool` opens a GUI for interactively investigating simultaneous one-dimensional contours of multidimensional response surface models. For example, the following opens the interface with a quadratic response surface fit to the data in `reaction.mat`:

```
load reaction
alpha = 0.01; % Significance level
rstool(reactants,rate,'quadratic',alpha,xn,yn)
```



A sequence of plots is displayed, each showing a contour of the response surface against a single predictor, with all other predictors held fixed. Confidence intervals for new observations are shown as dashed red curves above and below the response. Predictor values are displayed in the text boxes on the horizontal axis and are marked by vertical dashed blue lines in the

plots. Predictor values are changed by editing the text boxes or by dragging the dashed blue lines. When you change the value of a predictor, all plots update to show the new point in predictor space.

Note The Statistics Toolbox demonstration function `rsmdemo` generates simulated data for experimental settings specified by either the user or by a D -optimal design generated by `cordexch`. It uses the `rstool` interface to visualize response surface models fit to the data, and it uses the `nlintool` interface to visualize a nonlinear model fit to the data.

Generalized Linear Models

- “Introduction” on page 8-52
- “Example: Generalized Linear Models” on page 8-53

Introduction

Linear regression models describe a linear relationship between a response and one or more predictive terms. Many times, however, a nonlinear relationship exists. “Nonlinear Regression” on page 8-58 describes general nonlinear models. A special class of nonlinear models, known as *generalized linear models*, makes use of linear methods.

Recall that linear models have the following characteristics:

- At each set of values for the predictors, the response has a normal distribution with mean μ .
- A coefficient vector b defines a linear combination Xb of the predictors X .
- The model is $\mu = Xb$.

In generalized linear models, these characteristics are generalized as follows:

- At each set of values for the predictors, the response has a distribution that may be normal, binomial, Poisson, gamma, or inverse Gaussian, with parameters including a mean μ .
- A coefficient vector b defines a linear combination Xb of the predictors X .

- A *link function* f defines the model as $f(\mu) = Xb$.


Example: Generalized Linear Models

The following data are derived from `carbig.mat`, which contains measurements of large cars of various weights. Each weight in `w` has a corresponding number of cars in `total` and a corresponding number of poor-mileage cars in `poor`:

```
w = [2100 2300 2500 2700 2900 3100 ...  
     3300 3500 3700 3900 4100 4300];  
total = [48 42 31 34 31 21 23 23 21 16 17 21];  
poor = [1 2 0 3 8 8 14 17 19 15 17 21];
```

A plot shows that the proportion of poor-mileage cars follows an S-shaped sigmoid:

```
plot(w,poor./total,'x','LineWidth',2)  
grid on  
xlabel('Weight')  
ylabel('Proportion of Poor-Mileage Cars')
```




The *logistic model* is useful for proportion data. It defines the relationship between the proportion p and the weight w by:

$$\log[p/(1-p)] = b_1 + b_2w$$

Some of the proportions in the data are 0 and 1, making the left-hand side of this equation undefined. To keep the proportions within range, add relatively small perturbations to the poor and total values. A semi-log plot then shows a nearly linear relationship, as predicted by the model:

```
p_adjusted = (poor+.5)./(total+1);
semilogy(w,p_adjusted./(1-p_adjusted),'x','LineWidth',2)
grid on
xlabel('Weight')
ylabel('Adjusted p / (1 - p)')
```



It is reasonable to assume that the values of poor follow binomial distributions, with the number of trials given by total and the percentage of successes depending on w . This distribution can be accounted for in the context of a logistic model by using a generalized linear model with link function $\log(\mu/(1-\mu)) = Xb$.

Use the `glmfit` function to carry out the associated regression:

```
b = glmfit(w,[poor' total'],'binomial','link','logit')
b =
    -13.3801
     0.0042
```


To use the coefficients in b to compute fitted proportions, invert the logistic relationship:

$$p = 1/(1 + \exp(-b_1 - b_2w))$$

Use the `glmval` function to compute the fitted values:

```
x = 2100:100:4500;
y = glmval(b,x,'logit');

plot(w,poor./total,'x','LineWidth',2)
hold on
plot(x,y,'r-','LineWidth',2)
grid on
xlabel('Weight')
ylabel('Proportion of Poor-Mileage Cars')
```



The previous is an example of *logistic regression*. For an example of a kind of *stepwise logistic regression*, analogous to stepwise regression for linear models, see “Sequential Feature Selection” on page 9-15.

Multivariate Regression

Whether or not the predictor \mathbf{x} is a vector of predictor variables, *multivariate regression* refers to the case where the response $\mathbf{y} = (y_1, \dots, y_M)$ is a vector of M response variables.

The Statistics Toolbox functions `mvregress` and `mvregresslike` are used for multivariate regression analysis.

Nonlinear Regression

In this section...
“Nonlinear Regression Models” on page 8-58
“Parametric Models” on page 8-58
“Regression Trees” on page 8-64

Nonlinear Regression Models

Parametric nonlinear models represent the relationship between a continuous response variable and one or more predictor variables (either continuous or categorical) in the form $y = f(X, \beta) + \varepsilon$, where

- y is an n -by-1 vector of observations of the response variable.
- X is an n -by- p design matrix determined by the predictors.
- β is a p -by-1 vector of unknown parameters to be estimated.
- f is any function of X and β .
- ε is an n -by-1 vector of independent, identically distributed random disturbances.

Nonparametric models do not attempt to characterize the relationship between predictors and response with model parameters. Descriptions are often graphical, as in the case of “Regression Trees” on page 8-64.

Parametric Models

- “A Parametric Nonlinear Model” on page 8-59
- “Confidence Intervals for Parameter Estimates” on page 8-61
- “Confidence Intervals for Predicted Responses” on page 8-61
- “Interactive Nonlinear Parametric Regression” on page 8-62

A Parametric Nonlinear Model

The Hougen-Watson model (Bates and Watts, [2], pp. 271–272) for reaction kinetics is an example of a parametric nonlinear model. The form of the model is

$$\text{rate} = \frac{\beta_1 x_2 - x_3 / \beta_5}{1 + \beta_2 x_1 + \beta_3 x_2 + \beta_4 x_3}$$

where *rate* is the reaction rate, x_1 , x_2 , and x_3 are concentrations of hydrogen, *n*-pentane, and isopentane, respectively, and $\beta_1, \beta_2, \dots, \beta_5$ are the unknown parameters.

The file `reaction.mat` contains simulated reaction data:

```
load reaction
```

The variables are:

- `rate` — A 13-by-1 vector of observed reaction rates
- `reactants` — A 13-by-3 matrix of reactant concentrations
- `beta` — A 5-by-1 vector of initial parameter estimates
- `model` — The name of an M-file function for the model
- `xn` — The names of the reactants
- `yn` — The name of the response

The M-file function for the model is `hougen`, which looks like this:

```
type hougen

function yhat = hougen(beta,x)
%HOUGEN Hougen-Watson model for reaction kinetics.
% YHAT = HOUGEN(BETA,X) gives the predicted values of the
% reaction rate, YHAT, as a function of the vector of
% parameters, BETA, and the matrix of data, X.
% BETA must have five elements and X must have three
% columns.
%
```

```
% The model form is:  
%  $y = (b_1x_2 - x_3/b_5) / (1+b_2x_1+b_3x_2+b_4x_3)$   
  
b1 = beta(1);  
b2 = beta(2);  
b3 = beta(3);  
b4 = beta(4);  
b5 = beta(5);  
  
x1 = x(:,1);  
x2 = x(:,2);  
x3 = x(:,3);  
  
yhat = (b1*x2 - x3/b5) ./ (1+b2*x1+b3*x2+b4*x3);
```

The function `nlinfit` is used to find least-squares parameter estimates for nonlinear models. It uses the Gauss-Newton algorithm with Levenberg-Marquardt modifications for global convergence.

`nlinfit` requires the predictor data, the responses, and an initial guess of the unknown parameters. It also requires a function handle to a function that takes the predictor data and parameter estimates and returns the responses predicted by the model.

To fit the reaction data, call `nlinfit` using the following syntax:

```
load reaction  
betahat = nlinfit(reactants,rate,@hougen,beta)  
betahat =  
    1.2526  
    0.0628  
    0.0400  
    0.1124  
    1.1914
```

The output vector `betahat` contains the parameter estimates.

The function `nlinfit` has robust options, similar to those for `robustfit`, for fitting nonlinear models to data with outliers.

Confidence Intervals for Parameter Estimates

To compute confidence intervals for the parameter estimates, use the function `nlparci`, together with additional outputs from `nlfit`:

```
[betahat,resid,J] = nlinfit(reactants,rate,@hougen,beta);
betaci = nlparci(betahat,resid,J)
betaci =
    -0.7467    3.2519
    -0.0377    0.1632
    -0.0312    0.1113
    -0.0609    0.2857
    -0.7381    3.1208
```

The columns of the output `betaci` contain the lower and upper bounds, respectively, of the (default) 95% confidence intervals for each parameter.

Confidence Intervals for Predicted Responses

The function `nlpredci` is used to compute confidence intervals for predicted responses:

```
[yhat,delta] = nlpredci(@hougen,reactants,betahat,resid,J);
opd = [rate yhat delta]
opd =
    8.5500    8.4179    0.2805
    3.7900    3.9542    0.2474
    4.8200    4.9109    0.1766
    0.0200   -0.0110    0.1875
    2.7500    2.6358    0.1578
   14.3900   14.3402    0.4236
    2.5400    2.5662    0.2425
    4.3500    4.0385    0.1638
   13.0000   13.0292    0.3426
    8.5000    8.3904    0.3281
    0.0500   -0.0216    0.3699
   11.3200   11.4701    0.3237
    3.1300    3.4326    0.1749
```

The output `opd` contains the observed rates in the first column and the predicted rates in the second column. The (default) 95% simultaneous confidence intervals on the predictions are the values in the second column \pm


the values in the third column. These are not intervals for new observations at the predictors, even though most of the confidence intervals do contain the original observations.

Interactive Nonlinear Parametric Regression

Calling `nlintool` opens a graphical user interface (GUI) for interactive exploration of multidimensional nonlinear functions, and for fitting parametric nonlinear models. The GUI calls `nlinfit`, and requires the same inputs. The interface is analogous to `polytool` and `rstool` for polynomial models.

Open `nlintool` with the reaction data and the hougen model by typing

```
load reaction
nlintool(reactants,rate,@hougen,beta,0.01,xn,yn)
```



You see three plots. The response variable for all plots is the reaction rate, plotted in green. The red lines show confidence intervals on predicted responses. The first plot shows hydrogen as the predictor, the second shows *n*-pentane, and the third shows isopentane.

Each plot displays the fitted relationship of the reaction rate to one predictor at a fixed value of the other two predictors. The fixed values are in the text boxes below each predictor axis. Change the fixed values by typing in a new value or by dragging the vertical lines in the plots to new positions. When you change the value of a predictor, all plots update to display the model at the new point in predictor space.

While this example uses only three predictors, `nlintool` can accommodate any number of predictors.

Note The Statistics Toolbox™ demonstration function `rsmdemo` generates simulated data for experimental settings specified by either the user or by a *D*-optimal design generated by `cordexch`. It uses the `rstool` interface to visualize response surface models fit to the data, and it uses the `nlintool` interface to visualize a nonlinear model fit to the data.

Regression Trees

Introduction

Parametric models specify the form of the relationship between predictors and a response, as in the Hougen-Watson model described in “Parametric Models” on page 8-58. In many cases, however, the form of the relationship is unknown, and a parametric model requires assumptions and simplifications. Regression trees offer a nonparametric alternative. When response data are categorical, classification trees are a natural modification.

Note This section demonstrates methods for objects of the “@classregtree” on page 17-6 class. These methods supersede the functions `treefit`, `treedisp`, `treeval`, `treeprune`, and `treetest`, which are maintained in Statistics Toolbox software only for backwards compatibility.

Algorithm Reference. The algorithms used by Statistics Toolbox classification and regression tree functions are based on those in Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

Regression Trees

This example uses the data on cars in `carsmall.mat` to create a regression tree for predicting mileage using measurements of weight and the number of cylinders as predictors. Note that, in this case, one predictor (weight) is

continuous and the other (cylinders) is categorical. The response (mileage) is continuous.

Load the data and use the `classregtree` constructor of the “@classregtree” on page 17-6 class to create the regression tree:

```
load carsmall

t = classregtree([Weight, Cylinders],MPG,...
                'cat',2,'splitmin',20,...
                'names',{'Weight','Cylinders'})

t =
Decision tree for regression
 1  if Weight<3085.5 then node 2 else node 3
 2  if Weight<2371 then node 4 else node 5
 3  if Cylinders=8 then node 6 else node 7
 4  if Weight<2162 then node 8 else node 9
 5  if Cylinders=6 then node 10 else node 11
 6  if Weight<4381 then node 12 else node 13
 7  fit = 19.2778
 8  fit = 33.3056
 9  fit = 29.6111
10  fit = 23.25
11  if Weight<2827.5 then node 14 else node 15
12  if Weight<3533.5 then node 16 else node 17
13  fit = 11
14  fit = 27.6389
15  fit = 24.6667
16  fit = 16.6
17  fit = 14.3889
```

`t` is a `classregtree` object and can be operated on with any of the methods of the class.


Use the type method of the “@classregtree” on page 17-6 class to show the type of the tree:

```
treetype = type(t)
treetype =
regression
```

`classregtree` creates a regression tree because MPG is a numerical vector, and the response is assumed to be continuous.

To view the tree, use the `view` method of the “@classregtree” on page 17-6 class:

```
view(t)
```



The tree predicts the response values at the circular leaf nodes based on a series of questions about the car at the triangular branching nodes. A true answer to any question follows the branch to the left; a false follows the branch to the right.

Use the tree to predict the mileage for a 2000-pound car with either 4, 6, or 8 cylinders:

```
mileage2K = t([2000 4; 2000 6; 2000 8])
mileage2K =
    33.3056
    33.3056
    33.3056
```

Note that the object allows for functional evaluation, of the form `t(X)`. This is a shorthand way of calling the `eval` method of the “@classregtree” on page 17-6 class.

The predicted responses computed above are all the same. This is because they follow a series of splits in the tree that depend only on weight, terminating at the left-most leaf node in the view above. A 4000-pound car, following the right branch from the top of the tree, leads to different predicted responses:

```
mileage4K = t([4000 4; 4000 6; 4000 8])
mileage4K =
    19.2778
    19.2778
    14.3889
```

You can use a variety of other methods of the “@classregtree” on page 17-6 class, such as `cutvar`, `cuttype`, and `cutcategories`, to get more information about the split at node 3 that distinguishes the 8-cylinder car:

```
var3 = cutvar(t,3) % What variable determines the split?
var3 =
    'Cylinders'

type3 = cuttype(t,3) % What type of split is it?
type3 =
    'categorical'

c = cutcategories(t,3) % Which classes are sent to the left
                    % child node, and which to the right?
c =
    [8]    [1x2 double]
c{1}
```

```
ans =  
      8  
c{2}  
ans =  
      4      6
```

Regression trees fit the original (training) data well, but may do a poor job of predicting new values. Lower branches, especially, may be strongly affected by outliers. A simpler tree often avoids over-fitting. To find the best regression tree, employing the techniques of resubstitution and cross-validation, use the test method of the “@classregtree” on page 17-6 class.

Multivariate Methods

Introduction (p. 9-2)

Multidimensional Scaling (p. 9-3)

Procrustes Analysis (p. 9-14)

Feature Selection (p. 9-15)

Feature Transformation (p. 9-20)

Visualization and reduction

Dissimilarity measures

Shape-preserving transformations

Selecting predictor subsets

Predictor transformations

Introduction

Large, high-dimensional data sets are common in the modern era of computer-based instrumentation and electronic data storage. High-dimensional data present many challenges for statistical visualization, analysis, and modeling.

Data visualization, of course, is impossible beyond a few dimensions. As a result, pattern recognition, data preprocessing, and model selection must rely heavily on numerical methods.

A fundamental challenge in high-dimensional data analysis is the so-called *curse of dimensionality*. Observations in a high-dimensional space are necessarily sparser and less representative than those in a low-dimensional space. In higher dimensions, data over-represent the edges of a sampling distribution, because regions of higher-dimensional space contain the majority of their volume near the surface. (A d -dimensional spherical shell has a volume, relative to the total volume of the sphere, that approaches 1 as d approaches infinity.) In high dimensions, typical data points at the interior of a distribution are sampled less frequently.

Often, many of the dimensions in a data set—the measured features—are not useful in producing a model. Features may be irrelevant or redundant. Regression and classification algorithms may require large amounts of storage and computation time to process raw data, and even if the algorithms are successful the resulting models may contain an incomprehensible number of terms.

Because of these challenges, multivariate statistical methods often begin with some type of *dimension reduction*, in which data are approximated by points in a lower-dimensional space. Dimension reduction is the goal of the methods presented in this chapter. Dimension reduction often leads to simpler models and fewer measured variables, with consequent benefits when measurements are expensive and visualization is important.

Multidimensional Scaling

In this section...

“Introduction” on page 9-3

“Classical Multidimensional Scaling” on page 9-3

“Nonclassical Multidimensional Scaling” on page 9-8

“Nonmetric Multidimensional Scaling” on page 9-10

Introduction

One of the most important goals in visualizing data is to get a sense of how near or far points are from each other. Often, you can do this with a scatter plot. However, for some analyses, the data that you have might not be in the form of points at all, but rather in the form of pairwise similarities or dissimilarities between cases, observations, or subjects. There are no points to plot.

Even if your data are in the form of points rather than pairwise distances, a scatter plot of those data might not be useful. For some kinds of data, the relevant way to measure how near two points are might not be their Euclidean distance. While scatter plots of the raw data make it easy to compare Euclidean distances, they are not always useful when comparing other kinds of inter-point distances, city block distance for example, or even more general dissimilarities. Also, with a large number of variables, it is very difficult to visualize distances unless the data can be represented in a small number of dimensions. Some sort of dimension reduction is usually necessary.

Multidimensional scaling (MDS) is a set of methods that address all these problems. MDS allows you to visualize how near points are to each other for many kinds of distance or dissimilarity metrics and can produce a representation of your data in a small number of dimensions. MDS does not require raw data, but only a matrix of pairwise distances or dissimilarities.

Classical Multidimensional Scaling

- “Introduction” on page 9-4

- “Example: Multidimensional Scaling” on page 9-6

Introduction

The function `cmdscale` performs classical (metric) multidimensional scaling, also known as *principal coordinates analysis*. `cmdscale` takes as an input a matrix of inter-point distances and creates a configuration of points. Ideally, those points are in two or three dimensions, and the Euclidean distances between them reproduce the original distance matrix. Thus, a scatter plot of the points created by `cmdscale` provides a visual representation of the original distances.

As a very simple example, you can reconstruct a set of points from only their inter-point distances. First, create some four dimensional points with a small component in their fourth coordinate, and reduce them to distances.

```
X = [ normrnd(0,1,10,3), normrnd(0,.1,10,1) ];  
D = pdist(X,'euclidean');
```

Next, use `cmdscale` to find a configuration with those inter-point distances. `cmdscale` accepts distances as either a square matrix, or, as in this example, in the vector upper-triangular form produced by `pdist`.

```
[Y,eigvals] = cmdscale(D);
```

`cmdscale` produces two outputs. The first output, `Y`, is a matrix containing the reconstructed points. The second output, `eigvals`, is a vector containing the sorted eigenvalues of what is often referred to as the “scalar product matrix,” which, in the simplest case, is equal to $Y*Y'$. The relative magnitudes of those eigenvalues indicate the relative contribution of the corresponding columns of `Y` in reproducing the original distance matrix `D` with the reconstructed points.

```
format short g  
[eigvals eigvals/max(abs(eigvals))]  
ans =  
    12.623          1  
    4.3699         0.34618  
    1.9307         0.15295  
    0.025884       0.0020505  
    1.7192e-015    1.3619e-016  
    6.8727e-016    5.4445e-017
```

```

4.4367e-017  3.5147e-018
-9.2731e-016 -7.3461e-017
-1.327e-015  -1.0513e-016
-1.9232e-015 -1.5236e-016

```

If `eigvals` contains only positive and zero (within round-off error) eigenvalues, the columns of `Y` corresponding to the positive eigenvalues provide an exact reconstruction of `D`, in the sense that their inter-point Euclidean distances, computed using `pdist`, for example, are identical (within round-off) to the values in `D`.

```

maxerr4 = max(abs(D - pdist(Y))) % exact reconstruction
maxerr4 =
2.6645e-015

```

If two or three of the eigenvalues in `eigvals` are much larger than the rest, then the distance matrix based on the corresponding columns of `Y` nearly reproduces the original distance matrix `D`. In this sense, those columns form a lower-dimensional representation that adequately describes the data. However it is not always possible to find a good low-dimensional reconstruction.

```

% good reconstruction in 3D
maxerr3 = max(abs(D - pdist(Y(:,1:3))))
maxerr3 =
0.029728

% poor reconstruction in 2D
maxerr2 = max(abs(D - pdist(Y(:,1:2))))
maxerr2 =
0.91641

```

The reconstruction in three dimensions reproduces `D` very well, but the reconstruction in two dimensions has errors that are of the same order of magnitude as the largest values in `D`.

```

max(max(D))
ans =
3.4686

```

Often, `eigvals` contains some negative eigenvalues, indicating that the distances in `D` cannot be reproduced exactly. That is, there might not be any configuration of points whose inter-point Euclidean distances are given by `D`. If the largest negative eigenvalue is small in magnitude relative to the largest positive eigenvalues, then the configuration returned by `cmdscale` might still reproduce `D` well.

Example: Multidimensional Scaling

Given only the distances between 10 US cities, `cmdscale` can construct a map of those cities. First, create the distance matrix and pass it to `cmdscale`. In this example, `D` is a full distance matrix: it is square and symmetric, has positive entries off the diagonal, and has zeros on the diagonal.

```
cities = ...
{'Atl', 'Chi', 'Den', 'Hou', 'LA', 'Mia', 'NYC', 'SF', 'Sea', 'WDC'};
D = [
    0 587 1212 701 1936 604 748 2139 2182 543;
    587 0 920 940 1745 1188 713 1858 1737 597;
    1212 920 0 879 831 1726 1631 949 1021 1494;
    701 940 879 0 1374 968 1420 1645 1891 1220;
    1936 1745 831 1374 0 2339 2451 347 959 2300;
    604 1188 1726 968 2339 0 1092 2594 2734 923;
    748 713 1631 1420 2451 1092 0 2571 2408 205;
    2139 1858 949 1645 347 2594 2571 0 678 2442;
    2182 1737 1021 1891 959 2734 2408 678 0 2329;
    543 597 1494 1220 2300 923 205 2442 2329 0];
[Y,eigvals] = cmdscale(D);
```

Next, look at the eigenvalues returned by `cmdscale`. Some of these are negative, indicating that the original distances are not Euclidean. This is because of the curvature of the earth.

```
format short g
[eigvals eigvals/max(abs(eigvals))]
ans =
    9.5821e+006         1
    1.6868e+006     0.17604
    8157.3     0.0008513
    1432.9     0.00014954
    508.67    5.3085e-005
    25.143    2.624e-006
```




```
5.3394e-010  5.5722e-017
-897.7 -9.3685e-005
-5467.6 -0.0005706
-35479 -0.0037026
```

However, in this case, the two largest positive eigenvalues are much larger in magnitude than the remaining eigenvalues. So, despite the negative eigenvalues, the first two coordinates of Y are sufficient for a reasonable reproduction of D .

```
Dtriu = D(find(tril(ones(10),-1)))';
maxrelerr = max(abs(Dtriu-pdist(Y(:,1:2))))./max(Dtriu)
maxrelerr =
    0.0075371
```

Here is a plot of the reconstructed city locations as a map. The orientation of the reconstruction is arbitrary. In this case, it happens to be close to, although not exactly, the correct orientation.

```
plot(Y(:,1),Y(:,2),'.')
text(Y(:,1)+25,Y(:,2),cities)
xlabel('Miles')
ylabel('Miles')
```



Nonclassical Multidimensional Scaling

The function `mdscale` performs nonclassical multidimensional scaling. As with `cmdscale`, you use `mdscale` either to visualize dissimilarity data for which no “locations” exist, or to visualize high-dimensional data by reducing its dimensionality. Both functions take a matrix of dissimilarities as an input and produce a configuration of points. However, `mdscale` offers a choice of different criteria to construct the configuration, and allows missing data and weights.

For example, the cereal data include measurements on 10 variables describing breakfast cereals. You can use `mdscale` to visualize these data in two dimensions. First, load the data. For clarity, this example code selects a subset of 22 of the observations.

```
load cereal.mat
X = [Calories Protein Fat Sodium Fiber ...
     Carbo Sugars Shelf Potass Vitamins];
X = X(strmatch('G',Mfg),:); % Take a subset from a
```

```

% single manufacturer

size(X)
ans =
    22 10

```

Then use `pdist` to transform the 10-dimensional data into dissimilarities. The output from `pdist` is a symmetric dissimilarity matrix, stored as a vector containing only the $(23*22/2)$ elements in its upper triangle.

```

dissimilarities = pdist(zscore(X),'cityblock');
size(dissimilarities)
ans =
     1    231

```

This example code first standardizes the cereal data, and then uses city block distance as a dissimilarity. The choice of transformation to dissimilarities is application-dependent, and the choice here is only for simplicity. In some applications, the original data are already in the form of dissimilarities.

Next, use `mdscale` to perform metric MDS. Unlike `cmdscale`, you must specify the desired number of dimensions, and the method to use to construct the output configuration. For this example, use two dimensions. The metric STRESS criterion is a common method for computing the output; for other choices, see the `mdscale` reference page in the online documentation. The second output from `mdscale` is the value of that criterion evaluated for the output configuration. It measures the how well the inter-point distances of the output configuration approximate the original input dissimilarities:

```

[Y,stress] =...
mdscale(dissimilarities,2,'criterion','metricstress');
stress
stress =
    0.1856

```

A scatterplot of the output from `mdscale` represents the original 10-dimensional data in two dimensions, and you can use the `gname` function to label selected points:

```

plot(Y(:,1),Y(:,2),'o','LineWidth',2);
gname(Name(strmatch('G',Mfg)))

```



Nonmetric Multidimensional Scaling

Metric multidimensional scaling creates a configuration of points whose inter-point distances approximate the given dissimilarities. This is sometimes too strict a requirement, and non-metric scaling is designed to relax it a bit. Instead of trying to approximate the dissimilarities themselves, non-metric scaling approximates a nonlinear, but monotonic, transformation of them. Because of the monotonicity, larger or smaller distances on a plot of the output will correspond to larger or smaller dissimilarities, respectively. However, the nonlinearity implies that `mdscale` only attempts to preserve the ordering of dissimilarities. Thus, there may be contractions or expansions of distances at different scales.


You use `mdscale` to perform nonmetric MDS in much the same way as for metric scaling. The nonmetric STRESS criterion is a common method for computing the output; for more choices, see the `mdscale` reference page in the online documentation. As with metric scaling, the second output from

`mdscale` is the value of that criterion evaluated for the output configuration. For nonmetric scaling, however, it measures the how well the inter-point distances of the output configuration approximate the disparities. The disparities are returned in the third output. They are the transformed values of the original dissimilarities:

```
[Y, stress, disparities] = ...
mdscale(dissimilarities, 2, 'criterion', 'stress');
stress
stress =
    0.1562
```

To check the fit of the output configuration to the dissimilarities, and to understand the disparities, it helps to make a Shepard plot:

```
distances = pdist(Y);
[dum, ord] = sortrows([disparities(:) dissimilarities(:)]);
plot(dissimilarities, distances, 'bo', ...
     dissimilarities(ord), disparities(ord), 'r.-', ...
     [0 25], [0 25], 'k-')
xlabel('Dissimilarities')
ylabel('Distances/Disparities')
legend({'Distances' 'Disparities' '1:1 Line'}, ...
       'Location', 'NorthWest');
```



This plot shows that `mdscale` has found a configuration of points in two dimensions whose inter-point distances approximates the disparities, which in turn are a nonlinear transformation of the original dissimilarities. The concave shape of the disparities as a function of the dissimilarities indicates that fit tends to contract small distances relative to the corresponding dissimilarities. This may be perfectly acceptable in practice.

`mdscale` uses an iterative algorithm to find the output configuration, and the results can often depend on the starting point. By default, `mdscale` uses `cmdscale` to construct an initial configuration, and this choice often leads to a globally best solution. However, it is possible for `mdscale` to stop at a configuration that is a local minimum of the criterion. Such cases can be diagnosed and often overcome by running `mdscale` multiple times with different starting points. You can do this using the `'start'` and `'replicates'` parameters. The following code runs five replicates of MDS, each starting at a

different randomly-chosen initial configuration. The criterion value is printed out for each replication; `mdscale` returns the configuration with the best fit.

```
opts = statset('Display','final');
[Y,stress] =...
mdscale(dissimilarities,2,'criterion','stress',...
'start','random','replicates',5,'Options',opts);
90 iterations, Final stress criterion = 0.156209
100 iterations, Final stress criterion = 0.195546
116 iterations, Final stress criterion = 0.156209
85 iterations, Final stress criterion = 0.156209
106 iterations, Final stress criterion = 0.17121
```

Notice that `mdscale` finds several different local solutions, some of which do not have as low a stress value as the solution found with the `cmdscale` starting point.

Procrustes Analysis

Procrustes analysis is a statistical procedure for comparing shapes. It is commonly applied to sets of *landmark data*, in which significant features in a population are measured as geometric locations. The analysis computes the best-fitting superposition of the landmarks in the data sets using a shape-preserving Euclidean transformation that removes variations in location, rotation and scale. It is often used as a preprocessing step for further statistical analysis.

Procrustes analysis has its origins in the biological study of animal morphometrics, but has found application in areas as diverse as archeology, astronomy, civil engineering, geography, network design, and physical chemistry. The name comes from Procrustes, a figure in Greek mythology notable for his proclivity to “shrink” or “stretch” visitors to fit in his bed.

The Statistics Toolbox™ function `procrustes` carries out Procrustes analysis.

Feature Selection

In this section...
“Introduction” on page 9-15
“Sequential Feature Selection” on page 9-15

Introduction

Feature selection reduces the dimensionality of data by selecting only a subset of measured features (predictor variables) to create a model. Selection criteria usually involve the minimization of a specific measure of predictive error for models fit to different subsets. Algorithms search for a subset of predictors that optimally model measured responses, subject to constraints such as required or excluded features and the size of the subset.

Feature selection is preferable to feature transformation when the original units and meaning of features are important and the modeling goal is to identify an influential subset. When categorical features are present, and numerical transformations are inappropriate, feature selection becomes the primary means of dimension reduction.

Sequential Feature Selection

- “Introduction” on page 9-15
- “Example: Sequential Feature Selection” on page 9-16

Introduction

A common method of feature selection is *sequential feature selection*. This method has two components:

- An objective function, called the *criterion*, which the method seeks to minimize over all feasible feature subsets. Common criteria are mean squared error (for regression models) and misclassification rate (for classification models).
- A sequential search algorithm, which adds or removes features from a candidate subset while evaluating the criterion. Since an exhaustive

comparison of the criterion value at all 2^n subsets of an n -feature data set is typically infeasible (depending on the size of n and the cost of objective calls), sequential searches move in only one direction, always growing or always shrinking the candidate set.

The method has two variants:

- *Sequential forward selection (SFS)*, in which features are sequentially added to an empty candidate set until the addition of further features does not decrease the criterion.
- *Sequential backward selection (SBS)*, in which features are sequentially removed from a full candidate set until the removal of further features increase the criterion.

Stepwise regression is a sequential feature selection technique designed specifically for least-squares fitting. The functions `stepwise` and `stepwisefit` make use of optimizations that are only possible with least-squares criteria. Unlike generalized sequential feature selection, stepwise regression may remove features that have been added or add features that have been removed.

The Statistics Toolbox™ function `sequentialfs` carries out sequential feature selection. Input arguments include predictor and response data and a function handle to an M-file implementing the criterion function. Optional inputs allow you to specify SFS or SBS, required or excluded features, and the size of the feature subset. The function calls `cvpartition` and `crossval` to evaluate the criterion at different candidate sets.

Example: Sequential Feature Selection

For example, consider a data set with 100 observations of 10 predictors. As described in “Example: Generalized Linear Models” on page 8-53, the following generates random data from a logistic model, with a binomial distribution of responses at each set of values for the predictors. Some coefficients are set to zero so that not all of the predictors affect the response:

```
n = 100;  
m = 10;  
X = rand(n,m);  
b = [1 0 0 2 .5 0 0 0.1 0 1];  
Xb = X*b';
```

```
p = 1./(1+exp(-Xb));
N = 50;
y = binornd(N,p);
```

The `glmfit` function fits a logistic model to the data:

```
Y = [y N*ones(size(y))];
[b0,dev0,stats0] = glmfit(X,Y,'binomial');

% Display coefficient estimates and their standard errors:
model0 = [b0 stats0.se]
model0 =
    0.3115    0.2596
    0.9614    0.1656
   -0.1100    0.1651
   -0.2165    0.1683
    1.9519    0.1809
    0.5683    0.2018
   -0.0062    0.1740
    0.0651    0.1641
   -0.1034    0.1685
    0.0017    0.1815
    0.7979    0.1806

% Display the deviance of the fit:
dev0
dev0 =
    101.2594
```

This is the full model, using all of the features (and an initial constant term). Sequential feature selection searches for a subset of the features in the full model with comparative predictive power.

First, you must specify a criterion for selecting the features. The following function, which calls `glmfit` and returns the deviance of the fit (a generalization of the residual sum of squares) is a useful criterion in this case:

```
function dev = critfun(X,Y)

[b,dev] = glmfit(X,Y,'binomial');
```

This function should be created as an M-file on the MATLAB® path.

The function `sequentialfs` performs feature selection, calling the criterion function via a function handle:

```
maxdev = chi2inv(.95,1);
opt = statset('display','iter',...
             'TolFun',maxdev,...
             'TolTypeFun','abs');

inmodel = sequentialfs(@critfun,X,Y,...
                      'cv','none',...
                      'nullmodel',true,...
                      'options',opt,...
                      'direction','forward');
```

```
Start forward sequential feature selection:
Initial columns included: none
Columns that can not be included: none
Step 1, used initial columns, criterion value 309.118
Step 2, added column 4, criterion value 180.732
Step 3, added column 1, criterion value 138.862
Step 4, added column 10, criterion value 114.238
Step 5, added column 5, criterion value 103.503
Final columns included: 1 4 5 10
```

The iterative display shows a decrease in the criterion value as each new feature is added to the model. The final result is a reduced model with only four of the original ten features: columns 1, 4, 5, and 10 of X . These features are indicated in the logical vector `inmodel` returned by `sequentialfs`.

The deviance of the reduced model is higher than for the full model, but the addition of any other single feature would not decrease the criterion by more than the absolute tolerance, `maxdev`, set in the options structure. Adding a feature with no effect reduces the deviance by an amount that has a chi-square distribution with one degree of freedom. Adding a significant feature results in a larger change. By setting `maxdev` to `chi2inv(.95,1)`, you instruct `sequentialfs` to continue adding features so long as the change in deviance is more than would be expected by random chance.

The reduced model (also with an initial constant term) is:

```
[b,dev,stats] = glmfit(x(:,in),Y,'binomial');

% Display coefficient estimates and their standard errors:
model = [b stats.se]
model =
    0.0784    0.1642
    1.0040    0.1592
    1.9459    0.1789
    0.6134    0.1872
    0.8245    0.1730
```

Feature Transformation

In this section...
“Introduction” on page 9-20
“Nonnegative Matrix Factorization” on page 9-20
“Principal Component Analysis” on page 9-23
“Factor Analysis” on page 9-37

Introduction

Feature transformation is a group of methods that create new features (predictor variables). The methods are useful for dimension reduction when the transformed features have a descriptive power that is more easily ordered than the original features. In this case, less descriptive features can be dropped from consideration when building models.

Feature transformation methods are contrasted with the methods presented in “Feature Selection” on page 9-15, where dimension reduction is achieved by computing an optimal subset of predictive features measured in the original data.

The methods presented in this section share some common methodology. Their goals, however, are essentially different:

- Nonnegative matrix factorization is used when model terms must represent nonnegative quantities, such as physical quantities.
- Principal component analysis is used to summarize data in fewer dimensions, for example, to visualize it.
- Factor analysis is used to build explanatory models of data correlations.

Nonnegative Matrix Factorization

- “Introduction” on page 9-21
- “Example: Nonnegative Matrix Factorization” on page 9-21

Introduction

Nonnegative matrix factorization (NMF) is a dimension-reduction technique based on a low-rank approximation of the feature space. Besides providing a reduction in the number of features, NMF guarantees that the features are nonnegative, producing additive models that respect, for example, the nonnegativity of physical quantities.

Given a nonnegative m -by- n matrix X and a positive integer $k < \min(m,n)$, NMF finds nonnegative m -by- k and k -by- n matrices W and H , respectively, that minimize the norm of the difference $X - WH$. W and H are thus approximate nonnegative factors of X .

The k columns of W represent transformations of the variables in X ; the k rows of H represent the coefficients of the linear combinations of the original n variables in X that produce the transformed variables in W . Since k is generally smaller than the rank of X , the product WH provides a compressed approximation of the data in X . A range of possible values for k is often suggested by the modeling context.

The Statistics Toolbox™ function `nnmf` carries out nonnegative matrix factorization. `nnmf` uses one of two iterative algorithms that begin with random initial values for W and H . Because the norm of the residual $X - WH$ may have local minima, repeated calls to `nnmf` may yield different factorizations. Sometimes the algorithm converges to a solution of lower rank than k , which may indicate that the result is not optimal.

Example: Nonnegative Matrix Factorization

For example, consider the five predictors of biochemical oxygen demand in the data set `moore.mat`:

```
load moore
X = moore(:,1:5);
```

The following uses `nnmf` to compute a rank-two approximation of X with a multiplicative update algorithm that begins from five random initial values for W and H :

```
opt = statset('MaxIter',10,'Display','final');
[WO,HO] = nnmf(X,2,'replicates',5,...
               'options',opt,...
```

```

                                'algorithm','mult');
rep iteration      rms resid    |delta x|
  1         10       358.296    0.00190554
  2         10       78.3556    0.000351747
  3         10       230.962    0.0172839
  4         10       326.347    0.00739552
  5         10       361.547    0.00705539
Final root mean square residual = 78.3556

```

The 'mult' algorithm is sensitive to initial values, which makes it a good choice when using 'replicates' to find W and H from multiple random starting values.

Now perform the factorization using an alternating least-squares algorithm, which converges faster and more consistently. Run 100 times more iterations, beginning from the initial W0 and H0 identified above:

```

opt = statset('Maxiter',1000,'Display','final');
[W,H] = nnmf(X,2,'w0',W0,'h0',H0,...
             'options',opt,...
             'algorithm','als');
rep iteration      rms resid    |delta x|
  1           3       77.5315  3.52673e-005
Final root mean square residual = 77.5315

```

The two columns of W are the transformed predictors. The two rows of H give the relative contributions of each of the five predictors in X to the predictors in W:

```


H
H =
    0.0835    0.0190    0.1782    0.0072    0.9802
    0.0558    0.0250    0.9969    0.0085    0.0497

```

The fifth predictor in X (weight 0.9802) strongly influences the first predictor in W. The third predictor in X (weight 0.9969) strongly influences the second predictor in W.

Visualize the relative contributions of the predictors in X with a biplot, showing the data and original variables in the column space of W:


```
biplot(H', 'scores', W, 'varlabels', {'', '', 'v3', '', 'v5'});  
axis([0 1.1 0 1.1])  
xlabel('Column 1')  
ylabel('Column 2')
```



Principal Component Analysis

- “Introduction” on page 9-23
- “Example: Principal Component Analysis” on page 9-25

Introduction

One of the difficulties inherent in multivariate statistics is the problem of visualizing data that has many variables. The MATLAB[®] function `plot` displays a graph of the relationship between two variables. The `plot3` and `surf` commands display different three-dimensional views. But when

there are more than three variables, it is more difficult to visualize their relationships.

Fortunately, in data sets with many variables, groups of variables often move together. One reason for this is that more than one variable might be measuring the same driving principle governing the behavior of the system. In many systems there are only a few such driving forces. But an abundance of instrumentation enables you to measure dozens of system variables. When this happens, you can take advantage of this redundancy of information. You can simplify the problem by replacing a group of variables with a single new variable.

Principal component analysis is a quantitatively rigorous method for achieving this simplification. The method generates a new set of variables, called *principal components*. Each principal component is a linear combination of the original variables. All the principal components are orthogonal to each other, so there is no redundant information. The principal components as a whole form an orthogonal basis for the space of the data.

There are an infinite number of ways to construct an orthogonal basis for several columns of data. What is so special about the principal component basis?

The first principal component is a single axis in space. When you project each observation on that axis, the resulting values form a new variable. And the variance of this variable is the maximum among all possible choices of the first axis.

The second principal component is another axis in space, perpendicular to the first. Projecting the observations on this axis generates another new variable. The variance of this variable is the maximum among all possible choices of this second axis.

The full set of principal components is as large as the original set of variables. But it is commonplace for the sum of the variances of the first few principal components to exceed 80% of the total variance of the original data. By examining plots of these few new variables, researchers often develop a deeper understanding of the driving forces that generated the original data.

You can use the function `princomp` to find the principal components. To use `princomp`, you need to have the actual measured data you want to analyze. However, if you lack the actual data, but have the sample covariance or correlation matrix for the data, you can still use the function `pcacov` to perform a principal components analysis. See the reference page for `pcacov` for a description of its inputs and outputs.

Example: Principal Component Analysis

- “Computing Components” on page 9-25
- “Component Coefficients” on page 9-28
- “Component Scores” on page 9-28
- “Component Variances” on page 9-32
- “Hotelling’s T²” on page 9-34
- “Visualizing the Results” on page 9-34

Computing Components. Consider a sample application that uses nine different indices of the quality of life in 329 U.S. cities. These are climate, housing, health, crime, transportation, education, arts, recreation, and economics. For each index, higher is better. For example, a higher index for crime means a lower crime rate.

Start by loading the data in `cities.mat`.

```
load cities
whos
  Name          Size          Bytes  Class
categories      9x14             252    char array
names           329x43          28294  char array
ratings         329x9           23688  double array
```

The `whos` command generates a table of information about all the variables in the workspace.

The `cities` data set contains three variables:

- `categories`, a string matrix containing the names of the indices

- `names`, a string matrix containing the 329 city names
- `ratings`, the data matrix with 329 rows and 9 columns

The `categories` variable has the following values:

```
categories
categories =
  climate
  housing
  health
  crime
  transportation
  education
  arts
  recreation
  economics
```


The first five rows of `names` are

```
first5 = names(1:5,:)
first5 =
  Abilene, TX
  Akron, OH
  Albany, GA
  Albany-Troy, NY
  Albuquerque, NM
```

To get a quick impression of the ratings data, make a box plot.

```
boxplot(ratings, 'orientation', 'horizontal', 'labels', categories)
```

This command generates the plot below. Note that there is substantially more variability in the ratings of the arts and housing than in the ratings of crime and climate.



Ordinarily you might also graph pairs of the original variables, but there are 36 two-variable plots. Perhaps principal components analysis can reduce the number of variables you need to consider.

Sometimes it makes sense to compute principal components for raw data. This is appropriate when all the variables are in the same units. Standardizing the data is often preferable when the variables are in different units or when the variance of the different columns is substantial (as in this case).

You can standardize the data by dividing each column by its standard deviation.

```
stdr = std(ratings);
sr = ratings./repmat(stdr,329,1);
```

Now you are ready to find the principal components.

```
[coefs,scores,variances,t2] = princomp(sr);
```

The following sections explain the four outputs from `princomp`.

Component Coefficients. The first output of the `princomp` function, `coefs`, contains the coefficients of the linear combinations of the original variables that generate the principal components. The coefficients are also known as *loadings*.

The first three principal component coefficient vectors are:

```
c3 = coefs(:,1:3)
c3 =
    0.2064    0.2178   -0.6900
    0.3565    0.2506   -0.2082
    0.4602   -0.2995   -0.0073
    0.2813    0.3553    0.1851
    0.3512   -0.1796    0.1464
    0.2753   -0.4834    0.2297
    0.4631   -0.1948   -0.0265
    0.3279    0.3845   -0.0509
    0.1354    0.4713    0.6073
```

The largest coefficients in the first column (first principal component) are the third and seventh elements, corresponding to the variables `health` and `arts`. All the coefficients of the first principal component have the same sign, making it a weighted average of all the original variables.


The principal components are unit length and orthogonal:

```
I = c3'*c3
I =
    1.0000   -0.0000   -0.0000
   -0.0000    1.0000   -0.0000
   -0.0000   -0.0000    1.0000
```

Component Scores. The second output, `scores`, contains the coordinates of the original data in the new coordinate system defined by the principal components. This output is the same size as the input data matrix.

A plot of the first two columns of scores shows the ratings data projected onto the first two principal components. `princomp` computes the scores to have mean zero.

```
plot(scores(:,1),scores(:,2),'+')
xlabel('1st Principal Component')
ylabel('2nd Principal Component')
```



Note the outlying points in the right half of the plot.


While it is possible to create a three-dimensional plot using three columns of scores, the examples in this section create two-dimensional plots, which are easier to describe.

The function `gname` is useful for graphically identifying a few points in a plot like this. You can call `gname` with a string matrix containing as many case

labels as points in the plot. The string matrix `names` works for labeling points with the city names.

```
gname(names)
```

Move your cursor over the plot and click once near each point in the right half. As you click each point, it is labeled with the proper row from the `names` string matrix. Here is the plot after a few clicks:



When you are finished labeling points, press the **Return** key.

The labeled cities are some of the biggest population centers in the United States. They are definitely different from the remainder of the data, so perhaps they should be considered separately. To remove the labeled cities from the data, first identify their corresponding row numbers as follows:


1 Close the plot window.

2 Redraw the plot by entering

```
plot(scores(:,1),scores(:,2),'+')
xlabel('1st Principal Component');
ylabel('2nd Principal Component');
```

3 Enter `gname` without any arguments.

4 Click near the points you labeled in the preceding figure. This labels the points by their row numbers, as shown in the following figure.



Then you can create an index variable containing the row numbers of all the metropolitan areas you choose.

```
metro = [43 65 179 213 234 270 314];
names(metro,:)
ans =
    Boston, MA
    Chicago, IL
    Los Angeles, Long Beach, CA
    New York, NY
    Philadelphia, PA-NJ
    San Francisco, CA
    Washington, DC-MD-VA
```

To remove these rows from the ratings matrix, enter the following.

```
rsubset = ratings;
nsubset = names;
nsubset(metro,:) = [];
rsubset(metro,:) = [];
size(rsubset)
ans =
    322     9
```

Component Variances. The third output, `variances`, is a vector containing the variance explained by the corresponding principal component. Each column of scores has a sample variance equal to the corresponding element of `variances`.


```
variances
variances =
    3.4083
    1.2140
    1.1415
    0.9209
    0.7533
    0.6306
    0.4930
    0.3180
    0.1204
```

You can easily calculate the percent of the total variability explained by each principal component.

```
percent_explained = 100*variances/sum(variances)
percent_explained =
 37.8699
 13.4886
 12.6831
 10.2324
  8.3698
  7.0062
  5.4783
  3.5338
  1.3378
```

Use the `pareto` function to make a *scree plot* of the percent variability explained by each principal component.

```
pareto(percent_explained)
xlabel('Principal Component')
ylabel('Variance Explained (%)')
```



The preceding figure shows that the only clear break in the amount of variance accounted for by each component is between the first and second components. However, that component by itself explains less than 40% of the variance, so more components are probably needed. You can see that the first three principal components explain roughly two-thirds of the total variability in the standardized ratings, so that might be a reasonable way to reduce the dimensions in order to visualize the data.


Hotelling's T². The last output of the `princomp` function, `t2`, is Hotelling's T², a statistical measure of the multivariate distance of each observation from the center of the data set. This is an analytical way to find the most extreme points in the data.

```
[st2, index] = sort(t2, 'descend'); % Sort in descending order.
extreme = index(1)
extreme =
    213
names(extreme, :)
ans =
    New York, NY
```

It is not surprising that the ratings for New York are the furthest from the average U.S. town.

Visualizing the Results. Use the `biplot` function to help visualize both the principal component coefficients for each variable and the principal component scores for each observation in a single plot. For example, the following command plots the results from the principal components analysis on the cities and labels each of the variables.

```
biplot(coefs(:,1:2), 'scores', scores(:,1:2), ...
'varlabels', categories);
axis([-0.26 1 -0.51 0.51]);
```



Each of the nine variables is represented in this plot by a vector, and the direction and length of the vector indicates how each variable contributes to the two principal components in the plot. For example, you have seen that the first principal component, represented in this biplot by the horizontal axis, has positive coefficients for all nine variables. That corresponds to the nine vectors directed into the right half of the plot. You have also seen that the second principal component, represented by the vertical axis, has positive coefficients for the variables education, health, arts, and transportation, and negative coefficients for the remaining five variables. That corresponds to vectors directed into the top and bottom halves of the plot, respectively. This indicates that this component distinguishes between cities that have high values for the first set of variables and low for the second, and cities that have the opposite.

The variable labels in this figure are somewhat crowded. You could either leave out the `VarLabels` parameter when making the plot, or simply select


and drag some of the labels to better positions using the Edit Plot tool from the figure window toolbar.

Each of the 329 observations is represented in this plot by a point, and their locations indicate the score of each observation for the two principal components in the plot. For example, points near the left edge of this plot have the lowest scores for the first principal component. The points are scaled to fit within the unit square, so only their relative locations may be determined from the plot.

You can use the Data Cursor, in the **Tools** menu in the figure window, to identify the items in this plot. By clicking on a variable (vector), you can read off that variable's coefficients for each principal component. By clicking on an observation (point), you can read off that observation's scores for each principal component.

You can also make a biplot in three dimensions. This can be useful if the first two principal coordinates do not explain enough of the variance in your data. Selecting Rotate 3D in the **Tools** menu enables you to rotate the figure to see it from different angles.

```
biplot(coefs(:,1:3), 'scores', scores(:,1:3), ...  
       'obslabels', names);  
axis([- .26 1 - .51 .51 - .61 .81]);  
view([30 40]);
```



Factor Analysis

- “Introduction” on page 9-37
- “Example: Factor Analysis” on page 9-38

Introduction

Multivariate data often includes a large number of measured variables, and sometimes those variables overlap, in the sense that groups of them might be dependent. For example, in a decathlon, each athlete competes in 10 events, but several of them can be thought of as speed events, while others can be thought of as strength events, etc. Thus, you can think of a competitor’s 10 event scores as largely dependent on a smaller set of three or four types of athletic ability.

Factor analysis is a way to fit a model to multivariate data to estimate just this sort of interdependence. In a factor analysis model, the measured variables depend on a smaller number of unobserved (latent) factors. Because each factor might affect several variables in common, they are known as *common factors*. Each variable is assumed to be dependent on a linear combination of the common factors, and the coefficients are known as *loadings*. Each measured variable also includes a component due to independent random variability, known as *specific variance* because it is specific to one variable.

Specifically, factor analysis assumes that the covariance matrix of your data is of the form

$$\Sigma_x = \Lambda\Lambda^T + \Psi$$

where Λ is the matrix of loadings, and the elements of the diagonal matrix Ψ are the specific variances. The function `factoran` fits the Factor Analysis model using maximum likelihood.

Example: Factor Analysis

- “Factor Loadings” on page 9-38
- “Factor Rotation” on page 9-40
- “Factor Scores” on page 9-42
- “Visualizing the Results” on page 9-44

Factor Loadings. Over the course of 100 weeks, the percent change in stock prices for ten companies has been recorded. Of the ten companies, the first four can be classified as primarily technology, the next three as financial, and the last three as retail. It seems reasonable that the stock prices for companies that are in the same sector might vary together as economic conditions change. Factor Analysis can provide quantitative evidence that companies within each sector do experience similar week-to-week changes in stock price.

In this example, you first load the data, and then call `factoran`, specifying a model fit with three common factors. By default, `factoran` computes rotated estimates of the loadings to try and make their interpretation simpler. But in this example, you specify an unrotated solution.


```
load stockreturns
```

```
[Loadings,specificVar,T,stats] = ...
    factoran(stocks,3,'rotate','none');
```

The first two factoran return arguments are the estimated loadings and the estimated specific variances. Each row of the loadings matrix represents one of the ten stocks, and each column corresponds to a common factor. With unrotated estimates, interpretation of the factors in this fit is difficult because most of the stocks contain fairly large coefficients for two or more factors.

```
Loadings
```

```
Loadings =
```

0.8885	0.2367	-0.2354
0.7126	0.3862	0.0034
0.3351	0.2784	-0.0211
0.3088	0.1113	-0.1905
0.6277	-0.6643	0.1478
0.4726	-0.6383	0.0133
0.1133	-0.5416	0.0322
0.6403	0.1669	0.4960
0.2363	0.5293	0.5770
0.1105	0.1680	0.5524

Note “Factor Rotation” on page 9-40 helps to simplify the structure in the Loadings matrix, to make it easier to assign meaningful interpretations to the factors.

From the estimated specific variances, you can see that the model indicates that a particular stock price varies quite a lot beyond the variation due to the common factors.

```
specificVar
specificVar =
    0.0991
    0.3431
    0.8097
    0.8559
    0.1429
```

```
0.3691
0.6928
0.3162
0.3311
0.6544
```

A specific variance of 1 would indicate that there is *no* common factor component in that variable, while a specific variance of 0 would indicate that the variable is *entirely* determined by common factors. These data seem to fall somewhere in between.

The p -value returned in the `stats` structure fails to reject the null hypothesis of three common factors, suggesting that this model provides a satisfactory explanation of the covariation in these data.

```
stats.p
ans =
    0.8144
```

To determine whether fewer than three factors can provide an acceptable fit, you can try a model with two common factors. The p -value for this second fit is highly significant, and rejects the hypothesis of two factors, indicating that the simpler model is not sufficient to explain the pattern in these data.

```
[Loadings2,specificVar2,T2,stats2] = ...
    factoran(stocks, 2,'rotate','none');

stats2.p
ans =
    3.5610e-006
```

Factor Rotation. As the results illustrate, the estimated loadings from an unrotated factor analysis fit can have a complicated structure. The goal of factor rotation is to find a parameterization in which each variable has only a small number of large loadings. That is, each variable is affected by a small number of factors, preferably only one. This can often make it easier to interpret what the factors represent.


If you think of each row of the loadings matrix as coordinates of a point in M -dimensional space, then each factor corresponds to a coordinate axis. Factor rotation is equivalent to rotating those axes and computing new

loadings in the rotated coordinate system. There are various ways to do this. Some methods leave the axes orthogonal, while others are oblique methods that change the angles between them. For this example, you can rotate the estimated loadings by using the promax criterion, a common oblique method.

```
[LoadingsPM,specVarPM] = factoran(stocks,3,'rotate','promax');
LoadingsPM
LoadingsPM =
    0.9452    0.1214   -0.0617
    0.7064   -0.0178    0.2058
    0.3885   -0.0994    0.0975
    0.4162   -0.0148   -0.1298
    0.1021    0.9019    0.0768
    0.0873    0.7709   -0.0821
   -0.1616    0.5320   -0.0888
    0.2169    0.2844    0.6635
    0.0016   -0.1881    0.7849
   -0.2289    0.0636    0.6475
```

Promax rotation creates a simpler structure in the loadings, one in which most of the stocks have a large loading on only one factor. To see this structure more clearly, you can use the biplot function to plot each stock using its factor loadings as coordinates.

```
biplot(LoadingsPM,'varlabels',num2str((1:10)'));
axis square
view(155,27);
```



This plot shows that promax has rotated the factor loadings to a simpler structure. Each stock depends primarily on only one factor, and it is possible to describe each factor in terms of the stocks that it affects. Based on which companies are near which axes, you could reasonably conclude that the first factor axis represents the financial sector, the second retail, and the third technology. The original conjecture, that stocks vary primarily within sector, is apparently supported by the data.


Factor Scores. Sometimes, it is useful to be able to classify an observation based on its factor scores. For example, if you accepted the three-factor model and the interpretation of the rotated factors, you might want to categorize each week in terms of how favorable it was for each of the three stock sectors, based on the data from the 10 observed stocks.

Because the data in this example are the raw stock price changes, and not just their correlation matrix, you can have factor return estimates of the

value of each of the three rotated common factors for each week. You can then plot the estimated scores to see how the different stock sectors were affected during each week.

```
[LoadingsPM,specVarPM,TPM,stats,F] = ...
    factoran(stocks, 3,'rotate','promax');

plot3(F(:,1),F(:,2),F(:,3),'b.')
line([-4 4 NaN 0 0 NaN 0 0], [0 0 NaN -4 4 NaN 0 0],...
      [0 0 NaN 0 0 NaN -4 4], 'Color','black')
xlabel('Financial Sector')
ylabel('Retail Sector')
zlabel('Technology Sector')
grid on
axis square
view(-22.5, 8)
```




Oblique rotation often creates factors that are correlated. This plot shows some evidence of correlation between the first and third factors, and you can investigate further by computing the estimated factor correlation matrix.

```
inv(TPM'*TPM)
ans =
    1.0000    0.1559    0.4082
    0.1559    1.0000   -0.0559
    0.4082   -0.0559    1.0000
```

Visualizing the Results. You can use the `biplot` function to help visualize both the factor loadings for each variable and the factor scores for each observation in a single plot. For example, the following command plots the results from the factor analysis on the stock data and labels each of the 10 stocks.

```
biplot(LoadingsPM,'scores',F,'varlabels',num2str((1:10)'))
xlabel('Financial Sector')
ylabel('Retail Sector')
zlabel('Technology Sector')
axis square
view(155,27)
```



In this case, the factor analysis includes three factors, and so the biplot is three-dimensional. Each of the 10 stocks is represented in this plot by a vector, and the direction and length of the vector indicates how each stock depends on the underlying factors. For example, you have seen that after promax rotation, the first four stocks have positive loadings on the first factor, and unimportant loadings on the other two factors. That first factor, interpreted as a financial sector effect, is represented in this biplot as one of the horizontal axes. The dependence of those four stocks on that factor corresponds to the four vectors directed approximately along that axis. Similarly, the dependence of stocks 5, 6, and 7 primarily on the second factor, interpreted as a retail sector effect, is represented by vectors directed approximately along that axis.

Each of the 100 observations is represented in this plot by a point, and their locations indicate the score of each observation for the three factors. For example, points near the top of this plot have the highest scores for the

technology sector factor. The points are scaled to fit within the unit square, so only their relative locations can be determined from the plot.

You can use the **Data Cursor** tool from the **Tools** menu in the figure window to identify the items in this plot. By clicking a stock (vector), you can read off that stock's loadings for each factor. By clicking an observation (point), you can read off that observation's scores for each factor.

Cluster Analysis

Introduction (p. 10-2)

Hierarchical Clustering (p. 10-3)

K-Means Clustering (p. 10-21)

Gaussian Mixture Models (p. 10-28)

Defining data clusters

Tree-based taxonomy

Metric partitioning

Gaussian clusters

Introduction

Cluster analysis, also called *segmentation analysis* or *taxonomy analysis*, creates groups, or *clusters*, of data. Clusters are formed in such a way that objects in the same cluster are very similar and objects in different clusters are very distinct. Measures of similarity depend on the application.

“Hierarchical Clustering” on page 10-3 groups data over a variety of scales by creating a cluster tree or *dendrogram*. The tree is not a single set of clusters, but rather a multilevel hierarchy, where clusters at one level are joined as clusters at the next level. This allows you to decide the level or scale of clustering that is most appropriate for your application. The Statistics Toolbox™ function `clusterdata` performs all of the necessary steps for you. It incorporates the `pdist`, `linkage`, and `cluster` functions, which may be used separately for more detailed analysis. The `dendrogram` function plots the cluster tree.

“K-Means Clustering” on page 10-21 is a partitioning method. The function `kmeans` partitions data into k mutually exclusive clusters, and returns the index of the cluster to which it has assigned each observation. Unlike hierarchical clustering, k -means clustering operates on actual observations (rather than the larger set of dissimilarity measures), and creates a single level of clusters. The distinctions mean that k -means clustering is often more suitable than hierarchical clustering for large amounts of data.

“Gaussian Mixture Models” on page 10-28 form clusters by representing the probability density function of observed variables as a mixture of multivariate normal densities. Mixture models of the “`@gmdistribution`” on page 17-14 class are fit to data using an expectation maximization (EM) algorithm, which assigns posterior probabilities to each component density with respect to each observation. Clusters are assigned by selecting the component that maximizes the posterior probability. Like k -means clustering, Gaussian mixture modeling uses an iterative algorithm that converges to a local optimum. Gaussian mixture modeling may be more appropriate than k -means clustering when clusters have different sizes and correlation within them.

Hierarchical Clustering

In this section...

“Introduction” on page 10-3
“Algorithm Description” on page 10-3
“Similarity Measures” on page 10-4
“Linkages” on page 10-6
“Dendrograms” on page 10-8
“Verifying the Cluster Tree” on page 10-10
“Creating Clusters” on page 10-16

Introduction

Hierarchical clustering groups data over a variety of scales by creating a cluster tree or *dendrogram*. The tree is not a single set of clusters, but rather a multilevel hierarchy, where clusters at one level are joined as clusters at the next level. This allows you to decide the level or scale of clustering that is most appropriate for your application. The Statistics Toolbox™ function `clusterdata` performs all of the necessary steps for you. It incorporates the `pdist`, `linkage`, and `cluster` functions, which may be used separately for more detailed analysis. The `dendrogram` function plots the cluster tree.

Algorithm Description

To perform hierarchical cluster analysis on a data set using Statistics Toolbox functions, follow this procedure:

- 1 Find the similarity or dissimilarity between every pair of objects in the data set.** In this step, you calculate the *distance* between objects using the `pdist` function. The `pdist` function supports many different ways to compute this measurement. See “Similarity Measures” on page 10-4 for more information.
- 2 Group the objects into a binary, hierarchical cluster tree.** In this step, you link pairs of objects that are in close proximity using the `linkage` function. The `linkage` function uses the distance information generated in

step 1 to determine the proximity of objects to each other. As objects are paired into binary clusters, the newly formed clusters are grouped into larger clusters until a hierarchical tree is formed. See “Linkages” on page 10-6 for more information.

3 Determine where to cut the hierarchical tree into clusters. In this step, you use the `cluster` function to prune branches off the bottom of the hierarchical tree, and assign all the objects below each cut to a single cluster. This creates a partition of the data. The `cluster` function can create these clusters by detecting natural groupings in the hierarchical tree or by cutting off the hierarchical tree at an arbitrary point.

The following sections provide more information about each of these steps.

Note The Statistics Toolbox function `clusterdata` performs all of the necessary steps for you. You do not need to execute the `pdist`, `linkage`, or `cluster` functions separately.

Similarity Measures

You use the `pdist` function to calculate the distance between every pair of objects in a data set. For a data set made up of m objects, there are $m \cdot (m - 1)/2$ pairs in the data set. The result of this computation is commonly known as a distance or dissimilarity matrix.

There are many ways to calculate this distance information. By default, the `pdist` function calculates the Euclidean distance between objects; however, you can specify one of several other options. See `pdist` for more information.

Note You can optionally normalize the values in the data set before calculating the distance information. In a real world data set, variables can be measured against different scales. For example, one variable can measure Intelligence Quotient (IQ) test scores and another variable can measure head circumference. These discrepancies can distort the proximity calculations. Using the `zscore` function, you can convert all the values in the data set to use the same proportional scale. See `zscore` for more information.


For example, consider a data set, X , made up of five objects where each object is a set of x,y coordinates.

- **Object 1:** 1, 2
- **Object 2:** 2.5, 4.5
- **Object 3:** 2, 2
- **Object 4:** 4, 1.5
- **Object 5:** 4, 2.5

You can define this data set as a matrix

$$X = [1 \ 2; 2.5 \ 4.5; 2 \ 2; 4 \ 1.5; 4 \ 2.5]$$

and pass it to `pdist`. The `pdist` function calculates the distance between object 1 and object 2, object 1 and object 3, and so on until the distances between all the pairs have been calculated. The following figure plots these objects in a graph. The Euclidean distance between object 2 and object 3 is shown to illustrate one interpretation of distance.



Distance Information

The `pdist` function returns this distance information in a vector, Y , where each element contains the distance between a pair of objects.

```

Y = pdist(X)
Y =
  Columns 1 through 5
    2.9155    1.0000    3.0414    3.0414    2.5495
  Columns 6 through 10
    3.3541    2.5000    2.0616    2.0616    1.0000

```

To make it easier to see the relationship between the distance information generated by `pdist` and the objects in the original data set, you can reformat the distance vector into a matrix using the `squareform` function. In this matrix, element i,j corresponds to the distance between object i and object j in the original data set. In the following example, element 1,1 represents the distance between object 1 and itself (which is zero). Element 1,2 represents the distance between object 1 and object 2, and so on.

```

squareform(Y)
ans =
    0    2.9155    1.0000    3.0414    3.0414
    2.9155    0    2.5495    3.3541    2.5000
    1.0000    2.5495    0    2.0616    2.0616
    3.0414    3.3541    2.0616    0    1.0000
    3.0414    2.5000    2.0616    1.0000    0

```

Linkages

Once the proximity between objects in the data set has been computed, you can determine how objects in the data set should be grouped into clusters, using the `linkage` function. The `linkage` function takes the distance information generated by `pdist` and links pairs of objects that are close together into binary clusters (clusters made up of two objects). The `linkage` function then links these newly formed clusters to each other and to other objects to create bigger clusters until all the objects in the original data set are linked together in a hierarchical tree.

For example, given the distance vector `Y` generated by `pdist` from the sample data set of x - and y -coordinates, the `linkage` function generates a hierarchical cluster tree, returning the linkage information in a matrix, `Z`.

```

Z = linkage(Y)
Z =
    4.0000    5.0000    1.0000

```


1.0000	3.0000	1.0000
6.0000	7.0000	2.0616
2.0000	8.0000	2.5000

In this output, each row identifies a link between objects or clusters. The first two columns identify the objects that have been linked. The third column contains the distance between these objects. For the sample data set of x - and y -coordinates, the linkage function begins by grouping objects 4 and 5, which have the closest proximity (distance value = 1.0000). The linkage function continues by grouping objects 1 and 3, which also have a distance value of 1.0000.

The third row indicates that the linkage function grouped objects 6 and 7. If the original sample data set contained only five objects, what are objects 6 and 7? Object 6 is the newly formed binary cluster created by the grouping of objects 4 and 5. When the linkage function groups two objects into a new cluster, it must assign the cluster a unique index value, starting with the value $m+1$, where m is the number of objects in the original data set. (Values 1 through m are already used by the original data set.) Similarly, object 7 is the cluster formed by grouping objects 1 and 3.

linkage uses distances to determine the order in which it clusters objects. The distance vector Υ contains the distances between the original objects 1 through 5. But linkage must also be able to determine distances involving clusters that it creates, such as objects 6 and 7. By default, linkage uses a method known as single linkage. However, there are a number of different methods available. See the linkage reference page for more information.


As the final cluster, the linkage function grouped object 8, the newly formed cluster made up of objects 6 and 7, with object 2 from the original data set. The following figure graphically illustrates the way linkage groups the objects into a hierarchy of clusters.



Dendrograms

The hierarchical, binary cluster tree created by the linkage function is most easily understood when viewed graphically. The Statistics Toolbox function `dendrogram` plots the tree, as follows:

```
dendrogram(Z)
```

In the figure, the numbers along the horizontal axis represent the indices of the objects in the original data set. The links between objects are represented as upside-down U-shaped lines. The height of the U indicates the distance between the objects. For example, the link representing the cluster containing objects 1 and 3 has a height of 1. The link representing the cluster that groups object 2 together with objects 1, 3, 4, and 5, (which are already clustered as object 8) has a height of 2.5. The height represents the distance linkage computes between objects 2 and 8. For more information about creating a dendrogram diagram, see the dendrogram reference page.

Verifying the Cluster Tree

After linking the objects in a data set into a hierarchical cluster tree, you might want to verify that the distances (that is, heights) in the tree reflect the original distances accurately. In addition, you might want to investigate natural divisions that exist among links between objects. Statistics Toolbox functions are available for both of these tasks, as described in the following sections:

- “Verifying Dissimilarity” on page 10-10
- “Verifying Consistency” on page 10-11

Verifying Dissimilarity

In a hierarchical cluster tree, any two objects in the original data set are eventually linked together at some level. The height of the link represents the distance between the two clusters that contain those two objects. This height is known as the *cophenetic distance* between the two objects. One way to measure how well the cluster tree generated by the `linkage` function reflects your data is to compare the cophenetic distances with the original distance data generated by the `pdist` function. If the clustering is valid, the linking of objects in the cluster tree should have a strong correlation with the distances between objects in the distance vector. The `cophenet` function compares these two sets of values and computes their correlation, returning a value called the *cophenetic correlation coefficient*. The closer the value of the cophenetic correlation coefficient is to 1, the more accurately the clustering solution reflects your data.

You can use the cophenetic correlation coefficient to compare the results of clustering the same data set using different distance calculation methods or clustering algorithms. For example, you can use the `cophenet` function to evaluate the clusters created for the sample data set

```
c = cophenet(Z,Y)
c =
    0.8615
```

where `Z` is the matrix output by the `linkage` function and `Y` is the distance vector output by the `pdist` function.

Execute `pdist` again on the same data set, this time specifying the city block metric. After running the `linkage` function on this new `pdist` output using the average linkage method, call `cophenet` to evaluate the clustering solution.

```
Y = pdist(X, 'cityblock');
Z = linkage(Y, 'average');
c = cophenet(Z, Y)
c =
    0.9047
```

The cophenetic correlation coefficient shows that using a different distance and linkage method creates a tree that represents the original distances slightly better.

Verifying Consistency

One way to determine the natural cluster divisions in a data set is to compare the height of each link in a cluster tree with the heights of neighboring links below it in the tree.


A link that is approximately the same height as the links below it indicates that there are no distinct divisions between the objects joined at this level of the hierarchy. These links are said to exhibit a high level of consistency, because the distance between the objects being joined is approximately the same as the distances between the objects they contain.

On the other hand, a link whose height differs noticeably from the height of the links below it indicates that the objects joined at this level in the cluster tree are much farther apart from each other than their components were when they were joined. This link is said to be inconsistent with the links below it.

In cluster analysis, inconsistent links can indicate the border of a natural division in a data set. The `cluster` function uses a quantitative measure of inconsistency to determine where to partition your data set into clusters.

The following dendrogram illustrates inconsistent links. Note how the objects in the dendrogram fall into two groups that are connected by links at a much higher level in the tree. These links are inconsistent when compared with the links below them in the hierarchy.

These links show inconsistency when compared to the links below them.



These links show consistency.

The relative consistency of each link in a hierarchical cluster tree can be quantified and expressed as the *inconsistency coefficient*. This value compares the height of a link in a cluster hierarchy with the average height of links below it. Links that join distinct clusters have a high inconsistency coefficient; links that join indistinct clusters have a low inconsistency coefficient.

To generate a listing of the inconsistency coefficient for each link in the cluster tree, use the `inconsistent` function. By default, the `inconsistent` function

compares each link in the cluster hierarchy with adjacent links that are less than two levels below it in the cluster hierarchy. This is called the *depth* of the comparison. You can also specify other depths. The objects at the bottom of the cluster tree, called leaf nodes, that have no further objects below them, have an inconsistency coefficient of zero. Clusters that join two leaves also have a zero inconsistency coefficient.

For example, you can use the `inconsistent` function to calculate the inconsistency values for the links created by the `linkage` function in “Linkages” on page 10-6.

```
I = inconsistent(Z)
I =
    1.0000         0    1.0000         0
    1.0000         0    1.0000         0
    1.3539    0.6129    3.0000    1.1547
    2.2808    0.3100    2.0000    0.7071
```

The `inconsistent` function returns data about the links in an $(m-1)$ -by-4 matrix, whose columns are described in the following table.

Column	Description
1	Mean of the heights of all the links included in the calculation
2	Standard deviation of all the links included in the calculation
3	Number of links included in the calculation
4	Inconsistency coefficient

In the sample output, the first row represents the link between objects 4 and 5. This cluster is assigned the index 6 by the `linkage` function. Because both 4 and 5 are leaf nodes, the inconsistency coefficient for the cluster is zero. The second row represents the link between objects 1 and 3, both of which are also leaf nodes. This cluster is assigned the index 7 by the `linkage` function.


The third row evaluates the link that connects these two clusters, objects 6 and 7. (This new cluster is assigned index 8 in the `linkage` output). Column 3 indicates that three links are considered in the calculation: the link itself and the two links directly below it in the hierarchy. Column 1 represents the mean of the heights of these links. The `inconsistent` function uses the height

information output by the linkage function to calculate the mean. Column 2 represents the standard deviation between the links. The last column contains the inconsistency value for these links, 1.1547. It is the difference between the current link height and the mean, normalized by the standard deviation:

$$(2.0616 - 1.3539) / .6129$$

ans =
1.1547


The following figure illustrates the links and heights included in this calculation.



Note In the preceding figure, the lower limit on the y -axis is set to 0 to show the heights of the links. To set the lower limit to 0, select **Axes Properties** from the **Edit** menu, click the **Y Axis** tab, and enter 0 in the field immediately to the right of **Y Limits**.

Row 4 in the output matrix describes the link between object 8 and object 2. Column 3 indicates that two links are included in this calculation: the link itself and the link directly below it in the hierarchy. The inconsistency coefficient for this link is 0.7071.

The following figure illustrates the links and heights included in this calculation.



Creating Clusters

After you create the hierarchical tree of binary clusters, you can prune the tree to partition your data into clusters using the `cluster` function. The `cluster` function lets you create clusters in two ways, as discussed in the following sections:

- “Finding Natural Divisions in Data” on page 10-17
- “Specifying Arbitrary Clusters” on page 10-18

Finding Natural Divisions in Data

The hierarchical cluster tree may naturally divide the data into distinct, well-separated clusters. This can be particularly evident in a dendrogram diagram created from data where groups of objects are densely packed in certain areas and not in others. The inconsistency coefficient of the links in the cluster tree can identify these divisions where the similarities between objects change abruptly. (See “Verifying the Cluster Tree” on page 10-10 for more information about the inconsistency coefficient.) You can use this value to determine where the cluster function creates cluster boundaries.

For example, if you use the `cluster` function to group the sample data set into clusters, specifying an inconsistency coefficient threshold of 1.2 as the value of the `cutoff` argument, the `cluster` function groups all the objects in the sample data set into one cluster. In this case, none of the links in the cluster hierarchy had an inconsistency coefficient greater than 1.2.

```
T = cluster(Z, 'cutoff', 1.2)
T =
     1
     1
     1
     1
     1
```

The `cluster` function outputs a vector, `T`, that is the same size as the original data set. Each element in this vector contains the number of the cluster into which the corresponding object from the original data set was placed.

If you lower the inconsistency coefficient threshold to 0.8, the `cluster` function divides the sample data set into three separate clusters.

```
T = cluster(Z, 'cutoff', 0.8)
T =
     3
     2
     3
     1
     1
```

This output indicates that objects 1 and 3 were placed in cluster 1, objects 4 and 5 were placed in cluster 2, and object 2 was placed in cluster 3.

When clusters are formed in this way, the cutoff value is applied to the inconsistency coefficient. These clusters may, but do not necessarily, correspond to a horizontal slice across the dendrogram at a certain height. If you want clusters corresponding to a horizontal slice of the dendrogram, you can either use the `criterion` option to specify that the cutoff should be based on distance rather than inconsistency, or you can specify the number of clusters directly as described in the following section.


Specifying Arbitrary Clusters

Instead of letting the `cluster` function create clusters determined by the natural divisions in the data set, you can specify the number of clusters you want created.

For example, you can specify that you want the `cluster` function to partition the sample data set into two clusters. In this case, the `cluster` function creates one cluster containing objects 1, 3, 4, and 5 and another cluster containing object 2.

```
T = cluster(Z, 'maxclust', 2)
T =
     2
     1
     2
     2
     2
```


To help you visualize how the `cluster` function determines these clusters, the following figure shows the dendrogram of the hierarchical cluster tree. The horizontal dashed line intersects two lines of the dendrogram, corresponding to setting `'maxclust'` to 2. These two lines partition the objects into two clusters: the objects below the left-hand line, namely 1, 3, 4, and 5, belong to one cluster, while the object below the right-hand line, namely 2, belongs to the other cluster.



On the other hand, if you set 'maxclust' to 3, the cluster function groups objects 4 and 5 in one cluster, objects 1 and 3 in a second cluster, and object 2 in a third cluster. The following command illustrates this.

```
T = cluster(Z, 'maxclust', 3)
T =
     1
     3
     1
     2
     2
```

This time, the cluster function cuts off the hierarchy at a lower point, corresponding to the horizontal line that intersects three lines of the dendrogram in the following figure.



K-Means Clustering

In this section...

“Introduction” on page 10-21

“Creating Clusters and Determining Separation” on page 10-22

“Determining the Correct Number of Clusters” on page 10-23

“Avoiding Local Minima” on page 10-26

Introduction

K-means clustering is a partitioning method. The function `kmeans` partitions data into k mutually exclusive clusters, and returns the index of the cluster to which it has assigned each observation. Unlike hierarchical clustering, k -means clustering operates on actual observations (rather than the larger set of dissimilarity measures), and creates a single level of clusters. The distinctions mean that k -means clustering is often more suitable than hierarchical clustering for large amounts of data.

`kmeans` treats each observation in your data as an object having a location in space. It finds a partition in which objects within each cluster are as close to each other as possible, and as far from objects in other clusters as possible. You can choose from five different distance measures, depending on the kind of data you are clustering.

Each cluster in the partition is defined by its member objects and by its centroid, or center. The centroid for each cluster is the point to which the sum of distances from all objects in that cluster is minimized. `kmeans` computes cluster centroids differently for each distance measure, to minimize the sum with respect to the measure that you specify.

`kmeans` uses an iterative algorithm that minimizes the sum of distances from each object to its cluster centroid, over all clusters. This algorithm moves objects between clusters until the sum cannot be decreased further. The result is a set of clusters that are as compact and well-separated as possible. You can control the details of the minimization using several optional input parameters to `kmeans`, including ones for the initial values of the cluster centroids, and for the maximum number of iterations.

Creating Clusters and Determining Separation

The following example explores possible clustering in four-dimensional data by analyzing the results of partitioning the points into three, four, and five clusters.

Note Because each part of this example generates random numbers sequentially, i.e., without setting a new state, you must perform all steps in sequence to duplicate the results shown. If you perform the steps out of sequence, the answers will be essentially the same, but the intermediate results, number of iterations, or ordering of the silhouette plots may differ.

First, load some data:


```
load kmeansdata;
size(X)
ans =
    560     4
```

Even though these data are four-dimensional, and cannot be easily visualized, `kmeans` enables you to investigate whether a group structure exists in them. Call `kmeans` with `k`, the desired number of clusters, equal to 3. For this example, specify the city block distance measure, and use the default starting method of initializing centroids from randomly selected data points:

```
idx3 = kmeans(X,3,'distance','city');
```

To get an idea of how well-separated the resulting clusters are, you can make a silhouette plot using the cluster indices output from `kmeans`. The silhouette plot displays a measure of how close each point in one cluster is to points in the neighboring clusters. This measure ranges from +1, indicating points that are very distant from neighboring clusters, through 0, indicating points that are not distinctly in one cluster or another, to -1, indicating points that are probably assigned to the wrong cluster. `silhouette` returns these values in its first output:

```
[silh3,h] = silhouette(X,idx3,'city');
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
xlabel('Silhouette Value')
ylabel('Cluster')
```



From the silhouette plot, you can see that most points in the third cluster have a large silhouette value, greater than 0.6, indicating that the cluster is somewhat separated from neighboring clusters. However, the second cluster contains many points with low silhouette values, and the first contains a few points with negative values, indicating that those two clusters are not well separated.

Determining the Correct Number of Clusters

Increase the number of clusters to see if `kmeans` can find a better grouping of the data. This time, use the optional `'display'` parameter to print information about each iteration:

```
idx4 = kmeans(X,4, 'dist','city', 'display','iter');
iter phase num sum
1 1 560 2897.56
```


2	1	53	2736.67
3	1	50	2476.78
4	1	102	1779.68
5	1	5	1771.1
6	2	0	1771.1

6 iterations, total sum of distances = 1771.1

Notice that the total sum of distances decreases at each iteration as `kmeans` reassigns points between clusters and recomputes cluster centroids. In this case, the second phase of the algorithm did not make any reassignments, indicating that the first phase reached a minimum after five iterations. In some problems, the first phase might not reach a minimum, but the second phase always will.

A silhouette plot for this solution indicates that these four clusters are better separated than the three in the previous solution:

```
[silh4,h] = silhouette(X,idx4,'city');  
set(get(gca,'Children'),'FaceColor',[.8 .8 1])  
xlabel('Silhouette Value')  
ylabel('Cluster')
```


A more quantitative way to compare the two solutions is to look at the average silhouette values for the two cases:

```
mean(silh3)
ans =
    0.52594
mean(silh4)
ans =
    0.63997
```

Finally, try clustering the data using five clusters:

```
idx5 = kmeans(X,5,'dist','city','replicates',5);
[silh5,h] = silhouette(X,idx5,'city');
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
xlabel('Silhouette Value')
```

```
ylabel('Cluster')
mean(silh5)
ans =
    0.52657
```



This silhouette plot indicates that this is probably not the right number of clusters, since two of the clusters contain points with mostly low silhouette values. Without some knowledge of how many clusters are really in the data, it is a good idea to experiment with a range of values for k .

Avoiding Local Minima

Like many other types of numerical minimizations, the solution that k means reaches often depends on the starting points. It is possible for k means to reach a local minimum, where reassigning any one point to a new cluster would increase the total sum of point-to-centroid distances, but where a

better solution does exist. However, you can use the optional 'replicates' parameter to overcome that problem.

For four clusters, specify five replicates, and use the 'display' parameter to print out the final sum of distances for each of the solutions.

```
[idx4,cent4,sumdist] = kmeans(X,4,'dist','city',...  
                              'display','final','replicates',5);  
17 iterations, total sum of distances = 2303.36  
5 iterations, total sum of distances = 1771.1  
6 iterations, total sum of distances = 1771.1  
5 iterations, total sum of distances = 1771.1  
8 iterations, total sum of distances = 2303.36
```

The output shows that, even for this relatively simple problem, non-global minima do exist. Each of these five replicates began from a different randomly selected set of initial centroids, and kmeans found two different local minima. However, the final solution that kmeans returns is the one with the lowest total sum of distances, over all replicates.

```
sum(sumdist)  
ans =  
    1771.1
```

Gaussian Mixture Models

In this section...
“Introduction” on page 10-28
“Clustering with Gaussian Mixtures” on page 10-28

Introduction

Gaussian mixture models are formed by combining multivariate normal density components. For information on individual multivariate normal densities, see “Multivariate Normal Distribution” on page 18-52 and related distribution functions listed under “Multivariate Distributions” on page 5-8.

In Statistics Toolbox™ software, mixture models of the “@gmdistribution” on page 17-14 class are fit to data using an expectation maximization (EM) algorithm, which assigns posterior probabilities to each component density with respect to each observation.

Gaussian mixture models are often used for data clustering. Clusters are assigned by selecting the component that maximizes the posterior probability. Like k -means clustering, Gaussian mixture modeling uses an iterative algorithm that converges to a local optimum. Gaussian mixture modeling may be more appropriate than k -means clustering when clusters have different sizes and correlation within them.

Creation of Gaussian mixture models is described in the “Gaussian Mixture Models” on page 5-92 section of Chapter 5, “Probability Distributions”. This section describes their application in cluster analysis.

Clustering with Gaussian Mixtures

Use the `cluster` method of the “@gmdistribution” on page 17-14 class to cluster data with Gaussian mixture models. The method takes as input a `gmdistribution` object `obj` and a data matrix `X`. The method assigns a cluster to each observation in `X` by choosing the component of `obj` with the largest posterior probability, weighted by the component probability.


Note The data in X is typically the same as the data used to create the Gaussian mixture distribution defined by `obj`. Clustering with `cluster` is treated as a separate step, apart from density estimation. For `cluster` to provide meaningful clustering with new data, X should come from the same population as the data used to create `obj`.

The following example illustrates this procedure.

First, generate data from a mixture of two bivariate Gaussian distributions using the `mvnrnd` function:


```
MU1 = [1 2];
SIGMA1 = [2 0; 0 .5];
MU2 = [-3 -5];
SIGMA2 = [1 0; 0 1];
X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)];

scatter(X(:,1),X(:,2),10,'.')
hold on
```



Next, fit a two-component Gaussian mixture model:


```
options = statset('Display','final');  
obj = gmdistribution.fit(X,2,'Options',options);  
10 iterations, log-likelihood = -7046.78  
  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```



Finally, use the fit to cluster the data:


```
idx = cluster(obj,X);
cluster1 = X(idx == 1,:);
cluster2 = X(idx == 2,:);

delete(h)
h1 = scatter(cluster1(:,1),cluster1(:,2),10,'r. ');
h2 = scatter(cluster2(:,1),cluster2(:,2),10,'g. ');
legend([h1 h2], 'Cluster 1', 'Cluster 2', 'Location', 'NW')
```




The posterior method of the “@gmdistribution” on page 17-14 class returns the posterior probabilities for each cluster used to cluster the data:

```
P = posterior(obj,X);  
  
figure  
scatter(X(:,1),X(:,2),10,P(:,1),'.')  
hb = colorbar;  
ylabel(hb,'Component 1 Probability')
```

The mahal method of the “@gmdistribution” on page 17-14 class measures the Mahalanobis distance (in squared units) of each observation to the mean of each of the components:

```
D = mahal(obj,X);  
  
figure  
delete(h)  
scatter(X(:,1),X(:,2),10,D(:,1),'.')  
hb = colorbar;  
ylabel(hb,'Mahalanobis Distance to Component 1')
```



Classification

Introduction (p. 11-2)

Discriminant Analysis (p. 11-3)

Classification Trees (p. 11-6)

Categorical response data

Parametric classification

Nonparametric classification

Introduction

Models of data with a categorical response are called *classifiers*. A classifier is built from *training data*, for which classifications are known. The classifier then assigns new data to one of the categorical levels of the response.

Parametric methods, like “Discriminant Analysis” on page 11-3, fit a parametric model to the training data and interpolate to classify new data. Nonparametric methods, like “Classification Trees” on page 11-6, use other means to determine classifications. In this sense, classification methods are analogous to the methods discussed in “Nonlinear Regression” on page 8-58.

Discriminant Analysis

In this section...

“Introduction” on page 11-3

“Example: Discriminant Analysis” on page 11-3

Introduction


Discriminant analysis uses training data to estimate the parameters of *discriminant functions* of the predictor variables. Discriminant functions determine the boundaries, in predictor space, between various classes. The resulting classifier is then said to discriminate among the classes (the categorical levels of the response), based on the predictor data.

Discriminant analysis is carried out by the Statistics Toolbox™ function `classify`.

Example: Discriminant Analysis

For training data, use Fisher’s sepal measurements for iris versicolor and virginica:

```
load fisheriris
SL = meas(51:end,1);
SW = meas(51:end,2);
group = species(51:end);
h1 = gscatter(SL,SW,group,'rb','v^',[],'off');
set(h1,'LineWidth',2)
legend('Fisher versicolor','Fisher virginica',...
      'Location','NW')
```




Classify a grid of measurements on the same scale, using `classify`:

```
[X,Y] = meshgrid(linspace(4.5,8),linspace(2,4));
X = X(:); Y = Y(:);
[C,err,P,logp,coeff] = classify([X Y],[SL SW],...
                               group,'quadratic');
```

Visualize the classification:

```
hold on;
gscatter(X,Y,C,'rb','.',1,'off');
K = coeff(1,2).const;
L = coeff(1,2).linear;
Q = coeff(1,2).quadratic;
f = sprintf('0 = %g+%g*x+%g*y+%g*x^2+%g*x.*y+%g*y.^2',...
           K,L,Q(1,1),Q(1,2)+Q(2,1),Q(2,2));
```

```
h2 = ezplot(f,[4.5 8 2 4]);  
set(h2,'Color','m','LineWidth',2)  
axis([4.5 8 2 4])  
xlabel('Sepal Length')  
ylabel('Sepal Width')  
title('\bf Classification with Fisher Training Data')
```



Classification Trees

In this section...
“Introduction” on page 11-6
“Example: Classification Trees” on page 11-6

Introduction

Parametric models specify the form of the relationship between predictors and a response, as in the Hougén-Watson model described in “Parametric Models” on page 8-58. In many cases, however, the form of the relationship is unknown, and a parametric model requires assumptions and simplifications. Regression trees offer a nonparametric alternative. When response data are categorical, classification trees are a natural modification.

Note This section demonstrates methods for objects of the “@classregtree” on page 17-6 class. These methods supersede the functions `treefit`, `treedisp`, `treeval`, `treeprune`, and `treetest`, which are maintained in Statistics Toolbox™ software only for backwards compatibility.

Algorithm Reference

The algorithms used by Statistics Toolbox classification and regression tree functions are based on those in Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

Example: Classification Trees

This example uses Fisher’s iris data in `fisheriris.mat` to create a classification tree for predicting species using measurements of sepal length, sepal width, petal length, and petal width as predictors. Note that, in this case, the predictors are continuous and the response is categorical.

Load the data and use the `classregtree` constructor of the “@classregtree” on page 17-6 class to create the classification tree:

```
load fisheriris
```



```
t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica
```

t is a classregtree object and can be operated on with any of the methods of the class.


Use the type method of the “@classregtree” on page 17-6 class to show the type of the tree:

```
treetype = type(t)
treetype =
classification
```

classregtree creates a classification tree because species is a cell array of strings, and the response is assumed to be categorical.

To view the tree, use the view method of the “@classregtree” on page 17-6 class:

```
view(t)
```



The tree predicts the response values at the circular leaf nodes based on a series of questions about the iris at the triangular branching nodes. A true answer to any question follows the branch to the left; a false follows the branch to the right.

The tree does not use sepal measurements for predicting species. These can go unmeasured in new data, and be entered as NaN values for predictions. For example, to use the tree to predict the species of an iris with petal length 4.8 and petal width 1.6, type

```
predicted = t([NaN NaN 4.8 1.6])
predicted =
```

```
'versicolor'
```

Note that the object allows for functional evaluation, of the form $t(X)$. This is a shorthand way of calling the `eval` method of the “@classregtree” on page 17-6 class. The predicted species is the left-hand leaf node at the bottom of the tree in the view above.

You can use a variety of other methods of the “@classregtree” on page 17-6 class, such as `cutvar` and `cuttype` to get more information about the split at node 6 that makes the final distinction between `versicolor` and `virginica`:


```
var6 = cutvar(t,6) % What variable determines the split?
var6 =
    'PW'

type6 = cuttype(t,6) % What type of split is it?
type6 =
    'continuous'
```

Classification trees fit the original (training) data well, but may do a poor job of classifying new values. Lower branches, especially, may be strongly affected by outliers. A simpler tree often avoids over-fitting. The `prune` method of the “@classregtree” on page 17-6 class can be used to find the next largest tree from an optimal pruning sequence:

```
pruned = prune(t, 'level', 1)
pruned =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  class = versicolor
7  class = virginica

view(pruned)
```



To find the best classification tree, employing the techniques of resubstitution and cross-validation, use the test method of the "@classregtree" on page 17-6 class.

Markov Models

Introduction (p. 12-2)

Markov Chains (p. 12-3)

Hidden Markov Models (p. 12-5)

Memoryless stochastic processes

Discrete Markov models


Estimating Markov models from
data

Introduction

Markov processes are examples of stochastic processes—processes that generate random sequences of outcomes or *states* according to certain probabilities. Markov processes are distinguished by being memoryless—their next state depends only on their current state, not on the history that led them there. Models of Markov processes are used in a wide variety of applications, from daily stock prices to the positions of genes in a chromosome.

Markov Chains

A Markov model is given visual representation with a *state diagram*, such as the one below.



State Diagram for a Markov Model

The rectangles in the diagram represent the possible states of the process you are trying to model, and the arrows represent transitions between states. The label on each arrow represents the probability of that transition. At each step of the process, the model may generate an output, or *emission*, depending on which state it is in, and then make a transition to another state. An important characteristic of Markov models is that the next state depends only on the current state, and not on the history of transitions that lead to the current state.

For example, for a sequence of coin tosses the two states are heads and tails. The most recent coin toss determines the current state of the model and each subsequent toss determines the transition to the next state. If the coin is fair, the transition probabilities are all $1/2$. The emission might simply be the current state. In more complicated models, random processes at each state will generate emissions. You could, for example, roll a die to determine the emission at any step.

Markov chains are mathematical descriptions of Markov models with a discrete set of states. Markov chains are characterized by:

- A set of states $\{1, 2, \dots, M\}$
- An M -by- M *transition matrix* T whose i, j entry is the probability of a transition from state i to state j . The sum of the entries in each row of T must be 1, because this is the sum of the probabilities of making a transition from a given state to each of the other states.
- A set of possible outputs, or *emissions*, $\{s_1, s_2, \dots, s_N\}$. By default, the set of emissions is $\{1, 2, \dots, N\}$, where N is the number of possible emissions, but you can choose a different set of numbers or symbols.
- An M -by- N *emission matrix* E whose i, k entry gives the probability of emitting symbol s_k given that the model is in state i .

Markov chains begin in an *initial state* i_0 at step 0. The chain then transitions to state i_1 with probability T_{1i_1} , and emits an output s_{k_1} with probability $E_{i_1k_1}$. Consequently, the probability of observing the sequence of states $i_1i_2\dots i_r$ and the sequence of emissions $s_{k_1}s_{k_2}\dots s_{k_r}$ in the first r steps, is

$$T_{1i_1} E_{i_1k_1} T_{i_1i_2} E_{i_2k_2} \dots T_{i_{r-1}i_r} E_{i_rk_r}$$

Hidden Markov Models

In this section...
“Introduction” on page 12-5
“Analyzing Hidden Markov Models” on page 12-7

Introduction

A *hidden Markov model* is one in which you observe a sequence of emissions, but do not know the sequence of states the model went through to generate the emissions. Analyses of hidden Markov models seek to recover the sequence of states from the observed data.


As an example, consider a Markov model with two states and six possible emissions. The model uses:

- A red die, having six sides, labeled 1 through 6.
- A green die, having twelve sides, five of which are labeled 2 through 6, while the remaining seven sides are labeled 1.
- A weighted red coin, for which the probability of heads is .9 and the probability of tails is .1.
- A weighted green coin, for which the probability of heads is .95 and the probability of tails is .05.

The model creates a sequence of numbers from the set {1, 2, 3, 4, 5, 6} with the following rules:

- Begin by rolling the red die and writing down the number that comes up, which is the emission.
- Toss the red coin and do one of the following:
 - If the result is heads, roll the red die and write down the result.
 - If the result is tails, roll the green die and write down the result.
- At each subsequent step, you flip the coin that has the same color as the die you rolled in the previous step. If the coin comes up heads, roll the same die as in the previous step. If the coin comes up tails, switch to the other die.

The state diagram for this model has two states, red and green, as shown in the following figure.



You determine the emission from a state by rolling the die with the same color as the state. You determine the transition to the next state by flipping the coin with the same color as the state.

The transition matrix is:

$$T = \begin{bmatrix} 0.9 & 0.1 \\ 0.05 & 0.95 \end{bmatrix}$$

The emissions matrix is:

$$E = \begin{bmatrix} \frac{1}{6} & \frac{1}{6} & \frac{1}{6} & \frac{1}{6} & \frac{1}{6} & \frac{1}{6} \\ \frac{7}{12} & \frac{1}{12} & \frac{1}{12} & \frac{1}{12} & \frac{1}{12} & \frac{1}{12} \end{bmatrix}$$

The model is not hidden because you know the sequence of states from the colors of the coins and dice. Suppose, however, that someone else is generating the emissions without showing you the dice or the coins. All you see is the

sequence of emissions. If you start seeing more 1s than other numbers, you might suspect that the model is in the green state, but you cannot be sure because you cannot see the color of the die being rolled.

Hidden Markov models raise the following questions:

- Given a sequence of emissions, what is the most likely state path?
- Given a sequence of emissions, how can you estimate transition and emission probabilities of the model?
- What is the *forward probability* that the model generates a given sequence?
- What is the *posterior probability* that the model is in a particular state at any point in the sequence?

Analyzing Hidden Markov Models

- “Generating a Test Sequence” on page 12-8
- “Estimating the State Sequence” on page 12-8
- “Estimating Transition and Emission Matrices” on page 12-9
- “Estimating Posterior State Probabilities” on page 12-11
- “Changing the Initial State Distribution” on page 12-12

Statistics Toolbox™ functions related to hidden Markov models are:

- `hmmgenerate` — Generates a sequence of states and emissions from a Markov model
- `hmmestimate` — Calculates maximum likelihood estimates of transition and emission probabilities from a sequence of emissions and a known sequence of states
- `hmmtrain` — Calculates maximum likelihood estimates of transition and emission probabilities from a sequence of emissions
- `hmmviterbi` — Calculates the most probable state path for a hidden Markov model
- `hmmdecode` — Calculates the posterior state probabilities of a sequence of emissions

This section shows how to use these functions to analyze hidden Markov models.

Generating a Test Sequence

The following commands create the transition and emission matrices for the model described in the “Introduction” on page 12-5:

```
TRANS = [.9 .1; .05 .95];  
  
EMIS = [1/6, 1/6, 1/6, 1/6, 1/6, 1/6; ...  
7/12, 1/12, 1/12, 1/12, 1/12, 1/12];
```

To generate a random sequence of states and emissions from the model, use `hmmgenerate`:

```
[seq,states] = hmmgenerate(1000,TRANS,EMIS);
```

The output `seq` is the sequence of emissions and the output `states` is the sequence of states.

`hmmgenerate` begins in state 1 at step 0, makes the transition to state i_1 at step 1, and returns i_1 as the first entry in `states`. To change the initial state, see “Changing the Initial State Distribution” on page 12-12.

Estimating the State Sequence

Given the transition and emission matrices `TRANS` and `EMIS`, the function `hmmviterbi` uses the Viterbi algorithm to compute the most likely sequence of states the model would go through to generate a given sequence `seq` of emissions:

```
likelystates = hmmviterbi(seq, TRANS, EMIS);
```

`likelystates` is a sequence the same length as `seq`.

To test the accuracy of `hmmviterbi`, compute the percentage of the actual sequence states that agrees with the sequence `likelystates`.

```
sum(states==likelystates)/1000  
ans =  
    0.8200
```

In this case, the most likely sequence of states agrees with the random sequence 82% of the time.

Estimating Transition and Emission Matrices

- “Using `hmmestimate`” on page 12-9
- “Using `hmmtrain`” on page 12-10

The functions `hmmestimate` and `hmmtrain` estimate the transition and emission matrices `TRANS` and `EMIS` given a sequence `seq` of emissions.

Using `hmmestimate`. To function `hmmestimate` requires that you know the sequence of states `states` that the model went through to generate `seq`.

The following takes the emission and state sequences and returns estimates of the transition and emission matrices:

```
[TRANS_EST, EMIS_EST] = hmmestimate(seq, states)
```

```
TRANS_EST =
0.8989    0.1011
0.0585    0.9415
```

```
EMIS_EST =
0.1721    0.1721    0.1749    0.1612    0.1803    0.1393
0.5836    0.0741    0.0804    0.0789    0.0726    0.1104
```

You can compare the outputs with the original transition and emission matrices, `TRANS` and `EMIS`:

```
TRANS
TRANS =
0.9000    0.1000
0.0500    0.9500
```

```
EMIS
EMIS =
0.1667    0.1667    0.1667    0.1667    0.1667    0.1667
0.5833    0.0833    0.0833    0.0833    0.0833    0.0833
```

Using hmmtrain. If you do not know the sequence of states states, but you have initial guesses for TRANS and EMIS, you can still estimate TRANS and EMIS using `hmmtrain`.

Suppose you have the following initial guesses for TRANS and EMIS.

```
TRANS_GUESS = [.85 .15; .1 .9];  
EMIS_GUESS = [.17 .16 .17 .16 .17 .17;.6 .08 .08 .08 .08 08];
```

You estimate TRANS and EMIS as follows:

```
[TRANS_EST2, EMIS_EST2] = hmmtrain(seq, TRANS_GUESS, EMIS_GUESS)
```

```
TRANS_EST2 =  
0.2286    0.7714  
0.0032    0.9968
```

```
EMIS_EST2 =  
0.1436    0.2348    0.1837    0.1963    0.2350    0.0066  
0.4355    0.1089    0.1144    0.1082    0.1109    0.1220
```

`hmmtrain` uses an iterative algorithm that alters the matrices `TRANS_GUESS` and `EMIS_GUESS` so that at each step the adjusted matrices are more likely to generate the observed sequence, `seq`. The algorithm halts when the matrices in two successive iterations are within a small tolerance of each other.

If the algorithm fails to reach this tolerance within a maximum number of iterations, whose default value is 100, the algorithm halts. In this case, `hmmtrain` returns the last values of `TRANS_EST` and `EMIS_EST` and issues a warning that the tolerance was not reached.

If the algorithm fails to reach the desired tolerance, increase the default value of the maximum number of iterations with the command:

```
hmmtrain(seq,TRANS_GUESS,EMIS_GUESS,'maxiterations',maxiter)
```

where `maxiter` is the maximum number of steps the algorithm executes.

Change the default value of the tolerance with the command:

```
hmmtrain(seq, TRANS_GUESS, EMIS_GUESS, 'tolerance', tol)
```

where `tol` is the desired value of the tolerance. Increasing the value of `tol` makes the algorithm halt sooner, but the results are less accurate.

Two factors reduce the reliability of the output matrices of `hmmtrain`:

- The algorithm converges to a local maximum that does not represent the true transition and emission matrices. If you suspect this, use different initial guesses for the matrices `TRANS_EST` and `EMIS_EST`.
- The sequence `seq` may be too short to properly train the matrices. If you suspect this, use a longer sequence for `seq`.

Estimating Posterior State Probabilities

The posterior state probabilities of an emission sequence `seq` are the conditional probabilities that the model is in a particular state when it generates a symbol in `seq`, given that `seq` is emitted. You compute the posterior state probabilities with `hmmdecode`:

```
PSTATES = hmmdecode(seq, TRANS, EMIS)
```

The output `PSTATES` is an M -by- L matrix, where M is the number of states and L is the length of `seq`. `PSTATES(i, j)` is the conditional probability that the model is in state i when it generates the j th symbol of `seq`, given that `seq` is emitted.

`hmmdecode` begins with the model in state 1 at step 0, prior to the first emission. `PSTATES(i, 1)` is the probability that the model is in state i at the following step 1. To change the initial state, see “Changing the Initial State Distribution” on page 12-12.

To return the logarithm of the probability of the sequence `seq`, use the second output argument of `hmmdecode`:

```
[PSTATES, logpseq] = hmmdecode(seq, TRANS, EMIS)
```

The probability of a sequence tends to 0 as the length of the sequence increases, and the probability of a sufficiently long sequence becomes less than the smallest positive number your computer can represent. `hmmdecode` returns the logarithm of the probability to avoid this problem.

Changing the Initial State Distribution

By default, Statistics Toolbox hidden Markov model functions begin in state 1. In other words, the distribution of initial states has all of its probability mass concentrated at state 1. To assign a different distribution of probabilities, $p = [p_1, p_2, \dots, p_M]$, to the M initial states, do the following:

- 1 Create an $M+1$ -by- $M+1$ augmented transition matrix, \hat{T} of the following form:

$$\hat{T} = \begin{bmatrix} 0 & p \\ 0 & T \end{bmatrix}$$

where T is the true transition matrix. The first column of \hat{T} contains $M+1$ zeros. p must sum to 1.

- 2 Create an $M+1$ -by- N augmented emission matrix, \hat{E} , that has the following form:

$$\hat{E} = \begin{bmatrix} 0 \\ E \end{bmatrix}$$

If the transition and emission matrices are `TRANS` and `EMIS`, respectively, you create the augmented matrices with the following commands:

```
TRANS_HAT = [0 p; zeros(size(TRANS,1),1) TRANS];
```

```
EMIS_HAT = [zeros(1,size(EMIS,2)); EMIS];
```


Design of Experiments

Introduction (p. 13-2)

Full Factorial Designs (p. 13-3)

Fractional Factorial Designs (p. 13-5)

Response Surface Designs (p. 13-9)

D-Optimal Designs (p. 13-15)

Active data collection

Designs for all treatments

Designs for selected treatments

Quadratic polynomial models

Minimum variance parameter estimates

Introduction

Passive data collection leads to a number of problems in statistical modeling. Observed changes in a response variable may be correlated with, but not caused by, observed changes in individual *factors* (process variables). Simultaneous changes in multiple factors may produce interactions that are difficult to separate into individual effects. Observations may be dependent, while a model of the data considers them to be independent.

Designed experiments address these problems. In a designed experiment, the data-producing process is actively manipulated to improve the quality of information and to eliminate redundant data. A common goal of all experimental designs is to collect data as parsimoniously as possible while providing sufficient information to accurately estimate model parameters.

For example, a simple model of a response y in an experiment with two controlled factors x_1 and x_2 might look like this:

$$y = \beta_0 + \beta_1x_1 + \beta_2x_2 + \beta_3x_1x_2 + \varepsilon$$

Here ε includes both experimental error and the effects of any uncontrolled factors in the experiment. The terms β_1x_1 and β_2x_2 are *main effects* and the term $\beta_3x_1x_2$ is a two-way *interaction effect*. A designed experiment would systematically manipulate x_1 and x_2 while measuring y , with the objective of accurately estimating β_0 , β_1 , β_2 , and β_3 .

Full Factorial Designs

In this section...

“Multilevel Designs” on page 13-3

“Two-Level Designs” on page 13-4

Multilevel Designs

To systematically vary experimental factors, assign each factor a discrete set of *levels*. Full factorial designs measure response variables using every *treatment* (combination of the factor levels). A full factorial design for n factors with N_1, \dots, N_n levels requires $N_1 \times \dots \times N_n$ experimental runs—one for each treatment. While advantageous for separating individual effects, full factorial designs can make large demands on data collection.

As an example, suppose a machine shop has three machines and four operators. If the same operator always uses the same machine, it is impossible to determine if a machine or an operator is the cause of variation in production. By allowing every operator to use every machine, effects are separated. A full factorial list of treatments is generated by the Statistics Toolbox™ function `fullfact`:

```
dFF = fullfact([3,4])
dFF =
     1     1
     2     1
     3     1
     1     2
     2     2
     3     2
     1     3
     2     3
     3     3
     1     4
     2     4
     3     4
```

Each of the $3 \cdot 4 = 12$ rows of `dFF` represent one machine/operator combination.

Two-Level Designs

Many experiments can be conducted with two-level factors, using *two-level designs*. For example, suppose the machine shop in the previous example always keeps the same operator on the same machine, but wants to measure production effects that depend on the composition of the day and night shifts. The Statistics Toolbox function `ff2n` generates a full factorial list of treatments:

```
dFF2 = ff2n(4)
dFF2 =
    0    0    0    0
    0    0    0    1
    0    0    1    0
    0    0    1    1
    0    1    0    0
    0    1    0    1
    0    1    1    0
    0    1    1    1
    1    0    0    0
    1    0    0    1
    1    0    1    0
    1    0    1    1
    1    1    0    0
    1    1    0    1
    1    1    1    0
    1    1    1    1
```

Each of the $2^4 = 16$ rows of `dFF2` represent one schedule of operators for the day (0) and night (1) shifts.

Fractional Factorial Designs

In this section...

“Introduction” on page 13-5

“Plackett-Burman Designs” on page 13-5

“General Fractional Designs” on page 13-6

Introduction

Two-level designs are sufficient for evaluating many production processes. Factor levels of ± 1 can indicate categorical factors, normalized factor extremes, or simply “up” and “down” from current factor settings. Experimenters evaluating process *changes* are interested primarily in the factor directions that lead to process improvement.

For experiments with many factors, two-level full factorial designs can lead to large amounts of data. For example, a two-level full factorial design with 10 factors requires $2^{10} = 1024$ runs. Often, however, individual factors or their interactions have no distinguishable effects on a response. This is especially true of higher order interactions. As a result, a well-designed experiment can use fewer runs for estimating model parameters.

Fractional factorial designs use a fraction of the runs required by full factorial designs. A subset of experimental treatments is selected based on an evaluation (or assumption) of which factors and interactions have the most significant effects. Once this selection is made, the experimental design must separate these effects. In particular, significant effects should not be *confounded*, that is, the measurement of one should not depend on the measurement of another.

Plackett-Burman Designs

Plackett-Burman designs are used when only main effects are considered significant. Two-level Plackett-Burman designs require a number of experimental runs that are a multiple of 4 rather than a power of 2. The MATLAB® function `hadamard` generates these designs:

`dPB = hadamard(8)`

```
dPB =
    1     1     1     1     1     1     1     1
    1    -1     1    -1     1    -1     1    -1
    1     1    -1    -1     1     1    -1    -1
    1    -1    -1     1     1    -1    -1     1
    1     1     1     1    -1    -1    -1    -1
    1    -1     1    -1    -1     1    -1     1
    1     1    -1    -1    -1    -1     1     1
    1    -1    -1     1    -1     1     1    -1
```

Binary factor levels are indicated by ± 1 . The design is for eight runs (the rows of dPB) manipulating seven two-level factors (the last seven columns of dPB). The number of runs is a fraction $8/2^7 = 0.0625$ of the runs required by a full factorial design. Economy is achieved at the expense of confounding main effects with any two-way interactions.

General Fractional Designs

At the cost of a larger fractional design, you can specify which interactions you wish to consider significant. A design of *resolution R* is one in which no *n*-factor interaction is confounded with any other effect containing less than $R - n$ factors. Thus, a resolution III design does not confound main effects with one another but may confound them with two-way interactions (as in “Plackett-Burman Designs” on page 13-5), while a resolution IV design does not confound either main effects or two-way interactions but may confound two-way interactions with each other.

Specify general fractional factorial designs using a full factorial design for a selected subset of *basic factors* and *generators* for the remaining factors. Generators are products of the basic factors, giving the levels for the remaining factors. Use the Statistics Toolbox™ function `fracfact` to generate these designs:

```
dfF = fracfact('a b c d bcd acd')
dfF =
    -1     -1     -1     -1     -1     -1
    -1     -1     -1     1     1     1
    -1     -1     1     -1     1     1
    -1     -1     1     1     -1     -1
    -1     1     -1     -1     1     -1
```

-1	1	-1	1	-1	1
-1	1	1	-1	-1	1
-1	1	1	1	1	-1
1	-1	-1	-1	-1	1
1	-1	-1	1	1	-1
1	-1	1	-1	1	-1
1	-1	1	1	-1	1
1	1	-1	-1	1	1
1	1	-1	1	-1	-1
1	1	1	-1	-1	-1
1	1	1	1	1	1

This is a six-factor design in which four two-level basic factors (a, b, c, and d in the first four columns of `dfF`) are measured in every combination of levels, while the two remaining factors (in the last three columns of `dfF`) are measured only at levels defined by the generators `bcd` and `acd`, respectively. Levels in the generated columns are products of corresponding levels in the columns that make up the generator.

The challenge of creating a fractional factorial design is to choose basic factors and generators so that the design achieves a specified resolution in a specified number of runs. Use the Statistics Toolbox function `fracfactgen` to find appropriate generators:

```
generators = fracfactgen('a b c d e f',4,4)
generators =
    'a'
    'b'
    'c'
    'd'
    'bcd'
    'acd'
```

These are generators for a six-factor design with factors a through f, using $2^4 = 16$ runs to achieve resolution IV. The `fracfactgen` function uses an efficient search algorithm to find generators that meet the requirements.

An optional output from `fracfact` displays the *confounding pattern* of the design:

```
[dfF,confounding] = fracfact(generators);
```

```

confounding
confounding =
  'Term'      'Generator'  'Confounding'
  'X1'        'a'          'X1'
  'X2'        'b'          'X2'
  'X3'        'c'          'X3'
  'X4'        'd'          'X4'
  'X5'        'bcd'       'X5'
  'X6'        'acd'       'X6'
  'X1*X2'     'ab'        'X1*X2 + X5*X6'
  'X1*X3'     'ac'        'X1*X3 + X4*X6'
  'X1*X4'     'ad'        'X1*X4 + X3*X6'
  'X1*X5'     'abcd'      'X1*X5 + X2*X6'
  'X1*X6'     'cd'        'X1*X6 + X2*X5 + X3*X4'
  'X2*X3'     'bc'        'X2*X3 + X4*X5'
  'X2*X4'     'bd'        'X2*X4 + X3*X5'
  'X2*X5'     'cd'        'X1*X6 + X2*X5 + X3*X4'
  'X2*X6'     'abcd'      'X1*X5 + X2*X6'
  'X3*X4'     'cd'        'X1*X6 + X2*X5 + X3*X4'
  'X3*X5'     'bd'        'X2*X4 + X3*X5'
  'X3*X6'     'ad'        'X1*X4 + X3*X6'
  'X4*X5'     'bc'        'X2*X3 + X4*X5'
  'X4*X6'     'ac'        'X1*X3 + X4*X6'
  'X5*X6'     'ab'        'X1*X2 + X5*X6'

```

The confounding pattern shows that main effects are effectively separated by the design, but two-way interactions are confounded with various other two-way interactions.

Response Surface Designs



In this section...
“Introduction” on page 13-9
“Central Composite Designs” on page 13-9
“Box-Behnken Designs” on page 13-13


Introduction

As discussed in “Response Surface Models” on page 8-45, quadratic response surfaces are simple models that provide a maximum or minimum without making additional assumptions about the form of the response. Quadratic models can be calibrated using full factorial designs with three or more levels for each factor, but these designs generally require more runs than necessary to accurately estimate model parameters. This section discusses designs for calibrating quadratic models that are much more efficient, using three or five levels for each factor, but not using all combinations of levels.

Central Composite Designs

Central composite designs (CCDs), also known as Box-Wilson designs, are appropriate for calibrating the full quadratic models described in “Response Surface Models” on page 8-45. There are three types of CCDs—circumscribed, inscribed, and faced—pictured below:





Each design consists of a factorial design (the corners of a cube) together with *center* and *star* points that allow for estimation of second-order effects. For a full quadratic model with n factors, CCDs specify $2^n + 2n + 1$ design points while estimating $(n + 2)(n + 1)/2$ coefficients.

The type of CCD used (the position of the factorial and star points) is determined by the number of factors and by the desired properties of the design. The following table summarizes some important properties. A design is *rotatable* if the prediction variance depends only on the distance of the design point from the center of the design.

Design	Rotatable	Factor Levels	Uses Points Outside ± 1	Accuracy of Estimates
Circumscribed (CCC)	Yes	5	Yes	Good over entire design space

Design	Rotatable	Factor Levels	Uses Points Outside ± 1	Accuracy of Estimates
Inscribed (CCI)	Yes	5	No	Good over central subset of design space
Faced (CCF)	No	3	No	Fair over entire design space; poor for pure quadratic coefficients

Generate CCDs with the Statistics Toolbox™ function `ccdesign`:


```
dCC = ccdesign(3,'type','circumscribed')
dCC =
-1.0000  -1.0000  -1.0000
-1.0000  -1.0000   1.0000
-1.0000   1.0000  -1.0000
-1.0000   1.0000   1.0000
 1.0000  -1.0000  -1.0000
 1.0000  -1.0000   1.0000
 1.0000   1.0000  -1.0000
 1.0000   1.0000   1.0000
-1.6818   0         0
 1.6818   0         0
 0      -1.6818   0
 0       1.6818   0
 0         0    -1.6818
 0         0     1.6818
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
 0         0         0
```

The repeated center point runs allow for a more uniform estimate of the prediction variance over the entire design space.

Box-Behnken Designs

Like the designs described in “Central Composite Designs” on page 13-9, Box-Behnken designs are used to calibrate full quadratic models. Box-Behnken designs are rotatable and, for a small number of factors (four or less), require fewer runs than CCDs. By avoiding the corners of the design space, they allow experimenters to work around extreme factor combinations. Like an inscribed CCD, however, extremes are then poorly estimated.

The geometry of a Box-Behnken design is pictured in the following figure.



Design points are at the midpoints of edges of the design space and at the center, and do not contain an embedded factorial design.

Generate Box-Behnken designs with the Statistics Toolbox function `bbdesign`:

```
dBB = bbdesign(3)
dBB =
    -1    -1     0
    -1     1     0
     1    -1     0
     1     1     0
    -1     0    -1
    -1     0     1
     1     0    -1
     1     0     1
     0    -1    -1
     0    -1     1
     0     1    -1
     0     1     1
     0     0     0
     0     0     0
     0     0     0
```

Again, the repeated center point runs allow for a more uniform estimate of the prediction variance over the entire design space.

D-Optimal Designs

In this section...
“Introduction” on page 13-15
“Generating D-Optimal Designs” on page 13-16
“Augmenting D-Optimal Designs” on page 13-19
“Specifying Fixed Covariate Factors” on page 13-20
“Specifying Categorical Factors” on page 13-21
“Specifying Candidate Sets” on page 13-21

Introduction

Traditional experimental designs (“Full Factorial Designs” on page 13-3, “Fractional Factorial Designs” on page 13-5, and “Response Surface Designs” on page 13-9) are appropriate for calibrating linear models in experimental settings where factors are relatively unconstrained in the region of interest. In some cases, however, models are necessarily nonlinear. In other cases, certain treatments (combinations of factor levels) may be expensive or infeasible to measure. *D-optimal designs* are model-specific designs that address these limitations of traditional designs.

A *D-optimal* design is generated by an iterative search algorithm and seeks to minimize the covariance of the parameter estimates for a specified model. This is equivalent to maximizing the determinant $D = |X^T X|$, where X is the design matrix of model terms (the columns) evaluated at specific treatments in the design space (the rows). Unlike traditional designs, *D-optimal* designs do not require orthogonal design matrices, and as a result, parameter estimates may be correlated. Parameter estimates may also be locally, but not globally, *D-optimal*.

There are several Statistics Toolbox™ functions for generating *D-optimal* designs:

Function	Description
candexch	Uses a row-exchange algorithm to generate a D -optimal design with a specified number of runs for a specified model and a specified candidate set. This is the second component of the algorithm used by rowexch.
candgen	Generates a candidate set for a specified model. This is the first component of the algorithm used by rowexch.
cordexch	Uses a coordinate-exchange algorithm to generate a D -optimal design with a specified number of runs for a specified model.
daugment	Uses a coordinate-exchange algorithm to augment an existing D -optimal design with additional runs to estimate additional model terms.
dcovary	Uses a coordinate-exchange algorithm to generate a D -optimal design with fixed covariate factors.
rowexch	Uses a row-exchange algorithm to generate a D -optimal design with a specified number of runs for a specified model. The algorithm calls candgen and then candexch. (Call candexch separately to specify a candidate set.)

The following sections explain how to use these functions to generate D -optimal designs.

Note The Statistics Toolbox function `rsmdemo` generates simulated data for experimental settings specified by either the user or by a D -optimal design generated by `cordexch`. It uses the `rstool` interface to visualize response surface models fit to the data, and it uses the `nlintool` interface to visualize a nonlinear model fit to the data.

Generating D -Optimal Designs

Two Statistics Toolbox algorithms generate D -optimal designs:

- The `cordexch` function uses a coordinate-exchange algorithm
- The `rowexch` function uses a row-exchange algorithm

Both `cordexch` and `rowexch` use iterative search algorithms. They operate by incrementally changing an initial design matrix X to increase $D = |X^T X|$ at each step. In both algorithms, there is randomness built into the selection of the initial design and into the choice of the incremental changes. As a result, both algorithms may return locally, but not globally, D -optimal designs. Run each algorithm multiple times and select the best result for your final design. Both functions have a 'tries' parameter that automates this repetition and comparison.

At each step, the row-exchange algorithm exchanges an entire row of X with a row from a design matrix C evaluated at a *candidate set* of feasible treatments. The `rowexch` function automatically generates a C appropriate for a specified model, operating in two steps by calling the `candgen` and `candexch` functions in sequence. Provide your own C by calling `candexch` directly. In either case, if C is large, its static presence in memory can affect computation.

The coordinate-exchange algorithm, by contrast, does not use a candidate set. (Or rather, the candidate set is the entire design space.) At each step, the coordinate-exchange algorithm exchanges a single element of X with a new element evaluated at a neighboring point in design space. The absence of a candidate set reduces demands on memory, but the smaller scale of the search means that the coordinate-exchange algorithm is more likely to become trapped in a local minimum than the row-exchange algorithm.

For example, suppose you want a design to estimate the parameters in the following three-factor, seven-term interaction model:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 + \beta_{12} x_1 x_2 + \beta_{13} x_1 x_3 + \beta_{23} x_2 x_3 + \varepsilon$$

Use `cordexch` to generate a D -optimal design with seven runs:

```
nfactors = 3;
nruns = 7;
[dCE,X] = cordexch(nfactors,nruns,'interaction','tries',10)
dCE =
    -1     1     1
    -1    -1    -1
     1     1     1
    -1     1    -1
     1    -1     1
```

```

      1   -1   -1
     -1   -1    1
X =
      1   -1    1    1   -1   -1    1
      1   -1   -1   -1    1    1    1
      1    1    1    1    1    1    1
      1   -1    1   -1   -1    1   -1
      1    1   -1    1   -1    1   -1
      1    1   -1   -1   -1   -1    1
      1   -1   -1    1    1   -1   -1

```

Columns of the design matrix X are the model terms evaluated at each row of the design dCE. The terms appear in order from left to right:

- 1** Constant term
- 2** Linear terms (1, 2, 3)
- 3** Interaction terms (12, 13, 23)

Use X to fit the model, as described in “Linear Regression” on page 8-3, to response data measured at the design points in dCE.

Use rowexch in a similar fashion to generate an equivalent design:

```

[dRE,X] = rowexch(nfactors,nruns,'interaction','tries',10)
dRE =
     -1     -1      1
      1     -1      1
      1     -1     -1
      1      1      1
     -1     -1     -1
     -1      1     -1
     -1      1      1
X =
      1   -1   -1    1    1   -1   -1
      1    1   -1    1   -1    1   -1
      1    1   -1   -1   -1   -1    1
      1    1    1    1    1    1    1
      1   -1   -1   -1    1    1    1
      1   -1    1   -1   -1    1   -1

```

```
1 -1 1 1 -1 -1 1
```

Augmenting D-Optimal Designs

In practice, you may want to add runs to a completed experiment to learn more about a process and estimate additional model coefficients. The `daugment` function uses a coordinate-exchange algorithm to augment an existing *D*-optimal design.

For example, the following eight-run design is adequate for estimating main effects in a four-factor model:

```
dCEmain = cordexch(4,8)
dCEmain =
    1    -1    -1    1
   -1    -1     1    1
   -1     1    -1    1
    1     1     1   -1
    1     1     1    1
   -1     1    -1   -1
    1    -1    -1   -1
   -1    -1     1   -1
```

To estimate the six interaction terms in the model, augment the design with eight additional runs:

```
dCEinteraction = daugment(dCEmain,8,'interaction')
dCEinteraction =
    1    -1    -1    1
   -1    -1     1    1
   -1     1    -1    1
    1     1     1   -1
    1     1     1    1
   -1     1    -1   -1
    1    -1    -1   -1
   -1    -1     1   -1
   -1     1     1    1
   -1    -1    -1   -1
    1    -1     1   -1
    1     1    -1    1
   -1     1     1   -1
```

```

1      1      -1     -1
1     -1       1      1
1      1       1     -1

```

The augmented design is full factorial, with the original eight runs in the first eight rows.

The 'start' parameter of the `candexch` function provides the same functionality as `daugment`, but uses a row exchange algorithm rather than a coordinate-exchange algorithm.

Specifying Fixed Covariate Factors

In many experimental settings, certain factors and their covariates are constrained to a fixed set of levels or combinations of levels. These cannot be varied when searching for an optimal design. The `dcovary` function allows you to specify fixed covariate factors in the coordinate exchange algorithm.

For example, suppose you want a design to estimate the parameters in a three-factor linear additive model, with eight runs that necessarily occur at different times. If the process experiences temporal linear drift, you may want to include the run time as a variable in the model. Produce the design as follows:

```

time = linspace(-1,1,8)';
[dCV,X] = dcovary(3,time,'linear')
dCV =
-1.0000    1.0000    1.0000   -1.0000
 1.0000   -1.0000   -1.0000   -0.7143
-1.0000   -1.0000   -1.0000   -0.4286
 1.0000   -1.0000    1.0000   -0.1429
 1.0000    1.0000   -1.0000    0.1429
-1.0000    1.0000   -1.0000    0.4286
 1.0000    1.0000    1.0000    0.7143
-1.0000   -1.0000    1.0000    1.0000
X =
 1.0000   -1.0000    1.0000    1.0000   -1.0000
 1.0000    1.0000   -1.0000   -1.0000   -0.7143
 1.0000   -1.0000   -1.0000   -1.0000   -0.4286
 1.0000    1.0000   -1.0000    1.0000   -0.1429

```

1.0000	1.0000	1.0000	-1.0000	0.1429
1.0000	-1.0000	1.0000	-1.0000	0.4286
1.0000	1.0000	1.0000	1.0000	0.7143
1.0000	-1.0000	-1.0000	1.0000	1.0000

The column vector `time` is a fixed factor, normalized to values between ± 1 . The number of rows in the fixed factor specifies the number of runs in the design. The resulting design `dCV` gives factor settings for the three controlled model factors at each time.

Specifying Categorical Factors

Categorical factors take values in a discrete set of levels. Both `cordexch` and `rowexch` have a `'categorical'` parameter that allows you to specify the indices of categorical factors and a `'levels'` parameter that allows you to specify a number of levels for each factor.

For example, the following eight-run design is for a linear additive model with five factors in which the final factor is categorical with three levels:

```
dCEcat = cordexch(5,8,'linear','categorical',5,'levels',3)
dCEcat =
    -1    -1     1     1     2
    -1    -1    -1    -1     3
     1     1     1     1     3
     1     1    -1    -1     2
     1    -1    -1     1     3
    -1     1    -1     1     1
    -1     1     1    -1     3
     1    -1     1    -1     1
```

Specifying Candidate Sets

The row-exchange algorithm exchanges rows of an initial design matrix X with rows from a design matrix C evaluated at a candidate set of feasible treatments. The `rowexch` function automatically generates a C appropriate for a specified model, operating in two steps by calling the `candgen` and `candexch` functions in sequence. Provide your own C by calling `candexch` directly.

For example, the following uses rowexch to generate a five-run design for a two-factor pure quadratic model using a candidate set that is produced internally:

```
dRE1 = rowexch(2,5,'purequadratic','tries',10)
dRE1 =
    -1     1
     0     0
     1    -1
     1     0
     1     1
```

The same thing can be done using candgen and candexch in sequence:

```
[dC,C] = candgen(2,'purequadratic') % Candidate set, C
dC =
    -1    -1
     0    -1
     1    -1
    -1     0
     0     0
     1     0
    -1     1
     0     1
     1     1
C =
     1    -1    -1     1     1
     1     0    -1     0     1
     1     1    -1     1     1
     1    -1     0     1     0
     1     0     0     0     0
     1     1     0     1     0
     1    -1     1     1     1
     1     0     1     0     1
     1     1     1     1     1
treatments = candexch(C,5,'tries',10) % D-opt subset
treatments =
     2
     1
     7
     3
```

```

4
dRE2 = dC(treatments,:) % Display design
dRE2 =
    0    -1
   -1    -1
   -1     1
    1    -1
   -1     0

```

You can replace **C** in this example with a design matrix evaluated at your own candidate set. For example, suppose your experiment is constrained so that the two factors cannot have extreme settings simultaneously. The following produces a restricted candidate set:

```

constraint = sum(abs(dC),2) < 2; % Feasible treatments
my_dC = dC(constraint,:)
my_dC =
    0    -1
   -1     0
    0     0
    1     0
    0     1

```

Use the `x2fx` function to convert the candidate set to a design matrix:

```

my_C = x2fx(my_dC, 'purequadratic')
my_C =
    1     0    -1     0     1
    1    -1     0     1     0
    1     0     0     0     0
    1     1     0     1     0
    1     0     1     0     1

```

Find the required design in the same manner:

```

my_treatments = candexch(my_C,5,'tries',10) % D-opt subset
my_treatments =
    2
    4
    5
    1

```

```
      3
my_dRE = my_dC(my_treatments,:) % Display design
my_dRE =
    -1     0
     1     0
     0     1
     0    -1
     0     0
```


Statistical Process Control

Introduction (p. 14-2)

Control Charts (p. 14-3)

Capability Studies (p. 14-6)

Monitoring industrial processes

Visualizing processes over time

Meeting specifications

Introduction

Statistical process control (SPC) refers to a number of different methods for monitoring and assessing the quality of manufactured goods. Combined with methods from the Chapter 13, “Design of Experiments”, SPC is used in programs that define, measure, analyze, improve, and control development and production processes. These programs are often implemented using “Design for Six Sigma” methodologies.

Control Charts

A control chart displays measurements of process samples over time. The measurements are plotted together with user-defined *specification limits* and process-defined *control limits*. The process can then be compared with its specifications—to see if it is *in control* or *out of control*.

The chart is just a monitoring tool. Control activity might occur if the chart indicates an undesirable, systematic change in the process. The control chart is used to discover the variation, so that the process can be adjusted to reduce it.

Control charts are created with the `controlchart` function. Any of the following chart types may be specified:

- Xbar or mean
- Standard deviation
- Range
- Exponentially weighted moving average
- Individual observation
- Moving range of individual observations
- Moving average of individual observations
- Proportion defective
- Number of defectives
- Defects per unit
- Count of defects

Control rules are specified with the `controlrules` function.


For example, the following commands create an xbar chart, using the “Western Electric 2” rule (2 of 3 points at least 2 standard errors above the center line) to mark out of control measurements:

```
load parts;  
st = controlchart(runout, 'rules', 'we2');
```

```

x = st.mean;
cl = st.mu;
se = st.sigma./sqrt(st.n);
hold on
plot(cl+2*se, 'm')

```



Measurements that violate the control rule can then be identified:

```

R = controlrules('we2',x,cl,se);
I = find(R)

```

I =
21
23
24
25
26
27

Capability Studies

Before going into production, many manufacturers run a *capability study* to determine if their process will run within specifications enough of the time. *Capability indices* produced by such a study are used to estimate expected percentages of defective parts.

Capability studies are conducted with the *capability function*. The following capability indices are produced:

- μ — Sample mean
- σ — Sample standard deviation
- P — Estimated probability of being within the lower (L) and upper (U) specification limits
- P_l — Estimated probability of being below L
- P_u — Estimated probability of being above U
- C_p — $(U-L)/(6*\sigma)$
- C_{pl} — $(\mu-L)/(3.*\sigma)$
- C_{pu} — $(U-\mu)/(3.*\sigma)$
- C_{pk} — $\min(C_{pl}, C_{pu})$

As an example, simulate a sample from a process with a mean of 3 and a standard deviation of 0.005:

```
data = normrnd(3,0.005,100,1);
```


Compute capability indices if the process has an upper specification limit of 3.01 and a lower specification limit of 2.99:

```
S = capability(data,[2.99 3.01])
S =
    mu: 3.0006
   sigma: 0.0047
    P: 0.9669
   Pl: 0.0116
   Pu: 0.0215
```

Cp: 0.7156
Cpl: 0.7567
Cpu: 0.6744
Cpk: 0.6744

Visualize the specification and process widths:

```
capaplot(data,[2.99 3.01]);  
grid on
```



Function Reference

File I/O (p. 15-2)	Data file input/output
Organizing Data (p. 15-3)	Data arrays and groups
Descriptive Statistics (p. 15-5)	Data summaries
Statistical Visualization (p. 15-8)	Data patterns and trends
Probability Distributions (p. 15-12)	Modeling data frequency
Hypothesis Tests (p. 15-26)	Inferences from data
Analysis of Variance (p. 15-27)	Modeling data variance
Regression Analysis (p. 15-28)	Continuous data models
Multivariate Methods (p. 15-32)	Visualization and reduction
Cluster Analysis (p. 15-34)	Identifying data categories
Classification (p. 15-36)	Categorical data models
Markov Models (p. 15-38)	Stochastic data models
Design of Experiments (p. 15-39)	Systematic data collection
Statistical Process Control (p. 15-42)	Production monitoring
Graphical User Interfaces (p. 15-43)	Interactive tools
Utility Functions (p. 15-44)	General purpose

File I/O

<code>caseread</code>	Read case names from file
<code>casewrite</code>	Write case names to file
<code>tblread</code>	Read tabular data from file
<code>tblwrite</code>	Write tabular data to file
<code>tdfread</code>	Read tab-delimited file

Organizing Data

Categorical Arrays (p. 15-3)

Dataset Arrays (p. 15-4)

Grouped Data (p. 15-4)

Categorical Arrays

addlevels

Add levels

droplevels

Drop levels

getlabels

Access labels

islevel

Test for levels

ismember

Test for membership

isundefined

Test for undefined elements

levelcounts

Element counts by level

mergelevels

Merge levels

nominal

Construct nominal categorical array

ordinal

Construct ordinal categorical array

reorderlevels

Reorder levels

setlabels

Label levels

sort

Sort

sortrows

Sort rows

summary

Summary statistics for categorical array

Dataset Arrays

<code>dataset</code>	Construct dataset array
<code>datasetfun</code>	Apply function to dataset array variables
<code>get</code>	Access dataset array properties
<code>grpstats</code>	Summary statistics by group for dataset arrays
<code>join</code>	Merge observations
<code>replacedata</code>	Replace dataset variables
<code>set</code>	Set and display properties
<code>sortrows</code>	Sort rows
<code>summary</code>	Summary statistics for dataset array

Grouped Data

<code>gplotmatrix</code>	Matrix of scatter plots by group
<code>grp2idx</code>	Grouping variable to index vector
<code>grpstats</code>	Summary statistics by group for dataset arrays
<code>grpstats</code>	Summary statistics by group
<code>gscatter</code>	Scatter plot by group

Descriptive Statistics

Summaries (p. 15-5)
 Measures of Central Tendency
 (p. 15-5)
 Measures of Dispersion (p. 15-6)
 Measures of Shape (p. 15-6)
 Resampling Statistics (p. 15-6)
 Data with Missing Values (p. 15-6)
 Data Correlation (p. 15-7)

Summaries

<code>crosstab</code>	Cross-tabulation
<code>grpstats</code>	Summary statistics by group for dataset arrays
<code>grpstats</code>	Summary statistics by group
<code>summary</code>	Summary statistics for categorical array
<code>summary</code>	Summary statistics for dataset array
<code>tabulate</code>	Frequency table

Measures of Central Tendency

<code>geomean</code>	Geometric mean
<code>harmmean</code>	Harmonic mean
<code>mean</code>	Mean
<code>median</code>	Median
<code>mode</code>	Mode
<code>trimmean</code>	Mean excluding outliers

Measures of Dispersion

iqr	Interquartile range
mad	Mean or median absolute deviation
moment	Central moments
range	Range of values
std	Standard deviation
var	Variance

Measures of Shape

kurtosis	Kurtosis
moment	Central moments
prctile	Percentiles
quantile	Quantiles
skewness	Skewness
zscore	Standardized z -scores

Resampling Statistics

bootci	Bootstrap confidence interval
bootstrp	Bootstrap sampling
jackknife	Jackknife sampling

Data with Missing Values

nancov	Covariance ignoring NaNs
nanmax	Maximum ignoring NaNs
nanmean	Mean ignoring NaNs

nanmedian	Median ignoring NaNs
nanmin	Minimum ignoring NaNs
nanstd	Standard deviation ignoring NaNs
nansum	Sum ignoring NaNs
nanvar	Variance, ignoring NaNs

Data Correlation

canoncorr	Canonical correlation
cholcov	Cholesky-like covariance decomposition
cophenet	Cophenetic correlation coefficient
corr	Linear or rank correlation
corrcoef	Correlation coefficients
corrcoef	Convert covariance matrix to correlation matrix
cov	Covariance
partialcorr	Linear or rank partial correlation coefficients
tiedrank	Rank adjusted for ties

Statistical Visualization

Distribution Plots (p. 15-8)
Scatter Plots (p. 15-9)
ANOVA Plots (p. 15-9)
Regression Plots (p. 15-10)
Multivariate Plots (p. 15-10)
Cluster Plots (p. 15-11)
Classification Plots (p. 15-11)
DOE Plots (p. 15-11)
SPC Plots (p. 15-11)

Distribution Plots

<code>boxplot</code>	Box plot
<code>cdfplot</code>	Empirical cumulative distribution function plot
<code>dfittool</code>	Interactive distribution fitting
<code>disttool</code>	Interactive density and distribution plots
<code>ecdfhist</code>	Empirical cumulative distribution function histogram
<code>errorbar</code>	Error bar plot
<code>fsurfht</code>	Interactive contour plot
<code>hist</code>	Histogram
<code>hist3</code>	Bivariate histogram
<code>histfit</code>	Histogram with normal fit
<code>normplot</code>	Normal probability plot

<code>normspec</code>	Normal density plot between specifications
<code>pareto</code>	Pareto chart
<code>probplot</code>	Probability plots
<code>qqplot</code>	Quantile-quantile plot
<code>randtool</code>	Interactive random number generation
<code>scatterhist</code>	Scatter plot with marginal histograms
<code>surfht</code>	Interactive contour plot
<code>wblplot</code>	Weibull probability plot

Scatter Plots

<code>gline</code>	Interactively add line to plot
<code>gname</code>	Add case names to plot
<code>gplotmatrix</code>	Matrix of scatter plots by group
<code>gscatter</code>	Scatter plot by group
<code>lsline</code>	Add least-squares line to plot
<code>refcurve</code>	Add polynomial to plot
<code>refline</code>	Add line to plot
<code>scatter</code>	Scatter plot
<code>scatterhist</code>	Scatter plot with marginal histograms

ANOVA Plots

<code>anova1</code>	One-way analysis of variance
<code>aocool</code>	Interactive analysis of covariance

manovacluster

Dendrogram of group mean clusters following MANOVA

multcompare

Multiple comparison test

Regression Plots

addedvarplot

Added-variable plot

gline

Interactively add line to plot

lsline

Add least-squares line to plot

polytool

Interactive polynomial fitting

rcoplot

Residual case order plot

refcurve

Add polynomial to plot

refline

Add line to plot

robustdemo

Interactive robust regression

rsmdemo

Interactive response surface demonstration

rstool

Interactive response surface modeling

view

Plot tree

Multivariate Plots

andrewsplot

Andrews plot

biplot

Biplot

glyphplot

Glyph plot

parallelcoords

Parallel coordinates plot

Cluster Plots

dendrogram	Dendrogram plot
manovacluster	Dendrogram of group mean clusters following MANOVA
silhouette	Silhouette plot

Classification Plots

view	Plot tree
------	-----------

DOE Plots

interactionplot	Interaction plot for grouped data
maineffectsplot	Main effects plot for grouped data
multivarichart	Multivari chart for grouped data
rsmdemo	Interactive response surface demonstration
rstool	Interactive response surface modeling

SPC Plots

capaplot	Process capability plot
controlchart	Shewhart control charts
histfit	Histogram with normal fit
normspec	Normal density plot between specifications

Probability Distributions

Distribution Plots (p. 15-12)
Probability Density Functions
(p. 15-13)
Cumulative Distribution Functions
(p. 15-15)
Inverse Cumulative Distribution
Functions (p. 15-17)
Distribution Statistics Functions
(p. 15-19)
Distribution Fitting Functions
(p. 15-20)
Negative Log-Likelihood Functions
(p. 15-22)
Random Number Generators
(p. 15-22)
Quasi-Random Numbers (p. 15-24)
Piecewise Distributions (p. 15-24)

Distribution Plots

<code>boxplot</code>	Box plot
<code>cdfplot</code>	Empirical cumulative distribution function plot
<code>dfittool</code>	Interactive distribution fitting
<code>disttool</code>	Interactive density and distribution plots
<code>ecdfhist</code>	Empirical cumulative distribution function histogram
<code>errorbar</code>	Error bar plot

<code>fsurfht</code>	Interactive contour plot
<code>hist</code>	Histogram
<code>hist3</code>	Bivariate histogram
<code>histfit</code>	Histogram with normal fit
<code>normplot</code>	Normal probability plot
<code>normspec</code>	Normal density plot between specifications
<code>pareto</code>	Pareto chart
<code>probplot</code>	Probability plots
<code>qqplot</code>	Quantile-quantile plot
<code>randtool</code>	Interactive random number generation
<code>scatterhist</code>	Scatter plot with marginal histograms
<code>surfht</code>	Interactive contour plot
<code>wblplot</code>	Weibull probability plot

Probability Density Functions

<code>betapdf</code>	Beta probability density function
<code>binopdf</code>	Binomial probability density function
<code>chi2pdf</code>	Chi-square probability density function
<code>copulapdf</code>	Copula probability density function
<code>disttool</code>	Interactive density and distribution plots
<code>evpdf</code>	Extreme value probability density function

<code>exppdf</code>	Exponential probability density function
<code>fpdf</code>	F probability density function
<code>gampdf</code>	Gamma probability density function
<code>geopdf</code>	Geometric probability density function
<code>gevpdf</code>	Generalized extreme value probability density function
<code>gppdf</code>	Generalized Pareto probability density function
<code>hygepdf</code>	Hypergeometric probability density function
<code>ksdensity</code>	Kernel smoothing density estimate
<code>lognpdf</code>	Lognormal probability density function
<code>mnpdf</code>	Multinomial probability density function
<code>mvnpdf</code>	Multivariate normal probability density function
<code>mvtpdf</code>	Multivariate t probability density function
<code>nbinpdf</code>	Negative binomial probability density function
<code>ncfpdf</code>	Noncentral F probability density function
<code>nctpdf</code>	Noncentral t probability density function
<code>ncx2pdf</code>	Noncentral chi-square probability density function
<code>normpdf</code>	Normal probability density function
<code>pdf</code>	Probability density function for piecewise distribution

pdf	Probability density function for Gaussian mixture distribution
pdf	Probability density functions
poisspdf	Poisson probability density function
raylpdf	Rayleigh probability density function
tpdf	Student's t probability density function
unidpdf	Discrete uniform probability density function
unifpdf	Continuous uniform probability density function
wblpdf	Weibull probability density function

Cumulative Distribution Functions

betacdf	Beta cumulative distribution function
binocdf	Binomial cumulative distribution function
cdf	Cumulative distribution function for piecewise distribution
cdf	Cumulative distribution function for Gaussian mixture distribution
cdf	Cumulative distribution functions
cdfplot	Empirical cumulative distribution function plot
chi2cdf	Chi-square cumulative distribution function
copulacdf	Copula cumulative distribution function

<code>disttool</code>	Interactive density and distribution plots
<code>ecdf</code>	Empirical cumulative distribution function
<code>ecdfhist</code>	Empirical cumulative distribution function histogram
<code>evcdf</code>	Extreme value cumulative distribution function
<code>expcdf</code>	Exponential cumulative distribution function
<code>fcdf</code>	F cumulative distribution function
<code>gamcdf</code>	Gamma cumulative distribution function
<code>geocdf</code>	Geometric cumulative distribution function
<code>gevcdf</code>	Generalized extreme value cumulative distribution function
<code>gpcdf</code>	Generalized Pareto cumulative distribution function
<code>hygecdf</code>	Hypergeometric cumulative distribution function
<code>logncdf</code>	Lognormal cumulative distribution function
<code>mvncdf</code>	Multivariate normal cumulative distribution function
<code>mvtcdf</code>	Multivariate t cumulative distribution function
<code>ncfcdf</code>	Noncentral F cumulative distribution function
<code>nctcdf</code>	Noncentral t cumulative distribution function

<code>ncx2cdf</code>	Noncentral chi-square cumulative distribution function
<code>normcdf</code>	Normal cumulative distribution function
<code>poisscdf</code>	Poisson cumulative distribution function
<code>raylcdf</code>	Rayleigh cumulative distribution function
<code>tcdf</code>	Student's t cumulative distribution function
<code>unidcdf</code>	Discrete uniform cumulative distribution function
<code>unifcdf</code>	Continuous uniform cumulative distribution function
<code>wblcdf</code>	Weibull cumulative distribution function

Inverse Cumulative Distribution Functions

<code>betainv</code>	Beta inverse cumulative distribution function
<code>binoinv</code>	Binomial inverse cumulative distribution function
<code>chi2inv</code>	Chi-square inverse cumulative distribution function
<code>evinv</code>	Extreme value inverse cumulative distribution function
<code>expinv</code>	Exponential inverse cumulative distribution function
<code>finv</code>	F inverse cumulative distribution function

<code>gaminv</code>	Gamma inverse cumulative distribution function
<code>geoinv</code>	Geometric inverse cumulative distribution function
<code>gevinv</code>	Generalized extreme value inverse cumulative distribution function
<code>gpinv</code>	Generalized Pareto inverse cumulative distribution function
<code>hygeinv</code>	Hypergeometric inverse cumulative distribution function
<code>icdf</code>	Inverse cumulative distribution function for piecewise distribution
<code>icdf</code>	Inverse cumulative distribution functions
<code>logninv</code>	Lognormal inverse cumulative distribution function
<code>nbininv</code>	Negative binomial inverse cumulative distribution function
<code>ncfinv</code>	Noncentral F inverse cumulative distribution function
<code>nctinv</code>	Noncentral t inverse cumulative distribution function
<code>ncx2inv</code>	Noncentral chi-square inverse cumulative distribution function
<code>norminv</code>	Normal inverse cumulative distribution function
<code>poissinv</code>	Poisson inverse cumulative distribution function
<code>raylinv</code>	Rayleigh inverse cumulative distribution function
<code>tinv</code>	Student's t inverse cumulative distribution function

unidinv	Discrete uniform inverse cumulative distribution function
unifinv	Continuous uniform inverse cumulative distribution function
wblinv	Weibull inverse cumulative distribution function

Distribution Statistics Functions

betastat	Beta mean and variance
binostat	Binomial mean and variance
chi2stat	Chi-square mean and variance
copulastat	Copula rank correlation
evstat	Extreme value mean and variance
expstat	Exponential mean and variance
fstat	F mean and variance
gamstat	Gamma mean and variance
geostat	Geometric mean and variance
gevstat	Generalized extreme value mean and variance
gpstat	Generalized Pareto mean and variance
hygestat	Hypergeometric mean and variance
lognstat	Lognormal mean and variance
nbinstat	Negative binomial mean and variance
ncfstat	Noncentral F mean and variance
nctstat	Noncentral t mean and variance
ncx2stat	Noncentral chi-square mean and variance

normstat	Normal mean and variance
poisstat	Poisson mean and variance
raylstat	Rayleigh mean and variance
tstat	Student's <i>t</i> mean and variance
unidstat	Discrete uniform mean of and variance
unifstat	Continuous uniform mean and variance
wblstat	Weibull mean and variance

Distribution Fitting Functions

Supported Distributions (p. 15-20)

Piecewise Distributions (p. 15-21)

Supported Distributions

betafit	Beta parameter estimates
binofit	Binomial parameter estimates
copulafit	Fit copula to data
copulaparam	Copula parameters as function of rank correlation
dfittool	Interactive distribution fitting
evfit	Extreme value parameter estimates
expfit	Exponential parameter estimates
fit	Gaussian mixture parameter estimates
gamfit	Gamma parameter estimates
gevfit	Generalized extreme value parameter estimates

gpfitt	Generalized Pareto parameter estimates
histfit	Histogram with normal fit
johnsrnd	Johnson system random numbers
lognfit	Lognormal parameter estimates
mle	Maximum likelihood estimates
mlecov	Asymptotic covariance of maximum likelihood estimators
nbinfit	Negative binomial parameter estimates
normfit	Normal parameter estimates
normplot	Normal probability plot
pearsrnd	Pearson system random numbers
poissfit	Poisson parameter estimates
raylfit	Rayleigh parameter estimates
unifit	Continuous uniform parameter estimates
wblfit	Weibull parameter estimates
wblplot	Weibull probability plot

Piecewise Distributions

boundary	Piecewise distribution boundaries
lowerparams	Lower Pareto tails parameters
nsegments	Number of segments
paretotails	Construct Pareto tails object
segment	Segments containing values
upperparams	Upper Pareto tails parameters

Negative Log-Likelihood Functions

<code>betalike</code>	Beta negative log-likelihood
<code>evlike</code>	Extreme value negative log-likelihood
<code>explike</code>	Exponential negative log-likelihood
<code>gamlike</code>	Gamma negative log-likelihood
<code>gevlike</code>	Generalized extreme value negative log-likelihood
<code>gplike</code>	Generalized Pareto negative log-likelihood
<code>lognlike</code>	Lognormal negative log-likelihood
<code>mvregresslike</code>	Negative log-likelihood for multivariate regression
<code>normlike</code>	Normal negative log-likelihood
<code>wbllike</code>	Weibull negative log-likelihood

Random Number Generators

<code>betarnd</code>	Beta random numbers
<code>binornd</code>	Binomial random numbers
<code>chi2rnd</code>	Chi-square random numbers
<code>copularnd</code>	Copula random numbers
<code>evrnd</code>	Extreme value random numbers
<code>exprnd</code>	Exponential random numbers
<code>frnd</code>	F random numbers
<code>gamrnd</code>	Gamma random numbers
<code>geornd</code>	Geometric random numbers
<code>gevrnd</code>	Generalized extreme value random numbers

<code>gprnd</code>	Generalized Pareto random numbers
<code>hygernd</code>	Hypergeometric random numbers
<code>iwishrnd</code>	Inverse Wishart random numbers
<code>johnsrnd</code>	Johnson system random numbers
<code>lhsdesign</code>	Latin hypercube sample
<code>lhsnorm</code>	Latin hypercube sample from normal distribution
<code>lognrnd</code>	Lognormal random numbers
<code>mhsample</code>	Metropolis-Hastings sample
<code>mnrnd</code>	Multinomial random numbers
<code>mvnrnd</code>	Multivariate normal random numbers
<code>mvtrnd</code>	Multivariate t random numbers
<code>nbinrnd</code>	Negative binomial random numbers
<code>ncfrnd</code>	Noncentral F random numbers
<code>nctrnd</code>	Noncentral t random numbers
<code>ncx2rnd</code>	Noncentral chi-square random numbers
<code>normrnd</code>	Normal random numbers
<code>pearsrnd</code>	Pearson system random numbers
<code>poissrnd</code>	Poisson random numbers
<code>randg</code>	Gamma random numbers
<code>random</code>	Random numbers from piecewise distribution
<code>random</code>	Random numbers from Gaussian mixture distribution
<code>random</code>	Random numbers
<code>randsample</code>	Random sample

<code>randtool</code>	Interactive random number generation
<code>raylrnd</code>	Rayleigh random numbers
<code>slicesample</code>	Slice sampler
<code>trnd</code>	Student's t random numbers
<code>unidrnd</code>	Discrete uniform random numbers
<code>unifrnd</code>	Continuous uniform random numbers
<code>wblrnd</code>	Weibull random numbers
<code>wishrnd</code>	Wishart random numbers

Quasi-Random Numbers

<code>haltonset</code>	Construct Halton quasi-random point set
<code>net</code>	Generate quasi-random point set
<code>qrand</code>	Generate points from stream
<code>qrandstream</code>	Construct quasi-random number stream
<code>reset</code>	Reset state
<code>scramble</code>	Scramble quasi-random point set
<code>sobolset</code>	Construct Sobol quasi-random point set

Piecewise Distributions

<code>boundary</code>	Piecewise distribution boundaries
<code>cdf</code>	Cumulative distribution function for piecewise distribution

icdf	Inverse cumulative distribution function for piecewise distribution
lowerparams	Lower Pareto tails parameters
nsegments	Number of segments
paretotails	Construct Pareto tails object
pdf	Probability density function for piecewise distribution
random	Random numbers from piecewise distribution
segment	Segments containing values
upperparams	Upper Pareto tails parameters

Hypothesis Tests

<code>ansaribradley</code>	Ansari-Bradley test
<code>barttest</code>	Bartlett's test
<code>canoncorr</code>	Canonical correlation
<code>chi2gof</code>	Chi-square goodness-of-fit test
<code>dwtest</code>	Durbin-Watson test
<code>friedman</code>	Friedman's test
<code>jbtest</code>	Jarque-Bera test
<code>kruskalwallis</code>	Kruskal-Wallis test
<code>kstest</code>	One-sample Kolmogorov-Smirnov test
<code>kstest2</code>	Two-sample Kolmogorov-Smirnov test
<code>lillietest</code>	Lilliefors test
<code>linhypptest</code>	Linear hypothesis test
<code>ranksum</code>	Wilcoxon rank sum test
<code>runstest</code>	Runs test for randomness
<code>sampsizepwr</code>	Sample size and power of test
<code>signrank</code>	Wilcoxon signed rank test
<code>signtest</code>	Sign test
<code>ttest</code>	One-sample t -test
<code>ttest2</code>	Two-sample t -test
<code>vartest</code>	Chi-square variance test
<code>vartest2</code>	Two-sample F -test for equal variances
<code>vartestn</code>	Bartlett multiple-sample test for equal variances

zscore
ztest

Standardized z -scores
 z -test

Analysis of Variance

ANOVA Plots (p. 15-27)

ANOVA Functions (p. 15-27)

ANOVA Plots

anova1

One-way analysis of variance

aoctool

Interactive analysis of covariance

manovacluster

Dendrogram of group mean clusters following MANOVA

multcompare

Multiple comparison test

ANOVA Functions

anova1

One-way analysis of variance

anova2

Two-way analysis of variance

anovan

N -way analysis of variance

aoctool

Interactive analysis of covariance

dummyvar

Create dummy variables

friedman

Friedman's test

kruskalwallis

Kruskal-Wallis test

manova1

One-way multivariate analysis of variance

manovacluster

Dendrogram of group mean clusters following MANOVA

multcompare

Multiple comparison test

Regression Analysis

Regression Plots (p. 15-28)

Linear Regression (p. 15-29)

Nonlinear Regression (p. 15-30)

Regression Trees (p. 15-31)

Regression Plots

addedvarplot

Added-variable plot

gline

Interactively add line to plot

lsline

Add least-squares line to plot

polytool

Interactive polynomial fitting

rcoplot

Residual case order plot

refcurve

Add polynomial to plot

refline

Add line to plot

robustdemo

Interactive robust regression

rsmdemo

Interactive response surface demonstration

rstool

Interactive response surface modeling

view

Plot tree

Linear Regression

<code>coxphfit</code>	Cox proportional hazards regression
<code>crossval</code>	Loss estimate using cross-validation
<code>cvpartition</code>	Construct data partition for cross-validation
<code>dummyvar</code>	Create dummy variables
<code>glmfit</code>	Generalized linear model regression
<code>glmval</code>	Generalized linear model values
<code>invpred</code>	Inverse prediction
<code>leverage</code>	Leverage
<code>lscov</code>	Least-squares with known covariance
<code>lsqnonneg</code>	Least-squares with nonnegativity constraint
<code>mnrfit</code>	Multinomial logistic regression
<code>mnrval</code>	Multinomial logistic regression values
<code>mvregress</code>	Multivariate linear regression
<code>mvregresslike</code>	Negative log-likelihood for multivariate regression
<code>plsregress</code>	Partial least-squares regression
<code>polyconf</code>	Polynomial confidence intervals
<code>polyfit</code>	Polynomial fit
<code>polytool</code>	Interactive polynomial fitting
<code>polyval</code>	Polynomial values
<code>regress</code>	Multiple linear regression
<code>regstats</code>	Regression diagnostics
<code>repartition</code>	Repartition data for cross-validation

<code>ridge</code>	Ridge regression
<code>robustdemo</code>	Interactive robust regression
<code>robustfit</code>	Robust regression
<code>rsmdemo</code>	Interactive response surface demonstration
<code>rstool</code>	Interactive response surface modeling
<code>stepwise</code>	Interactive stepwise regression
<code>stepwisefit</code>	Stepwise regression
<code>test</code>	Test indices for cross-validation
<code>training</code>	Training indices for cross-validation
<code>x2fx</code>	Convert predictor matrix to design matrix

Nonlinear Regression

<code>crossval</code>	Loss estimate using cross-validation
<code>cvpartition</code>	Construct data partition for cross-validation
<code>dummyvar</code>	Create dummy variables
<code>hougen</code>	Hougen-Watson model
<code>nlinfit</code>	Nonlinear regression
<code>nlintool</code>	Interactive nonlinear regression
<code>nlparci</code>	Nonlinear regression parameter confidence intervals
<code>nlpredci</code>	Nonlinear regression prediction confidence intervals
<code>repartition</code>	Repartition data for cross-validation
<code>test</code>	Test indices for cross-validation
<code>training</code>	Training indices for cross-validation

Regression Trees

children	Child nodes
classregtree	Construct classification and regression trees
cutcategories	Cut categories
cutpoint	Cut points
cuttype	Cut types
cutvar	Cut variable names
eval	Predicted responses
isbranch	Test node for branch
nodeerr	Node errors
nodeprob	Node probabilities
nodesize	Node size
numnodes	Number of nodes
parent	Parent node
prune	Prune tree
risk	Node risks
test	Error rate
type	Tree type
view	Plot tree

Multivariate Methods

Multivariate Plots (p. 15-32)

Multidimensional Scaling (p. 15-32)

Procrustes Analysis (p. 15-32)

Feature Selection (p. 15-33)

Feature Transformation (p. 15-33)

Multivariate Plots

`andrewsplot`

Andrews plot

`biplot`

Biplot

`glyphplot`

Glyph plot

`parallelcoords`

Parallel coordinates plot

Multidimensional Scaling

`cmdscale`

Classical multidimensional scaling

`mahal`

Mahalanobis distance

`mdscale`

Nonclassical multidimensional scaling

`pdist`

Pairwise distance

`squareform`

Format distance matrix

Procrustes Analysis

`procrustes`

Procrustes analysis

Feature Selection

`sequentialfs`

Sequential feature selection

Feature Transformation

Nonnegative Matrix Factorization
(p. 15-33)

Principal Component Analysis
(p. 15-33)

Factor Analysis (p. 15-33)

Nonnegative Matrix Factorization

`nnmf`

Nonnegative matrix factorization

Principal Component Analysis

`barttest`

Bartlett's test

`pareto`

Pareto chart

`pcacov`

Principal component analysis on covariance matrix

`pcares`

Residuals from principal component analysis

`princomp`

Principal component analysis on data

Factor Analysis

`factoran`

Factor analysis

Cluster Analysis

Cluster Plots (p. 15-34)

Hierarchical Clustering (p. 15-34)

K-Means Clustering (p. 15-35)

Gaussian Mixture Models (p. 15-35)

Cluster Plots

dendrogram

Dendrogram plot

manovacluster

Dendrogram of group mean clusters following MANOVA

silhouette

Silhouette plot

Hierarchical Clustering

cluster

Construct clusters from linkages

clusterdata

Construct clusters from data

cophenet

Cophenetic correlation coefficient

crossval

Loss estimate using cross-validation

cvpartition

Construct data partition for cross-validation

inconsistent

Inconsistency coefficient

linkage

Create hierarchical cluster tree

pdist

Pairwise distance

repartition

Repartition data for cross-validation

squareform

Format distance matrix

test

Test indices for cross-validation

training

Training indices for cross-validation

K-Means Clustering

crossval	Loss estimate using cross-validation
cvpartition	Construct data partition for cross-validation
kmeans	<i>K</i> -means clustering
mahal	Mahalanobis distance
repartition	Repartition data for cross-validation
test	Test indices for cross-validation
training	Training indices for cross-validation

Gaussian Mixture Models

cdf	Cumulative distribution function for Gaussian mixture distribution
cluster	Construct clusters from Gaussian mixture distribution
fit	Gaussian mixture parameter estimates
gmdistribution	Construct Gaussian mixture distribution
mahal	Mahalanobis distance to component means
pdf	Probability density function for Gaussian mixture distribution
posterior	Posterior probabilities of components
random	Random numbers from Gaussian mixture distribution

Classification

Classification Plots (p. 15-36)

Discriminant Analysis (p. 15-36)

Classification Trees (p. 15-36)

Classification Plots

view

Plot tree

Discriminant Analysis

classify

Discriminant analysis

crossval

Loss estimate using cross-validation

cvpartition

Construct data partition for cross-validation

mahal

Mahalanobis distance

repartition

Repartition data for cross-validation

test

Test indices for cross-validation

training

Training indices for cross-validation

Classification Trees

children

Child nodes

classcount

Class counts

classprob

Class probabilities

classregtree

Construct classification and regression trees

cutcategories

Cut categories

cutpoint

Cut points

cuttype	Cut types
cutvar	Cut variable names
eval	Predicted responses
isbranch	Test node for branch
nodeerr	Node errors
nodeprob	Node probabilities
nodesize	Node size
numnodes	Number of nodes
parent	Parent node
prune	Prune tree
risk	Node risks
test	Error rate
type	Tree type
view	Plot tree

Markov Models

Hidden Markov Models (p. 15-38)

Hidden Markov Models

<code>hmmdecode</code>	Hidden Markov model posterior state probabilities
<code>hmmestimate</code>	Hidden Markov model parameter estimates from emissions and states
<code>hmmgenerate</code>	Hidden Markov model states and emissions
<code>hmmtrain</code>	Hidden Markov model parameter estimates from emissions
<code>hmmviterbi</code>	Hidden Markov model most probable state path

Design of Experiments

DOE Plots (p. 15-39)

Full Factorial Designs (p. 15-39)

Fractional Factorial Designs
(p. 15-40)

Response Surface Designs (p. 15-40)

D-Optimal Designs (p. 15-40)

Latin Hypercube Designs (p. 15-40)

Quasi-Random Designs (p. 15-41)

DOE Plots

`interactionplot`

Interaction plot for grouped data

`maineffectplot`

Main effects plot for grouped data

`multivarichart`

Multivari chart for grouped data

`rsmdemo`

Interactive response surface
demonstration

`rstool`

Interactive response surface
modeling

Full Factorial Designs

`ff2n`

Two-level full factorial design

`fullfact`

Full factorial design

Fractional Factorial Designs

fracfact	Fractional factorial design
fracfactgen	Fractional factorial design generators
hadamard	Hadamard matrix

Response Surface Designs

bbdesign	Box-Behnken design
ccdesign	Central composite design

D-Optimal Designs

candexch	Candidate set row exchange
candgen	Candidate set generation
cordexch	Coordinate exchange
daugment	<i>D</i> -optimal augmentation
dcovary	<i>D</i> -optimal design with fixed covariates
rowexch	Row exchange
rsmdemo	Interactive response surface demonstration

Latin Hypercube Designs

lhsdesign	Latin hypercube sample
lhsnorm	Latin hypercube sample from normal distribution

Quasi-Random Designs

haltonset	Construct Halton quasi-random point set
net	Generate quasi-random point set
qrand	Generate points from stream
qrandstream	Construct quasi-random number stream
reset	Reset state
scramble	Scramble quasi-random point set
sobolset	Construct Sobol quasi-random point set

Statistical Process Control

SPC Plots (p. 15-42)

SPC Functions (p. 15-42)

SPC Plots

capaplot

Process capability plot

controlchart

Shewhart control charts

histfit

Histogram with normal fit

normspec

Normal density plot between specifications

SPC Functions

capability

Process capability indices

controlrules

Western Electric and Nelson control rules

gagerr

Gage repeatability and reproducibility study

Graphical User Interfaces

aoctool	Interactive analysis of covariance
dfittool	Interactive distribution fitting
disttool	Interactive density and distribution plots
fsurfht	Interactive contour plot
polytool	Interactive polynomial fitting
randtool	Interactive random number generation
regstats	Regression diagnostics
robustdemo	Interactive robust regression
rsmdemo	Interactive response surface demonstration
rstool	Interactive response surface modeling
surfht	Interactive contour plot

Utility Functions

combnk	Enumeration of combinations
perms	Enumeration of permutations
statget	Access values in statistics options structure
statset	Create statistics options structure
zscore	Standardized z -scores

Functions — Alphabetical List

addedvarplot

Purpose Added-variable plot

Syntax `addedvarplot(X,y,num,inmodel)`
`addedvarplot(X,y,num,inmodel,stats)`

Description `addedvarplot(X,y,num,inmodel)` displays an added variable plot using the predictive terms in X , the response values in y , the added term in column `num` of X , and the model with current terms specified by `inmodel`. X is an n -by- p matrix of n observations of p predictive terms. y is vector of n response values. `num` is a scalar index specifying the column of X with the term to be added. `inmodel` is a logical vector of p elements specifying the columns of X in the current model. By default, all elements of `inmodel` are false.

Note `addedvarplot` automatically includes a constant term in all models. Do not enter a column of 1s directly into X .

`addedvarplot(X,y,num,inmodel,stats)` uses the `stats` output from the `stepwisefit` function to improve the efficiency of repeated calls to `addedvarplot`. Otherwise, this syntax is equivalent to the previous syntax.

Added variable plots are used to determine the unique effect of adding a new term to a multilinear model. The plot shows the relationship between the part of the response unexplained by terms already in the model and the part of the new term unexplained by terms already in the model. The “unexplained” parts are measured by the residuals of the respective regressions. A scatter of the residuals from the two regressions forms the added variable plot.

In addition to the scatter of residuals, the plot produced by `addedvarplot` shows 95% confidence intervals on predictions from the fitted line. The fitted line has intercept zero because, under typical linear model assumptions, both of the plotted variables have mean zero. The slope of the fitted line is the coefficient that the new term would have if it were added to the model with terms `inmodel`.

Added variable plots are sometimes known as partial regression leverage plots.

Example


Load the data in `hald.mat`, which contains observations of the heat of reaction of various cement mixtures:

```
load hald
whos
  Name          Size    Bytes   Class   Attributes
  Description   22x58   2552    char
  hald          13x5    520     double
  heat          13x1    104     double
  ingredients   13x4    416     double
```

Create an added variable plot to investigate the addition of the third column of `ingredients` to a model consisting of the first two columns:

```
inmodel = [true true false false];
addedvarplot(ingredients,heat,3,inmodel)
```

addedvarplot



The wide scatter and the low slope of the fitted line are evidence against the statistical significance of adding the third column to the model.

See Also

`stepwisefit`, `stepwise`

Purpose	Add levels
Class	@categorical
Syntax	B = addlevels(A,newlevels)
Description	B = addlevels(A,newlevels) adds new levels to the categorical array A. newlevels is a cell array of strings or a two-dimensional character matrix that specifies the levels to be added. addlevels adds the new levels at the end of the list of possible categorical levels in A, but does not modify the value of any element. B does not contain elements at the new levels.

Examples

Example 1

Add levels for additional species in Fisher's iris data:

```
load fisheriris
species = nominal(species,...
                  {'Species1','Species2','Species3'},...
                  {'setosa','versicolor','virginica'});
species = addlevels(species,{'Species4','Species5'});
getlabels(species)
ans =
    'Species1' 'Species2' 'Species3' 'Species4' 'Species5'
```

Example 2

- 1 Load patient data from the CSV file hospital.dat and store the information in a dataset array with observation names given by the first column in the data (patient identification):

```
patients = dataset('file','hospital.dat',...
                  'delimiter',';',...
                  'ReadObsNames',true);
```

- 2 Make the {0,1}-valued variable smoke nominal, and change the labels to 'No' and 'Yes':

addlevels

```
patients.smoke = nominal(patients.smoke, {'No', 'Yes'});
```

- 3** Add new levels to smoke as placeholders for more detailed histories of smokers:

```
patients.smoke = addlevels(patients.smoke, ...
                           {'0-5 Years', '5-10 Years', 'LongTerm'});
```

- 4** Assuming the nonsmokers have never smoked, relabel the 'No' level:

```
patients.smoke = setlabels(patients.smoke, 'Never', 'No');
```

- 5** Drop the undifferentiated 'Yes' level from smoke:

```
patients.smoke = droplevels(patients.smoke, 'Yes');
```

Warning: OLDLEVELS contains categorical levels that were present in A, caused some array elements to have undefined levels.

Note that smokers now have an undefined level.

- 6** Set each smoker to one of the new levels, by observation name:

```
patients.smoke('YPL-320') = '5-10 Years';
```

See Also

`droplevels`, `islevel`, `mergelevels`, `reorderlevels`, `getlabels`

Purpose

Andrews plot

Syntax

```
andrewsplot(X)
andrewsplot(X,...,'Standardize','on')
andrewsplot(X,...,'Standardize','PCA')
andrewsplot(X,...,'Standardize','PCAStd')
andrewsplot(X,...,'Quantile',alpha)
andrewsplot(X,...,'Group',group)
andrewsplot(X,...,PropName,PropVal,...)
h = andrewsplot(X,...)
```

Description

`andrewsplot(X)` creates an Andrews plot of the multivariate data in the matrix X . The rows of X correspond to observations, the columns to variables. Andrews plots represent each observation by a function $f(t)$ of a continuous dummy variable t over the interval $[0,1]$. $f(t)$ is defined for the i th observation in X as

$$f(t) = X(i, 1)/\sqrt{2} + X(i, 2)\sin 2\pi t + X(i, 2)\cos 2\pi t + \dots$$

`andrewsplot` treats NaN values in X as missing values and ignores the corresponding rows.

`andrewsplot(X,...,'Standardize','on')` scales each column of X to have

mean 0 and standard deviation 1 before making the plot.

`andrewsplot(X,...,'Standardize','PCA')` creates an Andrews plot from the principal component scores of X , in order of decreasing eigenvalue. (See `princomp`.)

`andrewsplot(X,...,'Standardize','PCAStd')` creates an Andrews plot using the standardized principal component scores. (See `princomp`.)

`andrewsplot(X,...,'Quantile',alpha)` plots only the median and the α and $(1 - \alpha)$ quantiles of $f(t)$ at each value of t . This is useful if X contains many observations.

`andrewsplot(X,...,'Group',group)` plots the data in different groups with different colors. Groups are defined by `group`, a numeric array

andrewsplot

containing a group index for each observation. `group` can also be a categorical array, character matrix, or cell array of strings containing a group name for each observation. (See “Grouped Data” on page 2-33.)


`andrewsplot(X, ..., PropName, PropVal, ...)` sets lineseries object properties to the specified values for all lineseries objects created by `andrewsplot`. (See Lineseries Properties.)

`h = andrewsplot(X, ...)` returns a column vector of handles to the lineseries objects created by `andrewsplot`, one handle per row of `X`. If you use the 'Quantile' input parameter, `h` contains one handle for each of the three lineseries objects created. If you use both the 'Quantile' and the 'Group' input parameters, `h` contains three handles for each group.

Examples

Make a grouped plot of the Fisher iris data:


```
load fisheriris
andrewsplot(meas, 'group', species);
```



Plot only the median and quartiles of each group:

```
andrewsplot(meas, 'group', species, 'quantile', .25);
```

andrewsplot



See Also [parallelcoords](#), [glyphplot](#)

Purpose One-way analysis of variance

Syntax

```
p = anova1(X)
p = anova1(X,group)
p = anova1(X,group,displayopt)
[p,table] = anova1(...)
[p,table,stats] = anova1(...)
```

Description `p = anova1(X)` performs balanced one-way ANOVA for comparing the means of two or more columns of data in the matrix `X`, where each column represents an independent sample containing mutually independent observations. The function returns the p -value under the null hypothesis that all samples in `X` are drawn from populations with the same mean.

If p is near zero, it casts doubt on the null hypothesis and suggests that at least one sample mean is significantly different than the other sample means. Common significance levels are 0.05 or 0.01.

The `anova1` function displays two figures, the standard ANOVA table and a box plot of the columns of `X`.

The standard ANOVA table divides the variability of the data into two parts:

- Variability due to the differences among the column means (variability *between* groups)
- Variability due to the differences between the data in each column and the column mean (variability *within* groups)

The standard ANOVA table has six columns:

- 1 The source of the variability.
- 2 The sum of squares (SS) due to each source.
- 3 The degrees of freedom (df) associated with each source.

- 4 The mean squares (MS) for each source, which is the ratio SS/df .
- 5 The F -statistic, which is the ratio of the mean squares.
- 6 The p -value, which is derived from the cdf of F .

The box plot of the columns of X suggests the size of the F -statistic and the p -value. Large differences in the center lines of the boxes correspond to large values of F and correspondingly small values of p .

Columns of X with NaN values are disregarded.

`p = anova1(X,group)` performs ANOVA by group.

If X is a matrix, `anova1` treats each column as a separate group, and evaluates whether the population means of the columns are equal. This form of `anova1` is appropriate when each group has the same number of elements (balanced ANOVA). `group` can be a character array or a cell array of strings, with one row per column of X , containing group names. Enter an empty array (`[]`) or omit this argument if you do not want to specify group names.

If X is a vector, `group` must be a categorical variable, vector, string array, or cell array of strings with one name for each element of X . X values corresponding to the same value of `group` are placed in the same group. This form of `anova1` is appropriate when groups have different numbers of elements (unbalanced ANOVA).

If `group` contains empty or NaN-valued cells or strings, the corresponding observations in X are disregarded.

`p = anova1(X,group,displayopt)` enables the ANOVA table and box plot displays when `displayopt` is 'on' (default) and suppresses the displays when `displayopt` is 'off'. Notches in the boxplot provide a test of group medians (see `boxplot`) different from the F test for means in the ANOVA table.

`[p,table] = anova1(...)` returns the ANOVA table (including column and row labels) in the cell array `table`. Copy a text version of the ANOVA table to the clipboard using the Copy Text item on the **Edit** menu.

`[p,table,stats] = anova1(...)` returns a structure `stats` used to perform a follow-up multiple comparison test. `anova1` evaluates the hypothesis that the samples all have the same mean against the alternative that the means are not all the same. Sometimes it is preferable to perform a test to determine which pairs of means are significantly different, and which are not. Use the `multcompare` function to perform such tests by supplying the `stats` structure as input.

Assumptions

The ANOVA test makes the following assumptions about the data in `X`:

- All sample populations are normally distributed.
- All sample populations have equal variance.
- All observations are mutually independent.

The ANOVA test is known to be robust with respect to modest violations of the first two assumptions.

Examples

Example 1

Create `X` with columns that are constants plus random normal disturbances with mean zero and standard deviation one:

```
X = meshgrid(1:5)
```

```
X =
    1    2    3    4    5
    1    2    3    4    5
    1    2    3    4    5
    1    2    3    4    5
    1    2    3    4    5
```

```
X = X + normrnd(0,1,5,5)
```

```
X =
    0.5674    3.1909    2.8133    4.1139    5.2944
   -0.6656    3.1892    3.7258    5.0668    3.6638
    1.1253    1.9624    2.4117    4.0593    5.7143
    1.2877    2.3273    5.1832    3.9044    6.6236
```


anova1

```
-0.1465  2.1746  2.8636  3.1677  4.3082  
p = anova1(X)  
p =  
4.0889e-007
```

Perform one-way ANOVA:

```
p = anova1(X)  
p =  
1.2765e-006
```

Source	SS	df	MS	F	Prob>F
Columns	62.4487	4	15.6122	19.18	1.27648e-006
Error	16.2792	20	0.814		
Total	78.7279	24			



The very small p -value indicates that differences between column means are highly significant. The probability of this outcome under the null hypothesis (that samples drawn from the same population would have means differing by the amounts seen in X) is equal to the p -value.


Example 2

The following example is from a study of the strength of structural beams in Hogg. The vector `strength` measures deflections of beams in thousandths of an inch under 3,000 pounds of force. The vector `alloy` identifies each beam as steel ('st'), alloy 1 ('a1'), or alloy 2 ('a2'). (Although `alloy` is sorted in this example, grouping variables do not need to be sorted.) The null hypothesis is that steel beams are equal in strength to beams made of the two more expensive alloys.

anova1

```
strength = [82 86 79 83 84 85 86 87 74 82 ...  
            78 75 76 77 79 79 77 78 82 79];  
  
alloy = {'st','st','st','st','st','st','st','st',...  
        'al1','al1','al1','al1','al1','al1',...  
        'al2','al2','al2','al2','al2','al2'};  
  
p = anova1(strength,alloy)  
p =  
    1.5264e-004
```

Source	SS	df	MS	F	Prob>F
Columns	184.8	2	92.4	15.4	0.0002
Error	102	17	6		
Total	286.8	19			



The p -value suggests rejection of the null hypothesis. The box plot shows that steel beams deflect more than beams made of the more expensive alloys.

References

[1] Hogg, R. V., J. Ledolter, *Engineering Statistics*, MacMillan, 1987.

See Also

anova2, anovan, boxplot, manova1, multcompare

anova2

Purpose Two-way analysis of variance

Syntax

```
p = anova2(X, reps)
p = anova2(X, reps, displayopt)
[p, table] = anova2(...)
[p, table, stats] = anova2(...)
```

Description `p = anova2(X, reps)` performs a balanced two-way ANOVA for comparing the means of two or more columns and two or more rows of the observations in X . The data in different columns represent changes in factor A . The data in different rows represent changes in factor B . If there is more than one observation for each combination of factors, input `reps` indicates the number of replicates in each position, which must be constant. (For unbalanced designs, use `anovan`.)

The matrix below shows the format for a set-up where column factor A has two levels, row factor B has three levels, and there are two replications (`reps = 2`). The subscripts indicate row, column, and replicate, respectively.

$$\begin{array}{cc} \begin{array}{c} \overline{1} \\ \parallel \\ 4 \end{array} & \begin{array}{c} \overline{2} \\ \parallel \\ 4 \end{array} \\ \left[\begin{array}{cc} x_{111} & x_{121} \\ x_{112} & x_{122} \\ x_{211} & x_{221} \\ x_{212} & x_{222} \\ x_{311} & x_{321} \\ x_{312} & x_{322} \end{array} \right] & \left. \begin{array}{l} \} \\ \} \\ \} \\ \} \\ \} \\ \} \end{array} \right\} \begin{array}{l} B = 1 \\ B = 2 \\ B = 3 \end{array} \end{array}$$

When `reps` is 1 (default), `anova2` returns two p -values in vector `p`:

- 1 The p -value for the null hypothesis, H_{0A} , that all samples from factor A (i.e., all column-samples in X) are drawn from the same population

- 2 The p -value for the null hypothesis, H_{0B} , that all samples from factor B (i.e., all row-samples in X) are drawn from the same population

When `reps` is greater than 1, `anova2` returns a third p -value in vector `p`:

- 3 The p -value for the null hypothesis, H_{0AB} , that the effects due to factors A and B are *additive* (i.e., that there is no interaction between factors A and B)

If any p -value is near zero, this casts doubt on the associated null hypothesis. A sufficiently small p -value for H_{0A} suggests that at least one column-sample mean is significantly different than the other column-sample means; i.e., there is a main effect due to factor A. A sufficiently small p -value for H_{0B} suggests that at least one row-sample mean is significantly different than the other row-sample means; i.e., there is a main effect due to factor B. A sufficiently small p -value for H_{0AB} suggests that there is an interaction between factors A and B. The choice of a limit for the p -value to determine whether a result is “statistically significant” is left to the researcher. It is common to declare a result significant if the p -value is less than 0.05 or 0.01.

`anova2` also displays a figure showing the standard ANOVA table, which divides the variability of the data in X into three or four parts depending on the value of `reps`:

- The variability due to the differences among the column means
- The variability due to the differences among the row means
- The variability due to the interaction between rows and columns (if `reps` is greater than its default value of one)
- The remaining variability not explained by any systematic source

The ANOVA table has five columns:

- The first shows the source of the variability.

- The second shows the Sum of Squares (SS) due to each source.
- The third shows the degrees of freedom (df) associated with each source.
- The fourth shows the Mean Squares (MS), which is the ratio SS/df.
- The fifth shows the F statistics, which is the ratio of the mean squares.

`p = anova2(X, reps, displayopt)` enables the ANOVA table display when `displayopt` is 'on' (default) and suppresses the display when `displayopt` is 'off'.

`[p, table] = anova2(...)` returns the ANOVA table (including column and row labels) in cell array table. (Copy a text version of the ANOVA table to the clipboard by using the Copy Text item on the **Edit** menu.)

`[p, table, stats] = anova2(...)` returns a stats structure that you can use to perform a follow-up multiple comparison test.

The `anova2` test evaluates the hypothesis that the row, column, and interaction effects are all the same, against the alternative that they are not all the same. Sometimes it is preferable to perform a test to determine *which pairs* of effects are significantly different, and which are not. Use the `multcompare` function to perform such tests by supplying the stats structure as input.

Examples

The data below come from a study of popcorn brands and popper type (Hogg 1987). The columns of the matrix `popcorn` are brands (Gourmet, National, and Generic). The rows are popper type (Oil and Air.) The study popped a batch of each brand three times with each popper. The values are the yield in cups of popped popcorn.

```
load popcorn

popcorn
popcorn =
    5.5000    4.5000    3.5000
```



```

5.5000 4.5000 4.0000
6.0000 4.0000 3.0000
6.5000 5.0000 4.0000
7.0000 5.5000 5.0000
7.0000 5.0000 4.5000

```

```

p = anova2(popcorn,3)
p =
0.0000 0.0001 0.7462

```

Source	SS	df	MS	F	Prob>F
Columns	15.75	2	7.875	56.7	0
Rows	4.5	1	4.5	32.4	0.0001
Interaction	0.0833	2	0.04167	0.3	0.7462
Error	1.6667	12	0.13889		
Total	22	17			

The vector p shows the p -values for the three brands of popcorn, 0.0000, the two popper types, 0.0001, and the interaction between brand and popper type, 0.7462. These values indicate that both popcorn brand and popper type affect the yield of popcorn, but there is no evidence of a synergistic (interaction) effect of the two.

The conclusion is that you can get the greatest yield using the Gourmet brand and an Air popper (the three values popcorn(4:6, 1)).

Reference

[1] Hogg, R. V. and J. Ledolter, *Engineering Statistics*. MacMillan, 1987.

See Also

anova1, anovan

anovan

Purpose *N*-way analysis of variance

Syntax
`p = anovan(x,group)`
`p = anovan(x,group,param1,val1,param2,val2,...)`
`[p,table] = anovan(...)`
`[p,table,stats] = anovan(...)`
`[p,table,stats,terms] = anovan(...)`

Description `p = anovan(x,group)` performs multiway (n-way) analysis of variance (ANOVA) for testing the effects of multiple factors (grouping variables) on the mean of the vector *x*. This test compares the variance explained by factors to the left over variance that cannot be explained. The factors and factor levels of the observations in *Y* are assigned by the cell array `group`. Each of the cells in the cell array `group` contains a list of factor levels identifying the observations in *Y* with respect to one of the factors. The list within each cell can be a categorical array, numeric vector, character matrix, or single-column cell array of strings, and must have the same number of elements as *Y*. The fitted ANOVA model includes the main effects of each grouping variable. All grouping variables are treated as fixed effects by default. The result `p` is a vector of *p*-values, one per term. For an example, see “Example of Three-Way ANOVA” on page 16-26.

`p = anovan(x,group,param1,val1,param2,val2,...)` specifies one or more of the parameter name/value pairs described in the following table.

Parameter Name	Parameter Value
'alpha'	A number between 0 and 1 requesting 100(1 - alpha)% confidence bounds (default 0.05 for 95% confidence)
'continuous'	A vector of indices indicating which grouping variables should be treated as continuous predictors rather than as categorical predictors.

Parameter Name	Parameter Value
'display'	'on' displays an ANOVA table (the default) 'off' omits the display
'model'	The type of model used. See “Model Type” on page 16-24 for a description of this parameter.
'nested'	A matrix M of 0's and 1's specifying the nesting relationships among the grouping variables. M(i,j) is 1 if variable i is nested in variable j.
'random'	A vector of indices indicating which grouping variables are random effects (all are fixed by default). See “ANOVA with Random Effects” on page 7-19 for an example of how to use 'random'.
'sstype'	1, 2, or 3, to specify the type of sum of squares (default is 3). See “Sum of Squares” on page 16-25 for a description of this parameter.
'varnames'	A character matrix or a cell array of strings specifying names of grouping variables, one per grouping variable. When you do not specify 'varnames', the default labels 'X1', 'X2', 'X3', ..., 'XN' are used. See “ANOVA with Random Effects” on page 7-19 for an example of how to use 'varnames'.

[p,table] = anovan(...) returns the ANOVA table (including factor labels) in cell array table. (Copy a text version of the ANOVA table to the clipboard by using the Copy Text item on the **Edit** menu.)

[p,table,stats] = anovan(...) returns a stats structure that you can use to perform a follow-up multiple comparison test with the multcompare function. See “The stats Structure” on page 16-29 for more information.

[p,table,stats,terms] = anovan(...) returns the main and interaction terms used in the ANOVA computations. The terms are encoded in the output matrix terms using the same format described

above for input 'model'. When you specify 'model' itself in this matrix format, the matrix returned in terms is identical.

Model Type

This section explains how to use the argument 'model' with the syntax:

```
[...] = anovan(x,group,'model',modeltype)
```

The argument *modeltype*, which specifies the type of model the function uses, can be any one of the following:

- 'linear' — The default 'linear' model computes only the p -values for the null hypotheses on the N main effects.
- 'interaction' — The 'interaction' model computes the p -values for null hypotheses on the N main effects and the $\binom{N}{2}$ two-factor interactions.
- 'full' — The 'full' model computes the p -values for null hypotheses on the N main effects and interactions at all levels.
- An integer — For an integer value of *modeltype*, k ($k \leq N$), *anovan* computes all interaction levels through the k th level. For example, the value 3 means main effects plus two- and three-factor interactions. The values $k = 1$ and $k = 2$ are equivalent to the 'linear' and 'interaction' specifications, respectively, while the value $k = N$ is equivalent to the 'full' specification.
- A matrix of term definitions having the same form as the input to the $x2fx$ function. All entries must be 0 or 1 (no higher powers).

For more precise control over the main and interaction terms that *anovan* computes, *modeltype* can specify a matrix containing one row for each main or interaction term to include in the ANOVA model. Each row defines one term using a vector of N zeros and ones. The table below illustrates the coding for a 3-factor ANOVA.

Row of Matrix	Corresponding ANOVA Term
[1 0 0]	Main term A
[0 1 0]	Main term B
[0 0 1]	Main term C
[1 1 0]	Interaction term AB
[1 0 1]	Interaction term AC
[0 1 1]	Interaction term BC
[1 1 1]	Interaction term ABC

For example, if *modeltype* is the matrix [0 1 0;0 0 1;0 1 1], the output vector *p* contains the *p*-values for the null hypotheses on the main effects B and C and the interaction effect BC, in that order. A simple way to generate the *modeltype* matrix is to modify the terms output, which codes the terms in the current model using the format described above. If *anovan* returns [0 1 0;0 0 1;0 1 1] for terms, for example, and there is no significant result for interaction BC, you can recompute the ANOVA on just the main effects B and C by specifying [0 1 0;0 0 1] for *modeltype*.

Sum of Squares

This section explains how to use the argument 'sstype' with the syntax:

```
[...] = anovan(x,group,'sstype',type)
```

This syntax computes the ANOVA using the type of sum-of-squares specified by *type*, which can be 1, 2, or 3 to designate Type 1, Type 2, or Type 3 sum-of-squares, respectively. The default is 3. The value of *type* only influences computations on unbalanced data.

The sum of squares for any term is determined by comparing two models. The Type 1 sum of squares for a term is the reduction in residual sum of squares obtained by adding that term to a fit that already includes the terms listed before it. The Type 2 sum of squares is

the reduction in residual sum of squares obtained by adding that term to a model consisting of all other terms that do not contain the term in question. The Type 3 sum of squares is the reduction in residual sum of squares obtained by adding that term to a model containing all other terms, but with their effects constrained to obey the usual “sigma restrictions” that make models estimable.

Suppose you are fitting a model with two factors and their interaction, and that the terms appear in the order A, B, AB . Let $R(\cdot)$ represent the residual sum of squares for a model, so for example $R(A, B, AB)$ is the residual sum of squares fitting the whole model, $R(A)$ is the residual sum of squares fitting just the main effect of A , and $R(1)$ is the residual sum of squares fitting just the mean. The three types of sums of squares are as follows:

Term	Type 1 SS	Type 2 SS	Type 3 SS
A	$R(1) - R(A)$	$R(B) - R(A, B)$	$R(B, AB) - R(A, B, AB)$
B	$R(A) - R(A, B)$	$R(A) - R(A, B)$	$R(A, AB) - R(A, B, AB)$
AB	$R(A, B) - R(A, B, AB)$	$R(A, B) - R(A, B, AB)$	$R(A, B) - R(A, B, AB)$

The models for Type 3 sum of squares have sigma restrictions imposed. This means, for example, that in fitting $R(B, AB)$, the array of AB effects is constrained to sum to 0 over A for each value of B , and over B for each value of A .

Example of Three-Way ANOVA

As an example of three-way ANOVA, consider the vector y and group inputs below.

```

y = [52.7 57.5 45.9 44.5 53.0 57.0 45.9 44.0]';
g1 = [1 2 1 2 1 2 1 2];
g2 = {'hi'; 'hi'; 'lo'; 'lo'; 'hi'; 'hi'; 'lo'; 'lo'};
g3 = {'may'; 'may'; 'may'; 'may'; 'june'; 'june'; 'june'; 'june'};
    
```

This defines a three-way ANOVA with two levels of each factor. Every observation in y is identified by a combination of factor levels. If the factors are A, B, and C, then observation $y(1)$ is associated with

- Level 1 of factor A
- Level 'hi' of factor B
- Level 'may' of factor C

Similarly, observation $y(6)$ is associated with

- Level 2 of factor A
- Level 'hi' of factor B
- Level 'june' of factor C

To compute the ANOVA, enter

```
p = anovan(y, {g1 g2 g3})
p =
    0.4174
    0.0028
    0.9140
```

Output vector p contains p -values for the null hypotheses on the N main effects. Element $p(1)$ contains the p -value for the null hypotheses, H_{0A} , that samples at all levels of factor A are drawn from the same population; element $p(2)$ contains the p -value for the null hypotheses, H_{0B} , that samples at all levels of factor B are drawn from the same population; and so on.

If any p -value is near zero, this casts doubt on the associated null hypothesis. For example, a sufficiently small p -value for H_{0A} suggests that at least one A-sample mean is significantly different from the other A-sample means; that is, there is a main effect due to factor A. You need to choose a bound for the p -value to determine whether a result is statistically significant. It is common to declare a result significant if the p -value is less than 0.05 or 0.01.


anovan also displays a figure showing the standard ANOVA table, which by default divides the variability of the data in x into

- The variability due to differences between the levels of each factor accounted for in the model (one row for each factor)
- The remaining variability not explained by any systematic source

The ANOVA table has six columns:

- The first shows the source of the variability.
- The second shows the sum of squares (SS) due to each source.
- The third shows the degrees of freedom (df) associated with each source.
- The fourth shows the mean squares (MS), which is the ratio SS/df.
- The fifth shows the F statistics, which are the ratios of the mean squares.
- The sixth shows the p -values for the F statistics.

The table is shown in the following figure:



Source	Sum Sq.	d. f.	Mean Sq.	F	Prob>F
X1	3.781	1	3.781	0.82	0.4174
X2	199.001	1	199.001	42.95	0.0028
X3	0.061	1	0.061	0.01	0.914
Error	18.535	4	4.634		
Total	221.379	7			

Constrained (Type III) sums of squares.

Two-Factor Interactions

By default, anovan computes p -values just for the three main effects. To also compute p -values for the two-factor interactions, $X1 * X2$, $X1 * X3$,

and X2*X3, add the name/value pair 'model', 'interaction' as input arguments.

```
p = anovan(y,{g1 g2 g3},'model','interaction')
p =
    0.0347
    0.0048
    0.2578
    0.0158
    0.1444
    0.5000
```

The first three entries of p are the p -values for the main effects. The last three entries are the p -values for the two-factor interactions. You can determine the order in which the two-factor interactions occur from the ANOVAN table shown in the following figure.

Source	Sum Sq.	d.f.	Mean Sq.	F	Prob>F
X1	3.781	1	3.781	336.11	0.0347
X2	199.001	1	199.001	17689	0.0048
X3	0.061	1	0.061	5.44	0.2578
X1*X2	18.301	1	18.301	1626.78	0.0158
X1*X3	0.211	1	0.211	18.78	0.1444
X2*X3	0.011	1	0.011	1	0.5
Error	0.011	1	0.011		
Total	221.379	7			

Constrained (Type III) sums of squares.

The stats Structure

The anovan test evaluates the hypothesis that the different levels of a factor (or more generally, a term) have the same effect, against the alternative that they do not all have the same effect. Sometimes it is preferable to perform a test to determine which pairs of levels are significantly different, and which are not. Use the multcompare function to perform such tests by supplying the stats structure as input.

The stats structure contains the fields listed below, in addition to a number of other fields required for doing multiple comparisons using the multcompare function:

Stats Field	Meaning
coeffs	Estimated coefficients
coeffnames	Name of term for each coefficient
vars	Matrix of grouping variable values for each term
resid	Residuals from the fitted model

The stats structure also contains the following fields if there are random effects:

Stats Field	Meaning
ems	Expected mean squares
denom	Denominator definition
rtnames	Names of random terms
varest	Variance component estimates (one per random term)
varci	Confidence intervals for variance components

Examples

“Example: Two-Way ANOVA” on page 7-10 shows how to use anova2 to analyze the effects of two factors on a response in a balanced design. For a design that is not balanced, use anovan instead.

The data in carbig.mat gives measurements on 406 cars. Use anovan to study how the mileage depends on where and when the cars were made:

```
load carbig

p = anovan(MPG,{org when},'model',2,'sstype',3,...
           'varnames',{'Origin';'Mfg date'})
p =
```

0
0
0.3059

Analysis of Variance					
Source	Sum Sq.	d.f.	Mean Sq.	F	Prob>F
Origin	5727.2	2	2863.58	115.09	0
Mfg date	4710.3	2	2355.15	94.65	0
Origin*Mfg date	120.5	4	30.12	1.21	0.3059
Error	9679.1	389	24.88		
Total	24252.6	397			

Constrained (Type III) sums of squares.

The p -value for the interaction term is not small, indicating little evidence that the effect of the year or manufacture (when) depends on where the car was made (org). The linear effects of those two factors, however, are significant.

Reference

[1] Hogg, R. V., and J. Ledolter, *Engineering Statistics*, MacMillan, 1987.

See Also

anova1, anova2, multcompare

Purpose

Ansari-Bradley test

Syntax

```
h = ansaribradley(x,y)
h = ansaribradley(x,y,alpha)
h = ansaribradley(x,y,alpha,tail)
[h,p] = ansaribradley(...)
[h,p,stats] = ansaribradley(...)
[...] = ansaribradley(x,y,alpha,tail,exact)
[...] = ansaribradley(x,y,alpha,tail,exact,dim)
```

Description

`h = ansaribradley(x,y)` performs an Ansari-Bradley test of the hypothesis that two independent samples, in the vectors `x` and `y`, come from the same distribution, against the alternative that they come from distributions that have the same median and shape but different dispersions (e.g. variances). The result is `h = 0` if the null hypothesis of identical distributions cannot be rejected at the 5% significance level, or `h = 1` if the null hypothesis can be rejected at the 5% level. `x` and `y` can have different lengths.

`x` and `y` can also be matrices or N -dimensional arrays. For matrices, `ansaribradley` performs separate tests along each column, and returns a vector of results. `x` and `y` must have the same number of columns. For N -dimensional arrays, `ansaribradley` works along the first nonsingleton dimension. `x` and `y` must have the same size along all the remaining dimensions.

`h = ansaribradley(x,y,alpha)` performs the test at the significance level ($100*\alpha$), where `alpha` is a scalar.

`h = ansaribradley(x,y,alpha,tail)` performs the test against the alternative hypothesis specified by the string `tail`. `tail` is one of:

- 'both' — Two-tailed test (dispersion parameters are not equal)
- 'right' — Right-tailed test (dispersion of X is greater than dispersion of Y)
- 'left' — Left-tailed test (dispersion of X is less than dispersion of Y)

`[h,p] = ansaribradley(...)` returns the p -value, i.e., the probability of observing the given result, or one more extreme, by chance if the null hypothesis is true. Small values of p cast doubt on the validity of the null hypothesis.

`[h,p,stats] = ansaribradley(...)` returns a structure `stats` with the following fields:

- 'W' — Value of the test statistic W , which is the sum of the Ansari-Bradley ranks for the X sample
- 'Wstar' — Approximate normal statistic W^*

`[...] = ansaribradley(x,y,alpha,tail,exact)` computes p using an exact calculation of the distribution of W with `exact = 'on'`. This can be time-consuming for large samples. `exact = 'off'` computes p using a normal approximation for the distribution of W^* . The default if `exact` is empty is to use the exact calculation if N , the total number of rows in x and y , is 25 or less, and to use the normal approximation if $N > 25$. Pass in `[]` for `alpha` and `tail` to use their default values while specifying a value for `exact`. Note that N is computed before any NaN values (representing missing data) are removed.

`[...] = ansaribradley(x,y,alpha,tail,exact,dim)` works along dimension `dim` of x and y .

The Ansari-Bradley test is a nonparametric alternative to the two-sample F test of equal variances. It does not require the assumption that x and y come from normal distributions. The dispersion of a distribution is generally measured by its variance or standard deviation, but the Ansari-Bradley test can be used with samples from distributions that do not have finite variances.

The theory behind the Ansari-Bradley test requires that the groups have equal medians. Under that assumption and if the distributions in each group are continuous and identical, the test does not depend on the distributions in each group. If the groups do not have the same medians, the results may be misleading. Ansari and Bradley recommend subtracting the median in that case, but the distribution of

the resulting test, under the null hypothesis, is no longer independent of the common distribution of x and y . If you want to perform the tests with medians subtracted, you should subtract the medians from x and y before calling `ansaribradley`.

Example

Is the dispersion significantly different for two model years?

```
load carsmall
[h,p,stats] = ansaribradley(MPG(Model_Year==82),MPG(Model_Year==76))
h =
    0
p =
    0.8426
stats =
    W: 526.9000
    Wstar: 0.1986
```

See Also

`vartest`, `vartestn`, `ttest2`

Purpose Interactive analysis of covariance

Syntax

```
aoctool(x,y,group)
aoctool(x,y,group,alpha)
aoctool(x,y,group,alpha,xname,yname,gname)
aoctool(x,y,group,alpha,xname,yname,gname,displayopt)
aoctool(x,y,group,alpha,xname,yname,gname,displayopt,model)
h = aoctool(...)
[h,atab,ctab] = aoctool(...)
[h,atab,ctab,stats] = aoctool(...)
```

Description `aoctool(x,y,group)` fits a separate line to the column vectors, `x` and `y`, for each group defined by the values in the array `group`. `group` may be a categorical variable, vector, character array, or cell array of strings. (See “Grouped Data” on page 2-33.) These types of models are known as one-way analysis of covariance (ANOCOVA) models. The output consists of three figures:

- An interactive graph of the data and prediction curves
- An ANOVA table
- A table of parameter estimates

You can use the figures to change models and to test different parts of the model. More information about interactive use of the `aoctool` function appears in “Analysis of Covariance Tool” on page 7-27.

`aoctool(x,y,group,alpha)` determines the confidence levels of the prediction intervals. The confidence level is $100(1-\alpha)\%$. The default value of `alpha` is 0.05.

`aoctool(x,y,group,alpha,xname,yname,gname)` specifies the name to use for the `x`, `y`, and `g` variables in the graph and tables. If you enter simple variable names for the `x`, `y`, and `g` arguments, the `aoctool` function uses those names. If you enter an expression for one of these arguments, you can specify a name to use in place of that expression by supplying these arguments. For example, if you enter `m(:,2)` as the `x` argument, you might choose to enter `'Col 2'` as the `xname` argument.

`aoctool(x,y,group,alpha,xname,yname,gname,displayopt)` enables the graph and table displays when `displayopt` is 'on' (default) and suppresses those displays when `displayopt` is 'off'.

`aoctool(x,y,group,alpha,xname,yname,gname,displayopt,model)` specifies the initial model to fit. The value of `model` can be any of the following:

- 'same mean' — Fit a single mean, ignoring grouping
- 'separate means' — Fit a separate mean to each group
- 'same line' — Fit a single line, ignoring grouping
- 'parallel lines' — Fit a separate line to each group, but constrain the lines to be parallel
- 'separate lines' — Fit a separate line to each group, with no constraints

`h = aoctool(...)` returns a vector of handles to the line objects in the plot.

`[h,atab,ctab] = aoctool(...)` returns cell arrays containing the entries in ANOVA table (`atab`) and the table of coefficient estimates (`ctab`). (You can copy a text version of either table to the clipboard by using the Copy Text item on the **Edit** menu.)

`[h,atab,ctab,stats] = aoctool(...)` returns a `stats` structure that you can use to perform a follow-up multiple comparison test. The ANOVA table output includes tests of the hypotheses that the slopes or intercepts are all the same, against a general alternative that they are not all the same. Sometimes it is preferable to perform a test to determine which pairs of values are significantly different, and which are not. You can use the `multcompare` function to perform such tests by supplying the `stats` structure as input. You can test either the slopes, the intercepts, or population marginal means (the heights of the curves at the mean `x` value).

Example

This example illustrates how to fit different models non-interactively. After loading the smaller car data set and fitting a separate-slopes model, you can examine the coefficient estimates.

```
load carsmall
[h,a,c,s] = aocool(Weight,MPG,Model_Year,0.05,...
                  '',' ',' ','off','separate lines');
c(:,1:2)
ans =
  'Term'      'Estimate'
  'Intercept' [45.97983716833132]
  ' 70'       [-8.58050531454973]
  ' 76'       [-3.89017396094922]
  ' 82'       [12.47067927549897]
  'Slope'     [-0.00780212907455]
  ' 70'       [ 0.00195840368824]
  ' 76'       [ 0.00113831038418]
  ' 82'       [-0.00309671407243]
```

Roughly speaking, the lines relating MPG to Weight have an intercept close to 45.98 and a slope close to -0.0078. Each group's coefficients are offset from these values somewhat. For instance, the intercept for the cars made in 1970 is $45.98 - 8.58 = 37.40$.

Next, try a fit using parallel lines. (The ANOVA table shows that the parallel-lines fit is significantly worse than the separate-lines fit.)

```
[h,a,c,s] = aocool(Weight,MPG,Model_Year,0.05,...
                  '',' ',' ','off','parallel lines');
c(:,1:2)
ans =
  'Term'      'Estimate'
  'Intercept' [43.38984085130596]
  ' 70'       [-3.27948192983761]
  ' 76'       [-1.35036234809006]
```

```
' 82'      [ 4.62984427792768]  
'Slope'    [-0.00664751826198]
```

Again, there are different intercepts for each group, but this time the slopes are constrained to be the same.

See Also

`anova1`, `multcompare`, `polytool`

Purpose Bartlett's test

Syntax `ndim = barttest(X,alpha)`
`[ndim,prob,chisquare] = barttest(X,alpha)`

Description `ndim = barttest(X,alpha)` returns the number of dimensions necessary to explain the nonrandom variation in the data matrix X , using the significance probability α . The dimension is determined by a series of hypothesis tests. The test for `ndim=1` tests the hypothesis that the variances of the data values along each principal component are equal, the test for `ndim=2` tests the hypothesis that the variances along the second through last components are equal, and so on.

`[ndim,prob,chisquare] = barttest(X,alpha)` returns the number of dimensions, the significance values for the hypothesis tests, and the χ^2 values associated with the tests.

Example

```
X = mvnrnd([0 0],[1 0.99; 0.99 1],20);
X(:,3:4) = mvnrnd([0 0],[1 0.99; 0.99 1],20);
X(:,5:6) = mvnrnd([0 0],[1 0.99; 0.99 1],20);
[ndim, prob] = barttest(X,0.05)
ndim =
     3
prob =
     0
     0
     0
    0.5081
    0.6618
```

See Also `princomp`, `pcacov`, `pcares`

bbdesign

Purpose Box-Behnken design

Syntax
dBB = bbdesign(n)
[dBB,blocks] = bbdesign(n)
[...] = bbdesign(n,param1,val1,param2,val2,...)

Description dBB = bbdesign(n) generates a Box-Behnken design for n factors. n must be an integer 3 or larger. The output matrix dBB is m-by-n, where m is the number of runs in the design. Each row represents one run, with settings for all factors represented in the columns. Factor values are normalized so that the cube points take values between -1 and 1.

[dBB,blocks] = bbdesign(n) requests a blocked design. The output blocks is an m-by-1 vector of block numbers for each run. Blocks indicate runs that are to be measured under similar conditions to minimize the effect of inter-block differences on the parameter estimates.

[...] = bbdesign(n,param1,val1,param2,val2,...) specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Description	Values
'center'	Number of center points.	Integer. The default depends on n.
'blocksize'	Maximum number of points per block.	Integer. The default is Inf.

Example The following creates a 3-factor Box-Behnken design:

```
dBB = bbdesign(3)
dBB =
    -1    -1     0
    -1     1     0
     1    -1     0
```

```

1      1      0
-1     0     -1
-1     0      1
1      0     -1
1      0      1
0     -1     -1
0     -1      1
0      1     -1
0      1      1
0      0      0
0      0      0
0      0      0

```


The center point is run 3 times to allow for a more uniform estimate of the prediction variance over the entire design space.

Visualize the design as follows:

```

plot3(dBB(:,1),dBB(:,2),dBB(:,3),'ro',...
      'MarkerFaceColor','b')
X = [1 -1 -1 -1 1 -1 -1 -1 1 1 -1 -1; ...
     1 1 1 -1 1 1 1 -1 1 1 -1 -1];
Y = [-1 -1 1 -1 -1 -1 1 -1 1 -1 1 -1; ...
     1 -1 1 1 1 -1 1 1 1 -1 1 -1];
Z = [1 1 1 1 -1 -1 -1 -1 -1 -1 -1 -1; ...
     1 1 1 1 -1 -1 -1 -1 1 1 1 1];
line(X,Y,Z,'Color','b')
axis square equal

```



See Also

`ccdesign`

Purpose Beta cumulative distribution function

Syntax `p = betacdf(X,A,B)`

Description `p = betacdf(X,A,B)` computes the beta cdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `A` and `B` must all be positive, and the values in `X` must lie on the interval `[0,1]`.

The beta cdf for a given value `x` and given pair of parameters `a` and `b` is

$$p = F(x|a,b) = \frac{1}{B(a,b)} \int_0^x t^{a-1}(1-t)^{b-1} dt$$

where $B(\cdot)$ is the Beta function.

Examples

```
x = 0.1:0.2:0.9;
a = 2;
b = 2;
p = betacdf(x,a,b)
p =
    0.0280    0.2160    0.5000    0.7840    0.9720
```

```
a = [1 2 3];
p = betacdf(0.5,a,a)
p =
    0.5000    0.5000    0.5000
```

See Also `cdf`, `betapdf`, `betainv`, `betastat`, `betafit`, `betalike`, `betarnd`

betafit

Purpose Beta parameter estimates

Syntax
phat = betafit(data)
[phat,pci] = betafit(data,alpha)

Description phat = betafit(data) computes the maximum likelihood estimates of the beta distribution parameters a and b from the data in the vector data and returns a column vector containing the a and b estimates, where the beta cdf is given by

$$F(x|a,b) = \frac{1}{B(a,b)} \int_0^x t^{a-1} (1-t)^{b-1} dt$$

and $B(\cdot)$ is the Beta function. The elements of data must lie in the interval (0 1).

[phat,pci] = betafit(data,alpha) returns confidence intervals on the a and b parameters in the 2-by-2 matrix pci. The first column of the matrix contains the lower and upper confidence bounds for parameter a , and the second column contains the confidence bounds for parameter b . The optional input argument alpha is a value in the range [0 1] specifying the width of the confidence intervals. By default, alpha is 0.05, which corresponds to 95% confidence intervals.

Example This example generates 100 beta distributed observations. The true a and b parameters are 4 and 3, respectively. Compare these to the values returned in p by the beta fit. Note that the columns of ci both bracket the true parameters.

```
data = betarnd(4,3,100,1);  
[p,ci] = betafit(data,0.01)  
p =  
    3.9010    2.6193  
ci =  
    2.5244    1.7488  
    5.2776    3.4898
```


Reference

[1] Hahn, Gerald J., and Shapiro, Samuel S., *Statistical Models in Engineering*. John Wiley & Sons, 1994. p. 95.

See Also

mle, betalike, betapdf, betacdf, betainv, betastat, betarnd

betainv

Purpose Beta inverse cumulative distribution function

Syntax `X = betainv(P,A,B)`

Description `X = betainv(P,A,B)` computes the inverse of the beta cdf with parameters specified by A and B for the corresponding probabilities in P. P, A, and B can be vectors, matrices, or multidimensional arrays that are all the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in A and B must all be positive, and the values in P must lie on the interval [0, 1].

The inverse beta cdf for a given probability p and a given pair of parameters a and b is

$$x = F^{-1}(p|a, b) = \{x: F(x|a, b) = p\}$$

where

$$p = F(x|a, b) = \frac{1}{B(a, b)} \int_0^x t^{a-1} (1-t)^{b-1} dt$$

and $B(\cdot)$ is the Beta function. Each element of output X is the value whose cumulative probability under the beta cdf defined by the corresponding parameters in A and B is specified by the corresponding value in P.

Algorithm The `betainv` function uses Newton's method with modifications to constrain steps to the allowable range for x , i.e., [0 1].

Examples

```
p = [0.01 0.5 0.99];  
x = betainv(p,10,5)  
x =  
0.3726 0.6742 0.8981
```

According to this result, for a beta cdf with $a = 10$ and $b = 5$, a value less than or equal to 0.3726 occurs with probability 0.01. Similarly, values less than or equal to 0.6742 and 0.8981 occur with respective probabilities 0.5 and 0.99.

See Also `icdf`, `betacdf`, `betapdf`, `betastat`, `betafit`, `betalike`, `betarnd`

betalike

Purpose Beta negative log-likelihood

Syntax
`nlogL = betalike(params,data)`
`[nlogL,AVAR] = betalike(params,data)`

Description `nlogL = betalike(params,data)` returns the negative of the beta log-likelihood function for the beta parameters a and b specified in vector `params` and the observations specified in the column vector `data`. The length of `nlogL` is the length of `data`.

`[nlogL,AVAR] = betalike(params,data)` also returns `AVAR`, which is the asymptotic variance-covariance matrix of the parameter estimates if the values in `params` are the maximum likelihood estimates. `AVAR` is the inverse of Fisher's information matrix. The diagonal elements of `AVAR` are the asymptotic variances of their respective parameters.

`betalike` is a utility function for maximum likelihood estimation of the beta distribution. The likelihood assumes that all the elements in the data sample are mutually independent. Since `betalike` returns the negative beta log-likelihood function, minimizing `betalike` using `fminsearch` is the same as maximizing the likelihood.

Example This example continues the `betafit` example, which calculates estimates of the beta parameters for some randomly generated beta distributed data.

```
r = betarnd(4,3,100,1);
[nlogl,AVAR] = betalike(betafit(r),r)
nlogl =
    -39.1615
AVAR =
    0.3717    0.2644
    0.2644    0.2414
```

See Also `betafit`, `betapdf`, `betacdf`, `betainv`, `betastat`, `betarnd`

Purpose Beta probability density function

Syntax `Y = betapdf(X,A,B)`

Description `Y = betapdf(X,A,B)` computes the beta pdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions of the other inputs. The parameters in `A` and `B` must all be positive, and the values in `X` must lie on the interval `[0, 1]`.

The beta probability density function for a given value x and given pair of parameters a and b is

$$y = f(x|a, b) = \frac{1}{B(a, b)} x^{a-1} (1-x)^{b-1} I_{(0,1)}(x)$$

where $B(\cdot)$ is the Beta function. The indicator function $I_{(0,1)}(x)$ ensures that only values of x in the range $(0, 1)$ have nonzero probability. The uniform distribution on $(0, 1)$ is a degenerate case of the beta pdf where $a = 1$ and $b = 1$.

A *likelihood function* is the pdf viewed as a function of the parameters. Maximum likelihood estimators (MLEs) are the values of the parameters that maximize the likelihood function for a fixed value of x .

Examples

```
a = [0.5 1; 2 4]
a =
    0.5000    1.0000
    2.0000    4.0000
y = betapdf(0.5,a,a)
y =
    0.6366    1.0000
    1.5000    2.1875
```

See Also pdf, betacdf, betainv, betastat, betafit, betalike, betarnd

betarnd

Purpose Beta random numbers

Syntax

```
R = betarnd(A,B)
R = betarnd(A,B,v)
R = betarnd(A,B,m,n)
R = betarnd(A,B,m,n,o,...)
```

Description

`R = betarnd(A,B)` generates random numbers from the beta distribution with parameters specified by `A` and `B`. `A` and `B` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `R`. A scalar input for `A` or `B` is expanded to a constant array with the same dimensions as the other input.

`R = betarnd(A,B,v)` generates an array `R` of size `v` containing random numbers from the beta distribution with parameters `A` and `B`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = betarnd(A,B,m,n)` generates an `m`-by-`n` matrix containing random numbers from the beta distribution with parameters `A` and `B`.

`R = betarnd(A,B,m,n,o,...)` generates an `m`-by-`n`-by-`o`-by-... multidimensional array containing random numbers from the beta distribution with parameters `A` and `B`.

Example

```
a = [1 1;2 2];
b = [1 2;1 2];

r = betarnd(a,b)
r =
    0.6987    0.6139
    0.9102    0.8067

r = betarnd(10,10,[1 5])
r =
    0.5974    0.4777    0.5538    0.5465    0.6327

r = betarnd(4,2,2,3)
```

```
r =  
0.3943  0.6101  0.5768  
0.5990  0.2760  0.5474
```

See Also

random, betapdf, betacdf, betainv, betastat, betafit, betalike

betastat

Purpose Beta mean and variance

Syntax [M,V] = betastat(A,B)

Description [M,V] = betastat(A,B), with A>0 and B>0, returns the mean of and variance for the beta distribution with parameters specified by A and B. A and B can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of M and V. A scalar input for A or B is expanded to a constant array with the same dimensions as the other input.

The mean of the beta distribution with parameters a and b is $a/(a+b)$ and the variance is

$$\frac{ab}{(a+b+1)(a+b)^2}$$

Examples If parameters a and b are equal, the mean is 1/2.

```
a = 1:6;
[m,v] = betastat(a,a)
m =
    0.5000    0.5000    0.5000    0.5000    0.5000    0.5000
v =
    0.0833    0.0500    0.0357    0.0278    0.0227    0.0192
```

See Also betapdf, betacdf, betainv, betafit, betalike, betarnd

Purpose Binomial cumulative distribution function

Syntax `Y = binocdf(X,N,P)`

Description `Y = binocdf(X,N,P)` computes a binomial cdf at each of the values in X using the corresponding parameters in N and P . X , N , and P can be vectors, matrices, or multidimensional arrays that are all the same size. A scalar input is expanded to a constant array with the same dimensions of the other inputs. The values in N must all be positive integers, the values in X must lie on the interval $[0, N]$, and the values in P must lie on the interval $[0, 1]$.

The binomial cdf for a given value x and a given pair of parameters n and p is

$$y = F(x|n, p) = \sum_{i=0}^x \binom{n}{i} p^i q^{(n-i)} I_{(0, 1, \dots, n)}(i)$$

The result, y , is the probability of observing up to x successes in n independent trials, where the probability of success in any given trial is p . The indicator function $I_{(0, 1, \dots, n)}(i)$ ensures that x only adopts values of $0, 1, \dots, n$.

Examples If a baseball team plays 162 games in a season and has a 50-50 chance of winning any game, then the probability of that team winning more than 100 games in a season is:

```
1 - binocdf(100,162,0.5)
```

The result is 0.001 (i.e., $1 - 0.999$). If a team wins 100 or more games in a season, this result suggests that it is likely that the team's true probability of winning any game is greater than 0.5.

See Also `cdf`, `binopdf`, `binoinv`, `binostat`, `binofit`, `binornd`

binofit

Purpose

Binomial parameter estimates

Syntax

```
phat = binofit(x,n)
[phat,pci] = binofit(x,n)
[phat,pci] = binofit(x,n,alpha)
```

Description

`phat = binofit(x,n)` returns a maximum likelihood estimate of the probability of success in a given binomial trial based on the number of successes, x , observed in n independent trials. If $x = (x(1), x(2), \dots, x(k))$ is a vector, `binofit` returns a vector of the same size as x whose i th entry is the parameter estimate for $x(i)$. All k estimates are independent of each other. If $n = (n(1), n(2), \dots, n(k))$ is a vector of the same size as x , the binomial fit, `binofit`, returns a vector whose i th entry is the parameter estimate based on the number of successes $x(i)$ in $n(i)$ independent trials. A scalar value for x or n is expanded to the same size as the other input.

`[phat,pci] = binofit(x,n)` returns the probability estimate, `phat`, and the 95% confidence intervals, `pci`.

`[phat,pci] = binofit(x,n,alpha)` returns the $100(1 - \text{alpha})\%$ confidence intervals. For example, $\text{alpha} = 0.01$ yields 99% confidence intervals.

Note `binofit` behaves differently than other Statistics Toolbox™ functions that compute parameter estimates, in that it returns independent estimates for each entry of x . By comparison, `expfit` returns a single parameter estimate based on all the entries of x .

Unlike most other distribution fitting functions, the `binofit` function treats its input x vector as a collection of measurements from separate samples. If you want to treat x as a single sample and compute a single parameter estimate for it, you can use `binofit(sum(x),sum(n))` when n is a vector, and `binofit(sum(X),N*length(X))` when n is a scalar.

Example

This example generates a binomial sample of 100 elements, where the probability of success in a given trial is 0.6, and then estimates this probability from the outcomes in the sample.

```
r = binornd(100,0.6);  
[phat,pci] = binofit(r,100)  
phat =  
    0.5800  
pci =  
    0.4771    0.6780
```

The 95% confidence interval, pci, contains the true value, 0.6.

Reference

[1] Johnson, N. L., S. Kotz, and A. W. Kemp, *Univariate Discrete Distributions*, 2nd edition, Wiley, 1992, pp. 124-130.

See Also

mle, binopdf, binocdf, binoinv, binostat, binornd

binoinv

Purpose Binomial inverse cumulative distribution function

Syntax `X = binoinv(Y,N,P)`

Description `X = binoinv(Y,N,P)` returns the smallest integer X such that the binomial cdf evaluated at X is equal to or exceeds Y . You can think of Y as the probability of observing X successes in N independent trials where P is the probability of success in each trial. Each X is a positive integer less than or equal to N .

Y , N , and P can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in N must be positive integers, and the values in both P and Y must lie on the interval $[0\ 1]$.

Examples If a baseball team has a 50-50 chance of winning any game, what is a reasonable range of games this team might win over a season of 162 games?

```
binoinv([0.05 0.95],162,0.5)
ans =
    71    91
```

This result means that in 90% of baseball seasons, a .500 team should win between 71 and 91 games.

See Also `icdf`, `binocdf`, `binopdf`, `binostat`, `binofit`, `binornd`

Purpose Binomial probability density function

Syntax `Y = binopdf(X,N,P)`

Description `Y = binopdf(X,N,P)` computes the binomial pdf at each of the values in `X` using the corresponding parameters in `N` and `P`. `Y`, `N`, and `P` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions of the other inputs.

The parameters in `N` must be positive integers, and the values in `P` must lie on the interval $[0, 1]$.

The binomial probability density function for a given value x and given pair of parameters n and p is

$$y = f(x|n, p) = \binom{n}{x} p^x q^{(n-x)} I_{(0, 1, \dots, n)}(x)$$

where $q = 1 - p$. The result, y , is the probability of observing x successes in n independent trials, where the probability of success in any *given* trial is p . The indicator function $I_{(0,1,\dots,n)}(x)$ ensures that x only adopts values of $0, 1, \dots, n$.

Examples

A Quality Assurance inspector tests 200 circuit boards a day. If 2% of the boards have defects, what is the probability that the inspector will find no defective boards on any given day?

```
binopdf(0,200,0.02)
ans =
    0.0176
```

What is the most likely number of defective boards the inspector will find?

```
defects=0:200;
y = binopdf(defects,200,.02);
[x,i]=max(y);
defects(i)
```

binopdf

```
ans =  
4
```

See Also

pdf, binocdf, binoinv, binostat, binofit, binornd

Purpose Binomial random numbers

Syntax

```
R = binornd(N,P)
R = binornd(N,P,v)
R = binornd(N,p,m,n)
```

Description

`R = binornd(N,P)` generates random numbers from the binomial distribution with parameters specified by `N` and `P`. `N` and `P` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `R`. A scalar input for `N` or `P` is expanded to a constant array with the same dimensions as the other input.

`R = binornd(N,P,v)` generates an array `R` of size `v` containing random numbers from the binomial distribution with parameters `N` and `P`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = binornd(N,p,m,n)` generates an `m`-by-`n` matrix containing random numbers from the binomial distribution with parameters `N` and `P`.

Algorithm The `binornd` function uses the direct method using the definition of the binomial distribution as a sum of Bernoulli random variables.

Example

```
n = 10:10:60;

r1 = binornd(n,1./n)
r1 =
     2     1     0     1     1     2

r2 = binornd(n,1./n,[1 6])
r2 =
     0     1     2     1     3     1

r3 = binornd(n,1./n,1,6)
r3 =
     0     1     1     1     0     3
```

binornd

See Also

random, binopdf, binocdf, binoinv, binostat, binofit

Purpose Binomial mean and variance

Syntax `[M,V] = binostat(N,P)`

Description `[M,V] = binostat(N,P)` returns the mean of and variance for the binomial distribution with parameters specified by `N` and `P`. `N` and `P` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `M` and `V`. A scalar input for `N` or `P` is expanded to a constant array with the same dimensions as the other input.

The mean of the binomial distribution with parameters n and p is np . The variance is npq , where $q = 1-p$.

Examples

```
n = logspace(1,5,5)
n =
    10    100   1000  10000 100000

[m,v] = binostat(n,1./n)
m =
    1    1    1    1    1
v =
    0.9000  0.9900  0.9990  0.9999  1.0000

[m,v] = binostat(n,1/2)
m =
    5    50   500  5000 50000
v =
    1.0e+04 *
    0.0003  0.0025  0.0250  0.2500  2.5000
```

See Also `binopdf`, `binocdf`, `binoinv`, `binofit`, `binornd`

biplot

Purpose

Biplot

Syntax

```
biplot(coefs)
biplot(coefs,...,'Scores',scores)
biplot(coefs,...,'VarLabels',varlabels)
biplot(coefs,...,'Scores',scores,'ObsLabels',obslabels)
biplot(coefs,...,PropertyName,PropertyValue,...)
h = biplot(coefs,...)
```

Description

`biplot(coefs)` creates a biplot of the coefficients in the matrix `coefs`. The biplot is two-dimensional if `coefs` has two columns or three-dimensional if it has three columns. `coefs` usually contains principal component coefficients created with `princomp`, `pcacov`, or factor loadings estimated with `factoran`. The axes in the biplot represent the principal components or latent factors (columns of `coefs`), and the observed variables (rows of `coefs`) are represented as vectors.

`biplot(coefs,...,'Scores',scores)` plots both `coefs` and the scores in the matrix `scores` in the biplot. `scores` usually contains principal component scores created with `princomp` or factor scores estimated with `factoran`. Each observation (row of `scores`) is represented as a point in the biplot.

A biplot allows you to visualize the magnitude and sign of each variable's contribution to the first two or three principal components, and how each observation is represented in terms of those components.

`biplot` imposes a sign convention, forcing the element with largest magnitude in each column of `coefs` to be positive.

`biplot(coefs,...,'VarLabels',varlabels)` labels each vector (variable) with the text in the character array or cell array `varlabels`.

`biplot(coefs,...,'Scores',scores,'ObsLabels',obslabels)` uses the text in the character array or cell array `obslabels` as observation names when displaying data cursors.

`biplot(coefs,...,PropertyName,PropertyValue,...)` sets properties to the specified property values for all line graphics objects created by `biplot`.

`h = biplot(coefs,...)` returns a column vector of handles to the graphics objects created by `biplot`. The `h` contains, in order, handles corresponding to variables (line handles, followed by marker handles, followed by text handles), to observations (if present, marker handles followed by text handles), and to the axis lines.

Example

Perform a principal component analysis of the data in `carsmall.mat`:


```
load carsmall
x = [Acceleration Displacement Horsepower MPG Weight];
x = x(all(~isnan(x),2),:);

[coefs,score] = princomp(zscore(x));
```

View the data and the original variables in the space of the first three principal components:

```
vb1s = {'Accel','Disp','HP','MPG','Wgt'};
biplot(coefs(:,1:3),'scores',score(:,1:3),...
       'varlabels',vb1s);
```

biplot



See Also

factoran, princomp, pcacov, rotatefactors

Purpose

Bootstrap confidence interval

Syntax

```
ci = bootci(nboot,bootfun,...)
ci = bootci(nboot,{bootfun,...},'alpha',alpha)
ci = bootci(nboot,{bootfun,...},...,'type',type)
ci = bootci(nboot,{bootfun,...},...,'type','student',
  'nbootstd',nbootstd)
ci = bootci(nboot,{bootfun,...},...,'type','student','stderr',
  stderr)
```

Description

`ci = bootci(nboot,bootfun,...)` computes the 95% BCa bootstrap confidence interval of the statistic computed by the function `bootfun`. `nboot` is a positive integer indicating the number of bootstrap samples used in the computation. `bootfun` is a function handle. Additional input arguments to `bootci` are passed as data inputs to `bootfun`. Data inputs are scalars, column vectors, or matrices; vectors and matrices must have the same number of rows. Scalar data inputs are passed to `bootfun` unchanged. Rows of non-scalar data inputs are used to create bootstrap samples. `ci` is a vector containing the lower and upper bounds of the confidence interval.

`ci = bootci(nboot,{bootfun,...},'alpha',alpha)` computes the $100*(1-\alpha)\%$ BCa bootstrap confidence interval of the statistic defined by the function `bootfun`. `alpha` is a scalar between 0 and 1. The default value of `alpha` is 0.05.

`ci = bootci(nboot,{bootfun,...},...,'type',type)` computes the bootstrap confidence interval of the statistic defined by the function `bootfun`. `type` is the confidence interval type, chosen from among the following strings:

- 'normal' — Normal approximated interval with bootstrapped bias and standard error.
- 'per' — Basic percentile method.
- 'cper' — Bias corrected percentile method.

- 'bca' — Bias corrected and accelerated percentile method. This is the default.
- 'student' — Studentized confidence interval.

```
ci =  
bootci(nboot,{bootfun,...},...,'type','student','nbootstd',nbootstd)  
computes the studentized bootstrap confidence interval of the statistic  
defined by the function bootfun. The standard error of the  
bootstrap statistics is estimated using bootstrap, with nbootstd  
bootstrap data samples. nbootstd is a positive integer value.  
The default value of nbootstd is 100.
```

```
ci =  
bootci(nboot,{bootfun,...},...,'type','student','stderr',stderr)  
computes the studentized bootstrap confidence interval of statistics  
defined by the function bootfun. The standard error of the bootstrap  
statistics is evaluated by the function stderr. stderr is a function  
handle. stderr takes the same arguments as bootfun and returns the  
standard error of the statistic computed by bootfun.
```

Example

Compute the confidence interval for the capability index in statistical process control:

```
y = normrnd(1,1,30,1); % Simulated process data  
LSL = -3; USL = 3; % Process specifications  
capable = @(x)(USL-LSL)./(6* std(x)); % Process capability  
ci = bootci(2000,capable,y) % BCa confidence interval  
ci =  
    0.8122  
    1.2657  
  
sci = bootci(2000,{capable,y},'type','student') % Studentized ci  
sci =  
    0.7739  
    1.2707
```


See Also

bootstrp, jackknife

Purpose	Bootstrap sampling
Syntax	<pre>bootstat = bootstrap(nboot,bootfun,d1,...) [bootstat,bootsam] = bootstrap(...)</pre>
Description	<p><code>bootstat = bootstrap(nboot,bootfun,d1,...)</code> draws <code>nboot</code> bootstrap data samples, computes statistics on each sample using <code>bootfun</code>, and returns the results in the matrix <code>bootstat</code>. <code>nboot</code> must be a positive integer. <code>bootfun</code> is a function handle specified with <code>@</code>. Each row of <code>bootstat</code> contains the results of applying <code>bootfun</code> to one bootstrap sample. If <code>bootfun</code> returns a matrix or array, then this output is converted to a row vector for storage in <code>bootstat</code>.</p> <p>The third and later input arguments (<code>d1, ...</code>) are data (scalars, column vectors, or matrices) used to create inputs to <code>bootfun</code>. <code>bootstrap</code> creates each bootstrap sample by sampling with replacement from the rows of the non-scalar data arguments (these must have the same number of rows). <code>bootfun</code> accepts scalar data unchanged.</p> <p><code>[bootstat,bootsam] = bootstrap(...)</code> returns an <code>n</code>-by-<code>nboot</code> matrix of bootstrap indices, <code>bootsam</code>. Each column in <code>bootsam</code> contains indices of the values that were drawn from the original data sets to constitute the corresponding bootstrap sample. For example, if <code>d1, ...</code> each contain 16 values, and <code>nboot = 4</code>, then <code>bootsam</code> is a 16-by-4 matrix. The first column contains the indices of the 16 values drawn from <code>d1, ...</code>, for the first of the four bootstrap samples, the second column contains the indices for the second of the four bootstrap samples, and so on. (The bootstrap indices are the same for all input data sets.) To get the output samples <code>bootsam</code> without applying a function, set <code>bootfun</code> to empty (<code>[]</code>).</p>
Examples	<p>Bootstrapping a Correlation Coefficient Standard Error</p> <p>Load a data set containing the LSAT scores and law-school GPA for 15 students. These 15 data points are resampled to create 1000 different data sets, and the correlation between the two variables is computed for each data set.</p>

bootstrap

```
load lawdata
[bootstat,bootsam] = bootstrap(1000,@corr,lsat,gpa);
```



The histogram shows the variation of the correlation coefficient across all the bootstrap samples. The sample minimum is positive, indicating that the relationship between LSAT score and GPA is not accidental.

Finally, compute a bootstrap standard of error for the estimated correlation coefficient.

```
se = std(bootstat)
se =
    0.1327
```

Display the first 5 bootstrapped correlation coefficients.

```
bootstat(1:5,:)
ans =
    0.6600
    0.7969
    0.5807
    0.8766
    0.9197
```

Display the indices of the data selected for the first 5 bootstrap samples.

```
bootsam(:,1:5)
ans =
     9     8    15    11    15
```




```
14    7    6    7    14
 4    6   10    3   11
 3   10   11    9    2
15    4   13    4   14
 9    4    5    2   10
 8    5    4    3   13
 1    9    1   15   11
10    8    6   12    3
 1    4    5    2    8
 1    1   10    6    2
 3   10   15   10    8
14    6   10    3    8
13   12    1    2    4
12    6    4    9    8
```

```
hist(bootstat)
```

Estimating the Density of Bootstrapped Statistic

Compute a sample of 100 bootstrapped means of random samples taken from the vector Y, and plot an estimate of the density of these bootstrapped means:


```
y = exprnd(5,100,1);
m = bootstrp(100,@mean,y);
[fi,xi] = ksdensity(m);
plot(xi,fi);
```



Bootstrapping More Than One Statistic

Compute a sample of 100 bootstrapped means and standard deviations of random samples taken from the vector Y, and plot the bootstrap estimate pairs:

```
y = exprnd(5,100,1);  
stats = bootstrap(100,@(x)[mean(x) std(x)],y);  
plot(stats(:,1),stats(:,2),'o')
```



Bootstrapping a Regression Model

Estimate the standard errors for a coefficient vector in a linear regression by bootstrapping residuals:

```
load hald
x = [ones(size(heat)),ingredients];
y = heat;
b = regress(y,x);
yfit = x*b;
resid = y - yfit;
se = std(bootstrp(...
    1000,@(bootr)regress(yfit+bootr,x),resid));
```

boundary

Purpose Piecewise distribution boundaries

Class @piecewisedistribution

Syntax
[p,q] = boundary(obj)
[p,q] = boundary(obj,i)

Description [p,q] = boundary(obj) returns the boundary points between segments of the piecewise distribution object obj. p is a vector of cumulative probabilities at each boundary. q is a vector of quantiles at each boundary.

[p,q] = boundary(obj,i) returns p and q for the *i*th boundary.

Example Fit Pareto tails to a *t* distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);  
obj = paretotails(t,0.1,0.9);  
[p,q] = boundary(obj)  
p =  
    0.1000  
    0.9000  
q =  
   -1.7766  
    1.8432
```

See Also paretotails, cdf, icdf, nsegments

Purpose Box plot

Syntax

```

boxplot(X)
boxplot(x,group)
boxplot(...,param1,va11,param2,va12,...)
boxplot(h,...)
H = boxplot(...)

```

Description `boxplot(X)` produces a box and whisker plot for each column of the matrix `X`. The box has lines at the lower quartile, median, and upper quartile values. Whiskers extend from each end of the box to the adjacent values in the data; by default, the most extreme values within 1.5 times the interquartile range from the ends of the box. Outliers are data with values beyond the ends of the whiskers. Outliers are displayed with a red + sign.

`boxplot(x,group)` produces a box and whisker plot for the vector `x` grouped by the grouping variable `group`. `group` is a categorical variable, vector, string matrix, or cell array of strings. (See “Grouped Data” on page 2-33.) `group` can also be a cell array of several grouping variables (such as `{g1 g2 g3}`) to group the values in `x` by each unique combination of grouping variable values.

`boxplot(...,param1,va11,param2,va12,...)` specifies optional parameter name/value pairs, as described in the following table.

Name	Value
'colors'	A string, such as 'bgry', or a three-column matrix of box colors. Letters in the string specify colors, as described in <code>LineStyle</code> . Each box (outline, median line, and whiskers) is drawn in the corresponding color. The default is to draw all boxes with blue outline, red median, and black whiskers. Colors are reused in the same order if necessary.

boxplot

Name	Value
'grouporder'	When the grouping variable G is given, a character array or cell array of group names, specifying the ordering of the groups in G. Ignored when G is not given.
'labels'	Character array or cell array of strings containing column labels (used only if X is a matrix and the default label is the column number).
'notch'	'on' to include notches (default is 'off'). Ignored if 'plotstyle' is 'compact'.
'orientation'	Box orientation. Values are 'vertical' (the default) or 'horizontal'.
'plotstyle'	'compact' to render boxes compactly for many groups. 'notch' and 'width' parameters are not used with this style, and outliers default to circular markers jittered to reduce overlap. 'traditional' produces the default style.
'positions'	A numeric vector of box positions. The default is 1:n.
'symbol'	Symbol to use for outliers (default is 'r+'). See LineSpec for a description of symbols.
'whisker'	Maximum whisker length in units of interquartile range (default is 1.5).
'widths'	A numeric vector of box widths. The default is 0.5, or slightly smaller for fewer than three boxes. Widths are reused if necessary. Ignored if 'plotstyle' is 'compact'.

Notches display the variability of the median between samples. The width of a notch is computed so that box plots whose notches do not overlap have different medians at the 5% significance level. The significance level is based on a normal distribution assumption, but comparisons of medians are reasonably robust for other distributions.

Comparing box plot medians is like a visual hypothesis test, analogous to the t test used for means.

Whiskers extend from the box out to the most extreme data value within $\text{whis} \cdot \text{iqr}$, where whis is the value of the 'whisker' parameter and iqr is the interquartile range of the sample.

`boxplot(h, ...)` plots into the axes with handle h .

`H = boxplot(...)` returns a matrix H of handles to the lines in the box plot. H contains one column for each box. Each column contains seven handles corresponding to:

- 1** The upper whisker
- 2** The lower whisker
- 3** The upper adjacent value
- 4** The lower adjacent value
- 5** The box
- 6** The median
- 7** The outliers


Examples

Example 1

Create a box plot of car mileage grouped by country:

```
load carsmall
boxplot(MPG, Origin)
```


boxplot



Example 2

Create notched box plots for two groups of sample data:

```
x1 = normrnd(5,1,100,1);  
x2 = normrnd(6,1,100,1);  
boxplot([x1,x2], 'notch', 'on')
```





The difference between the medians of the two groups is approximately 1. Since the notches in the box plot do not overlap, you can conclude, with 95% confidence, that the true medians do differ.

The following figure shows the box plot for the same data with the length of the whiskers specified as 1.0 times the interquartile range. Points beyond the whiskers are displayed using +.

```
boxplot([x1,x2], 'notch', 'on', 'whisker', 1)
```

boxplot



Example 3

A 'plotstyle' of 'compact' is useful for large numbers of groups:



```
X = randn(100,25);
```

```
subplot(2,1,1)
```

```
boxplot(X)
```

```
subplot(2,1,2)
```

```
boxplot(X,'plotstyle','compact')
```



References

- [1] McGill, R., J. W. Tukey, and W. A. Larsen, "Variations of Boxplots," *The American Statistician*, Vol. 32, 1978, pp.12-16.
- [2] Velleman, P.F., and D.C. Hoaglin, *Applications, Basics, and Computing of Exploratory Data Analysis*, Duxbury Press, 1981.
- [3] Nelson, L. S., "Evaluating Overlapping Confidence Intervals," *Journal of Quality Technology*, Vol. 21, 1989, pp. 140-141.

See Also

anova1, kruskalwallis, multcompare

Purpose Candidate set row exchange

Syntax
`treatments = candexch(C, nruns)`
`treatments = candexch(..., param1, val1, param2, val2, ...)`

Description `treatments = candexch(C, nruns)` uses a row-exchange algorithm to select treatments from a candidate design matrix `C` to produce a *D*-optimal design with `nruns` runs. The columns of `C` represent model terms evaluated at candidate treatments. `treatments` is a vector of length `nruns` giving indices of the rows in `C` used in the *D*-optimal design. The function selects a starting design at random.

`treatments = candexch(..., param1, val1, param2, val2, ...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'display'	Either 'on' or 'off' to control display of the iteration counter. The default is 'on'.
'init'	Initial design as an <i>nruns</i> -by- <i>p</i> matrix, where <i>p</i> is the number of model terms. The default is a random subset of the rows of <code>C</code> .
'maxiter'	Maximum number of iterations. The default is 10.
'start'	A matrix of treatments as a <i>nobs</i> -by- <i>p</i> matrix, where <i>p</i> is the number of model terms, specifying a set of <i>nobs</i> fixed treatments to include in the design. The default matrix is empty. <code>candexch</code> finds <i>nruns</i> - <i>nobs</i> additional rows to add to the 'start' design. The parameter provides the same functionality as the <code>daugment</code> function, using a row-exchange algorithm rather than a coordinate-exchange algorithm.
'tries'	Number of times to try to generate a design from a new starting point. The algorithm uses random points for each try, except possibly the first. The default is 1.

Note The rowexch function automatically generates a candidate set using candgen, and then creates a D -optimal design from that candidate set using candexch. Call candexch separately to specify your own candidate set to the row-exchange algorithm.

Example

The following example uses rowexch to generate a five-run design for a two-factor pure quadratic model using a candidate set that is produced internally:

```
dRE1 = rowexch(2,5,'purequadratic','tries',10)
dRE1 =
    -1     1
     0     0
     1    -1
     1     0
     1     1
```

The same thing can be done using candgen and candexch in sequence:

```
[dC,C] = candgen(2,'purequadratic') % Candidate set
dC =
    -1    -1
     0    -1
     1    -1
    -1     0
     0     0
     1     0
    -1     1
     0     1
     1     1
C =
     1    -1    -1     1     1
     1     0    -1     0     1
     1     1    -1     1     1
     1    -1     0     1     0
```

```
      1     0     0     0     0
      1     1     0     1     0
      1    -1     1     1     1
      1     0     1     0     1
      1     1     1     1     1
treatments = candexch(C,5,'tries',10) % D-opt subset
treatments =
      2
      1
      7
      3
      4
dRE2 = dC(treatments,:) % Display design
dRE2 =
      0     -1
     -1     -1
     -1      1
      1     -1
     -1      0
```

You can replace C in this example with a design matrix evaluated at your own candidate set. For example, suppose your experiment is constrained so that the two factors cannot have extreme settings simultaneously. The following produces a restricted candidate set:

```
constraint = sum(abs(dC),2) < 2; % Feasible treatments
my_dC = dC(constraint,:)
my_dC =
      0     -1
     -1      0
      0      0
      1      0
      0      1
```

Use the x2fx function to convert the candidate set to a design matrix:

```
my_C = x2fx(my_dC,'purequadratic')
my_C =
```

```

1    0   -1    0    1
1   -1    0    1    0
1    0    0    0    0
1    1    0    1    0
1    0    1    0    1

```

Find the required design in the same manner:

```

my_treatments = candexch(my_C,5,'tries',10) % D-opt subset
my_treatments =
    2
    4
    5
    1
    3
my_dRE = my_dC(my_treatments,:) % Display design
my_dRE =
   -1    0
    1    0
    0    1
    0   -1
    0    0

```

See Also

candgen, rowexch, cordexch, daugment, x2fx

Purpose Candidate set generation

Syntax
`dC = candgen(nfactors,model)`
`[dC,C] = candgen(nfactors,model)`
`[...] = candgen(...,param1,val1,param2,val2,...)`

Description `dC = candgen(nfactors,model)` generates a candidate set `dC` of treatments appropriate for estimating the parameters in the `model` with `nfactors` factors. `dC` has `nfactors` columns and one row for each candidate treatment. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

Alternatively, `model` can be a matrix specifying polynomial terms of arbitrary order. In this case, `model` should have one column for each factor and one row for each term in the model. The entries in any row of `model` are powers for the factors in the columns. For example, if a model has factors `X1`, `X2`, and `X3`, then a row `[0 1 2]` in `model` specifies the term $(X1.^0) .* (X2.^1) .* (X3.^2)$. A row of all zeros in `model` specifies a constant term, which can be omitted.

`[dC,C] = candgen(nfactors,model)` also returns the design matrix `C` evaluated at the treatments in `dC`. The order of the columns of `C` for a full quadratic model with `n` terms is:

- 1 The constant term
- 2 The linear terms in order 1, 2, ..., n
- 3 The interaction terms in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n)
- 4 The squared terms in order 1, 2, ..., n

Other models use a subset of these terms, in the same order.

Pass `C` to `candexch` to generate a D -optimal design using a coordinate-exchange algorithm.

`[...] = candgen(...,param1,val1,param2,val2,...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'bounds'	Lower and upper bounds for each factor, specified as a 2-by-nfactors matrix. Alternatively, this value can be a cell array containing nfactors elements, each element specifying the vector of allowable values for the corresponding factor.
'categorical'	Indices of categorical predictors.
'levels'	Vector of number of levels for each factor.

Note The `rowexch` function automatically generates a candidate set using `candgen`, and then creates a D -optimal design from that candidate set using `candexch`. Call `candexch` separately to specify your own candidate set to the row-exchange algorithm.

Example

The following example uses `rowexch` to generate a five-run design for a two-factor pure quadratic model using a candidate set that is produced internally:

```
dRE1 = rowexch(2,5,'purequadratic','tries',10)
dRE1 =
    -1     1
     0     0
     1    -1
     1     0
     1     1
```

The same thing can be done using candgen and candexch in sequence:

```
[dC,C] = candgen(2,'purequadratic') % Candidate set, C
dC =
    -1    -1
     0    -1
     1    -1
    -1     0
     0     0
     1     0
    -1     1
     0     1
     1     1
C =
     1    -1    -1     1     1
     1     0    -1     0     1
     1     1    -1     1     1
     1    -1     0     1     0
     1     0     0     0     0
     1     1     0     1     0
     1    -1     1     1     1
     1     0     1     0     1
     1     1     1     1     1
treatments = candexch(C,5,'tries',10) % Find D-opt subset
treatments =
     2
     1
     7
     3
     4
dRE2 = dC(treatments,:) % Display design
dRE2 =
     0    -1
    -1    -1
    -1     1
     1    -1
    -1     0
```

See Also

candexch, rowexch

Purpose Canonical correlation

Syntax
[A,B] = canoncorr(X,Y)
[A,B,r] = canoncorr(X,Y)
[A,B,r,U,V] = canoncorr(X,Y)
[A,B,r,U,V,stats] = canoncorr(X,Y)

Description [A,B] = canoncorr(X,Y) computes the sample canonical coefficients for the n-by-d1 and n-by-d2 data matrices X and Y. X and Y must have the same number of observations (rows) but can have different numbers of variables (columns). A and B are d1-by-d and d2-by-d matrices, where $d = \min(\text{rank}(X), \text{rank}(Y))$. The jth columns of A and B contain the canonical coefficients, i.e., the linear combination of variables making up the jth canonical variable for X and Y, respectively. Columns of A and B are scaled to make the covariance matrices of the canonical variables the identity matrix (see U and V below). If X or Y is less than full rank, canoncorr gives a warning and returns zeros in the rows of A or B corresponding to dependent columns of X or Y.

[A,B,r] = canoncorr(X,Y) also returns a 1-by-d vector containing the sample canonical correlations. The jth element of r is the correlation between the jth columns of U and V (see below).

[A,B,r,U,V] = canoncorr(X,Y) also returns the canonical variables, scores. U and V are n-by-d matrices computed as

$$U = (X - \text{repmat}(\text{mean}(X), N, 1)) * A$$
$$V = (Y - \text{repmat}(\text{mean}(Y), N, 1)) * B$$

[A,B,r,U,V,stats] = canoncorr(X,Y) also returns a structure stats containing information relating to the sequence of d null


hypotheses $H_0^{(k)}$, that the (k+1)st through dth correlations are all zero, for $k = 0:(d-1)$. stats contains seven fields, each a 1-by-d vector with elements corresponding to the values of k, as described in the following table:

Wilks	Wilks' lambda (likelihood ratio) statistic
chisq	Bartlett's approximate chi-squared statistic for $H_0^{(k)}$ with Lawley's modification
pChisq	Right-tail significance level for chisq
F	Rao's approximate F statistic for $H_0^{(k)}$
pF	Right-tail significance level for F
df1	Degrees of freedom for the chi-squared statistic, and the numerator degrees of freedom for the F statistic
df2	Denominator degrees of freedom for the F statistic

Examples

```
load carbig;
X = [Displacement Horsepower Weight Acceleration MPG];
nans = sum(isnan(X),2) > 0;
[A B r U V] = canoncorr(X(~nans,1:3),X(~nans,4:5));

plot(U(:,1),V(:,1),'.')
xlabel('0.0025*Disp+0.020*HP-0.000025*Wgt')
ylabel('-0.17*Accel-0.092*MPG')
```



References

- [1] Krzanowski, W. J., *Principles of Multivariate Analysis*, Oxford University Press, 1988.
- [2] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.

See Also

manova1, princomp

Purpose Process capability indices

Syntax `S = capability(data, specs)`

Description `S = capability(data, specs)` estimates capability indices for measurements in `data` given the specifications in `specs`. `data` can be either a vector or a matrix of measurements. If `data` is a matrix, indices are computed for the columns. `specs` can be either a two-element vector of the form `[L,U]` containing lower and upper specification limits, or (if `data` is a matrix) a two-row matrix with the same number of columns as `data`. If there is no lower bound, use `-Inf` as the first element of `specs`. If there is no upper bound, use `Inf` as the second element of `specs`.

The output `S` is a structure with the following fields:

- `mu` — Sample mean
- `sigma` — Sample standard deviation
- `P` — Estimated probability of being within limits
- `P1` — Estimated probability of being below `L`
- `Pu` — Estimated probability of being above `U`
- `Cp` — $(U-L)/(6*\text{sigma})$
- `Cp1` — $(\text{mu}-L)/(3.*\text{sigma})$
- `Cpu` — $(U-\text{mu})/(3.*\text{sigma})$
- `Cpk` — $\min(\text{Cp1}, \text{Cpu})$

Indices are computed under the assumption that data values are independent samples from a normal population with constant mean and variance.

Indices divide a “specification width” (between specification limits) by a “process width” (between control limits). Higher ratios indicate processes with less measurements outside of specification.

capability

Example

Simulate a sample from a process with a mean of 3 and a standard deviation of 0.005:


```
data = normrnd(3,0.005,100,1);
```

Compute capability indices if the process has an upper specification limit of 3.01 and a lower specification limit of 2.99:

```
S = capability(data,[2.99 3.01])
S =
    mu: 3.0006
   sigma: 0.0047
      P: 0.9669
     Pl: 0.0116
     Pu: 0.0215
      Cp: 0.7156
     Cpl: 0.7567
     Cpu: 0.6744
     Cpk: 0.6744
```

Visualize the specification and process widths:

```
capaplot(data,[2.99 3.01]);
grid on
```

Reference

[1] Montgomery, D., *Introduction to Statistical Quality Control*, John Wiley & Sons, 1991, pp. 369–374.

See Also

capaplot, histfit

capaplot

Purpose Process capability plot

Syntax `p = capaplot(data,specs)`
`[p,h] = capaplot(data,specs)`

Description `p = capaplot(data,specs)` estimates the mean and variance for the observations in input vector `data`, and plots the pdf of the resulting T distribution. The observations in `data` are assumed to be normally distributed. The output, `p`, is the probability that a new observation from the estimated distribution will fall within the range specified by the two-element vector `specs`. The portion of the distribution between the lower and upper bounds specified in `specs` is shaded in the plot.

`[p,h] = capaplot(data,specs)` additionally returns handles to the plot elements in `h`.

Example Simulate a sample from a process with a mean of 3 and a standard deviation of 0.005:


```
data = normrnd(3,0.005,100,1);
```

Compute capability indices if the process has an upper specification limit of 3.01 and a lower specification limit of 2.99:

```
S = capability(data,[2.99 3.01])  
S =  
    mu: 3.0006  
   sigma: 0.0047  
    P: 0.9669  
   Pl: 0.0116  
   Pu: 0.0215  
   Cp: 0.7156  
   Cpl: 0.7567  
   Cpu: 0.6744  
   Cpk: 0.6744
```

Visualize the specification and process widths:

```
capaplot(data,[2.99 3.01]);  
grid on
```

**See Also**

capability, histfit

caseread

Purpose Read case names from file

Syntax `names = caseread(filename)`
`names = caseread`

Description `names = caseread(filename)` reads the contents of *filename* and returns a string matrix of names. *filename* is the name of a file in the current directory, or the complete path name of any file elsewhere. `caseread` treats each line as a separate case.

`names = caseread` displays the **Select File to Open** dialog box for interactive selection of the input file.

Example Read the file `months.dat` created using the function `casewrite` on the next page.

```
type months.dat
```

```
January  
February  
March  
April  
May
```

```
names = caseread('months.dat')  
names =  
January  
February  
March  
April  
May
```

See Also `tblread`, `gname`, `casewrite`, `tdfread`

Purpose Write case names to file

Syntax `casewrite(strmat, filename)`
`casewrite(strmat)`

Description `casewrite(strmat, filename)` writes the contents of string matrix `strmat` to `filename`. Each row of `strmat` represents one case name. `filename` is the name of a file in the current directory, or the complete path name of any file elsewhere. `casewrite` writes each name to a separate line in `filename`.

`casewrite(strmat)` displays the **Select File to Write** dialog box for interactive specification of the output file.

Example

```
strmat = char('January', 'February', ...
              'March', 'April', 'May')

strmat =
January
February
March
April
May

casewrite(strmat, 'months.dat')
type months.dat

January
February
March
April
May
```

See Also `gname`, `caseread`, `tblwrite`, `tdfread`

ccdesign

Purpose Central composite design

Syntax
`dCC = ccdesign(n)`
`[dCC,blocks] = ccdesign(n)`
`[...] = ccdesign(n,param1,val1,param2,val2,...)`

Description `dCC = ccdesign(n)` generates a central composite design for n factors. n must be an integer 2 or larger. The output matrix `dCC` is m -by- n , where m is the number of runs in the design. Each row represents one run, with settings for all factors represented in the columns. Factor values are normalized so that the cube points take values between -1 and 1.

`[dCC,blocks] = ccdesign(n)` requests a blocked design. The output `blocks` is an m -by-1 vector of block numbers for each run. Blocks indicate runs that are to be measured under similar conditions to minimize the effect of inter-block differences on the parameter estimates.

`[...] = ccdesign(n,param1,val1,param2,val2,...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Description	Values
'center'	Number of center points.	<ul style="list-style-type: none">• Integer — Number of center points to include.• 'uniform' — Select number of center points to give uniform precision.• 'orthogonal' — Select number of center points to give an orthogonal design. This is the default.

Parameter	Description	Values
'fraction'	Fraction of full-factorial cube, expressed as an exponent of 1/2.	<ul style="list-style-type: none"> • 0 — Whole design. This is the default. • 1 — 1/2 fraction. • 2 — 1/4 fraction.
'type'	Type of CCD.	<ul style="list-style-type: none"> • 'circumscribed' — Circumscribed (CCC). This is the default. • 'inscribed' — Inscribed (CCI). • 'faced' — Faced (CCF).
'blocksize'	Maximum number of points per block.	Integer. The default is Inf.

Example

The following creates a 2-factor CCC:


```
dCC = ccdesign(2,'type','circumscribed')
dCC =
-1.0000 -1.0000
-1.0000  1.0000
 1.0000 -1.0000
 1.0000  1.0000
-1.4142  0
 1.4142  0
 0 -1.4142
 0 1.4142
 0 0
 0 0
 0 0
 0 0
 0 0
 0 0
 0 0
```

```
0    0
0    0
```

The center point is run 8 times to allow for a more uniform estimate of the prediction variance over the entire design space.

Visualize the design as follows:

```
plot(dCC(:,1),dCC(:,2),'ro','MarkerFaceColor','b')
X = [1 -1 -1 -1; 1 1 1 -1];
Y = [-1 -1 1 -1; 1 -1 1 1];
line(X,Y,'Color','b')
axis square equal
```



See Also

`bbdesign`

Purpose

Cumulative distribution functions

Syntax

```
Y = cdf(name,X,A)
Y = cdf(name,X,A,B)
Y = cdf(name,X,A,B,C)
```

Description

`Y = cdf(name,X,A)` computes the cumulative distribution function for the one-parameter family of distributions specified by `name`. `A` contains parameter values for the distribution. The cumulative distribution function is evaluated at the values in `X` and its values are returned in `Y`.

If `X` and `A` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`. If `A` is a scalar, it is expanded to a constant matrix the same size as `X`.

`Y` is the common size of `X` and `A` after any necessary scalar expansion.

`Y = cdf(name,X,A,B)` computes the cumulative distribution function for two-parameter families of distributions, where parameter values are given in `A` and `B`.

If `X`, `A`, and `B` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A` and `B`. If either `A` or `B` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, and `B` after any necessary scalar expansion.

`Y = cdf(name,X,A,B,C)` computes the cumulative distribution function for three-parameter families of distributions, where parameter values are given in `A`, `B`, and `C`.

If `X`, `A`, `B`, and `C` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`, `B`, and `C`. If any of `A`, `B` or `C` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, `B`, and `C` after any necessary scalar expansion.

Acceptable strings for `name` are:

- 'beta' (Beta distribution)
- 'bino' (Binomial distribution)
- 'chi2' (Chi-square distribution)
- 'exp' (Exponential distribution)
- 'ev' (Extreme value distribution)
- 'f' (F distribution)
- 'gam' (Gamma distribution)
- 'gev' (Generalized extreme value distribution)
- 'gp' (Generalized Pareto distribution)
- 'geo' (Geometric distribution)
- 'hyge' (Hypergeometric distribution)
- 'logn' (Lognormal distribution)
- 'nbin' (Negative binomial distribution)
- 'ncf' (Noncentral F distribution)
- 'nct' (Noncentral t distribution)
- 'ncx2' (Noncentral chi-square distribution)
- 'norm' (Normal distribution)
- 'poiss' (Poisson distribution)
- 'ray1' (Rayleigh distribution)
- 't' (t distribution)
- 'unif' (Uniform distribution)
- 'unid' (Discrete uniform distribution)
- 'wb1' (Weibull distribution)

Examples

```
p = cdf('Normal', -2:2, 0, 1)
p =
```

```
0.0228 0.1587 0.5000 0.8413 0.9772
```

```
p = cdf('Poisson',0:5,1:6)
```

```
p =
```

```
0.3679 0.4060 0.4232 0.4335 0.4405 0.4457
```

See Also

pdf, icdf

Purpose Cumulative distribution function for Gaussian mixture distribution


Class @gmdistribution

Syntax `y = cdf(obj,X)`

Description `y = cdf(obj,X)` returns a vector `y` of length n containing the values of the cumulative distribution function (cdf) for the `gmdistribution` object `obj`, evaluated at the n -by- d data matrix `X`, where n is the number of observations and d is the dimension of the data. `obj` is an object created by `gmdistribution` or `fit`. `y(I)` is the cdf of observation `I`.

Example Create a `gmdistribution` object defining a two-component mixture of bivariate Gaussian distributions:

```
MU = [1 2;-3 -5];  
SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]);  
p = ones(1,2)/2;  
obj = gmdistribution(MU,SIGMA,p);  
  
ezsurf(@(x,y)cdf(obj,[x y]),[-10 10],[-10 10])
```



See Also

gmdistribution, fit, pdf, mvncdf

Purpose	Cumulative distribution function for piecewise distribution
Class	@piecewisedistribution
Syntax	<code>P = cdf(obj,X)</code>
Description	<code>P = cdf(obj,X)</code> returns an array <code>P</code> of values of the cumulative distribution function for the piecewise distribution object <code>obj</code> , evaluated at the values in the array <code>X</code> .
Example	Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9: <pre>t = trnd(3,100,1); obj = paretotails(t,0.1,0.9); [p,q] = boundary(obj) p = 0.1000 0.9000 q = -1.7766 1.8432 cdf(obj,q) ans = 0.1000 0.9000</pre>
See Also	<code>paretotails</code> , <code>pdf</code> , <code>icdf</code>

Purpose Empirical cumulative distribution function plot

Syntax

```
cdfplot(X)
h = cdfplot(X)
[h,stats] = cdfplot(X)
```

Description `cdfplot(X)` displays a plot of the empirical cumulative distribution function (cdf) for the data in the vector X . The empirical cdf $F(x)$ is defined as the proportion of X values less than or equal to x .

This plot, like those produced by `hist` and `normplot`, is useful for examining the distribution of a sample of data. You can overlay a theoretical cdf on the same plot to compare the empirical distribution of the sample to the theoretical distribution.

The `kstest`, `kstest2`, and `lillietest` functions compute test statistics that are derived from the empirical cdf. You may find the empirical cdf plot produced by `cdfplot` useful in helping you to understand the output from those functions.

`h = cdfplot(X)` returns a handle to the cdf curve.


`[h,stats] = cdfplot(X)` also returns a `stats` structure with the following fields.

Field	Contents
<code>stats.min</code>	Minimum value
<code>stats.max</code>	Maximum value
<code>stats.mean</code>	Sample mean
<code>stats.median</code>	Sample median (50th percentile)
<code>stats.std</code>	Sample standard deviation

Example The following example compares the empirical cdf for a sample from an extreme value distribution with a plot of the cdf for the sampling distribution. In practice, the sampling distribution would be unknown, and would be chosen to match the empirical cdf.

cdfplot

```
y = evrnd(0,3,100,1);  
cdfplot(y)  
hold on  
x = -20:0.1:10;  
f = evcdf(x,0,3);  
plot(x,f,'m')  
legend('Empirical','Theoretical','Location','NW')
```



See Also

`ecdf`

Purpose Chi-square cumulative distribution function

Syntax `P = chi2cdf(X,V)`

Description `P = chi2cdf(X,V)` computes the chi-square cdf at each of the values in `X` using the corresponding parameters in `V`. `X` and `V` can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input.

The degrees of freedom parameters in `V` must be positive integers, and the values in `X` must lie on the interval `[0 Inf]`.

The χ^2 cdf for a given value x and degrees-of-freedom v is

$$P = F(x|v) = \int_0^x \frac{t^{(v-2)/2} e^{-t/2}}{2^{v/2} \Gamma(v/2)} dt$$

where $\Gamma(\cdot)$ is the Gamma function.

The chi-square density function with v degrees-of-freedom is the same as the gamma density function with parameters $v/2$ and 2.

Examples

```
probability = chi2cdf(5,1:5)
probability =
    0.9747    0.9179    0.8282    0.7127    0.5841

probability = chi2cdf(1:5,1:5)
probability =
    0.6827    0.6321    0.6084    0.5940    0.5841
```

See Also `cdf`, `chi2pdf`, `chi2inv`, `chi2stat`, `chi2fit`, `chi2like`, `chi2rnd`

chi2gof

Purpose Chi-square goodness-of-fit test

Syntax

```
h = chi2gof(x)
[h,p] = chi2gof(...)
[h,p,stats] = chi2gof(...)
[...] = chi2gof(X,name1,va11,name2,va12,...)
```

Description `h = chi2gof(x)` performs a chi-square goodness-of-fit test of the default null hypothesis that the data in vector `x` are a random sample from a normal distribution with mean and variance estimated from `x`, against the alternative that the data are not normally distributed with the estimated mean and variance. The result `h` is 1 if the null hypothesis can be rejected at the 5% significance level. The result `h` is 0 if the null hypothesis cannot be rejected at the 5% significance level.

The null distribution can be changed from a normal distribution to an arbitrary discrete or continuous distribution. See the syntax for specifying optional argument `name/value` pairs below.

The test is performed by grouping the data into bins, calculating the observed and expected counts for those bins, and computing the chi-square test statistic

$$\chi^2 = \sum_{i=1}^N (O_i - E_i)^2 / E_i$$

where O_i are the observed counts and E_i are the expected counts. The statistic has an approximate chi-square distribution when the counts are sufficiently large. Bins in either tail with an expected count less than 5 are pooled with neighboring bins until the count in each extreme bin is at least 5. If bins remain in the interior with counts less than 5, `chi2gof` displays a warning. In this case, you should use fewer bins, or provide bin centers or edges, to increase the expected counts in all bins. (See the syntax for specifying optional argument `name/value` pairs below.) `chi2gof` sets the number of bins, `nbins`, to 10 by default, and compares the test statistic to a chi-square distribution with `nbins - 3` degrees of freedom to take into account the two estimated parameters.

`[h,p] = chi2gof(...)` also returns the p -value of the test, p . The p -value is the probability, under assumption of the null hypothesis, of observing the given statistic or one more extreme.

`[h,p,stats] = chi2gof(...)` also returns a structure `stats` with the following fields:

- `chi2stat` — The chi-square statistic
- `df` — Degrees of freedom
- `edges` — Vector of bin edges after pooling
- `O` — Observed count in each bin
- `E` — Expected count in each bin

`[...] = chi2gof(X,name1,val1,name2,val2,...)` specifies optional argument name/value pairs chosen from the following lists. Argument names are case insensitive and partial matches are allowed.

The following name/value pairs control the initial binning of the data before pooling. You should not specify more than one of these options.

- `'nbins'` — The number of bins to use. Default is 10.
- `'ctrs'` — A vector of bin centers
- `'edges'` — A vector of bin edges

The following name/value pairs determine the null distribution for the test. You should not specify both `'cdf'` and `'expected'`.

- `'cdf'` — A fully specified cumulative distribution function. This can be a function name or function handle, and the function must take x as its only argument. Alternately, you can provide a cell array whose first element is a function name or handle, and whose later elements are parameter values, one per cell. The function must take x as its first argument, and other parameters as later arguments.

- 'expected' — A vector with one element per bin specifying the expected counts for each bin
- 'nparams' — The number of estimated parameters; used to adjust the degrees of freedom to be $\text{nbins} - 1 - \text{nparams}$, where nbins is the number of bins

If your 'cdf' or 'expected' input depends on estimated parameters, you should use 'nparams' to ensure that the degrees of freedom for the test is correct. If 'cdf' is a cell array, the default value of 'nparams' is the number of parameters in the array; otherwise the default is 0.

The following name/value pairs control other aspects of the test.

- 'emin' — The minimum allowed expected value for a bin; any bin in either tail having an expected value less than this amount is pooled with a neighboring bin. Use the value 0 to prevent pooling. The default is 5.
- 'frequency' — A vector the same length as x containing the frequency of the corresponding x values
- 'alpha' — Significance level for the test. The default is 0.05.

Examples

Example 1

Equivalent ways to test against an unspecified normal distribution with estimated parameters:

```
x = normrnd(50,5,100,1);
```

```
[h,p] = chi2gof(x)
```

```
h =
```

```
0
```

```
p =
```

```
0.7532
```

```
[h,p] = chi2gof(x,'cdf',@(z)normcdf(z,mean(x),std(x)),'nparams',2)
```

```
h =
```

```
0
```

```
p =  
    0.7532  
  
[h,p] = chi2gof(x,'cdf',{@normcdf,mean(x),std(x)})  
h =  
    0  
p =  
    0.7532
```

Example 2

Test against the standard normal:

```
x = randn(100,1);  
  
[h,p] = chi2gof(x,'cdf',@normcdf)  
h =  
    0  
p =  
    0.9443
```

Example 3

Test against the standard uniform:

```
x = rand(100,1);  
  
n = length(x);  
edges = linspace(0,1,11);  
expectedCounts = n * diff(edges);  
[h,p,st] = chi2gof(x,'edges',edges,...  
                  'expected',expectedCounts)  
h =  
    0  
p =  
    0.3191  
st =  
    chi2stat: 10.4000  
           df: 9
```

```
edges: [1x11 double]
0: [6 11 4 12 15 8 14 9 11 10]
E: [1x10 double]
```

Example 4

Test against the Poisson distribution by specifying observed and expected counts:

```
bins = 0:5;
obsCounts = [6 16 10 12 4 2];
n = sum(obsCounts);
lambdaHat = sum(bins.*obsCounts)/n;
expCounts = n*poisspdf(bins,lambdaHat);

[h,p,st] = chi2gof(bins,'ctrs',bins,...
                  'frequency',obsCounts, ...
                  'expected',expCounts,...
                  'nparams',1)

h =
    0
p =
    0.4654
st =
    chi2stat: 2.5550
           df: 3
           edges: [1x6 double]
           0: [6 16 10 12 6]
           E: [7.0429 13.8041 13.5280 8.8383 6.0284]
```

See Also

`crosstab`, `chi2cdf`, `kstest`, `lillietest`

Purpose Chi-square inverse cumulative distribution function

Syntax $X = \text{chi2inv}(P,V)$

Description $X = \text{chi2inv}(P,V)$ computes the inverse of the chi-square cdf with parameters specified by V for the corresponding probabilities in P . P and V can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

The degrees of freedom parameters in V must be positive integers, and the values in P must lie in the interval $[0\ 1]$.

The inverse chi-square cdf for a given probability p and v degrees of freedom is

$$x = F^{-1}(p|v) = \{x:F(x|v) = p\}$$

where

$$p = F(x|v) = \int_0^x \frac{t^{(v-2)/2} e^{-t/2}}{2^{v/2} \Gamma(v/2)} dt$$

and $\Gamma(\cdot)$ is the Gamma function. Each element of output X is the value whose cumulative probability under the chi-square cdf defined by the corresponding degrees of freedom parameter in V is specified by the corresponding value in P .

Examples Find a value that exceeds 95% of the samples from a chi-square distribution with 10 degrees of freedom.

```
x = chi2inv(0.95,10)
x =
    18.3070
```

You would observe values greater than 18.3 only 5% of the time by chance.

chi2inv

See Also

`icdf`, `chi2cdf`, `chi2pdf`, `chi2stat`, `chi2rnd`

Purpose Chi-square probability density function

Syntax `Y = chi2pdf(X,V)`

Description `Y = chi2pdf(X,V)` computes the chi-square pdf at each of the values in `X` using the corresponding parameters in `V`. `X` and `V` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of the output `Y`. A scalar input is expanded to a constant array with the same dimensions as the other input.

The degrees of freedom parameters in `V` must be positive integers, and the values in `X` must lie on the interval `[0 Inf]`.

The chi-square pdf for a given value x and v degrees of freedom is

$$y = f(x|v) = \frac{x^{(v-2)/2} e^{-x/2}}{2^{v/2} \Gamma(v/2)}$$

where $\Gamma(\cdot)$ is the Gamma function.

If x is standard normal, then x^2 is distributed chi-square with one degree of freedom. If x_1, x_2, \dots, x_n are n independent standard normal observations, then the sum of the squares of the x 's is distributed chi-square with n degrees of freedom (and is equivalent to the gamma density function with parameters $v/2$ and 2).

Examples

```
nu = 1:6;
x = nu;
y = chi2pdf(x,nu)
y =
    0.2420    0.1839    0.1542    0.1353    0.1220    0.1120
```

The mean of the chi-square distribution is the value of the degrees of freedom parameter, `nu`. The above example shows that the probability density of the mean falls as `nu` increases.

See Also `pdf`, `chi2cdf`, `chi2inv`, `chi2stat`, `chi2rnd`

chi2rnd

Purpose Chi-square random numbers

Syntax
R = chi2rnd(V)
R = chi2rnd(V,u)
R = chi2rnd(V,m,n)

Description R = chi2rnd(V) generates random numbers from the chi-square distribution with degrees of freedom parameters specified by V. V can be a vector, a matrix, or a multidimensional array. R is the same size as V.

R = chi2rnd(V,u) generates an array R of size u containing random numbers from the chi-square distribution with degrees of freedom parameters specified by V, where u is a row vector. If u is a 1-by-2 vector, R is a matrix with u(1) rows and u(2) columns. If u is 1-by-n, R is an n-dimensional array.

R = chi2rnd(V,m,n) generates an m-by-n matrix containing random numbers from the chi-square distribution with degrees of freedom parameter V.

Example Note that the first and third commands are the same, but are different from the second command.

```
r = chi2rnd(1:6)
r =
    0.0037    3.0377    7.8142    0.9021    3.2019    9.0729

r = chi2rnd(6,[1 6])
r =
    6.5249    2.6226   12.2497    3.0388    6.3133    5.0388

r = chi2rnd(1:6,1,6)
r =
    0.7638    6.0955    0.8273    3.2506    1.5469   10.9197
```

See Also random, chi2pdf, chi2cdf, chi2inv, chi2stat

Purpose Chi-square mean and variance

Syntax `[M,V] = chi2stat(NU)`

Description `[M,V] = chi2stat(NU)` returns the mean of and variance for the chi-square distribution with degrees of freedom parameters specified by NU.

The mean of the chi-square distribution is ν , the degrees of freedom parameter, and the variance is 2ν .

Example

```

nu = 1:10;
nu = nu'*nu;
[m,v] = chi2stat(nu)
m =
    1    2    3    4    5    6    7    8    9   10
    2    4    6    8   10   12   14   16   18   20
    3    6    9   12   15   18   21   24   27   30
    4    8   12   16   20   24   28   32   36   40
    5   10   15   20   25   30   35   40   45   50
    6   12   18   24   30   36   42   48   54   60
    7   14   21   28   35   42   49   56   63   70
    8   16   24   32   40   48   56   64   72   80
    9   18   27   36   45   54   63   72   81   90
   10   20   30   40   50   60   70   80   90  100

v =
    2    4    6    8   10   12   14   16   18   20
    4    8   12   16   20   24   28   32   36   40
    6   12   18   24   30   36   42   48   54   60
    8   16   24   32   40   48   56   64   72   80
   10   20   30   40   50   60   70   80   90  100
   12   24   36   48   60   72   84   96  108  120
   14   28   42   56   70   84   98  112  126  140
   16   32   48   64   80   96  112  128  144  160
   18   36   54   72   90  108  126  144  162  180
   20   40   60   80  100  120  140  160  180  200

```

chi2stat

See Also

`chi2pdf`, `chi2cdf`, `chi2inv`, `chi2rnd`

Purpose Child nodes

Class @classregtree

Syntax C = children(t)
C = children(t,nodes)

Description C = children(t) returns an n -by-2 array C containing the numbers of the child nodes for each node in the tree t, where n is the number of nodes. Leaf nodes have child node 0.

C = children(t,nodes) takes a vector nodes of node numbers and returns the children for the specified nodes.


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

children



```
C = children(t)
```

```
C =
```

```
2    3
0    0
4    5
6    7
0    0
8    9
0    0
```

0 0
0 0

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, parent

cholcov

Purpose Cholesky-like covariance decomposition

Syntax
`T = cholcov(SIGMA)`
`[T,num] = cholcov(SIGMA)`
`[T,num] = cholcov(SIGMA,0)`

Description `T = cholcov(SIGMA)` computes `T` such that `SIGMA = T'*T`. `SIGMA` must be square, symmetric, and positive semi-definite. If `SIGMA` is positive definite, then `T` is the square, upper triangular Cholesky factor. If `SIGMA` is not positive definite, `T` is computed from an eigenvalue decomposition of `SIGMA`. `T` is not necessarily triangular or square in this case. Any eigenvectors whose corresponding eigenvalue is close to zero (within a small tolerance) are omitted. If any remaining eigenvectors are negative, `T` is empty.

`[T,num] = cholcov(SIGMA)` returns the number `num` of negative eigenvalues of `SIGMA`, and `T` is empty if `num` is positive. If `num` is zero, `SIGMA` is positive semi-definite. If `SIGMA` is not square and symmetric, `num` is NaN and `T` is empty.

`[T,num] = cholcov(SIGMA,0)` returns `num` equal to zero if `SIGMA` is positive definite, and `T` is the Cholesky factor. If `SIGMA` is not positive definite, `num` is a positive integer and `T` is empty. `[...] = cholcov(SIGMA,1)` is equivalent to `[...] = cholcov(SIGMA)`.

Example

The following 4-by-4 covariance matrix is rank-deficient:

```
C1 = [2 1 1 2;1 2 1 2;1 1 2 2;2 2 2 3]
```

```
C1 =
```

```
     2     1     1     2
     1     2     1     2
     1     1     2     2
     2     2     2     3
```

```
rank(C1)
```

```
ans =
```

```
     3
```

Use `cholcov` to factor `C1`:


```
T = cholcov(C1)
T =
    -0.2113    0.7887   -0.5774         0
     0.7887   -0.2113   -0.5774         0
     1.1547    1.1547    1.1547    1.7321

C2 = T'*T
C2 =
    2.0000    1.0000    1.0000    2.0000
    1.0000    2.0000    1.0000    2.0000
    1.0000    1.0000    2.0000    2.0000
    2.0000    2.0000    2.0000    3.0000
```

Use T to generate random data with the specified covariance:

```
C3 = cov(randn(1e6,3)*T)
C3 =
    1.9973    0.9982    0.9995    1.9975
    0.9982    1.9962    0.9969    1.9956
    0.9995    0.9969    1.9980    1.9972
    1.9975    1.9956    1.9972    2.9951
```

See Also

chol, cov

classcount

Purpose Class counts

Class @classregtree

Syntax `P = classcount(t)`
`P = classcount(t,nodes)`

Description `P = classcount(t)` returns an n -by- m array P of class counts for the nodes in the classification tree t , where n is the number of nodes and m is the number of classes. For any node number i , the class counts $P(i, :)$ are counts of observations (from the data used in fitting the tree) from each class satisfying the conditions for node i .


`P = classcount(t,nodes)` takes a vector `nodes` of node numbers and returns the class counts for the specified nodes.

Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```



```

P = classcount(t)
P =
    50    50    50
    50     0     0
     0    50    50
     0    49     5
     0     1    45
     0    47     1
     0     2     4
    
```

classcount

0	47	0
0	0	1

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes

Purpose

Discriminant analysis

Syntax

```
class = classify(sample,training,group)
class = classify(sample,training,group,type)
class = classify(sample,training,group,type,prior)
[class,err] = classify(...)
[class,err,POSTERIOR] = classify(...)
[class,err,POSTERIOR,logp] = classify(...)
[class,err,POSTERIOR,logp,coeff] = classify(...)
```

Description

`class = classify(sample,training,group)` classifies each row of the data in `sample` into one of the groups in `training`. `sample` and `training` must be matrices with the same number of columns. `group` is a grouping variable for `training`. Its unique values define groups; each element defines the group to which the corresponding row of `training` belongs. `group` can be a categorical variable, a numeric vector, a string array, or a cell array of strings. `training` and `group` must have the same number of rows. (See “Grouped Data” on page 2-33.) `classify` treats NaNs or empty strings in `group` as missing values, and ignores the corresponding rows of `training`. The output `class` indicates the group to which each row of `sample` has been assigned, and is of the same type as `group`.

`class = classify(sample,training,group,type)` allows you to specify the type of discriminant function. `type` is one of:

- 'linear' — Fits a multivariate normal density to each group, with a pooled estimate of covariance. This is the default.
- 'diaglinear' — Similar to 'linear', but with a diagonal covariance matrix estimate (naive Bayes classifiers).
- 'quadratic' — Fits multivariate normal densities with covariance estimates stratified by group.
- 'diagquadratic' — Similar to 'quadratic', but with a diagonal covariance matrix estimate (naive Bayes classifiers).

classify

- 'mahalanobis' — Uses Mahalanobis distances with stratified covariance estimates.

`class = classify(sample, training, group, type, prior)` allows you to specify prior probabilities for the groups. *prior* is one of:

- A numeric vector the same length as the number of unique values in *group* (or the number of levels defined for *group*, if *group* is categorical). If *group* is numeric or categorical, the order of *prior* must correspond to the ordered values in *group*, or, if *group* contains strings, to the order of first occurrence of the values in *group*.
- A 1-by-1 structure with fields:
 - *prob* — A numeric vector.
 - *group* — Of the same type as *group*, containing unique values indicating the groups to which the elements of *prob* correspond.

As a structure, *prior* can contain groups that do not appear in *group*. This can be useful if *training* is a subset a larger training set. `classify` ignores any groups that appear in the structure but not in the *group* array.

- The string 'empirical', indicating that group prior probabilities should be estimated from the group relative frequencies in *training*.

prior defaults to a numeric vector of equal probabilities, i.e., a uniform distribution. *prior* is not used for discrimination by Mahalanobis distance, except for error rate calculation.

`[class, err] = classify(...)` also returns an estimate *err* of the misclassification error rate based on the training data. `classify` returns the apparent error rate, i.e., the percentage of observations in *training* that are misclassified, weighted by the prior probabilities for the groups.

`[class, err, POSTERIOR] = classify(...)` also returns a matrix *POSTERIOR* of estimates of the posterior probabilities that the *j*th training group was the source of the *i*th sample observation, i.e.,

$Pr(\text{group } j | \text{obs } i)$. POSTERIOR is not computed for Mahalanobis discrimination.

`[class,err,POSTERIOR,logp] = classify(...)` also returns a vector `logp` containing estimates of the logarithms of the unconditional predictive probability density of the sample observations, $p(\text{obs } i) = \sum p(\text{obs } i | \text{group } j)Pr(\text{group } j)$ over all groups. `logp` is not computed for Mahalanobis discrimination.

`[class,err,POSTERIOR,logp,coeff] = classify(...)` also returns a structure array `coeff` containing coefficients of the boundary curves between pairs of groups. Each element `coeff(I,J)` contains information for comparing group I to group J in the following fields:

- `type` — Type of discriminant function, from the `type` input.
- `name1` — Name of the first group.
- `name2` — Name of the second group.
- `const` — Constant term of the boundary equation (K)
- `linear` — Linear coefficients of the boundary equation (L)
- `quadratic` — Quadratic coefficient matrix of the boundary equation (Q)

For the 'linear' and 'diaglinear' types, the quadratic field is absent, and a row `x` from the sample array is classified into group I rather than group J if $0 < K+x*L$. For the other types, `x` is classified into group I if $0 < K+x*L+x*Q*x'$.


Example

For training data, use Fisher's sepal measurements for iris versicolor and virginica:

```
load fisheriris
SL = meas(51:end,1);
SW = meas(51:end,2);
group = species(51:end);
h1 = gscatter(SL,SW,group,'rb','v^',[],'off');
```

classify

```
set(h1,'LineWidth',2)  
legend('Fisher versicolor','Fisher virginica',...  
      'Location','NW')
```




Classify a grid of measurements on the same scale:

```
[X,Y] = meshgrid(linspace(4.5,8),linspace(2,4));  
X = X(:); Y = Y(:);  
[C,err,P,logp,coeff] = classify([X Y],[SL SW],...  
                               group,'quadratic');
```

Visualize the classification:


```
hold on;
gscatter(X,Y,C,'rb','.',1,'off');
K = coeff(1,2).const;
L = coeff(1,2).linear;
Q = coeff(1,2).quadratic;
f = sprintf('0 = %g+%g*x+%g*y+%g*x^2+%g*x.*y+%g*y.^2',...
           K,L,Q(1,1),Q(1,2)+Q(2,1),Q(2,2));
h2 = ezplot(f,[4.5 8 2 4]);
set(h2,'Color','m','LineWidth',2)
axis([4.5 8 2 4])
xlabel('Sepal Length')
ylabel('Sepal Width')
title('\bf Classification with Fisher Training Data')
```



See Also

mahal, treefit

References

- [1] Krzanowski, W. J., *Principles of Multivariate Analysis*, Oxford University Press, 1988.
- [2] Seber, G.A.F., *Multivariate Observations*, Wiley, 1984.

Purpose Class probabilities

Class @classregtree

Syntax P = classprob(t)
P = classprob(t,nodes)

Description P = classprob(t) returns an n -by- m array P of class probabilities for the nodes in the classification tree t, where n is the number of nodes and m is the number of classes. For any node number i , the class probabilities P(i,:) are the estimated probabilities for each class for a point satisfying the conditions for node i .

P = classprob(t,nodes) takes a vector nodes of node numbers and returns the class probabilities for the specified nodes.


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

classprob



```
P = classprob(t)
```

```
P =
```

0.3333	0.3333	0.3333
1.0000	0	0
0	0.5000	0.5000
0	0.9074	0.0926
0	0.0217	0.9783
0	0.9792	0.0208
0	0.3333	0.6667

```
0    1.0000    0
0         0    1.0000
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes

classregtree

Purpose Construct classification and regression trees

Class @classregtree

Syntax
`t = classregtree(X,y)`
`t = classregtree(X,y,param1,va11,param2,va12)`

Description `t = classregtree(X,y)` creates a decision tree `t` for predicting the response `y` as a function of the predictors in the columns of `X`. `X` is an n -by- m matrix of predictor values. If `y` is a vector of n response values, `classregtree` performs regression. If `y` is a categorical variable, character array, or cell array of strings, `classregtree` performs classification. Either way, `t` is a binary tree where each branching node is split based on the values of a column of `X`. NaN values in `X` or `y` are taken as missing values, and observations with any missing values are not used in the fit.

`t = classregtree(X,y,param1,va11,param2,va12)` specifies optional parameter name/value pairs, as follows.

For all trees:

- `'categorical'` — Vector of indices of the columns of `X` that are to be treated as unordered (nominal) categorical variables.
- `'method'` — Either `'classification'` (default if `y` is text or a categorical variable) or `'regression'` (default if `y` is numeric).
- `'names'` — A cell array of names for the predictor variables, in the order in which they appear in the `X` from which the tree was created.
- `'prune'` — `'on'` (default) to compute the full tree and the optimal sequence of pruned subtrees, or `'off'` for the full tree without pruning.
- `'splitmin'` — A number k such that impure nodes must have k or more observations to be split (default is 10).

For classification trees only:

- 'cost' — Square matrix C , where $C(i, j)$ is the cost of classifying a point into class j if its true class is i . (The default has $C(i, j) = 1$ if $i \neq j$, and $C(i, j) = 0$ if $i = j$.) Alternatively, this value can be a structure with two fields:
 - group — Containing the group names as a categorical array, a character array, or cell array of strings
 - cost — Containing the cost matrix C
- 'splitcriterion' — Criterion for choosing a split. One of:
 - 'gdi' — For Gini's diversity index (default)
 - 'twoing' — For the twoing rule
 - 'deviance' — For maximum deviance reduction
- 'priorprob' — Prior probabilities for each class, specified as a vector (one value for each distinct group name) or as a structure with two fields:
 - group — Containing the group names as a categorical array, a character array, or cell array of strings
 - prob — Containing a vector of corresponding probabilities

Example

Create a classification tree for Fisher's iris data:

```
load fisheriris;


t = classregtree(meas, species, ...
                'names', {'SL' 'SW' 'PL' 'PW'})

t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
```

classregtree

```
7 class = virginica
8 class = versicolor
9 class = virginica
```

```
view(t)
```



Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also eval, test, view, prune

cluster

Purpose Construct clusters from linkages

Syntax

```
T = cluster(Z, 'cutoff', c)
T = cluster(Z, 'cutoff', c, 'depth', d)
T = cluster(Z, 'cutoff', c, 'criterion', criterion)
T = cluster(Z, 'maxclust', n)
```

Description `T = cluster(Z, 'cutoff', c)` constructs clusters from the hierarchical cluster tree, `Z`, as generated by the `linkage` function. `Z` is a matrix of size $(m - 1)$ -by-3, where m is the number of observations in the original data. `c` is a threshold for cutting `Z` into clusters. Clusters are formed when a node and all of its subnodes have inconsistent value less than `c`. All leaves at or below the node are grouped into a cluster. `t` is a vector of size m containing the cluster assignments of each observation.

If `c` is a vector, `T` is a matrix of cluster assignments with one column per cutoff value.

`T = cluster(Z, 'cutoff', c, 'depth', d)` evaluates inconsistent values by looking to a depth `d` below each node. The default depth is 2.

`T = cluster(Z, 'cutoff', c, 'criterion', criterion)` uses the specified criterion for forming clusters, where *criterion* is one of the strings 'inconsistent' (default) or 'distance'. The 'distance' criterion uses the distance between the two subnodes merged at a node to measure node height. All leaves at or below a node with height less than `c` are grouped into a cluster.

`T = cluster(Z, 'maxclust', n)` constructs a maximum of `n` clusters using the 'distance' criterion. `cluster` finds the smallest height at which a horizontal cut through the tree leaves `n` or fewer clusters.

If `n` is a vector, `T` is a matrix of cluster assignments with one column per maximum value.

Example Compare clusters from Fisher iris data with species:

```
load fisheriris
d = pdist(meas);
```

```
Z = linkage(d);  
c = cluster(Z, 'maxclust', 3:5);
```

```
crosstab(c(:,1), species)
```

```
ans =  
    0    0    2  
    0   50   48  
   50    0    0
```

```
crosstab(c(:,2), species)
```

```
ans =  
    0    0    1  
    0   50   47  
    0    0    2  
   50    0    0
```

```
crosstab(c(:,3), species)
```

```
ans =  
    0    4    0  
    0   46   47  
    0    0    1  
    0    0    2  
   50    0    0
```

See Also

clusterdata, cophenet, inconsistent, linkage, pdist

cluster

Purpose Construct clusters from Gaussian mixture distribution

Class @gmdistribution

Syntax

```
idx = cluster(obj,X)
[idx,nlogl] = cluster(obj,X)
[idx,nlogl,P] = cluster(obj,X)
[idx,nlogl,P,logpdf] = cluster(obj,X)
[idx,nlogl,P,logpdf,M] = cluster(obj,X)
```

Description `idx = cluster(obj,X)` partitions data in the n -by- d matrix X , where n is the number of observations and d is the dimension of the data, into k clusters determined by the k components of the Gaussian mixture distribution defined by `obj`. `obj` is an object created by `gmdistribution` or `fit`. `idx` is an n -by-1 vector, where `idx(I)` is the cluster index of observation I . The cluster index gives the component with the largest posterior probability for the observation, weighted by the component probability.

Note The data in X is typically the same as the data used to create the Gaussian mixture distribution defined by `obj`. Clustering with `cluster` is treated as a separate step, apart from density estimation. For `cluster` to provide meaningful clustering with new data, X should come from the same population as the data used to create `obj`.

`cluster` treats NaN values as missing data. Rows of X with NaN values are excluded from the partition.

`[idx,nlogl] = cluster(obj,X)` also returns `nlogl`, the negative log-likelihood of the data.

`[idx,nlogl,P] = cluster(obj,X)` also returns the posterior probabilities of each component for each observation in the n -by- k matrix P . $P(I,J)$ is the probability of component J given observation I .

`[idx,nlogl,P,logpdf] = cluster(obj,X)` also returns the n -by-1 vector `logpdf` containing the logarithm of the estimated probability density function for each observation. The density estimate for observation I is a sum over all components of the component density at I times the component probability.

`[idx,nlogl,P,logpdf,M] = cluster(obj,X)` also returns an n -by- k matrix `M` containing Mahalanobis distances in squared units. $M(I,J)$ is the Mahalanobis distance of observation I from the mean of component J .


Example

Generate data from a mixture of two bivariate Gaussian distributions using the `mvnrnd` function:

```
MU1 = [1 2];
SIGMA1 = [2 0; 0 .5];
MU2 = [-3 -5];
SIGMA2 = [1 0; 0 1];
X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)];


scatter(X(:,1),X(:,2),10,'.')
hold on
```

cluster



Fit a two-component Gaussian mixture model:

```
obj = gmdistribution.fit(X,2);  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```




Use the fit to cluster the data:

```
idx = cluster(obj,X);
cluster1 = X(idx == 1,:);
cluster2 = X(idx == 2,:);

delete(h)
h1 = scatter(cluster1(:,1),cluster1(:,2),10,'r. ');
h2 = scatter(cluster2(:,1),cluster2(:,2),10,'g. ');
legend([h1 h2], 'Cluster 1', 'Cluster 2', 'Location', 'NW')
```

cluster



See Also

`gmdistribution`, `fit`, `posterior`, `mahal`

Purpose Construct clusters from data

Syntax
`T = clusterdata(X,cutoff)`
`T = clusterdata(X,param1,val1,param2,val2,...)`

Description `T = clusterdata(X,cutoff)` uses the `pdist`, `linkage`, and `cluster` functions to construct clusters from data `X`. `X` is an m -by- n matrix, treated as m observations of n variables. `cutoff` is a threshold for cutting the hierarchical tree generated by `linkage` into clusters. When $0 < \text{cutoff} < 2$, `clusterdata` forms clusters when inconsistent values are greater than `cutoff` (see `inconsistent`). When `cutoff` is an integer ≥ 2 , `clusterdata` interprets `cutoff` as the maximum number of clusters to keep in the hierarchical tree generated by `linkage`. The output `T` is a vector of size m containing a cluster number for each observation.

When $0 < \text{cutoff} < 2$, `T = clusterdata(X,cutoff)` is equivalent to:

```
Y = pdist(X,'euclid');
Z = linkage(Y,'single');
T = cluster(Z,'cutoff',cutoff);
```

When `cutoff` is an integer ≥ 2 , `T = clusterdata(X,cutoff)` is equivalent to:

```
Y = pdist(X,'euclid');
Z = linkage(Y,'single');
T = cluster(Z,'maxclust',cutoff);
```

`T = clusterdata(X,param1,val1,param2,val2,...)` provides more control over the clustering through a set of parameter/value pairs. Valid parameters are

'distance'	Any of the distance metric names allowed by <code>pdist</code> (follow the 'minkowski' option by the value of the exponent p)
'linkage'	Any of the linkage methods allowed by the <code>linkage</code> function


clusterdata

'cutoff'	Cutoff for inconsistent or distance measure
'maxclust'	Maximum number of clusters to form
'criterion'	Either 'inconsistent' or 'distance'
'depth'	Depth for computing inconsistent values

Example

The example first creates a sample data set of random numbers. It then uses `clusterdata` to compute the distances between items in the data set and create a hierarchical cluster tree from the data set. Finally, the `clusterdata` function groups the items in the data set into three clusters. The example uses the `find` function to list all the items in cluster 2, and the `scatter3` function to plot the data with each cluster shown in a different color.

```
rand('state',12);
X = [rand(10,3); rand(10,3)+1.2; rand(10,3)+2.5];
T = clusterdata(X,'maxclust',3);
find(T==2)
ans =
    11
    11
    13
    14
    15
    16
    17
    18
    19
    20
scatter3(X(:,1),X(:,2),X(:,3),100,T,'filled')
```



See Also

cluster, inconsistent, kmeans, linkage, pdist

cmdscale

Purpose Classical multidimensional scaling

Syntax $Y = \text{cmdscale}(D)$
 $[Y, e] = \text{cmdscale}(D)$

Description $Y = \text{cmdscale}(D)$ takes an n -by- n distance matrix D , and returns an n -by- p configuration matrix Y . Rows of Y are the coordinates of n points in p -dimensional space for some $p < n$. When D is a Euclidean distance matrix, the distances between those points are given by D . p is the dimension of the smallest space in which the n points whose inter-point distances are given by D can be embedded.

$[Y, e] = \text{cmdscale}(D)$ also returns the eigenvalues of $Y*Y'$. When D is Euclidean, the first p elements of e are positive, the rest zero. If the first k elements of e are much larger than the remaining $(n-k)$, then you can use the first k columns of Y as k -dimensional points whose inter-point distances approximate D . This can provide a useful dimension reduction for visualization, e.g., for $k = 2$.

D need not be a Euclidean distance matrix. If it is non-Euclidean or a more general dissimilarity matrix, then some elements of e are negative, and cmdscale chooses p as the number of positive eigenvalues. In this case, the reduction to p or fewer dimensions provides a reasonable approximation to D only if the negative elements of e are small in magnitude.

You can specify D as either a full dissimilarity matrix, or in upper triangle vector form such as is output by `pdist`. A full dissimilarity matrix must be real and symmetric, and have zeros along the diagonal and positive elements everywhere else. A dissimilarity matrix in upper triangle form must have real, positive entries. You can also specify D as a full similarity matrix, with ones along the diagonal and all other elements less than one. `cmdscale` transforms a similarity matrix to a dissimilarity matrix in such a way that distances between the points returned in Y equal or approximate $\sqrt{1-D}$. To use a different transformation, you must transform the similarities prior to calling `cmdscale`.

Examples

Generate some points in 4-dimensional space, but close to 3-dimensional space, then reduce them to distances only.

```
X = [normrnd(0,1,10,3) normrnd(0,.1,10,1)];
D = pdist(X,'euclidean');
```

Find a configuration with those inter-point distances.

```
[Y,e] = cmdscale(D);

% Four, but fourth one small
dim = sum(e > eps^(3/4))

% Poor reconstruction
maxerr2 = max(abs(pdist(X)-pdist(Y(:,1:2))))

% Good reconstruction
maxerr3 = max(abs(pdist(X)-pdist(Y(:,1:3))))

% Exact reconstruction
maxerr4 = max(abs(pdist(X)-pdist(Y)))

% D is now non-Euclidean
D = pdist(X,'cityblock');
[Y,e] = cmdscale(D);

% One is large negative
min(e)

% Poor reconstruction
maxerr = max(abs(pdist(X)-pdist(Y)))
```

References

[1] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984

See Also

mdscale, pdist, procrustes

combnk

Purpose Enumeration of combinations

Syntax `C = combnk(v,k)`

Description `C = combnk(v,k)` returns all combinations of the n elements in v taken k at a time.

`C = combnk(v,k)` produces a matrix C with k columns and $n! / k!(n-k)!$ rows, where each row contains k of the elements in the vector v .

It is not practical to use this function if v has more than about 15 elements.

Example Combinations of characters from a string.

```
C = combnk('tendrill',4);
last5 = C(31:35,:);
last5 =
tedr
tenl
teni
tenr
tend
```

Combinations of elements from a numeric vector.

```
c = combnk(1:4,2)
c =
3 4
2 4
2 3
1 4
1 3
1 2
```

See Also

perms

Purpose

Shewhart control charts

Syntax

```
controlchart(X)
controlchart(x,group)
controlchart(X,group)
[stats,plotdata] = controlchart(...)
controlchart(...,param1,val1,param2,val2,...)
```

Description

`controlchart(X)` produces an xbar chart of the measurements in matrix *X*. Each row of *X* is considered to be a subgroup of measurements containing replicate observations taken at the same time. The rows should be in time order. If *X* is a time series object, the time samples should contain replicate observations.

The chart plots the means of the subgroups in time order, a center line (CL) at the average of the means, and upper and lower control limits (UCL, LCL) at three standard deviations from the center line. Process standard deviation is estimated from the average of the subgroup standard deviations. Out of control measurements are marked as violations and drawn with a red circle. Data cursor mode is enabled, so clicking any data point displays information about that point.

`controlchart(x,group)` accepts a grouping variable *group* for a vector of measurements *x*. (See “Grouped Data” on page 2-33.) *group* is a categorical variable, vector, string array, or cell array of strings the same length as *x*. Consecutive measurements *x*(*n*) sharing the same value of *group*(*n*) for $1 \leq n \leq \text{length}(x)$ are defined to be a subgroup. Subgroups can have different numbers of observations.

Control limits are shown at three subgroup standard deviations from the subgroup means.

`controlchart(X,group)` accepts a grouping variable *group* for a matrix of measurements in *X*. In this case, *group* is only used to label the time axis; it does not change the default grouping by rows.

`[stats,plotdata] = controlchart(...)` returns a structure *stats* of subgroup statistics and parameter estimates, and a structure *plotdata* of plotted values. *plotdata* contains one record for each chart.

controlchart

The fields in `stats` and `plotdata` depend on the chart type.

The fields in `stats` are selected from the following:

- `mean` — Subgroup means
- `std` — Subgroup standard deviations
- `range` — Subgroup ranges
- `n` — Subgroup size, or total inspection size or area
- `i` — Individual data values
- `ma` — Moving averages
- `mr` — Moving ranges
- `count` — Count of defects or defective items
- `mu` — Estimated process mean
- `sigma` — Estimated process standard deviation
- `p` — Estimated proportion defective
- `m` — Estimated mean defects per unit

The fields in `plotdata` are the following:

- `pts` — Plotted point values
- `cl` — Center line
- `lcl` — Lower control limit
- `ucl` — Upper control limit
- `se` — Standard error of plotted point
- `n` — Subgroup size
- `ooc` — Logical that is true for points that are out of control

`controlchart(...,param1,va11,param2,va12,...)` specifies one or more of the following parameter name/value pairs:

- 'charttype' — The name of a chart type chosen from among the following:
 - 'xbar' — \bar{x} or mean
 - 's' — Standard deviation
 - 'r' — Range
 - 'ewma' — Exponentially weighted moving average
 - 'i' — Individual observation
 - 'mr' — Moving range of individual observations
 - 'ma' — Moving average of individual observations
 - 'p' — Proportion defective
 - 'np' — Number of defectives
 - 'u' — Defects per unit
 - 'c' — Count of defects

Alternatively, a parameter can be a cell array listing multiple compatible chart types. There are four sets of compatible types:

- 'xbar', 's', 'r', and 'ewma'
 - 'i', 'mr', and 'ma'
 - 'p' and 'np'
 - 'u' and 'c'
- 'display' — Either 'on' (default) to display the control chart, or 'off' to omit the display
 - 'label' — A string array or cell array of strings, one per subgroup. This label is displayed as part of the data cursor for a point on the plot.
 - 'lambda' — A parameter between 0 and 1 controlling how much the current prediction is influenced by past observations in an EWMA

plot. Higher values of 'lambda' give less weight to past observations and more weight to the current observation. The default is 0.4.

- 'limits' — A three-element vector specifying the values of the lower control limit, center line, and upper control limits. Default is to estimate the center line and to compute control limits based on the estimated value of sigma. Not permitted if there are multiple chart types.
- 'mean' — Value for the process mean, or an empty value (default) to estimate the mean from \bar{x} . This is the μ parameter for \bar{x} and $n\bar{p}$ charts, the mean defects per unit for \bar{u} and \bar{c} charts, and the normal μ parameter for other charts.
- 'nsigma' — The number of sigma multiples from the center line to a control limit. Default is 3.
- 'parent' — The handle of the axes to receive the control chart plot. Default is to create axes in a new figure. Not permitted if there are multiple chart types.
- 'rules' — The name of a control rule, or a cell array containing multiple control rule names. These rules, together with the control limits, determine if a point is marked as out of control. The default is to apply no control rules, and to use only the control limits to decide if a point is out of control. See `controlrules` for more information. Control rules are applied to charts that measure the process level (\bar{x} , \bar{i} , \bar{c} , \bar{u} , \bar{p} , and $n\bar{p}$) rather than the variability (\bar{r} , \bar{s}), and they are not applied to charts based on moving statistics (\bar{m} , m_r , $ewma$).
- 'sigma' — Either a value for sigma, or a method of estimating sigma chosen from among 'std' (the default) to use the average within-subgroup standard deviation, 'range' to use the average subgroup range, and 'variance' to use the square root of the pooled variance. When creating \bar{i} , m_r , or \bar{m} charts for data not in subgroups, the estimate is always based on a moving range.
- 'specs' — A vector specifying specification limits. Typically this is a two-element vector of lower and upper specification limits. Since specification limits typically apply to individual measurements, this

parameter is primarily suitable for *i* charts. These limits are not plotted on *r*, *s*, or *mr* charts.


- 'unit' — The total number of inspected items for *p* and *np* charts, and the size of the inspected unit for *u* and *c* charts. In both cases *X* must be the count of the number of defects or defectives found. Default is 1 for *u* and *c* charts. This argument is required (no default) for *p* and *np* charts.
- 'width' — The width of the window used for computing the moving ranges and averages in *mr* and *ma* charts, and for computing the sigma estimate in *i*, *mr*, and *ma* charts. Default is 5.

Example

Create *xbar* and *r* control charts for the data in `parts.mat`:

```
load parts
st = controlchart(runout,'chart',{'xbar' 'r'});
```

controlchart



Display the process mean and standard deviation:

```
fprintf('Parameter estimates: mu = %g, sigma = %g\n',st.mu,st.sigma);  
Parameter estimates: mu = -0.0863889, sigma = 0.130215
```

See Also

controlrules

Purpose

Western Electric and Nelson control rules

Syntax

```
R = controlrules(rules,x,c1,se)
[R,RULES] = controlrules(...)
```

Description

`R = controlrules(rules,x,c1,se)` determines which points in the vector `x` violate the control rules in `rules`. `c1` is a vector of center-line values. `se` is a vector of standard errors. (Typically, control limits on a control chart are at the values $c1 - 3*se$ and $c1 + 3*se$.) `rules` is the name of a control rule, or a cell array containing multiple control rule names, from the list below. If `x` has n values and `rules` contains m rules, then `R` is an n -by- m logical array, with `R(i,j)` assigned the value 1 if point `i` violates rule `j`, 0 if it does not.

The following are accepted values for `rules`:

- 'we1' — 1 point above $c1 + 3*se$
- 'we2' — 2 of 3 above $c1 + 2*se$
- 'we3' — 4 of 5 above $c1 + se$
- 'we4' — 8 of 8 above $c1$
- 'we5' — 1 below $c1 - 3*se$
- 'we6' — 2 of 3 below $c1 - 2*se$
- 'we7' — 4 of 5 below $c1 - se$
- 'we8' — 8 of 8 below $c1$
- 'we9' — 15 of 15 between $c1 - se$ and $c1 + se$
- 'we10' — 8 of 8 below $c1 - se$ or above $c1 + se$
- 'n1' — 1 point below $c1 - 3*se$ or above $c1 + 3*se$
- 'n2' — 9 of 9 on the same side of $c1$
- 'n3' — 6 of 6 increasing or decreasing
- 'n4' — 14 alternating up/down

controlrules

- 'n5' — 2 of 3 below $c1 - 2*se$ or above $c1 + 2*se$, same side
- 'n6' — 4 of 5 below $c1 - se$ or above $c1 + se$, same side
- 'n7' — 15 of 15 between $c1 - se$ and $c1 + se$
- 'n8' — 8 of 8 below $c1 - se$ or above $c1 + se$, either side
- 'we' — All Western Electric rules
- 'n' — All Nelson rules

For multi-point rules, a rule violation at point i indicates that the set of points ending at point i triggered the rule. Point i is considered to have violated the rule only if it is one of the points violating the rule's condition.

Any points with NaN as their x , $c1$, or se values are not considered to have violated rules, and are not counted in the rules for other points.


Control rules can be specified in the `controlchart` function as values for the 'rules' parameter.

`[R,RULES] = controlrules(...)` returns a cell array of text strings `RULES` listing the rules applied.

Example

Create an xbar chart using the `we2` rule to mark out of control measurements:

```
load parts;
st = controlchart(runout, 'rules', 'we2');
x = st.mean;
c1 = st.mu;
se = st.sigma./sqrt(st.n);
hold on
plot(c1+2*se, 'm')
```



Use controlrules to identify the measurements that violate the control rule:

```
R = controlrules('we2',x,c1,se);
I = find(R)
I =
    21
    23
```

controlrules

24
25
26
27

See Also

controlchart

Purpose Cophenetic correlation coefficient

Syntax
`c = cophenet(Z,Y)`
`[c,d] = cophenet(Z,Y)`

Description `c = cophenet(Z,Y)` computes the cophenetic correlation coefficient for the hierarchical cluster tree represented by `Z`. `Z` is the output of the linkage function. `Y` contains the distances or dissimilarities used to construct `Z`, as output by the `pdist` function. `Z` is a matrix of size $(m-1)$ -by-3, with distance information in the third column. `Y` is a vector of size $m \cdot (m - 1)/2$.

`[c,d] = cophenet(Z,Y)` returns the cophenetic distances `d` in the same lower triangular distance vector format as `Y`.

The cophenetic correlation for a cluster tree is defined as the linear correlation coefficient between the cophenetic distances obtained from the tree, and the original distances (or dissimilarities) used to construct the tree. Thus, it is a measure of how faithfully the tree represents the dissimilarities among observations.

The cophenetic distance between two observations is represented in a dendrogram by the height of the link at which those two observations are first joined. That height is the distance between the two subclusters that are merged by that link.

The output value, `c`, is the cophenetic correlation coefficient. The magnitude of this value should be very close to 1 for a high-quality solution. This measure can be used to compare alternative cluster solutions obtained using different algorithms.

The cophenetic correlation between `Z(:,3)` and `Y` is defined as

$$c = \frac{\sum_{i < j} (Y_{ij} - y)(Z_{ij} - z)}{\sqrt{\sum_{i < j} (Y_{ij} - y)^2 \sum_{i < j} (Z_{ij} - z)^2}}$$

where:

cophenet

- Y_{ij} is the distance between objects i and j in Y .
- Z_{ij} is the cophenetic distance between objects i and j , from $Z(:,3)$.
- y and z are the average of Y and $Z(:,3)$, respectively.

Example

```
X = [rand(10,3); rand(10,3)+1; rand(10,3)+2];
Y = pdist(X);
Z = linkage(Y, 'average');

% Compute Spearman's rank correlation between the
% dissimilarities and the cophenetic distances
[c,D] = cophenet(Z,Y);
r = corr(Y',D', 'type', 'spearman')
r =
    0.8279
```

See Also

cluster, dendrogram, inconsistent, linkage, pdist, squareform

Purpose Copula cumulative distribution function

Syntax

```
Y = copulacdf('Gaussian',U,rho)
Y = copulacdf('t',U,rho,NU)
Y = copulacdf(family,U,alpha)
```

Description

`Y = copulacdf('Gaussian',U,rho)` returns the cumulative probability of the Gaussian copula with linear correlation parameters `rho`, evaluated at the points in `U`. `U` is an n -by- p matrix of values in $[0, 1]$, representing n points in the p -dimensional unit hypercube. `rho` is a p -by- p correlation matrix. If `U` is an n -by-2 matrix, `rho` may also be a scalar correlation coefficient.


`Y = copulacdf('t',U,rho,NU)` returns the cumulative probability of the t copula with linear correlation parameters `rho` and degrees of freedom parameter `NU`, evaluated at the points in `U`. `U` is an n -by- p matrix of values in $[0, 1]$. `rho` is a p -by- p correlation matrix. If `U` is an n -by-2 matrix, `rho` may also be a scalar correlation coefficient.

`Y = copulacdf(family,U,alpha)` returns the cumulative probability of the bivariate Archimedean copula determined by `family`, with scalar parameter `alpha`, evaluated at the points in `U`. `family` is 'Clayton', 'Frank', or 'Gumbel'. `U` is an n -by-2 matrix of values in $[0, 1]$.

Example

```
u = linspace(0,1,10);
[U1,U2] = meshgrid(u,u);
F = copulacdf('Clayton',[U1(:) U2(:)],1);
surf(U1,U2,reshape(F,10,10))
xlabel('u1')
ylabel('u2')
```

copulacdf



See Also

[copulapdf](#), [copularnd](#), [copulastat](#), [copulaparam](#)

Purpose

Fit copula to data

Syntax

```
RHOHAT = copulafit('Gaussian',U)
[RHOHAT,nuhat] = copulafit('t',U)
[RHOHAT,nuhat,nuci] = copulafit('t',U)
paramhat = copulafit(family,U)
[paramhat,paramci] = copulafit(family,U)
[...] = copulafit(...,'alpha',alpha)
[...] = copulafit('t',U,'Method','ApproximateML')
[...] = copulafit(...,'Options',options)
```

Description

`RHOHAT = copulafit('Gaussian',U)` returns an estimate `RHOHAT` of the matrix of linear correlation parameters for a Gaussian copula, given data in `U`. `U` is an n -by- p matrix of values in the open interval $(0,1)$ representing n points in the p -dimensional unit hypercube.

`[RHOHAT,nuhat] = copulafit('t',U)` returns an estimate `RHOHAT` of the matrix of linear correlation parameters for a t copula and an estimate `nuhat` of the degrees of freedom parameter, given data in `U`. `U` is an n -by- p matrix of values in the open interval $(0,1)$ representing n points in the p -dimensional unit hypercube.

`[RHOHAT,nuhat,nuci] = copulafit('t',U)` also returns an approximate 95% confidence interval `nuci` for the degrees of freedom parameter estimated in `nuhat`.

`paramhat = copulafit(family,U)` returns an estimate `paramhat` of the copula parameter for an Archimedean copula specified by `family`, given data in `U`. `U` is an n -by-2 matrix of values in the open interval $(0,1)$ representing n points in the unit square. `family` is one of 'Clayton', 'Frank', or 'Gumbel'.

`[paramhat,paramci] = copulafit(family,U)` also returns an approximate 95% confidence interval `paramci` for the copula parameter estimated in `paramhat`.

`[...] = copulafit(...,'alpha',alpha)` returns approximate $100 \times (1 - \alpha)\%$ confidence intervals in `nuci` or `paramci`.

Note By default, `copulafit` uses maximum likelihood to fit a copula to `U`. When `U` contains data transformed to the unit hypercube by parametric estimates of their marginal cumulative distribution functions, this is known as the *Inference Functions for Margins (IFM)* method. When `U` contains data transformed by the empirical cdf (see `ecdf`), this is known as *Canonical Maximum Likelihood (CML)*.

`[...] = copulafit('t',U,'Method','ApproximateML')` fits a t copula for large samples `U` by maximizing an objective function that approximates the profile log-likelihood for the degrees of freedom parameter (see [1]). This method can be significantly faster than maximum likelihood, but the estimates and confidence limits may not be accurate for small to moderate sample sizes.

`[...] = copulafit(...,'Options',options)` specifies control parameters for the iterative parameter estimation algorithm using an options structure `options` as created by `statset`. Type `statset('copulafit')` at the command prompt for fields and default values used by `copulafit`. This argument is not applicable to the 'Gaussian' family.

Reference


[1] Bouye, E., Durrleman, V., Nikeghbali, A., Riboulet, G., Roncalli, T., “Copulas for Finance: A Reading Guide and Some Applications,” Working Paper, Groupe de Recherche Operationnelle, Credit Lyonnais, 2000.

Example

Load and plot simulated stock return data:

```
load stockreturns
x = stocks(:,1);
y = stocks(:,2);


scatterhist(x,y)
```



Transform the data to the copula scale (unit square) using a kernel estimator of the cumulative distribution function:

```
u = ksdensity(x,x,'function','cdf');  
v = ksdensity(y,y,'function','cdf');  
  
scatterhist(u,v)  
xlabel('u')  
ylabel('v')
```

copulafit



Fit a t copula:

```
[Rho,nu] = copulafit('t',[u v],'Method','ApproximateML')  
Rho =  
    1.0000    0.7220  
    0.7220    1.0000  
nu =  
    2.8934e+006
```

Generate a random sample from the t copula:

```
r = copularnd('t',Rho,nu,1000);
```




```

u1 = r(:,1);
v1 = r(:,2);

scatterhist(u1,v1)
xlabel('u')
ylabel('v')
set(get(gca,'children'),'marker','.')

```




Transform the random sample back to the original scale of the data:

```

x1 = ksdensity(u,u1,'function','icdf');
y1 = ksdensity(v,v1,'function','icdf');

```

```
scatterhist(x1,y1)  
set(get(gca,'children'),'marker','.')
```



See Also

[ecdf](#), [copulacdf](#), [copulaparam](#), [copulapdf](#), [copularnd](#), [copulastat](#)

Purpose Copula parameters as function of rank correlation

Syntax

```
rho = copulaparam('Gaussian',R)
rho = copulaparam('t',R,NU)
alpha = copulaparam(family,R)
[...] = copulaparam(...,'type',type)
```

Description `rho = copulaparam('Gaussian',R)` returns the linear correlation parameters `rho` corresponding to a Gaussian copula having Kendall's rank correlation `R`. If `R` is a scalar correlation coefficient, `rho` is a scalar correlation coefficient corresponding to a bivariate copula. If `R` is a p -by- p correlation matrix, `rho` is a p -by- p correlation matrix.

`rho = copulaparam('t',R,NU)` returns the linear correlation parameters `rho` corresponding to a `t` copula having Kendall's rank correlation `R` and degrees of freedom `NU`. If `R` is a scalar correlation coefficient, `rho` is a scalar correlation coefficient corresponding to a bivariate copula. If `R` is a p -by- p correlation matrix, `rho` is a p -by- p correlation matrix.

`alpha = copulaparam(family,R)` returns the copula parameter `alpha` corresponding to a bivariate Archimedean copula having Kendall's rank correlation `R`. `R` is a scalar. *family* is one of 'Clayton', 'Frank', or 'Gumbel'.

`[...] = copulaparam(...,'type',type)` assumes `R` is the specified type of rank correlation. `type` is 'Kendall' for Kendall's tau or 'Spearman' for Spearman's rho.

`copulaparam` uses an approximation to Spearman's rank correlation for some copula families when no analytic formula exists. The approximation is based on a smooth fit to values computed using Monte Carlo simulations.

Example Get the linear correlation coefficient corresponding to a bivariate Gaussian copula having a rank correlation of -0.5.

```
tau = -0.5
rho = copulaparam('gaussian',tau)
```


copulaparam

```
rho =  
    -0.7071  
  
% Generate dependent beta random values using that copula  
u = copularnd('gaussian',rho,100);  
b = betainv(u,2,2);  
  
% Verify that the sample has a rank correlation  
% approximately equal to tau  
tau_sample = corr(b,'type','k')  
tau_sample =  
    1.0000    -0.4638  
   -0.4638    1.0000
```

See Also

copulacdf, copulapdf, copularnd, copulastat

Purpose	Copula probability density function
Syntax	<pre>Y = copulapdf('Gaussian',U,rho) Y = copulapdf('t',U,rho,NU) Y = copulapdf(<i>family</i>,U,alpha)</pre>
Description	<p><code>Y = copulapdf('Gaussian',U,rho)</code> returns the probability density of the Gaussian copula with linear correlation parameters <code>rho</code>, evaluated at the points in <code>U</code>. <code>U</code> is an <code>n</code>-by-<code>p</code> matrix of values in <code>[0,1]</code>, representing <code>n</code> points in the <code>p</code>-dimensional unit hypercube. <code>rho</code> is a <code>p</code>-by-<code>p</code> correlation matrix. If <code>U</code> is an <code>n</code>-by-2 matrix, <code>rho</code> may also be a scalar correlation coefficient.</p> <p><code>Y = copulapdf('t',U,rho,NU)</code> returns the probability density of the <code>t</code> copula with linear correlation parameters <code>rho</code> and degrees of freedom parameter <code>NU</code>, evaluated at the points in <code>U</code>. <code>U</code> is an <code>n</code>-by-<code>p</code> matrix of values in <code>[0,1]</code>. <code>rho</code> is a <code>p</code>-by-<code>p</code> correlation matrix. If <code>U</code> is an <code>n</code>-by-2 matrix, <code>rho</code> may also be a scalar correlation coefficient.</p> <p><code>Y = copulapdf(<i>family</i>,U,alpha)</code> returns the probability density of the bivariate Archimedean copula determined by <code>family</code>, with scalar parameter <code>alpha</code>, evaluated at the points in <code>U</code>. <code>family</code> is 'Clayton', 'Frank', or 'Gumbel'. <code>U</code> is an <code>n</code>-by-2 matrix of values in <code>[0,1]</code>.</p>
Example	<pre>u = linspace(0,1,10); [U1,U2] = meshgrid(u,u); F = copulapdf('Clayton',[U1(:) U2(:)],1); surf(U1,U2,reshape(F,10,10)) xlabel('u1') ylabel('u2')</pre>



See Also

`copulacdf`, `copulaparam`, `copularnd`, `copulastat`

Purpose

Copula rank correlation

Syntax

```
R = copulastat('Gaussian',rho)
R = copulastat('t',rho,NU)
R = copulastat(family,alpha)
R = copulastat(...,'type',type)
```

Description

`R = copulastat('Gaussian',rho)` returns the Kendall's rank correlation R that corresponds to a Gaussian copula having linear correlation parameters ρ . If ρ is a scalar correlation coefficient, R is a scalar correlation coefficient corresponding to a bivariate copula. If ρ is a p -by- p correlation matrix, R is a p -by- p correlation matrix.

`R = copulastat('t',rho,NU)` returns the Kendall's rank correlation R that corresponds to a t copula having linear correlation parameters ρ and degrees of freedom NU . If ρ is a scalar correlation coefficient, R is a scalar correlation coefficient corresponding to a bivariate copula. If ρ is a p -by- p correlation matrix, R is a p -by- p correlation matrix.

`R = copulastat(family,alpha)` returns the Kendall's rank correlation R that corresponds to a bivariate Archimedean copula with scalar parameter α . *family* is one of 'Clayton', 'Frank', or 'Gumbel'.

`R = copulastat(...,'type',type)` returns the specified type of rank correlation. *type* is 'Kendall' to compute Kendall's tau, or 'Spearman' to compute Spearman's rho.

`copulastat` uses an approximation to Spearman's rank correlation for some copula families when no analytic formula exists. The approximation is based on a smooth fit to values computed using Monte-Carlo simulations.

Example

Get the theoretical rank correlation coefficient for a bivariate.

```
% Gaussian copula with linear correlation parameter rho
rho = -.7071;
tau = copulastat('gaussian',rho)
tau =
    -0.5000
```

```
% Generate dependent beta random values using that copula
u = copularnd('gaussian',rho,100);
b = betainv(u,2,2);

% Verify that the sample has a rank correlation
% approximately equal to tau
tau_sample = corr(b,'type','k')
tau_sample =
    1.0000   -0.5265
   -0.5265    1.0000
```

See Also

copulacdf, copulaparam, copulapdf, copularnd

Purpose	Copula random numbers
Syntax	<pre>U = copularnd('Gaussian',rho,N) U = copularnd('t',rho,NU,N) U = copularnd(<i>family</i>,alpha,N)</pre>
Description	<p>U = copularnd('Gaussian',rho,N) returns N random vectors generated from a Gaussian copula with linear correlation parameters rho. If rho is a p-by-p correlation matrix, U is an n-by-p matrix. If rho is a scalar correlation coefficient, copularnd generates U from a bivariate Gaussian copula. Each column of U is a sample from a Uniform(0,1) marginal distribution.</p> <p>U = copularnd('t',rho,NU,N) returns N random vectors generated from a t copula with linear correlation parameters rho and degrees of freedom NU. If rho is a p-by-p correlation matrix, U is an n-by-p matrix. If rho is a scalar correlation coefficient, copularnd generates U from a bivariate t copula. Each column of U is a sample from a Uniform(0,1) marginal distribution.</p> <p>U = copularnd(<i>family</i>,alpha,N) returns N random vectors generated from the bivariate Archimedean copula determined by <i>family</i>, with scalar parameter alpha. <i>family</i> is 'Clayton', 'Frank', or 'Gumbel'. U is an n-by-2 matrix. Each column of U is a sample from a Uniform(0,1) marginal distribution.</p>
Example	<p>Determine the linear correlation parameter corresponding to a bivariate Gaussian copula having a rank correlation of -0.5.</p> <pre>tau = -0.5 rho = copulaparam('gaussian',tau) rho = -0.7071 % Generate dependent beta random values using that copula u = copularnd('gaussian',rho,100); b = betainv(u,2,2);</pre>

copularnd

```
% Verify that the sample has a rank correlation
% approximately equal to tau
tau_sample = corr(b,'type','kendall')
tau_sample =
    1.0000    -0.4537
   -0.4537    1.0000
```

See Also

copulacdf, copulaparam, copulapdf, copulastat

Purpose

Coordinate exchange

Syntax

```
dCE = cordexch(nfactors,nruns)
[dCE,X] = cordexch(nfactors,nruns)
[dCE,X] = cordexch(nfactors,nruns,model)
[dCE,X] = cordexch(...,param1,val1,param2,val2,...)
```

Description

`dCE = cordexch(nfactors,nruns)` uses a coordinate-exchange algorithm to generate a D -optimal design `dCE` with `nruns` runs (the rows of `dCE`) for a linear additive model with `nfactors` factors (the columns of `dCE`). The model includes a constant term.

`[dCE,X] = cordexch(nfactors,nruns)` also returns the associated design matrix `X`, whose columns are the model terms evaluated at each treatment (row) of `dCE`.

`[dCE,X] = cordexch(nfactors,nruns,model)` uses the linear regression model specified in `model`. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

The order of the columns of `X` for a full quadratic model with n terms is:

- 1 The constant term
- 2 The linear terms in order 1, 2, ..., n
- 3 The interaction terms in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n)
- 4 The squared terms in order 1, 2, ..., n

Other models use a subset of these terms, in the same order.

Alternatively, *model* can be a matrix specifying polynomial terms of arbitrary order. In this case, *model* should have one column for each factor and one row for each term in the model. The entries in any row of *model* are powers for the factors in the columns. For example, if a model has factors X_1 , X_2 , and X_3 , then a row $[0 \ 1 \ 2]$ in *model* specifies the term $(X_1.^0) \cdot (X_2.^1) \cdot (X_3.^2)$. A row of all zeros in *model* specifies a constant term, which can be omitted.

`[dCE,X] = cordexch(...,param1,val1,param2,val2,...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'bounds'	Lower and upper bounds for each factor, specified as a 2-by-nfactors matrix. Alternatively, this value can be a cell array containing nfactors elements, each element specifying the vector of allowable values for the corresponding factor.
'categorical'	Indices of categorical predictors.
'display'	Either 'on' or 'off' to control display of the iteration counter. The default is 'on'.
'excludefun'	Handle to a function that excludes undesirable runs. If the function is f , it must support the syntax $b = f(S)$, where S is a matrix of treatments with nfactors columns and b is a vector of Boolean values with the same number of rows as S . $b(i)$ is true if the i th row S should be excluded.
'init'	Initial design as an nruns-by-nfactors matrix. The default is a randomly selected set of points.
'levels'	Vector of number of levels for each factor.

Parameter	Value
'maxiter'	Maximum number of iterations. The default is 10.
'tries'	Number of times to try to generate a design from a new starting point. The algorithm uses random points for each try, except possibly the first. The default is 1.

Algorithm

Both `cordexch` and `rowexch` use iterative search algorithms. They operate by incrementally changing an initial design matrix X to increase $D = |X^T X|$ at each step. In both algorithms, there is randomness built into the selection of the initial design and into the choice of the incremental changes. As a result, both algorithms may return locally, but not globally, D -optimal designs. Run each algorithm multiple times and select the best result for your final design. Both functions have a 'tries' parameter that automates this repetition and comparison.

Unlike the row-exchange algorithm used by `rowexch`, `cordexch` does not use a candidate set. (Or rather, the candidate set is the entire design space.) At each step, the coordinate-exchange algorithm exchanges a single element of X with a new element evaluated at a neighboring point in design space. The absence of a candidate set reduces demands on memory, but the smaller scale of the search means that the coordinate-exchange algorithm is more likely to become trapped in a local minimum than the row-exchange algorithm.

Example

Suppose you want a design to estimate the parameters in the following three-factor, seven-term interaction model:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 + \beta_{12} x_1 x_2 + \beta_{13} x_1 x_3 + \beta_{23} x_2 x_3 + \varepsilon$$

Use `cordexch` to generate a D -optimal design with seven runs:

```
nfactors = 3;
nruns = 7;
[dCE,X] = cordexch(nfactors,nruns,'interaction','tries',10)
dCE =
```

```
      -1      1      1
      -1     -1     -1
       1      1      1
      -1      1     -1
       1     -1      1
       1     -1     -1
      -1     -1      1
X =
      1     -1      1      1     -1     -1      1
      1     -1     -1     -1      1      1      1
      1      1      1      1      1      1      1
      1     -1      1     -1     -1      1     -1
      1      1     -1      1     -1      1     -1
      1      1     -1     -1     -1     -1      1
      1     -1     -1      1      1     -1     -1
```

Columns of the design matrix X are the model terms evaluated at each row of the design dCE. The terms appear in order from left to right: constant term, linear terms (1, 2, 3), interaction terms (12, 13, 23). Use X to fit the model, as described in “Linear Regression” on page 8-3, to response data measured at the design points in dCE.

See Also

rowexch, daugment, dcovary

Purpose Linear or rank correlation

Syntax

```
RHO = corr(X)
RHO = corr(X,Y,...)
[RHO,PVAL] = corr(...)
[...] = corr(...,param1,val1,param2,val2,...)
```

Description RHO = corr(X) returns a p -by- p matrix containing the pairwise linear correlation coefficient between each pair of columns in the n -by- p matrix X.

RHO = corr(X,Y,...) returns a $p1$ -by- $p2$ matrix containing the pairwise correlation coefficient between each pair of columns in the n -by- $p1$ and n -by- $p2$ matrices X and Y.

[RHO,PVAL] = corr(...) also returns PVAL, a matrix of p -values for testing the hypothesis of no correlation against the alternative that there is a nonzero correlation. Each element of PVAL is the p -value for the corresponding element of RHO. If PVAL(i , j) is small, say less than 0.05, then the correlation RHO(i , j) is significantly different from zero.

[...] = corr(...,param1,val1,param2,val2,...) specifies additional parameters and their values. The following table lists the valid parameters and their values.

Parameter	Values
'type'	<ul style="list-style-type: none"> 'Pearson' (the default) computes Pearson's linear correlation coefficient 'Kendall' computes Kendall's tau 'Spearman' computes Spearman's rho

Parameter	Values
'rows'	<ul style="list-style-type: none">• 'all' (the default) uses all rows regardless of missing values (NaNs)• 'complete' uses only rows with no missing values• 'pairwise' computes $RHO(i, j)$ using rows with no missing values in column i or j
'tail' — The alternative hypothesis against which to compute p -values for testing the hypothesis of no correlation	<ul style="list-style-type: none">• 'ne' — Correlation is not zero (the default)• 'gt' — Correlation is greater than zero• 'lt' — Correlation is less than zero

Using the 'pairwise' option for the 'rows' parameter might return a matrix that is not positive definite. The 'complete' option always returns a positive definite matrix, but in general the estimates will be based on fewer observations.

`corr` computes p -values for Pearson's correlation using a Student's t distribution for a transformation of the correlation. This is exact when X and Y are normal. `corr` computes p -values for Kendall's tau and Spearman's rho using either the exact permutation distributions (for small sample sizes), or large-sample approximations.

`corr` computes p -values for the two-tailed test by doubling the more significant of the two one-tailed p -values.

See Also

`corrcoef`, `partialcorr`, `corrcoef`, `tiedrank`

Purpose Correlation coefficients

Description MATLAB® function. See `corrcoef` in the MATLAB documentation.

See Also `partialcorr`, `cov`, `corrcoef`

Purpose Convert covariance matrix to correlation matrix

Syntax `R = corrcoef(C)`
`[R,sigma] = corrcoef(C)`

Description `R = corrcoef(C)` computes the correlation matrix `R` corresponding to the covariance matrix `C`. `C` must be square, symmetric, and positive semi-definite.

`[R,sigma] = corrcoef(C)` also computes the vector of standard deviations `sigma`.

Example Use `cov` and `corrcoef` to compute covariances and correlations, respectively, for sample data on weight and blood pressure (systolic, diastolic) in `hospital.mat`:

```
load hospital
X = [hospital.Weight hospital.BloodPressure];
C = cov(X)
C =
    706.0404    27.7879    41.0202
    27.7879    45.0622    23.8194
    41.0202    23.8194    48.0590
R = corrcoef(X)
R =
    1.0000    0.1558    0.2227
    0.1558    1.0000    0.5118
    0.2227    0.5118    1.0000
```

Compare `R` with the correlation matrix computed from `C` by `corrcoef`:

```
corrcoef(C)
ans =
    1.0000    0.1558    0.2227
    0.1558    1.0000    0.5118
    0.2227    0.5118    1.0000
```

See Also `cov`, `corrcoef`, `corr`, `cholcov`

Purpose	Covariance
Description	MATLAB® function. See cov in the MATLAB documentation.
See Also	var, corrcoef, partialcorr, corrcov

coxphfit

Purpose Cox proportional hazards regression

Syntax
`b = coxphfit(X,y)`
`[...] = coxphfit(X,Y,param1,val1,param2,val2,...)`
`[b,logl,H,stats] = coxphfit(...)`

Description `b = coxphfit(X,y)` returns a p -by-1 vector b of coefficient estimates for a Cox proportional hazards regression of the responses in y on the predictors in X . X is an n -by- p matrix of p predictors at each of n observations. y is an n -by-1 vector of observed responses.

The hazard rate for the distribution of y is modeled by $h(t) \cdot \exp(X \cdot b)$, where $h(t)$ is a common baseline hazard function. The model does not include a constant term, and X should not contain a column of 1s.

`[...] = coxphfit(X,Y,param1,val1,param2,val2,...)` specifies additional parameter name/value pairs chosen from the following:

Name	Value
'baseline'	The X values at which the baseline hazard is to be computed. Default is $\text{mean}(X)$, so the hazard at X is $h(t) \cdot \exp((X - \text{mean}(X)) \cdot b)$. Enter 0 to compute the baseline relative to 0, so the hazard at X is $h(t) \cdot \exp(X \cdot b)$.
'censoring'	A Boolean array of the same size as y that is 1 for observations that are right-censored and 0 for observations that are observed exactly. Default is all observations observed exactly.
'frequency'	An array of the same size as y containing nonnegative integer counts. The j^{th} element of this vector gives the number of times the j^{th} element of y and the j^{th} row of X were observed. Default is one observation per row of X and y .

Name	Value
'init'	A vector containing initial values for the estimated coefficients <i>b</i> .
'options'	A structure specifying control parameters for the iterative algorithm used to estimate <i>b</i> . This argument can be created by a call to <code>statset</code> . For parameter names and default values, type <code>statset('coxphfit')</code> .

`[b,logl,H,stats] = coxphfit(...)` returns additional results. `logl` is the log likelihood. `H` is a two-column matrix containing *y* values in the first column and the estimated baseline cumulative hazard evaluated at those values in the second column. `stats` is a structure that contains the fields:

- `beta` — Coefficient estimates (same as *b*)
- `se` — Standard errors of coefficient estimates *b*
- `z` — *z* statistics for *b* (*b* divided by standard error)
- `p` — *p*-values for *b*
- `covb` — Estimated covariance matrix for *b*

Example

Generate Weibull data depending on predictor *x*:

```
x = 4*rand(100,1);
A = 50*exp(-0.5*x); B = 2;
y = wblrnd(A,B);
```

Fit a Cox model :


```
[b,logL,H,stats] = coxphfit(x,y);
```

Show the Cox estimate of the baseline survivor function together with the known Weibull function:

```
stairs(H(:,1),exp(-H(:,2)))
```

coxphfit

```
xx = linspace(0,100);  
line(xx,1-wblcdf(xx,50*exp(-0.5*mean(x)),B),'color','r')  
xlim([0,50])  
legend('Survivor Function','Weibull Function')
```



Reference

[1] Cox, D.R., and D. Oakes, *Analysis of Survival Data*, Chapman & Hall, Boca Raton, 1984.

[2] Lawless, J.F., *Statistical Models and Methods for Lifetime Data*, Wiley, New York, 2003.

See Also

ecdf, statset, wblfit

Purpose

Cross-tabulation

Syntax

```
table = crosstab(col1,col2)
table = crosstab(col1,col2,col3,...)
[table,chi2,p] = crosstab(col1,col2)
[table,chi2,p,label] = crosstab(col1,col2)
```

Description

`table = crosstab(col1,col2)` takes two vectors of positive integers and returns a matrix, `table`, of cross-tabulations. The ij th element of `table` contains the count of all instances where $col1 = i$ and $col2 = j$.

Alternatively, `col1` and `col2` can be vectors containing non-integer values, categorical variables, character arrays, or cell arrays of strings. `crosstab` implicitly assigns a positive integer group number to each distinct value in `col1` and `col2`, and creates a cross-tabulation using those numbers.

`table = crosstab(col1,col2,col3,...)` returns `table` as an n -dimensional array, where n is the number of arguments you supply. The value of `table(i,j,k,...)` is the count of all instances where $col1 = i$, $col2 = j$, $col3 = k$, and so on.

`[table,chi2,p] = crosstab(col1,col2)` also returns the chi-square statistic, `chi2`, for testing the independence of the rows and columns of `table`. The scalar `p` is the significance level of the test. Values of `p` near zero cast doubt on the assumption of independence of the rows and columns of `table`.

`[table,chi2,p,label] = crosstab(col1,col2)` also returns a cell array `label` that has one column for each input argument. The value in `label(i,j)` is the value of `colj` that defines group i in the j th dimension.

Example**Example 1**

This example generates 2 columns of 50 discrete uniform random numbers. The first column has numbers from 1 to 3. The second has only the numbers 1 and 2. The two columns are independent so it would be surprising if `p` were near zero.

crosstab

```
r1 = unidrnd(3,50,1);
r2 = unidrnd(2,50,1);
[table,chi2,p] = crosstab(r1,r2)
table =

    10    5
     8    8
     6   13
chi2 =
    4.1723
p =
    0.1242
```

The result, 0.1242, is not a surprise. A very small value of p would make you suspect the “randomness” of the random number generator.

Example 2

Suppose you have data collected on several cars over a period of time. How many four-cylinder cars were made in the USA during the late part of this period?

```
[t,c,p,l] = crosstab(cyl4,when,org);
l
l =
    'Other'  'Early'  'USA'
    'Four'   'Mid'     'Europe'
    []       'Late'    'Japan'
t(2,3,1)
ans =
    38
```

See Also

tabulate

Purpose

Loss estimate using cross-validation

Syntax

```
loss = crossval(fun,X)
loss = crossval(fun,X,Y,...)
loss = crossval(...,param1,val1,param2,val2,...)
```

Description

`loss = crossval(fun,X)` computes 10-fold cross-validation loss for the function `fun` applied to the data in `X`.

`fun` is a function handle to a function with two inputs, the training subset of `X`, `XTRAIN`, and the test subset of `X`, `XTEST`, as follows:

```
testloss = fun(XTRAIN,XTEST)
```

`fun` returns `testloss`, the distance, or *loss*, computed on the test subset using the model fit to the training subset.

`X` can be a column vector or a matrix. Rows of `X` correspond to observations; columns correspond to variables or features. Each row of `loss` contains the loss value for one test set. If `testloss` is a matrix or array, it is converted to a row vector in linear indexing order for storage in one row of `loss`.

Typical loss measures include the mean-squared error for regression and misclassification rate for classification.

`loss = crossval(fun,X,Y,...)` is used when data are stored in separate variables `X`, `Y`, All variables (column vectors, matrices, or arrays) must have the same number of rows. `fun` is called with the training subsets of `X`, `Y`, ... , followed by the test subsets of `X`, `Y`, ... , as follows:

```
testloss = fun(XTRAIN,YTRAIN,...,XTEST,YTEST,...)
```

`loss = crossval(...,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs from the following table:

Name	Value
'holdout'	A scalar specifying the ratio or the number of observations p for holdout cross-validation. When $0 < p < 1$, approximately $p \cdot n$ observations for the test set are randomly selected. When p is an integer, p observations for the test set are randomly selected.
'kfold'	A scalar specifying the number of folds k for k -fold cross-validation.
'leaveout'	Specifies leave-one-out cross-validation. The value must be 1.
'mcreps'	A positive integer specifying the number of Monte-Carlo repetitions. The values of loss from all repetitions are concatenated along the first dimension.
'partition'	An object c of the <code>@cvpartition</code> class, specifying the cross-validation type and partition.
'stratify'	A column vector group specifying groups for stratification. Both training and test sets have roughly the same class proportions as in group. NaNs or empty strings in group are treated as missing values, and the corresponding rows of X , Y , ... are ignored.

Only one of 'kfold', 'holdout', 'leaveout', or 'partition' can be specified, and 'partition' cannot be specified with 'stratify'. If both 'partition' and 'mcreps' are specified, the first Monte-Carlo repetition uses the partition information in the `cvpartition` object, and the `repartition` method is called to generate new partitions for each of the remaining repetitions. If no cross-validation type is specified, the default is 10-fold cross-validation.

Examples

Example 1

Use 10-fold cross-validation to compute mean-squared error for regression:

```
load('fisheriris');
y = meas(:,1);
x = [ones(size(y,1),1),meas(:,2:4)];

fun = @(xT,yT,xt,yt)(norm(yt-xt*regress(yT,xT)).^2);
SSE = crossval(fun,x,y);

MSE = sum(SSE)/length(y)
MSE =
    0.1015
```

Example 2

Use stratified 10-fold cross-validation to compute misclassification rate:

```
load fisheriris;
y = species;
c = cvpartition(y,'k',10);

fun = @(xT,yT,xt,yt)(sum(~strcmp(yt,classify(xt,xT,yT))));

rate = sum(crossval(fun,meas,y,'partition',c))...
      /sum(c.TestSize)
rate =
    0.0200
```

Reference

[1] Hastie, T. Tibshirani, R, and Friedman, J., *The Elements of Statistical Learning*, Springer, 2001.

See Also

cvpartition

cutcategories

Purpose Cut categories

Class @classregtree

Syntax `C = cutcategories(t)`
`C = cutcategories(t,nodes)`

Description `C = cutcategories(t)` returns an n -by-2 cell array `C` of the categories used at branches in the decision tree `t`, where n is the number of nodes. For each branch node i based on a categorical predictor variable x , the left child is chosen if x is among the categories listed in `C{i,1}`, and the right child is chosen if x is among those listed in `C{i,2}`. Both columns of `C` are empty for branch nodes based on continuous predictors and for leaf nodes.

`C = cutcategories(t,nodes)` takes a vector `nodes` of node numbers and returns the categories for the specified nodes.

Example Create a classification tree for car data:


```
load carsmall

t = classregtree([MPG Cylinders],Origin,...
                'names',{'MPG' 'Cyl'},'cat',2)
t =
Decision tree for classification
1  if Cyl=4 then node 2 else node 3
2  if MPG<31.5 then node 4 else node 5
3  if Cyl=6 then node 6 else node 7
4  if MPG<21.5 then node 8 else node 9
5  if MPG<41 then node 10 else node 11
6  if MPG<17 then node 12 else node 13
7  class = USA
8  class = France
9  class = USA
10 class = Japan
11 class = Germany
```

```
12 class = Germany
```

```
13 class = USA
```

```
view(t)
```



```
C = cutcategories(t)
```

```
C =
```

```
    [4]    [1x2 double]
```

```
    []     []
```

cutcategories

```
[6] [ 8]
[] []
[] []
[] []
[] []
[] []
[] []
[] []
[] []
[] []
[] []
[] []
C{1,2}
ans =
6 8
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, cutvar, cutpoint, cuttype

Purpose	Cut points
Class	@classregtree
Syntax	<code>v = cutpoint(t)</code> <code>v = cutpoint(t,nodes)</code>
Description	<p><code>v = cutpoint(t)</code> returns an n-element vector v of the values used as cutpoints in the decision tree t, where n is the number of nodes. For each branch node i based on a continuous predictor variable x, the left child is chosen if $x < v(i)$ and the right child is chosen if $x \geq v(i)$. v is NaN for branch nodes based on categorical predictors and for leaf nodes.</p> <p><code>v = cutpoint(t,nodes)</code> takes a vector <code>nodes</code> of node numbers and returns the cutpoints for the specified nodes.</p>


Example Create a classification tree for car data:

```
load carsmall

t = classregtree([MPG Cylinders],Origin,...
                'names',{'MPG' 'Cyl'},'cat',2)
t =
Decision tree for classification
1  if Cyl=4 then node 2 else node 3
2  if MPG<31.5 then node 4 else node 5
3  if Cyl=6 then node 6 else node 7
4  if MPG<21.5 then node 8 else node 9
5  if MPG<41 then node 10 else node 11
6  if MPG<17 then node 12 else node 13
7  class = USA
8  class = France
9  class = USA
10 class = Japan
11 class = Germany
12 class = Germany
13 class = USA
```

cutpoint

view(t)



```
v = cutpoint(t)
```

```
v =
```

```
    NaN  
  31.5000  
    NaN  
  21.5000
```


41.0000

17.0000

NaN

NaN

NaN

NaN

NaN

NaN

NaN

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, cutvar, cutcategories, cuttype

cuttype

Purpose Cut types

Class @classregtree

Syntax `c = cuttype(t)`
 `c = cuttype(t,nodes)`

Description `c = cuttype(t)` returns an n -element cell array `c` indicating the type of cut at each node in the tree `t`, where n is the number of nodes. For each node i , `c{i}` is:

- 'continuous' — If the cut is defined in the form $x < v$ for a variable x and cutpoint v .
- 'categorical' — If the cut is defined by whether a variable x takes a value in a set of categories.
- '' — If i is a leaf node.

`cutvar` returns the cutpoints for 'continuous' cuts, and `cutcategories` returns the set of categories.

`c = cuttype(t,nodes)` takes a vector `nodes` of node numbers and returns the cut types for the specified nodes.

Example Create a classification tree for car data:


```
load carsmall

t = classregtree([MPG Cylinders],Origin,...
                 'names',{'MPG' 'Cyl'},'cat',2)
t =
Decision tree for classification
1  if Cyl=4 then node 2 else node 3
2  if MPG<31.5 then node 4 else node 5
3  if Cyl=6 then node 6 else node 7
4  if MPG<21.5 then node 8 else node 9
5  if MPG<41 then node 10 else node 11
```

```
6 if MPG<17 then node 12 else node 13
7 class = USA
8 class = France
9 class = USA
10 class = Japan
11 class = Germany
12 class = Germany
13 class = USA
```

```
view(t)
```

cuttype



```
c = cuttype(t)
c =
'categorical'
'continuous'
'categorical'
'continuous'
'continuous'
'continuous'
''
```

..
..
..
..
..
..

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, cutvar, cutcategories

cutvar

Purpose Cut variable names

Class @classregtree

Syntax
`v = cutvar(t)`
`v = cutvar(t,nodes)`
`[v,num] = cutvar(...)`

Description `v = cutvar(t)` returns an n -element cell array `v` of the names of the variables used for branching in each node of the tree `t`, where n is the number of nodes. These variables are sometimes known as *cut variables*. For leaf nodes, `v` contains an empty string.

`v = cutvar(t,nodes)` takes a vector `nodes` of node numbers and returns the cut variables for the specified nodes.

`[v,num] = cutvar(...)` also returns a vector `num` containing the number of each variable.

Example Create a classification tree for car data:

```
load carsmall

t = classregtree([MPG Cylinders],Origin,...
                'names',{'MPG' 'Cyl'},'cat',2)


t =
Decision tree for classification
 1 if Cyl=4 then node 2 else node 3
 2 if MPG<31.5 then node 4 else node 5
 3 if Cyl=6 then node 6 else node 7
 4 if MPG<21.5 then node 8 else node 9
 5 if MPG<41 then node 10 else node 11
 6 if MPG<17 then node 12 else node 13
 7 class = USA
 8 class = France
 9 class = USA
10 class = Japan
```

```

11 class = Germany
12 class = Germany
13 class = USA

```

```
view(t)
```



```

[v,num] = cutvar(t)
v =
    'Cyl'

```

```
'MPG '  
'Cyl '  
'MPG '  
'MPG '  
'MPG '  
' '  
' '  
' '  
' '  
' '  
' '  
' '  
num =  
 2  
 1  
 2  
 1  
 1  
 1  
 0  
 0  
 0  
 0  
 0  
 0  
 0  
 0
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, children

Purpose Construct data partition for cross-validation

Class @cvpartition

Syntax

```
c = cvpartition(n, 'kfold', k)
c = cvpartition(group, 'kfold', k)
c = cvpartition(n, 'holdout', p)
c = cvpartition(group, 'holdout', p)
c = cvpartition(n, 'leaveout')
c = cvpartition(n, 'resubstitution')
```

Description `c = cvpartition(n, 'kfold', k)` constructs an object `c` of the `@cvpartition` class defining a random partition for k -fold cross-validation on n observations. The partition divides the observations into k disjoint subsamples (or *folds*), chosen randomly but with roughly equal size. The default value of k is 10.

`c = cvpartition(group, 'kfold', k)` creates a random partition for a stratified k -fold cross-validation. `group` is a numeric vector, categorical array, string array, or cell array of strings indicating the class of each observation. Each subsample has roughly equal size and roughly the same class proportions as in `group`. `cvpartition` treats NaNs or empty strings in `group` as missing values.

`c = cvpartition(n, 'holdout', p)` creates a random partition for holdout validation on n observations. This partition divides the observations into a training set and a test (or *holdout*) set. The parameter `p` must be a scalar. When $0 < p < 1$, `cvpartition` randomly selects approximately $p \cdot n$ observations for the test set. When `p` is an integer, `cvpartition` randomly selects `p` observations for the test set. The default value of `p` is $1/10$.

`c = cvpartition(group, 'holdout', p)` randomly partitions observations into a training set and a test set with stratification, using the class information in `group`; that is, both training and test sets have roughly the same class proportions as in `group`.

cvpartition

`c = cvpartition(n, 'leaveout')` creates a random partition for leave-one-out cross-validation on `n` observations. Leave-one-out is a special case of 'kfold', in which the number of folds equals the number of observations.

`c = cvpartition(n, 'resubstitution')` creates an object `c` that does not partition the data. Both the training set and the test set contain all of the original `n` observations.

Example

Use stratified 10-fold cross-validation to compute misclassification rate:

```
load fisheriris;
y = species;
c = cvpartition(y, 'k', 10);

fun = @(xT,yT,xt,yt)(sum(~strcmp(yt,classify(xt,xT,yT))));

rate = sum(crossval(fun,meas,y,'partition',c))...
      /sum(c.TestSize)

rate =
    0.0200
```

See Also

`repartition`, `crossval`

Purpose Construct dataset array

Class @dataset

Syntax

```
A = dataset(VAR1,VAR2,...)
A = dataset(...,{VAR,name},...)
A = dataset(...,{VAR,name_1,...,name_m},...)
A = dataset(...,'VarNames',{name_1,...,name_m},...)
A = dataset(...,'ObsNames',{name_1,...,name_n},...)
A = dataset('file',filename,param1,val1,param2,val2,...)
A = dataset('xlsfile',filename,param1,val1,param2,val2,...)
```

Description `A = dataset(VAR1,VAR2,...)` creates dataset array `A` from workspace variables `VAR1`, `VAR2`, ... using the workspace variable names for the names of the variables in `A`. Variables can be arrays of any size, but all variables must be the same size along dimension 1 (rows).

`A = dataset(...,{VAR,name},...)` creates a variable in dataset `A` from the workspace variable `VAR` and assigns it the name `name` in `A`. Names must be valid, unique MATLAB® identifier strings.

`A = dataset(...,{VAR,name_1,...,name_m},...)`, where `VAR` is an array with size `m` along dimension 2 (columns), creates `m` variables in dataset `A` from the columns of the workspace variable `VAR` and assigns them the names `name_1`, ..., `name_m` in `A`.

`A = dataset(...,'VarNames',{name_1,...,name_m},...)` names the `m` variables in `A` with the specified variable names. Names must be valid, unique MATLAB identifier strings. The number of names must equal the number of variables in `A`. You cannot use the 'VarNames' parameter if you provide names for individual variables using `{VAR,name}` pairs.

`A = dataset(...,'ObsNames',{name_1,...,name_n},...)` names the `n` observations in `A` with the specified observation names. The names need not be valid MATLAB identifier strings, but must be unique. The number of names must equal the number of observations (rows) in `A`.

Note Dataset arrays may contain built-in types or array objects as variables. Array objects must implement each of the following:

- Standard MATLAB parenthesis indexing of the form `var(i,...)`, where `i` is a numeric or logical vector corresponding to rows of the variable
 - A `size` method with a `dim` argument
 - A `vertcat` method
-

`A = dataset('file',filename,param1,val1,param2,val2,...)` creates dataset array `A` from column-oriented data in the text file specified by the string `filename`. Variables in `A` are of type `double` if data in the corresponding column of the file, following the column header, are entirely numeric; otherwise the variables in `A` are cell arrays of strings. Optional parameter name/value pairs are those listed in the following table and, when the `'format'` parameter is used, all those allowed by `textscan`.

Name	Value
'delimiter'	A string indicating the character separating columns in the file. Values are '\t' (tab—the default), ' ' (space), ',' (comma), ';' (semicolon), and ' ' (bar).
'format'	A string indicating how data is read from the file into the variables in <code>A</code> . Values are conversion specifiers for <code>textscan</code> . Additional <code>textscan</code> parameter/value pairs may be used when this parameter is used.

Name	Value
'ReadVarNames'	A logical value indicating whether (true) or not (false) to read variable names from the first row of the file. The default is true. If 'ReadVarNames' is true, variable names in the column headers of the file cannot be empty.
'ReadObsNames'	A logical value indicating whether (true) or not (false) to read observation names from the first column of the file. The default is false. If 'ReadObsNames' and 'ReadVarNames' are both true, the header of the first column in the file is saved as the name of the first dimension in <code>A.Properties.DimNames</code> .

`A = dataset('xlsfile', filename, param1, val1, param2, val2, ...)` creates dataset array `A` from column-oriented data in the Excel® spreadsheet specified by the string `filename`. Variables in `A` are of type `double` if data in the corresponding column of the spreadsheet, following the column header, are entirely numeric; otherwise the variables in `A` are cell arrays of strings. Optional parameter name/value pairs are listed in the following table.

Name	Value
'sheet'	A positive scalar value of type <code>double</code> indicating the sheet number, or a quoted string indicating the sheet name.

dataset

Name	Value
'range'	A string of the form 'C1:C2' where C1 and C2 are the names of cells at opposing corners of a rectangular region to be read, as for xlsread. By default, the rectangular region extends to the right-most column containing data. If the spreadsheet contains empty columns between columns of data, or if the spreadsheet contains figures or other non-tabular information, specify a range that contains only data.
'ReadVarNames'	A logical value indicating whether (true) or not (false) to read variable names from the first row of the range. The default is true. If 'ReadVarNames' is true, variable names in the column headers of the range cannot be empty.
'ReadObsNames'	A logical value indicating whether (true) or not (false) to read observation names from the first column of the range. The default is false. If 'ReadObsNames' and 'ReadVarNames' are both true, the header of the first column in the range is saved as the name of the first dimension in A.Properties.DimNames.

Examples

Example 1

Create a dataset array to contain Fisher's iris data:

```
load fisheriris
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);

iris(1:5,:)
ans =
```

	species	SL	SW	PL	PW
Obs1	setosa	5.1	3.5	1.4	0.2
Obs2	setosa	4.9	3	1.4	0.2
Obs3	setosa	4.7	3.2	1.3	0.2
Obs4	setosa	4.6	3.1	1.5	0.2
Obs5	setosa	5	3.6	1.4	0.2

Example 2

- 1 Load patient data from the CSV file `hospital.dat` and store the information in a dataset array with observation names given by the first column in the data (patient identification):

```
patients = dataset('file','hospital.dat',...
                  'delimiter',',',...
                  'ReadObsNames',true);
```

- 2 Make the {0,1}-valued variable `smoke` nominal, and change the labels to 'No' and 'Yes':

```
patients.smoke = nominal(patients.smoke,{'No','Yes'});
```

- 3 Add new levels to `smoke` as placeholders for more detailed histories of smokers:

```
patients.smoke = addlevels(patients.smoke,...
                          {'0-5 Years','5-10 Years','LongTerm'});
```

- 4 Assuming the nonsmokers have never smoked, relabel the 'No' level:

```
patients.smoke = setlabels(patients.smoke,'Never','No');
```

- 5 Drop the undifferentiated 'Yes' level from `smoke`:

```
patients.smoke = droplevels(patients.smoke,'Yes');
```

Warning: OLDLEVELS contains categorical levels that were present in A, caused some array elements to have

dataset

undefined levels.

Note that smokers now have an undefined level.

- 6 Set each smoker to one of the new levels, by observation name:

```
patients.smoke('YPL-320') = '5-10 Years';
```

See Also

tdfread, textscan, xlsread

Purpose Apply function to dataset array variables

Class @dataset

Syntax

```
b = datasetfun(fun,A)
[b,c,...] = datasetfun(fun,A)
[b,...] = datasetfun(fun,A,...,'UniformOutput',false)
[b,...] = datasetfun(fun,A,...,'DatasetOutput',true)
[b,...] = datasetfun(fun,A,...,'DataVars',vars)
[b,...] = datasetfun(fun,A,...,'ObsNames',obsnames)
[b,...] = datasetfun(fun,A,...,'ErrorHandler',efun)
```

Description

`b = datasetfun(fun,A)` applies the function specified by `fun` to each variable of the dataset array `A`, and returns the results in the vector `b`. The i th element of `b` is equal to `fun` applied to the i th dataset variable of `A`. `fun` is a function handle to a function that takes one input argument and returns a scalar value. `fun` must return values of the same class each time it is called, and `datasetfun` concatenates them into the vector `b`. The outputs from `fun` must be one of the following types: numeric, logical, character, structure, or cell.

To apply functions that return results that are nonscalar or of different sizes and types, use the `'UniformOutput'` or `'DatasetOutput'` parameters described below.

Do not rely on the order in which `datasetfun` computes the elements of `b`, which is unspecified.

If `fun` is bound to more than one built-in function or M-file, (that is, if it represents a set of overloaded functions), `datasetfun` follows MATLAB® dispatching rules in calling the function. (See `.`)

`[b,c,...] = datasetfun(fun,A)`, where `fun` is a function handle to a function that returns multiple outputs, returns vectors `b`, `c`, ..., each corresponding to one of the output arguments of `fun`. `datasetfun` calls `fun` each time with as many outputs as there are in the call to `datasetfun`. `fun` may return output arguments having different classes, but the class of each output must be the same each time `fun` is called.

`[b,...] = datasetfun(fun,A,...,'UniformOutput',false)` allows you to specify a function `fun` that returns values of different sizes or types. `datasetfun` returns a cell array (or multiple cell arrays), where the i th cell contains the value of `fun` applied to the i th dataset variable of `A`. Setting `'UniformOutput'` to `true` is equivalent to the default behavior.

`[b,...] = datasetfun(fun,A,...,'DatasetOutput',true)` specifies that the output(s) of `fun` are returned as variables in a dataset array (or multiple dataset arrays). `fun` must return values with the same number of rows each time it is called, but it may return values of any type. The variables in the output dataset array(s) have the same names as the variables in the input. Setting `'DatasetOutput'` to `false` specifies that the type of the output(s) from `datasetfun` is determined by `'UniformOutput'`.

`[b,...] = datasetfun(fun,A,...,'DataVars',vars)` allows you to apply `fun` only to the dataset variables in `A` specified by `vars`. `vars` is a positive integer, a vector of positive integers, a variable name, a cell array containing one or more variable names, or a logical vector.

`[b,...] = datasetfun(fun,A,...,'ObsNames',obsnames)` specifies observation names for the dataset output when `'DatasetOutput'` is `true`.

`[b,...] = datasetfun(fun,A,...,'ErrorHandler',efun)`, where `efun` is a function handle, specifies the MATLAB function to call if the call to `fun` fails. The error-handling function is called with the following input arguments:

- A structure with the fields `identifier`, `message`, and `index`, respectively containing the identifier of the error that occurred, the text of the error message, and the linear index into the input array(s) at which the error occurred
- The set of input arguments at which the call to the function failed

The error-handling function should either re-throw an error, or return the same number of outputs as `fun`. These outputs are then returned as

the outputs of `datasetfun`. If `'UniformOutput'` is true, the outputs of the error handler must also be scalars of the same type as the outputs of `fun`. For example, the following code could be saved in an M-file as the error-handling function:

```
function [A,B] = errorFunc(S,varargin)

warning(S.identifier,S.message);
A = NaN;
B = NaN;
```

If an error-handling function is not specified, the error from the call to `fun` is rethrown.

Example

Compute statistics on selected variables in the hospital dataset array:


```
load hospital

stats = ...
    datasetfun(@mean,hospital,...
              'DataVars',{'Weight','BloodPressure'},...
              'UniformOutput',false)

stats =
    [154]    [1x2 double]
stats{2}
ans =
    122.7800    82.9600
```

Display the blood pressure variable:

```
datasetfun(@hist,hospital,...
          'DataVars','BloodPressure',...
          'UniformOutput',false);
title('\bf Blood Pressure')
legend('Systolic','Diastolic','Location','N')
```



See Also

`grpstats`

Purpose *D*-optimal augmentation

Syntax

```
dCE2 = daugment(dCE, mruns)
[dCE2, X] = daugment(dCE, mruns)
[dCE2, X] = daugment(dCE, mruns, model)
[dCE2, X] = daugment(..., param1, val1, param2, val2, ...)
```

Description `dCE2 = daugment(dCE, mruns)` uses a coordinate-exchange algorithm to *D*-optimally add `mruns` runs to an existing experimental design `dCE` for a linear additive model.

`[dCE2, X] = daugment(dCE, mruns)` also returns the design matrix `X` associated with the augmented design.

`[dCE2, X] = daugment(dCE, mruns, model)` uses the linear regression model specified in `model`. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

The order of the columns of `X` for a full quadratic model with n terms is:

- 1 The constant term
- 2 The linear terms in order 1, 2, ..., n
- 3 The interaction terms in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n)
- 4 The squared terms in order 1, 2, ..., n

Other models use a subset of these terms, in the same order.

Alternatively, `model` can be a matrix specifying polynomial terms of arbitrary order. In this case, `model` should have one column for each factor and one row for each term in the model. The entries in any row of

daugment

model are powers for the factors in the columns. For example, if a model has factors X_1 , X_2 , and X_3 , then a row [0 1 2] in *model* specifies the term $(X_1.^0) \cdot (X_2.^1) \cdot (X_3.^2)$. A row of all zeros in *model* specifies a constant term, which can be omitted.

[dCE2,X] = daugment(...,param1,val1,param2,val2,...) specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'bounds'	Lower and upper bounds for each factor, specified as a 2-by-nfactors matrix, where nfactors is the number of factors. Alternatively, this value can be a cell array containing nfactors elements, each element specifying the vector of allowable values for the corresponding factor.
'categorical'	Indices of categorical predictors.
'display'	Either 'on' or 'off' to control display of the iteration counter. The default is 'on'.
'exclufun'	Handle to a function that excludes undesirable runs. If the function is f , it must support the syntax $b = f(S)$, where S is a matrix of treatments with nfactors columns, where nfactors is the number of factors, and b is a vector of Boolean values with the same number of rows as S . $b(i)$ is true if the i th row S should be excluded.
'init'	Initial design as an mruns-by-nfactors matrix, where nfactors is the number of factors. The default is a randomly selected set of points.
'levels'	Vector of number of levels for each factor.

Parameter	Value
'maxiter'	Maximum number of iterations. The default is 10.
'tries'	Number of times to try to generate a design from a new starting point. The algorithm uses random points for each try, except possibly the first. The default is 1.

Note The daugment function augments an existing design using a coordinate-exchange algorithm; the 'start' parameter of the candexch function provides the same functionality using a row-exchange algorithm.

Example

The following eight-run design is adequate for estimating main effects in a four-factor model:

```
dCEmain = cordexch(4,8)
dCEmain =
    1    -1    -1     1
   -1    -1     1     1
   -1     1    -1     1
    1     1     1    -1
    1     1     1     1
   -1     1    -1    -1
    1    -1    -1    -1
   -1    -1     1    -1
```

To estimate the six interaction terms in the model, augment the design with eight additional runs:

```
dCEinteraction = daugment(dCEmain,8,'interaction')
dCEinteraction =
    1    -1    -1     1
   -1    -1     1     1
   -1     1    -1     1
```

daugment

1	1	1	-1
1	1	1	1
-1	1	-1	-1
1	-1	-1	-1
-1	-1	1	-1
-1	1	1	1
-1	-1	-1	-1
1	-1	1	-1
1	1	-1	1
-1	1	1	-1
1	1	-1	-1
1	-1	1	1
1	1	1	-1

The augmented design is full factorial, with the original eight runs in the first eight rows.

See Also

dcovary, cordexch, candexch

Purpose

D-optimal design with fixed covariates

Syntax

```
dCV = dcovary(nfactors, fixed)
[dCV, X] = dcovary(nfactors, fixed)
[dCV, X] = dcovary(nfactors, fixed, model)
[dCV, X] = daugment(..., param1, val1, param2, val2, ...)
```

Description

`dCV = dcovary(nfactors, fixed)` uses a coordinate-exchange algorithm to generate a *D*-optimal design for a linear additive model with `nfactors` factors, subject to the constraint that the model include the fixed covariate factors in `fixed`. The number of runs in the design is the number of rows in `fixed`. The design `dCV` augments `fixed` with initial columns for treatments of the model terms.

`[dCV, X] = dcovary(nfactors, fixed)` also returns the design matrix `X` associated with the design.

`[dCV, X] = dcovary(nfactors, fixed, model)` uses the linear regression model specified in `model`. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

The order of the columns of `X` for a full quadratic model with n terms is:

- 1** The constant term
- 2** The linear terms in order 1, 2, ..., n
- 3** The interaction terms in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n)
- 4** The squared terms in order 1, 2, ..., n

Other models use a subset of these terms, in the same order.

Alternatively, *model* can be a matrix specifying polynomial terms of arbitrary order. In this case, *model* should have one column for each factor and one row for each term in the model. The entries in any row of *model* are powers for the factors in the columns. For example, if a model has factors X_1 , X_2 , and X_3 , then a row $[0 \ 1 \ 2]$ in *model* specifies the term $(X_1.^0) \cdot (X_2.^1) \cdot (X_3.^2)$. A row of all zeros in *model* specifies a constant term, which can be omitted.

`[dCV,X] = daugment(...,param1,val1,param2,val2,...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'bounds'	Lower and upper bounds for each factor, specified as a 2-by-nfactors matrix. Alternatively, this value can be a cell array containing nfactors elements, each element specifying the vector of allowable values for the corresponding factor.
'categorical'	Indices of categorical predictors.
'display'	Either 'on' or 'off' to control display of the iteration counter. The default is 'on'.
'excldefun'	Handle to a function that excludes undesirable runs. If the function is f , it must support the syntax $b = f(S)$, where S is a matrix of treatments with nfactors columns and b is a vector of Boolean values with the same number of rows as S . $b(i)$ is true if the i th row S should be excluded.
'init'	Initial design as an mruns-by-nfactors matrix. The default is a randomly selected set of points.
'levels'	Vector of number of levels for each factor.

Parameter	Value
'maxiter'	Maximum number of iterations. The default is 10.
'tries'	Number of times to try to generate a design from a new starting point. The algorithm uses random points for each try, except possibly the first. The default is 1.

Examples

Example 1

Suppose you want a design to estimate the parameters in a three-factor linear additive model, with eight runs that necessarily occur at different times. If the process experiences temporal linear drift, you may want to include the run time as a variable in the model. Produce the design as follows:

```
time = linspace(-1,1,8)';
[dCV1,X] = dcovary(3,time,'linear')
dCV1 =
-1.0000    1.0000    1.0000   -1.0000
 1.0000   -1.0000   -1.0000   -0.7143
-1.0000   -1.0000   -1.0000   -0.4286
 1.0000   -1.0000    1.0000   -0.1429
 1.0000    1.0000   -1.0000    0.1429
-1.0000    1.0000   -1.0000    0.4286
 1.0000    1.0000    1.0000    0.7143
-1.0000   -1.0000    1.0000    1.0000
X =
 1.0000   -1.0000    1.0000    1.0000   -1.0000
 1.0000    1.0000   -1.0000   -1.0000   -0.7143
 1.0000   -1.0000   -1.0000   -1.0000   -0.4286
 1.0000    1.0000   -1.0000    1.0000   -0.1429
 1.0000    1.0000    1.0000   -1.0000    0.1429
 1.0000   -1.0000    1.0000   -1.0000    0.4286
 1.0000    1.0000    1.0000    1.0000    0.7143
 1.0000   -1.0000   -1.0000    1.0000    1.0000
```

The column vector `time` is a fixed factor, normalized to values between ± 1 . The number of rows in the fixed factor specifies the number of runs in the design. The resulting design `dCV` gives factor settings for the three controlled model factors at each time.

Example 2

The following example uses the `dummyvar` function to block an eight-run experiment into 4 blocks of size 2 for estimating a linear additive model with two factors:

```
fixed = dummyvar([1 1 2 2 3 3 4 4]);
dCV2 = dcovary(2, fixed(:, 1:3), 'linear')
dCV2 =
    1    1    1    0    0
   -1   -1    1    0    0
   -1    1    0    1    0
    1   -1    0    1    0
    1    1    0    0    1
   -1   -1    0    0    1
   -1    1    0    0    0
    1   -1    0    0    0
```

The first two columns of `dCV2` contain the settings for the two factors; the last three columns are dummy variable codings for the four blocks.

See Also

`daugment`, `cordexch`, `dummyvar`

Purpose

Dendrogram plot

Syntax

```
H = dendrogram(Z)
H = dendrogram(Z,p)
[H,T] = dendrogram(...)
[H,T,perm] = dendrogram(...)
[...] = dendrogram(...,'colorthreshold',t)
[...] = dendrogram(...,'orientation','orient')
[...] = dendrogram(...,'labels',S)
```

Description

`H = dendrogram(Z)` generates a dendrogram plot of the hierarchical, binary cluster tree represented by `Z`. `Z` is an $(m-1)$ -by-3 matrix, generated by the `linkage` function, where m is the number of objects in the original data set. The output, `H`, is a vector of handles to the lines in the dendrogram.

A dendrogram consists of many U-shaped lines connecting objects in a hierarchical tree. The height of each U represents the distance between the two objects being connected. If there were 30 or fewer data points in the original dataset, each leaf in the dendrogram corresponds to one data point. If there were more than 30 data points, the complete tree can look crowded, and `dendrogram` collapses lower branches as necessary, so that some leaves in the plot correspond to more than one data point.

`H = dendrogram(Z,p)` generates a dendrogram with no more than p leaf nodes, by collapsing lower branches of the tree. To display the complete tree, set $p = 0$.

`[H,T] = dendrogram(...)` generates a dendrogram and returns `T`, a vector of length m that contains the leaf node number for each object in the original data set. `T` is useful when p is less than the total number of objects, so some leaf nodes in the display correspond to multiple objects. For example, to find out which objects are contained in leaf node k of the dendrogram, use `find(T==k)`. When there are fewer than p objects in the original data, all objects are displayed in the dendrogram. In this case, `T` is the identity map, i.e., `T = (1:m)'`, where each node contains only a single object.

dendrogram

`[H,T,perm] = dendrogram(...)` generates a dendrogram and returns the permutation vector of the node labels of the leaves of the dendrogram. `perm` is ordered from left to right on a horizontal dendrogram and bottom to top for a vertical dendrogram.

`[...] = dendrogram(..., 'colorthreshold', t)` assigns a unique color to each group of nodes in the dendrogram where the linkage is less than the threshold `t`. `t` is a value in the interval $[0, \max(Z(:,3))]$. Setting `t` to the string 'default' is the same as `t = .7(\max(Z(:,3)))`. 0 is the same as not specifying 'colorthreshold'. The value $\max(Z(:,3))$ treats the entire tree as one group and colors it all one color.


`[...] = dendrogram(..., 'orientation', 'orient')` orients the dendrogram within the figure window. The options for 'orient' are

'top'	Top to bottom (default)
'bottom'	Bottom to top
'left'	Left to right
'right'	Right to left

`[...] = dendrogram(..., 'labels', S)` accepts a character array or cell array of strings `S` with one label for each observation. Any leaves in the tree containing a single observation are labeled with that observation's label.

Example

```
X = rand(100,2);
Y = pdist(X, 'cityblock');
Z = linkage(Y, 'average');
[H,T] = dendrogram(Z, 'colorthreshold', 'default');
set(H, 'LineWidth', 2)
```



```
find(T==20)
ans =
    20
    49
    62
    65
    73
    96
```

This output indicates that leaf node 20 in the dendrogram contains the original data points 20, 49, 62, 65, 73, and 96.

See Also

[cluster](#), [clusterdata](#), [cophenet](#), [inconsistent](#), [linkage](#), [silhouette](#)

dfittool

Purpose Interactive distribution fitting

Syntax

```
dfittool
dfittool(y)
dfittool(y,cens)
dfittool(y,cens,freq)
dfittool(y,cens,freq,dsname)
```

Description `dfittool` opens a graphical user interface for displaying fit distributions to data. To fit distributions to your data and display them over plots over plots of the empirical distributions, you can import data from the workspace.

`dfittool(y)` displays the Distribution Fitting Tool and creates a data set with data specified by the vector `y`.

`dfittool(y,cens)` uses the vector `cens` to specify whether the observation `y(j)` is censored, (`cens(j)==1`) and/or observed, exactly (`cens(j)==0`). If `cens` is omitted or empty, no `y` values are censored.

`dfittool(y,cens,freq)` uses the vector `freq` to specify the frequency of each element of `y`. If `freq` is omitted or empty, all `y` values have a frequency of 1.

`dfittool(y,cens,freq,dsname)` creates a data set with the name `dsname` using the data vector `y`, censoring indicator `cens`, and frequency vector `freq`.

For more information, see “Distribution Fitting Tool” on page 5-45.

See Also `mle`, `randtool`, `disttool`

Purpose	Interactive density and distribution plots
Syntax	<code>disttool</code>
Description	<code>disttool</code> is a graphical interface for exploring the effects of changing parameters on the plot of a cdf or pdf.
See Also	<code>randtool</code> , <code>dfittool</code>

droplevels

Purpose Drop levels

Class @categorical

Syntax
B = droplevels(A)
B = droplevels(A,oldlevels)

Description B = droplevels(A) removes unused levels from the categorical array A. B is a categorical array with the same size and values as A, but with a list of potential levels that includes only those present in some element of A.

B = droplevels(A,oldlevels) removes specified levels from the categorical array A. oldlevels is a cell array of strings or a two-dimensional character matrix specifying the levels to be removed.

droplevels removes levels, but does not remove elements. Elements of B that correspond to elements of A having levels in oldlevels all have an undefined level.

Examples

Example 1

Drop unused age levels from the data in hospital.mat:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
AgeGroup = ordinal(hospital.Age, labels, [], edges);
AgeGroup = droplevels(AgeGroup);
getlabels(AgeGroup)
ans =
    '20s'    '30s'    '40s'    '50s'
```

Example 2

1 Load patient data from the CSV file hospital.dat and store the information in a dataset array with observation names given by the first column in the data (patient identification):

```
patients = dataset('file', 'hospital.dat', ...
                  'delimiter', ',', ...
                  'ReadObsNames', true);
```

- 2 Make the {0,1}-valued variable `smoke` nominal, and change the labels to 'No' and 'Yes':

```
patients.smoke = nominal(patients.smoke, {'No', 'Yes'});
```

- 3 Add new levels to `smoke` as placeholders for more detailed histories of smokers:

```
patients.smoke = addlevels(patients.smoke, ...
                          {'0-5 Years', '5-10 Years', 'LongTerm'});
```

- 4 Assuming the nonsmokers have never smoked, relabel the 'No' level:

```
patients.smoke = setlabels(patients.smoke, 'Never', 'No');
```

- 5 Drop the undifferentiated 'Yes' level from `smoke`:

```
patients.smoke = droplevels(patients.smoke, 'Yes');
```

Warning: OLDLEVELS contains categorical levels that were present in A, caused some array elements to have undefined levels.

Note that smokers now have an undefined level.

- 6 Set each smoker to one of the new levels, by observation name:

```
patients.smoke('YPL-320') = '5-10 Years';
```

See Also

`addlevels`, `islevel`, `mergelevels`, `reorderlevels`, `getlabels`

dummyvar

Purpose Create dummy variables

Syntax `D = dummyvar(group)`

Description `D = dummyvar(group)` creates {0,1}-valued dummy variables for each of the unique values in `group`. Columns of `group` represent categorical predictor variables, with values indicating categorical levels. Rows of `group` represent observations across variables. Each column of `D` is a dummy variable for one categorical level of one of the variables in `group`.

`group` can be a numeric vector or categorical column vector, representing levels within a single variable, or a numeric matrix or cell array of categorical column vectors, representing levels within multiple variables. If `group` is a numeric vector or matrix, values in any column must be positive integers in the range from 1 to the number of levels for the corresponding variable.

If `group` is n -by- p , `D` is n -by- S , where S is the sum of the number of levels in each of the columns of `group`. The number of levels s in any column of `group` is the maximum positive integer in the column or the number of categorical levels. Levels are considered distinct if they appear in different columns of `group`, even if they have the same value. Columns of `D` are, from left to right, dummy variables created from the first column of `group`, followed by dummy variables created from the second column of `group`, etc.

`dummyvar` treats NaN values or undefined categorical levels in `group` as missing data and returns NaN values in `D`.

Dummy variables are used in regression analysis and ANOVA to indicate the presence or absence of categorical predictors.

Note If a column of 1s is introduced in the matrix D, the resulting matrix $X = [\text{ones}(\text{size}(D,1),1) \ D]$ will be rank deficient. The matrix D itself will be rank deficient if group has multiple columns. This is because dummy variables produced from any column of group always sum to a column of 1s. Regression and ANOVA calculations often address this issue by eliminating one dummy variable (implicitly setting the coefficients for dropped columns to zero) from each group of dummy variables produced by a column of group.

Example

Suppose we are studying the effects of two machines and three operators on a process. Use group to organize predictor data on machine-operator combinations:

```
machine = [1 1 1 1 2 2 2 2]';
operator = [1 2 3 1 2 3 1 2]';
group = [machine operator]
group =
     1     1
     1     2
     1     3
     1     1
     2     2
     2     3
     2     1
     2     2
```

Use dummyvar to create dummy variables for a regression or ANOVA calculation:

```
D = dummyvar(group)
D =
     1     0     1     0     0
     1     0     0     1     0
     1     0     0     0     1
     1     0     1     0     0
```

dummyvar

0	1	0	1	0
0	1	0	0	1
0	1	1	0	0
0	1	0	1	0

The first two columns of D represent observations of machine 1 and machine 2, respectively; the remaining columns represent observations of the three operators.

See Also

regress, anova1

Purpose

Durbin-Watson test

Syntax

```
[P,DW] = dwtest(R,X)
[...] = dwtest(R,X,method)
[...] = dwtest(R,X,method,tail)
```

Description

[P,DW] = dwtest(R,X) performs a Durbin-Watson test on the vector R of residuals from a linear regression, where X is the design matrix from that linear regression. P is the computed p-value for the test, and DW is the Durbin-Watson statistic. The Durbin-Watson test is used to test if the residuals are independent, against the alternative that there is autocorrelation among them.

[...] = dwtest(R,X,method) specifies the method to be used in computing the p-value. *method* can be either of the following:

- 'exact' — Calculates an exact p-value using the PAN algorithm (the default if the sample size is less than 400).
- 'approximate' — Calculates the p-value using a normal approximation (the default if the sample size is 400 or larger).

[...] = dwtest(R,X,method,tail) performs the test against the alternative hypothesis specified by *tail*:

- 'both' Serial correlation is not 0.
- 'right' Serial correlation is greater than 0 (right-tailed test).
- 'left' Serial correlation is less than 0 (left-tailed test).

See Also

regress

Purpose

Empirical cumulative distribution function

Syntax

```
[f,x] = ecdf(y)
[f,x,flo,fup] = ecdf(y)
ecdf(...)
ecdf(ax,...)
[...] = ecdf(y,param1,val1,param2,val2,...)
```

Description

`[f,x] = ecdf(y)` calculates the Kaplan-Meier estimate of the cumulative distribution function (cdf), also known as the empirical cdf. `y` is a vector of data values. `f` is a vector of values of the empirical cdf evaluated at `x`.

`[f,x,flo,fup] = ecdf(y)` also returns lower and upper confidence bounds for the cdf. These bounds are calculated using Greenwood's formula, and are not simultaneous confidence bounds.

`ecdf(...)` without output arguments produces a plot of the empirical cdf.

`ecdf(ax,...)` plots into axes `ax` instead of `gca`.

`[...] = ecdf(y,param1,val1,param2,val2,...)` specifies additional parameter/value pairs chosen from the following:

- 'censoring' Boolean vector of the same size as `x`. Elements are 1 for observations that are right-censored and 0 for observations that are observed exactly. Default is all observations observed exactly.
- 'frequency' Vector of the same size as `x` containing nonnegative integer counts. The `j`th element of this vector gives the number of times the `j`th element of `x` was observed. Default is 1 observation per element of `x`.
- 'alpha' Value between 0 and 1 for a confidence level of $100(1-\text{alpha})\%$. Default is `alpha=0.05` for 95% confidence.

'function' Type of function returned as the f output argument, chosen from 'cdf' (default), 'survivor', or 'cumulative hazard'.

'bounds' Either 'on' to include bounds, or 'off' (the default) to omit them. Used only for plotting.

Example


Generate random failure times and random censoring times, and compare the empirical cdf with the known true cdf:

```
y = exprnd(10,50,1); % Random failure times exponential(10)
d = exprnd(20,50,1); % Drop-out times exponential(20)
t = min(y,d); % Observe the minimum of these times
censored = (y>d); % Observe whether the subject failed

% Calculate and plot empirical cdf and confidence bounds
[f,x,flo,fup] = ecdf(t,'censoring',censored);
stairs(x,f,'LineWidth',2)
hold on
stairs(x,flo,'r:','LineWidth',2)
stairs(x,fup,'r:','LineWidth',2)

% Superimpose a plot of the known population cdf
xx = 0:.1:max(t);
yy = 1-exp(-xx/10);
plot(xx,yy,'g-', 'LineWidth',2)
legend('Empirical','LCB','UCB','Population',...
      'Location','SE')
hold off
```

ecdf



References

[1] Cox, D. R., and D. Oakes, *Analysis of Survival Data*, Chapman & Hall, London, 1984.

See Also

`cdfplot`, `ecdfhist`

Purpose

Empirical cumulative distribution function histogram

Syntax

```
n = ecdfhist(f,x)
n = ecdfhist(f,x,m)
n = ecdfhist(f,x,c)
[n,c] = ecdfhist(...)
ecdfhist(...)
```

Description

`n = ecdfhist(f,x)` takes a vector `f` of empirical cumulative distribution function (cdf) values and a vector `x` of evaluation points, and returns a vector `n` containing the heights of histogram bars for 10 equally spaced bins. The function computes the bar heights from the increases in the empirical cdf, and normalizes them so that the area of the histogram is equal to 1. In contrast, `hist` produces bars whose heights represent bin counts.

`n = ecdfhist(f,x,m)`, where `m` is a scalar, uses `m` bins.

`n = ecdfhist(f,x,c)`, where `c` is a vector, uses bins with centers specified by `c`.

`[n,c] = ecdfhist(...)` also returns the position of the bin centers in `c`.

`ecdfhist(...)` without output arguments produces a histogram bar plot of the results.

Example

The following code generates random failure times and random censoring times, and compares the empirical pdf with the known true pdf.


```
y = exprnd(10,50,1); % Random failure times
d = exprnd(20,50,1); % Drop-out times
t = min(y,d);       % Observe the minimum of these times
censored = (y>d);   % Observe whether the subject failed

% Calculate the empirical cdf and plot a histogram from it
[f,x] = ecdf(t,'censoring',censored);
ecdfhist(f,x)
```

ecdfhist

```
set(get(gca,'Children'),'FaceColor',[.8 .8 1])
hold on

% Superimpose a plot of the known population pdf
xx = 0:.1:max(t);
yy = exp(-xx/10)/10;
plot(xx,yy,'r-','LineWidth',2)
hold off
```



See Also

ecdf, hist, histc

Purpose Error bar plot

Description MATLAB® function. See errorbar in the MATLAB documentation.

Purpose Predicted responses

Class @classregtree

Syntax

```
yfit = eval(t,X)
yfit = eval(t,X,s)
[yfit,nodes] = eval(...)
[yfit,nodes,cnums] = eval(...)
[...] = t(X)
[...] = t(X,s)
```

Description `yfit = eval(t,X)` takes a classification or regression tree `t` and a matrix `X` of predictors, and produces a vector `yfit` of predicted response values. For a regression tree, `yfit(i)` is the fitted response value for a point having the predictor values `X(i,:)`. For a classification tree, `yfit(i)` is the class into which the tree assigns the point with data `X(i,:)`.

`yfit = eval(t,X,s)` takes an additional vector `s` of pruning levels, with 0 representing the full, unpruned tree. `t` must include a pruning sequence as created by `classregtree` or by `prune`. If `s` has k elements and `X` has n rows, the output `yfit` is an n -by- k matrix, with the j th column containing the fitted values produced by the `s(j)` subtree. `s` must be sorted in ascending order.

To compute fitted values for a tree that is not part of the optimal pruning sequence, first use `prune` to prune the tree.

`[yfit,nodes] = eval(...)` also returns a vector `nodes` the same size as `yfit` containing the node number assigned to each row of `X`. Use `view` to display the node numbers for any node you select.

`[yfit,nodes,cnums] = eval(...)` is valid only for classification trees. It returns a vector `cnum` containing the predicted class numbers.

NaN values in `X` are treated as missing. If `eval` encounters a missing value when it attempts to evaluate the split rule at a branch node, it cannot determine whether to proceed to the left or right child node.

Instead, it sets the corresponding fitted value equal to the fitted value assigned to the branch node.

`[...] = t(X)` or `[...] = t(X,s)` also invoke `eval`.

Example


Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

eval



Find assigned class names:

```
sfit = eval(t,meas);
```

Compute proportion correctly classified:

```
pct = mean(strcmp(sfit,species))
pct =
    0.9800
```


Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, prune, view, test

Purpose Extreme value cumulative distribution function

Syntax
`P = evcdf(X,mu,sigma)`
`[P,PL0,PUP] = evcdf(X,mu,sigma,pcov,alpha)`

Description `P = evcdf(X,mu,sigma)` computes the cumulative distribution function (cdf) for the type 1 extreme value distribution, with location parameter `mu` and scale parameter `sigma`, at each of the values in `X`. `X`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The default values for `mu` and `sigma` are 0 and 1, respectively.

`[P,PL0,PUP] = evcdf(X,mu,sigma,pcov,alpha)` produces confidence bounds for `P` when the input parameters `mu` and `sigma` are estimates. `pcov` is a 2-by-2 covariance matrix of the estimated parameters. `alpha` has a default value of 0.05, and specifies 100(1 - `alpha`)% confidence bounds. `PL0` and `PUP` are arrays of the same size as `P`, containing the lower and upper confidence bounds.

The function `evcdf` computes confidence bounds for `P` using a normal approximation to the distribution of the estimate

$$\frac{X - \hat{\mu}}{\hat{\sigma}}$$

and then transforming those bounds to the scale of the output `P`. The computed bounds give approximately the desired confidence level when you estimate `mu`, `sigma`, and `pcov` from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The type 1 extreme value distribution is also known as the Gumbel distribution. If `x` has a Weibull distribution, then `X = log(x)` has the type 1 extreme value distribution.

See Also `cdf`, `evpdf`, `evinv`, `evstat`, `evfit`, `evlike`, `evrnd`

Purpose

Extreme value parameter estimates

Syntax

```
parmhat = evfit(data)
[parmhat,parmci] = evfit(data)
[parmhat,parmci] = evfit(data,alpha)
[...] = evfit(data,alpha,censoring)
[...] = evfit(data,alpha,censoring,freq)
[...] = evfit(data,alpha,censoring,freq,options)
```

Description

`parmhat = evfit(data)` returns maximum likelihood estimates of the parameters of the type 1 extreme value distribution given the data in the vector `data`. `parmhat(1)` is the location parameter, μ , and `parmhat(2)` is the scale parameter, σ .

`[parmhat,parmci] = evfit(data)` returns 95% confidence intervals for the parameter estimates on the μ and σ parameters in the 2-by-2 matrix `parmci`. The first column of the matrix of the extreme value fit contains the lower and upper confidence bounds for the parameter μ , and the second column contains the confidence bounds for the parameter σ .

`[parmhat,parmci] = evfit(data,alpha)` returns $100(1 - \text{alpha})\%$ confidence intervals for the parameter estimates, where `alpha` is a value in the range `[0 1]` specifying the width of the confidence intervals. By default, `alpha` is 0.05, which corresponds to 95% confidence intervals.

`[...] = evfit(data,alpha,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = evfit(data,alpha,censoring,freq)` accepts a frequency vector, `freq` of the same size as `data`. Typically, `freq` contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `alpha`, `censoring`, or `freq` to use their default values.

`[...] = evfit(data,alpha,censoring,freq,options)` accepts a structure, `options`, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood

estimates. You can create options using the function `statset`. Enter `statset('evfit')` to see the names and default values of the parameters that `evfit` accepts in the options structure. See the reference page for `statset` for more information about these options.

The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.

See Also

`mle`, `evlike`, `evpdf`, `evcdf`, `evinv`, `evstat`, `evrnd`

Purpose Extreme value inverse cumulative distribution function

Syntax `X = evinv(P,mu,sigma)`
`[X,XLO,XUP] = evinv(P,mu,sigma,pcov,alpha)`

Description `X = evinv(P,mu,sigma)` returns the inverse cumulative distribution function (cdf) for a type 1 extreme value distribution with location parameter `mu` and scale parameter `sigma`, evaluated at the values in `P`. `P`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The default values for `mu` and `sigma` are 0 and 1, respectively.

`[X,XLO,XUP] = evinv(P,mu,sigma,pcov,alpha)` produces confidence bounds for `X` when the input parameters `mu` and `sigma` are estimates. `pcov` is the covariance matrix of the estimated parameters. `alpha` is a scalar that specifies $100(1 - \alpha)\%$ confidence bounds for the estimated parameters, and has a default value of 0.05. `XLO` and `XUP` are arrays of the same size as `X` containing the lower and upper confidence bounds.

The function `evinv` computes confidence bounds for `P` using a normal approximation to the distribution of the estimate

$$\hat{\mu} + \hat{\sigma}q$$

where q is the P th quantile from an extreme value distribution with parameters $\mu = 0$ and $\sigma = 1$. The computed bounds give approximately the desired confidence level when you estimate `mu`, `sigma`, and `pcov` from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.

See Also `icdf`, `evcdf`, `evpdf`, `evstat`, `evfit`, `evlike`, `evrnd`

evlike

Purpose Extreme value negative log-likelihood

Syntax

```
nlogL = evlike(params,data)
[nlogL,AVAR] = evlike(params,data)
[...] = evlike(params,data,censoring)
[...] = evlike(params,data,censoring,freq)
```

Description `nlogL = evlike(params,data)` returns the negative of the log-likelihood for the type 1 extreme value distribution, evaluated at parameters `params(1) = mu` and `params(2) = sigma`, given `data`. `nlogL` is a scalar.

`[nlogL,AVAR] = evlike(params,data)` returns the inverse of Fisher's information matrix, `AVAR`. If the input parameter values in `params` are the maximum likelihood estimates, the diagonal elements of `AVAR` are their asymptotic variances. `AVAR` is based on the observed Fisher's information, not the expected information.

`[...] = evlike(params,data,censoring)` accepts a Boolean vector of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = evlike(params,data,censoring,freq)` accepts a frequency vector of the same size as `data`. `freq` typically contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `censoring` to use its default value.

The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.

See Also `evfit`, `evpdf`, `evcdf`, `evinv`, `evstat`, `evrnd`

Purpose Extreme value probability density function

Syntax `Y = evpdf(X,mu,sigma)`

Description `Y = evpdf(X,mu,sigma)` returns the pdf of the type 1 extreme value distribution with location parameter `mu` and scale parameter `sigma`, evaluated at the values in `X`. `X`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The default values for `mu` and `sigma` are 0 and 1, respectively.

The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.

See Also `pdf`, `evcdf`, `evinv`, `evstat`, `evfit`, `evlike`, `evrnd`

evrnd

Purpose Extreme value random numbers

Syntax
R = evrnd(mu,sigma)
R = evrnd(mu,sigma,v)
R = evrnd(mu,sigma,m,n)

Description R = evrnd(mu,sigma) generates random numbers from the extreme value distribution with parameters specified by mu and sigma. mu and sigma can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of R. A scalar input for mu or sigma is expanded to a constant array with the same dimensions as the other input.

R = evrnd(mu,sigma,v) generates an array R of size v containing random numbers from the extreme value distribution with parameters mu and sigma, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

If mu and sigma are both scalars, R = evrnd(mu,sigma,m,n) returns an m-by-n matrix.

The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.

See Also random, evpdf, evcdf, evinv, evstat, evfit, evlike

- Purpose** Extreme value mean and variance
- Syntax** `[M,V] = evstat(mu,sigma)`
- Description** `[M,V] = evstat(mu,sigma)` returns the mean of and variance for the type 1 extreme value distribution with location parameter `mu` and scale parameter `sigma`. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other input. The default values for `mu` and `sigma` are 0 and 1, respectively.
- The type 1 extreme value distribution is also known as the Gumbel distribution. If x has a Weibull distribution, then $X = \log(x)$ has the type 1 extreme value distribution.
- See Also** `evpdf`, `evcdf`, `evinv`, `evfit`, `evlike`, `evrnd`

expcdf

Purpose Exponential cumulative distribution function

Syntax
`P = expcdf(X,mu)`
`[P,PL0,PUP] = expcdf(X,mu,pcov,alpha)`

Description `P = expcdf(X,mu)` computes the exponential cdf at each of the values in `X` using the corresponding parameters in `mu`. `X` and `mu` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `mu` must be positive.

The exponential cdf is

$$p = F(x|\mu) = \int_0^x \frac{1}{\mu} e^{-\frac{t}{\mu}} dt = 1 - e^{-\frac{x}{\mu}}$$

The result, p , is the probability that a single observation from an exponential distribution will fall in the interval $[0, x]$.

`[P,PL0,PUP] = expcdf(X,mu,pcov,alpha)` produces confidence bounds for `P` when the input parameter `mu` is an estimate. `pcov` is the variance of the estimated `mu`. `alpha` specifies $100(1 - \alpha)\%$ confidence bounds. The default value of `alpha` is 0.05. `PL0` and `PUP` are arrays of the same size as `P` containing the lower and upper confidence bounds. The bounds are based on a normal approximation for the distribution of the log of the estimate of `mu`. If you estimate `mu` from a set of data, you can get a more accurate set of bounds by applying `expfit` to the data to get a confidence interval for `mu`, and then evaluating `expinv` at the lower and upper endpoints of that interval.

Examples

The following code shows that the median of the exponential distribution is $\mu \cdot \log(2)$.

```
mu = 10:10:60;  
p = expcdf(log(2)*mu,mu)  
p =  
    0.5000    0.5000    0.5000    0.5000    0.5000    0.5000
```

What is the probability that an exponential random variable is less than or equal to the mean, μ ?

```
mu = 1:6;  
x = mu;  
p = expcdf(x,mu)  
p =  
    0.6321    0.6321    0.6321    0.6321    0.6321    0.6321
```

See Also

[cdf](#), [exppdf](#), [expinv](#), [expstat](#), [expfit](#), [explike](#), [exprnd](#)

expfit

Purpose Exponential parameter estimates

Syntax

```
muhat = expfit(data)
[muhat,muci] = expfit(data)
[muhat,muci] = expfit(data,alpha)
[...] = expfit(data,alpha,censoring)
[...] = expfit(data,alpha,censoring,freq)
```

Description `muhat = expfit(data)` estimates the mean of an exponentially distributed sample data. Each entry of `muhat` corresponds to the data in a column of data.

`[muhat,muci] = expfit(data)` returns 95% confidence intervals for the parameter estimates in matrix `muci`. The first row of `muci` contains the lower bounds of the confidence intervals, and the second row contains the upper bounds.

`[muhat,muci] = expfit(data,alpha)` returns $100(1 - \alpha)\%$ confidence intervals for the parameter estimates, where `alpha` is a value in the range `[0 1]` specifying the width of the confidence intervals. By default, `alpha` is 0.05, which corresponds to 95% confidence intervals.

`[...] = expfit(data,alpha,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly. `data` must be a vector in order to pass in the argument `censoring`.

`[...] = expfit(data,alpha,censoring,freq)` accepts a frequency vector, `freq` of the same size as `data`. Typically, `freq` contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `alpha`, `censoring`, or `freq` to use their default values.

Example The following estimates the mean μ of exponentially distributed data, and returns a 95% confidence interval for the estimate:

```
mu = 3;
data = exprnd(mu,100,1); % Simulated data
```

```
[muhat,muci] = expfit(data)
muhat =
    2.7511
muci =
    2.2826
    3.3813
```

See Also

mle, explike, exppdf, expcdf, expinv, expstat, exprnd

expinv

Purpose Exponential inverse cumulative distribution function

Syntax
`X = expinv(P,mu)`
`[X,XLO,XUP] = expinv(X,mu,pcov,alpha)`

Description `X = expinv(P,mu)` computes the inverse of the exponential cdf with parameters specified by `mu` for the corresponding probabilities in `P`. `P` and `mu` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `mu` must be positive and the values in `P` must lie on the interval `[0 1]`.

`[X,XLO,XUP] = expinv(X,mu,pcov,alpha)` produces confidence bounds for `X` when the input parameter `mu` is an estimate. `pcov` is the variance of the estimated `mu`. `alpha` specifies `100(1 - alpha)%` confidence bounds. The default value of `alpha` is `0.05`. `XLO` and `XUP` are arrays of the same size as `X` containing the lower and upper confidence bounds. The bounds are based on a normal approximation for the distribution of the log of the estimate of `mu`. If you estimate `mu` from a set of data, you can get a more accurate set of bounds by applying `expfit` to the data to get a confidence interval for `mu`, and then evaluating `expinv` at the lower and upper end points of that interval.

The inverse of the exponential cdf is

$$x = F^{-1}(p|\mu) = -\mu \ln(1 - p)$$

The result, `x`, is the value such that an observation from an exponential distribution with parameter `μ` will fall in the range `[0 x]` with probability `p`.

Examples Let the lifetime of light bulbs be exponentially distributed with `μ = 700` hours. What is the median lifetime of a bulb?

```
expinv(0.50,700)
ans =
    485.2030
```

Suppose you buy a box of “700 hour” light bulbs. If 700 hours is the mean life of the bulbs, half of them will burn out in less than 500 hours.

See Also

`icdf`, `expcdf`, `exppdf`, `expstat`, `expfit`, `explike`, `expnd`

explike

Purpose Exponential negative log-likelihood

Syntax
`nlogL = explike(param,data)`
`[nlogL,avar] = explike(param,data)`
`[...] = explike(param,data,censoring)`
`[...] = explike(param,data,censoring,freq)`

Description `nlogL = explike(param,data)` returns the negative of the log-likelihood for the exponential distribution, evaluated at the parameter `param = mu`, given data. `nlogL` is a scalar.

`[nlogL,avar] = explike(param,data)` returns the inverse of Fisher's information, `avar`, a scalar. If the input parameter value in `param` is the maximum likelihood estimate, `avar` is its asymptotic variance. `avar` is based on the observed Fisher's information, not the expected information.

`[...] = explike(param,data,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = explike(param,data,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. The vector `freq` typically contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `censoring` to use its default value.

See Also `expfit`, `exppdf`, `expcdf`, `expinv`, `expstat`, `exprnd`

Purpose Exponential probability density function

Syntax `Y = exppdf(X,mu)`

Description `Y = exppdf(X,mu)` computes the exponential pdf at each of the values in `X` using the corresponding parameters in `mu`. `X` and `mu` can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `mu` must be positive.

The exponential pdf is

$$y = f(x|\mu) = \frac{1}{\mu} e^{-\frac{x}{\mu}}$$

The exponential pdf is the gamma pdf with its first parameter equal to 1.

The exponential distribution is appropriate for modeling waiting times when the probability of waiting an additional period of time is independent of how long you have already waited. For example, the probability that a light bulb will burn out in its next minute of use is relatively independent of how many minutes it has already burned.

Examples

```
y = exppdf(5,1:5)
y =
    0.0067    0.0410    0.0630    0.0716    0.0736
```

```
y = exppdf(1:5,1:5)
y =
    0.3679    0.1839    0.1226    0.0920    0.0736
```

See Also `pdf`, `expcdf`, `expinv`, `expstat`, `expfit`, `explike`, `exprnd`

exprnd

Purpose Exponential random numbers

Syntax
R = exprnd(mu)
R = exprnd(mu,v)
R = exprnd(mu,m,n)

Description R = exprnd(mu) generates random numbers from the exponential distribution with mean parameter mu. mu can be a vector, a matrix, or a multidimensional array. The size of R is the size of mu.

R = exprnd(mu,v) generates an array R of size v containing random numbers from the exponential distribution with mean mu, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = exprnd(mu,m,n) generates random numbers from the exponential distribution with mean parameter mu, where scalars m and n are the row and column dimensions of R.

Examples

```
n1 = exprnd(5:10)
n1 =
    7.5943    18.3400    2.7113    3.0936    0.6078    9.5841
```

```
n2 = exprnd(5:10,[1 6])
n2 =
    3.2752    1.1110    23.5530    23.4303    5.7190    3.9876
```

```
n3 = exprnd(5,2,3)
n3 =
    24.3339    13.5271    1.8788
     4.7932     4.3675    2.6468
```

See Also random, exppdf, expcdf, expinv, expstat, expfit, explike

Purpose Exponential mean and variance

Syntax `[m,v] = expstat(mu)`

Description `[m,v] = expstat(mu)` returns the mean of and variance for the exponential distribution with parameters `mu`. `mu` can be a vectors, matrix, or multidimensional array. The mean of the exponential distribution is μ , and the variance is μ^2 .

Examples

```
[m,v] = expstat([1 10 100 1000])
m =
     1     10     100     1000
v =
     1     100    10000   1000000
```

See Also `exppdf`, `expcdf`, `expinv`, `expfit`, `explike`, `exprnd`

factoran

Purpose Factor analysis

Syntax

```
lambda = factoran(X,m)
[lambda,psi] = factoran(X,m)
[lambda,psi,T] = factoran(X,m)
[lambda,psi,T,stats] = factoran(X,m)
[lambda,psi,T,stats,F] = factoran(X,m)
[...] = factoran(...,param1,va11,param2,va12,...)
```

Definition factoran computes the maximum likelihood estimate (MLE) of the factor loadings matrix Λ in the factor analysis model

$$x = \mu + \Lambda f + e$$

where x is a vector of observed variables, μ is a constant vector of means, Λ is a constant d -by- m matrix of factor loadings, f is a vector of independent, standardized common factors, and e is a vector of independent specific factors. x , μ , and e are of length d . f is of length m .

Alternatively, the factor analysis model can be specified as

$$\text{cov}(x) = \Lambda \Lambda^T + \Psi$$

where $\Psi = \text{cov}(e)$ is a d -by- d diagonal matrix of specific variances.

Description `lambda = factoran(X,m)` returns the maximum likelihood estimate, `lambda`, of the factor loadings matrix, in a common factor analysis model with m common factors. X is an n -by- d matrix where each row is an observation of d variables. The (i, j) th element of the d -by- m matrix `lambda` is the coefficient, or loading, of the j th factor for the i th variable. By default, `factoran` calls the function `rotatefactors` to rotate the estimated factor loadings using the 'varimax' option.

`[lambda,psi] = factoran(X,m)` also returns maximum likelihood estimates of the specific variances as a column vector `psi` of length d .

`[lambda,psi,T] = factoran(X,m)` also returns the m -by- m factor loadings rotation matrix `T`.

`[lambda,psi,T,stats] = factoran(X,m)` also returns a structure `stats` containing information relating to the null hypothesis, H_0 , that the number of common factors is m . `stats` includes the following fields:

`loglike` Maximized log-likelihood value
`dfc` Error degrees of freedom = $((d-m)^2 - (d+m))/2$
`chisq` Approximate chi-squared statistic for the null hypothesis
`p` Right-tail significance level for the null hypothesis

`factoran` does not compute the `chisq` and `p` fields unless `dfc` is positive and all the specific variance estimates in `psi` are positive (see “Heywood Case” on page 16-278 below). If X is a covariance matrix, then you must also specify the 'nobs' parameter if you want `factoran` to compute the `chisq` and `p` fields.

`[lambda,psi,T,stats,F] = factoran(X,m)` also returns, in `F`, predictions of the common factors, known as factor scores. `F` is an n -by- m matrix where each row is a prediction of m common factors. If X is a covariance matrix, `factoran` cannot compute `F`. `factoran` rotates `F` using the same criterion as for `lambda`.

`[...] = factoran(...,param1,val1,param2,val2,...)` enables you to specify optional parameter name/value pairs to control the model fit and the outputs. The following are the valid parameter/value pairs.

Parameter	Value	
'xtype'	Type of input in the matrix X . 'xtype' can be one of:	
	'data'	Raw data (default)
	'covariance'	Positive definite covariance or correlation matrix

Parameter	Value	
'scores'	Method for predicting factor scores. 'scores' is ignored if X is not raw data.	
	'wls' 'Bartlett'	Synonyms for a weighted least-squares estimate that treats F as fixed (default)
	'regression' 'Thomson'	Synonyms for a minimum mean squared error prediction that is equivalent to a ridge regression
'start'	Starting point for the specific variances psi in the maximum likelihood optimization. Can be specified as:	
	'random'	Chooses d uniformly distributed values on the interval [0,1].
	'Rsquared'	Chooses the starting vector as a scale factor times $\text{diag}(\text{inv}(\text{corrcoef}(X)))$ (default). For examples, see Jöreskog [2].
	Positive integer	Performs the given number of maximum likelihood fits, each initialized as with 'random'. factoran returns the fit with the highest likelihood.
	Matrix	Performs one maximum likelihood fit for each column of the specified matrix. The ith optimization is initialized with the values from the ith column. The matrix must have d rows.
'rotate'	Method used to rotate factor loadings and scores. 'rotate' can have the same values as the 'Method' parameter of rotatefactors. See the reference page for rotatefactors for a full description of the available methods.	

Parameter	Value	
	'none'	Performs no rotation.
	'equamax'	Special case of the orthomax rotation. Use the 'normalize', 'reltol', and 'maxit' parameters to control the details of the rotation.
	'orthomax'	Orthogonal rotation that maximizes a criterion based on the variance of the loadings. Use the 'coeff', 'normalize', 'reltol', and 'maxit' parameters to control the details of the rotation.
	'parsimax'	Special case of the orthomax rotation (default). Use the 'normalize', 'reltol', and 'maxit' parameters to control the details of the rotation.
	'pattern'	Performs either an oblique rotation (the default) or an orthogonal rotation to best match a specified pattern matrix. Use the 'type' parameter to choose the type of rotation. Use the 'target' parameter to specify the pattern matrix.
	'procrustes'	Performs either an oblique (the default) or an orthogonal rotation to best match a specified target matrix in the least squares sense. Use the 'type' parameter to choose the type of rotation. Use 'target' to specify the target matrix.

Parameter	Value
	<p>'promax'</p> <p>Performs an oblique procrustes rotation to a target matrix determined by factoran as a function of an orthomax solution.</p> <p>Use the 'power' parameter to specify the exponent for creating the target matrix. Because 'promax' uses 'orthomax' internally, you can also specify the parameters that apply to 'orthomax'.</p>
	<p>'quartimax'</p> <p>Special case of the orthomax rotation (default). Use the 'normalize', 'reltol', and 'maxit' parameters to control the details of the rotation.</p>
	<p>'varimax'</p> <p>Special case of the orthomax rotation (default). Use the 'normalize', 'reltol', and 'maxit' parameters to control the details of the rotation.</p>
	<p>Function</p> <p>Function handle to rotation function of the form</p> <pre>[B,T] = myrotation(A,...)</pre> <p>where A is a d-by-m matrix of unrotated factor loadings, B is a d-by-m matrix of rotated loadings, and T is the corresponding m-by-m rotation matrix.</p> <p>Use the factoran parameter 'userargs' to pass additional arguments to this rotation function. See Example 4.</p>

Parameter	Value
'coeff'	Coefficient, often denoted as γ , defining the specific 'orthomax' criterion. Must be between 0 and 1. The value 0 corresponds to quartimax, and 1 corresponds to varimax. Default is 1.
'normalize'	Flag indicating whether the loading matrix should be row-normalized (1) or left unnormalized (0) for 'orthomax' or 'varimax' rotation. Default is 1.
'reltol'	Relative convergence tolerance for 'orthomax' or 'varimax' rotation. Default is $\sqrt{\text{eps}}$.
'maxit'	Iteration limit for 'orthomax' or 'varimax' rotation. Default is 250.
'target'	Target factor loading matrix for 'procrustes' rotation. Required for 'procrustes' rotation. No default value.
'type'	Type of 'procrustes' rotation. Can be 'oblique' (default) or 'orthogonal'.
'power'	Exponent for creating the target matrix in the 'promax' rotation. Must be ≥ 1 . Default is 4.
'userargs'	Denotes the beginning of additional input values for a user-defined rotation function. factoran appends all subsequent values, in order and without processing, to the rotation function argument list, following the unrotated factor loadings matrix A. See Example 4.
'nobs'	If X is a covariance or correlation matrix, indicates the number of observations that were used in its estimation. This allows calculation of significance for the null hypothesis even when the original data are not available. There is no default. 'nobs' is ignored if X is raw data.

Parameter	Value
'delta'	Lower bound for the specific variances ψ during the maximum likelihood optimization. Default is 0.005.
'optimopts'	Structure that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates. Create this structure with the function <code>statset</code> . Enter <code>statset('factoran')</code> to see the names and default values of the parameters that <code>factoran</code> accepts in the options structure. See the reference page for <code>statset</code> for more information about these options.

Remarks

Observed Data Variables

The variables in the observed data matrix X must be linearly independent, i.e., $\text{cov}(X)$ must have full rank, for maximum likelihood estimation to succeed. `factoran` reduces both raw data and a covariance matrix to a correlation matrix before performing the fit.

`factoran` standardizes the observed data X to zero mean and unit variance before estimating the loadings λ . This does not affect the model fit, because MLEs in this model are invariant to scale. However, λ and ψ are returned in terms of the standardized variables, i.e., $\lambda \lambda' + \text{diag}(\psi)$ is an estimate of the correlation matrix of the original data X (although not after an oblique rotation). See Examples 1 and 3.

Heywood Case

If elements of ψ are equal to the value of the 'delta' parameter (i.e., they are essentially zero), the fit is known as a Heywood case, and interpretation of the resulting estimates is problematic. In particular, there can be multiple local maxima of the likelihood, each with different estimates of the loadings and the specific variances. Heywood cases can indicate overfitting (i.e., m is too large), but can also be the result of underfitting.

Rotation of Factor Loadings and Scores

Unless you explicitly specify no rotation using the 'rotate' parameter, factoran rotates the estimated factor loadings, λ , and the factor scores, F . The output matrix T is used to rotate the loadings, i.e., $\lambda = \lambda_0 * T$, where λ_0 is the initial (unrotated) MLE of the loadings. T is an orthogonal matrix for orthogonal rotations, and the identity matrix for no rotation. The inverse of T is known as the primary axis rotation matrix, while T itself is related to the reference axis rotation matrix. For orthogonal rotations, the two are identical.

factoran computes factor scores that have been rotated by $\text{inv}(T')$, i.e., $F = F_0 * \text{inv}(T')$, where F_0 contains the unrotated predictions. The estimated covariance of F is $\text{inv}(T' * T)$, which, for orthogonal or no rotation, is the identity matrix. Rotation of factor loadings and scores is an attempt to create a more easily interpretable structure in the loadings matrix after maximum likelihood estimation.

Examples


Example 1

Load the carbig data, and fit the default model with two factors.

```
load carbig

X = [Acceleration Displacement Horsepower MPG Weight];
X = X(all(~isnan(X),2),:);
[Lambda,Psi,T,stats,F] = factoran(X,2,...
                                'scores','regression');
inv(T'*T) % Estimated correlation matrix of F, == eye(2)
Lambda*Lambda'+diag(Psi) % Estimated correlation matrix
Lambda*inv(T)           % Unrotate the loadings
F*T'                    % Unrotate the factor scores

biplot(Lambda,...         % Create biplot of two factors
       'LineWidth',2,...
       'MarkerSize',20)
```



Example 2

Although the estimates are the same, the use of a covariance matrix rather than raw data doesn't let you request scores or significance level:

```
[Lambda,Psi,T] = factoran(cov(X),2,'xtype','cov')  
[Lambda,Psi,T] = factoran(corrcoef(X),2,'xtype','cov')
```

Example 3

Use promax rotation:


```
[Lambda,Psi,T,stats,F] = factoran(X,2,'rotate','promax',...  
                                'powerpm',4);
```

```
inv(T'*T) % Est'd corr of F,  
% no longer eye(2)  
Lambda*inv(T'*T)*Lambda'+diag(Psi) % Est'd corr of X
```

Plot the unrotated variables with oblique axes superimposed.


```
invT = inv(T)  
Lambda0 = Lambda*invT  
  
line([-invT(1,1) invT(1,1) NaN -invT(2,1) invT(2,1)], ...  
      [-invT(1,2) invT(1,2) NaN -invT(2,2) invT(2,2)], ...  
      'Color','r','linewidth',2)  
hold on  
biplot(Lambda0,...  
       'LineWidth',2,...  
       'MarkerSize',20)  
xlabel('Loadings for unrotated Factor 1')  
ylabel('Loadings for unrotated Factor 2')
```

factoran



Plot the rotated variables against the oblique axes:

```
biplot(Lambda, 'LineWidth', 2, 'MarkerSize', 20)
```



Example 4

Syntax for passing additional arguments to a user-defined rotation function:

```
[Lambda,Psi,T] = ...
    factoran(X,2,'rotate',@myrotation,'userargs',1,'two');
```

References

- [1] Harman, H. H., *Modern Factor Analysis*, 3rd Ed., University of Chicago Press, Chicago, 1976.
- [2] Jöreskog, K. G., "Some Contributions to Maximum Likelihood Factor Analysis," *Psychometrika*, Vol. 32, 1967, pp. 443-482.

factoran

[3] Lawley, D. N. and A. E. Maxwell, *Factor Analysis as a Statistical Method*, 2nd Edition, American Elsevier Pub. Co., New York, 1971.

See Also

biplot, princomp, procrustes, pcacov, rotatefactors, statset

Purpose F cumulative distribution function

Syntax $P = \text{fcd}(X, V1, V2)$

Description $P = \text{fcd}(X, V1, V2)$ computes the F cdf at each of the values in X using the corresponding parameters in $V1$ and $V2$. X , $V1$, and $V2$ can be vectors, matrices, or multidimensional arrays that are all the same size. A scalar input is expanded to a constant matrix with the same dimensions as the other inputs. The parameters in $V1$ and $V2$ must be positive integers.

The F cdf is

$$p = F(x|v_1, v_2) = \int_0^x \frac{\Gamma\left[\frac{(v_1 + v_2)}{2}\right] \left(\frac{v_1}{v_2}\right)^{\frac{v_1}{2}} t^{\frac{v_1-2}{2}}}{\Gamma\left(\frac{v_1}{2}\right) \Gamma\left(\frac{v_2}{2}\right) \left[1 + \left(\frac{v_1}{v_2}\right)t\right]^{\frac{v_1+v_2}{2}}} dt$$

The result, p , is the probability that a single observation from an F distribution with parameters v_1 and v_2 will fall in the interval $[0 x]$.

Examples The following illustrates a useful mathematical identity for the F distribution:

```
nu1 = 1:5;
nu2 = 6:10;
x = 2:6;
```

```
F1 = fcd(x, nu1, nu2)
F1 =
    0.7930    0.8854    0.9481    0.9788    0.9919
```

```
F2 = 1 - fcd(1./x, nu2, nu1)
F2 =
    0.7930    0.8854    0.9481    0.9788    0.9919
```

See Also `cdf`, `fpdf`, `finv`, `fstat`, `frnd`

ff2n

Purpose Two-level full factorial design

Syntax `dFF2 = ff2n(n)`

Description `dFF2 = ff2n(n)` gives factor settings `dFF2` for a two-level full factorial design with `n` factors. `dFF2` is m -by- n , where m is the number of treatments in the full-factorial design. Each row of `dFF2` corresponds to a single treatment. Each column contains the settings for a single factor, with values of 0 and 1 for the two levels.

Example

```
dFF2 = ff2n(3)
dFF2 =
  0  0  0
  0  0  1
  0  1  0
  0  1  1
  1  0  0
  1  0  1
  1  1  0
  1  1  1
```

See Also `fullfact`

Purpose F inverse cumulative distribution function

Syntax $X = \text{finv}(P, V1, V2)$

Description $X = \text{finv}(P, V1, V2)$ computes the inverse of the F cdf with numerator degrees of freedom $V1$ and denominator degrees of freedom $V2$ for the corresponding probabilities in P . P , $V1$, and $V2$ can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

The parameters in $V1$ and $V2$ must all be positive integers, and the values in P must lie on the interval $[0\ 1]$.

The F inverse function is defined in terms of the F cdf as

$$x = F^{-1}(p|v_1, v_2) = \{x: F(x|v_1, v_2) = p\}$$

where

$$p = F(x|v_1, v_2) = \int_0^x \frac{\Gamma\left[\frac{(v_1 + v_2)}{2}\right]}{\Gamma\left(\frac{v_1}{2}\right)\Gamma\left(\frac{v_2}{2}\right)} \left(\frac{v_1}{v_2}\right)^{\frac{v_1}{2}} \frac{t^{\frac{v_1-2}{2}}}{\left[1 + \left(\frac{v_1}{v_2}\right)t\right]^{\frac{v_1+v_2}{2}}} dt$$

Examples Find a value that should exceed 95% of the samples from an F distribution with 5 degrees of freedom in the numerator and 10 degrees of freedom in the denominator.

```
x = finv(0.95,5,10)
x =
    3.3258
```

You would observe values greater than 3.3258 only 5% of the time by chance.

See Also `icdf`, `fcdf`, `fpdf`, `fstat`, `frnd`

Purpose Gaussian mixture parameter estimates

Class @gmdistribution

Syntax
`obj = gmdistribution.fit(X,k)`
`obj = gmdistribution.fit(...,param1,val1,param2,val2,...)`

Description `obj = gmdistribution.fit(X,k)` uses the Expectation Maximization (EM) algorithm to construct an object `obj` of the `@gmdistribution` class containing maximum likelihood estimates of the parameters in a Gaussian mixture model with `k` components for data in the n -by- d matrix `X`, where n is the number of observations and d is the dimension of the data.

`gmdistribution` treats NaN values as missing data. Rows of `X` with NaN values are excluded from the fit.

`obj = gmdistribution.fit(...,param1,val1,param2,val2,...)` provides control over the iterative EM algorithm. Parameters and values are listed below.

Parameter	Value
'Start'	<p>Method used to choose initial component parameters. One of the following:</p> <ul style="list-style-type: none"> 'randSample' — To select <code>k</code> observations from <code>X</code> at random as initial component means. The mixing proportions are uniform. The initial covariance matrices for all components are diagonal, where the element <code>j</code> on the diagonal is the variance of <code>X(:,j)</code>. This is the default. <code>S</code> — A structure array with fields <code>mu</code>, <code>Sigma</code>, and <code>PComponents</code>. See <code>gmdistribution</code> for descriptions of values. <code>s</code> — A vector of length n containing an initial guess of the component index for each point.

Parameter	Value
'Replicates'	A positive integer giving the number of times to repeat the EM algorithm, each time with a new set of parameters. The solution with the largest likelihood is returned. A value larger than 1 requires the 'randSample' start method. The default is 1.
'CovType'	'diagonal' if the covariance matrices are restricted to be diagonal; 'full' otherwise. The default is 'full'.
'SharedCov'	Logical true if all the covariance matrices are restricted to be the same (pooled estimate); logical false otherwise.
'Regularize'	A nonnegative regularization number added to the diagonal of covariance matrices to make them positive-definite. The default is 0.
'Options'	Options structure for the iterative EM algorithm, as created by <code>statset.gmdistribution.fit</code> uses the parameters 'Display' with a default value of 'off', 'MaxIter' with a default value of 100, and 'TolFun' with a default value of 1e6.

Reference


[1] McLachlan, G., and D. Peel, *Finite Mixture Models*, John Wiley & Sons, New York, 2000.

Example

Generate data from a mixture of two bivariate Gaussian distributions using the `mvnrnd` function:


```
MU1 = [1 2];
SIGMA1 = [2 0; 0 .5];
MU2 = [-3 -5];
SIGMA2 = [1 0; 0 1];
X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)];

scatter(X(:,1),X(:,2),10,'.')
```



Next, fit a two-component Gaussian mixture model:

```
options = statset('Display','final');  
obj = gmdistribution.fit(X,2,'Options',options);  
10 iterations, log-likelihood = -7046.78  
  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```



Among the properties of the fit are the parameter estimates:

```
ComponentMeans = obj.mu
ComponentMeans =
    0.9391    2.0322
   -2.9823   -4.9737
```

```
ComponentCovariances = obj.Sigma
ComponentCovariances(:,:,1) =
    1.7786   -0.0528
   -0.0528    0.5312
ComponentCovariances(:,:,2) =
    1.0491   -0.0150
   -0.0150    0.9816
```

```
MixtureProportions = obj.PComponents
MixtureProportions =
    0.5000    0.5000
```

The Akaike information is minimized by the two-component model:

```
AIC = zeros(1,4);
obj = cell(1,4);
for k = 1:4
    obj{k} = gmdistribution.fit(X,k);
    AIC(k)= obj{k}.AIC;
end

[minAIC,numComponents] = min(AIC);
numComponents
numComponents =
    2

model = obj{2}
model =
Gaussian mixture distribution
with 2 components in 2 dimensions
Component 1:
Mixing proportion: 0.500000
Mean:      0.9391    2.0322
Component 2:
Mixing proportion: 0.500000
Mean:     -2.9823   -4.9737
```

Both the Akaike and Bayes information are negative log-likelihoods for the data with penalty terms for the number of estimated parameters. They are often used to determine an appropriate number of components for a model when the number of components is unspecified.

See Also

`gmdistribution`, `cluster`

Purpose F probability density function

Syntax $Y = \text{fpdf}(X, V1, V2)$

Description $Y = \text{fpdf}(X, V1, V2)$ computes the F pdf at each of the values in X using the corresponding parameters in $V1$ and $V2$. X , $V1$, and $V2$ can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in $V1$ and $V2$ must all be positive integers, and the values in X must lie on the interval $[0 \infty)$.

The probability density function for the F distribution is

$$y = f(x|v_1, v_2) = \frac{\Gamma\left[\frac{(v_1 + v_2)}{2}\right] \left(\frac{v_1}{v_2}\right)^{\frac{v_1}{2}} \frac{x^{\frac{v_1 - 2}{2}}}{\left[1 + \left(\frac{v_1}{v_2}\right)x\right]^{\frac{v_1 + v_2}{2}}}}{\Gamma\left(\frac{v_1}{2}\right)\Gamma\left(\frac{v_2}{2}\right)}$$

Examples

```
y = fpdf(1:6,2,2)
y =
    0.2500    0.1111    0.0625    0.0400    0.0278    0.0204

z = fpdf(3,5:10,5:10)
z =
    0.0689    0.0659    0.0620    0.0577    0.0532    0.0487
```

See Also pdf, fcdf, finv, fstat, frnd

fracfact

Purpose Fractional factorial design

Syntax `dfF = fracfact(generators)`
`[dfF,confounding] = fracfact(generators)`

Description `dfF = fracfact(generators)` gives factor settings `dfF` for a two-level Box-Hunter-Hunter fractional factorial design specified by the `generators` in `generators`. `generators` is a string consisting of words formed from the letters a-z, separated by spaces. For example, `generators = 'a b c ab ac'`. Alternatively, `generators` is a cell array of strings with one word per cell, as returned by `fracfactgen`. Single-character words indicate basic factors, for which the design includes all full-factorial treatments. Multiple-character words indicate factors whose levels are limited by the design to products of the levels of component basic factors. `dfF` is m -by- n , where m is the number of treatments in the design and n is the number factors specified by `generators`.

`[dfF,confounding] = fracfact(generators)` also returns a cell array `confounding` that shows the confounding pattern among the main effects and the two-factor interactions.

Example Suppose you wish to determine the effects of four two-level factors, for which there may be two-way interactions. A full-factorial design would require $2^4 = 16$ runs. The `fracfactgen` function finds generators for a resolution IV (separating main effects) fractional-factorial design that requires only $2^3 = 8$ runs:

```
generators = fracfactgen('a b c d',3,4)
generators =
    'a'
    'b'
    'c'
    'abc'
```

The more economical design and the corresponding confounding pattern are returned by `fracfact`:

```
[dfF,confounding] = fracfact(generators)
dfF =
    -1    -1    -1    -1
    -1    -1     1     1
    -1     1    -1     1
    -1     1     1    -1
     1    -1    -1     1
     1    -1     1    -1
     1     1    -1    -1
     1     1     1     1
confounding =
  'Term'      'Generator'      'Confounding'
  'X1'        'a'              'X1'
  'X2'        'b'              'X2'
  'X3'        'c'              'X3'
  'X4'        'abc'          'X4'
  'X1*X2'     'ab'           'X1*X2 + X3*X4'
  'X1*X3'     'ac'           'X1*X3 + X2*X4'
  'X1*X4'     'bc'           'X1*X4 + X2*X3'
  'X2*X3'     'bc'           'X1*X4 + X2*X3'
  'X2*X4'     'ac'           'X1*X3 + X2*X4'
  'X3*X4'     'ab'           'X1*X2 + X3*X4'
```

The confounding pattern shows, for example, that the two-way interaction between X1 and X2 is confounded by the two-way interaction between X3 and X4.

Reference

[1] Box, G. A. F., W. G. Hunter, and J. S. Hunter, *Statistics for Experimenters*, Wiley, 1978.

See Also

fracfactgen, hadamard

fracfactgen

Purpose Fractional factorial design generators

Syntax

```
generators = fracfactgen(terms)
generators = fracfactgen(terms,k)
generators = fracfactgen(terms,k,R)
generators = fracfactgen(terms,k,R,basic)
```

Description

`generators = fracfactgen(terms)` uses the Franklin-Bailey algorithm to find generators for the smallest two-level fractional-factorial design for estimating linear model terms specified by `terms`. `terms` is a string consisting of words formed from the letters a-z, separated by spaces. For example, `terms = 'a b c ab ac'`. Single-character words indicate main effects to be estimated; multiple-character words indicate interactions. Alternatively, `terms` is an m -by- n matrix of 0s and 1s where m is the number of model terms to be estimated and n is the number of factors. For example, if `terms` contains rows `[0 1 0 0]` and `[1 0 0 1]`, then the factor `b` and the interaction between factors `a` and `d` are included in the model. `generators` is a cell array of strings with one generator per cell. Pass `generators` to `fracfact` to produce the fractional-factorial design and corresponding confounding pattern.

`generators = fracfactgen(terms,k)` returns generators for a two-level fractional-factorial design with 2^k -runs, if possible. If `k` is `[]`, `fracfactgen` finds the smallest design.

`generators = fracfactgen(terms,k,R)` finds a design with resolution `R`, if possible. The default resolution is 3.

A design of *resolution R* is one in which no n -factor interaction is confounded with any other effect containing less than $R - n$ factors. Thus a resolution III design does not confound main effects with one another but may confound them with two-way interactions, while a resolution IV design does not confound either main effects or two-way interactions but may confound two-way interactions with each other.

If `fracfactgen` is unable to find a design at the requested resolution, it tries to find a lower-resolution design sufficient to calibrate the model.

If it is successful, it returns the generators for the lower-resolution design along with a warning. If it fails, it returns an error.

`generators = fracfactgen(terms,k,R,basic)` also accepts a vector `basic` specifying the indices of factors that are to be treated as basic. These factors receive full-factorial treatments in the design. The default includes factors that are part of the highest-order interaction in `terms`.

Example

Suppose you wish to determine the effects of four two-level factors, for which there may be two-way interactions. A full-factorial design would require $2^4 = 16$ runs. The `fracfactgen` function finds generators for a resolution IV (separating main effects) fractional-factorial design that requires only $2^3 = 8$ runs:

```
generators = fracfactgen('a b c d',3,4)
generators =
  'a'
  'b'
  'c'
  'abc'
```

The more economical design and the corresponding confounding pattern are returned by `fracfact`:

```
[dfF,confounding] = fracfact(generators)
dfF =
  -1  -1  -1  -1
  -1  -1   1   1
  -1   1  -1   1
  -1   1   1  -1
   1  -1  -1   1
   1  -1   1  -1
   1   1  -1  -1
   1   1   1   1
confounding =
  'Term'      'Generator'    'Confounding'
  'X1'        'a'             'X1'
  'X2'        'b'             'X2'
```

fracfactgen

'X3'	'c'	'X3'
'X4'	'abc'	'X4'
'X1*X2'	'ab'	'X1*X2 + X3*X4'
'X1*X3'	'ac'	'X1*X3 + X2*X4'
'X1*X4'	'bc'	'X1*X4 + X2*X3'
'X2*X3'	'bc'	'X1*X4 + X2*X3'
'X2*X4'	'ac'	'X1*X3 + X2*X4'
'X3*X4'	'ab'	'X1*X2 + X3*X4'

The confounding pattern shows, for example, that the two-way interaction between X1 and X2 is confounded by the two-way interaction between X3 and X4.

Reference

[1] Box, G. A. F., W. G. Hunter, and J. S. Hunter, *Statistics for Experimenters*, Wiley, 1978.

See Also

fracfact, hadamard

Purpose

Friedman's test

Syntax

```
p = friedman(X, reps)
p = friedman(X, reps, displayopt)
[p, table] = friedman(...)
[p, table, stats] = friedman(...)
```

Description

`p = friedman(X, reps)` performs the nonparametric Friedman's test to compare column effects in a two-way layout. Friedman's test is similar to classical balanced two-way ANOVA, but it tests only for column effects after adjusting for possible row effects. It does not test for row effects or interaction effects. Friedman's test is appropriate when columns represent treatments that are under study, and rows represent nuisance effects (blocks) that need to be taken into account but are not of any interest.

The different columns of X represent changes in a factor A. The different rows represent changes in a blocking factor B. If there is more than one observation for each combination of factors, input `reps` indicates the number of replicates in each "cell," which must be constant.

The matrix below illustrates the format for a set-up where column factor A has three levels, row factor B has two levels, and there are two replicates (`reps=2`). The subscripts indicate row, column, and replicate, respectively.

$$\begin{bmatrix} x_{111} & x_{121} & x_{131} \\ x_{112} & x_{122} & x_{132} \\ x_{211} & x_{221} & x_{231} \\ x_{212} & x_{222} & x_{232} \end{bmatrix}$$

Friedman's test assumes a model of the form

$$x_{ijk} = \mu + \alpha_i + \beta_j + \varepsilon_{ijk}$$

where μ is an overall location parameter, α_i represents the column effect, β_j represents the row effect, and ε_{ijk} represents the error. This test ranks the data within each level of B, and tests for a difference across levels of A. The p that `friedman` returns is the p -value for the null hypothesis that $\alpha_i = 0$. If the p -value is near zero, this casts doubt on the null hypothesis. A sufficiently small p -value suggests that at least one column-sample median is significantly different than the others; i.e., there is a main effect due to factor A. The choice of a critical p -value to determine whether a result is “statistically significant” is left to the researcher. It is common to declare a result significant if the p -value is less than 0.05 or 0.01.

`friedman` also displays a figure showing an ANOVA table, which divides the variability of the ranks into two or three parts:

- The variability due to the differences among the column effects
- The variability due to the interaction between rows and columns (if `reps` is greater than its default value of 1)
- The remaining variability not explained by any systematic source

The ANOVA table has six columns:

- The first shows the source of the variability.
- The second shows the Sum of Squares (SS) due to each source.
- The third shows the degrees of freedom (df) associated with each source.
- The fourth shows the Mean Squares (MS), which is the ratio SS/df.
- The fifth shows Friedman’s chi-square statistic.
- The sixth shows the p -value for the chi-square statistic.

`p = friedman(X, reps, displayopt)` enables the ANOVA table display when `displayopt` is 'on' (default) and suppresses the display when `displayopt` is 'off'.

`[p,table] = friedman(...)` returns the ANOVA table (including column and row labels) in cell array `table`. (You can copy a text version of the ANOVA table to the clipboard by selecting Copy Text from the **Edit** menu.

`[p,table,stats] = friedman(...)` returns a `stats` structure that you can use to perform a follow-up multiple comparison test. The `friedman` test evaluates the hypothesis that the column effects are all the same against the alternative that they are not all the same. Sometimes it is preferable to perform a test to determine which pairs of column effects are significantly different, and which are not. You can use the `multcompare` function to perform such tests by supplying the `stats` structure as input.

Assumptions

Friedman's test makes the following assumptions about the data in X :

- All data come from populations having the same continuous distribution, apart from possibly different locations due to column and row effects.
- All observations are mutually independent.

The classical two-way ANOVA replaces the first assumption with the stronger assumption that data come from normal distributions.

Examples

Let's repeat the example from the `anova2` function, this time applying Friedman's test. Recall that the data below come from a study of popcorn brands and popper type (Hogg 1987). The columns of the matrix `popcorn` are brands (Gourmet, National, and Generic). The rows are popper type (Oil and Air). The study popped a batch of each brand three times with each popper. The values are the yield in cups of popped popcorn.

```
load popcorn
popcorn
popcorn =
    5.5000    4.5000    3.5000
```

friedman

```
5.5000 4.5000 4.0000
6.0000 4.0000 3.0000
6.5000 5.0000 4.0000
7.0000 5.5000 5.0000
7.0000 5.0000 4.5000
```

```
p = friedman(popcorn,3)
p =
0.0010
```

Source	SS	df	MS	Chi-sq	Prob>Chi-sq
Columns	99.75	2	49.875	13.76	0.001
Interaction	0.0833	2	0.0417		
Error	16.1667	12	1.3472		
Total	116	17			

[Test for column effects after row effects are removed](#)

The small p -value of 0.001 indicates the popcorn brand affects the yield of popcorn. This is consistent with the results from `anova2`.

References

- [1] Hogg, R. V. and J. Ledolter, *Engineering Statistics*, MacMillan, 1987.
- [2] Hollander, M., and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1973.

See Also

`anova2`, `multcompare`, `kruskalwallis`

Purpose F random numbers**Syntax**

```
R = frnd(V1,V2)
R = frnd(V1,V2,v)
R = frnd(V1,V2,m,n)
```

Description

$R = \text{frnd}(V1, V2)$ generates random numbers from the F distribution with numerator degrees of freedom $V1$ and denominator degrees of freedom $V2$. $V1$ and $V2$ can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for $V1$ or $V2$ is expanded to a constant array with the same dimensions as the other input.

$R = \text{frnd}(V1, V2, v)$ generates random numbers from the F distribution with parameters $V1$ and $V2$, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with $v(1)$ rows and $v(2)$ columns. If v is 1-by- n , R is an n -dimensional array.

$R = \text{frnd}(V1, V2, m, n)$ generates random numbers from the F distribution with parameters $V1$ and $V2$, where scalars m and n are the row and column dimensions of R .

Example

```
n1 = frnd(1:6,1:6)
n1 =
    0.0022    0.3121    3.0528    0.3189    0.2715    0.9539

n2 = frnd(2,2,[2 3])
n2 =
    0.3186    0.9727    3.0268
    0.2052   148.5816    0.2191

n3 = frnd([1 2 3;4 5 6],1,2,3)
n3 =
    0.6233    0.2322   31.5458
    2.5848    0.2121    4.4955
```

See Also

random, fpdf, fcdf, finv, fstat

fstat

Purpose F mean and variance

Syntax `[M,V] = fstat(V1,V2)`

Description `[M,V] = fstat(V1,V2)` returns the mean of and variance for the F distribution with parameters specified by $V1$ and $V2$. $V1$ and $V2$ can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of M and V . A scalar input for $V1$ or $V2$ is expanded to a constant arrays with the same dimensions as the other input.

The mean of the F distribution for values of v_2 greater than 2 is

$$\frac{v_2}{v_2 - 2}$$

The variance of the F distribution for values of v_2 greater than 4 is

$$\frac{2v_2^2(v_1 + v_2 - 2)}{v_1(v_2 - 2)^2(v_2 - 4)}$$

The mean of the F distribution is undefined if v_2 is less than 3. The variance is undefined for v_2 less than 5.

Examples `fstat` returns NaN when the mean and variance are undefined.

```
[m,v] = fstat(1:5,1:5)
m =
    NaN    NaN    3.0000    2.0000    1.6667
v =
    NaN    NaN    NaN    NaN    8.8889
```

See Also `fpdf`, `fcdf`, `finv`, `frnd`

Purpose

Interactive contour plot

Syntax

```
fsurfht(fun,xlims,ylim)  
fsurfht(fun,xlims,ylim,p1,p2,p3,p4,p5)
```

Description

`fsurfht(fun,xlims,ylim)` is an interactive contour plot of the function specified by the text variable `fun`. The x -axis limits are specified by `xlims` in the form `[xmin xmax]`, and the y -axis limits are specified by `ylim` in the form `[ymin ymax]`.

`fsurfht(fun,xlims,ylim,p1,p2,p3,p4,p5)` allows for five optional parameters that you can supply to the function `fun`.

The intersection of the vertical and horizontal reference lines on the plot defines the current x -value and y -value. You can drag these reference lines and watch the calculated z -values (at the top of the plot) update simultaneously. Alternatively, you can type the x -value and y -value into editable text fields on the x -axis and y -axis.

Example

Plot the Gaussian likelihood function for the `gas.mat` data.


```
load gas
```

Create a function containing the following commands, and name it `gauslike.m`.

```
function z = gauslike(mu,sigma,p1)  
n = length(p1);  
z = ones(size(mu));  
for i = 1:n  
z = z .* (normpdf(p1(i),mu,sigma));  
end
```

The `gauslike` function calls `normpdf`, treating the data sample as fixed and the parameters μ and σ as variables. Assume that the gas prices are normally distributed, and plot the likelihood surface of the sample.

```
fsurfht('gauslike',[112 118],[3 5],price1)
```



The sample mean is the x -value at the maximum, but the sample standard deviation is *not* the y -value at the maximum.

```
mumax = mean(price1)
mumax =
  115.1500
sigmamax = std(price1)*sqrt(19/20)
sigmamax =
  3.7719
```

fullfact

Purpose Full factorial design

Syntax `dFF = fullfact(levels)`

Description `dFF = fullfact(levels)` gives factor settings `dFF` for a full factorial design with n factors, where the number of levels for each factor is given by the vector `levels` of length n . `dFF` is m -by- n , where m is the number of treatments in the full-factorial design. Each row of `dFF` corresponds to a single treatment. Each column contains the settings for a single factor, with integer values from one to the number of levels.

Example The following generates an eight-run full-factorial design with two levels in the first factor and four levels in the second factor:

```
dFF = fullfact([2 4])
dFF =
     1     1
     2     1
     1     2
     2     2
     1     3
     2     3
     1     4
     2     4
```

See Also `ff2n`

Purpose

Gage repeatability and reproducibility study

Syntax

```
gagerr(y, {part, operator})  
gagerr(y, GROUP)  
gagerr(y, part)  
gagerr(..., param1, val1, param2, val2, ...)  
[TABLE, stats] = gagerr(...)
```

Description

`gagerr(y, {part, operator})` performs a gage repeatability and reproducibility study on measurements in `y` collected by `operator` on `part`. `y` is a column vector containing the measurements on different parts. `part` and `operator` are categorical variables, numeric vectors, character matrices, or cell arrays of strings. The number of elements in `part` and `operator` should be the same as in `y`.

`gagerr` prints a table in the command window in which the decomposition of variance, standard deviation, study var (5.15 x standard deviation) are listed with respective percentages for different sources. Summary statistics are printed below the table giving the number of distinct categories (NDC) and the percentage of Gage R&R of total variations (PRR).

`gagerr` also plots a bar graph showing the percentage of different components of variations. Gage R&R, repeatability, reproducibility, and part-to-part variations are plotted as four vertical bars. Variance and study var are plotted as two groups.

To determine the capability of a measurement system using NDC, use the following guidelines:

- If $NDC > 5$, the measurement system is capable.
- If $NDC < 2$, the measurement system is not capable.
- Otherwise, the measurement system may be acceptable.

To determine the capability of a measurement system using PRR, use the following guidelines:

- If $PRR < 10\%$, the measurement system is capable.
- If $PRR > 30\%$, the measurement system is not capable.
- Otherwise, the measurement system may be acceptable.

`gagerr(y, GROUP)` performs a gage R&R study on measurements in `y` with part and operator represented in `GROUP`. `GROUP` is a numeric matrix whose first and second columns specify different parts and operators, respectively. The number of rows in `GROUP` should be the same as the number of elements in `y`. (See “Grouped Data” on page 2-33.)

`gagerr(y, part)` performs a gage R&R study on measurements in `y` without operator information. The assumption is that all variability is contributed by `part`.

`gagerr(..., param1, val1, param2, val2, ...)` performs a gage R&R study using one or more of the following parameter name/value pairs:

- `'spec'` — A two-element vector that defines the lower and upper limit of the process, respectively. In this case, summary statistics printed in the command window include Precision-to-Tolerance Ratio (PTR). Also, the bar graph includes an additional group, the percentage of tolerance.

To determine the capability of a measurement system using PTR, use the following guidelines:

- If $PTR < 0.1$, the measurement system is capable.
- If $PTR > 0.3$, the measurement system is not capable.
- Otherwise, the measurement system may be acceptable.
- `'printtable'` — A string with a value `'on'` or `'off'` that indicates whether the tabular output should be printed in the command window or not. The default value is `'on'`.
- `'printgraph'` — A string with a value `'on'` or `'off'` that indicates whether the bar graph should be plotted or not. The default value is `'on'`.

- 'randomoperator' — A logical value, true or false, that indicates whether the effect of operator is random or not. The default value is true.
- 'model' — The model to use, specified by one of:
 - 'linear' — Main effects only (default)
 - 'interaction' — Main effects plus two-factor interactions
 - 'nested' — Nest operator in part
 The default value is 'linear'.

[TABLE, stats] = gagerr(...) returns a 6-by-5 matrix TABLE and a structure stats. The columns of TABLE, from left to right, represent variance, percentage of variance, standard deviations, study var, and percentage of study var. The rows of TABLE, from top to bottom, represent different sources of variations: gage R&R, repeatability, reproducibility, operator, operator and part interactions, and part. stats is a structure containing summary statistics for the performance of the measurement system. The fields of stats are:

- ndc — Number of distinct categories
- prr — Percentage of gage R&R of total variations
- ptr — Precision-to-tolerance ratio. The value is NaN if the parameter 'spec' is not given.

Example

Conduct a gage R&R study for a simulated measurement system using a mixed ANOVA model without interactions:


```
y = randn(100,1); % measurements
part = ceil(3*rand(100,1)); % parts
operator = ceil(4*rand(100,1)); % operators
gagerr(y,{part, operator},'randomoperator',true) % analysis
```

Source	Variance	% Variance	sigma	5.15*sigma	% 5.15*sigma
Gage R&R	0.77	100.00	0.88	4.51	100.00
Repeatability	0.76	99.08	0.87	4.49	99.54
Reproducibility	0.01	0.92	0.08	0.43	9.61
Operator	0.01	0.92	0.08	0.43	9.61
Part	0.00	0.00	0.00	0.00	0.00
Total	0.77	100.00	0.88	4.51	

Number of distinct categories (NDC): 0

% of Gage R&R of total variations (PRR): 100.00

Note: The last column of the above table does not have to sum to 100%



gamcdf

Purpose Gamma cumulative distribution function

Syntax `gamcdf(X,A,B)`
`[P, PLO, PUP] = gamcdf(X,A,B,pcov,alpha)`

Description `gamcdf(X,A,B)` computes the gamma cdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `A` and `B` must be positive.

The gamma cdf is

$$p = F(x|a,b) = \frac{1}{b^a \Gamma(a)} \int_0^x t^{a-1} e^{-\frac{t}{b}} dt$$

The result, `p`, is the probability that a single observation from a gamma distribution with parameters `a` and `b` will fall in the interval `[0 x]`.

`[P, PLO, PUP] = gamcdf(X,A,B,pcov,alpha)` produces confidence bounds for `P` when the input parameters `A` and `B` are estimates. `pcov` is a 2-by-2 matrix containing the covariance matrix of the estimated parameters. `alpha` has a default value of 0.05, and specifies 100(1-alpha)% confidence bounds. `PLO` and `PUP` are arrays of the same size as `P` containing the lower and upper confidence bounds.

`gammainc` is the gamma distribution with `b` fixed at 1.

Examples

```
a = 1:6;  
b = 5:10;  
prob = gamcdf(a.*b,a,b)  
prob =  
    0.6321    0.5940    0.5768    0.5665    0.5595    0.5543
```

The mean of the gamma distribution is the product of the parameters, `ab`. In this example, the mean approaches the median as it increases (i.e., the distribution becomes more symmetric).

See Also

`cdf`, `gampdf`, `gaminv`, `gamstat`, `gamfit`, `gamlike`, `gamrnd`, `gamma`

gamfit

Purpose

Gamma parameter estimates

Syntax

```
phat = gamfit(data)
[phat,pci] = gamfit(data)
[phat,pci] = gamfit(data,alpha)
[...] = gamfit(data,alpha,censoring,freq,options)
```

Description

`phat = gamfit(data)` returns the maximum likelihood estimates (MLEs) for the parameters of the gamma distribution given the data in vector `data`.

`[phat,pci] = gamfit(data)` returns MLEs and 95% percent confidence intervals. The first row of `pci` is the lower bound of the confidence intervals; the last row is the upper bound.

`[phat,pci] = gamfit(data,alpha)` returns 100(1 - alpha)% confidence intervals. For example, `alpha = 0.01` yields 99% confidence intervals.

`[...] = gamfit(data,alpha,censoring)` accepts a Boolean vector of the same size as `data` that is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = gamfit(data,alpha,censoring,freq)` accepts a frequency vector of the same size as `data`. `freq` typically contains integer frequencies for the corresponding elements in `data`, but may contain any nonnegative values.

`[...] = gamfit(data,alpha,censoring,freq,options)` accepts a structure, `options`, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates. The gamma fit function accepts an `options` structure which can be created using the function `statset`. Enter `statset('gamfit')` to see the names and default values of the parameters that `gamfit` accepts in the `options` structure.

Example

Fit a gamma distribution to random data generated from a specified gamma distribution:


```
a = 2; b = 4;
data = gamrnd(a,b,100,1);

[p,ci] = gamfit(data)
p =
    2.1990    3.7426
ci =
    1.6840    2.8298
    2.7141    4.6554
```

Reference

[1] Hahn, G. J., and S. S. Shapiro, *Statistical Models in Engineering*. John Wiley & Sons, 1994. p. 88.

See Also

mle, gamlike, gampdf, gamcdf, gaminv, gamstat, gamrnd

gaminv

Purpose Gamma inverse cumulative distribution function

Syntax `X = gaminv(P,A,B)`
`[X,XLO,XUP] = gamcdf(P,A,B,pcov,alpha)`

Description `X = gaminv(P,A,B)` computes the inverse of the gamma cdf with parameters A and B for the corresponding probabilities in P. P, A, and B can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in A and B must all be positive, and the values in P must lie on the interval [0 1].

The gamma inverse function in terms of the gamma cdf is

$$x = F^{-1}(p|a,b) = \{x:F(x|a,b) = p\}$$

where

$$p = F(x|a,b) = \frac{1}{b^a \Gamma(a)} \int_0^x t^{a-1} e^{-\frac{t}{b}} dt$$

`[X,XLO,XUP] = gamcdf(P,A,B,pcov,alpha)` produces confidence bounds for P when the input parameters A and B are estimates. `pcov` is a 2-by-2 matrix containing the covariance matrix of the estimated parameters. `alpha` has a default value of 0.05, and specifies 100(1-alpha)% confidence bounds. `PL0` and `PUP` are arrays of the same size as P containing the lower and upper confidence bounds.

Algorithm There is no known analytical solution to the integral equation above. `gaminv` uses an iterative approach (Newton's method) to converge on the solution.

Examples This example shows the relationship between the gamma cdf and its inverse function.

```
a = 1:5;  
b = 6:10;
```

```
x = gaminv(gamcdf(1:5,a,b),a,b)
x =
    1.0000    2.0000    3.0000    4.0000    5.0000
```

See Also

`icdf`, `gamcdf`, `gampdf`, `gamstat`, `gamfit`, `gamlike`, `gamrnd`

gamlike

Purpose Gamma negative log-likelihood

Syntax
`nlogL = gamlike(params,data)`
`[nlogL,AVAR] = gamlike(params,data)`

Description `nlogL = gamlike(params,data)` returns the negative of the gamma log-likelihood of the parameters, `params`, given data.

`[nlogL,AVAR] = gamlike(params,data)` also returns `AVAR`, which is the asymptotic variance-covariance matrix of the parameter estimates when the values in `params` are the maximum likelihood estimates. `AVAR` is the inverse of Fisher's information matrix. The diagonal elements of `AVAR` are the asymptotic variances of their respective parameters.

`[...] = gamlike(params,data,censoring)` accepts a Boolean vector of the same size as `data` that is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = gamfit(params,data,censoring,freq)` accepts a frequency vector of the same size as `data`. `freq` typically contains integer frequencies for the corresponding elements in `data`, but may contain any non-negative values.

`gamlike` is a utility function for maximum likelihood estimation of the gamma distribution. Since `gamlike` returns the negative gamma log-likelihood function, minimizing `gamlike` using `fminsearch` is the same as maximizing the likelihood.

Example Compute the negative log-likelihood of parameter estimates computed by the `gamfit` function:

```
a = 2; b = 3;
r = gamrnd(a,b,100,1);

[nlogL,AVAR] = gamlike(gamfit(r),r)
nlogL =
    267.5648
AVAR =
    0.0788   -0.1104
```

-0.1104 0.1955

See Also

gamfit, gampdf, gamcdf, gaminv, gamstat, gamrnd

gampdf

Purpose Gamma probability density function

Syntax `Y = gampdf(X,A,B)`

Description `Y = gampdf(X,A,B)` computes the gamma pdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `A` and `B` must all be positive, and the values in `X` must lie on the interval $[0 \infty)$.

The gamma pdf is

$$y = f(x|a, b) = \frac{1}{b^a \Gamma(a)} x^{a-1} e^{-\frac{x}{b}}$$

The gamma probability density function is useful in reliability models of lifetimes. The gamma distribution is more flexible than the exponential distribution in that the probability of a product surviving an additional period may depend on its current age. The exponential and χ^2 functions are special cases of the gamma function.

Examples The exponential distribution is a special case of the gamma distribution.

```
mu = 1:5;
```

```
y = gampdf(1,1,mu)
```

```
y =
```

```
0.3679 0.3033 0.2388 0.1947 0.1637
```

```
y1 = exppdf(1,mu)
```

```
y1 =
```

```
0.3679 0.3033 0.2388 0.1947 0.1637
```

See Also pdf, gamcdf, gaminv, gamstat, gamfit, gamlike, gamrnd

Purpose

Gamma random numbers

Syntax

```
R = gamrnd(A,B)
R = gamrnd(A,B,v)
R = gamrnd(A,B,m,n)
```

Description

`R = gamrnd(A,B)` generates random numbers from the gamma distribution with parameters `A` and `B`. `A` and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for `A` or `B` is expanded to a constant array with the same dimensions as the other input.

`R = gamrnd(A,B,v)` generates random numbers from the gamma distribution with parameters `A` and `B`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = gamrnd(A,B,m,n)` generates gamma random numbers with parameters `A` and `B`, where scalars `m` and `n` are the row and column dimensions of `R`.

Example

```
n1 = gamrnd(1:5,6:10)
n1 =
    9.1132    12.8431    24.8025    38.5960   106.4164

n2 = gamrnd(5,10,[1 5])
n2 =
    30.9486    33.5667    33.6837    55.2014    46.8265

n3 = gamrnd(2:6,3,1,5)
n3 =
    12.8715    11.3068     3.0982    15.6012    21.6739
```

See Also

randg, random, gampdf, gamcdf, gaminv, gamstat, gamfit, gamlike

gamstat

Purpose Gamma mean and variance

Syntax `[M,V] = gamstat(A,B)`

Description `[M,V] = gamstat(A,B)` returns the mean of and variance for the gamma distribution with parameters specified by A and B. A and B can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of M and V. A scalar input for A or B is expanded to a constant array with the same dimensions as the other input.

The mean of the gamma distribution with parameters a and b is ab . The variance is ab^2 .

Examples

```
[m,v] = gamstat(1:5,1:5)
```

```
m =
```

```
1 4 9 16 25
```

```
v =
```

```
1 8 27 64 125
```

```
[m,v] = gamstat(1:5,1./(1:5))
```

```
m =
```

```
1 1 1 1 1
```

```
v =
```

```
1.0000 0.5000 0.3333 0.2500 0.2000
```

See Also

`gampdf`, `gamcdf`, `gaminv`, `gamfit`, `gamlike`, `gamrnd`

Purpose Access dataset array properties

Class @dataset

Syntax

```
get(A)
s = get(A)
p = get(A,PropertyName)
p = get(A,{PropertyName1,PropertyName2,...})
```

Description

`get(A)` displays a list of property/value pairs for the dataset array `A`.

`s = get(A)` returns the values in a scalar structure `s` with field names given by the properties.

`p = get(A,PropertyName)` returns the value of the property specified by the string `PropertyName`.

`p = get(A,{PropertyName1,PropertyName2,...})` allows multiple property names to be specified and returns their values in a cell array.

Example Create a dataset array from Fisher's iris data and access the information:

```
load fisheriris
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);

get(iris)
Description: ''
Units: {}
DimNames: {'Observations' 'Variables'}
UserData: []
ObsNames: {150x1 cell}
VarNames: {'species' 'SL' 'SW' 'PL' 'PW'}
```

get

```
ON = get(iris, 'ObsNames');  
ON(1:3)  
ans =  
    'Obs1'  
    'Obs2'  
    'Obs3'
```

See Also

set, summary

Purpose Access labels

Class @categorical

Syntax labels = getlabels(A)

Description labels = getlabels(A) returns the labels of the levels in the categorical array A as a cell array of strings labels. For ordinal A, the labels are returned in the order of the levels.

Examples **Example 1**

Display levels in a nominal and an ordinal array:

```
standings = nominal({'Leafs', 'Canadiens', 'Bruins'});
getlabels(standings)
ans =
    'Bruins'    'Canadiens'    'Leafs'
```

```
standings = ordinal(1:3,{'Leafs', 'Canadiens', 'Bruins'});
getlabels(standings)
ans =
    'Leafs'    'Canadiens'    'Bruins'
```

Example 2

Display age groups containing data in hospital.mat:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
AgeGroup = ordinal(hospital.Age, labels, [], edges);
AgeGroup = droplevels(AgeGroup);
getlabels(AgeGroup)
ans =
    '20s'    '30s'    '40s'    '50s'
```

See Also setlabels

geocdf

Purpose Geometric cumulative distribution function

Syntax `Y = geocdf(X,P)`

Description `Y = geocdf(X,P)` computes the geometric cdf at each of the values in `X` using the corresponding probabilities in `P`. `X` and `P` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `P` must lie on the interval `[0 1]`.

The geometric cdf is

$$y = F(x|p) = \sum_{i=0}^{\text{floor}(x)} pq^i$$

where $q = 1 - p$.

The result, y , is the probability of observing up to x trials before a success, when the probability of success in any given trial is p .

Examples Suppose you toss a fair coin repeatedly. If the coin lands face up (heads), that is a success. What is the probability of observing three or fewer tails before getting a heads?

```
p = geocdf(3,0.5)
p =
    0.9375
```

See Also `cdf`, `geopdf`, `geoinv`, `geostat`, `geornd`, `mle`

Purpose Geometric inverse cumulative distribution function

Syntax `X = geoinv(Y,P)`

Description `X = geoinv(Y,P)` returns the smallest positive integer X such that the geometric cdf evaluated at X is equal to or exceeds Y . You can think of Y as the probability of observing X successes in a row in independent trials where P is the probability of success in each trial.

Y and P can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for P or Y is expanded to a constant array with the same dimensions as the other input. The values in P and Y must lie on the interval $[0\ 1]$.

Examples The probability of correctly guessing the result of 10 coin tosses in a row is less than 0.001 (unless the coin is not fair).

```
psychic = geoinv(0.999,0.5)
psychic =
     9
```

The example below shows the inverse method for generating random numbers from the geometric distribution.

```
rndgeo = geoinv(rand(2,5),0.5)
rndgeo =
     0     1     3     1     0
     0     1     0     2     0
```

See Also `icdf`, `geocdf`, `geopdf`, `geostat`, `geornd`

geomean

Purpose Geometric mean

Syntax `m = geomean(x)`
`geomean(X,dim)`

Description `m = geomean(x)` calculates the geometric mean of a sample. For vectors, `geomean(x)` is the geometric mean of the elements in `x`. For matrices, `geomean(X)` is a row vector containing the geometric means of each column. For N-dimensional arrays, `geomean` operates along the first nonsingleton dimension of `X`.

`geomean(X,dim)` takes the geometric mean along the dimension `dim` of `X`.

The geometric mean is

$$m = \left[\prod_{i=1}^n x_i \right]^{\frac{1}{n}}$$

Examples The arithmetic mean is greater than or equal to the geometric mean.

```
x = exprnd(1,10,6);

geometric = geomean(x)
geometric =
    0.7466    0.6061    0.6038    0.2569    0.7539    0.3478

average = mean(x)
average =
    1.3509    1.1583    0.9741    0.5319    1.0088    0.8122
```

See Also `mean`, `median`, `harmmean`, `trimmean`

Purpose Geometric probability density function

Syntax `Y = geopdf(X,P)`

Description `Y = geopdf(X,P)` computes the geometric pdf at each of the values in `X` using the corresponding probabilities in `P`. `X` and `P` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `P` must lie on the interval `[0 1]`.

The geometric pdf is

$$y = f(x|p) = pq^x I_{(0, 1, \infty)}(x)$$

where $q = 1 - p$.

Examples Suppose you toss a fair coin repeatedly. If the coin lands face up (heads), that is a success. What is the probability of observing exactly three tails before getting a heads?

```
p = geopdf(3,0.5)
p =
    0.0625
```

See Also `pdf`, `geocdf`, `geoinv`, `geostat`, `geornd`

geornd

Purpose Geometric random numbers

Syntax
R = geornd(P)
R = geornd(P,v)
R = geornd(P,m,n)

Description The geometric distribution is useful when you want to model the number of successive failures preceding a success, where the probability of success in any given trial is the constant P.

R = geornd(P) generates geometric random numbers with probability parameter P. P can be a vector, a matrix, or a multidimensional array. The size of R is the size of P.

R = geornd(P,v) generates geometric random numbers with probability parameter P, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = geornd(P,m,n) generates geometric random numbers with probability parameter P, where scalars m and n are the row and column dimensions of R.

The parameters in P must lie on the interval [0 1].

Example

```
r1 = geornd(1 ./ 2.^(1:6))
r1 =
     2    10     2     5     2    60

r2 = geornd(0.01,[1 5])
r2 =
    65    18   334   291    63

r3 = geornd(0.5,1,6)
r3 =
     0     7     1     3     1     0
```

See Also random, geopdf, geocdf, geoinv, geostat

Purpose Geometric mean and variance

Syntax `[M,V] = geostat(P)`

Description `[M,V] = geostat(P)` returns the mean of and variance for the geometric distribution with parameters specified by `P`.

The mean of the geometric distribution with parameter p is q/p , where $q = 1-p$. The variance is q/p^2 .

Examples

```
[m,v] = geostat(1./(1:6))
m =
    0  1.0000  2.0000  3.0000  4.0000  5.0000
v =
    0  2.0000  6.0000  12.0000  20.0000  30.0000
```

See Also `geopdf`, `geocdf`, `geoinv`, `geornd`

Purpose Generalized extreme value cumulative distribution function

Syntax $P = \text{gevcdf}(X, K, \text{sigma}, \mu)$

Description $P = \text{gevcdf}(X, K, \text{sigma}, \mu)$ returns the cdf of the generalized extreme value (GEV) distribution with shape parameter K , scale parameter sigma , and location parameter, μ , evaluated at the values in X . The size of P is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.

Default values for K , sigma , and μ are 0, 1, and 0, respectively.

When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the `wblcdf` function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the `evcdf` function.

The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-\mu)/\text{sigma} > -1$.

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also `cdf`, `gevpdf`, `gevinv`, `gevstat`, `gevfit`, `gevlike`, `gevrnd`

Purpose Generalized extreme value parameter estimates

Syntax

```
parmhat = gevfit(X)
[parmhat,parmci] = gevfit(X)
[parmhat,parmci] = gevfit(X,alpha)
[...] = gevfit(X,alpha,options)
```

Description `parmhat = gevfit(X)` returns maximum likelihood estimates of the parameters for the generalized extreme value (GEV) distribution given the data in X. `parmhat(1)` is the shape parameter, K , `parmhat(2)` is the scale parameter, σ , and `parmhat(3)` is the location parameter, μ .

`[parmhat,parmci] = gevfit(X)` returns 95% confidence intervals for the parameter estimates.

`[parmhat,parmci] = gevfit(X,alpha)` returns $100(1-\alpha)\%$ confidence intervals for the parameter estimates.

`[...] = gevfit(X,alpha,options)` specifies control parameters for the iterative algorithm used to compute ML estimates. This argument can be created by a call to `statset`. See `statset('gevfit')` for parameter names and default values. Pass in `[]` for alpha to use the default values.

When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the `wblfit` function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the `evfit` function.

The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution is defined for $K*(X-\mu)/\sigma > -1$.

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also

mle, gevlike, gevpdf, gevCDF, gevinv, gevstat, gevrnd

Purpose	Generalized extreme value inverse cumulative distribution function
Syntax	$X = \text{gevinv}(P, K, \text{sigma}, \mu)$
Description	<p>$X = \text{gevinv}(P, K, \text{sigma}, \mu)$ returns the inverse cdf of the generalized extreme value (GEV) distribution with shape parameter K, scale parameter sigma, and location parameter μ, evaluated at the values in P. The size of X is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.</p> <p>Default values for K, sigma, and μ are 0, 1, and 0, respectively.</p> <p>When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the <code>wblinv</code> function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the <code>evinv</code> function.</p> <p>The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-\mu)/\text{sigma} > -1$.</p>
References	<p>[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) <i>Modelling Extremal Events for Insurance and Finance</i>, Springer.</p> <p>[2] Kotz, S. and S. Nadarajah (2001) <i>Extreme Value Distributions: Theory and Applications</i>, World Scientific Publishing Company.</p>
See Also	<code>icdf</code> , <code>gevcdf</code> , <code>gevpdf</code> , <code>gevstat</code> , <code>gevfit</code> , <code>gevlike</code> , <code>gevrnd</code>

gevlike

Purpose Generalized extreme value negative log-likelihood

Syntax
`nlogL = gevlike(params,data)`
`[nlogL,ACOV] = gevlike(params,data)`

Description `nlogL = gevlike(params,data)` returns the negative of the log-likelihood `nlogL` for the generalized extreme value (GEV) distribution, evaluated at parameters `params(1) = K`, `params(2) = sigma`, and `params(3) = mu`, given data.

`[nlogL,ACOV] = gevlike(params,data)` returns the inverse of Fisher's information matrix, `ACOV`. If the input parameter values in `params` are the maximum likelihood estimates, the diagonal elements of `ACOV` are their asymptotic variances. `ACOV` is based on the observed Fisher's information, not the expected information.

When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the `wbllike` function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the `evlike` function.

The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-\mu)/\text{sigma} > -1$.

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also `gevfit`, `gevpdf`, `gevcdf`, `gevinv`, `gevstat`, `gevrnd`

Purpose	Generalized extreme value probability density function
Syntax	$Y = \text{gevpdf}(X, K, \text{sigma}, \mu)$
Description	<p>$Y = \text{gevpdf}(X, K, \text{sigma}, \mu)$ returns the pdf of the generalized extreme value (GEV) distribution with shape parameter K, scale parameter sigma, and location parameter, μ, evaluated at the values in X. The size of Y is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.</p> <p>Default values for K, sigma, and μ are 0, 1, and 0, respectively.</p> <p>When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the <code>wblpdf</code> function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the <code>evcdf</code> function.</p> <p>The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-\mu)/\text{sigma} > -1$.</p>
References	<p>[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) <i>Modelling Extremal Events for Insurance and Finance</i>, Springer.</p> <p>[2] Kotz, S. and S. Nadarajah (2001) <i>Extreme Value Distributions: Theory and Applications</i>, World Scientific Publishing Company.</p>
See Also	<code>pdf</code> , <code>gevcdf</code> , <code>gevinv</code> , <code>gevstat</code> , <code>gevfit</code> , <code>gevlike</code> , <code>gevrnd</code>

gevrnd

Purpose Generalized extreme value random numbers

Syntax
R = gevrnd(K, sigma, mu)
R = gevrnd(K, sigma, mu, M, N, ...)
R = gevrnd(K, sigma, mu, [M, N, ...])

Description R = gevrnd(K, sigma, mu) returns an array of random numbers chosen from the generalized extreme value (GEV) distribution with shape parameter K, scale parameter sigma, and location parameter, mu. The size of R is the common size of the input arguments if all are arrays. If any parameter is a scalar, the size of R is the size of the other parameters.

R = gevrnd(K, sigma, mu, M, N, ...) or

R = gevrnd(K, sigma, mu, [M, N, ...]) returns an m-by-n-by-... array.

When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the `wblrnd` function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the `evrnd` function.

The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-mu)/sigma > -1$.

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also random, gevpdf, gevcdf, gevinv, gevstat, gevfit, gevlike

Purpose	Generalized extreme value mean and variance
Syntax	<code>[M,V] = gevstat(K,sigma,mu)</code>
Description	<p><code>[M,V] = gevstat(K,sigma,mu)</code> returns the mean of and variance for the generalized extreme value (GEV) distribution with shape parameter K, scale parameter σ, and location parameter, μ. The sizes of M and V are the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.</p> <p>Default values for K, σ, and μ are 0, 1, and 0, respectively.</p> <p>When $K < 0$, the GEV is the type III extreme value distribution. When $K > 0$, the GEV distribution is the type II, or Frechet, extreme value distribution. If w has a Weibull distribution as computed by the <code>wblstat</code> function, then $-w$ has a type III extreme value distribution and $1/w$ has a type II extreme value distribution. In the limit as K approaches 0, the GEV is the mirror image of the type I extreme value distribution as computed by the <code>evstat</code> function.</p> <p>The mean of the GEV distribution is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. The GEV distribution has positive density only for values of X such that $K*(X-\mu)/\sigma > -1$.</p>
References	<p>[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) <i>Modelling Extremal Events for Insurance and Finance</i>, Springer.</p> <p>[2] Kotz, S. and S. Nadarajah (2001) <i>Extreme Value Distributions: Theory and Applications</i>, World Scientific Publishing Company.</p>
See Also	<code>gevpdf</code> , <code>gevcdf</code> , <code>gevinv</code> , <code>gevfit</code> , <code>gevlike</code> , <code>gevrnd</code>

gline

Purpose Interactively add line to plot

Syntax
`gline(fig)`
`h = gline(fig)`
`gline`

Description `gline(fig)` allows you to draw a line segment in the figure `fig` by clicking the pointer at the two endpoints. A rubber band line tracks the pointer movement.

`h = gline(fig)` returns the handle to the line in `h`.

`gline` with no input arguments draws in the current figure.

See Also `refline`, `refcurve`, `lsline`

Purpose

Generalized linear model regression

Syntax

```
b = glmfit(X,y,distr)
b = glmfit(X,y,distr,param1,val1,param2,val2,...)
[b,dev] = glmfit(...)
[b,dev,stats] = glmfit(...)
```

Description

`b = glmfit(X,y,distr)` returns a p -by-1 vector b of coefficient estimates for a generalized linear regression of the responses in y on the predictors in X , using the distribution $distr$. X is an n -by- p matrix of p predictors at each of n observations. $distr$ can be any of the following strings: 'binomial', 'gamma', 'inverse gaussian', 'normal' (the default), and 'poisson'.

In most cases, y is an n -by-1 vector of observed responses. For the binomial distribution, y can be a binary vector indicating success or failure at each observation, or a two column matrix with the first column indicating the number of successes for each observation and the second column indicating the number of trials for each observation.

This syntax uses the canonical link (see below) to relate the distribution to the predictors.

Note By default, `glmfit` adds a first column of 1s to X , corresponding to a constant term in the model. Do not enter a column of 1s directly into X . You can change the default behavior of `glmfit` using the 'constant' parameter, below.

`glmfit` treats NaNs in either X or y as missing values, and ignores them.

`b = glmfit(X,y,distr,param1,val1,param2,val2,...)` additionally allows you to specify optional parameter name/value pairs to control the model fit. Acceptable parameters are as follows:

Parameter	Value	Description
'link'	'identity', default for the distribution 'normal'	$\mu = Xb$
	'log', default for the distribution 'poisson'	$\log(\mu) = Xb$
	'logit', default for the distribution 'binomial'	$\log(\mu/(1-\mu)) = Xb$
	'probit'	$\text{norminv}(\mu) = Xb$
	'comploglog'	$\log(-\log(1-\mu)) = Xb$
	'reciprocal'	$1/\mu = Xb$
	'loglog', default for the distribution 'gamma'	$\log(-\log(\mu)) = Xb$
	p (a number), default for the distribution 'inverse gaussian' (with $p = -2$)	$\mu^p = Xb$
	cell array of the form {FL FD FI}, containing three function handles, created using @, that define the link (FL), the derivative of the link (FD), and the inverse link (FI).	User-specified link function

Parameter	Value	Description
'estdisp'	'on'	Estimates a dispersion parameter for the binomial or Poisson distribution
	'off' (Default for binomial or Poisson distribution)	Uses the theoretical value of 1.0 for those distributions
'offset'	Vector	Used as an additional predictor variable, but with a coefficient value fixed at 1.0
'weights'	Vector of prior weights, such as the inverses of the relative variance of each observation	
'constant'	'on' (default)	Includes a constant term in the model. The coefficient of the constant term is the first element of b.
	'off'	Omit the constant term

`[b,dev] = glmfit(...)` returns `dev`, the deviance of the fit at the solution vector. The deviance is a generalization of the residual sum of squares. It is possible to perform an analysis of deviance to compare several models, each a subset of the other, and to test whether the model with more terms is significantly better than the model with fewer terms.

`[b,dev,stats] = glmfit(...)` returns `dev` and `stats`.

`stats` is a structure with the following fields:

- `beta` — Coefficient estimates `b`
- `dfe` — Degrees of freedom for error
- `s` — Theoretical or estimated dispersion parameter


- `sfit` — Estimated dispersion parameter
- `se` — Vector of standard errors of the coefficient estimates `b`
- `coeffcorr` — Correlation matrix for `b`
- `covb` — Estimated covariance matrix for `B`
- `t` — t statistics for `b`
- `p` — p -values for `b`
- `resid` — Vector of residuals
- `residp` — Vector of Pearson residuals
- `residd` — Vector of deviance residuals
- `resida` — Vector of Anscombe residuals

If you estimate a dispersion parameter for the binomial or Poisson distribution, then `stats.s` is set equal to `stats.sfit`. Also, the elements of `stats.se` differ by the factor `stats.s` from their theoretical values.

Example

Fit a probit regression model for `y` on `x`. Each `y(i)` is the number of successes in `n(i)` trials.

```
x = [2100 2300 2500 2700 2900 3100 ...  
     3300 3500 3700 3900 4100 4300]';  
n = [48 42 31 34 31 21 23 23 21 16 17 21]';  
y = [1 2 0 3 8 8 14 17 19 15 17 21]';  
b = glmfit(x,[y n],'binomial','link','probit');  
yfit = glmval(b, x,'probit','size', n);  
plot(x, y./n,'o',x,yfit./n,'-', 'LineWidth',2)
```



References

- [1] Dobson, A. J., *An Introduction to Generalized Linear Models*, CRC Press, 1990.
- [2] McCullagh, P., and J. A. Nelder, *Generalized Linear Models*, 2nd edition, Chapman & Hall, 1990.
- [3] Collett, D., *Modelling Binary Data*, 2nd edition, Chapman & Hall/CRC Press, 2002.

See Also

glmval, regress, regstats

glmval

Purpose Generalized linear model values

Syntax
`yhat = glmval(b,X,link)`
`[yhat,dylo,dyhi] = glmval(b,X,link,stats)`
`[...] = glmval(...,param1,val1,param2,val2,...)`

Description `yhat = glmval(b,X,link)` computes predicted values for the generalized linear model with link function `link` and predictors `X`. Distinct predictor variables should appear in different columns of `X`. `b` is a vector of coefficient estimates as returned by the `glmfit` function. `link` can be any of the strings used as values for the link parameter in the `glmfit` function.

Note By default, `glmval` adds a first column of 1s to `X`, corresponding to a constant term in the model. Do not enter a column of 1s directly into `X`. You can change the default behavior of `glmval` using the 'constant' parameter, below.

`[yhat,dylo,dyhi] = glmval(b,X,link,stats)` also computes 95% confidence bounds for the predicted values. When the `stats` structure output of the `glmfit` function is specified, `dylo` and `dyhi` are also returned. `dylo` and `dyhi` define a lower confidence bound of `yhat-dylo`, and an upper confidence bound of `yhat+dyhi`. Confidence bounds are nonsimultaneous, and apply to the fitted curve, not to a new observation.

`[...] = glmval(...,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs to control the predicted values. Acceptable parameters are:


Parameter	Value
'confidence' — the confidence level for the confidence bounds	A scalar between 0 and 1
'size' — the size parameter (N) for a binomial model	A scalar, or a vector with one value for each row of X

Parameter	Value
'offset' — used as an additional predictor variable, but with a coefficient value fixed at 1.0	A vector
'constant'	<ul style="list-style-type: none"> 'on' — Includes a constant term in the model. The coefficient of the constant term is the first element of b. 'off' — Omit the constant term

Example

Fit a probit regression model for y on x . Each $y(i)$ is the number of successes in $n(i)$ trials.

```
x = [2100 2300 2500 2700 2900 3100 ...
     3300 3500 3700 3900 4100 4300]';
n = [48 42 31 34 31 21 23 23 21 16 17 21]';
y = [1 2 0 3 8 8 14 17 19 15 17 21]';
b = glmfit(x,[y n],'binomial','link','probit');
yfit = glmval(b,x,'probit','size',n);
plot(x, y./n,'o',x,yfit./n,'-','LineWidth',2)
```



References

- [1] Dobson, A. J., *An Introduction to Generalized Linear Models*, CRC Press, 1990.
- [2] McCullagh, P., and J. A. Nelder, *Generalized Linear Models*, 2nd edition, Chapman & Hall, 1990.
- [3] Collett, D., *Modelling Binary Data*, 2nd edition, Chapman & Hall/CRC Press, 2002.

See Also

`glmfit`

Purpose

Glyph plot

Syntax

```
glyphplot(X)
glyphplot(X, 'glyph', 'face')
glyphplot(X, 'glyph', 'face', 'features', f)
glyphplot(X, ..., 'grid', [rows, cols])
glyphplot(X, ..., 'grid', [rows, cols], 'page', p)
glyphplot(X, ..., 'centers', C)
glyphplot(X, ..., 'centers', C, 'radius', r)
glyphplot(X, ..., 'obslabels', labels)
glyphplot(X, ..., 'standardize', method)
glyphplot(X, ..., prop1, val1, ...)
h = glyphplot(X, ...)
```

Description

glyphplot(X) creates a star plot from the multivariate data in the n -by- p matrix X . Rows of X correspond to observations, columns to variables. A star plot represents each observation as a “star” whose i th spoke is proportional in length to the i th coordinate of that observation. glyphplot standardizes X by shifting and scaling each column separately onto the interval $[0, 1]$ before making the plot, and centers the glyphs on a rectangular grid that is as close to square as possible. glyphplot treats NaNs in X as missing values, and does not plot the corresponding rows of X . glyphplot(X, 'glyph', 'star') is a synonym for glyphplot(X).

glyphplot(X, 'glyph', 'face') creates a face plot from X . A face plot represents each observation as a “face,” whose i th facial feature is drawn with a characteristic proportional to the i th coordinate of that observation. The features are described in “Face Features” on page 16-353.

glyphplot(X, 'glyph', 'face', 'features', f) creates a face plot where the i th element of the index vector f defines which facial feature will represent the i th column of X . f must contain integers from 0 to 17, where 0 indicate that the corresponding column of X should not be plotted. See “Face Features” on page 16-353 for more information.

`glyphplot(X, ..., 'grid', [rows, cols])` organizes the glyphs into a rows-by-cols grid.

`glyphplot(X, ..., 'grid', [rows, cols], 'page', p)` organizes the glyph into one or more pages of a rows-by-cols grid, and displays the page `p`. If `p` is a vector, `glyphplot` displays multiple pages in succession. If `p` is 'all', `glyphplot` displays all pages. If `p` is 'scroll', `glyphplot` displays a single plot with a scrollbar.

`glyphplot(X, ..., 'centers', C)` creates a plot with each glyph centered at the locations in the n -by-2 matrix `C`.

`glyphplot(..., 'centers', C, 'radius', r)` creates a plot with glyphs positioned using `C`, and scale the glyphs so the largest has radius `r`.

`glyphplot(X, ..., 'obslabels', labels)` labels each glyph with the text in the character array or cell array of strings `labels`. By default, the glyphs are labelled `1:N`. Use '' for blank labels.

`glyphplot(X, ..., 'standardize', method)` standardizes `X` before making the plot. Choices for `method` are

- 'column' — Maps each column of `X` separately onto the interval `[0,1]`. This is the default.
- 'matrix' — Maps the entire matrix `X` onto the interval `[0,1]`.
- 'PCA' — Transforms `X` to its principal component scores, in order of decreasing eigenvalue, and maps each one onto the interval `[0,1]`.
- 'off' — No standardization. Negative values in `X` may make a star plot uninterpretable.

`glyphplot(X, ..., prop1, val1, ...)` sets properties to the specified property values for all line graphics objects created by `glyphplot`.

`h = glyphplot(X, ...)` returns a matrix of handles to the graphics objects created by `glyphplot`. For a star plot, `h(:,1)` and `h(:,2)` contain handles to the line objects for each star's perimeter and spokes, respectively. For a face plot, `h(:,1)` and `h(:,2)` contain object handles

to the lines making up each face and to the pupils, respectively. `h(:,3)` contains handles to the text objects for the labels, if present.

Face Features

The following table describes the correspondence between the columns of the vector `f`, the value of the 'Features' input parameter, and the facial features of the glyph plot. If `X` has fewer than 17 columns, unused features are displayed at their default value.


Column	Facial Feature
1	Size of face
2	Forehead/jaw relative arc length
3	Shape of forehead
4	Shape of jaw
5	Width between eyes
6	Vertical position of eyes
7	Height of eyes
8	Width of eyes (this also affects eyebrow width)
9	Angle of eyes (this also affects eyebrow angle)
10	Vertical position of eyebrows
11	Width of eyebrows (relative to eyes)
12	Angle of eyebrows (relative to eyes)
13	Direction of pupils
14	Length of nose
15	Vertical position of mouth
16	Shape of mouth
17	Mouth arc length

glyphplot

Example

```
load carsmall
X = [Acceleration Displacement Horsepower MPG Weight];

glyphplot(X,'standardize','column',...
          'obslabels',Model,...
          'grid',[2 2],...
          'page','scroll');
```



```
glyphplot(X,'glyph','face',...
          'obslabels',Model,...
          'grid',[2 3],...
          'page',9);
```



pontiac ventura sj



amc pacer d/i



volkswagen rabbit



datsun b-210



toyota corolla



ford pinto


See Also

[andrewsplot](#), [parallelcoords](#)

gmdistribution

Purpose	Construct Gaussian mixture distribution
Class	@gmdistribution
Syntax	<code>obj = gmdistribution(MU,SIGMA,p)</code>
Description	<p><code>obj = gmdistribution(MU,SIGMA,p)</code> constructs an object <code>obj</code> of the <code>@gmdistribution</code> class defining a Gaussian mixture distribution.</p> <p><code>MU</code> is a k-by-d matrix specifying the d-dimensional mean of each of the k components.</p> <p><code>SIGMA</code> specifies the covariance of each component. The size of <code>SIGMA</code> is:</p> <ul style="list-style-type: none">• d-by-d-by-k if there are no restrictions on the form of the covariance. In this case, <code>SIGMA(:, :, I)</code> is the covariance of component <code>I</code>.• 1-by-d-by-k if the covariance matrices are restricted to be diagonal, but not restricted to be same across components. In this case, <code>SIGMA(:, :, I)</code> contains the diagonal elements of the covariance of component <code>I</code>.• d-by-d matrix if the covariance matrices are restricted to be the same across components, but not restricted to be diagonal. In this case, <code>SIGMA</code> is the pooled estimate of covariance.• 1-by-d if the covariance matrices are restricted to be diagonal and the same across components. In this case, <code>SIGMA</code> contains the diagonal elements of the pooled estimate of covariance. <p><code>p</code> is an optional 1-by-k vector specifying the mixing proportions of each component. If <code>p</code> does not sum to 1, <code>gmdistribution</code> normalizes it. The default is equal proportions.</p>
Reference	[1] McLachlan, G., and D. Peel, <i>Finite Mixture Models</i> , JohnWiley & Sons, New York, 2000.
Example	Create a <code>gmdistribution</code> object defining a two-component mixture of bivariate Gaussian distributions:


```
MU = [1 2;-3 -5];  
SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]);  
p = ones(1,2)/2;  
obj = gmdistribution(MU,SIGMA,p);  
  
ezsurf(@(x,y)pdf(obj,[x y]),[-10 10],[-10 10])
```



See Also

[fit](#), [pdf](#), [cdf](#), [random](#), [cluster](#), [posterior](#), [mahal](#)

gname

Purpose Add case names to plot

Syntax

```
gname(cases)
gname
h = gname(cases,line_handle)
```

Description `gname(cases)` displays a figure window and waits for you to press a mouse button or a keyboard key. The input argument `cases` is a character array or a cell array of strings, in which each row of the character array or each element of the cell array contains the case name of a point. Moving the mouse over the graph displays a pair of cross-hairs. If you position the cross-hairs near a point with the mouse and click once, the graph displays the name of the city corresponding to that point. Alternatively, you can click and drag the mouse to create a rectangle around several points. When you release the mouse button, the graph displays the labels for all points in the rectangle. Right-click a point to remove its label. When you are done labelling points, press the **Enter** or **Escape** key to stop labeling.


`gname` with no arguments labels each case with its case number.

`h = gname(cases,line_handle)` returns a vector of handles to the text objects on the plot. Use the scalar `line_handle` to identify the correct line if there is more than one line object on the plot.

You can use `gname` to label plots created by the `plot`, `scatter`, `gscatter`, `plotmatrix`, and `gplotmatrix` functions.

Example This example uses the city ratings data sets to find out which cities are the best and worst for education and the arts.

```
load cities
education = ratings(:,6);
arts = ratings(:,7);
plot(education,arts,'+')
gname(names)
```



Click the point at the top of the graph to display its label, “New York.”

See Also

`gtext`, `gscatter`, `gplotmatrix`

Purpose Generalized Pareto cumulative distribution function

Syntax `P = gpcdf(X,K,sigma,theta)`

Description `P = gpcdf(X,K,sigma,theta)` returns the cdf of the generalized Pareto (GP) distribution with the tail index (shape) parameter K , scale parameter σ , and threshold (location) parameter, θ , evaluated at the values in X . The size of P is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.

Default values for K , σ , and θ are 0, 1, and 0, respectively.

When $K = 0$ and $\theta = 0$, the GP is equivalent to the exponential distribution. When $K > 0$ and $\theta = \sigma$, the GP is equivalent to the Pareto distribution. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for

$X > \theta$, or, when

$$K < 0, 0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}.$$

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also `cdf`, `gppdf`, `gpinv`, `gpstat`, `gpfit`, `gplike`, `gprnd`

Purpose Generalized Pareto parameter estimates

Syntax

```
parmhat = gpfit(X)
[parmhat,parmci] = gpfit(X)
[parmhat,parmci] = gpfit(X,alpha)
[...] = gpfit(X,alpha,options)
```

Description `parmhat = gpfit(X)` returns maximum likelihood estimates of the parameters for the two-parameter generalized Pareto (GP) distribution given the data in `X`. `parmhat(1)` is the tail index (shape) parameter, `K` and `parmhat(2)` is the scale parameter, `sigma`. `gpfit` does not fit a threshold (location) parameter.

`[parmhat,parmci] = gpfit(X)` returns 95% confidence intervals for the parameter estimates.

`[parmhat,parmci] = gpfit(X,alpha)` returns $100(1-\text{alpha})\%$ confidence intervals for the parameter estimates.

`[...] = gpfit(X,alpha,options)` specifies control parameters for the iterative algorithm used to compute ML estimates. This argument can be created by a call to `statset`. See `statset('gpfit')` for parameter names and default values.

Other functions for the generalized Pareto, such as `gpcdf` allow a threshold parameter, `theta`. However, `gpfit` does not estimate `theta`. It is assumed to be known, and subtracted from `X` before calling `gpfit`.

When `K = 0` and `theta = 0`, the GP is equivalent to the exponential distribution. When `K > 0` and `theta = sigma`, the GP is equivalent to the Pareto distribution. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for

`X > theta`, or, when

$$0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}$$

References

[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also

mle, gp_{like}, gp_{pdf}, gp_{cdf}, gp_{inv}, gp_{stat}, gp_{rnd}

Purpose	Generalized Pareto inverse cumulative distribution function
Syntax	<code>X = gpinv(P,K,sigma,theta)</code>
Description	<p><code>X = gpinv(P,K,sigma,theta)</code> returns the inverse cdf for a generalized Pareto (GP) distribution with tail index (shape) parameter K, scale parameter σ, and threshold (location) parameter θ, evaluated at the values in P. The size of X is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.</p> <p>Default values for K, σ, and θ are 0, 1, and 0, respectively.</p> <p>When $K = 0$, the GP is equivalent to the exponential distribution. When $K > 0$, the GP is equivalent to the Pareto distribution shifted to the origin. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for $X > \theta$, or, when</p> $K < 0, 0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}.$
References	<p>[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) <i>Modelling Extremal Events for Insurance and Finance</i>, Springer.</p> <p>[2] Kotz, S. and S. Nadarajah (2001) <i>Extreme Value Distributions: Theory and Applications</i>, World Scientific Publishing Company.</p>
See Also	<code>icdf</code> , <code>gpcdf</code> , <code>gppdf</code> , <code>gpstat</code> , <code>gpfit</code> , <code>gplike</code> , <code>gprnd</code>

Purpose Generalized Pareto negative log-likelihood

Syntax
`nlogL = gplike(params,data)`
`[nlogL,ACOV] = gplike(params,data)`

Description `nlogL = gplike(params,data)` returns the negative of the log-likelihood `nlogL` for the two-parameter generalized Pareto (GP) distribution, evaluated at parameters `params(1) = K`, `params(2) = sigma`, and `params(3) = mu`, given data.

`[nlogL,ACOV] = gplike(params,data)` returns the inverse of Fisher's information matrix, `ACOV`. If the input parameter values in `params` are the maximum likelihood estimates, the diagonal elements of `ACOV` are their asymptotic variances. `ACOV` is based on the observed Fisher's information, not the expected information.

When $K = 0$, the GP is equivalent to the exponential distribution. When $K > 0$, the GP is equivalent to the Pareto distribution shifted to the origin. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for $X > \theta$, or, when

$$K < 0, 0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}.$$

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also `gpfid`, `gppdf`, `gpcdf`, `gpinv`, `gpstat`, `gprnd`

Purpose Generalized Pareto probability density function

Syntax `P = gppdf(X,K,sigma,theta)`

Description `P = gppdf(X,K,sigma,theta)` returns the pdf of the generalized Pareto (GP) distribution with the tail index (shape) parameter `K`, scale parameter `sigma`, and threshold (location) parameter, `theta`, evaluated at the values in `X`. The size of `P` is the common size of the input arguments. A scalar input functions as a constant matrix of the same size as the other inputs.

Default values for `K`, `sigma`, and `theta` are 0, 1, and 0, respectively.

When `K = 0` and `theta = 0`, the GP is equivalent to the exponential distribution. When `K > 0` and `theta = sigma`, the GP is equivalent to the Pareto distribution. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for

$X > \theta$, or, when

$$K < 0, 0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}.$$

References

- [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.
- [2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also

`pdf`, `gpcdf`, `gpinv`, `gpstat`, `gpfit`, `gplike`, `gprnd`

gplotmatrix

Purpose

Matrix of scatter plots by group

Syntax

```
gplotmatrix(x,y,group)
gplotmatrix(x,y,group,clr,sym,siz)
gplotmatrix(x,y,group,clr,sym,siz,doleg)
gplotmatrix(x,y,group,clr,sym,siz,doleg,dispopt)
gplotmatrix(x,y,group,clr,sym,siz,doleg,dispopt,xnam,yname)
[h,ax,bigax] = gplotmatrix(...)
```

Description

`gplotmatrix(x,y,group)` creates a matrix of scatter plots. Each individual set of axes in the resulting figure contains a scatter plot of a column of x against a column of y . All plots are grouped by the grouping variable `group`. (See “Grouped Data” on page 2-33.)

x and y are matrices with the same number of rows. If x has p columns and y has q columns, the figure contains a p -by- q matrix of scatter plots. If you omit y or specify it as the empty matrix, `[]`, `gplotmatrix` creates a square matrix of scatter plots of columns of x against each other.

`group` is a grouping variable that can be a categorical variable, vector, string array, or cell array of strings. `group` must have the same number of rows as x and y . Points with the same value of `group` are placed in the same group, and appear on the graph with the same marker and color. Alternatively, `group` can be a cell array containing several grouping variables (such as `{g1 g2 g3}`); in that case, observations are in the same group if they have common values of all grouping variables.

`gplotmatrix(x,y,group,clr,sym,siz)` specifies the color, marker type, and size for each group. `clr` is a string array of colors recognized by the plot function. The default for `clr` is `'bgrcmk'`. `sym` is a string array of symbols recognized by the plot command, with the default value `'.'`. `siz` is a vector of sizes, with the default determined by the `DefaultLineMarkerSize` property. If you do not specify enough values for all groups, `gplotmatrix` cycles through the specified values as needed.

`gplotmatrix(x,y,group,clr,sym,siz,doleg)` controls whether a legend is displayed on the graph (`doleg` is `'on'`, the default) or not (`doleg` is `'off'`).

`gplotmatrix(x,y,group,clr,sym,siz,doleg,dispopt)` controls what appears along the diagonal of a plot matrix of y versus x . Allowable values are 'none', to leave the diagonals blank, 'hist' (the default), to plot histograms, or 'variable', to write the variable names.

`gplotmatrix(x,y,group,clr,sym,siz,doleg,dispopt,xnam,ynam)` specifies the names of the columns in the x and y arrays. These names are used to label the x - and y -axes. `xnam` and `ynam` must be character arrays or cell arrays of strings, with one name for each column of x and y , respectively.

`[h,ax,bigax] = gplotmatrix(...)` returns three arrays of handles. `h` is an array of handles to the lines on the graphs. The array's third dimension corresponds to groups in `G`. `ax` is a matrix of handles to the axes of the individual plots. If `dispopt` is 'hist', `ax` contains one extra row of handles to invisible axes in which the histograms are plotted. `bigax` is a handle to big (invisible) axes framing the entire plot matrix. `bigax` is fixed to point to the current axes, so a subsequent `title`, `xlabel`, or `ylabel` command will produce labels that are centered with respect to the entire plot matrix.


Example

Load the cities data. The ratings array has ratings of the cities in nine categories (category names are in the array `categories`). `group` is a code whose value is 2 for the largest cities. You can make scatter plots of the first three categories against the other four, grouped by the city size code:

```
load discrim
gplotmatrix(ratings(:,1:2),ratings(:,[4 7]),group)
```

The output figure (not shown) has an array of graphs with each city group represented by a different color. The graphs are a little easier to read if you specify colors and plotting symbols, label the axes with the rating categories, and move the legend off the graphs:

```
gplotmatrix(ratings(:,1:2),ratings(:,[4 7]),group,...
            'br','o',[],'on','',categories(1:2,:),...
            categories([4 7],:))
```



See Also

`grpstats`, `gscatter`, `plotmatrix`

Purpose	Generalized Pareto random numbers
Syntax	<pre>R = gprnd(K, sigma, theta) R = gprnd(K, sigma, theta, M, N, ...) R = gprnd(K, sigma, theta, [M, N, ...])</pre>
Description	<p>R = gprnd(K, sigma, theta) returns an array of random numbers chosen from the generalized Pareto (GP) distribution with tail index (shape) parameter K, scale parameter sigma, and threshold (location) parameter, theta. The size of R is the common size of the input arguments if all are arrays. If any parameter is a scalar, the size of R is the size of the other parameters.</p> <p>Default values for K, sigma, and theta are 0, 1, and 0, respectively.</p> <p>R = gprnd(K, sigma, theta, M, N, ...) or R = gprnd(K, sigma, theta, [M, N, ...]) returns an m-by-n-by-... array.</p> <p>When K = 0 and theta = 0, the GP is equivalent to the exponential distribution. When K > 0 and theta = sigma, the GP is equivalent to the Pareto distribution. The mean of the GP is not finite when K ≥ 1, and the variance is not finite when K ≥ 1/2. When K ≥ 0, the GP has positive density for</p> <p>X > theta, or, when</p> $0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}$
References	<p>[1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) <i>Modelling Extremal Events for Insurance and Finance</i>, Springer.</p> <p>[2] Kotz, S. and S. Nadarajah (2001) <i>Extreme Value Distributions: Theory and Applications</i>, World Scientific Publishing Company.</p>
See Also	random, gppdf, gpcdf, gpinv, gpstat, gpfit, gplike

Purpose Generalized Pareto mean and variance

Syntax `[M,V] = gpstat(X,K,sigma,theta)`

Description `[M,V] = gpstat(X,K,sigma,theta)` returns the mean of and variance for the generalized Pareto (GP) distribution with the tail index (shape) parameter `K`, scale parameter `sigma`, and threshold (location) parameter, `theta`.

The default value for `theta` is 0.

When `K = 0` and `theta = 0`, the GP is equivalent to the exponential distribution. When `K > 0` and `theta = sigma`, the GP is equivalent to the Pareto distribution. The mean of the GP is not finite when $K \geq 1$, and the variance is not finite when $K \geq 1/2$. When $K \geq 0$, the GP has positive density for $X > \theta$, or when

$$K < 0, 0 \leq \frac{X - \theta}{\sigma} \leq -\frac{1}{K}.$$

References [1] Embrechts, P., C. Klüppelberg, and T. Mikosch (1997) *Modelling Extremal Events for Insurance and Finance*, Springer.

[2] Kotz, S. and S. Nadarajah (2001) *Extreme Value Distributions: Theory and Applications*, World Scientific Publishing Company.

See Also `gppdf`, `gpcdf`, `gpinv`, `gpfit`, `gplike`, `gprnd`

Purpose Grouping variable to index vector

Syntax [G,GN] = grp2idx(group)

Description [G,GN] = grp2idx(group) creates an index vector G from the grouping variable group. (See “Grouped Data” on page 2-33.) The variable group can be a categorical variable, a numeric vector, a character matrix (with each row representing a group name), or a cell array of strings stored as a column vector. The result G is a vector taking integer values from 1 up to the number of unique entries in group. GN is a cell array of names such that GN(G) reproduces s (with the exception of any differences in type).

See Also gscatter, grpstats

grpstats

Purpose

Summary statistics by group

Syntax

```
means = grpstats(X)
means = grpstats(X,group)
grpstats(x,group,alpha)
[A,B,...] = grpstats(x,group,whichstats)
[...] = grpstats(X,group,whichstats,alpha)
```

Description

`means = grpstats(X)` computes the mean of the entire sample without grouping, where `X` is a matrix of observations.

`means = grpstats(X,group)` returns the means of each column of `X` by group. The array, `group` defines the grouping such that two elements of `X` are in the same group if their corresponding group values are the same. (See “Grouped Data” on page 2-33.) The grouping variable `group` can be a categorical variable, vector, string array, or cell array of strings. It can also be a cell array containing several grouping variables (such as `{g1 g2 g3}`) to group the values in `X` by each unique combination of grouping variable values.

`grpstats(x,group,alpha)` displays a plot of the means versus index with $100(1-\alpha)\%$ confidence intervals around each mean.

`[A,B,...] = grpstats(x,group,whichstats)` returns the statistics specified in `whichstats`. The input `whichstats` can be a single function handle or name, or a cell array containing multiple function handles or names. The number of outputs (`A,B, ...`) must match the number function handles and names in `whichstats`. The names can be chosen from among the following:

- 'mean' — mean
- 'sem' — standard error of the mean
- 'numel' — count, or number of non-NaN elements
- 'gname' — group name
- 'std' — standard deviation
- 'var' — variance

- 'meanci' — 95% confidence interval for the mean
- 'predci' — 95% prediction interval for a new observation

Each function included in *whichstats* must accept a column vector of data and compute a descriptive statistic for it. For example, @median and @skewness are suitable functions. The function typically returns a scalar value, but may return an *nvals*-by-1 column vector if the descriptive statistic is not a scalar (a confidence interval, for example). The size of each output A, B, ... is *ngroups*-by-*ncols*-by-*nvals*, where *ngroups* is the number of groups, *ncols* is the number of columns in the data X, and *nvals* is the number of values returned by the function for data from a single group in one column of X. If X is a vector of data, then the size of each output A, B, is *ngroups*-by-*nvals*.

A function included in *whichstats* may also be written to accept a matrix of data and compute a descriptive statistic for each column. The function should return either a row vector, or an *nvals*-by-*ncols* matrix if the descriptive statistic is not a scalar.

[...] = grpstats(X,group,*whichstats*,alpha) specifies the confidence level as 100(1-alpha)% for the 'meanci' and 'predci' options. It does not display a plot.

Example

```
load carsmall
[m,p,g] = grpstats(Weight,Model_Year,...
                  {'mean','predci','gname'})
n = length(m)
errorbar((1:n)',m,p(:,2)-m)
set(gca,'xtick',1:n,'xticklabel',g)
title('95% prediction intervals for mean weight by year')
```

See Also

gscatter, grp2idx, grpstats (dataset)

grpstats

Purpose Summary statistics by group for dataset arrays

Class @dataset

Syntax

```
B = grpstats(A,groupvars)
B = grpstats(A,groupvars,whichstats)
B = grpstats(A,groupvars,whichstats,...,'DataVars',vars)
B = grpstats(A,groupvars,whichstats,...,'VarNames',names)
```

Description `B = grpstats(A,groupvars)` returns a dataset array `B` that contains the means, computed by group, for variables in the dataset array `A`. The optional input `groupvars` specifies the variables in `A` that define the groups. `groupvars` can be a positive integer, a vector of positive integers, a variable name, a cell array containing one or more variable names, or a logical vector. `groupvars` can also be `[]` or omitted to compute the means of the variables in `A` without grouping. Grouping variables can be vectors of categorical, logical, or numeric values, a character array of strings, or a cell vector of strings. (See “Grouped Data” on page 2-33.)

`B` contains the grouping variables, plus a variable giving the number of observations in `A` for each group, plus a variable for each of the remaining variables in `A`. `B` contains one observation for each group of observations in `A`.

`grpstats` treats NaNs as missing values, and removes them.

`B = grpstats(A,groupvars,whichstats)` returns a dataset array `B` with variables for each of the statistics specified in `whichstats`, applied to each of the nongrouping variables in `A`. `whichstats` can be a single function handle or name, or a cell array containing multiple function handles or names. The names can be chosen from among the following:

- 'mean' — mean
- 'sem' — standard error of the mean
- 'numel' — count, or number of non-NaN elements
- 'gname' — group name

- 'std' — standard deviation
- 'var' — variance
- 'meanci' — 95% confidence interval for the mean
- 'predci' — 95% prediction interval for a new observation

Each function included in *whichstats* must accept a subset of the rows of a dataset variable, and compute column-wise descriptive statistics for it. A function should typically return a value that has one row but is otherwise the same size as its input data. For example, @median and @skewness are suitable functions to apply to a numeric dataset variable.

A summary statistic function may also return values with more than one row, provided the return values have the same number of rows each time grpstats applies the function to different subsets of data from a given dataset variable. For a dataset variable that is nobs-by-m-by-... if a summary statistic function returns values that are nvals-by-m-by-... then the corresponding summary statistic variable in B is ngroups-by-m-by-...-by-nvals, where ngroups is the number of groups in A.

`B = grpstats(A,groupvars,whichstats,...,'DataVars',vars)` specifies the variables in A to which the functions in *whichstats* should be applied. The output dataset arrays contain one summary statistic variable for each of the specified variables. `vars` is a positive integer, a vector of positive integers, a variable name, a cell array containing one or more variable names, or a logical vector.

`B = grpstats(A,groupvars,whichstats,...,'VarNames',names)` specifies the names of the variables in B. By default, `grpstats` uses the names from A for the grouping variables, and constructs names for the summary statistic variables based on the function name and the data variable names. The number of variables in B is `ngroupvars + 1 + ndatavars*nfuncs`, where `ngroupvars` is the number of variables specified in `groupvars`, `ndatavars` is the number of variables specified in `vars`, and `nfuncs` is the number of summary statistics specified in *whichstats*.

Example

Compute blood pressure statistics for the data in `hospital.mat`, by sex and smoker status:

```
load hospital
grpstats(hospital,...
         {'Sex','Smoker'},...
         {@median,@iqr},...
         'DataVars','BloodPressure')
ans =
```

	Sex	Smoker	GroupCount
Female_0	Female	false	40
Female_1	Female	true	13
Male_0	Male	false	26
Male_1	Male	true	21

	median_BloodPressure	
Female_0	119.5	79
Female_1	129	91
Male_0	119	79
Male_1	129	92

	iqr_BloodPressure	
Female_0	6.5	5.5
Female_1	8	5.5
Male_0	7	6
Male_1	10.5	4.5

See Also

`grpstats`, `summary`

Purpose

Scatter plot by group

Syntax

```
gscatter(x,y,group)
gscatter(x,y,group,clr,sym,siz)
gscatter(x,y,group,clr,sym,siz,doleg)
gscatter(x,y,group,clr,sym,siz,doleg,xnam,ynam)
h = gscatter(...)
```

Description

`gscatter(x,y,group)` creates a scatter plot of x and y , grouped by `group`. x and y are vectors of the same size. `group` is a grouping variable in the form of a categorical variable, vector, string array, or cell array of strings. (See “Grouped Data” on page 2-33.) Alternatively, `group` can be a cell array containing several grouping variables (such as `{g1 g2 g3}`), in which case observations are in the same group if they have common values of all grouping variables. Points in the same group and appear on the graph with the same marker and color.

`gscatter(x,y,group,clr,sym,siz)` specifies the color, marker type, and size for each group. `clr` is a string array of colors recognized by the `plot` function. The default for `clr` is `'bgrcmyk'`. `sym` is a string array of symbols recognized by the `plot` command, with the default value `'.'`. `siz` is a vector of sizes, with the default determined by the `'DefaultLineMarkerSize'` property. If you do not specify enough values for all groups, `gscatter` cycles through the specified values as needed.

`gscatter(x,y,group,clr,sym,siz,doleg)` controls whether a legend is displayed on the graph (`doleg` is `'on'`, the default) or not (`doleg` is `'off'`).


`gscatter(x,y,group,clr,sym,siz,doleg,xnam,ynam)` specifies the name to use for the x -axis and y -axis labels. If the x and y inputs are simple variable names and `xnam` and `ynam` are omitted, `gscatter` labels the axes with the variable names.

`h = gscatter(...)` returns an array of handles to the lines on the graph.

Example

Load the cities data and look at the relationship between the ratings for climate (first column) and housing (second column) grouped by city size. We'll also specify the colors and plotting symbols.

```
load discrim  
gscatter(ratings(:,1),ratings(:,2),group,'br','xo')
```



See Also

[gplotmatrix](#), [grpstats](#), [scatter](#)

- Purpose** Hadamard matrix
- Description** MATLAB® function. See hadamard in the MATLAB documentation.
- See Also** compan, hankel, toeplitz

haltonset

Purpose Construct Halton quasi-random point set

Class @haltonset

Syntax
`p = haltonset(d)`
`p = haltonset(d,prop1,val1,prop2,val2,...)`

Description
`p = haltonset(d)` constructs a d-dimensional point set `p` of the @haltonset class, with default property settings.
`p = haltonset(d,prop1,val1,prop2,val2,...)` specifies property name/value pairs used to construct `p`.

The object `p` returned by `haltonset` encapsulates properties of a specified quasi-random sequence. The point set is finite, with a length determined by the `Skip` and `Leap` properties and by limits on the size of point set indices (maximum value of 2^{53}). Values of the point set are not generated and stored in memory until you access `p` using `net` or parenthesis indexing.

Example Generate a 3-dimensional Halton point set, skip the first 1000 values, and then retain every 101st point:

```
p = haltonset(3, 'Skip', 1e3, 'Leap', 1e2)
p =
    Halton point set in 3 dimensions (8.918019e+013 points)
    Properties:
        Skip : 1000
        Leap : 100
        ScrambleMethod : none
```

Use `scramble` to apply reverse-radix scrambling:

```
p = scramble(p, 'RR2')
p =
    Halton point set in 3 dimensions (8.918019e+013 points)
    Properties:
        Skip : 1000
```



```
Leap : 100
ScrambleMethod : RR2
```

Use net to generate the first four points:

```
X0 = net(p,4)
X0 =
    0.0928    0.6950    0.0029
    0.6958    0.2958    0.8269
    0.3013    0.6497    0.4141
    0.9087    0.7883    0.2166
```

Use parenthesis indexing to generate every third point, up to the 11th point:

```
X = p(1:3:11,:)
X =
    0.0928    0.6950    0.0029
    0.9087    0.7883    0.2166
    0.3843    0.9840    0.9878
    0.6831    0.7357    0.7923
```

Reference

[1] Kocis, L., and W. J. Whiten, "Computational Investigations of Low-Discrepancy Sequences," *ACM Transactions on Mathematical Software*, Vol. 23, No. 2, pp. 266-294, 1997.

See Also

sobolset, net, scramble

harmmean

Purpose Harmonic mean

Syntax `m = harmmean(X)`
`harmmean(X,dim)`

Description `m = harmmean(X)` calculates the harmonic mean of a sample. For vectors, `harmmean(x)` is the harmonic mean of the elements in `x`. For matrices, `harmmean(X)` is a row vector containing the harmonic means of each column. For N -dimensional arrays, `harmmean` operates along the first nonsingleton dimension of `X`.

`harmmean(X,dim)` takes the harmonic mean along dimension `dim` of `X`.

The harmonic mean is

$$m = \frac{n}{\sum_{i=1}^n \frac{1}{x_i}}$$

Examples The arithmetic mean is greater than or equal to the harmonic mean.

```
x = exprnd(1,10,6);  
  
harmonic = harmmean(x)  
harmonic =  
    0.3382    0.3200    0.3710    0.0540    0.4936    0.0907  
  
average = mean(x)  
average =  
    1.3509    1.1583    0.9741    0.5319    1.0088    0.8122
```

See Also `mean`, `median`, `geomean`, `trimmean`

Purpose Histogram

Description MATLAB® function. See hist in the MATLAB documentation.

See Also hist3, histc

hist3

Purpose

Bivariate histogram

Syntax

```
hist3(X)
hist3(X,nbins)
hist3(X,ctrs)
hist3(X,'Edges',edges)
N = hist3(X,...)
[N,C] = hist3(X,...)
hist3(...,param1,va11,param2,va12,...)
```

Description

`hist3(X)` bins the elements of the m -by-2 matrix X into a 10-by-10 grid of equally spaced containers, and plots a histogram. Each column of X corresponds to one dimension in the bin grid.

`hist3(X,nbins)` plots a histogram using an `nbins(1)`-by-`nbins(2)` grid of bins. `hist3(X,'Nbins',nbins)` is equivalent to `hist3(X,nbins)`.

`hist3(X,ctrs)`, where `ctrs` is a two-element cell array of numeric vectors with monotonically non-decreasing values, uses a two-dimensional grid of bins centered on `ctrs{1}` in the first dimension and on `ctrs{2}` in the second. `hist3` assigns rows of X falling outside the range of that grid to the bins along the outer edges of the grid, and ignores rows of X containing NaNs. `hist3(X,'Ctrs',ctrs)` is equivalent to `hist3(X,ctrs)`.

`hist3(X,'Edges',edges)`, where `edges` is a two-element cell array of numeric vectors with monotonically non-decreasing values, uses a two-dimensional grid of bins with edges at `edges{1}` in the first dimension and at `edges{2}` in the second. The (i,j) th bin includes the value $X(k,:)$ if

$$\begin{aligned} \text{edges}\{1\}(i) &\leq X(k,1) < \text{edges}\{1\}(i+1) \\ \text{edges}\{2\}(j) &\leq X(k,2) < \text{edges}\{2\}(j+1) \end{aligned}$$

Rows of X that fall on the upper edges of the grid, `edges{1}(end)` or `edges{2}(end)`, are counted in the (I,j) th or (i,J) th bins, where I and J are the lengths of `edges{1}` and `edges{2}`. `hist3` does not count

rows of X falling outside the range of the grid. Use `-Inf` and `Inf` in edges to include all non-NaN values.

`N = hist3(X, ...)` returns a matrix containing the number of elements of X that fall in each bin of the grid, and does not plot the histogram.

`[N,C] = hist3(X, ...)` returns the positions of the bin centers in a 1-by-2 cell array of numeric vectors, and does not plot the histogram. `hist3(ax,X, ...)` plots onto an axes with handle `ax` instead of the current axes. See the axes reference page for more information about handles to plots.

`hist3(...,param1,val1,param2,val2,...)` allows you to specify graphics parameter name/value pairs to fine-tune the plot.

Example

Example 1

Make a 3-D figure using a histogram with a density plot underneath:

```
load seamount
dat = [-y,x]; % Grid corrected for negative y-values
hold on
hist3(dat) % Draw histogram in 2D

n = hist3(dat); % Extract histogram data;
                % default to 10x10 bins
n1 = n';
n1( size(n,1) + 1 ,size(n,2) + 1 ) = 0;

% Generate grid for 2-D projected view of intensities
xb = linspace(min(dat(:,1)),max(dat(:,1)),size(n,1)+1);
yb = linspace(min(dat(:,2)),max(dat(:,2)),size(n,1)+1);


% Make a pseudocolor plot on this grid
h = pcolor(xb,yb,n1);

% Set the z-level and colormap of the displayed grid
set(h, 'zdata', ones(size(n1)) * -max(max(n)))
colormap(hot) % heat map
```

hist3

```
title('Seamount: ...  
Data Point Density Histogram and Intensity Map');  
grid on  
  
% Display the default 3-D perspective view  
view(3);
```

Seamount: Data Point Density Histogram and Intensity Map




Example 2

Use the car data to make a histogram on a 7-by-7 grid of bins.

```
load carbig  
X = [MPG,Weight];  
hist3(X,[7 7]);  
xlabel('MPG'); ylabel('Weight');
```

```
% Make a histogram with semi-transparent bars
hist3(X,[7 7],'FaceAlpha',.65);
xlabel('MPG'); ylabel('Weight');
set(gcf,'renderer','opengl');
```



```
% Specify bin centers, different in each direction.
% Get back counts, but don't make the plot.
cnt = hist3(X, {0:10:50 2000:500:5000});
```

See Also

accumarray, bar, bar3, hist, histo

histfit

Purpose Histogram with normal fit

Syntax `histfit(data)`
`histfit(data,nbins)`
`h = histfit(data,nbins)`


Description `histfit(data)` plots a histogram of the values in the vector `data` using a number of bins equal to the square root of the number of elements in `data`, then superimposes a fitted normal distribution.

`histfit(data,nbins)` uses `nbins` bins for the histogram.

`h = histfit(data,nbins)` returns a vector of handles `h`, where `h(1)` is the handle to the histogram and `h(2)` is the handle to the normal curve.

Example

```
r = normrnd(10,1,100,1);  
histfit(r)  
h = get(gca,'Children');  
set(h(2),'FaceColor',[.8 .8 1])
```


**See Also**`hist, normfit`

hmmdecode

Purpose Hidden Markov model posterior state probabilities

Syntax
PSTATES = hmmdecode(seq, TRANS, EMIS)
[PSTATES, logpseq] = hmmdecode(...)
[PSTATES, logpseq, FORWARD, BACKWARD, S] = hmmdecode(...)
hmmdecode(..., 'Symbols', SYMBOLS)

Description PSTATES = hmmdecode(seq, TRANS, EMIS) calculates the posterior state probabilities, PSTATES, of the sequence seq, from a hidden Markov model. The posterior state probabilities are the conditional probabilities of being at state k at step i , given the observed sequence of symbols, sym. You specify the model by a transition probability matrix, TRANS, and an emissions probability matrix, EMIS. TRANS(i, j) is the probability of transition from state i to state j . EMIS(k, sym) is the probability that symbol sym is emitted from state k .

PSTATES is an array with the same length as seq and one row for each state in the model. The (i, j)th element of PSTATES gives the probability that the model is in state i at the j th step, given the sequence seq.

Note The function hmmdecode begins with the model in state 1 at step 0, prior to the first emission. hmmdecode computes the probabilities in PSTATES based on the fact that the model begins in state 1.

[PSTATES, logpseq] = hmmdecode(...) returns logpseq, the logarithm of the probability of sequence seq, given transition matrix TRANS and emission matrix EMIS.

[PSTATES, logpseq, FORWARD, BACKWARD, S] = hmmdecode(...) returns the forward and backward probabilities of the sequence scaled by S.

hmmdecode(..., 'Symbols', SYMBOLS) specifies the symbols that are emitted. SYMBOLS can be a numeric array or a cell array of the names of the symbols. The default symbols are integers 1 through N, where N is the number of possible emissions.

Reference

[1] Durbin, R., S. Eddy, A. Krogh, and G. Mitchison, *Biological Sequence Analysis*, Cambridge University Press, 1998.

Example

```
trans = [0.95,0.05;
         0.10,0.90];
emis = [1/6 1/6 1/6 1/6 1/6 1/6;
        1/10 1/10 1/10 1/10 1/10 1/2];

[seq,states] = hmmgenerate(100,trans,emis);
pStates = hmmdecode(seq,tr,e);
[seq,states] = hmmgenerate(100,trans,emis,...
    'Symbols',{'one','two','three','four','five','six'})
pStates = hmmdecode(seq,trans,emis,...
    'Symbols',{'one','two','three','four','five','six'});
```

See Also

`hmmgenerate`, `hmmestimate`, `hmmviterbi`, `hmmtrain`

hmmestimate

Purpose Hidden Markov model parameter estimates from emissions and states

Syntax

```
[TRANS,EMIS] = hmmestimate(seq,states)
hmmestimate(...,'Symbols',SYMBOLS)
hmmestimate(...,'Statenames',STATENAMES)
hmmestimate(...,'Pseudoemissions',PSEUDOIE)
hmmestimate(...,'Pseudotransitions',PSEUDOTR)
```

Description [TRANS,EMIS] = hmmestimate(seq,states) calculates the maximum likelihood estimate of the transition, TRANS, and emission, EMIS, probabilities of a hidden Markov model for sequence, seq, with known states, states.

hmmestimate(...,'Symbols',SYMBOLS) specifies the symbols that are emitted. SYMBOLS can be a numeric array or a cell array of the names of the symbols. The default symbols are integers 1 through N, where N is the number of possible emissions.

hmmestimate(...,'Statenames',STATENAMES) specifies the names of the states. STATENAMES can be a numeric array or a cell array of the names of the states. The default state names are 1 through M, where M is the number of states.

hmmestimate(...,'Pseudoemissions',PSEUDOIE) specifies pseudocount emission values in the matrix PSEUDO. Use this argument to avoid zero probability estimates for emissions with very low probability that might not be represented in the sample sequence. PSEUDOIE should be a matrix of size m -by- n , where m is the number of states in the hidden Markov model and n is the number of possible emissions. If the $i \rightarrow k$ emission does not occur in seq, you can set PSEUDOIE(i,k) to be a positive number representing an estimate of the expected number of such emissions in the sequence seq.

hmmestimate(...,'Pseudotransitions',PSEUDOTR) specifies pseudocount transition values. You can use this argument to avoid zero probability estimates for transitions with very low probability that might not be represented in the sample sequence. PSEUDOTR should be a matrix of size m -by- m , where m is the number of states in the hidden Markov model. If the $i \rightarrow j$ transition does not occur in states, you can

set PSEUDOTR(i, j) to be a positive number representing an estimate of the expected number of such transitions in the sequence states.

Pseudotransitions and Pseudoemissions

If the probability of a specific transition or emission is very low, the transition might never occur in the sequence states, or the emission might never occur in the sequence seq. In either case, the algorithm returns a probability of 0 for the given transition or emission in TRANS or EMIS. You can compensate for the absence of transition with the 'Pseudotransitions' and 'Pseudoemissions' arguments. The simplest way to do this is to set the corresponding entry of PSEUDO or PSEUDOTR to 1. For example, if the transition $i \rightarrow j$ does not occur in states, set PSEUDOTR(i, j) = 1. This forces TRANS(i, j) to be positive. If you have an estimate for the expected number of transitions $i \rightarrow j$ in a sequence of the same length as states, and the actual number of transitions $i \rightarrow j$ that occur in seq is substantially less than what you expect, you can set PSEUDOTR(i, j) to the expected number. This increases the value of TRANS(i, j). For transitions that do occur in states with the frequency you expect, set the corresponding entry of PSEUDOTR to 0, which does not increase the corresponding entry of TRANS.

If you do not know the sequence of states, use hmmtrain to estimate the model parameters.

Reference

[1] Durbin, R., S. Eddy, A. Krogh, and G. Mitchison, *Biological Sequence Analysis*, Cambridge University Press, 1998.

Example:

```
trans = [0.95,0.05; 0.10,0.90];
emis = [1/6 1/6 1/6 1/6 1/6 1/6;
        1/10 1/10 1/10 1/10 1/10 1/2];

[seq,states] = hmmgenerate(1000,trans,emis);
[estimateTR,estimateE] = hmmestimate(seq,states);
```

See Also

hmmgenerate, hmmdecode, hmmviterbi, hmmtrain

hmmgenerate

Purpose Hidden Markov model states and emissions

Syntax `[seq,states] = hmmgenerate(len,TRANS,EMIS)`
`hmmgenerate(...,'Symbols',SYMBOLS)`
`hmmgenerate(...,'Statenames',STATENAMES)`

Description `[seq,states] = hmmgenerate(len,TRANS,EMIS)` takes a known Markov model, specified by transition probability matrix TRANS and emission probability matrix EMIS, and uses it to generate

- A random sequence seq of emission symbols
- A random sequence states of states

The length of both seq and states is len. $TRANS(i, j)$ is the probability of transition from state i to state j. $EMIS(k, l)$ is the probability that symbol l is emitted from state k.

Note The function `hmmgenerate` begins with the model in state 1 at step 0, prior to the first emission. The model then makes a transition to state i_1 , with probability T_{1i_1} , and generates an emission a_{k_1} with probability $E_{i_1k_1}$. `hmmgenerate` returns i_1 as the first entry of states, and a_{k_1} as the first entry of seq.

`hmmgenerate(...,'Symbols',SYMBOLS)` specifies the symbols that are emitted. SYMBOLS can be a numeric array or a cell array of the names of the symbols. The default symbols are integers 1 through N, where N is the number of possible emissions.

`hmmgenerate(...,'Statenames',STATENAMES)` specifies the names of the states. STATENAMES can be a numeric array or a cell array of the names of the states. The default state names are 1 through M, where M is the number of states.

Since the model always begins at state 1, whose transition probabilities are in the first row of TRANS, in the following example, the first entry of

the output states is be 1 with probability 0.95 and 2 with probability 0.05.

Example

```
trans = [0.95,0.05;
         0.10,0.90];
emis = [1/6 1/6 1/6 1/6 1/6 1/6;
        1/10 1/10 1/10 1/10 1/10 1/2];

[seq,states] = hmmgenerate(100,trans,emis)
[seq,states] = hmmgenerate(100,trans,emis,...
    'Symbols',{'one','two','three','four','five','six'},...
    'Statenames',{'fair';'loaded'})
```

See Also

[hmmviterbi](#), [hmmdecode](#), [hmmestimate](#), [hmmtrain](#)

hmmtrain

Purpose Hidden Markov model parameter estimates from emissions

Syntax

```
[ESTTR,ESTEMIT] = hmmtrain(seq,TRGUESS,EMITGUESS)
hmmtrain(...,'Algorithm',algorithm)
hmmtrain(...,'Symbols',SYMBOLS)
hmmtrain(...,'Tolerance',tol)
hmmtrain(...,'Maxiterations',maxiter)
hmmtrain(...,'Verbose',true)
hmmtrain(...,'Pseudoemissions',PSEUDOE)
hmmtrain(...,'Pseudotransitions',PSEUDOTR)
```

Description [ESTTR,ESTEMIT] = `hmmtrain(seq,TRGUESS,EMITGUESS)` estimates the transition and emission probabilities for a hidden Markov model using the Baum-Welch algorithm. `seq` can be a row vector containing a single sequence, a matrix with one row per sequence, or a cell array with each cell containing a sequence. `TRGUESS` and `EMITGUESS` are initial estimates of the transition and emission probability matrices. `TRGUESS(i,j)` is the estimated probability of transition from state `i` to state `j`. `EMITGUESS(i,k)` is the estimated probability that symbol `k` is emitted from state `i`.

`hmmtrain(...,'Algorithm',algorithm)` specifies the training algorithm. *algorithm* can be either 'BaumWelch' or 'Viterbi'. The default algorithm is 'BaumWelch'.

`hmmtrain(...,'Symbols',SYMBOLS)` specifies the symbols that are emitted. `SYMBOLS` can be a numeric array or a cell array of the names of the symbols. The default symbols are integers 1 through `N`, where `N` is the number of possible emissions.

`hmmtrain(...,'Tolerance',tol)` specifies the tolerance used for testing convergence of the iterative estimation process. The default tolerance is `1e-4`.

`hmmtrain(...,'Maxiterations',maxiter)` specifies the maximum number of iterations for the estimation process. The default maximum is 100.

`hmmtrain(..., 'Verbose', true)` returns the status of the algorithm at each iteration.

`hmmtrain(..., 'Pseudoemissions', PSEUDOE)` specifies pseudocount emission values for the Viterbi training algorithm. Use this argument to avoid zero probability estimates for emissions with very low probability that might not be represented in the sample sequence. PSEUDOE should be a matrix of size m -by- n , where m is the number of states in the hidden Markov model and n is the number of possible emissions. If the $i \rightarrow k$ emission does not occur in `seq`, you can set `PSEUDOE(i, k)` to be a positive number representing an estimate of the expected number of such emissions in the sequence `seq`.

`hmmtrain(..., 'Pseudotransitions', PSEUDOTR)` specifies pseudocount transition values for the Viterbi training algorithm. Use this argument to avoid zero probability estimates for transitions with very low probability that might not be represented in the sample sequence. PSEUDOTR should be a matrix of size m -by- m , where m is the number of states in the hidden Markov model. If the $i \rightarrow j$ transition does not occur in `states`, you can set `PSEUDOTR(i, j)` to be a positive number representing an estimate of the expected number of such transitions in the sequence `states`.

If you know the states corresponding to the sequences, use `hmmestimate` to estimate the model parameters.

Tolerance

The input argument `'tolerance'` controls how many steps the `hmmtrain` algorithm executes before the function returns an answer. The algorithm terminates when all of the following three quantities are less than the value that you specify for tolerance:

- The log likelihood that the input sequence `seq` is generated by the currently estimated values of the transition and emission matrices
- The change in the norm of the transition matrix, normalized by the size of the matrix

hmmtrain

- The change in the norm of the emission matrix, normalized by the size of the matrix

The default value of 'tolerance' is .0001. Increasing the tolerance decreases the number of steps the hmmtrain algorithm executes before it terminates.

maxiterations

The maximum number of iterations, 'maxiterations', controls the maximum number of steps the algorithm executes before it terminates. If the algorithm executes maxiter iterations before reaching the specified tolerance, the algorithm terminates and the function returns a warning. If this occurs, you can increase the value of 'maxiterations' to make the algorithm reach the desired tolerance before terminating.

Reference

[1] Durbin, R., S. Eddy, A. Krogh, and G. Mitchison, *Biological Sequence Analysis*, Cambridge University Press, 1998.

Example:

```
trans = [0.95,0.05;  
         0.10,0.90];  
emis = [1/6, 1/6, 1/6, 1/6, 1/6, 1/6;  
        1/10, 1/10, 1/10, 1/10, 1/10, 1/2];  
  
seq1 = hmmgenerate(100,trans,emis);  
seq2 = hmmgenerate(200,trans,emis);  
seqs = {seq1,seq2};  
[estTR,estE] = hmmtrain(seqs,trans,emis);
```

See Also

hmmgenerate, hmmdecode, hmestimate, hmrviterbi

Purpose Hidden Markov model most probable state path

Syntax

```
STATES = hmmviterbi(seq,TRANS,EMIS)
hmmviterbi(...,'Symbols',SYMBOLS)
hmmviterbi(...,'Statenames',STATENAMES)
```

Description STATES = hmmviterbi(seq,TRANS,EMIS) given a sequence, seq, calculates the most likely path through the hidden Markov model specified by transition probability matrix, TRANS, and emission probability matrix EMIS. TRANS(i,j) is the probability of transition from state i to state j. EMIS(i,k) is the probability that symbol k is emitted from state i.

Note The function hmmviterbi begins with the model in state 1 at step 0, prior to the first emission. hmmviterbi computes the most likely path based on the fact that the model begins in state 1.

hmmviterbi(...,'Symbols',SYMBOLS) specifies the symbols that are emitted. SYMBOLS can be a numeric array or a cell array of the names of the symbols. The default symbols are integers 1 through N, where N is the number of possible emissions.

hmmviterbi(...,'Statenames',STATENAMES) specifies the names of the states. STATENAMES can be a numeric array or a cell array of the names of the states. The default state names are 1 through M, where M is the number of states.

Example

```
trans = [0.95,0.05;
         0.10,0.90];
emis = [1/6 1/6 1/6 1/6 1/6 1/6;
        1/10 1/10 1/10 1/10 1/10 1/2];

[seq,states] = hmmgenerate(100,trans,emis);
estimatedStates = hmmviterbi(seq,trans,emis);
```

hmmviterbi

```
[seq,states] = ...
    hmmgenerate(100,trans,emis,...
        'Statenames',{'fair';'loaded'});
estimatesStates = ...
    hmmviterbi(seq,trans,eemis,...
        'Statenames',{'fair';'loaded'});
```

Reference

[1] Durbin, R., S. Eddy, A. Krogh, and G. Mitchison, *Biological Sequence Analysis*, Cambridge University Press, 1998.

See Also

hmmgenerate, hmmdecode, hmestimate, hmmtrain

Purpose Hougen-Watson model

Syntax `yhat = hougen(beta,x)`

Description `yhat = hougen(beta,x)` returns the predicted values of the reaction rate, `yhat`, as a function of the vector of parameters, `beta`, and the matrix of data, `X`. `beta` must have 5 elements and `X` must have three columns.

`hougen` is a utility function for `rsmdemo`.

The model form is:

$$\hat{y} = \frac{\beta_1 x_2 - x_3 / \beta_5}{1 + \beta_2 x_1 + \beta_3 x_2 + \beta_4 x_3}$$

Reference [1] Bates, D., and D. Watts, *Nonlinear Regression Analysis and Its Applications*. Wiley, 1988, pp. 271-272.

See Also `rsmdemo`

hygecdf

Purpose Hypergeometric cumulative distribution function

Syntax `hygecdf(X,M,K,N)`

Description `hygecdf(X,M,K,N)` computes the hypergeometric cdf at each of the values in X using the corresponding parameters in M , K , and N . Vector or matrix inputs for X , M , K , and N must all have the same size. A scalar input is expanded to a constant matrix with the same dimensions as the other inputs.

The hypergeometric cdf is

$$p = F(x|M, K, N) = \sum_{i=0}^x \frac{\binom{K}{i} \binom{M-K}{N-i}}{\binom{M}{N}}$$

The result, p , is the probability of drawing up to x of a possible K items in N drawings without replacement from a group of M objects.

Examples Suppose you have a lot of 100 floppy disks and you know that 20 of them are defective. What is the probability of drawing zero to two defective floppies if you select 10 at random?

```
p = hygecdf(2,100,20,10)
```

```
p =
```

```
0.6812
```

See Also `cdf`, `hygepdf`, `hygeinv`, `hygestat`, `hygernd`

Purpose	Hypergeometric inverse cumulative distribution function
Syntax	hygeinv(P,M,K,N)
Description	hygeinv(P,M,K,N) returns the smallest integer X such that the hypergeometric cdf evaluated at X equals or exceeds P . You can think of P as the probability of observing X defective items in N drawings without replacement from a group of M items where K are defective.
Examples	<p>Suppose you are the Quality Assurance manager for a floppy disk manufacturer. The production line turns out floppy disks in batches of 1,000. You want to sample 50 disks from each batch to see if they have defects. You want to accept 99% of the batches if there are no more than 10 defective disks in the batch. What is the maximum number of defective disks should you allow in your sample of 50?</p> <pre>x = hygeinv(0.99,1000,10,50) x = 3</pre> <p>What is the median number of defective floppy disks in samples of 50 disks from batches with 10 defective disks?</p> <pre>x = hygeinv(0.50,1000,10,50) x = 0</pre>
See Also	icdf, hygecdf, hygepdf, hygestat, hygernd

Purpose Hypergeometric probability density function

Syntax `Y = hygepdf(X,M,K,N)`

Description `Y = hygepdf(X,M,K,N)` computes the hypergeometric pdf at each of the values in `X` using the corresponding parameters in `M`, `K`, and `N`. `X`, `M`, `K`, and `N` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

The parameters in `M`, `K`, and `N` must all be positive integers, with $N \leq M$. The values in `X` must be less than or equal to all the parameter values.

The hypergeometric pdf is

$$y = f(x|M, K, N) = \frac{\binom{K}{x} \binom{M-K}{N-x}}{\binom{M}{N}}$$

The result, y , is the probability of drawing exactly x of a possible K items in n drawings without replacement from a group of M objects.

Examples

Suppose you have a lot of 100 floppy disks and you know that 20 of them are defective. What is the probability of drawing 0 through 5 defective floppy disks if you select 10 at random?

```
p = hygepdf(0:5,100,20,10)
p =
    0.0951    0.2679    0.3182    0.2092    0.0841    0.0215
```

See Also `pdf`, `hygecdf`, `hygeinv`, `hygestat`, `hygernd`

Purpose	Hypergeometric random numbers
Syntax	<pre>R = hygernd(M,K,N) R = hygernd(M,K,N,v) R = hygernd(M,K,N,m,n)</pre>
Description	<p><code>R = hygernd(M,K,N)</code> generates random numbers from the hypergeometric distribution with parameters <code>M</code>, <code>K</code>, and <code>N</code>. <code>M</code>, <code>K</code>, and <code>N</code> can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of <code>R</code>. A scalar input for <code>M</code>, <code>K</code>, or <code>N</code> is expanded to a constant array with the same dimensions as the other inputs.</p> <p><code>R = hygernd(M,K,N,v)</code> generates random numbers from the hypergeometric distribution with parameters <code>M</code>, <code>K</code>, and <code>N</code>, where <code>v</code> is a row vector. If <code>v</code> is a 1-by-2 vector, <code>R</code> is a matrix with <code>v(1)</code> rows and <code>v(2)</code> columns. If <code>v</code> is 1-by-<code>n</code>, <code>R</code> is an <code>n</code>-dimensional array.</p> <p><code>R = hygernd(M,K,N,m,n)</code> generates random numbers from the hypergeometric distribution with parameters <code>M</code>, <code>K</code>, and <code>N</code>, where scalars <code>m</code> and <code>n</code> are the row and column dimensions of <code>R</code>.</p>
Example	<pre>numbers = hygernd(1000,40,50) numbers = 1</pre>
See Also	<code>random</code> , <code>hygepdf</code> , <code>hygecdf</code> , <code>hygeinv</code> , <code>hygestat</code>

hygestat

Purpose Hypergeometric mean and variance

Syntax `[MN,V] = hygestat(M,K,N)`

Description `[MN,V] = hygestat(M,K,N)` returns the mean of and variance for the hypergeometric distribution with parameters specified by M, K, and N. Vector or matrix inputs for M, K, and N must have the same size, which is also the size of MN and V. A scalar input for M, K, or N is expanded to a constant matrix with the same dimensions as the other inputs.

The mean of the hypergeometric distribution with parameters M, K, and N is NK/M , and the variance is $NK(M-K)(M-N) / [M^2(M-1)]$.

Examples The hypergeometric distribution approaches the binomial distribution, where $p = K/M$, as M goes to infinity.

```
[m,v] = hygestat(10.^(1:4),10.^(0:3),9)
```

```
m =
```

```
0.9000 0.9000 0.9000 0.9000
```

```
v =
```

```
0.0900 0.7445 0.8035 0.8094
```

```
[m,v] = binostat(9,0.1)
```

```
m =
```

```
0.9000
```

```
v =
```

```
0.8100
```

See Also `hygepdf`, `hygecdf`, `hygeinv`, `hygernd`

Purpose

Inverse cumulative distribution functions

Syntax

```
Y = icdf(name,X,A)
Y = icdf(name,X,A,B)
Y = icdf(name,X,A,B,C)
```

Description

`Y = icdf(name,X,A)` computes the inverse cumulative distribution function for the one-parameter family of distributions specified by `name`. Parameter values for the distribution are given in `A`. The inverse cumulative distribution function is evaluated at the values in `X` and its values are returned in `Y`.

If `X` and `A` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`. If `A` is a scalar, it is expanded to a constant matrix the same size as `X`.

`Y` is the common size of `X` and `A` after any necessary scalar expansion.

`Y = icdf(name,X,A,B)` computes the inverse cumulative distribution function for two-parameter families of distributions, where parameter values are given in `A` and `B`.

If `X`, `A`, and `B` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A` and `B`. If either `A` or `B` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, and `B` after any necessary scalar expansion.

`Y = icdf(name,X,A,B,C)` computes the inverse cumulative distribution function for three-parameter families of distributions, where parameter values are given in `A`, `B`, and `C`.

If `X`, `A`, `B`, and `C` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`, `B`, and `C`. If any of `A`, `B` or `C` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, `B` and `C` after any necessary scalar expansion.

Acceptable strings for `name` are:

- 'beta' (Beta distribution)
- 'bino' (Binomial distribution)
- 'chi2' (Chi-square distribution)
- 'exp' (Exponential distribution)
- 'ev' (Extreme value distribution)
- 'f' (F distribution)
- 'gam' (Gamma distribution)
- 'gev' (Generalized extreme value distribution)
- 'gp' (Generalized Pareto distribution)
- 'geo' (Geometric distribution)
- 'hyge' (Hypergeometric distribution)
- 'logn' (Lognormal distribution)
- 'nbin' (Negative binomial distribution)
- 'ncf' (Noncentral F distribution)
- 'nct' (Noncentral t distribution)
- 'ncx2' (Noncentral chi-square distribution)
- 'norm' (Normal distribution)
- 'poiss' (Poisson distribution)
- 'rayl' (Rayleigh distribution)
- 't' (t distribution)
- 'unif' (Uniform distribution)
- 'unid' (Discrete uniform distribution)
- 'wbl' (Weibull distribution)

Examples

```
x = icdf('Normal',0.1:0.2:0.9,0,1)
x =
```

```
-1.2816 -0.5244    0  0.5244  1.2816  
  
x = icdf('Poisson',0.1:0.2:0.9,1:5)  
x =  
    0    1    3    5    8
```

See Also

cdf, mle, pdf, random

icdf

Purpose Inverse cumulative distribution function for piecewise distribution

Class @piecewisedistribution

Syntax `X = icdf(obj,P)`

Description `X = icdf(obj,P)` returns an array `X` of values of the inverse cumulative distribution function for the piecewise distribution object `obj`, evaluated at the values in the array `P`.

Example Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);
[p,q] = boundary(obj)
p =
    0.1000
    0.9000
q =
   -1.7766
    1.8432

icdf(obj,p)
ans =
   -1.7766
    1.8432
```

See Also `paretotails`, `cdf`

Purpose Inconsistency coefficient

Syntax $Y = \text{inconsistent}(Z)$
 $Y = \text{inconsistent}(Z,d)$

Description $Y = \text{inconsistent}(Z)$ computes the inconsistency coefficient for each link of the hierarchical cluster tree Z , where Z is an $(m-1)$ -by-3 matrix generated by the linkage function. The inconsistency coefficient characterizes each link in a cluster tree by comparing its length with the average length of other links at the same level of the hierarchy. The higher the value of this coefficient, the less similar the objects connected by the link.

$Y = \text{inconsistent}(Z,d)$ computes the inconsistency coefficient for each link in the hierarchical cluster tree Z to depth d , where d is an integer denoting the number of levels of the cluster tree that are included in the calculation. By default, $d=2$.

The output, Y , is an $(m-1)$ -by-4 matrix formatted as follows.

Column	Description
1	Mean of the lengths of all the links included in the calculation.
2	Standard deviation of all the links included in the calculation.
3	Number of links included in the calculation.
4	Inconsistency coefficient.

For each link, k , the inconsistency coefficient is calculated as:


$$Y(k, 4) = (z(k, 3) - Y(k, 1)) / Y(k, 2)$$

For leaf nodes, nodes that have no further nodes under them, the inconsistency coefficient is set to 0.

inconsistent

Example

```
rand('state',12);  
X = rand(10,2);  
Y = pdist(X);  
Z = linkage(Y,'single');  
dendrogram(Z)
```



```
W = inconsistent(Z,3)
```

```
W =
```

0.1313	0	1.0000	0
0.1386	0	1.0000	0
0.1463	0.0109	2.0000	0.7071
0.2391	0	1.0000	0
0.1951	0.0568	4.0000	0.9425
0.2308	0.0543	4.0000	0.9320
0.2395	0.0748	4.0000	0.7636
0.2654	0.0945	4.0000	0.9203
0.3769	0.0950	3.0000	1.1040

References

[1] Jain, A., and R. Dubes, *Algorithms for Clustering Data*, Prentice-Hall, Englewood Cliffs, NJ, 1988.

[2] Zahn, C.T., "Graph-theoretical methods for detecting and describing Gestalt clusters," *IEEE Transactions on Computers*, C 20, pp. 68-86, 1971.

See Also

cluster, cophenet, clusterdata, dendrogram, linkage, pdist, squareform

interactionplot

Purpose Interaction plot for grouped data

Syntax

```
interactionplot(Y,GROUP)
interactionplot(Y,GROUP,'varnames',VARNAMES)
[h,AX,bigax] = interactionplot(...)
```

Description `interactionplot(Y,GROUP)` displays the two-factor interaction plot for the group means of matrix `Y` with groups defined by entries in the cell array `GROUP`. `Y` is a numeric matrix or vector. If `Y` is a matrix, the rows represent different observations and the columns represent replications of each observation. If `Y` is a vector, the rows give the means of each entry in the cell array `GROUP`. Each cell of `GROUP` must contain a grouping variable that can be a categorical variable, numeric vector, character matrix, or a single-column cell array of strings. (See “Grouped Data” on page 2-33.) `GROUP` can also be a matrix whose columns represent different grouping variables. Each grouping variable must have the same number of rows as `Y`. The number of grouping variables must be greater than 1.


The interaction plot is a matrix plot, with the number of rows and columns both equal to the number of grouping variables. The grouping variable names are printed on the diagonal of the plot matrix. The plot at off-diagonal position (i,j) is the interaction of the two variables whose names are given at row diagonal (i,i) and column diagonal (j,j) , respectively.

`interactionplot(Y,GROUP,'varnames',VARNAMES)` displays the interaction plot with user-specified grouping variable names `VARNAMES`. `VARNAMES` is a character matrix or a cell array of strings, one per grouping variable. Default names are 'X1', 'X2',

`[h,AX,bigax] = interactionplot(...)` returns a handle `h` to the figure window, a matrix `AX` of handles to the subplot axes, and a handle `bigax` to the big (invisible) axes framing the subplots.

Example Display interaction plots for data with four 3-level factors named 'A', 'B', 'C', and 'D':

```
y = randn(1000,1); % response  
group = ceil(3*rand(1000,4)); % four 3-level factors  
interactionplot(y,group,'varnames',{'A','B','C','D'})
```



See Also

maineffectsplot, multivarichart

invpred

Purpose Inverse prediction

Syntax
 $X0 = \text{invpred}(X, Y, Y0)$
 $[X0, DXLO, DXUP] = \text{invpred}(X, Y, Y0)$
 $[X0, DXLO, DXUP] = \text{invpred}(X, Y, Y0, name1, val1, name2, val2, \dots)$

Description $X0 = \text{invpred}(X, Y, Y0)$ accepts vectors X and Y of the same length, fits a simple regression, and returns the estimated value $X0$ for which the height of the line is equal to $Y0$. The output, $X0$, has the same size as $Y0$, and $Y0$ can be an array of any size.

$[X0, DXLO, DXUP] = \text{invpred}(X, Y, Y0)$ also computes 95% inverse prediction intervals. $DXLO$ and $DXUP$ define intervals with lower bound $X0 - DXLO$ and upper bound $X0 + DXUP$. Both $DXLO$ and $DXUP$ have the same size as $Y0$.

The intervals are not simultaneous and are not necessarily finite. Some intervals may extend from a finite value to $-\text{Inf}$ or $+\text{Inf}$, and some may extend over the entire real line.

$[X0, DXLO, DXUP] = \text{invpred}(X, Y, Y0, name1, val1, name2, val2, \dots)$ specifies optional argument name/value pairs chosen from the following list. Argument names are case insensitive and partial matches are allowed.

Name	Value
'alpha'	A value between 0 and 1 specifying a confidence level of $100 * (1 - \text{alpha})\%$. Default is $\text{alpha} = 0.05$ for 95% confidence.
'predopt'	Either 'observation', the default value to compute the intervals for $X0$ at which a new observation could equal $Y0$, or 'curve' to compute intervals for the $X0$ value at which the curve is equal to $Y0$.

Example

```
x = 4*rand(25,1);  
y = 10 + 5*x + randn(size(x));  
scatter(x,y)  
x0 = invpred(x,y,20)
```

See Also

polyfit, polyval, polyconf, polytool

iqr

Purpose Interquartile range

Syntax `y = iqr(X)`
`iqr(X,dim)`

Description `y = iqr(X)` returns the interquartile range of the values in `X`. For vector input, `y` is the difference between the 75th and the 25th percentiles of the sample in `X`. For matrix input, `y` is a row vector containing the interquartile range of each column of `X`. For N-dimensional arrays, `iqr` operates along the first nonsingleton dimension of `X`.

`iqr(X,dim)` calculates the interquartile range along the dimension `dim` of `X`.

Remarks The IQR is a robust estimate of the spread of the data, since changes in the upper and lower 25% of the data do not affect it. If there are outliers in the data, then the IQR is more representative than the standard deviation as an estimate of the spread of the body of the data. The IQR is less efficient than the standard deviation as an estimate of the spread when the data is all from the normal distribution.

Multiply the IQR by 0.7413 to estimate σ (the second parameter of the normal distribution.)

Examples This Monte Carlo simulation shows the relative efficiency of the IQR to the sample standard deviation for normal data.

```
x = normrnd(0,1,100,100);
s = std(x);
s_IQR = 0.7413*iqr(x);
efficiency = (norm(s-1)./norm(s_IQR-1)).^2
efficiency =
    0.3297
```

See Also `std`, `mad`, `range`

Purpose Test node for branch

Class @classregtree

Syntax
`ib = isbranch(t)`
`ib = isbranch(t,nodes)`

Description `ib = isbranch(t)` returns an n -element logical vector `ib` that is true for each branch node and false for each leaf node.

`ib = isbranch(t,nodes)` takes a vector `nodes` of node numbers and returns a vector of logical values for the specified nodes.


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

isbranch



```
ib = isbranch(t)
ib =
     1
     0
     1
     1
     0
     1
     0
```


0
0

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, cutvar

islevel

Purpose Test for levels

Class @categorical

Syntax I = islevel(levels,A)

Description I = islevel(levels,A) returns a logical array I the same size as the string, cell array of strings, or two-dimensional character matrix levels. I is true (1) where the corresponding element of levels is the label of a level in the categorical array A, even if the level contains no elements. I is false (0) otherwise.

Example Display age levels in the data in hospital.mat, before and after dropping occupied levels:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
disp(labels')
'0s' '10s' '20s' '30s' '40s' '50s' '60s' '70s' '80s' '90s'

AgeGroup = ordinal(hospital.Age,labels,[],edges);
I = islevel(labels,AgeGroup);
disp(I')
1 1 1 1 1 1 1 1 1 1

AgeGroup = droplevels(AgeGroup);
I = islevel(labels,AgeGroup);
disp(I')
0 0 1 1 1 1 0 0 0 0
```

See Also ismember, isundefined

Purpose Test for membership

Class @categorical

Syntax
`I = ismember(A,levels)`
`[I,IDX] = ismember(A,levels)`

Description `I = ismember(A,levels)` returns a logical array `I` the same size as the categorical array `A`. `I` is true (1) where the corresponding element of `A` is one of the levels specified by the labels in the categorical array, cell array of strings, or two-dimensional character array `levels`. `I` is false (0) otherwise.

`[I,IDX] = ismember(A,levels)` also returns an array of indices `IDX` containing the highest absolute index in `levels` for each element in `A` whose level is a member of `levels`, and 0 if there is no such index.

Examples **Example 1**

For nominal data:

```
load hospital
sex = hospital.Sex; % Nominal
smokers = hospital.Smoker; % Logical
I = ismember(sex(smokers), 'Female');
I(1:5)
ans =
     0
     1
     0
     0
     0
```

The use of `ismember` above is equivalent to:

```
I = (sex(smokers) == 'Female');
```

ismember

Example 2

For ordinal data:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
AgeGroup = ordinal(hospital.Age, labels, [], edges);
I = ismember(AgeGroup(1:5), {'20s', '30s'})
I =
     1
     0
     1
     0
     0
```

See Also

[islevel](#), [isundefined](#)

Purpose Test for undefined elements

Class @categorical

Syntax I = isundefined(A)

Description I = isundefined(A) returns a logical array I the same size as the categorical array A. I is true (1) where the corresponding element of A is not assigned to any level. I is false (0) where the corresponding element of A is assigned to a level.

Example Create and display undefined levels in an ordinal array:

```
A = ordinal([1 2 3 2 1],{'lo','med','hi'})
A =
    lo      med      hi      med      lo

A = droplevels(A,{'med','hi'})
Warning: OLDLEVELS contains categorical levels that
were present in A, caused some array elements to
have undefined levels.
A =
    lo <undefined> <undefined> <undefined> lo

I = isundefined(A)
I =
    0     1     1     1     0
```

See Also islevel, ismember

iwishrnd

Purpose Inverse Wishart random numbers

Syntax
`W = wishrnd(sigma,df)`
`W = wishrnd(sigma,df,DI)`
`[W,DI] = wishrnd(sigma,df)`

Description `W = wishrnd(sigma,df)` generates a random matrix `W` from the inverse Wishart distribution with parameters `sigma` and `df`. The inverse of `W` has the Wishart distribution with covariance matrix `inv(sigma)` and with `df` degrees of freedom. `sigma` can be a vector, a matrix, or a multidimensional array.

`W = wishrnd(sigma,df,DI)` expects `DI` to be the transpose of the inverse of the Cholesky factor of `sigma`, so that `DI' * DI = inv(sigma)`, where `inv` is the MATLAB® inverse function. `DI` is lower-triangular and the same size as `sigma`. If you call `wishrnd` multiple times using the same value of `sigma`, it is more efficient to supply `DI` instead of computing it each time.

`[W,DI] = wishrnd(sigma,df)` returns `DI` so you can use it as an input in future calls to `wishrnd`.

Note that different sources use different parametrizations for the inverse Wishart distribution. This function defines the parameter `sigma` so that the mean of the output matrix is `sigma/(df-k-1)`, where `k` is the number of rows and columns in `sigma`.

See Also `wishrnd`

Purpose Jackknife sampling

Syntax `jackstat = jackknife(jackfun,...)`

Description `jackstat = jackknife(jackfun,...)` draws jackknife data samples, computes statistics on each sample using the function `jackfun`, and returns the results in the matrix `jackstat`. `jackfun` is a function handle specified with `@`. Each row of `jackstat` contains the results of applying `jackfun` to one jackknife sample. If `jackfun` returns a matrix or array, this output is converted to a row vector for storage in `jackstat`.

The third and later input arguments to `jackknife` are scalars, column vectors, or matrices that are used to create inputs to `jackfun`. `jackknife` creates each jackknife sample by sampling with replacement from the rows of the nonscalar data arguments (these must have the same number of rows). Scalar data are passed to `jackfun` unchanged.

Example Estimate the bias of the MLE variance estimator of random samples taken from the vector `y` using `jackknife`. The bias has a known formula in this problem, so you can compare the jackknife value to this formula.

```
y = exprnd(5,100,1);
m = jackknife(@var,y,1);
n = length(y);

bias = var(y,1)-var(y,0) % Bias formula
bias =
    -0.2069

jbias = (n-1)*(mean(m)-var(y,1)) % Jackknife estimate
jbias =
    -0.2069
```

See Also `bootstrp`, `random`, `randsample`, `hist`, `ksdensity`

Purpose Jarque-Bera test

Syntax

```
h = jbtest(x)
h = jbtest(x,alpha)
[h,p] = jbtest(...)
[h,p,jbstat] = jbtest(...)
[h,p,jbstat,critval] = jbtest(...)
[h,p,...] = jbtest(x,alpha,mctol)
```

Description `h = jbtest(x)` performs a Jarque-Bera test of the null hypothesis that the sample in vector `x` comes from a normal distribution with unknown mean and variance, against the alternative that it does not come from a normal distribution. The test is specifically designed for alternatives in “Pearson Systems” on page 5-86 of distributions. The test returns the logical value `h = 1` if it rejects the null hypothesis at the 5% significance level, and `h = 0` if it cannot. The test treats NaN values in `x` as missing values, and ignores them.

The Jarque-Bera test is a two-sided goodness-of-fit test suitable when a fully-specified null distribution is unknown and its parameters must be estimated. The test statistic is

$$JB = \frac{n}{6} \left(s^2 + \frac{(k-3)^2}{4} \right)$$

where n is the sample size, s is the sample skewness, and k is the sample kurtosis. For large sample sizes, the test statistic has a chi-square distribution with two degrees of freedom.

Jarque-Bera tests often use the chi-square distribution to estimate critical values for large samples, deferring to the Lilliefors test (see `lillietest`) for small samples. `jbtest`, by contrast, uses a table of critical values computed using Monte-Carlo simulation for sample sizes less than 2000 and significance levels between 0.001 and 0.50. Critical values for a test are computed by interpolating into the table, using the analytic chi-square approximation only when extrapolating for larger sample sizes.

`h = jbttest(x,alpha)` performs the test at significance level `alpha`. `alpha` is a scalar in the range `[0.001, 0.50]`. To perform the test at a significance level outside of this range, use the `mctol` input argument.

`[h,p] = jbttest(...)` returns the p -value `p`, computed using inverse interpolation into the table of critical values. Small values of `p` cast doubt on the validity of the null hypothesis. `jbttest` warns when `p` is not found within the tabulated range of `[0.001, 0.50]`, and returns either the smallest or largest tabulated value. In this case, you can use the `mctol` input argument to compute a more accurate p -value.

`[h,p,jbstat] = jbttest(...)` returns the test statistic `jbstat`.

`[h,p,jbstat,critval] = jbttest(...)` returns the critical value `critval` for the test. When `jbstat > critval`, the null hypothesis is rejected at significance level `alpha`.

`[h,p,...] = jbttest(x,alpha,mctol)` computes a Monte-Carlo approximation for `p` directly, rather than interpolating into the table of pre-computed values. This is useful when `alpha` or `p` lie outside the range of the table. `jbttest` chooses the number of Monte Carlo replications, `mcreps`, large enough to make the Monte Carlo standard error for `p`, $\sqrt{p*(1-p)/mcreps}$, less than `mctol`.

Example

Use `jbttest` to determine if car mileage, in miles per gallon (MPG), follows a normal distribution across different makes of cars:

```
load carbig
[h,p] = jbttest(MPG)
h =
     1
p =
    0.0022
```

The p -value is below the default significance level of 5%, and the test rejects the null hypothesis that the distribution is normal.

With a log transformation, the distribution becomes closer to normal, but the p -value is still well below 5%:

```
[h,p] = jbtest(log(MPG))  
h =  
    1  
p =  
    0.0078
```

Decreasing the significance level makes it harder to reject the null hypothesis:

```
[h,p] = jbtest(log(MPG),0.0075)  
h =  
    0  
p =  
    0.0078
```

References

- [1] Jarque, C.M., and A.K. Bera, A test for normality of observations and regression residuals, *International Statistical Review*, Vol. 55, No. 2, 1987, pp. 163-172. This paper proposed the original test.
- [2] Deb, P., and M. Sefton, The distribution of a Lagrange multiplier test of normality, *Economics Letters*, Vol. 51, 1996, pp. 123-130. This paper proposed a Monte Carlo simulation for determining the distribution of the test statistic. The results of this function are based on an independent Monte Carlo simulation, not the results in this paper.

Purpose Johnson system random numbers

Syntax

```
r = johnsrnd(quantiles,m,n)
r = johnsrnd(quantiles)
[r,type] = johnsrnd(...)
[r,type,coefs] = johnsrnd(...)
```

Description `r = johnsrnd(quantiles,m,n)` returns an m -by- n matrix of random numbers drawn from the distribution in the Johnson system that satisfies the quantile specification given by `quantiles`. `quantiles` is a four-element vector of quantiles for the desired distribution that correspond to the standard normal quantiles $[-1.5 -0.5 0.5 1.5]$. In other words, you specify a distribution from which to draw random values by designating quantiles that correspond to the cumulative probabilities $[0.067 0.309 0.691 0.933]$. `quantiles` may also be a 2-by-4 matrix whose first row contains four standard normal quantiles, and whose second row contains the corresponding quantiles of the desired distribution. The standard normal quantiles must be spaced evenly.

Note Because `r` is a random sample, its sample quantiles typically differ somewhat from the specified distribution quantiles.

`r = johnsrnd(quantiles)` returns a scalar value.

`r = johnsrnd(quantiles,m,n,...)` or `r = johnsrnd(quantiles,[m,n,...])` returns an m -by- n -by-... array.

`[r,type] = johnsrnd(...)` returns the type of the specified distribution within the Johnson system. `type` is 'SN', 'SL', 'SB', or 'SU'. Set `m` and `n` to zero to identify the distribution type without generating any random values.

The four distribution types in the Johnson system correspond to the following transformations of a normal random variate:

- 'SN' — Identity transformation (normal distribution)


- 'SL' — Exponential transformation (lognormal distribution)
- 'SB' — Logistic transformation (bounded)
- 'SU' — Hyperbolic sine transformation (unbounded)

`[r,type,coefs] = johnsrnd(...)` returns coefficients `coefs` of the transformation that defines the distribution. `coefs` is `[gamma, eta, epsilon, lambda]`. If `z` is a standard normal random variable and `h` is one of the transformations defined above, $r = \lambda * h((z - \text{gamma}) / \text{eta}) + \text{epsilon}$ is a random variate from the distribution type corresponding to `h`.

Example


Generate random values with longer tails than a standard normal:

```
r = johnsrnd([-1.7 -.5 .5 1.7],1000,1);  
qqplot(r);
```



Generate random values skewed to the right:

```
r = johnsrnd([-1.3 -.5 .5 1.7],1000,1);  
qqplot(r);
```



Generate random values that match some sample data well in the right-hand tail:

```
load carbig;
qnorm = [.5 1 1.5 2];
q = quantile(Acceleration, normcdf(qnorm));
r = johnsrnd([qnorm;q],1000,1);
[q;q:quantile(r,normcdf(qnorm))]
ans =
    16.7000    18.2086    19.5376    21.7263
    16.8190    18.2474    19.4492    22.4156
```

Determine the distribution type and the coefficients:

```
[r,type,coefs] = johnsrnd([qnorm;q],0)
r =
    []
type =
    SU
coefs =
    1.0920    0.5829    18.4382    1.4494
```

See Also

random, pearsrnd

Purpose Merge observations

Class @dataset

Syntax

```
C = join(A,B)
C = join(A,B,key)
C = join(A,B,param1,val1,param2,val2,...)
[C,idx] = join(...)
```

Description `C = join(A,B)` creates a dataset array `C` by merging observations from the two dataset arrays `A` and `B`. `join` performs the merge by first finding *key variables*, that is, a pair of dataset variables, one in `A` and one in `B`, that share the same name. The key from `B` must contain unique values, and must contain all the values that are present in the key from `A`. `join` then uses these key variables to define a many-to-one correspondence between observations in `A` and those in `B`. `join` uses this correspondence to replicate the observations in `B` and combine them with the observations in `A` to create `C`.

`C` contains one observation for each observation in `A`. Variables in `C` include all of the variables from `A`, as well as one variable corresponding to each variable in `B` (except for the key from `B`).

`C = join(A,B,key)` performs the merge using the variable specified by `key` as the key variable in both `A` and `B`. `key` is a positive integer, a variable name, a cell array containing a variable name, or a logical vector with one true entry.

`C = join(A,B,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs to control how the dataset variables in `A` and `B` are used in the merge. Parameters are:

- 'Key' — Specifies the variable to use as a key in both `A` and `B`.
- 'LeftKey' — Specifies the variable to use as a key in `A`.
- 'RightKey' — Specifies the variable to use as a key in `B`.

You may provide either the 'Key' parameter, or both the 'LeftKey' and 'RightKey' parameters. The value for these parameters is a positive integer, a variable name, a cell array containing a variable name, or a logical vector with one true entry.

- 'LeftVars' — Specifies the variables from A to include in C. By default, join includes all variables from A.
- 'RightVars' — Specifies the variables from B to include in C. By default, join includes all variables from B except the key variable.

The value for these parameters is a positive integer, a vector of positive integers, a variable name, a cell array containing one or more variable names, or a logical vector.

[C,idx] = join(...) returns an index vector idx, where the observations in C are constructed by horizontally concatenating A(:,leftvars) and B(idx,rightvars).

Example

Create a dataset array from Fisher's iris data:

```
load fisheriris
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);
```

Create a separate dataset array with the diploid chromosome counts for each species of iris:

```
snames = nominal({'setosa','versicolor','virginica'});
CC = dataset({snames,'species'},{[38;108;70],'cc'})
CC =
    species      cc
    setosa       38
    versicolor   108
    virginica    70
```

join

Broadcast the data in CC to the rows of iris using the key variable species in each dataset:

```
iris2 = join(iris,CC);
iris2([1 2 51 52 101 102],:)
ans =
```

	species	SL	SW	PL	PW	cc
Obs1	setosa	5.1	3.5	1.4	0.2	38
Obs2	setosa	4.9	3	1.4	0.2	38
Obs51	versicolor	7	3.2	4.7	1.4	108
Obs52	versicolor	6.4	3.2	4.5	1.5	108
Obs101	virginica	6.3	3.3	6	2.5	70
Obs102	virginica	5.8	2.7	5.1	1.9	70

See Also

sortrows

Purpose *K*-means clustering

Syntax

```

IDX = kmeans(X,k)
[IDX,C] = kmeans(X,k)
[IDX,C,sumd] = kmeans(X,k)
[IDX,C,sumd,D] = kmeans(X,k)
[...] = kmeans(...,param1,val1,param2,val2,...)

```

Description `IDX = kmeans(X,k)` partitions the points in the *n*-by-*p* data matrix *X* into *k* clusters. This iterative partitioning minimizes the sum, over all clusters, of the within-cluster sums of point-to-cluster-centroid distances. Rows of *X* correspond to points, columns correspond to variables. `kmeans` returns an *n*-by-1 vector *IDX* containing the cluster indices of each point. By default, `kmeans` uses squared Euclidean distances.

`[IDX,C] = kmeans(X,k)` returns the *k* cluster centroid locations in the *k*-by-*p* matrix *C*.

`[IDX,C,sumd] = kmeans(X,k)` returns the within-cluster sums of point-to-centroid distances in the 1-by-*k* vector *sumd*.

`[IDX,C,sumd,D] = kmeans(X,k)` returns distances from each point to every centroid in the *n*-by-*k* matrix *D*.

`[...] = kmeans(...,param1,val1,param2,val2,...)` enables you to specify optional parameter/value pairs to control the iterative algorithm used by `kmeans`. Valid parameter strings are the following.

Parameter	Value
'distance'	Distance measure, in <i>p</i> -dimensional space. <code>kmeans</code> minimizes with respect to this parameter. <code>kmeans</code> computes centroid clusters differently for the different supported distance measures.
	'sqEuclidean' Squared Euclidean distance (default). Each centroid is the mean of the points in that cluster.

kmeans

Parameter	Value	
	'cityblock'	Sum of absolute differences, i.e., the L1 distance. Each centroid is the component-wise median of the points in that cluster.
	'cosine'	One minus the cosine of the included angle between points (treated as vectors). Each centroid is the mean of the points in that cluster, after normalizing those points to unit Euclidean length.
	'correlation'	One minus the sample correlation between points (treated as sequences of values). Each centroid is the component-wise mean of the points in that cluster, after centering and normalizing those points to zero mean and unit standard deviation.
	'Hamming'	Percentage of bits that differ (only suitable for binary data). Each centroid is the component-wise median of points in that cluster.

Parameter	Value	
'emptyaction'	Action to take if a cluster loses all its member observations.	
	'error'	Treat an empty cluster as an error (default).
	'drop'	Remove any clusters that become empty. kmeans sets the corresponding return values in C and D to NaN.
	'singleton'	Create a new cluster consisting of the one point furthest from its centroid.
'onlinephase'	Flag indicating whether kmeans should perform an online update phase in addition to a batch update phase. The online phase can be time consuming for large data sets, but guarantees a solution that is a local minimum of the distance criterion, that is, a partition of the data where moving any single point to a different cluster increases the total sum of distances.	
	'on'	Perform online update (default).
	'off'	Do not perform online update.
'options'	Options for the iterative algorithm used to minimize the fitting criterion, as created by statset.	
'replicates'	Number of times to repeat the clustering, each with a new set of initial cluster centroid positions. kmeans returns the solution with the lowest value for sumd. You can supply 'replicates' implicitly by supplying a 3D array as the value for the 'start' parameter.	

kmeans

Parameter	Value	
'start'	Method used to choose the initial cluster centroid positions, sometimes known as <i>seeds</i> .	
	'sample'	Select k observations from X at random (default).
	'uniform'	Select k points uniformly at random from the range of X. Not valid with Hamming distance.
	'cluster'	Perform a preliminary clustering phase on a random 10% subsample of X. This preliminary phase is itself initialized using 'sample'.
	Matrix	k-by-p matrix of centroid starting locations. In this case, you can pass in [] for k, and kmeans infers k from the first dimension of the matrix. You can also supply a 3-dimensional array, implying a value for the 'replicates' parameter from the array's third dimension.

Algorithm

kmeans uses a two-phase iterative algorithm to minimize the sum of point-to-centroid distances, summed over all k clusters:

- 1 The first phase uses *batch updates*, where each iteration consists of reassigning points to their nearest cluster centroid, all at once, followed by recalculation of cluster centroids. This phase occasionally does not converge to solution that is a local minimum, that is, a partition of the data where moving any single point to a different cluster increases the total sum of distances. This is more likely for small data sets. The batch phase is fast, but potentially only approximates a solution as a starting point for the second phase.

- 2** The second phase uses *online updates*, where points are individually reassigned if doing so will reduce the sum of distances, and cluster centroids are recomputed after each reassignment. Each iteration during the second phase consists of one pass through all the points. The second phase will converge to a local minimum, although there may be other local minima with lower total sum of distances. The problem of finding the global minimum can only be solved in general by an exhaustive (or clever, or lucky) choice of starting points, but using several replicates with random starting points typically results in a solution that is a global minimum.

References

- [1] Seber, G. A. F., *Multivariate Observations*, Wiley, New York, 1984.
- [2] Spath, H., *Cluster Dissection and Analysis: Theory, FORTRAN Programs, Examples*, translated by J. Goldschmidt, Halsted Press, New York, 1985.

Example

The following creates two clusters from separated random data:

```
X = [randn(100,2)+ones(100,2);...
      randn(100,2)-ones(100,2)];
opts = statset('Display','final');


[idx,ctrs] = kmeans(X,2,...
                   'Distance','city',...
                   'Replicates',5,...
                   'Options',opts);

5 iterations, total sum of distances = 284.671
4 iterations, total sum of distances = 284.671
4 iterations, total sum of distances = 284.671
3 iterations, total sum of distances = 284.671
3 iterations, total sum of distances = 284.671

plot(X(idx==1,1),X(idx==1,2),'r.','MarkerSize',12)
hold on
plot(X(idx==2,1),X(idx==2,2),'b.','MarkerSize',12)
plot(ctrs(:,1),ctrs(:,2),'kx',...
```

kmeans

```
    'MarkerSize',12,'LineWidth',2)  
plot(ctrs(:,1),ctrs(:,2),'ko',...  
     'MarkerSize',12,'LineWidth',2)  
legend('Cluster 1','Cluster 2','Centroids',...  
       'Location','NW')
```



See Also

[linkage](#), [clusterdata](#), [silhouette](#)

Purpose Kruskal-Wallis test

Syntax

```
p = kruskalwallis(X)
p = kruskalwallis(X,group)
p = kruskalwallis(X,group,displayopt)
[p,table] = kruskalwallis(...)
[p,table,stats] = kruskalwallis(...)
```

Description `p = kruskalwallis(X)` performs a Kruskal-Wallis test to compare samples from two or more groups. Each column of the m -by- n matrix X represents an independent sample containing m mutually independent observations. The function compares the medians of the samples in X , and returns the p -value for the null hypothesis that all samples are drawn from the same population (or equivalently, from different populations with the same distribution). Note that the Kruskal-Wallis test is a nonparametric version of the classical one-way ANOVA, and an extension of the Wilcoxon rank sum test to more than two groups.

If the p -value is near zero, this casts doubt on the null hypothesis and suggests that at least one sample median is significantly different from the others. The choice of a critical p -value to determine whether the result is judged statistically significant is left to the researcher. It is common to declare a result significant if the p -value is less than 0.05 or 0.01.

The `kruskalwallis` function displays two figures. The first figure is a standard ANOVA table, calculated using the ranks of the data rather than their numeric values. Ranks are found by ordering the data from smallest to largest across all groups, and taking the numeric index of this ordering. The rank for a tied observation is equal to the average rank of all observations tied with it. For example, the following table shows the ranks for a small sample.

X value	1.4	2.7	1.6	1.6	3.3	0.9	1.1
Rank	3	6	4.5	4.5	7	1	2

kruskalwallis

The entries in the ANOVA table are the usual sums of squares, degrees of freedom, and other quantities calculated on the ranks. The usual F statistic is replaced by a chi-square statistic. The p -value measures the significance of the chi-square statistic.

The second figure displays box plots of each column of X (not the ranks of X).

`p = kruskalwallis(X,group)` uses the values in `group` (a character array or cell array) as labels for the box plot of the samples in X , when X is a matrix. Each row of `group` contains the label for the data in the corresponding column of X , so `group` must have length equal to the number of columns in X . (See “Grouped Data” on page 2-33.)

When X is a vector, `kruskalwallis` performs a Kruskal-Wallis test on the samples contained in X , as indexed by input `group` (a categorical variable, vector, character array, or cell array). Each element in `group` identifies the group (i.e., sample) to which the corresponding element in vector X belongs, so `group` must have the same length as X . The labels contained in `group` are also used to annotate the box plot.

It is not necessary to label samples sequentially (1, 2, 3, ...). For example, if X contains measurements taken at three different temperatures, -27° , 65° , and 110° , you could use these numbers as the sample labels in `group`. If a row of `group` contains an empty cell or empty string, that row and the corresponding observation in X are disregarded. NaNs in either input are similarly ignored.

`p = kruskalwallis(X,group,displayopt)` enables the table and box plot displays when `displayopt` is 'on' (default) and suppresses the displays when `displayopt` is 'off'.

`[p,table] = kruskalwallis(...)` returns the ANOVA table (including column and row labels) in cell array `table`.

`[p,table,stats] = kruskalwallis(...)` returns a `stats` structure that you can use to perform a follow-up multiple comparison test. The `kruskalwallis` test evaluates the hypothesis that all samples come from populations that have the same median, against the alternative that the medians are not all the same. Sometimes it is preferable to

perform a test to determine which pairs are significantly different, and which are not. You can use the `multcompare` function to perform such tests by supplying the `stats` structure as input.

Assumptions

The Kruskal-Wallis test makes the following assumptions about the data in `X`:

- All samples come from populations having the same continuous distribution, apart from possibly different locations due to group effects.
- All observations are mutually independent.

The classical one-way ANOVA test replaces the first assumption with the stronger assumption that the populations have normal distributions.

Example

This example compares the material strength study used with the `anova1` function, to see if the nonparametric Kruskal-Wallis procedure leads to the same conclusion. The example studies the strength of beams made from three alloys:

```
strength = [82 86 79 83 84 85 86 87 74 82 ...
            78 75 76 77 79 79 77 78 82 79];

alloy = {'st', 'st', 'st', 'st', 'st', 'st', 'st', 'st', ...
         'al1', 'al1', 'al1', 'al1', 'al1', 'al1', ...
         'al2', 'al2', 'al2', 'al2', 'al2', 'al2'};
```

This example uses both classical and Kruskal-Wallis ANOVA, omitting displays:

```
anova1(strength,alloy,'off')
ans =
    1.5264e-004

kruskalwallis(strength,alloy,'off')
ans =
```

kruskalwallis

0.0018

Both tests find that the three alloys are significantly different, though the result is less significant according to the Kruskal-Wallis test. It is typical that when a data set has a reasonable fit to the normal distribution, the classical ANOVA test is more sensitive to differences between groups.

To understand when a nonparametric test may be more appropriate, let's see how the tests behave when the distribution is not normal. You can simulate this by replacing one of the values by an extreme value (an outlier).

```
strength(20)=120;
anova1(strength,alloy,'off')
ans =
    0.2501

kruskalwallis(strength,alloy,'off')
ans =
    0.0060
```

Now the classical ANOVA test does not find a significant difference, but the nonparametric procedure does. This illustrates one of the properties of nonparametric procedures - they are often not severely affected by changes in a small portion of the data.

Reference

[1] Gibbons, J. D., *Nonparametric Statistical Inference*, 2nd edition, M. Dekker, 1985.

[2] Hollander, M., and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1973.

See Also

`anova1`, `boxplot`, `friedman`, `multcompare`, `ranksum`

Purpose

Kernel smoothing density estimate

Syntax

```
[f,xi] = ksdensity(x)
f = ksdensity(x,xi)
ksdensity(...)
ksdensity(ax,...)
[f,xi,u] = ksdensity(...)
[...] = ksdensity(...,param1,va11,param2,va12,...)
```

Description

`[f,xi] = ksdensity(x)` computes a probability density estimate of the sample in the vector `x`. `f` is the vector of density values evaluated at the points in `xi`. The estimate is based on a normal kernel function, using a window parameter ('width') that is a function of the number of points in `x`. The density is evaluated at 100 equally spaced points that cover the range of the data in `x`.

`f = ksdensity(x,xi)` specifies the vector `xi` of values, where the density estimate is to be evaluated.

`ksdensity(...)` without output arguments produces a plot of the results.

`ksdensity(ax,...)` plots into axes `ax` instead of `gca`.

`[f,xi,u] = ksdensity(...)` also returns the width of the kernel-smoothing window.

`[...] = ksdensity(...,param1,va11,param2,va12,...)` specifies parameter/value pairs to control the density estimation. Valid parameter strings and their possible values are as follows:

'censoring'	A logical vector of the same length as x, indicating which entries are censoring times. Default is no censoring.
'kernel'	<p>The type of kernel smoother to use. Choose the value as 'normal' (default), 'box', 'triangle', or 'epanechnikov'.</p> <p>Alternatively, you can specify some other function, as a function handle or as a string, e.g., @normpdf or 'normpdf'. The function must take a single argument that is an array of distances between data values and places where the density is evaluated. It must return an array of the same size containing corresponding values of the kernel function.</p>
'npoints'	The number of equally spaced points in xi. Default is 100.
'support'	<ul style="list-style-type: none">• 'unbounded' allows the density to extend over the whole real line (default).• 'positive' restricts the density to positive values.• A two-element vector gives finite lower and upper bounds for the support of the density.
'weights'	Vector of the same length as x, assigning weight to each x value.
'width'	The bandwidth of the kernel-smoothing window. The default is optimal for estimating normal densities, but you may want to choose a smaller value to reveal features such as multiple modes.
'function'	The function type to estimate, chosen from among 'pdf', 'cdf', 'icdf', 'survivor', or 'cumhazard' for the density, cumulative probability, inverse cumulative probability, survivor, or cumulative hazard functions, respectively.

In place of the kernel functions listed above, you can specify another kernel function by using @ (such as @normpdf) or quotes (such as 'normpdf'). The function must take a single argument that is an array of distances between data values and places where the density is evaluated, and return an array of the same size containing corresponding values of the kernel function. When the 'function' parameter value is 'pdf', this kernel function should return density values; otherwise, it should return cumulative probability values. Specifying a custom kernel when the 'function' parameter value is 'icdf' is an error.


If the 'support' parameter is 'positive', ksdensity transforms x using a log function, estimates the density of the transformed values, and transforms back to the original scale. If 'support' is a vector [L U], ksdensity uses the transformation $\log((X-L)/(U-X))$. The 'width' parameter and u outputs are on the scale of the transformed values.

Examples

This example generates a mixture of two normal distributions and plots the estimated density.

```
x = [randn(30,1); 5+randn(30,1)];  
[f,xi] = ksdensity(x);  
plot(xi,f);
```

ksdensity



References

[1] Bowman, A. W., and A. Azzalini, *Applied Smoothing Techniques for Data Analysis*, Oxford University Press, 1997.

See Also

hist, @ (function handle)

Purpose One-sample Kolmogorov-Smirnov test

Syntax

```
h = kstest(x)
h = kstest(x,CDF)
h = kstest(x,CDF,alpha)
h = kstest(x,CDF,alpha,tail)
[h,p,ksstat,cv] = kstest(...)
```

Description `h = kstest(x)` performs a Kolmogorov-Smirnov test to compare the values in the data vector `x` to a standard normal distribution. The null hypothesis is that `x` has a standard normal distribution. The alternative hypothesis is that `x` does not have that distribution. The result `h` is 1 if the test rejects the null hypothesis at the 5% significance level, 0 otherwise.

The test statistic is:

$$\max(|F(x) - G(x)|)$$

where $F(x)$ is the empirical cdf and $G(x)$ is the standard normal cdf.

`h = kstest(x,CDF)` compares the distribution of `x` to the hypothesized continuous distribution defined by the two-column matrix `CDF`. Column 1 contains a set of possible `x` values, and column 2 contains the corresponding hypothesized cumulative distribution function values $G(x)$. If possible, define `CDF` so that column 1 contains the values in `x`. If there are values in `x` not found in column 1 of `CDF`, `kstest` approximates $G(x)$ by interpolation. All values in `x` must lie in the interval between the smallest and largest values in the first column of `CDF`. If the second argument is empty (`[]`), `kstest` uses the standard normal distribution.

The Kolmogorov-Smirnov test requires that `CDF` be predetermined. It is not accurate if `CDF` is estimated from the data. To test `x` against a normal distribution without specifying the parameters, use `lillietest` instead.

`h = kstest(x,CDF,alpha)` specifies the significance level `alpha` for the test. The default is 0.05.

kstest

`h = kstest(x,CDF,alpha,tail)` specifies the type of test using one of the following values for the string *tail*:

- 'unequal' — Tests the alternative hypothesis that the population cdf is unequal to the specified CDF. This is the default.
- 'larger' — Tests the alternative hypothesis that the population cdf is larger than the specified CDF. The test statistic does not use the absolute value.
- 'smaller' — Tests the alternative hypothesis that the population cdf is smaller than the specified CDF. The test statistic does not use the absolute value.

`[h,p,ksstat,cv] = kstest(...)` also returns the *p*-value *p*, the test statistic *ksstat*, and the cutoff value *cv* for determining if *ksstat* is significant.

Example

Generate evenly spaced numbers and perform a Kolmogorov-Smirnov test to see if they come from a standard normal distribution:

```
x = -2:1:4
x =
    -2    -1     0     1     2     3     4


[h,p,k,c] = kstest(x,[],0.05,0)
h =
     0
p =
    0.13632
k =
    0.41277
c =
    0.48342
```

The test fails to reject the null hypothesis that the values come from a standard normal distribution. This illustrates the difficulty of testing

normality in small samples. (The Lilliefors test, implemented by the Statistics Toolbox™ function `lillietest`, may be more appropriate.)

The following figure illustrates the test statistic:

```
xx = -3:.1:5;  
F = cdfplot(x);  
hold on  
G = plot(xx,normcdf(xx),'r-');  
set(F,'LineWidth',2)  
set(G,'LineWidth',2)  
legend([F G],...  
      'Empirical','Standard Normal',...  
      'Location','NW')
```



The test statistic k is the maximum difference between the curves.

Setting *tail* to 'smaller' tests the alternative that the population cdf is smaller than the normal cdf:

```
[h,p,ksstat] = kstest(x,[],0.05,'smaller')
h =
    0
p =
    0.068181
k =
    0.41277
```

The test statistic is the same as before, but the p -value is smaller.

Setting *tail* to 'larger' changes the test statistic:

```
[h,p,k] = kstest(x,[],0.05,'larger')
h =
    0
p =
    0.77533
k =
    0.12706
```

References

- [1] Massey, F. J., "The Kolmogorov-Smirnov Test for Goodness of Fit," *Journal of the American Statistical Association*, Vol. 46, No. 253, pp. 68–78, 1951.
- [2] Miller, L. H., "Table of Percentage Points of Kolmogorov Statistics," *Journal of the American Statistical Association*, Vol. 51, No. 273, pp. 111–121, 1956.
- [3] Marsaglia, G., W. Tsang, and J. Wang "Evaluating Kolmogorov's Distribution," *Journal of Statistical Software*, Vol. 8, issue 18, 2003.

See Also

`kstest2`, `lillietest`

Purpose Two-sample Kolmogorov-Smirnov test

Syntax

```
h = kstest2(x1,x2)
h = kstest2(x1,x2,alpha,tail)
[h,p] = kstest2(...)
[h,p,ks2stat] = kstest2(...)
```

Description `h = kstest2(x1,x2)` performs a two-sample Kolmogorov-Smirnov test to compare the distributions of the values in the two data vectors `x1` and `x2`. The null hypothesis is that `x1` and `x2` are from the same continuous distribution. The alternative hypothesis is that they are from different continuous distributions. The result `h` is 1 if the test rejects the null hypothesis at the 5% significance level; 0 otherwise.

The test statistic is:

$$\max(|F1(x) - F2(x)|)$$

where $F1(x)$ is the proportion of `x1` values less than or equal to x and $F2(x)$ is the proportion of `x2` values less than or equal to x .

`h = kstest2(x1,x2,alpha)` specifies the significance level `alpha` for the test. The default is 0.05.

`h = kstest2(x1,x2,alpha,tail)` specifies the type of test using one of the following values for the string `tail`:

- 'unequal' — Tests the alternative hypothesis that the population cdfs are unequal. This is the default.
- 'larger' — Tests the alternative hypothesis that the first population cdf is larger than the second population cdf. The test statistic does not use the absolute value.
- 'smaller' — Tests the alternative hypothesis that the first population cdf is smaller than the second population cdf. The test statistic does not use the absolute value.

`[h,p] = kstest2(...)` also returns the asymptotic p -value `p`. The asymptotic p -value becomes very accurate for large sample sizes, and

kstest2

is believed to be reasonably accurate for sample sizes n_1 and n_2 such that $(n_1*n_2)/(n_1 + n_2) \geq 4$.

`[h,p,ks2stat] = kstest2(...)` also returns the p -value p and the test statistic $ks2stat$.


Example

The following test compares the distributions of a small evenly-spaced sample and a larger normal sample:

```
x = -1:1:5
y = randn(20,1);
[h,p,k] = kstest2(x,y)
h =
    0
p =
    0.0774
k =
    0.5214
```

The following figure illustrates the test statistic:

```
F1 = cdfplot(x);
hold on
F2 = cdfplot(y)
set(F1,'LineWidth',2,'Color','r')
set(F2,'LineWidth',2)
legend([F1 F2], 'F1(x)', 'F2(x)', 'Location', 'NW')
```



The test statistic k is the maximum difference between the curves.

References

- [1] Massey, F. J., "The Kolmogorov-Smirnov Test for Goodness of Fit," *Journal of the American Statistical Association*, Vol. 46, No. 253, pp. 68–78, 1951.
- [2] Miller, L. H., "Table of Percentage Points of Kolmogorov Statistics," *Journal of the American Statistical Association*, Vol. 51, No. 273, pp. 111–121, 1956.
- [3] Marsaglia, G., W. Tsang, and J. Wang, "Evaluating Kolmogorov's Distribution," *Journal of Statistical Software*, Vol. 8, issue 18, 2003.

kstest2

[4] Stephens, M.A., "Use of the Kolmogorov-Smirnov, Cramer-Von Mises and Related Statistics Without Extensive Tables," *Journal of the Royal Statistical Society, Series B*, Vol. 32, No. 1, pp. 115–122, 1970.

See Also

kstest, lillietest

Purpose

Kurtosis

Syntax

```
k = kurtosis(X)
k = kurtosis(X,flag)
k = kurtosis(X,flag,dim)
```

Description

`k = kurtosis(X)` returns the sample kurtosis of X . For vectors, `kurtosis(x)` is the kurtosis of the elements in the vector x . For matrices `kurtosis(X)` returns the sample kurtosis for each column of X . For N -dimensional arrays, `kurtosis` operates along the first nonsingleton dimension of X .

`k = kurtosis(X,flag)` specifies whether to correct for bias (`flag` is 0) or not (`flag` is 1, the default). When X represents a sample from a population, the kurtosis of X is biased, that is, it will tend to differ from the population kurtosis by a systematic amount that depends on the size of the sample. You can set `flag` to 0 to correct for this systematic bias.

`k = kurtosis(X,flag,dim)` takes the kurtosis along dimension `dim` of X .

`kurtosis` treats NaNs as missing values and removes them.

Remarks

Kurtosis is a measure of how outlier-prone a distribution is. The kurtosis of the normal distribution is 3. Distributions that are more outlier-prone than the normal distribution have kurtosis greater than 3; distributions that are less outlier-prone have kurtosis less than 3.

The kurtosis of a distribution is defined as

$$k = \frac{E(x - \mu)^4}{\sigma^4}$$

where μ is the mean of x , σ is the standard deviation of x , and $E(t)$ represents the expected value of the quantity t .

kurtosis

Note Some definitions of kurtosis subtract 3 from the computed value, so that the normal distribution has kurtosis of 0. The kurtosis function does not use this convention.

Example

```
X = randn([5 4])
X =
    1.1650    1.6961   -1.4462   -0.3600
    0.6268    0.0591   -0.7012   -0.1356
    0.0751    1.7971    1.2460   -1.3493
    0.3516    0.2641   -0.6390   -1.2704
   -0.6965    0.8717    0.5774    0.9846

k = kurtosis(X)
k =
    2.1658    1.2967    1.6378    1.9589
```

See Also

mean, moment, skewness, std, var

Purpose Element counts by level

Class @categorical

Syntax C = levelcounts(A)
C = levelcounts(A,dim)

Description C = levelcounts(A) for a categorical vector A counts the number of elements in A equal to each of the possible levels in A. The output is a vector C containing those counts, and has as many elements as A has levels. For matrix A, C is a matrix of column counts. For *N*-dimensional arrays, levelcounts operates along the first nonsingleton dimension.

C = levelcounts(A,dim) operates along the dimension dim.

Example Count the number of patients in each age group in the data in hospital.mat:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
disp(labels')
'0s' '10s' '20s' '30s' '40s' '50s' '60s' '70s' '80s' '90s'

AgeGroup = ordinal(hospital.Age, labels, [], edges);
I = islevel(labels, AgeGroup);
disp(I')
1 1 1 1 1 1 1 1 1 1
c = levelcounts(AgeGroup);
disp(c')
0 0 15 41 42 2 0 0 0 0

AgeGroup = droplevels(AgeGroup);
I = islevel(labels, AgeGroup);
disp(I')
0 0 1 1 1 1 0 0 0 0
c = levelcounts(AgeGroup);
```

levelcounts

```
disp(c')  
15 41 42 2
```

See Also `islevel`, `ismember`, `summary`

Purpose	Leverage
Syntax	<pre>h = leverage(data) h = leverage(data,model)</pre>
Description	<p><code>h = leverage(data)</code> finds the leverage of each row (point) in the matrix <code>data</code> for a linear additive regression model.</p> <p><code>h = leverage(data,model)</code> finds the leverage on a regression, using a specified model type, where <code>model</code> can be one of these strings:</p> <ul style="list-style-type: none">• 'linear' - includes constant and linear terms• 'interaction' - includes constant, linear, and cross product terms• 'quadratic' - includes interactions and squared terms• 'purequadratic' - includes constant, linear, and squared terms <p>Leverage is a measure of the influence of a given observation on a regression due to its location in the space of the inputs.</p>
Algorithm	<pre>[Q,R] = qr(x2fx(data,'model')); leverage = (sum(Q' .* Q'))'</pre>
Example	<p>One rule of thumb is to compare the leverage to $2p/n$ where n is the number of observations and p is the number of parameters in the model. For the Hald data set this value is 0.7692.</p> <pre>load hald h = max(leverage(ingredients,'linear')) h = 0.7004</pre> <p>Since $0.7004 < 0.7692$, there are no high leverage points using this rule.</p>
Reference	[1] Goodall, C. R., "Computation Using the QR Decomposition," <i>Handbook in Statistics</i> , Volume 9. Elsevier/North-Holland, 1993.

leverage

See Also

regstats

Purpose Latin hypercube sample

Syntax

```
X = lhsdesign(n,p)
X = lhsdesign(...,'smooth','off')
X = lhsdesign(...,'criterion',criterion)
X = lhsdesign(...,'iterations',k)
```

Description `X = lhsdesign(n,p)` generates a latin hypercube sample `X` containing `n` values on each of `p` variables. For each column, the `n` values are randomly distributed with one from each interval $(0, 1/n)$, $(1/n, 2/n)$, ..., $(1-1/n, 1)$, and they are randomly permuted.

`X = lhsdesign(...,'smooth','off')` produces points at the midpoints of the above intervals: $0.5/n$, $1.5/n$, ..., $1-0.5/n$. The default is 'on'.

`X = lhsdesign(...,'criterion',criterion)` iteratively generates latin hypercube samples to find the best one according to the criterion *criterion*, which can be one of the following strings:

'none'	No iteration
'maximin'	Maximize minimum distance between points
'correlation'	Reduce correlation

`X = lhsdesign(...,'iterations',k)` iterates up to `k` times in an attempt to improve the design according to the specified criterion. The default is `k = 5`.

See Also haltonset, sobolset, lhsnorm, unifrnd

lhsnorm

Purpose Latin hypercube sample from normal distribution

Syntax
`X = lhsnorm(mu,sigma,n)`
`X = lhsnorm(mu,sigma,n,flag)`
`[X,Z] = lhsnorm(...)`

Description `X = lhsnorm(mu,sigma,n)` generates a latin hypercube sample X of size n from the multivariate normal distribution with mean vector μ and covariance matrix σ . X is similar to a random sample from the multivariate normal distribution, but the marginal distribution of each column is adjusted so that its sample marginal distribution is close to its theoretical normal distribution.

`X = lhsnorm(mu,sigma,n,flag)` controls the amount of smoothing in the sample. If `flag` is 'off', each column has points equally spaced on the probability scale. In other words, each column is a permutation of the values $G(0.5/n)$, $G(1.5/n)$, ..., $G(1-0.5/n)$ where G is the inverse normal cumulative distribution for that column's marginal distribution. If `flag` is 'on' (the default), each column has points uniformly distributed on the probability scale. For example, in place of $0.5/n$ you use a value having a uniform distribution on the interval $(0/n, 1/n)$.

`[X,Z] = lhsnorm(...)` also returns Z , the original multivariate normal sample before the marginals are adjusted to obtain X .

Reference [1] Stein, M., Large sample properties of simulations using latin hypercube sampling, *Technometrics*, Vol. 29, No. 2, 1987, pp. 143-151. Correction, Vol. 32, p. 367.

See Also lhsdesign, mvnrnd

Purpose

Lilliefors test

Syntax

```

h = lillietest(x)
h = lillietest(x,alpha)
h = lillietest(x,alpha,distr)
[h,p] = lillietest(...)
[h,p,kstat] = lillietest(...)
[h,p,kstat,critval] = lillietest(...)
[h,p,...] = lillietest(x,alpha,distr,mctol)

```

Description

`h = lillietest(x)` performs a Lilliefors test of the default null hypothesis that the sample in vector `x` comes from a distribution in the normal family, against the alternative that it does not come from a normal distribution. The test returns the logical value `h = 1` if it rejects the null hypothesis at the 5% significance level, and `h = 0` if it cannot. The test treats NaN values in `x` as missing values, and ignores them.

The Lilliefors test is a 2-sided goodness-of-fit test suitable when a fully-specified null distribution is unknown and its parameters must be estimated. This is in contrast to the one-sample Kolmogorov-Smirnov test (see `kstest`), which requires that the null distribution be completely specified. The Lilliefors test statistic is the same as for the Kolmogorov-Smirnov test:

$$KS = \max_x |SCDF(x) - CDF(x)|$$

where *SCDF* is the empirical cdf estimated from the sample and *CDF* is the normal cdf with mean and standard deviation equal to the mean and standard deviation of the sample.

`lillietest` uses a table of critical values computed using Monte-Carlo simulation for sample sizes less than 1000 and significance levels between 0.001 and 0.50. The table is larger and more accurate than the table introduced by Lilliefors. Critical values for a test are computed by interpolating into the table, using an analytic approximation when extrapolating for larger sample sizes.

lillietest

`h = lillietest(x,alpha)` performs the test at significance level α . α is a scalar in the range [0.001, 0.50]. To perform the test at a significance level outside of this range, use the `mctol` input argument.

`h = lillietest(x,alpha,distr)` performs the test of the null hypothesis that x came from the location-scale family of distributions specified by `distr`. Acceptable values for `distr` are 'norm' (normal, the default), 'exp' (exponential), and 'ev' (extreme value). The Lilliefors test can not be used when the null hypothesis is not a location-scale family of distributions.

`[h,p] = lillietest(...)` returns the p -value p , computed using inverse interpolation into the table of critical values. Small values of p cast doubt on the validity of the null hypothesis. `lillietest` warns when p is not found within the tabulated range of [0.001, 0.50], and returns either the smallest or largest tabulated value. In this case, you can use the `mctol` input argument to compute a more accurate p -value.

`[h,p,kstat] = lillietest(...)` returns the test statistic `kstat`.

`[h,p,kstat,critval] = lillietest(...)` returns the critical value `critval` for the test. When $kstat > critval$, the null hypothesis is rejected at significance level α

`[h,p,...] = lillietest(x,alpha,distr,mctol)` computes a Monte-Carlo approximation for p directly, rather than interpolating into the table of pre-computed values. This is useful when α or p lie outside the range of the table. `lillietest` chooses the number of Monte Carlo replications, `mcreps`, large enough to make the Monte Carlo standard error for p , $\sqrt{p*(1-p)/mcreps}$, less than `mctol`.

Example

Use `lillietest` to determine if car mileage, in miles per gallon (MPG), follows a normal distribution across different makes of cars:

```
[h,p] = lillietest(MPG)
Warning: P is less than the smallest tabulated value, returning 0.001.
h =
     1
p =
```

```
1.0000e-003
```

This is clear evidence for rejecting the null hypothesis of normality, but the p -value returned is just the smallest value in the table of pre-computed values. To find a more accurate p -value for the test, run a Monte Carlo approximation using the `mctol` input argument:

```
[h,p] = lillietest(MPG,0.05,'norm',1e-4)
h =
     1
p =
 8.3333e-006
```

References

- [1] Conover, W.J., *Practical Nonparametric Statistics*, Wiley, 1980.
- [2] Lilliefors, H.W., “On the Komogorov-Smirnov test for normality with mean and variance unknown,” *Journal of the American Statistical Association*, vol. 62, 1967, pp. 399-402.
- [3] Lilliefors, H.W., “On the Kolmogorov-Smirnov test for the exponential distribution with mean unknown,” *Journal of the American Statistical Association*, vol. 64, 1969, pp. 387-389.

See Also

`jbtest`, `kstest`, `kstest2`, `cdfplot`

linhpytest

Purpose Linear hypothesis test

Syntax `p = linhpytest(beta,COVB,c,H,dfe)`
`[p,t,r] = linhpytest(...)`

Description `p = linhpytest(beta,COVB,c,H,dfe)` returns the p -value p of a hypothesis test on a vector of parameters. `beta` is a vector of k parameter estimates. `COVB` is the k -by- k estimated covariance matrix of the parameter estimates. `c` and `H` specify the null hypothesis in the form $H*b = c$, where `b` is the vector of unknown parameters estimated by `beta`. `dfe` is the degrees of freedom for the `COVB` estimate, or `Inf` if `COVB` is known rather than estimated.

`beta` is required. The remaining arguments have default values:

- `COVB = eye(k)`
- `c = zeros(k,1)`
- `H = eye(K)`
- `dfe = Inf`

If `H` is omitted, `c` must have k elements and it specifies the null hypothesis values for the entire parameter vector.

Note The following functions return outputs suitable for use as the `COVB` input argument to `linhpytest`: `nlinfit`, `coxphfit`, `glmfit`, `mnrfit`, `regstats`, `robustfit`. `nlinfit` returns `COVB` directly; the other functions return `COVB` in `stats.covb`.

`[p,t,r] = linhpytest(...)` also returns the test statistic `t` and the rank `r` of the hypothesis matrix `H`. If `dfe` is `Inf` or is not given, `t` is a chi-square statistic with `r` degrees of freedom. If `dfe` is specified as a finite value, `t` is an F statistic with `r` and `dfe` degrees of freedom.

linhpytest performs a test based on an asymptotic normal distribution for the parameter estimates. It can be used after any estimation procedure for which the parameter covariances are available, such as regstats or glmfit. For linear regression, the p -values are exact. For other procedures, the p -values are approximate, and may be less accurate than other procedures such as those based on a likelihood ratio.

Example

Fit a multiple linear model to the data in hald.mat:

```
load hald
stats = regstats(heat,ingredients,'linear');
beta = stats.beta
beta =
    62.4054
     1.5511
     0.5102
     0.1019
    -0.1441
```

Perform an F -test that the last two coefficients are both 0:

```
SIGMA = stats.covb;
dfe = stats.fstat.dfe;
H = [0 0 0 1 0;0 0 0 0 1];
c = [0;0];
[p,F] = linhpytest(beta,SIGMA,c,H,dfe)
p =
    0.4668
F =
    0.8391
```

See Also

regstats, glmfit, robustfit, mnrfity, nlinfity, coxphfity

linkage

Purpose Create hierarchical cluster tree

Syntax

```
Z = linkage(y)
Z = linkage(y,method)
Z = linkage(X,method,metric)
Z = linkage(X,method,inputs)
```

Description `Z = linkage(y)` creates a hierarchical cluster tree from the distances in `y`. `y` is a Euclidean distance matrix or a more general dissimilarity matrix, formatted as a vector, as returned by `pdist`.

`Z` is a $(m-1)$ -by-3 matrix, where m is the number of observations in the original data. Columns 1 and 2 of `Z` contain cluster indices linked in pairs to form a binary tree. The leaf nodes are numbered from 1 to m . Leaf nodes are the singleton clusters from which all higher clusters are built. Each newly-formed cluster, corresponding to row `Z(I, :)`, is assigned the index $m+I$. `Z(I, 1:2)` contains the indices of the two component clusters that form cluster $m+I$. There are $m-1$ higher clusters which correspond to the interior nodes of the clustering tree. `Z(I, 3)` contains the linkage distances between the two clusters merged in row `Z(I, :)`.

For example, suppose there are 30 initial nodes and at step 12 cluster 5 and cluster 7 are combined. Suppose their distance at that time is 1.5. Then `Z(12, :)` will be `[5, 7, 1.5]`. The newly formed cluster will have index $12 + 30 = 42$. If cluster 42 appears in a later row, it means the cluster created at step 12 is being combined into some larger cluster.

`Z = linkage(y,method)` creates the tree using the specified *method*. Methods differ from one another in how they measure the distance between clusters. Available methods are listed in the following table.

Method	Description
'average'	Unweighted average distance (UPGMA).
'centroid'	Centroid distance (UPGMC). <code>Y</code> must contain Euclidean distances.

Method	Description
'complete'	Furthest distance.
'median'	Weighted center of mass distance (WPGMC). Y must contain Euclidean distances.
'single'	Shortest distance. This is the default.
'ward'	Inner squared distance (minimum variance algorithm). Y must contain Euclidean distances.
'weighted'	Weighted average distance (WPGMA).

Note The 'centroid' and 'median' methods can produce a cluster tree that is not monotonic. This occurs when the distance from the union of two clusters, r and s , to a third cluster is less than the distance from either r or s to that third cluster. In this case, sections of the dendrogram change direction. This is an indication that you should use another method.

$Z = \text{linkage}(X, \text{method}, \text{metric})$ creates a hierarchical cluster tree from the observations in X . Rows in X correspond to observations and columns to variables. Pairwise distances are computed internally by calling `pdist`. metric is one of the distance metrics accepted by `pdist`.

$Z = \text{linkage}(X, \text{method}, \text{inputs})$ allows you to pass extra input arguments to `pdist`. `inputs` is a cell array containing input arguments.

Linkages

The following notation is used to describe the linkages used by the various methods:

- Cluster r is formed from clusters p and q .
- n_r is the number of objects in cluster r .
- x_{ri} is the i th object in cluster r .

linkage

- *Single linkage*, also called *nearest neighbor*, uses the smallest distance between objects in the two clusters:

$$d(r, s) = \min(\text{dist}(x_{ri}, x_{sj})), i \in (1, \dots, n_r), j \in (1, \dots, n_s)$$

- *Complete linkage*, also called *furthest neighbor*, uses the largest distance between objects in the two clusters:

$$d(r, s) = \max(\text{dist}(x_{ri}, x_{sj})), i \in (1, \dots, n_r), j \in (1, \dots, n_s)$$

- *Average linkage* uses the average distance between all pairs of objects in any two clusters:

$$d(r, s) = \frac{1}{n_r n_s} \sum_{i=1}^{n_r} \sum_{j=1}^{n_s} \text{dist}(x_{ri}, x_{sj})$$

- *Centroid linkage* uses the Euclidean distance between the centroids of the two clusters:

$$d(r, s) = \|\bar{x}_r - \bar{x}_s\|_2$$

where

$$\bar{x}_r = \frac{1}{n_r} \sum_{i=1}^{n_r} x_{ri}$$

- *Median linkage* uses the Euclidean distance between weighted centroids of the two clusters,

$$d(r, s) = \|\tilde{x}_r - \tilde{x}_s\|_2$$

where \tilde{x}_r and \tilde{x}_s are weighted centroids for the clusters r and s . If cluster r was created by combining clusters p and q , \tilde{x}_r is defined recursively as

$$\tilde{x}_r = \frac{1}{2}(\tilde{x}_p + \tilde{x}_q)$$

- *Ward's linkage* uses the incremental sum of squares; that is, the increase in the total within-cluster sum of squares as a result of joining two clusters. The within-cluster sum of squares is defined as the sum of the squares of the distances between all objects in the cluster and the centroid of the cluster. The equivalent distance is:

$$d^2(r, s) = n_r n_s \frac{\|\bar{x}_r - \bar{x}_s\|_2^2}{(n_r + n_s)}$$

where $\|\cdot\|_2$ is Euclidean distance, and \bar{x}_r and \bar{x}_s are the centroids of clusters r and s , as defined in the centroid linkage.

Example

```
X = [3 1.7; 1 1; 2 3; 2 2.5; 1.2 1; 1.1 1.5; 3 1];
Y = pdist(X);
Z = linkage(Y)
Z =
    2.0000    5.0000    0.2000
    3.0000    4.0000    0.5000
    8.0000    6.0000    0.5099
    1.0000    7.0000    0.7000
   11.0000    9.0000    1.2806
   12.0000   10.0000    1.3454
```

See Also

cluster, clusterdata, cophenet, dendrogram, inconsistent, kmeans, pdist, silhouette, squareform

logncdf

Purpose Lognormal cumulative distribution function

Syntax
`P = logncdf(X,mu,sigma)`
`[P,PLO,PUP] = logncdf(X,mu,sigma,pcov,alpha)`

Description `P = logncdf(X,mu,sigma)` returns values at X of the lognormal cdf with distribution parameters mu and sigma. mu and sigma are the mean and standard deviation, respectively, of the associated normal distribution. X, mu, and sigma can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for X, mu, or sigma is expanded to a constant array with the same dimensions as the other inputs.

`[P,PLO,PUP] = logncdf(X,mu,sigma,pcov,alpha)` returns confidence bounds for P when the input parameters mu and sigma are estimates. pcov is the covariance matrix of the estimated parameters. alpha specifies 100(1 - alpha)% confidence bounds. The default value of alpha is 0.05. PLO and PUP are arrays of the same size as P containing the lower and upper confidence bounds.

logncdf computes confidence bounds for P using a normal approximation to the distribution of the estimate

$$\frac{X - \hat{\mu}}{\hat{\sigma}}$$


and then transforming those bounds to the scale of the output P. The computed bounds give approximately the desired confidence level when you estimate mu, sigma, and pcov from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The lognormal cdf is

$$p = F(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \int_0^x e^{-\frac{(\ln(t)-\mu)^2}{2\sigma^2}} \frac{1}{t} dt$$

Example

```
x = (0:0.2:10);  
y = logncdf(x,0,1);  
plot(x,y); grid;  
xlabel('x'); ylabel('p');
```

**Reference**

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, 2nd Edition, John Wiley and Sons, 1993, p. 102-105.

See Also

cdf, lognpdf, logninv, lognstat, lognfit, lognlike, lognrnd

lognfit

Purpose

Lognormal parameter estimates

Syntax

```
parmhat = lognfit(data)
[parmhat,parmci] = lognfit(data)
[parmhat,parmci] = lognfit(data,alpha)
[...] = lognfit(data,alpha,censoring)
[...] = lognfit(data,alpha,censoring,freq)
[...] = lognfit(data,alpha,censoring,freq,options)
```

Description

`parmhat = lognfit(data)` returns a vector of maximum likelihood estimates `parmhat(1) = mu` and `parmhat(2) = sigma` of parameters for a lognormal distribution fitting data. `mu` and `sigma` are the mean and standard deviation, respectively, of the associated normal distribution.

`[parmhat,parmci] = lognfit(data)` returns 95% confidence intervals for the parameter estimates `mu` and `sigma` in the 2-by-2 matrix `parmci`. The first column of the matrix contains the lower and upper confidence bounds for parameter `mu`, and the second column contains the confidence bounds for parameter `sigma`.

`[parmhat,parmci] = lognfit(data,alpha)` returns $100(1 - \alpha)\%$ confidence intervals for the parameter estimates, where `alpha` is a value in the range (0 1) specifying the width of the confidence intervals. By default, `alpha` is 0.05, which corresponds to 95% confidence intervals.

`[...] = lognfit(data,alpha,censoring)` accepts a Boolean vector `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = lognfit(data,alpha,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. Typically, `freq` contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `alpha`, `censoring`, or `freq` to use their default values.

`[...] = lognfit(data,alpha,censoring,freq,options)` accepts a structure, `options`, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates when there is censoring. The lognormal fit function accepts an `options`

structure which can be created using the function `statset`. Enter `statset('lognfit')` to see the names and default values of the parameters that `lognfit` accepts in the options structure. See the reference page for `statset` for more information about these options.

Example

This example generates 100 independent samples of lognormally distributed data with $\mu = 0$ and $\sigma = 3$. `parmhat` estimates μ and σ and `parmci` gives 99% confidence intervals around `parmhat`. Notice that `parmci` contains the true values of μ and σ .

```
data = lognrnd(0,3,100,1);
[parmhat,parmci] = lognfit(data,0.01)
parmhat =
    -0.2480    2.8902
parmci =
    -1.0071    2.4393
     0.5111    3.5262
```

See Also

`mle`, `lognlike`, `lognpdf`, `logncdf`, `logninv`, `lognstat`, `lognrnd`

logninv

Purpose Lognormal inverse cumulative distribution function

Syntax
`X = logninv(P,mu,sigma)`
`[X,XLO,XUP] = logninv(P,mu,sigma,pcov,alpha)`

Description `X = logninv(P,mu,sigma)` returns values at `P` of the inverse lognormal cdf with distribution parameters `mu` and `sigma`. `mu` and `sigma` are the mean and standard deviation, respectively, of the associated normal distribution. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `X`. A scalar input for `P`, `mu`, or `sigma` is expanded to a constant array with the same dimensions as the other inputs.

`[X,XLO,XUP] = logninv(P,mu,sigma,pcov,alpha)` returns confidence bounds for `X` when the input parameters `mu` and `sigma` are estimates. `pcov` is the covariance matrix of the estimated parameters. `alpha` specifies `100(1 - alpha)%` confidence bounds. The default value of `alpha` is 0.05. `XLO` and `XUP` are arrays of the same size as `X` containing the lower and upper confidence bounds.

`logninv` computes confidence bounds for `P` using a normal approximation to the distribution of the estimate

$$\hat{\mu} + \hat{\sigma}q$$

where q is the P th quantile from a normal distribution with mean 0 and standard deviation 1. The computed bounds give approximately the desired confidence level when you estimate `mu`, `sigma`, and `pcov` from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The lognormal inverse function is defined in terms of the lognormal cdf as


$$x = F^{-1}(p|\mu, \sigma) = \{x:F(x|\mu, \sigma)= p\}$$

where

$$p = F(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \int_0^x e^{-\frac{-(\ln(t)-\mu)^2}{2\sigma^2}} dt$$

Example

```
p = (0.005:0.01:0.995);
crit = logninv(p,1,0.5);
plot(p,crit)
xlabel('Probability'); ylabel('Critical Value'); grid
```

**Reference**

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, 2nd edition, John Wiley and Sons, 1993, pp. 102-105.

See Also

icdf, logncdf, lognpdf, lognstat, lognfit, lognlike, lognrnd

lognlike

Purpose Lognormal negative log-likelihood

Syntax

```
nlogL = lognlike(params,data)
[nlogL,avar] = lognlike(params,data)
[...] = lognlike(params,data,censoring)
[...] = lognlike(params,data,censoring,freq)
```

Description

`nlogL = lognlike(params,data)` returns the negative log-likelihood of data for the lognormal distribution with parameters `params(1) = mu` and `params(2) = sigma`. `mu` and `sigma` are the mean and standard deviation, respectively, of the associated normal distribution. The values of `mu` and `sigma` are scalars, and the output `nlogL` is a scalar.

`[nlogL,avar] = lognlike(params,data)` returns the inverse of Fisher's information matrix. If the input parameter value in `params` is the maximum likelihood estimate, `avar` is its asymptotic variance. `avar` is based on the observed Fisher's information, not the expected information.

`[...] = lognlike(params,data,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = lognlike(params,data,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. The vector `freq` typically contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `censoring` to use its default value.

See Also `lognfit`, `lognpdf`, `logncdf`, `logninv`, `lognstat`, `lognrnd`

Purpose Lognormal probability density function

Syntax `Y = lognpdf(X,mu,sigma)`

Description `Y = lognpdf(X,mu,sigma)` returns values at X of the lognormal pdf with distribution parameters μ and σ . μ and σ are the mean and standard deviation, respectively, of the associated normal distribution. X , μ , and σ can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of Y . A scalar input for X , μ , or σ is expanded to a constant array with the same dimensions as the other inputs.

The lognormal pdf is

$$y = f(x|\mu, \sigma) = \frac{1}{x\sigma\sqrt{2\pi}} e^{-\frac{(\ln(x)-\mu)^2}{2\sigma^2}}$$

The normal and lognormal distributions are closely related. If X is distributed lognormally with parameters μ and σ , then $\log(X)$ is distributed normally with mean μ and standard deviation σ .

The mean m and variance v of a lognormal random variable are functions of μ and σ that can be calculated with the `lognstat` function. They are:

$$m = \exp(\mu + \sigma^2 / 2)$$

$$v = \exp(2\mu + \sigma^2)(\exp(\sigma^2) - 1)$$

A lognormal distribution with mean m and variance v has parameters

$$\mu = \log(m^2 / \sqrt{v + m^2})$$


$$\sigma = \sqrt{\log(v / m^2 + 1)}$$

The lognormal distribution is applicable when the quantity of interest must be positive, since $\log(X)$ exists only when X is positive.

lognpdf

Example

```
x = (0:0.02:10);  
y = lognpdf(x,0,1);  
plot(x,y); grid;  
xlabel('x'); ylabel('p')
```



Reference

[1] Mood, A. M., F. A. Graybill, and D. C. Boes, *Introduction to the Theory of Statistics, 3rd edition*, McGraw-Hill, 1974, pp. 540-541.

See Also

pdf, logncdf, logninv, lognstat, lognfit, lognlike, lognrnd

Purpose Lognormal random numbers

Syntax

```
R = lognrnd(mu, sigma)
R = lognrnd(mu, sigma, v)
R = lognrnd(mu, sigma, m, n)
```

Description `R = lognrnd(mu, sigma)` returns an array of random numbers generated from the lognormal distribution with parameters `mu` and `sigma`. `mu` and `sigma` are the mean and standard deviation, respectively, of the associated normal distribution. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `R`. A scalar input for `mu` or `sigma` is expanded to a constant array with the same dimensions as the other input.

`R = lognrnd(mu, sigma, v)` returns an array of random numbers generated from the lognormal distribution with parameters `mu` and `sigma`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = lognrnd(mu, sigma, m, n)` returns an array of random numbers generated from the lognormal distribution with parameters `mu` and `sigma`, where scalars `m` and `n` are the row and column dimensions of `R`.

The normal and lognormal distributions are closely related. If X is distributed lognormally with parameters μ and σ , then $\log(X)$ is distributed normally with mean μ and standard deviation σ .

The mean m and variance v of a lognormal random variable are functions of μ and σ that can be calculated with the `lognstat` function. They are:

$$m = \exp(\mu + \sigma^2 / 2)$$

$$v = \exp(2\mu + \sigma^2)(\exp(\sigma^2) - 1)$$

A lognormal distribution with mean m and variance v has parameters

lognrnd

$$\mu = \log(m^2 / \sqrt{v + m^2})$$
$$\sigma = \sqrt{\log(v / m^2 + 1)}$$

Example

Generate one million lognormally distributed random numbers with mean 1 and variance 2:

```
m = 1;
v = 2;
mu = log((m^2)/sqrt(v+m^2));
sigma = sqrt(log(v/(m^2)+1));

[M,V]= lognstat(mu,sigma)
M =
    1
V =
    2.0000

X = lognrnd(mu,sigma,1,1e6);

MX = mean(X)
MX =
    0.9974
VX = var(X)
VX =
    1.9776
```

Reference

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd edition*, John Wiley and Sons, 1993, pp. 102-105.

See Also

random, lognpdf, logncdf, logninv, lognstat, lognfit, lognlike

Purpose Lognormal mean and variance

Syntax `[M,V] = lognstat(mu,sigma)`

Description `[M,V] = lognstat(mu,sigma)` returns the mean of and variance of the lognormal distribution with parameters `mu` and `sigma`. `mu` and `sigma` are the mean and standard deviation, respectively, of the associated normal distribution. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `M` and `V`. A scalar input for `mu` or `sigma` is expanded to a constant array with the same dimensions as the other input.

The normal and lognormal distributions are closely related. If X is distributed lognormally with parameters μ and σ , then $\log(X)$ is distributed normally with mean μ and standard deviation σ .

The mean m and variance v of a lognormal random variable are functions of μ and σ that can be calculated with the `lognstat` function. They are:

$$m = \exp(\mu + \sigma^2 / 2)$$

$$v = \exp(2\mu + \sigma^2)(\exp(\sigma^2) - 1)$$

A lognormal distribution with mean m and variance v has parameters

$$\mu = \log(m^2 / \sqrt{v + m^2})$$

$$\sigma = \sqrt{\log(v / m^2 + 1)}$$

Example Generate one million lognormally distributed random numbers with mean 1 and variance 2:

```
m = 1;
v = 2;
mu = log((m^2)/sqrt(v+m^2));
sigma = sqrt(log(v/(m^2)+1));
```

lognstat

```
[M,V]= lognstat(mu,sigma)
M =
    1
V =
    2.0000

X = lognrnd(mu,sigma,1,1e6);

MX = mean(X)
MX =
    0.9974
VX = var(X)
VX =
    1.9776
```

Reference

[1] Mood, A. M., F. A. Graybill, and D.C. Boes, *Introduction to the Theory of Statistics, 3rd edition*, McGraw-Hill 1974, pp. 540-541.

See Also

lognpdf, logncdf, logninv, lognfit, lognlike, lognrnd

Purpose Lower Pareto tails parameters

Class @paretotails

Syntax `params = lowerparams(obj)`

Description `params = lowerparams(obj)` returns the 2-element vector `params` of shape and scale parameters, respectively, of the lower tail of the Pareto tails object `obj`. `lowerparams` does not return a location parameter.

Example Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);

lowerparams(obj)
ans =
    -0.1901    1.1898
upperparams(obj)
ans =
    0.3646    0.5103
```

See Also `paretotails`, `upperparams`

lscov

Purpose Least-squares with known covariance

Description MATLAB® function. See `lscov` in the MATLAB documentation.

See Also `mldivide`, `lsqnonneg`

Purpose Add least-squares line to plot


Syntax
`lsline`
`h = lsline`

Description `lsline` superimposes the least-squares line on each line object in the current axes (except `LineStyle` `'-'`, `'--'`, `'.-'`).

`h = lsline` returns the handles to the line objects.

Example

```
y = [2 3.4 5.6 8 11 12.3 13.8 16 18.8 19.9]';  
plot(y, '+');  
lsline;
```



See Also `refline`, `refcurve`, `gline`

lsqnonneg

Purpose Least-squares with nonnegativity constraint

Description MATLAB® function. See lsqnonneg in the MATLAB documentation.

See Also mldivide, lscov

Purpose

Mean or median absolute deviation

Syntax

```
y = mad(X)
Y = mad(X,1)
Y = mad(X,0)
```

Description

`y = mad(X)` returns the mean absolute deviation of the values in X . For vector input, y is `mean(abs(X-mean(X)))`. For a matrix input, y is a row vector containing the mean absolute deviation of each column of X . For N -dimensional arrays, `mad` operates along the first nonsingleton dimension of X .

`Y = mad(X,1)` returns the median absolute deviation of the values in X . For vector input, y is `median(abs(X-median(X)))`. For a matrix input, y is a row vector containing the median absolute deviation of each column of X . For N -dimensional arrays, `mad` operates along the first nonsingleton dimension of X .

`Y = mad(X,0)` is the same as `mad(X)`, and returns the mean absolute deviation of the values in X .

`mad(X,flag,dim)` computes absolute deviations along the dimension `dim` of X . `flag` is 0 or 1 to indicate mean or median absolute deviation, respectively.

`mad` treats NaNs as missing values and removes them.

For normally distributed data, multiply `mad` by one of the following factors to obtain an estimate of the normal scale parameter σ :

- `sigma = 1.253*mad(X,0)` — For mean absolute deviation
- `sigma = 1.4785*mad(X,1)` — For median absolute deviation

Example

The following compares the robustness of different scale estimates for normally distributed data in the presence of outliers:

```
x = normrnd(0,1,1,50);
xo = [x 10]; % Add outlier
```

mad

```
r1 = std(x0)/std(x)
```

```
r1 =  
    1.7385
```

```
r2 = mad(x0,0)/mad(x,0)
```

```
r2 =  
    1.2306
```

```
r3 = mad(x0,1)/mad(x,1)
```

```
r3 =  
    1.0602
```

Reference

[1] Mosteller, F. and J. Tukey, *Data Analysis and Regression*, Addison-Wesley, 1977.

[2] Sachs, L., *Applied Statistics: A Handbook of Techniques*, Springer-Verlag, 1984, p. 253.


See Also

std, range, iqr

Purpose	Mahalanobis distance
Syntax	<code>d = mahal(Y,X)</code>
Description	<p><code>d = mahal(Y,X)</code> computes the Mahalanobis distance (in squared units) of each observation in <code>Y</code> from the reference sample in matrix <code>X</code>. If <code>Y</code> is n-by-m, where n is the number of observations and m is the dimension of the data, <code>d</code> is n-by-1. <code>X</code> and <code>Y</code> must have the same number of columns, but can have different numbers of rows. <code>X</code> must have more rows than columns.</p> <p>For observation <code>I</code>, the Mahalanobis distance is defined by $d(I) = (Y(I,:) - \mu) * \text{inv}(\text{SIGMA}) * (Y(I,:) - \mu)'$, where <code>mu</code> and <code>SIGMA</code> are the sample mean and covariance of the data in <code>X</code>. <code> mahal </code> performs an equivalent, but more efficient, computation.</p>
Example	<p>Generate some correlated bivariate data in <code>X</code> and compare the Mahalanobis and squared Euclidean distances of observations in <code>Y</code>:</p> <pre> X = mvnrnd([0;0],[1 .9;.9 1],100); Y = [1 1;1 -1;-1 1;-1 -1]; d1 = mahal(Y,X) % Mahalanobis d1 = 1.3592 21.1013 23.8086 1.4727 d2 = sum((Y-repmat(mean(X),4,1)).^2, 2) % Squared Euclidean d2 = 1.9310 1.8821 2.1228 2.0739 scatter(X(:,1),X(:,2)) </pre>

mahal

```
hold on
scatter(Y(:,1),Y(:,2),100,d1,'*', 'LineWidth',2)
hb = colorbar;
ylabel(hb,'Mahalanobis Distance')
legend('X','Y','Location','NW')
```




The observations in Y with equal coordinate values are much closer to X in Mahalanobis distance than observations with opposite coordinate values, even though all observations are approximately equidistant from the mean of X in Euclidean distance. The Mahalanobis distance, by considering the covariance of the data and the scales of the different variables, is useful for detecting outliers in such cases.

See Also


`pdist`, `mahal`

Purpose	Mahalanobis distance to component means
Class	@gmdistribution
Syntax	<code>D = mahal(obj,X)</code>
Description	<code>D = mahal(obj,X)</code> computes the Mahalanobis distance (in squared units) of each observation in <code>X</code> to the mean of each of the k components of the Gaussian mixture distribution defined by <code>obj</code> . <code>obj</code> is an object created by <code>gmdistribution</code> or <code>fit</code> . <code>X</code> is an n -by- d matrix, where n is the number of observations and d is the dimension of the data. <code>D</code> is n -by- k , with <code>D(I,J)</code> the distance of observation <code>I</code> from the mean of component <code>J</code> .
Example	Generate data from a mixture of two bivariate Gaussian distributions using the <code>mvnrnd</code> function: <pre>MU1 = [1 2]; SIGMA1 = [2 0; 0 .5]; MU2 = [-3 -5]; SIGMA2 = [1 0; 0 1]; X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)]; scatter(X(:,1),X(:,2),10, ' . ') hold on</pre>



Fit a two-component Gaussian mixture model:


```
obj = gmdistribution.fit(X,2);  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```

Compute the Mahalanobis distance of each point in X to the mean of each component of obj :

```
D = mahal(obj,X);  
  
delete(h)  
scatter(X(:,1),X(:,2),10,D(:,1),'.')  
hb = colorbar;  
ylabel(hb,'Mahalanobis Distance to Component 1')
```

mahal



See Also

`gmdistribution`, `cluster`, `posterior`, `mahal`

Purpose Main effects plot for grouped data

Syntax `maineffectsplot(Y, GROUP)`
`maineffectsplot(Y, GROUP, param1, val1, param2, val2, ...)`
`[figh, AXESH] = maineffectsplot(...)`

Description `maineffectsplot(Y, GROUP)` displays main effects plots for the group means of matrix `Y` with groups defined by entries in the cell array `GROUP`. `Y` is a numeric matrix or vector. If `Y` is a matrix, the rows represent different observations and the columns represent replications of each observation. Each cell of `GROUP` must contain a grouping variable that can be a categorical variable, numeric vector, character matrix, or single-column cell array of strings. (See “Grouped Data” on page 2-33.) `GROUP` can also be a matrix whose columns represent different grouping variables. Each grouping variable must have the same number of rows as `Y`. The number of grouping variables must be greater than 1.

The display has one subplot per grouping variable, with each subplot showing the group means of `Y` as a function of one grouping variable.

`maineffectsplot(Y, GROUP, param1, val1, param2, val2, ...)` specifies one or more of the following name/value pairs:

- `'varnames'` — Grouping variable names in a character matrix or a cell array of strings, one per grouping variable. Default names are `'X1'`, `'X2'`,
- `'statistic'` — String values that indicate whether the group mean or the group standard deviation should be plotted. Use `'mean'` or `'std'`. The default is `'mean'`. If the value is `'std'`, `Y` is required to have multiple columns.
- `'parent'` — A handle to the figure window for the plots. The default is the current figure window.


`[figh, AXESH] = maineffectsplot(...)` returns the handle `figh` to the figure window and an array of handles `AXESH` to the subplot axes.

maineffectsplot

Example

Display main effects plots for car weight with two grouping variables, model year and number of cylinders:

```
load carsmall;  
maineffectsplot(Weight,{Model_Year,Cylinders}, ...  
               'varnames',{'Model Year','# of Cylinders'})
```



See Also

[interactionplot](#), [multivarichart](#)

Purpose One-way multivariate analysis of variance

Syntax

```
d = manova1(X,group)
d = manova1(X,group,alpha)
[d,p] = manova1(...)
[d,p,stats] = manova1(...)
```

Description `d = manova1(X,group)` performs a one-way Multivariate Analysis of Variance (MANOVA) for comparing the multivariate means of the columns of X , grouped by `group`. X is an m -by- n matrix of data values, and each row is a vector of measurements on n variables for a single observation. `group` is a grouping variable defined as a categorical variable, vector, string array, or cell array of strings. Two observations are in the same group if they have the same value in the `group` array. (See “Grouped Data” on page 2-33.) The observations in each group represent a sample from a population.

The function returns `d`, an estimate of the dimension of the space containing the group means. `manova1` tests the null hypothesis that the means of each group are the same n -dimensional multivariate vector, and that any difference observed in the sample X is due to random chance. If $d = 0$, there is no evidence to reject that hypothesis. If $d = 1$, then you can reject the null hypothesis at the 5% level, but you cannot reject the hypothesis that the multivariate means lie on the same line. Similarly, if $d = 2$ the multivariate means may lie on the same plane in n -dimensional space, but not on the same line.

`d = manova1(X,group,alpha)` gives control of the significance level, `alpha`. The return value `d` will be the smallest dimension having $p > \alpha$, where p is a p -value for testing whether the means lie in a space of that dimension.

`[d,p] = manova1(...)` also returns a `p`, a vector of p -values for testing whether the means lie in a space of dimension 0, 1, and so on. The largest possible dimension is either the dimension of the space, or one less than the number of groups. There is one element of `p` for each dimension up to, but not including, the largest.

If the i th p -value is near zero, this casts doubt on the hypothesis that the group means lie on a space of $i-1$ dimensions. The choice of a critical p -value to determine whether the result is judged statistically significant is left to the researcher and is specified by the value of the input argument alpha. It is common to declare a result significant if the p -value is less than 0.05 or 0.01.

`[d,p,stats] = manova1(...)` also returns `stats`, a structure containing additional MANOVA results. The structure contains the following fields.

Field	Contents
<code>W</code>	Within-groups sum of squares and cross-products matrix
<code>B</code>	Between-groups sum of squares and cross-products matrix
<code>T</code>	Total sum of squares and cross-products matrix
<code>dfW</code>	Degrees of freedom for <code>W</code>
<code>dfB</code>	Degrees of freedom for <code>B</code>
<code>dfT</code>	Degrees of freedom for <code>T</code>
<code>lambda</code>	Vector of values of Wilk's lambda test statistic for testing whether the means have dimension 0, 1, etc.
<code>chisq</code>	Transformation of lambda to an approximate chi-square distribution
<code>chisqdf</code>	Degrees of freedom for <code>chisq</code>
<code>eigenval</code>	Eigenvalues of $W^{-1}B$
<code>eigenvec</code>	Eigenvectors of $W^{-1}B$; these are the coefficients for the canonical variables <code>C</code> , and they are scaled so the within-group variance of the canonical variables is 1

Field	Contents
canon	Canonical variables C , equal to $XC * \text{eigenvec}$, where XC is X with columns centered by subtracting their means
mdist	A vector of Mahalanobis distances from each point to the mean of its group
gmdist	A matrix of Mahalanobis distances between each pair of group means

The canonical variables C are linear combinations of the original variables, chosen to maximize the separation between groups. Specifically, $C(:, 1)$ is the linear combination of the X columns that has the maximum separation between groups. This means that among all possible linear combinations, it is the one with the most significant F statistic in a one-way analysis of variance. $C(:, 2)$ has the maximum separation subject to it being orthogonal to $C(:, 1)$, and so on.

You may find it useful to use the outputs from `manova1` along with other functions to supplement your analysis. For example, you may want to start with a grouped scatter plot matrix of the original variables using `gplotmatrix`. You can use `gscatter` to visualize the group separation using the first two canonical variables. You can use `manovacluster` to graph a dendrogram showing the clusters among the group means.

Assumptions

The MANOVA test makes the following assumptions about the data in X :

- The populations for each group are normally distributed.
- The variance-covariance matrix is the same for each population.
- All observations are mutually independent.

Example

you can use `manova1` to determine whether there are differences in the averages of four car characteristics, among groups defined by the country where the cars were made.

manova1

```
load carbig
[d,p] = manova1([MPG Acceleration Weight Displacement],...
               Origin)
d =
    3
p =
    0
    0.0000
    0.0075
    0.1934
```

There are four dimensions in the input matrix, so the group means must lie in a four-dimensional space. `manova1` shows that you cannot reject the hypothesis that the means lie in a three-dimensional subspace.

References

[1] Krzanowski, W. J., *Principles of Multivariate Analysis*. Oxford University Press, 1988.

See Also

`anova1`, `canoncorr`, `gscatter`, `gplotmatrix`, `manovacluster`

Purpose

Dendrogram of group mean clusters following MANOVA

Syntax

```
manovacluster(stats)
manovacluster(stats,method)
H = manovacluster(stats,method)
```

Description

`manovacluster(stats)` generates a dendrogram plot of the group means after a multivariate analysis of variance (MANOVA). `stats` is the output `stats` structure from `manova1`. The clusters are computed by applying the single linkage method to the matrix of Mahalanobis distances between group means.

See `dendrogram` for more information on the graphical output from this function. The dendrogram is most useful when the number of groups is large.

`manovacluster(stats,method)` uses the specified method in place of single linkage. `method` can be any of the following character strings that identify ways to create the cluster hierarchy. See `linkage` for further explanation.

'single'	Shortest distance (default)
'complete'	Largest distance
'average'	Average distance
'centroid'	Centroid distance
'ward'	Incremental sum of squares


`H = manovacluster(stats,method)` returns a vector of handles to the lines in the figure.

Example

Let's analyze the larger car data set to determine which countries produce cars with the most similar characteristics.

```
load carbig
X = [MPG Acceleration Weight Displacement];
[d,p,stats] = manova1(X,Origin);
```

manovacluster



See Also

`cluster`, `dendrogram`, `linkage`, `manova1`

Purpose

Nonclassical multidimensional scaling

Syntax

```
Y = mdscale(D,p)
[Y, stress] = mdscale(D,p)
[Y, stress, disparities] = mdscale(D,p)
[...] = mdscale(..., param1, val1, param2, val2, ...)
```

Description

`Y = mdscale(D,p)` performs nonmetric multidimensional scaling on the n -by- n dissimilarity matrix D , and returns Y , a configuration of n points (rows) in p dimensions (columns). The Euclidean distances between points in Y approximate a monotonic transformation of the corresponding dissimilarities in D . By default, `mdscale` uses Kruskal's normalized stress1 criterion.

You can specify D as either a full n -by- n matrix, or in upper triangle form such as is output by `pdist`. A full dissimilarity matrix must be real and symmetric, and have zeros along the diagonal and non-negative elements everywhere else. A dissimilarity matrix in upper triangle form must have real, non-negative entries. `mdscale` treats NaNs in D as missing values, and ignores those elements. `Inf` is not accepted.

You can also specify D as a full similarity matrix, with ones along the diagonal and all other elements less than one. `mdscale` transforms a similarity matrix to a dissimilarity matrix in such a way that distances between the points returned in Y approximate $\sqrt{1-D}$. To use a different transformation, transform the similarities prior to calling `mdscale`.

`[Y, stress] = mdscale(D,p)` returns the minimized stress, i.e., the stress evaluated at Y .

`[Y, stress, disparities] = mdscale(D,p)` returns the disparities, that is, the monotonic transformation of the dissimilarities D .

`[...] = mdscale(..., param1, val1, param2, val2, ...)` enables you to specify optional parameter name/value pairs that control further details of `mdscale`. The parameters are

- 'Criterion' — The goodness-of-fit criterion to minimize. This also determines the type of scaling, either non-metric or metric, that mdscale performs. Choices for non-metric scaling are:

- 'stress' — Stress normalized by the sum of squares of the inter-point distances, also known as stress1. This is the default.
- 'sstress' — Squared stress, normalized with the sum of 4th powers of the inter-point distances.

Choices for metric scaling are:

- 'metricstress' — Stress, normalized with the sum of squares of the dissimilarities.
 - 'metricsstress' — Squared stress, normalized with the sum of 4th powers of the dissimilarities.
 - 'sammon' — Sammon's nonlinear mapping criterion. Off-diagonal dissimilarities must be strictly positive with this criterion.
 - 'strain' — A criterion equivalent to that used in classical multidimensional scaling.
- 'Weights' — A matrix or vector the same size as D, containing nonnegative dissimilarity weights. You can use these to weight the contribution of the corresponding elements of D in computing and minimizing stress. Elements of D corresponding to zero weights are effectively ignored.
 - 'Start' — Method used to choose the initial configuration of points for Y. The choices are
 - 'cmdscale' — Use the classical multidimensional scaling solution. This is the default. 'cmdscale' is not valid when there are zero weights.
 - 'random' — Choose locations randomly from an appropriately scaled p-dimensional normal distribution with uncorrelated coordinates.
 - An n -by- p matrix of initial locations, where n is the size of the matrix D and p is the number of columns of the output matrix

Y. In this case, you can pass in [] for p and mdscale infers p from the second dimension of the matrix. You can also supply a three-dimensional array, implying a value for 'Replicates' from the array's third dimension.

- 'Replicates' — Number of times to repeat the scaling, each with a new initial configuration. The default is 1.
- 'Options' — Options for the iterative algorithm used to minimize the fitting criterion. Pass in an options structure created by statset. For example,

```
opts = statset(param1,val1,param2,val2, ...);  
[...] = mdscale(...,'Options',opts)
```

The choices of statset parameters are

- 'Display' — Level of display output. The choices are 'off' (the default), 'iter', and 'final'.
- 'MaxIter' — Maximum number of iterations allowed. The default is 200.
- 'TolFun' — Termination tolerance for the stress criterion and its gradient. The default is 1e-4.
- 'TolX' — Termination tolerance for the configuration location step size. The default is 1e-4.

Example

```
load cereal.mat  
X = [Calories Protein Fat Sodium Fiber ...  
     Carbo Sugars Shelf Potass Vitamins];  
  
% Take a subset from a single manufacturer.  
X = X(strmatch('K',Mfg),:);  
  
% Create a dissimilarity matrix.  
dissimilarities = pdist(X);  
  
% Use non-metric scaling to recreate the data in 2D,
```

mdscale

```
% and make a Shepard plot of the results.
[Y, stress, disparities] = mdscale(dissimilarities, 2);
distances = pdist(Y);
[dum, ord] = sortrows([disparities(:) dissimilarities(:)]);
plot(dissimilarities, distances, 'bo', ...
     dissimilarities(ord), disparities(ord), 'r.-');
xlabel('Dissimilarities'); ylabel('Distances/Disparities')
legend({'Distances' 'Disparities'}, 'Location', 'NW');

% Do metric scaling on the same dissimilarities.
[Y, stress] = ...
mdscale(dissimilarities, 2, 'criterion', 'metricsstress');
distances = pdist(Y);
plot(dissimilarities, distances, 'bo', ...
     [0 max(dissimilarities)], [0 max(dissimilarities)], 'k:');
xlabel('Dissimilarities'); ylabel('Distances')
```

See Also

cmdscale, pdist, statset

Purpose Mean

Description MATLAB® function. See mean in the MATLAB documentation.

See Also geomean, harmmean, trimmean, median, mode

median

Purpose Median

Description MATLAB® function. See `median` in the MATLAB documentation.

See Also `mean`, `mode`

Purpose Merge levels

Class @categorical

Syntax
B = mergelevels(A,oldlevels,newlevel)
B = mergelevels(A,oldlevels)

Description B = mergelevels(A,oldlevels,newlevel) merges two or more levels of the categorical array A into a single new level. oldlevels is a cell array of strings or a two-dimensional character matrix that specifies the levels to be merged. Any elements of A that have levels in oldlevels are assigned the new level in the corresponding elements of B. newlevel is a character string that specifies the label for the new level. For ordinal arrays, the levels of A specified by oldlevels must be consecutive, and mergelevels inserts the new level to preserve the order of the levels.

B = mergelevels(A,oldlevels) merges two or more levels of A. For nominal arrays, mergelevels uses the first label in oldlevels as the label for the new level. For ordinal arrays, mergelevels uses the label corresponding to the lowest level in oldlevels as the label for the new level.

Examples **Example 1**

For nominal data:

```
load fisheriris
species = nominal(species);
species = mergelevels(species,...
    {'setosa','virginica'},'parent');
species = setlabels(species,'hybrid','versicolor');
getlabels(species)
ans =
    'hybrid'    'parent'
```

mergelevels

Example 2

For ordinal data:

```
A = ordinal([1 2 3 2 1], {'lo', 'med', 'hi'})
```

```
A =  
   lo      med      hi      med      lo
```

```
A = mergelevels(A, {'lo', 'med'}, 'bad')
```

```
A =  
   bad      bad      hi      bad      bad
```

See Also

`addlevels`, `droplevels`, `islevel`, `reorderlevels`, `getlabels`

Purpose

Metropolis-Hastings sample

Syntax

```
smp1 = mhsample(start,nsamples,'pdf',pdf,'proppdf',proppdf,
    'proprnd',proprnd)
smp1 = mhsample(...,'symmetric',sym)
smp1 = mhsample(...,'burnin',K)
smp1 = mhsample(...,'thin',m)
smp1 = mhsample(...,'nchain',n)
[smp1,accept] = mhsample(...)
```

Description

`smp1` = `mhsample(start,nsamples,'pdf',pdf,'proppdf',proppdf,'proprnd',proprnd)` draws `nsamples` random samples from a target stationary distribution `pdf` using the Metropolis-Hastings algorithm.

`start` is a row vector containing the start value of the Markov Chain, `nsamples` is an integer specifying the number of samples to be generated, and `pdf`, `proppdf`, and `proprnd` are function handles created using `@`. `proppdf` defines the proposal distribution density, and `proprnd` defines the random number generator for the proposal distribution. `pdf` and `proprnd` take one argument as an input with the same type and size as `start`. `proppdf` takes two arguments as inputs with the same type and size as `start`.

`smp1` is a column vector or matrix containing the samples. If the log density function is preferred, `'pdf'` and `'proppdf'` can be replaced with `'logpdf'` and `'logproppdf'`. The density functions used in Metropolis-Hastings algorithm are not necessarily normalized.

The proposal distribution $q(x,y)$ gives the probability density for choosing x as the next point when y is the current point. It is sometimes written as $q(x|y)$.

If the `proppdf` or `logproppdf` satisfies $q(x,y) = q(y,x)$, that is, the proposal distribution is symmetric, `mhsample` implements Random Walk Metropolis-Hastings sampling. If the `proppdf` or `logproppdf` satisfies $q(x,y) = q(x)$, that is, the proposal distribution is independent of current values, `mhsample` implements Independent Metropolis-Hastings sampling.

`smp1 = mhsample(..., 'symmetric', sym)` draws `nsamples` random samples from a target stationary distribution pdf using the Metropolis-Hastings algorithm. `sym` is a logical value that indicates whether the proposal distribution is symmetric. The default value is false, which corresponds to the asymmetric proposal distribution. If `sym` is true, for example, the proposal distribution is symmetric, `proppdf` and `logproppdf` are optional.

`smp1 = mhsample(..., 'burnin', K)` generates a Markov chain with values between the starting point and the k^{th} point omitted in the generated sequence. Values beyond the k^{th} point are kept. `k` is a nonnegative integer with default value of 0.

`smp1 = mhsample(..., 'thin', m)` generates a Markov chain with `m-1` out of `m` values omitted in the generated sequence. `m` is a positive integer with default value of 1.


`smp1 = mhsample(..., 'nchain', n)` generates `n` Markov chains using the Metropolis-Hastings algorithm. `n` is a positive integer with a default value of 1. `smp1` is a matrix containing the samples. The last dimension contains the indices for individual chains.

`[smp1, accept] = mhsample(...)` also returns `accept`, the acceptance rate of the proposed distribution. `accept` is a scalar if a single chain is generated and is a vector if multiple chains are generated.

Examples

Estimate the second order moment of a Gamma distribution using the Independent Metropolis-Hastings sampling.


```
alpha = 2.43;
beta = 1;
pdf = @(x)gampdf(x,alpha,beta); %target distribution
proppdf = @(x,y)gampdf(x,floor(alpha),floor(alpha)/alpha);
proprnd = @(x)sum(...
    exprnd(floor(alpha)/alpha,floor(alpha),1));
nsamples = 5000;
smp1 = mhsample(1,nsamples,'pdf',pdf,'proprnd',proprnd,...
    'proppdf',proppdf);
xxhat = cumsum(smp1.^2)./(1:nsamples)';
```



Generate random samples from $N(0,1)$ using the Random Walk Metropolis-Hastings sampling.

```
delta = .5;
pdf = @(x) normpdf(x);
proppdf = @(x,y) unifpdf(y-x,-delta,delta);
proprnd = @(x) x + rand*2*delta - delta;
nsamples = 15000;
x = mhsample(1,nsamples,'pdf',pdf,'proprnd',proprnd,'symmetric',1);
histfit(x,50)
h = get(gca,'Children');
set(h(2),'FaceColor',[.8 .8 1])
```

mhsample



See Also

`slicesample`, `rand`

Purpose

Maximum likelihood estimates

Syntax

```
phat = mle(data)
[phat,pci] = mle(data)
[...] = mle(data,'distribution',dist)
[...] = mle(data,...,name1,val1,name2,val2,...)
[...] = mle(data,'pdf',pdf,'cdf',cdf,'start',start,...)
[...] = mle(data,'logpdf',logpdf,'logsf',logsf,'start',start,
    ...)
[...] = mle(data,'nloglf',nloglf,'start',start,...)
```

Description

`phat = mle(data)` returns maximum likelihood estimates (MLEs) for the parameters of a normal distribution, computed using the sample data in the vector `data`.

`[phat,pci] = mle(data)` returns MLEs and 95% confidence intervals for the parameters.

`[...] = mle(data,'distribution',dist)` computes parameter estimates for the distribution specified by *dist*. Acceptable strings for *dist* are:

- 'beta'
- 'bernoulli'
- 'binomial'
- 'discrete uniform'
- 'exponential'
- 'extreme value'
- 'gamma'
- 'generalized extreme value'
- 'generalized pareto'
- 'geometric'
- 'lognormal'

- 'negative binomial'
- 'normal'
- 'poisson'
- 'rayleigh'
- 'uniform'
- 'weibull'

[...] = mle(data,...,name1,val1,name2,val2,...) specifies optional argument name/value pairs chosen from the following list.

Name	Value
'censoring'	A Boolean vector of the same size as data, containing ones when the corresponding elements of data are right-censored observations and zeros when the corresponding elements are exact observations. The default is that all observations are observed exactly. Censoring is not supported for all distributions.
'frequency'	A vector of the same size as data, containing non-negative integer frequencies for the corresponding elements in data. The default is one observation per element of data.
'alpha'	A value between 0 and 1 specifying a confidence level of $100(1 - \alpha)\%$ for p.c.i. The default is 0.05 for 95% confidence.
'ntrials'	A scalar, or a vector of the same size as data, containing the total number of trials for the corresponding element of data. Applies only to the binomial distribution.
'options'	A structure created by a call to statset, containing numerical options for the fitting algorithm. Not applicable to all distributions.

`mle` can also fit custom distributions that you define using distribution functions, in one of three ways.

```
[...] = mle(data, 'pdf', pdf, 'cdf', cdf, 'start', start, ...)
```

returns MLEs for the parameters of the distribution defined by the probability density and cumulative distribution functions `pdf` and `cdf`. `pdf` and `cdf` are function handles created using the `@` sign. They accept as inputs a vector `data` and one or more individual distribution parameters, and return vectors of probability density values and cumulative probability values, respectively. If the `'censoring'` name/value pair is not present, you can omit the `'cdf'` name/value pair. `mle` computes the estimates by numerically maximizing the distribution's log-likelihood, and `start` is a vector containing initial values for the parameters.

```
[...] =  
mle(data, 'logpdf', logpdf, 'logsf', logsf, 'start', start, ...)
```

returns MLEs for the parameters of the distribution defined by the log probability density and log survival functions `logpdf` and `logsf`. `logpdf` and `logsf` are function handles created using the `@` sign. They accept as inputs a vector `data` and one or more individual distribution parameters, and return vectors of logged probability density values and logged survival function values, respectively. This form is sometimes more robust to the choice of starting point than using `pdf` and `cdf` functions. If the `'censoring'` name/value pair is not present, you can omit the `'logsf'` name/value pair. `start` is a vector containing initial values for the distribution's parameters.

```
[...] = mle(data, 'nloglf', nloglf, 'start', start, ...)
```

returns MLEs for the parameters of the distribution whose negative log-likelihood is given by `nloglf`. `nloglf` is a function handle, specified using the `@` sign, that accepts the four input arguments:

- `params` - a vector of distribution parameter values
- `data` - a vector of data
- `cens` - a Boolean vector of censoring values
- `freq` - a vector of integer data frequencies

`nloglf` must accept all four arguments even if you do not supply the 'censoring' or 'frequency' name/value pairs (see above). However, `nloglf` can safely ignore its `cens` and `freq` arguments in that case. `nloglf` returns a scalar negative log-likelihood value and, optionally, a negative log-likelihood gradient vector (see the 'GradObj' statset parameter below). `start` is a vector containing initial values for the distribution's parameters.

`pdf`, `cdf`, `logpdf`, `logsf`, or `nloglf` can also be cell arrays whose first element is a function handle as defined above, and whose remaining elements are additional arguments to the function. `mle` places these arguments at the end of the argument list in the function call.

The following optional argument name/value pairs are valid only when 'pdf' and 'cdf', 'logpdf' and 'logcdf', or 'nloglf' are given:

- 'lowerbound' — A vector the same size as `start` containing lower bounds for the distribution parameters. The default is `-Inf`.
- 'upperbound' — A vector the same size as `start` containing upper bounds for the distribution parameters. The default is `Inf`.
- 'optimfun' — A string, either 'fminsearch' or 'fmincon', naming the optimization function to be used in maximizing the likelihood. The default is 'fminsearch'. You can only specify 'fmincon' if Optimization Toolbox™ software is available.

When fitting a custom distribution, use the 'options' parameter to control details of the maximum likelihood optimization. See `statset('mlecustom')` for parameter names and default values. `mle` interprets the following statset parameters for custom distribution fitting as follows:

Parameter	Value
'GradObj'	'on' or 'off', indicating whether or not <code>fmincon</code> can expect the function provided with the 'nloglf' name/value pair to return the gradient vector of the negative log-likelihood as a second output. The default is 'off'. Ignored when using <code>fminsearch</code> .
'DerivStep'	The relative difference used in finite difference derivative approximations when using <code>fmincon</code> , and 'GradObj' is 'off'. 'DerivStep' can be a scalar, or the same size as 'start'. The default is $\text{eps}^{(1/3)}$. Ignored when using <code>fminsearch</code> .
'FunValCheck'	'on' or 'off', indicating whether or not <code>mle</code> should check the values returned by the custom distribution functions for validity. The default is 'on'. A poor choice of starting point can sometimes cause these functions to return NaNs, infinite values, or out of range values if they are written without suitable error-checking.
'TolBnd'	An offset for upper and lower bounds when using <code>fmincon</code> . <code>mle</code> treats upper and lower bounds as strict inequalities (i.e., open bounds). With <code>fmincon</code> , this is approximated by creating closed bounds inset from the specified upper and lower bounds by <code>TolBnd</code> . The default is $1\text{e-}6$.

Example

The following returns an MLE and a 95% confidence interval for the success probability of a binomial distribution with 20 trials:

```
data = binornd(20,0.75,100,1); % Simulated data, p = 0.75

[phat,pci] = mle(data,'distribution','binomial',...
                 'alpha',.05,'ntrials',20)

phat =
    0.7370
```

```
pci =  
  0.7171  
  0.7562
```

See Also

betafit, binofit, evfit, expfit, gamfit, gevfit, gpfit, lognfit,
nbinfit, normfit, mlecov, poissfit, raylfit, statset, unifit,
wblfit

Purpose

Asymptotic covariance of maximum likelihood estimators

Syntax

```
ACOV = mlecov(params,data,...)
ACOV = mlecov(params,data,'pdf',pdf,'cdf',cdf)
ACOV = mlecov(params,data,'logpdf',logpdf,'logsf',logsf)
ACOV = mlecov(params,data,'nloglf',nloglf)
[...] = mlecov(params,data,...,param1,val1,param2,val2,...)
```

Description

ACOV = mlecov(params,data,...) returns an approximation to the asymptotic covariance matrix of the maximum likelihood estimators of the parameters for a specified distribution. The following paragraphs describe how to specify the distribution. mlecov computes a finite difference approximation to the Hessian of the log-likelihood at the maximum likelihood estimates params, given the observed data, and returns the negative inverse of that Hessian. ACOV is a p -by- p matrix, where p is the number of elements in params.

You must specify a distribution after the input argument data, as follows.

ACOV = mlecov(params,data,'pdf',pdf,'cdf',cdf) enables you to define a distribution by its probability density and cumulative distribution functions, pdf and cdf, respectively. pdf and cdf are function handles that you create using the @ sign. They accept a vector of data and one or more individual distribution parameters as inputs and return vectors of probability density function values and cumulative distribution values, respectively. If the 'censoring' name/value pair (see below) is not present, you can omit the 'cdf' name/value pair.

ACOV = mlecov(params,data,'logpdf',logpdf,'logsf',logsf) enables you to define a distribution by its log probability density and log survival functions, logpdf and logsf, respectively. logpdf and logsf are function handles that you create using the @ sign. They accept as inputs a vector of data and one or more individual distribution parameters, and return vectors of logged probability density values and logged survival function values, respectively. If the 'censoring' name/value pair (see below) is not present, you can omit the 'logsf' name/value pair.

`ACOV = mlecov(params,data,'nloglf',nloglf)` enables you to define a distribution by its log-likelihood function. `nloglf` is a function handle, specified using the `@` sign, that accepts the following four input arguments:

- `params` — Vector of distribution parameter values
- `data` — Vector of data
- `cens` — Boolean vector of censoring values
- `freq` — Vector of integer data frequencies

`nloglf` must accept all four arguments even if you do not supply the 'censoring' or 'frequency' name/value pairs (see below). However, `nloglf` can safely ignore its `cens` and `freq` arguments in that case. `nloglf` returns a scalar negative log-likelihood value and, optionally, the negative log-likelihood gradient vector (see the 'gradient' name/value pair below).

`pdf`, `cdf`, `logpdf`, `logsf`, and `nloglf` can also be cell arrays whose first element is a function handle, as defined above, and whose remaining elements are additional arguments to the function. The `mle` function places these arguments at the end of the argument list in the function call.

`[...] = mlecov(params,data,...,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs chosen from the following:

Name	Value
'censoring'	Boolean vector of the same size as <code>data</code> , containing 1's when the corresponding elements of <code>data</code> are right-censored observations and 0's when the corresponding elements are exact observations. The default is that all observations are observed exactly. Censoring is not supported for all distributions.

Name	Value
'frequency'	A vector of the same size as data containing nonnegative frequencies for the corresponding elements in data. The default is one observation per element of data.
'options'	<p>A structure <code>opts</code> containing numerical options for the finite difference Hessian calculation. You create <code>opts</code> by calling <code>statset</code>. The applicable <code>statset</code> parameters are:</p> <ul style="list-style-type: none"> 'GradObj' — 'on' or 'off', indicating whether or not the function provided with the 'nloglf' name/value pair can return the gradient vector of the negative log-likelihood as its second output. The default is 'off'. 'DerivStep' — Relative step size used in finite difference for Hessian calculations. Can be a scalar, or the same size as <code>params</code>. The default is $\text{eps}^{(1/4)}$. A smaller value might be appropriate if 'GradObj' is 'on'.

Example

Create the following M-file function:

```
function logpdf = betalogpdf(x,a,b)
logpdf = (a-1)*log(x)+(b-1)*log(1-x)-betaln(a,b);
```

Fit a beta distribution to some simulated data, and compute the approximate covariance matrix of the parameter estimates:

```
x = betarnd(1.23,3.45,25,1);
phat = mle(x,'dist','beta')
acov = mlecov(phat,x,'logpdf',@betalogpdf)
```

See Also

mle

Purpose Multinomial probability density function


Syntax `Y = mnpdf(X,PROB)`

Description `Y = mnpdf(X,PROB)` returns the pdf for the multinomial distribution with probabilities `PROB`, evaluated at each row of `X`. `X` and `PROB` are m -by- k matrices or 1-by- k vectors, where k is the number of multinomial bins or categories. Each row of `PROB` must sum to one, and the sample sizes for each observation (rows of `X`) are given by the row sums `sum(X,2)`. `Y` is an m -by- k matrix, and `mnpdf` computes each row of `Y` using the corresponding rows of the inputs, or replicates them if needed.

Example

```
% Compute the distribution
p = [1/2 1/3 1/6]; % Outcome probabilities
n = 10; % Sample size
x1 = 0:n;
x2 = 0:n;
[X1,X2] = meshgrid(x1,x2);
X3 = n - (X1+X2);
Y = mnpdf([X1(:),X2(:),X3(:)], repmat(p, (n+1)^2, 1));

% Plot the distribution
Y = reshape(Y,n+1,n+1);
bar3(Y)
set(gca, 'XTickLabel', 0:n)
set(gca, 'YTickLabel', 0:n)
xlabel('x_1')
ylabel('x_2')
zlabel('Probability Mass')
title('Trinomial Distribution')
```

Note that the visualization does not show x_3 , which is determined by the constraint $x_1 + x_2 + x_3 = n$.

See Also

`mnrnd`

Purpose Multinomial logistic regression

Syntax

```
B = mnrfi(X,Y)
B = mnrfi(X,Y,param1,va11,param2,va12,...)
[B,dev] = mnrfi(...)
[B,dev,stats] = mnrfi(...)
```

Description `B = mnrfi(X,Y)` returns a matrix `B` of coefficient estimates for a multinomial logistic regression of the responses in `Y` on the predictors in `X`. `X` is an n -by- p matrix of p predictors at each of n observations. `Y` is an n -by- k matrix, where `Y(i,j)` is the number of outcomes of the multinomial category `j` for the predictor combinations given by `X(i,:)`. The sample sizes for each observation are given by the row sums `sum(Y,2)`.

Alternatively, `Y` can be an n -by-1 column vector of scalar integers from 1 to k indicating the value of the response for each observation, and all sample sizes are taken to be 1.

The result `B` is a $(p+1)$ -by- $(k-1)$ matrix of estimates, where each column corresponds to the estimated intercept term and predictor coefficients, one for each of the first $k-1$ multinomial categories. The estimates for the k^{th} category are taken to be zero.

Note `mnrfi` automatically includes a constant term in all models. Do not enter a column of 1s directly into `X`.

`mnrfi` treats NaNs in either `X` or `Y` as missing values, and ignores them.

`B = mnrfi(X,Y,param1,va11,param2,va12,...)` allows you to specify optional parameter name/value pairs to control the model fit. Parameters are:

- `'model'` — The type of model to fit; one of the text strings `'nominal'` (the default), `'ordinal'`, or `'hierarchical'`

- 'interactions' — Determines whether the model includes an interaction between the multinomial categories and the coefficients. Specify as 'off' to fit a model with a common set of coefficients for the predictor variables, across all multinomial categories. This is often described as *parallel regression*. Specify as 'on' to fit a model with different coefficients across categories. In all cases, the model has different intercepts across categories. Thus, B is a vector containing $k-1+p$ coefficient estimates when 'interaction' is 'off', and a $(p+1)$ -by- $(k-1)$ matrix when it is 'on'. The default is 'off' for ordinal models, and 'on' for nominal and hierarchical models.
- 'link' — The link function to use for ordinal and hierarchical models. The link function defines the relationship $g(\mu_{ij}) = x_i b_j$ between the mean response for the i^{th} observation in the j^{th} category, μ_{ij} , and the linear combination of predictors $x_i b_j$. Specify the link parameter value as one of the text strings 'logit' (the default), 'probit', 'comloglog', or 'loglog'. You may not specify the 'link' parameter for nominal models; these always use a multivariate logistic link.
- 'estdisp' — Specify as 'on' to estimate a dispersion parameter for the multinomial distribution in computing standard errors, or 'off' (the default) to use the theoretical dispersion value of 1.

[B,dev] = mnrfit(...) returns the deviance of the fit dev.

[B,dev,stats] = mnrfit(...) returns a structure stats that contains the following fields:

- dfe — Degrees of freedom for error
- s — Theoretical or estimated dispersion parameter
- sfit — Estimated dispersion parameter
- se — Standard errors of coefficient estimates B
- coeffcorr — Estimated correlation matrix for B
- covb — Estimated covariance matrix for B

- `t` — t statistics for B
- `p` — p -values for B
- `resid` — Residuals
- `residp` — Pearson residuals
- `residd` — Deviance residuals

References

[1] McCullagh, P., J.A. Nelder, *Generalized Linear Models*, 2nd edition, Chapman & Hall/CRC Press, 1990.

See Also

`mnrval`, `glmfit`, `glmval`, `regress`, `regstats`

Purpose Multinomial random numbers

Syntax

```
r = mnrnd(n,p)
R = mnrnd(n,p,m)
R = mnrnd(N,P)
```

Description `r = mnrnd(n,p)` returns random values `r` from the multinomial distribution with parameters `n` and `p`. `n` is a positive integer specifying the number of trials (sample size) for each multinomial outcome. `p` is a 1-by-`k` vector of multinomial probabilities, where `k` is the number of multinomial bins or categories. `p` must sum to one. (If `p` does not sum to one, `r` consists entirely of NaN values.) `r` is a 1-by-`k` vector, containing counts for each of the `k` multinomial bins.

`R = mnrnd(n,p,m)` returns `m` random vectors from the multinomial distribution with parameters `n` and `p`. `R` is a `m`-by-`k` matrix, where `k` is the number of multinomial bins or categories. Each row of `R` corresponds to one multinomial outcome.

`R = mnrnd(N,P)` generates outcomes from different multinomial distributions. `P` is a `m`-by-`k` matrix, where `k` is the number of multinomial bins or categories and each of the `m` rows contains a different set of multinomial probabilities. Each row of `P` must sum to one. (If any row of `P` does not sum to one, the corresponding row of `R` consists entirely of NaN values.) `N` is a `m`-by-1 vector of positive integers or a single positive integer (replicated by `mnrnd` to a `m`-by-1 vector). `R` is a `m`-by-`k` matrix. Each row of `R` is generated using the corresponding rows of `N` and `P`.

Example Generate 2 random vectors with the same probabilities:

```
n = 1e3;
p = [0.2,0.3,0.5];
R = mnrnd(n,p,2)
R =
    215    282    503
    194    303    503
```

mnrnd

Generate 2 random vectors with different probabilities:

```
n = 1e3;
P = [0.2, 0.3, 0.5; ...
     0.3, 0.4, 0.3];
R = mnrnd(n,P)
R =
    186    290    524
    290    389    321
```

See Also

[mnpdf](#)

Purpose Multinomial logistic regression values

Syntax

```
PHAT = mnrvl(B,X)
YHAT = mnrvl(B,X,ssize)
[... ,DLO,DHI] = mnrvl(B,X,... ,stats)
[...] = mnrvl(... ,param1,val1,param2,val2,... )
```

Description PHAT = mnrvl(B,X) computes predicted probabilities for the multinomial logistic regression model with predictors X. B contains intercept and coefficient estimates as returned by the mnrfit function. X is an *n*-by-*p* matrix of *p* predictors at each of *n* observations. PHAT is an *n*-by-*k* matrix of predicted probabilities for each multinomial category.

Note mnrvl automatically includes a constant term in all models. Do not enter a column of 1s directly into X.

YHAT = mnrvl(B,X,ssize) computes predicted category counts for sample sizes ssize. ssize is an *n*-by-1 column vector of positive integers.

[... ,DLO,DHI] = mnrvl(B,X,... ,stats) also computes 95% confidence bounds on the predicted probabilities PHAT or counts YHAT. stats is the structure returned by the mnrfit function. DLO and DHI define a lower confidence bound of PHAT or YHAT minus DLO and an upper confidence bound of PHAT or YHAT plus DHI. Confidence bounds are nonsimultaneous and they apply to the fitted curve, not to new observations.

[...] = mnrvl(... ,param1,val1,param2,val2,...) allows you to specify optional parameter name/value pairs to control the predicted values. These parameters must be set to the corresponding values used with the mnrfit function to compute B. Parameters are:

- 'model' — The type of model that was fit by mnrfit; one of the text strings 'nominal' (the default), 'ordinal', or 'hierarchical'.

- 'interactions' — Determines whether the model fit by `mnrfit` included an interaction between the multinomial categories and the coefficients. The default is 'off' for ordinal models, and 'on' for nominal and hierarchical models.
- 'link' — The link function that was used by `mnrfit` for ordinal and hierarchical models. Specify the link parameter value as one of the text strings 'logit' (the default), 'probit', 'comploglog', or 'loglog'. You may not specify the 'link' parameter for nominal models; these always use a multivariate logistic link.
- 'type' — Set to 'category' (the default) to return predictions and confidence bounds for the probabilities (or counts) of the k multinomial categories. Set to 'cumulative' to return predictions and confidence bounds for the cumulative probabilities (or counts) of the first $k-1$ multinomial categories, as an n -by- $(k-1)$ matrix. The predicted cumulative probability for the k th category is 1. Set to 'conditional' to return predictions and confidence bounds in terms of the first $k-1$ conditional category probabilities, i.e., the probability for category j , given an outcome in category j or higher. When 'type' is 'conditional', and you supply the sample size argument `ssize`, the predicted counts at each row of X are conditioned on the corresponding element of `ssize`, across all categories.
- 'confidence' — The confidence level for the confidence bounds; a value between 0 and 1. The default is 0.95.

References

[1] McCullagh, P., J.A. Nelder, *Generalized Linear Models*, 2nd edition, Chapman & Hall/CRC Press, 1990.

See Also

`mnrfit`, `glmfit`, `glmval`

Purpose Mode

Description MATLAB® function. See mode in the MATLAB documentation.

See Also mean, median

moment

Purpose Central moments

Syntax `m = moment(X,order)`
`moment(X,order,dim)`

Description `m = moment(X,order)` returns the central sample moment of X specified by the positive integer order. For vectors, `moment(x,order)` returns the central moment of the specified order for the elements of x . For matrices, `moment(X,order)` returns central moment of the specified order for each column. For N -dimensional arrays, `moment` operates along the first nonsingleton dimension of X .
`moment(X,order,dim)` takes the moment along dimension `dim` of X .

Remarks Note that the central first moment is zero, and the second central moment is the variance computed using a divisor of n rather than $n - 1$, where n is the length of the vector x or the number of rows in the matrix X .

The central moment of order k of a distribution is defined as

$$m_k = E(x - \mu)^k$$

where $E(x)$ is the expected value of x .

Example

```
X = randn([6 5])
X =
    1.1650    0.0591    1.2460   -1.2704   -0.0562
    0.6268    1.7971   -0.6390    0.9846    0.5135
    0.0751    0.2641    0.5774   -0.0449    0.3967
    0.3516    0.8717   -0.3600   -0.7989    0.7562
   -0.6965   -1.4462   -0.1356   -0.7652    0.4005
    1.6961   -0.7012   -1.3493    0.8617   -1.3414

m = moment(X,3)
m =
   -0.0282    0.0571    0.1253    0.1460   -0.4486
```

See Also

kurtosis, mean, skewness, std, var

multcompare

Purpose Multiple comparison test

Syntax

```
c = multcompare(stats)
c = multcompare(stats,param1,val1,param2,val2,...)
[c,m] = multcompare(...)
[c,m,h] = multcompare(...)
[c,m,h,gnames] = multcompare(...)
```

Description `c = multcompare(stats)` performs a multiple comparison test using the information in the `stats` structure, and returns a matrix `c` of pairwise comparison results. It also displays an interactive graph of the estimates with comparison intervals around them. See “Examples” on page 16-549.

In a one-way analysis of variance, you compare the means of several groups to test the hypothesis that they are all the same, against the general alternative that they are not all the same. Sometimes this alternative may be too general. You may need information about which pairs of means are significantly different, and which are not. A test that can provide such information is called a *multiple comparison procedure*.

When you perform a simple t-test of one group mean against another, you specify a significance level that determines the cutoff value of the t statistic. For example, you can specify the value `alpha = 0.05` to insure that when there is no real difference, you will incorrectly find a significant difference no more than 5% of the time. When there are many group means, there are also many pairs to compare. If you applied an ordinary t-test in this situation, the alpha value would apply to each comparison, so the chance of incorrectly finding a significant difference would increase with the number of comparisons. Multiple comparison procedures are designed to provide an upper bound on the probability that *any* comparison will be incorrectly found significant.

The output `c` contains the results of the test in the form of a five-column matrix. Each row of the matrix represents one test, and there is one row for each pair of groups. The entries in the row indicate the means being compared, the estimated difference in means, and a confidence interval for the difference.

For example, suppose one row contains the following entries.

2.0000 5.0000 1.9442 8.2206 14.4971

These numbers indicate that the mean of group 2 minus the mean of group 5 is estimated to be 8.2206, and a 95% confidence interval for the true mean is [1.9442, 14.4971].

In this example the confidence interval does not contain 0.0, so the difference is significant at the 0.05 level. If the confidence interval did contain 0.0, the difference would not be significant at the 0.05 level.

The `multcompare` function also displays a graph with each group mean represented by a symbol and an interval around the symbol. Two means are significantly different if their intervals are disjoint, and are not significantly different if their intervals overlap. You can use the mouse to select any group, and the graph will highlight any other groups that are significantly different from it.

`c = multcompare(stats,param1,va11,param2,va12,...)` specifies one or more of the parameter name/value pairs described in the following table.

Parameter Name	Parameter Values
'alpha'	Scalar between 0 and 1 that determines the confidence levels of the intervals in the matrix <code>c</code> and in the figure (default is 0.05). The confidence level is $100(1 - \alpha)\%$.
'displayopt'	Either 'on' (the default) to display a graph of the estimates with comparison intervals around them, or 'off' to omit the graph. See “Examples” on page 16-549.
c <code>type</code>	Specifies the type of critical value to use for the multiple comparison. “Values of <code>c<code>type</code></code> ” on page 16-546 describes the allowed values for <code>c<code>type</code></code> .

Parameter Name	Parameter Values
'dimension'	A vector specifying the dimension or dimensions over which the population marginal means are to be calculated. Use only if you create stats with the function <code>anovan</code> . The default is 1 to compute over the first dimension. See “Dimension Parameter” on page 16-548 for more information.
'estimate'	Specifies the estimate to be compared. The allowable values of estimate depend on the function that was the source of the stats structure, as described in “Values of estimate” on page 16-548

`[c,m] = multcompare(...)` returns an additional matrix `m`. The first column of `m` contains the estimated values of the means (or whatever statistics are being compared) for each group, and the second column contains their standard errors.

`[c,m,h] = multcompare(...)` returns a handle `h` to the comparison graph. Note that the title of this graph contains instructions for interacting with the graph, and the *x*-axis label contains information about which means are significantly different from the selected mean. If you plan to use this graph for presentation, you may want to omit the title and the *x*-axis label. You can remove them using interactive features of the graph window, or you can use the following commands.

```
title('')  
xlabel('')
```

`[c,m,h,gnames] = multcompare(...)` returns `gnames`, a cell array with one row for each group, containing the names of the groups.

Values of `ctype`

The following table describes the allowed values for the parameter `ctype`.

Values ctype	Meaning
'hsd' or 'tukey-kramer'	Use Tukey's honestly significant difference criterion. This is the default, and it is based on the Studentized range distribution. It is optimal for balanced one-way ANOVA and similar procedures with equal sample sizes. It has been proven to be conservative for one-way ANOVA with different sample sizes. According to the unproven Tukey-Kramer conjecture, it is also accurate for problems where the quantities being compared are correlated, as in analysis of covariance with unbalanced covariate values.
'lsd'	Use Tukey's least significant difference procedure. This procedure is a simple t-test. It is reasonable if the preliminary test (say, the one-way ANOVA F statistic) shows a significant difference. If it is used unconditionally, it provides no protection against multiple comparisons.
'bonferroni'	Use critical values from the t distribution, after a Bonferroni adjustment to compensate for multiple comparisons. This procedure is conservative, but usually less so than the Scheffé procedure.
'dunn-sidak'	Use critical values from the t distribution, after an adjustment for multiple comparisons that was proposed by Dunn and proved accurate by Sidák. This procedure is similar to, but less conservative than, the Bonferroni procedure.
'scheffe'	Use critical values from Scheffé's S procedure, derived from the F distribution. This procedure provides a simultaneous confidence level for comparisons of all linear combinations of the means, and it is conservative for comparisons of simple differences of pairs.

Values of estimate

The allowable values of the parameter 'estimate' depend on the function that was the source of the stats structure, according to the following table.

Source	Allowable Values of 'estimate'
'anova1'	Ignored. Always compare the group means.
'anova2'	Either 'column' (the default) or 'row' to compare column or row means.
'anovan'	Ignored. Always compare the population marginal means as specified by the dim argument.
'aoctool'	Either 'slope', 'intercept', or 'pmm' to compare slopes, intercepts, or population marginal means. If the analysis of covariance model did not include separate slopes, then 'slope' is not allowed. If it did not include separate intercepts, then no comparisons are possible.
'friedman'	Ignored. Always compare average column ranks.
'kruskalwallis'	Ignored. Always compare average group ranks.

Dimension Parameter

The dimension parameter is a vector specifying the dimension or dimensions over which the population marginal means are to be calculated. For example, if $\text{dim} = 1$, the estimates that are compared are the means for each value of the first grouping variable, adjusted by removing effects of the other grouping variables as if the design were balanced. If $\text{dim} = [1\ 3]$, population marginal means are computed for each combination of the first and third grouping variables, removing effects of the second grouping variable. If you fit a singular model, some cell means may not be estimable and any population marginal means that depend on those cell means will have the value NaN.

Population marginal means are described by Milliken and Johnson (1992) and by Searle, Speed, and Milliken (1980). The idea behind population marginal means is to remove any effect of an unbalanced design by fixing the values of the factors specified by `dim`, and averaging out the effects of other factors as if each factor combination occurred the same number of times. The definition of population marginal means does not depend on the number of observations at each factor combination. For designed experiments where the number of observations at each factor combination has no meaning, population marginal means can be easier to interpret than simple means ignoring other factors. For surveys and other studies where the number of observations at each combination does have meaning, population marginal means may be harder to interpret.

Examples

Example 1

The following example performs a 1-way analysis of variance (ANOVA) and displays group means with their names.

```
load carsmall
[p,t,st] = anova1(MPG,Origin,'off');
[c,m,h,nms] = multcompare(st,'display','off');
[nms num2cell(m)]
ans =
    'USA'      [21.1328]  [0.8814]
    'Japan'    [31.8000]  [1.8206]
    'Germany' [28.4444]  [2.3504]
    'France'   [23.6667]  [4.0711]
    'Sweden'   [22.5000]  [4.9860]
    'Italy'    [28.0000]  [7.0513]
```

`multcompare` also displays the following graph of the estimates with comparison intervals around them.

multcompare



You can click the graphs of each country to compare its mean to those of other countries.


Example 2

The following continues the example described in the `anova1` reference page, which is related to testing the material strength in structural beams. From the `anova1` output you found significant evidence that the three types of beams are not equivalent in strength. Now you can determine where those differences lie. First you create the data arrays and you perform one-way ANOVA.

```
strength = [82 86 79 83 84 85 86 87 74 82 ...  
           78 75 76 77 79 79 77 78 82 79];  
alloy = {'st','st','st','st','st','st','st','st',...  
        'al1','al1','al1','al1','al1','al1',...  
        'al2','al2','al2','al2','al2','al2'};  
[p,a,s] = anova1(strength,alloy);
```

Among the outputs is a structure that you can use as input to multcompare.

```
[c,m,h,nms] = multcompare(s);
[nms num2cell(c)]
ans =
    'st'    [1]    [2]    [ 3.6064]    [ 7]    [10.3936]
    'al1'   [1]    [3]    [ 1.6064]    [ 5]    [ 8.3936]
    'al2'   [2]    [3]    [-5.6280]   [-2]    [ 1.6280]
```



The third row of the output matrix shows that the differences in strength between the two alloys is not significant. A 95% confidence interval for the difference is [-5.6, 1.6], so you cannot reject the hypothesis that the true difference is zero.

The first two rows show that both comparisons involving the first group (steel) have confidence intervals that do not include zero. In other

words, those differences are significant. The graph shows the same information.

See Also

anova1, anova2, anovan, aocool, friedman, kruskalwallis

References

[1] Hochberg, Y., and A. C. Tamhane, *Multiple Comparison Procedures*, Wiley, 1987.

[2] Milliken, G. A., and D. E. Johnson, *Analysis of Messy Data, Volume 1: Designed Experiments*, Chapman & Hall, 1992.

[3] Searle, S. R., F. M. Speed, and G. A. Milliken, "Population marginal means in the linear model: an alternative to least-squares means," *American Statistician*, 1980, pp. 216-221.

Purpose Multivari chart for grouped data

Syntax `multivarichart(y, GROUP)`
 `multivarichart(Y)`
 `multivarichart(..., param1, val1, param2, val2, ...)`
 `[charthandle, AXESH] = multivarichart(...)`

Description `multivarichart(y, GROUP)` displays the multivari chart for the vector `y` grouped by entries in the cell array `GROUP`. Each cell of `GROUP` must contain a grouping variable that can be a categorical variable, numeric vector, character matrix, or single-column cell array of strings. (See “Grouped Data” on page 2-33.) `GROUP` can also be a matrix whose columns represent different grouping variables. Each grouping variable must have the same number of elements as `y`. The number of grouping variables must be 2, 3, or 4.

Each subplot of the plot matrix contains a multivari chart for the first and second grouping variables. The *x*-axis in each subplot indicates values of the first grouping variable. The legend at the bottom of the figure window indicates values of the second grouping variable. The subplot at position (i, j) is the multivari chart for the subset of `y` at the *i*th level of the third grouping variable and the *j*th level of the fourth grouping variable. If the third or fourth grouping variable is absent, it is considered to have only one level.

`multivarichart(Y)` displays the multivari chart for a matrix `Y`. The data in different columns represent changes in one factor. The data in different rows represent changes in another factor.

`multivarichart(..., param1, val1, param2, val2, ...)` specifies one or more of the following name/value pairs:

- 'varnames' — Grouping variable names in a character matrix or a cell array of strings, one per grouping variable. Default names are 'X1', 'X2',
- 'plotorder' — A string with the value 'sorted' or a vector containing a permutation of the integers from 1 to the number of grouping variables.

multivarichart

If 'plotorder' is a string with value 'sorted', the grouping variables are rearranged in descending order according to the number of levels in each variable.


If 'plotorder' is a vector, it indicates the order in which each grouping variable should be plotted. For example, [2,3,1,4] indicates that the second grouping variable should be used as the x-axis of each subplot, the third grouping variable should be used as the legend, the first grouping variable should be used as the columns of the plot, and the fourth grouping variable should be used as the rows of the plot.

[charthandle,AXESH] = multivarichart(...) returns a handle charthandle to the figure window and a matrix AXESH of handles to the subplot axes.

Example

Display a multivari chart for data with two grouping variables:

```
y = randn(100,1); % response
group = [ceil(3*rand(100,1)) ceil(2*rand(100,1))];
multivarichart(y,group)
```




Display a multivari chart for data with four grouping variables:

```

y = randn(1000,1); % response
group = {ceil(2*rand(1000,1)),ceil(3*rand(1000,1)), ...
         ceil(2*rand(1000,1)),ceil(3*rand(1000,1))};
multivarichart(y,group)
    
```

multivarichart



See Also

`maineffectsplot`, `interactionplot`

Purpose Multivariate normal cumulative distribution function

Syntax

```
y = mvncdf(X)
y = mvncdf(X,mu,SIGMA)
y = mvncdf(xl,xu,mu,SIGMA)
[y,err] = mvncdf(...)
[...] = mvncdf(...,options)
```

Description `y = mvncdf(X)` returns the cumulative probability of the multivariate normal distribution with zero mean and identity covariance matrix, evaluated at each row of `X`. Rows of the n -by- d matrix `X` correspond to observations or points, and columns correspond to variables or coordinates. `y` is an n -by-1 vector.

`y = mvncdf(X,mu,SIGMA)` returns the cumulative probability of the multivariate normal distribution with mean `mu` and covariance `SIGMA`, evaluated at each row of `X`. `mu` is a 1-by- d vector, and `SIGMA` is a d -by- d symmetric, positive definite matrix. `mu` can also be a scalar value, which `mvncdf` replicates to match the size of `X`. Pass in the empty matrix `[]` for `mu` to use as its default value when you want to only specify `SIGMA`.

The multivariate normal cumulative probability at `X` is defined as the probability that a random vector V , distributed as multivariate normal, will fall within the semi-infinite rectangle with upper limits defined by `X`, for example, $\Pr\{V(1)\leq X(1), V(2)\leq X(2), \dots, V(d)\leq X(d)\}$.

`y = mvncdf(xl,xu,mu,SIGMA)` returns the multivariate normal cumulative probability evaluated over the rectangle with lower and upper limits defined by `xl` and `xu`, respectively.


`[y,err] = mvncdf(...)` returns an estimate of the error in `y`. For bivariate and trivariate distributions, `mvncdf` uses adaptive quadrature on a transformation of the t density, based on methods developed by Drezner and Wesolowsky and by Genz, as described in the references. The default absolute error tolerance for these cases is $1e-8$. For four or more dimensions, `mvncdf` uses a quasi-Monte Carlo integration algorithm based on methods developed by Genz and Bretz, as described in the references. The default absolute error tolerance for these cases is $1e-4$.

[...] = mvncdf(...,options) specifies control parameters for the numerical integration used to compute y . This argument can be created by a call to `statset`. Choices of `statset` parameters:

- 'TolFun' — Maximum absolute error tolerance. Default is $1e-8$ when $d < 4$, or $1e-4$ when $d \geq 4$.
- 'MaxFunEvals' — Maximum number of integrand evaluations allowed when $d \geq 4$. Default is $1e7$. 'MaxFunEvals' is ignored when $d < 4$.
- 'Display' — Level of display output. Choices are 'off' (the default), 'iter', and 'final'. 'Display' is ignored when $d < 4$.

Example

```
mu = [1 -1]; SIGMA = [.9 .4; .4 .3];  
[X1,X2] = meshgrid(linspace(-1,3,25)',linspace(-3,1,25)');  
X = [X1(:) X2(:)];  
p = mvncdf(X,mu,SIGMA);  
surf(X1,X2,reshape(p,25,25));
```



References

- [1] Drezner, Z., "Computation of the Trivariate Normal Integral," *Mathematics of Computation*, Vol. 63, 1994, pp. 289-294.
- [2] Drezner, Z. and G.O. Wesolowsky, "On the Computation of the Bivariate Normal Integral," *Journal of Statistical Computation and Simulation*, Vol. 35, 1989, pp. 101-107.
- [3] Genz, A., "Numerical Computation of Rectangular Bivariate and Trivariate Normal and t Probabilities," *Statistics and Computing*, Vol. 14, No. 3, 2004, pp. 251-260.
- [4] Genz, A. and F. Bretz, "Numerical Computation of Multivariate t Probabilities with Application to Power Calculation of Multiple

Contrasts,” *Journal of Statistical Computation and Simulation*, Vol. 63, 1999, pp. 361-378.

[5] Genz, A. and F. Bretz, “Comparison of Methods for the Computation of Multivariate t Probabilities,” *Journal of Computational and Graphical Statistics*, Vol. 11, No. 4, 2002, pp. 950-971.

See Also

mvnpdf, mvnrnd

Purpose Multivariate normal probability density function

Syntax

```
y = mvnpdf(X)
y = mvnpdf(X,MU)
y = mvnpdf(X,MU,SIGMA)
```

Description

`y = mvnpdf(X)` returns the n -by-1 vector `y`, containing the probability density of the multivariate normal distribution with zero mean and identity covariance matrix, evaluated at each row of the n -by- d matrix `X`. Rows of `X` correspond to observations and columns correspond to variables or coordinates.

`y = mvnpdf(X,MU)` returns the density of the multivariate normal distribution with mean `mu` and identity covariance matrix, evaluated at each row of `X`. `MU` is a 1-by- d vector, or an n -by- d matrix. If `MU` is a matrix, the density is evaluated for each row of `X` with the corresponding row of `MU`. `MU` can also be a scalar value, which `mvnpdf` replicates to match the size of `X`.

`y = mvnpdf(X,MU,SIGMA)` returns the density of the multivariate normal distribution with mean `MU` and covariance `SIGMA`, evaluated at each row of `X`. `SIGMA` is a d -by- d matrix, or an d -by- d -by- n array, in which case the density is evaluated for each row of `X` with the corresponding page of `SIGMA`, i.e., `mvnpdf` computes `y(i)` using `X(i,:)` and `SIGMA(:, :, i)`. Specify `[]` for `MU` to use its default value when you want to specify only `SIGMA`.

If `X` is a 1-by- d vector, `mvnpdf` replicates it to match the leading dimension of `mu` or the trailing dimension of `SIGMA`.

Example

```
mu = [1 -1];
SIGMA = [.9 .4; .4 .3];
X = mvnrnd(mu,SIGMA,10);
p = mvnpdf(X,mu,SIGMA);
```

See Also `mvncdf`, `mvnrnd`

mvregress

Purpose Multivariate linear regression

Syntax

```
b = mvregress(X,Y)
[b,SIGMA] = mvregress(X,Y)
[b,SIGMA,RESID] = mvregress(X,Y)
[b,SIGMA,RESID,COVB] = mvregress(...)
[b,SIGMA,RESID,objective] = mvregress(...)
[...] = mvregress(X,Y,param1,va11,param2,va12,...)
```

Description `b = mvregress(X,Y)` returns a vector `b` of coefficient estimates for a multivariate regression of the d -dimensional responses in `Y` on the predictors in `X`. If $d = 1$, `X` can be an n -by- p matrix of p predictors at each of n observations. If $d \geq 1$, `X` can be a cell array of length n , with each cell containing a d -by- p design matrix for one multivariate observation. If all observations have the same d -by- p design matrix, `X` can be a single cell. `Y` is n -by- d . `b` is p -by-1.

Note To include a constant term in a model, `X` should contain a column of 1s.

`mvregress` treats NaNs in `X` or `Y` as missing values. Missing values in `X` are ignored. Missing values in `Y` are handled according to the value of the `'algorithm'` parameter described below.

`[b,SIGMA] = mvregress(X,Y)` also returns a d -by- d matrix `SIGMA` for the estimated covariance of `Y`.

`[b,SIGMA,RESID] = mvregress(X,Y)` also returns an n -by- d matrix `RESID` of residuals.

The `RESID` values corresponding to missing values in `Y` are the differences between the conditionally imputed values for `Y` and the fitted values. The `SIGMA` estimate is not the sample covariance matrix of the `RESID` matrix.

`[b,SIGMA,RESID,COVB] = mvregress(...)` also returns a matrix `COVB` for the estimated covariance the coefficients. By default, or if the

'varformat' parameter is 'beta' (see below), COVB is the estimated covariance matrix of b . If the 'varformat' parameter is 'full', COVB is the combined estimated covariance matrix for β and SIGMA.

`[b,SIGMA,RESID,objective] = mvregress(...)` also returns the value of the objective function, or log likelihood, `objective`, after the last iteration.

`[...] = mvregress(X,Y,param1,val1,param2,val2,...)` specifies additional parameter name/value pairs chosen from the following:

- 'algorithm' — Either 'ecm' to compute the maximum likelihood estimates via the ECM algorithm, 'cwlsls' to perform least squares (optionally conditionally weighted by an input covariance matrix), or 'mvn' to omit observations with missing data and compute the ordinary multivariate normal estimates. The default is 'mvn' for complete data, 'ecm' for missing data when the sample size is sufficient to estimate all parameters, and 'cwlsls' otherwise.
- 'covar0' — A d -by- d matrix to be used as the initial estimate for SIGMA. The default is the identity matrix. For the 'cwlsls' algorithm, this matrix is usually a diagonal matrix used as a weighting at each iteration. The 'cwlsls' algorithm uses the initial value of SIGMA at each iteration, without changing it.
- 'covtype' — Either 'full', to allow a full covariance matrix, or 'diagonal', to restrict the covariance matrix to be diagonal. The default is 'full'.
- 'maxiter' — Maximum number of iterations. The default is 100.
- 'outputfcn' — An output function called with three arguments:
 1. A vector of current parameter estimates.
 2. A structure with fields 'Covar' for the current value of the covariance matrix, 'iteration' for the current iteration number, and 'fval' for the current value of the objective function.

3. A text string that is 'init' when called during initialization, 'iter' when called after an iteration, and 'done' when called after completion.

The function should return logical true if the iterations should stop, or logical false if they should continue.

- 'param0' — A vector of p elements to be used as the initial estimate for b . Default is a zero vector. Not used for the 'mvn' algorithm.
- 'tolbeta' — Convergence tolerance for b . The default is $\sqrt{\text{eps}}$. Iterations continue until the tolbeta and tolobj conditions are met. The test for convergence at iteration k is

$$\text{norm}(b(k) - b(k-1)) < \sqrt{p} * \text{tolbeta} * (1 + \text{norm}(b(k)))$$

where $p = \text{length}(b)$.

- 'tolobj' — Convergence tolerance for changes in the objective function. The default is $\text{eps}^{(3/4)}$. The test is

$$\text{abs}(\text{obj}(k) - \text{obj}(k-1)) < \text{tolobj} * (1 + \text{abs}(\text{obj}(k)))$$

where obj is the objective function. If both tolobj and tolbeta are 0, the function performs maxiter iterations with no convergence test.

- 'varformat' — Either 'beta' to compute COVB for b only (default), or 'full' to compute COVB for both b and SIGMA .
- 'vartype' — Either 'hessian' to compute COVB using the Hessian or observed information (default), or 'fisher' to compute COVB using the complete-data Fisher or expected information. The 'hessian' method takes into account the increased uncertainties due to missing data, while the 'fisher' method does not.

References

- [1] Little, R. J. A., D. B. Rubin, *Statistical Analysis with Missing Data*, 2nd ed., John Wiley & Sons, Inc., 2002.
- [2] Meng, X., D. B. Rubin, "Maximum Likelihood Estimation via the ECM Algorithm," *Biometrika*, Vol. 80, No. 2, 1993, pp. 267–278.

[3] Sexton, J., A. R. Swensen, “ECM Algorithms that Converge at the Rate of EM,” *Biometrika*, Vol. 87, No. 3, 2000, pp. 651–662.

[4] Dempster, A. P., N. M. Laird, D. B. Rubin, “Maximum Likelihood from Incomplete Data via the EM Algorithm,” *Journal of the Royal Statistical Society, Series B*, Vol. 39, No. 1, 1977, pp. 1–37.

See Also

mvregresslike, manova1

mvregresslike

Purpose Negative log-likelihood for multivariate regression

Syntax
`nlogL = mvregresslike(X,Y,b,SIGMA,alg)`
`[nlogL,COVB] = mvregresslike(...)`
`[nlogL,COVB] = mvregresslike(...,type,format)`

Description `nlogL = mvregresslike(X,Y,b,SIGMA,alg)` computes the negative log-likelihood `nlogL` for a multivariate regression of the d -dimensional multivariate observations in the n -by- d matrix Y on the predictor variables in the matrix or cell array X , evaluated for the p -by-1 column vector b of coefficient estimates and the d -by- d matrix $SIGMA$ specifying the covariance of a row of Y . If $d = 1$, X can be an n -by- p design matrix of predictor variables. For any value of d , X can also be a cell array of length n , with each cell containing a d -by- p design matrix for one multivariate observation. If all observations have the same d -by- p design matrix, X can be a single cell.

NaN values in X or Y are taken as missing. Observations with missing values in X are ignored. Treatment of missing values in Y depends on the algorithm specified by `alg`.

`alg` should match the algorithm used by `mvregress` to obtain the coefficient estimates b , and must be one of the following:

- 'ecm' — ECM algorithm
- 'cwlsls' — Least squares conditionally weighted by $SIGMA$
- 'mvm' — Multivariate normal estimates computed after omitting rows with any missing values in Y

`[nlogL,COVB] = mvregresslike(...)` also returns an estimated covariance matrix `COVB` of the parameter estimates b .

`[nlogL,COVB] = mvregresslike(...,type,format)` specifies the type and format of `COVB`.

`type` is either:

- 'hessian' — To use the Hessian or observed information. This method takes into account the increased uncertainties due to missing data. This is the default.
- 'fisher' — To use the Fisher or expected information. This method uses the complete data expected information, and does not include uncertainty due to missing data.

format is either:

- 'beta' — To compute COVB for b only. This is the default.
- 'full' — To compute COVB for both b and SIGMA.

See Also

mvregress, manova1

mvnrnd

Purpose Multivariate normal random numbers


Syntax
`R = mvnrnd(MU,SIGMA)`
`r = mvnrnd(MU,SIGMA,cases)`

Description `R = mvnrnd(MU,SIGMA)` returns an n -by- d matrix R of random vectors chosen from the multivariate normal distribution with mean MU , and covariance $SIGMA$. MU is an n -by- d matrix, and `mvnrnd` generates each row of R using the corresponding row of mu . $SIGMA$ is a d -by- d symmetric positive semi-definite matrix, or a d -by- d -by- n array. If $SIGMA$ is an array, `mvnrnd` generates each row of R using the corresponding page of $SIGMA$, i.e., `mvnrnd` computes $R(i,:)$ using $MU(i,:)$ and $SIGMA(:,:,i)$. If MU is a 1-by- d vector, `mvnrnd` replicates it to match the trailing dimension of $SIGMA$.

`r = mvnrnd(MU,SIGMA,cases)` returns a cases-by- d matrix R of random vectors chosen from the multivariate normal distribution with a common 1-by- d mean vector MU , and a common d -by- d covariance matrix $SIGMA$.

Example

```
mu = [2 3];  
SIGMA = [1 1.5; 1.5 3];  
r = mvnrnd(mu,SIGMA,100);  
plot(r(:,1),r(:,2),'+')
```

**See Also**`mvnpdf`, `mvncdf`

Purpose Multivariate t cumulative distribution function

Syntax

```
y = mvtcdf(X,C,DF)
y = mvtcdf(xl,xu,C,DF)
[y,err] = mvtcdf(...)
[...] = mvntdf(...,options)
```

Description `y = mvtcdf(X,C,DF)` returns the cumulative probability of the multivariate t distribution with correlation parameters C and degrees of freedom DF , evaluated at each row of X . Rows of the n -by- d matrix X correspond to observations or points, and columns correspond to variables or coordinates. y is an n -by-1 vector.

C is a symmetric, positive definite, d -by- d matrix, typically a correlation matrix. If its diagonal elements are not 1, `mvtcdf` scales C to correlation form. DF is a scalar, or a vector with n elements.

The multivariate t cumulative probability at X is defined as the probability that a random vector T , distributed as multivariate t , will fall within the semi-infinite rectangle with upper limits defined by X , i.e., $\Pr\{T(1)\leq X(1), T(2)\leq X(2), \dots, T(d)\leq X(d)\}$.

`y = mvtcdf(xl,xu,C,DF)` returns the multivariate t cumulative probability evaluated over the rectangle with lower and upper limits defined by x_l and x_u , respectively.


`[y,err] = mvtcdf(...)` returns an estimate of the error in y . For bivariate and trivariate distributions, `mvtcdf` uses adaptive quadrature on a transformation of the t density, based on methods developed by Genz, as described in the references. The default absolute error tolerance for these cases is $1e-8$. For four or more dimensions, `mvtcdf` uses a quasi-Monte Carlo integration algorithm based on methods developed by Genz and Bretz, as described in the references. The default absolute error tolerance for these cases is $1e-4$.

`[...] = mvntdf(...,options)` specifies control parameters for the numerical integration used to compute y . This argument can be created by a call to `statset`. Choices of `statset` parameters are:

- 'TolFun' — Maximum absolute error tolerance. Default is $1e-8$ when $d < 4$, or $1e-4$ when $d \geq 4$.
- 'MaxFunEvals' — Maximum number of integrand evaluations allowed when $d \geq 4$. Default is $1e7$. 'MaxFunEvals' is ignored when $d < 4$.
- 'Display' — Level of display output. Choices are 'off' (the default), 'iter', and 'final'. 'Display' is ignored when $d < 4$.

Example

```
C = [1 .4; .4 1]; df = 2;
[X1,X2] = meshgrid(linspace(-2,2,25)',linspace(-2,2,25)');
X = [X1(:) X2(:)];
p = mvtcdf(X,C,df);
surf(X1,X2,reshape(p,25,25));
```



References

- [1] Genz, A., "Numerical Computation of Rectangular Bivariate and Trivariate Normal and t Probabilities," *Statistics and Computing*, Vol. 14, No. 3, 2004, pp. 251-260.
- [2] Genz, A. and F. Bretz, "Numerical Computation of Multivariate t Probabilities with Application to Power Calculation of Multiple Contrasts," *Journal of Statistical Computation and Simulation*, Vol. 63, 1999, pp. 361-378.
- [3] Genz, A. and F. Bretz, "Comparison of Methods for the Computation of Multivariate t Probabilities," *Journal of Computational and Graphical Statistics*, Vol. 11, No. 4, 2002, pp. 950-971.

See Also

mvtpdf, mvtrnd

mvtpdf


Purpose Multivariate t probability density function

Syntax `y = mvtpdf(X,C,df)`

Description `y = mvtpdf(X,C,df)` returns the probability density of the multivariate t distribution with correlation parameters `C` and degrees of freedom `df`, evaluated at each row of `X`. Rows of the n -by- d matrix `X` correspond to observations or points, and columns correspond to variables or coordinates. `C` is a symmetric, positive definite, d -by- d matrix, typically a correlation matrix. If its diagonal elements are not 1, `mvtpdf` scales `C` to correlation form. `df` is a scalar, or a vector with n elements. `y` is an n -by-1 vector.

Example Visualize a multivariate t distribution:

```
[X1,X2] = meshgrid(linspace(-2,2,25)',linspace(-2,2,25)');
X = [X1(:) X2(:)];
C = [1 .4; .4 1];
df = 2;
p = mvtpdf(X,C,df);
surf(X1,X2,reshape(p,25,25))
```

**See Also**

mvtcdf, mvtrnd

mvtrnd

Purpose Multivariate t random numbers

Syntax `R = mvtrnd(C,df,cases)`
`R = mvtrnd(C,df)`

Description `R = mvtrnd(C,df,cases)` returns a matrix of random numbers chosen from the multivariate t distribution, where C is a correlation matrix. `df` is the degrees of freedom and is either a scalar or is a vector with `cases` elements. If p is the number of columns in C , then the output R has `cases` rows and p columns.


Let t represent a row of R . Then the distribution of t is that of a vector having a multivariate normal distribution with mean 0, variance 1, and covariance matrix C , divided by an independent chi-square random value having `df` degrees of freedom. The rows of R are independent.

C must be a square, symmetric and positive definite matrix. If its diagonal elements are not all 1 (that is, if C is a covariance matrix rather than a correlation matrix), `mvtrnd` computes the equivalent correlation matrix before generating the random numbers.

`R = mvtrnd(C,df)` returns a single random number from the multivariate t distribution.

Example

```
SIGMA = [1 0.8;0.8 1];  
R = mvtrnd(SIGMA,3,100);  
plot(R(:,1),R(:,2),'+')
```

**See Also**`mvtpdf`, `mvtcdf`

Purpose

Covariance ignoring NaNs

Syntax

```
C = nancov(X)
C = nancov(X,Y)
C = nancov(X)
nancov
C = nancov(X,1)
C = nancov(...,'pairwise')
```

Description

$C = \text{nancov}(X)$, where X is a vector, returns the sample variance of the values in X , treating NaNs as missing values. If X is a matrix, in which each row is an observation and each column a variable, $\text{nancov}(X)$ is the covariance matrix computed using rows of X that do not contain any NaN values.

$C = \text{nancov}(X, Y)$, where X and Y are matrices with the same number of elements, is equivalent to $\text{nancov}([X(:) \ Y(:)])$.

$C = \text{nancov}(X)$ or $\text{nancov}(X, Y)$ normalizes the result by $n - 1$ if $n > 0$, where n is the number of observations after removing missing values. This makes $\text{nancov}(X)$ the best unbiased estimate of the covariance matrix if the observations are from a normal distribution. For $n = 1$ nancov normalizes by n .

$C = \text{nancov}(X, 1)$ or $\text{nancov}(X, Y, 1)$ normalizes the result by n . That is, it returns the second moment matrix of the observations about their mean. $\text{nancov}(X, Y, 0)$ is the same as $\text{nancov}(X, Y)$, and $\text{nancov}(X, 0)$ is the same as $\text{nancov}(X)$.

$C = \text{nancov}(\dots, 'pairwise')$ computes $C(i, j)$ using rows with no NaN values in columns i or j . The result may not be a positive definite matrix. $C = \text{nancov}(\dots, 'complete')$ is the default, and it omits rows with any NaN values, even if they are not in column i or j .

The mean is removed from each column before calculating the result.

Example

The following example generates random data having nonzero covariance between column 4 and the other columns.

```
X = randn(30,4);    % Uncorrelated data
X(:,4) = sum(X,2); % Introduce correlation
X(2,3) = NaN;      % Introduce one missing value
C = nancov(X)      % Compute sample covariance
```

See Also

cov, var, nanvar

nanmax

Purpose Maximum ignoring NaNs

Syntax
M = nanmax(A)
M = nanmax(A,B)
M = nanmax(A,[],dim)
[M,ndx] = nanmax(...)

Description M = nanmax(A) returns the maximum with NaNs treated as missing. For vectors, nanmax(A) is the largest non-NaN element in A. For matrices, nanmax(A) is a row vector containing the maximum non-NaN element from each column. For N-dimensional arrays, nanmax operates along the first nonsingleton dimension of X.

M = nanmax(A,B) returns an array of the same size as A and B, each of whose entries is the maximum of the corresponding entries of A or B. A scalar input is expanded to an array of the same size as the other input.

M = nanmax(A,[],dim) operates along the dimension dim of X.

[M,ndx] = nanmax(...) also returns the indices of the maximum values in the vector ndx.

Example

```
A = magic(3);  
A([1 6 8]) = [NaN NaN NaN]  
A =  
    NaN     1     6  
     3     5    NaN  
     4    NaN     2  
  
[nmax,maxidx] = nanmax(A)  
nmax =  
     4     5     6  
maxidx =  
     3     2     1
```

See Also nanmin, nanmean, nanmedian, nanstd, nansum

Purpose Mean ignoring NaNs

Syntax `y = nanmean(X)`
`y = nanmean(X,dim)`

Description `y = nanmean(X)` is the mean computed by treating NaNs as missing values.

For vectors, `nanmean(x)` is the mean of the non-NaN elements of `x`. For matrices, `nanmean(X)` is a row vector containing the mean of the non-NaN elements in each column. For N-dimensional arrays, `nanmean` operates along the first nonsingleton dimension of `X`.

`y = nanmean(X,dim)` takes the mean along dimension `dim` of `X`.

Example

```
m = magic(3);
m([1 6 8]) = [NaN NaN NaN]
m =
    NaN     1     6
     3     5    NaN
     4    NaN     2

nmean = nanmean(m)
nmean =
    3.5000    3.0000    4.0000
```

See Also `nanmin`, `nanmax`, `nanmedian`, `nanstd`, `nansum`

nanmedian

Purpose Median ignoring NaNs

Syntax `y = nanmedian(X)`
`y = nanmedian(X,dim)`

Description `y = nanmedian(X)` is the median computed by treating NaNs as missing values.

For vectors, `nanmedian(x)` is the median of the non-NaN elements of `x`. For matrices, `nanmedian(X)` is a row vector containing the median of the non-NaN elements in each column of `X`. For `N`-dimensional arrays, `nanmedian` operates along the first nonsingleton dimension of `X`.

`y = nanmedian(X,dim)` takes the median along the dimension `dim` of `X`.

Example

```
m = magic(4);
m([1 6 9 11]) = [NaN NaN NaN NaN]
m =
    NaN     2    NaN    13
     5    NaN    10     8
     9     7    NaN    12
     4    14    15     1

nmedian = nanmedian(m)
nmedian =
    5.0000    7.0000   12.5000   10.0000
```

See Also `nanmin`, `nanmax`, `nanmean`, `nanstd`, `nansum`

Purpose Minimum ignoring NaNs

Syntax

```
M = nanmin(A)
M = nanmin(A,B)
M = nanmin(A,[],dim)
[M,ndx] = nanmin(...)
```

Description `M = nanmin(A)` is the minimum computed by treating NaNs as missing values. For vectors, `M` is the smallest non-NaN element in `A`. For matrices, `M` is a row vector containing the minimum non-NaN element from each column. For `N`-dimensional arrays, `nanmin` operates along the first nonsingleton dimension of `X`.

`M = nanmin(A,B)` returns an array of the same size as `A` and `B`, each of whose entries is the minimum of the corresponding entries of `A` or `B`. A scalar input is expanded to an array of the same size as the other input.

`M = nanmin(A,[],dim)` operates along the dimension `dim` of `X`.

`[M,ndx] = nanmin(...)` also returns the indices of the minimum values in vector `ndx`.

Example

```
A = magic(3);
A([1 6 8]) = [NaN NaN NaN]
A =
    NaN     1     6
     3     5    NaN
     4    NaN     2

[nmin,minidx] = nanmin(A)
nmin =
     3     1     2
minidx =
     2     1     3
```

See Also `nanmax`, `nanmean`, `nanmedian`, `nanstd`, `nansum`

nanstd

Purpose Standard deviation ignoring NaNs

Syntax

```
Y = nanstd(X)
Y = nanstd(X,1)
nanstd(X,0)
Y = nanstd(X,flag,dim)
```

Description $Y = \text{nanstd}(X)$ is the standard deviation computed by treating NaNs as missing values. For vectors, $\text{nanstd}(X)$ is the standard deviation of the non-NaN elements of X . For matrices, $\text{nanstd}(X)$ is a row vector containing the standard deviations of the non-NaN elements in each column of X . For N -dimensional arrays, nanstd operates along the first nonsingleton dimension of X .

$Y = \text{nanstd}$ normalizes Y by $n - 1$, where n is the sample size. The result Y is the square root of an unbiased estimator of the variance of the population from which X is drawn, as long as X consists of independent, identically distributed samples, and data are missing at random.

$Y = \text{nanstd}(X, 1)$ normalizes Y by n . The result Y is the square root of the second moment of the sample about its mean. $\text{nanstd}(X, 0)$ is the same as $\text{nanstd}(X)$.

$Y = \text{nanstd}(X, \text{flag}, \text{dim})$ takes the standard deviation along the dimension dim of X . Set flag to 0 to normalize the result by $n - 1$; set flag to 1 to normalize the result by n .

Example

```
m = magic(3);
m([1 6 8]) = [NaN NaN NaN]
m =
    NaN     1     6
     3     5    NaN
     4    NaN     2

nstd = nanstd(m)
nstd =
    0.7071    2.8284    2.8284
```

See Also `nanmax`, `nanmin`, `nanmean`, `nanmedian`, `nansum`

nansum

Purpose Sum ignoring NaNs

Syntax `y = nansum(X)`
`Y = nansum(X,dim)`

Description `y = nansum(X)` is the sum computed by treating NaNs as missing values. For vectors, `nansum(x)` is the sum of the non-NaN elements of `x`. For matrices, `nansum(X)` is a row vector containing the sum of the non-NaN elements in each column of `X`. For N-dimensional arrays, `nansum` operates along the first nonsingleton dimension of `X`.
`Y = nansum(X,dim)` takes the sum along dimension `dim` of `X`.

Example

```
m = magic(3);
m([1 6 8]) = [NaN NaN NaN]
m =
    NaN     1     6
     3     5    NaN
     4    NaN     2

nsum = nansum(m)
nsum =
     7     6     8
```

See Also `nanmax`, `nanmin`, `nanmean`, `nanmedian`, `nanstd`

Purpose

Variance, ignoring NaNs

Syntax

```
Y = nanvar(X)
Y = nanvar(X,1)
Y = nanvar(X,w)
Y = nanvar(X,w,dim)
```

Description

`Y = nanvar(X)` returns the sample variance of the values in X , treating NaNs as missing values. For a vector input, Y is the variance of the non-NaN elements of X . For a matrix input, Y is a row vector containing the variance of the non-NaN elements in each column of X . For N -dimensional arrays, `nanvar` operates along the first nonsingleton dimension of X .

`nanvar` normalizes Y by $n - 1$ if $n > 1$, where n is the sample size of the non-NaN elements. The result, Y , is an unbiased estimator of the variance of the population from which X is drawn, as long as X consists of independent, identically distributed samples, and data are missing at random. For $n = 1$, Y is normalized by N .

`Y = nanvar(X,1)` normalizes Y by n . The result Y is the second moment of the sample about its mean. `nanvar(X,0)` is the same as `nanvar(X)`.

`Y = nanvar(X,w)` computes the variance using the weight vector w . The length of w must equal the length of the dimension over which `nanvar` operates, and its elements must be nonnegative. Elements of X corresponding to NaN elements of w are ignored.

`Y = nanvar(X,w,dim)` takes the variance along the dimension `dim` of X . Set w to `[]` to use the default normalization by $n - 1$.

See Also

`var`, `nanstd`, `nanmean`, `nanmedian`, `nanmin`, `nanmax`, `nansum`

nbincdf

Purpose Negative binomial cumulative distribution function

Syntax `Y = nbincdf(X,R,P)`

Description `Y = nbincdf(X,R,P)` computes the negative binomial cdf at each of the values in `X` using the corresponding parameters in `R` and `P`. `X`, `R`, and `P` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `Y`. A scalar input for `X`, `R`, or `P` is expanded to a constant array with the same dimensions as the other inputs.

The negative binomial cdf is


$$y = F(x|r, p) = \sum_{i=0}^x \binom{r+i-1}{i} p^r q^i I_{(0,1,\dots)}(i)$$

The simplest motivation for the negative binomial is the case of successive random trials, each having a constant probability `P` of success. The number of *extra* trials you must perform in order to observe a given number `R` of successes has a negative binomial distribution. However, consistent with a more general interpretation of the negative binomial, `nbincdf` allows `R` to be any positive value, including nonintegers. When `R` is noninteger, the binomial coefficient in the definition of the cdf is replaced by the equivalent expression

$$\frac{\Gamma(r+i)}{\Gamma(r)\Gamma(i+1)}$$

Example

```
x = (0:15);  
p = nbincdf(x,3,0.5);  
stairs(x,p)
```

See Also

`cdf`, `nbinpdf`, `nbininv`, `nbinstat`, `nbinfit`, `nbinrnd`

nbinfit

Purpose Negative binomial parameter estimates

Syntax
`parmhat = nbinfit(data)`
`[parmhat,parmci] = nbinfit(data,alpha)`
`[...] = nbinfit(data,alpha,options)`

Description `parmhat = nbinfit(data)` returns the maximum likelihood estimates (MLEs) of the parameters of the negative binomial distribution given the data in the vector `data`.

`[parmhat,parmci] = nbinfit(data,alpha)` returns MLEs and 100(1-alpha) percent confidence intervals. By default, `alpha = 0.05`, which corresponds to 95% confidence intervals.

`[...] = nbinfit(data,alpha,options)` accepts a structure, `options`, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates. The negative binomial fit function accepts an options structure which you can create using the function `statset`. Enter `statset('nbinfit')` to see the names and default values of the parameters that `nbinfit` accepts in the options structure. See the reference page for `statset` for more information about these options.

Note The variance of a negative binomial distribution is greater than its mean. If the sample variance of the data in `data` is less than its sample mean, `nbinfit` cannot compute MLEs. You should use the `poissfit` function instead.

See Also `nbincdf`, `nbiniinv`, `nbinpdf`, `nbindrnd`, `nbinstat`, `mle`, `statset`

Purpose	Negative binomial inverse cumulative distribution function
Syntax	$X = \text{nbininv}(Y,R,P)$
Description	<p>$X = \text{nbininv}(Y,R,P)$ returns the inverse of the negative binomial cdf with parameters R and P at the corresponding probabilities in P. Since the binomial distribution is discrete, <code>nbininv</code> returns the least integer X such that the negative binomial cdf evaluated at X equals or exceeds Y. Y, R, and P can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of X. A scalar input for Y, R, or P is expanded to a constant array with the same dimensions as the other inputs.</p> <p>The simplest motivation for the negative binomial is the case of successive random trials, each having a constant probability P of success. The number of <i>extra</i> trials you must perform in order to observe a given number R of successes has a negative binomial distribution. However, consistent with a more general interpretation of the negative binomial, <code>nbininv</code> allows R to be any positive value, including nonintegers.</p>
Example	<p>How many times would you need to flip a fair coin to have a 99% probability of having observed 10 heads?</p> <pre>flips = nbininv(0.99,10,0.5) + 10 flips = 33</pre> <p>Note that you have to flip at least 10 times to get 10 heads. That is why the second term on the right side of the equals sign is a 10.</p>
See Also	<code>icdf</code> , <code>nbincdf</code> , <code>nbinpdf</code> , <code>nbinstat</code> , <code>nbinfit</code> , <code>nbinrnd</code>

nbinpdf

Purpose Negative binomial probability density function

Syntax `Y = nbinpdf(X,R,P)`

Description `Y = nbinpdf(X,R,P)` returns the negative binomial pdf at each of the values in `X` using the corresponding parameters in `R` and `P`. `X`, `R`, and `P` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `Y`. A scalar input for `X`, `R`, or `P` is expanded to a constant array with the same dimensions as the other inputs. Note that the density function is zero unless the values in `X` are integers.

The negative binomial pdf is


$$y = f(x|r, p) = \binom{r+x-1}{x} p^r q^x I_{(0,1,\dots)}(x)$$

The simplest motivation for the negative binomial is the case of successive random trials, each having a constant probability `P` of success. The number of *extra* trials you must perform in order to observe a given number `R` of successes has a negative binomial distribution. However, consistent with a more general interpretation of the negative binomial, `nbinpdf` allows `R` to be any positive value, including nonintegers. When `R` is noninteger, the binomial coefficient in the definition of the pdf is replaced by the equivalent expression

$$\frac{\Gamma(r+x)}{\Gamma(r)\Gamma(x+1)}$$

Example

```
x = (0:10);  
y = nbinpdf(x,3,0.5);  
plot(x,y,'+')  
set(gca,'Xlim',[-0.5,10.5])
```



See Also

pdf, nbincdf, nbininv, nbinstat, nbinfit, nbinrnd

nbinrnd

Purpose Negative binomial random numbers

Syntax

```
RND = nbinrnd(R,P)
RND = nbinrnd(R,P,m)
RND = nbinrnd(R,P,m,n)
```

Description `RND = nbinrnd(R,P)` is a matrix of random numbers chosen from a negative binomial distribution with parameters `R` and `P`. `R` and `P` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `RND`. A scalar input for `R` or `P` is expanded to a constant array with the same dimensions as the other input.

`RND = nbinrnd(R,P,m)` generates random numbers with parameters `R` and `P`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`RND = nbinrnd(R,P,m,n)` generates random numbers with parameters `R` and `P`, where scalars `m` and `n` are the row and column dimensions of `RND`.

The simplest motivation for the negative binomial is the case of successive random trials, each having a constant probability `P` of success. The number of *extra* trials you must perform in order to observe a given number `R` of successes has a negative binomial distribution. However, consistent with a more general interpretation of the negative binomial, `nbinrnd` allows `R` to be any positive value, including nonintegers.

Example Suppose you want to simulate a process that has a defect probability of 0.01. How many units might Quality Assurance inspect before finding three defective items?

```
r = nbinrnd(3,0.01,1,6)+3
r =
    496    142    420    396    851    178
```

See Also `random`, `nbinpdf`, `nbincdf`, `nbininv`, `nbinstat`, `nbinfit`

Purpose Negative binomial mean and variance

Syntax `[M,V] = nbinstat(R,P)`

Description `[M,V] = nbinstat(R,P)` returns the mean of and variance for the negative binomial distribution with parameters `R` and `P`. `R` and `P` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `M` and `V`. A scalar input for `R` or `P` is expanded to a constant array with the same dimensions as the other input.

The mean of the negative binomial distribution with parameters r and p is rq / p , where $q = 1 - p$. The variance is rq / p^2 .

The simplest motivation for the negative binomial is the case of successive random trials, each having a constant probability P of success. The number of *extra* trials you must perform in order to observe a given number R of successes has a negative binomial distribution. However, consistent with a more general interpretation of the negative binomial, `nbinstat` allows R to be any positive value, including nonintegers.

Example

```
p = 0.1:0.2:0.9;
r = 1:5;
[R,P] = meshgrid(r,p);
[M,V] = nbinstat(R,P)
M =
    9.0000    18.0000    27.0000    36.0000    45.0000
    2.3333    4.6667    7.0000    9.3333    11.6667
    1.0000    2.0000    3.0000    4.0000    5.0000
    0.4286    0.8571    1.2857    1.7143    2.1429
    0.1111    0.2222    0.3333    0.4444    0.5556

V =
   90.0000  180.0000  270.0000  360.0000  450.0000
   7.7778  15.5556  23.3333  31.1111  38.8889
   2.0000   4.0000   6.0000   8.0000  10.0000
   0.6122   1.2245   1.8367   2.4490   3.0612
   0.1235   0.2469   0.3704   0.4938   0.6173
```

nbinstat

See Also

nbinpdf, nbincdf, nbininv, nbinfit, nbinrnd

Purpose Noncentral F cumulative distribution function

Syntax $P = \text{ncfcdf}(X, \text{NU1}, \text{NU2}, \text{DELTA})$

Description $P = \text{ncfcdf}(X, \text{NU1}, \text{NU2}, \text{DELTA})$ computes the noncentral F cdf at each of the values in X using the corresponding numerator degrees of freedom in NU1 , denominator degrees of freedom in NU2 , and positive noncentrality parameters in DELTA . NU1 , NU2 , and DELTA can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of P . A scalar input for X , NU1 , NU2 , or DELTA is expanded to a constant array with the same dimensions as the other inputs.

The noncentral F cdf is


$$F(x|v_1, v_2, \delta) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\delta\right)^j}{j!} e^{-\frac{\delta}{2}} \right) I\left(\frac{v_1 \cdot x}{v_2 + v_1 \cdot x} \middle| \frac{v_1}{2} + j, \frac{v_2}{2}\right)$$

where $I(x|a, b)$ is the incomplete beta function with parameters a and b .

Example

Compare the noncentral F cdf with $\delta = 10$ to the F cdf with the same number of numerator and denominator degrees of freedom (5 and 20 respectively).

```
x = (0.01:0.1:10.01)';
p1 = ncfcdf(x, 5, 20, 10);
p = fcdf(x, 5, 20);
plot(x, p, '- ', x, p1, '-')
```



References

[1] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 189-200.

See Also

`cdf`, `ncfpdf`, `ncfinv`, `ncfstat`, `ncfrnd`

Purpose Noncentral F inverse cumulative distribution function

Syntax `X = ncfinv(P,NU1,NU2,DELTA)`

Description `X = ncfinv(P,NU1,NU2,DELTA)` returns the inverse of the noncentral F cdf with numerator degrees of freedom `NU1`, denominator degrees of freedom `NU2`, and positive noncentrality parameter `DELTA` for the corresponding probabilities in `P`. `P`, `NU1`, `NU2`, and `DELTA` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `X`. A scalar input for `P`, `NU1`, `NU2`, or `DELTA` is expanded to a constant array with the same dimensions as the other inputs.

Example One hypothesis test for comparing two sample variances is to take their ratio and compare it to an F distribution. If the numerator and denominator degrees of freedom are 5 and 20 respectively, then you reject the hypothesis that the first variance is equal to the second variance if their ratio is less than that computed below.

```
critical = finv(0.95,5,20)
critical =
    2.7109
```

Suppose the truth is that the first variance is twice as big as the second variance. How likely is it that you would detect this difference?

```
prob = 1 - nfcdf(critical,5,20,2)
prob =
    0.1297
```

If the true ratio of variances is 2, what is the typical (median) value you would expect for the F statistic?

```
ncfinv(0.5,5,20,2)
ans =
    1.2786
```

References

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, 2nd edition, John Wiley and Sons, 1993, pp. 102-105.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 189-200.

See Also

icdf, nfcdf, ncfpdf, ncfstat, , ncfrnd

Purpose Noncentral F probability density function


Syntax $Y = \text{ncfpdf}(X, \text{NU1}, \text{NU2}, \text{DELTA})$

Description $Y = \text{ncfpdf}(X, \text{NU1}, \text{NU2}, \text{DELTA})$ computes the noncentral F pdf at each of the values in X using the corresponding numerator degrees of freedom in NU1 , denominator degrees of freedom in NU2 , and positive noncentrality parameters in DELTA . X , NU1 , NU2 , and DELTA can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of Y . A scalar input for NU1 , NU2 , or DELTA is expanded to a constant array with the same dimensions as the other inputs.

The F distribution is a special case of the noncentral F where $\delta = 0$. As δ increases, the distribution flattens like the plot in the example.

Example Compare the noncentral F pdf with $\delta = 10$ to the F pdf with the same number of numerator and denominator degrees of freedom (5 and 20 respectively).

```
x = (0.01:0.1:10.01)';
p1 = ncfpdf(x,5,20,10);
p = fpdf(x,5,20);
plot(x,p,'-',x,p1,'-')
```



References [1] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 189-200.

See Also pdf, ncfcdf, ncfinv, ncfstat, ncfrnd

ncfrnd

Purpose Noncentral F random numbers

Syntax
`R = ncfrnd(NU1,NU2,DELTA)`
`R = ncfrnd(NU1,NU2,DELTA,v)`
`R = ncfrnd(NU1,NU2,DELTA,m,n)`

Description `R = ncfrnd(NU1,NU2,DELTA)` returns a matrix of random numbers chosen from the noncentral F distribution with parameters `NU1`, `NU2` and `DELTA`. `NU1`, `NU2`, and `DELTA` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `R`. A scalar input for `NU1`, `NU2`, or `DELTA` is expanded to a constant matrix with the same dimensions as the other inputs.

`R = ncfrnd(NU1,NU2,DELTA,v)` returns a matrix of random numbers with parameters `NU1`, `NU2`, and `DELTA`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = ncfrnd(NU1,NU2,DELTA,m,n)` generates random numbers with parameters `NU1`, `NU2`, and `DELTA`, where scalars `m` and `n` are the row and column dimensions of `R`.

Example Compute six random numbers from a noncentral F distribution with 10 numerator degrees of freedom, 100 denominator degrees of freedom and a noncentrality parameter, δ , of 4.0. Compare this to the F distribution with the same degrees of freedom.

```
r = ncfrnd(10,100,4,1,6)
r =
    2.5995    0.8824    0.8220    1.4485    1.4415    1.4864
```

```
r1 = frnd(10,100,1,6)
r1 =
    0.9826    0.5911    1.0967    0.9681    2.0096    0.6598
```

References [1] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 189-200.

See Also random, ncfpdf, ncfcdf, ncfinv, ncfstat

ncfstat

Purpose Noncentral F mean and variance

Syntax $[M,V] = \text{ncfstat}(NU1,NU2,DELTA)$

Description $[M,V] = \text{ncfstat}(NU1,NU2,DELTA)$ returns the mean of and variance for the noncentral F pdf with $NU1$ and $NU2$ degrees of freedom and noncentrality parameter $DELTA$. $NU1$, $NU2$, and $DELTA$ can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of M and V . A scalar input for $NU1$, $NU2$, or $DELTA$ is expanded to a constant array with the same dimensions as the other input.

The mean of the noncentral F distribution with parameters ν_1 , ν_2 , and δ is

$$\frac{\nu_2(\delta + \nu_1)}{\nu_1(\nu_2 - 2)}$$

where $\nu_2 > 2$.

The variance is

$$2\left(\frac{\nu_2}{\nu_1}\right)^2 \left[\frac{(\delta + \nu_1)^2 + (2\delta + \nu_1)(\nu_2 - 2)}{(\nu_2 - 2)^2(\nu_2 - 4)} \right]$$

where $\nu_2 > 4$.

Example $[m,v] = \text{ncfstat}(10,100,4)$

$m =$
1.4286
 $v =$
0.4252

References [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 73-74.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 189-200.

See Also

ncfpdf, ncfcdf, ncfinv, ncfrnd

nctcdf


Purpose Noncentral t cumulative distribution function

Syntax $P = \text{nctcdf}(X, \text{NU}, \text{DELTA})$

Description $P = \text{nctcdf}(X, \text{NU}, \text{DELTA})$ computes the noncentral t cdf at each of the values in X using the corresponding degrees of freedom in NU and noncentrality parameters in DELTA . X , NU , and DELTA can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of P . A scalar input for X , NU , or DELTA is expanded to a constant array with the same dimensions as the other inputs.

Example Compare the noncentral t cdf with $\text{DELTA} = 1$ to the t cdf with the same number of degrees of freedom (10).

```
x = (-5:0.1:5)';  
p1 = nctcdf(x,10,1);  
p = tcdf(x,10);  
plot(x,p,'-',x,p1,'-')
```



References [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 147-148.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 201-219.

See Also `cdf`, `nctpdf`, `nctinv`, `nctstat`, `nctrnd`

Purpose	Noncentral t inverse cumulative distribution function
Syntax	$X = \text{nctinv}(P, NU, DELTA)$
Description	$X = \text{nctinv}(P, NU, DELTA)$ returns the inverse of the noncentral t cdf with NU degrees of freedom and noncentrality parameter $DELTA$ for the corresponding probabilities in P . P , NU , and $DELTA$ can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of X . A scalar input for P , NU , or $DELTA$ is expanded to a constant array with the same dimensions as the other inputs.
Example	<pre>x = nctinv([0.1 0.2],10,1) x = -0.2914 0.1618</pre>
References	[1] Evans, M., N. Hastings, and B. Peacock, <i>Statistical Distributions, 2nd Edition</i> , John Wiley and Sons, 1993, pp. 147-148. [2] Johnson, N., and S. Kotz, <i>Distributions in Statistics: Continuous Univariate Distributions-2</i> , John Wiley and Sons, 1970, pp. 201-219.
See Also	icdf, nctcdf, nctpdf, nctstat, nctrnd

Purpose Noncentral t probability density function


Syntax $Y = \text{nctpdf}(X,V,DELTA)$

Description $Y = \text{nctpdf}(X,V,DELTA)$ computes the noncentral t pdf at each of the values in X using the corresponding degrees of freedom in V and noncentrality parameters in $DELTA$. Vector or matrix inputs for X , V , and $DELTA$ must have the same size, which is also the size of Y . A scalar input for X , V , or $DELTA$ is expanded to a constant matrix with the same dimensions as the other inputs.

Example Compare the noncentral t pdf with $DELTA = 1$ to the t pdf with the same number of degrees of freedom (10):

```
x = (-5:0.1:5)';
nct = nctpdf(x,10,1);
t = tpdf(x,10);

plot(x,nct,'b-','LineWidth',2)
hold on
plot(x,t,'g--','LineWidth',2)
legend('nct','t')
```



References

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, 2nd Edition, John Wiley and Sons, 1993, pp. 147-148.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 201-219.

See Also

pdf, nctcdf, nctinv, nctstat, nctrnd

nctrnd

Purpose Noncentral t random numbers

Syntax
R = nctrnd(V,DELTA)
R = nctrnd(V,DELTA,v)
R = nctrnd(V,DELTA,m,n)

Description R = nctrnd(V,DELTA) returns a matrix of random numbers chosen from the noncentral T distribution with parameters V and DELTA. V and DELTA can be vectors, matrices, or multidimensional arrays. A scalar input for V or DELTA is expanded to a constant array with the same dimensions as the other input.

R = nctrnd(V,DELTA,v) returns a matrix of random numbers with parameters V and DELTA, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = nctrnd(V,DELTA,m,n) generates random numbers with parameters V and DELTA, where scalars m and n are the row and column dimensions of R.

Example

```
nctrnd(10,1,5,1)
ans =
    1.6576
    1.0617
    1.4491
    0.2930
    3.6297
```

References

[1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 147-148.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 201-219.

See Also random, nctpdf, nctcdf, nctinv, nctstat

Purpose Noncentral t mean and variance

Syntax `[M,V] = nctstat(NU,DELTA)`

Description `[M,V] = nctstat(NU,DELTA)` returns the mean of and variance for the noncentral t pdf with NU degrees of freedom and noncentrality parameter $DELTA$. NU and $DELTA$ can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of M and V . A scalar input for NU or $DELTA$ is expanded to a constant array with the same dimensions as the other input.

The mean of the noncentral t distribution with parameters v and δ is

$$\frac{\delta (v/2)^{1/2} \Gamma((v-1)/2)}{\Gamma(v/2)}$$

where $v > 1$.

The variance is

$$\frac{v}{(v-2)}(1 + \delta^2) - \frac{v}{2}\delta^2 \left[\frac{\Gamma((v-1)/2)}{\Gamma(v/2)} \right]^2$$

where $v > 2$.

Example `[m,v] = nctstat(10,1)`

`m =`
`1.0837`

`v =`
`1.3255`

References [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 147-148.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 201-219.

nctstat

See Also

nctpdf, nctcdf, nctinv, nctrnd

Purpose Noncentral chi-square cumulative distribution function

Syntax `P = ncx2cdf(X,V,DELTA)`

Description `P = ncx2cdf(X,V,DELTA)` computes the noncentral chi-square cdf at each of the values in `X` using the corresponding degrees of freedom in `V` and positive noncentrality parameters in `DELTA`. `X`, `V`, and `DELTA` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `P`. A scalar input for `X`, `V`, or `DELTA` is expanded to a constant array with the same dimensions as the other inputs.

Some texts refer to this distribution as the generalized Rayleigh, Rayleigh-Rice, or Rice distribution.

The noncentral chi-square cdf is


$$F(x|v, \delta) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\delta\right)^j}{j!} e^{-\frac{\delta}{2}} \right) Pr[\chi_{v+2j}^2 \leq x]$$

Example Compare the noncentral chi-square cdf with `DELTA = 2` to the chi-square cdf with the same number of degrees of freedom (4):

```
x = (0:0.1:10)';
ncx2 = ncx2cdf(x,4,2);
chi2 = chi2cdf(x,4);

plot(x,ncx2,'b-', 'LineWidth',2)
hold on
plot(x,chi2,'g--', 'LineWidth',2)
legend('ncx2','chi2','Location','NW')
```

ncx2cdf



References

[1] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 130-148.

See Also

`cdf`, `ncx2pdf`, `ncx2inv`, `ncx2stat`, `ncx2rnd`

Purpose	Noncentral chi-square inverse cumulative distribution function
Syntax	<code>X = ncx2inv(P,V,DELTA)</code>
Description	<code>X = ncx2inv(P,V,DELTA)</code> returns the inverse of the noncentral chi-square cdf with parameters <code>V</code> and <code>DELTA</code> at the corresponding probabilities in <code>P</code> . <code>P</code> , <code>V</code> , and <code>DELTA</code> can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of <code>X</code> . A scalar input for <code>P</code> , <code>V</code> , or <code>DELTA</code> is expanded to a constant array with the same dimensions as the other inputs.
Algorithm	<code>ncx2inv</code> uses Newton's method to converge to the solution.
Example	<pre>ncx2inv([0.01 0.05 0.1],4,2) ans = 0.4858 1.1498 1.7066</pre>
References	[1] Evans, M., N. Hastings, and B. Peacock, <i>Statistical Distributions</i> , 2nd Edition, John Wiley and Sons, 1993, pp. 50–52. [2] Johnson, N., and S. Kotz, <i>Distributions in Statistics: Continuous Univariate Distributions 2</i> , John Wiley and Sons, 1970, pp. 130-148.
See Also	<code>icdf</code> , <code>ncx2cdf</code> , <code>ncx2pdf</code> , <code>ncx2stat</code> , <code>ncx2rnd</code>

Purpose Noncentral chi-square probability density function

Syntax $Y = \text{ncx2pdf}(X, V, \text{DELTA})$


Description $Y = \text{ncx2pdf}(X, V, \text{DELTA})$ computes the noncentral chi-square pdf at each of the values in X using the corresponding degrees of freedom in V and positive noncentrality parameters in DELTA . Vector or matrix inputs for X , V , and DELTA must have the same size, which is also the size of Y . A scalar input for X , V , or DELTA is expanded to a constant array with the same dimensions as the other inputs.

Some texts refer to this distribution as the generalized Rayleigh, Rayleigh-Rice, or Rice distribution.

Example Compare the noncentral chi-square pdf with $\text{DELTA} = 2$ to the chi-square pdf with the same number of degrees of freedom (4):

```
x = (0:0.1:10)';
ncx2 = ncx2pdf(x,4,2);
chi2 = chi2pdf(x,4);

plot(x,ncx2,'b-','LineWidth',2)
hold on
plot(x,chi2,'g--','LineWidth',2)
legend('ncx2','chi2')
```



References

[1] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 130-148.

See Also

pdf, ncx2cdf, ncx2inv, ncx2stat, ncx2rnd

ncx2rnd

Purpose Noncentral chi-square random numbers

Syntax
R = ncx2rnd(V, DELTA)
R = ncx2rnd(V, DELTA, v)
R = ncx2rnd(V, DELTA, m, n)

Description R = ncx2rnd(V, DELTA) returns a matrix of random numbers chosen from the noncentral chi-square distribution with parameters V and DELTA. V and DELTA can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of R. A scalar input for V or DELTA is expanded to a constant array with the same dimensions as the other input.

R = ncx2rnd(V, DELTA, v) returns a matrix of random numbers with parameters V and DELTA, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = ncx2rnd(V, DELTA, m, n) generates random numbers with parameters V and DELTA, where scalars m and n are the row and column dimensions of R.

Example

```
ncx2rnd(4,2,6,3)
ans =
    6.8552    5.9650   11.2961
    5.2631    4.2640    5.9495
    9.1939    6.7162    3.8315
   10.3100    4.4828    7.1653
    2.1142    1.9826    4.6400
    3.8852    5.3999    0.9282
```

References [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 50-52.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 130-148.

See Also random, ncx2pdf, ncx2cdf, ncx2inv, ncx2stat

Purpose Noncentral chi-square mean and variance

Syntax `[M,V] = ncx2stat(NU,DELTA)`

Description `[M,V] = ncx2stat(NU,DELTA)` returns the mean of and variance for the noncentral chi-square pdf with NU degrees of freedom and noncentrality parameter DELTA. NU and DELTA can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of M and V. A scalar input for NU or DELTA is expanded to a constant array with the same dimensions as the other input.

The mean of the noncentral chi-square distribution with parameters ν and δ is $\nu + \delta$, and the variance is $2(\nu + 2\delta)$.

Example

```
[m,v] = ncx2stat(4,2)
m =
    6
v =
   16
```

References [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions, 2nd Edition*, John Wiley and Sons, 1993, pp. 50-52.

[2] Johnson, N., and S. Kotz, *Distributions in Statistics: Continuous Univariate Distributions-2*, John Wiley and Sons, 1970, pp. 130-148.

See Also `ncx2pdf`, `ncx2cdf`, `ncx2inv`, `ncx2rnd`

Purpose	Generate quasi-random point set
Class	@qrandset
Syntax	<code>X = net(p,n)</code>
Description	<p><code>X = net(p,n)</code> returns the first n points X from the point set p of the @qrandset class. X is n-by-d, where d is the dimension of the point set.</p> <p>Objects p of the @qrandset class encapsulate properties of a specified quasi-random sequence. Values of the point set are not generated and stored in memory until p is accessed using <code>net</code> or parenthesis indexing.</p>
Example	<p>Use <code>haltonset</code> to generate a 3-dimensional Halton point set, skip the first 1000 values, and then retain every 101st point:</p> <pre>p = haltonset(3, 'Skip', 1e3, 'Leap', 1e2) p = Halton point set in 3 dimensions (8.918019e+013 points) Properties: Skip : 1000 Leap : 100 ScrambleMethod : none</pre> <p>Use <code>scramble</code> to apply reverse-radix scrambling:</p> <pre>p = scramble(p, 'RR2') p = Halton point set in 3 dimensions (8.918019e+013 points) Properties: Skip : 1000 Leap : 100 ScrambleMethod : RR2</pre> <p>Use <code>net</code> to generate the first four points:</p> <pre>X0 = net(p,4) X0 =</pre>

0.0928	0.6950	0.0029
0.6958	0.2958	0.8269
0.3013	0.6497	0.4141
0.9087	0.7883	0.2166

Use parenthesis indexing to generate every third point, up to the 11th point:

```
X = p(1:3:11, :)
X =
    0.0928    0.6950    0.0029
    0.9087    0.7883    0.2166
    0.3843    0.9840    0.9878
    0.6831    0.7357    0.7923
```

See Also

haltonset, sobolset, grandstream

Purpose	Nonlinear regression
Syntax	<pre>b = nlinfit(X,y,fun,b0) [b,r,J,COVB,mse] = nlinfit(X,y,fun,b0) [...] = nlinfit(X,y,fun,b0,options)</pre>
Description	<p><code>b = nlinfit(X,y,fun,b0)</code> returns a p-by-1 vector <code>b</code> of coefficient estimates for a nonlinear regression of the responses in <code>y</code> on the predictors in <code>X</code> using the model specified by <code>fun</code>. <code>X</code> is an n-by-p matrix of p predictors at each of n observations. <code>y</code> is an n-by-1 vector of observed responses. <code>fun</code> is a function handle, specified using the @ sign (as in <code>@myfun</code>) to a function of the form</p> $\hat{y} = \text{myfun}(b,X)$ <p>where <code>b</code> is a coefficient vector. <code>b0</code> is a vector containing initial values for the coefficients.</p> <p><code>[b,r,J,COVB,mse] = nlinfit(X,y,fun,b0)</code> returns the fitted coefficients <code>b</code>, the residuals <code>r</code>, the Jacobian <code>J</code> of <code>fun</code>, the estimated covariance matrix <code>COVB</code> for the fitted coefficients, and an estimate <code>mse</code> of the variance of the error term. You can use these outputs with <code>nlpredci</code> to produce error estimates on predictions, and with <code>nlparci</code> to produce error estimates on the estimated coefficients. If you use the robust fitting option (see below), you must use <code>COVB</code> and may need <code>mse</code> as input to <code>nlpredci</code> or <code>nlparci</code> to insure that the confidence intervals take the robust fit properly into account.</p> <p><code>[...] = nlinfit(X,y,fun,b0,options)</code> specifies control parameters for the algorithm used in <code>nlinfit</code>. <code>options</code> is a structure created by a call to <code>statset</code>. Applicable <code>statset</code> parameters are:</p> <ul style="list-style-type: none">• <code>'MaxIter'</code> — Maximum number of iterations allowed. The default is 100.• <code>'TolFun'</code> — Termination tolerance on the residual sum of squares. The defaults is $1e-8$.

- 'TolX' — Termination tolerance on the estimated coefficients b . The default is $1e-8$.
- 'Display' — Level of display output during estimation. The choices are
 - 'off' (the default)
 - 'iter'
 - 'final'
- 'DerivStep' — Relative difference used in finite difference gradient calculation. May be a scalar, or the same size as the parameter vector b_0 . The default is $\text{eps}^{(1/3)}$.
- 'FunValCheck' — Check for invalid values, such as NaN or Inf, from the objective function. Values are 'off' or 'on' (the default).
- 'Robust' — Invoke robust fitting option. Values are 'off' (the default) or 'on'.
- 'WgtFun' — A weight function for robust fitting. Valid only when 'Robust' is 'on'. It can be 'bisquare' (the default), 'andrews', 'cauchy', 'fair', 'huber', 'logistic', 'talwar', or 'welsch'. It can also be a function handle that accepts a normalized residual as input and returns the robust weights as output.
- 'Tune' — The tuning constant used in robust fitting to normalize the residuals before applying the weight function. The value is a positive scalar, with the default value dependent on the weight function. This parameter is required if the weight function is specified as a function handle.

Note Robust nonlinear fitting uses an algorithm that iteratively reweights response values and recomputes a least-squares fit. The least-squares component of the algorithm differs from linear least squares, but the reweighting loop is identical to that for robust linear methods. In particular, the weight function and its tuning parameter are the same as described for `robustfit`. Note that `nlinfit` counts iterations of both the reweighting loop and the least-squares fit toward the maximum number of iterations.

`nlinfit` treats NaNs in `y` or `fun(b,X)` as missing data and ignores the corresponding rows.

`nlintool` is a graphical user interface to `nlinfit`.

Example

The data in `reaction.mat` are partial pressures of three chemical reactants and the corresponding reaction rates. The function `hougen` implements the nonlinear Hougen-Watson model for reaction rates. The following fits the model to the data:

```
load reaction

betahat = nlinfit(reactants,rate,@hougen,beta)
betahat =
    1.2526
    0.0628
    0.0400
    0.1124
    1.1914
```

Reference

[1] Seber, G. A. F., and C. J. Wild, *Nonlinear Regression*, John Wiley & Sons Inc., 1989.

See Also

`nlparci`, `nlpredci`, `nlintool`

nlintool

Purpose Interactive nonlinear regression

Syntax

```
nlintool(X,y,fun,beta0)
nlintool(X,y,fun,beta0,alpha)
nlintool(X,y,fun,beta0,alpha,'xname','yname')
```


Description `nlintool(X,y,fun,beta0)` is a graphical user interface to the `nlinfit` function, and uses the same input arguments. The interface displays plots of the fitted response against each predictor, with the other predictors held fixed. The fixed values are in the text boxes below each predictor axis. Change the fixed values by typing in a new value or by dragging the vertical lines in the plots to new positions. When you change the value of a predictor, all plots update to display the model at the new point in predictor space. Dashed red curves show 95% global confidence intervals for predictions.

`nlintool(X,y,fun,beta0,alpha)` shows $100(1-\alpha)\%$ confidence intervals for predictions.

`nlintool(X,y,fun,beta0,alpha,'xname','yname')` labels the plots using the string matrix 'xname' for the predictors and the string 'yname' for the response.

Example The data in `reaction.mat` are partial pressures of three chemical reactants and the corresponding reaction rates. The function `hougen` implements the nonlinear Hougen-Watson model for reaction rates. The following fits the model to the data:

```
load reaction
nlintool(reactants,rate,@hougen,beta,0.01,xn,yn)
```



See Also [nlinfit](#), [polytool](#), [rstool](#)

nlparci

Purpose Nonlinear regression parameter confidence intervals

Syntax

```
ci = nlparci(beta,resid,'covar',sigma)
ci = nlparci(beta,resid,'jacobian',J)
ci = nlparci(...,'alpha',alpha)
```

Description

`ci = nlparci(beta,resid,'covar',sigma)` returns the 95% confidence intervals `ci` for the nonlinear least squares parameter estimates `beta`. Before calling `nlparci`, use `nlinfit` to fit a nonlinear regression model and get the coefficient estimates `beta`, residuals `resid`, and estimated coefficient covariance matrix `sigma`.

`ci = nlparci(beta,resid,'jacobian',J)` is an alternative syntax that also computes 95% confidence intervals. `J` is the Jacobian computed by `nlinfit`. If the 'robust' option is used with `nlinfit`, use the 'covar' input rather than the 'jacobian' input so that the required `sigma` parameter takes the robust fitting into account.

`ci = nlparci(...,'alpha',alpha)` returns $100(1-\alpha)\%$ confidence intervals.

`nlparci` treats NaNs in `resid` or `J` as missing values, and ignores the corresponding observations.

The confidence interval calculation is valid for systems where the length of `resid` exceeds the length of `beta` and `J` has full column rank. When `J` is ill-conditioned, confidence intervals may be inaccurate.

Example Continuing the example from `nlinfit`:

```
load reaction

[beta,resid,J,Sigma] = ...
    nlinfit(reactants,rate,@hougen,beta);

ci = nlparci(beta,resid,'jacobian',J)
ci =
    -0.7467    3.2519
    -0.0377    0.1632
```


-0.0312	0.1113
-0.0609	0.2857
-0.7381	3.1208

See Also `nlinfit`, `nlpredci`

nlpredci

Purpose Nonlinear regression prediction confidence intervals

Syntax
`[ypred,delta] = nlpredci(modelfun,x,beta,resid,'covar',sigma)`
`[ypred,delta] = nlpredci(modelfun,x,beta,resid,'jacobian',J)`
`[...] = nlpredci(...,param1,val1,param2,val2,...)`

Description `[ypred,delta] = nlpredci(modelfun,x,beta,resid,'covar',sigma)` returns predictions, `ypred`, and 95% confidence interval half-widths, `delta`, for the nonlinear regression model defined by `modelfun`, at input values `x`. `modelfun` is a function handle, specified using `@`, that accepts two arguments—a coefficient vector and the array `x`—and returns a vector of fitted `y` values. Before calling `nlpredci`, use `nlinfit` to fit `modelfun` by nonlinear least squares and get estimated coefficient values `beta`, residuals `resid`, and estimated coefficient covariance matrix `sigma`.

`[ypred,delta] = nlpredci(modelfun,x,beta,resid,'jacobian',J)` is an alternative syntax that also computes 95% confidence intervals. `J` is the Jacobian computed by `nlinfit`. If the 'robust' option is used with `nlinfit`, use the 'covar' input rather than the 'jacobian' input so that the required `sigma` parameter takes the robust fitting into account.

`[...] = nlpredci(...,param1,val1,param2,val2,...)` accepts optional parameter name/value pairs.

Name	Value
'alpha'	A value between 0 and 1 that specifies the confidence level as $100(1 - \text{alpha})\%$. Default is 0.05.
'mse'	The mean squared error returned by <code>nlinfit</code> . This is required to predict new observations (see 'predopt') if the robust option is used with <code>nlinfit</code> ; otherwise, the 'mse' is computed from the residuals and does not take the robust fitting into account.

Name	Value
'predopt'	Either 'curve' (the default) to compute confidence intervals for the estimated curve (function value) at x, or 'observation' for prediction intervals for a new observation at x. If 'observation' is specified after using a robust option with nlinfit, the 'mse' parameter must be supplied to specify the robust estimate of the mean squared error.
'simopt'	Either 'on' for simultaneous bounds, or 'off' (the default) for nonsimultaneous bounds.

nlpredci treats NaNs in resid or J as missing values, and ignores the corresponding observations.

The confidence interval calculation is valid for systems where the length of resid exceeds the length of beta and J has full column rank at beta. When J is ill-conditioned, predictions and confidence intervals may be inaccurate.

Example

Continuing the example from nlinfit, you can determine the predicted function value at the value newX and the half-width of a confidence interval for it.

```
load reaction;

[beta,resid,J] = nlinfit(reactants,rate,@hougen,beta);

newX = reactants(1:2,:);
[ypred,delta] = nlpredci(@hougen,newX,beta,resid,J)
ypred =
    8.4179
    3.9542
delta =
    0.2805
```

nlpredci

0.2474

See Also

nlinfit, nlparci

Purpose Nonnegative matrix factorization

Syntax

```
[W,H] = nnmf(A,k)
[W,H] = nnmf(A,k,param1,val1,param2,val2,...)
[W,H,D] = nnmf(...)
```

Description `[W,H] = nnmf(A,k)` factors the nonnegative n -by- m matrix A into nonnegative factors W (n -by- k) and H (k -by- m). The factorization is not exact; $W*H$ is a lower-rank approximation to A . The factors W and H are chosen to minimize the root-mean-squared residual D between A and $W*H$:

$$D = \sqrt{\text{norm}(A-W*H, 'fro') / (N*M)}$$

The factorization uses an iterative method starting with random initial values for W and H . Because the root-mean-squared residual D may have local minima, repeated factorizations may yield different W and H . Sometimes the algorithm converges to a solution of lower rank than k , which may indicate that the result is not optimal.

W and H are normalized so that the rows of H have unit length. The columns of W are ordered by decreasing length.

`[W,H] = nnmf(A,k,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs from the following table.

Name	Value
'algorithm'	<p>Either 'als' (the default) to use an alternating least-squares algorithm, or 'mult' to use a multiplicative update algorithm.</p> <p>In general, the 'als' algorithm converges faster and more consistently. The 'mult' algorithm is more sensitive to initial values, which makes it a good choice when using 'replicates' to find W and H from multiple random starting values.</p>

Name	Value
'w0'	An n -by- k matrix to be used as the initial value for W .
'h0'	A k -by- m matrix to be used as the initial value for H .
'options'	An options structure as created by the <code>statset</code> function. <code>nnmf</code> uses the following fields of the options structure: <code>Display</code> , <code>TolX</code> , <code>TolFun</code> , and <code>MaxIter</code> . Unlike in optimization settings, reaching <code>MaxIter</code> iterations is treated as convergence.
'replicates'	The number of times to repeat the factorization, using new random starting values for W and H , except at the first replication if 'w0' and 'h0' are given. This is most beneficial with the 'mult' algorithm. The default is 1.

`[W,H,D] = nnmf(...)` also returns D , the root mean square residual.

Examples

Example 1


Compute a nonnegative rank-two approximation of the measurements of the four variables in Fisher's iris data:

```
load fisheriris
[W,H] = nnmf(meas,2);
H
H =
    0.6852    0.2719    0.6357    0.2288
    0.8011    0.5740    0.1694    0.0087
```

The first and third variables in `meas` (sepal length and petal length, with coefficients 0.6852 and 0.6357, respectively) provide relatively strong weights to the first column of W . The first and second variables in `meas` (sepal length and sepal width, with coefficients 0.8011 and 0.5740) provide relatively strong weights to the second column of W .

Create a biplot of the data and the variables in meas in the column space of W:

```
biplot(H', 'scores', W, 'varlabels', {'sl', 'sw', 'pl', 'pw'});
axis([0 1.1 0 1.1])
xlabel('Column 1')
ylabel('Column 2')
```



Example 2

Starting from a random array X with rank 20, try a few iterations at several replicates using the multiplicative algorithm:

```
X = rand(100,20)*rand(20,50);
opt = statset('MaxIter',5,'Display','final');
```

```
[W0,H0] = nnmf(X,5,'replicates',10,...
               'options',opt,...
               'algorithm','mult');
    rep iteration    rms resid    |delta x|
    1         5      0.560887    0.0245182
    2         5      0.66418     0.0364471
    3         5      0.609125    0.0358355
    4         5      0.608894    0.0415491
    5         5      0.619291    0.0455135
    6         5      0.621549    0.0299965
    7         5      0.640549    0.0438758
    8         5      0.673015    0.0366856
    9         5      0.606835    0.0318931
   10         5      0.633526    0.0319591
Final root mean square residual = 0.560887
```

Continue with more iterations from the best of these results using alternating least squares:

```
opt = statset('Maxiter',1000,'Display','final');
[W,H] = nnmf(X,5,'w0',W0,'h0',H0,...
             'options',opt,...
             'algorithm','als');
    rep iteration    rms resid    |delta x|
    1         80     0.256914 9.78625e-005
Final root mean square residual = 0.256914
```

Reference

[1] M.W. Berry et al., “Algorithms and Applications for Approximate Nonnegative Matrix Factorization,” *Computational Statistics and Data Analysis*, Vol. 52, No. 1, pp. 155-173, 2007.

See Also

princomp, factoran, statset

Purpose Node errors

Class @classregtree

Syntax
`e = nodeerr(t)`
`e = nodeerr(t,nodes)`

Description `e = nodeerr(t)` returns an n -element vector `e` of the errors of the nodes in the tree `t`, where n is the number of nodes. For a regression tree, the error $e(i)$ for node i is the variance of the observations assigned to node i . For a classification tree, $e(i)$ is the misclassification probability for node i .

`e = nodeerr(t,nodes)` takes a vector `nodes` of node numbers and returns the errors for the specified nodes.

The error `e` is the so-called *resubstitution error* computed by applying the tree to the same data used to create the tree. This error is likely to under estimate the error you would find if you applied the tree to new data. The test function provides options to compute the error (or cost) using cross-validation or a test sample.

Example Create a classification tree for Fisher's iris data:

```
load fisheriris;


t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})

t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
```

nodeerr

```
8 class = versicolor
9 class = virginica

view(t)
```



```
e = nodeerr(t)
e =
```

```
0.6667
  0
0.5000
0.0926
0.0217
0.0208
0.3333
  0
  0
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, test

nodeprob

Purpose Node probabilities

Class @classregtree

Syntax
`p = nodeprob(t)`
`p = nodeprob(t,nodes)`

Description `p = nodeprob(t)` returns an n -element vector p of the probabilities of the nodes in the tree t , where n is the number of nodes. The probability of a node is computed as the proportion of observations from the original data that satisfy the conditions for the node. For a classification tree, this proportion is adjusted for any prior probabilities assigned to each class.

`p = nodeprob(t,nodes)` takes a vector `nodes` of node numbers and returns the probabilities for the specified nodes.


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})

t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```



p = nodeprob(t)

p =

- 1.0000
- 0.3333
- 0.6667
- 0.3600
- 0.3067
- 0.3200
- 0.0400

nodeprob

0.3133
0.0067

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes, nodesize

Purpose	Node size
Class	@classregtree
Syntax	<code>sizes = nodesize(t)</code> <code>sizes = nodesize(t,nodes)</code>
Description	<p><code>sizes = nodesize(t)</code> returns an n-element vector <code>sizes</code> of the sizes of the nodes in the tree <code>t</code>, where n is the number of nodes. The size of a node is defined as the number of observations from the data used to create the tree that satisfy the conditions for the node.</p> <p><code>sizes = nodesize(t,nodes)</code> takes a vector <code>nodes</code> of node numbers and returns the sizes for the specified nodes.</p>


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

nodesize



```
sizes = nodesize(t)
sizes =
  150
   50
  100
   54
   46
   48
    6
```


47
1

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, numnodes

nominal

Purpose Construct nominal categorical array

Class @nominal

Syntax

```
B = nominal(A)
B = nominal(A, labels)
B = nominal(A, labels, levels)
B = nominal(A, labels, [], edges)
```

Description

`B = nominal(A)` creates a nominal array `B` from the array `A`. `A` can be numeric, logical, character, categorical, or a cell array of strings. `nominal` creates the levels of `B` from the sorted unique values in `A`, and creates default labels for them.

`B = nominal(A, labels)` labels the levels in `B` using the character array or cell array of strings `labels`. `nominal` assigns labels to levels in `B` in order according to the sorted unique values in `A`.

`B = nominal(A, labels, levels)` creates a nominal array with possible levels defined by `levels`. `levels` is a vector whose values can be compared to those in `A` using the equality operator. `nominal` assigns labels to each level from the corresponding elements of `labels`. If `A` contains any values not present in `levels`, the levels of the corresponding elements of `B` are undefined.

`B = nominal(A, labels, [], edges)` creates a nominal array by binning the numeric array `A` with bin edges given by the numeric vector `edges`. The uppermost bin includes values equal to the right-most edge. `nominal` assigns labels to each level in `B` from the corresponding elements of `labels`. `edges` must have one more element than `labels`.

By default, an element of `B` is undefined if the corresponding element of `A` is `NaN` (when `A` is numeric), an empty string (when `A` is character), or undefined (when `A` is categorical). `nominal` treats such elements as “undefined” or “missing” and does not include entries for them among the possible levels for `B`. To create an explicit level for such elements instead of treating them as undefined, you must use the `levels` input, and include `NaN`, the empty string, or an undefined element.

You may include duplicate labels in labels in order to merge multiple values in A into a single level in B.

Examples

Example 1

Create a nominal array from Fisher's iris data:

```
load fisheriris
species = nominal(species);
data = dataset(species,meas);
summary(data)
species: [150x1 nominal]
      setosa      versicolor      virginica
      50          50          50
meas: [150x4 double]
      min      4.3000      2      1      0.1000
      1st Q      5.1000      2.8000      1.6000      0.3000
      median      5.8000      3      4.3500      1.3000
      3rd Q      6.4000      3.3000      5.1000      1.8000
      max      7.9000      4.4000      6.9000      2.5000
```

Example 2

- 1 Load patient data from the CSV file `hospital.dat` and store the information in a dataset array with observation names given by the first column in the data (patient identification):

```
patients = dataset('file','hospital.dat',...
                  'delimiter',';',...
                  'ReadObsNames',true);
```

- 2 Make the {0,1}-valued variable `smoke` nominal, and change the labels to 'No' and 'Yes':

```
patients.smoke = nominal(patients.smoke,{'No','Yes'});
```

- 3 Add new levels to `smoke` as placeholders for more detailed histories of smokers:

nominal

```
patients.smoke = addlevels(patients.smoke,...
                           {'0-5 Years', '5-10 Years', 'LongTerm'});
```

- 4** Assuming the nonsmokers have never smoked, relabel the 'No' level:

```
patients.smoke = setlabels(patients.smoke, 'Never', 'No');
```

- 5** Drop the undifferentiated 'Yes' level from smoke:

```
patients.smoke = droplevels(patients.smoke, 'Yes');
```

Warning: OLDLEVELS contains categorical levels that were present in A, caused some array elements to have undefined levels.

Note that smokers now have an undefined level.

- 6** Set each smoker to one of the new levels, by observation name:

```
patients.smoke('YPL-320') = '5-10 Years';
```

See Also

`ordinal`, `histc`

Purpose Normal cumulative distribution function

Syntax `P = normcdf(X,mu,sigma)`
`[P,PLO,PUP] = normcdf(X,mu,sigma,pcov,alpha)`

Description `P = normcdf(X,mu,sigma)` computes the normal cdf at each of the values in `X` using the corresponding parameters in `mu` and `sigma`. `X`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `sigma` must be positive.

`[P,PLO,PUP] = normcdf(X,mu,sigma,pcov,alpha)` produces confidence bounds for `P` when the input parameters `mu` and `sigma` are estimates. `pcov` is the covariance matrix of the estimated parameters. `alpha` specifies 100(1 - `alpha`)% confidence bounds. The default value of `alpha` is 0.05. `PLO` and `PUP` are arrays of the same size as `P` containing the lower and upper confidence bounds.

The function `normcdf` computes confidence bounds for `P` using a normal approximation to the distribution of the estimate

$$\frac{X - \hat{\mu}}{\hat{\sigma}}$$

and then transforming those bounds to the scale of the output `P`. The computed bounds give approximately the desired confidence level when you estimate `mu`, `sigma`, and `pcov` from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The normal cdf is

$$p = F(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \int_{-\infty}^x \frac{-(t-\mu)^2}{2\sigma^2} dt$$

The result, `p`, is the probability that a single observation from a normal distribution with parameters `μ` and `σ` will fall in the interval $(-\infty, x]$.

normcdf

The *standard normal* distribution has $\mu = 0$ and $\sigma = 1$.

Examples

What is the probability that an observation from a standard normal distribution will fall on the interval $[-1 \ 1]$?

```
p = normcdf([-1 1]);  
p(2) - p(1)  
ans =  
    0.6827
```

More generally, about 68% of the observations from a normal distribution fall within one standard deviation, σ , of the mean, μ .

See Also

`cdf`, `normpdf`, `norminv`, `normstat`, `normfit`, `normlike`, `normrnd`

Purpose

Normal parameter estimates

Syntax

```
[muhat,sigmahat] = normfit(data)
[muhat,sigmahat,muci,sigmaci] = normfit(data)
[muhat,sigmahat,muci,sigmaci] = normfit(data,alpha)
[...] = normfit(data,alpha,censoring)
[...] = normfit(data,alpha,censoring,freq)
[...] = normfit(data,alpha,censoring,freq,options)
```

Description

`[muhat,sigmahat] = normfit(data)` returns estimates of the mean, μ , and standard deviation, σ , of the normal distribution given the data in `data`.

`[muhat,sigmahat,muci,sigmaci] = normfit(data)` returns 95% confidence intervals for the parameter estimates on the mean and standard deviation in the arrays `muci` and `sigmaci`, respectively. The first row of `muci` contains the lower bounds of the confidence intervals for μ the second row contains the upper bounds. The first row of `sigmaci` contains the lower bounds of the confidence intervals for σ , and the second row contains the upper bounds.

`[muhat,sigmahat,muci,sigmaci] = normfit(data,alpha)` returns 100(1 - alpha) % confidence intervals for the parameter estimates, where `alpha` is a value in the range [0 1] specifying the width of the confidence intervals. By default, `alpha` is 0.05, which corresponds to 95% confidence intervals.

`[...] = normfit(data,alpha,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly. `data` must be a vector in order to pass in the argument `censoring`.

`[...] = normfit(data,alpha,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. Typically, `freq` contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `alpha`, `censoring`, or `freq` to use their default values.

normfit

[...] = normfit(data,alpha,censoring,freq,options) accepts a structure, options, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates when there is censoring. The normal fit function accepts an options structure which you can create using the function statset. Enter statset('normfit') to see the names and default values of the parameters that normfit accepts in the options structure. See the reference page for statset for more information about these options.

Example

In this example the data is a two-column random normal matrix. Both columns have $\mu = 10$ and $\sigma = 2$. Note that the confidence intervals below contain the "true values."

```
data = normrnd(10,2,100,2);
[mu,sigma,muci,sigmaci] = normfit(data)
mu =
    10.1455    10.0527
sigma =
     1.9072     2.1256
muci =
     9.7652     9.6288
    10.5258    10.4766
sigmaci =
     1.6745     1.8663
     2.2155     2.4693
```

See Also

mle, normlike, normpdf, normcdf, norminv, normstat, normrnd

Purpose Normal inverse cumulative distribution function

Syntax
`X = norminv(P,mu,sigma)`
`[X,XLO,XUP] = norminv(P,mu,sigma,pcov,alpha)`

Description `X = norminv(P,mu,sigma)` computes the inverse of the normal cdf with parameters `mu` and `sigma` at the corresponding probabilities in `P`. `P`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `sigma` must be positive, and the values in `P` must lie in the interval `[0 1]`.

`[X,XLO,XUP] = norminv(P,mu,sigma,pcov,alpha)` produces confidence bounds for `X` when the input parameters `mu` and `sigma` are estimates. `pcov` is the covariance matrix of the estimated parameters. `alpha` specifies `100(1 - alpha)%` confidence bounds. The default value of `alpha` is `0.05`. `XLO` and `XUP` are arrays of the same size as `X` containing the lower and upper confidence bounds.

The function `norminv` computes confidence bounds for `P` using a normal approximation to the distribution of the estimate

$$\hat{\mu} + \hat{\sigma}q$$

where q is the P th quantile from a normal distribution with mean 0 and standard deviation 1. The computed bounds give approximately the desired confidence level when you estimate `mu`, `sigma`, and `pcov` from large samples, but in smaller samples other methods of computing the confidence bounds may be more accurate.

The normal inverse function is defined in terms of the normal cdf as

$$x = F^{-1}(p|\mu, \sigma) = \{x:F(x|\mu, \sigma)= p\}$$

where

$$p = F(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} \int_{-\infty}^x \frac{-(t-\mu)^2}{2\sigma^2} dt$$

The result, x , is the solution of the integral equation above where you supply the desired probability, p .

Examples

Find an interval that contains 95% of the values from a standard normal distribution.

```
x = norminv([0.025 0.975],0,1)
x =
-1.9600  1.9600
```

Note that the interval x is not the only such interval, but it is the shortest.

```
x1 = norminv([0.01 0.96],0,1)
x1 =
-2.3263  1.7507
```

The interval $x1$ also contains 95% of the probability, but it is longer than x .

See Also

`icdf`, `normcdf`, `normpdf`, `normstat`, `normfit`, `normlike`, `normrnd`

Purpose	Normal negative log-likelihood
Syntax	<pre>nlogL = normlike(params,data) [nlogL,AVAR] = normlike(params,data) [...] = normlike(param,data,censoring) [...] = normlike(param,data,censoring,freq)</pre>
Description	<p><code>nlogL = normlike(params,data)</code> returns the negative of the normal log-likelihood function for the parameters <code>params(1) = mu</code> and <code>params(2) = sigma</code>, given the vector <code>data</code>.</p> <p><code>[nlogL,AVAR] = normlike(params,data)</code> also returns the inverse of Fisher's information matrix, <code>AVAR</code>. If the input parameter values in <code>params</code> are the maximum likelihood estimates, the diagonal elements of <code>AVAR</code> are their asymptotic variances. <code>AVAR</code> is based on the observed Fisher's information, not the expected information.</p> <p><code>[...] = normlike(param,data,censoring)</code> accepts a Boolean vector, <code>censoring</code>, of the same size as <code>data</code>, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.</p> <p><code>[...] = normlike(param,data,censoring,freq)</code> accepts a frequency vector, <code>freq</code>, of the same size as <code>data</code>. The vector <code>freq</code> typically contains integer frequencies for the corresponding elements in <code>data</code>, but can contain any nonnegative values. Pass in <code>[]</code> for <code>censoring</code> to use its default value.</p> <p><code>normlike</code> is a utility function for maximum likelihood estimation.</p>
See Also	<code>normfit</code> , <code>normpdf</code> , <code>normcdf</code> , <code>norminv</code> , <code>normstat</code> , <code>normrnd</code>

normpdf

Purpose Normal probability density function

Syntax `Y = normpdf(X,mu,sigma)`

Description `Y = normpdf(X,mu,sigma)` computes the pdf at each of the values in `X` using the normal distribution with mean `mu` and standard deviation `sigma`. `X`, `mu`, and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `sigma` must be positive.

The normal pdf is

$$y = f(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

The *likelihood function* is the pdf viewed as a function of the parameters. Maximum likelihood estimators (MLEs) are the values of the parameters that maximize the likelihood function for a fixed value of `x`.

The *standard normal* distribution has $\mu = 0$ and $\sigma = 1$.

If `x` is standard normal, then `xσ + μ` is also normal with mean μ and standard deviation σ . Conversely, if `y` is normal with mean μ and standard deviation σ , then `x = (y-μ) / σ` is standard normal.


Examples

```
mu = [0:0.1:2];  
[y i] = max(normpdf(1.5,mu,1));  
MLE = mu(i)  
MLE =  
    1.5000
```

See Also `pdf`, `normcdf`, `norminv`, `normstat`, `normfit`, `normlike`, `normrnd`

Purpose	Normal probability plot
Syntax	<code>h = normplot(X)</code>
Description	<p><code>h = normplot(X)</code> displays a normal probability plot of the data in <code>X</code>. For matrix <code>X</code>, <code>normplot</code> displays a line for each column of <code>X</code>. <code>h</code> is a handle to the plotted lines.</p> <p>The plot has the sample data displayed with the plot symbol <code>'+'</code>. Superimposed on the plot is a line joining the first and third quartiles of each column of <code>X</code> (a robust linear fit of the sample order statistics.) This line is extrapolated out to the ends of the sample to help evaluate the linearity of the data.</p> <p>The purpose of a normal probability plot is to graphically assess whether the data in <code>X</code> could come from a normal distribution. If the data are normal the plot will be linear. Other distribution types will introduce curvature in the plot. <code>normplot</code> uses midpoint probability plotting positions. Use <code>probplot</code> when the data included censored observations.</p> <p>If the data does come from a normal distribution, the plot will appear linear. Other probability density functions will introduce curvature in the plot.</p>
Examples	<p>Generate a normal sample and a normal probability plot of the data.</p> <pre>x = normrnd(10,1,25,1); normplot(x)</pre>

normplot



See Also

`cdfplot`, `wblplot`, `probplot`, `hist`, `normfit`, `norminv`, `normpdf`, `normspec`, `normstat`, `normcdf`, `normrnd`, `normlike`

Purpose

Normal random numbers

Syntax

```
R = normrnd(mu,sigma)
R = normrnd(mu,sigma,v)
R = normrnd(mu,sigma,m,n)
```

Description

`R = normrnd(mu,sigma)` generates random numbers from the normal distribution with mean parameter `mu` and standard deviation parameter `sigma`. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of `R`. A scalar input for `mu` or `sigma` is expanded to a constant array with the same dimensions as the other input.

`R = normrnd(mu,sigma,v)` generates random numbers from the normal distribution with mean parameter `mu` and standard deviation parameter `sigma`, where `v` is a row vector. If `v` is a 1-by-2 vector, `R` is a matrix with `v(1)` rows and `v(2)` columns. If `v` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = normrnd(mu,sigma,m,n)` generates random numbers from the normal distribution with mean parameter `mu` and standard deviation parameter `sigma`, where scalars `m` and `n` are the row and column dimensions of `R`.

Example

```
n1 = normrnd(1:6,1./(1:6))
n1 =
    2.1650    2.3134    3.0250    4.0879    4.8607    6.2827

n2 = normrnd(0,1,[1 5])
n2 =
    0.0591    1.7971    0.2641    0.8717   -1.4462


n3 = normrnd([1 2 3;4 5 6],0.1,2,3)
n3 =
    0.9299    1.9361    2.9640
    4.1246    5.0577    5.9864
```

normrnd

See Also

random, normpdf, normcdf, norminv, normstat, normfit, normlike

Purpose	Normal density plot between specifications
Syntax	<pre>normspec(specs) normspec(specs,mu,sigma) normspec(specs,mu,sigma,region) p = normspec(...) [p,h] = normspec(...)</pre>
Description	<p><code>normspec(specs)</code> plots the standard normal density, shading the portion inside the specification limits given by the two-element vector <code>specs</code>. Set <code>specs(1)</code> to <code>-Inf</code> if there is no lower limit; set <code>specs(2)</code> to <code>Inf</code> if there is no upper limit.</p> <p><code>normspec(specs,mu,sigma)</code> shades the portion inside the specification limits of a normal density with parameters <code>mu</code> and <code>sigma</code>. The defaults are <code>mu = 0</code> and <code>sigma = 1</code>.</p> <p><code>normspec(specs,mu,sigma,region)</code> shades the <i>region</i> either 'inside' or 'outside' the specification limits. The default is 'inside'.</p> <p><code>p = normspec(...)</code> also returns the probability, <code>p</code>, of the shaded area.</p> <p><code>[p,h] = normspec(...)</code> also returns a handle <code>h</code> to the line objects.</p>
Example	<p>A production process fills cans of paint. The average amount of paint in any can is 1 gallon, but variability in the process produces a standard deviation of 2 ounces (2/128 gallons). What is the probability that cans will be filled under specification by 3 or more ounces?</p> <pre>p = normspec([1-3/128,Inf],1,2/128,'outside') p = 0.0668</pre>



See Also

`capaplot`, `histfit`

Purpose Normal mean and variance

Syntax `[M,V] = normstat(mu,sigma)`

Description `[M,V] = normstat(mu,sigma)` returns the mean of and variance for the normal distribution with parameters `mu` and `sigma`. `mu` and `sigma` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `M` and `V`. A scalar input for `mu` or `sigma` is expanded to a constant array with the same dimensions as the other input.

The mean of the normal distribution with parameters μ and σ is μ , and the variance is σ^2 .

Examples

```
n = 1:5;
[m,v] = normstat(n'*n,n'*n)
m =
     1     2     3     4     5
     2     4     6     8    10
     3     6     9    12    15
     4     8    12    16    20
     5    10    15    20    25

v =
     1     4     9    16    25
     4    16    36    64   100
     9    36    81   144   225
    16    64   144   256   400
    25   100   225   400   625
```

See Also `normpdf`, `normcdf`, `norminv`, `normfit`, `normlike`, `normrnd`

nsegments

Purpose	Number of segments
Class	@piecewisedistribution
Syntax	<code>n = nsegments(obj)</code>
Description	<code>n = nsegments(obj)</code> returns the number of segments <code>n</code> in the piecewise distribution object <code>obj</code> .
Example	Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9: <pre>t = trnd(3,100,1); obj = paretotails(t,0.1,0.9); n = nsegments(obj) n = 3</pre>
See Also	<code>paretotails</code> , <code>boundary</code> , <code>segment</code>


Purpose	Number of nodes
Class	@classregtree
Syntax	<code>n = numnodes(t)</code>
Description	<code>n = numnodes(t)</code> returns the number of nodes <code>n</code> in the tree <code>t</code> .
Example	Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

numnodes



```
n = numnodes(t)
```

```
n =
```

```
9
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree

Purpose	Construct ordinal categorical array
Class	@ordinal
Syntax	<pre>B = ordinal(A) B = ordinal(A, labels) B = ordinal(A, labels, levels) B = ordinal(A, labels, [], edges)</pre>
Description	<p><code>B = ordinal(A)</code> creates an ordinal array <code>B</code> from the array <code>A</code>. <code>A</code> can be numeric, logical, character, categorical, or a cell array of strings. <code>ordinal</code> creates the levels of <code>B</code> from the sorted unique values in <code>A</code>, and creates default labels for them.</p> <p><code>B = ordinal(A, labels)</code> labels the levels in <code>B</code> using the character array or cell array of strings <code>labels</code>. <code>ordinal</code> assigns labels to levels in <code>B</code> in order according to the sorted unique values in <code>A</code>.</p> <p><code>B = ordinal(A, labels, levels)</code> creates an ordinal array with possible levels defined by <code>levels</code>. <code>levels</code> is a vector whose values can be compared to those in <code>A</code> using the equality operator. <code>ordinal</code> assigns labels to each level from the corresponding elements of <code>labels</code>. If <code>A</code> contains any values not present in <code>levels</code>, the levels of the corresponding elements of <code>B</code> are undefined. Use <code>[]</code> for <code>labels</code> to allow <code>ordinal</code> to create default labels.</p> <p><code>B = ordinal(A, labels, [], edges)</code> creates an ordinal array by binning the numeric array <code>A</code>, with bin edges given by the numeric vector <code>edges</code>. The uppermost bin includes values equal to the right-most edge. <code>ordinal</code> assigns labels to each level in <code>B</code> from the corresponding elements of <code>labels</code>. <code>edges</code> must have one more element than <code>labels</code>.</p> <p>By default, an element of <code>B</code> is undefined if the corresponding element of <code>A</code> is NaN (when <code>A</code> is numeric), an empty string (when <code>A</code> is character), or undefined (when <code>A</code> is categorical). <code>ordinal</code> treats such elements as “undefined” or “missing” and does not include entries for them among the possible levels for <code>B</code>. To create an explicit level for such elements</p>

instead of treating them as undefined, you must use the `levels` input, and include NaN, the empty string, or an undefined element.

You may include duplicate labels in `labels` in order to merge multiple values in A into a single level in B.

Examples

Example 1

Create an ordinal array with labels from random integer data:

```
x = floor(3*rand(1,1e3));
x(1:5)
ans =
     1     2     1     2     0

o = ordinal(x,{'I','II','III'});
o(1:5)
ans =
     II     III     II     III     I
```

Example 2

Create an ordinal array from the measurements in Fisher's iris data, ignoring decimal lengths:

```
load fisheriris
m = floor(min(meas(:)));
M = floor(max(meas(:)));
labels = num2str((m:M)');
edges = m:M+1;
cms = ordinal(meas,labels,[],edges)

meas(1:5,:)
ans =
     5.1000     3.5000     1.4000     0.2000
     4.9000     3.0000     1.4000     0.2000
     4.7000     3.2000     1.3000     0.2000
     4.6000     3.1000     1.5000     0.2000
     5.0000     3.6000     1.4000     0.2000
```



```
cms(1:5,:)
ans =
     5     3     1     0
     4     3     1     0
     4     3     1     0
     4     3     1     0
     5     3     1     0
```

Example 3

Create an age group ordinal array from the data in `hospital.mat`:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)', '%d'), {'s'});
AgeGroup = ordinal(hospital.Age, labels, [], edges);
```

```
hospital.Age(1:5)
ans =
    38
    43
    38
    40
    49
```

```
AgeGroup(1:5)
ans =
    30s
    40s
    30s
    40s
    40s
```

See Also

`nominal`, `histc`

parallelcoords

Purpose Parallel coordinates plot

Syntax

```
parallelcoords(X)
parallelcoords(X,...,'Standardize','on')
parallelcoords(X,...,'Standardize','PCA')
parallelcoords(X,...,'Standardize','PCAStd')
parallelcoords(X,...,'Quantile',alpha)
parallelcoords(X,...,'Group',group)
parallelcoords(X,...,'Labels',labels)
parallelcoords(X,...,PropertyName,PropertyValue,...)
h = parallelcoords(X,...)
parallelcoords(axes,...)
```

Description `parallelcoords(X)` creates a parallel coordinates plot of the multivariate data in the n -by- p matrix X . Rows of X correspond to observations, columns to variables. A parallel coordinates plot is a tool for visualizing high dimensional data, where each observation is represented by the sequence of its coordinate values plotted against their coordinate indices. `parallelcoords` treats NaNs in X as missing values and does not plot those coordinate values.

`parallelcoords(X,...,'Standardize','on')` scales each column of X to have mean 0 and standard deviation 1 before making the plot.

`parallelcoords(X,...,'Standardize','PCA')` creates a parallel coordinates plot from the principal component scores of X , in order of decreasing eigenvalues. `parallelcoords` removes rows of X containing missing values (NaNs) for principal components analysis (PCA) standardization.

`parallelcoords(X,...,'Standardize','PCAStd')` creates a parallel coordinates plot using the standardized principal component scores.

`parallelcoords(X,...,'Quantile',alpha)` plots only the median and the α and $1-\alpha$ quantiles of $f(t)$ at each value of t . This is useful if X contains many observations.

`parallelcoords(X,...,'Group',group)` plots the data in different groups with different colors. Groups are defined by `group`, a numeric

array containing a group index for each observation. (See “Grouped Data” on page 2-33.) `group` can also be a categorical variable, character matrix, or cell array of strings, containing a group name for each observation.

`parallelcoords(X,...,'Labels',labels)` labels the coordinate tick marks along the horizontal axis using `labels`, a character array or cell array of strings.

`parallelcoords(X,...,PropertyName,PropertyValue,...)` sets properties to the specified property values for all line graphics objects created by `parallelcoords`.

`h = parallelcoords(X,...)` returns a column vector of handles to the line objects created by `parallelcoords`, one handle per row of `X`. If you use the `'Quantile'` input argument, `h` contains one handle for each of the three lines objects created. If you use both the `'Quantile'` and the `'Group'` input arguments, `h` contains three handles for each group.

`parallelcoords(axes,...)` plots into the axes with handle axes.

Examples

```
% Make a grouped plot of the raw data
load fisheriris
labels = {'Sepal Length','Sepal Width',...
         'Petal Length','Petal Width'};
parallelcoords(meas,'group',species,'labels',labels);

% Plot only the median and quartiles of each group
parallelcoords(meas,'group',species,'labels',labels,...
              'quantile',.25);
```

See Also

`andrewsplot`, `glyphplot`

parent


Purpose	Parent node
Class	@classregtree
Syntax	<code>p = parent(t)</code> <code>p = parent(t,nodes)</code>
Description	<p><code>p = parent(t)</code> returns an n-element vector <code>p</code> containing the number of the parent node for each node in the tree <code>t</code>, where n is the number of nodes. The parent of the root node is 0.</p> <p><code>p = parent(t,nodes)</code> takes a vector <code>nodes</code> of node numbers and returns the parent nodes for the specified nodes.</p>

Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```



p = parent(t)

p =

0

1

1

3

3

4

4

parent

6
6

Reference [1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also classregtree, numnodes, children

Purpose Pareto chart

Syntax `pareto(y, names)`
`[h, ax] = pareto(...)`

Description `pareto(y, names)` displays a Pareto chart where the values in the vector `y` are drawn as bars in descending order. Each bar is labeled with the associated value in the string matrix or cell array, `names`. `pareto(y)` labels each bar with the index of the corresponding element in `y`.


The line above the bars shows the cumulative percentage.

`[h, ax] = pareto(...)` returns a combination of patch and line object handles to the two axes created in `ax`.

Example Create a Pareto chart from data measuring the number of manufactured parts rejected for various types of defects.

```
defects = {'pits'; 'cracks'; 'holes'; 'dents'};  
quantity = [5 3 19 25];  
pareto(quantity, defects)
```

pareto



See Also

bar, hist

Purpose Construct Pareto tails object

Class @paretotails

Syntax
`obj = paretotails(x,pl,pu)`
`obj = paretotails(x,pl,pu,cdffun)`

Description `obj = paretotails(x,pl,pu)` creates an object `obj` defining a distribution consisting of the empirical distribution of `x` in the center and Pareto distributions in the tails. `x` is a real-valued vector of data values whose extreme observations are fit to generalized Pareto distributions (GPDs). `pl` and `pu` identify the lower- and upper-tail cumulative probabilities such that $100 \cdot pl$ and $100 \cdot (1 - pu)$ percent of the observations in `x` are, respectively, fit to a GPD by maximum likelihood. If `pl` is 0, or if there are not at least two distinct observations in the lower tail, then no lower Pareto tail is fit. If `pu` is 1, or if there are not at least two distinct observations in the upper tail, then no upper Pareto tail is fit.

`obj = paretotails(x,pl,pu,cdffun)` uses *cdf*fun to estimate the cdf of `x` between the lower and upper tail probabilities. *cdf*fun may be any of the following:

- 'ecdf' — Uses an interpolated empirical cdf, with data values as the midpoints in the vertical steps in the empirical cdf, and computed by linear interpolation between data values. This is the default.
- 'kernel' — Uses a kernel-smoothing estimate of the cdf.
- @fun — Uses a handle to a function of the form $[p, xi] = fun(x)$ that accepts the input data vector `x` and returns a vector `p` of cdf values and a vector `xi` of evaluation points. Values in `xi` must be sorted and distinct but need not equal the values in `x`.

*cdf*fun is used to compute the quantiles corresponding to `pl` and `pu` by inverse interpolation, and to define the fitted distribution between these quantiles.

paretotails

The output object `obj` is a Pareto tails object with methods to evaluate the cdf, inverse cdf, and other functions of the fitted distribution. These methods are well-suited to copula and other Monte Carlo simulations. The pdf method in the tails is the GPD density, but in the center it is computed as the slope of the interpolated cdf.


The `paretotails` class is a subclass of the `piecewisedistribution` class, and many of its methods are derived from that class.

Example

Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);
[p,q] = boundary(obj);

x = linspace(-5,5);
plot(x,cdf(obj,x),'b-','LineWidth',2)
hold on
plot(x,tcdf(x,3),'r:','LineWidth',2)
plot(q,p,'bo','LineWidth',2,'MarkerSize',5)
legend('Pareto Tails Object','t Distribution',...
      'Location','NW')
```

**See Also**

`ecdf`, `ksdensity`, `gpfid`, `cdf`, `icdf`

partialcorr

Purpose Linear or rank partial correlation coefficients

Syntax

```
RHO = partialcorr(X,Z)
RHO = partialcorr(X,Y,Z)
[RHO,PVAL] = partialcorr(...)
[...] = partialcorr(...,param1,val1,param2,val2,...)
```

Description RHO = partialcorr(X,Z) returns the sample linear partial correlation coefficients between pairs of variables in X controlling for the variables in Z. X is an n -by- p matrix, and Z is an n -by- q matrix with rows corresponding to observations, and columns corresponding to variables. The output, RHO, is a symmetric p -by- p matrix.

RHO = partialcorr(X,Y,Z) returns the sample linear partial correlation coefficients between pairs of variables between X and Y, controlling for the variables in Z. X is an n -by- p_1 matrix, Y an n -by- p_2 matrix, and Z is an n -by- q matrix, with rows corresponding to observations, and columns corresponding to variables. RHO is a p_1 -by- p_2 matrix, where the (i,j) th entry is the sample linear partial correlation between the i th column in X and the j th column in Y.

If the covariance matrix of [X,Z] is

$$S = \begin{pmatrix} S_{11} & S_{12} \\ S_{12}^T & S_{22} \end{pmatrix}$$

then the partial correlation matrix of X, controlling for Z, can be defined formally as a normalized version of the covariance matrix

$$S_{-xy} = S_{11} - (S_{12}S_{22}^{-1}S_{12}^T)$$

[RHO,PVAL] = partialcorr(...) also returns PVAL, a matrix of p -values for testing the hypothesis of no partial correlation against the alternative that there is a nonzero partial correlation. Each element of PVAL is the p -value for the corresponding element of RHO. If PVAL(I,J) is small, say less than 0.05, then the partial correlation, RHO(I,J), is significantly different from zero.

[...] = partialcorr(...,param1,val1,param2,val2,...)
 specifies additional parameters and their values. Valid parameter/value pairs are listed in the following table.

Parameter	Values
'type'	<ul style="list-style-type: none"> 'Pearson' — To compute Pearson (linear) partial correlations. This is the default. 'Spearman' — To compute Spearman (rank) partial correlations.
'rows'	<ul style="list-style-type: none"> 'all' — To use all rows regardless of missing (NaN) values. This is the default. 'complete' — To use only rows with no missing values. 'pairwise' — To compute $RHO(I,J)$ using rows with no missing values in column I or J.
'tail' The alternative hypothesis against which to compute p -values for testing the hypothesis of no partial correlation.	<ul style="list-style-type: none"> 'both' (the default) — the correlation is not zero. 'right' — the correlation is greater than zero. 'left' — the correlation is less than zero.

A 'pairwise' value for the rows parameter can produce a RHO that is not positive definite. A 'complete' value always produces a positive definite RHO, but when data is missing, the estimates will be based on fewer observations, in general.

partialcorr computes p -values for linear and rank partial correlations using a Student's t distribution for a transformation of the correlation.

partialcorr

This is exact for linear partial correlation when X and Z are normal, but is a large-sample approximation otherwise.

See Also

corr, tiedrank, corrccoef

Purpose Principal component analysis on covariance matrix

Syntax

```
COEFF = pcacov(V)
[COEFF,latent] = pcacov(V)
[COEFF,latent,explained] = pcacov(V)
```

Description COEFF = pcacov(V) performs principal components analysis on the p-by-p covariance matrix V and returns the principal component coefficients, also known as loadings. COEFF is a p-by-p matrix, with each column containing coefficients for one principal component. The columns are in order of decreasing component variance.

pcacov does not standardize V to have unit variances. To perform principal components analysis on standardized variables, use the correlation matrix $R = V ./ (SD * SD')$, where $SD = \text{sqrt}(\text{diag}(V))$, in place of V. To perform principal components analysis directly on the data matrix, use princomp.

[COEFF,latent] = pcacov(V) returns latent, a vector containing the principal component variances, that is, the eigenvalues of V.

[COEFF,latent,explained] = pcacov(V) returns explained, a vector containing the percentage of the total variance explained by each principal component.

Example

```
load hald
covx = cov(ingredients);
[COEFF,latent,explained] = pcacov(covx)
COEFF =
    0.0678 -0.6460  0.5673 -0.5062
    0.6785 -0.0200 -0.5440 -0.4933
   -0.0290  0.7553  0.4036 -0.5156
   -0.7309 -0.1085 -0.4684 -0.4844

latent =
    517.7969
     67.4964
     12.4054
```

0.2372

explained =

86.5974

11.2882

2.0747

0.0397

References

[1] Jackson, J. E., *A User's Guide to Principal Components*, John Wiley and Sons, 1991.

[2] Jolliffe, I. T., *Principal Component Analysis*, 2nd Edition, Springer, 2002.

[3] Krzanowski, W. J., *Principles of Multivariate Analysis*, Oxford University Press, 1988.

[4] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.

See Also

barttest, biplot, factoran, pcares, princomp , rotatefactors

Purpose

Residuals from principal component analysis

Syntax

```
residuals = pcares(X,ndim)
[residuals,reconstructed] = pcares(X,ndim)
```

Description

`residuals = pcares(X,ndim)` returns the residuals obtained by retaining `ndim` principal components of the `n`-by-`p` matrix `X`. Rows of `X` correspond to observations, columns to variables. `ndim` is a scalar and must be less than or equal to `p`. `residuals` is a matrix of the same size as `X`. Use the data matrix, *not* the covariance matrix, with this function.

`pcares` does not normalize the columns of `X`. To perform the principal components analysis based on standardized variables, that is, based on correlations, use `pcares(zscore(X), ndim)`. You can perform principal components analysis directly on a covariance or correlation matrix, but without constructing residuals, by using `pcacov`.

`[residuals,reconstructed] = pcares(X,ndim)` returns the reconstructed observations; that is, the approximation to `X` obtained by retaining its first `ndim` principal components.

Example

This example shows the drop in the residuals from the first row of the Hald data as the number of component dimensions increases from one to three.

```
load hald
r1 = pcares(ingredients,1);
r2 = pcares(ingredients,2);
r3 = pcares(ingredients,3);

r11 = r1(1,:)
r11 =
    2.0350    2.8304   -6.8378    3.0879

r21 = r2(1,:)
r21 =
   -2.4037    2.6930   -1.6482    2.3425
```

```
r31 = r3(1,:)
r31 =
    0.2008    0.1957    0.2045    0.1921
```

References

- [1] Jackson, J. E., *A User's Guide to Principal Components*, John Wiley and Sons, 1991.
- [2] Jolliffe, I. T., *Principal Component Analysis*, 2nd Edition, Springer, 2002.
- [3] Krzanowski, W. J., *Principles of Multivariate Analysis*, Oxford University Press, 1988.
- [4] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.

See Also

factoran, pcacov, princomp

Purpose

Probability density functions

Syntax

```
Y = pdf(name,X,A)
Y = pdf(name,X,A,B)
Y = pdf(name,X,A,B,C)
```

Description

`Y = pdf(name,X,A)` computes the probability density function for the one-parameter family of distributions specified by `name`. Parameter values for the distribution are given in `A`. Densities are evaluated at the values in `X` and returned in `Y`.

If `X` and `A` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`. If `A` is a scalar, it is expanded to a constant matrix the same size as `X`.

`Y` is the common size of `X` and `A` after any necessary scalar expansion.

`Y = pdf(name,X,A,B)` computes the probability density function for two-parameter families of distributions, where parameter values are given in `A` and `B`.

If `X`, `A`, and `B` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A` and `B`. If either `A` or `B` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, and `B` after any necessary scalar expansion.

`Y = pdf(name,X,A,B,C)` computes the probability density function for three-parameter families of distributions, where parameter values are given in `A`, `B`, and `C`.

If `X`, `A`, `B`, and `C` are arrays, they must be the same size. If `X` is a scalar, it is expanded to a constant matrix the same size as `A`, `B`, and `C`. If any of `A`, `B` or `C` are scalars, they are expanded to constant matrices the same size as `X`.

`Y` is the common size of `X`, `A`, `B` and `C` after any necessary scalar expansion.

Acceptable strings for `name` are:

- 'beta' (Beta distribution)
- 'bino' (Binomial distribution)
- 'chi2' (Chi-square distribution)
- 'exp' (Exponential distribution)
- 'ev' (Extreme value distribution)
- 'f' (F distribution)
- 'gam' (Gamma distribution)
- 'gev' (Generalized extreme value distribution)
- 'gp' (Generalized Pareto distribution)
- 'geo' (Geometric distribution)
- 'hyge' (Hypergeometric distribution)
- 'logn' (Lognormal distribution)
- 'nbin' (Negative binomial distribution)
- 'ncf' (Noncentral F distribution)
- 'nct' (Noncentral t distribution)
- 'ncx2' (Noncentral chi-square distribution)
- 'norm' (Normal distribution)
- 'poiss' (Poisson distribution)
- 'ray1' (Rayleigh distribution)
- 't' (t distribution)
- 'unif' (Uniform distribution)
- 'unid' (Discrete uniform distribution)
- 'wbl' (Weibull distribution)

Examples


```
p = pdf('Normal', -2:2, 0, 1)
p =
```

```
0.0540 0.2420 0.3989 0.2420 0.0540  
  
p = pdf('Poisson',0:4,1:5)  
p =  
0.3679 0.2707 0.2240 0.1954 0.1755
```

See Also

`cdf`, `icdf`, `mle`, `random`

Purpose	Probability density function for Gaussian mixture distribution
Class	@gmdistribution
Syntax	<code>y = pdf(obj,X)</code>
Description	<code>y = pdf(obj,X)</code> returns a vector <code>y</code> of length n containing the values of the probability density function (pdf) for the <code>gmdistribution</code> object <code>obj</code> , evaluated at the n -by- d data matrix <code>X</code> , where n is the number of observations and d is the dimension of the data. <code>obj</code> is an object created by <code>gmdistribution</code> or <code>fit</code> . <code>y(I)</code> is the cdf of observation <code>I</code> .
Example	Create a <code>gmdistribution</code> object defining a two-component mixture of bivariate Gaussian distributions: <pre>MU = [1 2;-3 -5]; SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]); p = ones(1,2)/2; obj = gmdistribution(MU,SIGMA,p); ezsurf(@(x,y)pdf(obj,[x y]),[-10 10],[-10 10])</pre>

**See Also**

gmdistribution, fit, cdf, mvnpdf

Purpose	Probability density function for piecewise distribution
Class	@piecewisedistribution
Syntax	<code>P = pdf(obj,X)</code>
Description	<code>P = pdf(obj,X)</code> returns an array <code>P</code> of values of the probability density function for the piecewise distribution object <code>obj</code> , evaluated at the values in the array <code>X</code> .

Note For a Pareto tails object, the pdf is computed using the generalized Pareto distribution in the tails. In the center, the pdf is computed using the slopes of the cdf, which are interpolated between a set of discrete values. Therefore the pdf in the center is piecewise constant. It is noisy for a `cdfun` specified in `paretotails` via the `'ecdf'` option, and somewhat smoother for the `'kernel'` option, but generally not a good estimate of the underlying density of the original data.

Example

Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);
[p,q] = boundary(obj)
p =
    0.1000
    0.9000
q =
   -1.7766
    1.8432

pdf(obj,q)
ans =
    0.2367
    0.1960
```


See Also `paretotails, cdf`

pdist

Purpose Pairwise distance

Syntax

```
y = pdist(X)
y = pdist(X,metric)
y = pdist(X,distfun)
y = pdist(X,'minkowski',p)
```

Description `y = pdist(X)` computes the Euclidean distance between pairs of objects in n -by- p data matrix X . Rows of X correspond to observations; columns correspond to variables. y is a row vector of length $n(n-1)/2$, corresponding to pairs of observations in X . The distances are arranged in the order (2,1), (3,1), ..., (n,1), (3,2), ..., (n,2), ..., (n,n-1). y is commonly used as a dissimilarity matrix in clustering or multidimensional scaling.

To save space and computation time, y is formatted as a vector. However, you can convert this vector into a square matrix using the `squareform` function so that element i,j in the matrix, where $i < j$, corresponds to the distance between objects i and j in the original data set.

`y = pdist(X,metric)` computes the distance between objects in the data matrix, X , using the method specified by *metric*, which can be any of the following character strings.

'euclidean'	Euclidean distance (default)
'seuclidean'	Standardized Euclidean distance. Each coordinate in the sum of squares is inverse weighted by the sample variance of that coordinate.
'mahalanobis'	Mahalanobis distance
'cityblock'	City Block metric
'minkowski'	Minkowski metric
'cosine'	One minus the cosine of the included angle between points (treated as vectors)

'correlation'	One minus the sample correlation between points (treated as sequences of values).
'spearman'	One minus the sample Spearman's rank correlation between observations, treated as sequences of values
'hamming'	Hamming distance, the percentage of coordinates that differ
'jaccard'	One minus the Jaccard coefficient, the percentage of nonzero coordinates that differ
'chebychev'	Chebychev distance (maximum coordinate difference)

`y = pdist(X,distfun)` accepts a function handle `distfun` to a metric of the form

$$d = \text{distfun}(u,V)$$

which takes as arguments a 1-by- p vector u , corresponding to a single row of X , and an m -by- p matrix V , corresponding to multiple rows of X . `distfun` must accept a matrix V with an arbitrary number of rows. `distfun` must return an m -by-1 vector of distances d , whose k th element is the distance between u and $V(k,:)$.

`y = pdist(X,'minkowski',p)` computes the distance between objects in the data matrix, X , using the Minkowski metric. p is the exponent used in the Minkowski computation which, by default, is 2.

Metrics

Given an m -by- n data matrix X , which is treated as m (1-by- n) row vectors x_1, x_2, \dots, x_m , the various distances between the vector x_r and x_s are defined as follows:

- Euclidean distance

$$d_{rs}^2 = (x_r - x_s)(x_r - x_s)'$$

- Standardized Euclidean distance

$$d_{rs}^2 = (x_r - x_s)D^{-1}(x_r - x_s)'$$

where D is the diagonal matrix with diagonal elements given by v_j^2 , which denotes the variance of the variable X_j over the m objects.

- Mahalanobis distance

$$d_{rs}^2 = (x_r - x_s)V^{-1}(x_r - x_s)'$$

where V is the sample covariance matrix.

- City Block metric

$$d_{rs} = \sum_{j=1}^n |x_{rj} - x_{sj}|$$

- Minkowski metric

$$d_{rs} = \left\{ \sum_{j=1}^n |x_{rj} - x_{sj}|^p \right\}^{\frac{1}{p}}$$

Notice that for the special case of $p = 1$, the Minkowski metric gives the City Block metric, and for the special case of $p = 2$, the Minkowski metric gives the Euclidean distance.

- Cosine distance

$$d_{rs} = \left(1 - \frac{x_r x_s' / (x_r' x_r)^{\frac{1}{2}} (x_s' x_s)^{\frac{1}{2}}}{(x_r' x_r)^{\frac{1}{2}} (x_s' x_s)^{\frac{1}{2}}} \right)$$

- Correlation distance

$$d_{rs} = 1 - \frac{(x_r - \bar{x}_r)(x_s - \bar{x}_s)'}{[(x_r - \bar{x}_r)(x_r - \bar{x}_r)']^{\frac{1}{2}} [(x_s - \bar{x}_s)(x_s - \bar{x}_s)']^{\frac{1}{2}}}$$

where

$$\bar{x}_r = \frac{1}{n} \sum_j x_{rj} \text{ and } \bar{x}_s = \frac{1}{n} \sum_j x_{sj}$$

- Hamming distance

$$d_{rs} = (\#(x_{rj} \neq x_{sj})/n)$$

- Jaccard distance

$$d_{rs} = \frac{\#[(x_{rj} \neq x_{sj}) \wedge ((x_{rj} \neq 0) \vee (x_{sj} \neq 0))]}{\#[(x_{rj} \neq 0) \vee (x_{sj} \neq 0)]}$$

Examples

```
X = [1 2; 1 3; 2 2; 3 1]
```

```
X =
```

```
    1    2
    1    3
    2    2
    3    1
```

```
Y = pdist(X, 'mahal')
```

```
Y =
```

```
    2.3452    2.0000    2.3452    1.2247    2.4495    1.2247
```

```
Y = pdist(X)
```

```
Y =
```

```
    1.0000    1.0000    2.2361    1.4142    2.8284    1.4142
```

```
squareform(Y)
```

```
ans =
```

```
    0    1.0000    1.0000    2.2361
    1.0000    0    1.4142    2.8284
    1.0000    1.4142    0    1.4142
    2.2361    2.8284    1.4142    0
```

pdist

See Also

cluster, clusterdata, cmdscale, cophenet, dendrogram,
inconsistent, linkage, silhouette, squareform

Purpose	Pearson system random numbers
Syntax	<pre>r = pearsrnd(mu,sigma,skew,kurt,m,n) [r,type] = pearsrnd(...) [r,type,coefs] = pearsrnd(...)</pre>
Description	<p><code>r = pearsrnd(mu,sigma,skew,kurt,m,n)</code> returns an m-by-n matrix of random numbers drawn from the distribution in the Pearson system with mean <code>mu</code>, standard deviation <code>sigma</code>, skewness <code>skew</code>, and kurtosis <code>kurt</code>. <code>mu</code>, <code>sigma</code>, <code>skew</code>, and <code>kurt</code> must be scalars.</p>

Note Because `r` is a random sample, its sample moments, especially the skewness and kurtosis, typically differ somewhat from the specified distribution moments.

Some combinations of moments are not valid for any random variable, and in particular, the kurtosis must be greater than the square of the skewness plus 1. The kurtosis of the normal distribution is defined to be 3.

`r = pearsrnd(mu,sigma,skew,kurt)` returns a scalar value.

`r = pearsrnd(mu,sigma,skew,kurt,m,n,...)` or `r = pearsrnd(mu,sigma,skew,kurt,[m,n,...])` returns an m -by- n -by-... array.

`[r,type] = pearsrnd(...)` returns the type of the specified distribution within the Pearson system. `type` is a scalar integer from 0 to 7. Set `m` and `n` to zero to identify the distribution type without generating any random values.

The seven distribution types in the Pearson system correspond to the following distributions:

- 0 — Normal distribution
- 1 — Four-parameter beta distribution

pearsrnd

- 2 — Symmetric four-parameter beta distribution
- 3 — Three-parameter gamma distribution
- 4 — Not related to any standard distribution. The density is proportional to:

$$(1+((x-a)/b)^2)^{-c} \exp(-d \arctan((x-a)/b)).$$

- 5 — Inverse gamma location-scale distribution
- 6 — F location-scale distribution
- 7 — Student's t location-scale distribution

`[r,type,coefs] = pearsrnd(...)` returns the coefficients `coefs` of the quadratic polynomial that defines the distribution via the

differential equation
$$\frac{d(\log(p(x)))}{dx} = \frac{(a + x)}{(c(0) + c(1) \cdot x + c(2) \cdot x^2)}.$$

Example

Generate random values from the standard normal distribution:

```
r = pearsrnd(0,1,0,3,100,1); % Equivalent to randn(100,1)
```

Determine the distribution type:

```
[r,type] = pearsrnd(0,1,1,4,0,0);  
r =  
    []  
type =  
    1
```

See Also

random, johnsrnd

Purpose Enumeration of permutations

Syntax `P = perms(v)`

Description `P = perms(v)` where `v` is a row vector of length `n`, creates a matrix whose rows consist of all possible permutations of the `n` elements of `v`. The matrix `P` contains `n!` rows and `n` columns.

`perms` is only practical when `n` is less than 8 or 9.

Example `perms([2 4 6])`

`ans =`

```
6 4 2
6 2 4
4 6 2
4 2 6
2 4 6
2 6 4
```

See Also

`combnk`

Purpose

Partial least-squares regression

Syntax

```
[XL,YL] = plsregress(X,Y,ncomp)
[XL,YL,XS] = plsregress(X,Y,ncomp)
[XL,YL,XS,YS] = plsregress(X,Y,ncomp)
[XL,YL,XS,YS,BETA] = PLSREGRESS(X,Y,ncomp,...)
[XL,YL,XS,YS,BETA,PCTVAR] = plsregress(X,Y,ncomp)
[XL,YL,XS,YS,BETA,PCTVAR,MSE] = plsregress(X,Y,ncomp)
[XL,YL,XS,YS,BETA,PCTVAR,MSE] = plsregress(...,param1,va11,
    param2,va12,...)
[XL,YL,XS,YS,BETA,PCTVAR,MSE,stats] = PLSREGRESS(X,Y,ncomp,
    ...)
```

Description

[XL,YL] = plsregress(X,Y,ncomp) computes a partial least-squares (PLS) regression of Y on X, using ncomp PLS components, and returns the predictor and response loadings in XL and YL, respectively. X is an n -by- p matrix of predictor variables, with rows corresponding to observations and columns to variables. Y is an n -by- m response matrix. XL is a p -by- $ncomp$ matrix of predictor loadings, where each row contains coefficients that define a linear combination of PLS components that approximate the original predictor variables. YL is an m -by- $ncomp$ matrix of response loadings, where each row contains coefficients that define a linear combination of PLS components that approximate the original response variables.

[XL,YL,XS] = plsregress(X,Y,ncomp) returns the predictor scores XS, that is, the PLS components that are linear combinations of the variables in X. XS is an n -by- $ncomp$ orthonormal matrix with rows corresponding to observations and columns to components.

[XL,YL,XS,YS] = plsregress(X,Y,ncomp) returns the response scores YS, that is, the linear combinations of the responses with which the PLS components XS have maximum covariance. YS is an n -by- $ncomp$ matrix with rows corresponding to observations and columns to components. YS is neither orthogonal nor normalized.

plsregress uses the SIMPLS algorithm, first centering X and Y by subtracting off column means to get centered variables X0 and

Y0. However, it does not rescale the columns. To perform PLS with standardized variables, use `zscore` to normalize X and Y.

If `ncomp` is omitted, its default value is `min(size(X,1)-1,size(X,2))`.

The relationships between the scores, loadings, and centered variables X0 and Y0 are:

$$XL = (XS \setminus X0)' = X0' * XS,$$

$$YL = (XS \setminus Y0)' = Y0' * XS,$$

XL and YL are the coefficients from regressing X0 and Y0 on XS, and XS*XL' and XS*YL' are the PLS approximations to X0 and Y0.

`plsregress` initially computes YS as:

$$YS = Y0 * YL = Y0 * Y0' * XS,$$

By convention, however, `plsregress` then orthogonalizes each column of YS with respect to preceding columns of XS, so that XS' * YS is lower triangular.

`[XL, YL, XS, YS, BETA] = PLSREGRESS(X, Y, ncomp, ...)` returns the PLS regression coefficients BETA. BETA is a $(p+1)$ -by- m matrix, containing intercept terms in the first row:

$$Y = [\text{ones}(n, 1), X] * BETA + \text{RESIDUALS},$$

$$Y0 = X0 * BETA(2:\text{end}, :) + \text{RESIDUALS}.$$

`[XL, YL, XS, YS, BETA, PCTVAR] = plsregress(X, Y, ncomp)` returns a 2-by-`ncomp` matrix PCTVAR containing the percentage of variance explained by the model. The first row of PCTVAR contains the percentage of variance explained in X by each PLS component, and the second row contains the percentage of variance explained in Y.

`[XL, YL, XS, YS, BETA, PCTVAR, MSE] = plsregress(X, Y, ncomp)` returns a 2-by- $(ncomp+1)$ matrix MSE containing estimated mean-squared errors for PLS models with 0:ncomp components. The first row of MSE contains mean-squared errors for the predictor variables in X, and the second row contains mean-squared errors for the response variable(s) in Y.

plsregress

[XL, YL, XS, YS, BETA, PCTVAR, MSE] =
plsregress(..., param1, val1, param2, val2, ...) specifies optional parameter name/value pairs from the following table to control the calculation of MSE.

Name	Value
'cv'	<p>The method used to compute MSE.</p> <ul style="list-style-type: none">• When the value is a positive integer k, plsregress uses k-fold cross-validation.• When the value is an object of the @cvpartition class, other forms of cross-validation can be specified.• When the value is 'resubstitution', plsregress uses X and Y both to fit the model and to estimate the mean-squared errors, without cross-validation. <p>The default is 'resubstitution'.</p>
'mcreps'	<p>A positive integer indicating the number of Monte-Carlo repetitions for cross-validation. The default value is 1. The value must be 1 if the value of 'cv' is 'resubstitution'.</p>

[XL, YL, XS, YS, BETA, PCTVAR, MSE, stats] =
PLSREGRESS(X, Y, ncomp, ...) returns a structure stats with the following fields:

- W — A p -by- n comp matrix of PLS weights so that $XS = X0*W$.
- T^2 — The T^2 statistic for each point in XS .
- X residuals — The predictor residuals, that is, $X0 - XS*XL'$.
- Y residuals — The response residuals, that is, $Y0 - XS*YL'$.

Example

Load data on near infrared (NIR) spectral intensities of 60 samples of gasoline at 401 wavelengths, and their octane ratings:

```
load spectra
X = NIR;
y = octane;
```


Perform PLS regression with ten components:

```
[XL,y1,XS,YS,beta,PCTVAR] = plsregress(X,y,10);
```

Plot the percent of variance explained in the response variable as a function of the number of components:

```
plot(1:10,cumsum(100*PCTVAR(2,:)),'-bo');
xlabel('Number of PLS components');
ylabel('Percent Variance Explained in y');
```


plsregress



Compute the fitted response and display the residuals:

```
yfit = [ones(size(X,1),1) X]*beta;  
residuals = y-yfit;
```

```
stem(residuals)  
xlabel('Observation');  
ylabel('Residual');
```



References

- [1] de Jong, S., "SIMPLS: An Alternative Approach to Partial Least Squares Regression," *Chemometrics and Intelligent Laboratory Systems*, vol. 18, 1993, pp. 251-263.
- [2] Rosipal, R. and N. Kramer, "Overview and Recent Advances in Partial Least Squares," in *Subspace, Latent Structure and Feature Selection: Statistical and Optimization Perspectives Workshop (SLSFS 2005), Revised Selected Papers (Lecture Notes in Computer Science 3940)*, Springer-Verlag, 2006, pp. 34-51.

See Also

regress, sequentialfs

poisscdf

Purpose Poisson cumulative distribution function

Syntax `P = poisscdf(X,lambda)`

Description `P = poisscdf(X,lambda)` computes the Poisson cdf at each of the values in `X` using the corresponding parameters in `lambda`. `X` and `lambda` can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `lambda` must be positive.

The Poisson cdf is

$$p = F(x|\lambda) = e^{-\lambda} \sum_{i=0}^{\text{floor}(x)} \frac{\lambda^i}{i!}$$

Examples

For example, consider a Quality Assurance department that performs random tests of individual hard disks. Their policy is to shut down the manufacturing process if an inspector finds more than four bad sectors on a disk. What is the probability of shutting down the process if the mean number of bad sectors (λ) is two?

```
probability = 1-poisscdf(4,2)
probability =
    0.0527
```

About 5% of the time, a normally functioning manufacturing process produces more than four flaws on a hard disk.

Suppose the average number of flaws (λ) increases to four. What is the probability of finding fewer than five flaws on a hard drive?

```
probability = poisscdf(4,4)
probability =
    0.6288
```


This means that this faulty manufacturing process continues to operate after this first inspection almost 63% of the time.

See Also

`cdf`, `poisspdf`, `poissinv`, `poisstat`, `poissfit`, `poissrnd`

poissfit

Purpose Poisson parameter estimates

Syntax
`lambdshat = poissfit(data)`
`[lambdahat,lambdaci] = poissfit(data)`
`[lambdahat,lambdaci] = poissfit(data,alpha)`

Description `lambdshat = poissfit(data)` returns the maximum likelihood estimate (MLE) of the parameter of the Poisson distribution, λ , given the data `data`.
`[lambdahat,lambdaci] = poissfit(data)` also gives 95% confidence intervals in `lambdaci`.
`[lambdahat,lambdaci] = poissfit(data,alpha)` gives 100(1 - alpha)% confidence intervals. For example `alpha = 0.001` yields 99.9% confidence intervals.
The sample mean is the MLE of λ .

$$\hat{\lambda} = \frac{1}{n} \sum_{i=1}^n x_i$$

Example

```
r = poissrnd(5,10,2);  
[l,lci] = poissfit(r)  
l =  
    7.4000    6.3000  
lci =  
    5.8000    4.8000  
    9.1000    7.9000
```

See Also `mle`, `poisspdf`, `poisscdf`, `poissinv`, `poisstat`, `poissrnd`

Purpose Poisson inverse cumulative distribution function

Syntax `X = poissinv(P,lambda)`

Description `X = poissinv(P,lambda)` returns the smallest value X such that the Poisson cdf evaluated at X equals or exceeds P . P and λ can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input.

Examples If the average number of defects (λ) is two, what is the 95th percentile of the number of defects?

```
poissinv(0.95,2)
ans =
     5
```

What is the median number of defects?

```
median_defects = poissinv(0.50,2)
median_defects =
     2
```

See Also `icdf`, `poisscdf`, `poisspdf`, `poisstat`, `poissfit`, `poissrnd`

poisspdf

Purpose Poisson probability density function

Syntax `Y = poisspdf(X,lambda)`

Description `Y = poisspdf(X,lambda)` computes the Poisson pdf at each of the values in `X` using the corresponding parameters in `lambda`. `X` and `lambda` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other input. The parameters in `lambda` must all be positive.

The Poisson pdf is

$$y = f(x|\lambda) = \frac{\lambda^x}{x!} e^{-\lambda} I_{(0,1,\dots)}(x)$$

where x can be any nonnegative integer. The density function is zero unless x is an integer.

Examples A computer hard disk manufacturer has observed that flaws occur randomly in the manufacturing process at the average rate of two flaws in a 4 GB hard disk and has found this rate to be acceptable. What is the probability that a disk will be manufactured with no defects?

In this problem, $\lambda = 2$ and $x = 0$.

```
p = poisspdf(0,2)
p =
    0.1353
```

See Also `pdf`, `poisscdf`, `poissinv`, `poisstat`, `poissfit`, `poissrnd`

Purpose Poisson random numbers

Syntax
`R = poissrnd(lambda)`
`R = poissrnd(lambda,m)`
`R = poissrnd(lambda,m,n)`

Description `R = poissrnd(lambda)` generates random numbers from the Poisson distribution with mean parameter `lambda`. `lambda` can be a vector, a matrix, or a multidimensional array. The size of `R` is the size of `lambda`.

`R = poissrnd(lambda,m)` generates random numbers from the Poisson distribution with mean parameter `lambda`, where `m` is a row vector. If `m` is a 1-by-2 vector, `R` is a matrix with `m(1)` rows and `m(2)` columns. If `m` is 1-by-`n`, `R` is an `n`-dimensional array.

`R = poissrnd(lambda,m,n)` generates random numbers from the Poisson distribution with mean parameter `lambda`, where scalars `m` and `n` are the row and column dimensions of `R`.

Example Generate a random sample of 10 pseudo-observations from a Poisson distribution with $\lambda = 2$.

```
lambda = 2;

random_sample1 = poissrnd(lambda,1,10)
random_sample1 =
    1    0    1    2    1    3    4    2    0    0

random_sample2 = poissrnd(lambda,[1 10])
random_sample2 =
    1    1    1    5    0    3    2    2    3    4

random_sample3 = poissrnd(lambda(ones(1,10)))
random_sample3 =
    3    2    1    1    0    0    4    0    2    0
```

See Also `random`, `poisspdf`, `poisscdf`, `poissinv`, `poisstat`, `poissfit`

poisstat

Purpose Poisson mean and variance

Syntax `M = poisstat(lambda)`
`[M,V] = poisstat(lambda)`

Description `M = poisstat(lambda)` returns the mean of the Poisson distribution with parameter `lambda`. The size of `M` is the size of `lambda`.
`[M,V] = poisstat(lambda)` also returns the variance `V` of the Poisson distribution.

For the Poisson distribution with parameter λ , both the mean and variance are equal to λ .

Examples Find the mean and variance for the Poisson distribution with $\lambda = 2$.

```
[m,v] = poisstat([1 2; 3 4])
m =
    1    2
    3    4
v =
    1    2
    3    4
```

See Also `poisspdf`, `poisscdf`, `poissinv`, `poissfit`, `poissrnd`

Purpose Polynomial confidence intervals

Syntax

```
Y = polyconf(p,X)
[Y,DELTA] = polyconf(p,X,S)
[Y,DELTA] = polyconf(p,X,S,param1,val1,param2,val2,...)
```

Description `Y = polyconf(p,X)` returns the value of a polynomial, p , evaluated at the values in X . p is a vector of coefficients of in descending powers.

`[Y,DELTA] = polyconf(p,X,S)` takes the outputs p and S from `polyfit` and generates 95% prediction intervals $Y - DELTA$ for new observations at the values in X .

`[Y,DELTA] = polyconf(p,X,S,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs chosen from the following list.

Name	Value
'alpha'	A value between 0 and 1 specifying a confidence level of $100*(1 - \alpha)\%$. The default is 0.05.
'mu'	A two-element vector containing centering and scaling parameters. With this option, <code>polyconf</code> uses $(X - \mu(1)) / \mu(2)$ in place of X .
'predopt'	Either 'observation' (the default) to compute intervals for predicting a new observation at the values in X , or 'curve' to compute confidence intervals for the polynomial evaluated at the values in X .
'simopt'	Either 'off' (the default) for nonsimultaneous bounds, or 'on' for simultaneous bounds.

To understand the various bounds that `polyconf` computes, let $p(x)$ be the unknown mean function estimated by polynomial fitting. Also consider:

- $f(x)$ — the fitted function

- $l(x)$ — the lower confidence bound
- $u(x)$ — the upper confidence bound

Suppose you plan to make a new observation $y_{n+1}(x_{n+1})$ at x_{n+1} . This new observation has error ε_{n+1} , so that:

$$y_{n+1}(x_{n+1}) = p(x_{n+1}) + \varepsilon_{n+1}$$

The interval $[l_{n+1}, u_{n+1}]$ is a 95% confidence bound for $y_{n+1}(x_{n+1})$.

These are the default bounds, but `polyconf` also provides these options:

Is Simultaneous	For Quantity	Yields Confidence Bounds for
Nonsimultaneous	Observation	$y_{n+1}(x_{n+1})$ (default)
Nonsimultaneous	Curve	$p(x_{n+1})$
Simultaneous	Observation	$y_{n+1}(x)$, globally for any x
Simultaneous	Curve	$p(x)$, simultaneously for all x

See Also

`polyfit`, `polyval`, `polytool`

Purpose Polynomial fit

Description MATLAB® function. See `polyfit` in the MATLAB documentation.

See Also `polyval`, `polyconf`, `polytool`

polytool

Purpose

Interactive polynomial fitting

Syntax

```
polytool
polytool(x,y)
polytool(x,y,n)
polytool(x,y,n,alpha)
polytool(x,y,n,alpha,xname,yname)
h = polytool(...)
```

Description

`polytool`

`polytool(x,y)` fits a line to the vectors `x` and `y` and displays an interactive plot of the result in a graphical interface. You can use the interface to explore the effects of changing the parameters of the fit and to export fit results to the workspace.

`polytool(x,y,n)` initially fits a polynomial of degree `n`. The default is 1, which produces a linear fit.

`polytool(x,y,n,alpha)` initially plots `100(1 - alpha)%` confidence intervals on the predicted values. The default is 0.05 which results in 95% confidence intervals.

`polytool(x,y,n,alpha,xname,yname)` labels the `x` and `y` values on the graphical interface using the strings `xname` and `yname`. Specify `n` and `alpha` as `[]` to use their default values.

`h = polytool(...)` outputs a vector of handles, `h`, to the line objects in the plot. The handles are returned in the degree: data, fit, lower bounds, upper bounds.

See Also

`polyfit`, `polyval`, `polyconf`, `invpred`

Purpose	Polynomial values
Description	MATLAB® function. See polyval in the MATLAB documentation.
See Also	polyfit, polyconf, polytool, polyvalm

posterior

Purpose Posterior probabilities of components

Class @gmdistribution

Syntax
`P = posterior(obj,X)`
`[P,nlogl] = posterior(obj,X)`


Description `P = posterior(obj,X)` returns the posterior probabilities of each of the k components in the Gaussian mixture distribution defined by `obj` for each observation in the data matrix X . X is n -by- d , where n is the number of observations and d is the dimension of the data. `obj` is an object created by `gmdistribution` or `fit`. P is n -by- k , with $P(I,J)$ the probability of component J given observation I .

`posterior` treats NaN values as missing data. Rows of X with NaN values are excluded from the computation.

`[P,nlogl] = posterior(obj,X)` also returns `nlogl`, the negative log-likelihood of the data.

Example Generate data from a mixture of two bivariate Gaussian distributions using the `mvnrnd` function:


```
MU1 = [1 2];  
SIGMA1 = [2 0; 0 .5];  
MU2 = [-3 -5];  
SIGMA2 = [1 0; 0 1];  
X = [mvnrnd(MU1,SIGMA1,1000);mvnrnd(MU2,SIGMA2,1000)];  
  
scatter(X(:,1),X(:,2),10,'.')  
hold on
```



Fit a two-component Gaussian mixture model:


```
obj = gmdistribution.fit(X,2);  
h = ezcontour(@(x,y)pdf(obj,[x y]),[-8 6],[-8 6]);
```

posterior



Compute posterior probabilities of the components:

```
P = posterior(obj,X);  
  
delete(h)  
scatter(X(:,1),X(:,2),10,P(:,1),'.')  
hb = colorbar;  
ylabel(hb,'Component 1 Probability')
```



See Also

`gmdistribution`, `fit`, `cluster`, `mahal`

prctile

Purpose Percentiles

Syntax
`Y = prctile(X,p)`
`Y = prctile(X,p,dim)`

Description `Y = prctile(X,p)` returns percentiles of the values in `X`. `p` is a scalar or a vector of percent values. When `X` is a vector, `Y` is the same size as `p` and `Y(i)` contains the `p(i)`th percentile. When `X` is a matrix, the `i`th row of `Y` contains the `p(i)`th percentiles of each column of `X`. For `N`-dimensional arrays, `prctile` operates along the first nonsingleton dimension of `X`.

`Y = prctile(X,p,dim)` calculates percentiles along dimension `dim`. The `dim`'th dimension of `Y` has length `length(p)`.

Percentiles are specified using percentages, from 0 to 100. For an n -element vector `X`, `prctile` computes percentiles as follows:

- 1 The sorted values in `X` are taken to be the $100(0.5/n)$, $100(1.5/n)$, ..., $100([n-0.5]/n)$ percentiles.
- 2 Linear interpolation is used to compute percentiles for percent values between $100(0.5/n)$ and $100([n-0.5]/n)$.
- 3 The minimum or maximum values in `X` are assigned to percentiles for percent values outside that range.

`prctile` treats NaNs as missing values and removes them.

Examples

```
x = (1:5)'*(1:5)
x =
     1     2     3     4     5
     2     4     6     8    10
     3     6     9    12    15
     4     8    12    16    20
     5    10    15    20    25

y = prctile(x,[25 50 75])
y =
```


1.7500 3.5000 5.2500 7.0000 8.7500
3.0000 6.0000 9.0000 12.0000 15.0000
4.2500 8.5000 12.7500 17.0000 21.2500

princomp

Purpose Principal component analysis on data

Syntax

```
[COEFF,SCORE] = princomp(X)
[COEFF,SCORE,latent] = princomp(X)
[COEFF,SCORE,latent,tsquare] = princomp(X)
[...] = princomp(X,'econ')
```

Description `COEFF = princomp(X)` performs principal components analysis on the n -by- p data matrix X , and returns the principal component coefficients, also known as loadings. Rows of X correspond to observations, columns to variables. `COEFF` is a p -by- p matrix, each column containing coefficients for one principal component. The columns are in order of decreasing component variance.

`princomp` centers X by subtracting off column means, but does not rescale the columns of X . To perform principal components analysis with standardized variables, that is, based on correlations, use `princomp(zscore(X))`. To perform principal components analysis directly on a covariance or correlation matrix, use `pcacov`.

`[COEFF,SCORE] = princomp(X)` returns `SCORE`, the principal component scores; that is, the representation of X in the principal component space. Rows of `SCORE` correspond to observations, columns to components.

`[COEFF,SCORE,latent] = princomp(X)` returns `latent`, a vector containing the eigenvalues of the covariance matrix of X .

`[COEFF,SCORE,latent,tsquare] = princomp(X)` returns `tsquare`, which contains Hotelling's T^2 statistic for each data point.

The scores are the data formed by transforming the original data into the space of the principal components. The values of the vector `latent` are the variance of the columns of `SCORE`. Hotelling's T^2 is a measure of the multivariate distance of each observation from the center of the data set.

When $n \leq p$, `SCORE(:,n:p)` and `latent(n:p)` are necessarily zero, and the columns of `COEFF(:,n:p)` define directions that are orthogonal to X .

[...] = princomp(X, 'econ') returns only the elements of latent that are not necessarily zero, and the corresponding columns of COEFF and SCORE, that is, when $n \leq p$, only the first $n-1$. This can be significantly faster when p is much larger than n .

Example

Compute principal components for the ingredients data in the Hald data set, and the variance accounted for by each component.

```
load hald;
[pc,score,latent,tsquare] = princomp(ingredients);
pc,latent
pc =
    0.0678 -0.6460  0.5673 -0.5062
    0.6785 -0.0200 -0.5440 -0.4933
   -0.0290  0.7553  0.4036 -0.5156
   -0.7309 -0.1085 -0.4684 -0.4844
latent =
517.7969
 67.4964
 12.4054
  0.2372
```

References

- [1] Jackson, J. E., *A User's Guide to Principal Components*, John Wiley and Sons, 1991, p. 592.
- [2] Jolliffe, I. T., *Principal Component Analysis*, 2nd edition, Springer, 2002.
- [3] Krzanowski, W. J., *Principles of Multivariate Analysis*, Oxford University Press, 1988.
- [4] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.

See Also

barttest, biplot, canoncorr, factoran, pcacov, pcares , rotatefactors

probplot

Purpose Probability plots

Syntax

```
probplot(Y)
probplot(distribution,Y)
probplot(Y,cens,freq)
probplot(ax,Y)
probplot(...,'noref')
probplot(ax,fun,params)
h = probplot(...)
```

Description `probplot(Y)` produces a normal probability plot comparing the distribution of the data `Y` to the normal distribution. `Y` can be a single vector, or a matrix with a separate sample in each column. The plot includes a reference line useful for judging whether the data follow a normal distribution.

`probplot` uses midpoint probability plotting positions. The i^{th} sorted value from a sample of size N is plotted against the midpoint in the jump of the empirical CDF on the y axis. With uncensored data, that midpoint is $(i-0.5)/N$. With censored data (see below), the y value is more complicated to compute.

`probplot(distribution,Y)` creates a probability plot for the distribution specified by *distribution*. Acceptable strings for *distribution* are:

- 'exponential' — Exponential probability plot (nonnegative values)
- 'extreme value' — Extreme value probability plot (all values)
- 'lognormal' — Lognormal probability plot (positive values)
- 'normal' — Normal probability plot (all values)
- 'rayleigh' — Rayleigh probability plot (positive values)
- 'weibull' — Weibull probability plot (positive values)

The y axis scale is based on the selected distribution. The x axis has a log scale for the Weibull and lognormal distributions, and a linear scale for the others.

Not all distributions are appropriate for all data sets, and `probplot` will error when asked to create a plot with a data set that is inappropriate for a specified distribution. Appropriate data ranges for each distribution are given parenthetically in the list above.

`probplot(Y,cens,freq)` or `probplot(distname,Y,cens,freq)` requires a vector Y . `cens` is a vector of the same size as Y and contains 1 for observations that are right-censored and 0 for observations that are observed exactly. `freq` is a vector of the same size as Y , containing integer frequencies for the corresponding elements in Y .

`probplot(ax,Y)` takes a handle `ax` to an existing probability plot, and adds additional lines for the samples in Y . `ax` is a handle for a set of axes.

`probplot(..., 'noref')` omits the reference line.

`probplot(ax,fun,params)` takes a function `fun` and a set of parameters, `params`, and adds fitted lines to the axes of an existing probability plot specified by `ax`. `fun` is a function handle to a cdf function, specified with `@` (for example, `@wblcdf`). `params` is the set of parameters required to evaluate `fun`, and is specified as a cell array or vector. The function must accept a vector of X values as its first argument, then the optional parameters, and must return a vector of cdf values evaluated at X .


`h = probplot(...)` returns handles to the plotted lines.

Examples

Example 1

The following plot assesses two samples, one from a Weibull distribution and one from a Rayleigh distribution, to see if they may have come from a Weibull population.

```
x1 = wblrnd(3,3,100,1);
x2 = raylrnd(3,100,1);
probplot('weibull',[x1 x2])
legend('Weibull Sample','Rayleigh Sample','Location','NW')
```



Example 2

Consider the following data, with about 20% outliers:

```
left_tail = -exprnd(1,10,1);  
right_tail = exprnd(5,10,1);  
center = randn(80,1);  
data = [left_tail;center;right_tail];
```


Neither a normal distribution nor a t distribution fits the tails very well:

```
probplot(data);
```

```

p = mle(data,'dist','tlo');
t = @(data,mu,sig,df)cdf('tlocationscale',data,mu,sig,df);
h = probplot(gca,t,p);
set(h,'color','r','linestyle','-');
title('\bf Probability Plot');
legend('Data','Normal','t','Location','NW')

```



See Also normplot, ecdf, wblplot

procrustes

Purpose Procrustes analysis

Syntax
`d = procrustes(X,Y)`
`[d,Z] = procrustes(X,Y)`
`[d,Z,transform] = procrustes(X,Y)`

Description `d = procrustes(X,Y)` determines a linear transformation (translation, reflection, orthogonal rotation, and scaling) of the points in matrix `Y` to best conform them to the points in matrix `X`. The goodness-of-fit criterion is the sum of squared errors. `procrustes` returns the minimized value of this dissimilarity measure in `d`. `d` is standardized by a measure of the scale of `X`, given by:

$$\text{sum}(\text{sum}((X - \text{repmat}(\text{mean}(X,1), \text{size}(X,1), 1)).^2, 1))$$

That is, the sum of squared elements of a centered version of `X`. However, if `X` comprises repetitions of the same point, the sum of squared errors is not standardized.

`X` and `Y` must have the same number of points (rows), and `procrustes` matches the `i`th point in `Y` to the `i`th point in `X`. Points in `Y` can have smaller dimension (number of columns) than those in `X`. In this case, `procrustes` adds columns of zeros to `Y` as necessary.

`[d,Z] = procrustes(X,Y)` also returns the transformed `Y` values.

`[d,Z,transform] = procrustes(X,Y)` also returns the transformation that maps `Y` to `Z`. `transform` is a structure array with fields:

- `c` — Translation component
- `T` — Orthogonal rotation and reflection component
- `b` — Scale component

That is:

```
c = transform.c;  
T = transform.T;  
b = transform.b;
```




```
Z = b*Y*T + c;
```

Examples

Example 1

This example creates some random points in two dimensions, then rotates, scales, translates, and adds some noise to those points. It uses `procrustes` to conform `Y` to `X`, then plots the original `X` and `Y` with the transformed `Y`.

```
n = 10;
X = normrnd(0,1,[n 2]);
S = [0.5 -sqrt(3)/2; sqrt(3)/2 0.5];
Y = normrnd(0.5*X*S+2,0.05,n,2);
[d,Z,tr] = procrustes(X,Y);
plot(X(:,1),X(:,2),'rx',...
      Y(:,1),Y(:,2),'b.',...
      Z(:,1),Z(:,2),'bx');
```



Example 2

This example modifies the previous example to compute a Procrustes solution that does not include scaling:

```
trUnscaled.T = tr.T;  
trUnscaled.b = 1;  
trUnscaled.c = mean(X) - mean(Y) * trUnscaled.T;  
ZUnscaled = Y * trUnscaled.T + repmat(trUnscaled.c,n,1);  
dUnscaled = sum((ZUnscaled(:)-X(:)).^2) ...  
            / sum(sum((X-repmat(mean(X,1),n,1)).^2,1));
```

References

[1] Kendall, David G., "A Survey of the Statistical Theory of Shape," *Statistical Science*, Vol. 4, No. 2, pp. 87-99, 1989.

[2] Bookstein, Fred L., *Morphometric Tools for Landmark Data*, Cambridge, 1991.

[3] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.

See Also

cmdsca, factoran

prune

Purpose Prune tree

Class @classregtree

Syntax

```
t2 = prune(t1, 'level', level)
t2 = prune(t1, 'nodes', nodes)
t2 = prune(t1)
```

Description `t2 = prune(t1, 'level', level)` takes a decision tree `t1` and a pruning level `level`, and returns the decision tree `t2` pruned to that level. If `level` is 0, there is no pruning. Trees are pruned based on an optimal pruning scheme that first prunes branches giving less improvement in error cost.

`t2 = prune(t1, 'nodes', nodes)` prunes the nodes listed in the `nodes` vector from the tree. Any `t1` branch nodes listed in `nodes` become leaf nodes in `t2`, unless their parent nodes are also pruned. Use `view` to display the node numbers for any node you select.

`t2 = prune(t1)` returns the decision tree `t2` that is the full, unpruned `t1`, but with optimal pruning information added. This is useful only if `t1` is created by pruning another tree, or by using the `classregtree` function with the `'prune'` parameter set to `'off'`. If you plan to prune a tree multiple times along the optimal pruning sequence, it is more efficient to create the optimal pruning sequence first.

Pruning is the process of reducing a tree by turning some branch nodes into leaf nodes and removing the leaf nodes under the original branch.

Example Display the full tree for Fisher's iris data:

```
load fisheriris;


t1 = classregtree(meas, species, ...
                 'names', {'SL' 'SW' 'PL' 'PW'}, ...
                 'splitmin', 5)

t1 =
Decision tree for classification
```

```
1 if PL<2.45 then node 2 else node 3
2 class = setosa
3 if PW<1.75 then node 4 else node 5
4 if PL<4.95 then node 6 else node 7
5 class = virginica
6 if PW<1.65 then node 8 else node 9
7 if PW<1.55 then node 10 else node 11
8 class = versicolor
9 class = virginica
10 class = virginica
11 class = versicolor
```

```
view(t1)
```

prune




Display the next largest tree from the optimal pruning sequence:

```
t2 = prune(t1,'level',1)
t2 =
Decision tree for classification
1 if PL<2.45 then node 2 else node 3
2 class = setosa
3 if PW<1.75 then node 4 else node 5
4 if PL<4.95 then node 6 else node 7
```

```
5 class = virginica
6 class = versicolor
7 class = virginica

view(t2)
```



Reference


[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

prune

See Also `classregtree, test, view`

Purpose	Quantile-quantile plot
Syntax	<pre>qqplot(X) qqplot(X,Y) qqplot(X,Y,pvec) h = qqplot(X,Y,pvec)</pre>
Description	<p><code>qqplot(X)</code> displays a quantile-quantile plot of the sample quantiles of X versus theoretical quantiles from a normal distribution. If the distribution of X is normal, the plot will be close to linear.</p> <p><code>qqplot(X,Y)</code> displays a quantile-quantile plot of two samples. If the samples do come from the same distribution, the plot will be linear.</p> <p>For matrix X and Y, <code>qqplot</code> displays a separate line for each pair of columns. The plotted quantiles are the quantiles of the smaller data set.</p> <p>The plot has the sample data displayed with the plot symbol '+' . Superimposed on the plot is a line joining the first and third quartiles of each distribution (this is a robust linear fit of the order statistics of the two samples). This line is extrapolated out to the ends of the sample to help evaluate the linearity of the data.</p> <p>Use <code>qqplot(X,Y,pvec)</code> to specify the quantiles in the vector <code>pvec</code>.</p> <p><code>h = qqplot(X,Y,pvec)</code> returns handles to the lines in <code>h</code>.</p>
Example	<p>The following example shows a quantile-quantile plot of two samples from Poisson distributions.</p> <pre>x = poissrnd(10,50,1); y = poissrnd(5,100,1); qqplot(x,y);</pre>

qqplot



See Also

`normplot`

Purpose Generate points from stream

Class @qrandstream

Syntax
`x = qrand(q)`
`X = qrand(q, n)`

Description `x = qrand(q)` returns the next value x in the quasi-random number stream q of the `@qrandstream` class. x is a 1-by- d vector, where d is the dimension of the stream. The command sets `q.State` to the index in the underlying point set of the next value to be returned.

`X = qrand(q, n)` returns the next n values X in an n -by- d matrix.

Objects q of the `@qrandstream` class encapsulate properties of a specified quasi-random number stream. Values of the stream are not generated and stored in memory until q is accessed using `qrand`.

Example Use `qrandstream` to construct a 3-dimensional Halton stream, based on a point set that skips the first 1000 values and then retains every 101st point:

```
q = qrandstream('halton',3,'Skip',1e3,'Leap',1e2)
q =
    Halton quasi-random stream in 3 dimensions
    Point set properties:
        Skip : 1000
        Leap : 100
        ScrambleMethod : none

nextIdx = q.State
nextIdx =
     1
```

Use `qrand` to generate two samples of size four:

```
X1 = qrand(q,4)
X1 =
```

grand

```
0.0928    0.3475    0.0051
0.6958    0.2035    0.2371
0.3013    0.8496    0.4307
0.9087    0.5629    0.6166
nextIdx = q.State
nextIdx =
    5

X2 = grand(q,4)
X2 =
    0.2446    0.0238    0.8102
    0.5298    0.7540    0.0438
    0.3843    0.5112    0.2758
    0.8335    0.2245    0.4694
nextIdx = q.State
nextIdx =
    9
```

Use reset to reset the stream, then generate another sample:

```
reset(q)
nextIdx = q.State
nextIdx =
    1

X = grand(q,4)
X =
    0.0928    0.3475    0.0051
    0.6958    0.2035    0.2371
    0.3013    0.8496    0.4307
    0.9087    0.5629    0.6166
```

See Also

grandstream, reset

Purpose Construct quasi-random number stream

Class @grandstream

Syntax

```
q = grandstream(type,d)
q = grandstream(type,d,prop1,val1,prop2,val2,...)
q = grandstream(p)
```

Description `q = grandstream(type,d)` constructs a d-dimensional quasi-random number stream `q` of the `@grandstream` class, of type specified by the string `type`. `type` is either 'halton' or 'sobol', and `q` is based on a point set from either the `@haltonset` or `@sobolset` class, respectively, with default property settings.

`q = grandstream(type,d,prop1,val1,prop2,val2,...)` specifies property name/value pairs for the point set on which the stream is based. Applicable properties depend on `type`.

`q = grandstream(p)` constructs a stream based on the specified point set `p`. `p` must be a point set from either the `@haltonset` or `@sobolset` class.

Example Construct a 3-dimensional Halton stream, based on a point set that skips the first 1000 values and then retains every 101st point:

```
q = grandstream('halton',3,'Skip',1e3,'Leap',1e2)
q =
  Halton quasi-random stream in 3 dimensions
  Point set properties:
      Skip : 1000
      Leap : 100
      ScrambleMethod : none

  nextIdx = q.State
  nextIdx =
      1
```

Use `grand` to generate two samples of size four:

grandstream

```
X1 = grand(q,4)
X1 =
    0.0928    0.3475    0.0051
    0.6958    0.2035    0.2371
    0.3013    0.8496    0.4307
    0.9087    0.5629    0.6166
nextIdx = q.State
nextIdx =
    5

X2 = grand(q,4)
X2 =
    0.2446    0.0238    0.8102
    0.5298    0.7540    0.0438
    0.3843    0.5112    0.2758
    0.8335    0.2245    0.4694
nextIdx = q.State
nextIdx =
    9
```

Use `reset` to reset the stream, and then generate another sample:

```
reset(q)
nextIdx = q.State
nextIdx =
    1

X = grand(q,4)
X =
    0.0928    0.3475    0.0051
    0.6958    0.2035    0.2371
    0.3013    0.8496    0.4307
    0.9087    0.5629    0.6166
```

See Also

`grand`, `reset`, `haltonset`, `sobolset`

Purpose

Quantiles

Syntax

```
Y = quantile(X,p)
Y = quantile(X,p,dim)
```

Description

`Y = quantile(X,p)` returns quantiles of the values in `X`. `p` is a scalar or a vector of cumulative probability values. When `X` is a vector, `Y` is the same size as `p`, and `Y(i)` contains the $p(i)$ th quantile. When `X` is a matrix, the i th row of `Y` contains the $p(i)$ th quantiles of each column of `X`. For `N`-dimensional arrays, `quantile` operates along the first nonsingleton dimension of `X`.

`Y = quantile(X,p,dim)` calculates quantiles along dimension `dim`. The `dim`th dimension of `Y` has length `length(P)`.

Quantiles are specified using cumulative probabilities from 0 to 1. For an n -element vector `X`, `quantile` computes quantiles as follows:

- 1** The sorted values in `X` are taken as the $(0.5/n)$, $(1.5/n)$, ..., $([n-0.5]/n)$ quantiles.
- 2** Linear interpolation is used to compute quantiles for probabilities between $(0.5/n)$ and $([n-0.5]/n)$.
- 3** The minimum or maximum values in `X` are assigned to quantiles for probabilities outside that range.

`quantile` treats NaNs as missing values and removes them.

Examples

```
y = quantile(x,.50); % the median of x
y = quantile(x,[.025 .25 .50 .75 .975]); % Summary of x
```

See Also

`prctile`, `iqr`, `median`

randg

Purpose Gamma random numbers

Syntax

```
Y = randg
Y = randg(A)
Y = randg(A,m)
Y = randg(A,m,n,...)
Y = randg(A,[m,n,...])
```

Description `Y = randg` returns a scalar random value chosen from a gamma distribution with unit scale and shape.

`Y = randg(A)` returns a matrix of random values chosen from gamma distributions with unit scale. `Y` is the same size as `A`, and `randg` generates each element of `Y` using a shape parameter equal to the corresponding element of `A`.

`Y = randg(A,m)` returns an `m`-by-`m` matrix of random values chosen from gamma distributions with shape parameters `A`. `A` is either an `m`-by-`m` matrix or a scalar. If `A` is a scalar, `randg` uses that single shape parameter value to generate all elements of `Y`.

`Y = randg(A,m,n,...)` or `Y = randg(A,[m,n,...])` returns an `m`-by-`n`-by-... array of random values chosen from gamma distributions with shape parameters `A`. `A` is either an `m`-by-`n`-by-... array or a scalar.

`randg` produces pseudorandom numbers using the MATLAB® functions `rand` and `randn`. The sequence of numbers generated is determined by the states of both generators. To create reproducible output from `randg`, set the states of both `rand` and `randn` to a fixed pair of values before calling `randg`. For example,

```
rand('state',j);
randn('state',s);
r = randg(1,[10,1]);
```

always generates the same 10 values. You can also use the MATLAB generators by calling `rand` and `randn` with the argument `'seed'`. Calling `randg` changes the current states of `rand` and `randn` and therefore alters the outputs of subsequent calls to those functions.

To generate gamma random numbers and specify both the scale and shape parameters, you should call `gamrnd` rather than calling `randg` directly.

References

[1] Marsaglia, G., and Tsang, W. W., "A Simple Method for Generating Gamma Variables," *ACM Transactions on Mathematical Software*, Vol. 26, 2000, pp. 363-372.

See Also

`gamrnd`

random

Purpose

Random numbers

Syntax

```
Y = random(name,A)
Y = random(name,A,B)
Y = random(name,A,B,C)
Y = random(...,m,n,...)
Y = random(...,[m,n,...])
```

Description

`Y = random(name,A)` returns random numbers `Y` from the one-parameter family of distributions specified by `name`. Parameter values for the distribution are given in `A`.

`Y` is the same size as `A`.

`Y = random(name,A,B)` returns random numbers `Y` from a two-parameter family of distributions. Parameter values for the distribution are given in `A` and `B`.

If `A` and `B` are arrays, they must be the same size. If either `A` or `B` are scalars, they are expanded to constant matrices of the same size.

`Y = random(name,A,B,C)` returns random numbers `Y` from a three-parameter family of distributions. Parameter values for the distribution are given in `A`, `B`, and `C`.

If `A`, `B`, and `C` are arrays, they must be the same size. If any of `A`, `B`, or `C` are scalars, they are expanded to constant matrices of the same size.

`Y = random(...,m,n,...)` or `Y = random(...,[m,n,...])` returns an `m`-by-`n`-by... matrix of random numbers.

If any of `A`, `B`, or `C` are arrays, then the specified dimensions must match the common dimensions of `A`, `B`, and `C` after any necessary scalar expansion.

Acceptable strings for `name` are:

- 'beta' (Beta distribution)
- 'bino' (Binomial distribution)
- 'chi2' (Chi-square distribution)

- 'exp' (Exponential distribution)
- 'ev' (Extreme value distribution)
- 'f' (F distribution)
- 'gam' (Gamma distribution)
- 'gev' (Generalized extreme value distribution)
- 'gp' (Generalized Pareto distribution)
- 'geo' (Geometric distribution)
- 'hyge' (Hypergeometric distribution)
- 'logn' (Lognormal distribution)
- 'nbin' (Negative binomial distribution)
- 'ncf' (Noncentral F distribution)
- 'nct' (Noncentral t distribution)
- 'ncx2' (Noncentral chi-square distribution)
- 'norm' (Normal distribution)
- 'poiss' (Poisson distribution)
- 'ray1' (Rayleigh distribution)
- 't' (t distribution)
- 'unif' (Uniform distribution)
- 'unid' (Discrete uniform distribution)
- 'wbl' (Weibull distribution)

Examples

```
rn = random('Normal',0,1,2,4)
rn =
    1.1650  0.0751  -0.6965  0.0591
    0.6268  0.3516  1.6961  1.7971

rp = random('Poisson',1:6,1,6)
```

random


```
rp =  
0 0 1 2 5 7
```

See Also

`cdf`, `pdf`, `icdf`, `mle`

Purpose	Random numbers from Gaussian mixture distribution
Class	@gmdistribution
Syntax	<pre>y = random(obj) Y = random(obj,n) [Y,idx] = random(obj,n)</pre>
Description	<p><code>y = random(obj)</code> generates a 1-by-d vector y drawn at random from the d-dimensional Gaussian mixture distribution defined by <code>obj</code>. <code>obj</code> is an object created by <code>gmdistribution</code> or <code>fit</code>.</p> <p><code>Y = random(obj,n)</code> generates an n-by-d matrix Y of n d-dimensional random samples.</p> <p><code>[Y,idx] = random(obj,n)</code> also returns an n-by-1 vector <code>idx</code>, where <code>idx(I)</code> is the index of the component used to generate $Y(I,:)$.</p>
Example	<p>Create a <code>gmdistribution</code> object defining a two-component mixture of bivariate Gaussian distributions:</p> <pre>MU = [1 2;-3 -5]; SIGMA = cat(3,[2 0;0 .5],[1 0;0 1]); p = ones(1,2)/2; obj = gmdistribution(MU,SIGMA,p); ezcontour(@(x,y)pdf(obj,[x y]),[-10 10],[-10 10]) hold on</pre>


random



Generate 1000 random values:

```
Y = random(obj,1000);
```

```
scatter(Y(:,1),Y(:,2),10,'.')
```

**See Also**

`gmdistribution`, `fit`, `mvnrnd`

random

Purpose Random numbers from piecewise distribution

Class @piecewisedistribution

Syntax

```
r = random(obj)
R = random(obj,n)
R = random(obj,m,n)
R = random(obj,[m,n])
R = random(obj,m,n,p,...)
R = random(obj,[m,n,p,...])
```

Description `r = random(obj)` generates a pseudo-random number `r` drawn from the piecewise distribution object `obj`.

`R = random(obj,n)` generates an n -by- n matrix of pseudo-random numbers `R`.

`R = random(obj,m,n)` or `R = random(obj,[m,n])` generates an m -by- n matrix of pseudo-random numbers `R`.

`R = random(obj,m,n,p,...)` or `R = random(obj,[m,n,p,...])` generates an m -by- n -by- p -by-... array of pseudo-random numbers `R`.

Example Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);
```

```
r = random(obj)
r =
    0.8285
```

See Also paretotails, cdf, icdf

Purpose

Random sample

Syntax

```
y = randsample(n,k)
y = randsample(population,k)
y = randsample(...,replace)
y = randsample(...,true,w)
```

Description

`y = randsample(n,k)` returns a k -by-1 vector y of values sampled uniformly at random, without replacement, from the integers 1 to n .

`y = randsample(population,k)` returns a vector of values sampled uniformly at random, without replacement, from the values in the vector `population`. The orientation of y (row or column) is the same as `population`.

`y = randsample(...,replace)` returns a sample taken with replacement if `replace` is `true`, or without replacement if `replace` is `false`. The default is `false`.

`y = randsample(...,true,w)` returns a weighted sample taken with replacement, using a vector of positive weights w , whose length is n . The probability that the integer i is selected for an entry of y is $w(i) / \text{sum}(w)$. Usually, w is a vector of probabilities. `randsample` does not support weighted sampling without replacement.

Example

The following command generates a random sequence of the characters A, C, G, and T, with replacement, according to the specified probabilities.

```
R = randsample('ACGT',48,true,[0.15 0.35 0.35 0.15])
```

See Also

`rand`, `randperm`


randtool

Purpose Interactive random number generation

Syntax randtool

Description randtool opens the Random Number Generation Tool.

The Random Number Generation Tool is a graphical user interface that generates random samples from specified probability distributions and displays the samples as histograms. Use the tool to explore the effects of changing parameters and sample size on the distributions.



randtool

Start by selecting a distribution, then enter the desired sample size.

You can also

- Use the controls at the bottom of the window to set parameter values for the distribution and to change their upper and lower bounds.
- Draw another sample from the same distribution, with the same size and parameters.
- Export the current sample to your workspace. A dialog box enables you to provide a name for the sample.

See Also

`disttool`, `dfittool`

Purpose Range of values

Syntax `range(X)`
`y = range(X,dim)`

Description `range(X)` returns the difference between the maximum and the minimum of a sample. For vectors, `range(x)` is the range of the elements. For matrices, `range(X)` is a row vector containing the range of each column of X. For N-dimensional arrays, `range` operates along the first nonsingleton dimension of X.

`y = range(X,dim)` operates along the dimension `dim` of X.

`range` treats NaNs as missing values and ignores them.

The range is an easily-calculated estimate of the spread of a sample. Outliers have an undue influence on this statistic, which makes it an unreliable estimator.

Example The range of a large sample of standard normal random numbers is approximately six. This is the motivation for the process capability indices C_p and C_{pk} in statistical quality control applications.

```
rv = normrnd(0,1,1000,5);
near6 = range(rv)
near6 =
    6.1451    6.4986    6.2909    5.8894    7.0002
```

See Also `std`, `iqr`, `mad`

ranksum

Purpose Wilcoxon rank sum test

Syntax

```
p = ranksum(x,y)
[p,h] = ranksum(x,y)
[p,h] = ranksum(x,y,'alpha',alpha)
[p,h] = ranksum(...,'method',method)
[p,h,stats] = ranksum(...)
```

Description `p = ranksum(x,y)` performs a two-sided rank sum test of the null hypothesis that data in the vectors `x` and `y` are independent samples from identical continuous distributions with equal medians, against the alternative that they do not have equal medians. `x` and `y` can have different lengths. The p -value of the test is returned in `p`. The test is equivalent to a Mann-Whitney U -test.

`[p,h] = ranksum(x,y)` returns the result of the test in `h`. `h = 1` indicates a rejection of the null hypothesis at the 5% significance level. `h = 0` indicates a failure to reject the null hypothesis at the 5% significance level.

`[p,h] = ranksum(x,y,'alpha',alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is `alpha = 0.05`.

`[p,h] = ranksum(...,'method',method)` computes the p -value using either an exact algorithm, when `method` is 'exact', or a normal approximation, when `method` is 'approximate'. The default, when unspecified, is the exact method for small samples and the approximate method for large samples.

`[p,h,stats] = ranksum(...)` returns the structure `stats` with the following fields:

- `ranksum` — Value of the rank sum test statistic
- `zval` — Value of the z -statistic (computed only for large samples)

Example

Test the hypothesis of equal medians for two independent unequal-sized samples. The sampling distributions are identical except for a shift of 0.25.

```
x = unifrnd(0,1,10,1);  
y = unifrnd(0.25,1.25,15,1);  
[p,h] = ranksum(x,y)  
p =  
    0.0375  
h =  
    1
```

The test rejects the null hypothesis of equal medians at the default 5% significance level.

References

- [1] Gibbons, J. D., *Nonparametric Statistical Inference*, 2nd edition, M. Dekker, 1985.
- [2] Hollander, M., and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1973.

See Also

kruskalwallis, signrank, signtest, ttest2

raylcdf

Purpose Rayleigh cumulative distribution function

Syntax `P = raylcdf(X,B)`


Description `P = raylcdf(X,B)` computes the Rayleigh cdf at each of the values in `X` using the corresponding parameters in `B`. `X` and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for `X` or `B` is expanded to a constant array with the same dimensions as the other input.

The Rayleigh cdf is

$$y = F(x|b) = \int_0^x \frac{t}{b^2} e^{\left(\frac{-t^2}{2b^2}\right)} dt$$

Example

```
x = 0:0.1:3;  
p = raylcdf(x,1);  
plot(x,p)
```



Reference [1] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, 2nd edition, Wiley, 1993, pp. 134-136.

See Also `cdf`, `raylpdf`, `raylinv`, `raylstat`, `raylfit`, `raylrnd`

Purpose	Rayleigh parameter estimates
Syntax	<code>raylfit(data,alpha)</code> <code>[phat,pci] = raylfit(data,alpha)</code>
Description	<code>raylfit(data,alpha)</code> returns the maximum likelihood estimates of the parameter of the Rayleigh distribution given the data in the vector <code>data</code> . <code>[phat,pci] = raylfit(data,alpha)</code> returns the maximum likelihood estimate and $100(1 - \alpha)\%$ confidence interval given the data. The default value of the optional parameter <code>alpha</code> is 0.05, corresponding to 95% confidence intervals.
See Also	<code>mle</code> , <code>raylpdf</code> , <code>raylcdf</code> , <code>raylinv</code> , <code>raylstat</code> , <code>raylrnd</code>

raylinv

Purpose Rayleigh inverse cumulative distribution function

Syntax `X = raylinv(P,B)`

Description `X = raylinv(P,B)` returns the inverse of the Rayleigh cumulative distribution function with parameter `B` at the corresponding probabilities in `P`. `P` and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input for `P` or `B` is expanded to a constant array with the same dimensions as the other input.

Example

```
x = raylinv(0.9,1)
x =
    2.1460
```

See Also `icdf`, `raylcdf`, `raylpdf`, `raylrnd`, `raylstat`

Purpose Rayleigh probability density function

Syntax `Y = raylpdf(X,B)`


Description `Y = raylpdf(X,B)` computes the Rayleigh pdf at each of the values in `X` using the corresponding parameters in `B`. `X` and `B` can be vectors, matrices, or multidimensional arrays that all have the same size, which is also the size of `Y`. A scalar input for `X` or `B` is expanded to a constant array with the same dimensions as the other input.

The Rayleigh pdf is

$$y = f(x|b) = \frac{x}{b^2} e^{\left(\frac{-x^2}{2b^2}\right)}$$

Example

```
x = 0:0.1:3;  
p = raylpdf(x,1);  
plot(x,p)
```



See Also `pdf`, `raylcdf`, `raylinv`, `raylstat`, `raylfit`, `raylrnd`

raylrnd

Purpose Rayleigh random numbers

Syntax
R = raylrnd(B)
R = raylrnd(B,v)
R = raylrnd(B,m,n)

Description R = raylrnd(B) returns a matrix of random numbers chosen from the Rayleigh distribution with parameter B. B can be a vector, a matrix, or a multidimensional array. The size of R is the size of B.

R = raylrnd(B,v) returns a matrix of random numbers chosen from the Rayleigh distribution with parameter B, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = raylrnd(B,m,n) returns a matrix of random numbers chosen from the Rayleigh distribution with parameter B, where scalars m and n are the row and column dimensions of R.

Example

```
r = raylrnd(1:5)
r =
    1.7986    0.8795    3.3473    8.9159    3.5182
```

See Also random, raylpdf, raylcdf, raylinv, raylstat, raylfit

Purpose Rayleigh mean and variance

Syntax [M,V] = raylstat(B)

Description [M,V] = raylstat(B) returns the mean of and variance for the Rayleigh distribution with parameter B.

The mean of the Rayleigh distribution with parameter b is $b\sqrt{\pi/2}$ and the variance is

$$\frac{4-\pi}{2}b^2$$

Example [mn,v] = raylstat(1)

```
mn =  
    1.2533  
v =  
    0.4292
```

See Also raylpdf, raylcdf, raylinv, raylfit, raylrnd

rcoplot


Purpose Residual case order plot

Syntax `rcoplot(r,rint)`

Description `rcoplot(r,rint)` displays an errorbar plot of the confidence intervals on the residuals from a regression. The residuals appear in the plot in case order. Inputs `r` and `rint` are outputs from the `regress` function.

Example The following plots residuals and prediction intervals from a regression of a linearly additive model to the data in `moore.mat`:

```
load moore
X = [ones(size(moore,1),1) moore(:,1:5)];
y = moore(:,6);
alpha = 0.05;
[betahat,Ibeta,res,Ires,stats] = regress(y,X,alpha);
rcoplot(res,Ires)
```



The interval around the first residual, shown in red, does not contain zero. This indicates that the residual is larger than expected in 95% of new observations, and suggests the data point is an outlier.

See Also

`regress`

refcurve

Purpose Add polynomial to plot

Syntax `h = refcurve(p)`

Description `refcurve` adds a graph of the polynomial `p` to the current axes. The function for a polynomial of degree n is:

$$y = p_1x^n + p_2x^{(n-1)} + \dots + p_nx + p_{n+1}$$


Note that p_1 goes with the highest order term.

`h = refcurve(p)` returns the handle to the curve.

Example

Plot data for the height of a rocket against time, and add a reference curve showing the theoretical height (assuming no air friction). The initial velocity of the rocket is 100 m/sec.

```
h = [85 162 230 289 339 381 413 ...  
     437 452 458 456 440 400 356];  
plot(h, '+')  
refcurve([-4.9 100 0])
```



See Also `refcurve`, `gline`, `lsline`, `polyfit`

Purpose

Add line to plot

Syntax

```
refline(slope,intercept)
refline(slope)
h = refline(slope,intercept)
refline
```

Description

`refline(slope,intercept)` adds a reference line with the given slope and intercept to the current axes.

`refline(slope)`, where `slope` is a two-element vector, adds the line

$$y = \text{slope}(2) + \text{slope}(1) * x$$


to the figure.

`h = refline(slope,intercept)` returns the handle to the line.

`refline` with no input arguments superimposes the least-squares line on each line object in the current figure (except LineStyles `'-'`, `'--'`, `'.-'`). This behavior is equivalent to `lsline`.

Example

```
y = [3.2 2.6 3.1 3.4 2.4 2.9 3.0 3.3 3.2 2.1 2.6]';
plot(y, '+')
refline(0,3)
```

**See Also**

`refcurve`, `gline`, `lsline`

regress

Purpose Multiple linear regression

Syntax

```
b = regress(y,X)
[b,bint] = regress(y,X)
[b,bint,r] = regress(y,X)
[b,bint,r,rint] = regress(y,X)
[b,bint,r,rint,stats] = regress(y,X)
[... ] = regress(y,X,alpha)
```

Description `b = regress(y,X)` returns a p -by-1 vector `b` of coefficient estimates for a multilinear regression of the responses in `y` on the predictors in `X`. `X` is an n -by- p matrix of p predictors at each of n observations. `y` is an n -by-1 vector of observed responses.

`regress` treats NaNs in `X` or `y` as missing values, and ignores them.

If the columns of `X` are linearly dependent, `regress` obtains a basic solution by setting the maximum number of elements of `b` to zero.

`[b,bint] = regress(y,X)` returns a p -by-2 matrix `bint` of 95% confidence intervals for the coefficient estimates. The first column of `bint` contains lower confidence bounds for each of the p coefficient estimates; the second column contains upper confidence bounds.

If the columns of `X` are linearly dependent, `regress` returns zeros in elements of `bint` corresponding to the zero elements of `b`.

`[b,bint,r] = regress(y,X)` returns an n -by-1 vector `r` of residuals.

`[b,bint,r,rint] = regress(y,X)` returns an n -by-2 matrix `rint` of intervals that can be used to diagnose outliers. If the interval `rint(i,:)` for observation `i` does not contain zero, the corresponding residual is larger than expected in 95% of new observations, suggesting an outlier.

In a linear model, observed values of `y` are random variables, and so are their residuals. Residuals have normal distributions with zero mean but with different variances at different values of the predictors. To put residuals on a comparable scale, they are “Studentized,” that is, they are divided by an estimate of their standard deviation that is independent of their value. Studentized residuals have t distributions with known

degrees of freedom. The intervals returned in `rint` are shifts of the 95% confidence intervals of these t distributions, centered at the residuals.

`[b,bint,r,rint,stats] = regress(y,X)` returns a 1-by-4 vector `stats` that contains, in order, the R^2 statistic, the F statistic and its p -value, and an estimate of the error variance.

Note When computing statistics, X should include a column of 1s so that the model contains a constant term. The F statistic and its p -value are computed under this assumption, and they are not correct for models without a constant. The R^2 statistic can be negative for models without a constant, indicating that the model is not appropriate for the data.

`[...] = regress(y,X,alpha)` uses a $100*(1-\text{alpha})\%$ confidence level to compute `bint` and `rint`.

Example

Load data on cars; identify weight and horsepower as predictors, mileage as the response:

```
load carsmall
x1 = Weight;
x2 = Horsepower; % Contains NaN data
y = MPG;
```


Compute regression coefficients for a linear model with an interaction term:

```
X = [ones(size(x1)) x1 x2 x1.*x2];
b = regress(y,X) % Removes NaN data
b =
    60.7104
   -0.0102
   -0.1882
    0.0000
```

Plot the data and the model:

regress

```
scatter3(x1,x2,y,'filled')
hold on
x1fit = min(x1):100:max(x1);
x2fit = min(x2):10:max(x2);
[X1FIT,X2FIT] = meshgrid(x1fit,x2fit);
YFIT = b(1) + b(2)*X1FIT + b(3)*X2FIT + b(4)*X1FIT.*X2FIT;
mesh(X1FIT,X2FIT,YFIT)
xlabel('Weight')
ylabel('Horsepower')
zlabel('MPG')
view(50,10)
```



Reference

[1] Chatterjee, S., A. S. Hadi, “Influential Observations, High Leverage Points, and Outliers in Linear Regression,” *Statistical Science*, 1986, pp. 379- 416.

See Also

`regstats`, `mvregress`, `robustfit`, `stepwisefit`, `rcoplot`

regstats

Purpose Regression diagnostics

Syntax

```
regstats(y,X,model)
stats = regstats(...)
stats = regstats(y,X,model,whichstats)
```

Description `regstats(y,X,model)` performs a multilinear regression of the responses in `y` on the predictors in `X`. `X` is an n -by- p matrix of p predictors at each of n observations. `y` is an n -by-1 vector of observed responses.

Note By default, `regstats` adds a first column of 1s to `X`, corresponding to a constant term in the model. Do not enter a column of 1s directly into `X`.

The optional input `model` controls the regression model. By default, `regstats` uses a linear additive model with a constant term. `model` can be any one of the following strings:

- 'linear' — Constant and linear terms (the default)
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

To specify a polynomial model of arbitrary order, or a model without a constant term, use a matrix for `model` as described in `x2fx`.

With this syntax, the function displays a graphical user interface (GUI) with a list of diagnostic statistics, as shown in the following figure.

Regstats Export to Workspace

<input type="checkbox"/> Q from QR Decomposition	Q
<input type="checkbox"/> R from QR Decomposition	R
<input type="checkbox"/> Coefficients	beta
<input type="checkbox"/> Coefficient Covariance	covb
<input type="checkbox"/> Fitted Values	yhat
<input type="checkbox"/> Residuals	r
<input type="checkbox"/> Mean Square Error	mse
<input type="checkbox"/> R-square Statistic	rsquare
<input type="checkbox"/> Adjusted R-square Statistic	adjrsquare
<input type="checkbox"/> Leverage	leverage
<input type="checkbox"/> Hat Matrix	hatmat
<input type="checkbox"/> Delete-1 Variance	s2_i
<input type="checkbox"/> Delete-1 Coefficients	beta_i
<input type="checkbox"/> Standardized Residuals	standres
<input type="checkbox"/> Studentized Residuals	studres
<input type="checkbox"/> Change in Beta	dfbetas
<input type="checkbox"/> Change in Fitted Value	dffit
<input type="checkbox"/> Scaled Change in Fit	dffits
<input type="checkbox"/> Change in Covariance	cowratio
<input type="checkbox"/> Cook's Distance	cookd
<input type="checkbox"/> t Statistics	tstat
<input type="checkbox"/> F Statistic	fstat
<input type="checkbox"/> DW Statistic	dwstat

OK **Cancel** **Help**

regstats

When you select check boxes corresponding to the statistics you want to compute and click **OK**, `regstats` returns the selected statistics to the MATLAB® workspace. The names of the workspace variables are displayed on the right-hand side of the interface. You can change the name of the workspace variable to any valid MATLAB variable name.

`stats = regstats(...)` creates the structure `stats`, whose fields contain all of the diagnostic statistics for the regression. This syntax does not open the GUI. The fields of `stats` are:

<code>Q</code>	<code>Q</code> from the QR decomposition of the design matrix
<code>R</code>	<code>R</code> from the QR decomposition of the design matrix
<code>beta</code>	Regression coefficients
<code>covb</code>	Covariance of regression coefficients
<code>yhat</code>	Fitted values of the response data
<code>r</code>	Residuals
<code>mse</code>	Mean squared error
<code>rsquare</code>	R^2 statistic
<code>adjrsquare</code>	Adjusted R^2 statistic
<code>leverage</code>	Leverage
<code>hatmat</code>	Hat matrix
<code>s2_i</code>	Delete-1 variance
<code>beta_i</code>	Delete-1 coefficients
<code>standres</code>	Standardized residuals
<code>studres</code>	Studentized residuals
<code>dfbetas</code>	Scaled change in regression coefficients
<code>dffit</code>	Change in fitted values
<code>dffits</code>	Scaled change in fitted values
<code>covratio</code>	Change in covariance

cookd	Cook's distance
tstat	t statistics for coefficients
fstat	F statistic

Note that the fields names of `stats` correspond to the names of the variables returned to the MATLAB workspace when you use the GUI. For example, `stats.beta` corresponds to the variable `beta` that is returned when you select **Coefficients** in the GUI and click **OK**.

`stats = regstats(y,X,model,whichstats)` returns only the statistics that you specify in `whichstats`. `whichstats` can be a single string such as `'leverage'` or a cell array of strings such as `{'leverage' 'standres' 'studres'}`. Set `whichstats` to `'all'` to return all of the statistics.

Note The F statistic is computed under the assumption that the model contains a constant term. It is not correct for models without a constant. The R^2 statistic can be negative for models without a constant, which indicates that the model is not appropriate for the data.

Example

Open the regstats GUI using data from `hald.mat`:

```
load hald
regstats(heat,ingredients,'linear');
```

Select **Fitted Values** and **Residuals** in the GUI:



Click **OK** to export the fitted values and residuals to the MATLAB workspace in variables named `yhat` and `r`, respectively.

You can create the same variables using the stats output, without opening the GUI:

```
whichstats = {'yhat','r'};
stats = regstats(heat,ingredients,'linear',whichstats);
yhat = stats.yhat;
r = stats.r;
```

Reference

- [1] Belsley, D. A., E. Kuh, R. E. Welsch, *Regression Diagnostics*, Wiley, 1980.
- [2] Chatterjee, S., A. S. Hadi, “Influential Observations, High Leverage Points, and Outliers in Linear Regression,” *Statistical Science*, 1986, pp. 379-416.
- [3] Cook, R. D., S. Weisberg, *Residuals and Influence in Regression*, Wiley, 1982.
- [4] Goodall, C. R., “Computation using the QR decomposition,” *Handbook in Statistics, Volume 9*, Elsevier/North-Holland, 1993.

See Also

x2fx, regress, stepwise, leverage

Purpose Reorder levels

Class @categorical

Syntax B = reorderlevels(A,newlevels)

Description B = reorderlevels(A,newlevels) reorders the levels of the categorical array A. newlevels is a cell array of strings or a two-dimensional character matrix that specifies the new order. newlevels must be a reordering of getlabels(A).

The order of the levels of an ordinal array has significance for relational operators, minimum and maximum, and for sorting.

Example Reorder hockey standings:

```
standings = ordinal(1:3,{'Leafs','Canadiens','Bruins'});
getlabels(standings)
ans =
    'Leafs'    'Canadiens'    'Bruins'

standings = reorderlevels(standings,...
    {'Canadiens','Leafs','Bruins'});
getlabels(standings)
ans =
    'Canadiens'    'Leafs'    'Bruins'
```

See Also addlevels, droplevels, mergelevels, islevel, getlabels

repartition

Purpose Repartition data for cross-validation

Class @cvpartition

Syntax `cnew = repartition(c)`

Description `cnew = repartition(c)` constructs an object `cnew` of the `@cvpartition` class defining a random partition of the same type as `c`, where `c` is also an object of the `@cvpartition` class.

Repartitioning is useful for Monte-Carlo repetitions of cross-validation analyses. `repartition` is called by `crossval` when the `'mcreps'` parameter is specified.

Example Partition and repartition 100 observations for 3-fold cross-validation:

```
c = cvpartition(100, 'kfold', 3)
c =
K-fold cross validation partition
      N: 100
  NumTestSets: 3
   TrainSize: 67 66 67
   TestSize: 33 34 33

cnew = repartition(c)
cnew =
K-fold cross validation partition
      N: 100
  NumTestSets: 3
   TrainSize: 67 66 67
   TestSize: 33 34 33
```

Check for equality of the test data in the first fold:

```
isequal(test(c,1),test(cnew,1))
ans =
    0
```

See Also `cvpartition`

replacedata

Purpose Replace dataset variables

Class @dataset

Syntax
B = replacedata(A,X)
B = replacedata(A,X,vars)

Description B = replacedata(A,X) creates a dataset array B with the same variables as the dataset array A, but with the data for those variables replaced by the data in the array X. replacedata creates each variable in B using one or more columns from X, in order. X must have as many columns as the total number of columns in all of the variables in A, and as many rows as A has observations.

B = replacedata(A,X,vars) creates a dataset array B with the same variables as the dataset array A, but with the data for the variables specified in vars replaced by the data in the array X. The remaining variables in B are copies of the corresponding variables in A. vars is a positive integer, a vector of positive integers, a variable name, a cell array containing one or more variable names, or a logical vector. Each variable in B has as many columns as the corresponding variable in A. X must have as many columns as the total number of columns in all the variables specified in vars.

Example Use double or single as complementary operations with replacedata when processing variables outside of a dataset array:

```
data = dataset({rand(3,3), 'Var1', 'Var2', 'Var3'})
data =
    Var1      Var2      Var3
    0.81472    0.91338    0.2785
    0.90579    0.63236    0.54688
    0.12699    0.09754    0.95751
X = double(data, 'Var2');
X = zscore(X);
data = replacedata(data,X, 'Var2')
data =
```

Var1	Var2	Var3
0.81472	0.88219	0.2785
0.90579	0.20413	0.54688
0.12699	-1.0863	0.95751

See Also [dataset](#)

reset

Purpose Reset state

Class @qrandstream

Syntax reset(q)

Description reset(q) resets the state of the quasi-random number stream q of the @qrandstream class back to its initial state, 1. Subsequent points drawn from the stream will be the same as those drawn from a new stream. The command is equivalent to q.State = 1.

Example Use qrandstream to construct a 3-dimensional Halton stream, based on a point set that skips the first 1000 values and then retains every 101st point:

```
q = qrandstream('halton',3,'Skip',1e3,'Leap',1e2)
q =
  Halton quasi-random stream in 3 dimensions
  Point set properties:
      Skip : 1000
      Leap : 100
      ScrambleMethod : none

nextIdx = q.State
nextIdx =
     1
```

Use qrand to generate two samples of size four:

```
X1 = qrand(q,4)
X1 =
    0.0928    0.3475    0.0051
    0.6958    0.2035    0.2371
    0.3013    0.8496    0.4307
    0.9087    0.5629    0.6166

nextIdx = q.State
nextIdx =
```



```
5
X2 = qrand(q,4)
X2 =
    0.2446    0.0238    0.8102
    0.5298    0.7540    0.0438
    0.3843    0.5112    0.2758
    0.8335    0.2245    0.4694
nextIdx = q.State
nextIdx =
    9
```

Use reset to reset the stream, then generate another sample:

```
reset(q)
nextIdx = q.State
nextIdx =
    1
X = qrand(q,4)
X =
    0.0928    0.3475    0.0051
    0.6958    0.2035    0.2371
    0.3013    0.8496    0.4307
    0.9087    0.5629    0.6166
```

See Also [grandstream](#), [qrand](#)

ridge

Purpose Ridge regression

Syntax
`b = ridge(y,X,k)`
`b = ridge(y,X,k,scaled)`

Description `b = ridge(y,X,k)` returns a vector `b` of coefficient estimates for a multilinear ridge regression of the responses in `y` on the predictors in `X`. `X` is an n -by- p matrix of p predictors at each of n observations. `y` is an n -by-1 vector of observed responses. `k` is a vector of ridge parameters. If `k` has m elements, `b` is p -by- m . By default, `b` is computed after centering and scaling the predictors to have mean 0 and standard deviation 1. The model does not include a constant term, and `X` should not contain a column of 1s.

`b = ridge(y,X,k,scaled)` uses the {0,1}-valued flag `scaled` to determine if the coefficient estimates in `b` are restored to the scale of the original data. `ridge(y,X,k,0)` performs this additional transformation. In this case, `b` contains $p+1$ coefficients for each value of `k`, with the first row corresponding to a constant term in the model. `ridge(y,X,k,1)` is the same as `ridge(y,X,k)`. In this case, `b` contains p coefficients, without a coefficient for a constant term.

The relationship between `b0 = ridge(y,X,k,0)` and `b1 = ridge(y,X,k,1)` is given by

```
m = mean(X);  
s = std(X,0,1)';  
b1_scaled = b1./s;  
b0 = [mean(y)-m*b1_scaled; b1_scaled]
```

This can be seen by replacing the x_i ($i = 1, \dots, n$) in the multilinear model $y = b_0^0 + b_1^0 x_1 + \dots + b_n^0 x_n$ with the z -scores $z_i = (x_i - \mu_i)/\sigma_i$, and replacing y with $y - \mu_y$.

In general, `b1` is more useful for producing plots in which the coefficients are to be displayed on the same scale, such as a *ridge trace* (a plot of the regression coefficients as a function of the ridge parameter). `b0` is more useful for making predictions.

Coefficient estimates for multiple linear regression models rely on the independence of the model terms. When terms are correlated and the columns of the design matrix X have an approximate linear dependence, the matrix $(X^T X)^{-1}$ becomes close to singular. As a result, the least-squares estimate

$$\hat{\beta} = (X^T X)^{-1} X^T y$$

becomes highly sensitive to random errors in the observed response y , producing a large variance. This situation of *multicollinearity* can arise, for example, when data are collected without an experimental design.

Ridge regression addresses the problem by estimating regression coefficients using

$$\hat{\beta} = (X^T X + kI)^{-1} X^T y$$

where k is the *ridge parameter* and I is the identity matrix. Small positive values of k improve the conditioning of the problem and reduce the variance of the estimates. While biased, the reduced variance of ridge estimates often result in a smaller mean square error when compared to least-squares estimates.

Example

Load the data in `acetylene.mat`, with observations of the predictor variables `x1`, `x2`, `x3`, and the response variable `y`:

```
load acetylene
```


Plot the predictor variables against each other:

```
subplot(1,3,1)
plot(x1,x2,'.')
xlabel('x1'); ylabel('x2'); grid on; axis square

subplot(1,3,2)
plot(x1,x3,'.')
xlabel('x1'); ylabel('x3'); grid on; axis square
```

ridge

```
subplot(1,3,3)
plot(x2,x3,'.')
xlabel('x2'); ylabel('x3'); grid on; axis square
```




Note the correlation between x_1 and the other two predictor variables.

Use `ridge` and `x2fx` to compute coefficient estimates for a multilinear model with interaction terms, for a range of ridge parameters:

```
X = [x1 x2 x3];
D = x2fx(X,'interaction');
D(:,1) = []; % No constant term
k = 0:1e-5:5e-3;
b = ridge(y,D,k);
```

Plot the ridge trace:

```
figure
plot(k,b,'LineWidth',2)
ylim([-100 100])
grid on
xlabel('Ridge Parameter')
ylabel('Standardized Coefficient')
title('{\bf Ridge Trace}')
legend('x1','x2','x3','x1x2','x1x3','x2x3')
```



The estimates stabilize to the right of the plot. Note that the coefficient of the x_2x_3 interaction term changes sign at a value of the ridge parameter $\approx 5 \times 10^{-4}$.

Reference

- [1] Hoerl, A.E., R.W. Kennard, "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, Vol. 12, Number 1, pp. 55-67, 1970.
- [2] Hoerl, A.E., R.W. Kennard, "Ridge Regression: Applications to Nonorthogonal Problems," *Technometrics*, Vol. 12, Number 1, pp. 69-82, 1970.
- [3] Marquardt, D.W., "Generalized Inverses, Ridge Regression, Biased Linear Estimation, and Nonlinear Estimation," *Technometrics*, Vol. 12, Number 3, pp. 591-612, 1970.
- [4] Marquardt, D.W., R.D. Snee, "Ridge Regression in Practice," *The American Statistician*, Vol. 29, Number 1, pp. 3-20, 1975.

See Also

regress, stepwise

Purpose

Node risks

Class

@classregtree

Syntax

```
r = risk(t)
r = risk(t,nodes)
```

Description

`r = risk(t)` returns an n -element vector r of the risk of the nodes in the tree t , where n is the number of nodes. The risk $r(i)$ for node i is the node error $e(i)$ (computed by `nodeerr`) weighted by the node probability $p(i)$ (computed by `nodeprob`).

`r = risk(t,nodes)` takes a vector `nodes` of node numbers and returns the risk values for the specified nodes.

Example


Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})
t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

risk



```
e = nodeerr(t);
p = nodeprob(t);
r = risk(t);
```

```
r
r =
    0.6667
     0
    0.3333
```



```
0.0333
0.0067
0.0067
0.0133
0
0

e.*p
ans =
0.6667
0
0.3333
0.0333
0.0067
0.0067
0.0133
0
0
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree, nodeerr, nodeprob

robustdemo

Purpose Interactive robust regression

Syntax `robustdemo`
`robustdemo(x,y)`

Description `robustdemo` shows the difference between ordinary least squares and robust regression for data with a single predictor. With no input arguments, `robustdemo` displays a scatter plot of a sample of roughly linear data with one outlier. The bottom of the figure displays equations of lines fitted to the data using ordinary least squares and robust methods, together with estimates of the root mean squared errors.

Use the right mouse button to click on a point and view its least-squares leverage and robust weight.


Use the left mouse button to click-and-drag a point. The displays will update.

`robustdemo(x,y)` uses `x` and `y` data vectors you supply, in place of the sample data supplied with the function.

Example The following steps show you how to use `robustdemo`.

1 Start the demo. To begin using `robustdemo` with the built-in data, simply type the function name:

```
robustdemo
```




Least squares: $Y = -0.188327 + 1.10351 \cdot X$ RMS error = 2.21375

Robust: $Y = -1.77278 + 1.50415 \cdot X$ RMS error = 1.43663

The resulting figure shows a scatter plot with two fitted lines. The red line is the fit using ordinary least-squares regression. The green line is the fit using robust regression. At the bottom of the figure are the equations for the fitted lines, together with the estimated root mean squared errors for each fit.

2 View leverages and robust weights. Right-click on any data point to see its least-squares leverage and robust weight:

robustdemo




Least squares: $Y = -0.188327 + 1.10351 \cdot X$ RMS error = 2.21375

Robust: $Y = -1.77278 + 1.50415 \cdot X$ RMS error = 1.43663

In the built-in data, the right-most point has a relatively high leverage of 0.35. The point exerts a large influence on the least-squares fit, but its small robust weight shows that it is effectively excluded from the robust fit.

- 3 See how changes in the data affect the fits.** With the left mouse button, click and hold on any data point and drag it to a new location. When you release the mouse button, the displays update:



Least squares: $Y = -0.928677 + 1.30648 \cdot X$ RMS error = 1.28809

Robust: $Y = -1.07823 + 1.34094 \cdot X$ RMS error = 1.34891

Bringing the right-most data point closer to the least-squares line makes the two fitted lines nearly identical. The adjusted right-most data point has significant weight in the robust fit.

See Also

`robustfit`, `leverage`

robustfit

Purpose Robust regression

Syntax

```
b = robustfit(X,y)
b = robustfit(X,y,wfun,tune)
b = robustfit(X,y,wfun,tune,const)
[b,stats] = robustfit(...)
```

Description `b = robustfit(X,y)` returns a p -by-1 vector `b` of coefficient estimates for a robust multilinear regression of the responses in `y` on the predictors in `X`. `X` is an n -by- p matrix of p predictors at each of n observations. `y` is an n -by-1 vector of observed responses. By default, the algorithm uses iteratively reweighted least squares with a bisquare weighting function.

Note By default, `robustfit` adds a first column of 1s to `X`, corresponding to a constant term in the model. Do not enter a column of 1s directly into `X`. You can change the default behavior of `robustfit` using the input `const`, below.

`robustfit` treats NaNs in `X` or `y` as missing values, and removes them.

`b = robustfit(X,y,wfun,tune)` specifies a weighting function `wfun`. `tune` is a tuning constant that is divided into the residual vector before computing weights.

The weighting function `wfun` can be any one of the following strings:

Weight Function	Equation	Default Tuning Constant
'andrews'	$w = (\text{abs}(r) < \pi) \cdot \sin(r) \cdot / r$	1.339
'bisquare' (default)	$w = (\text{abs}(r) < 1) \cdot (1 - r.^2).^2$	4.685
'cauchy'	$w = 1 \cdot / (1 + r.^2)$	2.385

Weight Function	Equation	Default Tuning Constant
'fair'	$w = 1 ./ (1 + \text{abs}(r))$	1.400
'huber'	$w = 1 ./ \max(1, \text{abs}(r))$	1.345
'logistic'	$w = \tanh(r) ./ r$	1.205
'ols'	Ordinary least squares (no weighting function)	None
'talwar'	$w = 1 * (\text{abs}(r) < 1)$	2.795
'welsch'	$w = \exp(-(r.^2))$	2.985

If tune is unspecified, the default value in the table is used. Default tuning constants give coefficient estimates that are approximately 95% as statistically efficient as the ordinary least-squares estimates, provided the response has a normal distribution with no outliers. Decreasing the tuning constant increases the downweight assigned to large residuals; increasing the tuning constant decreases the downweight assigned to large residuals.

The value r in the weight functions is

$$r = \text{resid} / (\text{tune} * s * \sqrt{1-h})$$

where resid is the vector of residuals from the previous iteration, h is the vector of leverage values from a least-squares fit, and s is an estimate of the standard deviation of the error term given by

$$s = \text{MAD} / 0.6745$$

Here MAD is the median absolute deviation of the residuals from their median. The constant 0.6745 makes the estimate unbiased for the normal distribution. If there are p columns in X , the smallest p absolute deviations are excluded when computing the median.

You can write your own M-file weight function. The function must take a vector of scaled residuals as input and produce a vector of weights as

output. In this case, *wfun* is specified using a function handle @ (as in @myfun), and the input *tune* is required.

`b = robustfit(X,y,wfun,tune,const)` controls whether or not the model will include a constant term. *const* is 'on' to include the constant term (the default), or 'off' to omit it. When *const* is 'on', `robustfit` adds a first column of 1s to *X*. When *const* is 'off', `robustfit` does not alter *X*.

`[b,stats] = robustfit(...)` returns the structure *stats*, whose fields contain diagnostic statistics from the regression. The fields of *stats* are:

- `ols_s` — Sigma estimate (RMSE) from ordinary least squares
- `robust_s` — Robust estimate of sigma
- `mad_s` — Estimate of sigma computed using the median absolute deviation of the residuals from their median; used for scaling residuals during iterative fitting
- `s` — Final estimate of sigma, the larger of `robust_s` and a weighted average of `ols_s` and `robust_s`
- `se` — Standard error of coefficient estimates
- `t` — Ratio of `b` to `se`
- `p` — *p*-values for `t`
- `covb` — Estimated covariance matrix for coefficient estimates
- `coeffcorr` — Estimated correlation of coefficient estimates
- `w` — Vector of weights for robust fit
- `h` — Vector of leverage values for least-squares fit
- `dfe` — Degrees of freedom for error
- `R` — *R* factor in *QR* decomposition of *X*

The `robustfit` function estimates the variance-covariance matrix of the coefficient estimates using $\text{inv}(X'X) * \text{stats}.s^2$. Standard errors and correlations are derived from this estimate.

Example

Generate data with the trend $y = 10 - 2 * x$, then change one value to simulate an outlier:


```
x = (1:10)';  
y = 10 - 2*x + randn(10,1);  
y(10) = 0;
```

Use both ordinary least squares and robust regression to estimate a straight-line fit:

```
bls = regress(y,[ones(10,1) x])  
bls =  
    7.2481  
   -1.3208  
  
brob = robustfit(x,y)  
brob =  
    9.1063  
   -1.8231
```

A scatter plot of the data together with the fits shows that the robust fit is less influenced by the outlier than the least-squares fit:

```
scatter(x,y,'filled'); grid on; hold on  
plot(x,bls(1)+bls(2)*x,'r','LineWidth',2);  
plot(x,brob(1)+brob(2)*x,'g','LineWidth',2)  
legend('Data','Ordinary Least Squares','Robust Regression')
```



References

[1] DuMouchel, W. H., F. L. O'Brien, "Integrating a Robust Option into a Multiple Regression Computing Environment," *Computer Science and Statistics: Proceedings of the 21st Symposium on the Interface*, Alexandria, VA, American Statistical Association, 1989.

[2] Holland, P. W., R. E. Welsch, "Robust Regression Using Iteratively Reweighted Least-Squares," *Communications in Statistics: Theory and Methods*, A6, 1977, pp. 813-827.

[3] Huber, P. J., *Robust Statistics*, Wiley, 1981.

[4] Street, J. O., R. J. Carroll, D. Ruppert, “A Note on Computing Robust Regression Estimates via Iteratively Reweighted Least Squares,” *The American Statistician*, 42, 1988, pp. 152-154.

See Also

regress, robustdemo

rotatefactors

Purpose Rotate factor loadings

Syntax

```
B = rotatefactors(A)
B = rotatefactors(A, 'Method', 'orthomax', 'Coeff', gamma)
B = rotatefactors(A, 'Method', 'procrustes', 'Target', target)
B = rotatefactors(A, 'Method', 'pattern', 'Target', target)
B = rotatefactors(A, 'Method', 'promax')
[B,T] = rotatefactors(A,...)
```

Description `B = rotatefactors(A)` rotates the d -by- m loadings matrix A to maximize the varimax criterion, and returns the result in B . Rows of A and B correspond to variables and columns correspond to factors, for example, the (i,j) th element of A is the coefficient for the i th variable on the j th factor. The matrix A usually contains principal component coefficients created with `princomp` or `pcacov`, or factor loadings estimated with `factoran`.

`B = rotatefactors(A, 'Method', 'orthomax', 'Coeff', gamma)` rotates A to maximize the orthomax criterion with the coefficient `gamma`, i.e., B is the orthogonal rotation of A that maximizes

$$\text{sum}(D * \text{sum}(B.^4, 1) - \text{GAMMA} * \text{sum}(B.^2, 1).^2)$$

The default value of 1 for `gamma` corresponds to varimax rotation. Other possibilities include `gamma = 0`, `m/2`, and `d(m - 1)/(d + m - 2)`, corresponding to quartimax, equamax, and parsimax. You can also supply the strings `'varimax'`, `'quartimax'`, `'equamax'`, or `'parsimax'` for the `'method'` parameter and omit the `'Coeff'` parameter.

If `'Method'` is `'orthomax'`, `'varimax'`, `'quartimax'`, `'equamax'`, or `'parsimax'`, then additional parameters are

- `'Normalize'` — Flag indicating whether the loadings matrix should be row-normalized for rotation. If `'on'` (the default), rows of A are normalized prior to rotation to have unit Euclidean norm, and unnormalized after rotation. If `'off'`, the raw loadings are rotated and returned.

- 'Reltol' — Relative convergence tolerance in the iterative algorithm used to find T. The default is $\sqrt{\text{eps}}$.
- 'Maxit' — Iteration limit in the iterative algorithm used to find T. The default is 250.

`B = rotatefactors(A, 'Method', 'procrustes', 'Target', target)` performs an oblique procrustes rotation of A to the *d*-by-*m* target loadings matrix target.

`B = rotatefactors(A, 'Method', 'pattern', 'Target', target)` performs an oblique rotation of the loadings matrix A to the *d*-by-*m* target pattern matrix target, and returns the result in B. target defines the "restricted" elements of B, i.e., elements of B corresponding to zero elements of target are constrained to have small magnitude, while elements of B corresponding to nonzero elements of target are allowed to take on any magnitude.

If 'Method' is 'procrustes' or 'pattern', an additional parameter is 'Type', the type of rotation. If 'Type' is 'orthogonal', the rotation is orthogonal, and the factors remain uncorrelated. If 'Type' is 'oblique' (the default), the rotation is oblique, and the rotated factors might be correlated.

When 'Method' is 'pattern', there are restrictions on target. If A has *m* columns, then for orthogonal rotation, the *j*th column of target must contain at least *m* - *j* zeros. For oblique rotation, each column of target must contain at least *m* - 1 zeros.

`B = rotatefactors(A, 'Method', 'promax')` rotates A to maximize the promax criterion, equivalent to an oblique Procrustes rotation with a target created by an orthomax rotation. Use the four orthomax parameters to control the orthomax rotation used internally by promax.

An additional parameter for 'promax' is 'Power', the exponent for creating promax target matrix. 'Power' must be 1 or greater. The default is 4.

`[B, T] = rotatefactors(A, ...)` returns the rotation matrix T used to create B, that is, $B = A * T$. $\text{inv}(T' * T)$ is the correlation matrix of the

rotatefactors

rotated factors. For orthogonal rotation, this is the identity matrix, while for oblique rotation, it has unit diagonal elements but nonzero off-diagonal elements.

Example

```
X = randn(100,10);

% Default (normalized varimax) rotation:
% first three principle components.
LPC = princomp(X);
[L1,T] = rotatefactors(LPC(:,1:3));

% Equamax rotation:
% first three principle components.
[L2,T] = rotatefactors(LPC(:,1:3),...
                      'method','equamax');

% Promax rotation:
% first three factors.
LFA = factoran(X,3,'Rotate','none');
[L3,T] = rotatefactors(LFA(:,1:3),...
                      'method','promax',...
                      'power',2);

% Pattern rotation:
% first three factors.
Tgt = [1 1 1 1 1 0 1 0 1 1; ...
       0 0 0 1 1 1 0 0 0 0; ...
       1 0 0 1 0 1 1 1 1 0]';
[L4,T] = rotatefactors(LFA(:,1:3),...
                      'method','pattern',...
                      'target',Tgt);
inv(T'*T) % Correlation matrix of the rotated factors
```

References

[1] Harman, H. H., *Modern Factor Analysis*, 3rd edition, University of Chicago Press, 1976.

[2] Lawley, D. N. and A. E. Maxwell, A. E., *Factor Analysis as a Statistical Method*, 2nd edition, American Elsevier Publishing, 1971.

See Also

biplot, factoran, princomp, pcacov, procrustes

Purpose Row exchange

Syntax

```
dRE = rowexch(nfactors, nruns)
[dRE, X] = rowexch(nfactors, nruns)
[dRE, X] = rowexch(nfactors, nruns, model)
[dRE, X] = rowexch(..., param1, val1, param2, val2, ...)
```

Description `dRE = rowexch(nfactors, nruns)` uses a row-exchange algorithm to generate a D -optimal design `dRE` with `nruns` runs (the rows of `dRE`) for a linear additive model with `nfactors` factors (the columns of `dRE`). The model includes a constant term.

`[dRE, X] = rowexch(nfactors, nruns)` also returns the associated design matrix X , whose columns are the model terms evaluated at each treatment (row) of `dRE`.

`[dRE, X] = rowexch(nfactors, nruns, model)` uses the linear regression model specified in `model`. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

The order of the columns of X for a full quadratic model with n terms is:

- 1 The constant term
- 2 The linear terms in order 1, 2, ..., n
- 3 The interaction terms in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n)
- 4 The squared terms in order 1, 2, ..., n

Other models use a subset of these terms, in the same order.

Alternatively, *model* can be a matrix specifying polynomial terms of arbitrary order. In this case, *model* should have one column for each factor and one row for each term in the model. The entries in any row of *model* are powers for the factors in the columns. For example, if a model has factors X_1 , X_2 , and X_3 , then a row $[0 \ 1 \ 2]$ in *model* specifies the term $(X_1.^0) \cdot (X_2.^1) \cdot (X_3.^2)$. A row of all zeros in *model* specifies a constant term, which can be omitted.

`[dRE,X] = rowexch(...,param1,va11,param2,va12,...)` specifies additional parameter/value pairs for the design. Valid parameters and their values are listed in the following table.

Parameter	Value
'bounds'	Lower and upper bounds for each factor, specified as a 2-by-nfactors matrix. Alternatively, this value can be a cell array containing nfactors elements, each element specifying the vector of allowable values for the corresponding factor.
'categorical'	Indices of categorical predictors.
'display'	Either 'on' or 'off' to control display of the iteration counter. The default is 'on'.
'excludefun'	Handle to a function that excludes undesirable runs. If the function is f , it must support the syntax $b = f(S)$, where S is a matrix of treatments with nfactors columns and b is a vector of Boolean values with the same number of rows as S . $b(i)$ is true if the i th row S should be excluded.
'init'	Initial design as an nruns-by-nfactors matrix. The default is a randomly selected set of points.
'levels'	Vector of number of levels for each factor.

Parameter	Value
'maxiter'	Maximum number of iterations. The default is 10.
'tries'	Number of times to try to generate a design from a new starting point. The algorithm uses random points for each try, except possibly the first. The default is 1.

Algorithm

Both `cordexch` and `rowexch` use iterative search algorithms. They operate by incrementally changing an initial design matrix X to increase $D = |X^T X|$ at each step. In both algorithms, there is randomness built into the selection of the initial design and into the choice of the incremental changes. As a result, both algorithms may return locally, but not globally, D -optimal designs. Run each algorithm multiple times and select the best result for your final design. Both functions have a 'tries' parameter that automates this repetition and comparison.

At each step, the row-exchange algorithm exchanges an entire row of X with a row from a design matrix C evaluated at a candidate set of feasible treatments. The `rowexch` function automatically generates a C appropriate for a specified model, operating in two steps by calling the `candgen` and `candexch` functions in sequence. Provide your own C by calling `candexch` directly. In either case, if C is large, its static presence in memory can affect computation.

Example

Suppose you want a design to estimate the parameters in the following three-factor, seven-term interaction model:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_3 + \beta_{12} x_1 x_2 + \beta_{13} x_1 x_3 + \beta_{23} x_2 x_3 + \varepsilon$$

Use `rowexch` to generate a D -optimal design with seven runs:

```
nfactors = 3;
nruns = 7;
[dRE,X] = rowexch(nfactors,nruns,'interaction','tries',10)
dRE =
    -1    -1     1
```

$$X = \begin{array}{ccccccc}
 1 & -1 & 1 & & & & \\
 1 & -1 & -1 & & & & \\
 1 & 1 & 1 & & & & \\
 -1 & -1 & -1 & & & & \\
 -1 & 1 & -1 & & & & \\
 -1 & 1 & 1 & & & & \\
 1 & -1 & -1 & 1 & 1 & -1 & -1 \\
 1 & 1 & -1 & 1 & -1 & 1 & -1 \\
 1 & 1 & -1 & -1 & -1 & -1 & 1 \\
 1 & 1 & 1 & 1 & 1 & 1 & 1 \\
 1 & -1 & -1 & -1 & 1 & 1 & 1 \\
 1 & -1 & 1 & -1 & -1 & 1 & -1 \\
 1 & -1 & 1 & 1 & -1 & -1 & 1
 \end{array}$$

Columns of the design matrix X are the model terms evaluated at each row of the design dRE . The terms appear in order from left to right: constant term, linear terms (1, 2, 3), interaction terms (12, 13, 23). Use X to fit the model, as described in “Linear Regression” on page 8-3, to response data measured at the design points in dRE .

See Also

candgen, candexch, cordexch

Purpose Interactive response surface demonstration

Syntax rsmdemo

Description rsmdemo opens a group of three graphical user interfaces for interactively investigating response surface methodology (RSM), nonlinear fitting, and the design of experiments.


The interfaces allow you to collect and model data from a simulated chemical reaction. Experimental predictors are concentrations of three reactants (hydrogen, *n*-Pentane, and isopentane) and the response is the reaction rate. The reaction rate is simulated by a Hougen-Watson model (Bates and Watts, [2], pp. 271–272):

$$rate = \frac{\beta_1 x_2 - x_3 / \beta_5}{1 + \beta_2 x_1 + \beta_3 x_2 + \beta_4 x_3}$$


where *rate* is the reaction rate, x_1 , x_2 , and x_3 are the concentrations of hydrogen, *n*-pentane, and isopentane, respectively, and $\beta_1, \beta_2, \dots, \beta_5$ are fixed parameters. Random errors are used to perturb the reaction rate for each combination of reactants.

Collect data using one of two methods:

- 1 Manually set reactant concentrations in the **Reaction Simulator** interface by editing the text boxes or by adjusting the associated sliders.




When you click **Run**, the concentrations and simulated reaction rate are recorded on the **Trial and Error Data** interface.




You are allowed up to 13 independent experimental runs for data collection.

- 2 Use a designed experiment to set reactant concentrations in the **Experimental Data** interface by clicking the **Do Experiment** button.



A 13-run *D*-optimal design for a full quadratic model is generated by the cordexch function, and the concentrations and simulated reaction rates are recorded on the same interface.



Once data is collected, scatter plots of reaction rates vs. individual predictors are generated by selecting one of the following from the **Plot** pop-up menu below the recorded data:

- **Hydrogen vs. Rate**
- **n-Pentane vs. Rate**
- **Isopentane vs. Rate**

Fit a response surface model to the data by clicking the **Analyze** button below the trial-and-error data or the **Response Surface** button below the experimental data. Both buttons load the data into the Response Surface Tool `rstool`. By default, trial-and-error data is fit with a linear additive model and experimental data is fit with a full quadratic model, but the models can be adjusted in the Response Surface Tool.

For experimental data, you have the additional option of fitting a Hougen-Watson model. Click the **Nonlinear Model** button to load the data and the model in `hougen` into the Nonlinear Fitting Tool `nlintool`.

rsmdemo

See Also


hougen, cordexch, rstool, nlintool

Purpose Interactive response surface modeling

Syntax

```
rstool
rstool(X,Y,model)
rstool(x,y,model,alpha)
rstool(x,y,model,alpha,xname,yname)
```

Description rstool opens a graphical user interface for interactively investigating one-dimensional contours of multidimensional response surface models.



By default, the interface opens with the data from `hald.mat` and a fitted response surface with constant, linear, and interaction terms.


A sequence of plots is displayed, each showing a contour of the response surface against a single predictor, with all other predictors held fixed.

95% global confidence intervals for new observations are shown as dashed red curves above and below the response. Predictor values are displayed in the text boxes on the horizontal axis and are marked by vertical dashed blue lines in the plots. Predictor values are changed by editing the text boxes or by dragging the dashed blue lines. When you change the value of a predictor, all plots update to show the new point in predictor space.

The pop-up menu at the lower left of the interface allows you to choose among the following models:

- Linear — Constant and linear terms (the default)
- Pure Quadratic — Constant, linear, and squared terms
- Interactions — Constant, linear, and interaction terms
- Full Quadratic — Constant, linear, interaction, and squared terms

Click **Export** to open the following dialog box:



The dialog allows you to save information about the fit to MATLAB® workspace variables with valid names.

`rstool(X,Y,model)` opens the interface with the predictor data in *X*, the response data in *Y*, and the fitted model *model*. Distinct predictor variables should appear in different columns of *X*. *Y* can be a vector, corresponding to a single response, or a matrix, with columns

corresponding to multiple responses. Y must have as many elements (or rows, if it is a matrix) as X has rows.

The optional input *model* can be any one of the following strings:

- 'linear' — Constant and linear terms (the default)
- 'purequadratic' — Constant, linear, and squared terms
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms

To specify a polynomial model of arbitrary order, or a model without a constant term, use a matrix for *model* as described in `x2fx`.


`rstool(x,y,model,alpha)` uses `100(1-alpha)%` global confidence intervals for new observations in the plots.

`rstool(x,y,model,alpha,xname,yname)` labels the axes using the strings in *xname* and *yname*. To label each subplot differently, *xname* and *yname* can be cell arrays of strings.

Example

The following uses `rstool` to visualize a quadratic response surface model of the three-dimensional chemical reaction data in `reaction.mat`:

```
load reaction
alpha = 0.01; % Significance level
rstool(reactants,rate,'quadratic',alpha,xn,yn)
```



The rstool interface is used by rsmdemo to visualize the results of simulated experiments with data like that in reaction.mat. As described in “Response Surface Designs” on page 13-9, rsmdemo uses a response surface model to generate simulated data at combinations of predictors specified by either the user or by a designed experiment.

See Also

x2fx, rsmdemo, nlintool

Purpose

Runs test for randomness

Syntax

```
h = runstest(x)
h = runstest(x,v)
h = runstest(x,'ud')
h = runstest(...,param1,val1,param2,val2,...)
[h,p] = runstest(...)
[h,p,stats] = runstest(...)
```

Description

`h = runstest(x)` performs a runs test on the sequence of observations in the vector `x`. This is a test of the null hypothesis that the values in `x` come in random order, against the alternative that they do not. The test is based on the number of runs of consecutive values above or below the mean of `x`. Too few runs indicate a tendency for high and low values to cluster. Too many runs indicate a tendency for high and low values to alternate. The test returns the logical value `h = 1` if it rejects the null hypothesis at the 5% significance level, and `h = 0` if it cannot. The test treats NaN values in `x` as missing values, and ignores them.

`runstest` uses a test statistic which is approximately normally distributed when the null hypothesis is true. It is the difference between the number of runs and its mean, divided by its standard deviation.

`h = runstest(x,v)` performs the test using runs above or below the value `v`. Values exactly equal to `v` are discarded.

`h = runstest(x,'ud')` performs a test for the number of runs up or down. This also tests the hypothesis that the values in `x` come in random order. Too few runs indicate a trend. Too many runs indicate an oscillation. Values exactly equal to the preceding value are discarded.

`h = runstest(...,param1,val1,param2,val2,...)` specifies additional parameters and their values. Valid parameter/value pairs are the following:

- `'alpha'` — A scalar giving the significance level of the test
- `'method'` — Either `'exact'` to compute the p -value using an exact algorithm, or `'approximate'` to use a normal approximation. The

runstest

default is 'exact' for runs above/below, and for runs up/down when the length of x is 50 or less. The 'exact' method is not available for runs up/down when the length of x is 51 or greater.

- 'tail' — Performs the test against one of the following alternative hypotheses:
 - 'both' — two-tailed test (sequence is not random)
 - 'right' — right-tailed test (like values separate for runs above/below, direction alternates for runs up/down)
 - 'left' — left-tailed test (like values cluster for runs above/below, values trend for runs up/down)

`[h,p] = runstest(...)` returns the p -value of the test. The output p is computed from either the test statistic or the exact distribution of the number of runs, depending on the value of the 'method' parameter.

`[h,p,stats] = runstest(...)` returns a structure `stats` with the following fields:

- `nruns` — The number of runs
- `n1` — The number of values above v
- `n0` — The number of values below v
- `z` — The test statistic

Example

```
x = randn(40,1);  
[h,p] = runstest(x,median(x))  
h =  
    0  
p =  
    0.6286
```

See Also

`signrank`, `signtest`

Purpose

Sample size and power of test

Syntax

```
n = sampsizepwr(testtype,p0,p1)
n = sampsizepwr(testtype,p0,p1,power)
power = sampsizepwr(testtype,p0,p1,[],n)
p1 = sampsizepwr(testtype,p0,[],power,n)
[...] = sampsizepwr(...,n,param1,val1,param2,val2,...)
```

Description

`n = sampsizepwr(testtype,p0,p1)` returns the sample size n required for a two-sided test of the specified type to have a power (probability of rejecting the null hypothesis when the alternative hypothesis is true) of 0.90 when the significance level (probability of rejecting the null hypothesis when the null hypothesis is true) is 0.05. $p0$ specifies parameter values under the null hypothesis. $p1$ specifies the single parameter value being tested under the alternative hypothesis.

The following values are available for `testtype`:

- 'z' — z -test for normally distributed data with known standard deviation. $p0$ is a two-element vector $[\mu_0 \ \sigma_0]$ of the mean and standard deviation, respectively, under the null hypothesis. $p1$ is the value of the mean under the alternative hypothesis.
- 't' — t -test for normally distributed data with unknown standard deviation. $p0$ is a two-element vector $[\mu_0 \ \sigma_0]$ of the mean and standard deviation, respectively, under the null hypothesis. $p1$ is the value of the mean under the alternative hypothesis.
- 'var' — Chi-square test of variance for normally distributed data. $p0$ is the variance under the null hypothesis. $p1$ is the variance under the alternative hypothesis.
- 'p' — Test of the p parameter (success probability) for a binomial distribution. $p0$ is the value of p under the null hypothesis. $p1$ is the value of p under the alternative hypothesis.

The 'p' test is a discrete test for which increasing the sample size does not always increase the power. For n values larger than 200,

sampsizepwr

there may be values smaller than the returned n value that also produce the desired size and power.

$n = \text{sampsizepwr}(\text{testtype}, p_0, p_1, \text{power})$ returns the sample size n such that the power is power for the parameter value p_1 .

$\text{power} = \text{sampsizepwr}(\text{testtype}, p_0, p_1, [], n)$ returns the power achieved for a sample size of n when the true parameter value is p_1 .

$p_1 = \text{sampsizepwr}(\text{testtype}, p_0, [], \text{power}, n)$ returns the parameter value detectable with the specified sample size n and power power .

When computing p_1 for the 'p' test, if no alternative can be rejected for a given null hypothesis and significance level, the function displays a warning message and returns NaN.

$[\dots] = \text{sampsizepwr}(\dots, n, \text{param1}, \text{val1}, \text{param2}, \text{val2}, \dots)$ specifies one or more of the following name/value pairs:

- 'alpha' — Significance level of the test (default 0.05)
- 'tail' — The type of test is one of the following:
 - 'both' — Two-sided test for an alternative not equal to p_0
 - 'right' — One-sided test for an alternative larger than p_0
 - 'left' — One-sided test for an alternative smaller than p_0

Example

Compute the mean closest to 100 that can be determined to be significantly different from 100 using a t -test with a sample size of 60 and a power of 0.8.


```
mu1 = sampsizepwr('t', [100 10], [], 0.8, 60)
mu1 =
    103.6770
```

Compute the sample size n required to distinguish $p = 0.26$ from $p = 0.6$ with a binomial test. The result is approximate, so make a plot to see if any smaller n values also have the required power of 0.5.


```
napprox = sampsizepwr('p',0.2,0.26,0.6)
Warning: Values N>200 are approximate. Plotting the power as a function
of N may reveal lower N values that have the required power.
napprox =
    244

nn = 1:250;
pwr = sampsizepwr('p',0.2,0.26,[],nn);
nexact = min(nn(pwr>=0.6))
nexact =
    213

plot(nn,pwr,'b-',[napprox nexact],pwr([napprox nexact]),'ro');
grid on
```



sampsizepwr

See Also

`vartest`, `ttest`, `ztest`, `binocdf`

Purpose Scatter plot

Description MATLAB® function. See scatter in the MATLAB documentation.

See Also gscatter, scatterhist

scatterhist

Purpose

Scatter plot with marginal histograms

Syntax

```
scatterhist(x,y)
scatterhist(x,y,nbins)
h = scatterhist(...)
```

Description

`scatterhist(x,y)` creates a 2-D scatterplot of the data in the vectors `x` and `y`, and puts a univariate histogram on the horizontal and vertical axes of the plot. `x` and `y` must be the same length.

The function is useful for viewing properties of random samples produced by functions such as `copularnd`, `mvnrnd`, `lhsdesign`.

`scatterhist(x,y,nbins)` also accepts a two-element vector `nbins` specifying the number of bins for the `x` and `y` histograms. The default is to compute the number of bins using a Scott rule based on the sample standard deviation. Any NaN values in either `x` or `y` are treated as missing, and are removed from both `x` and `y`. Therefore the plots reflect points for which neither `x` nor `y` has a missing value.


`h = scatterhist(...)` returns a vector of three axes handles for the scatterplot, the histogram along the horizontal axis, and the histogram along the vertical axis, respectively.

Examples

Example 1

Independent normal and lognormal random samples:

```
x = randn(1000,1);
y = exp(.5*randn(1000,1));
scatterhist(x,y)
```




Example 2

Marginal uniform samples that are not independent:

```
u = copularnd('Gaussian',.8,1000);  
scatterhist(u(:,1),u(:,2))
```


scatterhist



Example 3

Mixed discrete and continuous data:

```
cars = load('carsmall');  
scatterhist(cars.Weight,cars.Cylinders,[10 3])
```



See Also [scatter](#), [hist](#)

scramble

Purpose Scramble quasi-random point set

Class @qrandset

Syntax

```
ps = scramble(p, type)
ps = scramble(p, 'clear')
ps = scramble(p)
```

Description `ps = scramble(p, type)` returns a scrambled copy `ps` of the point set `p` of the `@qrandset` class, created using the scramble type specified in the string `type`. Point sets from different subclasses of `@qrandset` support different scramble types, as indicated in the following table:

Subclass	Supported Scramble Types
@haltonset	'RR2' — A permutation of the radical inverse coefficients derived by applying a reverse-radix operation to all of the possible coefficient values. The scramble is described in [1].
@sobolset	'MatousekAffineOwen' — A random linear scramble combined with a random digital shift. The scramble is described in [2].

`ps = scramble(p, 'clear')` removes all scramble settings from `p` and returns the result in `ps`.

`ps = scramble(p)` removes all scramble settings from `p` and then adds them back in the order they were originally applied. This typically results in a different point set because of the randomness of the scrambling algorithms.

Example Use `haltonset` to generate a 3-dimensional Halton point set, skip the first 1000 values, and then retain every 101st point:

```
p = haltonset(3, 'Skip', 1e3, 'Leap', 1e2)
p =
    Halton point set in 3 dimensions (8.918019e+013 points)
```



```

Properties:
    Skip : 1000
    Leap : 100
    ScrambleMethod : none

```

Use scramble to apply reverse-radix scrambling:

```

p = scramble(p, 'RR2')
p =
    Halton point set in 3 dimensions (8.918019e+013 points)
Properties:
    Skip : 1000
    Leap : 100
    ScrambleMethod : RR2

```

Use net to generate the first four points:

```

X0 = net(p,4)
X0 =
    0.0928    0.6950    0.0029
    0.6958    0.2958    0.8269
    0.3013    0.6497    0.4141
    0.9087    0.7883    0.2166

```

Use parenthesis indexing to generate every third point, up to the 11th point:

```

X = p(1:3:11,:)
X =
    0.0928    0.6950    0.0029
    0.9087    0.7883    0.2166
    0.3843    0.9840    0.9878
    0.6831    0.7357    0.7923

```

References

- [1] Kocis, L., and W. J. Whiten, "Computational Investigations of Low-Discrepancy Sequences," *ACM Transactions on Mathematical Software*, Vol. 23, No. 2, pp. 266-294, 1997.

scramble

[2] Matousek, J., "On the L2-Discrepancy for Anchored Boxes," *Journal of Complexity*, Vol. 14, No. 4, pp. 527-556, 1998.

See Also

haltonset, sobolset

Purpose Segments containing values

Class @piecewisedistribution

Syntax S = segment(obj,X,P)

Description S = segment(obj,X,P) returns an array S of integers indicating which segment of the piecewise distribution object obj contains each value of X or, alternatively, P. One of X and P must be empty ([]). If X is non-empty, S is determined by comparing X with the quantile boundary values defined for obj. If P is non-empty, S is determined by comparing P with the probability boundary values.

Example Fit Pareto tails to a *t* distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);

pvals = 0:0.2:1;
s = segment(obj,[],pvals)
s =
     1     2     2     2     2     3
```

See Also paretotails, boundary, nsegments

sequentialfs

Purpose Sequential feature selection

Syntax

```
inmodel = sequentialfs(fun,X,y)
inmodel = sequentialfs(fun,X,Y,Z,...)
[inmodel,history] = sequentialfs(fun,X,...)
[] = sequentialfs(...,param1,val1,param2,val2,...)
```

Description `inmodel = sequentialfs(fun,X,y)` selects a subset of features from the data matrix `X` that best predict the data in `y` by sequentially selecting features until there is no improvement in prediction. Rows of `X` correspond to observations; columns correspond to variables or features. `y` is a column vector of response values or class labels for each observation in `X`. `X` and `y` must have the same number of rows. `fun` is a function handle to a function that defines the criterion used to select features and to determine when to stop. The output `inmodel` is a logical vector indicating which features are finally chosen.

Starting from an empty feature set, `sequentialfs` creates candidate feature subsets by sequentially adding each of the features not yet selected. For each candidate feature subset, `sequentialfs` performs 10-fold cross-validation by repeatedly calling `fun` with different training subsets of `X` and `y`, `XTRAIN` and `ytrain`, and test subsets of `X` and `y`, `XTEST` and `ytest`, as follows:

```
criterion = fun(XTRAIN,ytrain,XTEST,ytest)
```

`XTRAIN` and `ytrain` contain the same subset of rows of `X` and `Y`, while `XTEST` and `ytest` contain the complementary subset of rows. `XTRAIN` and `XTEST` contain the data taken from the columns of `X` that correspond to the current candidate feature set.

Each time it is called, `fun` must return a scalar value `criterion`. Typically, `fun` uses `XTRAIN` and `ytrain` to train or fit a model, then predicts values for `XTEST` using that model, and finally returns some measure of distance, or *loss*, of those predicted values from `ytest`. In the cross-validation calculation for a given candidate feature set, `sequentialfs` sums the values returned by `fun` and divides that sum

by the total number of test observations. It then uses that mean value to evaluate each candidate feature subset.

Typical loss measures include sum of squared errors for regression models (sequentialfs computes the mean-squared error in this case), and the number of misclassified observations for classification models (sequentialfs computes the misclassification rate in this case).

After computing the mean criterion values for each candidate feature subset, sequentialfs chooses the candidate feature subset that minimizes the mean criterion value. This process continues until adding more features does not decrease the criterion.

`inmodel = sequentialfs(fun,X,Y,Z,...)` allows any number of input variables `X, Y, Z, ...`. sequentialfs chooses features (columns) only from `X`, but otherwise imposes no interpretation on `X, Y, Z, ...`. All data inputs, whether column vectors or matrices, must have the same number of rows. sequentialfs calls `fun` with training and test subsets of `X, Y, Z, ...` as follows:

```

criterion = fun(XTRAIN,YTRAIN,ZTRAIN,...,
               XTEST,YTEST,ZTEST,...)

```

sequentialfs creates `XTRAIN, YTRAIN, ZTRAIN, ... , XTEST, YTEST, ZTEST, ...` by selecting subsets of the rows of `X, Y, Z, ...`. `fun` must return a scalar value `criterion`, but may compute that value in any way. Elements of the logical vector `inmodel` correspond to columns of `X` and indicate which features are finally chosen.

`[inmodel,history] = sequentialfs(fun,X,...)` returns information on which feature is chosen at each step. `history` is a scalar structure with the following fields:

- `Crit` — A vector containing the criterion values computed at each step.
- `In` — A logical matrix in which row `i` indicates the features selected at step `i`.

sequentialfs

[] = sequentialfs(...,param1,val1,param2,val2,...) specifies optional parameter name/value pairs from the following table.

Name	Value
'cv'	<p>The validation method used to compute the criterion for each candidate feature subset.</p> <ul style="list-style-type: none">• When the value is a positive integer <i>k</i>, sequentialfs uses <i>k</i>-fold cross-validation without stratification.• When the value is an object of the @cvpartition class, other forms of cross-validation can be specified.• When the value is 'resubstitution', the original data are passed to fun as both the training and test data to compute the criterion.• When the value is 'none', sequentialfs calls fun as criterion = fun(X,Y,Z,...), without separating test and training sets. <p>The default value is 10, that is, 10-fold cross-validation without stratification.</p> <p>So-called <i>wrapper methods</i> use a function fun that implements a learning algorithm. These methods usually apply cross-validation to select features. So-called <i>filter methods</i> use a function fun that measures characteristics of the data (such as correlation) to select features.</p>
'mcreps'	<p>A positive integer indicating the number of Monte-Carlo repetitions for cross-validation. The default value is 1. The value must be 1 if the value of 'cv' is 'resubstitution' or 'none'.</p>

Name	Value
'direction'	The direction of the sequential search. The default is 'forward'. A value of 'backward' specifies an initial candidate set including all features and an algorithm that removes features sequentially until the criterion increases.
'keepin'	A logical vector or a vector of column numbers specifying features that must be included. The default is empty.
'keepout'	A logical vector or a vector of column numbers specifying features that must be excluded. The default is empty.
'nfeatures'	The number of features at which sequentialfs should stop. inmodel includes exactly this many features. The default value is empty, indicating that sequentialfs should stop when a local minimum of the criterion is found. A nonempty value overrides values of 'MaxIter' and 'TolFun' in 'options'.
'nullmodel'	A logical value, indicating whether or not the null model (containing no features from X) should be included in feature selection and in the history output. The default is false.

sequentialfs

Name	Value
'options'	<p>Options structure for the iterative sequential search algorithm, as created by <code>statset</code>. <code>sequentialfs</code> uses the following <code>statset</code> parameters:</p> <ul style="list-style-type: none">• <code>Display</code> — Amount of information displayed by the algorithm. The default is <code>'off'</code>.• <code>MaxIter</code> — Maximum number of iterations allowed. The default is <code>Inf</code>.• <code>TolFun</code> — Termination tolerance for the objective function value. The default is <code>1e-6</code> if <code>'direction'</code> is <code>'forward'</code>; <code>0</code> if <code>'direction'</code> is <code>'backward'</code>.• <code>TolTypeFun</code> — Use absolute or relative objective function tolerances. The default is <code>'rel'</code>.

Example

Perform sequential feature selection for classification of noisy features:

```
load fisheriris;
X = randn(150,10);
X(:,[1 3 5 7])= meas;
y = species;

c = cvpartition(y,'k',10);
opts = statset('display','iter');
fun = @(XT,yT,Xt,yt)...
    (sum(~strcmp(yt,classify(Xt,XT,yT,'quadratic'))));

[fs,history] = sequentialfs(fun,X,y,'cv',c,'options',opts)

Start forward sequential feature selection:
Initial columns included: none
```



```
Columns that can not be included: none
Step 1, added column 7, criterion value 0.04
Step 2, added column 5, criterion value 0.0266667
Final columns included: 5 7
```

```
fs =
    0  0  0  0  1  0  1  0  0  0
```

```
history =
    In: [2x10 logical]
    Crit: [0.0400 0.0267]
```

```
history.In
```

```
ans =
    0  0  0  0  0  0  1  0  0  0
    0  0  0  0  1  0  1  0  0  0
```

See Also

`crossval`, `cvpartition`, `stepwisefit`, `statset`

set

Purpose Set and display properties

Class @dataset

Syntax
`set(A)`
`set(A,PropertyName)`
`A = set(A,PropertyName,PropertyValue,...)`

Description `set(A)` displays all properties of the dataset array `A` and their possible values.

`set(A,PropertyName)` displays possible values for the property specified by the string `PropertyName`.

`A = set(A,PropertyName,PropertyValue,...)` sets property name/value pairs.

Example Create a dataset array from Fisher's iris data and add a description:

```
load fisheriris
NumObs = size(meas,1);
NameObs = strcat({'Obs'},num2str((1:NumObs)','%d'));
iris = dataset({nominal(species),'species'},...
              {meas,'SL','SW','PL','PW'},...
              'ObsNames',NameObs);
iris = set(iris,'Description','Fisher's Iris Data');
get(iris)
  Description: 'Fisher's Iris Data'
  Units: {}
  DimNames: {'Observations' 'Variables'}
  UserData: []
  ObsNames: {150x1 cell}
  VarNames: {'species' 'SL' 'SW' 'PL' 'PW'}
```

See Also `get`, `summary`

Purpose	Label levels
Class	@categorical
Syntax	A = setlabels(A,labels) A = setlabels(A,labels,levels)
Description	A = setlabels(A,labels) labels the levels in the categorical array A using the cell array of strings or two-dimensional character matrix labels. Labels are assigned in the order given in labels. A = setlabels(A,labels,levels) labels only the levels specified in the cell array of strings or two-dimensional character matrix levels.

Examples

Example 1

Relabel the species in Fisher's iris data using new categories:

```
load fisheriris
species = nominal(species);
species = mergelevels(...
    species,{'setosa','virginica'},'parent');
species = setlabels(species,'hybrid','versicolor');
getlabels(species)
ans =
    'hybrid'    'parent'
```

Example 2

1 Load patient data from the CSV file `hospital.dat` and store the information in a dataset array with observation names given by the first column in the data (patient identification):

```
patients = dataset('file','hospital.dat',...
    'delimiter',';',...
    'ReadObsNames',true);
```

setlabels

- 2 Make the {0,1}-valued variable `smoke` nominal, and change the labels to 'No' and 'Yes':

```
patients.smoke = nominal(patients.smoke, {'No', 'Yes'});
```

- 3 Add new levels to `smoke` as placeholders for more detailed histories of smokers:

```
patients.smoke = addlevels(patients.smoke, ...
                           {'0-5 Years', '5-10 Years', 'LongTerm'});
```

- 4 Assuming the nonsmokers have never smoked, relabel the 'No' level:

```
patients.smoke = setlabels(patients.smoke, 'Never', 'No');
```

- 5 Drop the undifferentiated 'Yes' level from `smoke`:

```
patients.smoke = droplevels(patients.smoke, 'Yes');
```

Warning: OLDLEVELS contains categorical levels that were present in A, caused some array elements to have undefined levels.

Note that smokers now have an undefined level.

- 6 Set each smoker to one of the new levels, by observation name:

```
patients.smoke('YPL-320') = '5-10 Years';
```

See Also

`getlabels`

Purpose

Wilcoxon signed rank test

Syntax

```
p = signrank(x)
p = signrank(x,m)
p = signrank(x,y)
[p,h] = signrank(...)
[p,h] = signrank(...,'alpha',alpha)
[p,h] = signrank(...,'method',method)
[p,h,stats] = signrank(...)
```

Description

`p = signrank(x)` performs a two-sided signed rank test of the null hypothesis that data in the vector `x` comes from a continuous, symmetric distribution with zero median, against the alternative that the distribution does not have zero median. The p -value of the test is returned in `p`.

`p = signrank(x,m)` performs a two-sided signed rank test of the null hypothesis that data in the vectors `x` and `y` are independent samples from a continuous, symmetric distribution with median `m`, against the alternative that the distribution does not have median `m`. `m` must be a scalar.

`p = signrank(x,y)` performs a paired, two-sided signed rank test of the null hypothesis that data in the vector `x-y` come from a continuous, symmetric distribution with zero median, against the alternative that the distribution does not have zero median. `x` and `y` must have equal lengths. Note that a hypothesis of zero median for `x-y` is not equivalent to a hypothesis of equal median for `x` and `y`.

`[p,h] = signrank(...)` returns the result of the test in `h`. `h = 1` indicates a rejection of the null hypothesis at the 5% significance level. `h = 0` indicates a failure to reject the null hypothesis at the 5% significance level.

`[p,h] = signrank(...,'alpha',alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is `alpha = 0.05`.

signrank

`[p,h] = signrank(...,'method',method)` computes the p -value using either an exact algorithm, when *method* is 'exact', or a normal approximation, when *method* is 'approximate'. The default, when unspecified, is the exact method for small samples and the approximate method for large samples.

`[p,h,stats] = signrank(...)` returns the structure `stats` with the following fields:

- `signedrank` — Value of the signed rank test statistic
- `zval` — Value of the z -statistic (computed only for large samples)

Example

Test the hypothesis of zero median for the difference between two paired samples.

```
before = lognrnd(2,.25,10,1);
after = before+trnd(2,10,1);
[p,h] = signrank(before,after)
p =
    0.5566
h =
    0
```

The sampling distribution of the difference between `before` and `after` is symmetric with zero median. At the default 5% significance level, the test fails to reject to the null hypothesis of zero median in the difference.

References

- [1] Gibbons, J. D., *Nonparametric Statistical Inference*, 2nd edition, M. Dekker, 1985.
- [2] Hollander, M. and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1973.

See Also

`ranksum`, `ttest`, `ztest`

Purpose

Sign test

Syntax

```
p = signtest(x)
p = signtest(x,m)
p = signtest(x,y)
[p,h] = signtest(...)
[p,h] = signtest(...,'alpha',alpha)
[p,h] = signtest(...,'method',method)
[p,h,stats] = signtest(...)
```

Description

`p = signtest(x)` performs a two-sided sign test of the null hypothesis that data in the vector `x` come from a continuous distribution with zero median, against the alternative that the distribution does not have zero median. The p -value of the test is returned in `p`.

`p = signtest(x,m)` performs a two-sided sign test of the null hypothesis that data in the vector `x` come from a continuous distribution with median `m`, against the alternative that the distribution does not have median `m`. `m` must be a scalar.

`p = signtest(x,y)` performs a paired, two-sided sign test of the null hypothesis that data in the vector `x-y` come from a continuous distribution with zero median, against the alternative that the distribution does not have zero median. `x` and `y` must be the same length. Note that a hypothesis of zero median for `x-y` is not equivalent to a hypothesis of equal median for `x` and `y`.

`[p,h] = signtest(...)` returns the result of the test in `h`. `h = 1` indicates a rejection of the null hypothesis at the 5% significance level. `h = 0` indicates a failure to reject the null hypothesis at the 5% significance level.

`[p,h] = signtest(...,'alpha',alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is `alpha = 0.05`.

`[p,h] = signtest(...,'method',method)` computes the p -value using either an exact algorithm, when `method` is `'exact'`, or a normal approximation, when `method` is `'approximate'`. The default, when

signtest

unspecified, is the exact method for small samples and the approximate method for large samples.

`[p,h,stats] = signtest(...)` returns the structure `stats` with the following fields:

- `sign` — Value of the sign test statistic
- `zval` — Value of the z -statistic (computed only for large samples)

Example

Test the hypothesis of zero median for the difference between two paired samples.

```
before = lognrnd(2,.25,10,1);
after = before + (lognrnd(0,.5,10,1) - 1);
[p,h] = signtest(before,after)
p =
    0.3438
h =
    0
```

The sampling distribution of the difference between `before` and `after` is symmetric with zero median. At the default 5% significance level, the test fails to reject to the null hypothesis of zero median in the difference.

References

- [1] Gibbons, J. D., *Nonparametric Statistical Inference*, 2nd edition, M. Dekker, 1985.
- [2] Hollander, M. and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1973.

See Also

`ranksum`, `signrank`, `ttest`, `ztest`

Purpose

Silhouette plot

Syntax

```
silhouette(X,clust)
s = silhouette(X,clust)
[s,h] = silhouette(X,clust)
[...] = silhouette(X,clust,metric)
[...] = silhouette(X,clust,distfun,p1,p2,...)
```

Description

`silhouette(X,clust)` plots cluster silhouettes for the n -by- p data matrix X , with clusters defined by `clust`. Rows of X correspond to points, columns correspond to coordinates. `clust` can be a categorical variable, numeric vector, character matrix, or cell array of strings containing a cluster name for each point. (See “Grouped Data” on page 2-33.) `silhouette` treats NaNs or empty strings in `clust` as missing values, and ignores the corresponding rows of X . By default, `silhouette` uses the squared Euclidean distance between points in X .

`s = silhouette(X,clust)` returns the silhouette values in the n -by-1 vector `s`, but does not plot the cluster silhouettes.

`[s,h] = silhouette(X,clust)` plots the silhouettes, and returns the silhouette values in the n -by-1 vector `s`, and the figure handle in `h`.

`[...] = silhouette(X,clust,metric)` plots the silhouettes using the inter-point distance function specified in `metric`. Choices for `metric` are:

'Euclidean'	Euclidean distance
'sqEuclidean'	Squared Euclidean distance (default)
'cityblock'	Sum of absolute differences
'cosine'	One minus the cosine of the included angle between points (treated as vectors)
'correlation'	One minus the sample correlation between points (treated as sequences of values)
'Hamming'	Percentage of coordinates that differ

silhouette

'Jaccard' Percentage of nonzero coordinates that differ
Vector A numeric distance matrix in upper triangular
vector form, such as is created by pdist. X is
not used in this case, and can safely be set to [].

[...] = silhouette(X,clust,distfun,p1,p2,...) accepts a
function handle distfun to a metric of the form

```
d = distfun(X0,X,p1,p2,...)
```

where X0 is a 1-by-p point, X is an n-by-p matrix of points, and p1,p2,...
are optional additional arguments. The function distfun returns an
n-by-1 vector d of distances between X0 and each point (row) in X. The
arguments p1, p2,... are passed directly to the function distfun.

Remarks

The silhouette value for each point is a measure of how similar that
point is to points in its own cluster compared to points in other clusters,
and ranges from -1 to +1. It is defined as

$$S(i) = (\min(b(i,:),2) - a(i)) ./ \max(a(i),\min(b(i,:),2))$$

where $a(i)$ is the average distance from the i th point to the other
points in its cluster, and $b(i,k)$ is the average distance from the i th
point to points in another cluster k .

Examples

```
X = [randn(10,2)+ones(10,2);  
randn(10,2)-ones(10,2)];  
cidx = kmeans(X,2,'distance','sqeuclid');  
s = silhouette(X,cidx,'sqeuclid');
```

References

[1] Kaufman L., and P. J. Rousseeuw, *Finding Groups in Data: An
Introduction to Cluster Analysis*, Wiley, 1990.

See Also

dendrogram, kmeans, linkage, pdist

Purpose

Slice sampler

Syntax

```
rnd = slicesample(initial,nsamples,'pdf',pdf)
rnd = slicesample(...,'width',w)
rnd = slicesample(...,'burnin',k)
rnd = slicesample(...,'thin',m)
[rnd,neval] = slicesample(...)
```

Description

`rnd = slicesample(initial,nsamples,'pdf',pdf)` generates `nsamples` random samples from a target distribution whose density function is defined by `pdf` using the slice sampling method. `initial` is a row vector or scalar containing the initial value of the random sample sequences. `initial` must be within the domain of the target distribution. `nsamples` is the number of samples to be generated. `pdf` is a function handle created using `@`. `pdf` accepts only one argument that must be the same type and size as `initial`. It defines a function that is proportional to the target density function. If the log density function is preferred, `'pdf'` can be replaced with `'logpdf'`. The log density function is not necessarily normalized.

`rnd = slicesample(...,'width',w)` performs slice sampling for the target distribution with a typical width `w`. `w` is a scalar or vector. If it is a scalar, all dimensions are assumed to have the same typical widths. If it is a vector, each element of the vector is the typical width of the marginal target distribution in that dimension. The default value of `w` is 10.

`rnd = slicesample(...,'burnin',k)` generates random samples with values between the starting point and the k^{th} point omitted in the generated sequence. Values beyond the k^{th} point are kept. `k` is a nonnegative integer with default value of 0.

`rnd = slicesample(...,'thin',m)` generates random samples with `m-1` out of `m` values omitted in the generated sequence. `m` is a positive integer with default value of 1.

`[rnd,neval] = slicesample(...)` also returns `neval`, the averaged number of function evaluations that occurred in the slice sampling. `neval` is a scalar.

Example

Generate random samples from a distribution with a user-defined pdf.

First, define the function that is proportional to the pdf for a multi-modal distribution.


```
f = @(x) exp( -x.^2/2).*(1+(sin(3*x)).^2).* ...  
      (1+(cos(5*x).^2));
```

Next, use the `slicesample` function to generate the random samples for the function defined above.

```
x = slicesample(1,2000,'pdf',f,'thin',5,'burnin',1000);
```

Now, plot a histogram of the random samples generated.

```
hist(x,50)  
set(get(gca,'child'),'facecolor',[0.8 .8 1]);  
hold on  
xd = get(gca,'XLim'); % Gets the xdata of the bins  
binwidth = (xd(2)-xd(1)); % Finds the width of each bin  
% Use linspace to normalize the histogram  
y = 5.6398*binwidth*f(linspace(xd(1),xd(2),1000));  
plot(linspace(xd(1),xd(2),1000),y,'r','LineWidth',2)
```



See Also

rand, mhsample, randsample

skewness

Purpose Skewness

Syntax
`y = skewness(X)`
`y = skewness(X, flag)`

Description `y = skewness(X)` returns the sample skewness of X . For vectors, `skewness(x)` is the skewness of the elements of x . For matrices, `skewness(X)` is a row vector containing the sample skewness of each column. For N -dimensional arrays, `skewness` operates along the first nonsingleton dimension of X .

`y = skewness(X, flag)` specifies whether to correct for bias (`flag = 0`) or not (`flag = 1`, the default). When X represents a sample from a population, the skewness of X is biased; that is, it will tend to differ from the population skewness by a systematic amount that depends on the size of the sample. You can set `flag = 0` to correct for this systematic bias.

`skewness(X, flag, dim)` takes the skewness along dimension `dim` of X . `skewness` treats NaNs as missing values and removes them.

Remarks Skewness is a measure of the asymmetry of the data around the sample mean. If skewness is negative, the data are spread out more to the left of the mean than to the right. If skewness is positive, the data are spread out more to the right. The skewness of the normal distribution (or any perfectly symmetric distribution) is zero.

The skewness of a distribution is defined as

$$y = \frac{E(x - \mu)^3}{\sigma^3}$$

where μ is the mean of x , σ is the standard deviation of x , and $E(t)$ represents the expected value of the quantity t .

Example
`X = randn([5 4])`
`X =`

```
1.1650  1.6961 -1.4462 -0.3600
0.6268  0.0591 -0.7012 -0.1356
0.0751  1.7971  1.2460 -1.3493
0.3516  0.2641 -0.6390 -1.2704
-0.6965  0.8717  0.5774  0.9846
```

```
y = skewness(X)
```

```
y =
```

```
-0.2933  0.0482  0.2735  0.4641
```

See Also

kurtosis, mean, moment, std, var

sobolset

Purpose Construct Sobol quasi-random point set

Class @sobolset

Syntax
`p = sobolset(d)`
`p = sobolset(d,prop1,va11,prop2,va12,...)`

Description
`p = sobolset(d)` constructs a d-dimensional point set `p` of the @sobolset class, with default property settings.
`p = sobolset(d,prop1,va11,prop2,va12,...)` specifies property name/value pairs used to construct `p`.

The object `p` returned by `sobolset` encapsulates properties of a specified quasi-random sequence. The point set is finite, with a length determined by the `Skip` and `Leap` properties and by limits on the size of point set indices (maximum value of 2^{53}). Values of the point set are not generated and stored in memory until you access `p` using `net` or parenthesis indexing.

Example Generate a 3-dimensional Sobol point set, skip the first 1000 values, and then retain every 101st point:

```
p = sobolset(3, 'Skip', 1e3, 'Leap', 1e2)
p =
    Sobol point set in 3 dimensions (8.918019e+013 points)
    Properties:
        Skip : 1000
        Leap : 100
    ScrambleMethod : none
        PointOrder : standard
```

Use `scramble` to apply a random linear scramble combined with a random digital shift:

```
p = scramble(p, 'MatousekAffineOwen')
p =
    Sobol point set in 3 dimensions (8.918019e+013 points)
```



```
Properties:
    Skip : 1000
    Leap : 100
    ScrambleMethod : MatousekAffineOwen
    PointOrder : standard
```

Use net to generate the first four points:

```
X0 = net(p,4)
X0 =
    0.7601    0.5919    0.9529
    0.1795    0.0856    0.0491
    0.5488    0.0785    0.8483
    0.3882    0.8771    0.8755
```

Use parenthesis indexing to generate every third point, up to the 11th point:

```
X = p(1:3:11,:)
X =
    0.7601    0.5919    0.9529
    0.3882    0.8771    0.8755
    0.6905    0.4951    0.8464
    0.1955    0.5679    0.3192
```

References

- [1] Bratley, P., and B. L. Fox, "ALGORITHM 659: Implementing Sobol's Quasirandom Sequence Generator," *ACM Transactions on Mathematical Software*, Vol. 14, No. 1, pp. 88-100, 1988.
- [2] Joe, S., and F. Y. Kuo, "Remark on Algorithm 659: Implementing Sobol's Quasirandom Sequence Generator," *ACM Transactions on Mathematical Software*, Vol. 29, No. 1, pp. 49-57, 2003.
- [3] Hong, H. S., and F. J. Hickernell, "ALGORITHM 823: Implementing Scrambled Digital Sequences," *ACM Transactions on Mathematical Software*, Vol. 29, No. 2, pp. 95-109, 2003.

sobolset

[4] Matousek, J., “On the L2-Discrepancy for Anchored Boxes,” *Journal of Complexity*, Vol. 14, No. 4, pp. 527-556, 1998.

See Also

haltonset, net, scramble

Purpose Sort

Class @ordinal

Syntax

```
B = sort(A)
B = sort(A,dim)
B = sort(A,dim,mode)
[B,I] = sort(A,...)
```

Description `B = sort(A)`, when `A` is an ordinal vector, sorts the elements of `A` in ascending order. For ordinal matrices, `sort(A)` sorts each column of `A` in ascending order. For N -D ordinal arrays, `sort(A)` sorts the along the first nonsingleton dimension of `A`. `B` is an ordinal array with the same levels as `A`.

`B = sort(A,dim)` sorts `A` along dimension `dim`.

`B = sort(A,dim,mode)` sorts `A` in the order specified by `mode`. `mode` is 'ascend' for ascending order, or 'descend' for descending order.

`[B,I] = sort(A,...)` also returns an index matrix `I`. If `A` is a vector, then `B = A(I)`. If `A` is an m -by- n matrix and `dim` is 1, then `B(:,j) = A(I(:,j),j)` for `j = 1:n`.

Elements with undefined levels are sorted to the end.

Example

Sort the columns of an ordinal array in ascending order:

```
A = ordinal([6 2 5; 2 4 1; 3 2 4],...
            {'lo','med','hi'},[],[0 2 4 6])
A =
    hi      med      hi
    med     hi       lo
    med     med     hi

B = sort(A)
B =
    med     med     lo
```

sort

med	med	hi
hi	hi	hi

See Also

sortrows

Purpose Sort rows

Class @dataset

Syntax

```
B = sortrows(A)
B = sortrows(A,vars)
B = sortrows(A,'obsnames')
B = sortrows(A,vars,mode)
[B,idx] = sortrows(A)
```

Description

`B = sortrows(A)` returns a copy of the dataset array `A`, with the observations sorted in ascending order by all of the variables in `A`. The observations in `B` are sorted first by the first variable, next by the second variable, and so on. The variables in `A` must be scalar valued (i.e., column vectors) and be from a class for which a sort method exists.

`B = sortrows(A,vars)` sorts the observations in `A` by the variables specified by `vars`. `vars` is a positive integer, a vector of positive integers, variable names, a cell array containing one or more variable names, or a logical vector.

`B = sortrows(A,'obsnames')` sorts the observations in `A` by observation name.

`B = sortrows(A,vars,mode)` sorts in the direction specified by `mode`. `mode` is 'ascend' (the default) or 'descend'. Use `[]` for `vars` to sort using all variables.

`[B,idx] = sortrows(A)` also returns an index vector `idx` such that `B = A(idx,:)`.

Example Sort the data in `hospital.mat` by age and then by last name:

```
load hospital
hospital(1:5,1:3)
ans =
      YPL-320      LastName      Sex      Age
      YPL-320      'SMITH'      Male      38
```

sortrows

```
GLI-532      'JOHNSON'      Male      43
PNI-258      'WILLIAMS'     Female    38
MIJ-579      'JONES'        Female    40
XLK-030      'BROWN'        Female    49
```

```
hospital = sortrows(hospital,{'Age','LastName'});
hospital(1:5,1:3)
```

```
ans =
```

```
          LastName      Sex      Age
REV-997  'ALEXANDER'   Male      25
FZR-250  'HALL'        Male      25
LIM-480  'HILL'        Female    25
XUE-826  'JACKSON'     Male      25
SCQ-914  'JAMES'        Male      25
```

See Also

sortrows

Purpose Sort rows

Class @ordinal

Syntax
`B = sortrows(A)`
`B = sortrows(A,col)`
`[B,I] = sortrows(A)`
`[B,I] = sortrows(A,col)`

Description `B = sortrows(A)` sorts the rows of the two-dimensional ordinal matrix `A` in ascending order, as a group. `B` is an ordinal array with the same levels as `A`.

`B = sortrows(A,col)` sorts `A` based on the columns specified in the vector `col`. If an element of `col` is positive, the corresponding column in `A` is sorted in ascending order; if an element of `col` is negative, the corresponding column in `A` is sorted in descending order.

`[B,I] = sortrows(A)` and `[B,I] = sortrows(A,col)` also returns an index matrix `I` such that `B = A(I,:)`.

Elements with undefined levels are sorted to the end.

Example Sort the rows of an ordinal array in ascending order for the first column, and then in descending order for the second column:

```
A = ordinal([6 2 5; 2 4 1; 3 2 4],...
            {'lo','med','hi'},[],[0 2 4 6])
```

```
A =
      hi      med      hi
      med      hi      lo
      med      med      hi
```

```
B = sortrows(A,[1 -2])
```

```
B =
      med      hi      lo
      med      med      hi
      hi      med      hi
```

sortrows

See Also

sort, sortrows

Purpose

Format distance matrix

Syntax

```
Z = squareform(y)
y = squareform(Z)
Z = squareform(y, 'tovector')
Y = squareform(Z, 'tomatrix')
```

Description

`Z = squareform(y)`, where `y` is a vector as created by the `pdist` function, converts `y` into a square, symmetric format `Z`, in which `Z(i, j)` denotes the distance between the `i`th and `j`th objects in the original data.

`y = squareform(Z)`, where `Z` is a square, symmetric matrix with zeros along the diagonal, creates a vector `y` containing the `Z` elements below the diagonal. `y` has the same format as the output from the `pdist` function.

`Z = squareform(y, 'tovector')` forces `squareform` to treat `y` as a vector.

`Y = squareform(Z, 'tomatrix')` forces `squareform` to treat `Z` as a matrix.

The last two formats are useful if the input has a single element, so that it is ambiguous whether the input is a vector or square matrix.

Example

```
y = 1:6
y =
     1     2     3     4     5     6

X = [0 1 2 3; 1 0 4 5; 2 4 0 6; 3 5 6 0]
X =
     0     1     2     3
     1     0     4     5
     2     4     0     6
     3     5     6     0
```

Then `squareform(y) = X` and `squareform(X) = y`.

squareform

See Also

`pdist`

Purpose

Access values in statistics options structure

Syntax

```
val = statget(options,param)
val = statget(options,param,default)
```

Description

`val = statget(options,param)` returns the value of the parameter specified by the string `param` in the statistics options structure `options`. If the parameter is not defined in `options`, `statget` returns `[]`. You need to type only enough leading characters to define the parameter name uniquely. Case is ignored for parameter names.

`val = statget(options,param,default)` returns `default` if the specified parameter is not defined in the optimization options structure `options`.

Examples

This statement returns the value of the `Display` statistics options parameter from the structure called `my_options`.

```
val = statget(my_options,'Display')
```

This statement returns the value of the `Display` statistics options parameter from the structure called `my_options` (as in the previous example) except that if the `Display` parameter is not defined, it returns the value `'final'`.

```
optnew = statget(my_options,'Display','final');
```

See Also

`statset`

statset

Purpose Create statistics options structure

Syntax

```
statset
statset(statfun)
options = statset(...)
options = statset(fieldname1,val1,fieldname2,val2,...)
options = statset(olddopts,fieldname1,val1,fieldname2,val2,
    ...)
options = statset(olddopts,newopts)
```

Description `statset` with no input arguments and no output arguments displays all fields of a statistics options structure and their possible values.

`statset(statfun)` displays fields and default values used by the Statistics Toolbox™ function `statfun`. Specify `statfun` using a string name or a function handle.

`options = statset(...)` creates a statistics options structure `options`. With no input arguments, all fields of the options structure are set to `[]`. With a specified `statfun`, function-specific fields are set to default values and the remaining fields are set to `[]`. Function-specific fields set to `[]` indicate that the function is to use its default value for that parameter.

`options = statset(fieldname1,val1,fieldname2,val2,...)` creates an options structure in which the named fields have the specified values. Any unspecified values are set to `[]`. Use strings for field names. For fields that are string-valued, the complete string is required for the value. If an invalid string is provided for a value, the default is used.

`options = statset(olddopts,fieldname1,val1,fieldname2,val2,...)` creates a copy of `olddopts` with the named parameters changed to the specified values.

`options = statset(olddopts,newopts)` combines an existing options structure, `olddopts`, with a new options structure, `newopts`. Any parameters in `newopts` with nonempty values overwrite corresponding parameters in `olddopts`.

Options

The following table lists the fields of a statistics options structure, the parameters they contain, and their possible values.

Field	Parameter	Values
DerivStep	Relative difference used in finite difference derivative calculations.	A positive scalar, or a vector of positive scalars the same size as the vector of parameters estimated by the Statistics Toolbox function using the options structure.
Display	Amount of information displayed by the algorithm.	<ul style="list-style-type: none"> • 'off' — Displays no information. • 'final' — Displays the final output. • 'iter' — Displays iterative output to the command window for some functions; otherwise displays the final output.
FunValCheck	Check for invalid values, such as NaN or Inf, from the objective function.	<ul style="list-style-type: none"> • 'off' • 'on'
GradObj	Flags whether or not the objective function returns a gradient vector as a second output.	<ul style="list-style-type: none"> • 'off' • 'on'
MaxFunEvals	Maximum number of objective function evaluations allowed.	Positive integer.
MaxIter	Maximum number of iterations allowed.	Positive integer.

Field	Parameter	Values
Robust	Invoke robust fitting option.	<ul style="list-style-type: none">• 'off'• 'on'
TolBnd	Parameter bound tolerance.	Positive scalar.
TolFun	Termination tolerance for the objective function value.	Positive scalar.
TolTypeFun	Use TolFun for absolute or relative objective function tolerances.	<ul style="list-style-type: none">• 'abs'• 'rel'
TolTypeX	Use TolX for absolute or relative parameter tolerances.	<ul style="list-style-type: none">• 'abs'• 'rel'
TolX	Termination tolerance for the parameters.	Positive scalar.
Tune	The tuning constant used in robust fitting to normalize the residuals before applying the weight function. The default value depends upon the weight function. This parameter is required if the weight function is specified as a function handle.	Positive scalar.

Field	Parameter	Values
WgtFun	A weight function for robust fitting. Valid only when Robust is 'on'. Can also be a function handle that accepts a normalized residual as input and returns the robust weights as output.	<ul style="list-style-type: none"> • 'bisquare' • 'andrews' • 'cauchy' • 'fair' • 'huber' • 'logistic' • 'talwar' • 'welsch'

Example

Suppose you want to change the default parameter values for the function `evfit`, which fits an extreme value distribution to data. The default parameter values are:

```
statset('evfit')
ans =
    Display: 'off'
    MaxFunEvals: []
    MaxIter: []
    TolBnd: []
    TolFun: []
    TolX: 1.0000e-006
    GradObj: []
    DerivStep: []
    FunValCheck: []
    Robust: []
    WgtFun: []
    Tune: []
```

The only parameters that `evfit` uses are `Display` and `TolX`. To create an options structure with the value of `TolX` set to $1e-8$, enter:

```
options = statset('TolX',1e-8)
```

```
options =  
    Display: []  
    MaxFunEvals: []  
    MaxIter: []  
    TolBnd: []  
    TolFun: []  
    TolX: 1.0000e-008  
    GradObj: []  
    DerivStep: []  
    FunValCheck: []  
    Robust: []  
    WgtFun: []  
    Tune: []
```

Pass options to `evfit` as follows:

```
mu = 1;  
sigma = 1;  
data = evrnd(mu,sigma,1,100);  
  
paramhat = evfit(data,[],[],[],options)  
paramhat =  
    0.9051    1.0193
```

This call to `evfit` uses the default value of `Display` and the value of `1e-8` for `TolX`.

See Also

`statget`

Purpose Standard deviation

Description MATLAB® function. See `std` in the MATLAB documentation.


See Also `iqr`, `mad`, `range`, `var`

stepwise

Purpose Interactive stepwise regression

Syntax
`stepwise`
`stepwise(X,y)`
`stepwise(X,y,inmodel,center,remove)`

Description `stepwise` uses the sample data in `hald.mat` to display a graphical user interface for performing stepwise regression of the response values in `heat` on the predictive terms in `ingredients`.



The upper left of the interface displays estimates of the coefficients for all potential terms, with horizontal bars indicating 90% (colored) and 95% (grey) confidence intervals. The red color indicates that, initially, the terms are not in the model. Values displayed in the table are those that would result if the terms were added to the model.

The middle portion of the interface displays summary statistics for the entire model. These statistics are updated with each step.

The lower portion of the interface, **Model History**, displays the RMSE for the model. The plot tracks the RMSE from step to step, so you can compare the optimality of different models. Hover over the blue dots in the history to see which terms were in the model at a particular step. Click on a blue dot in the history to open a copy of the interface initialized with the terms in the model at that step.

Initial models, as well as entrance/exit tolerances for the p -values of F -statistics, are specified using additional input arguments to `stepwise`. Defaults are an initial model with no terms, an entrance tolerance of 0.05, and an exit tolerance of 0.10.

To center and scale the input data (compute z -scores) to improve conditioning of the underlying least-squares problem, select `Scale Inputs` from the **Stepwise** menu.

You proceed through a stepwise regression in one of two ways:

- 1** Click **Next Step** to select the recommended next step. The recommended next step either adds the most significant term or removes the least significant term. When the regression reaches a local minimum of RMSE, the recommended next step is “Move no terms.” You can perform all of the recommended steps at once by clicking **All Steps**.
- 2** Click a line in the plot or in the table to toggle the state of the corresponding term. Clicking a red line, corresponding to a term not currently in the model, adds the term to the model and changes the line to blue. Clicking a blue line, corresponding to a term currently in the model, removes the term from the model and changes the line to red.

To call `addedvarplot` and produce an added variable plot from the stepwise interface, select **Added Variable Plot** from the **Stepwise** menu. A list of terms is displayed. Select the term you want to add, and then click **OK**.

Click **Export** to display a dialog box that allows you to select information from the interface to save to the MATLAB® workspace.

Check the information you want to export and, optionally, change the names of the workspace variables to be created. Click **OK** to export the information.

`stepwise(X,y)` displays the interface using the p predictive terms in the n -by- p matrix X and the response values in the n -by-1 vector y . Distinct predictive terms should appear in different columns of X .

Note `stepwise` automatically includes a constant term in all models. Do not enter a column of 1s directly into X .

`stepwise` treats NaN values in either X or y as missing values, and ignores them.

`stepwise(X,y,inmodel,penter,premove)` additionally specifies the initial model (`inmodel`) and the entrance (`penter`) and exit (`premove`) tolerances for the p -values of F -statistics. `inmodel` is either a logical vector with length equal to the number of columns of X , or a vector of indices, with values ranging from 1 to the number of columns in X . The value of `penter` must be less than or equal to the value of `premove`.

See Also

`stepwisefit`, `addedvarplot`, `regress`

stepwisefit

Purpose Stepwise regression

Syntax
`b = stepwisefit(X,y)`
`[b,se,pval,inmodel,stats,nextstep,history] = stepwisefit(...)`
`[...] = stepwisefit(X,y,param1,va11,param2,va12,...)`

Description `b = stepwisefit(X,y)` uses a stepwise method to perform a multilinear regression of the response values in the n -by-1 vector y on the p predictive terms in the n -by- p matrix X . Distinct predictive terms should appear in different columns of X . b is a p -by-1 vector of estimated coefficients for all of the terms in X . The value in b for a term not included in the final model is the coefficient estimate that would result from adding the term to the model.

Note `stepwisefit` automatically includes a constant term in all models. Do not enter a column of 1s directly into X .

`stepwisefit` treats NaN values in either X or y as missing values, and ignores them.

`[b,se,pval,inmodel,stats,nextstep,history] = stepwisefit(...)` returns the following additional information:

- `se` — A vector of standard errors for b
- `pval` — A vector of p -values for testing whether elements of b are 0
- `inmodel` — A logical vector, with length equal to the number of columns in X , specifying which terms are in the final model
- `stats` — A structure of additional statistics with the following fields. All statistics pertain to the final model except where noted.
 - `source` — The string 'stepwisefit'
 - `dfe` — Degrees of freedom for error
 - `df0` — Degrees of freedom for the regression

- `SStotal` — Total sum of squares of the response
- `SSresid` — Sum of squares of the residuals
- `fstat` — F -statistic for testing the final model vs. no model (mean only)
- `pval` — p -value of the F -statistic
- `rmse` — Root mean square error
- `xr` — Residuals for predictors not in the final model, after removing the part of them explained by predictors in the model
- `yr` — Residuals for the response using predictors in the final model
- `B` — Coefficients for terms in final model, with values for a term not in the model set to the value that would be obtained by adding that term to the model
- `SE` — Standard errors for coefficient estimates
- `TSTAT` — t statistics for coefficient estimates
- `PVAL` — p -values for coefficient estimates
- `intercept` — Estimated intercept
- `wasnan` — Indicates which rows in the data contained NaN values
- `nextstep` — The recommended next step—either the index of the next term to move in or out of the model, or 0 if no further steps are recommended
- `history` — A structure containing information on steps taken, with the following fields:
 - `rmse` — Root mean square errors for the model at each step
 - `df0` — Degrees of freedom for the regression at each step
 - `in` — Logical array indicating which predictors are in the model at each step

stepwisefit

[...] = stepwisefit(X,y,param1,val1,param2,val2,...)
specifies one or more of the name/value pairs described in the following table.

Parameter Name	Parameter Value
'inmodel'	A logical vector specifying terms to include in the initial fit. The default is to specify no terms.
'penter'	The maximum p -value for a term to be added. The default is 0.05.
'premove'	The minimum p -value for a term to be removed. The default is the maximum of the value of 'penter' and 0.10.
'display'	'on' displays information about each step in the command window. This is the default. 'off' omits the display.
'maxiter'	The maximum number of steps in the regression. The default is Inf.
'keep'	A logical vector specifying terms to keep in their initial state. The default is to specify no terms.
'scale'	'on' centers and scales each column of X (computes z -scores) before fitting. 'off' does not scale the terms. This is the default.

Algorithm

Stepwise regression is a systematic method for adding and removing terms from a multilinear model based on their statistical significance in a regression. The method begins with an initial model and then compares the explanatory power of incrementally larger and smaller models. At each step, the p -value of an F -statistic is computed to test models with and without a potential term. If a term is not currently in the model, the null hypothesis is that the term would have a zero coefficient if added to the model. If there is sufficient evidence to reject

the null hypothesis, the term is added to the model. Conversely, if a term is currently in the model, the null hypothesis is that the term has a zero coefficient. If there is insufficient evidence to reject the null hypothesis, the term is removed from the model. The method proceeds as follows:

- 1 Fit the initial model.
- 2 If any terms not in the model have p -values less than an entrance tolerance (that is, if it is unlikely that they would have zero coefficient if added to the model), add the one with the smallest p -value and repeat this step; otherwise, go to step 3.
- 3 If any terms in the model have p -values greater than an exit tolerance (that is, if it is unlikely that the hypothesis of a zero coefficient can be rejected), remove the one with the largest p -value and go to step 2; otherwise, end.

Depending on the terms included in the initial model and the order in which terms are moved in and out, the method may build different models from the same set of potential terms. The method terminates when no single step improves the model. There is no guarantee, however, that a different initial model or a different sequence of steps will not lead to a better fit. In this sense, stepwise models are locally optimal, but may not be globally optimal.

Example

Load the data in `hald.mat`, which contains observations of the heat of reaction of various cement mixtures:

```
load hald
whos
```

Name	Size	Bytes	Class	Attributes
Description	22x58	2552	char	
hald	13x5	520	double	
heat	13x1	104	double	
ingredients	13x4	416	double	

stepwisefit

The response (heat) depends on the quantities of the four predictors (the columns of ingredients).

Use `stepwisefit` to carry out the stepwise regression algorithm, beginning with no terms in the model and using entrance/exit tolerances of 0.05/0.10 on the p -values:

```
stepwisefit(ingredients,heat,...
            'penter',0.05,'premove',0.10);
Initial columns included: none
Step 1, added column 4, p=0.000576232
Step 2, added column 1, p=1.10528e-006
Final columns included: 1 4
   'Coeff'      'Std.Err.'   'Status'   'P'
   [ 1.4400]    [ 0.1384]   'In'      [1.1053e-006]
   [ 0.4161]    [ 0.1856]   'Out'     [ 0.0517]
   [-0.4100]    [ 0.1992]   'Out'     [ 0.0697]
   [-0.6140]    [ 0.0486]   'In'      [1.8149e-007]
```

`stepwisefit` automatically includes an intercept term in the model, so you do not add it explicitly to `ingredients` as you would for `regress`. For terms not in the model, coefficient estimates and their standard errors are those that result if the term is added.

The `inmodel` parameter is used to specify terms in an initial model:

```
initialModel = ...
             [false true false false]; % Force in 2nd term
stepwisefit(ingredients,heat,...
            'inmodel',initialModel,...
            'penter',.05,'premove',0.10);
Initial columns included: 2
Step 1, added column 1, p=2.69221e-007
Final columns included: 1 2
   'Coeff'      'Std.Err.'   'Status'   'P'
   [ 1.4683]    [ 0.1213]   'In'      [2.6922e-007]
   [ 0.6623]    [ 0.0459]   'In'      [5.0290e-008]
   [ 0.2500]    [ 0.1847]   'Out'     [ 0.2089]
```

```
[-0.2365] [ 0.1733] 'Out' [ 0.2054]
```

The preceding two models, built from different initial models, use different subsets of the predictive terms. Terms 2 and 4, swapped in the two models, are highly correlated:

```
term2 = ingredients(:,2);
term4 = ingredients(:,4);
R = corrcoef(term2,term4)
R =
    1.0000    -0.9730
   -0.9730     1.0000
```

To compare the models, use the stats output of stepwisefit:

```
[betahat1,se1,pval1,inmodel1,stats1] = ...
    stepwisefit(ingredients,heat,...
    'penter',.05,'premove',0.10,...
    'display','off');
[betahat2,se2,pval2,inmodel2,stats2] = ...
    stepwisefit(ingredients,heat,...
    'inmodel',initialModel,...
    'penter',.05,'premove',0.10,...
    'display','off');

RMSE1 = stats1.rmse
RMSE1 =
    2.7343
RMSE2 = stats2.rmse
RMSE2 =
    2.4063
```

The second model has a lower Root Mean Square Error (RMSE).

Reference

[1] Draper, N., and H. Smith, *Applied Regression Analysis*, 2nd edition, John Wiley and Sons, 1981, pp. 307-312.

See Also

stepwise, addedvarplot, regress

summary

Purpose Summary statistics for categorical array

Class @categorical

Syntax
summary(A)
C = summary(A)
[C,labels] = summary(A)

Description summary(A) displays the number of elements in the categorical array A equal to each of the possible levels in A. If A contains any undefined elements, the output also includes the number of undefined elements.

C = summary(A) returns counts of the number of elements in the categorical array A equal to each of the possible levels in A. If A is a matrix or *N*-dimensional array, C is a matrix or array with rows corresponding to the levels of A. If A contains any undefined elements, C contains one more row than the number of levels of A, with the number of undefined elements in c(end) or c(end,:).

[C,labels] = summary(A) also returns the list of categorical level labels corresponding to the counts in C.

Example Count the number of patients in each age group in the data in hospital.mat:

```
load hospital
edges = 0:10:100;
labels = strcat(num2str((0:10:90)'),'%d'),{'s'});
AgeGroup = ordinal(hospital.Age,labels,[],edges);
[c,labels] = summary(AgeGroup);

Table = dataset({labels,'AgeGroup'},{c,'Count'});
Table(3:6,:)
ans =
    AgeGroup    Count
    '20s'        15
    '30s'        41
```

'40s'	42
'50s'	2

See Also islevel, ismember, levelcounts

summary

Purpose Summary statistics for dataset array

Class @dataset

Syntax summary(A)

Description summary(A) displays summaries of the variables in the dataset array A. Summary information depends on the type of the variables in the data set:

- For numerical variables, summary computes a five-number summary of the data, giving the minimum, the first quartile, the median, the third quartile, and the maximum.
- For logical variables, summary counts the number of trues and falses in the data.
- For categorical variables, summary counts the number of data at each level.

Examples

Example 1

Summarize Fisher's iris data:

```
load fisheriris
species = nominal(species);
data = dataset(species,meas);
summary(data)
species: [150x1 nominal]
    setosa  versicolor  virginica
         50         50         50
meas: [150x4 double]
    min      4.3000      2      1      0.1000
    1st Q    5.1000    2.8000    1.6000    0.3000
    median   5.8000      3    4.3500    1.3000
    3rd Q    6.4000    3.3000    5.1000    1.8000
    max      7.9000    4.4000    6.9000    2.5000
```

Example 2

Summarize the data in hospital.mat:

```
load hospital
summary(hospital)
```

A dataset array created from the data file hospital.dat. It has the first column of that file as observations names, and has had several other columns converted to a more convenient form.

```
LastName: [100x1 cell string]
Sex: [100x1 nominal]
    Female    Male
      53      47
Age: [100x1 double, Units = Yrs]
    min    1st Q    median    3rd Q    max
     25     32     39     44     50
Weight: [100x1 double, Units = Lbs]
    min    1st Q    median    3rd Q    max
    111   130.5000   142.5000   180.5000   202
Smoker: [100x1 logical]
    true    false
     34     66
BloodPressure: [100x2 double, Units = mm Hg]
    min          109          68
    1st Q       117.5000       77.5000
    median          122          81.5000
    3rd Q       127.5000          89
    max          138          99
Trials: [100x1 cell, Units = Counts]
```

See Also

get, set, grpstats (dataset)

surfht

Purpose Interactive contour plot

Syntax `surfht(Z)`
`surfht(x,y,Z)`

Description `surfht(Z)` is an interactive contour plot of the matrix Z treating the values in Z as height above the plane. The x -values are the column indices of Z while the y -values are the row indices of Z .

`surfht(x,y,Z)` where x and y are vectors specify the x and y -axes on the contour plot. The length of x must match the number of columns in Z , and the length of y must match the number of rows in Z .

There are vertical and horizontal reference lines on the plot whose intersection defines the current x -value and y -value. You can drag these dotted white reference lines and watch the interpolated z -value (at the top of the plot) update simultaneously. Alternatively, you can get a specific interpolated z -value by typing the x -value and y -value into editable text fields on the x -axis and y -axis respectively.

Purpose Frequency table

Syntax `TABLE = tabulate(x)`
`tabulate(x)`

Description `TABLE = tabulate(x)` creates a frequency table of data in vector `x`. Information in `TABLE` is arranged as follows:

- 1st column — The unique values of `x`
- 2nd column — The number of instances of each value
- 3rd column — The percentage of each value

If `x` is a numeric array, `TABLE` is a numeric matrix. If the elements of `x` are non-negative integers, `TABLE` includes 0 counts for integers between 1 and `max(x)` that do not appear in `x`.

If `x` is a categorical variable, character array, or cell array of strings, `TABLE` is a cell array.

`tabulate(x)` with no output arguments displays the table in the command window.

Example

```
tabulate([1 2 4 4 3 4])
  Value  Count  Percent
    1     1    16.67%
    2     1    16.67%
    3     1    16.67%
    4     3    50.00%
```

See Also `pareto`

tblread

Purpose Read tabular data from file

Syntax

```
[data,varnames,casenames] = tblread  
[data,varnames,casenames] = tblread(filename)  
[data,varnames,casenames] = tblread(filename,delimiter)
```

Description [data,varnames,casenames] = tblread displays the File Open dialog box for interactive selection of a tabular data file. The file format has variable names in the first row, case names in the first column and data starting in the (2, 2) position. Outputs are:

- data — Numeric matrix with a value for each variable-case pair
- varnames — String matrix containing the variable names in the first row of the file
- casenames — String matrix containing the names of each case in the first column of the file

[data,varnames,casenames] = tblread(*filename*) allows command line specification of the name of a file in the current directory, or the complete path name of any file, using the string *filename*.

[data,varnames,casenames] = tblread(*filename,delimiter*) reads from the file using *delimiter* as the delimiting character. Accepted values for *delimiter* are:

- ' ' or 'space'
- '\t' or 'tab'
- ',' or 'comma'
- ';' or 'semi'
- '|' or 'bar'

The default value of *delimiter* is 'space'.

Example

```
[data,varnames,casenames] = tblread('sat.dat')
data =
    470  530
    520  480

varnames =
    Male
    Female

casenames =
    Verbal
    Quantitative
```

See Also

tblwrite, tdfread, caseread

tblwrite

Purpose Write tabular data to file

Syntax

```
tblwrite(data,varnames,casenames)
tblwrite(data,varnames,casenames,filename)
tblwrite(data,varnames,casenames,filename,delimiter)
```

Description `tblwrite(data,varnames,casenames)` displays the **File Open** dialog box for interactive specification of the tabular data output file. The file format has variable names in the first row, case names in the first column and data starting in the (2,2) position.

`varnames` is a string matrix containing the variable names. `casenames` is a string matrix containing the names of each case in the first column. `data` is a numeric matrix with a value for each variable-case pair.

`tblwrite(data,varnames,casenames,filename)` specifies a file in the current directory, or the complete path name of any file in the string `filename`.

`tblwrite(data,varnames,casenames,filename,delimiter)` writes to the file using `delimiter` as the delimiting character. The following table lists the accepted character values for `delimiter` and their equivalent string values.

Character	String
' '	'space'
'\t'	'tab'
','	'comma'
';'	'semi'
' '	'bar'

The default value of '`delimiter`' is 'space'.

Example Continuing the example from `tblread`:

```
tblwrite(data,varnames,casenames,'sattest.dat')
```

```
type satestest.dat
      Male  Female
Verbal    470  530
Quantitative 520  480
```

See Also

casewrite, tblread

Purpose Student's t cumulative distribution function

Syntax `P = tcdf(X,V)`

Description `P = tcdf(X,V)` computes Student's t cdf at each of the values in X using the corresponding degrees of freedom in V . X and V can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

The t cdf is

$$p = F(x|v) = \int_{-\infty}^x \frac{\Gamma\left(\frac{v+1}{2}\right)}{\Gamma\left(\frac{v}{2}\right)} \frac{1}{\sqrt{v\pi}} \frac{1}{\left(1 + \frac{t^2}{v}\right)^{\frac{v+1}{2}}} dt$$

The result, p , is the probability that a single observation from the t distribution with v degrees of freedom will fall in the interval $[-\infty, x)$.

Examples

```
mu = 1; % Population mean
sigma = 2; % Population standard deviation
n = 100; % Sample size
x = normrnd(mu,sigma,n,1); % Random sample from population
xbar = mean(x); % Sample mean
s = std(x); % Sample standard deviation
t = (xbar-mu)/(s/sqrt(n)) % t-statistic
t =
    0.2489
p = 1-tcdf(t,n-1) % Probability of larger t-statistic
p =
    0.4020
```

This probability is the same as the p -value returned by a t -test of the null hypothesis that the sample comes from a normal population with mean μ :

```
[h,ptest] = ttest(x,mu,0.05,'right')
h =
    0
ptest =
    0.4020
```

See Also [cdf](#), [tpdf](#), [tinv](#), [tstat](#), [trnd](#)

tdfread

Purpose Read tab-delimited file

Syntax

```
tdfread
tdfread(filename)
tdfread(filename,delimiter)
s = tdfread(filename,...)
```

Description tdfread displays the **File Open** dialog box for interactive selection of a data file, then reads data from the file. The file should have variable names separated by tabs in the first row, and data values separated by tabs in the remaining rows. tdfread creates variables in the workspace, one for each column of the file. The variable names are taken from the first row of the file. If a column of the file contains only numeric data in the second and following rows, tdfread creates a double variable. Otherwise, tdfread creates a char variable. After all values are imported, tdfread displays information about the imported values using the format of the tdfread command.

tdfread(*filename*) allows command line specification of the name of a file in the current directory, or the complete path name of any file, using the string *filename*.

tdfread(*filename*,*delimiter*) indicates that the character specified by *delimiter* separates columns in the file. Accepted values for *delimiter* are:

- ' ' or 'space'
- '\t' or 'tab'
- ',' or 'comma'
- ';' or 'semi'
- '|' or 'bar'

The default delimiter is 'tab'.

s = tdfread(*filename*,...) returns a scalar structure s whose fields each contain a variable.

Example

The following displays the contents of the file `sat2.dat`:

```
type sat2.dat

Test,Gender,Score
Verbal,Male,470
Verbal,Female,530
Quantitative,Male,520
Quantitative,Female,480
```

The following creates the variables `Gender`, `Score`, and `Test` from the file `sat2.dat` and displays the contents of the MATLAB® workspace:

```
tdfread('sat2.dat','')

Name      Size      Bytes      Class      Attributes

Gender    4x6        48         char

Score     4x1        32         double

Test      4x12       96         char
```

See Also

`tblread`, `caseread`

test

Purpose Error rate

Class @classregtree

Syntax

```
cost = test(t,'resubstitution')
cost = test(t,'test',X,y)
cost = test(t,'crossvalidate',X,y)
[cost,secost,ntnodes,bestlevel] = test(...)
[...] = test(...,param1,val1,param2,val2,...)
```

Description

`cost = test(t,'resubstitution')` computes the cost of the tree `t` using a resubstitution method. `t` is a decision tree as created by `classregtree`. The cost of the tree is the sum over all terminal nodes of the estimated probability of a node times the cost of a node. If `t` is a classification tree, the cost of a node is the sum of the misclassification costs of the observations in that node. If `t` is a regression tree, the cost of a node is the average squared error over the observations in that node. `cost` is a vector of cost values for each subtree in the optimal pruning sequence for `t`. The resubstitution cost is based on the same sample that was used to create the original tree, so it under estimates the likely cost of applying the tree to new data.

`cost = test(t,'test',X,y)` uses the matrix of predictors `X` and the response vector `y` as a test sample, applies the decision tree `t` to that sample, and returns a vector `cost` of cost values computed for the test sample. `X` and `y` should not be the same as the learning sample, that is, the sample that was used to fit the tree `t`.

`cost = test(t,'crossvalidate',X,y)` uses 10-fold cross-validation to compute the cost vector. `X` and `y` should be the learning sample, that is, the sample that was used to fit the tree `t`. The function partitions the sample into 10 subsamples, chosen randomly but with roughly equal size. For classification trees, the subsamples also have roughly the same class proportions. For each subsample, `test` fits a tree to the remaining data and uses it to predict the subsample. It pools the information from all subsamples to compute the cost for the whole sample.

`[cost,secost,ntnodes,bestlevel] = test(...)` also returns the vector `secost` containing the standard error of each cost value, the vector `ntnodes` containing the number of terminal nodes for each subtree, and the scalar `bestlevel` containing the estimated best level of pruning. A `bestlevel` of 0 means no pruning. The best level is the one that produces the smallest tree that is within one standard error of the minimum-cost subtree.

`[...] = test(...,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs for methods other than 'resubstitution', chosen from the following:

- 'nsamples' — The number of cross-validation samples (default is 10).
- 'treesize' — Either 'se' (default) to choose the smallest tree whose cost is within one standard error of the minimum cost, or 'min' to choose the minimal cost tree.

Example

Find the best tree for Fisher's iris data using cross-validation. Start with a large tree:

```
load fisheriris;


t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'},...
                'splitmin',5)

t =
Decision tree for classification
 1  if PL<2.45 then node 2 else node 3
 2  class = setosa
 3  if PW<1.75 then node 4 else node 5
 4  if PL<4.95 then node 6 else node 7
 5  class = virginica
 6  if PW<1.65 then node 8 else node 9
 7  if PW<1.55 then node 10 else node 11
 8  class = versicolor
 9  class = virginica
```

test

```
10 class = virginica
11 class = versicolor

view(t)
```




Find the minimum-cost tree:

```
[c,s,n,best] = test(t,'cross',meas,species);
tmin = prune(t,'level',best)
tmin =
```


```
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  class = versicolor
5  class = virginica
```

```
view(tmin)
```



Plot the smallest tree within one standard error of the minimum cost tree:

```
[mincost,minloc] = min(c);  
plot(n,c,'b-o',...  
     n(best+1),c(best+1),'bs',...  
     n,(mincost+s(minloc))*ones(size(n)),'k--')  
xlabel('Tree size (number of terminal nodes)')  
ylabel('Cost')
```



The solid line shows the estimated cost for each tree size, the dashed line marks one standard error above the minimum, and the square marks the smallest tree under the dashed line.

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also `classregtree, eval, view, prune`

test

Purpose Test indices for cross-validation

Class @cvpartition

Syntax
`idx = test(c)`
`idx = test(c,i)`

Description `idx = test(c)` returns the logical vector `idx` of test indices for an object `c` of the `@cvpartition` class of type `'holdout'` or `'resubstitution'`.
If `c.Type` is `'holdout'`, `idx` specifies the observations in the test set.
If `c.Type` is `'resubstitution'`, `idx` specifies all observations.
`idx = test(c,i)` returns the logical vector `idx` of test indices for repetition `i` of an object `c` of the `@cvpartition` class of type `'kfold'` or `'leaveout'`.
If `c.Type` is `'kfold'`, `idx` specifies the observations in the test set in fold `i`.
If `c.Type` is `'leaveout'`, `idx` specifies the observation left out at repetition `i`.

Example Identify the test indices in the first fold of a partition of 10 observations for 3-fold cross-validation:

```
c = cvpartition(10,'kfold',3)
c =
K-fold cross validation partition
      N: 10
  NumTestSets: 3
   TrainSize: 7 6 7
   TestSize: 3 4 3

test(c,1)
ans =
     1
     1
```


0
0
0
0
0
0
0
1
0

See Also cvpartition, training

tiedrank

Purpose Rank adjusted for ties

Syntax
[R,TIEADJ] = tiedrank(X)
[R,TIEADJ] = tiedrank(X,1)
[R,TIEADJ] = tiedrank(X,0,1)

Description [R,TIEADJ] = tiedrank(X) computes the ranks of the values in the vector X. If any X values are tied, tiedrank computes their average rank. The return value TIEADJ is an adjustment for ties required by the nonparametric tests signrank and ranksum, and for the computation of Spearman's rank correlation.

[R,TIEADJ] = tiedrank(X,1) computes the ranks of the values in the vector X. TIEADJ is a vector of three adjustments for ties required in the computation of Kendall's tau. tiedrank(X,0) is the same as tiedrank(X).

[R,TIEADJ] = tiedrank(X,0,1) computes the ranks from each end, so that the smallest and largest values get rank 1, the next smallest and largest get rank 2, etc. These ranks are used in the Ansari-Bradley test.

See Also ansaribradley, corr, partialcorr, ranksum, signrank

Purpose Student's t inverse cumulative distribution function

Syntax `X = tin(P,V)`

Description `X = tin(P,V)` computes the inverse of Student's t cdf with parameter V for the corresponding probabilities in P . P and V can be vectors, matrices, or multidimensional arrays that are the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The values in P must lie on the interval $[0\ 1]$.

The t inverse function in terms of the t cdf is

$$x = F^{-1}(p|v) = \{x:F(x|v)= p\}$$

where

$$p = F(x|v) = \int_{-\infty}^x \frac{\Gamma\left(\frac{v+1}{2}\right)}{\Gamma\left(\frac{v}{2}\right)} \frac{1}{\sqrt{v\pi}} \frac{1}{\left(1+\frac{t^2}{v}\right)^{\frac{v+1}{2}}} dt$$

The result, x , is the solution of the cdf integral with parameter v , where you supply the desired probability p .

Examples What is the 99th percentile of the t distribution for one to six degrees of freedom?

```
percentile = tin(0.99,1:6)
percentile =
    31.8205    6.9646    4.5407    3.7469    3.3649    3.1427
```

See Also `icdf`, `tcdf`, `tpdf`, `trnd`, `tstat`

Purpose Student's t probability density function

Syntax $Y = \text{tpdf}(X, V)$

Description $Y = \text{tpdf}(X, V)$ computes Student's t pdf at each of the values in X using the corresponding degrees of freedom in V . X and V can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

Student's t pdf is

$$y = f(x|v) = \frac{\Gamma\left(\frac{v+1}{2}\right)}{\Gamma\left(\frac{v}{2}\right)} \frac{1}{\sqrt{v\pi}} \frac{1}{\left(1 + \frac{x^2}{v}\right)^{\frac{v+1}{2}}}$$

Examples

The mode of the t distribution is at $x = 0$. This example shows that the value of the function at the mode is an increasing function of the degrees of freedom.

```
tpdf(0,1:6)
ans =
    0.3183    0.3536    0.3676    0.3750    0.3796    0.3827
```

The t distribution converges to the standard normal distribution as the degrees of freedom approaches infinity. How good is the approximation for $v = 30$?

```
difference = tpdf(-2.5:2.5,30) - normpdf(-2.5:2.5)
difference =
    0.0035   -0.0006   -0.0042   -0.0042   -0.0006   0.0035
```

See Also

pdf, tcdf, tinu, tstat, trnd

Purpose Training indices for cross-validation

Class @cvpartition

Syntax
`idx = training(c)`
`idx = training(c,i)`

Description `idx = training(c)` returns the logical vector `idx` of training indices for an object `c` of the `@cvpartition` class of type `'holdout'` or `'resubstitution'`.

If `c.Type` is `'holdout'`, `idx` specifies the observations in the training set.

If `c.Type` is `'resubstitution'`, `idx` specifies all observations.

`idx = training(c,i)` returns the logical vector `idx` of training indices for repetition `i` of an object `c` of the `@cvpartition` class of type `'kfold'` or `'leaveout'`.

If `c.Type` is `'kfold'`, `idx` specifies the observations in the training set in fold `i`.

If `c.Type` is `'leaveout'`, `idx` specifies the observations left in at repetition `i`.

Example Identify the training indices in the first fold of a partition of 10 observations for 3-fold cross-validation:

```
c = cvpartition(10,'kfold',3)
c =
K-fold cross validation partition
      N: 10
  NumTestSets: 3
   TrainSize: 7 6 7
   TestSize: 3 4 3

training(c,1)
ans =
```

training

```
0  
0  
1  
1  
1  
1  
1  
1  
1  
0  
1
```

See Also `cvpartition`, `test`

Purpose Plot tree

Syntax `treedisp(t)`
`treedisp(t,param1,va11,param2,va12,...)`

Description

Note This function is superseded by the `view` method of the “@classregtree” on page 17-6 class and is maintained only for backwards compatibility. It accepts objects `t` created with the `classregtree` constructor.

`treedisp(t)` takes as input a decision tree `t` as computed by the `treefit` function, and displays it in a figure window. Each branch in the tree is labeled with its decision rule, and each terminal node is labeled with the predicted value for that node.

For each branch node, the left child node corresponds to the points that satisfy the condition, and the right child node corresponds to the points that do not satisfy the condition.

The **Click to display** pop-up menu at the top of the figure enables you to display more information about each node:

Identity	The node number, whether the node is a branch or a leaf, and the rule that governs the node
Variable ranges	The range of each of the predictor variables for that node
Node statistics	Descriptive statistics for the observations falling into this node

After you select the type of information you want, click any node to display the information for that node.

The **Pruning level** button displays the number of levels that have been cut from the tree and the number of levels in the unpruned tree. For example, 1 of 6 indicates that the unpruned tree has six levels,

treedisp

and that one level has been cut from the tree. Use the spin button to change the pruning level.


`treedisp(t,param1,val1,param2,val2,...)` specifies optional parameter name-value pairs. Valid parameter strings are:

'names'	A cell array of names for the predictor variables, in the order in which they appear in the X matrix from which the tree was created (see <code>treefit</code>)
'prunelevel'	Initial pruning level to display

Examples

Create and graph classification tree for Fisher's iris data. The names in this example are abbreviations for the column contents (sepal length, sepal width, petal length, and petal width).

```
load fisheriris;
t = treefit(meas,species);
treedisp(t,'names',{'SL' 'SW' 'PL' 'PW'});
```


**Reference**

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

treefit, treeprune, treetest

treefit

Purpose Fit tree

Syntax
`t = treefit(X,y)`
`t = treefit(X,y,param1,val1,param2,val2,...)`

Description

Note This function is superseded by the `classregtree` constructor of the “@classregtree” on page 17-6 class and is maintained only for backwards compatibility. It returns objects `t` in the `classregtree` class.

`t = treefit(X,y)` creates a decision tree `t` for predicting response `y` as a function of predictors `X`. `X` is an `n`-by-`m` matrix of predictor values. `y` is either a vector of `n` response values (for regression), or a character array or cell array of strings containing `n` class names (for classification). Either way, `t` is a binary tree where each non-terminal node is split based on the values of a column of `X`.

`t = treefit(X,y,param1,val1,param2,val2,...)` specifies optional parameter name-value pairs. Valid parameter strings are:

For all trees:

'catidx'	Vector of indices of the columns of <code>X</code> . <code>treefit</code> treats these columns as unordered categorical values.
'method'	Either 'classification' (default if <code>y</code> is text) or 'regression' (default if <code>y</code> is numeric).
'splitmin'	A number <code>n</code> such that impure nodes must have <code>n</code> or more observations to be split (default 10).
'prune'	'on' (default) to compute the full tree and a sequence of pruned subtrees, or 'off' for the full tree without pruning.

For classification trees only:


'cost'	p-by-p matrix C, where p is the number of distinct response values or class names in the input y. C(i, j) is the cost of classifying a point into class j if its true class is i. (The default has C(i, j)=1 if i≠j, and C(i, j)=0 if i=j.) C can also be a structure S with two fields: S.group containing the group names (see “Grouped Data” on page 2-33), and S.cost containing a matrix of cost values.
'splitcriterion'	Criterion for choosing a split: either 'gdi' (default) for Gini's diversity index, 'twoing' for the twoing rule, or 'deviance' for maximum deviance reduction.
'priorprob'	Prior probabilities for each class, specified as a vector (one value for each distinct group name) or as a structure S with two fields: S.group containing the group names, and S.prob containing a vector of corresponding probabilities.

Examples

Create a classification tree for Fisher's iris data:

```
load fisheriris;
t = treefit(meas,species);
treedisp(t,'names',{'SL' 'SW' 'PL' 'PW'});
```

treefit



Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

treedisp, treetest

Purpose

Prune tree

Syntax

```
t2 = treeprune(t1,'level',level)
t2 = treeprune(t1,'nodes',nodes)
t2 = treeprune(t1)
```

Description

Note This function is superseded by the `prune` method of the “@classregtree” on page 17-6 class and is maintained only for backwards compatibility. It accepts objects `t1` created with the `classregtree` constructor and returns objects `t2` in the `classregtree` class.

`t2 = treeprune(t1,'level',level)` takes a decision tree `t1` as created by the `treefit` function, and a pruning level, and returns the decision tree `t2` pruned to that level. Setting `level` to 0 means no pruning. Trees are pruned based on an optimal pruning scheme that first prunes branches giving less improvement in error cost.

`t2 = treeprune(t1,'nodes',nodes)` prunes the nodes listed in the `nodes` vector from the tree. Any `t1` branch nodes listed in `nodes` become leaf nodes in `t2`, unless their parent nodes are also pruned. The `treedisp` function can display the node numbers for any node you select.

`t2 = treeprune(t1)` returns the decision tree `t2` that is the same as `t1`, but with the optimal pruning information added. This is useful only if you created `t1` by pruning another tree, or by using the `treefit` function with pruning set 'off'. If you plan to prune a tree multiple times, it is more efficient to create the optimal pruning sequence first.

Pruning is the process of reducing a tree by turning some branch nodes into leaf nodes, and removing the leaf nodes under the original branch.


Examples

Display the full tree for Fisher’s iris data, as well as the next largest tree from the optimal pruning sequence:


```
load fisheriris;
t1 = treefit(meas,species,'splitmin',5);
```

treeprune

```
treedisp(t1,'names',{'SL' 'SW' 'PL' 'PW'});
```



```
t2 = treeprune(t1,'level',1);  
treedisp(t2,'names',{'SL' 'SW' 'PL' 'PW'});
```

**Reference**

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

treefit, treetest, treedisp

treetest

Purpose Error rate

Syntax

```
cost = treetest(t,'resubstitution')
cost = treetest(t,'test',X,y)
cost = treetest(t,'crossvalidate',X,y)
[cost,secost,ntnodes,bestlevel] = treetest(...)
[...] = treetest(...,param1,va11,param2,va12,...)
```

Description

Note This function is superseded by the test method of the “@classregtree” on page 17-6 class and is maintained only for backwards compatibility. It accepts objects *t* created with the classregtree constructor.

`cost = treetest(t,'resubstitution')` computes the cost of the tree *t* using a resubstitution method. *t* is a decision tree as created by the `treefit` function. The cost of the tree is the sum over all terminal nodes of the estimated probability of that node times the node’s cost. If *t* is a classification tree, the cost of a node is the sum of the misclassification costs of the observations in that node. If *t* is a regression tree, the cost of a node is the average squared error over the observations in that node. `cost` is a vector of cost values for each subtree in the optimal pruning sequence for *t*. The resubstitution cost is based on the same sample that was used to create the original tree, so it underestimates the likely cost of applying the tree to new data.

`cost = treetest(t,'test',X,y)` uses the predictor matrix *X* and response *y* as a test sample, applies the decision tree *t* to that sample, and returns a vector `cost` of cost values computed for the test sample. *X* and *y* should not be the same as the learning sample, which is the sample that was used to fit the tree *t*.

`cost = treetest(t,'crossvalidate',X,y)` uses 10-fold cross-validation to compute the cost vector. *X* and *y* should be the learning sample, which is the sample that was used to fit the tree *t*. The function partitions the sample into 10 subsamples, chosen randomly but with roughly equal size. For classification trees, the subsamples also

have roughly the same class proportions. For each subsample, `treetest` fits a tree to the remaining data and uses it to predict the subsample. It pools the information from all subsamples to compute the cost for the whole sample.

`[cost,secost,ntnodes,bestlevel] = treetest(...)` also returns the vector `secost` containing the standard error of each cost value, the vector `ntnodes` containing number of terminal nodes for each subtree, and the scalar `bestlevel` containing the estimated best level of pruning. `bestlevel = 0` means no pruning, i.e., the full unpruned tree. The best level is the one that produces the smallest tree that is within one standard error of the minimum-cost subtree.

`[...] = treetest(...,param1,val1,param2,val2,...)` specifies optional parameter name-value pairs chosen from the following:

'nsamples'	The number of cross-validations samples (default is 10).
'treesize'	Either 'se' (default) to choose the smallest tree whose cost is within one standard error of the minimum cost, or 'min' to choose the minimal cost tree.

Examples

Find the best tree for Fisher's iris data using cross-validation. The solid line shows the estimated cost for each tree size, the dashed line marks one standard error above the minimum, and the square marks the smallest tree under the dashed line.


```
% Start with a large tree.
load fisheriris;
t = treefit(meas,species,'splitmin',5);

% Find the minimum-cost tree.
[c,s,n,best] = treetest(t,'cross',meas,species);
tmin = treeprune(t,'level',best);

% Plot smallest tree within 1 std of minimum cost tree.
[mincost,minloc] = min(c);
```

treetest

```
plot(n,c,'b-o',...
      n(best+1),c(best+1),'bs',...
      n,(mincost+s(minloc))*ones(size(n)),'k--');
xlabel('Tree size (number of terminal nodes)')
ylabel('Cost')
```



Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

treefit, treedisp

Purpose

Predicted responses

Syntax

```
yfit = treeval(t,X)
yfit = treeval(t,X,subtrees)
[yfit,node] = treeval(...)
[yfit,node,cname] = treeval(...)
```

Description

Note This function is superseded by the `eval` method of the “@classregtree” on page 17-6 class and is maintained only for backwards compatibility. It accepts objects `t` created with the `classregtree` constructor.

`yfit = treeval(t,X)` takes a classification or regression tree `t` as produced by the `treefit` function and a matrix `X` of predictor values, and produces a vector `yfit` of predicted response values. For a regression tree, `yfit(i)` is the fitted response value for a point having the predictor values `X(i,:)`. For a classification tree, `yfit(i)` is the class number into which the tree would assign the point with data `X(i,:)`. To convert the number into a class name, use the third output argument, `cname` (described below).

`yfit = treeval(t,X,subtrees)` takes an additional vector `subtrees` of pruning levels, with 0 representing the full, unpruned tree. `T` must include a pruning sequence as created by the `treefit` or `prunetree` function. If `subtree` has k elements and `X` has n rows, the output `yfit` is an n -by- k matrix, with the j th column containing the fitted values produced by the `subtrees(j)` subtree. `subtrees` must be sorted in ascending order.

`[yfit,node] = treeval(...)` also returns an array `node` of the same size as `yfit` containing the node number assigned to each row of `X`. The `treedispatch` function can display the node numbers for any node you select.

`[yfit,node,cname] = treeval(...)` is valid only for classification trees. It returns a cell array `cname` containing the predicted class names.

treeval

Examples

Find the predicted classifications for Fisher's iris data:

```
load fisheriris;
t = treefit(meas,species); % Create decision tree
sfit = treeval(t,meas); % Find assigned class numbers
sfit = t.classname(sfit); % Get class names
mean(strcmp(sfit,species)) % Proportion in correct class
ans =
    0.9800
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

treefit, treeprune, treetest

Purpose	Mean excluding outliers
Syntax	<code>m = trimmean(X,percent)</code> <code>trimmean(X,percent,dim)</code>
Description	<p><code>m = trimmean(X,percent)</code> calculates the mean of a sample <code>X</code> excluding the highest and lowest $(\text{percent}/2)\%$ of the observations. For a vector input, <code>m</code> is the trimmed mean of <code>X</code>. For a matrix input, <code>m</code> is a row vector containing the trimmed mean of each column of <code>X</code>. For <code>N</code>-dimensional arrays, <code>trimmean</code> operates along the first nonsingleton dimension of <code>X</code>. <code>percent</code> is a scalar between 0 and 100.</p> <p><code>trimmean(X,percent,dim)</code> takes the trimmed mean along dimension <code>dim</code> of <code>X</code>.</p>
Remarks	<p>The trimmed mean is a robust estimate of the location of a sample. If there are outliers in the data, the trimmed mean is a more representative estimate of the center of the body of the data than the mean. However, if the data is all from the same probability distribution, then the trimmed mean is less efficient than the sample mean as an estimator of the location of the data.</p>
Examples	<p>This example shows a Monte Carlo simulation of the efficiency of the 10% trimmed mean relative to the sample mean for normal data.</p> <pre>x = normrnd(0,1,100,100); m = mean(x); trim = trimmean(x,10); sm = std(m); strim = std(trim); efficiency = (sm/strim).^2 efficiency = 0.9702</pre>
See Also	<code>mean</code> , <code>median</code> , <code>geomean</code> , <code>harmmean</code>

trnd

Purpose Student's t random numbers

Syntax
R = trnd(V)
R = trnd(v,m)
R = trnd(V,m,n)

Description R = trnd(V) generates random numbers from Student's t distribution with V degrees of freedom. V can be a vector, a matrix, or a multidimensional array. The size of R is the size of V.

R = trnd(v,m) generates random numbers from Student's t distribution with v degrees of freedom, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = trnd(V,m,n) generates random numbers from Student's t distribution with V degrees of freedom, where scalars m and n are the row and column dimensions of R.

Example

```
noisy = trnd(ones(1,6))
noisy =
    19.7250    0.3488    0.2843    0.4034    0.4816   -2.4190

numbers = trnd(1:6,[1 6])
numbers =
   -1.9500   -0.9611   -0.9038    0.0754    0.9820    1.0115

numbers = trnd(3,2,6)
numbers =
   -0.3177  -0.0812  -0.6627    0.1905  -1.5585  -0.0433
    0.2536    0.5502    0.8646    0.8060  -0.5216    0.0891
```

See Also random, tpdf, tcdf, tinvs, tstat

Purpose Student's t mean and variance

Syntax `[M,V] = tstat(NU)`

Description `[M,V] = tstat(NU)` returns the mean of and variance for Student's t distribution with parameters specified by `NU`. `M` and `V` are the same size as `NU`.

The mean of the Student's t distribution with parameter ν is zero for values of ν greater than 1. If ν is one, the mean does not exist. The variance for values of ν greater than 2 is $\nu/(\nu - 2)$.

Examples Find the mean of and variance for 1 to 30 degrees of freedom.

```
[m,v] = tstat(reshape(1:30,6,5))
```

```
m =
```

```
NaN  0  0  0  0
  0  0  0  0  0
  0  0  0  0  0
  0  0  0  0  0
  0  0  0  0  0
  0  0  0  0  0
```

```
v =
```

```
NaN  1.4000  1.1818  1.1176  1.0870
NaN  1.3333  1.1667  1.1111  1.0833
3.0000  1.2857  1.1538  1.1053  1.0800
2.0000  1.2500  1.1429  1.1000  1.0769
1.6667  1.2222  1.1333  1.0952  1.0741
1.5000  1.2000  1.1250  1.0909  1.0714
```

Note that the variance does not exist for one and two degrees of freedom.

See Also `tpdf`, `tcdf`, `tinu`, `trnd`

ttest

Purpose One-sample t -test

Syntax

```
h = ttest(x)
h = ttest(x,m)
h = ttest(x,y)
h = ttest(...,alpha)
h = ttest(...,alpha,tail)
h = ttest(...,alpha,tail,dim)
[h,p] = ttest(...)
[h,p,ci] = ttest(...)
[h,p,ci,stats] = ttest(...)
```

Description `h = ttest(x)` performs a t -test of the null hypothesis that data in the vector x are a random sample from a normal distribution with mean 0 and unknown variance, against the alternative that the mean is not 0. The result of the test is returned in h . $h = 1$ indicates a rejection of the null hypothesis at the 5% significance level. $h = 0$ indicates a failure to reject the null hypothesis at the 5% significance level.

x can also be a matrix or an N -dimensional array. For matrices, `ttest` performs separate t -tests along each column of x and returns a vector of results. For N -dimensional arrays, `ttest` works along the first non-singleton dimension of x .

The test treats NaN values as missing data, and ignores them.

`h = ttest(x,m)` performs a t -test of the null hypothesis that data in the vector x are a random sample from a normal distribution with mean m and unknown variance, against the alternative that the mean is not m .

`h = ttest(x,y)` performs a paired t -test of the null hypothesis that data in the difference $x-y$ are a random sample from a normal distribution with mean 0 and unknown variance, against the alternative that the mean is not 0. x and y must be vectors of the same length, or arrays of the same size.

`h = ttest(...,alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is $\alpha = 0.05$.

`h = ttest(...,alpha,tail)` performs the test against the alternative specified by the string `tail`. There are three options for `tail`:

- `'both'` — Mean is not 0 (or `m`) (two-tailed test). This is the default, when `tail` is unspecified.
- `'right'` — Mean is greater than 0 (or `m`) (right-tail test)
- `'left'` — Mean is less than 0 (or `m`) (left-tail test)

`tail` must be a single string, even when `x` is a matrix or an N -dimensional array.

`h = ttest(...,alpha,tail,dim)` works along dimension `dim` of `x`, or of `x-y` for a paired test. Use `[]` to pass in default values for `m`, `alpha`, or `tail`.

`[h,p] = ttest(...)` returns the p -value of the test. The p -value is the probability, under the null hypothesis, of observing a value as extreme or more extreme of the test statistic

$$t = \frac{\bar{x} - \mu}{s / \sqrt{n}}$$

where \bar{x} is the sample mean, $\mu = 0$ (or `m`) is the hypothesized population mean, s is the sample standard deviation, and n is the sample size. Under the null hypothesis, the test statistic will have Student's t distribution with $n - 1$ degrees of freedom.

`[h,p,ci] = ttest(...)` returns a $100*(1 - \text{alpha})\%$ confidence interval on the population mean, or on the difference of population means for a paired test.

`[h,p,ci,stats] = ttest(...)` returns the structure `stats` with the following fields:

- `tstat` — Value of the test statistic
- `df` — Degrees of freedom of the test
- `sd` — Sample standard deviation

Example

Simulate a random sample of size 100 from a normal distribution with mean 0.1:

```
x = normrnd(0.1,1,1,100);
```

Test the null hypothesis that the sample comes from a normal distribution with mean 0:

```
[h,p,ci] = ttest(x,0)
h =
    0
p =
    0.8323
ci =
   -0.1650    0.2045
```

The test fails to reject the null hypothesis at the default $\alpha = 0.05$ significance level. Under the null hypothesis, the probability of observing a value as extreme or more extreme of the test statistic, as indicated by the p -value, is much greater than α . The 95% confidence interval on the mean contains 0.

Simulate a larger random sample of size 1000 from the same distribution:

```
y = normrnd(0.1,1,1,1000);
```

Test again if the sample comes from a normal distribution with mean 0:

```
[h,p,ci] = ttest(y,0)
h =
    1
p =
    0.0160
ci =
    0.0142    0.1379
```

This time the test rejects the null hypothesis at the default $\alpha = 0.05$ significance level. The p -value has fallen below $\alpha = 0.05$ and the 95% confidence interval on the mean does not contain 0.

Because the p -value of the sample y is greater than 0.01, the test will fail to reject the null hypothesis when the significance level is lowered to $\alpha = 0.01$:

```
[h,p,ci] = ttest(y,0,0.01)
h =
    0
p =
    0.0160
ci =
   -0.0053    0.1574
```

Notice that at the lowered significance level the 99% confidence interval on the mean widens to contain 0.

This example will produce slightly different results each time it is run, because of the random sampling.

See Also

ttest2, ztest

ttest2

Purpose Two-sample *t*-test

Syntax

```
h = ttest2(x,y)
h = ttest2(x,y,alpha)
h = ttest2(x,y,alpha,tail)
h = ttest2(x,y,alpha,tail,vartype)
h = ttest(x,y,alpha,tail,vartype,dim)
[h,p] = ttest2(...)
[h,p,ci] = ttest2(...)
[h,p,ci,stats] = ttest2(...)
```

Description `h = ttest2(x,y)` performs a *t*-test of the null hypothesis that data in the vectors `x` and `y` are independent random samples from normal distributions with equal means and equal but unknown variances, against the alternative that the means are not equal. The result of the test is returned in `h`. `h = 1` indicates a rejection of the null hypothesis at the 5% significance level. `h = 0` indicates a failure to reject the null hypothesis at the 5% significance level. `x` and `y` need not be vectors of the same length.

`x` and `y` can also be matrices or *N*-dimensional arrays. Matrices `x` and `y` must have the same number of columns, in which case `ttest2` performs separate *t*-tests along each column and returns a vector of results. *N*-dimensional arrays `x` and `y` must have the same size along all but the first non-singleton dimension, in which case `ttest2` works along the first non-singleton dimension.

The test treats NaN values as missing data, and ignores them.

`h = ttest2(x,y,alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is `alpha = 0.05`.

`h = ttest2(x,y,alpha,tail)` performs the test against the alternative specified by the string `tail`. There are three options for `tail`:

- 'both' — Means are not equal (two-tailed test). This is the default, when `tail` is unspecified.
- 'right' — Mean of `x` is greater than mean of `y` (right-tail test)

- 'left' — Mean of x is less than mean of y (left-tail test)

`tail` must be a single string, even when x is a matrix or an N -dimensional array.

`h = ttest2(x,y,alpha,tail,vartype)` performs the test under the assumption of equal or unequal population variances, as specified by the string `vartype`. There are two options for `vartype`:

- 'equal' — Assumes equal variances. This is the default, when `vartype` is unspecified.
- 'unequal' — Does not assume equal variances. This is the Behrens-Fisher problem.

`vartype` must be a single string, even when x is a matrix or an N -dimensional array.

If `vartype` is 'equal', the test computes a pooled sample standard deviation using

$$s = \sqrt{\frac{(n-1)s_x^2 + (m-1)s_y^2}{n+m-2}}$$

where s_x and s_y are the sample standard deviations of x and y , respectively, and n and m are the sample sizes of x and y , respectively.

`h = ttest(x,y,alpha,tail,vartype,dim)` works along dimension `dim` of x and y . Use `[]` to pass in default values for `alpha`, `tail`, or `vartype`.

`[h,p] = ttest2(...)` returns the p -value of the test. The p -value is the probability, under the null hypothesis, of observing a value as extreme or more extreme of the test statistic

$$t = \frac{\bar{x} - \bar{y}}{\sqrt{\frac{s_x^2}{n} + \frac{s_y^2}{m}}}$$

where \bar{x} and \bar{y} are the sample means, s_x and s_y are the sample standard deviations (replaced by the pooled standard deviation s in the default case where `vartype` is 'equal'), and n and m are the sample sizes.

In the default case where `vartype` is 'equal', the test statistic, under the null hypothesis, has Student's t distribution with $n + m - 2$ degrees of freedom.

In the case where `vartype` is 'unequal', the test statistic, under the null hypothesis, has an approximate Student's t distribution with a number of degrees of freedom given by Satterthwaite's approximation.

`[h,p,ci] = ttest2(...)` returns a $100*(1 - \alpha)\%$ confidence interval on the difference of population means.

`[h,p,ci,stats] = ttest2(...)` returns structure `stats` with the following fields:

- `tstat` — Value of the test statistic
- `df` — Degrees of freedom of the test
- `sd` — Pooled sample standard deviation (in the default case where `vartype` is 'equal') or a vector with the sample standard deviations (in the case where `vartype` is 'unequal').

Example

Simulate random samples of size 1000 from normal distributions with means 0 and 0.1, respectively, and standard deviations 1 and 2, respectively:

```
x = normrnd(0,1,1,1000);  
y = normrnd(0.1,2,1,1000);
```

Test the null hypothesis that the samples come from populations with equal means, against the alternative that the means are unequal. Perform the test assuming unequal variances:

```
[h,p,ci] = ttest2(x,y,[],[],'unequal')  
h =  
1
```

```
p =  
    0.0102  
ci =  
-0.3227  -0.0435
```

The test rejects the null hypothesis at the default $\alpha = 0.05$ significance level. Under the null hypothesis, the probability of observing a value as extreme or more extreme of the test statistic, as indicated by the p -value, is less than α . The 95% confidence interval on the mean of the difference does not contain 0.

This example will produce slightly different results each time it is run, because of the random sampling.

See Also

ttest, ztest

type

Purpose	Tree type
Class	@classregtree
Syntax	ttype = type(t)
Description	ttype = type(t) returns the type of the tree t. ttype is 'regression' for regression trees and 'classification' for classification trees.


Example Create a classification tree for Fisher's iris data:

```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})

t =
Decision tree for classification
1  if PL<2.45 then node 2 else node 3
2  class = setosa
3  if PW<1.75 then node 4 else node 5
4  if PL<4.95 then node 6 else node 7
5  class = virginica
6  if PW<1.65 then node 8 else node 9
7  class = virginica
8  class = versicolor
9  class = virginica

view(t)
```

```
ttype = type(t)
ttype =
classification
```

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

classregtree

unidcdf

Purpose Discrete uniform cumulative distribution function

Syntax `P = unidcdf(X,N)`

Description `P = unidcdf(X,N)` computes the discrete uniform cdf at each of the values in X using the corresponding parameters in N . X and N can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The maximum observable values in N must be positive integers.

The discrete uniform cdf is

$$p = F(x|N) = \frac{\text{floor}(x)}{N} I_{(1, \dots, N)}(x)$$

The result, p , is the probability that a single observation from the discrete uniform distribution with maximum N will be a positive integer less than or equal to x . The values x do not need to be integers.

Examples What is the probability of drawing a number 20 or less from a hat with the numbers from 1 to 50 inside?

```
probability = unidcdf(20,50)
probability =
    0.4000
```

See Also `cdf`, `unidpdf`, `unidinv`, `unidstat`, `unidrnd`, `mle`

Purpose

Discrete uniform inverse cumulative distribution function

Syntax

```
X = unidinv(P,N)
```

Description

`X = unidinv(P,N)` returns the smallest positive integer X such that the discrete uniform cdf evaluated at X is equal to or exceeds P . You can think of P as the probability of drawing a number as large as X out of a hat with the numbers 1 through N inside.

P and N can be vectors, matrices, or multidimensional arrays that have the same size, which is also the size of X . A scalar input for N or P is expanded to a constant array with the same dimensions as the other input. The values in P must lie on the interval $[0\ 1]$ and the values in N must be positive integers.

Examples

```
x = unidinv(0.7,20)
```

```
x =  
    14
```

```
y = unidinv(0.7 + eps,20)
```

```
y =  
    15
```

A small change in the first parameter produces a large jump in output. The cdf and its inverse are both step functions. The example shows what happens at a step.

See Also

`icdf`, `unidcdf`, `unidpdf`, `unidstat`, `unidrnd`

unidpdf

Purpose Discrete uniform probability density function

Syntax `Y = unidpdf(X,N)`

Description `Y = unidpdf(X,N)` computes the discrete uniform pdf at each of the values in `X` using the corresponding parameters in `N`. `X` and `N` can be vectors, matrices, or multidimensional arrays that have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `N` must be positive integers.

The discrete uniform pdf is

$$y = f(x|N) = \frac{1}{N} I_{(1, \dots, N)}(x)$$

You can think of y as the probability of observing any one number between 1 and n .

Examples For fixed n , the uniform discrete pdf is a constant.

```
y = unidpdf(1:6,10)
y =
    0.1000    0.1000    0.1000    0.1000    0.1000    0.1000
```

Now fix x , and vary n .

```
likelihood = unidpdf(5,4:9)
likelihood =
    0    0.2000    0.1667    0.1429    0.1250    0.1111
```

See Also `pdf`, `unidcdf`, `unidinv`, `unidstat`, `unidrnd`

Purpose	Discrete uniform random numbers
Syntax	<pre>R = unidrnd(N) R = unidrnd(N,v) R = unidrnd(N,m,n)</pre>
Description	<p>The discrete uniform distribution arises from experiments equivalent to drawing a number from one to N out of a hat.</p> <p><code>R = unidrnd(N)</code> generates random numbers for the discrete uniform distribution with maximum N. The parameters in N must be positive integers. N can be a vector, a matrix, or a multidimensional array. The size of R is the size of N.</p> <p><code>R = unidrnd(N,v)</code> generates random numbers for the discrete uniform distribution with maximum N, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.</p> <p><code>R = unidrnd(N,m,n)</code> generates random numbers for the discrete uniform distribution with maximum N, where scalars m and n are the row and column dimensions of R.</p>
Example	<p>In the Massachusetts lottery, a player chooses a four-digit number. Generate random numbers for Monday through Saturday.</p> <pre>numbers = unidrnd(10000,1,6) - 1 numbers = 4564 185 8214 4447 6154 7919</pre>
See Also	<code>random</code> , <code>unidpdf</code> , <code>unidcdf</code> , <code>unidinv</code> , <code>unidstat</code>

unidstat

Purpose Discrete uniform mean of and variance

Syntax `[M,V] = unidstat(N)`

Description `[M,V] = unidstat(N)` returns the mean of and variance for the discrete uniform distribution with parameter N .

The mean of the discrete uniform distribution with parameter N is $(N + 1)/2$. The variance is $(N^2 - 1)/12$.

Examples

```
[m,v] = unidstat(1:6)
m =
    1.0000    1.5000    2.0000    2.5000    3.0000    3.5000
v =
    0    0.2500    0.6667    1.2500    2.0000    2.9167
```

See Also `unidpdf`, `unidcdf`, `unidinv`, `unidrnd`

Purpose Continuous uniform cumulative distribution function

Syntax `P = unifcdf(X,A,B)`

Description `P = unifcdf(X,A,B)` computes the uniform cdf at each of the values in `X` using the corresponding parameters in `A` and `B` (the minimum and maximum values, respectively). `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant matrix with the same dimensions as the other inputs.

The uniform cdf is

$$p = F(x|a, b) = \frac{x-a}{b-a} I_{[a, b]}(x)$$

The standard uniform distribution has `A = 0` and `B = 1`.

Examples What is the probability that an observation from a standard uniform distribution will be less than 0.75?

```
probability = unifcdf(0.75)
probability =
    0.7500
```

What is the probability that an observation from a uniform distribution with `a = -1` and `b = 1` will be less than 0.75?

```
probability = unifcdf(0.75, -1, 1)
probability =
    0.8750
```

See Also `cdf`, `unifpdf`, `unifinv`, `unifstat`, `unifit`, `unifrnd`

unifinv

Purpose Continuous uniform inverse cumulative distribution function

Syntax `X = unifinv(P,A,B)`

Description `X = unifinv(P,A,B)` computes the inverse of the uniform cdf with parameters A and B (the minimum and maximum values, respectively) at the corresponding probabilities in P. P, A, and B can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs.

The inverse of the uniform cdf is

$$x = F^{-1}(p|a, b) = a + p(a - b)I_{[0, 1]}(p)$$

The standard uniform distribution has A = 0 and B = 1.

Examples What is the median of the standard uniform distribution?

```
median_value = unifinv(0.5)
median_value =
    0.5000
```

What is the 99th percentile of the uniform distribution between -1 and 1?

```
percentile = unifinv(0.99, -1, 1)
percentile =
    0.9800
```

See Also `icdf`, `unifcdf`, `unifpdf`, `unifstat`, `unifit`, `unifrnd`

Purpose

Continuous uniform parameter estimates

Syntax

```
[ahat,bhat] = unifit(data)
[ahat,bhat,ACI,BCI] = unifit(data)
[ahat,bhat,ACI,BCI] = unifit(data,alpha)
```

Description

[ahat,bhat] = unifit(data) returns the maximum likelihood estimates (MLEs) of the parameters of the uniform distribution given the data in data.

[ahat,bhat,ACI,BCI] = unifit(data) also returns 95% confidence intervals, ACI and BCI, which are matrices with two rows. The first row contains the lower bound of the interval for each column of the matrix data. The second row contains the upper bound of the interval.

[ahat,bhat,ACI,BCI] = unifit(data,alpha) enables you to control of the confidence level alpha. For example, if alpha = 0.01 then ACI and BCI are 99% confidence intervals.

Example

```
r = unifrnd(10,12,100,2);
[ahat,bhat,aci,bci] = unifit(r)
ahat =
    10.0154    10.0060
bhat =
    11.9989    11.9743
aci =
     9.9551     9.9461
    10.0154    10.0060
bci =
    11.9989    11.9743
    12.0592    12.0341
```

See Also

mle, unifpdf, unificdf, unifinv, unifstat, unifrnd

unifpdf

Purpose Continuous uniform probability density function

Syntax `Y = unifpdf(X,A,B)`

Description `Y = unifpdf(X,A,B)` computes the continuous uniform pdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array with the same dimensions as the other inputs. The parameters in `B` must be greater than those in `A`.

The continuous uniform distribution pdf is

$$y = f(x|a,b) = \frac{1}{b-a} I_{[a,b]}(x)$$

The standard uniform distribution has `A = 0` and `B = 1`.

Examples For fixed `a` and `b`, the uniform pdf is constant.

```
x = 0.1:0.1:0.6;  
y = unifpdf(x)  
y =  
    1    1    1    1    1    1
```

What if `x` is not between `a` and `b`?

```
y = unifpdf(-1,0,1)  
y =  
    0
```

See Also `pdf`, `unifcdf`, `unifinv`, `unifstat`, `unifit`, `unifrnd`

Purpose Continuous uniform random numbers

Syntax

```
R = unifrnd(A,B)
R = unifrnd(A,B,m)
R = unifrnd(A,B,m,n)
```

Description

R = unifrnd(A,B) generates uniform random numbers with parameters A and B. Vector or matrix inputs for A and B must have the same size, which is also the size of R. A scalar input for A or B is expanded to a constant matrix with the same dimensions as the other input.

R = unifrnd(A,B,m) generates uniform random numbers with parameters A and B, where m is a 1-by-2 vector that contains the row and column dimensions of R.

R = unifrnd(A,B,m,n) generates uniform random numbers with parameters A and B, where scalars m and n are the row and column dimensions of R.

Examples

```
random = unifrnd(0,1:6)
random =
    0.2190    0.0941    2.0366    2.7172    4.6735    2.3010

random = unifrnd(0,1:6,[1 6])
random =
    0.5194    1.6619    0.1037    0.2138    2.6485    4.0269

random = unifrnd(0,1,2,3)
random =
    0.0077    0.0668    0.6868
    0.3834    0.4175    0.5890
```

See Also random, unifpdf, unifcdf, unifinv, unifstat, unifit

unifstat

Purpose Continuous uniform mean and variance

Syntax `[M,V] = unifstat(A,B)`

Description `[M,V] = unifstat(A,B)` returns the mean of and variance for the continuous uniform distribution with parameters specified by A and B. Vector or matrix inputs for A and B must have the same size, which is also the size of M and V. A scalar input for A or B is expanded to a constant matrix with the same dimensions as the other input.

The mean of the continuous uniform distribution with parameters a and b is $(a + b)/2$, and the variance is $(b - a)^2/12$.

Examples

```
a = 1:6;
b = 2.*a;
[m,v] = unifstat(a,b)
m =
    1.5000    3.0000    4.5000    6.0000    7.5000    9.0000
v =
    0.0833    0.3333    0.7500    1.3333    2.0833    3.0000
```

See Also `unifpdf`, `unifcdf`, `unifinv`, `unifit`, `unifrnd`

Purpose Upper Pareto tails parameters

Class @paretotails

Syntax `params = upperparams(obj)`

Description `params = upperparams(obj)` returns the 2-element vector `params` of shape and scale parameters, respectively, of the upper tail of the Pareto tails object `obj`. `upperparams` does not return a location parameter.

Example Fit Pareto tails to a t distribution at cumulative probabilities 0.1 and 0.9:

```
t = trnd(3,100,1);
obj = paretotails(t,0.1,0.9);

lowerparams(obj)
ans =
    -0.1901    1.1898
upperparams(obj)
ans =
    0.3646    0.5103
```

See Also `paretotails`, `lowerparams`

var

Purpose Variance

Description MATLAB® function. See var in the MATLAB documentation.

See Also cov, iqr, mad, range, std

Purpose

Chi-square variance test

Syntax

```
H = vartest(X,V)
H = vartest(X,V,alpha)
H = vartest(X,V,alpha,tail)
[H,P] = vartest(...)
[H,P,CI] = vartest(...)
[H,P,CI,STATS] = vartest(...)
[...] = vartest(X,V,alpha,tail,dim)
```

Description

`H = vartest(X,V)` performs a chi-square test of the hypothesis that the data in the vector `X` comes from a normal distribution with variance `V`, against the alternative that `X` comes from a normal distribution with a different variance. The result is `H = 0` if the null hypothesis (variance is `V`) cannot be rejected at the 5% significance level, or `H = 1` if the null hypothesis can be rejected at the 5% level.

`X` may also be a matrix or an `n`-dimensional array. For matrices, `vartest` performs separate tests along each column of `X`, and returns a row vector of results. For `n`-dimensional arrays, `vartest` works along the first nonsingleton dimension of `X`. `V` must be a scalar.

`H = vartest(X,V,alpha)` performs the test at the significance level $(100*\alpha)\%$. `alpha` has a default value of 0.05 and must be a scalar.

`H = vartest(X,V,alpha,tail)` performs the test against the alternative hypothesis specified by `tail`, where `tail` is a single string from the following choices:

- 'both' — Variance is not `V` (two-tailed test). This is the default.
- 'right' — Variance is greater than `V` (right-tailed test).
- 'left' — Variance is less than `V` (left-tailed test).

`[H,P] = vartest(...)` returns the *p*-value, i.e., the probability of observing the given result, or one more extreme, by chance if the null hypothesis is true. Small values of `P` cast doubt on the validity of the null hypothesis.

vartest

`[H,P,CI] = vartest(...)` returns a $100*(1-\alpha)\%$ confidence interval for the true variance.

`[H,P,CI,STATS] = vartest(...)` returns the structure `STATS` with the following fields:

- 'chisqstat' — Value of the test statistic
- 'df' — Degrees of freedom of the test

`[...] = vartest(X,V,alpha,tail,dim)` works along dimension `dim` of `X`. Pass in `[]` for `alpha` or `tail` to use their default values.

Example

Determine whether the standard deviation is significantly different from 7?

```
load carsmall
```

```
[h,p,ci] = vartest(MPG,7^2)
```

See Also

`ttest`, `ztest`, `vartest2`

Purpose Two-sample F -test for equal variances

Syntax

```
H = vartest2(X,Y)
H = vartest2(X,Y,alpha)
H = vartest2(X,Y,alpha,tail)
[H,P] = vartest2(...)
[H,P,CI] = vartest2(...)
[H,P,CI,STATS] = vartest2(...)
[...] = vartest2(X,Y,alpha,tail,dim)
```

Description $H = \text{vartest2}(X,Y)$ performs an F test of the hypothesis that two independent samples, in the vectors X and Y , come from normal distributions with the same variance, against the alternative that they come from normal distributions with different variances. The result is $H = 0$ if the null hypothesis (variances are equal) cannot be rejected at the 5% significance level, or $H = 1$ if the null hypothesis can be rejected at the 5% level. X and Y can have different lengths. X and Y can also be matrices or n -dimensional arrays.

For matrices, `vartest2` performs separate tests along each column, and returns a vector of results. X and Y must have the same number of columns. For n -dimensional arrays, `vartest2` works along the first nonsingleton dimension. X and Y must have the same size along all the remaining dimensions.

$H = \text{vartest2}(X,Y,alpha)$ performs the test at the significance level $(100*alpha)\%$. $alpha$ must be a scalar.

$H = \text{vartest2}(X,Y,alpha,tail)$ performs the test against the alternative hypothesis specified by *tail*, where *tail* is one of the following single strings:

- 'both' — Variance is not Y (two-tailed test). This is the default.
- 'right' — Variance is greater than Y (right-tailed test).
- 'left' — Variance is less than Y (left-tailed test).

vartest2

`[H,P] = vartest2(...)` returns the p -value, i.e., the probability of observing the given result, or one more extreme, by chance if the null hypothesis is true. Small values of P cast doubt on the validity of the null hypothesis.

`[H,P,CI] = vartest2(...)` returns a $100*(1-\alpha)\%$ confidence interval for the true variance ratio $\text{var}(X)/\text{var}(Y)$.

`[H,P,CI,STATS] = vartest2(...)` returns a structure with the following fields:

- 'fstat' — Value of the test statistic
- 'df1' — Numerator degrees of freedom of the test
- 'df2' — Denominator degrees of freedom of the test

`[...] = vartest2(X,Y,alpha,tail,dim)` works along dimension `dim` of `X`. To pass in the default values for `alpha` or `tail` use `[]`.

Example

Is the variance significantly different for two model years, and what is a confidence interval for the ratio of these variances?

```
load carsmall
```

```
[H,P,CI] =  
vartest2(MPG(Model_Year==82),MPG(Model_Year==76))
```

See Also

ansaribradley, vartest, vartestn, ttest2

Purpose

Bartlett multiple-sample test for equal variances

Syntax

```
vartestn(X)
vartestn(X,group)
p = vartestn(...)
[p,STATS] = vartestn(...)
[...] = vartestn(...,displayopt)
[...] = vartestn(...,testtype)
```

Description

`vartestn(X)` performs Bartlett's test for equal variances for the columns of the matrix `X`. This is a test of the null hypothesis that the columns of `X` come from normal distributions with the same variance, against the alternative that they come from normal distributions with different variances. The result is a display of a box plot of the groups, and a summary table of statistics.

`vartestn(X,group)` requires a vector `X`, and a group argument that is a categorical variable, vector, string array, or cell array of strings with one row for each element of `X`. The `X` values corresponding to the same value of `group` are placed in the same group. (See “Grouped Data” on page 2-33.) The function tests for equal variances across groups.

`vartestn` treats NaNs as missing values and ignores them.

`p = vartestn(...)` returns the p -value, i.e., the probability of observing the given result, or one more extreme, by chance if the null hypothesis of equal variances is true. Small values of p cast doubt on the validity of the null hypothesis.

`[p,STATS] = vartestn(...)` returns a structure with the following fields:

- 'chistat' — Value of the test statistic
- 'df' — Degrees of freedom of the test

`[...] = vartestn(...,displayopt)` determines if a box plot and table are displayed. `displayopt` may be 'on' (the default) or 'off' .

vartestn


[...] = vartestn(..., *testtype*) sets the test type. When *testtype* is 'robust', vartestn performs Levene's test in place of Bartlett's test, which is a useful alternative when the sample distributions are not normal, and especially when they are prone to outliers. For this test the STATS output structure has a field named 'fstat' containing the test statistic, and 'df1' and 'df2' containing its numerator and denominator degrees of freedom. When *testtype* is 'classical' vartestn performs Bartlett's test.

Example

Does the variance of mileage measurements differ significantly from one model year to another?

```
load carsmall
p = vartestn(MPG, Model_Year)
p =
    0.8327
```

Group	Count	Mean	Std Dev
70	29	17.6897	5.33923
76	34	21.5735	5.8893
82	31	31.7097	5.39255
Pooled	94	23.7181	5.562
Bartlett's statistic	0.36619		
Degrees of freedom	2		
p-value	0.83269		



See Also

vartest, vartest2, anova1

view

Purpose Plot tree

Class @classregtree

Syntax
`view(t)`
`view(t,param1,val1,param2,val2,...)`

Description `view(t)` displays the decision tree `t` as computed by `classregtree` in a figure window. Each branch in the tree is labeled with its decision rule, and each terminal node is labeled with the predicted value for that node. Click any node to get more information about it. The information displayed is specified by the **Click to display** pop-up menu at the top of the figure.

`view(t,param1,val1,param2,val2,...)` specifies optional parameter name/value pairs:

- 'names' — A cell array of names for the predictor variables, in the order in which they appear in the matrix `X` from which the tree was created. (See `classregtree`.)
- 'prunelevel' — Initial pruning level to display.

For each branch node, the left child node corresponds to the points that satisfy the condition, and the right child node corresponds to the points that do not satisfy the condition.

Example Create a classification tree for Fisher's iris data:


```
load fisheriris;

t = classregtree(meas,species,...
                'names',{'SL' 'SW' 'PL' 'PW'})

t =
Decision tree for classification
1 if PL<2.45 then node 2 else node 3
2 class = setosa
```

```
3 if PW<1.75 then node 4 else node 5
4 if PL<4.95 then node 6 else node 7
5 class = virginica
6 if PW<1.65 then node 8 else node 9
7 class = virginica
8 class = versicolor
9 class = virginica
```

```
view(t)
```



view

Reference

[1] Breiman, L., et al., *Classification and Regression Trees*, Chapman & Hall, Boca Raton, 1993.

See Also

`classregtree`, `eval`, `test`, `prune`

Purpose Weibull cumulative distribution function

Syntax $P = \text{wblcdf}(X,A,B)$
 $[P,PLO,PUP] = \text{wblcdf}(X,A,B,PCOV,\alpha)$

Description $P = \text{wblcdf}(X,A,B)$ computes the cdf of the Weibull distribution with scale parameter A and shape parameter B, at each of the values in X. X, A, and B can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The default values for A and B are both 1. The parameters A and B must be positive.

$[P,PLO,PUP] = \text{wblcdf}(X,A,B,PCOV,\alpha)$ returns confidence bounds for P when the input parameters A and B are estimates. PCOV is the 2-by-2 covariance matrix of the estimated parameters. alpha has a default value of 0.05, and specifies 100(1 - alpha)% confidence bounds. PLO and PUP are arrays of the same size as P containing the lower and upper confidence bounds.

The function wblcdf computes confidence bounds for P using a normal approximation to the distribution of the estimate

$$\hat{b}(\log x - \log \hat{a})$$

and then transforms those bounds to the scale of the output P. The computed bounds give approximately the desired confidence level when you estimate mu, sigma, and PCOV from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The Weibull cdf is

$$p = F(x|a, b) = \int_0^x b a^{-b} t^{b-1} e^{-\left(\frac{t}{a}\right)^b} dt = 1 - e^{-\left(\frac{x}{a}\right)^b} I_{(0, \infty)}(x)$$

Examples What is the probability that a value from a Weibull distribution with parameters a = 0.15 and b = 0.8 is less than 0.5?

wblcdf

```
probability = wblcdf(0.5, 0.15, 0.8)
probability =
    0.9272
```

How sensitive is this result to small changes in the parameters?

```
[A, B] = meshgrid(0.1:0.05:0.2, 0.2:0.05:0.3);
probability = wblcdf(0.5, A, B)
probability =
    0.7484    0.7198    0.6991
    0.7758    0.7411    0.7156
    0.8022    0.7619    0.7319
```

See Also

`cdf`, `wblpdf`, `wblinv`, `wblstat`, `wblfit`, `wbllike`, `wblrnd`

Purpose

Weibull parameter estimates

Syntax

```

parmhat = wblfit(data)
[parmhat,parmci] = wblfit(data)
parmhat,parmci = wblfit(data,alpha)
[...] = wblfit(data,alpha,censoring)
[...] = wblfit(data,alpha,censoring,freq)
[...] = wblfit(...,options)

```

Description

`parmhat = wblfit(data)` returns the maximum likelihood estimates, `parmhat`, of the parameters of the Weibull distribution given the values in the vector `data`, which must be positive. `parmhat` is a two-element row vector: `parmhat(1)` estimates the Weibull parameter a , and `parmhat(2)` estimates the Weibull parameter b , in the pdf

$$y = f(x|a, b) = b a^{-b} x^{b-1} e^{-\left(\frac{x}{a}\right)^b} I_{(0, \infty)}(x)$$

`[parmhat,parmci] = wblfit(data)` returns 95% confidence intervals for the estimates of a and b in the 2-by-2 matrix `parmci`. The first row contains the lower bounds of the confidence intervals for the parameters, and the second row contains the upper bounds of the confidence intervals.

`[parmhat,parmci] = wblfit(data,alpha)` returns 100(1 - alpha)% confidence intervals for the parameter estimates.

`[...] = wblfit(data,alpha,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = wblfit(data,alpha,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. The vector `freq` typically contains integer frequencies for the corresponding elements in `data`, but can contain any non-negative values. Pass in `[]` for `alpha`, `censoring`, or `freq` to use their default values.

[...] = wblfit(...,options) accepts a structure, options, that specifies control parameters for the iterative algorithm the function uses to compute maximum likelihood estimates. The Weibull fit function accepts an options structure that can be created using the function statset. Enter statset ('wblfit') to see the names and default values of the parameters that lognfit accepts in the options structure. See the reference page for statset for more information about these options.

Example

```
data = wblrnd(0.5,0.8,100,1);  
[parmhat, parmci] = wblfit(data)  
parmhat =  
    0.5861    0.8567  
parmci =  
    0.4606    0.7360  
    0.7459    0.9973
```

See Also

mle, wbllike, wblpdf, wblcdf, wblinv, wblstat, wblrnd

Purpose Weibull inverse cumulative distribution function

Syntax `X = wblinv(P,A,B)`
`[X,XLO,XUP] = wblinv(P,A,B,PCOV,alpha)`

Description `X = wblinv(P,A,B)` returns the inverse cumulative distribution function (cdf) for a Weibull distribution with scale parameter A and shape parameter B, evaluated at the values in P. P, A, and B can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The default values for A and B are both 1.

`[X,XLO,XUP] = wblinv(P,A,B,PCOV,alpha)` returns confidence bounds for X when the input parameters A and B are estimates. PCOV is a 2-by-2 matrix containing the covariance matrix of the estimated parameters. alpha has a default value of 0.05, and specifies 100(1 - alpha)% confidence bounds. XLO and XUP are arrays of the same size as X containing the lower and upper confidence bounds.

The function `wblinv` computes confidence bounds for X using a normal approximation to the distribution of the estimate

$$\log \hat{a} - \frac{\log q}{\hat{b}}$$

where q is the P th quantile from a Weibull distribution with scale and shape parameters both equal to 1. The computed bounds give approximately the desired confidence level when you estimate μ , σ , and PCOV from large samples, but in smaller samples other methods of computing the confidence bounds might be more accurate.

The inverse of the Weibull cdf is

$$x = F^{-1}(p|\alpha, b) = \left[\alpha \ln \left(\frac{1}{1-p} \right) \right]^{\frac{1}{b}} I_{[0,1]}(p)$$

Examples

The lifetimes (in hours) of a batch of light bulbs has a Weibull distribution with parameters $a = 200$ and $b = 6$. What is the median lifetime of the bulbs?

```
life = wblinv(0.5, 200, 6)
life =
    188.1486
```

What is the 90th percentile?

```
life = wblinv(0.9, 200, 6)
life =
    229.8261
```

See Also

`icdf`, `wblcdf`, `wblpdf`, `wblstat`, `wblfit`, `wbllike`, `wblrnd`

Purpose

Weibull negative log-likelihood

Syntax

```
nlogL = wbllike(params,data)
[logL,AVAR] = wbllike(params,data)
[...] = wbllike(params,data,censoring)
[...] = wbllike(params,data,censoring,freq)
```

Description

`nlogL = wbllike(params,data)` returns the Weibull log-likelihood with parameters `params(1) = a` and `params(2) = b` given the data x_i .

`[logL,AVAR] = wbllike(params,data)` also returns `AVAR`, which is the asymptotic variance-covariance matrix of the parameter estimates if the values in `params` are the maximum likelihood estimates. `AVAR` is the inverse of Fisher's information matrix. The diagonal elements of `AVAR` are the asymptotic variances of their respective parameters.

`[...] = wbllike(params,data,censoring)` accepts a Boolean vector, `censoring`, of the same size as `data`, which is 1 for observations that are right-censored and 0 for observations that are observed exactly.

`[...] = wbllike(params,data,censoring,freq)` accepts a frequency vector, `freq`, of the same size as `data`. `freq` typically contains integer frequencies for the corresponding elements in `data`, but can contain any nonnegative values. Pass in `[]` for `censoring` to use its default value.

The Weibull negative log-likelihood for uncensored data is

$$(-\log L) = -\log \prod_{i=1}^n f(a,b|x_i) = -\sum_{i=1}^n \log f(a,b|x_i)$$

where f is the Weibull pdf.

`wbllike` is a utility function for maximum likelihood estimation.

Example

This example continues the example from `wblfit`.

```
r = wblrnd(0.5,0.8,100,1);
[logL, AVAR] = wbllike(wblfit(r),r)
```

```
logL =  
 47.3349  
AVAR =  
 0.0048  0.0014  
 0.0014  0.0040
```

Reference

[1] Patel, J. K., C. H. Kapadia, and D. B. Owen, *Handbook of Statistical Distributions*, Marcel-Dekker, 1976.

See Also

wblfit, wblpdf, wblcdf, wblinv, wblstat, wblrnd

Purpose Weibull probability density function

Syntax `Y = wblpdf(X,A,B)`

Description `Y = wblpdf(X,A,B)` computes the Weibull pdf at each of the values in `X` using the corresponding parameters in `A` and `B`. `X`, `A`, and `B` can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other inputs. The parameters in `A` and `B` must be positive.

The Weibull pdf is

$$= f(x|a, b) = b a^{-b} x^{b-1} e^{-\left(\frac{x}{a}\right)^b} I_{(0, \infty)}(x)$$

Some references refer to the Weibull distribution with a single parameter. This corresponds to `wblpdf` with `A = 1`.

Examples The exponential distribution is a special case of the Weibull distribution.

```
lambda = 1:6;
y = wblpdf(0.1:0.1:0.6, lambda, 1)
y =
    0.9048    0.4524    0.3016    0.2262    0.1810    0.1508

y1 = exppdf(0.1:0.1:0.6, lambda)
y1 =
    0.9048    0.4524    0.3016    0.2262    0.1810    0.1508
```

Reference [1] Devroye, L., *Non-Uniform Random Variate Generation*, Springer-Verlag, 1986.

See Also `pdf`, `wblcdf`, `wblfit`, `wblinv`, `wbllike`, `wblplot`, `wblrnd`, `wblstat`

wblplot

Purpose Weibull probability plot


Syntax `wblplot(X)`
`h = wblplot(X)`

Description `wblplot(X)` displays a Weibull probability plot of the data in `X`. If `X` is a matrix, `wblplot` displays a plot for each column.

`h = wblplot(X)` returns handles to the plotted lines.

The purpose of a Weibull probability plot is to graphically assess whether the data in `X` could come from a Weibull distribution. If the data are Weibull the plot will be linear. Other distribution types might introduce curvature in the plot. `wblplot` uses midpoint probability plotting positions. Use `probplot` when the data included censored observations.

Example `r = wblrnd(1.2,1.5,50,1);`
`wblplot(r)`

**See Also**

probplot, normplot, wblcdf, wblfit, wblinv, wbllike, wblpdf, wblrnd, wblstat

wblrnd

Purpose Weibull random numbers

Syntax
R = wblrnd(A,B)
R = wblrnd(A,B,v)
R = wblrnd(A,B,m,n)

Description R = wblrnd(A,B) generates random numbers for the Weibull distribution with parameters A and B. The input arguments A and B can be either scalars or matrices. A and B, can be vectors, matrices, or multidimensional arrays that all have the same size. A scalar input is expanded to a constant array of the same size as the other input.

R = wblrnd(A,B,v) generates random numbers for the Weibull distribution with parameters A and B, where v is a row vector. If v is a 1-by-2 vector, R is a matrix with v(1) rows and v(2) columns. If v is 1-by-n, R is an n-dimensional array.

R = wblrnd(A,B,m,n) generates random numbers for the Weibull distribution with parameters A and B, where scalars m and n are the row and column dimensions of R.

Devroye [1] refers to the Weibull distribution with a single parameter; this is wblrnd with A = 1.

Example

```
n1 = wblrnd(0.5:0.5:2,0.5:0.5:2)
n1 =
    0.0178    0.0860    2.5216    0.9124

n2 = wblrnd(1/2,1/2,[1 6])
n2 =
    0.0046    1.7214    2.2108    0.0367    0.0531    0.0917
```

Reference [1] Devroye, L., *Non-Uniform Random Variate Generation*, Springer-Verlag, 1986.

See Also random, wblpdf, wblcdf, wblinv, wblstat, wblfit, wbllike

Purpose Weibull mean and variance

Syntax `[M,V] = wblstat(A,B)`

Description `[M,V] = wblstat(A,B)` returns the mean of and variance for the Weibull distribution with parameters specified by A and B. Vector or matrix inputs for A and B must have the same size, which is also the size of M and V. A scalar input for A or B is expanded to a constant matrix with the same dimensions as the other input.

The mean of the Weibull distribution with parameters a and b is

$$a[\Gamma(1 + b^{-1})]$$

and the variance is

$$a^2[\Gamma(1 + 2b^{-1}) - \Gamma(1 + b^{-1})^2]$$

Examples

```
[m,v] = wblstat(1:4,1:4)
m =
    1.0000    1.7725    2.6789    3.6256
v =
    1.0000    0.8584    0.9480    1.0346

wblstat(0.5,0.7)
ans =
    0.6329
```

See Also `wblpdf`, `wblcdf`, `wblinv`, `wblfit`, `wbllike`, `wblrnd`

wishrnd

Purpose

Wishart random numbers

Syntax

```
W = wishrnd(sigma,df)
W = wishrnd(sigma,df,D)
[W,D] = wishrnd(sigma,df)
```

Description

`W = wishrnd(sigma,df)` generates a random matrix `W` having the Wishart distribution with covariance matrix `sigma` and with `df` degrees of freedom.

`W = wishrnd(sigma,df,D)` expects `D` to be the Cholesky factor of `sigma`. If you call `wishrnd` multiple times using the same value of `sigma`, it's more efficient to supply `D` instead of computing it each time.

`[W,D] = wishrnd(sigma,df)` returns `D` so you can provide it as input in future calls to `wishrnd`.

See Also

`iwishrnd`

Purpose Convert predictor matrix to design matrix

Syntax

```
D = x2fx(X,model)
D = x2fx(X,model,categ)
D = x2fx(X,model,categ,catlevels)
```

Description `D = x2fx(X,model)` converts a matrix of predictors X to a design matrix D for regression analysis. Distinct predictor variables should appear in different columns of X .

The optional input `model` controls the regression model. By default, `x2fx` returns the design matrix for a linear additive model with a constant term. `model` is one of the following strings:

- 'linear' — Constant and linear terms. This is the default.
- 'interaction' — Constant, linear, and interaction terms
- 'quadratic' — Constant, linear, interaction, and squared terms
- 'purequadratic' — Constant, linear, and squared terms

If X has n columns, the order of the columns of D for a full quadratic model is:

- 1 The constant term
- 2 The linear terms (the columns of X , in order 1, 2, ..., n)
- 3 The interaction terms (pairwise products of the columns of X , in order (1, 2), (1, 3), ..., (1, n), (2, 3), ..., ($n-1$, n))
- 4 The squared terms (in order 1, 2, ..., n)

Other models use a subset of these terms, in the same order.

Alternatively, `model` can be a matrix specifying polynomial terms of arbitrary order. In this case, `model` should have one column for each column in X and one row for each term in the model. The entries in any row of `model` are powers for the corresponding columns of X . For

example, if X has columns X_1 , X_2 , and X_3 , then a row $[0 \ 1 \ 2]$ in *model* specifies the term $(X_1.^0) \cdot (X_2.^1) \cdot (X_3.^2)$. A row of all zeros in *model* specifies a constant term, which can be omitted.

$D = \text{x2fx}(X, \text{model}, \text{categ})$ treats columns with numbers listed in the vector *categ* as categorical variables. Terms involving categorical variables produce dummy variable columns in D . Dummy variables are computed under the assumption that possible categorical levels are completely enumerated by the unique values that appear in the corresponding column of X .

$D = \text{x2fx}(X, \text{model}, \text{categ}, \text{catlevels})$ accepts a vector *catlevels* the same length as *categ*, specifying the number of levels in each categorical variable. In this case, values in the corresponding column of X must be integers in the range from 1 to the specified number of levels. Not all of the levels need to appear in X .

Examples

Example 1

The following converts 2 predictors X_1 and X_2 (the columns of X) into a design matrix for a full quadratic model with terms constant, X_1 , X_2 , $X_1 \cdot X_2$, $X_1.^2$, and $X_2.^2$.

```
X = [ 1 10
      2 20
      3 10
      4 20
      5 15
      6 15];
```

```
D = x2fx(X, 'quadratic')
```

```
D =
     1     1    10    10     1   100
     1     2    20    40     4   400
     1     3    10    30     9   100
     1     4    20    80    16   400
     1     5    15    75    25   225
     1     6    15    90    36   225
```


Example 2

The following converts 2 predictors X1 and X2 (the columns of X) into a design matrix for a quadratic model with terms constant, X1, X2, X1.*X2, and X1.^2.

```
X = [1 10
      2 20
      3 10
      4 20
      5 15
      6 15];
model = [0 0
         1 0
         0 1
         1 1
         2 0];

D = x2fx(X,model)
D =
     1     1    10    10     1
     1     2    20    40     4
     1     3    10    30     9
     1     4    20    80    16
     1     5    15    75    25
     1     6    15    90    36
```

See Also

regstats, rstool, candexch, candgen, cordexch, and rowexch.

zscore

Purpose Standardized z -scores

Syntax

```
Z = zscore(X)
[Z,mu,sigma] = zscore(X)
[...] = zscore(X,1)
[...] = zscore(X,flag,dim)
```

Description `Z = zscore(X)` returns a centered, scaled version of X , the same size as X . For vector input x , output is the vector of z -scores $z = (x - \text{mean}(x)) ./ \text{std}(x)$. For matrix input X , z -scores are computed using the mean and standard deviation along each column of X . For higher-dimensional arrays, z -scores are computed using the mean and standard deviation along the first non-singleton dimension.

The columns of Z have mean zero and standard deviation one (unless a column of X is constant, in which case that column of Z is constant at 0). z -scores are used to put data on the same scale before further analysis.


`[Z,mu,sigma] = zscore(X)` also returns $\text{mean}(X)$ in μ and $\text{std}(X)$ in σ .

`[...] = zscore(X,1)` normalizes X using $\text{std}(X,1)$, that is, by computing the standard deviation(s) using n rather than $n-1$, where n is the length of the dimension along which `zscore` works. `zscore(X,0)` is the same as `zscore(X)`.

`[...] = zscore(X,flag,dim)` standardizes X by working along the dimension dim of X . Set `flag` to 0 to use the default normalization by $n-1$; set `flag` to 1 to use n .

Example Compare the predictors in the Moore data on original and standardized scales:

```
load moore
predictors = moore(:,1:5);
subplot(2,1,1),plot(predictors)
subplot(2,1,2),plot(zscore(predictors))
```

**See Also**

mean, std

ztest

Purpose

z-test

Syntax

```
h = ztest(x,m,sigma)
h = ztest(...,alpha)
h = ztest(...,alpha,tail)
h = ztest(...,alpha,tail,dim)
[h,p] = ztest(...)
[h,p,ci] = ztest(...)
[h,p,ci,zval] = ztest(...)
```

Description

`h = ztest(x,m,sigma)` performs a *z*-test of the null hypothesis that data in the vector `x` are a random sample from a normal distribution with mean `m` and standard deviation `sigma`, against the alternative that the mean is not `m`. The result of the test is returned in `h`. `h = 1` indicates a rejection of the null hypothesis at the 5% significance level. `h = 0` indicates a failure to reject the null hypothesis at the 5% significance level.

`x` can also be a matrix or an *N*-dimensional array. For matrices, `ztest` performs separate *z*-tests along each column of `x` and returns a vector of results. For *N*-dimensional arrays, `ztest` works along the first non-singleton dimension of `x`.

The test treats NaN values as missing data, and ignores them.

`h = ztest(...,alpha)` performs the test at the $(100*\alpha)\%$ significance level. The default, when unspecified, is `alpha = 0.05`.

`h = ztest(...,alpha,tail)` performs the test against the alternative specified by the string `tail`. There are three options for `tail`:

- 'both' — Mean is not `m` (two-tailed test). This is the default, when `tail` is unspecified.
- 'right' — Mean is greater than `m` (right-tail test)
- 'left' — Mean is less than `m` (left-tail test)

`tail` must be a single string, even when `x` is a matrix or an *N*-dimensional array.

`h = ztest(..., alpha, tail, dim)` works along dimension `dim` of `x`. Use `[]` to pass in default values for `alpha` or `tail`.

`[h,p] = ztest(...)` returns the p -value of the test. The p -value is the probability, under the null hypothesis, of observing a value as extreme or more extreme of the test statistic

$$z = \frac{\bar{x} - \mu}{\sigma / \sqrt{n}}$$

where \bar{x} is the sample mean, $\mu = m$ is the hypothesized population mean, σ is the population standard deviation, and n is the sample size. Under the null hypothesis, the test statistic will have a standard normal distribution, $N(0,1)$.

`[h,p,ci] = ztest(...)` returns a $100*(1 - \text{alpha})\%$ confidence interval on the population mean.

`[h,p,ci,zval] = ztest(...)` returns the value of the test statistic.

Example

Simulate a random sample of size 100 from a normal distribution with mean 0.1 and standard deviation 1:

```
x = normrnd(0.1,1,1,100);
```

Test the null hypothesis that the sample comes from a standard normal distribution:

```
[h,p,ci] = ztest(x,0,1)
h =
    0
p =
    0.1391
ci =
   -0.0481    0.3439
```

The test fails to reject the null hypothesis at the default $\alpha = 0.05$ significance level. Under the null hypothesis, the probability of observing a value as extreme or more extreme of the test statistic, as

indicated by the p -value, is greater than α . The 95% confidence interval on the mean contains 0.

Simulate a larger random sample of size 1000 from the same distribution:

```
y = normrnd(0.1,1,1,1000);
```

Test again if the sample comes from a normal distribution with mean 0:

```
[h,p,ci] = ztest(y,0,1)
h =
     1
p =
 5.5160e-005
ci =
 0.0655    0.1895
```

This time the test rejects the null hypothesis at the default $\alpha = 0.05$ significance level. The p -value has fallen below $\alpha = 0.05$ and the 95% confidence interval on the mean does not contain 0.

Because the p -value of the sample y is less than 0.01, the test will still reject the null hypothesis when the significance level is lowered to $\alpha = 0.01$:

```
[h,p,ci] = ztest(y,0,1,0.01)
h =
     1
p =
 5.5160e-005
ci =
 0.0461    0.2090
```

This example will produce slightly different results each time it is run, because of the random sampling.

See Also

ttest, ttest2

Class Reference

@categorical (p. 17-2)	Arrays for categorical data
@classregtree (p. 17-6)	Classification and regression trees
@cvpartition (p. 17-8)	Data partitions for cross-validation
@dataset (p. 17-11)	Arrays for statistical data
@gmdistribution (p. 17-14)	Gaussian mixture models
@haltonset (p. 17-17)	Halton quasi-random point sets
@nominal (p. 17-19)	Arrays for nominal categorical data
@ordinal (p. 17-23)	Arrays for ordinal categorical data
@paretotails (p. 17-28)	Empirical distributions with Pareto tails
@piecewisedistribution (p. 17-30)	Piecewise-defined distributions
@qrandset (p. 17-32)	Quasi-random point sets
@qrandstream (p. 17-34)	Quasi-random number streams
@sobolset (p. 17-36)	Sobol quasi-random point sets

@categorical

Arrays for categorical data

In this section...
“Hierarchy” on page 17-2
“Constructor” on page 17-2
“Properties” on page 17-2
“Methods” on page 17-2

Hierarchy

Superclasses: None

Subclasses: @nominal, @ordinal

Constructor

@categorical is an abstract class. To construct a categorical object, use one of the subclass constructors, nominal or ordinal.

Properties

Name	Description
labels	Text labels for levels. Access labels with getLabels.
undefLabel	Text label for undefined levels. Constant property with value '<undefined>'.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help categorical/methodname
```


Method	Description
addlevels	Add levels.
cellstr	Convert to cell array of strings.
char	Convert to character array.
circshift	Shift circularly.
ctranspose	Transpose. To invoke this method, use the ' operator.
disp	Display, without printing array name.
display	Display, printing array name. To invoke this method, enter the name of a categorical array at the command prompt.
double	Convert to double array.
droplevels	Remove levels.
end	Last index in indexing expression.
flipdim	Flip along specified dimension.
fliplr	Flip in left/right direction.
flipud	Flip in up/down direction.
getlabels	Get level labels.
int8	Convert to int8 array.
int16	Convert to int16 array.
int32	Convert to int32 array.
int64	Convert to int64 array.
ipermute	Inverse permute dimensions.
isempty	True for empty array.
isequal	True if arrays are equal.
islevel	Test for array levels.
isscalar	True if array is scalar.
isundefined	True for elements of array that are undefined.
isvector	True if array is vector.

Method	Description
<code>length</code>	Length of array.
<code>levelcounts</code>	Element counts by level.
<code>ndims</code>	Number of dimensions.
<code>numel</code>	Number of elements.
<code>permute</code>	Permute dimensions.
<code>reorderlevels</code>	Reorder levels.
<code> repmat</code>	Replicate and tile array.
<code>reshape</code>	Change size of array.
<code>rot90</code>	Rotate 90 degrees.
<code>setlabels</code>	Relabel levels.
<code>shiftdim</code>	Shift dimensions.
<code>single</code>	Convert to single array.
<code>size</code>	Size of array.
<code>squeeze</code>	Squeeze singleton dimensions from array.
<code>subsasgn</code>	Subscripted assignment. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.
<code>subsref</code>	Subscripted reference. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.
<code>summary</code>	Summary of array.
<code>times</code>	Product of arrays. To invoke this method, use the <code>.*</code> operator.
<code>transpose</code>	Transpose. To invoke this method, use the <code>.'</code> operator.
<code>uint8</code>	Convert to uint8 array.
<code>uint16</code>	Convert to uint16 array.
<code>uint32</code>	Convert to uint32 array.

Method	Description
uint64	Convert to uint64 array.
unique	Unique values in array.

@classregtree

Classification and regression trees

In this section...
“Hierarchy” on page 17-6
“Constructor” on page 17-6
“Properties” on page 17-6
“Methods” on page 17-6

Hierarchy

Superclasses: None

Subclasses: None

Constructor

classregtree

Properties

Objects of the @classregtree class have no properties accessible by dot indexing, get methods, or set methods. To obtain information about a @classregtree object, use one of the methods listed in the following table.

Methods

The following table contains links to methods with supporting reference pages, including examples.

Name	Description
children	Child nodes.
classcount	Class counts. Classification trees only.
classprob	Class probabilities. Classification trees only.

Name	Description
classregtree	Construct classification and regression trees.
cutcategories	Cut categories.
cutpoint	Cut points.
cuttype	Cut types.
cutvar	Cut variable names.
eval	Predicted responses.
isbranch	Test node for branch.
nodeerr	Node errors.
nodeprob	Node probabilities.
nodesize	Node size.
numnodes	Number of nodes.
parent	Parent node.
prune	Prune tree.
risk	Node risks.
test	Error rate.
type	Tree type.
view	Plot tree.

@cvpartition

Data partitions for cross-validation

In this section...
“Hierarchy” on page 17-8
“Constructor” on page 17-8
“Properties” on page 17-8
“Methods” on page 17-9

Hierarchy

Superclasses: None

Subclasses: None

Constructor

cvpartition

Properties

Property	Description
N	Number of observations (including observations with missing group values).
NumTestSets	Number of test sets. <ul style="list-style-type: none"> • Value is the number of folds in partitions of type 'kfold' and 'leaveout'. • Value is 1 in partitions of type 'holdout' and 'resubstitution'.

Property	Description
TestSize	<p>Size of each test set.</p> <ul style="list-style-type: none"> • Value is a vector in partitions of type 'kfold' and 'leaveout'. • Value is a scalar in partitions of type 'holdout' and 'resubstitution'.
TrainSize	<p>Size of each training set.</p> <ul style="list-style-type: none"> • Value is a vector in partitions of type 'kfold' and 'leaveout'. • Value is a scalar in partitions of type 'holdout' and 'resubstitution'.
Type	<p>Type of partition. Value is one of the following:</p> <ul style="list-style-type: none"> • 'kfold' • 'leaveout' • 'holdout' • 'resubstitution'

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help cvpartition/methodname
```

Method	Description
disp	Display, without printing partition name.
display	Display, printing partition name. To invoke this method, enter the name of a partition at the command prompt.
cvpartition	Construct data partition for cross-validation.

Method	Description
repartition	Repartition data.
test	Test indices of partition.
training	Training indices of partition.

@dataset

Arrays for statistical data

In this section...
“Hierarchy” on page 17-11
“Constructor” on page 17-11
“Properties” on page 17-11
“Methods” on page 17-12

Hierarchy

Superclasses: None

Subclasses: None

Constructor

dataset

Properties

Property	Value
Description	A string describing the data set. The default is an empty string.
Units	A cell array of strings giving the units of the variables in the data set. The number of strings must equal the number of variables. Strings may be empty. The default is an empty cell array.
DimNames	A cell array of two strings giving the names of the rows and columns, respectively, of the data set. The default is {'Observations' 'Variables'}.
UserData	Any variable containing additional information to be associated with the data set. The default is an empty array.

Property	Value
ObsNames	A cell array of nonempty, distinct strings giving the names of the observations in the data set. The number of strings must equal the number of observations. The default is an empty cell array.
VarNames	A cell array of nonempty, distinct strings giving the names of the variables in the data set. The number of strings must equal the number of variables. The default is the cell array of string names for the variables used to create the data set.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help dataset/methodname
```

Method	Description
cat	Concatenate dataset arrays. The horzcat and vertcat methods implement special cases.
dataset	Construct dataset array.
datasetfun	Apply function to each variable of dataset array.
disp	Display dataset array, without printing data set name.
display	Display dataset array, printing data set name. To invoke this method, enter the name of a dataset array at the command prompt.
double	Convert dataset variables to double array.
end	Last index in indexing expression for dataset array.
get	Get dataset array property.
grpstats	A version of the grpstats function that accepts dataset arrays and categorical grouping variables as inputs.

Method	Description
horzcat	Horizontal concatenation for dataset arrays (add variables). To invoke this method, use square brackets, as described in “Combining Dataset Arrays” on page 2-29.
isempty	True for empty dataset array.
join	Merge observations from two dataset arrays.
length	Length of dataset array.
ndims	Number of dimensions of dataset array.
numel	Number of elements in dataset array.
replacedata	Convert array to dataset variables.
set	Set dataset array property value.
single	Convert dataset variables to single array.
size	Size of dataset array.
sortrows	Sort rows of dataset array.
subsasgn	Subscripted assignment for dataset array. To invoke this method, use parenthesis, dot, and curly brace indexing described in “Accessing Dataset Arrays” on page 2-27.
subsref	Subscripted reference for dataset array. To invoke this method, use parenthesis, dot, and curly brace indexing described in “Accessing Dataset Arrays” on page 2-27.
summary	Print summary statistics for dataset array.
unique	Unique observations in dataset.
vertcat	Vertical concatenation for dataset arrays (add observations). To invoke this method, use square brackets, as described in “Combining Dataset Arrays” on page 2-29.

@gmdistribution

Gaussian mixture models

In this section...
“Hierarchy” on page 17-14
“Constructors” on page 17-14
“Properties” on page 17-14
“Methods” on page 17-15

Hierarchy

Superclasses: None

Subclasses: None

Constructors

gmdistribution, fit

Properties

All objects of the class have the properties listed in the following table.

Property	Description
CovType	The string 'diagonal' if the covariance matrices are restricted to be diagonal; the string 'full' otherwise.
DistName	The string 'gaussian mixture distribution'.
mu	Input matrix of means MU.
NComponents	The number k of mixture components.
NDimensions	The dimension d of the multivariate Gaussian distributions.
PComponents	Optional input vector of mixing proportions p , or its default value.

Property	Description
SharedCov	Logical true if all the covariance matrices are restricted to be the same (pooled estimate); logical false otherwise.
Sigma	Input array of covariances SIGMA.

Objects constructed with `fit` have the additional properties listed in the following table.

Property	Description
AIC	The Akaike information criterion: $2*N\log L + 2*m$, where m is the number of estimated parameters.
BIC	The Bayes information criterion: $2*N\log L + 2*m*\log(n)$, where n is the number of observations and m is the number of estimated parameters.
Converged	Logical true if the algorithm has converged; logical false if the algorithm has not converged.
Iters	The number of iterations of the algorithm.
NlogL	The negative of the log-likelihood of the data.
RegV	The value of the parameter 'Regularize'.

Methods

The following table contains links to methods with supporting reference pages, including examples.

Method	Description
<code>cdf</code>	Cumulative distribution function for Gaussian mixture distribution.
<code>cluster</code>	Construct clusters from Gaussian mixture distribution.
<code>fit</code>	Gaussian mixture parameter estimates.
<code>gmdistribution</code>	Construct Gaussian mixture distribution.

Method	Description
mahal	Mahalanobis distance to component means.
pdf	Probability density function for Gaussian mixture distribution.
posterior	Posterior probabilities of components.
random	Random numbers from Gaussian mixture distribution.

@haltonset

Halton quasi-random point sets

In this section...
“Hierarchy” on page 17-17
“Constructor” on page 17-17
“Properties” on page 17-17
“Methods” on page 17-18

Hierarchy

Superclasses: @qrandset

Subclasses: None

Constructor

haltonset

Properties

Inherited Properties

Properties in the following table are inherited from @qrandset.

Property	Description
Dimensions	Number of dimensions (positive integer). Read only. Set at construction.
Leap	Interval between points (positive integer).
ScrambleMethod	A structure with fields Type and Options, giving the scramble settings. Set this property using the scramble method. The only supported value for Type is 'RR2'.

Property	Description
Skip	Number of initial points omitted (positive integer).
Type	Subclass (string). Read only. Set at construction.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help haltonset/methodname
```

Inherited Methods

Methods in the following table are inherited from @qrandset.

Method	Description
disp	Display properties. To invoke this method, enter the name of an object at the command prompt.
end	Last index in indexing expression.
haltonset	Construct Halton quasi-random point set.
length	Number of points. Determined by the Skip and Leap properties. The default length is 2^{53} .
net	Generate point set.
ndims	Number of dimensions of the point set. This method always returns 2.
scramble	Scramble point set.
size	Size of the point set. The size along the first dimension is the length of the point set; the size along the second dimension is the number of dimensions of the point set.
subsref	Subscripted reference. To invoke this method, use parenthesis indexing.

@nominal

Arrays for nominal categorical data

In this section...
“Hierarchy” on page 17-19
“Constructor” on page 17-19
“Properties” on page 17-19
“Methods” on page 17-19

Hierarchy

Superclasses: @categorical

Subclasses: None

Constructor

nominal

Properties

Inherited Properties

Properties in the following table are inherited from @categorical.

Name	Description
labels	Text labels for levels. Access labels with <code>getLabels</code> .
undefLabel	Text label for undefined levels. Constant property with value '<undefined>'.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

help nominal/*methodname*

Method	Description
cat	Concatenate arrays. The horzcat and vertcat methods implement special cases.
eq	Equality for arrays. To invoke this method, use the == operator.
horzcat	Horizontal concatenation. To invoke this method, use square brackets, as described in “Combining Categorical Arrays” on page 2-19.
intersect	Set intersection.
ismember	True for set member.
mergelevels	Merge levels.
ne	Not equal. To invoke this method, use the ~= operator.
nominal	Construct nominal categorical array.
setdiff	Set differences.
setxor	Set exclusive or.
union	Set union.
vertcat	Vertical concatenation. To invoke this method, use square brackets, as described in “Combining Categorical Arrays” on page 2-19.

Inherited Methods

Methods in the following table are inherited from @categorical.

Method	Description
addlevels	Add levels.
cellstr	Convert to cell array of strings.
char	Convert to character array.
circshift	Shift circularly.

Method	Description
ctranspose	Transpose. To invoke this method, use the ' operator.
disp	Display, without printing array name.
display	Display, printing array name. To invoke this method, enter the name of a categorical array at the command prompt.
double	Convert to double array.
droplevels	Remove levels.
end	Last index in indexing expression.
flipdim	Flip along specified dimension.
flipplr	Flip in left/right direction.
flipud	Flip in up/down direction.
getlabels	Get level labels.
int8	Convert to int8 array.
int16	Convert to int16 array.
int32	Convert to int32 array.
int64	Convert to int64 array.
ipermute	Inverse permute dimensions.
isempty	True for empty array.
isequal	True if arrays are equal.
isscalar	True if array is scalar.
islevel	Test for array levels.
isundefined	True for elements of array that are undefined.
isvector	True if array is vector.
length	Length of array.
levelcounts	Element counts by level.
ndims	Number of dimensions.
numel	Number of elements.

Method	Description
<code>permute</code>	Permute dimensions.
<code>reorderlevels</code>	Reorder levels.
<code>repmat</code>	Replicate and tile array.
<code>reshape</code>	Change size of array.
<code>rot90</code>	Rotate 90 degrees.
<code>setlabels</code>	Relabel levels.
<code>shiftdim</code>	Shift dimensions.
<code>single</code>	Convert to single array.
<code>size</code>	Size of array.
<code>squeeze</code>	Squeeze singleton dimensions from array.
<code>subsasgn</code>	Subscripted assignment. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.
<code>subsref</code>	Subscripted reference. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.
<code>summary</code>	Summary of array.
<code>times</code>	Product of arrays. To invoke this method, use the <code>.*</code> operator.
<code>transpose</code>	Transpose. To invoke this method, use the <code>.'</code> operator.
<code>uint8</code>	Convert to uint8 array.
<code>uint16</code>	Convert to uint16 array.
<code>uint32</code>	Convert to uint32 array.
<code>uint64</code>	Convert to uint64 array.
<code>unique</code>	Unique values in array.

@ordinal

Arrays for ordinal categorical data

In this section...
“Hierarchy” on page 17-23
“Constructor” on page 17-23
“Properties” on page 17-23
“Methods” on page 17-23

Hierarchy

Superclasses: @categorical

Subclasses: None

Constructor

ordinal

Properties

Inherited Properties

Properties in the following table are inherited from @categorical.

Name	Description
labels	Text labels for levels. Access labels with <code>getLabels</code> .
undefLabel	Text label for undefined levels. Constant property with value '<undefined>'.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

help ordinal/*methodname*

Method	Description
cat	Concatenate arrays. The horzcat and vertcat methods implement special cases.
eq	Equality for arrays. To invoke this method, use the == operator.
ge	Greater than or equal to. To invoke this method, use the >= operator.
gt	Greater than. To invoke this method, use the > operator.
horzcat	Horizontal concatenations. To invoke this method, use square brackets, as described in “Combining Categorical Arrays” on page 2-19.
intersect	Set intersection.
ismember	True for set member.
issorted	True for sorted array.
le	Less than or equal to. To invoke this method, use the <= operator.
lt	Less than. To invoke this method, use the < operator.
max	Largest element.
mergelevels	Merge levels.
min	Smallest element.
ne	Not equal. To invoke this method, use the ~= operator.
ordinal	Construct ordinal categorical array.
setdiff	Set difference.
setxor	Set exclusive or.
sort	Sort array in ascending or descending order.
sortrows	Sort rows in ascending order.

Method	Description
union	Set union.
vertcat	Vertical concatenation. To invoke this method, use square brackets, as described in “Combining Categorical Arrays” on page 2-19.

Inherited Methods

Methods in the following table are inherited from @categorical.

Method	Description
addlevels	Add levels.
cellstr	Convert to cell array of strings.
char	Convert to character array.
circshift	Shift circularly.
ctranspose	Transpose. To invoke this method, use the ' operator.
disp	Display, without printing array name.
display	Display, printing array name. To invoke this method, enter the name of a categorical array at the command prompt.
double	Convert to double array.
droplevels	Remove levels.
end	Last index in indexing expression.
flipdim	Flip along specified dimension.
fliplr	Flip in left/right direction.
flipud	Flip in up/down direction.
getlabels	Get level labels.
int8	Convert to int8 array.
int16	Convert to int16 array.
int32	Convert to int32 array.

Method	Description
<code>int64</code>	Convert to int64 array.
<code>ipermute</code>	Inverse permute dimensions.
<code>isempty</code>	True for empty array.
<code>isequal</code>	True if arrays are equal.
<code>islevel</code>	Test for array levels.
<code>isscalar</code>	True if array is scalar.
<code>isundefined</code>	True for elements of array that are undefined.
<code>isvector</code>	True if array is vector.
<code>length</code>	Length of array.
<code>levelcounts</code>	Element counts by level.
<code>ndims</code>	Number of dimensions.
<code>numel</code>	Number of elements.
<code>permute</code>	Permute dimensions.
<code>reorderlevels</code>	Reorder levels.
<code>repmat</code>	Replicate and tile array.
<code>reshape</code>	Change size of array.
<code>rot90</code>	Rotate 90 degrees.
<code>setlabels</code>	Relabel levels.
<code>shiftdim</code>	Shift dimensions.
<code>single</code>	Convert to single array.
<code>size</code>	Size of array.
<code>squeeze</code>	Squeeze singleton dimensions from array.
<code>subsasgn</code>	Subscripted assignment. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.

Method	Description
suboref	Subscripted reference. To invoke this method, use parenthesis indexing, as described in “Accessing Categorical Arrays” on page 2-18.
summary	Summary of array.
times	Product of arrays. To invoke this method, use the .* operator.
transpose	Transpose. To invoke this method, use the .' operator.
uint8	Convert to uint8 array.
uint16	Convert to uint16 array.
uint32	Convert to uint32 array.
uint64	Convert to uint64 array.
unique	Unique values in array.

@paretotails

Empirical distributions with Pareto tails

In this section...
“Hierarchy” on page 17-28
“Constructor” on page 17-28
“Properties” on page 17-28
“Methods” on page 17-28

Hierarchy

Superclasses: @piecewisedistribution

Subclasses: None

Constructor

paretotails

Properties

Objects of the @paretotails class have no properties accessible by dot indexing, get methods, or set methods. To obtain information about a @paretotails object, use one of the methods listed in the following table.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help paretotails/methodname
```

Method	Description
lowerparams	Parameters of distribution lower tail.
paretotails	Construct Pareto tails object.

Method	Description
suboref	Subscripted reference. To invoke this method, use parenthesis indexing, as demonstrated in the example below.
upperparams	Parameters of distribution upper tail.

Inherited Methods

Methods in the following table are inherited from @piecwisedistribution.

Method	Description
boundary	Boundary points of distribution segments.
cdf	Cumulative distribution function.
disp	Display distribution properties, without printing name.
display	Display distribution properties, printing name. To invoke this method, enter the name of a piecwisedistribution object at the command prompt.
icdf	Inverse cumulative distribution function.
nsegments	Number of distribution segments.
pdf	Probability density function.
random	Random numbers from distribution.
segment	Segment of distribution containing input values.

@piecewisedistribution

Piecewise-defined distributions

In this section...
“Hierarchy” on page 17-30
“Constructor” on page 17-30
“Properties” on page 17-30
“Methods” on page 17-30

Hierarchy

Superclasses: None

Subclasses: @paretotails

Constructor

@piecewisedistribution is an abstract class. To construct a piecewisedistribution object, use the subclass constructor, paretotails.

Properties

Objects of the @piecewisedistribution class have no properties accessible by dot indexing, get methods, or set methods. To obtain information about a @piecewisedistribution object, use one of the methods listed in the following table.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help piecewisedistribution/methodname
```

Method	Description
boundary	Boundary points of distribution segments.

Method	Description
<code>cdf</code>	Cumulative distribution function.
<code>disp</code>	Display distribution properties, without printing name.
<code>display</code>	Display distribution properties, printing name. To invoke this method, enter the name of a <code>piecewisedistribution</code> object at the command prompt.
<code>icdf</code>	Inverse cumulative distribution function.
<code>nsegments</code>	Number of distribution segments.
<code>pdf</code>	Probability density function.
<code>random</code>	Random numbers from distribution.
<code>segment</code>	Segment of distribution containing input values.

@qrandset

Quasi-random point sets

In this section...
“Hierarchy” on page 17-32
“Constructor” on page 17-32
“Properties” on page 17-32
“Methods” on page 17-33

Hierarchy

Superclasses: None

Subclasses: @haltonset, @sobolset

Constructor

@qrandset is an abstract class. To construct a qrandset object, use one of the subclass constructors, haltonset or sobolset.

Properties

Property	Description
Dimensions	Number of dimensions (positive integer). Read only. Set at construction.
Leap	Interval between points (positive integer).
ScrambleMethod	A structure with fields Type and Options, giving the scramble settings. Set this property using the scramble method. Supported values for Type and Options depend on the subclass.
Skip	Number of initial points omitted (positive integer).
Type	Subclass (string). Read only. Set at construction.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help grandset /methodname
```

Method	Description
disp	Display properties. To invoke this method, enter the name of an object at the command prompt.
end	Last index in indexing expression.
length	Number of points. Determined by the Skip and Leap properties. The default length is 2^{53} .
net	Generate point set.
ndims	Number of dimensions of the point set. This method always returns 2.
scramble	Scramble point set.
size	Size of the point set. The size along the first dimension is the length of the point set; the size along the second dimension is the number of dimensions of the point set.
suboref	Subscripted reference. To invoke this method, use parenthesis indexing.

@grandstream

Quasi-random number streams

In this section...
“Hierarchy” on page 17-34
“Constructor” on page 17-34
“Properties” on page 17-34
“Methods” on page 17-34

Hierarchy

Superclasses: None

Subclasses: None

Constructor

grandstream

Properties

Name	Description
PointSet	Point set from which the stream is drawn. Read only.
State	Point set index of the next number to be drawn (positive integer).

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help grandstream/methodname
```


Name	Description
disp	Display properties. To invoke this method, enter the name of an object at the command prompt.
grand	Generate points from stream.
grandstream	Construct quasi-random number stream.
reset	Reset state to 1.

@sobolset

Sobol quasi-random point sets

In this section...
“Hierarchy” on page 17-36
“Constructor” on page 17-36
“Properties” on page 17-36
“Methods” on page 17-37

Hierarchy

Superclasses: @qrandset

Subclasses: None

Constructor

sobolset

Properties

Property	Description
PointOrder	Point generation method. Values are 'standard' or 'graycode'.

Inherited Properties

Properties in the following table are inherited from @qrandset.

Property	Description
Dimensions	Number of dimensions (positive integer). Read only. Set at construction.
Leap	Interval between points (positive integer).

Property	Description
ScrambleMethod	A structure with fields Type and Options, giving the scramble settings. Set this property using the scramble method. The only supported value for Type is 'MatousekAffineOwen'.
Skip	Number of initial points omitted (positive integer).
Type	Subclass (string). Read only. Set at construction.

Methods

The following table contains links to methods with supporting reference pages, including examples. For help on methods without links, type:

```
help sobolset/methodname
```

Inherited Methods

Methods in the following table are inherited from @grandset.

Method	Description
disp	Display properties. To invoke this method, enter the name of an object at the command prompt.
end	Last index in indexing expression.
length	Number of points. Determined by the Skip and Leap properties. The default length is 2^{53} .
net	Generate point set.
ndims	Number of dimensions of the point set. This method always returns 2.
scramble	Scramble point set.
size	Size of the point set. The size along the first dimension is the length of the point set; the size along the second dimension is the number of dimensions of the point set.

Method	Description
sobolset	Construct Sobol quasi-random point set.
subsref	Subscripted reference. To invoke this method, use parenthesis indexing.

Distribution Reference

- “Bernoulli Distribution” on page 18-3
- “Beta Distribution” on page 18-4
- “Binomial Distribution” on page 18-7
- “Birnbaum-Saunders Distribution” on page 18-10
- “Chi-Square Distribution” on page 18-11
- “Copulas” on page 18-13
- “Custom Distributions” on page 18-14
- “Exponential Distribution” on page 18-15
- “Extreme Value Distribution” on page 18-18
- “F Distribution” on page 18-22
- “Gamma Distribution” on page 18-24
- “Gaussian Distribution” on page 18-27
- “Gaussian Mixture Distributions” on page 18-28
- “Generalized Extreme Value Distribution” on page 18-29
- “Generalized Pareto Distribution” on page 18-34
- “Geometric Distribution” on page 18-38
- “Hypergeometric Distribution” on page 18-40
- “Inverse Gaussian Distribution” on page 18-42
- “Inverse Wishart Distribution” on page 18-43
- “Johnson System” on page 18-44
- “Logistic Distribution” on page 18-45

- “Loglogistic Distribution” on page 18-46
- “Lognormal Distribution” on page 18-47
- “Multinomial Distribution” on page 18-49
- “Multivariate Gaussian Distribution” on page 18-51
- “Multivariate Normal Distribution” on page 18-52
- “Multivariate t Distribution” on page 18-57
- “Nakagami Distribution” on page 18-62
- “Negative Binomial Distribution” on page 18-63
- “Noncentral Chi-Square Distribution” on page 18-67
- “Noncentral F Distribution” on page 18-69
- “Noncentral t Distribution” on page 18-71
- “Nonparametric Distributions” on page 18-73
- “Normal Distribution” on page 18-74
- “Pareto Distribution” on page 18-77
- “Pearson System” on page 18-78
- “Piecewise Distributions” on page 18-79
- “Poisson Distribution” on page 18-80
- “Rayleigh Distribution” on page 18-82
- “Rician Distribution” on page 18-84
- “Student’s t Distribution” on page 18-85
- “t Location-Scale Distribution” on page 18-87
- “Uniform Distribution (Continuous)” on page 18-88
- “Uniform Distribution (Discrete)” on page 18-90
- “Weibull Distribution” on page 18-92
- “Wishart Distribution” on page 18-94

Bernoulli Distribution

Definition of the Bernoulli Distribution

The Bernoulli distribution is a special case of the binomial distribution, with $n = 1$.

Beta Distribution

In this section...

“Definition” on page 18-4

“Background” on page 18-4

“Parameters” on page 18-5

“Example” on page 18-6

Definition

The beta pdf is

$$y = f(x|a, b) = \frac{1}{B(a, b)} x^{a-1} (1-x)^{b-1} I_{(0,1)}(x)$$

where $B(\cdot)$ is the Beta function. The indicator function $I_{(0,1)}(x)$ ensures that only values of x in the range $(0, 1)$ have nonzero probability.

Background

The beta distribution describes a family of curves that are unique in that they are nonzero only on the interval $(0, 1)$. A more general version of the function assigns parameters to the endpoints of the interval.

The beta cdf is the same as the incomplete beta function.

The beta distribution has a functional relationship with the t distribution. If Y is an observation from Student's t distribution with ν degrees of freedom, then the following transformation generates X , which is beta distributed.

$$X = \frac{1}{2} + \frac{1}{2} \frac{Y}{\sqrt{\nu + Y^2}}$$

If $Y \sim t(\nu)$, then $X \sim \beta\left(\frac{\nu}{2}, \frac{\nu}{2}\right)$

This relationship is used to compute values of the t cdf and inverse function as well as generating t distributed random numbers.

Parameters

Suppose you are collecting data that has hard lower and upper bounds of zero and one respectively. Parameter estimation is the process of determining the parameters of the beta distribution that fit this data best in some sense.

One popular criterion of goodness is to maximize the likelihood function. The likelihood has the same form as the beta pdf. But for the pdf, the parameters are known constants and the variable is x . The likelihood function reverses the roles of the variables. Here, the sample values (the x 's) are already observed. So they are the fixed constants. The variables are the unknown parameters. Maximum likelihood estimation (MLE) involves calculating the values of the parameters that give the highest likelihood given the particular set of data.

The function `betafit` returns the MLEs and confidence intervals for the parameters of the beta distribution. Here is an example using random numbers from the beta distribution with $a = 5$ and $b = 0.2$.

```
r = betarnd(5,0.2,100,1);
[phat, pci] = betafit(r)

phat =
    4.5330    0.2301


pci =
    2.8051    0.1771
    6.2610    0.2832
```

The MLE for parameter a is 4.5330, compared to the true value of 5. The 95% confidence interval for a goes from 2.8051 to 6.2610, which includes the true value.

Similarly the MLE for parameter b is 0.2301, compared to the true value of 0.2. The 95% confidence interval for b goes from 0.1771 to 0.2832, which also includes the true value. In this made-up example you know the “true value.” In experimentation you do not.

Example

The shape of the beta distribution is quite variable depending on the values of the parameters, as illustrated by the plot below.



The constant pdf (the flat line) shows that the standard uniform distribution is a special case of the beta distribution.

Binomial Distribution

In this section...

“Definition” on page 18-7

“Background” on page 18-7

“Parameters” on page 18-8

“Example” on page 18-9

Definition

The binomial pdf is

$$f(k | n, p) = \binom{n}{k} p^k (1-p)^{n-k}$$

where k is the number of successes in n trials of a Bernoulli process with probability of success p .

The binomial distribution is discrete, defined for integers $k = 0, 1, 2, \dots, n$, where it is nonzero.

Background

The binomial distribution models the total number of successes in repeated trials from an infinite population under the following conditions:

- Only two outcomes are possible on each of n trials.
- The probability of success for each trial is constant.
- All trials are independent of each other.

The binomial distribution is a generalization of the Bernoulli distribution; it generalizes to the multinomial distribution.

Parameters

Suppose you are collecting data from a widget manufacturing process, and you record the number of widgets within specification in each batch of 100. You might be interested in the probability that an individual widget is within specification. Parameter estimation is the process of determining the parameter, p , of the binomial distribution that fits this data best in some sense.

One popular criterion of goodness is to maximize the likelihood function. The likelihood has the same form as the binomial pdf above. But for the pdf, the parameters (n and p) are known constants and the variable is x . The likelihood function reverses the roles of the variables. Here, the sample values (the x 's) are already observed. So they are the fixed constants. The variables are the unknown parameters. MLE involves calculating the value of p that give the highest likelihood given the particular set of data.

The function `binofit` returns the MLEs and confidence intervals for the parameters of the binomial distribution. Here is an example using random numbers from the binomial distribution with $n = 100$ and $p = 0.9$.

```
r = binornd(100,0.9)

r =
    88

[phat, pci] = binofit(r,100)

phat =
    0.8800


pci =
    0.7998
    0.9364
```

The MLE for parameter p is 0.8800, compared to the true value of 0.9. The 95% confidence interval for p goes from 0.7998 to 0.9364, which includes the true value. In this made-up example you know the “true value” of p . In experimentation you do not.

Example

The following commands generate a plot of the binomial pdf for $n = 10$ and $p = 1/2$.

```
x = 0:10;  
y = binopdf(x,10,0.5);  
plot(x,y,'+')
```



Birnbaum-Saunders Distribution

In this section...

“Definition” on page 18-10

“Background” on page 18-10

“Parameters” on page 18-10

Definition

The Birnbaum-Saunders distribution has the density function

$$\frac{1}{\sqrt{2\pi}} \exp \left\{ -\frac{(\sqrt{x/\beta} - \sqrt{\beta/x})^2}{2\gamma^2} \right\} \left(\frac{\sqrt{x/\beta} + \sqrt{\beta/x}}{2\gamma x} \right)$$

with scale parameter $\beta > 0$ and shape parameter $\gamma > 0$, for $x > 0$.

If x has a Birnbaum-Saunders distribution with parameters β and γ , then

$$\frac{1}{\gamma} (\sqrt{x/\beta} + \sqrt{\beta/x})$$

has a standard normal distribution.

Background

The Birnbaum-Saunders distribution was originally proposed as a lifetime model for materials subject to cyclic patterns of stress and strain, where the ultimate failure of the material comes from the growth of a prominent flaw. In materials science, Miner’s Rule suggests that the damage occurring after n cycles, at a stress level with an expected lifetime of N cycles, is proportional to n / N . Whenever Miner’s Rule applies, the Birnbaum-Saunders model is a reasonable choice for a lifetime distribution model.

Parameters

See `mle`, `dfittool`.

Chi-Square Distribution

In this section...

“Definition” on page 18-11

“Background” on page 18-11

“Example” on page 18-12

Definition

The χ^2 pdf is

$$y = f(x|v) = \frac{x^{(v-2)/2} e^{-x/2}}{2^{v/2} \Gamma(v/2)}$$

where $\Gamma(\cdot)$ is the Gamma function, and v is the degrees of freedom.

Background

The χ^2 distribution is a special case of the gamma distribution where $b = 2$ in the equation for gamma distribution below.

$$y = f(x|a, b) = \frac{1}{b^a \Gamma(a)} x^{a-1} e^{-\frac{x}{b}}$$

The χ^2 distribution gets special attention because of its importance in normal sampling theory. If a set of n observations is normally distributed with variance σ^2 , and s^2 is the sample standard deviation, then


$$\frac{(n-1)s^2}{\sigma^2} \sim \chi^2(n-1)$$

This relationship is used to calculate confidence intervals for the estimate of the normal parameter σ^2 in the function `normfit`.

Example

The χ^2 distribution is skewed to the right especially for few degrees of freedom (ν). The plot shows the χ^2 distribution with four degrees of freedom.

```
x = 0:0.2:15;  
y = chi2pdf(x,4);  
plot(x,y)
```



Copulas

See “Copulas” on page 5-100.

Custom Distributions

User-defined custom distributions, created using M-files and function handles, are supported by the Statistics Toolbox™ functions `pdf`, `cdf`, `icdf`, and `mle`, and the Statistics Toolbox GUI `dfittool`.

Exponential Distribution

In this section...

“Definition” on page 18-15

“Background” on page 18-15

“Parameters” on page 18-15

“Example” on page 18-16

Definition

The exponential pdf is

$$y = f(x|\mu) = \frac{1}{\mu} e^{-\frac{x}{\mu}}$$

Background

Like the chi-square distribution, the exponential distribution is a special case of the gamma distribution (obtained by setting $a = 1$)

$$y = f(x|\alpha, b) = \frac{1}{b^\alpha \Gamma(\alpha)} x^{\alpha-1} e^{-\frac{x}{b}}$$

where $\Gamma(\cdot)$ is the Gamma function.

The exponential distribution is special because of its utility in modeling events that occur randomly over time. The main application area is in studies of lifetimes.

Parameters

Suppose you are stress testing light bulbs and collecting data on their lifetimes. You assume that these lifetimes follow an exponential distribution. You want to know how long you can expect the average light bulb to last. Parameter estimation is the process of determining the parameters of the exponential distribution that fit this data best in some sense.

One popular criterion of goodness is to maximize the likelihood function. The likelihood has the same form as the exponential pdf above. But for the pdf, the parameters are known constants and the variable is x . The likelihood function reverses the roles of the variables. Here, the sample values (the x 's) are already observed. So they are the fixed constants. The variables are the unknown parameters. MLE involves calculating the values of the parameters that give the highest likelihood given the particular set of data.

The function `expfit` returns the MLEs and confidence intervals for the parameters of the exponential distribution. Here is an example using random numbers from the exponential distribution with $\mu = 700$.

```
lifetimes = exprnd(700,100,1);
[muhat, muc_i] = expfit(lifetimes)

muhat =

    672.8207

muc_i =

    547.4338
    810.9437
```

The MLE for parameter μ is 672, compared to the true value of 700. The 95% confidence interval for μ goes from 547 to 811, which includes the true value.

In the life tests you do not know the true value of μ so it is nice to have a confidence interval on the parameter to give a range of likely values.

Example

For exponentially distributed lifetimes, the probability that an item will survive an extra unit of time is independent of the current age of the item. The example shows a specific case of this special property.


```
l = 10:10:60;
lpd = l+0.1;
deltap = (expcdf(lpd,50) - expcdf(l,50)) ./ (1 - expcdf(l,50))

deltap =
```

0.0020 0.0020 0.0020 0.0020 0.0020 0.0020

The following commands generate a plot of the exponential pdf with its parameter (and mean), μ , set to 2.

```
x = 0:0.1:10;  
y = exppdf(x,2);  
plot(x,y)
```



Extreme Value Distribution

In this section...

“Definition” on page 18-18

“Background” on page 18-18

“Parameters” on page 18-19

“Example” on page 18-20

Definition

The probability density function for the extreme value distribution with location parameter μ and scale parameter σ is

$$y = f(x|\mu, \sigma) = \sigma^{-1} \exp\left(\frac{x-\mu}{\sigma}\right) \exp\left(-\exp\left(\frac{x-\mu}{\sigma}\right)\right)$$

If T has a Weibull distribution with parameters a and b , then $\log T$ has an extreme value distribution with parameters $\mu = \log a$ and $\sigma = 1/b$.

Background

Extreme value distributions are often used to model the smallest or largest value among a large set of independent, identically distributed random values representing measurements or observations. The extreme value distribution is appropriate for modeling the smallest value from a distribution whose tails decay exponentially fast, for example, the normal distribution. It can also model the largest value from a distribution, such as the normal or exponential distributions, by using the negative of the original values.

For example, the values generated by the following code have approximately an extreme value distribution.

```
xmin = min(randn(1000,5), [], 1);
negxmax = -max(randn(1000,5), [], 1);
```

Although the extreme value distribution is most often used as a model for extreme values, you can also use it as a model for other types of continuous data. For example, extreme value distributions are closely related to the

Weibull distribution. If T has a Weibull distribution, then $\log(T)$ has a type 1 extreme value distribution.

Parameters

The function `evfit` returns the maximum likelihood estimates (MLEs) and confidence intervals for the parameters of the extreme value distribution. The following example shows how to fit some sample data using `evfit`, including estimates of the mean and variance from the fitted distribution.

Suppose you want to model the size of the smallest washer in each batch of 1000 from a manufacturing process. If you believe that the sizes are independent within and between each batch, you can fit an extreme value distribution to measurements of the minimum diameter from a series of eight experimental batches. The following code returns the MLEs of the distribution parameters as `parmhat` and the confidence intervals as the columns of `parmci`.

```
x = [19.774 20.141 19.44 20.511 21.377 19.003 19.66 18.83];
[parmhat, parmci] = evfit(x)

parmhat =
    20.2506    0.8223

parmci =
    19.644 0.49861
    20.857 1.3562
```

You can find mean and variance of the extreme value distribution with these parameters using the function `evstat`.

```
[meanfit, varfit] = evstat(parmhat(1),parmhat(2))


meanfit =
    19.776

varfit =
    1.1123
```

Example

The following code generates a plot of the pdf for the extreme value distribution.

```
t = [-5:.01:2];  
y = evpdf(t);  
plot(t,y)
```




The extreme value distribution is skewed to the left, and its general shape remains the same for all parameter values. The location parameter, μ , shifts the distribution along the real line, and the scale parameter, σ , expands or contracts the distribution. This example plots the probability function for different combinations of μ and σ .

```
x = -15:.01:5;  
plot(x, evpdf(x,2,1), '- ', ...  
      x, evpdf(x,0,2), ': ', ...
```



```
x, evpdf(x, -2, 4), '-. ');  
legend({'mu = 2, sigma = 1', ...  
      'mu = 0, sigma = 2', ...  
      'mu = -2, sigma = 4'}, ...  
      'Location', 'NW')  
xlabel('x')  
ylabel('f(x|mu,sigma)')
```



F Distribution

In this section...

“Definition” on page 18-22

“Background” on page 18-22

“Example” on page 18-23

Definition

The pdf for the F distribution is

$$y = f(x|v_1, v_2) = \frac{\Gamma\left[\frac{(v_1 + v_2)}{2}\right] \left(\frac{v_1}{v_2}\right)^{\frac{v_1}{2}} x^{\frac{v_1-2}{2}}}{\Gamma\left(\frac{v_1}{2}\right)\Gamma\left(\frac{v_2}{2}\right) \left[1 + \left(\frac{v_1}{v_2}\right)x\right]^{\frac{v_1+v_2}{2}}}$$

where $\Gamma(\cdot)$ is the Gamma function.

Background

The F distribution has a natural relationship with the chi-square distribution. If χ_1 and χ_2 are both chi-square with v_1 and v_2 degrees of freedom respectively, then the statistic F below is F -distributed.

$$F(v_1, v_2) = \frac{\frac{\chi_1}{v_1}}{\frac{\chi_2}{v_2}}$$


The two parameters, v_1 and v_2 , are the numerator and denominator degrees of freedom. That is, v_1 and v_2 are the number of independent pieces of information used to calculate χ_1 and χ_2 , respectively.

Example

The most common application of the F distribution is in standard tests of hypotheses in analysis of variance and regression.

The plot shows that the F distribution exists on the positive real numbers and is skewed to the right.

```
x = 0:0.01:10;  
y = fpdf(x,5,3);  
plot(x,y)
```



Gamma Distribution

In this section...

“Definition” on page 18-24

“Background” on page 18-24

“Parameters” on page 18-25

“Example” on page 18-26

Definition

The gamma pdf is

$$y = f(x|a, b) = \frac{1}{b^a \Gamma(a)} x^{a-1} e^{-\frac{x}{b}}$$

where $\Gamma(\cdot)$ is the Gamma function.

Background

The gamma distribution models sums of exponentially distributed random variables.

The gamma distribution family is based on two parameters. The chi-square and exponential distributions, which are children of the gamma distribution, are one-parameter distributions that fix one of the two gamma parameters.

The gamma distribution has the following relationship with the incomplete Gamma function.

$$f(x | a, b) = \text{gammainc}\left(\frac{x}{b}, a\right)$$

For $b = 1$ the functions are identical.

When a is large, the gamma distribution closely approximates a normal distribution with the advantage that the gamma distribution has density only for positive real numbers.

Parameters

Suppose you are stress testing computer memory chips and collecting data on their lifetimes. You assume that these lifetimes follow a gamma distribution. You want to know how long you can expect the average computer memory chip to last. Parameter estimation is the process of determining the parameters of the gamma distribution that fit this data best in some sense.

One popular criterion of goodness is to maximize the likelihood function. The likelihood has the same form as the gamma pdf above. But for the pdf, the parameters are known constants and the variable is x . The likelihood function reverses the roles of the variables. Here, the sample values (the x 's) are already observed. So they are the fixed constants. The variables are the unknown parameters. MLE involves calculating the values of the parameters that give the highest likelihood given the particular set of data.

The function `gamfit` returns the MLEs and confidence intervals for the parameters of the gamma distribution. Here is an example using random numbers from the gamma distribution with $a = 10$ and $b = 5$.

```
lifetimes = gamrnd(10,5,100,1);
[phat, pci] = gamfit(lifetimes)
```

```
phat =
```

```
    10.9821    4.7258
```

```
pci =
```

```
    7.4001    3.1543
   14.5640    6.2974
```

Note $\text{phat}(1) = \hat{a}$ and $\text{phat}(2) = \hat{b}$. The MLE for parameter a is 10.98, compared to the true value of 10. The 95% confidence interval for a goes from 7.4 to 14.6, which includes the true value.


Similarly the MLE for parameter b is 4.7, compared to the true value of 5. The 95% confidence interval for b goes from 3.2 to 6.3, which also includes the true value.

In the life tests you do not know the true value of a and b so it is nice to have a confidence interval on the parameters to give a range of likely values.

Example

In the example the gamma pdf is plotted with the solid line. The normal pdf has a dashed line type.

```
x = gaminv((0.005:0.01:0.995),100,10);  
y = gampdf(x,100,10);  
y1 = normpdf(x,1000,100);  
plot(x,y,'-',x,y1,'-.-')
```



Gaussian Distribution

See “Normal Distribution” on page 18-74.

Gaussian Mixture Distributions

See the discussion of the “@gmdistribution” on page 17-14 class in the “Gaussian Mixture Models” on page 5-92 section of “Multivariate Modeling” on page 5-92 and the “Gaussian Mixture Models” on page 10-28 section of Chapter 10, “Cluster Analysis”.

Generalized Extreme Value Distribution

In this section...

“Definition” on page 18-29

“Background” on page 18-29

“Parameters” on page 18-30

“Example” on page 18-31

Definition

The probability density function for the generalized extreme value distribution with location parameter μ , scale parameter σ , and shape parameter $k \neq 0$ is

$$y = f(x|k, \mu, \sigma) = \left(\frac{1}{\sigma}\right) \exp\left[-\left(1 + k \frac{(x - \mu)}{\sigma}\right)^{-\frac{1}{k}}\right] \left(1 + k \frac{(x - \mu)}{\sigma}\right)^{-1 - \frac{1}{k}}$$

for

$$1 + k \frac{(x - \mu)}{\sigma} > 0$$

$k > 0$ corresponds to the Type II case, while $k < 0$ corresponds to the Type III case. In the limit for $k = 0$, corresponding to the Type I case, the density is

$$y = f(x|0, \mu, \sigma) = \left(\frac{1}{\sigma}\right) \exp\left(-\exp\left(-\frac{(x - \mu)}{\sigma}\right) - \frac{(x - \mu)}{\sigma}\right)$$

Background

Like the extreme value distribution, the generalized extreme value distribution is often used to model the smallest or largest value among a large set of independent, identically distributed random values representing measurements or observations. For example, you might have batches of 1000 washers from a manufacturing process. If you record the size of the largest

washer in each batch, the data are known as block maxima (or minima if you record the smallest). You can use the generalized extreme value distribution as a model for those block maxima.

The generalized extreme value combines three simpler distributions into a single form, allowing a continuous range of possible shapes that includes all three of the simpler distributions. You can use any one of those distributions to model a particular dataset of block maxima. The generalized extreme value distribution allows you to “let the data decide” which distribution is appropriate.

The three cases covered by the generalized extreme value distribution are often referred to as the Types I, II, and III. Each type corresponds to the limiting distribution of block maxima from a different class of underlying distributions. Distributions whose tails decrease exponentially, such as the normal, lead to the Type I. Distributions whose tails decrease as a polynomial, such as Student’s *t*, lead to the Type II. Distributions whose tails are finite, such as the beta, lead to the Type III.

Types I, II, and III are sometimes also referred to as the Gumbel, Fréchet, and Weibull types, though this terminology can be slightly confusing. The Type I (Gumbel) and Type III (Weibull) cases actually correspond to the mirror images of the usual Gumbel and Weibull distributions, for example, as computed by the functions `evcdf` and `evfit`, or `wblcdf` and `wblfit`, respectively. Finally, the Type II (Fréchet) case is equivalent to taking the reciprocal of values from a standard Weibull distribution.


Parameters

If you generate 250 blocks of 1000 random values drawn from Student’s *t* distribution with 5 degrees of freedom, and take their maxima, you can fit a generalized extreme value distribution to those maxima.

```
blocksize = 1000;
nblocks = 250;
t = trnd(5,blocksize,nblocks);
x = max(t); % 250 column maxima
paramEsts = gevfit(x)
paramEsts =
    0.2438    1.1760    5.8045
```

Notice that the shape parameter estimate (the first element) is positive, which is what you would expect based on block maxima from a Student's t distribution.

```
hist(x,2:20);
set(get(gca,'child'),'FaceColor',[.8 .8 1])
xgrid = linspace(2,20,1000);
line(xgrid,nblocks*...
      gevpdf(xgrid,paramEsts(1),paramEsts(2),paramEsts(3)));
```



Example


The following code generates examples of probability density functions for the three basic forms of the generalized extreme value distribution.

```
x = linspace(-3,6,1000);
```

```

y1 = gevpdf(x, -.5, 1, 0);
y2 = gevpdf(x, 0, 1, 0);
y3 = gevpdf(x, .5, 1, 0);
plot(x, y1, '- ', x, y2, '- ', x, y3, '- ');
legend({'K<0, Type III' 'K=0, Type I' 'K>0, Type II'});

```



Notice that for $k > 0$, the distribution has zero probability density for x such that

$$x < -\frac{\sigma}{k} + \mu$$

For $k < 0$, the distribution has zero probability density for

$$x > -\frac{\sigma}{k} + \mu$$

In the limit for $k = 0$, there is no upper or lower bound.

Generalized Pareto Distribution

In this section...

“Definition” on page 18-34

“Background” on page 18-34

“Parameters” on page 18-35

“Example” on page 18-36

Definition

The probability density function for the generalized Pareto distribution with shape parameter $k \neq 0$, scale parameter σ , and threshold parameter θ , is

$$y = f(x | k, \sigma, \theta) = \left(\frac{1}{\sigma} \right) \left(1 + k \frac{(x - \theta)}{\sigma} \right)^{-1 - \frac{1}{k}}$$

for $\theta < x$, when $k > 0$, or for $\theta < x < -\sigma/k$ when $k < 0$.

In the limit for $k = 0$, the density is

$$y = f(x | 0, \sigma, \theta) = \left(\frac{1}{\sigma} \right) e^{-\frac{(x - \theta)}{\sigma}}$$

for $\theta < x$.

If $k = 0$ and $\theta = 0$, the generalized Pareto distribution is equivalent to the exponential distribution. If $k > 0$ and $\theta = \sigma$, the generalized Pareto distribution is equivalent to the Pareto distribution.

Background

Like the exponential distribution, the generalized Pareto distribution is often used to model the tails of another distribution. For example, you might have washers from a manufacturing process. If random influences in the process lead to differences in the sizes of the washers, a standard probability distribution, such as the normal, could be used to model those sizes. However,

while the normal distribution might be a good model near its mode, it might not be a good fit to real data in the tails and a more complex model might be needed to describe the full range of the data. On the other hand, only recording the sizes of washers larger (or smaller) than a certain threshold means you can fit a separate model to those tail data, which are known as *exceedences*. You can use the generalized Pareto distribution in this way, to provide a good fit to extremes of complicated data.

The generalized Pareto distribution allows a continuous range of possible shapes that includes both the exponential and Pareto distributions as special cases. You can use either of those distributions to model a particular dataset of exceedences. The generalized extreme value distribution allows you to “let the data decide” which distribution is appropriate.

The generalized Pareto distribution has three basic forms, each corresponding to a limiting distribution of exceedence data from a different class of underlying distributions.

- Distributions whose tails decrease exponentially, such as the normal, lead to a generalized Pareto shape parameter of zero.
- Distributions whose tails decrease as a polynomial, such as Student’s *t*, lead to a positive shape parameter.
- Distributions whose tails are finite, such as the beta, lead to a negative shape parameter.

The generalized Pareto distribution is used in the tails of distribution fit objects of the “@paretotails” on page 17-28 class.


Parameters

If you generate a large number of random values from a Student’s *t* distribution with 5 degrees of freedom, and then discard everything less than 2, you can fit a generalized Pareto distribution to those exceedences.

```
t = trnd(5,5000,1);
y = t(t > 2) - 2;
paramEsts = gpfity(y)
paramEsts =
    0.1267    0.8134
```

Notice that the shape parameter estimate (the first element) is positive, which is what you would expect based on exceedences from a Student's t distribution.

```
hist(y+2,2.25:.5:11.75);
set(get(gca,'child'),'FaceColor',[.8 .8 1])
xgrid = linspace(2,12,1000);
line(xgrid,.5*length(y)*...
      gppdf(xgrid,paramEsts(1),paramEsts(2),2));
```




Example

The following code generates examples of the probability density functions for the three basic forms of the generalized Pareto distribution.

```
x = linspace(0,10,1000);
y1 = gppdf(x,-.25,1,0);
y2 = gppdf(x,0,1,0);
```



```
y3 = gppdf(x,1,1,0)
plot(x,y1,'- ', x,y2,'- ', x,y3,'- ')
legend({'K<0' 'K=0' 'K>0'});
```



Notice that for $k < 0$, the distribution has zero probability density for $x > -\frac{\sigma}{k}$, while for $k \geq 0$, there is no upper bound.

Geometric Distribution

In this section...
“Definition” on page 18-38
“Background” on page 18-38
“Example” on page 18-38

Definition

The geometric pdf is

$$y = f(x|p) = pq^x I_{(0, 1, \dots)}(x)$$

where $q = 1 - p$. The geometric distribution is a special case of the negative binomial distribution, with $r = 1$.

Background

The geometric distribution is discrete, existing only on the nonnegative integers. It is useful for modeling the runs of consecutive successes (or failures) in repeated independent trials of a system.

The geometric distribution models the number of successes before one failure in an independent succession of tests where each test results in success or failure.

Example

Suppose the probability of a five-year-old battery failing in cold weather is 0.03. What is the probability of starting 25 consecutive days during a long cold snap?


$$1 - \text{geocdf}(25, 0.03)$$

ans =

$$0.4530$$

The plot shows the cdf for this scenario.

```
x = 0:25;  
y = geocdf(x,0.03);  
stairs(x,y)
```



Hypergeometric Distribution

In this section...
“Definition” on page 18-40
“Background” on page 18-40
“Example” on page 18-41

Definition

The hypergeometric pdf is

$$y = f(x|M, K, n) = \frac{\binom{K}{x} \binom{M-K}{n-x}}{\binom{M}{n}}$$

Background

The hypergeometric distribution models the total number of successes in a fixed-size sample drawn without replacement from a finite population.

The distribution is discrete, existing only for nonnegative integers less than the number of samples or the number of possible successes, whichever is greater. The hypergeometric distribution differs from the binomial only in that the population is finite and the sampling from the population is without replacement.

The hypergeometric distribution has three parameters that have direct physical interpretations.


- M is the size of the population.
- K is the number of items with the desired characteristic in the population.
- n is the number of samples drawn.

Sampling “without replacement” means that once a particular sample is chosen, it is removed from the relevant population for all subsequent selections.

Example

The plot shows the cdf of an experiment taking 20 samples from a group of 1000 where there are 50 items of the desired type.

```
x = 0:10;  
y = hygecdf(x,1000,50,20);  
stairs(x,y)
```



Inverse Gaussian Distribution

In this section...
“Definition” on page 18-42
“Background” on page 18-42
“Parameters” on page 18-42

Definition

The inverse Gaussian distribution has the density function

$$\sqrt{\frac{\lambda}{2\pi x^3}} \exp\left\{-\frac{\lambda}{2\mu^2 x} (x - \mu)^2\right\}$$

Background

Also known as the Wald distribution, the inverse Gaussian is used to model nonnegative positively skewed data. The distribution originated in the theory of Brownian motion, but has been used to model diverse phenomena. Inverse Gaussian distributions have many similarities to standard Gaussian (normal) distributions, which lead to applications in inferential statistics.

Parameters

See `mle`, `dfittool`.

Inverse Wishart Distribution

Definition

The inverse Wishart distribution is based on the Wishart distribution. If a random matrix has a Wishart distribution with parameters Σ^{-1} and ν , then the inverse of that random matrix has an inverse Wishart distribution with parameters Σ and ν . The mean of the distribution is given by

$$\frac{\Sigma}{\nu - d - 1}$$

Only random matrix generation is supported for the inverse Wishart, and only for nonsingular Σ and ν greater than $d - 1$.

Johnson System

See “Pearson and Johnson Systems” on page 5-85.

Logistic Distribution

In this section...

“Definition” on page 18-45

“Background” on page 18-45

“Parameters” on page 18-45

Definition

The logistic distribution has the density function

$$\frac{e^{-\frac{x-\mu}{\sigma}}}{\sigma \left(1 + e^{-\frac{x-\mu}{\sigma}}\right)^2}$$

with location parameter μ and scale parameter $\sigma > 0$, for all real x .

Background

The logistic distribution originated with Verhulst’s work on demography in the early 1800s. The distribution has been used for various growth models, and is used in logistic regression. It has longer tails and a higher kurtosis than the normal distribution.

Parameters

See `mle`, `dfittool`.

Loglogistic Distribution

In this section...
“Definition” on page 18-46
“Parameters” on page 18-46

Definition

The variable x has a loglogistic distribution with location parameter μ and scale parameter $\sigma > 0$ if $\ln x$ has a logistic distribution with parameters μ and σ . The relationship is similar to that between the lognormal and normal distribution.

Parameters

See `mle`, `dffitool`.

Lognormal Distribution

In this section...

“Definition” on page 18-47

“Background” on page 18-47

“Example” on page 18-48

Definition

The lognormal pdf is

$$y = f(x|\mu, \sigma) = \frac{1}{x\sigma\sqrt{2\pi}} e^{-\frac{(\ln x - \mu)^2}{2\sigma^2}}$$

Background

The normal and lognormal distributions are closely related. If X is distributed lognormally with parameters μ and σ , then $\log(X)$ is distributed normally with mean μ and standard deviation σ .

The mean m and variance v of a lognormal random variable are functions of μ and σ that can be calculated with the lognstat function. They are:

$$m = \exp(\mu + \sigma^2 / 2)$$

$$v = \exp(2\mu + \sigma^2)(\exp(\sigma^2) - 1)$$

A lognormal distribution with mean m and variance v has parameters

$$\mu = \log(m^2 / \sqrt{v + m^2})$$


$$\sigma = \sqrt{\log(v / m^2 + 1)}$$

The lognormal distribution is applicable when the quantity of interest must be positive, since $\log(X)$ exists only when X is positive.

Example

Suppose the income of a family of four in the United States follows a lognormal distribution with $\mu = \log(20,000)$ and $\sigma^2 = 1.0$. Plot the income density.

```
x = (10:1000:125010)';  
y = lognpdf(x,log(20000),1.0);  
plot(x,y)  
set(gca,'xtick',[0 30000 60000 90000 120000])  
set(gca,'xticklabel',str2mat('0','$30,000','$60,000',...  
                             '$90,000','$120,000'))
```



Multinomial Distribution

In this section...

“Definition” on page 18-49

“Background” on page 18-49

“Example” on page 18-49

Definition

The multinomial pdf is

$$f(x | n, p) = \frac{n!}{x_1! \cdots x_k!} p_1^{x_1} \cdots p_k^{x_k}$$

where $x = (x_1, \dots, x_k)$ gives the number of each of k outcomes in n trials of a process with fixed probabilities $p = (p_1, \dots, p_k)$ of individual outcomes in any one trial. The vector x has non-negative integer components that sum to n . The vector p has non-negative integer components that sum to 1.

Background

The multinomial distribution is a generalization of the binomial distribution. The binomial distribution gives the probability of the number of “successes” and “failures” in n independent trials of a two-outcome process. The probability of “success” and “failure” in any one trial is given by the fixed probabilities p and $q = 1-p$. The multinomial distribution gives the probability of each combination of outcomes in n independent trials of a k -outcome process. The probability of each outcome in any one trial is given by the fixed probabilities p_1, \dots, p_k .

The expected value of outcome i is np_i . The variance of outcome i is $np_i(1 - p_i)$. The covariance of outcomes i and j is $-np_i p_j$ for distinct i and j .

Example


```
% Compute the distribution
p = [1/2 1/3 1/6]; % Outcome probabilities
```

```

n = 10; % Sample size
x1 = 0:n;
x2 = 0:n;
[X1,X2] = meshgrid(x1,x2);
X3 = n - (X1+X2);
Y = mnpdf([X1(:),X2(:),X3(:)], repmat(p, (n+1)^2, 1));

% Plot the distribution
Y = reshape(Y,n+1,n+1);
bar3(Y)
set(gca, 'XTickLabel', 0:n)
set(gca, 'YTickLabel', 0:n)
xlabel('x_1')
ylabel('x_2')
zlabel('Probability Mass')

```



Note that the visualization does not show x_3 , which is determined by the constraint $x_1 + x_2 + x_3 = n$.

Multivariate Gaussian Distribution

See “Multivariate Normal Distribution” on page 18-52.

Multivariate Normal Distribution

In this section...

“Definition” on page 18-52

“Background” on page 18-52

“Example” on page 18-53

Definition

The probability density function of the d -dimensional multivariate normal distribution is given by

$$y = f(x, \mu, \Sigma) = \frac{1}{\sqrt{|\Sigma|(2\pi)^d}} e^{-\frac{1}{2}(x-\mu) \Sigma^{-1}(x-\mu)'}$$

where x and μ are 1-by- d vectors and Σ is a d -by- d symmetric positive definite matrix. While it is possible to define the multivariate normal for singular Σ , the density cannot be written as above. Only random vector generation is supported for the singular case. Note that while most textbooks define the multivariate normal with x and μ oriented as column vectors, for the purposes of data analysis software, it is more convenient to orient them as row vectors, and Statistics Toolbox™ software uses that orientation.

Background

The multivariate normal distribution is a generalization of the univariate normal to two or more variables. It is a distribution for random vectors of correlated variables, each element of which has a univariate normal distribution. In the simplest case, there is no correlation among variables, and elements of the vectors are independent univariate normal random variables.


The multivariate normal distribution is parameterized with a mean vector, μ , and a covariance matrix, Σ . These are analogous to the mean μ and standard deviation σ parameters of a univariate normal distribution. The diagonal elements of Σ contain the variances for each variable, while the off-diagonal elements of Σ contain the covariances between variables.

The multivariate normal distribution is often used as a model for multivariate data, primarily because it is one of the few multivariate distributions that is tractable to work with.


Example

This example shows the probability density function (pdf) and cumulative distribution function (cdf) for a bivariate normal distribution with unequal standard deviations. You can use the multivariate normal distribution in a higher number of dimensions as well, although visualization is not easy.

```
mu = [0 0];
Sigma = [.25 .3; .3 1];
x1 = -3:.2:3; x2 = -3:.2:3;
[X1,X2] = meshgrid(x1,x2);
F = mvnpdf([X1(:) X2(:)],mu,Sigma);
F = reshape(F,length(x2),length(x1));
surf(x1,x2,F);
caxis([min(F(:))-.5*range(F(:)),max(F(:))]);
axis([-3 3 -3 3 0 .4])
xlabel('x1'); ylabel('x2'); zlabel('Probability Density');
```




```
F = mvncdf([X1(:) X2(:)],mu,Sigma);  
F = reshape(F,length(x2),length(x1));  
surf(x1,x2,F);  
caxis([min(F(:))-.5*range(F(:)),max(F(:))]);  
axis([-3 3 -3 3 0 1])  
xlabel('x1'); ylabel('x2'); zlabel('Cumulative Probability');
```



Since the bivariate normal distribution is defined on the plane, you can also compute cumulative probabilities over rectangular regions. For example, this contour plot illustrates the computation that follows, of the probability contained within the unit square.

```
contour(x1,x2,F,[.0001 .001 .01 .05:.1:.95 .99 .999 .9999]);
xlabel('x'); ylabel('y');
line([0 0 1 1 0],[1 0 0 1 1],'linestyle','--','color','k');
```



```
mvncdf([0 0],[1 1],mu,Sigma)
ans =
    0.20974
```

Computing a multivariate cumulative probability requires significantly more work than computing a univariate probability. By default, the `mvncdf` function computes values to less than full machine precision, and returns an estimate of the error as an optional second output:

```
[F,err] = mvncdf([0 0],[1 1],mu,Sigma)
F =
    0.20974
err =
    1e-008
```

Multivariate t Distribution

In this section...

“Definition” on page 18-57

“Background” on page 18-57

“Example” on page 18-58

Definition

The probability density function of the d -dimensional multivariate Student's t distribution is given by

$$y = f(\mathbf{x}, P, \nu) = \frac{1}{|\Sigma|^{1/2}} \frac{1}{\sqrt{(\nu\pi)^d}} \frac{\Gamma((\nu+d)/2)}{\Gamma(\nu/2)} \left(1 + \frac{\mathbf{x}' P^{-1} \mathbf{x}}{\nu} \right)^{-(\nu+d)/2}$$

where \mathbf{x} is a 1-by- d vector, P is a d -by- d symmetric, positive definite matrix, and ν is a positive scalar. While it is possible to define the multivariate Student's t for singular P , the density cannot be written as above. For the singular case, only random number generation is supported. Note that while most textbooks define the multivariate Student's t with \mathbf{x} oriented as a column vector, for the purposes of data analysis software, it is more convenient to orient \mathbf{x} as a row vector, and Statistics Toolbox™ software uses that orientation.

Background

The multivariate Student's t distribution is a generalization of the univariate Student's t to two or more variables. It is a distribution for random vectors of correlated variables, each element of which has a univariate Student's t distribution. In the same way as the univariate Student's t distribution can be constructed by dividing a standard univariate normal random variable by the square root of a univariate chi-square random variable, the multivariate Student's t distribution can be constructed by dividing a multivariate normal random vector having zero mean and unit variances by a univariate chi-square random variable.


The multivariate Student's t distribution is parameterized with a correlation matrix, P , and a positive scalar degrees of freedom parameter, ν . ν is analogous to the degrees of freedom parameter of a univariate Student's t distribution. The off-diagonal elements of P contain the correlations between variables. Note that when P is the identity matrix, variables are uncorrelated; however, they are not independent.

The multivariate Student's t distribution is often used as a substitute for the multivariate normal distribution in situations where it is known that the marginal distributions of the individual variables have fatter tails than the normal.


Example

This example shows the probability density function (pdf) and cumulative distribution function (cdf) for a bivariate Student's t distribution. You can use the multivariate Student's t distribution in a higher number of dimensions as well, although visualization is not easy.

```
Rho = [1 .6; .6 1];
nu = 5;
x1 = -3:.2:3; x2 = -3:.2:3;
[X1,X2] = meshgrid(x1,x2);
F = mvtpdf([X1(:) X2(:)],Rho,nu);
F = reshape(F,length(x2),length(x1));
surf(x1,x2,F);
caxis([min(F(:))-.5*range(F(:)),max(F(:))]);
axis([-3 3 -3 3 0 .2])
xlabel('x1'); ylabel('x2'); zlabel('Probability Density');
```




```
F = mvtcdf([X1(:) X2(:)],Rho,nu);  
F = reshape(F,length(x2),length(x1));  
surf(x1,x2,F);  
caxis([min(F(:))-.5*range(F(:)),max(F(:))]);  
axis([-3 3 -3 3 0 1])  
xlabel('x1'); ylabel('x2'); zlabel('Cumulative Probability');
```



Since the bivariate Student's t distribution is defined on the plane, you can also compute cumulative probabilities over rectangular regions. For example, this contour plot illustrates the computation that follows, of the probability contained within the unit square.

```
contour(x1,x2,F,[.0001 .001 .01 .05:.1:.95 .99 .999 .9999]);
xlabel('x'); ylabel('y');
line([0 0 1 1 0],[1 0 0 1 1],'linestyle','--','color','k');
```

```
mvtcdf([0 0],[1 1],Rho,nu)
ans =
    0.14013
```

Computing a multivariate cumulative probability requires significantly more work than computing a univariate probability. By default, the `mvtcdf` function computes values to less than full machine precision, and returns an estimate of the error as an optional second output:

```
[F,err] = mvtcdf([0 0],[1 1],Rho,nu)
F =
    0.14013
err =
    1e-008
```

Nakagami Distribution

In this section...

“Definition” on page 18-62

“Background” on page 18-62

“Parameters” on page 18-62

Definition

The Nakagami distribution has the density function

$$2 \left(\frac{\mu}{\omega}\right)^{\mu} \frac{1}{\Gamma(\mu)} x^{(2\mu-1)} e^{-\frac{\mu}{\omega}x^2}$$

with shape parameter μ and scale parameter $\omega > 0$, for $x > 0$. If x has a Nakagami distribution with parameters μ and ω , then x^2 has a gamma distribution with shape parameter μ and scale parameter ω/μ .

Background

In communications theory, Nakagami distributions, Rician distributions, and Rayleigh distributions are used to model scattered signals that reach a receiver by multiple paths. Depending on the density of the scatter, the signal will display different fading characteristics. Rayleigh and Nakagami distributions are used to model dense scatters, while Rician distributions model fading with a stronger line-of-sight. Nakagami distributions can be reduced to Rayleigh distributions, but give more control over the extent of the fading.

Parameters

See `mle`, `dfittool`.

Negative Binomial Distribution

In this section...

“Definition” on page 18-63

“Background” on page 18-63

“Parameters” on page 18-64

“Example” on page 18-65

Definition

When the r parameter is an integer, the negative binomial pdf is

$$y = f(x|r, p) = \binom{r+x-1}{x} p^r q^x I_{(0, 1, \dots)}(x)$$

where $q = 1 - p$. When r is not an integer, the binomial coefficient in the definition of the pdf is replaced by the equivalent expression

$$\frac{\Gamma(r+x)}{\Gamma(r)\Gamma(x+1)}$$

Background

In its simplest form (when r is an integer), the negative binomial distribution models the number of failures x before a specified number of successes is reached in a series of independent, identical trials. Its parameters are the probability of success in a single trial, p , and the number of successes, r . A special case of the negative binomial distribution, when $r = 1$, is the geometric distribution, which models the number of failures before the first success.

More generally, r can take on non-integer values. This form of the negative binomial distribution has no interpretation in terms of repeated trials, but, like the Poisson distribution, it is useful in modeling count data. The negative binomial distribution is more general than the Poisson distribution because it has a variance that is greater than its mean, making it suitable for count data that do not meet the assumptions of the Poisson distribution. In the limit,

as r increases to infinity, the negative binomial distribution approaches the Poisson distribution.

Parameters

Suppose you are collecting data on the number of auto accidents on a busy highway, and would like to be able to model the number of accidents per day. Because these are count data, and because there are a very large number of cars and a small probability of an accident for any specific car, you might think to use the Poisson distribution. However, the probability of having an accident is likely to vary from day to day as the weather and amount of traffic change, and so the assumptions needed for the Poisson distribution are not met. In particular, the variance of this type of count data sometimes exceeds the mean by a large amount. The data below exhibit this effect: most days have few or no accidents, and a few days have a large number.

```
accident = [2 3 4 2 3 1 12 8 14 31 23 1 10 7 0];
mean(accident)
ans =
    8.0667

var(accident)
ans =
   79.352
```


The negative binomial distribution is more general than the Poisson, and is often suitable for count data when the Poisson is not. The function `nbinfit` returns the maximum likelihood estimates (MLEs) and confidence intervals for the parameters of the negative binomial distribution. Here are the results from fitting the accident data:

```
[phat,pci] = nbinfit(accident)
phat =
    1.0060    0.1109
pci =
    0.2152    0.0171
    1.7968    0.2046
```

It is difficult to give a physical interpretation in this case to the individual parameters. However, the estimated parameters can be used in a model

for the number of daily accidents. For example, a plot of the estimated cumulative probability function shows that while there is an estimated 10% chance of no accidents on a given day, there is also about a 10% chance that there will be 20 or more accidents.

```
plot(0:50,nbincdf(0:50,phat(1),phat(2)),'.-');
xlabel('Accidents per Day')
ylabel('Cumulative Probability')
```



Example


The negative binomial distribution can take on a variety of shapes ranging from very skewed to nearly symmetric. This example plots the probability function for different values of r , the desired number of successes: .1, 1, 3, 6.

```
x = 0:10;
```

```

plot(x,nbinpdf(x,.1,.5),'s-', ...
     x,nbinpdf(x,1,.5),'o-', ...
     x,nbinpdf(x,3,.5),'d-', ...
     x,nbinpdf(x,6,.5),'^-',);
legend({'r = .1' 'r = 1' 'r = 3' 'r = 6'})
xlabel('x')
ylabel('f(x|r,p)')

```



Noncentral Chi-Square Distribution

In this section...

“Definition” on page 18-67

“Background” on page 18-67

“Example” on page 18-68

Definition

There are many equivalent formulas for the noncentral chi-square distribution function. One formulation uses a modified Bessel function of the first kind. Another uses the generalized Laguerre polynomials. The cumulative distribution function is computed using a weighted sum of χ^2 probabilities with the weights equal to the probabilities of a Poisson distribution. The Poisson parameter is one-half of the noncentrality parameter of the noncentral chi-square

$$F(x|v, \delta) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\delta\right)^j}{j!} e^{-\frac{\delta}{2}} \right) Pr[\chi_{v+2j}^2 \leq x]$$

where δ is the noncentrality parameter.

Background

The χ^2 distribution is actually a simple special case of the noncentral chi-square distribution. One way to generate random numbers with a χ^2 distribution (with v degrees of freedom) is to sum the squares of v standard normal random numbers (mean equal to zero.)


What if the normally distributed quantities have a mean other than zero? The sum of squares of these numbers yields the noncentral chi-square distribution. The noncentral chi-square distribution requires two parameters: the degrees of freedom and the noncentrality parameter. The noncentrality parameter is the sum of the squared means of the normally distributed quantities.

The noncentral chi-square has scientific application in thermodynamics and signal processing. The literature in these areas may refer to it as the Rician or generalized Rayleigh distribution.

Example

The following commands generate a plot of the noncentral chi-square pdf.

```
x = (0:0.1:10)';  
p1 = ncx2pdf(x,4,2);  
p = chi2pdf(x,4);  
plot(x,p,'-',x,p1,'-')
```



Noncentral F Distribution

In this section...

“Definition” on page 18-69

“Background” on page 18-69

“Example” on page 18-69

Definition

Similar to the noncentral χ^2 distribution, the toolbox calculates noncentral F distribution probabilities as a weighted sum of incomplete beta functions using Poisson probabilities as the weights.

$$F(x|v_1, v_2, \delta) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\delta\right)^j}{j!} e^{-\frac{\delta}{2}} \right) I\left(\frac{v_1 \cdot x}{v_2 + v_1 \cdot x} \middle| \frac{v_1}{2} + j, \frac{v_2}{2}\right)$$

$I(x|a, b)$ is the incomplete beta function with parameters a and b , and δ is the noncentrality parameter.

Background

As with the χ^2 distribution, the F distribution is a special case of the noncentral F distribution. The F distribution is the result of taking the ratio of χ^2 random variables each divided by its degrees of freedom.


If the numerator of the ratio is a noncentral chi-square random variable divided by its degrees of freedom, the resulting distribution is the noncentral F distribution.

The main application of the noncentral F distribution is to calculate the power of a hypothesis test relative to a particular alternative.

Example

The following commands generate a plot of the noncentral F pdf.

```
x = (0.01:0.1:10.01)';  
p1 = ncfpdf(x,5,20,10);  
p = fpdf(x,5,20);  
plot(x,p,'-',x,p1,'-')
```



Noncentral t Distribution

In this section...

“Definition” on page 18-71

“Background” on page 18-71

“Example” on page 18-72

Definition

The most general representation of the noncentral t distribution is quite complicated. Johnson and Kotz [41] give a formula for the probability that a noncentral t variate falls in the range $[-t, t]$.

$$Pr((-t) < x < t | (v, \delta)) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\delta^2\right)^j}{j!} e^{-\frac{\delta^2}{2}} \right) I\left(\frac{x^2}{v+x^2} \middle| \frac{1}{2} + j, \frac{v}{2}\right)$$

$I(x|a, b)$ is the incomplete beta function with parameters a and b , δ is the noncentrality parameter, and v is the number of degrees of freedom.

Background

The noncentral t distribution is a generalization of Student's t distribution.

Student's t distribution with $n - 1$ degrees of freedom models the t -statistic

$$t = \frac{\bar{x} - \mu}{s/\sqrt{n}}$$

where \bar{x} is the sample mean and s is the sample standard deviation of a random sample of size n from a normal population with mean μ . If the population mean is actually μ_0 , then the t -statistic has a noncentral t distribution with noncentrality parameter

$$\delta = \frac{\mu_0 - \mu}{\sigma/\sqrt{n}}$$


The noncentrality parameter is the normalized difference between μ_0 and μ .

The noncentral t distribution gives the probability that a t test will correctly reject a false null hypothesis of mean μ when the population mean is actually μ_0 ; that is, it gives the power of the t test. The power increases as the difference $\mu_0 - \mu$ increases, and also as the sample size n increases.

Example

The following commands generate a plot of the noncentral t pdf.

```
x = (-5:0.1:5)';  
p1 = nctcdf(x,10,1);  
p = tcdf(x,10);  
plot(x,p,'-',x,p1,'-')
```



Nonparametric Distributions

See the discussion of `ksdensity` in “Nonparametric Estimation” on page 5-13.

Normal Distribution

In this section...

“Definition” on page 18-74

“Background” on page 18-74

“Parameters” on page 18-75

“Example” on page 18-76

Definition

The normal pdf is

$$y = f(x|\mu, \sigma) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$$

Background

The normal distribution is a two-parameter family of curves. The first parameter, μ , is the mean. The second, σ , is the standard deviation. The standard normal distribution (written $\Phi(x)$) sets μ to 0 and σ to 1.

$\Phi(x)$ is functionally related to the error function, erf .

$$erf(x) = 2\Phi(x\sqrt{2}) - 1$$

The first use of the normal distribution was as a continuous approximation to the binomial.

The usual justification for using the normal distribution for modeling is the Central Limit Theorem, which states (roughly) that the sum of independent samples from any distribution with finite mean and variance converges to the normal distribution as the sample size goes to infinity.

Parameters

To use statistical parameters such as mean and standard deviation reliably, you need to have a good estimator for them. The maximum likelihood estimates (MLEs) provide one such estimator. However, an MLE might be biased, which means that its expected value of the parameter might not equal the parameter being estimated. For example, an MLE is biased for estimating the variance of a normal distribution. An unbiased estimator that is commonly used to estimate the parameters of the normal distribution is the *minimum variance unbiased estimator (MVUE)*. The MVUE has the minimum variance of all unbiased estimators of a parameter.

The MVUEs of parameters μ and σ^2 for the normal distribution are the sample mean and variance. The sample mean is also the MLE for μ . The following are two common formulas for the variance.

$$1) \quad s^2 = \frac{1}{n} \sum_{i=1}^n (x_i - \bar{x})^2$$

$$2) \quad s^2 = \frac{1}{n-1} \sum_{i=1}^n (x_i - \bar{x})^2$$

where

$$\bar{x} = \sum_{i=1}^n \frac{x_i}{n}$$

Equation 1 is the maximum likelihood estimator for σ^2 , and equation 2 is the MVUE.

As an example, suppose you want to estimate the mean, μ , and the variance, σ^2 , of the heights of all fourth grade children in the United States. The function `normfit` returns the MVUE for μ , the square root of the MVUE for σ^2 , and confidence intervals for μ and σ^2 . Here is a playful example modeling the heights in inches of a randomly chosen fourth grade class.

```
height = normrnd(50,2,30,1);           % Simulate heights.
[mu,s,muci,sci] = normfit(height)
```

```
mu =  
50.2025
```

```
s =  
1.7946
```

```
muci =  
49.5210  
50.8841
```

```
sci =  
1.4292  
2.4125
```


Note that s^2 is the MVUE of the variance.

```
s^2
```

```
ans =  
3.2206
```

Example

The plot shows the bell curve of the standard normal pdf, with $\mu = 0$ and $\sigma = 1$.



Pareto Distribution

See “Generalized Pareto Distribution” on page 18-34.

Pearson System

See “Pearson and Johnson Systems” on page 5-85.

Piecewise Distributions

See the discussion of the “@piecwisedistribution” on page 17-30 class in “Fitting Piecewise Distributions” on page 5-30.

Poisson Distribution

In this section...

“Definition” on page 18-80

“Background” on page 18-80

“Parameters” on page 18-81

“Example” on page 18-81

Definition

The Poisson pdf is

$$y = f(x|\lambda) = \frac{\lambda^x}{x!} e^{-\lambda} I_{(0, 1, \dots)}(x)$$

Background

The Poisson distribution is appropriate for applications that involve counting the number of times a random event occurs in a given amount of time, distance, area, etc. Sample applications that involve Poisson distributions include the number of Geiger counter clicks per second, the number of people walking into a store in an hour, and the number of flaws per 1000 feet of video tape.

The Poisson distribution is a one-parameter discrete distribution that takes nonnegative integer values. The parameter, λ , is both the mean and the variance of the distribution. Thus, as the size of the numbers in a particular sample of Poisson random numbers gets larger, so does the variability of the numbers.

The Poisson distribution is the limiting case of a binomial distribution where N approaches infinity and p goes to zero while $Np = \lambda$.

The Poisson and exponential distributions are related. If the number of counts follows the Poisson distribution, then the interval between individual counts follows the exponential distribution.


Parameters

The MLE and the MVUE of the Poisson parameter, λ , is the sample mean. The sum of independent Poisson random variables is also Poisson distributed with the parameter equal to the sum of the individual parameters. This is used to calculate confidence intervals λ . As λ gets large the Poisson distribution can be approximated by a normal distribution with $\mu = \lambda$ and $\sigma^2 = \lambda$. This approximation is used to calculate confidence intervals for values of λ greater than 100.

Example

The plot shows the probability for each nonnegative integer when $\lambda = 5$.

```
x = 0:15;  
y = poisspdf(x,5);  
plot(x,y,'+')
```



Rayleigh Distribution

In this section...
“Definition” on page 18-82
“Background” on page 18-82
“Parameters” on page 18-83
“Example” on page 18-83

Definition

The Rayleigh pdf is

$$y = f(x | b) = \frac{x}{b^2} e^{\left(\frac{-x^2}{2b^2}\right)}$$

Background

The Rayleigh distribution is a special case of the Weibull distribution. If A and B are the parameters of the Weibull distribution, then the Rayleigh distribution with parameter b is equivalent to the Weibull distribution with parameters $A = \sqrt{2}b$ and $B = 2$.

If the component velocities of a particle in the x and y directions are two independent normal random variables with zero means and equal variances, then the distance the particle travels per unit time is distributed Rayleigh.

In communications theory, Nakagami distributions, Rician distributions, and Rayleigh distributions are used to model scattered signals that reach a receiver by multiple paths. Depending on the density of the scatter, the signal will display different fading characteristics. Rayleigh and Nakagami distributions are used to model dense scatters, while Rician distributions model fading with a stronger line-of-sight. Nakagami distributions can be reduced to Rayleigh distributions, but give more control over the extent of the fading.

Parameters


The `raylfit` function returns the MLE of the Rayleigh parameter. This estimate is

$$b = \sqrt{\frac{1}{2n} \sum_{i=1}^n x_i^2}$$

Example

The following commands generate a plot of the Rayleigh pdf.

```
x = [0:0.01:2];  
p = raylpdf(x,0.5);  
plot(x,p)
```



Rician Distribution

In this section...

“Definition” on page 18-84

“Background” on page 18-84

“Parameters” on page 18-84

Definition

The Rician distribution has the density function

$$I_0\left(\frac{xs}{\sigma^2}\right) \frac{x}{\sigma^2} e^{-\left(\frac{x^2+s^2}{2\sigma^2}\right)}$$

with noncentrality parameter $s \geq 0$ and scale parameter $\sigma > 0$, for $x > 0$. I_0 is the zero-order modified Bessel function of the first kind. If x has a Rician distribution with parameters s and σ , then $(x/\sigma)^2$ has a noncentral chi-square distribution with two degrees of freedom and noncentrality parameter $(s/\sigma)^2$.

Background

In communications theory, Nakagami distributions, Rician distributions, and Rayleigh distributions are used to model scattered signals that reach a receiver by multiple paths. Depending on the density of the scatter, the signal will display different fading characteristics. Rayleigh and Nakagami distributions are used to model dense scatters, while Rician distributions model fading with a stronger line-of-sight. Nakagami distributions can be reduced to Rayleigh distributions, but give more control over the extent of the fading.

Parameters

See `mle`, `dfittool`.

Student's *t* Distribution

In this section...

“Definition” on page 18-85

“Background” on page 18-85

“Example” on page 18-86

Definition

Student's *t* pdf is

$$y = f(x|v) = \frac{\Gamma\left(\frac{v+1}{2}\right)}{\Gamma\left(\frac{v}{2}\right)} \frac{1}{\sqrt{v\pi}} \frac{1}{\left(1 + \frac{x^2}{v}\right)^{\frac{v+1}{2}}}$$

where $\Gamma(\cdot)$ is the Gamma function.

Background

The *t* distribution is a family of curves depending on a single parameter v (the degrees of freedom). As v goes to infinity, the *t* distribution approaches the standard normal distribution.

W. S. Gossett discovered the distribution through his work at the Guinness brewery. At the time, Guinness did not allow its staff to publish, so Gossett used the pseudonym “Student.”

If x is a random sample of size n from a normal distribution with mean μ , then the statistic


$$t = \frac{\bar{x} - \mu}{s/\sqrt{n}}$$

where \bar{x} is the sample mean and s is the sample standard deviation, has Student's *t* distribution with $n - 1$ degrees of freedom.

Example

The plot compares the t distribution with $\nu = 5$ (solid line) to the shorter tailed, standard normal distribution (dashed line).

```
x = -5:0.1:5;  
y = tpdf(x,5);  
z = normpdf(x,0,1);  
plot(x,y,'-',x,z,'-.-')
```



t Location-Scale Distribution

In this section...

“Definition” on page 18-87

“Background” on page 18-87

“Parameters” on page 18-87

Definition

The t location-scale distribution has the density function

$$\frac{\Gamma(\frac{\nu+1}{2})}{\sigma\sqrt{\nu\pi}\Gamma(\frac{\nu}{2})} \left[\frac{\nu + \left(\frac{x-\mu}{\sigma}\right)^2}{\nu} \right]^{-\left(\frac{\nu+1}{2}\right)}$$

with location parameter μ , scale parameter $\sigma > 0$, and shape parameter $\nu > 0$. If x has a t location-scale distribution, with parameters μ , σ , and ν , then

$$\frac{x - \mu}{\sigma}$$

has a Student's t distribution with ν degrees of freedom.

Background

The t location-scale distribution is useful for modeling data distributions with heavier tails (more prone to outliers) than the normal distribution. It approaches the normal distribution as ν approaches infinity, and smaller values of ν yield heavier tails.

Parameters

See `mle`, `dfittool`.

Uniform Distribution (Continuous)

In this section...

“Definition” on page 18-88

“Background” on page 18-88

“Parameters” on page 18-88

“Example” on page 18-88

Definition

The uniform cdf is

$$p = F(x|a, b) = \frac{x-a}{b-a} I_{[a, b]}(x)$$

Background

The uniform distribution (also called rectangular) has a constant pdf between its two parameters a (the minimum) and b (the maximum). The standard uniform distribution ($a = 0$ and $b = 1$) is a special case of the beta distribution, obtained by setting both of its parameters to 1.

The uniform distribution is appropriate for representing the distribution of round-off errors in values tabulated to a particular number of decimal places.


Parameters

The sample minimum and maximum are the MLEs of a and b respectively.

Example

The example illustrates the inversion method for generating normal random numbers using `rand` and `norminv`. Note that the MATLAB® function, `randn`, does not use inversion since it is not efficient for this case.

```
u = rand(1000,1);  
x = norminv(u,0,1);  
hist(x)
```



Uniform Distribution (Discrete)

In this section...

“Definition” on page 18-90

“Background” on page 18-90

“Example” on page 18-90

Definition

The discrete uniform pdf is

$$y = f(x|N) = \frac{1}{N} I_{(1, \dots, N)}(x)$$


Background

The discrete uniform distribution is a simple distribution that puts equal weight on the integers from one to N .

Example

As for all discrete distributions, the cdf is a step function. The plot shows the discrete uniform cdf for $N = 10$.

```
x = 0:10;  
y = unidcdf(x,10);  
stairs(x,y)  
set(gca,'Xlim',[0 11])
```



Pick a random sample of 10 from a list of 553 items:

```
numbers = unidrnd(553,1,10)
```

```
numbers =
```

```
293  372    5  213   37  231  380  326  515  468
```

Weibull Distribution

In this section...

“Definition” on page 18-92

“Background” on page 18-92

“Parameters” on page 18-92

“Example” on page 18-93

Definition

The Weibull pdf is

$$y = f(x|a, b) = b a^{-b} x^{b-1} e^{-\left(\frac{x}{a}\right)^b} I_{(0, \infty)}(x)$$

Background

Waloddi Weibull offered the distribution that bears his name as an appropriate analytical tool for modeling the breaking strength of materials. Current usage also includes reliability and lifetime modeling. The Weibull distribution is more flexible than the exponential for these purposes.

To see why, consider the hazard rate function (instantaneous failure rate). If $f(t)$ and $F(t)$ are the pdf and cdf of a distribution, then the hazard rate is

$$h(t) = \frac{f(t)}{1 - F(t)}$$

Substituting the pdf and cdf of the exponential distribution for $f(t)$ and $F(t)$ above yields a constant. The example below shows that the hazard rate for the Weibull distribution can vary.

Parameters

Suppose you want to model the tensile strength of a thin filament using the Weibull distribution. The function `wblfit` gives maximum likelihood estimates and confidence intervals for the Weibull parameters.


```

strength = wblrnd(0.5,2,100,1);      % Simulated strengths.
[p,ci] = wblfit(strength)

p =
0.4715    1.9811

ci =

    0.4248    1.7067
    0.5233    2.2996

```

The default 95% confidence interval for each parameter contains the true value.

Example


The exponential distribution has a constant hazard function, which is not generally the case for the Weibull distribution.

The plot shows the hazard functions for exponential (dashed line) and Weibull (solid line) distributions having the same mean life. The Weibull hazard rate here increases with age (a reasonable assumption).

```

t = 0:0.1:4.5;
h1 = exppdf(t,0.6267) ./ (1-expcdf(t,0.6267));
h2 = wblpdf(t,2,2) ./ (1-wblcdf(t,2,2));
plot(t,h1,'- ',t,h2,'- ')

```



Wishart Distribution

In this section...

“Definition” on page 18-94

“Background” on page 18-94

“Example” on page 18-95

Definition

The probability density function of the d -dimensional Wishart distribution is given by

$$y = f(X, \Sigma, \nu) = \frac{X^{((\nu-d-1)/2)} \cdot e^{(-\text{trace}(\Sigma^{-1}X)/2)}}{2^{(\nu d)/2} \cdot \pi^{(d(d-1))/2} \cdot \Sigma^{\nu/2} \cdot \Gamma(\nu/2) \cdot \dots \cdot \Gamma(\nu-(d-1))/2}$$

where X and Σ are d -by- d symmetric positive definite matrices, and ν is a scalar greater than $d - 1$. While it is possible to define the Wishart for singular Σ or for integer $\nu \leq d - 1$, the density cannot be written as above. Only random matrix generation is supported for the Wishart distribution, including the singular cases.

Background

The Wishart distribution is a generalization of the univariate chi-square distribution to two or more variables. It is a distribution for symmetric positive semidefinite matrices, typically covariance matrices, the diagonal elements of which are each chi-square random variables. In the same way as the chi-square distribution can be constructed by summing the squares of independent, identically distributed, zero-mean univariate normal random variables, the Wishart distribution can be constructed by summing the inner products of independent, identically distributed, zero-mean multivariate normal random vectors.

The Wishart distribution is parameterized with a symmetric, positive semidefinite matrix, Σ , and a positive scalar degrees of freedom parameter, ν .

v is analogous to the degrees of freedom parameter of a univariate chi-square distribution, and Σv is the mean of the distribution.

The Wishart distribution is often used as a model for the distribution of the sample covariance matrix for multivariate normal random data, after scaling by the sample size.

Example

If x is a bivariate normal random vector with mean zero and covariance matrix

$$\Sigma = \begin{pmatrix} 1 & .5 \\ .5 & 2 \end{pmatrix}$$

then you can use the Wishart distribution to generate a sample covariance matrix without explicitly generating x itself. Notice how the sampling variability is quite large when the degrees of freedom is small.

```
mu = [0 0];
Sigma = [1 .5; .5 2];
n = 10; S1 = wishrnd(Sigma,n)/(n-1)
```

```
S1 =
    1.7959    0.64107
    0.64107    1.5496
```

```
n = 1000; S2 = wishrnd(Sigma,n)/(n-1)
```

```
S2 =
    0.9842    0.50158
    0.50158    2.1682
```


Data Sets

Statistics Toolbox™ software includes the sample data sets in the following table.

To load a data set into the MATLAB® workspace, type:

```
load filename
```

where *filename* is one of the files listed in the table.

Data sets contain individual data variables, description variables with references, and dataset arrays encapsulating the data set and its description, as appropriate.

File	Description of Data Set
acetylene.mat	Chemical reaction data with correlated predictors
carbig.mat	Measurements of large model cars, 1970–1982
carsmall.mat	Measurements of small model cars, 1970–1982
census.mat	U.S. census data from 1790 to 1980
cereal.mat	Breakfast cereal ingredients
cities.mat	Quality of life ratings for U.S. metropolitan areas
discrim.mat	A version of cities.mat used for discriminant analysis
examgrades.mat	Exam grades on a scale of 0–100
fisheriris.mat	Fisher's 1936 iris data

File	Description of Data Set
gas.mat	Gasoline prices around the state of Massachusetts in 1993
hald.mat	Heat of cement vs. mix of ingredients
hogg.mat	Bacteria counts in different shipments of milk
hospital.mat	Simulated hospital data
kmeansdata.mat	Four-dimensional clustered data
lawdata.mat	Grade point average and LSAT scores from 15 law schools
mileage.mat	Mileage data for three car models from two factories
moore.mat	Biochemical oxygen demand on five predictors
morse.mat	Recognition of Morse code distinctions by non-coders
parts.mat	Dimensional run-out on 36 circular parts
polydata.mat	Sample data for polynomial fitting
popcorn.mat	Popcorn yield by popper type and brand
reaction.mat	Reaction kinetics for Hougen-Watson model
sat.dat	Scholastic Aptitude Test averages by gender and test (table)
sat2.dat	Scholastic Aptitude Test averages by gender and test (csv)
spectra.mat	NIR spectra and octane numbers of 60 gasoline samples
stockreturns.mat	Simulated stock returns

Bibliography

- [1] Atkinson, A. C., and A. N. Donev, *Optimum Experimental Designs*, Oxford University Press, 1992.
- [2] Bates, D. M., and D. G. Watts, *Nonlinear Regression Analysis and Its Applications*, Wiley, 1988.
- [3] M.W. Berry et al., “Algorithms and Applications for Approximate Nonnegative Matrix Factorization,” *Computational Statistics and Data Analysis*, Vol. 52, No. 1, pp. 155-173, 2007.
- [4] Bookstein, Fred L., *Morphometric Tools for Landmark Data*, Cambridge, 1991.
- [5] Bouye, E., Durrleman, V., Nikeghbali, A., Riboulet, G., Roncalli, T., “Copulas for Finance: A Reading Guide and Some Applications,” Working Paper, Groupe de Recherche Operationnelle, Credit Lyonnais, 2000.
- [6] Box, G. E. P., W. G. Hunter, and J. S. Hunter, *Statistics for Experimenters*, Wiley-Interscience, 1978.
- [7] Box, G. E. P., and N. R. Draper, *Empirical Model-Building and Response Surfaces*, Wiley, 1987.
- [8] Bratley, P., and B. L. Fox, “ALGORITHM 659 Implementing Sobol’s Quasirandom Sequence Generator,” *ACM Transactions on Mathematical Software*, Vol. 14, No. 1, pp. 88-100, 1988.
- [9] Breiman, L., J. Friedman, R. Olshen, and C. Stone, *Classification and Regression Trees*, Wadsworth, 1984.
- [10] Bulmer, M. G., *Principles of Statistics*, Dover, 1979.

- [11] Bury, K., *Statistical Distributions in Engineering*, Cambridge University Press, 1999.
- [12] Chatterjee, S., and A. S. Hadi, "Influential Observations, High Leverage Points, and Outliers in Linear Regression," *Statistical Science*, Vol. 1, pp. 379-416, 1986.
- [13] Collett, D., *Modeling Binary Data*, Chapman & Hall, 2002.
- [14] Conover, W.J., *Practical Nonparametric Statistics*, Wiley, 1980.
- [15] Deb, P., and M. Sefton, "The Distribution of a Lagrange Multiplier Test of Normality," *Economics Letters*, Vol. 51, pp. 123-130, 1996.
- [16] de Jong, S., "SIMPLS: An Alternative Approach to Partial Least Squares Regression," *Chemometrics and Intelligent Laboratory Systems*, vol. 18, 1993, pp. 251-263.
- [17] Dempster, A. P., N. M. Laird, and D. B. Rubin, "Maximum Likelihood from Incomplete Data via the EM Algorithm," *Journal of the Royal Statistical Society, Series B*, Vol. 39, No. 1, pp. 1-37, 1977.
- [18] Devroye, L., *Non-Uniform Random Variate Generation*, Springer-Verlag, 1986.
- [19] Dobson, A. J., *An Introduction to Generalized Linear Models*, Chapman & Hall, 1990.
- [20] Draper, N. R., and H. Smith, *Applied Regression Analysis*, Wiley-Interscience, 1998.
- [21] Drezner, Z., "Computation of the Trivariate Normal Integral," *Mathematics of Computation*, Vol. 63, pp. 289-294, 1994.
- [22] Drezner, Z. and G.O. Wesolowsky, "On the Computation of the Bivariate Normal Integral," *Journal of Statistical Computation and Simulation*, Vol. 35, pp. 101-107, 1989.
- [23] Durbin, R., S. Eddy, A. Krogh, and G. Mitchison, *Biological Sequence Analysis*, Cambridge University Press, 1998.

- [24] Efron, B., and R. J. Tibshirani, *An Introduction to the Bootstrap*, Chapman & Hall, 1993.
- [25] Evans, M., N. Hastings, and B. Peacock, *Statistical Distributions*, Wiley-Interscience, 2000.
- [26] Genz, A., "Numerical Computation of Rectangular Bivariate and Trivariate Normal and t Probabilities," *Statistics and Computing*, Vol. 14, No. 3, pp. 251-260, 2004.
- [27] Genz, A. and F. Bretz, "Numerical Computation of Multivariate t Probabilities with Application to Power Calculation of Multiple Contrasts," *Journal of Statistical Computation and Simulation*, Vol. 63, pp. 361-378, 1999.
- [28] Genz, A. and F. Bretz, "Comparison of Methods for the Computation of Multivariate t Probabilities," *Journal of Computational and Graphical Statistics*, Vol. 11, No. 4, pp. 950-971, 2002.
- [29] Gibbons, J. D., *Nonparametric Statistical Inference*, Marcel Dekker, 1985.
- [30] Hald, A., *Statistical Theory with Engineering Applications*, Wiley, 1960.
- [31] Hastie, T., R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning*, Springer, 2001.
- [32] Hoerl, A.E., R.W. Kennard, "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, Vol. 12, Number 1, pp. 55-67, 1970.
- [33] Hoerl, A.E., R.W. Kennard, "Ridge Regression: Applications to Nonorthogonal Problems," *Technometrics*, Vol. 12, Number 1, pp. 69-82, 1970.
- [34] Hogg, R. V., and J. Ledolter, *Engineering Statistics*, MacMillan, 1987.
- [35] Hollander, M., and D. A. Wolfe, *Nonparametric Statistical Methods*, Wiley, 1999.
- [36] Hong, H. S., and F. J. Hickernell, "ALGORITHM 823: Implementing Scrambled Digital Sequences," *ACM Transactions on Mathematical Software*, Vol. 29, No. 2, pp. 95-109, 2003.

- [37] Jain, A., and R. Dubes, *Algorithms for Clustering Data*, Prentice-Hall, Englewood Cliffs, NJ, 1988.
- [38] Jarque, C.M., and A.K. Bera, "A test for normality of observations and regression residuals," *International Statistical Review*, Vol. 55, No. 2, pp. 163-172, 1987.
- [39] Joe, S., and F. Y. Kuo, "Remark on Algorithm 659: Implementing Sobol's Quasirandom Sequence Generator," *ACM Transactions on Mathematical Software*, Vol. 29, No. 1, pp. 49-57, 2003.
- [40] Johnson, N. L., S. Kotz, and N. Balakrishnan, *Continuous Univariate Distributions*, Volume 1, Wiley-Interscience, 1993.
- [41] Johnson, N. L., S. Kotz, and N. Balakrishnan, *Continuous Univariate Distributions*, Volume 2, Wiley-Interscience, 1994.
- [42] Johnson, N. L., S. Kotz, and N. Balakrishnan, *Discrete Multivariate Distributions*, Wiley-Interscience, 1997.
- [43] Johnson, N. L., N. Balakrishnan, and S. Kotz, *Continuous Multivariate Distributions*, Volume 1, Wiley-Interscience, 2000.
- [44] Johnson, N. L., S. Kotz, and A. W. Kemp, *Univariate Discrete Distributions*, Wiley-Interscience, 1993.
- [45] Kendall, David G., "A Survey of the Statistical Theory of Shape," *Statistical Science*, Vol. 4, No. 2, pp. 87-99, 1989.
- [46] Kocis, L., and W. J. Whiten, "Computational Investigations of Low-Discrepancy Sequences," *ACM Transactions on Mathematical Software*, Vol. 23, No. 2, pp. 266-294, 1997.
- [47] Krzanowski, W. J., *Principles of Multivariate Analysis: A User's Perspective*, Oxford University Press, 1988.
- [48] Lawless, J. F., *Statistical Models and Methods for Lifetime Data*, Wiley-Interscience, 2002.

- [49] Lilliefors, H.W., "On the Komogorov-Smirnov test for normality with mean and variance unknown," *Journal of the American Statistical Association*, vol. 62, pp. 399-402, 1967.
- [50] Lilliefors, H.W., "On the Kolmogorov-Smirnov test for the exponential distribution with mean unknown," *Journal of the American Statistical Association*, vol. 64, 1969, pp. 387-389.
- [51] Little, Roderick J. A. and Donald B. Rubin, *Statistical Analysis with Missing Data*, 2nd ed., Wiley, 2002.
- [52] Mardia, K. V., J. T. Kent, and J. M. Bibby, *Multivariate Analysis*, Academic Press, 1980.
- [53] Marquardt, D.W., "Generalized Inverses, Ridge Regression, Biased Linear Estimation, and Nonlinear Estimation," *Technometrics*, Vol. 12, Number 3, pp. 591-612, 1970.
- [54] Marquardt, D.W., and R.D. Snee, "Ridge Regression in Practice," *The American Statistician*, Vol. 29, Number 1, pp. 3-20, 1975.
- [55] Marsaglia, G., W. Tsang, and J. Wang, "Evaluating Kolmogorov's Distribution," *Journal of Statistical Software*, Vol. 8, issue 18, 2003.
- [56] Martinez, W. L., and A. R. Martinez, *Computational Statistics with MATLAB®*, Chapman & Hall/CRC, 2002.
- [57] Massey, F. J., "The Kolmogorov-Smirnov Test for Goodness of Fit," *Journal of the American Statistical Association*, Vol. 46, No. 253, pp. 68-78, 1951.
- [58] Matousek, J., "On the L2-Discrepancy for Anchored Boxes," *Journal of Complexity*, Vol. 14, No. 4, pp. 527-556, 1998.
- [59] McLachlan, G., and D. Peel, *Finite Mixture Models*, Wiley, 2000.
- [60] McCullagh, P., and J. A. Nelder, *Generalized Linear Models*, Chapman & Hall, 1990.
- [61] Meeker, W. Q., and Escobar, L. A., *Statistical Methods for Reliability Data*, Wiley, 1998.

- [62] Meng, Xiao-Li and Donald B. Rubin, "Maximum Likelihood Estimation via the ECM Algorithm," *Biometrika*, Vol. 80, No. 2, pp. 267-278, 1993.
- [63] Meyers, R. H. and D.C. Montgomery, *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*, Wiley, 1995.
- [64] Miller, L. H., "Table of Percentage Points of Kolmogorov Statistics," *Journal of the American Statistical Association*, Vol. 51, No. 273, pp. 111-121, 1956.
- [65] Montgomery, D. C., *Design and Analysis of Experiments*, Wiley, 2001.
- [66] Moore, J., *Total Biochemical Oxygen Demand of Dairy Manures*, Ph.D. thesis, University of Minnesota, Department of Agricultural Engineering, 1975.
- [67] Mosteller, F. and J. Tukey, *Data Analysis and Regression*, Addison-Wesley, 1977.
- [68] Rice, J. A., *Mathematical Statistics and Data Analysis*, Duxbury Press, 1994.
- [69] Rosipal, R. and N. Kramer, "Overview and Recent Advances in Partial Least Squares," in *Subspace, Latent Structure and Feature Selection: Statistical and Optimization Perspectives Workshop (SLSFS 2005), Revised Selected Papers (Lecture Notes in Computer Science 3940)*, Springer-Verlag, 2006, pp. 34-51.
- [70] Seber, G. A. F., *Linear Regression Analysis*, Wiley-Interscience, 2003.
- [71] Seber, G. A. F., *Multivariate Observations*, Wiley, 1984.
- [72] Seber, G. A. F., and C. J. Wild, *Nonlinear Regression*, Wiley-Interscience, 2003.
- [73] Sexton, Joe and Anders Rygh Swensen, "ECM Algorithms that Converge at the Rate of EM," *Biometrika*, Vol. 87, No. 3, 2000, pp. 651-662.
- [74] Snedecor, G. W., and W. G. Cochran, *Statistical Methods*, Iowa State Press, 1989.

- [75] Spath, H., *Cluster Dissection and Analysis: Theory, FORTRAN Programs, Examples*, translated by J. Goldschmidt, Halsted Press, New York, 1985.
- [76] Stein, M., Large sample properties of simulations using latin hypercube sampling, *Technometrics*, Vol. 29, No. 2, 1987, pp. 143-151. Correction, Vol. 32, p. 367.
- [77] Stephens, M.A., "Use of the Kolmogorov-Smirnov, Cramer-Von Mises and Related Statistics Without Extensive Tables," *Journal of the Royal Statistical Society*, Series B, Vol. 32, No. 1, pp. 115-122, 1970.
- [78] Student, "On the Probable Error of the Mean," *Biometrika*, 6, pp. 1-25, 1908.
- [79] Velleman, P. F., and D. C. Hoaglin, *Application, Basics, and Computing of Exploratory Data Analysis*, Duxbury Press, 1981.
- [80] Weibull, W., "A Statistical Theory of the Strength of Materials," *Ingeniors Vetenskaps Akademiens Handlingar*, Stockholm: Royal Swedish Institute for Engineering Research, No. 151, 1939.
- [81] Wild, C. J., and G. A. F. Seber, *Chance Encounters: A First Course in Data Analysis and Inference*, Wiley, 1999.
- [82] Zahn, C.T., "Graph-theoretical methods for detecting and describing Gestalt clusters," *IEEE Transactions on Computers*, C 20, pp. 68-86, 1971.

A

- absolute deviation 3-5
- added variable plot 8-23
 - from stepwise 8-29
- addvarplot 16-2
- additive effects 7-9
- addlevels (categorical) 16-5
- adjacent values 4-7
- alternative hypothesis 6-3
- analysis of variance 18-23
 - functions 15-27
 - multivariate 7-39
 - N-way 7-12
 - one-way 7-3
 - two-way 7-8
 - visualization functions 15-9 15-27
- andrewsplot 16-7
- ANOVA table
 - regression 8-13
- anova1 16-11
- anova2 16-18
- anovan 16-22
- ansaribradley 16-32
- aocool 7-27 16-35
- average linkage 16-476

B

- bacteria counts 7-4
- barttest 16-39
- batch updates 16-442
- bbdesign 16-40
- Bernoulli distribution 18-3
- Bernoulli random variables 16-59
- beta distribution 18-4
- betacdf 16-43
- betafit 16-44
- betainv 16-46
- betalike 16-48
- betapdf 16-49

- betarnd 16-50
- betastat 16-52
- binocdf 16-53
- binofit
 - binomial fit 16-54
- binoinv 16-56
- binomial distribution 18-7
 - negative 18-63
- binopdf 16-57
- binornd 16-59
- binostat 16-61
- biplot 16-62
- Birnbaum-Saunders distribution 18-10
- bootci 16-65
- bootstrap 3-9 16-67
- boundry (piecewisedistribution) 16-72
- box plots 4-6
- Box-Behnken designs 13-13
 - generating 16-40
- Box-Wilson designs 13-9
- boxplot 16-73

C

- candexch 16-80
- candgen 16-84
- candidate set 13-17
- canoncorr 16-88
- Canonical Maximum Likelihood (CML) 16-170
- capability 16-91
- capability studies 14-6
- capaplot 16-94
- casenames
 - reading from file 16-96
 - writing to file 16-97
- caseread 16-96
- casewrite 16-97
- categorical arrays
 - functions 15-3
- ccdesign 16-98

- cdf 16-101
- cdf (gmdistribution) 16-104
- cdf (piecewisedistribution) 16-106
- cdfplot 16-107
- central composite designs 13-9
 - generating 16-98
- Central Limit Theorem 18-74
- central tendency
 - functions 15-5
- centroid linkage 16-476
- chi-square distributions 18-11
- chi2cdf 16-109
- chi2gof 16-110
- chi2inv 16-115
- chi2pdf 16-117
- chi2rnd 16-118
- chi2stat 16-119
- children (classregtree) 16-121
- cholcov 16-124
- circuit boards 16-57
- City Block metric
 - in cluster analysis 16-696
- classcount (classregtree) 16-126
- classical multidimensional scaling 9-3
 - cmdscale function 16-152
 - overview 9-3
- classification
 - functions 15-36
 - visualization functions 15-11 15-36
- classification trees 11-6
 - functions 15-36
- classifier 11-2
- classify 16-129
- classprob (classregtree) 16-135
- classregtree 16-138
- cluster 16-142
- cluster (gmdistribution) 16-144
- cluster analysis 10-2
 - functions 15-34
 - hierarchical clustering 10-3
 - K-means clustering 10-21
 - visualization functions 15-11 15-34
- cluster tree 16-142
- cluster tree creation 16-474
 - from data 16-149
- cluster trees
 - inconsistency coefficient 16-411
 - plotting 16-233
- clusterdata 16-149
- cmdscale 16-152
- coefficients
 - linear model 8-3
- coin 16-328
- combnk 16-154
- common factors 9-38
- comparisons, multiple 7-6
- complete linkage 16-476
- confidence interval 6-4
- confidence intervals
 - nonlinear regression 8-61
- confounding effects 13-5
- confounding pattern 13-7
- continuous distributions
 - data 5-4
 - statistics 5-6
- control charts 14-3
- controlchart 16-155
- controlrules 16-161
- Cook's distance 16-778
- cophenet 16-165
- cophenetic correlation coefficient 10-10 16-165
- copulacdf 16-167
- copulafit 16-169
- copulaparam 16-175
- copulapdf 16-177
- copularnd 16-181
- copulas 5-101 18-13
- copulastat 16-179
- cordexch 16-183
- corr 16-187

- corrcoef 16-189
 - corrcov 16-190
 - correlation
 - functions 15-7
 - cov 16-191
 - coxphfit
 - Cox proportional hazards fit 16-192
 - criterion function 9-15
 - crosstab 16-195
 - crossval 16-197
 - cumulative distribution
 - functions 15-15
 - cumulative distribution function (cdf)
 - empirical 5-21
 - graphing an estimate 4-13
 - cumulative distribution functions 5-20
 - curse of dimensionality 9-2
 - cut variables 16-210
 - cutcategories (classregtree) 16-200
 - cutpoint (classregtree) 16-203
 - cuttype (classregtree) 16-206
 - cutvar (classregtree) 16-210
 - cvpartition 16-213
- D**
- d-optimal designs
 - functions 15-40
 - D-optimal designs 13-15
 - creating from candidate set 16-80
 - generating candidate set 16-84
 - data
 - landmark 9-14
 - data organization
 - functions 15-3
 - data sets
 - statistical examples A-1
 - dataset 16-215
 - dataset arrays
 - functions 15-4
 - datasetfun (dataset) 16-221
 - daugment 16-225
 - dcovary 16-229
 - decision trees
 - computing error rate 16-924
 - computing response values 16-927
 - creating 16-918
 - creating subtrees 16-921
 - displaying 16-915
 - fitting 16-918
 - pruning 16-921
 - dendrogram 16-233
 - density estimation
 - ksdensity function 16-449
 - descriptive statistics
 - functions 15-5
 - design matrix 8-5
 - design of experiments
 - basic factors 13-6
 - confounding effects 13-5
 - D-optimal designs 13-15
 - fractional factorial designs 13-5
 - full factorial designs 13-3
 - functions 15-39
 - generators 13-6
 - levels 13-3
 - Plackett-Burman designs 13-5
 - resolution 13-6 16-296
 - response surface designs 13-9
 - two-level designs 13-4
 - visualization functions 15-11 15-39
 - dfittool 16-236
 - dimension reduction 9-2
 - common factor analysis 16-272
 - PCA from covariance matrix 16-683
 - PCA from raw data matrix 16-726
 - PCA residuals 16-685
 - discrepancy 5-144
 - discrete distributions 5-7
 - discrete uniform distribution 18-90

- discriminant analysis
 - functions 15-36
- discriminant function 11-3
- dispersion
 - functions 15-6
- dissimilarity matrix
 - creating 10-4
- distance matrix
 - creating 10-4
- distribution
 - functions 5-9
 - visualization functions 15-8 15-12
- distribution fitting
 - functions 15-20
- distribution fitting functions 5-28
- distribution fitting tool 5-45
- distribution statistics
 - functions 15-19
- distribution statistics functions 5-26
- distributions
 - custom 18-14
- disttool 16-237
- droplevels (categorical) 16-238
- dummyvar 16-240
- dwttest 16-243

E

- ecdf 16-244
- ecdfhist 16-247
- efinv 16-257
- empirical cumulative distribution function 5-21
 - ecdf function 16-244
- erf 18-74
- error function 18-74
- errorbar 16-249
- Euclidean distance
 - in cluster analysis 16-695
- eval (classregtree) 16-250
- evcdf 16-254
- evfit
 - extreme value fit 16-255
- evlike 16-258
- evpdf 16-259
- evrnd 16-260
- evstat 16-261
- expcdf 16-262
- expectation maximization (EM) 5-92 10-2 10-28
- expfit 16-264
- expinv 16-266
- explike 16-268
- exponential distribution 18-15
- exppdf 16-269
- exprnd 16-270
- expstat 16-271
- extrapolated 16-741
- extreme value distribution 18-18

F

- F distribution 18-22
- factor analysis
 - functions 15-33
 - maximum likelihood 16-272
- factoran 16-272
- factorial designs
 - fractional 13-5
 - full 13-3
 - generating fractional 16-294
 - generating full 16-308
- fcdf 16-285
- feature selection 9-15
 - functions 15-33
 - sequential 9-15
- feature transformation 9-20
 - functions 15-33
- ff2n 16-286
- file I/O
 - functions 15-2
- filter methods

- feature selection 16-842
 - finv 16-287
 - fit (gmdistribution) 16-288
 - floppy disks 16-402
 - folders
 - partition 16-213
 - fpdf 16-293
 - fracfact 16-294
 - fracfactgen 16-296
 - fractional factorial designs 13-5
 - functions 15-40
 - generating 16-294
 - friedman 16-299
 - Friedman's test 7-37
 - frnd 16-303
 - fstat 16-304
 - fsurfht 16-305
 - full factorial designs 13-3
 - functions 15-39
 - generating 16-308
 - fullfact 16-308
 - furthest neighbor linkage 16-476
- G**
- gagerr 16-309
 - gamcdf 16-314
 - gamfit 16-316
 - gaminv 16-318
 - gamlike 16-320
 - gamma distribution 18-24
 - gampdf 16-322
 - gamrnd 16-323
 - gamstat 16-324
 - Gauss-Markov theorem 8-5
 - Gaussian
 - distributions 18-27
 - Gaussian mixture
 - distributions 18-28
 - Gaussian mixture models
 - functions 15-35
 - generalized extreme value distribution 18-29
 - generalized Pareto distribution 18-34
 - geocdf 16-328
 - geoinv 16-329
 - geomean 16-330
 - geometric distribution 18-38
 - geopdf 16-331
 - geornd 16-332
 - geostat 16-333
 - get (dataset) 16-325
 - getlabels (categorical) 16-327
 - gevcdf 16-334
 - gevfit 16-335
 - gevinv 16-337
 - gevlike 16-338
 - gevpdf 16-339
 - gevrnd 16-340
 - gevstat 16-341
 - gline 16-342
 - glmfit 16-343
 - glmval 16-348
 - glyphplot 16-351
 - gmdistribution 16-356
 - gname 16-358
 - gpcdf 16-360
 - gpfit 16-361
 - gpinv 16-363
 - gplike 16-364
 - gplotmatrix 16-366
 - gppdf 16-365
 - gprnd 16-369
 - gpstat 16-370
 - graphical user interfaces
 - functions 15-43
 - group mean clusters, plot 7-44
 - grouped plot matrix 7-40
 - grp2idx 16-371
 - grpstats 16-372
 - grpstats (dataset) 16-374

gscatter 16-377
Guinness 18-85

H

hadamard 16-379
haltonset 16-380
harmmean 16-382
hat matrix 8-7
hidden Markov models
 functions 15-38
Hidden Markov models 12-5
hierarchical clustering 10-3 16-142
 computing inconsistency coefficient 16-411
 cophenetic correlation coefficient 16-165
 creating cluster tree 16-474
 creating clusters 10-16
 creating clusters from data 16-149
 determining proximity 16-694
 evaluating cluster formation 16-165
 functions 15-34
 grouping objects 10-6
 inconsistency coefficient 16-411
 plotting cluster trees 16-233
 procedure 10-3
hist 16-383
hist3 16-384
histfit
 histogram fit 16-388
hmmdecode 16-390
hmmestimate 16-392
hmmgenerate 16-394
hmmtrain 16-396
hmmviterbi 16-399
holdout
 partition 16-213
Hotelling's T-squared 9-34
hougen 16-401
hygecdf 16-402

hygeinv 16-403
hygepdf 16-404
hygernd 16-405
hygestat 16-406
hypergeometric distribution 18-40
hypotheses 18-23
hypothesis test
 power 16-827
hypothesis tests
 functions 15-26

I

icdf 16-407
icdf (piecewisedistribution) 16-410
incomplete beta function 18-4
incomplete gamma function 18-24
inconsistency coefficient 16-411
inconsistent 16-411
Inference Functions for Margins (IFM)
 method 16-170
inspector 16-708
interaction 7-9 13-2
interactionplot 16-414
interpolated 16-892
interquartile range (iqr) 3-6
inverse cumulative distribution
 functions 15-17
inverse cumulative distribution functions 5-24
inverse Gaussian distribution 18-42
inverse Wishart distribution 18-43
invpred 16-416
iqr 16-418
isbranch (classregtree) 16-419
islevel (categorical) 16-422
ismember (categorical) 16-423
isundefined (categorical) 16-425
iwishrnd 16-426

J

jackknife 3-12 16-427
Jarque-Bera test 16-428
jbtest 16-428
Johnson system
 distributions 18-44
Johnson System of Distributions 5-85
johnsrnd 16-431
join (dataset) 16-436

K

k-means clustering
 functions 15-35
K-means clustering 10-21
 cluster separation 10-22
 local minima 10-26
 number of clusters 10-23
 silhouette plot 16-853
Kaplan-Meier cumulative distribution
 function 16-244
kernel bandwidth 5-15
kernel smoothing function 5-17
kmeans 16-439
Kruskal-Wallis test 7-36
kruskalwallis 16-445
ksdensity 16-449
kstest 16-453
kstest2 16-457
kurtosis 16-461

L

landmark data 9-14
latin hypercube designs
 functions 15-40
latin hypercube sample 16-467
 normal distribution 16-468
least squares
 iteratively reweighted 8-14

levelcounts (categorical) 16-463
leverage 8-7 16-465
leverage plot
 partial regression 8-23
lhsdesign 16-467
lhsnorm 16-468
light bulbs, life of 16-266
likelihood function 16-49
Lilliefors test 6-7
lillietest 16-469
linear models
 generalized 8-52
linear regression
 functions 15-29
 multiple 8-8
 polynomial 8-37
 response surfaces 8-45
 ridge 8-29
 robust 8-14
 stepwise 8-19
linear transformation
 Procrustes 16-732
linhypstest 16-472
link function 8-53
linkage 16-474
loadings 9-28 9-38
logistic distribution 18-45
logistic model 8-54
logistic regression 8-56
 stepwise 8-56
loglogistic distribution 18-46
logncdf 16-478
lognfit
 lognormal fit 16-480
logninv 16-482
lognlike 16-484
lognormal distribution 18-47
lognpdf 16-485
lognrnd 16-487
lognstat 16-489

- loss
 - prediction 16-197 16-840
- lottery 16-945
- lowerparams (paretotails) 16-491
- lscov 16-492
- lsline 16-493
- lsqnonneg 16-494

- M**
- mad 16-495
- mahal 16-497
- mahal (gmdistribution) 16-499
- Mahalanobis distance 10-33 16-497 16-499
 - in cluster analysis 16-696
- main effects 13-2
- maineffectspplot 16-503
- Mann-Whitney
 - U-test 16-762
- MANOVA 7-39
- manova1 16-505
- manovacluster 16-509
- Markov chain Monte Carlo 5-142
- Markov chains 12-4
 - emission matrix 12-4
 - emissions 12-4
 - initial state 12-4
 - transition matrices 12-4
- Markov models
 - functions 15-38
 - hidden 12-5
- maximum likelihood
 - coefficient estimates 8-5
 - factor analysis 16-272
- maximum likelihood estimate 5-28
- maximum likelihood estimation 5-28
- MCMC 5-142
- MDS 9-3
 - See also* multidimensional scaling
- mdscale 16-511

- mean 16-515
 - of probability distribution 5-26
- mean absolute deviation 16-495
- Mean Squares (MS) 16-12
- measures of
 - central tendency 3-3
 - dispersion 3-5
- median 16-516
- median absolute deviation 16-495
- mergelevels (categorical) 16-517
- metric multidimensional scaling 9-3
 - See also* classical multidimensional scaling
- mhsample 16-519
- Minkowski metric
 - in cluster analysis 16-696
- missing data 3-13
- missing values
 - functions 15-6
- mle 16-523
- mlecov 16-529
- mnpdf 16-532
- mnrfit 16-534
- mnrnd 16-537
- mnrval 16-539
- mode 16-541
- moment 16-542
- multcompare 16-544
- multicollinearity 8-29 16-791
- multidimensional arrays
 - classical (metric) scaling 16-152
- multidimensional scaling
 - functions 15-32
- multidimensional scaling (MDS)
 - classical (metric) 9-3
- multinomial distribution 18-49
- multiple comparison procedure 16-544
- multiple linear regression 8-8
- multivariate
 - visualization functions 15-10 15-32
- multivariate analysis of variance 7-39

- example 7-39
- multivariate distributions 5-8
- multivariate Gaussian
 - distributions 18-51
- multivariate normal distribution 18-52
- multivariate regression 8-4 8-57
- multivariate statistics
 - analysis of variance 7-39
 - functions 15-32
 - Principal Component Analysis 9-23
- multivariate t distribution 18-57
- multivarichart 16-553
- mvncdf 16-557
- mvnpdf 16-561
- mvnrnd 16-568
- mvregress 16-562
- mvregresslike 16-566
- mvtcdf 16-570
- mvtpdf 16-574
- mvtrnd 16-576

N

- Nakagami distribution 18-62
- NaN 3-13
- nancov 16-578
- nanmax 16-580
- nanmean 16-581
- nanmedian 16-582
- nanmin 16-583
- nanstd 16-584
- nansum 16-586
- nanvar 16-587
- nbincdf 16-588
- nbinfit
 - negative binomial fit 16-590
- nbininv 16-591
- nbinpdf 16-592
- nbinrnd 16-594
- nbinstat 16-595
- ncfcdf 16-597
- ncfinv 16-599
- ncfpdf 16-601
- ncfrnd 16-602
- ncfstat 16-604
- nctcdf 16-606
- nctinv 16-607
- nctpdf 16-608
- nctrnd 16-610
- nctstat 16-611
- ncx2cdf 16-613
- ncx2inv 16-615
- ncx2pdf 16-616
- ncx2rnd 16-618
- ncx2stat 16-620
- nearest neighbor linkage 16-476
- negative binomial distribution 18-63
 - confidence intervals 16-590
 - cumulative distribution function (cdf) 16-588
 - definition 18-63
 - inverse cumulative distribution function (cdf) 16-591
 - mean and variance 16-595
 - modeling number of auto accidents 18-64
- nbincdf function 16-588
- nbininv function 16-591
- nbinpdf function 16-592
- parameter estimates 16-590
- probability density function (pdf) 16-592
- random matrices 16-594
- negative log-likelihood
 - functions 15-22
- negative log-likelihood functions 5-35
- net (qrandset) 16-621
- Newton's method 16-318
- nlinfit
 - nonlinear least-squares fit 16-623
- nlintool 16-626
- nlparci 16-628
- nlpredci 16-630

- nnmf 16-633
- nodeerr (classregtree) 16-637
- nodeprob (classregtree) 16-640
- nodesize (classregtree) 16-643
- nominal 16-646
- noncentral F distribution 18-69
- nonlinear regression
 - functions 15-30
- nonnegative matrix factorization 9-21
 - functions 15-33
- nonparametric
 - distributions 18-73
- normal distribution 18-74
- normal equations 8-6
- normal probability plots 4-8
- normalizing a dataset 10-4
- normcdf 16-649
- normfit
 - normal fit 16-651
- norminv 16-653
- normlike 16-655
- normpdf 16-656
- normplot 16-657
- normrnd 16-659
- normspec 16-661
- normstat 16-663
- nsegments (piecisedistribution) 16-664
- null 6-3
- null hypothesis 6-3
- numnodes (classregtree) 16-665

○

- online updates 16-443
- ordinal 16-667
- outliers 3-3
 - regression 8-11

P

- p-value 6-3
- parallel regression 16-535
- parallelcoords 16-670
- parent (classregtree) 16-672
- pareto 16-675
- Pareto
 - distributions 18-77
- paretotails 16-677
- partial least squares regression 8-33
- partial regression
 - leverage plot 8-23
- partialcorr 16-680
- PCA. *See* Principal Component Analysis
- pcacov 16-683
- pcares 16-685
- pdf 16-687
- pdf (gmdistribution) 16-690
- pdf (piecisedistribution) 16-692
- pdist 16-694
- Pearson system
 - distributions 18-78
- Pearson System of Distributions 5-85
- pearsrnd 16-699
- percentile 3-7
- perms 16-701
- piecise
 - distributions 18-79
- piecise distribution fitting
 - functions 15-21
- piecise distributions
 - functions 15-24
- Plackett-Burman designs 13-5
- plsregress 16-702
- poisscdf 16-708
- poissfit
 - Poisson fit 16-710
- poissinv 16-711
- Poisson distribution 18-80
- poisspdf 16-712

poisrnd 16-713
 poisstat 16-714
 polyconf 16-715
 polyfit
 polynomial curve fitting 16-717
 polynomial regression 8-37
 polytool 16-718
 polyval 16-719
 posterior (gmdistribution) 16-720
 power 6-4
 prctile 16-724
 principal component analysis
 functions 15-33
 Principal Component Analysis (PCA) 9-23
 component scores 9-28
 component variances 9-32
 Hotelling's T-squared 9-34
 principal components 9-28
 quality of life example 9-25
 Scree plot 9-33
 principal coordinates analysis 9-4
 princomp 16-726
 probability density
 functions 15-13
 probability density estimation 5-13
 comparing estimates 5-18
 function 16-449
 kernel bandwidth 5-15
 kernel smoothing function 5-17
 probability density functions 5-10
 probability distribution
 mean and variance 5-26
 piecewise 5-28
 Probability Distribution Function Tool 5-43
 probability distributions 5-43
 functions 15-12
 probability mass function
 pmf 5-10
 probplot 16-728
 procrustes 16-732

procrustes analysis
 functions 15-32
 Procrustes analysis 9-14
 Procrustes Analysis 16-732
 prune (classregtree) 16-736
 pseudo-random 5-134
 pseudoinverse 8-6

Q

qqplot 16-741
QR decomposition 16-778
 grand (grandstream) 16-743
 grandstream 16-745
 quality assurance 16-57
 quantile 16-747
 quantile-quantile plots 4-10
 quasi-random 5-144
 leaping 5-145
 point set 5-145
 scrambling 5-145
 skipping 5-145
 state 5-151
 stream 5-151
 quasi-random designs
 functions 15-41
 quasi-random number
 functions 15-24

R

randg 16-748
 random 5-133 16-750
 random (gmdistribution) 16-753
 random (piecwisedistribution) 16-756
 random number
 functions 15-22
 random number generation
 acceptance-rejection methods 5-138
 direct methods 5-134

- inversion methods 5-136
- Random number generation 5-133
 - methods 5-133
- Random Number Generation Tool 5-82
- random number generators 5-39 5-134
- random samples
 - inverse Wishart 16-426
 - latin hypercube 16-467
 - latin hypercube with normal distribution 16-468
 - Wishart 16-978
- randsample 16-757
- randtool 16-758
- range 16-761
- ranksum 16-762
- raylcdf 16-764
- Rayleigh distribution 18-82
- raylfit
 - Rayleigh fit 16-765
- raylinv 16-766
- raylpdf 16-767
- raylrnd 16-768
- raylstat 16-769
- rcoplot 16-770
- refcurve 16-772
- refline 16-773
- regress 16-774
- regression 18-23
 - ANOVA 8-13
 - multivariate 8-4 8-57
 - partial least squares 8-33
- Regression
 - adjusted R -square statistic 16-778
 - change in covariance 16-778
 - change in fitted values 16-778
 - coefficient covariance 16-778
 - coefficients 16-778
 - delete-1 coefficients 16-778
 - delete-1 variance 16-778
 - F statistic 16-778
 - fitted values 16-778
 - hat matrix 16-778
 - leverage 16-778
 - mean squared error 16-778
 - projection matrix 16-778
 - R -square statistic 16-778
 - residuals 16-778
 - scaled change in coefficients 16-778
 - scaled change in fitted values 16-778
 - t statistic 16-778
- regression analysis
 - functions 15-28
 - visualization functions 15-10 15-28
- regression trees 8-64
 - functions 15-31
- regstats 16-778
- relative efficiency 16-418
- reorderlevels (categorical) 16-783
- repartition (cvpartition) 16-784
- replacedata (dataset) 16-786
- resampling
 - functions 15-6
- resampling statistics 3-9
- reset (grandstream) 16-788
- residual
 - linear regression 8-5
- residuals
 - regression 8-10
- Residuals
 - standardized 16-778
 - studentized 16-778
- response surface 8-46
- response surface designs 13-9
 - Box-Behnken 13-13
 - central composite 13-9
 - functions 15-40
- response surface methodology (RSM) 8-46
- resubstitution error 16-637
- Rician distribution 18-84
- ridge 16-790

- ridge parameter 8-29 16-791
- ridge regression 8-29 16-790
- ridge trace 16-790
- risk (classregtree) 16-795
- robust 3-3
- robust linear fit 16-741
- robust regression 8-14 16-802
- robustdemo 8-16 16-798
- robustfit
 - Robust linear regression 16-802
- rotatable design 13-11
- rotatefactors 16-808
- rowexch 16-812
- rsmdemo 16-816
- rstool 16-821
- runstest 16-825

- S**
- sampsizepwr 16-827
- scaling arrays
 - classical multidimensional 16-152
- scatter 16-831
 - visualization functions 15-9
- scatter plots 4-3
 - grouped 7-40
- scatterhist 16-832
- scramble (qrandset) 16-836
- Scree plot 9-33
- segment (piecewisedistribution) 16-839
- sequential backward selection (SBS) 9-16
- sequential feature selection 9-15
 - criterion 9-15
- sequential forward selection (SFS) 9-16
- sequentialfs 16-840
- set (dataset) 16-846
- setlabels (categorical) 16-847
- shape
 - functions 15-6
- Shepard plot 9-11
- significance level 6-3
- signrank 16-849
- signtest 16-851
- silhouette 16-853
- similarity matrix
 - creating 10-4
- single linkage 16-476
- skewness 16-858
- slicesample 16-855
- sobolset 16-860
- sort (ordinal) 16-863
- sortrows (dataset) 16-865
- sortrows (ordinal) 16-867
- specific variance 9-38
- squareform 16-869
- standard normal 16-656
- standardized data
 - zscore 16-982
- Standardized Euclidean distance
 - in cluster analysis 16-696
- statget 16-871
- statistical process control
 - functions 15-42
 - visualization functions 15-11 15-42
- Statistical Process Control
 - capability studies 14-6
 - control charts 14-3
- statistical visualization
 - functions 15-8
- statset 16-872
- std 16-877
- stepwise 16-878
- stepwise regression 8-19
- stepwisefit 16-882
- Student's t distribution 18-85
 - noncentral 18-71
- Sum of Squares (SS) 16-11
- summaries
 - functions 15-5
- summary (categorical) 16-888

- summary (dataset) 16-890
- supported distribution fitting
 - functions 15-20
- surfht 16-892
- symmetric 16-314

T

- t location-scale distribution 18-87
- tab-delimited data
 - reading from file 16-900
- tabular data
 - reading from file 16-894
- tabulate 16-893
- tblread 16-894
- tblwrite 16-896
- tcdf 16-898
- tdfread 16-900
- terms
 - linear model 8-3
- test (classregtree) 16-902
- test (cvpartition) 16-908
- test statistic 6-3
- tiedrank 16-910
- tinvs 16-911
- tpdf 16-912
- training (cvpartition) 16-913
- training data 11-2
- treatment
 - experimental 13-3
- treedisp 16-915
- treefit 16-918
- treeprune 16-921
- trees 16-918
 - See also* decision trees
- treetest 16-924
- treeval 16-927
- trimmean 16-929
- trnd 16-930
- tstat 16-931

- ttest 16-932
- ttest2 16-936
- two-level designs 13-4
- two-way ANOVA 7-8
- type (classregtree) 16-940
- type I error 6-3
- type II error 6-3

U

- unidcdf 16-942
- unidinv 16-943
- unidpdf 16-944
- unidrnd 16-945
- unidstat 16-946
- unifcdf 16-947
- unifinv 16-948
- unifit
 - uniformly distributed fit 16-949
- uniform distribution 18-88
- unifpdf 16-950
- unifrnd 16-951
- unifstat 16-952
- upperparams (paretotails) 16-953
- utility functions
 - functions 15-44

V

- var 16-954
- variance
 - of probability distribution 5-26
- vartest 16-955
- vartest2 16-957
- vartestn 16-959
- view (classregtree) 16-962

W

- Wald distribution 18-42
- ward linkage 16-477

wblcdf 16-965
wblfit
 Weibull fit 16-967
wblinv 16-969
wbllike 16-971
wblpdf 16-973
wblplot 16-974
wblrnd 16-976
wblstat 16-977
Weibull distribution 18-92
Weibull, Waloddi 18-92
whiskers 4-7
Wishart and inverse Wishart distributions 18-94
Wishart random matrix 16-978
 inverse 16-426
wishrnd 16-978
wrapper methods
 feature selection 16-842

X

x2fx 16-979

Z

zscore 16-982
ztest 16-984